PHOSPHORUS

	P ₄	MW: 123.90	CAS: 7723-14-0	RTECS: TH3500000
METHOD: 7905, Issue 2		EVALUATION: FULL	lssue 1: 15 May 1989 Issue 2: 15 August 1994	
OSHA : NIOSH: ACGIH:	0.1 mg/m ³ 0.1 mg/m ³ ; Group 0.1 mg/m ³ (1 ppm = 5.07 mg	I Pesticide /m³ @ NTP)	PROPERTIES:	solid; d 1.83 g/mL @ 20 °C; MP 44 °C; BP 280 °C; sublimes; VP 3.5 Pa (2.6 x 10 ⁻² mm Hg; 172 mg/m ³) @ 20 °C; oxidizes spontaneously in air

SYNONYMS: white phosphorus; yellow phosphorus.

	SAMPLING	MEASUREMENT
SAMPLER:	SOLID SORBENT TUBE (Tenax GC, 100 mg/50 mg)	TECHNIQUE: GAS CHROMATOGRAPHY, PHOSPHORUS FPD
FLOW RATE:	0.01 to 0.2 L/min	ANALYTE: phosphorus
VOL-MIN: -MAX:	5 L @ 0.1 mg/m ³ 100 L	DESORPTION: 1 mL xylene; stand 30 min
SHIPMENT:	routine	INJECTION VOLUME: 5 μL
SAMPLE STABILITY:	7 days @ 25 °C	TEMPERATURE-INJECTION: 200 °C -DETECTOR: 200 °C -COLUMN: 80 °C
FIELD BLANKS:	2 to 10 field blanks per set	CARRIER GAS: He, 30 mL/min
		COLUMN: 1.8 m x 6-mm OD x 2-mm ID glass; 3% OV-101, 80/100 mesh Chromosorb WHP
ACCURACY		CALIERATION: stondard solutions of phosphorus
RANGE STUDIED:	0.056 to 0.24 mg/m ³ [1] (12-L samples)	in xylene
BIAS:	+ 5.5%	RANGE: 0.5 to 5 µg per sample
OVERALL PRECISIC)N (Ŝ_{rT}): 0.090 [1]	ESTIMATED LOD: 0.005 µg per sample [1]
ACCURACY:	± 21.3%	PRECISION (Ŝ _r): 0.024 @ 0.6 to 2.4 µg per sample [1]

APPLICABILITY: The working range is 0.04 to 0.8 mg/m³ (0.0008 to 0.16 ppm) for a 12-L air sample. The method is applicable to vapor-phase phosphorus only. If particulate P_4 is expected in the air sample, use a filter in the sampling train.

INTERFERENCES: None identified.

OTHER METHODS: This combines and replaces S334 [2] and P&CAM 257 [3]. P&CAM 242, utilizing impinger sampler (xylene), has not been revised [4].

7905

REAGENTS:

- 1. Phosphorus (white), purified, stored under distilled water.*
- 2. Xylene (mixed), reagent grade.
- 3. Acetone, purified.
- Calibration stock solution, 0.20 mg/mL. Prepare under nitrogen or other inert gas. Dissolve a known mass (ca. 2 mg) of acetonewashed, dried white phosphorus in 10 mL xylene. Stir until dissolved. Prepare in duplicate.
- 5. Helium, prepurified.
- 6. Hydrogen, prepurified.
- 7. Air, compressed, filtered.
- 8. Nitrogen, purified.
 - * See SPECIAL PRECAUTIONS.

EQUIPMENT:

- Sampler: borosilicate glass tube, 7-cm long, 8mm OD, 6-mm ID, flame-sealed ends with plastic caps, containing two sections of 35/60 mesh Tenax GC (front = 100 mg; back = 50 mg) separated and retained by 2-mm silylated glass wool plugs. Pressure drop across the sampler at 0.2 L/min airflow must be less than 3.3 kPa (25 mm Hg).
 - NOTE: If the air sample is expected to contain particulate elemental phosphorus, precede the Tenax tube with a 37-mm diameter, cellulose ester membrane filter.
- 2. Personal sampling pump, 0.01 to 0.2 L/min, with flexible connecting tubing.
- 3. Gas chromatograph, flame photometric detector (phosphorus mode), integrator and column (page 7905-1).
- 4. Vials, 20-mL, PTFE-lined septum caps.
- 5. Syringes, 5-, 10- and 25-µL, for making standards and GC injections.
- 6. Volumetric flasks, 10-mL.
- 7. Pipet, TD, 1-mL with pipet bulb.
- 8. Balance, analytical, readable to 0.01 mg.

SPECIAL PRECAUTIONS: White phosphorus may be fatal if ingested, even in small quantities [5]. Phosphorus vapor is toxic; work in a contained atmosphere with adequate care.

SAMPLING:

- 1. Calibrate each personal sampling pump with a representative sampler in line.
- 2. Break the ends of the sampler immediately before sampling. Attach sampler to personal sampling pump with flexible tubing.
- 3. Sample at an accurately known flow rate between 0.01 and 0.2 L/min for a total sample size of 5 to 100 L.
- 4. Cap the samplers and pack securely for shipment.

SAMPLE PREPARATION:

- 5. Place the front and back sorbent sections of the sampler tube in separate vials. Discard the glass wool plugs.
- 6. Pipet 1.0 mL xylene into each vial. Cap each vial. NOTE: Use 5.0 mL xylene for filters, if applicable.
- 7. Allow to stand 30 min with occasional agitation.

CALIBRATION AND QUALITY CONTROL:

- 8. Calibrate daily with at least six working standards.
 - Add known amounts of calibration stock solution, or a serial dilution thereof, to xylene in 10-mL volumetric flasks and dilute to the mark to produce phosphorus concentrations in the

range 0.01 to 5 µg/mL.

- b. Analyze with samples and blanks (steps 11 and 12)
- c. Prepare calibration graph (peak area vs. µg phosphorus).
- 9. Determine desorption efficiency (DE) at least once for each batch of Tenax-GC used for sampling in the range of interest. Prepare three tubes at each of five levels plus three media blanks.
 - a. Remove and discard back sorbent section of a media blank sampler.
 - b. Inject a known amount (2 to 20 μ L) of calibration stock solution directly onto front sorbent section with a microliter syringe.
 - c. Cap the tub. Allow to stand overnight.
 - d. Desorb (steps 5 through 7) and analyze together with working standards (steps 11 and 12).e. Prepare a graph of DE vs. µg phosphorus recovered.
- 10. Analyze three quality control blind spikes and three analyst spikes to ensure that the calibration graph and DE graph are in control.

MEASUREMENT:

11. Set gas chromatograph according to manufacturer's recommendations and to conditions given on page 7905-1. Inject sample aliquot manually using solvent flush technique or with autosampler.

NOTE: If peak area is above the range of the working standards, dilute with xylene, reanalyze and apply the appropriate dilution factor in calculations.

12. Measure peak area.

CALCULATIONS:

13. Determine the mass, μg (corrected for DE) of phosphorus found in the sample front (W $_{f}$) and back (W $_{b}$) sorbent sections, and in the average media blank front (B $_{f}$) and back (B $_{b}$) sorbent sections.

NOTE: If $W_b > W_f/10$, report breakthrough and possible sample loss.

14. Calculate concentrations, C, of phosphorus in the air volume sampled, V (L):

$$C = \frac{W_{f} + W_{b} - B_{f} - B_{b}}{V}$$
, mg/m³.

EVALUATION OF METHOD:

Method S334 was issued on November 25, 1977 [2], and validated with generated atmospheres using a solution (11 mg/mL) of phosphorus in tetralin in a calibrated syringe drive, verified by independent collection in xylene [1]. Average recovery was 106% with $\hat{S}_r = 7.4\%$ (18 samples) in the range 0.056 to 0.24 mg/m³ for 12-L samples. In an experiment in which 25-L samples of an atmosphere containing 0.35 mg/m³ phosphorus vapor were analyzed, the same phosphorus concentration was found in xylene-filled impingers with or without cellulose ester membrane prefilters. Breakthrough (effluent = 5% of test concentration) did not occur after sampling for 240 min at 0.2 L/min from an atmosphere containing 0.311 mg/m³ at 85% RH. Desorption efficiency for 18 samples in the range 0.6 to 2.4 µg per sample average 95% with $\hat{S}_r = 2.6\%$. The overall precision, \hat{S}_{rT} , including pump error was 0.090.

REFERENCES:

- [1] Backup Data Report, S334, (November 25, 1977), available as "Ten NIOSH Analytical Methods, Set 5," order No. PB 287-499, from NTIS, Springfield, VA 22161.
- [2] NIOSH Manual of Analytical Methods, 2nd. ed., V. 4, S334, U.S. Department of Health, Education, and Welfare, Publ. (NIOSH) 78-175 (1978).
- [3] Ibid., Vol. 1, P&CAM 257, U.S. Department of Health, Education, and Welfare, Publ. (NIOSH) 77-157-A (1977)
- [4] Ibid., P&CAM 242.
- [5] Merck Index, 11th ed., Merck & Co., Rahway, NJ (1989).

METHOD REVISED BY:

Gangadhar Choudhary, Ph.D., ATSDR, and Peter M. Eller, Ph.D., NIOSH/DPSE. S334 originally validated under NIOSH Contract CDC-210-75-0047.