

# Obligations to Report Outbreaks of Foodborne Disease under the International Health Regulations (2005)

Martyn Kirk, Jennie Musto, Joy Gregory, and Kathleen Fullerton

Every year, Australia identifies 2–3 outbreaks associated with imported foods. To examine national authorities' obligations under the International Health Regulations (2005), we reviewed outbreaks in 2001–2007 that implicated internationally distributed foods. Under these regulations, 7 (50%) of 14 outbreaks would have required notification to the World Health Organization.

During the past 2 decades the global trade in food has increased, making outbreaks associated with internationally distributed foods more common (1). These outbreaks are challenging to identify and control. This is despite the involvement of multinational agencies, such as the World Health Organization (WHO), the European Centre for Disease Prevention and Control, and surveillance networks, such as PulseNet International and the European Foodborne Viruses Network, which use molecular techniques to rapidly compare infecting strains (1–4). Food is a silent vehicle for spreading pathogens and chemicals across country borders (5). Whenever agencies responsible for health, agriculture, or food safety identify contaminated foods that are imported or exported, the potential for human illness to occur in other countries exists.

WHO recently revised the legally binding International Health Regulations (IHR) to respond more effectively to the increasing spread of disease internationally (6). IHR (2005) are based on a risk assessment approach and came into force on June 15, 2007. Under IHR (2005), countries are required to designate or establish a National

Author affiliations: Australian Government Department of Health & Ageing, Canberra, Australian Capital Territory, Australia (M. Kirk, K. Fullerton); Australian National University, Canberra (M. Kirk); New South Wales Department of Health, Sydney, New South Wales, Australia (J. Musto); and Department of Human Services, Melbourne, Victoria, Australia (J. Gregory)

DOI: 10.3201/eid1409.080468

IHR Focal Point, which should be a national center for urgent communications under the regulations. These regulations include a decision-making instrument that lead National Focal Points through a series of 4 questions to assist them in making a decision to report events to WHO for international alert and response (Figure) (7). IHR (2005) cover events of international importance that involve contaminated food and outbreaks of foodborne disease. In 2004, WHO, in collaboration with the Food and Agriculture Organization of the United Nations, launched the International Food Safety Authorities Network (INFOSAN) to improve food safety information exchange and cooperation, including a food safety emergency component (INFOSAN Emergency; see [www.who.int/food-safety/fs\\_management/infosan/en](http://www.who.int/food-safety/fs_management/infosan/en)). WHO has developed guidance to illustrate how INFOSAN Emergency complements processes under IHR (2005) (8).

In Australia, health departments in 6 states and 2 territories led multiagency teams to investigate and control ≈100 outbreaks of foodborne disease that affected 2,000–




Figure. Decision instrument for the assessment and notification of events that may constitute a public health emergency of international concern under International Health Regulations (IHR) (2005). WHO, World Health Organization. \*As per WHO case definitions. †The disease list shall be used only for the purposes of these regulations; adapted from Annex II of IHR (2005), reported in (7).

4,000 people each year. The results of these investigations are summarized and reported to OzFoodNet, Australia's national system of foodborne disease surveillance. When outbreaks are spread across jurisdictional or country borders, OzFoodNet coordinates national responses to determine the cause of the outbreak and prevent further spread.

In this report, we assess well-characterized outbreaks of foodborne disease traced to internationally distributed foods. We used questions in the IHR decision-making algorithm to examine whether these outbreaks would be potentially reportable under IHR (2005). We also make some observations on investigating and managing these international outbreaks from recent experiences, including interaction with INFOSAN Emergency.

### The Outbreaks

In the 7-year period 2001–2007, 14 (1.8%) of 768 foodborne outbreaks were associated with foods that were distributed internationally (online Appendix Table, available from [www.cdc.gov/EID/content/13/9/1440-appT.htm](http://www.cdc.gov/EID/content/13/9/1440-appT.htm)). In total, these outbreaks affected at least 542 persons in Australia, 4.4% (542/12,423) of all those affected by foodborne disease outbreaks during the period. The median size of these outbreaks was 20 persons (range 3–230). The number of persons affected in other countries as a result of these events was unknown. Given the nature of foodborne disease, more outbreaks that we were unable to identify were likely associated with internationally distributed foods.

Several point-source outbreaks were related to each other by a common food source, even though the foods were often branded differently and supplied by different companies. The outbreaks of suspected norovirus infection (outbreaks 4, 6, and 9) were associated with individually quick frozen (IQF) oysters all harvested from the same region in Japan; this association was later confirmed after a national investigation into 3 related outbreaks (outbreaks 7, 8, and 10) (9). These outbreaks occurred over a 3-year period and resulted in Australia's imposing restrictions on importation of IQF oysters from this growing area.

No outbreaks was considered to be of "serious public health impact" because of their small size and moderate severity. In 4 (29%) of 14 outbreaks, the event was considered "unusual or unexpected" in Australia because of novel disease-causing agents. However, agents considered novel in Australia were common causes of disease in the country exporting the food (10). In 5 (36%) of the 14 outbreaks, food had been distributed to other countries, resulting in multinational food recalls; 4 more events had the potential to spread to other countries. We identified the implicated food for 2 outbreaks (outbreaks 1 and 14) because other countries rapidly published reports in *Eurosurveillance Weekly*. We alerted other countries to the implicated food for 3 other common-source outbreaks (outbreaks 3 and 5,

by using rapid reports in the same publication and outbreak 2 through ProMED Mail) (11–14).

During these investigations, we attempted to identify other countries that had also received contaminated food. Before the inception of INFOSAN, we relied on diplomatic communications with the exporting country, which were often unsuccessful. In a recent incident in which persons became infected with toxigenic *Vibrio cholerae* after eating raw whitebait (outbreak 13), INFOSAN Emergency made inquiries of the exporting country and confirmed that fish had not been exported to other countries and that no outbreak was observed locally (15). During a multicountry outbreak of drug-resistant shigellosis (outbreak 14), INFOSAN Emergency Focal Point at WHO gained the exporting country's cooperation to trace back the produce to the facility concerned and informed other countries receiving the same batch of produce (11) (online Appendix Table).

### Conclusions

Although IHR (2005) only came into force in June 2007, we consider that there would have been a basis for reporting 7 (50%) of 14 imported food outbreaks, with 3 of these being part of the same IQF oyster contamination event. Although National IHR Focal Points may decide not to notify or report an outbreak under IHR (2005), it is vital that they publish rapid reports involving imported and exported foods, given the potential of these foods to spread disease internationally, and consult with WHO through INFOSAN Emergency. In this report, we considered only those events that resulted in human illness, but it is important for National IHR Focal Points to consult with the INFOSAN Emergency Contact Point for their country and to consider notifying and/or reporting events in which food is contaminated in the absence of human illness. Serious, unusual, or unexpected events associated with domestic food may also trigger the criteria, even when foods are not exported. Note that under Article 9.2 of IHR (2005), public health risks associated with importation of contaminated goods may be reported to WHO independent of the event's meeting the Annex II criteria. This stipulation would allow reporting when available information is insufficient to make an adequate assessment under Annex II. We found WHO INFOSAN Emergency complementary to the management of IHR (2005). The role of WHO and other agencies in these events of potential international importance will undoubtedly continue to evolve.

### Acknowledgments

We thank various colleagues who discussed the application of IHR (2005) with us, and Jenny Bishop for obtaining the Figure and for commenting on a draft of this article.

OzFoodNet is funded by the Australian Government Department of Health and Ageing.

Mr Kirk is a senior epidemiologist with OzFoodNet, the Australian national surveillance system for foodborne diseases, and a National Health and Medical Research Scholar at the Australian National University. He is a graduate of the Australian Field Epidemiology Training Program and is a member of WHO's Foodborne Disease Epidemiology Reference Group.

## References

- Ammon A, Tauxe RV. Investigation of multi-national foodborne outbreaks in Europe: some challenges remain. *Epidemiol Infect.* 2007;135:887–9. DOI: 10.1017/S0950268807008898
- Kaferstein FK, Motarjemi Y, Bettcher DW. Foodborne disease control: a transnational challenge. *Emerg Infect Dis.* 1997;3:503–10.
- Swaminathan B, Barrett TJ, Hunter SB, Tauxe RV. PulseNet: the molecular subtyping network for foodborne bacterial disease surveillance, United States. *Emerg Infect Dis.* 2001;7:382–9.
- Koopmans M, Vennema H, Heersma H, van Strien E, van Duynhoven Y, Brown D, et al. Early identification of common-source foodborne virus outbreaks in Europe. *Emerg Infect Dis.* 2003;9:1136–42.
- Heymann DL. Control, elimination, eradication and re-emergence of infectious diseases: getting the message right. *Bull World Health Organ.* 2006;84:82. DOI: 10.2471/BLT.05.029512
- International Health Regulations: the challenges ahead. *Lancet.* 2007;369:1763. DOI: 10.1016/S0140-6736(07)60788-0
- World Health Organization. The world health report 2007: a safer future: global public health security in the 21st century. Geneva: The Organization; 2007.
- World Health Organization. The identification, assessment and management of food safety events under the International Health Regulations (2005). INFOSAN information note no. 4/2007 – IHR (2005). Geneva: The Organization; 2007.
- Webby RJ, Carville KS, Kirk MD, Greening G, Ratcliff RM, Crerar SK, et al. Internationally distributed frozen oyster meat causing multiple outbreaks of norovirus infection in Australia. *Clin Infect Dis.* 2007;44:1026–31. DOI: 10.1086/512807
- Maric P, Ali SS, Heron LG, Rosenfeld D, Greenwood M. Methaemoglobinemia following ingestion of a commonly available food additive. *Med J Aust.* 2008;188:156–8.
- Lewis HC, Kirk M, Ethelberg S, Stafford R, Olsen K, Nielsen EM, et al. Outbreaks of shigellosis in Denmark and Australia associated with imported baby corn, August 2007—final summary. *Euro Surveill.* 2007;12:E071004 2.
- O'Grady K, Powling J, Tan A, Valcanis M, Lightfoot D, Gregory J, et al. *Salmonella* Typhimurium DT104 - Australia, Europe. *Promed Mail* 2001.
- Unicomb LE, Simmons G, Merritt T, Gregory J, Nicol C, Jelfs P, et al. Sesame seed products contaminated with *Salmonella*: three outbreaks associated with tahini. *Epidemiol Infect.* 2005;133:1065–72. DOI: 10.1017/S0950268805004085
- Kirk MD, Little CL, Lem M, Fyfe M, Genobile D, Tan A, et al. An outbreak due to peanuts in their shell caused by *Salmonella enterica* serotypes Stanley and Newport – sharing molecular information to solve international outbreaks. *Epidemiol Infect.* 2004;132:571–7. DOI: 10.1017/S095026880400216X
- Forsman B, Mannes T, Musto J, Gottlieb T, Robertson G, Natoli JD, et al. *Vibrio cholerae* O1 El Tor cluster in Sydney linked to imported whitebait. *Med J Aust.* 2007;187:345–7.

Address for correspondence: Martyn Kirk, OzFoodNet, Office of Health Protection, Australian Government Department of Health and Ageing, GPO Box 9848, MDP 14, Canberra 2601, Australian Capital Territory, Australia; email: martyn.kirk@health.gov.au

**Now that you've read the article,  
you can listen to the commentary.**

**Obligations to  
Report Outbreaks of Foodborne  
Disease under the International  
Health Regulations (2005)**



[www.cdc.gov/ncidod/EID/podcast/](http://www.cdc.gov/ncidod/EID/podcast/)

Appendix Table. Outbreaks of illness that implicated internationally distributed foods and assessment of questions on the IHR (2005) decision instrument, Australia, 2001–2007\*

Outbreak no.	Year	Outbreak description	Implicated food	Public health impact serious?†	Event unusual or unexpected for Australia?	Significant risk for international spread?	Significant risk for international travel or trade restrictions?	Should this be reported to IHR?
1	2001	23 cases of <i>Salmonella</i> Typhimurium definitive type 104	Helva from Turkey	No, small outbreak of moderate severity	Yes, food-borne transmission of this multidrug-resistant <i>Salmonella</i> strain rare	Yes, food distributed globally; multiple European countries reporting cases	No, increased testing of imported sesame seed products only	Yes
2	2001	55 cases of <i>S. Stanley</i> and <i>S. Newport</i>	Dried peanuts from China	No, moderate outbreak of mild illness	No, <i>Salmonella</i> serotypes common	Yes, food distributed globally; cases reported in UK and Canada	No, novel food product	No
3	2002	55 cases of <i>S. Montevideo</i> and <i>S. Tennessee</i>	Tahini from Egypt	No, moderate outbreak of mild illness	No, <i>Salmonella</i> serotypes common	Yes, food distributed globally; cases reported in New Zealand and contaminated product in Canada and UK	No, increased testing of imported sesame seed products only	No
4	2002	230 cases of suspected norovirus infection	IQF oysters from Japan	No, large outbreak of mild illness	No, suspected viral illness common	No, food vehicle poorly characterized	No, limited information for decision	No
5	2003	3 cases of <i>S. Montevideo</i>	Tahini from Lebanon	No, small outbreak of mild illness	No, <i>Salmonella</i> serotypes common	Yes, food distributed globally; see outbreak 3	No, increased testing of imported sesame seed products only	No
6	2003	17 cases of suspected norovirus	IQF oysters from Japan	No, small outbreak of mild illness	No, suspected viral illness common	No, food vehicle poorly characterized	No, limited information for decision	No
7	2003	35 cases of norovirus infection	IQF oysters from Japan	No, small outbreak of mild illness	No, norovirus outbreaks common	Yes, virus detected in imported oysters	Yes, Australia restricted imports	Yes
8	2003	48 cases of norovirus infection; related to outbreak 7	IQF oysters from Japan	No, moderate outbreak of mild illness	No, norovirus outbreaks common	Yes, virus detected in imported oysters	Yes, Australia restricted imports	Yes
9	2004	5 cases of suspected norovirus infection	IQF oysters from Japan	No, small outbreak of mild illness	No, suspected viral illness common	No, food vehicle poorly characterized	No, limited information for decision	No
10	2004	3 cases of norovirus infection; related to outbreak 7	IQF oysters from Japan	No, small outbreak of mild illness	No, norovirus outbreaks common	Yes, virus detected in imported oysters	Yes, Australia restricted imports	Yes
11	2005	5 cases of ciguatera poisoning in a family	Snapper from Fiji	No, small outbreak of; moderate severity	No, ciguatera common	No, domestic importation of fish only	No	No
12	2006	5 cases of methemoglobinemia in 2 families	Sodium nitrite powder from China	No, small outbreak; moderate severity	Yes, nitrite poisoning rare	Unknown	No	No
13	2006	3 cases of <i>Vibrio cholerae</i> infection	White bait from	No, small outbreak of	Yes, foodborne cholera rare	Yes, fish imported commercially	Yes, countries may have put in place trade	Yes

14	2007	55 cases of <i>Shigella sonnei</i> biotype G infection, with related cases in Denmark	Indonesia Baby corn from Thailand	moderate severity No, moderate outbreak of moderate severity	Yes, food-borne transmission of multidrug-resistant shigellosis rare	Yes, food distributed to several countries with other countries reporting cases	restrictions Yes, countries may have put in place trade restrictions	Yes
----	------	---	--	---	---	--	---	-----

\*IHR, International Health Regulations; UK, United Kingdom; IQF, individually quick frozen.

†Although these outbreaks were not considered to have a serious public health impact, the causative agents may cause a serious public health impact in different situations (i.e., response capabilities, population at risk, virulence).