



---

# Injuries Among Farm Workers in the United States 1995

Department of Health and Human Services  
Centers for Disease Control and Prevention  
National Institute for Occupational Safety and Health



# **Injuries Among Farm Workers in the United States, 1995**

**John R. Myers**

**DEPARTMENT OF HEALTH AND HUMAN SERVICES  
Centers for Disease Control and Prevention  
National Institute for Occupational Safety and Health**

**May, 2001**

## DISCLAIMER

Mention of the name of any company or product does not constitute endorsement by the National Institute for Occupational Safety and Health.

This document is in the public domain and may be freely copied or reprinted.

Copies of this and other NIOSH documents are available from:

National Institute for Occupational Safety and Health  
4676 Columbia Parkway  
Cincinnati, OH 45226-1998

DHHS (NIOSH) Publication No. 2001-153

For further information about occupational safety and health topics, call **1-800-35NIOSH** (1-800-356-4674), or visit the NIOSH website at **[www.cdc.gov/niosh](http://www.cdc.gov/niosh)**.

**CONTENTS**

<b>Acknowledgments</b> .....	vii
<b>Executive Summary</b> .....	1
<b>SECTION I: THE TRAUMATIC INJURY SURVEILLANCE OF FARMERS SURVEY</b> .....	<b>3</b>
Introduction.....	3
Methods.....	4
Highlight of Results .....	9
References.....	10
<b>SECTION II: NATIONAL DATA</b> .....	<b>11</b>
<b>National rates for injuries and restricted workdays by type of farm</b> .....	13
<b>National rates for injuries and restricted workdays by type of farm and status of the worker</b> .....	14
<b>National injury estimates</b> .....	15
<b>National restricted workday estimates</b> .....	19
<b>National injury estimates by farm group:</b>	
Crop operations.....	23
Livestock operations.....	28
<b>National injury estimates by type of farm:</b>	
Cash grain.....	32
Field crop.....	35
Vegetable, fruit, and nut.....	39
Nursery.....	43
Beef, hog, and sheep.....	46
Poultry.....	50
Dairy.....	53
Other farms.....	57
<b>National injury estimates by status of the worker:</b>	
Family.....	60
Hired.....	65
<b>National injury estimates by gender:</b>	
Males.....	68
Females.....	73

**National injury estimates by age group:**

Less than 20 years of age.....	76
20-29 years of age.....	80
30-39 years of age.....	83
40-49 years of age.....	88
50-59 years of age.....	92
60-69 years of age.....	96
70 years of age and older.....	99

**National injury estimates by race:**

White.....	103
Hispanic.....	108
Black.....	112
Other.....	115

<b>National injury estimates of source of injury by nature of injury.....</b>	<b>119</b>
---	------------

<b>National injury estimates of source of injury by type of injury event.....</b>	<b>121</b>
---	------------

<b>National injury estimates of nature of injury by body part injured.....</b>	<b>123</b>
--	------------

**SECTION III: REGIONAL DATA..... 125**

<b>Regional rates for injuries and restricted workdays by farm group.....</b>	<b>127</b>
---	------------

<b>Regional rates for injuries and restricted workdays by type of farm.....</b>	<b>128</b>
---	------------

<b>Regional rates for injuries and restricted workdays by farm group and status of the worker.....</b>	<b>130</b>
--	------------

**Regional injury estimates:**

Northeast.....	131
South.....	135
Midwest.....	139
West.....	143

**Regional injury estimates by farm group:**

Northeast crop operations.....	147
Northeast livestock operations.....	150
South crop operations.....	154
South livestock operations.....	157
Midwest crop operations.....	162
Midwest livestock operations.....	165

West crop operations.....	169
West livestock operations.....	173

**Regional injury estimates by status of the worker:**

Northeast family workers.....	177
Northeast hired workers.....	180
South family workers.....	184
South hired workers.....	187
Midwest family workers.....	191
Midwest hired workers.....	195
West family workers.....	198
West hired workers.....	201

**Regional injury estimates by gender:**

Northeast male workers.....	205
Northeast female workers.....	209
South male workers.....	212
South female workers.....	216
Midwest male workers.....	220
Midwest female workers.....	224
West male workers.....	227
West female workers.....	230

**Regional injury estimates by race:**

Northeast white workers.....	233
Northeast Hispanic workers.....	237
South white workers.....	240
South Hispanic workers.....	244
South black workers.....	247
Midwest white workers.....	250
West white workers.....	254
West Hispanic workers.....	257
West other race workers.....	261

**SECTION IV: STATE DATA..... 265**

<b>State rates for injuries and restricted workdays by State.....</b>	<b>267</b>
---	------------

**State injury estimates:**

Arkansas.....	268
California.....	271
Connecticut, Massachusetts, Rhode Island..	275
Delaware, Maryland.....	279
Florida.....	282
Hawaii.....	285
Kansas.....	288
Louisiana.....	292
Minnesota.....	295

Mississippi.....	300
Nebraska.....	303
New Mexico.....	306
Ohio.....	310
Pennsylvania.....	314
Texas.....	318
Virginia.....	321
<b>Appendix A: Survey Instrument.....</b>	<b>325</b>
<b>Appendix B: Sampling Estimators.....</b>	<b>331</b>

## Acknowledgments

The author is indebted to Robin Roark and Terry Holland of the U.S. Department of Agriculture (USDA), National Agricultural Statistics Service (NASS) for their invaluable assistance in the survey design, data collection, data entry, and review of this work; all of the State NASS cooperators who collected these data; Melvin L. Myers, formerly of the NIOSH, Office of the Director, for his support of this data collection effort; Bonita Malit, M.D., of the NIOSH, Education and Information Division, and Maria Nunez, of the NIOSH, Office of Administration and Management Services, for their assistance in formatting the large number of tables in this document; and, Diane M. Felice of the NIOSH, Pittsburgh Research Laboratory, for her assistance in preparing this document for printing.





## Executive Summary

The Traumatic Injury Surveillance of Farmers (TISF) survey project is the first national surveillance project in over 15 years to provide injury data for the entire agricultural production industry (i.e., farms). These data provide sufficient detail to target both specific farm types and farm workers at high risk of work injuries. This document, the third in a series of three publications, summarizes nonfatal lost-time work injury estimates for the agricultural production industry for 1995.

Major findings from the 1995 TISF include:

- ▶ An estimated total of 195,825 lost-time work injuries occurred on U.S. farms in 1995, after adjustment for non-response in the survey. This represents an incidence rate for all farming operations of 6.8 injuries/200,000 hours worked (200,000 hours is equivalent to 100 full-time workers).
- ▶ The highest injury rates were associated with beef, hog, or sheep operations (10.2 injuries/200,000 hours worked), followed by cash grain operations (7.6 injuries/200,000 hours worked), nursery operations (7.3 injuries/200,000 hours worked), and field crop operations (5.8 injuries/200,000 hours worked).
- ▶ The greatest number of injuries were in beef, hog, or sheep operations (43.3%), followed by cash grain operations (17.1%), vegetable, fruit, or nut operations (10.9%), and dairy operations (8.7%).
- ▶ The leading causes of lost-time work injuries on farms were machinery, excluding farm tractors (21.3%), livestock (20.0%), and working surfaces (8.5%). Farm tractors accounted for 4.1% of these nonfatal injuries.
- ▶ The injuries typically occurred to the workers' leg, knee, or hip (17.4%), back (14.4%), fingers (13.2%), or their arm or shoulder (12.9%).
- ▶ Sprains and strains (28.2%) accounted for the largest number of lost-time injuries, followed by fractures (17.4%), lacerations (15.2%), and bruises (15.2%).
- ▶ Farm operators and their family members accounted for most of the injuries (63.8%) reported in the 1995 TISF.
- ▶ Injured workers were usually male (88.8%), and the race or ethnic origin of the worker was typically white (81.3%). Hispanics accounted for the second highest number of injuries (16.8%).

- ▶ Of the estimated 131,540 injured family workers, 98.6% were white, with 52% of the injured family members working on beef, hog, or sheep operations. The estimated injury rate for family workers on all farms was 8.3 injuries/200,000 hours.
  
- ▶ Of the estimated 59,888 injuries among hired workers, Hispanics accounted for 51.9%, with 25% of the injured workers working on beef, hog, or sheep operations. The injury rate for hired workers on all farms was 4.9 injuries/200,000 hours.

The tables of farm injury statistics contained in this document are designed as a resource for safety and health professionals and researchers to answer the major questions about farm-related work injuries. Farm injury statistics for 1995 are provided for the Nation, major regions, and selected States. The content of this document fills a critical information gap by providing detailed data on agricultural injuries in the U.S.

# Section I: The Traumatic Injury Surveillance of Farmers Survey

---

## INTRODUCTION

Workers in the agriculture industry of the United States (U.S.) have received a great deal of attention recently because of their high risk for fatal injuries and suspected risk for serious nonfatal injuries [NIOSH, 1992; National Coalition for Agricultural Safety and Health, 1989]. A major problem with planning injury prevention programs for these agricultural workers is a lack of surveillance data, especially for those injuries which are nonfatal. To address this lack of nonfatal injury data, the National Institute for Occupational Safety and Health (NIOSH), working in cooperation with the National Safety Council (NSC) Agricultural Division and the U.S. Department of Agriculture (USDA), developed the Traumatic Injury Surveillance of Farmers (TISF) survey.

The objective of the TISF was to determine the frequency, incidence rate, and characteristics of agricultural work-related injuries occurring in the U.S. using a uniform surveillance system. This was accomplished by collecting data on agricultural work-related injuries that occur during a calendar year on a random sample of farms across the U.S. The TISF provides injury estimates at the State, regional, and U.S. level.

The intent of the following document is to present the third and final year of TISF results in an easily accessible statistical abstract format. This is the third in the series of TISF reports [Myers, 1997; Myers, 1998]. No attempt is made to interpret the results presented here because of the quantity of data presented, and because these data represent only one part of a more complex survey. It is hoped that the data will be used by public health and safety professionals, engineers, and other groups working in the area of farm safety to help in their intervention programs and injury control research.

These data were collected by the USDA, National Agricultural Statistics Service (NASS) through an interagency agreement with NIOSH. The injury estimates and incidence rates presented in this statistical abstract were calculated by NIOSH and are presented here with the approval of USDA, NASS. Access to all TISF data files, or additional injury estimates from the TISF, are subject to the approval of USDA, NASS.

## METHODS

### General Survey Design:

The TISF surveillance system was a mail survey-based surveillance system using a Total Design Method methodology [Dillman, 1978]. The TISF survey used a personalized letter to the person asked to complete the survey, emphasizing that their response was important. Each person was sent a postcard after the first mailing of the survey reminding them to complete the questionnaire. Approximately 3 to 4 weeks after the initial mailing, a second letter and copy of the survey was sent to those people who had not responded. To increase the response rates, the TISF survey was conducted in January and February, a time of the year when most farm operators are less active. The survey instrument used for the TISF was kept at a maximum of four pages. The 1995 instrument is provided in Appendix A. Finally, an abbreviated telephone survey was conducted on a random sample of 1,000 non-responding farm operators to allow for the assessment of non-response bias in the main survey.

The sample selection and sampling frame information for the survey was provided by USDA, NASS through an interagency agreement. All agricultural production operations in the U.S. were in the population for study. NASS drew all samples, conducted the mailings, conducted follow-back contacts to the farm operations for assessing non-response, entered data, and provided all sampling frame information required by the NIOSH sampling design.

For the survey, an injury was defined as any condition that results in  $\frac{1}{2}$  day or more of restricted activity (e.g., person could not perform work or other normal duties, missed work, missed school), or required professional medical treatment. An agricultural work-related injury was defined as any injury meeting this definition that occurred while performing work (either on the farm or off the farm) associated with the farm business. This definition excluded injuries to contractors working for the farm operation, injuries associated with work not done for the farm business, or injuries occurring on the farmstead while the person was not working for the farm business. While the total number of work-related lost-time injuries was requested for the calendar year on the survey, descriptive information was only collected for the most recent injury event.

All information provided on the survey was self-reported by the farm operator. As such, variables such as race or ethnic origin, age, and the cause of the injury event are subject to the interpretation of the farm operator.

### Sampling Design:

A two-stage random sample of farm operations was drawn to provide estimates for the study population. The sample-based estimators for this two-stage design are provided in Appendix B. The

first-stage sample consisted of 42 primary units, which were individual States, or combinations of States, that ensured a reasonable number of farming operations per primary unit (Table 1-1). The primary units were stratified by geographic region in the U.S. (Table 1-2). Selection of these units was systematic within a region. The stratification of the first-stage sample by region reduced the effect of using systematic rather than random sampling. Equal probability sampling assumptions were used for the first-stage sample. The number of samples in the first-stage ( $n_1$ ) ranged from 15 to 19 depending on the year of the survey. The second-stage sample was a stratified simple random sample of farming operations (i.e., secondary units) within the selected first-stage units. The second-stage stratification was by type of farming operation. Sample size allocations within strata were proportionally allocated by farm type. The total number of farms in each primary unit is given in Table 1-1. All responses to the mail survey were on a "per farm" basis. The second-stage sample size ( $n_2$ ) was 1,400 farms per first-stage sampling unit.

Upon completion of the mail survey, a random sample of 1,000 non-respondents from all primary units were contacted by telephone to obtain basic survey information which was used to assess non-response bias in the mail survey.

#### **Injury, Restricted Workday, and Exposure Estimates:**

The national and regional estimates and variances for injuries, restricted workdays, and hours of exposure were obtained by using the unbiased estimators of a two-stage sample, which are presented in Appendix B. The State estimates for injuries and hours of exposure were obtained using the unbiased estimator for a stratified simple random sample (Appendix B.). All sample-based estimators and variance estimators were derived from Cochran [1977].

#### **Incidence Rate Estimates:**

The injury incidence rates and the restricted workday incidence rates were estimated as the estimated injuries or restricted workdays at the State, regional, or national level, divided by the estimated exposure at the State, regional, or national level, respectively. The rates are in terms of 200,000 hours, which is the Bureau of Labor Statistics definition of 100 full-time workers [BLS, 1990].

The sampling variance calculation for the exposure-based incident rates was estimated using the linear combination of variances of the injury estimate and the exposure estimate as described by Cochran [1977]. The general form of the variance expression is:

$$v(R) = 200,000^2 \left(\frac{1}{x}\right)^2 [v(y) + R^2v(x) - 2R \text{cov}(y, x)]$$

**Table 1-1. Primary (States) and secondary (Farms) sample units for the TISF Surveillance System.**

Primary Units (States)	Secondary Units (Farms)
Alabama	47,000
Alaska, Washington	44,000
Arizona	8,100
Arkansas	48,000
California	84,000
Colorado	27,000
Connecticut, Rhode Island, Massachusetts	11,670
Delaware, Maryland	18,600
Florida	41,000
Georgia	48,000
Hawaii	4,650
Idaho	22,100
Illinois	83,000
Indiana	71,000
Iowa	105,000
Louisiana	34,000
Kansas	69,000
Kentucky	95,000
Maine, New Hampshire, Vermont	16,800
Michigan	55,000
Minnesota	90,000
Mississippi	41,000
Missouri	109,000
Montana, Wyoming	33,600
Nebraska	57,000
Nevada, Utah	15,500
New Jersey	8,300
New Mexico	14,000
New York	39,000
North Carolina	65,000
North Dakota	33,500
Ohio	86,000
Oklahoma	70,000
Oregon	37,000
Pennsylvania	54,000
South Carolina	25,500
South Dakota	35,000
Tennessee	91,000
Texas	186,000
Virginia	47,000
West Virginia	21,000
Wisconsin	81,000

**Table 1-2. Geographic regions of the United States used in the TISF survey.**

<u>Region</u>	<u>States</u>	<u>Scheduled Survey Year(s)</u>
Northeast	Maine	1994
	Vermont	1994
	New Hampshire	1994
	Massachusetts	1995,1996
	Connecticut	1995,1996
	Rhode Island	1995,1996
	New York	1995
	Pennsylvania	1994,1996
	New Jersey	1994
South	Delaware	1996
	Maryland	1996
	West Virginia	1995
	Kentucky	1995
	Virginia	1994,1996
	Tennessee	1994
	North Carolina	1994
	South Carolina	1995
	Georgia	1995
	Florida	1994,1996
	Alabama	1995
	Mississippi	1996
	Louisiana	1996
	Arkansas	1996
Oklahoma	1994	
Texas	1996	
Midwest	Ohio	1996
	Michigan	1994
	Indiana	1995
	Illinois	1995
	Wisconsin	1994
	Minnesota	1996
	Iowa	1994
	Missouri	1994,1995
	Kansas	1994,1996
	Nebraska	1996
	South Dakota	1995
	North Dakota	1994
West	Montana	1995
	Wyoming	1995
	Colorado	1994
	New Mexico	1996
	Arizona	1994
	Nevada	1995
	Utah	1995
	Idaho	1995
	Washington	1994
	Oregon	1995
	California	1994,1996
	Alaska	1994
	Hawaii	1996



where:  $v(R)$  = variance of the rate,  $R$ ;  
 $v(y)$  = variance for the numerator (e.g., injuries);  
 $cov(y, x)$  = covariance between the numerator and the  
                  hours of exposure;  
 $\bar{x}$  = mean for hours of exposure.  
 $v(x)$  = variance for the hours of exposure;

The covariance term for the State estimate accounted for the stratification of the sampled farms, while the covariance term for the regional rates included the first-stage and second-stage components of the covariance term. For the national estimates, only the first-stage covariance term was assessed, with the second-stage component assumed to be negligible.

### **Categorical Frequency Estimates:**

The frequency estimates for the categorical variables on the TISF survey were based on all farms that reported only one injury (farms with more than one injury were excluded). This was done to avoid bias during the construction of frequency distributions of categorical variables. Because the TISF survey results only have detailed information for the most recent injury event, including farms that reported more than one injury would bias the distributions by causing the distribution of injuries by month to be artificially skewed towards the later months of the calendar year. Furthermore, if different types of injuries were associated with the time of the year, then including injury descriptions for farms with more than one injury could bias other categorical variables.

The frequency estimates for farms with only one injury were adjusted for each stratum within a specific State to provide frequency results that sum to the estimated total injuries within each State. Because the regional and national estimates were derived from the State estimates, no further adjustments were required beyond the State level. The adjustment was a simple proportional increase of the sampling weight to make all farms with one reported injury account for the additional injuries not included for farms with more than one injury. For example, if the total estimated number of injuries for stratum A was 100 injuries, but the estimated number accounted for by farms reporting only one injury event was 85 for that stratum, then the sampling weight for the farms reporting only one injury event in stratum A would be increased by a factor of 1.18 (i.e., 100 divided by 85). This adjusted sampling weight was used to construct the categorical frequency tables.

Frequency tables for States, regions, and the nation are presented at differing levels of detail because of differing levels of data available at the three levels. National frequency tables provide the highest level of detail and cross classification of information, while the State data are only provided at the univariate level. The regional tables provide much of the same detail as the national tables, except for age-specific data, and

the use of broad farming groups (crops and livestock) rather than the specific farm types presented in the national tables. Finally, not all categories for all variables may be presented in these tables, such as specific age groups or racial groups, because of an insufficient number of cases to make reliable estimates.

#### **Non-Response Bias:**

The analysis of the 1995 survey indicated that the results based on the follow-back interviews conducted with 1,000 non-respondents did not differ significantly from the results derived from the main survey. Therefore, no adjustments were made to the results derived from the main survey respondents. Results from the 1994 TISF did have a significant response bias, and as such, care should be taken when comparing these results to those reported for 1994.

### **HIGHLIGHT OF RESULTS**

A total of 11,630 of the sampled 21,000 farm operations responded to the mail survey for a response rate of 55.3 percent. The survey response rate by State ranged from a high of 68 percent for the State of Oregon to a low of 47 percent for the State of South Dakota. Evaluation of the survey of 1,000 non-responding farm operations from the main survey did not show a significant bias in the main survey associated with the non-responding farms.

There were an estimated 195,825 lost-time work injuries on farms in 1995. This represented an incidence rate of 6.8 lost-time injuries per 200,000 hours of farm work. These injuries resulted in an estimated 3,388,740 restricted workdays, with a corresponding lost workday rate of 118.2 lost workdays per 200,000 hours of work.

The region of the nation with the highest number of lost-time injuries was the Midwest with an estimated 89,212 lost-time injuries. The highest estimated injury rate also occurred in the Midwest (9.1 lost-time injuries per 200,000 hours of farm work).

The major sources of injury on U.S. farming operations were machinery, excluding tractors (21.3%), livestock (20.0%), and working surfaces (8.5%). These injuries most frequently resulted in a sprain or strain (28.2%), fracture (17.4%), or cut (15.2%). The body parts most commonly injured were the leg, knee, or hip (17.4%), the back (14.4%), and the fingers (13.2%). Workers 30 to 39 years of age reported the highest number of injuries (21.7%). Males were involved in these injury events 88.8 percent of the time.

Beef, hog, or sheep operations were found to have the highest number of lost-time work injuries (84,736 injuries) and restricted workdays (1,869,561 restricted workdays). Cash grain operations had the second highest number of injuries (33,481 injuries);

followed by vegetable, fruit, or nut operations (21,406 injuries. Cash grains operations had the second highest number of restricted workdays (607,160 restricted workdays); followed by dairy operations (318,711 restricted workdays); and vegetable, fruit, or nut operations (204,412 restricted workdays). The highest injury rates per 200,000 hours of work were seen in beef, hogs, or sheep operations (10.2 injuries per 200,000 hours); followed by cash grain operations (7.6 injuries/200,000 hours); nursery operations (7.3 injuries/200,000 hours); and field crop operations (5.8 injuries/200,000 hours).

Family workers (including partners and family members of the partner) accounted for more injuries (131,694 injuries) and more restricted workdays (2,757,223 restricted workdays) than hired workers (59,888 injuries resulting in 606,542 restricted workdays). Family members had higher injury rates than hired workers on most types of farm operations, except nursery, poultry, and dairy operations.

The complete results of the 1995 TISF are presented in Sections 2 through 4 of the statistical abstract. Section 2 presents the national statistics, Section 3 the region-specific statistics, and Section 4 the State-specific statistics.

#### **REFERENCES**

Cochran WG. [1977]. Sampling techniques, 3rd Ed. New York, NY: J Wiley and Sons.

Dillman D. [1978]. Mail and telephone surveys: the total design method. New York, NY: J Wiley and Sons.

Myers JR. [1997]. Injuries among farm workers in the United States-1993. DHHS (NIOSH) Pub. No. 97-115. Cincinnati, OH: NIOSH.

Myers JR. [1998]. Injuries among farm workers in the United States-1994. DHHS (NIOSH) Pub. No. 98-153. Cincinnati, OH: NIOSH.

National Coalition for Agricultural Safety and Health. [1989]. A report to the nation--agricultural occupational and environmental health: policy strategies for the future. Iowa City, IA: NCASH.

National Institute for Occupational Safety and Health. [1992]. Papers and proceedings of the Surgeon General's conference on agricultural safety and health. DHHS (NIOSH) Pub. No. 92-105. Cincinnati, OH: NIOSH.



*Delivering on the Nation's Promise:  
Safety and health at work  
For all people  
Through research and prevention*

To receive other information about occupational safety and health topics, call  
1-800-35-NIOSH (1-800-356-4674), or  
visit the NIOSH Website at:  
[www.cdc.gov/niosh](http://www.cdc.gov/niosh)

**SAFER • HEALTHIER • PEOPLE™**

**DHHS (NIOSH) PUBLICATION No. 2001-153**

## **Appendix A: Survey Instrument**



Dear Reporter:

We are conducting this survey for the Centers for Disease Control. The purpose of this survey is to learn the extent of farm and ranch injuries and accidents. The information will be used to develop injury prevention programs. Please mail your report, which will be kept confidential, in the enclosed envelope. Response to this survey is voluntary, and not required by law. Thank you for your cooperation.

Sincerely,

Richard D. Allen, Chairperson  
Agricultural Statistics Board

Please make corrections in name, address and zip code, if necessary

Part I WORK-RELATED INJURIES

A WORK-RELATED INJURY is an injury associated with the business of operating your farm or ranch which resulted in 1/2 day or more of restricted activity. RESTRICTED ACTIVITY is defined as the inability to perform normal activities. A change in work performance as a result of an injury is also considered restricted activity. A DISABILITY is defined as full or partial loss of a body part or activity.

1. Did any farm work-related injuries occur in 1995? Number
- Yes - How many?.....
- No - Skip to question 18 on Page 3.
- |   |   |
|---|---|
| <p style="text-align: center;"><b>INCLUDE</b></p> <p>Injuries which occurred while performing farm work on or off the farm.<br/>Injuries to the operator, partners, paid and unpaid family members, full and part-time hired farm workers, and other unpaid farm workers.</p> | <p style="text-align: center;"><b>EXCLUDE</b></p> <p>Injuries which occurred during household and recreational activities.<br/>Injuries to contractors, custom operators, special service workers, and farm visitors.</p> |
|---|---|
2. Did any injury result in a disability? Number
- Yes - How many?.....
- No
3. How many injuries (reported in question 1) involved a tractor as the major source of injury? Number

THE FOLLOWING QUESTIONS REFER TO THE MOST RECENT INJURY REPORTED IN QUESTION 1.

4. Describe the most recent injury, include what the person was doing, what objects were involved, what sequence of events led to the injury, and where the event occurred.

---

---

---

---

---

---

---

---

CONTINUE ON NEXT PAGE

5. Relationship of the victim to the farm:

- Operator or family (paid or unpaid)..... 1
- Partner or family (paid or unpaid)..... 2
- Hired farm labor..... 3
- Non-family unpaid labor..... 4
- Other (specify)..... 5

007

6. Sex of victim:

- Male..... 1
- Female..... 2

008

7. Age of victim:

- Less than 10..... 1
- 10 - 19..... 2
- 20 - 29..... 3
- 30 - 39..... 4
- 40 - 49..... 5
- 50 - 59..... 6
- 60 - 69..... 7
- 70 and older..... 8

009

8. Race of victim:

- White, Non-Hispanic..... 1
- White, Hispanic..... 2
- Black..... 3
- Asian or Pacific Islander..... 4
- American Indian..... 5
- Other (specify)..... 6

010

9. Month injury occurred:

- January..... 1
- February..... 2
- March..... 3
- April..... 4
- May..... 5
- June..... 6
- July..... 7
- August..... 8
- September..... 9
- October..... 10
- November..... 11
- December..... 12

011

10. Severity of injury:

- Restricted activity..... 1
- Disability..... 2
- Fatality..... 3

012

If disability or fatality, skip to question 13.

11. Was professional medical attention required?

- Yes..... 1
- No..... 2

013

12. Number of days of restricted work activity.....Number

014

13. Part of body injured:

- Head/neck..... 1
- Eye..... 2
- Chest/trunk..... 3
- Back..... 4
- Arm/shoulder..... 5
- Finger..... 6
- Hand/wrist..... 7
- Leg/knee/hip..... 8
- Toe..... 9
- Foot..... 10
- Multiple body parts..... 11
- Other (specify)..... 12

015

14. Nature of Injury

- Amputation..... 1
- Asphyxiation..... 2
- Bruise..... 3
- Burn..... 4
- Cut..... 5
- Crushed..... 6
- Fracture..... 7
- Poisoning..... 8
- Puncture..... 9
- Sprain/strain..... 10
- Drowning..... 11
- Electric Shock..... 12
- Multiple Injuries..... 13
- Other (specify)..... 14

016

15. Type of injury event:

- Caught part of body in object..... 1
- Caught part of body between objects..... 2
- Caught part of body under objects..... 3
- Struck by or against object..... 4
- Struck by falling object..... 5
- Struck by flying object..... 6
- Contact with sharp object..... 7
- Fall to same level..... 8
- Fall from elevation..... 9
- Overexertion..... 10
- Contact with electricity..... 11
- Other (specify)..... 12

017

16. Type of work being performed when injury occurred:

- Farmstead maintenance or construction. 1
- Machinery service or repair..... 2
- Field work (tillage, planting, harvesting).. 3
- Storing or handling harvested crops..... 4
- Livestock handling..... 5
- Other (specify)..... 6

018

17. Object or substance that caused the injury:

- Tractor..... 1
- Machinery..... 2
- Livestock..... 3
- Hand tool..... 4
- Power tool..... 5
- Pesticide/other chemical..... 6
- Plant/tree..... 7
- Working surface..... 8
- Truck/automobile..... 9
- Other vehicle..... 10
- Liquids (not chemicals)..... 11
- Other (specify)..... 12

019

CONTINUE ON NEXT PAGE



Part II TRACTOR ACCIDENTS

18. Did any tractor accidents occur in 1995 (regardless of whether any injury occurred)?

Yes..... 1   
 No..... 2  
 If no, skip to question 26

21. What was the result of the overturn?

Injury..... 1  
 Fatality..... 2   
 Individual unharmed..... 3

If the individual was unharmed, skip to question 23.

THE FOLLOWING QUESTIONS REFER TO THE MOST RECENT TRACTOR ACCIDENT.

19. Did the tractor accident involve an overturn?

Yes..... 1   
 No..... 2  
 If no, skip to question 26

22. Who was the injured person?

Tractor operator..... 1   
 Passenger/extra rider..... 2  
 Other (specify)..... 3

23. Was the tractor equipped with a Rollover Protective Structure (ROPS) or other rollover protection?

Yes..... 1   
 No..... 2

20. Did the tractor belong to this operation?

Yes..... 1   
 No..... 2

24. Was a seat belt being used?

Yes..... 1   
 No, but a seat belt was present..... 2  
 No seat belt was present..... 3

25. Describe the tractor overturn (unless it was described in question 2 on page1). Include what the person was doing, what objects were involved, what sequence of events led to the overturn, and where the event occurred.

---



---



---

Tractor overturns are the leading cause of accidental death on farms. In order to design programs to reduce the risk of tractor overturns, we need basic information about farm tractors.

26. How many farm tractors over 20 PTO horse power were used on this operation in 1995?.....Number   
 (If none, skip to question 27 on page 4)

Complete the table below regardless of whether any tractor accidents occurred.

	Tractors Used in 1995  Make and Model	Office use	Model Year (two digit)	Rollover Protection (Enter code) 1=None 2=Rops 1/ 3=Cab(rollover protective design) 2/	Hours In Use On This Operation in 1995			
					Field	Road	Stationary	Total
1		021	022	023	024	025	026	027
2		028	029	030	031	032	033	034
3		035	036	037	038	039	040	041
4		042	043	044	045	046	047	048
5		049	050	051	052	053	054	055
6		056	057	058	059	060	061	062
7		063	064	065	066	067	068	069
8		070	071	072	073	074	075	076
9		077	078	079	080	081	082	083
10		084	085	086	087	088	089	090
11		091	092	093	094	095	096	097
12		098	099	100	101	102	103	104

1/ Roll-over protective structure. 2/ Include only if the cab is designed for roll-over protection. 3/ Plowing snow, scraping feed lots, etc...

PART III - OPERATION CHARACTERISTICS

27. How many acres were in your operation in 1995 (include set aside acres)?.....Acres

The hours of work performed for your operation is needed to assess the risk of being injured while working for a farm or ranch. This estimate of risk will be compared to risk estimates for other industries.

28. Estimated total hours of farm work performed in 1995 by:  
(Do not include hours worked by contractors, custom operators, or special service workers.)

The operator (paid or unpaid).....Hours	<input type="text" value="116"/>
Operator's family (paid or unpaid.....Hours	<input type="text" value="117"/>
Partner(s) (paid or unpaid).....Hours	<input type="text" value="118"/>
Full-time hired workers.....Hours	<input type="text" value="119"/>
Part-time hired workers.....Hours	<input type="text" value="120"/>
Other unpaid workers.....Hours	<input type="text" value="121"/>
Total Hours	<input type="text" value="002"/>

29. Which part of your operation contributed the most to 1995 value of agricultural sales?

Cash grains (wheat, corn, soybeans, etc.).....	1	
Field crops (cotton, hay, tobacco, etc.).....	2	
Specialty crops (fruit, vegetables, etc.).....	3	
Horticultural specialties (flowers, nursery, etc.).....	4	
Livestock (cattle, hogs, etc.).....	5	<input type="text" value="112"/>
Dairy.....	6	
Poultry and eggs.....	7	
Animal specialities (horses, fur bearing animals, aquaculture, etc.).....	8	
Other (specify).....	9	
Conservation Reserve Program only.....	10	

30. Would you like a copy of the results of this survey? Yes..... 1   
No..... 2

Public reporting burden for this survey averages 20 minutes per response. This includes the time for reviewing instructions, gathering the data, and completing the questionnaire. Send comments about this burden estimate or any other aspect of this survey, including suggestions for reducing the burden, to the Office of Management and Budget, Paperwork Reduction Project (0535-0223), Washington, DC, 20503. Please do not mail questionnaire to this address

Reported by \_\_\_\_\_ Date \_\_\_\_\_

Thank you for your assistance. Please return this survey form in the enclosed envelope.

Office use

## Appendix B: Sample-based Estimators



1. Sampling Estimators and Variance Estimators for State Estimates

$$\bar{Y}_i = \frac{\sum_{h=1}^L M_{ih} \bar{Y}_{ih}}{M_i} = \text{state mean of the variable of interest}$$

$$v(\bar{Y}_i) = \frac{1}{M_i^2} \sum_{h=1}^L M_{ih} (M_{ih} - m_{ih}) \frac{s_{ih}^2}{m_{ih}} = \text{variance of } \bar{Y}_i$$

where:

$$\bar{Y}_{ih} = \frac{\sum_{j=1}^{m_{ih}} y_{ihj}}{m_{ih}} = \text{mean of stratum } h \text{ in state } i$$

$$s_{ih}^2 = \frac{\sum_{j=1}^{m_{ih}} (y_{ihj} - \bar{Y}_{ih})^2}{m_{ih} - 1} = \text{variance of stratum } h \text{ in state } i$$

$m_{ih}$  = number of farms sampled in stratum  $h$  in state  $i$

$M_{ih}$  = number of farms in stratum  $h$  in state  $i$

$M_i$  = number of farms in state  $i$

$L$  = number of strata in the state

2. Unbiased Sampling Estimator and Variance Estimator for Regional Estimates

$$\bar{y}_{Reg} = \frac{N_{Reg}}{n_{Reg} M_{Reg}} \sum_{i=1}^{n_{Reg}} M_{Reg_i} \bar{y}_{Reg_i} = \text{regional mean of the variable of interest}$$

where:

$$\begin{aligned} V(\bar{y}_{Reg}) &= \frac{N_{Reg}^2}{n_{Reg} M_{Reg}^2} (1 - f_{Reg}) \frac{\sum_{i=1}^{n_{Reg}} M_{Reg_i} (\bar{y}_{Reg_i} - \bar{y}_{Reg})^2}{n_{Reg} - 1} + \frac{N_{Reg}}{n_{Reg} M_{Reg}^2} \sum_{i=1}^{n_{Reg}} M_{Reg_i}^2 v(\bar{y}_{Reg_i}) \\ &= \text{variance of } \bar{y}_{Reg} \end{aligned}$$

$\bar{y}_{Reg_i}$  = second-stage mean for state  $i$  in region  $R$

$v(\bar{y}_{Reg_i})$  = second-stage variance for state  $i$  in region  $R$

$M_{Reg_i}$  = number of farms in state  $i$  of region  $R$

$M_{Reg}$  = number of farms in region  $R$

$n_{Reg}$  = number of states sampled in region  $R$

$N_{Reg}$  = number of states in region  $R$

$f_{Reg} = \frac{N_{Reg} - n_{Reg}}{N_{Reg}} = \text{finite population correction (fpc) for region } R$

3. Sampling Estimators and Variance Equations for National Estimates

$$\bar{Y}_{Total} = \sum_{Reg=1}^P \frac{M_{Reg}}{M_{Total}} \bar{Y}_{Reg} = \text{national mean of the variable of interest}$$

$$V(\bar{Y}_{Total}) = \sum_{Reg=1}^P \frac{M_{Reg}}{M_{Total}} V(\bar{Y}_{Reg}) = \text{variance of } \bar{Y}_{Total}$$

where:

$P$  = number of regional strata

$M_{Total}$  = number of farms in the United States

4. Estimators for the rate of injuries per hours worked.

A. State estimates:

$$R_i = \frac{\bar{Y}_i}{\bar{X}_i} = \text{ratio of mean for injuries divided by mean for hours in state } i$$

$$V(R_i) = (s_{\bar{Y}_i})^2 + (R_i)^2 (s_{\bar{X}_i})^2 - 2\rho_i s_{\bar{Y}_i} R_i s_{\bar{X}_i} = \text{variance for } R_i$$

where:

$\rho_i$  = correlation between injuries and hours in state  $i$

B. Regional estimates:

$$R_{Reg} = \frac{\bar{Y}_{Reg}}{\bar{X}_{Reg}} = \text{ratio of mean for injuries divided by mean for hours in a region}$$

$$V(R_{Reg}) = V(\bar{Y}_{Reg}) + (R_{Reg})^2 V(\bar{X}_{Reg}) - 2 \text{COV}(\bar{Y}_{Reg}, \bar{X}_{Reg}) = \text{variance of } R_{Reg}$$

where:

$$\text{COV}(\bar{Y}_{Reg}, \bar{X}_{Reg}) = \frac{N_{Reg}^2}{n_{Reg} M_{Reg}^2} (1 - f_{Reg}) \frac{\sum_{i=1}^{n_{Reg}} M_{Reg_i} (\bar{Y}_{Reg_i} - \bar{Y}_{Reg})(\bar{X}_{Reg_i} - \bar{X}_{Reg})}{n_{Reg} - 1}$$

= covariance between  $\bar{Y}_{Reg}$  and  $\bar{X}_{Reg}$



C. National Estimates:

$$R_{Total} = \frac{\bar{Y}_{Total}}{\bar{X}_{Total}} = \text{ratio of means for injuries divided by hours}$$

$$\begin{aligned} V( R_{Total} ) &= V( \bar{Y}_{Total} ) + ( R_{Total} )^2 V( \bar{X}_{Total} ) - 2 COV( Y_{Total} , X_{Total} ) \\ &= \text{variance of } R_{Total} \end{aligned}$$

where:

$$\begin{aligned} COV( Y_{Total} , X_{Total} ) &= \sum_{Reg = 1}^P \frac{M_{Reg}}{M_{Total}} COV( Y_{Reg} , X_{Reg} ) \\ &= \text{covariance between } Y_{Total} \text{ and } X_{Total} \end{aligned}$$

All equations are derived from chapters 5, 6, and 11 of "Sampling Techniques, 3rd Edition" by W.G. Cochran (John Wiley and Sons, 1977).



## Section 2: National Data



**Table 2-1. National estimates of injuries, restricted workdays, injury rate per 200,000 hours worked, and restricted workdays per 200,000 hours worked by type of farming operation, 1995**

<u>Farm Type</u>	<u>Estimated Lost-time Injuries</u>	<u>Estimated Restricted Workdays</u>	<u>Estimated Lost-time Injury Rates</u>	<u>Estimated Restricted Workdays Rate</u>
Cash grain	33480.8	607160	7.6	137.4
Field crops	12403.6	138451	5.8	65.2
Veg, fruit, nuts	21406.0	204412	3.8	36.6
Nursery	15260.9	86106	7.3	41.2
Beef, hogs, sheep	84735.5	1869561	10.2	226.0
Poultry	2903.4	97487	4.0	135.7
Dairy	17122.2	318711	4.4	81.0
<u>Other farms</u>	<u>8512.2</u>	<u>66852</u>	<u>5.6</u>	<u>43.9</u>
All farms	195824.6	3388740	6.8	118.2

**Table 2-2. National estimates of injuries, restricted workdays, injury rate per 200,000 hours worked, and restricted workdays per 200,000 hours worked by type of farming operation and status of the injured worker, 1995**

<u>Farm Type</u>	<u>Status</u>	<u>Estimated Lost-time Injuries</u>	<u>Estimated Restricted Workdays</u>	<u>Estimated Lost-time Injury Rate</u>	<u>Estimated Restricted Workdays Rate</u>
Cash grain	Family	27174	583409	8.1	174.8
	Hired	5789	23492	7.3	29.5
Field crops	Family	10138	131765	9.1	118.6
	Hired	2265	6686	2.2	6.6
Veg, fruit, nuts	Family	4599	68401	4.5	66.2
	Hired	15750	130586	3.5	28.7
Nursery	Family	625	2089	1.3	4.2
	Hired	13290	84017	8.3	52.6
Beef, hogs, sheep	Family	68450	1652592	12.2	294.0
	Hired	15229	197678	5.8	74.8
Poultry	Family	1751	22451	4.2	54.0
	Hired	885	75036	2.9	248.8
Dairy	Family	11532	232370	8.7	77.8
	Hired	5590	86341	1.6	90.8
Other farms	Family	7424	64146	1.1	76.0
	Hired	1089	2706	4.8	4.0
All Farms	Family	131694	2757223	8.3	174.0
	Hired	59888	606542	4.9	48.4

**Table 2-3. National estimates of lost-time injuries by region, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	16718.2	8.5	16718.2	8.5
South	46075.5	23.5	62793.7	32.1
Midwest	89211.8	45.6	152005.5	77.6
West	43819.1	22.4	195824.6	100.0

**Table 2-4. National estimates of lost-time injuries by farm type, 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	33480.8	17.1	33480.8	17.1
Field crops	12403.6	6.3	45884.4	23.4
Vegetable, fruit, nuts	21406.0	10.9	67290.4	34.4
Nursery	15260.9	7.8	82551.3	42.2
Beef, hogs, sheep	84735.5	43.3	167286.8	85.4
Poultry	2903.4	1.5	170190.2	86.9
Dairy	17122.2	8.7	187312.4	95.7
Other farms	8512.2	4.3	195824.6	100.0

**Table 2-5. National estimates of lost-time injuries by status of the injured worker, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	121871.4	63.8	121871.4	63.8
Partner/family	9822.1	5.1	131693.5	68.1
Hired labor	54173.5	28.0	185867.0	96.1
Unpaid nonfamily	5714.6	3.0	191581.6	99.0
Other	1878.1	1.0	193459.7	100.0

(Frequency Missing = 2364.9)

**Table 2-6. National estimates of lost-time injuries by gender, 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	171743.8	88.8	171743.8	88.8
Female	21715.9	11.2	193459.7	100.0

(Frequency Missing = 2364.9)

**Table 2-7. National estimates of lost-time injuries by age group, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	1586.9	0.8	1586.9	0.8
10-19	6759.6	3.5	8346.5	4.3
20-29	28672.2	14.8	37017.0	19.1
30-39	42004.7	21.7	79023.6	40.8
40-49	29304.4	15.1	108328.0	55.9
50-59	41150.6	21.2	149478.6	77.2
60-69	29812.8	15.4	179291.4	92.5
>=70	14441.7	7.5	193733.1	100.0

(Frequency Missing = 2091.5)

**Table 2-8. National estimates of lost-time injuries by race or ethnic origin, 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	157748.3	81.3	157748.3	81.4
Hispanic	32341.2	16.8	190089.5	98.1
Black	2135.3	1.1	192224.8	99.2
Asian	1070.1	0.6	193294.9	99.7
Other	528.9	0.3	193823.8	100.0

(Frequency Missing = 2000.8)

**Table 2-9. National estimates of lost-time injuries by month, 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	3573.1	1.9	3573.1	1.9
February	3022.9	1.6	6596.0	3.5
March	8859.4	4.6	15455.4	8.1
April	15646.5	8.2	31101.9	16.3
May	16744.0	8.8	47845.9	25.0
June	19258.4	10.1	67104.3	35.1
July	26697.4	14.0	93801.7	49.3
August	29801.8	15.6	123603.5	64.7
September	17055.7	8.9	140659.2	73.6
October	18327.3	9.6	158986.5	83.2
November	24528.8	12.8	183515.3	96.1
December	7531.4	3.9	191046.7	100.0

(Frequency Missing = 4777.9)



**Table 2-10. National estimates of lost-time injuries by severity of the injury, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	181404.3	93.5	181404.3	93.5
Permanent	10097.7	5.2	191502.0	98.7
Fatality	2474.9	1.3	193976.9	100.0
(Frequency Missing = 1847.7)				

**Table 2-11. National estimates of lost-time injuries by whether professional medical attention was sought, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	14184.6	7.3	14184.6	7.3
Yes	151261.1	77.5	165445.7	84.8
No	29605.2	15.2	195050.9	100.0
(Frequency Missing = 773.7)				

**Table 2-12. National estimates of lost-time injuries by body part injured, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	11401.1	5.9	11401.1	5.9
Eye	6493.9	3.3	17895.0	9.2
Chest/trunk	11901.2	6.1	29796.2	15.4
Back	27969.7	14.4	57765.9	29.8
Arm/shoulder	25037.8	12.9	82803.7	42.7
Finger	25696.0	13.2	108499.7	55.9
Hand/wrist	17129.4	8.8	125629.1	64.8
Leg/knee/hip	33556.5	17.4	159185.6	82.1
Toe	929.4	0.5	160115.0	82.5
Foot	18899.6	9.7	179014.6	92.3
Mult. parts	9719.8	5.0	188734.4	97.3
Other	5242.5	2.7	193976.9	100.0
(Frequency Missing = 1847.7)				

**Table 2-13. National estimates of lost-time injuries by nature of injury, 1995.**

<u>Nature of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Amputation	3462.0	1.8	3462.0	1.8
Bruise	29490.2	15.2	32952.2	17.0
Burn	3435.4	1.8	36387.6	18.8
Cut	29528.7	15.2	65916.3	34.0
Crush	8338.2	4.3	74254.5	38.5
Fracture	33679.6	17.4	107934.1	55.7
Poisoning	221.7	0.1	108155.8	55.8
Puncture	11115.5	5.7	119271.3	61.5
Sprain/strain	54723.7	28.2	173995.0	89.8
Mult. injury	6782.4	3.5	180777.4	93.3
Other	13036.2	6.7	193813.6	100.0

(Frequency Missing = 2011.0)

**Table 2-14. National estimates of lost-time injuries by type of event, 1995.**

<u>Type of Event</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Caught in	11225.3	5.8	11225.3	5.8
Caught between	24792.7	12.8	36018.0	18.6
Caught under	9164.8	4.7	45182.8	23.3
Struck by/against	22198.6	11.4	67381.4	34.7
Struck by falling	14743.7	7.6	82125.1	42.3
Struck by flying	4463.3	2.3	86588.4	44.6
Contact sharp obj.	26208.0	13.5	112796.4	58.1
Fall, same level	13633.7	7.0	126430.1	65.2
Fall, elevation	27471.4	14.2	153901.5	79.3
Overexertion	19541.5	10.1	173443.0	89.4
Other	20533.9	10.6	193976.9	100.0

(Frequency Missing = 1847.7)

**Table 2-15. National estimates of lost-time injuries by activity when worker was injured, 1995.**

<u>Activity When Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Farm maint.	38451.8	19.9	38451.8	19.9
Machine maint.	20790.8	10.7	59242.6	30.6
Field work	23185.3	12.0	82427.9	42.6
Crop handling	23759.3	12.3	106187.2	54.9
Livestock handling	64529.7	33.3	170716.9	88.2
Other	22848.8	11.8	193565.7	100.0

(Frequency Missing = 2258.9)

**Table 2-16. National estimates of lost-time injuries by source of the injury, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	7902.4	4.1	7902.4	4.1
Machinery	41389.7	21.3	49292.1	25.4
Livestock	38779.4	20.0	88071.5	45.4
Hand tool	14717.3	7.6	102788.8	53.0
Power tool	5687.2	2.9	108476.0	55.9
Pesticide/chem.	915.5	0.5	109391.5	56.4
Plant/tree	7577.4	3.9	116968.9	60.3
Working surface	16502.3	8.5	133471.2	68.8
Truck/auto	2834.2	1.5	136305.4	70.1
Other vehicle	5174.8	2.7	141480.2	72.9
Liquids	505.8	0.3	141986.0	73.2
Other	52059.2	26.8	194045.2	100.0

(Frequency Missing = 1779.4)

**Table 2-17. National estimates of restricted workdays by region, 1995. Temporary injuries only.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	292989	8.6	292989	8.6
South	818321	24.1	1111310	32.8
Midwest	1817799	53.6	2929109	86.4
West	459631	13.6	3388740	100.0

**Table 2-18. National estimates of restricted workdays by farm type, 1995. Temporary injuries only.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	607160	17.9	607160	17.9
Field crops	138451	4.1	745611	22.0
Vegetable, fruit, nuts	204412	6.0	950023	28.0
Nursery	86106	2.5	1036129	30.6
Beef, hogs, sheep	1869561	55.2	2905690	85.7
Poultry	97487	2.9	3003177	88.6
Dairy	318711	9.4	3321888	98.0
Other	66852	2.0	3388740	100.0

**Table 2-19. National estimates of restricted workdays by status of the injured worker, 1995. Temporary injuries only.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	2650198	78.2	2650198	78.2
Partner/family	107025	3.2	2757223	81.4
Hired labor	477162	14.1	3234385	95.5
Unpaid nonfamily	129380	3.8	3363765	99.3
Other	24716	0.7	3388481	100.0

(Frequency Missing = 259)

**Table 2-20. National estimates of restricted workdays by gender, 1995. Temporary injuries only.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	2976934	87.9	2976934	87.9
Female	411547	12.1	3388481	100.0

(Frequency Missing = 259)

**Table 2-21. National estimates of restricted workdays by age group, 1995. Temporary injuries only.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	7905	0.2	7905	0.2
10-19	96005	2.8	103910	3.1
20-29	243737	7.2	347647	10.3
30-39	559914	16.5	907561	26.8
40-49	401514	11.8	1309075	38.6
50-59	420200	12.4	1729275	51.0
60-69	1421029	41.9	3150304	93.0
>=70	238436	7.0	3388740	100.0

**Table 2-22. National estimates of restricted workdays by race or ethnic origin, 1995. Temporary injuries only.**

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	3068353	90.6	3068353	90.6
Hispanic	306830	9.1	3375183	99.6
Black	8398	0.2	3383581	99.9
Asian	2930	0.1	3386511	100.0
Other	1138	0.0	3387649	100.0

(Frequency Missing = 1091)

**Table 2-23. National estimates of restricted workdays by month, 1995. Temporary injuries only.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	23591	0.7	23591	0.7
February	65500	1.9	89091	2.6
March	221806	6.6	310897	9.2
April	226268	6.7	537165	16.0
May	317601	9.4	854766	25.4
June	281121	8.4	1135887	33.8
July	523065	15.5	1658952	49.3
August	884301	26.3	2543253	75.6
September	213545	6.3	2756798	81.9
October	200852	6.0	2957650	87.9
November	304326	9.0	3261976	96.9
December	102830	3.1	3364806	100.0

(Frequency Missing = 23934)

**Table 2-24. National estimates of restricted workdays by whether professional medical attention was sought, 1995. Temporary injuries only.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	3222036	95.3	3222036	95.3
No	157439	4.7	3379475	100.0

(Frequency Missing = 9265)

**Table 2-25. National estimates of restricted workdays by body part injured, 1995. Temporary injuries only.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	54527	1.6	54527	1.6
Eye	10950	0.3	65477	1.9
Chest/trunk	611687	18.1	677164	20.0
Back	659554	19.5	1336718	39.4
Arm/shoulder	389796	11.5	1726514	50.9
Finger	374385	11.0	2100899	62.0
Hand/wrist	205451	6.1	2306350	68.1
Leg/knee/hip	469515	13.9	2775865	81.9
Toe	25033	0.7	2800898	82.7
Foot	277944	8.2	3078842	90.9
Mult. parts	188084	5.6	3266926	96.4
Other	121814	3.6	3388740	100.0

**Table 2-26. National estimates of restricted workdays by nature of injury, 1995. Temporary injuries only.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	4405	0.1	4405	0.1
Bruise	174455	5.2	178860	5.3
Burn	10224	0.3	189084	5.6
Cut	275814	8.1	464898	13.7
Crush	754788	22.3	1219686	36.0
Fracture	926166	27.4	2145852	63.4
Poisoning	665	0.0	2146517	63.4
Puncture	59678	1.8	2206195	65.2
Sprain/strain	878530	26.0	3084725	91.1
Mult. injury	117100	3.5	3201825	94.6
Other	183601	5.4	3385426	100.0

(Frequency Missing = 3314)

**Table 2-27. National estimates of restricted workdays by type of event, 1995. Temporary injuries only.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	107441	3.2	107441	3.2
Caught between	496876	14.7	604317	17.8
Caught under	769715	22.7	1374032	40.5
Struck by/against	267963	7.9	1641995	48.5
Struck by falling	135207	4.0	1777202	52.4
Struck by flying	13547	0.4	1790749	52.8
Contact sharp obj.	200046	5.9	1990795	58.7
Fall, same level	155853	4.6	2146648	63.3
Fall, elevation	376438	11.1	2523086	74.5
Overexertion	588570	17.4	3111656	91.8
Other	277084	8.2	3388740	100.0

**Table 2-28. National estimates of restricted workdays by activity when worker was injured, 1995. Temporary injuries only.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	422077	12.5	422077	12.5
Machine maint.	336842	9.9	758919	22.4
Field work	279379	8.2	1038298	30.6
Crop handling	453666	13.4	1491964	44.0
Livestock handling	1548889	45.7	3040853	89.8
Other	347217	10.2	3388070	100.0

(Frequency Missing = 670)

**Table 2-29. National estimates of restricted workdays by source of the injury, 1995. Temporary injuries only.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	118425	3.5	118425	3.5
Machinery	737114	21.8	855539	25.3
Livestock	1182096	34.9	2037635	60.1
Hand tool	117263	3.5	2154898	63.6
Power tool	47926	1.4	2202824	65.0
Pesticide/chem.	1162	0.0	2203986	65.1
Plant/tree	48859	1.4	2252845	66.5
Working surface	262403	7.7	2515248	74.2
Truck/auto	92857	2.7	2608105	77.0
Other vehicle	115164	3.4	2723269	80.4
Liquids	12646	0.4	2735915	80.8
Other	652155	19.2	3388070	100.0

(Frequency Missing = 670)

**Table 2-30. National estimates of lost-time injuries by region of the U.S. for crop operations, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	11373.3	12.5	11373.3	12.5
South	17374.4	19.1	28747.7	31.6
Midwest	32613.3	35.8	61361.0	67.4
West	29702.5	32.6	91063.5	100.0

**Table 2-31. National estimates of lost-time injuries by status of the injured worker for crop operations, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	44967.7	50.4	44967.7	50.4
Partner/family	4992.8	5.6	49960.5	56.0
Hired labor	37497.3	42.0	87457.8	98.0
Unpaid nonfamily	686.1	0.8	88143.9	98.8
Other	1057.2	1.2	89201.1	100.0

(Frequency Missing = 1862.4)

**Table 2-32. National estimates of lost-time injuries by gender for crop operations, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	82383.6	92.4	82383.6	92.4
Female	6817.5	7.6	89201.1	100.0
(Frequency Missing = 1862.4)				

**Table 2-33. National estimates of lost-time injuries by age group for crop operations, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<10	1586.9	1.8	1586.9	1.8
10-19	3434.8	3.8	5021.7	5.6
20-29	22411.7	25.0	27433.4	30.7
30-39	19641.7	22.0	47075.1	52.6
40-49	15416.1	17.2	62491.2	69.8
50-59	10605.4	11.9	73096.6	81.7
60-69	8177.8	9.1	81274.4	90.8
>=70	8200.1	9.2	89474.5	100.0
(Frequency Missing = 1589.0)				

**Table 2-34. National estimates of lost-time injuries by race or ethnic origin for crop operations, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	61593.5	68.4	60761.0	68.4
Hispanic	26326.6	29.6	87087.1	98.0
Other	1792.0	2.0	88879.1	100.0
(Frequency Missing = 1351.4)				



**Table 2-35. National estimates of lost-time injuries by month for crop operations, 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	2190.7	2.5	2190.7	2.5
February	1822.0	2.1	4012.7	4.6
March	3066.9	3.5	7079.6	8.1
April	7107.8	8.1	14187.4	16.1
May	6090.5	6.9	20277.9	23.1
June	8272.8	9.4	28550.7	32.5
July	16955.0	19.3	45505.7	51.7
August	16523.1	18.8	62028.8	70.5
September	6914.2	7.9	68943.0	78.4
October	9644.4	11.0	78587.4	89.4
November	6715.3	7.6	85302.7	97.0
December	2635.8	3.0	87938.5	100.0

(Frequency Missing = 3125.0)

**Table 2-36. National estimates of lost-time injuries by severity of the injury for crop operations, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	84772.9	94.5	84772.9	94.5
Permanent	4701.6	5.2	89474.5	99.7
Fatality	243.8	0.3	89718.3	100.0

(Frequency Missing = 1345.2)

**Table 2-37. National estimates of lost-time injuries by whether professional medical attention was sought for crop operations, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	6290.6	6.9	6290.6	6.9
Yes	69272.5	76.5	75563.1	83.5
No	14962.4	16.5	90525.5	100.0

(Frequency Missing = 538.0)

**Table 2-38. National estimates of lost-time injuries by body part injured for crop operations, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	3537.0	3.9	3537.0	3.9
Eye	5701.2	6.4	9238.2	10.3
Chest/trunk	3407.3	3.8	12645.5	14.1
Back	12791.2	14.3	25436.7	28.4
Arm/shoulder	13936.3	15.5	39373.0	43.9
Finger	12455.7	13.9	51828.7	57.8
Hand/wrist	5945.8	6.6	57774.5	64.4
Leg/knee/hip	18515.4	20.6	76289.9	85.0
Toe	683.7	0.8	76973.6	85.8
Foot	7659.2	8.6	84632.8	94.3
Mult. parts	3770.1	4.2	88402.9	98.5
Other	1315.4	1.5	89718.3	100.0

(Frequency Missing = 1345.2)

**Table 2-39. National estimates of lost-time injuries by nature of the injury for crop operations, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	2731.6	3.1	2731.6	3.1
Bruise	11269.6	12.6	14001.2	15.6
Burn	1931.1	2.2	15932.3	17.8
Cut	18545.3	20.7	34477.6	38.5
Crush	3193.0	3.6	37670.6	42.1
Fracture	6793.7	7.6	44464.3	49.7
Poisoning	221.7	0.2	44686.0	59.9
Puncture	4972.7	5.6	49658.7	55.5
Sprain/strain	33244.1	37.1	82902.8	92.6
Mult. injury	1013.4	1.1	83916.2	93.7
Other	5638.8	6.3	89555.0	100.0

(Frequency Missing = 1508.5)

**Table 2-40. National estimates of lost-time injuries by type of event for crop operations, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	5993.0	6.7	5993.0	6.7
Caught between	8229.8	9.2	14222.8	15.9
Caught under	4093.9	4.6	18316.7	20.4
Struck by/against	7925.4	8.8	26242.1	29.2
Struck by falling	4649.0	5.2	30891.1	34.4
Struck by flying	2314.4	2.6	33205.5	37.0
Contact sharp obj.	13916.3	15.5	47124.0	52.5
Fall, same level	7104.1	7.9	54228.1	60.4
Fall, elevation	17206.0	19.2	71434.1	79.6
Overexertion	9148.9	10.2	70583.0	89.8
Other	9135.3	10.2	89718.3	100.0

(Frequency Missing = 1345.2)

**Table 2-41. National estimates of lost-time injuries by activity when injured for crop operations, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	22967.4	25.7	22967.4	25.7
Machine maint.	13615.3	15.2	36582.7	40.9
Field work	19991.2	22.3	56573.9	63.2
Crop handling	10265.5	11.5	66839.4	74.7
Livestock handling	10999.1	12.3	77838.5	87.0
Other	11636.0	13.0	89474.5	100.0

(Frequency Missing = 1589)

**Table 2-42. National estimates of lost-time injuries by source of injury for crop operations, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	6246.4	7.0	6246.4	7.0
Machinery	22202.7	24.7	28449.1	31.7
Livestock	8240.9	9.2	36690.5	40.9
Hand tool	9038.2	10.1	45728.2	51.0
Power tool	4261.7	4.8	49989.9	55.7
Pesticide/chem.	284.1	0.3	50274.0	56.0
Plant/tree	2694.4	3.0	52968.4	59.0
Working surface	7800.5	8.7	60768.9	67.7
Truck/auto	2249.7	2.5	63018.6	70.2
Other vehicle	2137.1	2.4	65155.7	72.6
Other	24562.6	27.4	89718.3	100.0

(Frequency Missing = 1345.2)

**Table 2-43. National estimates of lost-time injuries by region of the U.S. for livestock operations, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	5344.9	5.1	5344.9	5.1
South	28701.1	27.4	34046.0	32.5
Midwest	56598.5	54.0	90644.5	86.5
West	14116.6	13.5	104761.1	100.0

**Table 2-44. National estimates of lost-time injuries by status of the injured worker for livestock operations, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	76903.7	73.8	76903.7	73.8
Partner/family	4829.3	4.6	81733.0	78.4
Hired labor	16676.2	16.0	98409.2	94.4
Unpaid nonfamily	5028.5	4.8	103437.7	99.2
Other	820.9	0.8	104258.6	100.0

(Frequency Missing = 502.5)

**Table 2-45. National estimates of lost-time injuries by gender for livestock operations, 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	89360.2	85.7	89360.2	85.7
Female	14898.4	14.3	104257.8	100.0

(Frequency Missing = 502.5)

**Table 2-46. National estimates of lost-time injuries by age group for livestock operations, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	3325.0	3.2	3325.0	3.2
20-29	6260.5	6.0	9585.5	9.2
30-39	22363.0	21.4	31948.5	30.6
40-49	13888.3	13.3	45836.8	44.0
50-59	30545.2	29.3	76382.0	73.3
60-69	21635.0	20.8	98017.0	94.0
>=70	6241.6	6.0	104258.6	100.0

(Frequency Missing = 502.5)

**Table 2-47. National estimates of lost-time injuries by race or ethnic origin for livestock operations, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	96154.8	92.4	96154.8	92.4
Hispanic	6014.6	5.8	102169.4	98.1
Black	1733.5	1.7	103902.9	99.8
Other	208.8	0.2	104111.7	100.0

(Frequency Missing = 649.4)

**Table 2-48. National estimates of lost-time injuries by month for livestock operations, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	1382.4	1.3	1382.4	1.3
February	1200.9	1.2	2583.3	2.5
March	5792.5	5.6	8375.8	8.1
April	8538.7	8.3	16914.5	16.4
May	10653.5	10.3	27568.0	26.7
June	10985.6	10.7	38553.6	37.4
July	9742.4	9.4	48296.0	46.8
August	13278.7	12.9	61574.7	59.7
September	10141.5	9.8	71716.2	69.6
October	8682.9	8.4	80399.1	78.0
November	17813.5	17.3	98212.6	95.3
December	4895.6	4.7	103108.2	100.0

(Frequency Missing = 1652.9)

**Table 2-49. National estimates of lost-time injuries by severity of the injury for livestock operations, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	96631.4	92.7	96631.4	92.7
Permanent	5396.1	5.2	102027.5	97.9
Fatality	2231.1	2.1	104258.6	100.0

(Frequency Missing = 502.5)

**Table 2-50. National estimates of lost-time injuries by whether professional medical attention was sought for livestock operations, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	7894.0	7.6	7784.0	7.6
Yes	81988.6	78.4	89882.6	86.0
No	14642.8	14.0	104525.4	100.0

(Frequency Missing = 235.7)

**Table 2-51. National estimates of lost-time injuries by body part injured for livestock operations, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	7864.1	7.5	7864.1	7.5
Eye	792.7	0.8	8656.8	8.3
Chest/trunk	8493.9	8.1	17150.7	16.5
Back	15178.5	14.6	32329.2	31.0
Arm/shoulder	11101.5	10.6	43430.7	41.7
Finger	13240.3	12.7	56671.0	54.4
Hand/wrist	11183.6	10.7	67854.6	65.1
Leg/knee/hip	15041.1	14.4	82895.7	79.5
Toe	245.7	0.2	83141.4	79.7
Foot	11240.4	10.8	94381.8	90.5
Mult. parts	5949.7	5.7	100331.5	96.2
Other	3927.1	3.8	104258.6	100.0

(Frequency Missing = 502.5)

**Table 2-52. National estimates of lost-time injuries by nature of the injury for livestock operations, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	730.4	0.7	730.4	0.7
Bruise	18220.6	17.5	18951.0	18.2
Burn	1504.3	1.4	20455.3	19.6
Cut	10983.4	10.5	31438.7	30.2
Crush	5145.2	4.9	36583.9	35.1
Fracture	26885.9	25.8	63469.8	60.9
Puncture	6142.8	5.9	69612.6	66.8
Sprain/strain	21479.6	20.6	91092.2	87.4
Mult. injury	5769.0	5.5	96861.2	92.9
Other	7397.4	7.1	104258.6	100.0

(Frequency Missing = 502.5)

**Table 2-53. National estimates of lost-time injuries by type of event for livestock operations, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	5232.3	5.0	5232.3	5.0
Caught between	16562.9	15.9	21795.2	20.9
Caught under	5070.9	4.9	26866.1	25.8
Struck by/against	14273.2	13.7	41139.3	39.5
Struck by falling	10094.7	9.7	51234.0	49.1
Struck by flying	2148.9	2.1	53382.9	51.2
Contact sharp obj.	12289.5	11.8	65672.4	63.0
Fall, same level	6529.6	6.3	72202.0	69.3
Fall, elevation	10265.4	9.8	82467.4	79.1
Overexertion	10392.6	10.0	92856.0	89.1
Other	11398.6	10.9	104258.5	100.0

(Frequency Missing = 502.5)

**Table 2-54. National estimates of lost-time injuries by activity when injured for livestock operations, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	15484.4	14.9	15484.4	14.9
Machine maint.	7175.5	6.9	22659.9	21.8
Field work	3194.1	3.1	25854.0	24.8
Crop handling	13493.8	13.0	39347.8	37.8
Livestock handling	53530.6	51.4	92878.4	89.2
Other	11212.8	10.8	104091.2	100.0

(Frequency Missing = 669.9)

**Table 2-55. National estimates of lost-time injuries by source of injury for livestock operations, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1656.0	1.6	1656.0	1.6
Machinery	19187.0	18.4	20843.0	20.0
Livestock	30538.5	29.3	51381.5	49.3
Hand tool	5679.1	5.4	57060.6	54.7
Power tool	1425.5	1.4	58486.1	56.1
Pesticide/chem.	631.4	0.6	59117.5	56.7
Plant/tree	4883.0	4.7	64000.5	61.3
Working surface	8701.8	8.3	72702.3	69.7
Truck/auto	584.5	0.6	73286.8	70.2
Other vehicle	3037.7	2.9	76324.5	73.2
Liquids	505.8	0.5	76830.3	73.6
Other	27496.6	26.4	104326.9	100.0

(Frequency Missing = 434.2)

**Table 2-56. National estimates of lost-time injuries by region of the U.S. for cash grain operations, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	1206.2	3.6	1206.2	3.6
South	3730.5	11.1	4936.7	14.7
Midwest	27466.0	82.0	32402.7	96.8
West	1078.1	3.2	33480.8	100.0

**Table 2-57. National estimates of lost-time injuries by status of the injured worker for cash grain operations, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	23208.9	70.4	23208.9	70.4
Partner/family	3965.4	12.0	27174.3	82.4
Hired labor	5153.6	15.6	32327.9	98.1
Unpaid nonfamily	635.7	1.9	32963.6	100.0

(Frequency Missing = 517.2)

**Table 2-58. National estimates of lost-time injuries by gender for cash grain operations, 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	29779.0	90.3	29779.0	90.3
Female	3184.6	9.7	32963.6	100.0

(Frequency Missing = 517.2)

**Table 2-59. National estimates of lost-time injuries by age group for cash grain operations, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	1586.9	4.7	1586.9	4.7
10-19	1251.5	3.7	2838.4	8.5
20-29	2361.9	7.1	5200.3	15.5
30-39	8170.3	24.4	13370.6	39.9
40-49	6768.7	20.2	20139.3	60.2
50-59	4532.4	13.5	24671.7	73.7
60-69	3101.8	9.3	27773.5	83.0
>=70	5707.3	17.0	33480.8	100.0



**Table 2-60. National estimates of lost-time injuries by race or ethnic origin for cash grain operations, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	32275.9	96.4	32275.9	96.4
Hispanic	519.4	1.6	32795.3	98.0
Other	685.5	0.7	33480.8	100.0

**Table 2-61. National estimates of lost-time injuries by month for cash grain operations, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	1128.9	3.5	1128.9	3.5
March	1982.1	6.2	3111.0	9.7
April	2806.0	8.7	5917.0	18.4
May	2618.8	8.1	8535.8	26.5
June	5638.2	17.5	14174.0	44.0
July	4522.4	14.0	18696.4	58.1
August	5250.0	16.3	23946.4	74.4
September	1737.5	5.4	25683.9	79.8
October	2363.2	7.3	28047.1	87.1
November	2495.4	7.8	30542.5	94.9
December	1646.1	5.1	32188.6	100.0

(Frequency Missing = 1292.2)

**Table 2-62. National estimates of lost-time injuries by severity of the injury for cash grain operations, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	31255.8	93.4	31255.8	93.4
Permanent	2225.0	6.6	33480.8	100.0

**Table 2-63. National estimates of lost-time injuries by whether professional medical attention was sought for cash grain operations, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	2225.0	6.6	2225.0	6.6
Yes	27379.0	81.8	29604.0	88.4
No	3876.8	11.6	33480.8	100.0

**Table 2-64. National estimates of lost-time injuries by body part injured for cash grain operations, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1770.9	5.3	1770.9	5.3
Eye	2185.6	6.5	3956.5	11.8
Chest/trunk	940.1	2.8	4896.6	14.6
Back	6349.5	19.0	11246.1	33.6
Arm/shoulder	3152.4	9.4	14398.5	43.0
Finger	3655.9	10.9	18054.4	53.9
Hand/wrist	2882.2	8.6	20936.6	62.5
Leg/knee/hip	7180.5	21.4	28117.1	84.0
Foot	3296.3	9.8	31413.4	93.8
Mult. parts	1550.2	4.6	32963.6	98.5
Other	517.2	1.5	33480.8	100.0

**Table 2-65. National estimates of lost-time injuries by nature of the injury for cash grain operations, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	1223.2	3.7	1223.2	3.7
Bruise	2603.0	7.8	3826.2	11.5
Burn	900.7	2.7	4726.9	14.2
Cut	5362.0	16.1	10088.9	30.3
Crush	1925.4	5.8	12014.3	36.1
Fracture	4149.1	12.5	16163.4	48.5
Puncture	1775.7	5.3	17939.1	53.8
Sprain/strain	12179.9	36.6	30119.0	90.4
Mult. injury	456.3	1.4	30575.3	91.8
Other	2742.2	8.2	33317.5	100.0

(Frequency Missing = 163.3)

**Table 2-66. National estimates of lost-time injuries by type of event for cash grain operations, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	3044.2	9.1	3044.2	9.1
Caught between	2897.6	8.7	5941.8	17.7
Caught under	2502.4	7.5	8444.2	25.2
Struck by/against	2647.7	7.9	11091.9	33.1
Struck by falling	574.8	1.7	11666.7	34.8
Struck by flying	828.6	2.5	12495.3	37.3
Contact sharp obj.	3394.7	10.1	15890.0	47.5
Fall, same level	3372.1	10.1	19262.1	57.5
Fall, elevation	6278.5	18.8	25540.6	76.3
Overexertion	4529.0	13.5	30069.6	89.8
Other	3411.2	10.2	33480.8	100.0

**Table 2-67. National estimates of lost-time injuries by activity when injured for cash grain operations, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2796.1	8.4	2796.1	8.4
Machine maint.	9333.1	27.9	12129.2	36.2
Field work	5295.1	15.8	17424.3	52.0
Crop handling	6452.0	19.3	23876.3	71.3
Livestock handling	6638.4	19.8	30514.7	91.1
Other	2966.1	8.9	33480.8	100.0

**Table 2-68. National estimates of lost-time injuries by source of injury for cash grain operations, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	3100.2	9.3	3100.2	9.3
Machinery	8670.3	25.9	11770.5	35.2
Livestock	4028.7	12.0	15799.2	47.2
Hand tool	1939.0	5.8	17738.2	53.0
Power tool	867.3	2.6	18605.5	55.6
Plant/tree	912.6	2.7	19518.1	58.3
Working surface	3338.1	10.0	22856.2	68.3
Truck/auto	815.9	2.4	23672.1	70.7
Other vehicle	940.1	2.8	24612.2	73.5
Other	8868.6	26.5	33480.8	100.0

**Table 2-69. National estimates of lost-time injuries by region of the U.S. for field crop operations, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	3093.4	24.9	3093.4	24.9
South	4165.5	33.6	7258.9	58.5
Midwest	2974.4	24.0	10233.3	82.5
West	2170.3	17.5	12403.6	100.0

**Table 2-70. National estimates of lost-time injuries by status of the injured worker for field crop operations, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	9782.9	78.9	9782.9	78.9
Partner/family	355.3	2.9	10138.2	81.7
Hired labor	2265.4	18.3	12403.6	100.0

**Table 2-71. National estimates of lost-time injuries by gender for field crop operations, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	11082.4	89.3	11082.2	89.3
Female	1321.4	10.7	12403.6	100.0

**Table 2-72. National estimates of lost-time injuries by age group for field crop operations, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
10-19	182.0	1.5	182.0	1.5
20-29	1352.1	10.9	1534.1	12.4
30-39	3315.4	26.7	4849.5	39.1
40-49	2349.3	18.9	7198.8	58.0
50-59	2371.8	19.1	9570.6	77.2
60-69	1786.6	14.4	11357.2	91.6
>=70	1046.4	8.4	12403.6	100.0

**Table 2-73. National estimates of lost-time injuries by race or ethnic origin for field crop operations, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	10159.5	81.9	10159.5	81.9
Hispanic	2083.4	16.8	12242.9	98.7
Black	160.7	1.3	12403.6	100.0

**Table 2-74. National estimates of lost-time injuries by month for field crop operations, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	91.7	0.7	91.7	0.7
March	182.0	1.5	273.7	2.2
April	1263.8	10.2	1537.5	12.4
May	1448.4	11.7	2985.9	24.1
June	1501.7	12.1	4487.6	36.2
July	2629.6	21.2	7117.2	57.4
August	614.0	4.9	7731.2	62.3
September	1423.4	11.5	9154.6	73.8
October	2125.0	17.1	11279.6	90.9
November	529.8	4.3	11809.4	95.2
December	594.2	4.8	12403.6	100.0

**Table 2-75. National estimates of lost-time injuries by severity of the injury for field crop operations, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	11531.7	93.0	11531.7	93.0
Permanent	871.9	7.0	12403.6	100.0

**Table 2-76. National estimates of lost-time injuries by whether professional medical attention was sought for field crop operations, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	871.9	7.1	871.9	7.1
Yes	8851.6	71.7	9723.5	78.8
No	2622.2	21.2	12345.7	100.0

(Frequency Missing = 57.9)

**Table 2-77. National estimates of lost-time injuries by body part injured for field crop operations, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	369.1	3.0	369.1	3.0
Eye	1736.3	14.0	2105.4	17.0
Chest/trunk	1031.7	8.3	3137.1	25.3
Back	963.6	7.8	4100.7	33.1
Arm/shoulder	1037.1	8.4	5137.8	41.4
Finger	1473.4	11.9	6611.2	53.3
Hand/wrist	815.0	6.6	7426.2	59.9
Leg/knee/hip	1545.6	12.5	8971.8	72.3
Toe	91.7	0.7	9063.5	73.1
Foot	3066.4	24.7	12129.9	97.8
Mult. parts	273.7	2.2	12403.6	100.0

**Table 2-78. National estimates of lost-time injuries by nature of the injury for field crop operations, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	1081.6	8.7	1081.6	8.7
Bruise	3203.4	25.8	4285.0	34.5
Cut	742.4	6.0	5027.4	40.5
Crush	334.0	2.7	5361.4	43.2
Fracture	929.7	7.5	6291.1	50.7
Puncture	2710.7	21.9	9001.8	72.6
Sprain/strain	2824.1	22.8	11825.9	95.3
Mult. injury	152.0	1.2	11977.9	96.6
Other	425.7	3.4	12403.6	100.0

**Table 2-79. National estimates of lost-time injuries by type of event for field crop operations, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1199.7	9.7	1199.7	9.7
Caught between	364.0	2.9	1563.7	12.6
Caught under	1157.5	9.3	2721.2	21.9
Struck by/against	1265.0	10.2	3986.2	32.1
Struck by falling	1955.6	15.8	5941.8	47.9
Struck by flying	1407.5	11.4	7349.3	59.3
Contact sharp obj.	1457.9	11.7	8807.2	71.0
Fall, same level	551.1	4.4	9358.3	75.5
Fall, elevation	1393.4	11.2	10751.7	86.7
Overexertion	1262.7	10.2	12014.4	96.9
Other	389.2	3.1	12403.6	100.0

**Table 2-80. National estimates of lost-time injuries by activity when injured for field crop operations, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1092.6	8.8	1092.6	8.8
Machine maint.	2698.8	21.8	3791.4	30.6
Field work	4539.0	36.6	8330.4	67.2
Crop handling	2113.3	17.0	10443.7	84.2
Livestock handling	1590.8	12.8	12034.5	97.0
Other	369.1	3.0	12403.6	100.0

**Table 2-81. National estimates of lost-time injuries by source of injury for field crop operations, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1339.5	10.8	1339.5	10.8
Machinery	1269.4	10.2	2608.9	21.0
Livestock	1289.2	10.4	3898.1	31.4
Hand tool	1784.1	14.4	5682.2	45.8
Power tool	985.2	7.9	6667.4	53.8
Plant/tree	369.1	3.0	7036.5	56.7
Working surface	578.8	4.7	7615.3	61.4
Truck/auto	376.6	3.0	7991.9	64.4
Other	4411.7	35.6	12403.6	100.0

**Table 2-82. National estimates of lost-time injuries by region of the U.S. for vegetable, fruit and nut operations, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	857.4	4.0	857.4	4.0
South	3789.6	17.7	4647.0	21.7
Midwest	174.1	0.8	4821.1	22.5
West	16584.9	77.5	21406.0	100.0

**Table 2-83. National estimates of lost-time injuries by status of the injured worker for vegetable, fruit and nut operations, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	4532.2	21.2	4532.2	21.2
Partner/family	66.4	0.3	4598.6	21.5
Hired labor	15699.4	73.3	20298.4	94.8
Unpaid nonfamily	50.2	0.2	20348.8	95.1
Other	1057.2	4.9	21406.0	100.0

**Table 2-84. National estimates of lost-time injuries by gender for vegetable, fruit and nut operations, 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	20971.9	98.0	20971.9	98.0
Female	434.1	2.0	21406.0	100.0

**Table 2-85. National estimates of lost-time injuries by age group for vegetable, fruit and nut operations, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1337.4	6.2	1337.4	6.2
20-29	4862.9	22.7	6200.3	29.0
30-39	4140.7	19.3	10341.0	48.3
40-49	4304.6	20.1	14645.6	68.4
50-59	2873.8	13.4	17519.4	81.8
60-69	3289.4	15.4	20808.8	97.2
>=70	597.2	2.8	21406.0	100.0

**Table 2-86. National estimates of lost-time injuries by race or ethnic origin for vegetable, fruit and nut operations, 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	6073.1	28.4	6073.1	28.4
Hispanic	14393.3	67.2	20466.4	95.6
Asian	861.3	4.0	21327.7	99.6
Other	78.3	0.4	21406.0	100.0

**Table 2-87. National estimates of lost-time injuries by month for vegetable, fruit and nut operations, 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	2190.7	10.2	2190.7	10.2
February	339.8	1.6	2530.5	11.8
March	831.4	3.9	3361.9	15.7
April	2477.0	11.6	5838.9	27.3
May	1329.5	6.2	7168.4	33.5
June	728.4	3.4	7896.8	36.9
July	5977.3	27.9	13874.1	64.8
August	1202.1	5.6	15076.2	70.4
September	3070.8	14.3	18147.0	84.8
October	1057.2	4.9	19204.2	89.7
November	1890.1	8.8	21094.3	98.5
December	311.7	1.5	21406.0	100.0

**Table 2-88. National estimates of lost-time injuries by severity of the injury for vegetable, fruit and nut operations, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	20427.1	95.4	20427.1	95.4
Permanent	978.9	4.6	21406.0	100.0



**Table 2-89. National estimates of lost-time injuries by whether professional medical attention was sought for vegetable, fruit and nut operations, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	978.9	4.7	978.9	4.7
Yes	16768.2	80.1	17747.1	84.8
No	3185.0	15.2	20932.1	100.0

(Frequency Missing = 473.9)

**Table 2-90. National estimates of lost-time injuries by body part injured for vegetable, fruit and nut operations, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1397.0	6.5	1397.0	6.5
Eye	1443.6	6.7	2840.6	13.3
Chest/trunk	928.5	4.3	3769.1	17.6
Back	3269.9	15.3	7039.0	32.9
Arm/shoulder	531.8	2.5	7570.8	35.4
Finger	3276.3	15.3	10847.1	50.7
Hand/wrist	2127.0	9.9	12974.1	60.6
Leg/knee/hip	4860.3	22.7	17834.4	83.3
Toe	395.6	1.8	18230.0	85.2
Foot	1208.7	5.6	19438.7	90.8
Mult. parts	1440.8	6.7	20879.5	97.5
Other	526.5	2.5	21406.0	100.0

**Table 2-91. National estimates of lost-time injuries by nature of the injury for vegetable, fruit and nut operations, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	183.0	0.9	183.0	0.9
Bruise	4372.4	20.4	4555.4	21.3
Burn	944.7	4.4	5500.1	25.7
Cut	4793.3	22.4	10293.4	48.1
Crush	446.0	2.1	10739.4	50.2
Fracture	827.5	3.9	11566.9	54.0
Puncture	156.6	0.7	11723.5	54.8
Sprain/strain	7124.3	33.3	18847.8	88.0
Mult. injury	333.7	1.6	19181.5	89.6
Other	2224.5	10.4	21406.0	100.0

**Table 2-92. National estimates of lost-time injuries by type of event for vegetable, fruit and nut operations, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1677.7	7.8	1677.7	7.8
Caught between	1161.9	5.4	2839.6	13.3
Struck by/against	2080.2	9.7	4919.8	23.0
Struck by falling	1874.8	8.8	6794.6	31.7
Struck by flying	78.3	0.4	6872.9	32.1
Contact sharp obj.	4871.6	22.8	11744.5	54.9
Fall, same level	2164.3	10.1	13908.8	65.0
Fall, elevation	312.7	1.5	14221.5	66.4
Overexertion	2556.0	11.9	16777.5	78.4
Other	4628.5	21.6	21406.0	100.0

**Table 2-93. National estimates of lost-time injuries by activity when injured for vegetable, fruit and nut operations, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	3984.9	18.6	3984.9	18.6
Machine maint.	1501.8	7.0	5486.7	25.6
Field work	9260.5	43.3	14747.2	68.9
Crop handling	1106.4	5.2	15853.6	74.1
Livestock handling	1446.9	6.8	17300.5	80.8
Other	4105.5	19.2	21406.0	100.0

**Table 2-94. National estimates of lost-time injuries by source of injury for vegetable, fruit and nut operations, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	715.0	3.3	715.0	3.3
Machinery	1753.2	8.2	2468.2	11.5
Livestock	1857.0	8.7	4325.2	20.2
Hand tool	1466.1	6.8	5791.3	27.1
Power tool	2409.2	11.3	8200.5	38.3
Plant/tree	1085.1	5.1	9285.6	43.4
Working surface	3282.7	15.3	12568.3	58.7
Truck/auto	1057.2	4.9	13625.5	63.7
Other vehicle	1006.8	4.7	14632.3	68.4
Other	6773.7	31.6	21406.0	100.0

**Table 2-95. National estimates of lost-time injuries by region of the U.S. for nursery operations, 1995.**

<u>Region</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Northeast	4486.3	29.4	4486.3	29.4
South	984.3	6.4	5470.6	35.8
Midwest	271.7	1.8	5742.3	37.6
West	9518.6	62.4	15260.9	100.0

**Table 2-96. National estimates of lost-time injuries by status of the injured worker for nursery operations, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	619.1	4.4	619.1	4.4
Partner/family	6.2	0.0	625.3	4.5
Hired labor	13290.4	95.5	13915.7	100.0

(Frequency Missing = 1345.2)

**Table 2-97. National estimates of lost-time injuries by gender for nursery operations, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	13304.0	95.6	13304.0	95.6
Female	611.7	4.4	13915.7	100.0

(Frequency Missing = 1345.2)

**Table 2-98. National estimates of lost-time injuries by age group for nursery operations, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
10-29	12886.8	92.6	12886.8	92.6
30-39	227.9	1.6	13114.7	94.2
40-49	403.6	2.9	13518.3	97.1
>=70	397.4	2.9	13915.7	100.0

(Frequency Missing = 1345.2)

**Table 2-99. National estimates of lost-time injuries by race or ethnic origin for nursery operations, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	4868.1	35.0	4868.1	35.0
Hispanic	9035.2	65.0	13903.3	100.0
Other	6.2	0.0	13909.5	100.0

(Frequency Missing = 1351.4)

**Table 2-100. National estimates of lost-time injuries by month for nursery operations, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
April	221.7	1.6	221.7	1.6
May	385.0	2.8	606.7	4.4
June	214.3	1.5	821.0	5.9
July	3568.7	25.6	4389.7	31.5
August	9009.8	64.7	13399.5	96.3
September	24.8	0.2	13424.3	96.5
October	6.2	0.0	13430.5	96.5
November	472.8	3.4	13903.3	99.9
December	12.4	0.1	13915.7	100.0

(Frequency Missing = 1345.2)

**Table 2-101. National estimates of lost-time injuries by severity of the injury for nursery operations, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	13915.7	100.0	13915.7	100.0

(Frequency Missing = 1345.2)

**Table 2-102. National estimates of lost-time injuries by whether professional medical attention was sought for nursery operations, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	1345.2	8.8	1345.2	8.8
Yes	13442.9	88.1	14788.1	96.9
No	466.6	3.1	15254.7	100.0

(Frequency Missing = 6.2)

**Table 2-103. National estimates of lost-time injuries by body part injured for nursery operations, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Eye	6.2	0.0	6.2	0.0
Chest/trunk	6.2	0.0	12.4	0.1
Back	409.8	2.9	422.2	3.0
Arm/shoulder	8959.8	64.4	9382.0	67.4
Finger	3562.5	25.6	12944.5	93.0
Hand/wrist	6.2	0.0	12950.7	93.1
Leg/knee/hip	599.3	4.3	13550.0	97.4
Toe	6.2	0.0	13556.2	97.4
Foot	87.8	0.6	13644.0	98.0
Other	271.7	2.0	13915.7	100.0

(Frequency Missing = 1345.2)

**Table 2-104. National estimates of lost-time injuries by nature of the injury for nursery operations, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	466.6	3.4	466.6	3.4
Cut	3574.9	25.7	4041.5	29.0
Fracture	6.2	0.0	4047.7	29.1
Poisoning	221.7	1.6	4269.4	30.7
Puncture	214.3	1.5	4483.7	32.2
Sprain/strain	9375.8	67.4	13859.5	99.6
Other	56.2	0.4	13915.7	100.0

(Frequency Missing = 1345.2)

**Table 2-105. National estimates of lost-time injuries by type of event for nursery operations, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	3562.5	25.6	3562.5	25.6
Struck by/against	687.1	4.9	4249.6	30.5
Contact sharp obj.	6.2	0.0	4255.8	30.6
Fall, elevation	8959.8	64.4	13215.6	95.0
Overexertion	459.8	3.3	13675.4	98.3
Other	240.3	1.7	13915.7	100.0

(Frequency Missing = 1345.2)

**Table 2-106. National estimates of lost-time injuries by activity when injured for nursery operations, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	9175.3	65.9	9175.3	65.9
Machine maint.	81.6	0.6	9256.9	66.5
Field work	391.2	2.8	9648.1	69.3
Crop handling	403.6	2.9	10051.7	72.2
Livestock handling	6.2	0.0	10057.9	72.3
Other	3857.8	27.7	13915.7	100.0

(Frequency Missing = 1345.2)

**Table 2-107. National estimates of lost-time injuries by source of injury for nursery operations, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	9426.4	67.7	9426.4	67.7
Livestock	6.2	0.0	9432.6	67.8
Pesticide/chem.	284.1	2.0	9716.7	69.8
Plant/tree	12.4	0.1	9729.1	69.9
Working surface	220.5	1.6	9949.6	71.5
Other	3966.1	28.5	13915.7	100.0

(Frequency Missing = 1345.2)

**Table 2-108. National estimates of lost-time injuries by region of the U.S. for beef, hogs and sheep operations, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	1228.5	1.4	1228.5	1.4
South	25588.3	30.2	26816.8	31.6
Midwest	46675.1	55.1	73491.9	86.7
West	11243.6	13.3	84735.5	100.0

**Table 2-109. National estimates of lost-time injuries by status of the injured worker for beef, hogs and sheep operations, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	66491.9	78.7	66491.9	78.7
Partner/family	1957.9	2.3	68449.8	81.0
Hired labor	10879.9	12.9	79329.7	93.9
Unpaid nonfamily	4349.2	5.1	83678.9	99.0
Other	820.9	1.0	84499.8	100.0

(Frequency Missing = 235.7)

**Table 2-110. National estimates of lost-time injuries by gender for beef, hogs and sheep operations, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	71552.9	84.7	71552.9	84.7
Female	12946.9	15.3	84499.8	100.0

(Frequency Missing = 235.7)

**Table 2-111. National estimates of lost-time injuries by age group for beef, hogs and sheep operations, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	1204.5	1.4	1204.5	1.4
20-29	2851.1	3.4	4055.6	4.8
30-39	16603.9	19.6	20659.5	24.4
40-49	11328.7	13.4	31988.2	37.9
50-59	25452.6	30.1	57440.8	68.0
60-69	20928.5	24.8	78369.3	92.7
>=70	6130.5	7.3	84499.8	100.0

(Frequency Missing = 235.7)

**Table 2-112. National estimates of lost-time injuries by race or ethnic origin for beef, hogs and sheep operations, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	78588.7	93.2	78588.7	93.2
Hispanic	3821.9	4.5	82410.6	97.7
Black	1733.5	2.1	84144.1	99.8
Asian	208.8	0.2	84352.9	100.0

(Frequency Missing = 382.6)

**Table 2-113. National estimates of lost-time injuries by month for beef, hogs and sheep operations, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	529.5	0.6	529.5	0.6
March	5055.1	6.0	5584.6	6.6
April	7466.9	8.9	13051.5	15.5
May	8882.3	10.6	21933.8	26.1
June	8361.0	9.9	30294.8	36.0
July	7144.0	8.5	37438.8	44.5
August	12208.2	14.5	49647.0	59.0
September	8233.4	9.8	57880.4	68.8
October	8186.5	9.7	66066.9	78.6
November	16880.6	20.1	82947.5	98.7
December	1132.3	1.3	84079.8	100.0

(Frequency Missing = 655.7)

**Table 2-114. National estimates of lost-time injuries by severity of the injury for beef, hogs and sheep operations, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	77756.9	92.0	77756.9	92.0
Permanent	4511.8	5.3	82268.7	97.4
Fatality	2231.1	2.6	84499.8	100.0
(Frequency Missing = 235.7)				

**Table 2-115. National estimates of lost-time injuries by whether professional medical attention was sought for beef, hogs and sheep operations, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	6742.9	8.0	6742.9	8.0
Yes	65869.9	78.0	72612.8	85.9
No	11887.0	14.1	84499.8	100.0
(Frequency Missing = 235.7)				

**Table 2-116. National estimates of lost-time injuries by body part injured for beef, hogs and sheep operations, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	6713.4	7.9	6713.4	7.9
Chest/trunk	7331.7	8.7	14045.1	16.6
Back	11970.8	14.2	26015.9	30.8
Arm/shoulder	6868.0	8.1	32883.9	38.9
Finger	11014.5	13.0	43898.4	52.0
Hand/wrist	9303.9	11.0	53202.3	63.0
Leg/knee/hip	13885.1	16.4	67087.4	79.4
Toe	245.7	0.3	67333.1	79.7
Foot	9178.2	10.9	76511.3	90.5
Mult. parts	4692.8	5.6	81204.1	96.1
Other	3295.7	3.9	84499.8	100.0
(Frequency Missing = 235.7)				



**Table 2-117. National estimates of lost-time injuries by nature of the injury for beef, hogs and sheep operations, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	15471.0	18.3	15471.0	18.3
Burn	620.0	0.7	16091.0	19.0
Cut	9701.8	11.5	25792.8	30.5
Crush	3455.1	4.1	29247.9	34.6
Fracture	22627.6	26.8	51875.5	61.4
Puncture	4872.6	5.8	56748.1	67.2
Sprain/strain	17222.5	20.4	73970.6	87.5
Mult. injury	4594.0	5.4	78564.6	93.0
Other	5935.2	7.0	84499.8	100.0

(Frequency Missing = 235.7)

**Table 2-118. National estimates of lost-time injuries by type of event for beef, hogs and sheep operations, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	3560.1	4.2	3560.1	4.2
Caught between	13893.2	16.4	17453.3	20.7
Caught under	4406.2	5.2	21859.5	25.9
Struck by/against	11682.8	13.8	33542.3	39.7
Struck by falling	9043.0	10.7	42585.3	50.4
Struck by flying	1728.6	2.0	44313.9	52.4
Contact sharp obj.	10933.8	12.9	55247.7	65.4
Fall, same level	4358.6	5.2	59606.3	70.5
Fall, elevation	7890.1	9.3	67496.4	79.9
Overexertion	7595.9	9.0	75092.3	88.9
Other	9407.5	11.1	84499.8	100.0

(Frequency Missing = 235.7)

**Table 2-119. National estimates of lost-time injuries by activity when injured for beef, hogs and sheep operations, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	13120.7	15.5	13120.7	15.5
Machine maint.	4673.9	5.5	17794.6	21.1
Field work	1522.6	1.8	19317.2	22.9
Crop handling	10215.8	12.1	29533.0	35.0
Livestock handling	46764.3	55.3	76297.3	90.3
Other	8202.5	9.7	84499.8	100.0

(Frequency Missing = 235.7)

**Table 2-120. National estimates of lost-time injuries by source of injury for beef, hogs and sheep operations, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1403.1	1.7	1403.1	1.7
Machinery	15000.7	17.7	16403.8	19.4
Livestock	25076.8	29.6	41480.6	49.0
Hand tool	5426.2	6.4	46906.8	55.4
Power tool	1005.2	1.2	47912.0	56.5
Plant/tree	4143.8	4.9	52055.8	61.4
Working surface	4742.0	5.6	56797.8	67.0
Truck/auto	584.5	0.7	57382.3	67.7
Other vehicle	1638.5	1.9	59020.8	69.7
Other	25714.7	30.3	84735.5	100.0

**Table 2-121. National estimates of lost-time injuries by region of the U.S. for poultry operations, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	375.0	13.4	375.0	13.4
South	1386.7	51.2	1861.7	64.1
West	1041.7	35.9	2903.4	100.0

**Table 2-122. National estimates of lost-time injuries by status of the injured worker for poultry operations, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1751.2	66.4	1751.2	66.4
Hired labor	833.3	31.6	2584.5	98.0
Unpaid nonfamily	52.1	2.0	2636.6	100.0

(Frequency Missing = 266.8)

**Table 2-123. National estimates of lost-time injuries by gender for poultry operations, 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	2636.6	100.0	2636.6	100.0

(Frequency Missing = 266.8)

**Table 2-124. National estimates of lost-time injuries by age group for poultry operations, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
30-39	1192.4	45.2	1192.4	45.2
40-49	526.5	20.0	1718.9	65.2
50-59	750.3	28.5	2469.2	93.7
60-69	167.4	6.3	2636.6	100.0

(Frequency Missing = 266.8)

**Table 2-125. National estimates of lost-time injuries by race or ethnic origin for poultry operations, 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	1751.2	66.4	1751.2	66.4
Hispanic	885.4	33.6	2636.6	100.0

(Frequency Missing = 266.8)

**Table 2-126. National estimates of lost-time injuries by month for poultry operations, 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
February	167.4	6.3	167.4	6.3
March	323.2	12.3	490.6	18.6
April	191.7	7.3	682.3	25.9
July	833.3	31.6	1515.6	57.5
August	167.4	6.3	1683.0	63.8
September	359.1	13.6	2042.1	77.5
October	375.0	14.2	2417.1	91.7
November	52.1	2.0	2469.2	93.7
December	167.4	6.3	2636.6	100.0

(Frequency Missing = 266.8)

**Table 2-127. National estimates of lost-time injuries by severity of the injury for poultry operations, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	2636.6	100.0	2636.6	100.0

(Frequency Missing = 266.8)

**Table 2-128. National estimates of lost-time injuries by whether professional medical attention was sought for poultry operations, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	266.8	9.2	266.8	9.2
Yes	2110.1	72.7	2376.9	81.9
No	526.5	18.1	2903.4	100.0

**Table 2-129. National estimates of lost-time injuries by body part injured for poultry operations, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	167.4	6.3	167.4	6.3
Back	1244.5	47.2	1411.9	53.6
Arm/shoulder	155.8	5.9	1567.7	59.5
Finger	375.0	14.2	1942.7	73.7
Foot	167.4	6.3	2110.1	80.0
Mult. parts	526.5	20.0	2636.6	100.0

(Frequency Missing = 266.8)

**Table 2-130. National estimates of lost-time injuries by nature of the injury for poultry operations, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	167.4	6.3	167.4	6.3
Fracture	542.4	20.6	709.8	26.9
Puncture	167.4	6.3	877.2	33.3
Sprain/strain	1567.7	59.5	2444.9	92.7
Mult. injury	191.7	7.3	2636.6	100.0

(Frequency Missing = 266.8)

**Table 2-131. National estimates of lost-time injuries by type of event for poultry operations, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	191.7	7.3	191.7	7.3
Struck by/against	375.0	14.2	566.7	21.5
Struck by falling	167.4	6.3	734.1	27.8
Struck by flying	167.4	6.3	901.5	34.2
Fall, same level	334.8	12.7	1236.3	46.9
Fall, elevation	155.8	5.9	1392.1	52.8
Overexertion	1244.5	47.2	2636.6	100.0

(Frequency Missing = 266.8)

**Table 2-132. National estimates of lost-time injuries by activity when injured for poultry operations, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	502.2	20.3	502.2	20.3
Field work	155.8	6.3	658.0	26.6
Crop handling	427.1	17.3	1085.1	43.9
Livestock handling	167.4	6.8	1252.5	50.7
Other	1216.7	49.3	2469.2	100.0

(Frequency Missing = 434.2)

**Table 2-133. National estimates of lost-time injuries by source of injury for poultry operations, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	1025.0	41.5	1025.0	41.5
Power tool	167.4	6.8	1192.4	48.3
Plant/tree	167.4	6.8	1359.8	55.1
Other vehicle	514.9	20.9	1874.7	75.9
Other	594.5	24.1	2469.2	100.0

(Frequency Missing = 434.2)

**Table 2-134. National estimates of lost-time injuries by region of the U.S. for dairy operations, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	3741.4	21.8	3741.4	21.8
South	1626.1	9.5	5367.5	31.3
Midwest	9923.4	58.0	15290.9	89.3
West	1831.3	10.7	17122.2	100.0

**Table 2-135. National estimates of lost-time injuries by status of the injured worker for dairy operations, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	8660.6	50.6	8660.6	50.6
Partner/family	2871.4	16.8	11532.0	67.4
Hired labor	4963.0	29.0	16495.0	96.3
Unpaid nonfamily	627.2	3.7	17122.2	100.0

**Table 2-136. National estimates of lost-time injuries by gender for dairy operations, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	15170.7	88.6	15170.7	88.6
Female	1951.5	11.4	17122.2	100.0

**Table 2-137. National estimates of lost-time injuries by age group for dairy operations, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
10-19	2120.5	12.4	2120.5	12.4
20-29	3409.4	19.9	5529.9	32.3
30-39	4566.7	26.7	10096.6	59.0
40-49	2033.1	11.9	12129.7	70.8
50-59	4342.3	25.4	16472.0	96.2
60-69	539.1	3.1	17011.1	99.4
>=70	111.1	0.6	17122.2	100.0

**Table 2-138. National estimates of lost-time injuries by race or ethnic origin for dairy operations, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	15814.9	92.4	15814.9	92.4
Hispanic	1307.3	7.6	17122.2	100.0

**Table 2-139. National estimates of lost-time injuries by month for dairy operations, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	852.9	5.2	852.9	5.2
February	1033.5	6.3	1886.4	11.5
March	414.2	2.5	2300.6	14.0
April	880.1	5.4	3180.7	19.4
May	1771.2	10.8	4951.9	30.2
June	2624.6	16.0	7576.5	46.2
July	1765.1	10.8	9341.6	57.0
August	903.1	5.5	10244.7	62.5
September	1549.0	9.5	11793.7	71.9
October	121.4	0.7	11915.1	72.7
November	880.8	5.4	12795.9	78.1
December	3595.9	21.9	16391.8	100.0

(Frequency Missing = 730.4)

**Table 2-140. National estimates of lost-time injuries by severity of the injury for dairy operations, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	16237.9	94.8	16237.9	94.8
Permanent	884.3	5.2	17122.2	100.0

**Table 2-141. National estimates of lost-time injuries by whether professional medical attention was sought for dairy operations, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	884.3	5.2	884.3	5.2
Yes	14008.6	81.8	14892.9	87.0
No	2229.3	13.0	17122.2	100.0

**Table 2-142. National estimates of lost-time injuries by body part injured for dairy operations, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	983.3	5.7	983.3	5.7
Eye	792.7	4.6	1776.0	10.4
Chest/trunk	1162.2	6.8	2938.2	17.2
Back	1963.2	11.5	4901.4	28.6
Arm/shoulder	4077.7	23.8	8979.1	52.4
Finger	1850.8	10.8	10829.6	63.3
Hand/wrist	1879.7	11.0	12709.6	74.2
Leg/knee/hip	1156.0	6.8	13865.6	81.0
Foot	1894.8	11.1	15760.4	92.0
Mult. parts	730.4	4.3	16490.8	96.3
Other	631.4	3.7	17122.2	100.0

**Table 2-143. National estimates of lost-time injuries by nature of the injury for dairy operations, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	730.4	4.3	730.4	4.3
Bruise	2582.2	15.1	3312.6	19.3
Burn	884.3	5.2	4196.9	24.5
Cut	1281.6	7.5	5478.5	32.0
Crush	1690.1	9.9	7168.6	41.9
Fracture	3715.9	21.7	10884.5	63.6
Puncture	1102.8	6.4	11987.3	70.0
Sprain/strain	2689.4	15.7	14676.7	85.7
Mult. injury	983.3	5.7	15660.0	91.5
Other	1462.2	8.5	17122.2	100.0

**Table 2-144. National estimates of lost-time injuries by type of event for dairy operations, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1672.2	9.8	1672.2	9.8
Caught between	2478.0	14.5	4150.2	24.2
Caught under	664.7	3.9	4814.9	28.1
Struck by/against	2215.4	12.9	7030.3	41.1
Struck by falling	884.3	5.2	7914.6	46.2
Struck by flying	252.9	1.5	8167.5	47.7
Contact sharp obj.	1355.7	7.9	9523.2	55.6
Fall, same level	1836.2	10.7	11359.4	66.3
Fall, elevation	2219.5	13.0	13578.9	79.3
Overexertion	1552.2	9.1	15131.1	88.4
Other	1991.1	11.6	17122.2	100.0

**Table 2-145. National estimates of lost-time injuries by activity when injured for dairy operations, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1861.5	10.9	1861.5	10.9
Machine maint.	2501.6	14.6	4363.1	25.5
Field work	1515.7	8.9	5878.8	34.3
Crop handling	2850.9	16.7	8729.7	51.0
Livestock handling	6598.9	38.5	15328.6	89.5
Other	1793.6	10.5	17122.2	100.0

**Table 2-146. National estimates of lost-time injuries by source of injury for dairy operations, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	252.9	1.5	252.9	1.5
Machinery	3161.3	18.5	3414.2	19.9
Livestock	5461.7	31.9	8875.9	51.8
Hand tool	252.9	1.5	9128.8	53.3
Power tool	252.9	1.5	9381.7	54.8
Pesticide/chem.	631.4	3.7	10013.1	58.5
Plant/tree	571.8	3.3	10584.9	61.8
Working surface	3959.8	23.1	14544.7	84.9
Other vehicle	884.3	5.2	15429.0	90.1
Liquids	505.8	3.0	15934.8	93.1
Other	1187.2	6.9	17122.2	100.0



**Table 2-147. National estimates of lost-time injuries by region of the U.S. for other farm operations, 1995.**

<u>Region</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Northeast	1730.0	20.3	1730.0	20.3
South	4704.5	55.3	6434.5	75.6
Midwest	1727.1	20.3	8161.6	95.9
West	350.6	4.1	8512.2	100.0

**Table 2-148. National estimates of lost-time injuries by status of the injured worker for other farm operations, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	6824.4	80.2	6824.4	80.2
Partner/family	599.0	7.0	7423.7	87.2
Hired labor	1088.5	12.8	8512.2	100.0

**Table 2-149. National estimates of lost-time injuries by gender for other farm operations, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	7246.5	85.1	7246.5	85.1
Female	1265.7	14.9	8512.2	100.0

**Table 2-150. National estimates of lost-time injuries by age group for other farm operations, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
10-19	657.7	8.0	657.7	8.0
20-29	954.2	11.5	1611.9	19.5
30-39	3787.4	45.8	5399.3	65.3
40-49	1589.9	19.2	6989.2	84.5
50-59	827.4	10.0	7816.6	94.5
>=70	451.8	5.5	8268.4	100.0

(Frequency Missing = 243.8)

**Table 2-151. National estimates of lost-time injuries by race or ethnic origin for other farm operations, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	8216.9	96.5	8216.9	96.5
Hispanic	295.3	3.8	8512.2	100.0

**Table 2-152. National estimates of lost-time injuries by month for other farm operations, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	261.6	3.3	261.6	3.3
March	71.4	0.9	333.0	4.1
April	339.3	4.2	672.3	8.4
May	308.8	3.8	981.1	12.2
June	190.2	2.4	1171.3	14.6
July	257.0	3.2	1428.3	17.8
August	447.2	5.6	1875.5	23.4
September	657.7	8.2	2533.2	31.6
October	4092.8	51.0	6626.0	82.6
November	1327.2	16.5	7953.2	99.1
December	71.4	0.9	8024.6	100.0

(Frequency Missing = 487.6)

**Table 2-153. National estimates of lost-time injuries by severity of the injury for other farm operations, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	7642.6	89.8	7642.6	89.9
Permanent	625.8	7.4	8268.4	97.1
Fatality	243.8	2.9	8512.2	100.0

**Table 2-154. National estimates of lost-time injuries by whether professional medical attention was sought for other farm operations, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	869.6	10.2	869.6	10.2
Yes	2823.8	33.3	3700.4	43.5
No	4811.8	56.5	8512.2	100.0

**Table 2-155. National estimates of lost-time injuries by body part injured for other farm operations, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Eye	329.5	3.9	329.5	3.9
Chest/trunk	500.8	5.9	830.3	9.8
Back	1798.4	21.1	2628.7	30.9
Arm/shoulder	255.2	3.0	2883.9	33.9
Finger	487.6	5.7	3371.5	39.6
Hand/wrist	115.4	1.4	3486.9	41.0
Leg/knee/hip	4329.7	50.9	7816.6	91.8
Toe	190.2	2.2	8006.8	94.1
Mult. parts	505.4	5.9	8512.2	100.0

**Table 2-156. National estimates of lost-time injuries by nature of the injury for other farm operations, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	243.8	2.9	243.8	2.9
Bruise	624.2	7.3	868.0	10.2
Burn	85.7	1.0	953.7	11.2
Cut	4072.7	47.8	5026.4	59.0
Crush	487.6	5.7	5514.0	64.8
Fracture	881.2	10.4	6395.9	75.1
Puncture	115.4	1.4	6510.6	76.5
Sprain/strain	1740.0	20.4	8256.0	96.9
Mult. injury	71.4	0.8	8322.0	97.8
Other	190.2	2.2	8512.2	100.0

**Table 2-157. National estimates of lost-time injuries by type of event for other farm operations, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	71.4	0.8	71.4	0.8
Caught between	243.8	2.9	315.2	3.7
Caught under	434.0	5.1	749.2	8.8
Struck by/against	1245.4	14.6	1994.6	23.4
Struck by falling	243.8	2.9	2238.4	26.3
Contact sharp obj.	4188.1	49.2	6426.5	75.5
Fall, same level	1016.6	11.9	7443.1	87.4
Fall, elevation	261.6	3.1	7704.7	90.5
Overexertion	341.4	4.0	8046.1	94.5
Other	466.1	5.5	8512.2	100.0

**Table 2-158. National estimates of lost-time injuries by activity when injured for other farm operations, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	5918.5	71.6	5918.5	71.6
Field work	505.4	6.8	6423.9	77.7
Crop handling	190.2	2.3	6614.1	80.0
Livestock handling	1316.2	15.9	7930.9	95.9
Other	337.5	4.1	8268.4	100.0

(Frequency Missing = 243.8)

**Table 2-159. National estimates of lost-time injuries by source of injury for other farm operations, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1091.7	12.8	1091.7	14.2
Machinery	1083.4	12.7	2175.1	17.5
Livestock	1059.8	12.5	3234.9	31.3
Hand tool	3849.0	45.2	7083.9	81.4
Plant/tree	315.2	3.7	7399.1	85.5
Working surface	380.4	4.5	7779.5	90.5
Other vehicle	190.2	2.2	7969.7	92.9
Other	542.5	6.4	8512.2	100.0

**Table 2-160. National estimates of lost-time injuries by region of the U.S. for family workers, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	9815.3	7.5	9815.3	7.5
South	34828.6	26.4	44643.9	33.9
Midwest	76976.6	58.5	121620.5	92.4
West	10073.0	7.6	131693.5	100.0

**Table 2-161. National estimates of lost-time injuries by farm type for family workers, 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	27174.3	20.6	27174.3	20.6
Field crops	10138.2	7.7	37312.5	28.3
Vegetable, fruit, nuts	4599.0	3.5	41911.5	31.8
Nursery	625.3	0.5	42536.8	32.3
Beef, hogs, sheep	68449.8	52.0	110986.6	84.3
Poultry	1751.2	1.3	112737.8	85.6
Dairy	11532.0	8.8	124269.8	94.4
Other farms	7423.7	5.6	131693.5	100.0

**Table 2-162. National estimates of lost-time injuries by gender for family workers, 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	113238.6	86.0	113238.6	86.0
Female	18454.9	14.0	131693.5	100.0

**Table 2-163. National estimates of lost-time injuries by age group for family workers, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	1069.7	0.8	1069.7	0.8
10-19	3470.9	2.6	4540.6	3.5
20-29	5622.0	4.3	10162.6	7.7
30-39	28733.8	21.9	38896.4	29.6
40-49	23442.7	17.8	62339.1	47.4
50-59	29591.1	22.5	91930.2	69.9
60-69	26321.2	20.0	118251.4	90.0
>=70	13198.3	10.0	131449.7	100.0

(Frequency Missing = 243.8)

**Table 2-164. National estimates of lost-time injuries by race or ethnic origin for family workers, 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	129683.6	98.6	129683.6	98.6
Hispanic	308.9	0.2	129992.5	98.8
Black	817.1	0.6	130809.6	99.4
Asian	730.8	0.6	131540.4	100.0

(Frequency Missing = 153.1)

**Table 2-165. National estimates of lost-time injuries by month for family workers, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	1583.5	1.2	1583.5	1.2
February	2611.7	2.0	4195.2	3.2
March	6050.4	4.7	10245.6	7.9
April	11257.5	8.7	21503.1	16.6
May	11768.4	9.1	33271.5	25.7
June	17209.8	13.3	50481.3	38.9
July	14940.0	11.5	65421.3	50.5
August	14955.0	11.5	80376.3	62.0
September	9359.0	7.2	89735.3	69.2
October	12073.9	9.3	101809.2	78.5
November	21236.0	16.4	123045.2	94.9
December	6611.8	5.1	129657.0	100.0

(Frequency Missing = 2036.5)

**Table 2-166. National estimates of lost-time injuries by severity of the injury for family workers, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	120415.0	91.4	120415.0	91.4
Permanent	8803.6	6.7	129218.6	98.1
Fatality	2474.9	1.9	131693.5	100.0

**Table 2-167. National estimates of lost-time injuries by whether professional medical attention was sought for family workers, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	11278.5	8.6	11278.5	8.6
Yes	96589.0	73.4	107867.5	81.9
No	23768.1	18.1	131635.6	100.0

(Frequency Missing = 57.9)

**Table 2-168. National estimates of lost-time injuries by body part injured for family workers, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	8781.1	6.7	8781.1	6.7
Eye	3965.8	3.0	12746.9	9.7
Chest/trunk	9953.5	7.6	22700.4	17.2
Back	21146.3	16.1	43846.7	33.3
Arm/shoulder	11949.7	9.1	55796.4	42.4
Finger	13379.2	10.2	69175.6	52.5
Hand/wrist	14766.8	11.2	83942.4	63.7
Leg/knee/hip	24358.8	18.5	108301.2	82.2
Toe	343.6	0.3	108644.8	82.5
Foot	12579.0	9.6	121223.8	92.0
Mult. parts	7508.3	5.7	128732.1	97.8
Other	2961.4	2.2	131693.5	100.0

**Table 2-169. National estimates of lost-time injuries by nature of injury for family workers, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	2548.6	1.9	2548.6	1.9
Bruise	19821.8	15.1	22370.4	17.0
Burn	724.6	0.6	23095.0	17.6
Cut	19186.2	14.6	42281.2	32.1
Crush	7218.6	5.5	49499.8	37.6
Fracture	29957.8	22.7	79457.6	60.3
Poisoning	221.7	0.2	79679.3	60.5
Puncture	8858.2	6.7	88537.5	67.2
Sprain/strain	29050.6	22.1	117588.1	89.3
Mult. injury	5499.4	4.2	123087.5	93.5
Other	8606.0	6.5	131693.5	100.0

**Table 2-170. National estimates of lost-time injuries by type of event for family workers, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	7051.7	5.4	7051.7	5.4
Caught between	15858.5	12.0	22910.2	17.4
Caught under	8939.8	6.8	1850.0	24.2
Struck by/against	17779.2	13.5	49629.2	37.7
Struck by falling	10112.8	7.7	59742.0	45.4
Struck by flying	4463.3	3.4	64205.3	48.8
Contact sharp obj.	18323.5	13.9	82528.8	62.7
Fall, same level	7074.8	5.4	89603.6	68.0
Fall, elevation	16564.6	12.6	106168.2	80.6
Overexertion	16481.6	12.5	122649.8	93.1
Other	9043.7	6.9	131693.5	100.0

**Table 2-171. National estimates of lost-time injuries by activity when worker was injured for family workers, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	24439.2	18.6	24439.2	18.6
Machine maint.	14862.4	11.3	39301.6	29.9
Field work	9552.6	7.3	48854.2	37.2
Crop handling	21337.6	16.3	70191.8	53.5
Livestock handling	53224.8	40.5	123416.6	94.0
Other	7865.7	6.0	131282.3	100.0

(Frequency Missing = 411.2)

**Table 2-172. National estimates of lost-time injuries by source of the injury for family workers, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	6122.5	4.7	6122.5	4.7
Machinery	23736.2	18.0	29858.7	22.7
Livestock	33385.4	25.4	63244.1	48.1
Hand tool	11506.6	8.7	74750.7	56.8
Power tool	3166.8	2.4	77917.5	59.2
Pesticide/chem.	853.1	0.6	78770.6	59.9
Plant/tree	5735.8	4.4	84506.4	64.3
Working surface	10655.0	8.1	95161.4	72.4
Truck/auto	1612.5	1.2	96773.9	73.6
Other vehicle	3425.8	2.6	100199.7	76.2
Liquids	252.9	0.2	100452.6	76.4
Other	31073.5	23.6	131526.1	100.0

(Frequency Missing = 167.4)



**Table 2-173. National estimates of lost-time injuries by region for hired workers, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	5996.9	10.0	5996.9	10.0
South	10205.3	17.0	16202.2	27.1
Midwest	11757.0	19.6	27959.2	46.7
West	31928.9	53.3	59888.1	100.0

**Table 2-174. National estimates of lost-time injuries by farm type for hired workers, 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Grain grain	5789.3	9.7	5789.3	9.7
Field crops	2265.4	3.8	8054.7	13.4
Vegetable, fruit, nuts	15749.8	26.3	23804.5	39.7
Nursery	13290.4	22.2	37094.9	61.9
Beef, hogs, sheep	15229.1	25.4	52324	87.4
Poultry	885.4	1.5	53209.4	88.8
Dairy	5590.2	9.3	58799.6	98.2
Other	1088.5	1.8	59888.1	100.0

**Table 2-175. National estimates of lost-time injuries by gender for hired workers, 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	56705.4	94.7	56705.4	94.7
Female	3182.7	5.3	59888.1	100.0

**Table 2-176. National estimates of lost-time injuries by age group for hired workers, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	517.2	0.9	517.2	0.9
10-19	3210.6	5.4	3727.8	6.2
20-29	22121.7	36.9	25849.5	43.2
30-39	12850.2	21.5	38699.7	64.6
40-49	5861.7	9.8	44561.4	74.4
50-59	11559.5	19.3	56120.9	93.7
60-69	2809.9	4.7	58930.8	98.4
>=70	957.3	1.6	59888.1	100.0

**Table 2-177. National estimates of lost-time injuries by race or ethnic origin for hired workers, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	27096.9	45.2	27096.9	45.2
Hispanic	31103.8	51.9	58200.7	97.2
Black	897.5	1.5	59098.2	98.7
Other	789.9	1.4	59888.1	100.0

**Table 2-178. National estimates of lost-time injuries by month for hired workers, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	1989.6	3.4	1989.6	3.4
February	411.2	0.7	2400.8	4.1
March	2809.0	4.8	5209.8	8.8
April	4389.0	7.4	9598.8	16.3
May	4811.1	8.2	14409.9	24.4
June	1110.7	1.9	15520.6	26.3
July	11521.7	19.5	27042.3	45.8
August	13918.3	23.6	40960.6	69.4
September	7696.7	13.0	48657.3	82.5
October	6175.1	10.5	54832.4	92.9
November	3292.8	5.6	58125.2	98.5
December	869.2	1.5	58994.4	100.0

(Frequency Missing = 893.7)

**Table 2-179. National estimates of lost-time injuries by severity of the injury for hired workers, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	58644.4	97.9	58644.4	97.9
Permanent	1243.7	2.1	59888.1	100.0

**Table 2-180. National estimates of lost-time injuries by whether professional medical attention was sought for hired workers, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	1243.7	2.1	1243.7	2.1
Yes	52844.4	89.0	54088.1	91.0
No	5319.9	9.0	59408.0	100.0

(Frequency Missing = 480.1)

**Table 2-181. National estimates of lost-time injuries by body part injured for hired workers, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2620.0	4.4	2620.0	4.4
Eye	2528.1	4.2	5148.1	8.6
Chest/trunk	854.7	1.4	6002.8	10.0
Back	6823.4	11.4	12826.2	21.4
Arm/shoulder	13088.1	21.9	25914.3	43.3
Finger	11817.8	19.7	37732.1	63.0
Hand/wrist	2076.5	3.5	39808.6	66.5
Leg/knee/hip	9197.7	15.4	49006.3	81.8
Toe	585.8	1.0	49592.1	82.8
Foot	5803.4	9.7	55395.5	92.5
Mult. parts	2211.5	3.7	57607.0	96.2
Other	2281.1	3.8	59888.1	100.0

**Table 2-182. National estimates of lost-time injuries by nature of injury for hired workers, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	863.0	1.4	863.0	1.4
Bruise	9668.4	16.2	10531.4	17.6
Burn	2710.8	4.5	13242.2	22.2
Cut	10028.5	16.8	23270.7	39.0
Crush	1119.6	1.9	24390.3	40.8
Fracture	3136.6	5.3	27526.9	46.1
Puncture	2257.3	3.8	29784.2	49.9
Sprain/strain	24227.4	40.6	54011.6	90.4
Mult. injury	1283.0	2.1	55294.6	92.6
Other	4430.2	7.4	59724.8	100.0

(Frequency Missing = 163.3)

**Table 2-183. National estimates of lost-time injuries by type of event for hired workers, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	3185.3	5.3	3185.3	5.3
Caught between	8934.2	14.9	12119.5	20.2
Caught under	225.0	0.4	12344.5	20.6
Struck by/against	4419.4	7.4	16763.9	28.0
Struck by falling	4630.9	7.7	21394.8	35.7
Contact sharp obj.	7570.5	12.6	28965.3	48.4
Fall, same level	6558.9	11.0	35524.2	59.3
Fall, elevation	10906.8	18.2	46431.0	77.5
Overexertion	2131.4	3.6	48562.4	81.1
Other	11325.7	18.9	59888.1	100.0

**Table 2-184. National estimates of lost-time injuries by activity when worker was injured for hired workers, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	13591.9	22.7	13591.9	22.7
Machine maint.	5928.4	9.9	19520.3	32.6
Field work	12136.6	20.3	31656.9	52.9
Crop handling	2421.7	4.0	34078.6	56.9
Livestock handling	10904.7	18.2	44983.3	75.1
Other	14904.8	24.9	59888.1	100.0

**Table 2-185. National estimates of lost-time injuries by source of the injury for hired workers, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1779.9	3.0	1779.9	3.0
Machinery	17182.4	28.7	18962.3	31.7
Livestock	4758.1	7.9	23720.4	39.6
Hand tool	3210.7	5.4	26931.1	45.0
Power tool	2442.1	4.1	29373.2	49.0
Pesticide/chem.	62.4	0.1	29435.6	49.2
Plant/tree	1841.6	3.1	31277.2	52.2
Working surface	5847.3	9.8	37124.5	62.0
Truck/auto	1221.7	2.0	38346.2	64.0
Other vehicle	1231.8	2.1	39578.0	66.1
Liquids	252.9	0.4	39830.9	66.5
Other	20057.2	33.5	59888.1	100.0

**Table 2-186. National estimates of lost-time injuries by region of the U.S. for male workers, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	14242.9	8.3	14242.9	8.3
South	40070.1	23.2	54313.0	31.5
Midwest	77135.3	44.9	131448.3	76.4
West	40295.5	23.6	171743.8	100.0

**Table 2-187. National estimates of lost-time injuries by farm type for male workers, 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	29779.0	17.3	29779.0	17.3
Field crops	11082.2	6.5	40861.2	23.8
Vegetable, fruit, nuts	20971.9	12.2	61833.1	36.0
Nursery	13304.0	7.7	75137.1	43.7
Beef, hogs, sheep	71552.9	41.7	146690.0	85.4
Poultry	2636.6	1.5	149326.6	86.9
Dairy	15170.7	8.8	164497.3	95.8
Other farms	7246.5	4.2	171743.8	100.0

**Table 2-188. National estimates of lost-time injuries by status of the injured worker for male workers, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	105738.3	61.6	105738.3	61.6
Partner/family	7500.3	4.4	113238.6	65.9
Hired labor	53195.3	31.0	166434.1	96.9
Unpaid nonfamily	3509.9	2.0	169944.0	99.0
Other	1799.8	1.0	171743.8	100.0

**Table 2-189. National estimates of lost-time injuries by age group for male workers, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	758.3	0.4	758.3	0.4
10-19	6049.5	3.5	6807.8	4.0
20-29	28147.3	16.4	34955.1	20.4
30-39	39994.2	23.3	74949.3	43.7
40-49	25728.9	15.0	100678.2	58.7
50-59	34420.5	20.1	135098.7	78.8
60-69	22623.7	13.2	157722.4	92.0
>=70	13777.6	8.0	171500.0	100.0

(Frequency Missing = 243.8)

**Table 2-190. National estimates of lost-time injuries by race or ethnic origin for male workers, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	135985.8	79.3	135985.8	79.3
Hispanic	32341.2	18.8	168327	98.1
Black	1899.6	1.1	170226.6	99.2
Asian	913.5	0.5	171140.1	99.7
Other	450.6	0.3	171590.7	100.0

(Frequency Missing = 153.1)

**Table 2-191. National estimates of lost-time injuries by month for male workers, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	2737.4	1.6	2737.4	1.6
February	2931.2	1.7	5668.6	3.4
March	7752.0	4.6	13420.6	7.9
April	13809.1	8.2	27229.7	16.1
May	16500.2	9.8	43729.9	25.9
June	16869.7	10.0	60599.6	35.8
July	20662.9	12.2	81262.5	48.1
August	24748.9	14.6	106011.4	62.7
September	14819.9	8.8	120831.3	71.5
October	17555.2	10.4	138386.5	81.9
November	23310.2	13.8	161696.7	95.6
December	7360.7	4.4	169057.4	100.0

(Frequency Missing = 2686.4)

**Table 2-192. National estimates of lost-time injuries by severity of the injury for male workers, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	159961.3	93.1	159961.3	93.1
Permanent	9307.6	5.4	169268.9	98.6
Fatality	2474.9	1.4	171743.8	100.0

**Table 2-193. National estimates of lost-time injuries by whether professional medical attention was sought for male workers, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	11782.5	6.9	11782.5	6.9
Yes	130935.0	76.4	142717.5	83.3
No	28566.6	16.7	171284.1	100.0

(Frequency Missing = 459.7)

**Table 2-194. National estimates of lost-time injuries by body part injured for male workers, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	10836.8	6.3	10836.8	6.3
Eye	6487.7	3.8	17324.5	10.1
Chest/trunk	11404.5	6.6	28729.0	16.7
Back	23789.5	13.9	52518.5	30.6
Arm/shoulder	20820.2	12.1	73338.7	42.7
Finger	24777.3	14.4	98116.0	57.1
Hand/wrist	15757.5	9.2	113873.5	66.3
Leg/knee/hip	29124.7	17.0	142998.2	83.3
Toe	923.2	0.5	143921.4	83.8
Foot	14106.7	8.2	158028.1	92.0
Mult. parts	8473.2	4.9	166501.3	96.9
Other	5242.5	3.1	171743.8	100.0

**Table 2-195. National estimates of lost-time injuries by nature of injury for male workers, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	3218.2	1.9	3218.2	1.9
Bruise	28288.3	16.5	31506.5	18.4
Burn	3419.2	2.0	34925.7	20.4
Cut	27968.0	16.3	62893.7	36.7
Crush	7853.3	4.6	70747.0	41.2
Fracture	26154.8	15.2	96901.8	56.5
Poisoning	221.7	0.1	97123.5	56.6
Puncture	10122.2	5.9	107245.7	62.5
Sprain/strain	45719.6	26.6	152965.3	89.2
Mult. injury	5717.8	3.3	158683.1	92.5
Other	12897.4	7.5	171580.5	100.0

(Frequency Missing = 163.3)

**Table 2-196. National estimates of lost-time injuries by type of event for male workers, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	10547.4	6.1	10547.4	6.1
Caught between	21256.8	12.4	31804.2	18.5
Caught under	8503.7	5.0	40307.9	23.5
Struck by/against	20608.4	12.0	60916.3	35.5
Struck by falling	11596.2	6.8	72512.5	42.2
Struck by flying	4210.4	2.5	76722.9	44.7
Contact sharp obj.	25092.9	14.6	101815.8	59.3
Fall, same level	10697.5	6.2	112513.3	65.5
Fall, elevation	25468.6	14.8	137981.9	80.3
Overexertion	13465.6	7.8	151447.5	88.2
Other	20296.3	11.8	171743.8	100.0

**Table 2-197. National estimates of lost-time injuries by activity when worker was injured for male workers, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	33790.1	19.7	33790.1	19.7
Machine maint.	16902.5	9.9	50692.6	29.6
Field work	22006.0	12.8	72698.6	42.4
Crop handling	21372.3	12.5	94070.9	54.9
Livestock handling	55106.0	32.2	149176.9	87.1
Other	22155.7	12.9	171332.6	100.0

(Frequency Missing = 411.2)

**Table 2-198. National estimates of lost-time injuries by source of the injury for male workers, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	6590.1	3.8	6590.1	3.8
Machinery	35306.9	20.6	41897.0	24.4
Livestock	35975.1	21.0	77872.1	45.4
Hand tool	14386.1	8.4	92258.2	53.8
Power tool	5608.9	3.3	97867.1	57.0
Pesticide/chem.	909.3	0.5	98776.4	57.6
Plant/tree	7106.0	4.1	105882.4	61.7
Working surface	14383.7	8.4	120266.1	70.1
Truck/auto	2135.0	1.2	122401.1	71.3
Other vehicle	4657.6	2.7	127058.7	74.1
Liquids	252.9	0.1	127311.6	74.2
Other	44264.8	25.8	171576.4	100.0

(Frequency Missing = 167.4)



**Table 2-199. National estimates of lost-time injuries by region of the U.S. for female workers, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	1619.7	7.5	1619.7	7.5
South	5620.2	25.9	7239.9	33.3
Midwest	11598.3	53.4	18838.2	86.7
West	2877.7	13.3	21715.9	100.0

**Table 2-200. National estimates of lost-time injuries by farm type for female workers, 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grain	3184.6	14.7	3184.6	14.7
Field crops	1321.4	6.1	4506	20.7
Vegetable, fruit, nuts	434.1	2.0	4940.1	22.7
Nursery	611.7	2.8	5551.8	25.6
Beef, hogs, sheep	12946.9	59.6	18498.7	85.2
Dairy	1951.5	9.0	20450.2	94.2
Other	1265.7	5.8	21715.9	100.0

**Table 2-201. National estimates of lost-time injuries by status of the injured worker for female workers, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	16133.1	74.3	16133.1	74.3
Partner/family	2321.8	10.7	18454.9	85.0
Hired labor	978.0	4.5	19432.9	89.5
Unpaid nonfamily	2204.7	10.2	21637.6	99.6
Other	78.3	0.4	21715.9	100.0

**Table 2-202. National estimates of lost-time injuries by age group for female workers, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	828.6	3.8	828.6	3.8
10-19	710.3	3.3	1538.9	7.1
20-29	524.9	2.4	2063.8	9.5
30-39	2010.5	9.3	4074.3	18.8
40-49	3575.5	16.5	7649.8	35.2
50-59	6730.1	31.0	14379.9	66.2
60-69	6671.9	30.7	21051.8	96.9
>=70	664.1	3.1	21715.9	100.0

**Table 2-203. National estimates of lost-time injuries by race or ethnic origin for female workers, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	21245.3	97.8	21245.3	97.8
Black	235.7	1.1	21481.0	98.9
Asian	156.6	0.7	21637.6	99.6
Other	78.3	0.4	21715.9	100.0

**Table 2-204. National estimates of lost-time injuries by month for female workers, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	835.7	3.9	835.7	3.9
February	91.7	0.4	927.4	4.3
March	1107.4	5.2	2034.8	9.5
April	1837.4	8.6	3872.2	18.0
May	243.8	1.1	4116.0	19.2
June	1871.5	8.7	5987.5	27.9
July	6034.5	28.1	12022.0	56.0
August	5052.9	23.5	17074.9	79.5
September	2235.8	10.4	19310.7	89.9
October	772.1	3.6	20082.8	93.5
November	1218.6	5.7	21301.4	99.2
December	170.7	0.8	21472.1	100.0

(Frequency Missing = 243.8)

**Table 2-205. National estimates of lost-time injuries by severity of the injury for female workers, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	20925.8	96.4	20925.8	96.4
Permanent	790.1	3.6	21715.9	100.0

**Table 2-206. National estimates of lost-time injuries by whether professional medical attention was sought for female workers, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	790.1	3.7	790.1	3.7
Yes	20326.1	93.9	21116.2	97.6
No	521.4	2.4	21637.6	100.0

(Frequency Missing = 78.3)

**Table 2-207. National estimates of lost-time injuries by body part injured for female workers, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	570.5	2.6	570.5	2.6
Chest/trunk	496.7	2.3	1067.2	4.9
Back	4180.2	19.2	5247.4	24.2
Arm/shoulder	4217.6	19.4	9465.0	43.6
Finger	918.7	4.2	10383.7	47.8
Hand/wrist	1371.9	6.3	11755.6	54.1
Leg/knee/hip	4431.8	20.4	16187.4	74.5
Foot	4281.9	19.7	20469.3	94.3
Mult. parts	1246.6	5.7	21715.9	100.0

**Table 2-208. National estimates of lost-time injuries by nature of injury for female workers, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	243.8	1.1	243.8	1.1
Bruise	1201.9	5.5	1445.7	6.7
Burn	16.2	0.1	1461.9	6.7
Cut	1560.7	7.2	3022.6	13.9
Crush	484.9	2.2	3507.5	16.2
Fracture	7524.8	34.7	11032.3	50.8
Puncture	993.3	4.6	12025.6	55.4
Sprain/strain	8486.9	39.1	20512.5	94.5
Mult. injury	1064.6	4.9	21577.1	99.4
Other	138.8	0.6	21715.9	100.0

**Table 2-209. National estimates of lost-time injuries by type of event for female workers, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	160.7	0.7	160.7	0.7
Caught between	3535.9	16.3	3696.6	17.0
Caught under	661.1	3.0	4357.7	20.1
Struck by/against	1590.2	7.3	5947.9	27.4
Struck by falling	3147.5	14.5	9095.4	41.9
Struck by flying	252.9	1.2	9348.3	43.0
Contact sharp obj.	1115.1	5.1	10463.4	48.2
Fall, same level	2936.2	13.5	13399.6	61.7
Fall, elevation	2002.8	9.2	15402.4	70.9
Overexertion	6075.9	28.0	21478.3	98.9
Other	237.6	1.1	21715.9	100.0

**Table 2-210. National estimates of lost-time injuries by activity when injured for female workers, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	4661.7	21.5	4661.7	21.5
Machine maint.	3888.3	17.9	8550.0	39.4
Field work	662.1	3.0	9212.1	42.4
Crop handling	2387.0	11.0	11599.1	53.4
Livestock handling	9423.7	43.4	21022.8	96.8
Other	693.1	3.2	21715.9	100.0

**Table 2-211. National estimates of lost-time injuries by source of the injury for female workers, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1312.3	6.0	1312.3	6.0
Machinery	6082.8	28.0	7395.1	34.1
Livestock	2568.6	11.8	9963.7	45.9
Hand tool	331.2	1.5	10294.9	47.4
Power tool	78.3	0.4	10373.2	47.8
Plant/tree	471.4	2.2	10844.6	50.0
Working surface	2118.6	9.8	12963.2	59.7
Truck/auto	699.2	3.2	13662.4	62.9
Liquids	252.9	1.2	13915.3	64.1
Other	7800.6	35.9	21715.9	100.0

**Table 2-212. National estimates of lost-time injuries by region for workers <20 years of age, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	1017.2	12.2	1017.2	12.2
South	1406.7	16.9	2423.9	29.0
Midwest	4473.9	53.6	6897.8	82.6
West	1448.9	17.4	8346.7	100.0

**Table 2-213. National estimates of lost-time injuries by farm type for workers <20 years of age, 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	2838.4	34.0	2838.4	34.0
Field crops	182.0	2.2	3020.4	36.2
Vegetable, fruit, nuts	1337.4	16.0	4357.8	52.2
Beef, hogs, sheep	1204.5	14.4	5562.3	66.6
Dairy	2120.5	25.4	7682.8	92.0
Other	663.9	8.0	8346.7	100.0

**Table 2-214. National estimates of lost-time injuries by status of injured worker for workers <20 years of age, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	3277.2	39.3	3277.2	39.3
Partner/family	1263.4	15.1	4540.6	54.4
Hired labor	3210.6	38.5	7751.2	92.9
Unpaid nonfamily	517.2	6.2	8268.4	99.1
Other	78.3	0.9	8346.7	100.0

**Table 2-215. National estimates of lost-time injuries by gender for workers <20 years of age, 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	6807.8	81.6	6807.8	81.6
Female	1538.9	18.4	8346.7	100.0

**Table 2-216. National estimates of lost-time injuries by race or ethnic origin for workers <20 years of age, 1995.**

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	7226.8	86.6	7226.8	86.6
Hispanic	1006.8	12.1	8233.6	98.6
Asian	34.8	0.4	8268.4	99.1
Other	78.3	0.9	8346.7	100.0

**Table 2-217. National estimates of lost-time injuries by month for workers <20 years of age, 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
February	730.4	8.8	730.4	8.8
March	113.1	1.4	843.5	10.1
April	636.8	7.6	1480.3	17.7
June	2047.4	24.5	3527.7	42.3
July	1178.3	14.1	4706.0	56.4
August	1698.6	20.4	6404.6	76.7
September	1446.4	17.3	7851.0	94.1
October	78.3	0.9	7929.3	95.0
November	252.9	3.0	8182.2	98.0
December	164.5	2.0	8346.7	100.0

**Table 2-218. National estimates of lost-time injuries by severity of the injury for workers <20 years of age, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	8346.7	100.0	8346.7	100.0

**Table 2-219. National estimates of lost-time injuries by whether professional medical attention was sought for workers <20 years of age, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	7759.3	93.0	7759.3	93.0
No	587.4	7.0	8346.7	100.0

**Table 2-220. National estimates of lost-time injuries by body part injured for workers <20 years of age, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	242.8	2.9	242.8	2.9
Arm/shoulder	1247.6	14.9	1490.4	17.9
Finger	1656.6	19.8	3147.0	37.7
Hand/wrist	1249.3	15.0	4396.3	52.7
Leg/knee/hip	1790.1	21.4	6186.4	74.1
Toe	190.2	2.3	6376.6	76.4
Foot	1550.1	18.6	7926.7	95.0
Mult. parts	420.0	5.0	8346.7	100.0

**Table 2-221. National estimates of lost-time injuries by nature of the injury for workers <20 years of age, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	354.7	4.2	354.7	4.2
Cut	2980.6	35.7	3335.3	40.0
Crush	434.9	5.2	3770.2	45.2
Fracture	2443.3	29.3	6213.5	74.4
Puncture	863.4	10.3	7076.9	84.8
Sprain/strain	849.8	10.2	7926.7	95.0
Mult. injury	420.0	5.0	8346.7	100.0

**Table 2-222. National estimates of lost-time injuries by type of event for workers <20 years of age, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	517.2	6.2	517.2	6.2
Caught between	1263.5	15.1	1780.7	21.3
Caught under	821.6	9.8	2602.3	31.2
Struck by/against	319.4	3.8	2921.7	35.0
Struck by falling	672.9	8.1	3594.6	43.1
Contact sharp obj.	3007.4	36.0	6602.0	79.1
Fall, same level	730.4	8.8	7332.4	87.8
Fall, elevation	1014.3	12.2	8346.7	100.0

**Table 2-223. National estimates of lost-time injuries by activity when injured for workers <20 years of age, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2358.1	28.3	2358.1	28.3
Machine maint.	1982.1	23.7	4340.2	52.0
Field work	1538.7	18.4	5878.9	70.4
Crop handling	724.0	8.7	6602.9	79.1
Livestock handling	830.7	10.0	7433.6	89.1
Other	913.1	10.9	8346.7	100.0

**Table 2-224. National estimates of lost-time injuries by source of injury for workers <20 years of age, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2573.9	30.8	2573.9	30.8
Machinery	252.9	3.0	2826.8	33.9
Livestock	1093.0	13.1	3919.8	47.0
Hand tool	1400.3	16.8	5320.1	63.7
Power tool	495.7	5.9	5815.8	69.7
Working surface	730.4	8.8	6546.2	78.4
Other vehicle	821.6	9.8	7367.8	88.3
Other	978.9	11.7	8346.7	100.0

**Table 2-225. National estimates of lost-time injuries by region for workers 20-29 years of age, 1995.**

<u>Region</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Northeast	6369.7	22.2	6369.7	22.2
South	2152.4	7.5	8522.1	29.7
Midwest	6120.5	21.3	14642.6	51.1
West	14029.6	48.9	28672.2	100.0

**Table 2-226. National estimates of lost-time injuries by farm type for workers 20-29 years of age, 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	2361.9	8.2	2361.9	8.2
Field crops	1352.1	4.7	3714	13.0
Vegetable, fruit, nut	4862.9	17.0	8576.9	29.9
Nursery	12880.6	44.9	21457.5	74.8
Beef, hogs, sheep	2851.1	9.9	24308.6	84.8
Dairy	3409.4	11.9	27718	96.7
Other	954.2	3.3	28672.2	100.0

**Table 2-227. National estimates of lost-time injuries by status of injured worker for workers 20-29 years of age, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	3612	12.6	3612	12.6
Partner/family	2010	7.0	5622	19.6
Hired labor	21868.8	76.3	27490.8	95.9
Unpaid nonfamily	252.9	0.9	27743.7	96.8
Other	928.5	3.2	28672.2	100.0

**Table 2-228. National estimates of lost-time injuries by gender for workers 20-29 years of age, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	28147.3	98.2	28147.3	98.2
Female	524.9	1.8	28672.2	100.0



**Table 2-229. National estimates of lost-time injuries by race or ethnic origin for workers 20-29 years of age, 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	14642.7	51.1	14642.7	51.1
Hispanic	13669.1	47.7	28311.8	98.7
Black	241.1	0.8	28552.9	99.6
Asian	113.1	0.4	28666.0	100.0
Other	6.2	0.0	28672.2	100.0

**Table 2-230. National estimates of lost-time injuries by month for workers 20-29 years of age, 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1129.6	4.0	1129.6	4.0
February	261.6	0.9	1391.2	5.0
March	78.3	0.3	1469.5	5.3
April	1274.8	4.6	2744.3	9.8
May	3576.9	12.8	6321.2	22.6
June	1010.2	3.6	7331.4	26.2
July	6664.1	23.8	13995.5	50.0
August	11558.8	41.3	25554.3	91.4
September	1813.4	6.5	27367.7	97.9
October	56.6	0.2	27424.3	98.1
November	470.5	1.7	27894.8	99.7
December	71.4	0.3	27966.2	100.0

(Frequency Missing = 706.0)

**Table 2-231. National estimates of lost-time injuries by severity of the injury for workers 20-29 years of age, 1995.**

Severity Of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	28290.2	98.7	28290.2	98.7
Permanent	382.0	1.3	28672.2	100.0

**Table 2-232. National estimates of lost-time injuries by whether professional medical attention was sought for workers 20-29 years of age, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	382.0	1.3	382.0	1.3
Yes	26792.4	93.5	27174.4	94.8
No	1491.6	5.2	28666.0	100.0

(Frequency Missing = 6.2)

**Table 2-233. National estimates of lost-time injuries by body part injured for workers 20-29 years of age, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Eye	3039.5	10.6	3039.5	10.6
Chest/trunk	1185.5	4.1	4225.0	14.7
Back	2219.4	7.7	6444.4	22.5
Arm/shoulder	10329.9	36.0	16774.3	58.5
Finger	5701.8	19.9	22476.1	78.4
Hand/wrist	1391.9	4.9	23868.0	83.2
Leg/knee/hip	1718.0	6.0	25586.0	89.2
Foot	532.6	1.9	26118.6	91.1
Mult. parts	272.5	1.0	26391.1	92.0
Other	2281.1	8.0	28672.2	100.0

**Table 2-234. National estimates of lost-time injuries by nature of the injury for workers 20-29 years of age, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	4619.2	16.1	4619.2	16.1
Burn	34.8	0.1	4654.0	16.2
Cut	3763.3	13.1	8417.3	29.4
Crush	422.9	1.5	8840.2	30.8
Fracture	1801.1	6.3	10641.3	37.1
Puncture	2081.5	7.3	12722.8	44.4
Sprain/strain	12764.4	44.5	25487.2	88.9
Mult. injury	272.5	1.0	25759.7	89.8
Other	2912.5	10.2	28672.2	100.0

**Table 2-235. National estimates of lost-time injuries by type of event for workers 20-29 years of age, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1743.6	6.1	1743.6	6.1
Caught between	4491.0	15.7	6234.6	21.7
Caught under	422.9	1.5	6657.5	23.2
Struck by/against	3093.0	10.8	9750.5	34.0
Struck by falling	1590.4	5.5	11340.9	39.6
Struck by flying	1157.5	4.0	12498.4	43.6
Contact sharp obj.	279.1	1.0	12777.5	44.6
Fall, same level	452.2	1.6	13229.7	46.1
Fall, elevation	9462.6	33.0	22692.3	79.1
Overexertion	1779.5	6.2	24471.8	85.4
Other	4200.4	14.6	28672.2	100.0

**Table 2-236. National estimates of lost-time injuries by activity when injured for workers 20-29 years of age, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	11047.4	38.5	11047.4	38.5
Machine maint.	3448.3	12.0	14495.7	50.6
Field work	2760.5	9.6	17256.2	60.2
Crop handling	540.7	1.9	17796.9	62.1
Livestock handling	5578.8	19.5	23375.7	81.5
Other	5296.5	18.5	28672.2	100.0

**Table 2-237. National estimates of lost-time injuries by source of injury for workers 20-29 years of age, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	241.1	0.8	241.1	0.8
Machinery	12156.7	42.4	12397.8	43.2
Livestock	2034.1	7.1	14431.9	50.3
Hand tool	1157.5	4.0	15589.4	54.4
Pesticide/chem.	687.6	2.4	16277.0	56.8
Plant/tree	1256.8	4.4	17533.8	61.2
Working surface	718.6	2.5	18252.4	63.7
Other vehicle	164.5	0.6	18416.9	64.2
Liquids	252.9	0.9	18669.8	65.1
Other	10002.4	34.9	28672.2	100.0

**Table 2-238. National estimates of lost-time injuries by region for workers 30-39 years of age, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	1340.2	3.2	1340.2	3.2
South	12742.5	30.3	14082.7	33.5
Midwest	18715.5	44.6	32798.2	78.1
West	9206.5	21.9	42004.7	100.0

**Table 2-239. National estimates of lost-time injuries by farm type for workers 30-39 years of age, 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	8170.3	19.5	8170.3	19.5
Field crops	3315.4	7.9	11485.7	27.3
Vegetable, fruit, nuts	4140.7	9.9	15626.4	37.2
Nursery	227.9	0.5	15854.3	37.7
Beef, hogs, sheep	16603.9	39.5	32458.2	77.3
Poultry	1192.4	2.8	33650.6	80.1
Dairy	4566.7	10.9	38217.3	91.0
Other	3787.4	9.0	42004.7	100.0

**Table 2-240. National estimates of lost-time injuries by status of injured worker for workers 30-39 years of age, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	25489.1	60.7	25489.1	60.7
Partner/family	3244.7	7.7	28733.8	68.4
Hired labor	12444.0	29.6	41177.8	98.0
Unpaid nonfamily	406.2	1.0	41584.0	99.0
Other	420.7	1.0	42004.7	100.0

**Table 2-241. National estimates of lost-time injuries by gender for workers 30-39 years of age, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	39994.2	95.2	39994.2	95.2
Female	2010.5	4.8	42004.7	100.0

**Table 2-242. National estimates of lost-time injuries by race or ethnic origin for workers 30-39 years of age, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	32392.9	77.1	32392.9	77.1
Hispanic	8319.6	19.8	40712.5	96.9
Black	656.4	1.6	41368.9	98.5
Asian	191.4	0.5	41560.3	98.9
Other	444.4	1.1	42004.7	100.0

**Table 2-243. National estimates of lost-time injuries by month for workers 30-39 years of age, 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	2043.7	4.9	2043.7	4.9
February	762.7	1.8	2806.4	6.7
March	1761.9	4.2	4568.3	10.9
April	4850.8	11.5	9419.1	22.4
May	2533.3	6.0	11952.4	28.5
June	3991.3	9.5	15943.7	38.0
July	2852.0	6.8	18795.7	44.7
August	494.1	1.2	19289.8	45.9
September	6473.1	15.4	25762.9	61.3
October	6568.1	15.6	32331.0	77.0
November	6970.9	16.6	39301.9	93.6
December	2702.8	6.4	42004.7	100.0

**Table 2-244. National estimates of lost-time injuries by severity of the injury for workers 30-39 years of age, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	41312.7	98.4	41312.7	98.4
Permanent	692.0	1.6	42004.7	100.0

**Table 2-245. National estimates of lost-time injuries by whether professional medical attention was sought for workers 30-39 years of age, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	692.0	1.7	692.0	1.7
Yes	33314.9	80.2	34006.9	81.9
No	7523.9	18.1	41530.8	100.0

(Frequency Missing = 473.9)

**Table 2-246. National estimates of lost-time injuries by body part injured for workers 30-39 years of age, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2392.5	5.7	2392.5	5.7
Eye	1176.7	2.8	3569.2	8.5
Chest/trunk	768.2	1.8	4337.4	10.3
Back	9548.6	22.7	13886.0	33.1
Arm/shoulder	3189.3	7.6	17075.3	40.7
Finger	5362.2	12.8	22437.5	53.4
Hand/wrist	2277.9	5.4	24715.4	58.8
Leg/knee/hip	10670.2	25.4	35385.6	84.2
Toe	401.8	1.0	35787.4	85.2
Foot	5009.0	11.9	40796.4	97.1
Mult. parts	986.6	2.3	41783.0	99.5
Other	221.7	0.5	42004.7	100.0

**Table 2-247. National estimates of lost-time injuries by nature of the injury for workers 30-39 years of age, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	342.3	0.8	342.3	0.8
Bruise	5877.8	14.0	6220.1	14.8
Burn	1075.8	2.6	7295.9	17.4
Cut	9333.7	22.2	16629.6	39.6
Crush	1770.5	4.2	18400.1	43.8
Fracture	3684.6	8.8	22084.7	52.6
Poisoning	221.7	0.5	22306.4	53.1
Puncture	2874.2	6.8	25180.6	59.9
Sprain/strain	11438.5	27.2	36619.1	87.2
Mult. injury	1503.2	3.6	38122.3	90.8
Other	3882.4	9.2	42004.7	100.0

**Table 2-248. National estimates of lost-time injuries by type of event for workers 30-39 years of age, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1786.2	4.3	1786.2	4.3
Caught between	3768.4	9.0	5554.6	13.2
Caught under	1296.3	3.1	6850.9	16.3
Struck by/against	1377.7	3.3	8228.6	19.6
Struck by falling	2695.1	6.4	10923.7	26.0
Struck by flying	899.7	2.1	11823.4	28.1
Contact sharp obj.	9184.2	21.9	21007.6	50.0
Fall, same level	1537.5	3.7	22545.1	53.7
Fall, elevation	6814.5	16.2	29359.6	69.9
Overexertion	3789.1	9.0	33148.7	78.9
Other	8856.0	21.1	42004.7	100.0

**Table 2-249. National estimates of lost-time injuries by activity when injured for workers 30-39 years of age, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	6287.3	15.0	6287.3	15.0
Machine maint.	2776.2	6.6	9063.5	21.6
Field work	8308.7	19.8	17372.2	41.4
Crop handling	1964.3	4.7	19336.5	46.0
Livestock handling	17517.8	41.7	36854.3	87.7
Other	5150.4	12.3	42004.7	100.0

**Table 2-250. National estimates of lost-time injuries by source of injury for workers 30-39 years of age, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1286.9	3.1	1286.9	3.1
Machinery	6103.2	14.5	7390.1	17.6
Livestock	10495.3	25.0	17885.4	42.6
Hand tool	7194.5	17.1	25079.9	59.7
Power tool	395.6	0.9	25475.5	60.6
Pesticide/chem.	221.7	0.5	25697.2	61.2
Plant/tree	419.3	1.0	26116.5	62.2
Working surface	3561.8	8.5	29678.3	70.7
Truck/auto	78.3	0.2	29756.6	70.8
Other	12248.1	29.2	42004.7	100.0

**Table 2-251. National estimates of lost-time injuries by region for workers 40-49 years of age, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	2102.6	7.2	2102.6	7.2
South	8138.5	27.8	10241.1	34.9
Midwest	13244.3	45.2	23485.4	80.1
West	5819.0	19.9	29304.4	100.0

**Table 2-252. National estimates of lost-time injuries by farm type for workers 40-49 years of age, 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	6768.7	23.1	6768.7	23.1
Field crops	2349.3	8.0	9118	31.1
Vegetable, fruit, nuts	4304.6	14.7	13422.6	45.8
Nursery	403.6	1.4	13826.2	47.2
Beef, hogs, sheep	1328.7	38.7	25154.9	85.8
Poultry	26.5	1.8	25681.4	87.6
Dairy	2033.1	6.9	27714.5	94.6
Other	1589.9	5.4	29304.4	100.0

**Table 2-253. National estimates of lost-time injuries by status of injured worker for workers 40-49 years of age, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	21995.8	75.1	21995.8	75.1
Partner/family	1446.9	4.9	23442.7	80.0
Hired labor	5740.3	19.6	29183	99.6
Unpaid nonfamily	121.4	0.4	29304.4	100.0

**Table 2-254. National estimates of lost-time injuries by gender for workers 40-49 years of age, 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	25728.9	87.8	25728.9	87.8
Female	3575.5	12.2	29304.4	100.0



**Table 2-255. National estimates of lost-time injuries by race or ethnic origin for workers 40-49 years of age, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	24972.7	85.2	24972.7	85.2
Hispanic	3788.2	12.9	28760.9	98.1
Black	160.7	0.5	28921.6	98.7
Asian	382.8	1.3	29304.4	100.0

**Table 2-256. National estimates of lost-time injuries by month for workers 40-49 years of age, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	958.9	3.3	958.9	3.3
March	2398.3	8.3	3357.2	11.6
April	4198.6	14.5	7555.8	26.1
May	2485.3	8.6	10041.1	34.7
June	1418.2	4.9	11459.3	39.7
July	4367.6	15.1	15826.9	54.8
August	4912.3	17.0	20739.2	71.8
September	1337.8	4.6	22077.0	76.4
October	3671.4	12.7	25748.4	89.1
November	1958.4	6.8	27706.8	95.9
December	1190.5	4.1	28897.3	100.0

(Frequency Missing = 407.1)

**Table 2-257. National estimates of lost-time injuries by severity of the injury for workers 40-49 years of age, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	26554.4	90.6	26554.4	90.6
Permanent	2750.0	9.4	29304.4	100.0

**Table 2-258. National estimates of lost-time injuries by whether professional medical attention was sought for workers 40-49 years of age, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	2750.0	9.4	2750	9.4
Yes	21235.7	72.5	23985.7	81.9
No	5318.7	18.1	29304.4	100.0

**Table 2-259. National estimates of lost-time injuries by body part injured for workers 40-49 years of age, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2146.4	7.3	2146.4	7.3
Eye	1239.4	4.2	3385.8	11.6
Chest/trunk	664.5	2.3	4050.3	13.8
Back	7234.0	24.7	11284.3	38.5
Arm/shoulder	1307.2	4.5	12591.5	43.0
Finger	1339.2	4.6	13930.7	47.5
Hand/wrist	3796.6	13.0	17727.3	60.5
Leg/knee/hip	6654.2	22.7	24381.5	83.2
Foot	2414.5	8.2	26796.0	91.4
Mult. parts	1350.5	4.6	28146.5	96.0
Other	1157.9	4.0	29304.4	100.0

**Table 2-260. National estimates of lost-time injuries by nature of the injury for workers 40-49 years of age, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	243.8	0.8	243.8	0.8
Bruise	4788.5	16.4	5032.3	17.3
Burn	794.9	2.7	5827.2	20.0
Cut	2760.1	9.5	8587.3	29.5
Crush	737.8	2.5	9325.1	32.0
Fracture	3593.2	12.3	12918.3	44.3
Puncture	3682.1	12.6	16600.4	57.0
Sprain/strain	9571.3	32.8	26171.7	89.8
Mult. injury	577.2	2.0	26748.9	91.8
Other	2392.2	8.2	29141.1	100.0

(Frequency Missing = 163.3)

**Table 2-261. National estimates of lost-time injuries by type of event for workers 40-49 years of age, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	828.6	2.8	828.6	2.8
Caught between	941.3	3.2	1769.9	6.0
Caught under	275.9	0.9	2045.8	7.0
Struck by/against	5720.1	19.5	7765.9	26.5
Struck by falling	2958.1	10.1	10724.0	36.6
Struck by flying	530.5	1.8	11254.5	38.4
Contact sharp obj.	5633.1	19.2	16887.6	57.6
Fall, same level	5553.9	19.0	22441.5	76.6
Fall, elevation	2639.4	9.0	25080.9	85.6
Overexertion	2753.6	9.4	27834.5	95.0
Other	1469.9	5.0	29304.4	100.0

**Table 2-262. National estimates of lost-time injuries by activity when injured for workers 40-49 years of age, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2980.5	10.2	2980.5	10.2
Machine maint.	2627.1	9.0	5607.6	19.1
Field work	4211.0	14.4	9818.6	33.5
Crop handling	6337.4	21.6	16156.0	55.1
Livestock handling	9635.3	32.9	25791.3	88.0
Other	3513.1	12.0	29304.4	100.0

**Table 2-263. National estimates of lost-time injuries by source of injury for workers 40-49 years of age, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	190.2	0.6	190.2	0.6
Machinery	3643.3	12.4	3833.5	13.1
Livestock	5273.6	18.0	9107.1	31.1
Hand tool	670.0	2.3	9777.1	33.4
Power tool	1844.2	6.3	11621.3	39.7
Plant/tree	1861.6	6.4	13482.9	46.0
Working surface	5141.6	17.5	18624.5	63.6
Other vehicle	557.7	1.9	19182.2	65.5
Other	10122.2	34.5	29304.4	100.0

**Table 2-264. National estimates of lost-time injuries by region for workers 50-59 years of age, 1995.**

<u>Region</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Northeast	1185.5	2.9	1185.5	2.9
South	9999.1	24.3	11184.6	27.2
Midwest	21754.1	52.9	32938.7	80.0
West	8211.9	20.0	41150.6	100.0

**Table 2-265. National estimates of lost-time injuries by farm type for workers 50-59 years of age, 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	4532.4	11.0	4532.4	11.0
Field crops	2371.8	5.8	6904.2	16.8
Vegetable, fruit, nuts	2873.8	7.0	9778	23.8
Beef, hogs, sheep	25452.6	61.9	35230.6	85.6
Poultry	750.3	1.8	35980.9	87.4
Dairy	4342.3	10.6	40323.2	98.0
Other	827.4	2.0	41150.6	100.0

**Table 2-266. National estimates of lost-time injuries by status of injured worker for workers 50-59 years of age, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	28667.2	69.7	28667.2	69.7
Partner/family	923.9	2.2	29591.1	71.9
Hired labor	7193.0	17.5	36784.1	89.4
Unpaid nonfamily	4366.5	10.6	41150.6	100.0

**Table 2-267. National estimates of lost-time injuries by gender for workers 50-59 years of age, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	34420.5	83.6	34420.5	83.6
Female	6730.1	16.4	41150.6	100.0

**Table 2-268. National estimates of lost-time injuries by race or ethnic origin for workers 50-59 years of age, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	35692.7	87.0	35692.7	87.0
Hispanic	4155.6	10.1	39848.3	97.2
Black	1077.1	2.6	40925.4	99.8
Asian	78.3	0.2	41003.7	100.0

(Frequency Missing = 146.9)

**Table 2-269. National estimates of lost-time injuries by month for workers 50-59 years of age, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	141.9	0.4	141.9	0.4
March	2664.4	6.6	2806.3	6.9
April	2427.0	6.0	5233.3	12.9
May	4585.9	11.3	9819.2	24.3
June	5107.7	12.6	14926.9	36.9
July	5265.4	13.0	20192.3	50.0
August	2571.0	6.4	22763.3	56.3
September	4015.8	9.9	26779.1	66.3
October	3778.4	9.3	30557.5	75.6
November	7579.2	18.8	38136.7	94.4
December	2283.5	5.6	40420.2	100.0

(Frequency Missing = 730.4)

**Table 2-270. National estimates of lost-time injuries by severity of the injury for workers 50-59 years of age, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	38390.3	93.3	38390.3	93.3
Permanent	2760.3	6.7	41150.6	100.0

**Table 2-271. National estimates of lost-time injuries by whether professional medical attention was sought for workers 50-59 years of age, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	2760.3	6.7	2760.3	6.7
Yes	32212.2	78.4	34972.5	85.1
No	6120.2	14.9	41092.7	100.0

(Frequency Missing = 57.9)

**Table 2-272. National estimates of lost-time injuries by body part injured for workers 50-59 years of age, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	4541.8	11.0	4541.8	11.0
Eye	209.7	0.5	4751.5	11.5
Chest/trunk	5290.2	12.9	10041.7	24.4
Back	5102.8	12.4	15144.5	36.8
Arm/shoulder	3834.8	9.3	18979.3	46.1
Finger	3973.6	9.7	22952.9	55.8
Hand/wrist	5860.6	14.2	28813.5	70.0
Leg/knee/hip	6655.9	16.2	35469.4	86.2
Toe	91.7	0.2	35561.1	86.4
Foot	840.0	2.0	36401.1	88.5
Mult. parts	3167.7	7.7	39568.8	96.2
Other	1581.8	3.8	41150.6	100.0

**Table 2-273. National estimates of lost-time injuries by nature of the injury for workers 50-59 years of age, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	730.4	1.8	730.4	1.8
Bruise	5554.0	13.5	6284.4	15.3
Burn	420.7	1.0	6705.1	16.3
Cut	6502.6	15.8	13207.7	32.1
Crush	656.4	1.6	13864.1	33.7
Fracture	8483.1	20.6	22347.2	54.3
Puncture	1579.5	3.8	23926.7	58.1
Sprain/strain	12991.9	31.6	36918.6	89.7
Mult. injury	1211.5	2.9	38130.1	92.7
Other	3020.5	7.3	41150.6	100.0

**Table 2-274. National estimates of lost-time injuries by type of event for workers 50-59 years of age, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1089.2	2.6	1089.2	2.6
Caught between	6379.8	15.5	7469.0	18.2
Caught under	63.1	0.2	7532.1	18.3
Struck by/against	6882.4	16.7	14414.5	35.0
Struck by falling	872.7	2.1	15287.2	37.1
Struck by flying	235.7	0.6	15522.9	37.7
Contact sharp obj.	6870.4	16.7	22393.3	54.4
Fall, same level	4083.7	9.9	26477.0	64.3
Fall, elevation	4421.0	10.7	30898.0	75.1
Overexertion	7747.2	18.8	38645.2	93.9
Other	2505.4	6.1	41150.6	100.0

**Table 2-275. National estimates of lost-time injuries by activity when injured for workers 50-59 years of age, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	8016.6	19.5	8016.6	19.5
Machine maint.	2302.1	5.6	10318.7	25.1
Field work	1286.5	3.1	11605.2	28.2
Crop handling	10310.4	25.1	21915.6	53.3
Livestock handling	14611.7	35.5	36527.3	88.8
Other	4623.3	11.2	41150.6	100.0

**Table 2-276. National estimates of lost-time injuries by source of injury for workers 50-59 years of age, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	635.9	1.5	635.9	1.5
Machinery	9679.9	23.5	10315.8	25.1
Livestock	8279.2	20.1	18595.0	45.2
Hand tool	2327.1	5.7	20922.1	50.8
Power tool	1345.9	3.3	22268.0	54.1
Plant/tree	420.7	1.0	22688.7	55.1
Working surface	3482.3	8.5	26171.0	63.6
Truck/auto	1227.2	3.0	27398.2	66.6
Other vehicle	2290.7	5.6	29688.9	72.1
Other	11461.7	27.9	41150.6	100.0

**Table 2-277. National estimates of lost-time injuries by region for workers 60-69 years of age, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	2893	9.7	2893	9.7
South	7181.5	24.1	10074.5	33.8
Midwest	15983.9	53.6	26058.4	87.4
West	3754.4	12.6	29812.8	100.0

**Table 2-278. National estimates of lost-time injuries by farm type for workers 60-69 years of age, 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	3101.8	10.4	3101.8	10.4
Field crops	1786.6	6.0	4888.4	16.4
Vegetable, fruit, nuts	3289.4	11.0	8177.8	27.4
Beef, hogs, sheep	20928.5	70.2	29106.3	97.6
Poultry	167.4	0.6	29273.7	98.2
Dairy	539.1	1.8	29812.8	100.0

**Table 2-279. National estimates of lost-time injuries by status of injured worker for workers 60-69 years of age, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	26052.1	88.9	26052.1	88.9
Partner/family	269.1	0.9	26321.2	89.8
Hired labor	2809.9	9.6	29131.1	99.4
Other	164.5	0.6	29295.6	100.0

(Frequency Missing = 517.2)

**Table 2-280. National estimates of lost-time injuries by gender for workers 60-69 years of age, 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	22623.7	77.2	22623.7	77.2
Female	6671.9	22.8	29295.6	100.0

(Frequency Missing = 517.2)



**Table 2-281. National estimates of lost-time injuries by race or ethnic origin for workers 60-69 years of age, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	28443.7	95.4	28443.7	95.4
Hispanic	1290.8	4.3	29734.5	99.7
Asian	78.3	0.3	29812.8	100.0

**Table 2-282. National estimates of lost-time injuries by month for workers 60-69 years of age, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	252.9	0.8	252.9	0.8
February	167.4	0.6	420.3	1.4
March	1247.9	4.2	1668.2	5.6
April	2187.1	7.3	3855.3	12.9
May	1513.7	5.1	5369.0	18.0
June	2373.6	8.0	7742.6	26.0
July	4912.3	16.5	12654.9	42.4
August	7810.6	26.2	20465.5	68.6
September	1625.9	5.5	22091.4	74.1
October	1263.9	4.2	23355.3	78.3
November	6212.5	20.8	29567.8	99.2
December	245.0	0.8	29812.8	100.0

**Table 2-283. National estimates of lost-time injuries by severity of the injury for workers 60-69 years of age, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	25960.0	87.1	25960.0	87.1
Permanent	1621.7	5.4	27581.7	92.5
Fatality	2231.1	7.5	29812.8	100.0

**Table 2-284. National estimates of lost-time injuries by whether professional medical attention was sought for workers 60-69 years of age, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	3852.8	12.9	3852.8	12.9
Yes	22129.8	74.2	25982.6	87.2
No	3830.2	12.8	29812.8	100.0

**Table 2-285. National estimates of lost-time injuries by body part injured for workers 60-69 years of age, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1376.0	4.6	1376.0	4.6
Eye	828.6	2.8	2204.6	7.4
Chest/trunk	3986.6	13.4	6191.2	20.8
Back	2011.1	6.7	8202.3	27.5
Arm/shoulder	4569.7	15.3	12772.0	42.8
Finger	1738.6	5.8	14510.6	48.7
Hand/wrist	963.3	3.2	15473.9	51.9
Leg/knee/hip	3126.7	10.5	18600.6	62.4
Toe	245.7	0.8	18846.3	63.2
Foot	8254.7	27.7	27101.0	90.9
Mult. parts	2711.8	9.1	29812.8	100.0

**Table 2-286. National estimates of lost-time injuries by nature of the injury for workers 60-69 years of age, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	194.6	0.7	194.6	0.7
Bruise	4866.4	16.3	5061.0	17.0
Burn	1109.2	3.7	6170.2	20.7
Cut	1906.4	6.4	8076.6	27.1
Crush	3773.2	12.7	11849.8	39.7
Fracture	11652.1	39.1	23501.9	78.8
Sprain/strain	3251.2	10.9	26753.1	89.7
Mult. injury	2231.1	7.5	28984.2	97.2
Other	828.6	2.8	29812.8	100.0

**Table 2-287. National estimates of lost-time injuries by type of event for workers 60-69 years of age, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1056.7	3.5	1056.7	3.5
Caught between	6031.2	20.2	7087.9	23.8
Caught under	5443.8	18.3	12531.7	42.0
Struck by/against	3505.4	11.8	16037.1	53.8
Struck by falling	5534.5	18.6	21571.6	72.4
Struck by flying	993.1	3.3	22564.7	75.7
Contact sharp obj.	963.3	3.2	23528.0	78.9
Fall, elevation	1678.7	5.6	25206.7	84.5
Overexertion	2296.6	7.7	27503.3	92.3
Other	2309.5	7.7	29812.8	100.0

**Table 2-288. National estimates of lost-time injuries by activity when injured for workers 60-69 years of age, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	7243.1	24.4	7243.1	24.4
Machine maint.	3841.6	13.0	11084.7	37.4
Field work	2659.9	9.0	13744.6	46.4
Crop handling	2857.9	9.6	16602.5	56.0
Livestock handling	10138.9	34.2	26741.4	90.2
Other	2904.0	9.8	29645.4	100.0

(Frequency Missing = 167.4)

**Table 2-289. National estimates of lost-time injuries by source of injury for workers 60-69 years of age, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2133.2	7.2	2133.2	7.2
Machinery	7095.2	23.9	9228.4	31.1
Livestock	8838.6	29.8	18067.0	60.9
Hand tool	197.3	0.7	18264.3	61.6
Power tool	928.5	3.1	19192.8	64.7
Plant/tree	3541.4	11.9	22734.2	76.7
Working surface	1524.0	5.1	24258.2	81.8
Truck/auto	541.1	1.8	24799.3	83.7
Other vehicle	752.9	2.5	25552.2	86.2
Liquids	252.9	0.9	25805.1	87.0
Other	3840.3	13.0	29645.4	100.0

(Frequency Missing = 167.4)

**Table 2-290. National estimates of lost-time injuries by region for workers >=70 years of age, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	710.6	4.9	710.6	4.9
South	4108.6	28.4	4819.2	33.4
Midwest	8919.6	61.8	13738.8	95.1
West	702.9	4.9	14441.7	100.0

**Table 2-291. National estimates of lost-time injuries by farm type for workers  $\geq 70$  years of age, 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	5707.3	39.5	5707.3	39.5
Field crops	1046.4	7.2	6753.7	46.8
Vegetable, fruit, nuts	597.2	4.1	7350.9	50.9
Nursery	397.4	2.8	7748.3	53.7
Beef, hogs, sheep	6130.5	42.4	13878.8	96.1
Dairy	111.1	0.8	13989.9	96.9
Other	451.8	3.1	14441.7	100.0

**Table 2-292. National estimates of lost-time injuries by status of injured worker for workers  $\geq 70$  years of age, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	12534.2	86.8	12534.2	86.8
Partner/family	664.1	4.6	13198.3	91.4
Hired labor	906.9	6.3	14105.2	97.7
Unpaid nonfamily	50.4	0.3	14155.6	98.0
Other	286.1	2.0	14441.7	100.0

**Table 2-293. National estimates of lost-time injuries by gender for workers  $\geq 70$  years of age, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	13777.6	95.4	13777.6	95.4
Female	664.1	4.6	14441.7	100.0

**Table 2-294. National estimates of lost-time injuries by race or ethnic origin for workers  $\geq 70$  years of age, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	14133.0	97.9	14133.0	97.9
Hispanic	111.1	0.8	14244.1	98.7
Asian	191.4	1.3	14435.5	100.0

(Frequency Missing = 6.2)

**Table 2-295. National estimates of lost-time injuries by month for workers  $\geq 70$  years of age, 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	146.9	1.1	146.9	1.1
March	595.5	4.4	742.4	5.5
April	71.4	0.5	813.8	6.0
May	2048.9	15.1	2862.7	21.1
June	3310	24.3	6172.7	45.4
July	1457.7	10.7	7630.4	56.1
August	756.4	5.6	8386.8	61.7
September	343.3	2.5	8730.1	64.2
October	2910.6	21.4	11640.7	85.6
November	1084.4	8.0	12725.1	93.6
December	873.7	6.4	13598.8	100.0

(Frequency Missing = 842.9)

**Table 2-296. National estimates of lost-time injuries by severity of the injury for workers  $\geq 70$  years of age, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	12550.0	86.9	12550.0	86.9
Permanent	1891.7	13.1	14441.7	100.0

**Table 2-297. National estimates of lost-time injuries by whether professional medical attention was sought for workers  $\geq 70$  years of age, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1891.7	13.1	1891.7	13.1
Yes	7816.8	54.1	9708.5	67.2
No	4733.2	32.8	14441.7	100.0

**Table 2-298. National estimates of lost-time injuries by body part injured for workers  $\geq 70$  years of age, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	701.6	4.9	701.6	4.9
Back	1853.8	12.8	2555.4	17.7
Arm/shoulder	559.3	3.9	3114.7	21.6
Finger	5924.0	41.0	9038.7	62.6
Hand/wrist	1589.8	11.0	10628.5	73.6
Leg/knee/hip	2941.4	20.4	13569.9	94.0
Foot	298.7	2.1	13868.6	96.1
Mult. parts	566.9	3.9	14435.5	100.0
Other	6.2	0.0	14441.7	100.0

**Table 2-299. National estimates of lost-time injuries by nature of the injury for workers  $\geq 70$  years of age, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	1950.9	13.5	1950.9	13.5
Bruise	3429.6	23.7	5380.5	37.3
Cut	2282.0	15.8	7662.5	53.1
Crush	298.7	2.1	7961.2	55.1
Fracture	2022.2	14.0	9983.4	69.1
Puncture	34.8	0.2	10018.2	69.4
Sprain/strain	3856.6	26.7	13874.8	96.1
Mult. injury	566.9	3.9	14441.7	100.0

**Table 2-300. National estimates of lost-time injuries by type of event for workers  $\geq 70$  years of age, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	4203.8	29.1	4203.8	29.1
Caught between	1917.5	13.3	6121.3	42.4
Caught under	597.4	4.1	6718.7	46.5
Struck by/against	1300.6	9.0	8019.3	55.5
Struck by falling	420.0	2.9	8439.3	58.4
Struck by flying	646.8	4.5	9086.1	62.9
Contact sharp obj.	270.5	1.9	9356.6	64.8
Fall, same level	1276.0	8.8	10632.6	73.6
Fall, elevation	1440.9	10.0	12073.5	83.6
Overexertion	1175.5	8.1	13249.0	91.7
Other	1192.7	8.3	14441.7	100.0

**Table 2-301. National estimates of lost-time injuries by activity when injured for workers  $\geq 70$  years of age, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	518.8	3.6	518.8	3.6
Machine maint.	3813.4	26.4	4332.2	30.0
Field work	2420.0	16.8	6752.2	46.8
Crop handling	1024.6	7.1	7776.8	53.8
Livestock handling	6216.5	43.0	13993.3	96.9
Other	448.4	3.1	14441.7	100.0

**Table 2-302. National estimates of lost-time injuries by source of injury for workers  $\geq 70$  years of age, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	597.4	4.1	597.4	4.1
Machinery	2458.5	17.0	3055.9	21.2
Livestock	2529.9	17.5	5585.8	38.7
Hand tool	1770.6	12.3	7356.4	50.9
Power tool	677.3	4.7	8033.7	55.6
Plant/tree	77.6	0.5	8111.3	56.2
Working surface	1343.6	9.3	9454.9	65.5
Truck/auto	987.6	6.8	10442.5	72.3
Other vehicle	587.4	4.1	11029.9	76.4
Other	3411.8	23.6	14441.7	100.0

**Table 2-303. National estimates of lost-time injuries by region of the U.S. for white workers, 1995.**

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	15726.8	10.0	15726.8	10.0
South	40269.1	25.5	55995.9	35.5
Midwest	88936.5	56.4	144932.4	91.9
West	12815.9	8.1	157748.3	100.0

**Table 2-304. National estimates of lost-time injuries by farm type for white workers, 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	32275.9	20.5	32275.9	20.5
Field crops	10159.5	6.4	42435.4	26.9
Vegetable, fruit, nuts	6073.1	3.8	48508.5	30.8
Nursery	4868.1	3.1	53376.6	33.8
Beef, hogs, sheep	78588.7	49.8	131965.3	83.7
Poultry	1751.2	1.1	133716.5	84.8
Dairy	15814.9	10.0	149531.4	94.8
Other	8216.9	5.2	157748.3	100.0

**Table 2-305. National estimates of lost-time injuries by status of the injured worker for white workers, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	120132.0	76.4	120132.0	76.4
Partner/family	9551.6	6.1	129683.6	82.5
Hired labor	21434.4	13.6	151118.0	96.1
Unpaid nonfamily	5662.5	3.6	156780.5	99.7
Other	450.6	0.3	157231.1	100.0

(Frequency Missing = 517.2)

**Table 2-306. National estimates of lost-time injuries by gender for white workers, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	135985.8	86.5	135985.8	86.5
Female	21245.3	13.5	157231.1	100.0

(Frequency Missing = 517.2)



**Table 2-307. National estimates of lost-time injuries by age group for white workers, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	1586.9	1.0	1586.9	1.0
10-19	5639.9	3.6	7226.8	4.6
20-29	14642.7	9.3	21869.5	13.9
30-39	32392.9	20.6	54262.4	34.5
40-49	24972.7	15.9	79235.1	50.3
50-59	35692.7	22.7	114927.8	73.0
60-69	28443.7	18.1	143371.5	91.0
>=70	14133.0	9.0	157504.5	100.0

(Frequency Missing = 243.8)

**Table 2-308. National estimates of lost-time injuries by month for white workers, 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1347.8	0.9	1347.8	0.9
February	2951.5	1.9	4299.3	2.8
March	7496.6	4.8	11795.9	7.6
April	13204.8	8.5	25000.7	16.1
May	15587.0	10.1	40587.7	26.2
June	18575.3	12.0	59163.0	38.2
July	21545.3	13.9	80708.3	52.1
August	19597.9	12.7	100306.2	64.8
September	9968.8	6.4	110275.0	71.2
October	15065.7	9.7	125340.7	81.0
November	22195.9	14.3	147536.6	95.3
December	7281.5	4.7	154818.1	100.0

Frequency Missing = 2930.2

**Table 2-309. National estimates of lost-time injuries by severity of the injury for white workers, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	146411.3	92.8	146411.3	92.8
Permanent	8862.1	5.6	155273.4	98.4
Fatality	2474.9	1.6	157748.3	100.0

**Table 2-310. National estimates of lost-time injuries by whether professional medical attention was sought for white workers, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	11337.0	7.2	11337	7.2
Yes	120158.5	76.2	131495.5	83.4
No	26188.7	16.6	157684.2	100.0

(Frequency Missing = 64.1)

**Table 2-311. National estimates of lost-time injuries by body part injured for white workers, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	9415.0	6.0	9415.0	6.0
Eye	4265.8	2.7	13680.8	8.7
Chest/trunk	10905.9	6.9	24586.7	15.6
Back	24061.0	15.3	48647.7	30.8
Arm/shoulder	14244.1	9.0	62891.8	39.9
Finger	20827.5	13.2	83719.3	53.1
Hand/wrist	16580.9	10.5	100300.2	63.6
Leg/knee/hip	29102.4	18.4	129402.6	82.0
Toe	533.8	0.3	129936.4	82.4
Foot	13910.7	8.8	143847.1	91.2
Mult. parts	8658.7	5.5	152505.8	96.7
Other	5242.5	3.3	157748.3	100.0

**Table 2-312. National estimates of lost-time injuries by nature of the injury for white workers, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	3329.4	2.1	3329.4	2.1
Bruise	22283.6	14.1	25613.0	16.3
Burn	1321.2	0.8	26934.2	17.1
Cut	25820.5	16.4	52754.7	33.5
Crush	7521.9	4.8	60276.6	38.3
Fracture	32492.6	20.6	92769.2	58.9
Poisoning	221.7	0.1	92990.9	59.0
Puncture	10642.0	6.8	103632.9	65.8
Sprain/strain	36740.6	23.3	140373.5	89.1
Mult. injury	6502.9	4.1	146876.4	93.2
Other	10708.6	6.8	157585.0	100.0

(Frequency Missing = 163.3)

**Table 2-313. National estimates of lost-time injuries by type of event for white workers, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	9088.2	5.8	9088.2	5.8
Caught between	23310.9	14.8	32399.1	20.5
Caught under	9096.7	5.8	41495.8	26.3
Struck by/against	19073.7	12.1	60569.5	38.4
Struck by falling	11038.1	7.0	71607.6	45.4
Struck by flying	4350.2	2.8	75957.8	48.2
Contact sharp obj.	22406.5	14.2	98364.3	62.4
Fall, same level	11432.7	7.2	109797.0	69.6
Fall, elevation	18288.3	11.6	128085.3	81.2
Overexertion	16665.9	10.6	144751.2	91.8
Other	12997.1	8.2	157748.3	100.0

**Table 2-314. National estimates of lost-time injuries by activity when injured for white workers, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	25594.6	16.3	25594.6	16.3
Machine maint.	19101.5	12.1	44696.1	28.4
Field work	12515.7	8.0	57211.8	36.4
Crop handling	22807.0	14.5	80018.8	50.9
Livestock handling	61900.4	39.3	141919.2	90.2
Other	15417.9	9.8	157337.1	100.0

(Frequency Missing = 411.2)

**Table 2-315. National estimates of lost-time injuries by source of injury for white workers, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	7661.3	4.9	7661.3	4.9
Machinery	28640.2	18.2	36301.5	23.0
Livestock	35621.9	22.6	71923.4	45.6
Hand tool	13632.2	8.7	85555.6	54.3
Power tool	3785.8	2.4	89341.4	56.7
Pesticide/chem.	915.5	0.6	90256.9	57.3
Plant/tree	6157.8	3.9	96414.7	61.2
Working surface	13274.1	8.4	109688.8	69.6
Truck/auto	1662.9	1.1	111351.7	70.7
Other vehicle	3712.5	2.4	115064.2	73.0
Liquids	505.8	0.3	115570.0	73.3
Other	42010.9	26.7	157580.9	100.0

(Frequency Missing = 167.4)

**Table 2-316. National estimates of lost-time injuries by region of the U.S. for Hispanic workers, 1995.**

<u>Region</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Northeast	123.4	0.4	123.4	0.4
South	3178.0	9.8	3301.4	10.2
Midwest	275.3	0.9	3576.7	11.1
West	28764.5	88.9	32341.2	100.0

**Table 2-317. National estimates of lost-time injuries by farm type of the U.S. for Hispanic workers, 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	519.4	1.6	519.4	1.6
Field crops	2083.4	6.4	2602.8	8.0
Vegetable, fruit, nuts	14393.3	44.5	16996.1	52.6
Nursery	9035.2	27.9	26031.3	80.5
Beef, hogs, sheep	3821.9	11.8	29853.2	92.3
Poultry	885.4	2.7	30738.6	95.0
Dairy	1307.3	4.0	32045.9	99.1
Other	295.3	0.9	32341.2	100.0

**Table 2-318. National estimates of lost-time injuries by status of the injured worker for Hispanic workers, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	308.9	1.0	308.9	1.0
Hired labor	31051.7	96.0	31360.6	97.0
Unpaid nonfamily	52.1	0.2	31412.7	97.1
Other	928.5	2.9	32341.2	100.0

**Table 2-319. National estimates of lost-time injuries by gender for Hispanic workers, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	32341.2	100.0	32341.2	100.0

**Table 2-320. National estimates of lost-time injuries by age group for Hispanic workers, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1006.8	3.1	1006.8	3.1
20-29	13669.1	42.3	14675.9	45.4
30-39	8319.6	25.7	22995.5	71.1
40-49	3788.2	11.7	26783.7	82.8
50-59	4155.6	12.8	30939.3	95.7
60-69	1290.8	4.0	32230.1	99.7
>=70	111.1	0.3	32341.2	100.0

**Table 2-321. National estimates of lost-time injuries by month for Hispanic workers, 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1989.6	6.2	1989.6	6.2
February	71.4	0.2	2061.0	6.4
March	149.7	0.5	2210.7	6.8
April	1942.7	6.0	4153.4	12.8
May	1157.0	3.6	5310.4	16.4
June	227.6	0.7	5538.0	17.1
July	5073.8	15.7	10611.8	32.8
August	10090.8	31.2	20702.6	64.0
September	6501.3	20.1	27203.9	84.1
October	2987.8	9.2	30191.7	93.4
November	1905.8	5.9	32097.5	99.2
December	243.7	0.8	32341.2	100.0

**Table 2-322. National estimates of lost-time injuries by severity of the injury for Hispanic workers, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	31341.3	96.9	31341.3	96.9
Permanent	999.9	3.1	32341.2	100.0

**Table 2-323. National estimates of lost-time injuries by whether professional medical attention was sought for Hispanic workers, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	999.9	3.1	999.9	3.1
Yes	27920.7	87.4	28920.6	90.5
No	3025.0	9.5	31945.6	100.0
(Frequency Missing = 395.6)				

**Table 2-324. National estimates of lost-time injuries by body part injured for Hispanic workers, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1603.5	5.0	1603.5	5.0
Eye	1470.5	4.5	3074.0	9.5
Chest/trunk	995.3	3.1	4069.3	12.6
Back	3632.8	11.2	7702.1	23.8
Arm/shoulder	10645.8	32.9	18347.9	56.7
Finger	3870.5	12.0	22218.4	68.7
Hand/wrist	111.1	0.3	22329.5	69.0
Leg/knee/hip	3714.0	11.5	26043.5	80.5
Toe	395.6	1.2	26439.1	81.8
Foot	4841.0	15.0	31280.1	96.7
Mult. parts	1061.1	3.3	32341.2	100.0

**Table 2-325. National estimates of lost-time injuries by nature of the injury for Hispanic workers, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	132.6	0.4	132.6	0.4
Bruise	6808.9	21.1	6941.5	21.5
Burn	1635.0	5.1	8576.5	26.5
Cut	3124.7	9.7	11701.2	36.2
Crush	395.6	1.2	12096.8	37.4
Fracture	369.9	1.1	12466.7	38.5
Puncture	369.1	1.1	12835.8	39.7
Sprain/strain	17515.8	54.2	30351.6	93.8
Mult. injury	132.6	0.4	30484.2	94.3
Other	1857.0	5.7	32341.2	100.0

**Table 2-326. National estimates of lost-time injuries by type of event for Hispanic workers, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1716.4	5.3	1716.4	5.3
Caught between	1061.1	3.3	2777.5	8.6
Caught under	33.3	0.1	2810.8	8.7
Struck by/against	2570.0	7.9	5380.8	16.6
Struck by falling	3627.3	11.2	9008.1	27.9
Contact sharp obj.	3154.6	9.8	12162.7	37.6
Fall, same level	2087.9	6.5	14250.6	44.1
Fall, elevation	8947.4	27.7	23198.0	71.7
Overexertion	2556.2	7.9	25754.2	79.6
Other	6587.0	20.4	32341.2	100.0

**Table 2-327. National estimates of lost-time injuries by activity when injured for Hispanic workers, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	11235.8	34.7	11235.8	34.7
Machine maint.	1244.9	3.8	12480.7	38.6
Field work	10434.7	32.3	22915.4	70.9
Crop handling	711.2	2.2	23626.6	73.1
Livestock handling	1992.1	6.2	25618.7	79.2
Other	6722.5	20.8	32341.2	100.0

**Table 2-328. National estimates of lost-time injuries by source of injury for Hispanic workers, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	11717.5	36.2	11717.5	36.2
Livestock	2740.1	8.5	14457.6	44.7
Hand tool	1006.8	3.1	15464.4	47.8
Power tool	1324.1	4.1	16788.5	51.9
Plant/tree	1384.8	4.3	18173.3	56.2
Working surface	2835.9	8.8	21009.2	65.0
Truck/auto	1093.0	3.4	22102.2	68.3
Other vehicle	1006.8	3.1	23109.0	71.5
Other	9232.2	28.5	32341.2	100.0

**Table 2-329. National estimates of lost-time injuries by region of for black workers, 1995.**

<u>Region</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
South	2135.3	100.0	2135.3	100.0

**Table 2-330. National estimates of lost-time injuries by farm type for black workers, 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	241.1	11.3	241.1	11.3
Field crops	160.7	7.5	401.8	18.8
Beef, hogs, sheep	1733.5	81.2	2135.3	100.0

**Table 2-331. National estimates of lost-time injuries by status of the injured worker for black workers, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	581.4	27.2	581.4	27.2
Partner/family	235.7	11.0	817.1	38.3
Hired labor	897.5	42.0	1714.6	80.3
Other	420.7	19.7	2135.3	100.0

**Table 2-332. National estimates of lost-time injuries by gender for black workers, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	1899.6	89.0	1899.6	89.0
Female	235.7	11.0	2135.3	100.0

**Table 2-333. National estimates of lost-time injuries by age group for black workers, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
20-29	241.1	11.3	241.1	11.3
30-39	656.4	30.7	897.5	42.0
40-49	160.7	7.5	1058.2	49.6
50-59	1077.1	50.4	2135.3	100.0



**Table 2-334. National estimates of lost-time injuries by month for black workers, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	235.7	11.0	235.7	11.0
March	420.7	19.7	656.4	30.7
April	420.7	19.7	1077.1	50.4
June	420.7	19.7	1497.8	70.1
September	241.1	11.3	1738.9	81.4
October	160.7	7.5	1899.6	89.0
November	235.7	11.0	2135.3	100.0

**Table 2-335. National estimates of lost-time injuries by severity of the injury for black workers, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	1899.6	89.0	1899.6	89.0
Permanent	235.7	11.0	2135.3	100.0

**Table 2-336. National estimates of lost-time injuries by whether professional medical attention was sought for black workers, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	235.7	11.0	235.7	11.0
Yes	1899.6	89.0	2135.3	100.0

**Table 2-337. National estimates of lost-time injuries by body part injured for black workers, 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Head/neck	235.7	11.0	235.7	11.0
Finger	841.4	39.4	1077.1	50.4
Hand/wrist	396.4	18.6	1473.5	69.0
Leg/knee/hip	661.8	31.0	2135.3	100.0

**Table 2-338. National estimates of lost-time injuries by nature of the injury for black workers, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	241.1	11.3	241.1	11.3
Cut	420.7	19.7	661.8	31.0
Crush	420.7	19.7	1082.5	50.7
Fracture	817.1	38.3	1899.6	89.0
Other	235.7	11.0	2135.3	100.0

**Table 2-339. National estimates of lost-time injuries by type of event for black workers, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	420.7	19.7	420.7	19.7
Caught between	420.7	19.7	841.4	39.4
Struck by/against	401.8	18.8	1243.2	58.2
Contact sharp obj.	420.7	19.7	1663.9	77.9
Fall, elevation	235.7	11.0	1899.6	89.0
Other	235.7	11.0	2135.3	100.0

**Table 2-340. National estimates of lost-time injuries by activity when injured for black workers, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1473.5	69.0	1473.5	69.0
Livestock handling	420.7	19.7	1894.2	88.7
Other	241.1	11.3	2135.3	100.0

**Table 2-341. National estimates of lost-time injuries by source of injury for black workers, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	241.1	11.3	241.1	11.3
Machinery	581.4	27.2	822.5	38.5
Power tool	420.7	19.7	1243.2	58.2
Working surface	235.7	11.0	1478.9	69.3
Other vehicle	420.7	19.7	1899.6	89.0
Other	235.7	11.0	2135.3	100.0

**Table 2-342. National estimates of lost-time injuries by region of for other race workers, 1995.**

<u>Region</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
West	1592.8	100.0	1592.8	100.0
(Frequency Missing = 6.2)				

**Table 2-343. National estimates of lost-time injuries by farm type for other race workers, 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	444.4	27.8	444.4	27.8
Vegetable, fruit, nuts	939.6	58.8	1384.0	86.6
Beef, hogs, sheep	208.8	13.1	1592.8	100.0
(Frequency Missing = 6.2)				

**Table 2-344. National estimates of lost-time injuries by status of the injured worker for other race workers, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	696.0	43.5	696.0	43.5
Partner/family	34.8	2.2	730.8	45.7
Hired labor	789.9	49.4	1520.7	95.1
Other	78.3	4.9	1599.0	100.0

**Table 2-345. National estimates of lost-time injuries by gender for other race workers, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	1364.1	85.3	1364.1	85.3
Female	234.9	14.7	1599.0	100.0

**Table 2-346. National estimates of lost-time injuries by age group for other race workers, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
10-19	13.1	7.1	113.1	7.1
20-29	119.3	7.5	232.4	14.5
30-39	635.8	39.8	868.2	54.3
40-49	382.8	23.9	1251.0	78.2
50-59	78.3	4.9	1329.3	83.1
60-69	78.3	4.9	1407.6	88.0
>=70	191.4	12.0	1599.0	100.0

**Table 2-347. National estimates of lost-time injuries by month for other race workers, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
March	792.4	49.6	792.4	49.6
April	78.3	4.9	870.7	54.5
June	34.8	2.2	905.5	56.6
July	78.3	4.9	983.8	61.5
August	113.1	7.1	1096.9	68.6
September	197.6	12.4	1294.5	81.0
October	113.1	7.1	1407.6	88.0
November	191.4	12.0	1599.0	100.0

**Table 2-348. National estimates of lost-time injuries by severity of the injury for other race workers, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	1599.0	100.0	1599.0	100.0

**Table 2-349. National estimates of lost-time injuries by whether professional medical attention was sought for other race workers, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Yes	1129.2	74.3	1129.2	74.3
No	391.5	25.7	1520.7	100.0

(Frequency Missing = 78.3)

**Table 2-350. National estimates of lost-time injuries by body part injured for other race workers, 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Eye	757.6	47.4	757.6	47.4
Back	275.9	17.3	1033.5	64.6
Arm/shoulder	147.9	9.2	1181.4	73.9
Finger	156.6	9.8	1338.0	83.7
Hand/wrist	34.8	2.2	1372.8	85.9
Leg/knee/hip	78.3	4.9	1451.1	90.8
Foot	147.9	9.2	1599.0	100.0

**Table 2-351. National estimates of lost-time injuries by nature of the injury for other race workers, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	156.6	9.8	156.6	9.8
Burn	479.2	30.0	635.8	39.8
Cut	156.6	9.8	792.4	49.6
Puncture	104.4	6.5	896.8	56.1
Sprain/strain	467.3	29.2	1364.1	85.3
Other	234.9	14.7	1599.0	100.0

**Table 2-352. National estimates of lost-time injuries by type of event for other race workers, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught under	34.8	2.2	34.8	2.2
Struck by falling	78.3	4.9	113.1	7.1
Struck by flying	113.1	7.1	226.2	14.1
Contact sharp obj.	226.2	14.1	452.4	28.3
Fall, same level	113.1	7.1	565.5	35.4
Overexertion	319.4	20.0	884.9	55.3
Other	714.1	44.7	1599.0	100.0

**Table 2-353. National estimates of lost-time injuries by activity when injured for other race workers, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	147.9	9.2	147.9	9.2
Machine maint.	444.4	27.8	592.3	37.0
Field work	234.9	14.7	827.2	51.7
Crop handling	234.9	14.7	1062.1	66.4
Livestock handling	69.6	4.4	1131.7	70.8
Other	467.3	29.2	1599.0	100.0

**Table 2-354. National estimates of lost-time injuries by source of injury for other race workers, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	444.4	27.8	444.4	27.8
Livestock	34.8	2.2	479.2	30.0
Hand tool	78.3	4.9	557.5	34.9
Power tool	156.6	9.8	714.1	44.7
Plant/tree	34.8	2.2	748.9	46.8
Working surface	156.6	9.8	905.5	56.6
Truck/auto	78.3	4.9	983.8	61.5
Other vehicle	34.8	2.2	1018.6	63.7
Other	580.4	36.3	1599.0	100.0

**Table 2-355. National estimates of lost-time injuries by source of injury and the nature of injury, 1995.**

**Nature of Injury**

<b>Source of Injury</b>	Amputation	Bruise	Burn	Cut	Crush	Fracture	Total
Tractor	0	3205.9	16.2	467.5	965.6	1621	7902
Machinery	2346.3	2199.6	444.4	5741.8	2908.9	11758	41226
Livestock	243.8	13144	0	2159	3153.4	8001.7	38544
Hand tool	0	0	0	10320	0	294.2	14717
Power tool	677.3	0	0	4002.5	395.6	0	5687
Pesticide/chem.	0	0	0	0	0	0	916
Plant/tree	0	2236.9	877	0	0	413.1	7577
Working surface	0	578.4	1559.9	113.5	0	4902.3	16502
Truck/auto	194.6	232.4	164.5	517.2	0	0	2834
Other vehicles	0	740.2	252.9	235.7	420.7	1461.6	5175
Liquids	0	0	0	0	0	252.9	506
Other	0	7152.4	120.5	5971.8	494	4975.3	52059
<b>Total</b>	<b>3462</b>	<b>29490.2</b>	<b>3435.4</b>	<b>29528.7</b>	<b>8338.2</b>	<b>33679.6</b>	<b>193646</b>

**Table 2-356. National estimates of lost-time injuries by source of injury and the nature of injury (continued).**

Source of Injury	Nature of Injury					Total
	Poisoning	Puncture	Sprain/Strain	Mult. Injury	Other	
Tractor	0	0	1016.0	420.0	190.2	7902
Machinery	0	1199.0	14246.0	201.1	182.0	41226
Livestock	0	778.3	8571.8	1138.0	1353.3	38544
Hand tool	0	3077.5	1025.9	0	0	14717
Power tool	0	167.4	444.4	0	0	5687
Pesticide/chem.	221.7	0	6.2	0	687.6	916
Plant/tree	0	1031.9	280.9	2231.1	506.5	7577
Working Surface	0	634.3	6918.9	1795.0	0	16502
Truck/auto	0	0	377.0	420.0	928.5	2834
Other vehicles	0	0	1636.3	191.7	235.7	5175
Liquids	0	0	252.9	0	0	506
Other	0	4227.1	19780.0	385.5	8952.4	52059
Total	221.7	11115.5	54556.3	6782.4	13036.2	193646

(Frequency Missing - 2178.4)



**Table 2-357. National estimates of lost-time injuries by source of injury and type of injury event, 1995.**

Source of Injury	Type of Injury Event						Total
	Caught in	Caught between	Caught under	Struck by/against	Struck by falling	Struck by flying	
Tractor	1120.4	1010.6	2061.8	404.2	672.9	0	7902
Machinery	2974.4	8556.2	1144.5	4489.1	3397.5	646.8	41390
Livestock	849.7	9551.5	4625.3	10135.0	408.3	164.5	38544
Hand tool	0	1064.6	0	760.5	0	2307.2	14717
Power tool	677.3	0	0	0	395.6	167.4	5687
Pesticide/chem.	0	0	0	0	0	0	916
Plant/tree	0	0	0	3062.3	3100.5	34.8	7577
Working surface	0	0	0	404.5	0	0	16502
Truck/auto	928.5	182.0	0	517.2	420.0	0	2834
Other vehicles	517.2	612.4	1092.1	389.7	0	235.7	5175
Liquids	0	0	0	0	0	0	506
Other	4157.8	3815.4	241.1	2035.8	6348.9	906.9	52059
Total	11225.3	24792.7	9164.8	22198.6	14743.7	4463.3	193810

**Table 2-358. National estimates of lost-time injuries by source of injury and type of injury event, 1995 (continued).**

Source of Injury	Type of Injury Event					Total
	Contact sharp obj.	Fall, same level	Fall, elevation	Over-exertion	Other	
Tractor	467.5	0	1748.6	0	380.4	7902
Machinery	3464.0	2707.7	10695.0	2870.6	444.4	41390
Livestock	1164.2	1838.8	4537.2	2326.9	2942.0	38544
Hand tool	9559.1	0	0	1025.9	0	14717
Power tool	4002.5	0	0	0	444.4	5687
Pesticide/chem.	0	0	0	50.0	865.5	916
Plant/tree	628.0	0	71.4	209.5	470.9	7577
Working Surface	1164.9	5273.1	6878.7	142.95	1638.2	16502
Truck/auto	0	0	50.4	377.0	359.1	2834
Other vehicles	253.7	331.9	578.7	0	1181.4	5175
Liquids	0	0	505.8	0	0	506
Other	5522.1	3482.2	2370.1	11371.0	11808.0	52059
Total	26208.0	13633.7	27471.4	19374.1	20533.9	193810

(Frequency Missing - 2015.1)

**Table 2-359. National estimates of lost-time injuries by nature of injury and body part injured, 1995.**

Nature of Injury	Body Part Injured						Total
	Head/neck	Eye	Chest/trunk	Back	Arm/Shoulder	Finger	
Amputation	730.4	0	0	0	0	2486.6	3462
Bruise	1279.5	1250.6	952.4	2004.1	2057.9	4578.8	29490
Burn	164.5	986.4	0	0	647.6	0	3435
Cut	4352.8	313.0	0	0	951.1	10195.0	29529
Crush	0	0	2596.3	0	252.9	3707.8	8338
Fracture	2570.0	0	5898.6	1121.1	6122.0	3593.2	33680
Poisoning	0	0	0	0	0	0	222
Puncture	369.1	1736.0	0	0	34.8	1134.9	11116
Sprain/Strain	167.4	0	2033.2	21496.0	13238.0	0	54724
Mult. injury	603.2	0	0	0	152.0	0	6782
Other	1164.2	2207.6	420.7	3185.0	1581.6	0	13036
Total	11401.1	6493.9	11901.2	27806.4	25037.8	25696.0	193814

**Table 2-360. National estimates of lost-time injuries by nature of injury and body part injured, 1995 (continued).**

**Body Part Injured**

Nature of Injury	Hand/wrist	Leg/knee/hip	Toe	Foot	Mult. parts	Other	Total
Amputation	50.4	0	0	194.6	0	0	3462
Bruise	2570.9	9243.6	281.9	4920.7	349.4	0	29490
Burn	252.9	420.7	0	963.3	0	0	3435
Cut	4955.4	8526.5	0	235.2	0	0	29529
Crush	602.0	0	395.6	241.1	542.5	0	8338
Fracture	2635.2	3763.4	251.9	6482.5	1241.7	0	33680
Poisoning	0	0	0	0	0	221.7	222
Puncture	3587.8	2620.5	0	1632.1	0	0	11116
Sprain/Strain	2239.1	7800.4	0	4230.1	1297.3	2222.5	54724
Mult. injury	0	252.9	0	0	5774.3	0	6782
Other	235.7	928.5	0	0	514.6	2798.3	13036
Total	17129.4	33556.5	929.4	18899.6	9719.8	5242.5	193814

(Frequency Missing - 2011.0)

## **Section 3: Regional Data**



**Table 3-1. Regional estimates of injuries, restricted workdays, injury rate per 200,000 hours worked, and restricted workdays per 200,000 hours worked by farm group, 1995.**

<u>Region</u>	<u>Farm Type</u>	Estimated Lost-time Injuries	Estimated Restricted Workdays	Estimated Lost-time Injury Rates	Estimated Restricted Workdays Rate
Northeast	Crops	11373	132028	15.4	179.1
	Livestock	5345	160961	4.2	127.6
	All farms	16718	292989	8.4	146.6
South	Crops	17374	245739	5.0	70.3
	Livestock	28701	572582	6.1	122.3
	All farms	46076	818321	5.6	100.1
Midwest	Crops	32613	505133	8.3	128.2
	Livestock	56599	1312666	9.7	224.3
	All farms	89213	1817799	9.1	185.6
West	Crops	29702	220081	4.7	34.8
	Livestock	14117	239550	6.0	101.4
	All farms	43819	459631	5.0	52.9

**Table 3-2. Estimates of lost-time injuries, restricted workdays, lost-time injuries per 200,000 hours worked, and restricted workdays per 200,000 hours worked by region and type of farming operation, 1995.**

<u>Region</u>	<u>Type of Farm</u>	<u>Estimated Lost-time Injuries</u>	<u>Estimated Restricted Workdays</u>	<u>Estimated Lost-time Injury Rate</u>	<u>Estimated Restricted Workday Rate</u>
Northeast	Cash grains	1206	89636	8.1	602.0
	Field crops	3093	4928	17.2	27.4
	Veg, fruit, nuts	857	2723	5.4	17.3
	Nursery	4486	18760	28.8	120.3
	Beef, hogs, sheep	1229	35991	3.9	114.9
	Poultry	375	375	6.0	6.0
	Dairy	3741	124595	4.3	114.0
	Other	1730	15981	14.9	138.0
South	Cash grains	3731	74352	4.4	87.4
	Field crops	4166	49384	3.5	41.1
	Veg, fruit, nuts	3790	93668	5.3	130.2
	Nursery	984	2332	1.4	3.4
	Beef, hogs, sheep	25588	529306	8.7	179.8
	Poultry	1487	22076	4.6	68.1
	Dairy	1626	21200	3.1	40.9
	Other	4705	26003	5.0	27.7



**Table 3-2. Estimates of lost-time injuries, restricted workdays, lost-time injuries per 200,000 hours worked, and restricted workdays per 200,000 hours worked by region and type of farming operation, 1995 (continued).**

<u>Region</u>	<u>Type of Farm</u>	Estimated Lost-time Injuries	Estimated Restricted Workdays	Estimated Lost-time Injury Rate	Estimated Restricted Workday Rate
Midwest	Cash grains	27466	431747	8.5	133.5
	Field crops	2974	41943	10.9	153.9
	Veg, fruit, nuts	174	6640	1.2	44.5
	Nursery	272	725	1.6	4.1
	Beef, hogs, sheep	46675	1173790	12.4	312.9
	Dairy	9923	138876	5.1	71.4
	Other	1727	24078	8.1	112.4
West	Cash grains	1078	11425	5.8	61.5
	Field crops	2170	42196	4.6	90.1
	Veg, fruit, nuts	16585	101381	3.6	22.3
	Nursery	9519	64289	8.8	59.5
	Beef, hogs, sheep	11244	130474	8.9	103.1
	Poultry	1042	75036	3.7	269.8
	Dairy	1831	34040	3.0	56.0
	Other farms	351	790	1.4	3.1

**Table 3-3. Regional estimates of injuries, restricted workdays, injury rate per 200,000 hours worked, and restricted workdays per 200,000 hours worked by farm group and status of the injured worker, 1995.**

<u>Region</u>	<u>Farm Type</u>	<u>Status</u>	Estimated Lost-time <u>Injuries</u>	Estimated Restricted <u>Workdays</u>	Estimated Lost-time <u>Injury Rate</u>	Estimated Restricted <u>Workday Rate</u>
Northeast	Crops	Family	5785	110636	12.9	246.0
		Hired	4682	213925	17.4	793.5
	Livestock	Family	4030	96819	3.7	88.2
		Hired	1314	64142	8.0	389.0
South	Crops	Family	12672	197718	7.7	120.9
		Hired	4664	48001	2.5	25.6
	Livestock	Family	7380	511368	2.3	156.4
		Hired	1424	51790	1.0	36.6
Midwest	Crops	Family	28020	487743	9.0	156.9
		Hired	4116	17151	7.5	31.1
	Livestock	Family	48958	1163515	11.0	262.3
		Hired	7642	149151	5.4	106.1
West	Crops	Family	3484	53713	3.7	57.3
		Hired	24722	160943	4.6	29.9
	Livestock	Family	6588	135711	7.2	149.0
		Hired	7207	93972	5.0	64.8

**Table 3-4. Estimates of lost-time injuries by farm type for the Northeast region of the U.S., 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	1206.2	7.2	1206.2	7.2
Field crops	3093.4	18.5	4299.6	25.7
Vegetable, fruit, nuts	857.4	5.1	5157.0	30.8
Nursery	4486.3	26.8	9643.3	57.7
Beef, hogs, sheep	1228.5	7.3	10871.8	65.0
Poultry	375.0	2.2	11246.8	67.3
Dairy	3741.4	22.4	14988.2	89.7
Other	1730.0	10.3	16718.2	100.0

**Table 3-5. Estimates of lost-time injuries by status of the injured worker for the Northeast region of the U.S., 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	8991.5	56.7	8991.5	56.7
Partner/family	823.8	5.2	9815.3	61.9
Hired labor	5440.7	34.3	15256.0	96.2
Unpaid nonfamily	556.2	3.5	15812.2	99.7
Other	50.4	0.3	15862.6	100.0

(Frequency Missing = 855.6)

**Table 3-6. Estimates of lost-time injuries by gender for the Northeast region of the U.S., 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	14242.9	89.8	14242.9	89.8
Female	1619.7	10.2	15862.6	100.0

(Frequency Missing = 855.6)

**Table 3-7. Estimates of lost-time injuries by age group for the Northeast region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	1017.2	6.5	1017.2	6.5
20-29	6369.7	40.8	7386.9	47.3
30-39	1340.2	8.6	8727.1	55.9
40-49	2102.6	13.5	10829.7	69.3
50-59	1185.5	7.6	12015.2	76.9
60-69	2893.0	18.5	14908.2	95.5
>=70	710.6	4.5	15618.8	100.0

(Frequency Missing = 1099.4)

**Table 3-8. Estimates of lost-time injuries by race or ethnic origin for the Northeast region of the U.S., 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	15726.8	99.2	15726.8	99.2
Hispanic	123.4	0.8	15850.2	100.0
Other	6.2	0.0	15856.4	100.0

(Frequency Missing = 861.8)

**Table 3-9. Estimates of lost-time injuries by month for the Northeast region of the U.S., 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	252.9	1.6	252.9	1.6
February	303.1	2.0	556.0	3.6
March	1102.0	7.2	1658.0	10.8
April	1222.0	7.9	2880.0	18.7
May	496.7	3.2	3376.7	22.0
June	2151.4	14.0	5528.1	36.0
July	6139.3	39.9	11667.4	75.9
August	677.7	4.4	12345.1	80.3
September	328.1	2.1	12673.2	82.4
October	919.2	6.0	13592.4	88.4
November	1171.7	7.6	14764.1	96.0
December	610.9	4.0	15375.0	100.0

(Frequency Missing = 1343.2)

**Table 3-10. Estimates of lost-time injuries by severity of the injury for the Northeast region of the U.S., 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	14320.8	90.3	14320.8	90.3
Permanent	1298.0	8.2	15618.8	98.5
Fatality	243.8	1.5	15862.6	100.0

(Frequency Missing = 855.6)

**Table 3-11. Estimates of lost-time injuries by whether professional medical attention was sought in the Northeast region of the U.S., 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	2397.4	14.3	2397.4	14.3
Yes	13130.0	78.6	15527.4	92.9
No	1184.6	7.1	16712.0	100.0

(Frequency Missing = 6.2)

**Table 3-12. Estimates of lost-time injuries by body part injured for the Northeast region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	303.3	1.9	303.3	1.9
Eye	1659.6	10.5	1962.9	12.4
Chest/trunk	569.7	3.6	2532.6	16.0
Back	1588.1	10.0	4120.7	26.0
Arm/shoulder	1016.8	6.4	5137.5	32.4
Finger	5132.5	32.4	0270.0	64.7
Hand/wrist	1106.1	7.0	11376.1	71.7
Leg/knee/hip	828.8	5.2	12204.9	76.9
Toe	251.9	1.6	12456.8	78.5
Foot	2617.6	16.5	15074.4	95.0
Mult. parts	788.2	5.0	15862.6	100.0

(Frequency Missing = 855.6)

**Table 3-13. Estimates of lost-time injuries by nature of injury for the Northeast region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	488.8	3.1	488.8	3.1
Bruise	2057.9	13.0	2546.7	16.1
Burn	252.9	1.6	2799.6	17.6
Cut	5025.6	31.7	7825.2	49.3
Crush	2147.0	13.5	9972.2	62.9
Fracture	2245.2	14.2	12217.4	77.0
Puncture	1352.1	8.5	13569.5	85.5
Sprain/strain	1933.6	12.2	15503.1	97.7
Mult. injury	252.9	1.6	15756.0	99.3
Other	106.6	0.7	15862.6	100.0

(Frequency Missing = 855.6)

**Table 3-14. Estimates of lost-time injuries by type of event for the Northeast region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	303.3	1.9	303.3	1.9
Caught between	4918.7	31.0	5222.0	32.9
Caught under	2297.4	14.5	7519.4	47.4
Struck by/against	1296.6	8.2	8816.0	55.6
Struck by falling	988.1	6.2	9804.1	61.8
Struck by flying	1410.4	8.9	11214.5	70.7
Contact sharp obj.	1152.9	7.3	12367.4	78.0
Fall, same level	801.9	5.1	13169.3	83.0
Fall, elevation	1078.6	6.8	14247.9	89.8
Overexertion	853.6	5.4	15101.5	95.2
Other	761.1	4.8	15862.6	100.0

(Frequency Missing = 855.6)

**Table 3-15. Estimates of lost-time injuries by activity when worker was injured for the Northeast region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2376.0	15.2	2376.0	15.2
Machine maint.	2271.5	14.5	4647.5	29.8
Field work	2500.2	16.0	7147.7	45.8
Crop handling	1743.8	11.2	8891.5	56.9
Livestock handling	1672.9	10.7	10564.4	67.6
Other	5054.4	32.4	15618.8	100.0

(Frequency Missing = 1099.4)

**Table 3-16. Estimates of lost-time injuries by source of the injury for the Northeast region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2251.6	14.2	2251.6	14.2
Machinery	1992.4	12.6	4244.0	26.8
Livestock	1100.3	6.9	5344.3	33.7
Hand tool	2151.5	13.6	7495.8	47.3
Power tool	252.9	1.6	7748.7	48.8
Plant/tree	602.3	3.8	8351.0	52.6
Working surface	858.5	5.4	9209.5	58.0
Truck/auto	543.7	3.4	9753.2	61.5
Other vehicle	252.9	1.6	10006.4	63.1
Liquids	505.8	3.2	10511.9	66.2
Other	5350.7	33.8	15862.6	100.0

(Frequency Missing = 855.6)

**Table 3-17. Estimates of lost-time injuries by farm type for the South region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	3730.5	8.1	3730.5	8.1
Field crops	4165.5	9.0	7896.0	17.1
Vegetable, fruit, nuts	3789.6	8.2	11685.6	25.4
Nursery	984.3	2.1	12669.9	27.5
Beef, hogs, sheep	25588.3	55.5	38258.2	83.0
Poultry	1486.7	3.2	39744.9	86.3
Dairy	1626.1	3.5	41371.0	89.8
Other	4704.5	10.2	46075.5	100.0

**Table 3-18. Estimates of lost-time injuries by status of the injured worker for the South region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	31863.8	69.7	31863.8	69.7
Partner/family	2964.8	6.5	34828.6	76.2
Hired labor	9868.1	21.6	44696.7	97.8
Unpaid nonfamily	337.2	0.7	45033.9	98.6
Other	656.4	1.4	45690.3	100.0

(Frequency Missing = 385.2)

**Table 3-19. Estimates of lost-time injuries by gender for the South region of the U.S., 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	40070.1	87.7	40070.1	87.7
Female	5620.2	12.3	45690.3	100.0

(Frequency Missing = 385.2)

**Table 3-20. Estimates of lost-time injuries by age group for the South region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	1126.6	2.5	1406.7	3.1
20-29	2152.4	4.7	3559.1	7.8
30-39	12742.5	27.9	16301.6	35.6
40-49	8138.5	17.8	24440.1	53.4
50-59	9999.1	21.9	34439.2	75.3
60-69	7181.5	15.7	41620.7	91.0
>=70	4108.6	9.0	45729.3	100.0

(Frequency Missing = 346.2)

**Table 3-21. Estimates of lost-time injuries by race or ethnic origin for the South region of the U.S., 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	40269.1	88.3	40269.1	88.3
Hispanic	3178.0	7.0	43447.1	95.3
Black	2135.3	4.7	45582.4	100.0

(Frequency Missing = 493.1)

**Table 3-22. Estimates of lost-time injuries by month for the South region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	730.6	1.6	730.6	1.6
February	507.2	1.1	1237.8	2.7
March	3965.5	8.7	5203.3	11.4
April	9255.7	20.3	14459.0	31.7
May	3104.5	6.8	17563.5	38.5
June	2466.6	5.4	20030.1	44.0
July	4276.1	9.4	24306.2	53.3
August	2753.4	6.0	27059.6	59.4
September	5692.9	12.5	32752.5	71.9
October	6549.1	14.4	39301.6	86.3
November	4470.5	9.8	43772.1	96.1
December	1793.9	3.9	45566.0	100.0

(Frequency Missing = 509.5)

**Table 3-23. Estimates of lost-time injuries by severity of the injury for the South region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	42259.2	92.4	42259.2	92.4
Permanent	3411.8	7.5	45671	99.9
Fatality	58.3	0.1	45729.3	100.0

(Frequency Missing = 346.2)



**Table 3-24. Estimates of lost-time injuries by whether professional medical attention was sought in the South region of the U.S., 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	3580.6	7.9	3580.6	7.9
Yes	32091.2	70.7	35671.8	78.6
No	9714.5	21.4	45386.3	100.0

(Frequency Missing = 689.2)

**Table 3-25. Estimates of lost-time injuries by body part injured for the South region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2856.6	6.2	2856.6	6.2
Eye	1358.2	3.0	4214.8	9.2
Chest/trunk	2178.3	4.8	6393.1	14.0
Back	6399.1	14.0	12792.2	28.0
Arm/shoulder	5496.4	12.0	18288.6	40.0
Finger	7386.6	16.2	25675.2	56.1
Hand/wrist	4146.6	9.1	29821.8	65.2
Leg/knee/hip	10623.4	23.2	40445.2	88.4
Toe	395.6	0.9	40840.8	89.3
Foot	785.7	1.7	41626.5	91.0
Mult. parts	2358.0	5.2	43984.5	96.2
Other	1744.8	3.8	45729.3	100.0

(Frequency Missing = 346.2)

**Table 3-26. Estimates of lost-time injuries by nature of injury for the South region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	926.0	2.0	926.0	2.0
Bruise	5151.5	11.3	6077.5	13.3
Burn	1019.1	2.2	7096.6	15.6
Cut	8831.0	19.4	15927.6	35.0
Crush	3020.6	6.6	18948.2	41.6
Fracture	8135.3	17.9	27083.5	59.4
Puncture	2624.9	5.8	29708.4	65.2
Sprain/strain	11868.7	26.0	41577.1	91.2
Mult. injury	2265.8	5.0	43842.9	96.2
Other	1723.1	3.8	45566.0	100.0

(Frequency Missing = 509.5)

**Table 3-27. Estimates of lost-time injuries by type of event for the South region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	2751.2	6.0	2751.2	6.0
Caught between	3941.9	8.6	6693.1	14.6
Caught under	2112.4	4.6	8805.5	19.3
Struck by/against	7040.8	15.4	15846.3	34.7
Struck by falling	2070.9	4.5	17917.2	39.2
Struck by flying	1696.7	3.7	19613.9	42.9
Contact sharp obj.	7323.2	16.0	26937.1	58.9
Fall, same level	3166.0	6.9	30103.1	65.8
Fall, elevation	4864.4	10.6	34967.5	76.5
Overexertion	7835.8	17.1	42803.3	93.6
Other	2926.0	6.4	45729.3	100.0

Frequency Missing = 346.2

**Table 3-28. Estimates of lost-time injuries by activity when worker was injured for the South region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	12649.3	27.8	12649.3	27.8
Machine maint.	4439.5	9.7	17088.8	37.5
Field work	5493.8	12.1	22582.6	49.6
Crop handling	5052.1	11.1	27634.7	60.7
Livestock handling	16293.1	35.8	43927.8	96.4
Other	1634.1	3.6	45561.9	100.0

(Frequency Missing = 513.6)

**Table 3-29. Estimates of lost-time injuries by source of the injury for the South region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2235.7	4.9	2235.7	4.9
Machinery	5078.4	11.1	7314.1	16.0
Livestock	8934.2	19.5	16248.3	35.5
Hand tool	7114.5	15.5	23362.8	51.0
Power tool	1718.9	3.8	25081.7	54.8
Pesticide/chem.	56.4	0.1	25138.1	54.9
Plant/tree	2864.3	6.3	28002.4	61.1
Working surface	5024.7	11.0	33027.1	72.1
Truck/auto	221.0	0.5	33248.1	72.6
Other vehicle	1885.0	4.1	35133.1	76.7
Other	10664.5	23.3	45797.6	100.0

(Frequency Missing = 277.9)

**Table 3-30. Estimates of lost-time injuries by farm type for the Midwest region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	27466.0	30.8	27466.0	30.8
Field crops	2974.4	3.3	30440.4	34.1
Vegetable, fruit, nuts	174.1	0.2	30614.5	34.3
Nursery	271.7	0.3	30886.2	34.6
Beef, hogs, sheep	46675.1	52.3	77561.3	86.9
Dairy	9923.4	11.1	87484.7	98.1
Other	1727.1	1.9	89211.8	100.0

**Table 3-31. Estimates of lost-time injuries by status of the injured worker for the Midwest region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	71371.9	80.4	71371.9	80.4
Partner/family	5604.7	6.3	76976.6	86.8
Hired labor	9106.0	10.3	86082.6	97.0
Unpaid nonfamily	2651.0	3.0	88733.6	100.0

(Frequency Missing = 478.2)

**Table 3-32. Estimates of lost-time injuries by gender for the Midwest region of the U.S., 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	77135.3	86.9	77135.3	86.9
Female	11598.3	13.1	88733.6	100.0

Frequency Missing = 478.2

**Table 3-33. Estimates of lost-time injuries by age group for the Midwest region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	3167.1	3.6	4473.9	5.0
20-29	6120.5	6.9	10594.4	11.9
30-39	18715.5	21.0	29309.9	32.9
40-49	13244.3	14.8	42554.2	47.7
50-59	21754.1	24.4	64308.3	72.1
60-69	15983.9	17.9	80292.2	90.0
>=70	8919.6	10.0	89211.8	100.0

**Table 3-34. Estimates of lost-time injuries by race or ethnic origin for the Midwest region of the U.S., 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	88936.5	99.7	88936.5	99.7
Hispanic	275.3	0.3	89211.8	100.0

**Table 3-35. Estimates of lost-time injuries by month for the Midwest region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	600.0	0.7	600.0	0.7
February	2141.2	2.5	2741.2	3.2
March	2164.0	2.5	4905.2	5.6
April	3010.1	3.5	7915.3	9.1
May	8517.2	9.8	16432.5	18.9
June	13720.0	15.8	30152.5	34.7
July	9623.5	11.1	39776.0	45.8
August	13764.9	15.8	53540.9	61.6
September	5862.9	6.7	59403.8	68.3
October	7739.3	8.9	67143.1	77.2
November	15385.2	17.7	82528.3	94.9
December	4404.2	5.1	86932.5	100.0

(Frequency Missing = 2279.3)

**Table 3-36. Estimates of lost-time injuries by severity of the injury for the Midwest region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	84734.3	95.0	84734.3	95.0
Permanent	2304.7	2.6	87039.0	97.6
Fatality	2172.8	2.4	89211.8	100.0

**Table 3-37. Estimates of lost-time injuries by whether professional medical attention was sought in the Midwest region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	4477.5	5.0	4477.5	5.0
Yes	74015.8	83.0	78493.3	88.0
No	10718.5	12.0	89211.8	100.0

**Table 3-38. Estimates of lost-time injuries by body part injured for the Midwest region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	4430.0	5.0	4430.0	5.0
Eye	1678.9	1.9	6108.9	6.8
Chest/trunk	7107.8	8.0	13216.7	14.8
Back	16380.8	18.4	29597.5	33.2
Arm/shoulder	8653.0	9.7	38250.5	42.9
Finger	8833.3	9.9	47083.8	52.8
Hand/wrist	8063.6	9.0	55147.4	61.8
Leg/knee/hip	14500.8	16.3	69648.2	78.1
Toe	281.9	0.3	69930.1	78.4
Foot	10507.4	11.8	80437.5	90.2
Mult. parts	5276.6	5.9	85714.1	96.1
Other	3497.7	3.9	89211.8	100.0

**Table 3-39. Estimates of lost-time injuries by nature of injury for the Midwest region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	1914.6	2.1	1914.6	2.1
Bruise	14709.5	16.5	16624.1	18.6
Burn	591.2	0.7	17215.3	19.3
Cut	8676.5	9.7	25891.8	29.0
Crush	3018.6	3.4	28910.4	32.4
Fracture	20333.6	22.8	49244.0	55.2
Poisoning	221.7	0.2	49465.7	55.4
Puncture	6877.5	7.7	56343.2	63.2
Sprain/strain	20295.4	22.7	76638.6	85.9
Mult. injury	3743.2	4.2	80381.8	90.1
Other	8830.0	9.9	89211.8	100.0

**Table 3-40. Estimates of lost-time injuries by type of event for the Midwest region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	6231.0	7.0	6231.0	7.0
Caught between	14083.1	15.8	20314.1	22.8
Caught under	4623.8	5.2	24937.9	28.0
Struck by/against	10623.4	11.9	35561.3	39.9
Struck by falling	6583.2	7.4	42144.5	47.2
Struck by flying	1078.6	1.2	43223.1	48.4
Contact sharp obj.	11289.4	12.7	54512.5	61.1
Fall, same level	5283.4	5.9	59795.9	67.0
Fall, elevation	11864.1	13.3	71660.0	80.3
Overexertion	8154.3	9.1	79814.3	89.5
Other	9397.5	10.5	89211.8	100.0

**Table 3-41. Estimates of lost-time injuries by activity when worker was injured for the Midwest region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	8753.2	9.8	8753.2	9.8
Machine maint.	11946.1	13.4	20699.3	23.2
Field work	5507.8	6.2	26207.1	29.4
Crop handling	14460.5	16.2	40667.6	45.6
Livestock handling	39675.1	44.5	80342.7	90.1
Other	8869.1	9.9	89211.8	100.0

**Table 3-42. Estimates of lost-time injuries by source of the injury for the Midwest region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	3352.0	3.8	3352.0	3.8
Machinery	22011.2	24.7	25363.2	28.4
Livestock	23526.9	26.4	48890.1	54.8
Hand tool	2204.6	2.5	51094.7	57.3
Power tool	1092.9	1.2	52187.6	58.5
Pesticide/chem.	846.7	0.9	53034.3	59.4
Plant/tree	2919.5	3.3	55953.8	62.7
Working surface	7613.9	8.5	63567.7	71.3
Truck/auto	898.2	1.0	64465.9	72.3
Other vehicle	1666.3	1.9	66132.2	74.1
Other	23079.6	25.9	89211.8	100.0

**Table 3-43. Estimates of lost-time injuries by farm type for the West region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	1078.1	2.5	1078.1	2.5
Field crops	2170.3	5.0	3248.4	7.4
Vegetable, fruit, nuts	16584.9	37.8	19833.3	45.3
Nursery	9518.6	21.7	29351.9	67.0
Beef, hogs, sheep	11243.6	25.7	40595.5	92.6
Poultry	1041.7	2.4	41637.2	95.0
Dairy	1831.3	4.2	43468.5	99.2
Other farms	350.6	0.8	43819.1	100.0

**Table 3-44. Estimates of lost-time injuries by status of the injured worker for the West region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	9644.2	22.3	9644.2	22.3
Partner/family	428.8	1.0	10073.0	23.3
Hired labor	29758.7	68.9	39831.7	92.3
Unpaid nonfamily	2170.2	5.0	42001.9	97.3
Other	1171.3	2.7	43173.2	100.0

(Frequency Missing = 645.9)

**Table 3-45. Estimates of lost-time injuries by gender for the West region of the U.S., 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	40295.5	93.3	40295.5	93.3
Female	2877.7	6.7	43173.2	100.0

(Frequency Missing = 645.9)

**Table 3-46. Estimates of lost-time injuries by age group for the West region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	1448.9	3.4	1448.9	3.4
20-29	14029.6	32.5	15478.5	35.9
30-39	9206.5	21.3	24685.0	57.2
40-49	5819.0	13.5	30504.0	70.7
50-59	8211.9	19.0	38715.9	89.7
60-69	3754.4	8.7	42470.3	98.4
>=70	702.9	1.6	43173.2	100.0

(Frequency Missing = 645.9)

**Table 3-47. Estimates of lost-time injuries by race or ethnic origin for the West region of the U.S., 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	12815.9	29.7	12815.9	29.7
Hispanic	28764.5	66.6	41580.4	96.3
Asian	1070.1	2.5	42650.5	98.8
Other	522.7	1.2	43173.2	100.0

(Frequency Missing = 645.9)

**Table 3-48. Estimates of lost-time injuries by month for the West region of the U.S., 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1989.6	4.6	1989.6	4.6
February	71.4	0.2	2061.0	4.8
March	1627.9	3.8	3688.9	8.5
April	2158.7	5.0	5847.6	13.5
May	4625.6	10.7	10473.2	24.3
June	920.4	2.1	11393.6	26.4
July	6658.5	15.4	18052.1	41.8
August	12605.8	29.2	30657.9	71.0
September	5171.8	12.0	35829.7	83.0
October	3119.7	7.2	38949.4	90.2
November	3501.4	8.1	42450.8	98.3
December	722.4	1.7	43173.2	100.0

(Frequency Missing = 645.9)

**Table 3-49. Estimates of lost-time injuries by severity of the injury for the West region of the U.S., 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	40090.0	92.9	40090.0	92.9
Permanent	3083.2	7.1	43173.2	100.0

(Frequency Missing = 645.9)



**Table 3-50. Estimates of lost-time injuries by whether professional medical attention was sought in the West region of the U.S., 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	3729.1	8.5	3729.1	8.5
Yes	32024.1	73.2	35753.2	81.7
No	7987.6	18.3	43740.8	100.0

(Frequency Missing = 78.3)

**Table 3-51. Estimates of lost-time injuries by body part injured for the West region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	3811.2	8.8	3811.2	8.8
Eye	1797.2	4.2	5608.4	13.0
Chest/trunk	2045.4	4.7	7653.8	17.7
Back	3601.7	8.3	11255.5	26.1
Arm/shoulder	9871.6	22.9	21127.1	48.9
Finger	4343.6	10.1	25470.7	59.0
Hand/wrist	3813.1	8.8	29283.8	67.8
Leg/knee/hip	7603.5	17.6	36887.3	85.4
Foot	4988.9	11.6	41876.2	97.0
Mult. parts	1297.0	3.0	43173.2	100.0

(Frequency Missing = 645.9)

**Table 3-52. Estimates of lost-time injuries by nature of injury for the West region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	132.6	0.3	132.6	0.3
Bruise	7571.3	17.5	7703.9	17.8
Burn	1572.2	3.6	9276.1	21.5
Cut	6995.6	16.2	16271.7	37.7
Crush	152.0	0.4	16423.7	38.0
Fracture	2965.5	6.9	19389.2	44.9
Puncture	261.0	0.6	19650.2	45.5
Sprain/strain	20626	47.8	40276.2	93.3
Mult. injury	520.5	1.2	40796.7	94.5
Other	2376.5	5.5	43173.2	100.0

(Frequency Missing = 645.9)

**Table 3-53. Estimates of lost-time injuries by type of event for the West region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1939.8	4.5	1939.8	4.5
Caught between	1849.0	4.3	3788.8	8.8
Caught under	131.2	0.3	3920.0	9.1
Struck by/against	3237.8	7.5	7157.8	16.6
Struck by falling	5101.5	11.8	12259.3	28.4
Struck by flying	277.6	0.6	12536.9	29.0
Contact sharp obj.	6442.5	14.9	18979.4	44.0
Fall, same level	4382.4	10.2	23361.8	54.1
Fall, elevation	9664.3	22.4	33026.1	76.5
Overexertion	2697.8	6.2	35723.9	82.7
Other	7449.3	17.3	43173.2	100.0

(Frequency Missing = 645.9)

**Table 3-54. Estimates of lost-time injuries by activity when worker was injured for the West region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	14673.3	34.0	14673.3	34.0
Machine maint.	2133.7	4.9	16807.0	38.9
Field work	9683.5	22.4	26490.5	61.4
Crop handling	2502.9	5.8	28993.4	67.2
Livestock handling	6888.6	16.0	35882.0	83.1
Other	7291.2	16.9	43173.2	100.0

(Frequency Missing = 645.9)

**Table 3-55. Estimates of lost-time injuries by source of the injury for the West region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	63.1	0.1	63.1	0.1
Machinery	12307.7	28.5	12370.8	28.7
Livestock	5218.0	12.1	17588.8	40.7
Hand tool	3246.7	7.5	20835.5	48.3
Power tool	2622.5	6.1	23458.0	54.3
Plant/tree	1191.3	2.8	24649.3	57.1
Working surface	3005.2	7.0	27654.5	64.1
Truck/auto	1171.3	2.7	28825.8	66.8
Other vehicle	1370.6	3.2	30196.4	69.9
Other	12976.8	30.1	43173.2	100.0

(Frequency Missing = 645.9)

**Table 3-56. Estimates of lost-time injuries by status of the injured worker for crop operations in the Northeast region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	5467.1	52.0	5467.1	52.0
Partner/family	318.0	3.0	5785.1	55.0
Hired labor	4631.8	44.0	10416.9	99.0
Unpaid nonfamily	50.4	0.5	10467.3	99.5
Other	50.4	0.5	10517.7	100.0

(Frequency Missing = 855.6)

**Table 3-57. Estimates of lost-time injuries by gender for crop operations in the Northeast region of the U.S., 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	9656.7	91.8	9656.7	91.8
Female	861.0	8.2	10517.7	100.0

(Frequency Missing = 855.6)

**Table 3-58. Estimates of lost-time injuries by age group for crop operations in the Northeast region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	258.5	2.5	258.5	2.5
20-29	5611.0	54.6	5869.5	57.1
30-39	531.3	5.2	6400.8	62.3
40-49	556.6	5.4	6957.4	67.7
50-59	710.1	6.9	7667.5	74.6
60-69	1895.8	18.5	9563.3	93.1
>=70	710.6	6.9	10273.9	100.0

(Frequency Missing = 1099.4)

**Table 3-59. Estimates of lost-time injuries by race or ethnic origin for crop operations in the Northeast region of the U.S., 1995.**

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	10381.9	98.8	10381.9	98.8
Hispanic	123.4	1.2	10505.3	99.9
Other	6.2	0.1	10511.5	100.0

(Frequency Missing = 861.8)

**Table 3-60. Estimates of lost-time injuries by month for crop operations in the Northeast region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
March	61.8	0.6	61.8	0.6
April	463.3	4.6	525.1	5.2
May	243.8	2.4	768.9	7.7
June	2151.4	21.4	2920.3	29.1
July	5142.1	51.3	8062.4	80.4
August	374.6	3.7	8437.0	84.1
September	75.2	0.7	8512.2	84.9
October	544.2	5.4	9056.4	90.3
November	665.9	6.6	9722.3	96.9
December	307.8	3.1	10030.1	100.0

(Frequency Missing = 1343.2)

**Table 3-61. Estimates of lost-time injuries by severity of the injury for crop operations in the Northeast region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	9474.5	90.1	9474.5	90.1
Permanent	799.4	7.6	10273.9	97.7
Fatality	243.8	2.3	10517.7	100.0

(Frequency Missing = 855.6)

**Table 3-62. Estimates of lost-time injuries by whether professional medical attention was sought for crop operations in the Northeast region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	1898.8	16.7	1898.8	16.7
Yes	8536.6	75.1	10435.4	91.8
No	931.7	8.2	11367.1	100.0

(Frequency Missing = 6.2)

**Table 3-63. Estimates of lost-time injuries by body part injured for crop operations in the Northeast region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	50.4	0.5	50.4	0.5
Eye	1609.4	15.3	1659.8	15.8
Chest/trunk	316.8	3.0	1976.6	18.8
Back	996.3	9.5	2972.9	28.3
Arm/shoulder	12.4	0.1	2985.3	28.4
Finger	4251.7	40.4	7237.0	68.8
Hand/wrist	600.3	5.7	7837.3	74.5
Leg/knee/hip	272.8	2.6	8110.1	77.1
Toe	6.2	0.1	8116.3	77.2
Foot	1858.9	17.7	9975.2	94.8
Mult. parts	542.5	5.2	10517.7	100.0

(Frequency Missing = 855.6)

**Table 3-64. Estimates of lost-time injuries by nature of injury for crop operations in the Northeast region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	488.8	4.6	488.8	4.6
Bruise	1812.2	17.2	2301.0	21.9
Cut	4274.1	40.6	6575.1	62.5
Crush	1135.4	10.8	7710.5	73.3
Fracture	367.2	3.5	8077.7	76.8
Puncture	1352.1	12.9	9429.8	89.7
Sprain/strain	1081.7	10.3	10511.5	99.9
Other	6.2	0.1	10517.7	100.0

(Frequency Missing = 855.6)

**Table 3-65. Estimates of lost-time injuries by type of event for crop operations in the Northeast region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	50.4	0.5	50.4	0.5
Caught between	3907.1	37.1	3957.5	37.6
Caught under	2297.4	21.8	6254.9	59.5
Struck by/against	921.6	8.8	7176.5	68.2
Struck by falling	243.8	2.3	7420.3	70.6
Struck by flying	1157.5	11.0	8577.8	81.6
Contact sharp obj.	900.0	8.6	9477.8	90.1
Fall, same level	50.4	0.5	9528.2	90.6
Fall, elevation	74.2	0.7	9602.4	91.3
Overexertion	507.5	4.8	10109.9	96.1
Other	407.8	3.9	10517.7	100.0

(Frequency Missing = 855.6)

**Table 3-66. Estimates of lost-time injuries by activity when worker was injured for crop operations in the Northeast region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1125.9	11.0	1125.9	11.0
Machine maint.	2018.6	19.6	3144.5	30.6
Field work	2001.6	19.5	5146.1	50.1
Crop handling	364.4	3.5	5510.5	53.6
Livestock handling	871.2	8.5	6381.7	62.1
Other	3892.2	37.9	10273.9	100.0

(Frequency Missing = 1099.4)

**Table 3-67. Estimates of lost-time injuries by source of the injury for crop operations in the Northeast region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1998.7	19.0	1998.7	19.0
Machinery	735.1	7.0	2733.8	26.0
Livestock	804.4	7.6	3538.2	33.6
Hand tool	1898.6	18.1	5436.8	51.7
Plant/tree	256.2	2.4	5693.0	54.1
Working surface	107.0	1.0	5800.0	55.2
Truck/auto	543.7	5.2	6343.7	60.3
Other	4174.0	39.7	10517.7	100.0

(Frequency Missing = 855.6)

**Table 3-68. Estimates of lost-time injuries by status of the injured worker for livestock operations in the Northeast region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	3524.4	65.9	3524.4	65.9
Partner/family	505.8	9.5	4030.2	75.4
Hired labor	808.9	15.1	4839.1	90.5
Unpaid nonfamily	505.8	9.5	5344.9	100.0

**Table 3-69. Estimates of lost-time injuries by gender for livestock operations in the Northeast region of the U.S., 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	4586.2	85.8	4586.2	85.8
Female	758.7	14.2	5344.9	100.0

**Table 3-70. Estimates of lost-time injuries by age group for livestock operations in the Northeast region of the U.S., 1995.**

<u>Age Group</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	758.7	14.2	758.7	14.2
20-29	758.7	14.2	1517.4	28.4
30-39	808.9	15.1	2326.3	43.5
40-49	1546.0	28.9	3872.3	72.4
50-59	475.4	8.9	4347.7	81.3
60-69	997.2	18.7	5344.9	100.0

**Table 3-71. Estimates of lost-time injuries by race or ethnic origin for livestock operations in the Northeast region of the U.S., 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	5344.9	100.0	5344.9	100.0

**Table 3-72. Estimates of lost-time injuries by month for livestock operations in the Northeast region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	252.9	4.7	252.9	4.7
February	303.1	5.7	556.0	10.4
March	1040.2	19.5	1596.2	29.9
April	758.7	14.2	2354.9	44.1
May	252.9	4.7	2607.8	48.8
July	997.2	18.7	3605.0	67.4
August	303.1	5.7	3908.1	73.1
September	252.9	4.7	4161.0	77.8
October	375.0	7.0	4536.0	84.9
November	505.8	9.5	5041.8	94.3
December	303.1	5.7	5344.9	100.0

**Table 3-73. Estimates of lost-time injuries by severity of the injury for livestock operations in the Northeast region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	4846.3	90.7	4846.3	90.7
Permanent	498.6	9.3	5344.9	100.0

**Table 3-74. Estimates of lost-time injuries by whether professional medical attention was sought for livestock operations in the Northeast region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	498.6	9.3	498.6	9.3
Yes	4593.4	85.9	5092.0	95.3
No	252.9	4.7	5344.9	100.0

**Table 3-75. Estimates of lost-time injuries by body part injured for livestock operations in the Northeast region of the U.S., 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Head/neck	252.9	4.7	252.9	4.7
Eye	50.2	0.9	303.1	5.7
Chest/trunk	252.9	4.7	556.0	10.4
Back	591.8	11.1	1147.8	21.5
Arm/shoulder	1004.4	18.8	2152.2	40.3
Finger	880.8	16.5	3033.0	56.7
Hand/wrist	505.8	9.5	3538.8	66.2
Leg/knee/hip	556.0	10.4	4094.8	76.6
Toe	245.7	4.6	4340.5	81.2
Foot	758.7	14.2	5099.2	95.4
Mult. parts	245.7	4.6	5344.9	100.0



**Table 3-76. Estimates of lost-time injuries by nature of injury for livestock operations in the Northeast region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	245.7	4.6	245.7	4.6
Burn	252.9	4.7	498.6	9.3
Cut	751.5	14.1	1250.1	23.4
Crush	1011.6	18.9	2261.7	42.3
Fracture	1878.0	35.1	4139.7	77.5
Sprain/strain	851.9	15.9	4991.6	93.4
Mult. injury	252.9	4.7	5244.5	98.1
Other	100.4	1.9	5344.9	100.0

**Table 3-77. Estimates of lost-time injuries by type of event for livestock operations in the Northeast region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	252.9	4.7	252.9	4.7
Caught between	1011.6	18.9	1264.5	23.7
Struck by/against	375.0	7.0	1639.5	30.7
Struck by falling	744.3	13.9	2383.8	44.6
Struck by flying	252.9	4.7	2636.7	49.3
Contact sharp obj.	252.9	4.7	2889.6	54.1
Fall, same level	751.5	14.1	3641.1	68.1
Fall, elevation	1004.4	18.8	4645.5	86.9
Overexertion	346.1	6.5	4991.6	93.4
Other	353.3	6.6	5344.9	100.0

**Table 3-78. Estimates of lost-time injuries by activity when worker was injured for livestock operations in the Northeast region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1250.1	23.4	1250.1	23.4
Machine maint.	252.9	4.7	1503.0	28.1
Field work	498.6	9.3	2001.6	37.4
Crop handling	1379.4	25.8	3381.0	63.3
Livestock handling	801.7	15.0	4182.7	78.3
Other	1162.2	21.7	5344.9	100.0

**Table 3-79. Estimates of lost-time injuries by source of the injury for livestock operations in the Northeast region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	252.9	4.7	252.9	4.7
Machinery	1257.3	23.5	1510.2	28.3
Livestock	295.9	5.5	1806.1	33.8
Hand tool	252.9	4.7	2059.0	38.5
Power tool	252.9	4.7	2311.9	43.3
Plant/tree	346.1	6.5	2658.0	49.7
Working surface	751.5	14.1	3409.5	63.8
Other vehicle	252.9	4.7	3662.4	68.5
Liquids	505.8	9.5	4168.2	78.0
Other	1176.7	22.0	5344.9	100.0

**Table 3-80. Estimates of lost-time injuries by status of the injured worker for crop operations in the South region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	11470.1	66.2	11470.1	66.2
Partner/family	1201.5	6.9	12671.6	73.1
Hired labor	4506.3	26.0	17177.9	99.1
Unpaid nonfamily	157.5	0.9	17335.4	100.0

(Frequency Missing = 39.0)

**Table 3-81. Estimates of lost-time injuries by gender for crop operations in the South region of the U.S., 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	14758.8	85.1	14758.8	85.1
Female	2576.6	14.9	17335.4	100.0

(Frequency Missing = 39.0)

**Table 3-82. Estimates of lost-time injuries by age group for crop operations in the South region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	649.5	3.7	929.6	5.4
20-29	1560.6	9.0	2490.2	14.3
30-39	6037.7	34.8	8527.9	49.1
40-49	5180.8	29.8	13708.7	78.9
50-59	1533.8	8.8	15242.5	87.7
60-69	558.0	3.2	15800.5	90.9
>=70	1573.9	9.1	17374.4	100.0

**Table 3-83. Estimates of lost-time injuries by race or ethnic origin for crop operations in the South region of the U.S., 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	15414.7	88.7	15414.7	88.7
Hispanic	1557.9	9.0	16972.6	97.7
Black	401.8	2.3	17374.4	100.0

**Table 3-84. Estimates of lost-time injuries by month for crop operations in the South region of the U.S., 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	201.1	1.2	201.1	1.2
February	339.8	2.0	540.9	3.1
March	562.9	3.3	1103.8	6.4
April	1895.7	11.0	2999.5	17.4
May	1596.1	9.3	4595.6	26.7
June	837.7	4.9	5433.3	31.6
July	2973.6	17.3	8406.9	48.8
August	621.7	3.6	9028.6	52.5
September	2118.5	12.3	11147.1	64.8
October	3765.9	21.9	14913.0	86.6
November	2201.2	12.8	17114.2	99.4
December	96.9	0.6	17211.1	100.0

(Frequency Missing = 163.3)

**Table 3-85. Estimates of lost-time injuries by severity of the injury for crop operations in the South region of the U.S., 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	16201.8	93.3	16201.8	93.3
Permanent	1172.6	6.7	17374.4	100.0

**Table 3-86. Estimates of lost-time injuries by whether professional medical attention was sought for crop operations in the South region of the U.S., 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1172.6	6.9	1172.6	6.9
Yes	10076.2	59.5	11248.8	66.5
No	5672.1	33.5	16920.9	100.0

(Frequency Missing = 453.5)

**Table 3-87. Estimates of lost-time injuries by body part injured for crop operations in the South region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	889.9	5.1	889.9	5.1
Eye	1301.8	7.5	2191.7	12.6
Chest/trunk	39.0	0.2	2230.7	12.8
Back	3005.2	17.3	5235.9	30.1
Arm/shoulder	736.9	4.2	5972.8	34.4
Finger	1548.8	8.9	7521.6	43.3
Hand/wrist	1623.7	9.3	9145.3	52.6
Leg/knee/hip	6144.4	35.4	15289.7	88.0
Toe	395.6	2.3	15685.3	90.3
Foot	561.9	3.2	16247.2	93.5
Mult. parts	561.7	3.2	16808.9	96.7
Other	565.5	3.3	17374.4	100.0

**Table 3-88. Estimates of lost-time injuries by nature of injury for crop operations in the South region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	926.0	5.4	926.0	5.4
Bruise	1306.0	7.6	2232.0	13.0
Burn	542.0	3.1	2774.0	16.1
Cut	5107.4	29.7	7881.4	45.8
Crush	1059.8	6.2	8941.2	52.0
Fracture	1417.9	8.2	10359.1	60.2
Puncture	1006.2	5.8	11365.3	66.0
Sprain/strain	4472.1	26.0	15837.4	92.0
Mult. injury	657.4	3.8	16494.8	95.8
Other	716.3	4.2	17211.1	100.0

(Frequency Missing = 163.3)

**Table 3-89. Estimates of lost-time injuries by type of event for crop operations in the South region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1946.7	11.2	1946.7	11.2
Caught between	403.0	2.3	2349.7	13.5
Caught under	697.4	4.0	3047.1	17.5
Struck by/against	2566.5	14.8	5613.6	32.3
Struck by falling	1368.1	7.9	6981.7	40.2
Contact sharp obj.	5071.3	29.2	12053.0	69.4
Fall, same level	1165.4	6.7	13218.4	76.1
Fall, elevation	511.0	2.9	13729.4	79.0
Overexertion	2597.9	15.0	16327.3	94.0
Other	1047.1	6.0	17374.4	100.0

**Table 3-90. Estimates of lost-time injuries by activity when worker was injured for crop operations in the South region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	5630.1	32.4	5630.1	32.4
Machine maint.	2522.9	14.5	8153.0	46.9
Field work	4368.3	25.1	12521.3	72.1
Crop handling	2093.7	12.1	14615.0	84.1
Livestock handling	2009.1	11.6	16624.1	95.7
Other	750.3	4.3	17374.4	100.0

**Table 3-91. Estimates of lost-time injuries by source of the injury for crop operations in the South region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1672.6	9.6	1672.6	9.6
Machinery	2637.7	15.2	4310.3	24.8
Livestock	1191.5	6.9	5501.8	31.7
Hand tool	4191.6	24.1	9693.4	55.8
Power tool	1130.8	6.5	10824.2	62.3
Plant/tree	1006.4	5.8	11830.6	68.1
Working surface	835.6	4.8	12666.2	72.9
Truck/auto	221.0	1.3	12887.2	74.2
Other vehicle	39.0	0.2	12926.2	74.4
Other	4448.2	25.6	17374.4	100.0

**Table 3-92. Estimates of lost-time injuries by status of the injured worker for livestock operations in the South region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	20393.7	71.9	20393.7	71.9
Partner/family	1763.3	6.2	22157.0	78.1
Hired labor	5361.8	18.9	27518.8	97.1
Unpaid nonfamily	179.7	0.6	27698.5	97.7
Other	656.4	2.3	28354.9	100.0

(Frequency Missing = 346.2)

**Table 3-93. Estimates of lost-time injuries by gender for livestock operations in the South region of the U.S., 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	25311.3	89.3	25311.3	89.3
Female	3043.6	10.7	28354.9	100.0
(Frequency Missing = 346.2)				

**Table 3-94. Estimates of lost-time injuries by age group for livestock operations in the South region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	477.1	1.7	477.1	1.7
20-29	591.8	2.1	1068.9	3.8
30-39	6704.8	23.6	7773.7	27.4
40-49	2957.7	10.4	10731.4	37.8
50-59	8465.3	29.9	19196.7	67.7
60-69	6623.5	23.4	25820.2	91.1
>=70	2534.7	8.9	28354.9	100.0
(Frequency Missing = 346.2)				

**Table 3-95. Estimates of lost-time injuries by race or ethnic origin for livestock operations in the South region of the U.S., 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	24854.4	88.1	24854.4	88.1
Hispanic	1620.1	5.7	26474.5	93.9
Black	1733.5	6.1	28208.0	100.0
(Frequency Missing = 493.1)				

**Table 3-96. Estimates of lost-time injuries by month for livestock operations in the South region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	529.5	1.9	529.5	1.9
February	167.4	0.6	696.9	2.5
March	3402.6	12.0	4099.5	14.5
April	7360.0	26.0	11459.5	40.4
May	1508.4	5.3	12967.9	45.7
June	1628.9	5.7	14596.8	51.5
July	1302.5	4.6	15899.3	56.1
August	2131.7	7.5	18031.0	63.6
September	3574.4	12.6	21605.4	76.2
October	2783.2	9.8	24388.6	86.0
November	2269.3	8.0	26657.9	94.0
December	1697.0	6.0	28354.9	100.0

(Frequency Missing = 346.2)

**Table 3-97. Estimates of lost-time injuries by severity of the injury for livestock operations in the South region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	26057.4	91.9	26057.4	91.9
Permanent	2239.2	7.9	28296.6	99.8
Fatality	58.3	0.2	28354.9	100.0

(Frequency Missing = 346.2)

**Table 3-98. Estimates of lost-time injuries by whether professional medical attention was sought for livestock operations in the South region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	2408.0	8.5	2408.0	8.5
Yes	22015.0	77.3	24423.0	85.8
No	4042.4	14.2	28465.4	100.0

(Frequency Missing = 235.7)

**Table 3-99. Estimates of lost-time injuries by body part injured for livestock operations in the South region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1966.7	6.9	1966.7	6.9
Eye	56.4	0.2	2023.1	7.1
Chest/trunk	2139.3	7.5	4162.4	14.7
Back	3393.9	12.0	7556.3	26.6
Arm/shoulder	4759.5	16.8	12315.8	43.4
Finger	5837.8	20.6	18153.6	64.0
Hand/wrist	2522.9	8.9	20676.5	72.9
Leg/knee/hip	4479.0	15.8	25155.5	88.7
Foot	223.8	0.8	25379.3	89.5
Mult. parts	1796.3	6.3	27175.6	95.8
Other	1179.3	4.2	28354.9	100.0

(Frequency Missing = 346.2)

**Table 3-100. Estimates of lost-time injuries by nature of injury for livestock operations in the South region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	3845.5	13.6	3845.5	13.6
Burn	477.1	1.7	4322.6	15.2
Cut	3723.6	13.1	8046.2	28.4
Crush	1960.8	6.9	10007.0	35.3
Fracture	6717.4	23.7	16724.4	59.0
Puncture	1618.7	5.7	18343.1	64.7
Sprain/strain	7396.6	26.1	25739.7	90.8
Mult. injury	1608.4	5.7	27348.1	96.4
Other	1006.8	3.6	28354.9	100.0

(Frequency Missing = 346.2)



**Table 3-101. Estimates of lost-time injuries by type of event for livestock operations in the South region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	804.5	2.8	804.5	2.8
Caught between	3538.9	12.5	4343.4	15.3
Caught under	1415.0	5.0	5758.4	20.3
Struck by/against	4474.3	15.8	10232.7	36.1
Struck by falling	702.8	2.5	10935.5	38.6
Struck by flying	1696.7	6.0	12632.2	44.6
Contact sharp obj.	2251.9	7.9	14884.1	52.5
Fall, same level	2000.6	7.1	16884.7	59.5
Fall, elevation	4353.4	15.4	21238.1	74.9
Overexertion	5237.9	18.5	26476.0	93.4
Other	1878.9	6.6	28354.9	100.0

(Frequency Missing = 346.2)

**Table 3-102. Estimates of lost-time injuries by activity when worker was injured for livestock operations in the South region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	7019.2	24.9	7019.2	24.9
Machine maint.	1916.6	6.8	8935.8	31.7
Field work	1125.5	4.0	10061.3	35.7
Crop handling	2958.4	10.5	13019.7	46.2
Livestock handling	14284.0	50.7	27303.7	96.9
Other	883.8	3.1	28187.5	100.0

(Frequency Missing = 513.6)

**Table 3-103. Estimates of lost-time injuries by source of the injury for livestock operations in the South region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	563.1	2.0	563.1	2.0
Machinery	2440.7	8.6	3003.8	10.6
Livestock	7742.7	27.2	10746.5	37.8
Hand tool	2922.9	10.3	13669.4	48.1
Power tool	588.1	2.1	14257.5	50.2
Pesticide/chem.	56.4	0.2	14313.9	50.4
Plant/tree	1857.9	6.5	16171.8	56.9
Working surface	4189.1	14.7	20360.9	71.6
Other vehicle	1846.0	6.5	22206.9	78.1
Other	6216.3	21.9	28423.2	100.0

(Frequency Missing = 277.9)

**Table 3-104. Estimates of lost-time injuries by status of the injured worker for crop operations in the Midwest region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	24611.2	76.6	24611.2	76.6
Partner/family	3408.3	10.6	28019.5	87.2
Hired labor	3637.4	11.3	31656.9	98.5
Unpaid nonfamily	478.2	1.5	32135.1	100.0

(Frequency Missing = 478.2)

**Table 3-105. Estimates of lost-time injuries by gender for crop operations in the Midwest region of the U.S., 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	29185.8	90.8	29185.8	90.8
Female	2949.3	9.2	32135.1	100.0

(Frequency Missing = 478.2)

**Table 3-106. Estimates of lost-time injuries by age group for crop operations in the Midwest region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	2748.5	8.4	2748.5	8.4
20-29	2197.7	6.7	4946.2	15.2
30-39	7457.0	22.9	12403.2	38.0
40-49	6012.6	18.4	18415.8	56.5
50-59	5649.7	17.3	24065.5	73.8
60-69	2860.2	8.8	26925.7	82.6
>=70	5687.6	17.4	32613.3	100.0

**Table 3-107. Estimates of lost-time injuries by race or ethnic origin for crop operations in the Midwest region of the U.S., 1995.**

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	32338.0	99.2	32338.0	99.2
Hispanic	275.3	0.8	32613.3	100.0

**Table 3-108. Estimates of lost-time injuries by month for crop operations in the Midwest region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	1410.8	4.5	1410.8	4.5
March	1324.0	4.2	2734.8	8.7
April	2590.1	8.2	5324.9	16.9
May	2660.7	8.5	7985.6	25.4
June	5220.6	16.6	13206.2	41.9
July	3966.5	12.6	17172.7	54.5
August	5368.1	17.1	22540.8	71.6
September	1700.1	5.4	24240.9	77.0
October	2613.2	8.3	26854.1	85.3
November	2681.5	8.5	29535.6	93.8
December	1948.8	6.2	31484.4	100.0

(Frequency Missing = 1128.9)

**Table 3-109. Estimates of lost-time injuries by severity of the injury for crop operations in the Midwest region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	30883.6	94.7	30883.6	94.7
Permanent	1729.7	5.3	32613.3	100.0

**Table 3-110. Estimates of lost-time injuries by whether professional medical attention was sought for crop operations in the Midwest region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	1729.7	5.3	1729.7	5.3
Yes	26784.1	82.1	28513.8	87.4
No	4099.5	12.6	32613.3	100.0

**Table 3-111. Estimates of lost-time injuries by body part injured for crop operations in the Midwest region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1526.8	4.7	1526.8	4.7
Eye	1103.9	3.4	2630.7	8.1
Chest/trunk	2123.0	6.5	4753.7	14.6
Back	6272.7	19.2	11026.4	33.8
Arm/shoulder	3714.0	11.4	14740.4	45.2
Finger	3428.5	10.5	18168.9	55.7
Hand/wrist	2207.5	6.8	20376.4	62.5
Leg/knee/hip	7236.0	22.2	27612.4	84.7
Toe	281.9	0.9	27894.3	85.5
Foot	2435.7	7.5	30330.0	93.0
Mult. parts	1533.4	4.7	31863.4	97.7
Other	749.9	2.3	32613.3	100.0

**Table 3-112. Estimates of lost-time injuries by nature of injury for crop operations in the Midwest region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	1184.2	3.6	1184.2	3.6
Bruise	2484.9	7.6	3669.1	11.3
Burn	16.2	0.0	3685.3	11.3
Cut	5088.7	15.6	8774.0	26.9
Crush	845.8	2.6	9619.8	29.5
Fracture	4930.3	15.1	14550.1	44.6
Poisoning	221.7	0.7	14771.8	45.3
Puncture	2457.8	7.5	17229.6	52.8
Sprain/strain	12843.9	39.4	30073.5	92.2
Other	2539.8	7.8	32613.3	100.0

**Table 3-113. Estimates of lost-time injuries by type of event for crop operations in the Midwest region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	2844.0	8.7	2844.0	8.7
Caught between	2858.6	8.8	5702.6	17.5
Caught under	1036.0	3.2	6738.6	20.7
Struck by/against	2279.0	7.0	9017.6	27.7
Struck by falling	183.4	0.6	9201.0	28.2
Struck by flying	1078.6	3.3	10279.6	31.5
Contact sharp obj.	3856.9	11.8	14136.5	43.3
Fall, same level	3953.0	12.1	18089.5	55.5
Fall, elevation	7450.0	22.8	25539.5	78.3
Overexertion	4231.1	13.0	29770.6	91.3
Other	2842.7	8.7	32613.3	100.0

**Table 3-114. Estimates of lost-time injuries by activity when worker was injured for crop operations in the Midwest region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	4054.8	12.4	4054.8	12.4
Machine maint.	7892.5	24.2	11947.3	36.6
Field work	3937.8	12.1	15885.1	48.7
Crop handling	7439.9	22.8	23325.0	71.5
Livestock handling	6599.8	20.2	29924.8	91.8
Other	2688.5	8.2	32613.3	100.0

**Table 3-115. Estimates of lost-time injuries by source of the injury for crop operations in the Midwest region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2512.0	7.7	2512.0	7.7
Machinery	8143.4	25.0	10655.4	32.7
Livestock	3949.5	12.1	14604.9	44.8
Hand tool	1784.6	5.5	16389.5	50.3
Power tool	672.9	2.1	17062.4	52.3
Pesticide/chem.	271.7	0.8	17334.1	53.2
Plant/tree	275.3	0.8	17609.4	54.0
Working surface	3852.7	11.8	21462.1	65.8
Truck/auto	478.2	1.5	21940.3	67.3
Other vehicle	1091.3	3.3	23031.6	70.6
Other	9581.7	29.4	32613.3	100.0

**Table 3-116. Estimates of lost-time injuries by status of the injured worker for livestock operations in the Midwest region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	46760.7	82.6	46760.7	82.6
Partner/family	2196.4	3.9	48957.1	86.5
Hired labor	5468.6	9.7	54425.7	96.2
Unpaid nonfamily	2172.8	3.8	56598.5	100.0

**Table 3-117. Estimates of lost-time injuries by gender for livestock operations in the Midwest region of the U.S., 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	47949.5	84.7	47949.5	84.7
Female	8649.0	15.3	56598.5	100.0

**Table 3-118. Estimates of lost-time injuries by age group for livestock operations in the Midwest region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	1725.4	3.0	1725.4	3.0
20-29	3922.8	6.9	5648.2	10.0
30-39	11258.5	19.9	16906.7	29.9
40-49	7231.7	12.8	24138.4	42.6
50-59	16104.4	28.5	40242.8	71.1
60-69	13123.7	23.2	53366.5	94.3
>=70	3232.0	5.7	56598.5	100.0

**Table 3-119. Estimates of lost-time injuries by race or ethnic origin for livestock operations in the Midwest region of the U.S., 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	56598.5	100.0	56598.5	100.0

**Table 3-120. Estimates of lost-time injuries by month for livestock operations in the Midwest region of the U.S., 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	600.0	1.1	600.0	1.1
February	730.4	1.3	1330.4	2.4
March	840.0	1.5	2170.4	3.9
April	420.0	0.8	2590.4	4.7
May	5856.5	10.6	8446.9	15.2
June	8499.4	15.3	16946.3	30.6
July	5657.0	10.2	22603.3	40.8
August	8396.8	15.1	31000.1	55.9
September	4162.8	7.5	35162.9	63.4
October	5126.1	9.2	40289.0	72.7
November	12703.7	22.9	52992.7	95.6
December	2455.4	4.4	55448.1	100.0

(Frequency Missing = 1150.4)

**Table 3-121. Estimates of lost-time injuries by severity of the injury for livestock operations in the Midwest region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	53850.7	95.1	53850.7	95.1
Permanent	575.0	1.0	54425.7	96.2
Fatality	2172.8	3.8	56598.5	100.0

**Table 3-122. Estimates of lost-time injuries by whether professional medical attention was sought for livestock operations in the Midwest region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	2747.8	4.9	2747.8	4.9
Yes	47231.7	83.5	49979.5	88.3
No	6619.0	11.7	56598.5	100.0

**Table 3-123. Estimates of lost-time injuries by body part injured for livestock operations in the Midwest region of the U.S., 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Head/neck	2903.2	5.1	2903.2	5.1
Eye	575.0	1.0	3478.2	6.1
Chest/trunk	4984.8	8.8	8463.0	15.0
Back	10108.1	17.9	18571.1	32.8
Arm/shoulder	4939.0	8.7	23510.1	41.5
Finger	5404.8	9.5	28914.9	51.1
Hand/wrist	5856.1	10.3	34771.0	61.4
Leg/knee/hip	7264.8	12.8	42035.8	74.3
Foot	8071.7	14.3	50107.5	88.5
Mult. parts	3743.2	6.6	53850.7	95.1
Other	2747.8	4.9	56598.5	100.0

**Table 3-124. Estimates of lost-time injuries by nature of injury for livestock operations in the Midwest region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	730.4	1.3	730.4	1.3
Bruise	12224.6	21.6	12955.0	22.9
Burn	575.0	1.0	13530.0	23.9
Cut	3587.8	6.3	17117.8	30.2
Crush	2172.8	3.8	19290.6	34.1
Fracture	15403.3	27.2	34693.9	61.3
Puncture	4419.7	7.8	39113.6	69.1
Sprain/strain	7451.5	13.2	46565.1	82.3
Mult. injury	3743.2	6.6	50308.3	88.9
Other	6290.2	11.1	56598.5	100.0

**Table 3-125. Estimates of lost-time injuries by type of event for livestock operations in the Midwest region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	3387.0	6.0	3387.0	6.0
Caught between	11224.5	19.8	14611.5	25.8
Caught under	3587.8	6.3	18199.3	32.2
Struck by/against	8344.4	14.7	26543.7	46.9
Struck by falling	6399.8	11.3	32943.5	58.2
Contact sharp obj.	7432.5	13.1	40376.0	71.3
Fall, same level	1330.4	2.4	41706.4	73.7
Fall, elevation	4414.1	7.8	46120.5	81.5
Overexertion	3923.2	6.9	50043.7	88.4
Other	6554.8	11.6	56598.5	100.0

**Table 3-126. Estimates of lost-time injuries by activity when worker was injured for livestock operations in the Midwest region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	4698.4	8.3	4698.4	8.3
Machine maint.	4053.6	7.2	8752.0	15.5
Field work	1570.0	2.8	10322.0	18.2
Crop handling	7020.6	12.4	17342.6	30.6
Livestock handling	33075.3	58.4	50417.9	89.1
Other	6180.6	10.9	56598.5	100.0



**Table 3-127. Estimates of lost-time injuries by source of the injury for livestock operations in the Midwest region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	840.0	1.5	840.0	1.5
Machinery	13867.8	24.5	14707.8	26.0
Livestock	19577.4	34.6	34285.2	60.6
Hand tool	420.0	0.7	34705.2	61.3
Power tool	420.0	0.7	35125.2	62.1
Pesticide/chem.	575.0	1.0	35700.2	63.1
Plant/tree	2644.2	4.7	38344.4	67.7
Working surface	3761.2	6.6	42105.6	74.4
Truck/auto	420.0	0.7	42525.6	75.1
Other vehicle	575.0	1.0	43100.6	76.2
Other	13497.9	23.8	56598.5	100.0

**Table 3-128. Estimates of lost-time injuries by status of the injured worker for crop operations in the West region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	3419.3	11.7	3419.3	11.7
Partner/family	65.0	0.2	3484.3	11.9
Hired labor	24721.8	84.6	28206.1	96.6
Other	1006.8	3.4	29212.9	100.0

(Frequency Missing = 489.6)

**Table 3-129. Estimates of lost-time injuries by gender for crop operations in the West region of the U.S., 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	28782.3	98.5	28782.3	98.5
Female	430.6	1.5	29212.9	100.0

(Frequency Missing = 489.6)

**Table 3-130. Estimates of lost-time injuries by age group for crop operations in the West region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	1085.1	3.7	1085.1	3.7
20-29	13042.4	44.6	14127.5	48.4
30-39	5615.7	19.2	19743.2	67.6
40-49	3666.1	12.5	23409.3	80.1
50-59	2711.8	9.3	26121.1	89.4
60-69	2863.8	9.8	28984.9	99.2
>=70	228.0	0.8	29212.9	100.0
(Frequency Missing = 489.6)				

**Table 3-131. Estimates of lost-time injuries by race or ethnic origin for crop operations in the West region of the U.S., 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	3458.9	11.8	3458.9	11.8
Hispanic	24370.0	83.4	27828.9	95.3
Asian	861.3	2.9	28690.2	98.2
Other	522.7	1.8	29212.9	100.0
(Frequency Missing = 489.6)				

**Table 3-132. Estimates of lost-time injuries by month for crop operations in the West region of the U.S., 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1989.6	6.8	1989.6	6.8
February	71.4	0.2	2061.0	7.1
March	1118.2	3.8	3179.2	10.9
April	2158.7	7.4	5337.9	18.3
May	1589.9	5.4	6927.8	23.7
June	63.1	0.2	6990.9	23.9
July	4872.8	16.7	11863.7	40.6
August	10158.7	34.8	22022.4	75.4
September	3020.4	10.3	25042.8	85.7
October	2721.1	9.3	27763.9	95.0
November	1166.7	4.0	28930.6	99.0
December	282.3	1.0	29212.9	100.0
(Frequency Missing = 489.6)				

**Table 3-133. Estimates of lost-time injuries by severity of the injury for crop operations in the West region of the U.S., 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	28213.0	96.6	28213.0	96.6
Permanent	999.9	3.4	29212.9	100.0

(Frequency Missing = 489.6)

**Table 3-134. Estimates of lost-time injuries by whether professional medical attention was sought for crop operations in the West region of the U.S., 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1489.5	5.0	1489.5	5.0
Yes	23875.6	80.6	25365.1	85.6
No	4259.1	14.4	29624.2	100.0

(Frequency Missing = 78.3)

**Table 3-135. Estimates of lost-time injuries by body part injured for crop operations in the West region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1069.9	3.7	1069.9	3.7
Eye	1686.1	5.8	2756.0	9.4
Chest/trunk	928.5	3.2	3684.5	12.6
Back	2517.0	8.6	6201.5	21.2
Arm/shoulder	9473.0	32.4	15674.5	53.7
Finger	3226.7	11.0	18901.2	64.7
Hand/wrist	1514.3	5.2	20415.5	69.9
Leg/knee/hip	4862.2	16.6	25277.7	86.5
Foot	2802.7	9.6	28080.4	96.1
Mult. parts	1132.5	3.9	29212.9	100.0

(Frequency Missing = 489.6)

**Table 3-136. Estimates of lost-time injuries by nature of injury for crop operations in the West region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	132.6	0.5	132.6	0.5
Bruise	5666.5	19.4	5799.1	19.9
Burn	1372.9	4.7	7172.0	24.6
Cut	4075.1	13.9	11247.1	38.5
Crush	152.0	0.5	11399.1	39.0
Fracture	78.3	0.3	11477.4	39.3
Puncture	156.6	0.5	11634.0	39.8
Sprain/strain	14846.4	50.8	26480.4	90.6
Mult. injury	356.0	1.2	26836.4	91.9
Other	2376.5	8.1	29212.9	100.0

(Frequency Missing = 489.6)

**Table 3-137. Estimates of lost-time injuries by type of event for crop operations in the West region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1151.9	3.9	1151.9	3.9
Caught between	1061.1	3.6	2213.0	7.6
Caught under	63.1	0.2	2276.1	7.8
Struck by/against	2158.3	7.4	4434.4	15.2
Struck by falling	2853.7	9.8	7288.1	24.9
Struck by flying	78.3	0.3	7366.4	25.2
Contact sharp obj.	4090.3	14.0	11456.7	39.2
Fall, same level	1935.3	6.6	13392.0	45.8
Fall, elevation	9170.8	31.4	22562.8	77.2
Overexertion	1812.4	6.2	24375.2	83.4
Other	4837.7	16.6	29212.9	100.0

(Frequency Missing = 489.6)

**Table 3-138. Estimates of lost-time injuries by activity when worker was injured for crop operations in the West region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	12156.6	41.6	12156.6	41.6
Machine maint.	1181.3	4.0	13337.9	45.7
Field work	9683.5	33.1	23021.4	78.8
Crop handling	367.5	1.3	23388.9	80.1
Livestock handling	1519.0	5.2	24907.9	85.3
Other	4305.0	14.7	29212.9	100.0

(Frequency Missing = 489.6)

**Table 3-139. Estimates of lost-time injuries by source of the injury for crop operations in the West region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	63.1	0.2	63.1	0.2
Machinery	10686.5	36.6	10749.6	36.8
Livestock	2295.5	7.9	13045.1	44.7
Hand tool	1163.4	4.0	14208.5	48.6
Power tool	2458.0	8.4	16666.5	57.1
Plant/tree	1156.5	4.0	17823.0	61.0
Working surface	3005.2	10.3	20828.2	71.3
Truck/auto	1006.8	3.4	21835.0	74.7
Other vehicle	1006.8	3.4	22841.8	78.2
Other	6371.1	21.8	29212.9	100.0

(Frequency Missing = 489.6)

**Table 3-140. Estimates of lost-time injuries by status of the injured worker for livestock operations in the West region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	6224.9	44.6	6224.9	44.6
Partner/family	363.8	2.6	6588.7	47.2
Hired labor	5036.9	36.1	11625.6	83.3
Unpaid nonfamily	2170.2	15.5	13795.8	98.8
Other	164.5	1.2	13960.3	100.0

(Frequency Missing = 156.3)

**Table 3-141. Estimates of lost-time injuries by gender for livestock operations in the West region of the U.S., 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	11513.2	82.5	11513.2	82.5
Female	2447.1	17.5	13960.3	100.0

(Frequency Missing = 156.3)

**Table 3-142. Estimates of lost-time injuries by age group for livestock operations in the West region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	363.8	2.6	363.8	2.6
20-29	987.2	7.1	1351.0	9.7
30-39	3590.8	25.7	4941.8	35.4
40-49	2152.9	15.4	7094.7	50.8
50-59	5500.1	39.4	12594.8	90.2
60-69	890.6	6.4	13485.4	96.6
>=70	474.9	3.4	13960.3	100.0

(Frequency Missing = 156.3)

**Table 3-143. Estimates of lost-time injuries by race or ethnic origin for livestock operations in the West region of the U.S., 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	9357.0	67.0	9357.0	67.0
Hispanic	4394.5	31.5	13751.5	98.5
Asian	208.8	1.5	13960.3	100.0

(Frequency Missing = 156.3)

**Table 3-144. Estimates of lost-time injuries by month for livestock operations in the West region of the U.S., 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
March	509.7	3.7	509.7	3.7
May	3035.7	21.7	3545.4	25.4
June	857.3	6.1	4402.7	31.5
July	1785.7	12.8	6188.4	44.3
August	2447.1	17.5	8635.5	61.9
September	2151.4	15.4	10786.9	77.3
October	398.6	2.9	11185.5	80.1
November	2334.7	16.7	13520.2	96.8
December	440.1	3.2	13960.3	100.0

(Frequency Missing = 156.3)

**Table 3-145. Estimates of lost-time injuries by severity of the injury for livestock operations in the West region of the U.S., 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	11877.0	85.1	11877.0	85.1
Permanent	2083.3	14.9	13960.3	100.0

(Frequency Missing = 156.3)

**Table 3-146. Estimates of lost-time injuries by whether professional medical attention was sought for livestock operations in the West region of the U.S., 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	2239.6	15.9	2239.6	15.9
Yes	8148.5	57.7	10388.1	73.6
No	3728.5	26.4	14116.6	100.0

**Table 3-147. Estimates of lost-time injuries by body part injured for livestock operations in the West region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2741.3	19.6	2741.3	19.6
Eye	111.1	0.8	2852.4	20.4
Chest/trunk	1116.9	8.0	3969.3	28.4
Back	1084.7	7.8	5054.0	36.2
Arm/shoulder	398.6	2.9	5452.6	39.1
Finger	1116.9	8.0	6569.5	47.1
Hand/wrist	2298.8	16.5	8868.3	63.5
Leg/knee/hip	2741.3	19.6	11609.6	83.2
Foot	2186.2	15.7	13795.8	98.8
Mult. parts	164.5	1.2	13960.3	100.0

(Frequency Missing = 156.3)

**Table 3-148. Estimates of lost-time injuries by nature of injury for livestock operations in the West region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	1904.8	13.6	1904.8	13.6
Burn	199.3	1.4	2104.1	15.1
Cut	2920.5	20.9	5024.6	36.0
Fracture	2887.2	20.7	7911.8	56.7
Puncture	104.4	0.7	8016.2	57.4
Sprain/strain	5779.6	41.4	13795.8	98.8
Mult. injury	164.5	1.2	13960.3	100.0

(Frequency Missing = 156.3)

**Table 3-149. Estimates of lost-time injuries by type of event for livestock operations in the West region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	787.9	5.6	787.9	5.6
Caught between	787.9	5.6	1575.8	11.3
Caught under	68.1	0.5	1643.9	11.8
Struck by/against	1079.5	7.7	2723.4	19.5
Struck by falling	2247.8	16.1	4971.2	35.6
Struck by flying	199.3	1.4	5170.5	37.0
Contact sharp obj.	2352.2	16.8	7522.7	53.9
Fall, same level	2447.1	17.5	9969.8	71.4
Fall, elevation	493.5	3.5	10463.3	75.0
Overexertion	885.4	6.3	11348.7	81.3
Other	2611.6	18.7	13960.3	100.0

(Frequency Missing = 156.3)

**Table 3-150. Estimates of lost-time injuries by activity when worker was injured for livestock operations in the West region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2516.7	18.0	2516.7	18.0
Machine maint.	952.4	6.8	3469.1	24.8
Crop handling	2135.4	15.3	5604.5	40.1
Livestock handling	5369.6	38.5	10974.1	78.6
Other	2986.2	21.4	13960.3	100.0

(Frequency Missing = 156.3)

**Table 3-151. Estimates of lost-time injuries by source of the injury for livestock operations in the West region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	1621.2	11.6	1621.2	11.6
Livestock	2922.5	20.9	4543.7	32.5
Hand tool	2083.3	14.9	6627.0	47.5
Power tool	164.5	1.2	6791.5	48.6
Plant/tree	34.8	0.2	6826.3	48.9
Truck/auto	164.5	1.2	6990.8	50.1
Other vehicle	363.8	2.6	7354.6	52.7
Other	6605.7	47.3	13960.3	100.0

(Frequency Missing = 156.3)



**Table 3-152. Estimates of lost-time injuries by farm type for family workers in the Northeast region of the U.S., 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	1194.8	12.2	1194.8	12.2
Field crops	3093.4	31.5	4288.2	43.7
Vegetable, fruit, nuts	302.7	3.1	4590.9	46.8
Nursery	18.6	0.2	4609.5	47.0
Beef, hogs, sheep	1228.5	12.5	5838.0	59.5
Poultry	375.0	3.8	6213.0	63.3
Dairy	2426.7	24.7	8639.7	88.0
Other	1175.6	12.0	9815.3	100.0

**Table 3-153. Estimates of lost-time injuries by gender for family workers in the Northeast region of the U.S., 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	8496.0	86.6	8496.0	86.6
Female	1319.3	13.4	9815.3	100.0

**Table 3-154. Estimates of lost-time injuries by age group for family workers in the Northeast region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	707.7	7.4	707.7	7.4
20-29	1469.3	15.4	2177.0	22.7
30-39	773.4	8.1	2950.4	30.8
40-49	2033.6	21.2	4984.0	52.1
50-59	1084.7	11.3	6068.7	63.4
60-69	2893.0	30.2	8961.7	93.6
>=70	609.8	6.4	9571.5	100.0

(Frequency Missing = 243.8)

**Table 3-155. Estimates of lost-time injuries by race or ethnic origin for family workers in the Northeast region of the U.S., 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	9809.1	100.0	9809.1	100.0

(Frequency Missing = 6.2)

**Table 3-156. Estimates of lost-time injuries by month for family workers in the Northeast region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	252.9	2.7	252.9	2.7
February	303.1	3.2	556.0	6.0
March	787.3	8.4	1343.3	14.4
April	716.2	7.7	2059.5	22.1
June	1949.5	20.9	4009.0	43.0
July	2273.5	24.4	6282.5	67.4
August	514.3	5.5	6796.8	72.9
September	259.1	2.8	7055.9	75.6
October	913.0	9.8	7968.9	85.4
November	804.5	8.6	8773.4	94.1
December	554.3	5.9	9327.7	100.0

(Frequency Missing = 487.6)

**Table 3-157. Estimates of lost-time injuries by severity of the injury for family workers in the Northeast region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	8567.7	87.3	8567.7	87.3
Permanent	1003.8	10.2	9571.5	97.5
Fatality	243.8	2.5	9815.3	100.0

**Table 3-158. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the Northeast region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	1247.6	12.7	1247.6	12.7
Yes	7383.1	75.2	8630.7	87.9
No	1184.6	12.1	9815.3	100.0

**Table 3-159. Estimates of lost-time injuries by body part injured for family workers in the Northeast region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	252.9	2.6	252.9	2.6
Eye	1157.5	11.8	1410.4	14.4
Chest/trunk	502.9	5.1	1913.3	19.5
Back	1269.1	12.9	3182.4	32.4
Arm/shoulder	498.6	5.1	3681.0	37.5
Finger	1418.8	14.5	5099.8	52.0
Hand/wrist	752.4	7.7	5852.2	59.6
Leg/knee/hip	564.5	5.8	6416.7	65.4
Toe	251.9	2.6	6668.6	67.9
Foot	2358.5	24.0	9027.1	92.0
Mult. parts	788.2	8.0	9815.3	100.0

**Table 3-160. Estimates of lost-time injuries by nature of injury for family workers in the Northeast region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	438.4	4.5	438.4	4.5
Bruise	1701.9	17.3	2140.3	21.8
Burn	252.9	2.6	2393.2	24.4
Cut	901.3	9.2	3294.5	33.6
Crush	1843.7	18.8	5138.2	52.3
Fracture	1992.3	20.3	7130.5	72.6
Puncture	1352.1	13.8	8482.6	86.4
Sprain/strain	1029.6	10.5	9512.2	96.9
Mult. injury	252.9	2.6	9765.1	99.5
Other	50.2	0.5	9815.3	100.0

**Table 3-161. Estimates of lost-time injuries by type of event for family workers in the Northeast region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	1002.5	10.2	1002.5	10.2
Caught under	2297.4	23.4	3299.9	33.6
Struck by/against	1052.8	10.7	4352.7	44.3
Struck by falling	744.3	7.6	5097.0	51.9
Struck by flying	1410.4	14.4	6507.4	66.3
Contact sharp obj.	591.1	6.0	7098.5	72.3
Fall, same level	498.6	5.1	7597.1	77.4
Fall, elevation	751.5	7.7	8348.6	85.1
Overexertion	768.2	7.8	9116.8	92.9
Other	698.5	7.1	9815.3	100.0

**Table 3-162. Estimates of lost-time injuries by activity when worker was injured for family workers in the Northeast region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1949.3	20.4	1949.3	20.4
Machine maint.	1754.9	18.3	3704.2	38.7
Field work	1902.7	19.9	5606.9	58.6
Crop handling	1630.6	17.0	7237.5	75.6
Livestock handling	1176.2	12.3	8413.7	87.9
Other	1157.8	12.1	9571.5	100.0

(Frequency Missing = 243.8)

**Table 3-163. Estimates of lost-time injuries by source of the injury for family workers in the Northeast region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2251.6	22.9	2251.6	22.9
Machinery	1317.8	13.4	3569.4	36.4
Livestock	856.5	8.7	4425.9	45.1
Hand tool	2101.1	21.4	6527.0	66.5
Plant/tree	302.1	3.1	6829.1	69.6
Working surface	498.6	5.1	7327.7	74.7
Truck/auto	493.3	5.0	7821.0	79.7
Other vehicle	252.9	2.6	8073.9	82.3
Liquids	252.9	2.6	8326.8	84.8
Other	1488.5	15.2	9815.3	100.0

**Table 3-164. Estimates of lost-time injuries by farm type for hired workers in the Northeast region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	11.4	0.2	11.4	0.2
Vegetable, fruit, nuts	504.3	8.4	515.7	8.6
Nursery	3612.1	60.2	4127.8	68.8
Dairy	1314.7	21.9	5442.5	90.8
Other	554.4	9.2	5996.9	100.0

**Table 3-165. Estimates of lost-time injuries by gender for hired workers in the Northeast region of the U.S., 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	5696.5	95.0	5696.5	95.0
Female	300.4	5.0	5996.9	100.0

**Table 3-166. Estimates of lost-time injuries by age group for hired workers in the Northeast region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	309.5	5.2	309.5	5.2
20-29	4900.4	81.7	5209.9	86.9
30-39	566.8	9.5	5776.7	96.3
40-49	69.0	1.2	5845.7	97.5
50-59	100.8	1.7	5946.5	99.2
>=70	50.4	0.8	5996.9	100.0

**Table 3-167. Estimates of lost-time injuries by race or ethnic origin for hired workers in the Northeast region of the U.S., 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	5867.3	97.8	5867.3	97.8
Hispanic	123.4	2.1	5990.7	99.9
Other	6.2	0.1	5996.9	100.0

**Table 3-168. Estimates of lost-time injuries by month for hired workers in the Northeast region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
March	314.7	5.2	314.7	5.2
April	505.8	8.4	820.5	13.7
May	496.7	8.3	1317.2	22.0
June	201.9	3.4	1519.1	25.3
July	3865.8	64.5	5384.9	89.8
August	163.4	2.7	5548.3	92.5
September	69.0	1.2	5617.3	93.7
October	6.2	0.1	5623.5	93.8
November	367.2	6.1	5990.7	99.9
December	6.2	0.1	5996.9	100.0

**Table 3-169. Estimates of lost-time injuries by severity of the injury for hired workers in the Northeast region of the U.S., 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	5753.1	95.9	5753.1	95.9
Permanent	243.8	4.1	5996.9	100.0

**Table 3-170. Estimates of lost-time injuries by whether professional medical attention was sought for hired workers in the Northeast region of the U.S., 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknow	243.8	4.1	243.8	4.1
Yes	5746.9	95.9	5990.7	100.0

(Frequency Missing = 6.2)

**Table 3-171. Estimates of lost-time injuries by body part injured for hired workers in the Northeast region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	50.4	0.8	50.4	0.8
Eye	502.1	8.4	552.5	9.2
Chest/trunk	66.8	1.1	619.3	10.3
Back	319.0	5.3	938.3	15.6
Arm/shoulder	518.2	8.6	1456.5	24.3
Finger	3713.7	61.9	5170.2	86.2
Hand/wrist	303.3	5.1	5473.5	91.3
Leg/knee/hip	264.3	4.4	5737.8	95.7
Foot	259.1	4.3	5996.9	100.0

**Table 3-172. Estimates of lost-time injuries by nature of injury for hired workers in the Northeast region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	356.0	5.9	356.0	5.9
Cut	4124.3	68.8	4480.3	74.7
Crush	303.3	5.1	4783.6	79.8
Fracture	252.9	4.2	5036.5	84.0
Sprain/strai	904.0	15.1	5940.5	99.1
Other	56.4	0.9	5996.9	100.0

**Table 3-173. Estimates of lost-time injuries by type of event for hired workers in the Northeast region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	252.9	4.2	252.9	4.2
Caught between	3916.2	65.3	4169.1	69.5
Struck by/against	243.8	4.1	4412.9	73.6
Struck by falling	243.8	4.1	4656.7	77.7
Contact sharp obj.	561.8	9.4	5218.5	87.0
Fall, same level	303.3	5.1	5521.8	92.1
Fall, elevation	327.1	5.5	5848.9	97.5
Overexertion	85.4	1.4	5934.3	99.0
Other	62.6	1.0	5996.9	100.0

**Table 3-174. Estimates of lost-time injuries by activity when worker was injured for hired workers in the Northeast region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	426.7	7.1	426.7	7.1
Machine maint.	516.6	8.6	943.3	15.7
Field work	547.1	9.1	1490.4	24.9
Crop handling	113.2	1.9	1603.6	26.7
Livestock handling	496.7	8.3	2100.3	35.0
Other	3896.6	65.0	5996.9	100.0

**Table 3-175. Estimates of lost-time injuries by source of the injury for hired workers in the Northeast region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	624.2	10.4	624.2	10.4
Livestock	243.8	4.1	868	14.5
Hand tool	50.4	0.8	918.4	15.3
Power tool	252.9	4.2	1171.3	19.5
Pesticide/chem.	12.4	0.2	1183.7	19.7
Plant/tree	300.2	5.0	1483.9	24.7
Working surface	359.9	6.0	1843.8	30.7
Truck/auto	50.4	0.8	1894.2	31.6
Liquids	252.9	4.2	2147.1	35.8
Other	3849.8	64.2	5996.9	100.0

**Table 3-176. Estimates of lost-time injuries by farm type for family workers in the South region of the U.S., 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	2307.7	6.6	2307.7	6.6
Field crops	3889.7	11.2	6197.4	17.8
Vegetable, fruit, nuts	1585.8	4.6	7783.2	22.3
Nursery	385.0	1.1	8168.2	23.5
Beef, hogs, sheep	19707.5	56.6	27875.7	80.0
Poultry	1376.2	4.0	29251.9	84.0
Dairy	1073.3	3.1	30325.2	87.1
Other	4503.4	12.9	34828.6	100.0

**Table 3-177. Estimates of lost-time injuries by gender for family workers in the South region of the U.S., 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	29929.1	85.9	29929.1	85.9
Female	4899.5	14.1	34828.6	100.0

**Table 3-178. Estimates of lost-time injuries by age group for family workers in the South region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	947.0	2.0	947.0	2.7
20-29	734.6	2.1	1681.6	4.8
30-39	9674.5	27.8	11356.1	32.6
40-49	5518.4	15.8	16874.5	48.5
50-59	7599.5	21.8	24474.0	70.3
60-69	6481.7	18.6	30955.7	88.9
>=70	3872.9	11.1	34828.6	100.0

**Table 3-179. Estimates of lost-time injuries by race or ethnic origin for family workers in the South region of the U.S., 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	33864.6	97.6	33864.6	97.6
Black	817.1	2.4	34681.7	100.0

(Frequency Missing = 146.9)



**Table 3-180. Estimates of lost-time injuries by month for family workers in the South region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	730.6	2.1	730.6	2.1
February	167.4	0.5	898.0	2.6
March	2900.9	8.3	3798.9	10.9
April	7229.5	20.8	11028.4	31.7
May	2470.5	7.1	13498.9	38.8
June	1736.2	5.0	15235.1	43.7
July	3096.1	8.9	18331.2	52.6
August	2169.4	6.2	20500.6	58.9
September	3467.1	10.0	23967.7	68.8
October	6188.9	17.8	30156.6	86.6
November	2878.1	8.3	33034.7	94.8
December	1793.9	5.2	34828.6	100.0

**Table 3-181. Estimates of lost-time injuries by severity of the injury for family workers in the South region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	31358.5	90.0	31358.5	90.0
Permanent	3411.8	9.8	34770.3	99.8
Fatality	58.3	0.2	34828.6	100.0

**Table 3-182. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the South region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	3470.1	10.0	3470.1	10.0
Yes	23532.6	67.7	27002.7	77.7
No	7768.0	22.3	34770.7	100.0

(Frequency Missing = 57.9)

**Table 3-183. Estimates of lost-time injuries by body part injured for family workers in the South region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2527.1	7.3	2527.1	7.3
Eye	816.2	2.3	3343.3	9.6
Chest/trunk	2178.3	6.3	5521.6	15.9
Back	4141.6	11.9	9663.2	27.7
Arm/shoulder	3276.4	9.4	12939.6	37.2
Finger	5383.3	15.5	18322.9	52.6
Hand/wrist	2695.2	7.7	21018.1	60.3
Leg/knee/hip	9301.1	26.7	30319.2	87.1
Foot	464.9	1.3	30784.1	88.4
Mult. parts	2358.0	6.8	33142.1	95.2
Other	1686.5	4.8	34828.6	100.0

**Table 3-184. Estimates of lost-time injuries by nature of injury for family workers in the South region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	926.0	2.7	926.0	2.7
Bruise	2684.8	7.7	3610.8	10.4
Burn	420.7	1.2	4031.5	11.6
Cut	6850.0	19.7	10881.5	31.3
Crush	2204.3	6.3	13085.8	37.6
Fracture	7274.7	20.9	20360.5	58.5
Puncture	2082.9	6.0	22443.4	64.4
Sprain/strain	8690.3	25.0	31133.7	89.4
Mult. injury	2265.8	6.5	33399.5	95.9
Other	1429.1	4.1	34828.6	100.0

**Table 3-185. Estimates of lost-time injuries by type of event for family workers in the South region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1711.6	4.9	1711.6	4.9
Caught between	3423.9	9.8	5135.5	14.7
Caught under	2112.4	6.1	7247.9	20.8
Struck by/against	5135.8	14.7	12383.7	35.6
Struck by falling	879.2	2.5	13262.9	38.1
Struck by flying	1696.7	4.9	14959.6	43.0
Contact sharp obj.	5154.6	14.8	20114.2	57.8
Fall, same level	1757.6	5.0	21871.8	62.8
Fall, elevation	4382.5	12.6	26254.3	75.4
Overexertion	7024.6	20.2	33278.9	95.6
Other	1549.7	4.4	34828.6	100.0

**Table 3-186. Estimates of lost-time injuries by activity when worker was injured for family workers in the South region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	10994	31.7	10994	31.7
Machine maint.	3356.5	9.7	14350.5	41.4
Field work	3767.6	10.9	18118.1	52.3
Crop handling	3658.7	10.6	21776.8	62.8
Livestock handling	11965.1	34.5	33741.9	97.3
Other	919.3	2.7	34661.2	100.0

(Frequency Missing = 167.4)

**Table 3-187. Estimates of lost-time injuries by source of the injury for family workers in the South region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1453.7	4.2	1453.7	4.2
Machinery	3636.6	10.5	5090.3	14.7
Livestock	6901.8	19.9	11992.1	34.6
Hand tool	5867.9	16.9	17860.0	51.5
Power tool	902.6	2.6	18762.6	54.1
Pesticide/chem.	56.4	0.2	18819.0	54.3
Plant/tree	2408.0	6.9	21227.0	61.2
Working surface	3628.2	10.5	24855.2	71.7
Truck/auto	221.0	0.6	25076.2	72.3
Other vehicle	1846.0	5.3	26922.2	77.7
Other	7739.0	22.3	34661.2	100.0

(Frequency Missing = 167.4)

**Table 3-188. Estimates of lost-time injuries by farm type for hired workers in the South region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	1383.8	13.6	1383.8	13.6
Field crops	275.8	2.7	1659.6	16.3
Vegetable, fruit, nuts	2203.8	21.6	3863.4	37.9
Nursery	599.3	5.9	4462.7	43.7
Beef, hogs, sheep	4988.7	48.9	9451.4	92.6
Dairy	552.8	5.4	10004.2	98.0
Other	201.1	2.0	10205.3	100.0

**Table 3-189. Estimates of lost-time injuries by gender for hired workers in the South region of the U.S., 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	9484.6	92.9	9484.6	92.9
Female	720.7	7.1	10205.3	100.0

**Table 3-190. Estimates of lost-time injuries by age group for hired workers in the South region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	459.7	4.5	459.7	4.5
20-29	1417.8	13.9	1877.5	18.4
30-39	2647.3	25.9	4524.8	44.3
40-49	2620.1	25.7	7144.9	70.0
50-59	2399.6	23.5	9544.5	93.5
60-69	660.8	6.5	10205.3	100.0

**Table 3-191. Estimates of lost-time injuries by race or ethnic origin for hired workers in the South region of the U.S., 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	6129.8	60.1	6129.8	60.1
Hispanic	3178	31.1	9307.8	91.2
Black	897.5	8.8	10205.3	100.0

**Table 3-192. Estimates of lost-time injuries by month for hired workers in the South region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	339.8	3.4	339.8	3.4
March	1064.6	10.6	1404.4	14.0
April	2026.2	20.2	3430.6	34.2
May	634	6.3	4064.6	40.5
June	270.7	2.7	4335.3	43.2
July	944.3	9.4	5279.6	52.6
August	584	5.8	5863.6	58.4
September	2225.8	22.2	8089.4	80.6
October	360.2	3.6	8449.6	84.1
November	1592.4	15.9	10042	100.0

(Frequency Missing = 163.3)

**Table 3-193. Estimates of lost-time injuries by severity of the injury for hired workers in the South region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	10205.3	100.0	10205.3	100.0

**Table 3-194. Estimates of lost-time injuries by whether professional medical attention was sought for hired workers in the South region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Yes	7902.2	80.6	7902.2	80.6
No	1907.5	19.4	9809.7	100.0
(Frequency Missing = 395.6)				

**Table 3-195. Estimates of lost-time injuries by body part injured for hired workers in the South region of the U.S., 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Head/neck	329.5	3.2	329.5	3.2
Eye	542.0	5.3	871.5	8.5
Back	2257.5	22.1	3129.0	30.7
Arm/shoulder	2220.0	21.8	5349.0	52.4
Finger	1582.6	15.5	6931.6	67.9
Hand/wrist	1215.7	11.9	8147.3	79.8
Leg/knee/hip	1322.3	13.0	9469.6	92.8
Toe	395.6	3.9	9865.2	96.7
Foot	281.8	2.8	10147.0	99.4
Other	58.3	0.6	10205.3	100.0

**Table 3-196. Estimates of lost-time injuries by nature of injury for hired workers in the South region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	2466.7	24.6	2466.7	24.6
Burn	598.4	6.0	3065.1	30.5
Cut	1745.3	17.4	4810.4	47.9
Crush	816.3	8.1	5626.7	56.0
Fracture	439.9	4.4	6066.6	60.4
Puncture	542.0	5.4	6608.6	65.8
Sprain/strain	3139.4	31.3	9748.0	97.1
Other	294.0	2.9	10042.0	100.0

(Frequency Missing = 163.3)

**Table 3-197. Estimates of lost-time injuries by type of event for hired workers in the South region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	579.9	5.7	579.9	5.7
Caught between	518.0	5.1	1097.9	10.8
Struck by/against	1905.0	18.7	3002.9	29.4
Struck by falling	1191.7	11.7	4194.6	41.1
Contact sharp obj.	1932.9	18.9	6127.5	60.0
Fall, same level	1408.4	13.8	7535.9	73.8
Fall, elevation	481.9	4.7	8017.8	78.6
Overexertion	811.2	7.9	8829.0	86.5
Other	1376.3	13.5	10205.3	100.0

**Table 3-198. Estimates of lost-time injuries by activity when worker was injured for hired workers in the South region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1234.6	12.1	1234.6	12.1
Machine maint.	1083.0	10.6	2317.6	22.7
Field work	1687.2	16.5	4004.8	39.2
Crop handling	1393.4	13.7	5398.2	52.9
Livestock handling	4092.3	40.1	9490.5	93.0
Other	714.8	7.0	10205.3	100.0

**Table 3-199. Estimates of lost-time injuries by source of the injury for hired workers in the South region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	782.0	7.7	782.0	7.7
Machinery	1021.1	10.0	1803.1	17.7
Livestock	1561.0	15.3	3364.1	33.0
Hand tool	1246.6	12.2	4610.7	45.2
Power tool	816.3	8.0	5427.0	53.2
Plant/tree	456.3	4.5	5883.3	57.6
Working surface	1396.5	13.7	7279.8	71.3
Other	2925.5	28.7	10205.3	100.0

**Table 3-200. Estimates of lost-time injuries by farm type for family workers in the Midwest region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	23545.6	30.6	23545.6	30.6
Field crops	2699.1	3.5	26244.7	34.1
Vegetable, fruit, nuts	16.2	0.0	26260.9	34.1
Nursery	221.7	0.3	26482.6	34.4
Beef, hogs, sheep	41069.5	53.4	67552.1	87.8
Dairy	7887.6	10.2	75439.7	98.0
Other	1536.9	2.0	76976.6	100.0

**Table 3-201. Estimates of lost-time injuries by gender for family workers in the Midwest region of the U.S., 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	65378.3	84.9	65378.3	84.9
Female	11598.3	15.1	76976.6	100.0

**Table 3-202. Estimates of lost-time injuries by age group for family workers in the Midwest region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	2556.9	3.3	2556.9	3.3
20-29	3069.1	4.0	5626.0	7.3
30-39	17410.1	22.6	23036.1	29.9
40-49	13244.3	17.2	36280.4	47.1
50-59	18155.6	23.6	54436.0	70.7
60-69	14449.6	18.8	68885.6	89.5
>=70	8091.0	10.5	76976.6	100.0

**Table 3-203. Estimates of lost-time injuries by race or ethnic origin for family workers in the Midwest region of the U.S., 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	76976.6	100.0	76976.6	100.0

**Table 3-204. Estimates of lost-time injuries by month for family workers in the Midwest region of the U.S., 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	600.0	0.8	600.0	0.8
February	2141.2	2.8	2741.2	3.6
March	1744.0	2.3	4485.2	5.9
April	3010.1	4.0	7495.3	9.9
May	6069.1	8.0	13564.4	18.0
June	12666.8	16.8	26231.2	34.8
July	8247.1	10.9	34478.3	45.7
August	11867.5	15.7	46345.8	61.4
September	5442.9	7.2	51788.7	68.7
October	4737.9	6.3	56526.6	74.9
November	15227.3	20.2	71753.9	95.1
December	3673.8	4.9	75427.7	100.0

(Frequency Missing = 1548.9)

**Table 3-205. Estimates of lost-time injuries by severity of the injury for family workers in the Midwest region of the U.S., 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	72499.1	94.2	72499.1	94.2
Permanent	2304.7	3.0	74803.8	97.2
Fatality	2172.8	2.8	76976.6	100.0

**Table 3-206. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the Midwest region of the U.S., 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	4477.5	5.8	4477.5	5.8
Yes	63087.4	82.0	67564.9	87.8
No	9411.7	12.2	76976.6	100.0



**Table 3-207. Estimates of lost-time injuries by body part injured for family workers in the Midwest region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	3424.3	4.4	3424.3	4.4
Eye	1678.9	2.2	5103.2	6.6
Chest/trunk	7107.8	9.2	12211.0	15.9
Back	15132.2	19.7	27343.2	35.5
Arm/shoulder	7441.9	9.7	34785.1	45.2
Finger	6182.3	8.0	40967.4	53.2
Hand/wrist	8063.6	10.5	49031.0	63.7
Leg/knee/hip	12843.6	16.7	61874.6	80.4
Toe	91.7	0.1	61966.3	80.5
Foot	9609.2	12.5	71575.5	93.0
Mult. parts	4126.2	5.4	75701.7	98.3
Other	1274.9	1.7	76976.6	100.0

**Table 3-208. Estimates of lost-time injuries by nature of injury for family workers in the Midwest region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	1184.2	1.5	1184.2	1.5
Bruise	14099.3	18.3	15283.5	19.9
Burn	16.2	0.0	15299.7	19.9
Cut	7720.1	10.0	23019.8	29.9
Crush	3018.6	3.9	26038.4	33.8
Fracture	18002.9	23.4	44041.3	57.2
Poisoning	221.7	0.3	44263.0	57.5
Puncture	5353.6	7.0	49616.6	64.5
Sprain/strain	18160.0	23.6	67776.6	88.0
Mult. injury	2592.8	3.4	70369.4	91.4
Other	6607.2	8.6	76976.6	100.0

**Table 3-209. Estimates of lost-time injuries by type of event for family workers in the Midwest region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	5116.7	6.6	5116.7	6.6
Caught between	11432.1	14.9	16548.8	21.5
Caught under	4433.6	5.8	20982.4	27.3
Struck by/against	9893.0	12.9	30875.4	40.1
Struck by falling	6163.2	8.0	37038.6	48.1
Struck by flying	1078.6	1.4	38117.2	49.5
Contact sharp obj.	9190.5	11.9	47307.7	61.5
Fall, same level	4454.8	5.8	51762.5	67.2
Fall, elevation	10713.7	13.9	62476.2	81.2
Overexertion	8104.3	10.5	70580.5	91.7
Other	6396.1	8.3	76976.6	100.0

**Table 3-210. Estimates of lost-time injuries by activity when worker was injured for family workers in the Midwest region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	7855.0	10.2	7855.0	10.2
Machine maint.	9751.0	12.7	17606.0	22.9
Field work	3569.1	4.6	21175.1	27.5
Crop handling	13730.1	17.8	34905.2	45.3
Livestock handling	36673.7	47.6	71578.9	93.0
Other	5397.7	7.0	76976.6	100.0

**Table 3-211. Estimates of lost-time injuries by source of the injury for family workers in the Midwest region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2354.1	3.1	2354.1	3.1
Machinery	18629.8	24.2	20983.9	27.3
Livestock	22698.3	29.5	43682.2	56.7
Hand tool	1376.0	1.8	45058.2	58.5
Power tool	1092.9	1.4	46151.1	60.0
Pesticide/chem.	796.7	1.0	46947.8	61.0
Plant/tree	2919.5	3.8	49867.3	64.8
Working surface	6308.5	8.2	56175.8	73.0
Truck/auto	898.2	1.2	57074.0	74.1
Other vehicle	997.9	1.3	58071.9	75.4
Other	18904.7	24.6	76976.6	100.0

**Table 3-212. Estimates of lost-time injuries by farm type for hired workers in the Midwest region of the U.S., 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	3442.2	29.3	3442.2	29.3
Field crops	275.3	2.3	3717.5	31.6
Vegetable, fruit, nuts	157.9	1.3	3875.4	33.0
Nursery	50.0	0.4	3925.4	33.4
Beef, hogs, sheep	5605.6	47.7	9531.0	81.1
Dairy	2035.8	17.3	11566.8	98.4
Other	190.2	1.6	11757.0	100.0

**Table 3-213. Estimates of lost-time injuries by gender for hired workers in the Midwest region of the U.S., 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	11757	100.0	11757	100.0

**Table 3-214. Estimates of lost-time injuries by age group for hired workers in the Midwest region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	1917.0	12.2	1917.0	16.3
20-29	3051.4	26.0	4968.4	42.3
30-39	1305.4	11.1	6273.8	53.4
50-59	3598.5	30.6	9872.3	84.0
60-69	1056.1	9.0	10928.4	93.0
>=70	828.6	7.0	11757.0	100.0

**Table 3-215. Estimates of lost-time injuries by race or ethnic origin for hired workers in the Midwest region of the U.S., 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	11481.7	97.7	11481.7	97.7
Hispanic	275.3	2.3	11757.0	100.0

**Table 3-216. Estimates of lost-time injuries by month for hired workers in the Midwest region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
March	420.0	3.8	420.0	3.8
May	2448.1	22.2	2868.1	26.0
June	575.0	5.2	3443.1	31.2
July	1376.4	12.5	4819.5	43.7
August	1897.4	17.2	6716.9	60.9
September	420.0	3.8	7136.9	64.7
October	3001.4	27.2	10138.3	91.9
November	157.9	1.4	10296.2	93.4
December	730.4	6.6	11026.6	100.0

(Frequency Missing = 730.4)

**Table 3-217. Estimates of lost-time injuries by severity of the injury for hired workers in the Midwest region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	11757	100.0	11757.0	100.0

**Table 3-218. Estimates of lost-time injuries by whether professional medical attention was sought for hired workers in the Midwest region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Yes	10928.4	93.0	10928.4	93.0
No	828.6	7.0	11757.0	100.0

**Table 3-219. Estimates of lost-time injuries by body part injured for hired workers in the Midwest region of the U.S., 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Head/neck	1005.7	8.6	1005.7	8.6
Back	1248.6	10.6	2254.3	19.2
Arm/shoulder	1211.1	10.3	3465.4	29.5
Finger	2651.0	22.5	6116.4	52.0
Leg/knee/hip	1657.2	14.1	7773.6	66.1
Toe	190.2	1.6	7963.8	67.7
Foot	420.0	3.6	8383.8	71.3
Mult. parts	1150.4	9.8	9534.2	81.1
Other	2222.8	18.9	11757.0	100.0

**Table 3-220. Estimates of lost-time injuries by nature of injury for hired workers in the Midwest region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	730.4	6.2	730.4	6.2
Bruise	610.2	5.2	1340.6	11.4
Burn	575.0	4.9	1915.6	16.3
Cut	956.4	8.1	2872.0	24.4
Fracture	2330.7	19.8	5202.7	44.3
Puncture	1523.9	13.0	6726.6	57.2
Sprain/strain	1657.2	14.1	8383.8	71.3
Mult. injury	1150.4	9.8	9534.2	81.1
Other	2222.8	18.9	11757.0	100.0

**Table 3-221. Estimates of lost-time injuries by type of event for hired workers in the Midwest region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	636.1	5.4	636.1	5.4
Caught between	2651.0	22.5	3287.1	28.0
Caught under	190.2	1.6	3477.3	29.6
Struck by/against	730.4	6.2	4207.7	35.8
Struck by falling	420.0	3.6	4627.7	39.4
Contact sharp obj.	2098.9	17.9	6726.6	57.2
Fall, same level	828.6	7.0	7555.2	64.3
Fall, elevation	1150.4	9.8	8705.6	74.0
Overexertion	50.0	0.4	8755.6	74.5
Other	3001.4	25.5	11757.0	100.0

**Table 3-222. Estimates of lost-time injuries by activity when worker was injured for hired workers in the Midwest region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	898.2	7.6	898.2	7.6
Machine maint.	2195.1	18.7	3093.3	26.3
Field work	1460.5	12.4	4553.8	38.7
Crop handling	730.4	6.2	5284.2	44.9
Livestock handling	3001.4	25.5	8285.6	70.5
Other	3471.4	29.5	11757.0	100.0

**Table 3-223. Estimates of lost-time injuries by source of the injury for hired workers in the Midwest region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	997.9	8.5	997.9	8.5
Machinery	3381.4	28.8	4379.3	37.2
Livestock	828.6	7.0	5207.9	44.3
Hand tool	828.6	7.0	6036.5	51.3
Pesticide/chem.	50.0	0.4	6086.5	51.8
Working surface	1305.4	11.1	7391.9	62.9
Other vehicle	190.2	1.6	7582.1	64.5
Other	4174.9	35.5	11757.0	100.0

**Table 3-224. Estimates of lost-time injuries by farm type for family workers in the West region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	126.2	1.3	126.2	1.3
Field crops	456.0	4.5	582.2	5.8
Vegetable, fruit, nuts	2694.3	26.7	3276.5	32.5
Beef, hogs, sheep	6444.3	64.0	9720.8	96.5
Dairy	144.4	1.4	9865.2	97.9
Other	207.8	2.1	10073.0	100.0

**Table 3-225. Estimates of lost-time injuries by gender for family workers in the West region of the U.S., 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	9435.2	93.7	9435.2	93.7
Female	637.8	6.3	10073.0	100.0

**Table 3-226. Estimates of lost-time injuries by age group for family workers in the West region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	329.0	3.3	329.0	3.3
20-29	349.0	3.5	678.0	6.7
30-39	875.8	8.7	1553.8	15.4
40-49	2646.4	26.3	4200.2	41.7
50-59	2751.3	27.3	6951.5	69.0
60-69	2496.9	24.8	9448.4	93.8
>=70	624.6	6.2	10073.0	100.0

**Table 3-227. Estimates of lost-time injuries by race or ethnic origin for family workers in the West region of the U.S., 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	9033.3	89.7	9033.3	89.7
Hispanic	308.9	3.1	9342.2	92.7
Asian	730.8	7.3	10073.0	100.0

**Table 3-228. Estimates of lost-time injuries by month for family workers in the West region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
March	618.2	6.1	618.2	6.1
April	301.7	3.0	919.9	9.1
May	3228.8	32.1	4148.7	41.2
June	857.3	8.5	5006.0	49.7
July	1323.3	13.1	6329.3	62.8
August	403.8	4.0	6733.1	66.8
September	189.9	1.9	6923.0	68.7
October	234.1	2.3	7157.1	71.1
November	2326.1	23.1	9483.2	94.1
December	589.8	5.9	10073.0	100.0

**Table 3-229. Estimates of lost-time injuries by severity of the injury for family workers in the West region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	7989.7	79.3	7989.7	79.3
Permanent	2083.3	20.7	10073.0	100.0

**Table 3-230. Estimates of lost-time injuries by whether professional medical attention was sought for family workers in the West region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	2083.3	20.7	2083.3	20.7
Yes	2585.9	25.7	4669.2	46.4
No	5403.8	53.6	10073.0	100.0

**Table 3-231. Estimates of lost-time injuries by body part injured for family workers in the West region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2576.8	25.6	2576.8	25.6
Eye	313.2	3.1	2890.0	28.7
Chest/trunk	164.5	1.6	3054.5	30.3
Back	603.4	6.0	3657.9	36.3
Arm/shoulder	732.8	7.3	4390.7	43.6
Finger	394.8	3.9	4785.5	47.5
Hand/wrist	3255.6	32.3	8041.1	79.8
Leg/knee/hip	1649.6	16.4	9690.7	96.2
Foot	146.4	1.5	9837.1	97.7
Mult. parts	235.9	2.3	10073.0	100.0

**Table 3-232. Estimates of lost-time injuries by nature of injury for family workers in the West region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	1335.8	13.3	1335.8	13.3
Burn	34.8	0.3	1370.6	13.6
Cut	3714.8	36.9	5085.4	50.5
Crush	152.0	1.5	5237.4	52.0
Fracture	2687.9	26.7	7925.3	78.7
Puncture	69.6	0.7	7994.9	79.4
Sprain/strain	1170.7	11.6	9165.6	91.0
Mult. injury	387.9	3.9	9553.5	94.8
Other	519.5	5.2	10073.0	100.0

**Table 3-233. Estimates of lost-time injuries by type of event for family workers in the West region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	223.4	2.2	223.4	2.2
Caught under	96.4	1.0	319.8	3.2
Struck by/against	1697.6	16.9	2017.4	20.0
Struck by falling	2326.1	23.1	4343.5	43.1
Struck by flying	277.6	2.8	4621.1	45.9
Contact sharp obj.	3387.3	33.6	8008.4	79.5
Fall, same level	363.8	3.6	8372.2	83.1
Fall, elevation	716.9	7.1	9089.1	90.2
Overexertion	584.5	5.8	9673.6	96.0
Other	399.4	4.0	10073.0	100.0



**Table 3-234. Estimates of lost-time injuries by activity when worker was injured for family workers in the West region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	3640.9	36.1	3640.9	36.1
Field work	313.2	3.1	3954.1	39.3
Crop handling	2318.2	23.0	6272.3	62.3
Livestock handling	3409.8	33.9	9682.1	96.1
Other	390.9	3.9	10073.0	100.0

**Table 3-235. Estimates of lost-time injuries by source of the injury for family workers in the West region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	63.1	0.6	63.1	0.6
Machinery	152.0	1.5	215.1	2.1
Livestock	2928.8	29.1	3143.9	31.2
Hand tool	2161.6	21.5	5305.5	52.7
Power tool	1171.3	11.6	6476.8	64.3
Plant/tree	106.2	1.1	6583.0	65.4
Working surface	219.7	2.2	6802.7	67.5
Other vehicle	329.0	3.3	7131.7	70.8
Other	2941.3	29.2	10073.0	100.0

**Table 3-236. Estimates of lost-time injuries by farm type for hired workers in the West region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	951.9	3.0	951.9	3.0
Field crops	1714.3	5.4	2666.2	8.4
Vegetable, fruit, nuts	12883.8	40.4	15550.0	48.7
Nursery	9029.0	28.3	24579.0	77.0
Beef, hogs, sheep	4634.8	14.5	29213.8	91.5
Poultry	885.4	2.8	30099.2	94.3
Dairy	1686.9	5.3	31786.1	99.6
Other	142.8	0.4	31928.9	100.0

**Table 3-237. Estimates of lost-time injuries by farm type for hired workers in the West region of the U.S., 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	29767.3	93.2	29767.3	93.2
Female	2161.6	6.8	31928.9	100.0

**Table 3-238. Estimates of lost-time injuries by age group for hired workers in the West region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	1041.6	3.3	1041.6	3.3
20-29	12752.1	39.9	13793.7	43.2
30-39	8330.7	26.1	22124.4	69.3
40-49	3172.6	9.9	25297.0	79.2
50-59	5460.6	17.1	30757.6	96.3
60-69	1093.0	3.4	31850.6	99.8
>=70	78.3	0.2	31928.9	100.0

**Table 3-239. Estimates of lost-time injuries by race or ethnic origin for hired workers in the West region of the U.S., 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	3618.1	11.3	3618.1	11.3
Hispanic	27527.1	86.2	31145.2	97.5
Asian	339.3	1.1	31484.5	98.6
Other	444.4	1.4	31928.9	100.0

**Table 3-240. Estimates of lost-time injuries by month for hired workers in the West region of the U.S., 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1989.6	6.2	1989.6	6.2
February	71.4	0.2	2061.0	6.5
March	1009.7	3.2	3070.7	9.6
April	1857.0	5.8	4927.7	15.4
May	1232.3	3.9	6160.0	19.3
June	63.1	0.2	6223.1	19.5
July	5335.2	16.7	11558.3	36.2
August	11273.5	35.3	22831.8	71.5
September	4981.9	15.6	27813.7	87.1
October	2807.3	8.8	30621.0	95.9
November	1175.3	3.7	31796.3	99.6
December	132.6	0.4	31928.9	100.0

**Table 3-241. Estimates of lost-time injuries by severity of the injury for hired workers in the West region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	30929.0	96.9	30929.0	96.9
Permanent	999.9	3.1	31928.9	100.0

**Table 3-242. Estimates of lost-time injuries by whether professional medical attention was sought for hired workers in the West region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	999.9	3.1	999.9	3.1
Yes	28266.9	88.7	29266.8	91.9
No	2583.8	8.1	31850.6	100.0
	(Frequency Missing = 78.3)			

**Table 3-243. Estimates of lost-time injuries by body part injured for hired workers in the West region of the U.S., 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Head/neck	1234.4	3.9	1234.4	3.9
Eye	1484.0	4.6	2718.4	8.5
Chest/trunk	787.9	2.5	3506.3	11.0
Back	2998.3	9.4	6504.6	20.4
Arm/shoulder	9138.8	28.6	15643.4	49.0
Finger	3870.5	12.1	19513.9	61.1
Hand/wrist	557.5	1.7	20071.4	62.9
Leg/knee/hip	5953.9	18.6	26025.3	81.5
Foot	4842.5	15.2	30867.8	96.7
Mult. parts	1061.1	3.3	31928.9	100.0

**Table 3-244. Estimates of lost-time injuries by nature of injury for hired workers in the West region of the U.S., 1995.**

Nature of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	132.6	0.4	132.6	0.4
Bruise	6235.5	19.5	6368.1	19.9
Burn	1537.4	4.8	7905.5	24.8
Cut	3202.5	10.0	11108.0	34.8
Fracture	113.1	0.4	11221.1	35.1
Puncture	191.4	0.6	11412.5	35.7
Sprain/strain	18526.8	58.0	29939.3	93.8
Mult. injury	132.6	0.4	30071.9	94.2
Other	1857.0	5.8	31928.9	100.0

**Table 3-245. Estimates of lost-time injuries by type of event for hired workers in the West region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1716.4	5.4	1716.4	5.4
Caught between	1849.0	5.8	3565.4	11.2
Caught under	34.8	0.1	3600.2	11.3
Struck by/against	1540.2	4.8	5140.4	16.1
Struck by falling	2775.4	8.7	7915.8	24.8
Contact sharp obj.	2976.9	9.3	10892.7	34.1
Fall, same level	4018.6	12.6	14911.3	46.7
Fall, elevation	8947.4	28.0	23858.7	74.7
Overexertion	1184.8	3.7	25043.5	78.4
Other	6885.4	21.6	31928.9	100.0

**Table 3-246. Estimates of lost-time injuries by activity when worker was injured for hired workers in the West region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	11032.4	34.6	11032.4	34.6
Machine maint.	2133.7	6.7	13166.1	41.2
Field work	8441.8	26.4	21607.9	67.7
Crop handling	184.7	0.6	21792.6	68.3
Livestock handling	3314.3	10.4	25106.9	78.6
Other	6822.0	21.4	31928.9	100.0

**Table 3-247. Estimates of lost-time injuries by source of the injury for hired workers in the West region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	12155.7	38.1	12155.7	38.1
Livestock	2124.7	6.7	14280.4	44.7
Hand tool	1085.1	3.4	15365.5	48.1
Power tool	1372.9	4.3	16738.4	52.4
Plant/tree	1085.1	3.4	17823.5	55.8
Working surface	2785.5	8.7	20609.0	64.5
Truck/auto	1171.3	3.7	21780.3	68.2
Other vehicle	1041.6	3.3	22821.9	71.5
Other	9107.0	28.5	31928.9	100.0

**Table 3-248. Estimates of lost-time injuries by farm type for male workers in the Northeast region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	1206.2	8.5	1206.2	8.5
Field crops	3093.4	21.7	4299.6	30.2
Vegetable, fruit, nuts	807.0	5.7	5106.6	35.9
Nursery	3618.3	25.4	8724.9	61.3
Beef, hogs, sheep	1228.5	8.6	9953.4	69.9
Poultry	375.0	2.6	10328.4	72.5
Dairy	2982.7	20.9	13311.1	93.5
Other	931.8	6.5	14242.9	100.0

**Table 3-249. Estimates of lost-time injuries by status of the injured worker for male workers in the Northeast region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	8184.2	57.5	8184.2	57.5
Partner/family	311.8	2.2	8496.0	59.7
Hired labor	5140.3	36.1	13636.3	95.7
Unpaid nonfamily	556.2	3.9	14192.5	99.6
Other	50.4	0.4	14242.9	100.0

**Table 3-250. Estimates of lost-time injuries by age group for male workers in the Northeast region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	1017.2	7.3	1017.2	7.3
20-29	6059.1	43.3	7076.3	50.5
30-39	828.2	5.9	7904.5	56.5
40-49	1608.8	11.5	9513.3	68.0
50-59	1135.1	8.1	10648.4	76.1
60-69	2640.1	18.9	13288.5	94.9
>=70	710.6	5.1	13999.1	100.0

(Frequency Missing = 243.8)

**Table 3-251. Estimates of lost-time injuries by race or ethnic origin for male workers in the Northeast region of the U.S., 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	14107.1	99.1	14107.1	99.1
Hispanic	123.4	0.9	14230.5	100.0
Other	6.2	0.0	14236.7	100.0

(Frequency Missing = 6.2)

**Table 3-252. Estimates of lost-time injuries by month for male workers in the Northeast region of the U.S., 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	252.9	1.8	252.9	1.8
February	303.1	2.2	556.0	4.0
March	1051.6	7.5	1607.6	11.5
April	1155.2	8.3	2762.8	19.7
May	252.9	1.8	3015.7	21.5
June	2151.4	15.4	5167.1	36.9
July	5880.2	42.0	11047.3	78.9
August	677.7	4.8	11725.0	83.8
September	75.2	0.5	11800.2	84.3
October	675.4	4.8	12475.6	89.1
November	918.8	6.6	13394.4	95.7
December	604.7	4.3	13999.1	100.0

(Frequency Missing = 243.8)

**Table 3-253. Estimates of lost-time injuries by severity of the injury for male workers in the Northeast region of the U.S., 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	13255.5	93.1	13255.5	93.1
Permanent	743.6	5.2	13999.1	98.3
Fatality	243.8	1.7	14242.9	100.0

**Table 3-254. Estimates of lost-time injuries by whether professional medical attention was sought for male workers in the Northeast region of the U.S., 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	987.4	6.9	987.4	6.9
Yes	12308.5	86.5	13295.9	93.4
No	940.8	6.6	14236.7	100.0

(Frequency Missing = 6.2)

**Table 3-255. Estimates of lost-time injuries by body part injured for male workers in the Northeast region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	50.4	0.4	50.4	0.4
Eye	1653.4	11.6	1703.8	12.0
Chest/trunk	73.0	0.5	1776.8	12.5
Back	1277.5	9.0	3054.3	21.4
Arm/shoulder	1016.8	7.1	4071.1	28.6
Finger	4838.3	34.0	8909.4	62.6
Hand/wrist	1106.1	7.8	10015.5	70.3
Leg/knee/hip	828.8	5.8	10844.3	76.1
Toe	245.7	1.7	11090.0	77.9
Foot	2364.7	16.6	13454.7	94.5
Mult. parts	788.2	5.5	14242.9	100.0

**Table 3-256. Estimates of lost-time injuries by nature of injury for male workers in the Northeast region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	245.0	1.7	245.0	1.7
Bruise	2007.5	14.1	2252.5	15.8
Burn	252.9	1.8	2505.4	17.6
Cut	4772.7	33.5	7278.1	51.1
Crush	1903.2	13.4	9181.3	64.5
Fracture	1666.4	11.7	10847.7	76.2
Puncture	1352.1	9.5	12199.8	85.7
Sprain/strain	1689.8	11.9	13889.6	97.5
Mult. injury	252.9	1.8	14142.5	99.3
Other	100.4	0.7	14242.9	100.0

**Table 3-257. Estimates of lost-time injuries by type of event for male workers in the Northeast region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	303.3	2.1	303.3	2.1
Caught between	4624.5	32.5	4927.8	34.6
Caught under	2297.4	16.1	7225.2	50.7
Struck by/against	986.0	6.9	8211.2	57.7
Struck by falling	744.3	5.2	8955.5	62.9
Struck by flying	1157.5	8.1	10113.0	71.0
Contact sharp obj.	1152.9	8.1	11265.9	79.1
Fall, same level	549.0	3.9	11814.9	83.0
Fall, elevation	825.7	5.8	12640.6	88.8
Overexertion	853.6	6.0	13494.2	94.7
Other	748.7	5.3	14242.9	100.0

**Table 3-258. Estimates of lost-time injuries by activity when worker was injured for male workers in the Northeast region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2123.1	15.2	2123.1	15.2
Machine maint.	2271.5	16.2	4394.6	31.4
Field work	2500.2	17.9	6894.8	49.3
Crop handling	1693.4	12.1	8588.2	61.3
Livestock handling	615.6	4.4	9203.8	65.7
Other	4795.3	34.3	13999.1	100.0

(Frequency Missing = 243.8)



**Table 3-259. Estimates of lost-time injuries by source of the injury for male workers in the Northeast region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2251.6	15.8	2251.6	15.8
Machinery	1942.0	13.6	4193.6	29.4
Livestock	295.9	2.1	4489.5	31.5
Hand tool	1898.6	13.3	6388.1	44.9
Power tool	252.9	1.8	6641.0	46.6
Pesticide/chem.	6.2	0.0	6647.2	46.7
Plant/tree	602.3	4.2	7249.5	50.9
Working surface	605.6	4.3	7855.1	55.2
Truck/auto	543.7	3.8	8398.8	59.0
Other vehicle	252.9	1.8	8651.7	60.7
Liquids	252.9	1.8	8904.6	62.5
Other	5338.3	37.5	14242.9	100.0

**Table 3-260. Estimates of lost-time injuries by farm type for female workers in the Northeast region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Vegetable, fruit, nuts	50.4	3.1	50.4	3.1
Nursery	12.4	0.8	62.8	3.9
Dairy	758.7	46.8	821.5	50.7
Other	798.2	49.3	1619.7	100.0

**Table 3-261. Estimates of lost-time injuries by status of the injured worker for female workers in the Northeast region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	807.3	49.8	807.3	49.8
Partner/family	512.0	31.6	1319.3	81.5
Hired labor	300.4	18.5	1619.7	100.0

**Table 3-262. Estimates of lost-time injuries by age group for female workers in the Northeast region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20-29	310.6	19.2	310.6	19.2
30-39	512.0	31.6	822.6	50.8
40-49	493.8	30.5	1316.4	81.3
50-59	50.4	3.1	1366.8	84.4
60-69	252.9	15.6	1619.7	100.0

**Table 3-263. Estimates of lost-time injuries by race or ethnic origin for female workers in the Northeast region of the U.S., 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	1619.7	100.0	1619.7	100.0

**Table 3-264. Estimates of lost-time injuries by month for female workers in the Northeast region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
March	50.4	3.7	50.4	3.7
April	66.8	4.9	117.2	8.5
May	243.8	17.7	361.0	26.2
July	259.1	18.8	620.1	45.1
September	252.9	18.4	873.0	63.4
October	243.8	17.7	1116.8	81.2
November	252.9	18.4	1369.7	99.5
December	6.2	0.5	1375.9	100.0

(Frequency Missing = 243.8)

**Table 3-265. Estimates of lost-time injuries by severity of the injury for female workers in the Northeast region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	1065.3	65.8	1065.3	65.8
Permanent	554.4	34.2	1619.7	100.0

**Table 3-266. Estimates of lost-time injuries by whether professional medical attention was sought for female workers in the Northeast region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	554.4	34.2	554.4	34.2
Yes	821.5	50.7	1375.9	84.9
No	243.8	15.1	1619.7	100.0

**Table 3-267. Estimates of lost-time injuries by body part injured for female workers in the Northeast region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	252.9	15.6	252.9	15.6
Eye	6.2	0.4	259.1	16.0
Chest/trunk	496.7	30.7	755.8	46.7
Back	310.6	19.2	1066.4	65.8
Finger	294.2	18.2	1360.6	84.0
Toe	6.2	0.4	1366.8	84.4
Foot	252.9	15.6	1619.7	100.0

**Table 3-268. Estimates of lost-time injuries by nature of injury for female workers in the Northeast region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	243.8	15.1	243.8	15.1
Bruise	50.4	3.1	294.2	18.2
Cut	252.9	15.6	547.1	33.8
Crush	243.8	15.1	790.9	48.8
Fracture	578.8	35.7	1369.7	84.6
Sprain/strain	243.8	15.1	1613.5	99.6
Other	6.2	0.4	1619.7	100.0

**Table 3-269. Estimates of lost-time injuries by type of event for female workers in the Northeast region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	294.2	18.2	294.2	18.2
Struck by/against	310.6	19.2	604.8	37.3
Struck by falling	243.8	15.1	848.6	52.4
Struck by flying	252.9	15.6	1101.5	68.0
Fall, same level	252.9	15.6	1354.4	83.6
Fall, elevation	252.9	15.6	1607.3	99.2
Other	12.4	0.8	1619.7	100.0

**Table 3-270. Estimates of lost-time injuries by activity when worker was injured for female workers in the Northeast region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	252.9	15.6	252.9	15.6
Crop handling	50.4	3.1	303.3	18.7
Livestock handling	1057.3	65.3	1360.6	84.0
Other	259.1	16.0	1619.7	100.0

**Table 3-271. Estimates of lost-time injuries by source of the injury for female workers in the Northeast region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	50.4	3.1	50.4	3.1
Livestock	804.4	49.7	854.8	52.8
Hand tool	252.9	15.6	1107.7	68.4
Pesticide/chem.	6.2	0.4	1113.9	68.8
Working surface	252.9	15.6	1366.8	84.4
Liquids	252.9	15.6	1619.7	100.0

**Table 3-272. Estimates of lost-time injuries by farm type for male workers in the South region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	3411.4	8.5	3411.4	8.5
Field crops	2935.8	7.3	6347.2	15.8
Vegetable, fruit, nuts	3789.6	9.5	10136.8	25.3
Nursery	385.0	1.0	10521.8	26.3
Beef, hogs, sheep	22430.4	56.0	32952.2	82.2
Poultry	1376.2	3.4	34328.4	85.7
Dairy	1504.7	3.8	35833.1	89.4
Other	4237.0	10.6	40070.1	100.0

**Table 3-273. Estimates of lost-time injuries by status of the injured worker for male workers in the South region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	28122.0	70.2	28122.0	70.2
Partner/family	1807.1	4.5	29929.1	74.7
Hired labor	9268.8	23.1	39197.9	97.8
Unpaid nonfamily	215.8	0.5	39413.7	98.4
Other	656.4	1.6	40070.1	100.0

**Table 3-274. Estimates of lost-time injuries by age group for male workers in the South region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	939.2	2.3	939.2	2.3
20-29	1938.1	4.8	2877.3	7.2
30-39	12506.8	31.2	15384.1	38.4
40-49	6419.9	16.0	21804.0	54.4
50-59	8505.8	21.2	30309.8	75.6
60-69	5837.6	14.6	36147.4	90.2
>=70	3922.7	9.8	40070.1	100.0

**Table 3-275. Estimates of lost-time injuries by race or ethnic origin for male workers in the South region of the U.S., 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	34845.6	87.3	34845.6	87.3
Hispanic	3178.0	8.0	38023.6	95.2
Black	1899.6	4.8	39923.2	100.0

(Frequency Missing = 146.9)

**Table 3-276. Estimates of lost-time injuries by month for male workers in the South region of the U.S., 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	494.9	1.2	494.9	1.2
February	507.2	1.3	1002.1	2.5
March	3597.6	9.0	4599.7	11.5
April	8191.1	20.5	12790.8	32.1
May	3104.5	7.8	15895.3	39.8
June	2213.3	5.5	18108.6	45.4
July	3482.2	8.7	21590.8	54.1
August	2753.4	6.9	24344.2	61.0
September	3710.0	9.3	28054.2	70.3
October	6133.9	15.4	34188.1	85.7
November	3924.8	9.8	38112.9	95.5
December	1793.9	4.5	39906.8	100.0

(Frequency Missing = 163.3)

**Table 3-277. Estimates of lost-time injuries by severity of the injury for male workers in the South region of the U.S., 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	36835.7	91.9	36835.7	91.9
Permanent	3176.1	7.9	40011.8	99.9
Fatality	58.3	0.1	40070.1	100.0

**Table 3-278. Estimates of lost-time injuries by whether professional medical attention was sought for male workers in the South region of the U.S., 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	3234.4	8.2	3234.4	8.2
Yes	26706.7	67.4	29941.1	75.6
No	9675.5	24.4	39616.6	100.0

(Frequency Missing = 453.5)

**Table 3-279. Estimates of lost-time injuries by body part injured for male workers in the South region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2709.7	6.8	2709.7	6.8
Eye	1358.2	3.4	4067.9	10.2
Chest/trunk	2178.3	5.4	6246.2	15.6
Back	5663.5	14.1	11909.7	29.7
Arm/shoulder	4252.1	10.6	16161.8	40.3
Finger	6932.1	17.3	23093.9	57.6
Hand/wrist	3701.2	9.2	26795.1	66.9
Leg/knee/hip	9517.6	23.8	36312.7	90.6
Toe	395.6	1.0	36708.3	91.6
Foot	505.6	1.3	37213.9	92.9
Mult. parts	1111.4	2.8	38325.3	95.6
Other	1744.8	4.4	40070.1	100.0

**Table 3-280. Estimates of lost-time injuries by nature of injury for male workers in the South region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	926.0	2.3	926.0	2.3
Bruise	4584.5	11.5	5510.5	13.8
Burn	1019.1	2.6	6529.6	16.4
Cut	8177.6	20.5	14707.2	36.9
Crush	2779.5	7.0	17486.7	43.8
Fracture	7694.4	19.3	25181.1	63.1
Puncture	2103.0	5.3	27284.1	68.4
Sprain/strain	9698.4	24.3	36982.5	92.7
Mult. injury	1201.2	3.0	38183.7	95.7
Other	1723.1	4.3	39906.8	100.0

(Frequency Missing = 163.3)

**Table 3-281. Estimates of lost-time injuries by type of event for male workers in the South region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	2551.5	6.4	2551.5	6.4
Caught between	3701.6	9.2	6253.1	15.6
Caught under	1871.3	4.7	8124.4	20.3
Struck by/against	6255.6	15.6	14380.0	35.9
Struck by falling	2070.9	5.2	16450.9	41.1
Struck by flying	1696.7	4.2	18147.6	45.3
Contact sharp obj.	6855.7	17.1	25003.3	62.4
Fall, same level	3166.0	7.9	28169.3	70.3
Fall, elevation	4272.1	10.7	32441.4	81.0
Overexertion	4849.6	12.1	37291.0	93.1
Other	2779.1	6.9	40070.1	100.0

**Table 3-282. Estimates of lost-time injuries by activity when worker was injured for male workers in the South region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	11799.2	29.6	11799.2	29.6
Machine maint.	4381.2	11.0	16180.4	40.5
Field work	4871.0	12.2	21051.4	52.8
Crop handling	2715.5	6.8	23766.9	59.6
Livestock handling	14716.0	36.9	38482.9	96.4
Other	1419.8	3.6	39902.7	100.0

(Frequency Missing = 167.4)

**Table 3-283. Estimates of lost-time injuries by source of the injury for male workers in the South region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1768.2	4.4	1768.2	4.4
Machinery	4859.4	12.2	6627.6	16.6
Livestock	8283.3	20.8	14910.9	37.4
Hand tool	7114.5	17.8	22025.4	55.2
Power tool	1718.9	4.3	23744.3	59.5
Pesticide/chem.	56.4	0.1	23800.7	59.6
Plant/tree	2864.3	7.2	26665.0	66.8
Working surface	3300.4	8.3	29965.4	75.1
Other vehicle	1846.0	4.6	31811.4	79.7
Other	8091.3	20.3	39902.7	100.0

(Frequency Missing = 167.4)

**Table 3-284. Estimates of lost-time injuries by farm type for female workers in the South region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	280.1	5.0	280.1	5.0
Field crops	1229.7	21.9	1509.8	26.9
Nursery	599.3	10.7	2109.1	37.5
Beef,hogs,sheep	2922.2	52.0	5031.3	89.5
Dairy	121.4	2.2	5152.7	91.7
Other	467.5	8.3	5620.2	100.0

**Table 3-285. Estimates of lost-time injuries by status of the injured worker for female workers in the South region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	3741.8	66.6	3741.8	66.6
Partner/family	1157.7	20.6	4899.5	87.2
Hired labor	599.3	10.7	5498.8	97.8
Unpaid nonfamily	121.4	2.2	5620.2	100.0



**Table 3-286. Estimates of lost-time injuries by age group for female workers in the South region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	467.5	8.3	467.5	8.3
20-29	214.3	3.8	681.8	12.1
30-39	235.7	4.2	917.5	16.3
40-49	1718.6	30.6	2636.1	46.9
50-59	1493.3	26.6	4129.4	73.5
60-69	1304.9	23.2	5434.3	96.7
>=70	185.9	3.3	5620.2	100.0

**Table 3-287. Estimates of lost-time injuries by race or ethnic origin for female workers in the South region of the U.S., 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	5384.5	95.8	5384.5	95.8
Black	235.7	4.2	5620.2	100.0

**Table 3-288. Estimates of lost-time injuries by month for female workers in the South region of the U.S., 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	235.7	4.2	235.7	4.2
March	367.9	6.5	603.6	10.7
April	1064.6	18.9	1668.2	29.7
June	214.3	3.8	1882.5	33.5
July	793.9	14.1	2676.4	47.6
September	1982.9	35.3	4659.3	82.9
October	415.2	7.4	5074.5	90.3
November	545.7	9.7	5620.2	100.0

**Table 3-289. Estimates of lost-time injuries by severity of the injury for female workers in the South region of the U.S., 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	5384.5	95.8	5384.5	95.8
Permanent	235.7	4.2	5620.2	100.0

**Table 3-290. Estimates of lost-time injuries by whether professional medical attention was sought for female workers in the South region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	235.7	4.2	235.7	4.2
Yes	5384.5	95.8	5620.2	100.0

**Table 3-291. Estimates of lost-time injuries by body part injured for female workers in the South region of the U.S., 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Head/neck	146.9	2.6	146.9	2.6
Back	735.6	13.1	882.5	15.7
Arm/shoulder	1244.3	22.1	2126.8	37.8
Finger	454.5	8.1	2581.3	45.9
Hand/wrist	445.4	7.9	3026.7	53.9
Leg/knee/hip	1105.8	19.7	4132.5	73.5
Foot	241.1	4.3	4373.6	77.8
Mult. parts	1246.6	22.2	5620.2	100.0

**Table 3-292. Estimates of lost-time injuries by nature of injury for female workers in the South region of the U.S., 1995.**

<u>Nature of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Bruise	567.0	10.1	567.0	10.1
Cut	653.4	11.6	1220.4	21.7
Crush	241.1	4.3	1461.5	26.0
Fracture	440.9	7.8	1902.4	33.8
Puncture	521.9	9.3	2424.3	43.1
Sprain/strain	2131.3	37.9	4555.6	81.1
Mult. injury	1064.6	18.9	5620.2	100.0

**Table 3-293. Estimates of lost-time injuries by type of event for female workers in the South region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	160.7	2.9	160.7	2.9
Caught between	240.3	4.3	401.0	7.1
Caught under	241.1	4.3	642.1	11.4
Struck by/against	785.2	14.0	1427.3	25.4
Contact sharp obj.	467.5	8.3	1894.8	33.7
Fall, elevation	592.3	10.5	2487.1	44.3
Overexertion	2986.2	53.1	5473.3	97.4
Other	146.9	2.6	5620.2	100.0

**Table 3-294. Estimates of lost-time injuries by activity when worker was injured for female workers in the South region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	850.1	15.1	850.1	15.1
Machine maint.	58.3	1.0	908.4	16.2
Field work	583.8	10.4	1492.2	26.6
Crop handling	2336.6	41.6	3828.8	68.1
Livestock handling	1577.1	28.1	5405.9	96.2
Other	214.3	3.8	5620.2	100.0

**Table 3-295. Estimates of lost-time injuries by source of the injury for female workers in the South region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	467.5	8.3	467.5	8.3
Machinery	219.0	3.9	686.5	12.2
Livestock	415.2	7.4	1101.7	19.6
Working surface	1724.3	30.7	2826.0	50.3
Truck/auto	221.0	3.9	3047.0	54.2
Other	2573.2	45.8	5620.2	100.0

**Table 3-296. Estimates of lost-time injuries by farm type for male workers in the Midwest region of the U.S., 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	24146.4	31.3	24146.4	31.3
Field crops	2882.7	3.7	27029.1	35.0
Vegetable, fruit, nuts	157.9	0.2	27187.0	35.2
Nursery	271.7	0.4	27458.7	35.6
Beef, hogs, sheep	39097.5	50.7	66556.2	86.3
Dairy	8852.0	11.5	75408.2	97.8
Other	1727.1	2.2	77135.3	100.0

**Table 3-297. Estimates of lost-time injuries by status of the injured worker for male workers in the Midwest region of the U.S., 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	60261.2	78.1	60261.2	78.1
Partner/family	5117.1	6.6	65378.3	84.8
Hired labor	9106.0	11.8	74484.3	96.6
Unpaid nonfamily	2651.0	3.4	77135.3	100.0

**Table 3-298. Estimates of lost-time injuries by age group for male workers in the Midwest region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	3645.3	4.7	3645.3	4.7
20-29	6120.5	7.9	9765.8	12.7
30-39	17695.5	22.9	27461.3	35.6
40-49	11944.3	15.5	39405.6	51.1
50-59	18783.6	24.4	58189.2	75.4
60-69	10504.7	13.6	68693.9	89.1
>=70	8441.4	10.9	77135.3	100.0

**Table 3-299. Estimates of lost-time injuries by race or ethnic origin for male workers in the Midwest region of the U.S., 1995.**

<u>Race/Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	76860.0	99.6	76860.0	99.6
Hispanic	275.3	0.4	77135.3	100.0

**Table 3-300. Estimates of lost-time injuries by month for male workers in the Midwest region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	2049.5	2.7	2049.5	2.7
March	1685.8	2.3	3735.3	5.0
April	2304.1	3.1	6039.4	8.1
May	8517.2	11.4	14556.6	19.4
June	11584.6	15.5	26141.2	34.9
July	4806.5	6.4	30947.7	41.3
August	10936.7	14.6	41884.4	56.0
September	5862.9	7.8	47747.3	63.8
October	7739.3	10.3	55486.6	74.1
November	14965.2	20.0	70451.8	94.1
December	4404.2	5.9	74856.0	100.0

(Frequency Missing = 2279.3)

**Table 3-301. Estimates of lost-time injuries by severity of the injury for male workers in the Midwest region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	72657.8	94.2	72657.8	94.2
Permanent	2304.7	3.0	74962.5	97.2
Fatality	2172.8	2.8	77135.3	100.0

**Table 3-302. Estimates of lost-time injuries by whether professional medical attention was sought for male workers in the Midwest region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	4477.5	5.8	4477.5	5.8
Yes	62417.5	80.9	66895.0	86.7
No	10240.3	13.3	77135.3	100.0

**Table 3-303. Estimates of lost-time injuries by body part injured for male workers in the Midwest region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	4430.0	5.7	4430.0	5.7
Eye	1678.9	2.2	6108.9	7.9
Chest/trunk	7107.8	9.2	13216.7	17.1
Back	13379.4	17.3	26596.1	34.5
Arm/shoulder	5758.0	7.5	32354.1	41.9
Finger	8741.6	11.3	41095.7	53.3
Hand/wrist	7235.0	9.4	48330.7	62.7
Leg/knee/hip	13422.6	17.4	61753.3	80.1
Toe	281.9	0.4	62035.2	80.4
Foot	6325.8	8.2	68361.0	88.6
Mult. parts	5276.6	6.8	73637.6	95.5
Other	3497.7	4.5	77135.3	100.0

**Table 3-304. Estimates of lost-time injuries by nature of injury for male workers in the Midwest region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	1914.6	2.5	1914.6	2.5
Bruise	14289.5	18.5	16204.1	21.0
Burn	575.0	0.7	16779.1	21.8
Cut	8198.3	10.6	24977.4	32.4
Crush	3018.6	3.9	27996.0	36.3
Fracture	13828.5	17.9	41824.5	54.2
Poisoning	221.7	0.3	42046.2	54.5
Puncture	6406.1	8.3	48452.3	62.8
Sprain/strain	16109.8	20.9	64562.1	83.7
Mult. injury	3743.2	4.9	68305.3	88.6
Other	8830.0	11.4	77135.3	100.0

**Table 3-305. Estimates of lost-time injuries by type of event for male workers in the Midwest region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	5752.8	7.5	5752.8	7.5
Caught between	11081.7	14.4	16834.5	21.8
Caught under	4203.8	5.4	21038.3	27.3
Struck by/against	10129	13.1	31167.3	40.4
Struck by falling	3679.5	4.8	34846.8	45.2
Struck by flying	1078.6	1.4	35925.4	46.6
Contact sharp obj.	10818	14.0	46743.4	60.6
Fall, same level	4683.4	6.1	51426.8	66.7
Fall, elevation	11035.5	14.3	62462.3	81.0
Overexertion	5275.5	6.8	67737.8	87.8
Other	9397.5	12.2	77135.3	100.0

**Table 3-306. Estimates of lost-time injuries by activity when worker was injured for male workers in the Midwest region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	5361.9	7.0	5361.9	7.0
Machine maint.	8116.1	10.5	13478.0	17.5
Field work	5029.6	6.5	18507.6	24.0
Crop handling	14460.5	18.7	32968.1	42.7
Livestock handling	35298.1	45.8	68266.2	88.5
Other	8869.1	11.5	77135.3	100.0

**Table 3-307. Estimates of lost-time injuries by source of the injury for male workers in the Midwest region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2507.2	3.3	2507.2	3.3
Machinery	16197.8	21.0	18705.0	24.2
Livestock	22506.9	29.2	41211.9	53.4
Hand tool	2204.6	2.9	43416.5	56.3
Power tool	1092.9	1.4	44509.4	57.7
Pesticide/chem.	846.7	1.1	45356.1	58.8
Plant/tree	2448.1	3.2	47804.2	62.0
Working surface	7613.9	9.9	55418.1	71.8
Truck/auto	420.0	0.5	55838.1	72.4
Other vehicle	1188.1	1.5	57026.2	73.9
Other	20109.1	26.1	77135.3	100.0

**Table 3-308. Estimates of lost-time injuries by farm type for female workers in the Midwest region of the U.S., 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	2841.4	24.5	2841.4	24.5
Field crops	91.7	0.8	2933.1	25.3
Vegetable, fruit, nuts	16.2	0.1	2949.3	25.4
Beef, hogs, sheep	7577.6	65.3	10526.9	90.8
Dairy	1071.4	9.2	11598.3	100.0

**Table 3-309. Estimates of lost-time injuries by status of the injured worker for female workers in the Midwest region of the U.S., 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	11110.7	95.8	11110.7	95.8
Partner/family	487.6	4.2	11598.3	100.0

**Table 3-310. Estimates of lost-time injuries by age group for female workers in the Midwest region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	828.6	7.1	828.6	7.1
30-39	1020.0	8.8	1848.6	15.9
40-49	1300.0	11.2	3148.6	27.1
50-59	2970.5	25.6	6119.1	52.8
60-69	5001.0	43.1	11120.1	95.9
>=70	478.2	4.1	11598.3	100.0

**Table 3-311. Estimates of lost-time injuries by race or ethnic origin for female workers in the Midwest region of the U.S., 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	11598.3	100.0	11598.3	100.0



**Table 3-312. Estimates of lost-time injuries by month for female workers in the Midwest region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	600.0	5.2	600.0	5.2
February	91.7	0.8	691.7	6.0
March	478.2	4.1	1169.9	10.1
April	706.0	6.1	1875.9	16.2
June	1657.2	14.3	3533.1	30.5
July	4817.0	41.5	8350.1	72.0
August	2828.2	24.4	11178.3	96.4
November	420.0	3.6	11598.3	100.0

**Table 3-313. Estimates of lost-time injuries by severity of the injury for female workers in the Midwest region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	11598.3	100.0	11598.3	100.0

**Table 3-314. Estimates of lost-time injuries by whether professional medical attention was sought for female workers in the Midwest region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Yes	11598.3	100.0	11598.3	100.0

**Table 3-315. Estimates of lost-time injuries by body part injured for female workers in the Midwest region of the U.S., 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Back	3001.4	25.9	3001.4	25.9
Arm/shoulder	2895.0	25.0	5896.4	50.8
Finger	91.7	0.8	5988.1	51.6
Hand/wrist	828.6	7.1	6816.7	58.8
Leg/knee/hip	1078.2	9.3	7894.9	68.1
Foot	3703.4	31.9	11598.3	100.0

**Table 3-316. Estimates of lost-time injuries by nature of injury for female workers in the Midwest region of the U.S., 1995.**

<u>Nature of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Bruise	420.0	3.6	420.0	3.6
Burn	16.2	0.1	436.2	3.8
Cut	478.2	4.1	914.4	7.9
Fracture	6505.1	56.1	7419.5	64.0
Puncture	471.4	4.1	7890.9	68.0
Sprain/strain	3707.4	32.0	11598.3	100.0

**Table 3-317. Estimates of lost-time injuries by type of event for female workers in the Midwest region of the U.S., 1995.**

<u>Type of Event</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Caught between	3001.4	25.9	3001.4	25.9
Caught under	420.0	3.6	3421.4	29.5
Struck by/against	494.4	4.3	3915.8	33.8
Struck by falling	2903.7	25.0	6819.5	58.8
Contact sharp obj.	471.4	4.1	7290.9	62.9
Fall, same level	600.0	5.2	7890.9	68.0
Fall, elevation	828.6	7.1	8719.5	75.2
Overexertion	2878.8	24.8	11598.3	100.0

**Table 3-318. Estimates of lost-time injuries by activity when worker was injured for female workers in the Midwest region of the U.S., 1995.**

<u>Activity When Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Farm maint.	3391.3	29.2	3391.3	29.2
Machine maint.	3830.0	33.0	7221.3	62.3
Livestock handling	4377.0	37.7	11598.3	100.0

**Table 3-319. Estimates of lost-time injuries by source of the injury for female workers in the Midwest region of the U.S., 1995.**

<u>Source of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Tractor	844.8	7.3	844.8	7.3
Machinery	5813.4	50.1	6658.2	57.4
Livestock	1020.0	8.8	7678.2	66.2
Plant/tree	471.4	4.1	8149.6	70.3
Truck/auto	478.2	4.1	8627.8	74.4
Other	2970.5	25.6	11598.3	100.0

**Table 3-320. Estimates of lost-time injuries by farm type for male workers in the West region of the U.S., 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	1015.0	2.5	1015.0	2.5
Field crops	2170.3	5.4	3185.3	7.9
Vegetable, fruit, nuts	16217.4	40.2	19402.7	48.2
Nursery	9029.0	22.4	28431.7	70.6
Beef, hogs, sheep	8796.5	21.8	37228.2	92.4
Poultry	885.4	2.2	38113.6	94.6
Dairy	1831.3	4.5	39944.9	99.1
Other farms	350.6	0.9	40295.5	100.0

**Table 3-321. Estimates of lost-time injuries by status of the injured worker for male workers in the West region of the U.S., 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	9170.9	22.8	9170.9	22.8
Partner/family	264.3	0.7	9435.2	23.4
Hired labor	29680.4	73.7	39115.6	97.1
Unpaid nonfamily	86.9	0.2	39202.5	97.3
Other	1093.0	2.7	40295.5	100.0

**Table 3-322. Estimates of lost-time injuries by age group for male workers in the West region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	1206.1	3.0	1206.1	3.0
20-29	14029.6	34.8	15235.7	37.8
30-39	8963.7	22.2	24199.4	60.1
40-49	5755.9	14.3	29955.3	74.3
50-59	5996.0	14.9	35951.3	89.2
60-69	3641.3	9.0	39592.6	98.3
>=70	702.9	1.7	40295.5	100.0

**Table 3-323. Estimates of lost-time injuries by race or ethnic origin for male workers in the West region of the U.S., 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	10173.1	25.2	10173.1	25.2
Hispanic	28764.5	71.4	38937.6	96.6
Asian	913.5	2.3	39851.1	98.9
Other	444.4	1.1	40295.5	100.0

**Table 3-324. Estimates of lost-time injuries by month for male workers in the West region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	1989.6	4.9	1989.6	4.9
February	71.4	0.2	2061.0	5.1
March	1417.0	3.5	3478.0	8.6
April	2158.7	5.4	5636.7	14.0
May	4625.6	11.5	10262.3	25.5
June	920.4	2.3	11182.7	27.8
July	6494.0	16.1	17676.7	43.9
August	10381.1	25.8	28057.8	69.6
September	5171.8	12.8	33229.6	82.5
October	3006.6	7.5	36236.2	89.9
November	3501.4	8.7	39737.6	98.6
December	557.9	1.4	40295.5	100.0

**Table 3-325. Estimates of lost-time injuries by severity of the injury for male workers in the West region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	37212.3	92.3	37212.3	92.3
Permanent	3083.2	7.7	40295.5	100.0

**Table 3-326. Estimates of lost-time injuries by whether professional medical attention was sought for male workers in the West region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	3083.2	7.7	3083.2	7.7
Yes	29502.3	73.2	32585.5	80.9
No	7710.0	19.1	40295.5	100.0

**Table 3-327. Estimates of lost-time injuries by body part injured for male workers in the West region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	3646.7	9.0	3646.7	9.0
Eye	1797.2	4.5	5443.9	13.5
Chest/trunk	2045.4	5.1	7489.3	18.6
Back	3469.1	8.6	10958.4	27.2
Arm/shoulder	9793.3	24.3	20751.7	51.5
Finger	4265.3	10.6	25017.0	62.1
Hand/wrist	3715.2	9.2	28732.2	71.3
Leg/knee/hip	5355.7	13.3	34087.9	84.6
Foot	4910.6	12.2	38998.5	96.8
Mult. parts	1297.0	3.2	40295.5	100.0

**Table 3-328. Estimates of lost-time injuries by nature of injury for male workers in the West region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	132.6	0.3	132.6	0.3
Bruise	7406.8	18.4	7539.4	18.7
Burn	1572.2	3.9	9111.6	22.6
Cut	6819.4	16.9	15931.0	39.5
Crush	152.0	0.4	16083.0	39.9
Fracture	2965.5	7.4	19048.5	47.3
Puncture	261.0	0.6	19309.5	47.9
Sprain/strain	18221.6	45.2	37531.1	93.1
Mult. injury	520.5	1.3	38051.6	94.4
Other	2243.9	5.6	40295.5	100.0

**Table 3-329. Estimates of lost-time injuries by type of event for male workers in the West region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1939.8	4.8	1939.8	4.8
Caught between	1849.0	4.6	3788.8	9.4
Caught under	131.2	0.3	3920.0	9.7
Struck by/against	3237.8	8.0	7157.8	17.8
Struck by falling	5101.5	12.7	12259.3	30.4
Struck by flying	277.6	0.7	12536.9	31.1
Contact sharp obj.	6266.3	15.6	18803.2	46.7
Fall, same level	2299.1	5.7	21102.3	52.4
Fall, elevation	9335.3	23.2	30437.6	75.5
Overexertion	2486.9	6.2	32924.5	81.7
Other	7371.0	18.3	40295.5	100.0

**Table 3-330. Estimates of lost-time injuries by activity when worker was injured for male workers in the West region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	14505.9	36.0	14505.9	36.0
Machine maint.	2133.7	5.3	16639.6	41.3
Field work	9605.2	23.8	26244.8	65.1
Crop handling	2502.9	6.2	28747.7	71.3
Livestock handling	4476.3	11.1	33224.0	82.5
Other	7071.5	17.5	40295.5	100.0

**Table 3-331. Estimates of lost-time injuries by source of the injury for male workers in the West region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	63.1	0.2	63.1	0.2
Machinery	12307.7	30.5	12370.8	30.7
Livestock	4889.0	12.1	17259.8	42.8
Hand tool	3168.4	7.9	20428.2	50.7
Power tool	2544.2	6.3	22972.4	57.0
Plant/tree	1191.3	3.0	24163.7	60.0
Working surface	2863.8	7.1	27027.5	67.1
Truck/auto	1171.3	2.9	28198.8	70.0
Other vehicle	1370.6	3.4	29569.4	73.4
Other	10726.1	26.6	40295.5	100.0

**Table 3-332. Estimates of lost-time injuries by farm type for female workers in the West region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	63.1	2.2	63.1	2.2
Vegetable, fruit, nuts	367.5	12.8	430.6	15.0
Beef, hogs, sheep	2447.1	85.0	2877.7	100.0

**Table 3-333. Estimates of lost-time injuries by status of the injured worker for female workers in the West region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	473.3	16.4	473.3	16.4
Partner/family	164.5	5.7	637.8	22.2
Hired labor	78.3	2.7	716.1	24.9
Unpaid nonfamily	2083.3	72.4	2799.4	97.3
Other	78.3	2.7	2877.7	100.0

**Table 3-334. Estimates of lost-time injuries by age group for female workers in the West region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	242.8	8.4	242.8	8.4
30-39	242.8	8.4	485.6	16.9
40-49	63.1	2.2	548.7	19.1
50-59	2215.9	77.0	2764.6	96.1
60-69	113.1	3.9	2877.7	100.0

**Table 3-335. Estimates of lost-time injuries by race or ethnic origin for female workers in the West region of the U.S., 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	2642.8	91.8	2642.8	91.8
Asian	156.6	5.4	2799.4	97.3
Other	78.3	2.7	2877.7	100.0

**Table 3-336. Estimates of lost-time injuries by month for female workers in the West region of the U.S., 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
March	210.9	7.3	210.9	7.3
July	164.5	5.7	375.4	13.0
August	2224.7	77.3	2600.1	90.4
October	113.1	3.9	2713.2	94.3
December	164.5	5.7	2877.7	100.0

**Table 3-337. Estimates of lost-time injuries by severity of the injury for female workers in the West region of the U.S., 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	2877.7	100.0	2877.7	100.0

**Table 3-338. Estimates of lost-time injuries by whether professional medical attention was sought for female workers in the West region of the U.S., 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	2521.8	90.1	2521.8	90.1
No	277.6	9.9	2799.4	100.0
(Frequency Missing = 78.3)				

**Table 3-339. Estimates of lost-time injuries by body part injured for female workers in the West region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	164.5	5.7	164.5	5.7
Back	132.6	4.6	297.1	10.3
Arm/shoulder	78.3	2.7	375.4	13.0
Finger	78.3	2.7	453.7	15.8
Hand/wrist	97.9	3.4	551.6	19.2
Leg/knee/hip	2247.8	78.1	2799.4	97.3
Foot	78.3	2.7	2877.7	100.0

**Table 3-340. Estimates of lost-time injuries by nature of injury for female workers in the West region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	164.5	5.7	164.5	5.7
Cut	176.2	6.1	340.7	11.8
Sprain/strain	2404.4	83.6	2745.1	95.4
Other	132.6	4.6	2877.7	100.0

**Table 3-341. Estimates of lost-time injuries by type of event for female workers in the West region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Contact sharp obj.	176.2	6.1	176.2	6.1
Fall, same level	2083.3	72.4	2259.5	78.5
Fall, elevation	329.0	11.4	2588.5	90.0
Overexertion	210.9	7.3	2799.4	97.3
Other	78.3	2.7	2877.7	100.0



**Table 3-342. Estimates of lost-time injuries by activity when worker was injured for female workers in the West region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	167.4	5.8	167.4	5.8
Field work	78.3	2.7	245.7	8.5
Livestock handling	2412.3	83.8	2658.0	92.4
Other	219.7	7.6	2877.7	100.0

**Table 3-343. Estimates of lost-time injuries by source of the injury for female workers in the West region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Livestock	329.0	11.4	329.0	11.4
Hand tool	78.3	2.7	407.3	14.2
Power tool	78.3	2.7	485.6	16.9
Working surface	141.4	4.9	627.0	21.8
Other	2250.7	78.2	2877.7	100.0

**Table 3-344. Estimates of lost-time injuries by farm type for white workers in the Northeast region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	1206.2	7.7	1206.2	7.7
Field crops	3093.4	19.7	4299.6	27.3
Vegetable, fruit, nuts	807.0	5.1	5106.6	32.5
Nursery	3612.1	23.0	8718.7	55.4
Beef, hogs, sheep	1228.5	7.8	9947.2	63.2
Poultry	375.0	2.4	10322.2	65.6
Dairy	3741.4	23.8	14063.6	89.4
Other	1663.2	10.6	15726.8	100.0

**Table 3-345. Estimates of lost-time injuries by status of the injured worker for white workers in the Northeast region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	8985.3	57.1	8985.3	57.1
Partner/family	823.8	5.2	9809.1	62.4
Hired labor	5311.1	33.8	15120.2	96.1
Unpaid nonfamily	556.2	3.5	15676.4	99.7
Other	50.4	0.3	15726.8	100.0

**Table 3-346. Estimates of lost-time injuries by gender for white workers in the Northeast region of the U.S., 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	14107.1	89.7	14107.1	89.7
Female	1619.7	10.3	15726.8	100.0

**Table 3-347. Estimates of lost-time injuries by age group for white workers in the Northeast region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	1017.2	6.6	1017.2	6.6
20-29	6296.7	40.7	7313.9	47.2
30-39	1340.2	8.7	8654.1	55.9
40-49	2096.4	13.5	10750.5	69.4
50-59	1135.1	7.3	11885.6	76.8
60-69	2893.0	18.7	14778.6	95.5
>=70	704.4	4.5	15483.0	100.0

(Frequency Missing = 243.8)

**Table 3-348. Estimates of lost-time injuries by month for white workers in the Northeast region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	252.9	1.7	252.9	1.7
February	303.1	2.0	556.0	3.6
March	1102.0	7.2	1658.0	10.9
April	1222.0	8.0	2880.0	18.9
May	496.7	3.3	3376.7	22.2
June	2151.4	14.1	5528.1	36.3
July	6139.3	40.3	11667.4	76.6
August	627.3	4.1	12294.7	80.7
September	321.9	2.1	12616.6	82.8
October	919.2	6.0	13535.8	88.8
November	1098.7	7.2	14634.5	96.0
December	604.7	4.0	15239.2	100.0

(Frequency Missing = 487.6)

**Table 3-349. Estimates of lost-time injuries by severity of the injury for white workers in the Northeast region of the U.S., 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	14185.0	90.2	14185.0	90.2
Permanent	1298.0	8.3	15483.0	98.4
Fatality	243.8	1.6	15726.8	100.0

**Table 3-350. Estimates of lost-time injuries by whether professional medical attention was sought for white workers in the Northeast region of the U.S., 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1541.8	9.8	1541.8	9.8
Yes	12994.2	82.7	14536.0	92.5
No	1184.6	7.5	15720.6	100.0

(Frequency Missing = 6.2)

**Table 3-351. Estimates of lost-time injuries by body part injured for white workers in the Northeast region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	303.3	1.9	303.3	1.9
Eye	1659.6	10.6	1962.9	12.5
Chest/trunk	502.9	3.2	2465.8	15.7
Back	1525.3	9.7	3991.1	25.4
Arm/shoulder	1016.8	6.5	5007.9	31.8
Finger	5132.5	32.6	10140.4	64.5
Hand/wrist	1099.9	7.0	11240.3	71.5
Leg/knee/hip	828.8	5.3	12069.1	76.7
Toe	251.9	1.6	12321.0	78.3
Foot	2617.6	16.6	14938.6	95.0
Mult. parts	788.2	5.0	15726.8	100.0

**Table 3-352. Estimates of lost-time injuries by nature of injury for white workers in the Northeast region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	488.8	3.1	488.8	3.1
Bruise	2057.9	13.1	2546.7	16.2
Burn	252.9	1.6	2799.6	17.8
Cut	5019.4	31.9	7819.0	49.7
Crush	2147.0	13.7	9966.0	63.4
Fracture	2245.2	14.3	12211.2	77.6
Puncture	1352.1	8.6	13563.3	86.2
Sprain/strain	1804.0	11.5	15367.3	97.7
Mult. injury	252.9	1.6	15620.2	99.3
Other	106.6	0.7	15726.8	100.0

**Table 3-353. Estimates of lost-time injuries by type of event for white workers in the Northeast region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	303.3	1.9	303.3	1.9
Caught between	4918.7	31.3	5222.0	33.2
Caught under	2297.4	14.6	7519.4	47.8
Struck by/against	1290.4	8.2	8809.8	56.0
Struck by falling	988.1	6.3	9797.9	62.3
Struck by flying	1410.4	9.0	11208.3	71.3
Contact sharp obj.	1152.9	7.3	12361.2	78.6
Fall, same level	751.5	4.8	13112.7	83.4
Fall, elevation	1078.6	6.9	14191.3	90.2
Overexertion	774.4	4.9	14965.7	95.2
Other	761.1	4.8	15726.8	100.0

**Table 3-354. Estimates of lost-time injuries by activity when worker was injured for white workers in the Northeast region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2258.8	14.6	2258.8	14.6
Machine maint.	2271.5	14.7	4530.3	29.3
Field work	2500.2	16.1	7030.5	45.4
Crop handling	1737.6	11.2	8768.1	56.6
Livestock handling	1672.9	10.8	10441.0	67.4
Other	5042.0	32.6	15483.0	100.0

(Frequency Missing = 243.8)

**Table 3-355. Estimates of lost-time injuries by source of the injury for white workers in the Northeast region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2251.6	14.3	2251.6	14.3
Machinery	1980.0	12.6	4231.6	26.9
Livestock	1100.3	7.0	5331.9	33.9
Hand tool	2151.5	13.7	7483.4	47.6
Power tool	252.9	1.6	7736.3	49.2
Pesticide/chem.	12.4	0.1	7748.7	49.3
Plant/tree	602.3	3.8	8351.0	53.1
Working surface	808.1	5.1	9159.1	58.2
Truck/auto	543.7	3.5	9702.8	61.7
Other vehicle	252.9	1.6	9955.7	63.3
Liquids	505.8	3.2	10461.5	66.5
Other	5265.3	33.5	15726.8	100.0

**Table 3-356. Estimates of lost-time injuries by farm type for Hispanic workers in the Northeast region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	56.6	45.9	56.6	45.9
Other farms	66.8	54.1	123.4	100.0

**Table 3-357. Estimates of lost-time injuries by status of the injured worker for Hispanic workers in the Northeast region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hired labor	123.4	100.0	123.4	100.0

**Table 3-358. Estimates of lost-time injuries by gender for Hispanic workers in the Northeast region of the U.S., 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	123.4	100.0	123.4	100.0

**Table 3-359. Estimates of lost-time injuries by age group for Hispanic workers in the Northeast region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
20-29	66.8	54.1	66.8	54.1
40-49	6.2	5.0	73.0	59.2
50-59	50.4	40.8	123.4	100.0

**Table 3-360. Estimates of lost-time injuries by month for Hispanic workers in the Northeast region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
August	50.4	40.8	50.4	40.8
November	73.0	59.2	123.4	100.0

**Table 3-361. Estimates of lost-time injuries by severity of the injury for Hispanic workers in the Northeast region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	123.4	100.0	123.4	100.0

**Table 3-362. Estimates of lost-time injuries by whether professional medical attention was sought for Hispanic workers in the Northeast region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Yes	123.4	100.0	123.4	100.0

**Table 3-363. Estimates of lost-time injuries by body part injured for Hispanic workers in the Northeast region of the U.S., 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Chest/trunk	66.8	54.1	66.8	54.1
Back	56.6	45.9	123.4	100.0

**Table 3-364. Estimates of lost-time injuries by nature of injury for Hispanic workers in the Northeast region of the U.S., 1995.**

<u>Nature of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Sprain/strain	123.4	100.0	123.4	100.0

**Table 3-365. Estimates of lost-time injuries by type of event for Hispanic workers in the Northeast region of the U.S., 1995.**

<u>Type of Event</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Fall, same level	50.4	40.8	50.4	40.8
Overexertion	73.0	59.2	123.4	100.0

**Table 3-366. Estimates of lost-time injuries by activity when worker was injured for Hispanic workers in the Northeast region of the U.S., 1995.**

<u>Activity When Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Farm maint.	117.2	95.0	117.2	95.0
Other	6.2	5.0	123.4	100.0

**Table 3-367. Estimates of lost-time injuries by source of the injury for Hispanic workers in the Northeast region of the U.S., 1995.**

<u>Source of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Machinery	6.2	5.0	6.2	5.0
Working surface	50.4	40.8	56.6	45.9
Other	66.8	54.1	123.4	100.0

**Table 3-368. Estimates of lost-time injuries by farm type for white workers in the South region of the U.S., 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	3033.1	7.5	3033.1	7.5
Field crops	3911.0	9.7	6944.1	17.2
Vegetable, fruit, nuts	2867.5	7.1	9811.6	24.4
Nursery	984.3	2.4	10795.9	26.8
Beef, hogs, sheep	22227.1	55.2	33023.0	82.0
Poultry	1376.2	3.4	34399.2	85.4
Dairy	1251.1	3.1	35650.3	88.5
Other	4618.8	11.5	40269.1	100.0

**Table 3-369. Estimates of lost-time injuries by status of the injured worker for white workers in the South region of the U.S., 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	31135.5	77.4	31135.5	77.4
Partner/family	2729.1	6.8	33864.6	84.2
Hired labor	5792.6	14.4	39657.2	98.6
Unpaid nonfamily	337.2	0.8	39994.4	99.4
Other	235.7	0.6	40230.1	100.0

(Frequency Missing = 39.0)

**Table 3-370. Estimates of lost-time injuries by gender for white workers in the South region of the U.S., 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	34845.6	86.6	34845.6	86.6
Female	5384.5	13.4	40230.1	100.0

(Frequency Missing = 39.0)



**Table 3-371. Estimates of lost-time injuries by age group for white workers in the South region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	1406.7	3.5	1406.7	3.5
20-29	1911.3	4.7	3318.0	8.2
30-39	11315.5	28.1	14633.5	36.3
40-49	7255.3	18.0	21888.8	54.4
50-59	7090.2	17.6	28979.0	72.0
60-69	7181.5	17.8	36160.5	89.8
>=70	4108.6	10.2	40269.1	100.0

**Table 3-372. Estimates of lost-time injuries by month for white workers in the South region of the U.S., 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	494.9	1.2	494.9	1.2
February	507.2	1.3	1002.1	2.5
March	3544.8	8.8	4546.9	11.3
April	8749.3	21.8	13296.2	33.2
May	3010.7	7.5	16306.9	40.7
June	2045.9	5.1	18352.8	45.8
July	3749.6	9.3	22102.4	55.1
August	2753.4	6.9	24855.8	62.0
September	3784.0	9.4	28639.8	71.4
October	6207.9	15.5	34847.7	86.9
November	3464.2	8.6	38311.9	95.5
December	1793.9	4.5	40105.8	100.0

(Frequency Missing = 163.3)

**Table 3-373. Estimates of lost-time injuries by severity of the injury for white workers in the South region of the U.S., 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	37034.7	92.0	37034.7	92.0
Permanent	3176.1	7.9	40210.8	99.9
Fatality	58.3	0.1	40269.1	100.0

**Table 3-374. Estimates of lost-time injuries by whether professional medical attention was sought for white workers in the South region of the U.S., 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	3234.4	8.0	3234.4	8.0
Yes	28326.9	70.4	31561.3	78.5
No	8649.9	21.5	40211.2	100.0
(Frequency Missing = 57.9)				

**Table 3-375. Estimates of lost-time injuries by body part injured for white workers in the South region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2380.2	5.9	2380.2	5.9
Eye	816.2	2.0	3196.4	7.9
Chest/trunk	2178.3	5.4	5374.7	13.3
Back	5872.6	14.6	11247.3	27.9
Arm/shoulder	3876.3	9.6	15123.6	37.6
Finger	6545.2	16.3	21668.8	53.8
Hand/wrist	3750.2	9.3	25419.0	63.1
Leg/knee/hip	9961.6	24.7	35380.6	87.9
Foot	785.7	2.0	36166.3	89.8
Mult. parts	2358.0	5.9	38524.3	95.7
Other	1744.8	4.3	40269.1	100.0

**Table 3-376. Estimates of lost-time injuries by nature of injury for white workers in the South region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	926.0	2.3	926.0	2.3
Bruise	3470.8	8.7	4396.8	11.0
Burn	477.1	1.2	4873.9	12.2
Cut	8410.3	21.0	13284.2	33.1
Crush	2204.3	5.5	15488.5	38.6
Fracture	7137.7	17.8	22626.2	56.4
Puncture	2531.1	6.3	25157.3	62.7
Sprain/strain	11342.2	28.3	36499.5	91.0
Mult. injury	2118.9	5.3	38618.4	96.3
Other	1487.4	3.7	40105.8	100.0
(Frequency Missing = 163.3)				

**Table 3-377. Estimates of lost-time injuries by type of event for white workers in the South region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	2330.5	5.8	2330.5	5.8
Caught between	3521.2	8.7	5851.7	14.5
Caught under	2112.4	5.2	7964.1	19.8
Struck by/against	5427.5	13.5	13391.6	33.3
Struck by falling	1219.0	3.0	14610.6	36.3
Struck by flying	1696.7	4.2	16307.3	40.5
Contact sharp obj.	6808.7	16.9	23116.0	57.4
Fall, same level	2985.5	7.4	26101.5	64.8
Fall, elevation	4628.7	11.5	30730.2	76.3
Overexertion	7309.3	18.2	38039.5	94.5
Other	2229.6	5.5	40269.1	100.0

**Table 3-378. Estimates of lost-time injuries by activity when worker was injured for white workers in the South region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	11175.8	27.9	11175.8	27.9
Machine maint.	4439.5	11.1	15615.3	38.9
Field work	4548.1	11.3	20163.4	50.3
Crop handling	4525.6	11.3	24689.0	61.6
Livestock handling	14105.4	35.2	38794.4	96.7
Other	1307.3	3.3	40101.7	100.0

(Frequency Missing = 167.4)

**Table 3-379. Estimates of lost-time injuries by source of the injury for white workers in the South region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1994.6	5.0	1994.6	5.0
Machinery	4497.0	11.2	6491.6	16.2
Livestock	7112.0	17.7	13603.6	33.9
Hand tool	7114.5	17.7	20718.1	51.7
Power tool	902.6	2.3	21620.7	53.9
Pesticide/chem.	56.4	0.1	21677.1	54.1
Plant/tree	2408.0	6.0	24085.1	60.1
Working surface	4789.0	11.9	28874.1	72.0
Truck/auto	221.0	0.6	29095.1	72.6
Other vehicle	1464.3	3.7	30559.4	76.2
Other	9542.3	23.8	40101.7	100.0

(Frequency Missing = 167.4)

**Table 3-380. Estimates of lost-time injuries by farm type for Hispanic workers in the South region of the U.S., 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	456.3	14.4	456.3	14.4
Field crops	93.8	3.0	550.1	17.3
Vegetable, fruit, nuts	922.1	29.0	1472.2	46.3
Beef, hogs, sheep	1245.1	39.2	2717.3	85.5
Dairy	375.0	11.8	3092.3	97.3
Other farms	85.7	2.7	3178.0	100.0

**Table 3-381. Estimates of lost-time injuries by status of the injured worker for Hispanic workers in the South region of the U.S., 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Hired labor	3178.0	100.0	3178.0	100.0

**Table 3-382. Estimates of lost-time injuries by gender for Hispanic workers in the South region of the U.S., 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	3178.0	100.0	3178.0	100.0

**Table 3-383. Estimates of lost-time injuries by age group for Hispanic workers in the South region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
30-39	770.6	24.2	770.6	24.2
40-49	722.5	22.7	1493.1	47.0
50-59	1684.9	53.0	3178.0	100.0

**Table 3-384. Estimates of lost-time injuries by month for Hispanic workers in the South region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
April	85.7	2.7	85.7	2.7
May	93.8	3.0	179.5	5.6
July	526.5	16.6	706.0	22.2
September	1520.9	47.9	2226.9	70.1
October	180.5	5.7	2407.4	75.8
November	770.6	24.2	3178.0	100.0

**Table 3-385. Estimates of lost-time injuries by severity of the injury for Hispanic workers in the South region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	3178.0	100.0	3178.0	100.0

**Table 3-386. Estimates of lost-time injuries by whether professional medical attention was sought for Hispanic workers in the South region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Yes	1717.8	61.7	1717.8	61.7
No	1064.6	38.3	2782.4	100.0

(Frequency Missing = 395.6)

**Table 3-387. Estimates of lost-time injuries by body part injured for Hispanic workers in the South region of the U.S., 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Head/neck	93.8	3.0	93.8	3.0
Eye	542.0	17.1	635.8	20.0
Back	526.5	16.6	1162.3	36.6
Arm/shoulder	1620.1	51.0	2782.4	87.6
Toe	395.6	12.4	3178.0	100.0

**Table 3-388. Estimates of lost-time injuries by nature of injury for Hispanic workers in the South region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	1439.6	45.3	1439.6	45.3
Burn	542.0	17.1	1981.6	62.4
Crush	395.6	12.4	2377.2	74.8
Fracture	180.5	5.7	2557.7	80.5
Puncture	93.8	3.0	2651.5	83.4
Sprain/strain	526.5	16.6	3178.0	100.0

**Table 3-389. Estimates of lost-time injuries by type of event for Hispanic workers in the South region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Struck by/against	1064.6	33.5	1064.6	33.5
Struck by falling	851.9	26.8	1916.5	60.3
Contact sharp obj.	93.8	3.0	2010.3	63.3
Fall, same level	180.5	5.7	2190.8	68.9
Overexertion	526.5	16.6	2717.3	85.5
Other	460.7	14.5	3178.0	100.0

**Table 3-390. Estimates of lost-time injuries by activity when worker was injured for Hispanic workers in the South region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Field work	945.7	29.8	945.7	29.8
Crop handling	526.5	16.6	1472.2	46.3
Livestock handling	1620.1	51.0	3092.3	97.3
Other	85.7	2.7	3178.0	100.0

**Table 3-392. Estimates of lost-time injuries by source of the injury for Hispanic workers in the South region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Livestock	1439.6	45.3	1439.6	45.3
Power tool	395.6	12.4	1835.2	57.7
Plant/tree	456.3	14.4	2291.5	72.1
Other	886.5	27.9	3178.0	100.0

**Table 3-392. Estimates of lost-time injuries by farm type for black workers in the South region of the U.S., 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	241.1	11.3	241.1	11.3
Field crops	160.7	7.5	401.8	18.8
Beef,hogs,sheep	1733.5	81.2	2135.3	100.0

**Table 3-393. Estimates of lost-time injuries by status of the injured worker for black workers in the South region of the U.S., 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	581.4	27.2	581.4	27.2
Partner/family	235.7	11.0	817.1	38.3
Hired labor	897.5	42.0	1714.6	80.3
Other	420.7	19.7	2135.3	100.0

**Table 3-394. Estimates of lost-time injuries by gender for black workers in the South region of the U.S., 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	1899.6	89.0	1899.6	89.0
Female	235.7	11.0	2135.3	100.0

**Table 3-395. Estimates of lost-time injuries by age group for black workers in the South region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
20-29	241.1	11.3	241.1	11.3
30-39	656.4	30.7	897.5	42.0
40-49	160.7	7.5	1058.2	49.6
50-59	1077.1	50.4	2135.3	100.0

**Table 3-396. Estimates of lost-time injuries by month for black workers in the South region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	235.7	11.0	235.7	11.0
March	420.7	19.7	656.4	30.7
April	420.7	19.7	1077.1	50.4
June	420.7	19.7	1497.8	70.1
September	241.1	11.3	1738.9	81.4
October	160.7	7.5	1899.6	89.0
November	235.7	11.0	2135.3	100.0

**Table 3-397. Estimates of lost-time injuries by severity of the injury for black workers in the South region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	1899.6	89.0	1899.6	89.0
Permanent	235.7	11.0	2135.3	100.0

**Table 3-398. Estimates of lost-time injuries by whether professional medical attention was sought for black workers in the South region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	235.7	11.0	235.7	11.0
Yes	1899.6	89.0	2135.3	100.0

**Table 3-399. Estimates of lost-time injuries by body part injured for black workers in the South region of the U.S., 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Head/neck	235.7	11.0	235.7	11.0
Finger	841.4	39.4	1077.1	50.4
Hand/wrist	396.4	18.6	1473.5	69.0
Leg/knee/hip	661.8	31.0	2135.3	100.0



**Table 3-400. Estimates of lost-time injuries by nature of injury for black workers in the South region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	241.1	11.3	241.1	11.3
Cut	420.7	19.7	661.8	31.0
Crush	420.7	19.7	1082.5	50.7
Fracture	817.1	38.3	1899.6	89.0
Other	235.7	11.0	2135.3	100.0

**Table 3-401. Estimates of lost-time injuries by type of event for black workers in the South region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	420.7	19.7	420.7	19.7
Caught between	420.7	19.7	841.4	39.4
Struck by/against	401.8	18.8	1243.2	58.2
Contact sharp obj.	420.7	19.7	1663.9	77.9
Fall, elevation	235.7	11.0	1899.6	89.0
Other	235.7	11.0	2135.3	100.0

**Table 3-402. Estimates of lost-time injuries by activity when worker was injured for black workers in the South region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1473.5	69.0	1473.5	69.0
Livestock handling	420.7	19.7	1894.2	88.7
Other	241.1	11.3	2135.3	100.0

**Table 3-403. Estimates of lost-time injuries by source of the injury for black workers in the South region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	241.1	11.3	241.1	11.3
Machinery	581.4	27.2	822.5	38.5
Power tool	420.7	19.7	1243.2	58.2
Working surface	235.7	11.0	1478.9	69.3
Other vehicle	420.7	19.7	1899.6	89.0
Other	235.7	11.0	2135.3	100.0

**Table 3-404. Estimates of lost-time injuries by farm type for white workers in the Midwest region of the U.S., 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	27466.0	30.9	27466.0	30.9
Field crops	2699.1	3.0	30165.1	33.9
Vegetable, fruit, nuts	174.1	0.2	30339.2	34.1
Nursery	271.7	0.3	30610.9	34.4
Beef, hogs, sheep	46675.1	52.5	77286.0	86.9
Dairy	9923.4	11.2	87209.4	98.1
Other	1727.1	1.9	88936.5	100.0

**Table 3-405. Estimates of lost-time injuries by status of the injured worker for white workers in the Midwest region of the U.S., 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	71371.9	80.7	71371.9	80.7
Partner/family	5604.7	6.3	76976.6	87.0
Hired labor	8830.7	10.0	85807.3	97.0
Unpaid nonfamily	2651.0	3.0	88458.3	100.0

(Frequency Missing = 478.2)

**Table 3-406. Estimates of lost-time injuries by gender for white workers in the Midwest region of the U.S., 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	76860	86.9	76860.0	86.9
Female	11598.3	13.1	88458.3	100.0

(Frequency Missing = 478.2)

**Table 3-407. Estimates of lost-time injuries by age group for white workers in the Midwest region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	4473.9	5.0	4473.9	5.0
20-29	6120.5	6.9	10594.4	11.9
30-39	18715.5	21.0	29309.9	33.0
40-49	13244.3	14.9	42554.2	47.8
50-59	21478.8	24.2	64033.0	72.0
60-69	15983.9	18.0	80016.9	90.0
>=70	8919.6	10.0	88936.5	100.0

**Table 3-408. Estimates of lost-time injuries by month for white workers in the Midwest region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	600.0	0.7	600.0	0.7
February	2141.2	2.5	2741.2	3.2
March	2164.0	2.5	4905.2	5.7
April	3010.1	3.5	7915.3	9.1
May	8241.9	9.5	16157.2	18.6
June	13720	15.8	29877.2	34.5
July	9623.5	11.1	39500.7	45.6
August	13764.9	15.9	53265.6	61.5
September	5862.9	6.8	59128.5	68.2
October	7739.3	8.9	66867.8	77.2
November	15385.2	17.8	82253.0	94.9
December	4404.2	5.1	86657.2	100.0

(Frequency Missing = 2279.3)

**Table 3-409. Estimates of lost-time injuries by severity of the injury for white workers in the Midwest region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	84459.0	95.0	84459.0	95.0
Permanent	2304.7	2.6	86763.7	97.6
Fatality	2172.8	2.4	88936.5	100.0

**Table 3-410. Estimates of lost-time injuries by whether professional medical attention was sought for white workers in the Midwest region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	4477.5	5.0	4477.5	5.0
Yes	73740.5	82.9	78218.0	87.9
No	10718.5	12.1	88936.5	100.0

**Table 3-411. Estimates of lost-time injuries by body part injured for white workers in the Midwest region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	4154.7	4.7	4154.7	4.7
Eye	1678.9	1.9	5833.6	6.6
Chest/trunk	7107.8	8.0	12941.4	14.6
Back	16380.8	18.4	29322.2	33.0
Arm/shoulder	8653.0	9.7	37975.2	42.7
Finger	8833.3	9.9	46808.5	52.6
Hand/wrist	8063.6	9.1	54872.1	61.7
Leg/knee/hip	14500.8	16.3	69372.9	78.0
Toe	281.9	0.3	69654.8	78.3
Foot	10507.4	11.8	80162.2	90.1
Mult. parts	5276.6	5.9	85438.8	96.1
Other	3497.7	3.9	88936.5	100.0

**Table 3-412. Estimates of lost-time injuries by nature of injury for white workers in the Midwest region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	1914.6	2.2	1914.6	2.2
Bruise	14709.5	16.5	16624.1	18.7
Burn	591.2	0.7	17215.3	19.4
Cut	8676.5	9.8	25891.8	29.1
Crush	3018.6	3.4	28910.4	32.5
Fracture	20333.6	22.9	49244.0	55.4
Poisoning	221.7	0.2	49465.7	55.6
Puncture	6602.2	7.4	56067.9	63.0
Sprain/strai	20295.4	22.8	76363.3	85.9
Mult. injury	3743.2	4.2	80106.5	90.1
Other	8830.0	9.9	88936.5	100.0

**Table 3-413. Estimates of lost-time injuries by type of event for white workers in the Midwest region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	6231.0	7.0	6231.0	7.0
Caught between	14083.1	15.8	20314.1	22.8
Caught under	4623.8	5.2	24937.9	28.0
Struck by/against	10623.4	11.9	35561.3	40.0
Struck by falling	6583.2	7.4	42144.5	47.4
Struck by flying	1078.6	1.2	43223.1	48.6
Contact sharp obj.	11014.1	12.4	54237.2	61.0
Fall, same level	5283.4	5.9	59520.6	66.9
Fall, elevation	11864.1	13.3	71384.7	80.3
Overexertion	8154.3	9.2	79539.0	89.4
Other	9397.5	10.6	88936.5	100.0

**Table 3-414. Estimates of lost-time injuries by activity when worker was injured for white workers in the Midwest region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	8753.2	9.8	8753.2	9.8
Machine maint.	11946.1	13.4	20699.3	23.3
Field work	5232.5	5.9	25931.8	29.2
Crop handling	14460.5	16.3	40392.3	45.4
Livestock handling	39675.1	44.6	80067.4	90.0
Other	8869.1	10.0	88936.5	100.0

**Table 3-415. Estimates of lost-time injuries by source of the injury for white workers in the Midwest region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	3352.0	3.8	3352.0	3.8
Machinery	22011.2	24.7	25363.2	28.5
Livestock	23526.9	26.5	48890.1	55.0
Hand tool	2204.6	2.5	51094.7	57.5
Power tool	1092.9	1.2	52187.6	58.7
Pesticide/chem.	846.7	1.0	53034.3	59.6
Plant/tree	2919.5	3.3	55953.8	62.9
Working surface	7613.9	8.6	63567.7	71.5
Truck/auto	898.2	1.0	64465.9	72.5
Other vehicle	1666.3	1.9	66132.2	74.4
Other	22804.3	25.6	88936.5	100.0

**Table 3-416. Estimates of lost-time injuries by farm type for white workers in the West region of the U.S., 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	570.6	4.5	570.6	4.5
Field crops	456.0	3.6	1026.6	8.0
Vegetable, fruit, nuts	2224.5	17.4	3251.1	25.4
Beef, hogs, sheep	8458.0	66.0	11709.1	91.4
Dairy	899.0	7.0	12608.1	98.4
Other farms	207.8	1.6	12815.9	100.0

**Table 3-417. Estimates of lost-time injuries by status of the injured worker for white workers in the West region of the U.S., 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	8639.3	67.4	8639.3	67.4
Partner/family	394.0	3.1	9033.3	70.5
Hired labor	1500.0	11.7	10533.3	82.2
Unpaid nonfamily	2118.1	16.5	12651.4	98.7
Other	164.5	1.3	12815.9	100.0

**Table 3-418. Estimates of lost-time injuries by gender for white workers in the West region of the U.S., 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	10173.1	79.4	10173.1	79.4
Female	2642.8	20.6	12815.9	100.0

**Table 3-419. Estimates of lost-time injuries by age group for white workers in the West region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	329.0	2.6	329.0	2.6
20-29	314.2	2.5	643.2	5.0
30-39	1021.7	8.0	1664.9	13.0
40-49	2376.7	18.5	4041.6	31.5
50-59	5988.6	46.7	10030.2	78.3
60-69	2385.3	18.6	12415.5	96.9
>=70	400.4	3.1	12815.9	100.0

**Table 3-420. Estimates of lost-time injuries by month for white workers in the West region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
March	685.8	5.4	685.8	5.4
April	223.4	1.7	909.2	7.1
May	3837.7	29.9	4746.9	37.0
June	658.0	5.1	5404.9	42.2
July	2032.9	15.9	7437.8	58.0
August	2452.3	19.1	9890.1	77.2
October	199.3	1.6	10089.4	78.7
November	2247.8	17.5	12337.2	96.3
December	478.7	3.7	12815.9	100.0

**Table 3-421. Estimates of lost-time injuries by severity of the injury for white workers in the West region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	10732.6	83.7	10732.6	83.7
Permanent	2083.3	16.3	12815.9	100.0

**Table 3-422. Estimates of lost-time injuries by whether professional medical attention was sought for white workers in the West region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	2083.3	16.3	2083.3	16.3
Yes	5096.9	39.8	7180.2	56.0
No	5635.7	44.0	12815.9	100.0

**Table 3-423. Estimates of lost-time injuries by body part injured for white workers in the West region of the U.S., 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2576.8	20.1	2576.8	20.1
Eye	111.1	0.9	2687.9	21.0
Chest/trunk	1116.9	8.7	3804.8	29.7
Back	282.3	2.2	4087.1	31.9
Arm/shoulder	698.0	5.4	4785.1	37.3
Finger	316.5	2.5	5101.6	39.8
Hand/wrist	3667.2	28.6	8768.8	68.4
Leg/knee/hip	3811.2	29.7	12580.0	98.2
Mult. parts	235.9	1.8	12815.9	100.0

**Table 3-424. Estimates of lost-time injuries by nature of injury for white workers in the West region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	2045.4	16.0	2045.4	16.0
Cut	3714.3	29.0	5759.7	44.9
Crush	152.0	1.2	5911.7	46.1
Fracture	2776.1	21.7	8687.8	67.8
Puncture	156.6	1.2	8844.4	69.0
Sprain/strain	3299.0	25.7	12143.4	94.8
Mult. injury	387.9	3.0	12531.3	97.8
Other	284.6	2.2	12815.9	100.0

**Table 3-425. Estimates of lost-time injuries by type of event for white workers in the West region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	223.4	1.7	223.4	1.7
Caught between	787.9	6.1	1011.3	7.9
Caught under	63.1	0.5	1074.4	8.4
Struck by/against	1732.4	13.5	2806.8	21.9
Struck by falling	2247.8	17.5	5054.6	39.4
Struck by flying	164.5	1.3	5219.1	40.7
Contact sharp obj.	3430.8	26.8	8649.9	67.5
Fall, same level	2412.3	18.8	11062.2	86.3
Fall, elevation	716.9	5.6	11779.1	91.9
Overexertion	427.9	3.3	12207.0	95.2
Other	608.9	4.8	12815.9	100.0



**Table 3-426. Estimates of lost-time injuries by activity when worker was injured for white workers in the West region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	3406.8	26.6	3406.8	26.6
Machine maint.	444.4	3.5	3851.2	30.1
Field work	234.9	1.8	4086.1	31.9
Crop handling	2083.3	16.3	6169.4	48.1
Livestock handling	6447.0	50.3	12616.4	98.4
Other	199.5	1.6	12815.9	100.0

**Table 3-427. Estimates of lost-time injuries by source of the injury for white workers in the West region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	63.1	0.5	63.1	0.5
Machinery	152.0	1.2	215.1	1.7
Livestock	3882.7	30.3	4097.8	32.0
Hand tool	2161.6	16.9	6259.4	48.8
Power tool	1537.4	12.0	7796.8	60.8
Plant/tree	228.0	1.8	8024.8	62.6
Working surface	63.1	0.5	8087.9	63.1
Other vehicle	329.0	2.6	8416.9	65.7
Other	4399.0	34.3	12815.9	100.0

**Table 3-428. Estimates of lost-time injuries by farm type for Hispanic workers in the West region of the U.S., 1995.**

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	63.1	0.2	63.1	0.2
Field crops	1714.3	6.0	1777.4	6.2
Vegetable, fruit, nuts	13420.8	46.7	15198.2	52.8
Nursery	9029.0	31.4	24227.2	84.2
Beef, hogs, sheep	2576.8	9.0	26804.0	93.2
Poultry	885.4	3.1	27689.4	96.3
Dairy	932.3	3.2	28621.7	99.5
Other farms	142.8	0.5	28764.5	100.0

**Table 3-429. Estimates of lost-time injuries by status of the injured worker for Hispanic workers in the West region of the U.S., 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	308.9	1.1	308.9	1.1
Hired labor	27475	95.5	27783.9	96.6
Unpaid nonfamily	52.1	0.2	27836.0	96.8
Other	928.5	3.2	28764.5	100.0

**Table 3-430. Estimates of lost-time injuries by gender for Hispanic workers in the West region of the U.S., 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	28764.5	100.0	28764.5	100.0

**Table 3-431. Estimates of lost-time injuries by age group for Hispanic workers in the West region of the U.S., 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	1006.8	3.5	1006.8	3.5
20-29	13602.3	47.3	14609.1	50.8
30-39	7549.0	26.2	22158.1	77.0
40-49	3059.5	10.6	25217.6	87.7
50-59	2145.0	7.5	27362.6	95.1
60-69	1290.8	4.5	28653.4	99.6
>=70	111.1	0.4	28764.5	100.0

**Table 3-432. Estimates of lost-time injuries by month for Hispanic workers in the West region of the U.S., 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1989.6	6.9	1989.6	6.9
February	71.4	0.2	2061.0	7.2
March	149.7	0.5	2210.7	7.7
April	1857.0	6.5	4067.7	14.1
May	787.9	2.7	4855.6	16.9
June	227.6	0.8	5083.2	17.7
July	4547.3	15.8	9630.5	33.5
August	10040.4	34.9	19670.9	68.4
September	4980.4	17.3	24651.3	85.7
October	2807.3	9.8	27458.6	95.5
November	1062.2	3.7	28520.8	99.2
December	243.7	0.8	28764.5	100.0

**Table 3-433. Estimates of lost-time injuries by severity of the injury for Hispanic workers in the West region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	27764.6	96.5	27764.6	96.5
Permanent	999.9	3.5	28764.5	100.0

**Table 3-434. Estimates of lost-time injuries by whether professional medical attention was sought for Hispanic workers in the West region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	999.9	3.5	999.9	3.5
Yes	25804.2	89.7	26804.1	93.2
No	1960.4	6.8	28764.5	100.0

**Table 3-435. Estimates of lost-time injuries by body part injured for Hispanic workers in the West region of the U.S., 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Head/neck	1234.4	4.3	1234.4	4.3
Eye	928.5	3.2	2162.9	7.5
Chest/trunk	928.5	3.2	3091.4	10.7
Back	3049.7	10.6	6141.1	21.3
Arm/shoulder	9025.7	31.4	15166.8	52.7
Finger	3870.5	13.5	19037.3	66.2
Hand/wrist	111.1	0.4	19148.4	66.6
Leg/knee/hip	3714.0	12.9	22862.4	79.5
Foot	4841.0	16.8	27703.4	96.3
Mult. parts	1061.1	3.7	28764.5	100.0

**Table 3-436. Estimates of lost-time injuries by nature of injury for Hispanic workers in the West region of the U.S., 1995.**

<u>Nature of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Amputation	132.6	0.5	132.6	0.5
Bruise	5369.3	18.7	5501.9	19.1
Burn	1093.0	3.8	6594.9	22.9
Cut	3124.7	10.9	9719.6	33.8
Fracture	189.4	0.7	9909.0	34.4
Sprain/strain	16865.9	58.6	26774.9	93.1
Mult. injury	132.6	0.5	26907.5	93.5
Other	1857.0	6.5	28764.5	100.0

**Table 3-437. Estimates of lost-time injuries by type of event for Hispanic workers in the West region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1716.4	6.0	1716.4	6.0
Caught between	1061.1	3.7	2777.5	9.7
Caught under	33.3	0.1	2810.8	9.8
Struck by/against	1505.4	5.2	4316.2	15.0
Struck by falling	2775.4	9.6	7091.6	24.7
Contact sharp obj.	2785.5	9.7	9877.1	34.3
Fall, same level	1857.0	6.5	11734.1	40.8
Fall, elevation	8947.4	31.1	20681.5	71.9
Overexertion	1956.7	6.8	22638.2	78.7
Other	6126.3	21.3	28764.5	100.0

**Table 3-438. Estimates of lost-time injuries by activity when worker was injured for Hispanic workers in the West region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	11118.6	38.7	11118.6	38.7
Machine maint.	1244.9	4.3	12363.5	43.0
Field work	9213.7	32.0	21577.2	75.0
Crop handling	184.7	0.6	21761.9	75.7
Livestock handling	372.0	1.3	22133.9	76.9
Other	6630.6	23.1	28764.5	100.0

**Table 3-439. Estimates of lost-time injuries by source of the injury for Hispanic workers in the West region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	11711.3	40.7	11711.3	40.7
Livestock	1300.5	4.5	13011.8	45.2
Hand tool	1006.8	3.5	14018.6	48.7
Power tool	928.5	3.2	14947.1	52.0
Plant/tree	928.5	3.2	15875.6	55.2
Working surface	2785.5	9.7	18661.1	64.9
Truck/auto	1093.0	3.8	19754.1	68.7
Other vehicle	1006.8	3.5	20760.9	72.2
Other	8003.6	27.8	28764.5	100.0

**Table 3-440. Estimates of lost-time injuries by farm type for other race workers in the West region of the U.S., 1995.**

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	444.4	27.9	444.4	27.9
Vegetable, fruit, nuts	939.6	59.0	1384.0	86.9
Beef, hogs, sheep	208.8	13.1	1592.8	100.0

**Table 3-441. Estimates of lost-time injuries by status of the injured worker for other race workers in the West region of the U.S., 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	696.0	43.7	696.0	43.7
Partner/family	34.8	2.2	730.8	45.9
Hired labor	783.7	49.2	1514.5	95.1
Other	78.3	4.9	1592.8	100.0

**Table 3-442. Estimates of lost-time injuries by gender for other race workers in the West region of the U.S., 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	1357.9	85.3	1357.9	85.3
Female	234.9	14.7	1592.8	100.0

**Table 3-443. Estimates of lost-time injuries by age group for other race workers in the West region of the U.S., 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	113.1	7.1	113.1	7.1
20-29	113.1	7.1	226.2	14.2
30-39	635.8	39.9	862.0	54.1
40-49	382.8	24.0	1244.8	78.2
50-59	78.3	4.9	1323.1	83.1
60-69	78.3	4.9	1401.4	88.0
>=70	191.4	12.0	1592.8	100.0

**Table 3-444. Estimates of lost-time injuries by month for other race workers in the West region of the U.S., 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
March	792.4	49.7	792.4	49.7
April	78.3	4.9	870.7	54.7
June	34.8	2.2	905.5	56.8
July	78.3	4.9	983.8	61.8
August	113.1	7.1	1096.9	68.9
September	191.4	12.0	1288.3	80.9
October	113.1	7.1	1401.4	88.0
November	191.4	12.0	1592.8	100.0

**Table 3-445. Estimates of lost-time injuries by severity of the injury for other race workers in the West region of the U.S., 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	1592.8	100.0	1592.8	100.0

**Table 3-446. Estimates of lost-time injuries by whether professional medical attention was sought for other race workers in the West region of the U.S., 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Yes	1123.0	74.1	1123.0	74.1
No	391.5	25.9	1514.5	100.0

(Frequency Missing = 78.3)

**Table 3-447. Estimates of lost-time injuries by body part injured for other race workers in the West region of the U.S., 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Eye	757.6	47.6	757.6	47.6
Back	269.7	16.9	1027.3	64.5
Arm/shoulder	147.9	9.3	1175.2	73.8
Finger	156.6	9.8	1331.8	83.6
Hand/wrist	34.8	2.2	1366.6	85.8
Leg/knee/hip	78.3	4.9	1444.9	90.7
Foot	147.9	9.3	1592.8	100.0

**Table 3-448. Estimates of lost-time injuries by nature of injury for other race workers in the West region of the U.S., 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	156.6	9.8	156.6	9.8
Burn	479.2	30.1	635.8	39.9
Cut	156.6	9.8	792.4	49.7
Puncture	104.4	6.6	896.8	56.3
Sprain/strain	461.1	28.9	1357.9	85.3
Other	234.9	14.7	1592.8	100.0

**Table 3-449. Estimates of lost-time injuries by type of event for other race workers in the West region of the U.S., 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught under	34.8	2.2	34.8	2.2
Struck by falling	78.3	4.9	113.1	7.1
Struck by flying	113.1	7.1	226.2	14.2
Contact sharp obj.	226.2	14.2	452.4	28.4
Fall, same level	113.1	7.1	565.5	35.5
Overexertion	313.2	19.7	878.7	55.2
Other	714.1	44.8	1592.8	100.0

**Table 3-450. Estimates of lost-time injuries by activity when worker was injured for other race workers in the West region of the U.S., 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	147.9	9.3	147.9	9.3
Machine maint.	444.4	27.9	592.3	37.2
Field work	234.9	14.7	827.2	51.9
Crop handling	234.9	14.7	1062.1	66.7
Livestock handling	69.6	4.4	1131.7	71.1
Other	461.1	28.9	1592.8	100.0

**Table 3-451. Estimates of lost-time injuries by source of the injury for other race workers in the West region of the U.S., 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	444.4	27.9	444.4	27.9
Livestock	34.8	2.2	479.2	30.1
Hand tool	78.3	4.9	557.5	35.0
Power tool	156.6	9.8	714.1	44.8
Plant/tree	34.8	2.2	748.9	47.0
Working surface	156.6	9.8	905.5	56.8
Truck/auto	78.3	4.9	983.8	61.8
Other vehicle	34.8	2.2	1018.6	64.0
Other	574.2	36.0	1592.8	100.0



## Section 4: State Data



**Table 4-1. State estimates of lost-time injuries, restricted workdays, lost-time injuries per 200,000 hours worked, and restricted workdays per 200,000 hours worked, 1995.**

State	Estimated Lost-time Injuries	Estimated Restricted Workdays	Lost-time Injury Rate	Restricted Workday Rate
Arkansas	1957	32161	5.1	84.5
California	11230	83714	4.7	35.2
Conn., Mass., Rhode Island	1058	4820	9.2	42.0
Delaware, Maryland	1264	16145	5.6	71.2
Florida	1634	23996	3.5	51.4
Hawaii	493	1382	6.2	17.3
Kansas	5160	67203	9.1	117.3
Louisiana	1302	7348	4.4	24.8
Minnesota	11847	357744	11.1	334.4
Mississippi	3925	39596	9.1	91.7
Nebraska	5536	102539	8.7	161.5
New Mexico	1422	52796	9.5	354.1
Ohio	8458	103681	8.6	105.0
Pennsylvania	5634	112374	8.2	164.1
Texas	8300	192448	5.2	119.7
Virginia	3120	61103	7.7	150.2

**Table 4-2. Estimates of lost-time injuries by farm group for the State of Arkansas, 1995.**

<u>Farm Group</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Crops	469.1	24.0	469.1	24.0
Livestock	1488.1	76.0	1957.2	100.0

**Table 4-3. Estimates of lost-time injuries by status of the injured worker for the State of Arkansas, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	1591.4	81.3	1591.4	81.3
Partner/family	137.2	7.0	1728.6	88.3
Hired labor	228.6	11.7	1957.2	100.0

**Table 4-4. Estimates of lost-time injuries by gender for the State of Arkansas, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	1751.4	89.5	1751.4	89.5
Female	205.8	10.5	1957.2	100.0

**Table 4-5. Estimates of lost-time injuries by age group for the State of Arkansas, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
20-29	76.2	3.9	76.2	3.9
30-39	360.1	18.4	436.3	22.3
40-49	583.0	29.8	1019.3	52.1
50-59	421.2	21.5	1440.5	73.6
60-69	242.3	12.4	1682.8	86.0
>=70	274.4	14.0	1957.2	100.0

**Table 4-6. Estimates of lost-time injuries by race or ethnic origin for the State of Arkansas, 1995.**

<u>Race/Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	1888.6	100.0	1888.6	100.0

(Frequency Missing = 68.6)

**Table 4-7. Estimates of lost-time injuries by month for the State of Arkansas, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	137.2	7.3	137.2	7.3
February	78.1	4.2	215.3	11.4
March	374.8	19.9	590.1	31.4
April	27.0	1.4	617.1	32.8
May	68.6	3.6	685.7	36.5
June	95.6	5.1	781.3	41.5
July	137.2	7.3	918.5	48.8
August	154.3	8.2	1072.8	57.0
September	497.3	26.4	1570.1	83.5
October	137.2	7.3	1707.3	90.8
December	173.7	9.2	1881.0	100.0

(Frequency Missing = 76.2)

**Table 4-8. Estimates of lost-time injuries by severity of the injury for the State of Arkansas, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	1957.2	100.0	1957.2	100.0

**Table 4-9. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Arkansas, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Yes	1450.3	75.1	1450.3	75.1
No	479.9	24.9	1930.2	100.0

(Frequency Missing = 27)

**Table 4-10. Estimates of lost-time injuries by body part injured for the State of Arkansas, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	283.9	14.5	283.9	14.5
Back	649.7	33.2	933.6	47.7
Arm/shoulder	68.6	3.5	1002.2	51.2
Finger	274.4	14.0	1276.6	65.2
Hand/wrist	68.6	3.5	1345.2	68.7
Leg/knee/hip	149.6	7.6	1494.8	76.4
Foot	154.3	7.9	1649.1	84.3
Mult. parts	308.1	15.7	1957.2	100.0

**Table 4-11. Estimates of lost-time injuries by nature of the injury for the State of Arkansas, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	242.3	12.9	242.3	12.9
Cut	328.4	17.5	570.7	30.3
Crush	68.6	3.6	639.3	34.0
Fracture	146.7	7.8	786.0	41.8
Puncture	146.7	7.8	932.7	49.6
Sprain/strain	811.1	43.1	1743.8	92.7
Mult. injury	137.2	7.3	1881.0	100.0

(Frequency Missing = 76.2)

**Table 4-12. Estimates of lost-time injuries by type of event for the State of Arkansas, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	68.6	3.5	68.6	3.5
Caught between	137.2	7.0	205.8	10.5
Struck by/against	370.0	18.9	575.8	29.4
Struck by falling	105.1	5.4	680.9	34.8
Struck by flying	78.1	4.0	759.0	38.8
Contact sharp obj.	27.0	1.4	786.0	40.2
Fall, same level	315.7	16.1	1101.7	56.3
Fall, elevation	137.2	7.0	1238.9	63.3
Overexertion	436.3	22.3	1675.2	85.6
Other	282.0	14.4	1957.2	100.0

**Table 4-13. Estimates of lost-time injuries by activity when injured for the State of Arkansas, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	535.7	28.5	535.7	28.5
Machine maint.	144.8	7.7	680.5	36.2
Field work	358.2	19.1	1038.7	55.3
Crop handling	137.2	7.3	1175.9	62.6
Livestock handling	634.6	33.8	1810.5	96.3
Other	68.6	3.7	1879.1	100.0

(Frequency Missing = 78.1)

**Table 4-14. Estimates of lost-time injuries by source of injury for the State of Arkansas, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	68.6	3.7	68.6	3.7
Machinery	213.4	11.4	282.0	15.0
Livestock	438.6	23.3	720.6	38.3
Hand tool	144.8	7.7	865.4	46.1
Power tool	105.1	5.6	970.5	51.6
Plant/tree	146.7	7.8	1117.2	59.5
Working surface	83.3	4.4	1200.5	63.9
Other vehicle	146.7	7.8	1347.2	71.7
Other	531.9	28.3	1879.1	100.0

(Frequency Missing = 78.1)

**Table 4-15. Estimates of lost-time injuries by farm group for the State of California, 1995.**

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	8006.7	71.3	8006.7	71.3
Livestock	3222.8	28.7	11229.5	100.0

**Table 4-16. Estimates of lost-time injuries by status of the injured worker for the State of California, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1849.8	16.5	1849.8	16.5
Hired labor	8476.2	75.5	10326.0	92.0
Unpaid nonfamily	625.0	5.6	10951.0	97.5
Other	278.5	2.5	11229.5	100.0

**Table 4-17. Estimates of lost-time injuries by gender for the State of California, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	10604.5	94.4	10604.5	94.4
Female	625.0	5.6	11229.5	100.0

**Table 4-18. Estimates of lost-time injuries by age group for the State of California, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	278.5	2.5	278.5	2.5
20-29	4077.4	36.3	4355.9	38.8
30-39	2358.1	21.0	6714.0	59.8
40-49	1460.5	13.0	8174.5	72.8
50-59	2198.1	19.6	10372.6	92.4
60-69	835.5	7.4	11208.1	99.8
>=70	21.4	0.2	11229.5	100.0

**Table 4-19. Estimates of lost-time injuries by race or ethnic origin for the State of California, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	2844.5	25.3	2844.5	25.3
Hispanic	8251.7	73.5	11096.2	98.8
Other	133.3	1.2	11229.5	100.0

**Table 4-20. Estimates of lost-time injuries by month for the State of California, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	557	5.0	557.0	5.0
February	21.4	0.2	578.4	5.2
March	154.7	1.4	733.1	6.5
April	578.4	5.2	1311.5	11.7
May	1273.2	11.3	2584.7	23.0
July	1878.9	16.7	4463.6	39.7
August	3587.7	31.9	8051.3	71.7
September	1460.5	13.0	9511.8	84.7
October	792.8	7.1	10304.6	91.8
November	903.5	8.0	11208.1	99.8
December	21.4	0.2	11229.5	100.0



**Table 4-21. Estimates of lost-time injuries by severity of the injury for the State of California, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	10304.6	91.8	10304.6	91.8
Permanent	924.9	8.2	11229.5	100.0

**Table 4-22. Estimates of lost-time injuries by whether professional medical attention was sought for the State of California, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	924.9	8.2	924.9	8.2
Yes	8350.5	74.4	9275.4	82.6
No	1954.1	17.4	11229.5	100.0

**Table 4-23. Estimates of lost-time injuries by body part injured for the State of California, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	903.5	8.0	903.5	8.0
Eye	411.8	3.7	1315.3	11.7
Chest/trunk	514.9	4.6	1830.2	16.3
Back	871.2	7.8	2701.4	24.1
Arm/shoulder	2684.2	23.9	5385.6	48.0
Finger	1071.9	9.5	6457.5	57.5
Hand/wrist	1036.8	9.2	7494.3	66.7
Leg/knee/hip	2017.5	18.0	9511.8	84.7
Foot	1417.8	12.6	10929.6	97.3
Mult. parts	299.9	2.7	11229.5	100.0

**Table 4-24. Estimates of lost-time injuries by nature of the injury for the State of California, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	2101.1	18.7	2101.1	18.7
Burn	411.8	3.7	2512.9	22.4
Cut	1739.0	15.5	4251.9	37.9
Fracture	625.0	5.6	4876.9	43.4
Sprain/strain	5774.2	51.4	10651.1	94.8
Mult. injury	21.4	0.2	10672.5	95.0
Other	557.0	5.0	11229.5	100.0

**Table 4-25. Estimates of lost-time injuries by type of event for the State of California, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	536.3	4.8	536.3	4.8
Caught between	514.9	4.6	1051.2	9.4
Struck by/against	557.0	5.0	1608.2	14.3
Struck by falling	1417.8	12.6	3026.0	26.9
Contact sharp obj.	1739.0	15.5	4765.0	42.4
Fall, same level	1182.0	10.5	5947.0	53.0
Fall, elevation	2705.6	24.1	8652.6	77.1
Overexertion	571.3	5.1	9223.9	82.1
Other	2005.6	17.9	11229.5	100.0

**Table 4-26. Estimates of lost-time injuries by activity when injured for the State of California, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	4166.1	37.1	4166.1	37.1
Machine maint.	503.0	4.5	4669.1	41.6
Field work	2763.7	24.6	7432.8	66.2
Crop handling	625.0	5.6	8057.8	71.8
Livestock handling	1161.3	10.3	9219.1	82.1
Other	2010.4	17.9	11229.5	100.0

**Table 4-27. Estimates of lost-time injuries by source of injury for the State of California, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	3582.4	31.9	3582.4	31.9
Livestock	814.8	7.3	4397.2	39.2
Hand tool	903.5	8.0	5300.7	47.2
Power tool	690.3	6.1	5991.0	53.4
Plant/tree	299.9	2.7	6290.9	56.0
Working surface	835.5	7.4	7126.4	63.5
Truck/auto	278.5	2.5	7404.9	65.9
Other vehicle	278.5	2.5	7683.4	68.4
Other	3546.1	31.6	11229.5	100.0

**Table 4-28. Estimates of lost-time injuries by farm group for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.**

<u>Farm Group</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Crops	977.3	92.4	977.3	92.4
Livestock	80.4	7.6	1057.7	100.0

**Table 4-29. Estimates of lost-time injuries by status of the injured worker for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	372.6	52.3	372.6	52.3
Partner/family	127.3	17.9	499.9	70.1
Hired labor	172.4	24.2	672.3	94.3
Unpaid nonfamily	20.2	2.8	692.5	97.2
Other	20.2	2.8	712.7	100.0

(Frequency Missing = 345.0)

**Table 4-30. Estimates of lost-time injuries by gender for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	660.8	92.7	660.8	92.7
Female	51.9	7.3	712.7	100.0

(Frequency Missing = 345.0)

**Table 4-31. Estimates of lost-time injuries by age group for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	22.7	3.2	22.7	3.2
20-29	161.5	22.7	184.2	25.8
30-39	152.0	21.3	336.2	47.2
40-49	47.8	6.7	384.0	53.9
50-59	107.3	15.1	491.3	68.9
60-69	176.0	24.7	667.3	93.6
>=70	45.4	6.4	712.7	100.0

(Frequency Missing = 345.0)

**Table 4-32. Estimates of lost-time injuries by race or ethnic origin for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	658.3	92.7	658.3	92.7
Hispanic	49.4	7.0	707.7	99.6
Other	2.5	0.4	710.2	100.0

(Frequency Missing = 347.5)

**Table 4-33. Estimates of lost-time injuries by month for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	20.1	2.8	20.1	2.8
March	44.9	6.3	65.0	9.1
April	104.6	14.7	169.6	23.8
June	77.9	10.9	247.5	34.7
July	49.4	6.9	296.9	41.7
August	170.1	23.9	467.0	65.5
September	30.2	4.2	497.2	69.8
October	22.7	3.2	519.9	72.9
November	49.4	6.9	569.3	79.9
December	143.4	20.1	712.7	100.0

(Frequency Missing = 345.0)

**Table 4-34. Estimates of lost-time injuries by severity of the injury for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	587.9	82.5	587.9	82.5
Permanent	124.8	17.5	712.7	100.0

(Frequency Missing = 345.0)

**Table 4-35. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	469.8	44.5	469.8	44.5
Yes	429.6	40.7	899.4	85.2
No	155.8	14.8	1055.2	100.0

(Frequency Missing = 2.5)

**Table 4-36. Estimates of lost-time injuries by body part injured for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	20.2	2.8	20.2	2.8
Eye	22.6	3.2	42.8	6.0
Chest/trunk	29.2	4.1	72.0	10.1
Back	221.9	31.1	293.9	41.2
Arm/shoulder	5.0	0.7	298.9	41.9
Finger	80.8	11.3	379.7	53.3
Hand/wrist	120.8	16.9	500.5	70.2
Leg/knee/hip	129.3	18.1	629.8	88.4
Toe	2.5	0.4	632.3	88.7
Foot	80.4	11.3	712.7	100.0

(Frequency Missing = 345.0)

**Table 4-37. Estimates of lost-time injuries by nature of the injury for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	98.1	13.8	98.1	13.8
Bruise	45.0	6.3	143.1	20.1
Cut	123.3	17.3	266.4	37.4
Crush	20.2	2.8	286.6	40.2
Fracture	49.4	6.9	336.0	47.1
Puncture	77.9	10.9	413.9	58.1
Sprain/strain	256.1	35.9	670.0	94.0
Other	42.7	6.0	712.7	100.0

(Frequency Missing = 345.0)

**Table 4-38. Estimates of lost-time injuries by type of event for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	20.2	2.8	20.2	2.8
Caught between	40.4	5.7	60.6	8.5
Struck by/against	76.1	10.7	136.7	19.2
Contact sharp obj.	198.7	27.9	335.4	47.1
Fall, same level	20.2	2.8	355.6	49.9
Fall, elevation	29.8	4.2	385.4	54.1
Overexertion	123.8	17.4	509.2	71.4
Other	203.5	28.6	712.7	100.0

(Frequency Missing = 345.0)

**Table 4-39. Estimates of lost-time injuries by activity when injured for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	272.3	38.2	272.3	38.2
Machine maint.	24.8	3.5	297.1	41.7
Field work	120.8	16.9	417.9	58.6
Crop handling	146.0	20.5	563.9	79.1
Livestock handling	76.0	10.7	639.9	89.8
Other	72.8	10.2	712.7	100.0

(Frequency Missing = 345.0)

**Table 4-40. Estimates of lost-time injuries by source of injury for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	174.8	24.5	174.8	24.5
Livestock	49.3	6.9	224.1	31.4
Hand tool	118.3	16.6	342.4	48.0
Pesticide/chem.	5.0	0.7	347.4	48.7
Plant/tree	45.2	6.3	392.6	55.1
Working surface	42.9	6.0	435.5	61.1
Truck/auto	98.1	13.8	533.6	74.9
Other	179.1	25.1	712.7	100.0

(Frequency Missing = 345.0)

**Table 4-41. Estimates of lost-time injuries by farm group for the State of Delaware and State of Maryland.**

<u>Farm Group</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Crops	756.6	59.9	756.6	59.9
Livestock	507.0	40.1	1263.6	100.0

**Table 4-42. Estimates of lost-time injuries by status of the injured worker for the State of Delaware and the State of Maryland, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	934.2	73.9	934.2	73.9
Partner/family	197.4	15.6	1131.6	89.6
Hired labor	132.0	10.4	1263.6	100.0

**Table 4-43. Estimates of lost-time injuries by gender for the State of Delaware and the State of Maryland, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	1136.3	89.9	1136.3	89.9
Female	127.3	10.1	1263.6	100.0

**Table 4-44. Estimates of lost-time injuries by age group for the State of Delaware and the State of Maryland, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
20-29	46.9	3.7	46.9	3.7
30-39	310.4	24.6	357.3	28.3
40-49	80.4	6.4	437.7	34.6
50-59	340.1	26.9	777.8	61.6
60-69	178.4	14.1	956.2	75.7
>=70	307.4	24.3	1263.6	100.0

**Table 4-45. Estimates of lost-time injuries by race or ethnic origin for the State of Delaware and the State of Maryland, 1995.**

<u>Race/Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	1179.2	93.3	1179.2	93.3
Other	84.4	6.7	1263.6	100.0

**Table 4-46. Estimates of lost-time injuries by month for the State of Delaware and the State of Maryland, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	179.1	14.2	179.1	14.2
March	87.1	6.9	266.2	21.1
May	87.1	6.9	353.3	28.0
June	242.2	19.2	595.5	47.1
July	92.0	7.3	687.5	54.4
Aug	191.4	15.1	878.9	69.6
September	157.0	12.4	1035.9	82.0
October	105.4	8.3	1141.3	90.3
November	122.3	9.7	1263.6	100.0

**Table 4-47. Estimates of lost-time injuries by severity of the injury for the State of Delaware and the State of Maryland, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	1158.2	91.7	1158.2	91.7
Fatality	105.4	8.3	1263.6	100.0

**Table 4-48. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Delaware and the State of Maryland, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	105.4	8.3	105.4	8.3
Yes	1111.3	87.9	1216.7	96.3
No	46.9	3.7	1263.6	100.0

**Table 4-49. Estimates of lost-time injuries by body part injured for the State of Delaware and the State of Maryland, 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Chest/trunk	80.4	6.4	80.4	6.4
Back	203.9	16.1	284.3	22.5
Arm/shoulder	132.2	10.5	416.5	33.0
Finger	73.0	5.8	489.5	38.7
Hand/wrist	228.4	18.1	717.9	56.8
Leg/knee/hip	254.5	20.1	972.4	77.0
Foot	79.7	6.3	1052.1	83.3
Mult. parts	211.5	16.7	1263.6	100.0



**Table 4-50. Estimates of lost-time injuries by nature of the injury for the State of Delaware and the State of Maryland, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	40.2	3.2	40.2	3.2
Cut	412.4	32.6	452.6	35.8
Fracture	120.6	9.5	573.2	45.4
Poisoning	59.2	4.7	632.4	50.0
Puncture	202.0	16.0	834.4	66.0
Sprain/strain	236.7	18.7	1071.1	84.8
Mult. injury	152.3	12.1	1223.4	96.8
Other	40.2	3.2	1263.6	100.0

**Table 4-51. Estimates of lost-time injuries by type of event for the State of Delaware and the State of Maryland, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	32.8	2.6	32.8	2.6
Caught between	122.3	9.7	155.1	12.3
Struck by/against	374.0	29.6	529.1	41.9
Struck by falling	40.2	3.2	569.3	45.1
Contact sharp obj.	230.9	18.3	800.2	63.3
Fall, same level	84.4	6.7	884.6	70.0
Fall, elevation	87.1	6.9	971.7	76.9
Overexertion	87.1	6.9	1058.8	83.8
Other	204.8	16.2	1263.6	100.0

**Table 4-52. Estimates of lost-time injuries by activity when injured for the State of Delaware and the State of Maryland, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	219.3	17.4	219.3	17.4
Machine maint.	40.2	3.2	259.5	20.5
Field work	367.3	29.1	626.8	49.6
Crop handling	51.6	4.1	678.4	53.7
Livestock handling	552.4	43.7	1230.8	97.4
Other	32.8	2.6	1263.6	100.0

**Table 4-53. Estimates of lost-time injuries by source of injury for the State of Delaware and the State of Maryland, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	87.1	6.9	87.1	6.9
Machinery	202.0	16.0	289.1	22.9
Livestock	413.5	32.7	702.6	55.6
Hand tool	138.9	11.0	841.5	66.6
Power tool	59.2	4.7	900.7	71.3
Plant/tree	59.2	4.7	959.9	76.0
Working surface	143.6	11.4	1103.5	87.3
Other	160.1	12.7	1263.6	100.0

**Table 4-54. Estimates of lost-time injuries by farm group for the State of Florida, 1995.**

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	1206.2	73.8	1206.2	73.8
Livestock	427.6	26.2	1633.8	100.0

**Table 4-55. Estimates of lost-time injuries by status of the injured worker for the State of Florida, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	665.3	40.7	665.3	40.7
Hired labor	968.5	59.3	1633.8	100.0

**Table 4-56. Estimates of lost-time injuries by gender for the State of Florida, 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	1454.1	89.0	1454.1	89.0
Female	179.7	11.0	1633.8	100.0

**Table 4-57. Estimates of lost-time injuries by age group for the State of Florida, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20-29	317.2	19.4	317.2	19.4
30-39	471.6	28.9	788.8	48.3
40-49	422.5	25.9	1211.3	74.1
60-69	84.2	5.2	1295.5	79.3
>=70	338.3	20.7	1633.8	100.0

**Table 4-58. Estimates of lost-time injuries by race or ethnic origin for the State of Florida, 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	1374.6	84.1	1374.6	84.1
Hispanic	259.2	15.9	1633.8	100.0

**Table 4-59. Estimates of lost-time injuries by month for the State of Florida, 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
February	158.6	9.7	158.6	9.7
April	212.4	13.0	371.0	22.7
May	338.3	20.7	709.3	43.4
July	317.2	19.4	1026.5	62.8
September	84.2	5.2	1110.7	68.0
October	84.2	5.2	1194.9	73.1
November	438.9	26.9	1633.8	100.0

**Table 4-60. Estimates of lost-time injuries by severity of the injury for the State of Florida, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	1633.8	100.0	1633.8	100.0

**Table 4-61. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Florida, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1052.7	64.4	1052.7	64.4
No	581.1	35.6	1633.8	100.0

**Table 4-62. Estimates of lost-time injuries by body part injured for the State of Florida, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	158.6	9.7	158.6	9.7
Back	338.3	20.7	496.9	30.4
Arm/shoulder	259.2	15.9	756.1	46.3
Finger	168.4	10.3	924.5	56.6
Hand/wrist	529.6	32.4	1454.1	89.0
Leg/knee/hip	179.7	11.0	1633.8	100.0

**Table 4-63. Estimates of lost-time injuries by nature of the injury for the State of Florida, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	513.3	31.4	513.3	31.4
Cut	158.6	9.7	671.9	41.1
Fracture	327.0	20.0	998.9	61.1
Puncture	138.0	8.4	1136.9	69.6
Sprain/strain	496.9	30.4	1633.8	100.0

**Table 4-64. Estimates of lost-time injuries by type of event for the State of Florida, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	242.8	14.9	242.8	14.9
Struck by/against	179.7	11.0	422.5	25.9
Struck by falling	158.6	9.7	581.1	35.6
Contact sharp obj.	296.6	18.2	877.7	53.7
Fall, same level	84.2	5.2	961.9	58.9
Overexertion	179.7	11.0	1141.6	69.9
Other	492.2	30.1	1633.8	100.0

**Table 4-65. Estimates of lost-time injuries by activity when injured for the State of Florida, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	158.6	9.7	158.6	9.7
Machine maint.	317.2	19.4	475.8	29.1
Field work	422.5	25.9	898.3	55.0
Crop handling	179.7	11.0	1078.0	66.0
Livestock handling	417.8	25.6	1495.8	91.6
Other	138.0	8.4	1633.8	100.0

**Table 4-66. Estimates of lost-time injuries by source of injury for the State of Florida, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	242.8	14.9	242.8	14.9
Machinery	338.3	20.7	581.1	35.6
Livestock	175.0	10.7	756.1	46.3
Other	877.7	53.7	1633.8	100.0

**Table 4-67. Estimates of lost-time injuries by farm group for the State of Hawaii, 1995.**

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	399.5	81.1	399.5	81.1
Livestock	93.2	18.9	492.7	100.0

**Table 4-68. Estimates of lost-time injuries by status of the injured worker for the State of Hawaii, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	252.7	51.3	252.7	51.3
Partner/family	10.4	2.1	263.1	53.4
Hired labor	195.7	39.7	458.8	93.1
Unpaid nonfamily	10.4	2.1	469.2	95.2
Other	23.5	4.8	492.7	100.0

**Table 4-69. Estimates of lost-time injuries by gender for the State of Hawaii, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	411.8	83.6	411.8	83.6
Female	80.9	16.4	492.7	100.0

**Table 4-70. Estimates of lost-time injuries by age group for the State of Hawaii, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	57.4	11.7	57.4	11.7
20-29	57.4	11.7	114.8	23.3
30-39	91.3	18.5	206.1	41.8
40-49	161.8	32.8	367.9	74.7
50-59	23.5	4.8	391.4	79.4
60-69	43.9	8.9	435.3	88.3
>=70	57.4	11.7	492.7	100.0

**Table 4-71. Estimates of lost-time injuries by race or ethnic origin for the State of Hawaii, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	91.3	18.5	91.3	18.5
Hispanic	57.0	11.6	148.3	30.1
Asian	320.9	65.1	469.2	95.2
Other	23.5	4.8	492.7	100.0

**Table 4-72. Estimates of lost-time injuries by month for the State of Hawaii, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
March	161.8	32.8	161.8	32.8
April	23.5	4.8	185.3	37.6
June	10.4	2.1	195.7	39.7
July	23.5	4.8	219.2	44.5
August	57.4	11.7	276.6	56.1
September	90.9	18.4	367.5	74.6
October	44.3	9.0	411.8	83.6
November	57.4	11.7	469.2	95.2
December	23.5	4.8	492.7	100.0

**Table 4-73. Estimates of lost-time injuries by severity of the injury for the State of Hawaii, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	492.7	100.0	492.7	100.0

**Table 4-74. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Hawaii, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	317.8	67.7	317.8	67.7
No	151.4	32.3	469.2	100.0

(Frequency Missing = 23.5)

**Table 4-75. Estimates of lost-time injuries by body part injured for the State of Hawaii, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	23.5	4.8	23.5	4.8
Eye	94.0	19.1	117.5	23.8
Back	104.4	21.2	221.9	45.0
Arm/shoulder	67.8	13.8	289.7	58.8
Finger	47.0	9.5	336.7	68.3
Hand/wrist	54.7	11.1	391.4	79.4
Leg/knee/hip	47.0	9.5	438.4	89.0
Foot	54.3	11.0	492.7	100.0

**Table 4-76. Estimates of lost-time injuries by nature of the injury for the State of Hawaii, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	47.0	9.5	47.0	9.5
Burn	10.4	2.1	57.4	11.7
Cut	90.9	18.4	148.3	30.1
Fracture	33.9	6.9	182.2	37.0
Puncture	78.2	15.9	260.4	52.9
Sprain/strain	161.8	32.8	422.2	85.7
Other	70.5	14.3	492.7	100.0

**Table 4-77. Estimates of lost-time injuries by type of event for the State of Hawaii, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught under	20.4	4.1	20.4	4.1
Struck by/against	57.4	11.7	77.8	15.8
Struck by falling	23.5	4.8	101.3	20.6
Struck by flying	33.9	6.9	135.2	27.4
Contact sharp obj.	125.2	25.4	260.4	52.9
Fall, same level	33.9	6.9	294.3	59.7
Overexertion	117.5	23.8	411.8	83.6
Other	80.9	16.4	492.7	100.0

**Table 4-78. Estimates of lost-time injuries by activity when injured for the State of Hawaii, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	78.2	15.9	78.2	15.9
Machine maint.	23.5	4.8	101.7	20.6
Field work	141.0	28.6	242.7	49.3
Crop handling	70.5	14.3	313.2	63.6
Livestock handling	41.2	8.4	354.4	71.9
Other	138.3	28.1	492.7	100.0

**Table 4-79. Estimates of lost-time injuries by source of injury for the State of Hawaii, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Livestock	30.8	6.3	30.8	6.3
Hand tool	70.5	14.3	101.3	20.6
Power tool	47.0	9.5	148.3	30.1
Plant/tree	57.4	11.7	205.7	41.7
Working surface	47.0	9.5	252.7	51.3
Truck/auto	23.5	4.8	276.2	56.1
Other vehicle	33.9	6.9	310.1	62.9
Other	182.6	37.1	492.7	100.0

**Table 4-80. Estimates of lost-time injuries by farm group for the State of Kansas, 1995.**

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	3182.7	61.7	3182.7	61.7
Livestock	1977.1	38.3	5159.8	100.0



**Table 4-81. Estimates of lost-time injuries by status of the injured worker for the State of Kansas, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	3455.8	67.0	3455.8	67.0
Partner/family	438.7	8.5	3894.5	75.5
Hired labor	1265.3	24.5	5159.8	100.0

**Table 4-82. Estimates of lost-time injuries by gender for the State of Kansas, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	4274.3	82.8	4274.3	82.8
Female	885.5	17.2	5159.8	100.0

**Table 4-83. Estimates of lost-time injuries by age group for the State of Kansas, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	692.4	13.4	692.4	13.4
20-29	292.9	5.7	985.3	19.1
30-39	1003.0	19.4	1988.3	38.5
40-49	989.5	19.2	2977.8	57.7
50-59	1064.2	20.6	4042.0	78.3
60-69	701.6	13.6	4743.6	91.9
>=70	416.2	8.1	5159.8	100.0

**Table 4-84. Estimates of lost-time injuries by race or ethnic origin for the State of Kansas, 1995.**

<u>Race/Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	5159.8	100.0	5159.8	100.0

**Table 4-85. Estimates of lost-time injuries by month for the State of Kansas, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	30.6	0.6	30.6	0.6
March	280.0	5.6	310.6	6.2
April	140.0	2.8	450.6	9.0
May	692.4	13.8	1143.0	22.8
June	999.2	19.9	2142.2	42.7
July	467.7	9.3	2609.9	52.0
August	1126.9	22.4	3736.8	74.4
September	280.0	5.6	4016.8	80.0
October	692.4	13.8	4709.2	93.8
November	280.0	5.6	4989.2	99.4
December	30.6	0.6	5019.8	100.0

(Frequency Missing = 140)

**Table 4-86. Estimates of lost-time injuries by severity of the injury for the State of Kansas, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	4883.6	94.6	4883.6	94.6
Permanent	276.2	5.4	5159.8	100.0

**Table 4-87. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Kansas, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	276.2	5.4	276.2	5.4
Yes	4436.8	86.0	4713.0	91.3
No	446.8	8.7	5159.8	100.0

**Table 4-88. Estimates of lost-time injuries by body part injured for the State of Kansas, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	276.2	5.4	276.2	5.4
Eye	276.2	5.4	552.4	10.7
Back	863.0	16.7	1415.4	27.4
Arm/shoulder	5.4	0.1	1420.8	27.5
Finger	446.8	8.7	1867.6	36.2
Hand/wrist	276.2	5.4	2143.8	41.5
Leg/knee/hip	1388.6	26.9	3532.4	68.5
Toe	30.6	0.6	3563.0	69.1
Foot	993.3	19.3	4556.3	88.3
Mult. parts	586.8	11.4	5143.1	99.7
Other	16.7	0.3	5159.8	100.0

**Table 4-89. Estimates of lost-time injuries by nature of the injury for the State of Kansas, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	866.8	16.8	866.8	16.8
Burn	5.4	0.1	872.2	16.9
Cut	832.4	16.1	1704.6	33.0
Fracture	723.0	14.0	2427.6	47.0
Puncture	989.5	19.2	3417.1	66.2
Sprain/strain	1139.2	22.1	4556.3	88.3
Mult. injury	280.0	5.4	4836.3	93.7
Other	323.5	6.3	5159.8	100.0

**Table 4-90. Estimates of lost-time injuries by type of event for the State of Kansas, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	276.2	5.4	276.2	5.4
Caught between	276.2	5.4	552.4	10.7
Caught under	280.0	5.4	832.4	16.1
Struck by/against	285.4	5.5	1117.8	21.7
Struck by falling	341.2	6.6	1459.0	28.3
Struck by flying	276.2	5.4	1735.2	33.6
Contact sharp obj.	1545.7	30.0	3280.9	63.6
Fall, same level	552.4	10.7	3833.3	74.3
Fall, elevation	692.4	13.4	4525.7	87.7
Overexertion	217.9	4.2	4743.6	91.9
Other	416.2	8.1	5159.8	100.0

**Table 4-91. Estimates of lost-time injuries by activity when injured for the State of Kansas, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	810.5	15.7	810.5	15.7
Machine maint.	1244.8	24.1	2055.3	39.8
Field work	416.2	8.1	2471.5	47.9
Crop handling	552.4	10.7	3023.9	58.6
Livestock handling	1146.8	22.2	4170.7	80.8
Other	989.1	19.2	5159.8	100.0

**Table 4-92. Estimates of lost-time injuries by source of injury for the State of Kansas, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	561.6	10.9	561.6	10.9
Machinery	968.6	18.8	1530.2	29.7
Livestock	976.2	18.9	2506.4	48.6
Hand tool	416.2	8.1	2922.6	56.6
Power tool	140.0	2.7	3062.6	59.4
Pesticide/chem.	16.7	0.3	3079.3	59.7
Plant/tree	157.1	3.0	3236.4	62.7
Working surface	416.2	8.1	3652.6	70.8
Truck/auto	140.0	2.7	3792.6	73.5
Other	1367.2	26.5	5159.8	100.0

**Table 4-93. Estimates of lost-time injuries by type of farm for the State of Louisiana, 1995.**

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	396.8	30.5	396.8	30.5
Livestock	905.5	69.5	1302.2	100.0

**Table 4-94. Estimates of lost-time injuries by status of the injured worker for the State of Louisiana, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	980.4	75.3	980.4	75.3
Partner/family	293.2	22.5	1273.6	97.8
Hired labor	28.6	2.2	1302.2	100.0

**Table 4-95. Estimates of lost-time injuries by gender for the State of Louisiana, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	1009.0	77.5	1009.0	77.5
Female	293.2	22.5	1302.2	100.0

**Table 4-96. Estimates of lost-time injuries by age group for the State of Louisiana, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	218.2	16.8	218.2	16.8
20-29	28.6	2.2	246.8	19.0
30-39	603.6	46.4	850.4	65.3
40-49	75.0	5.8	925.4	71.1
50-59	75.0	5.8	1000.4	76.8
>=70	301.8	23.2	1302.2	100.0

**Table 4-97. Estimates of lost-time injuries by race or ethnic origin for the State of Louisiana, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	1227.2	94.2	1227.2	94.2
Black	75.0	5.8	1302.2	100.0

**Table 4-98. Estimates of lost-time injuries by month for the State of Louisiana, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
April	301.8	23.2	301.8	23.2
May	330.4	25.4	632.2	48.5
September	218.2	16.8	850.4	65.3
October	75.0	5.8	925.4	71.1
November	376.8	28.9	1302.2	100.0

**Table 4-99. Estimates of lost-time injuries by severity of the injury for the State of Louisiana, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	1000.4	76.8	1000.4	76.8
Permanent	301.8	23.2	1302.2	100.0

**Table 4-100. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Louisiana, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	301.8	23.2	301.8	23.2
Yes	1000.4	76.8	1302.2	100.0

**Table 4-101. Estimates of lost-time injuries by body part injured for the State of Louisiana, 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Chest/trunk	301.8	23.2	301.8	23.2
Finger	376.8	28.9	678.6	52.1
Hand/wrist	75.0	5.8	753.6	57.9
Leg/knee/hip	548.6	42.1	1302.2	100.0

**Table 4-102. Estimates of lost-time injuries by nature of the injury for the State of Louisiana, 1995.**

<u>Nature of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Bruise	28.6	2.2	28.6	2.2
Cut	218.2	16.8	246.8	19.0
Fracture	678.6	52.1	925.4	71.1
Puncture	376.8	28.9	1302.2	100.0

**Table 4-103. Estimates of lost-time injuries by type of event for the State of Louisiana, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	75.0	5.8	75.0	5.8
Struck by/against	75.0	5.8	150.0	11.5
Struck by flying	603.6	46.4	753.6	57.9
Contact sharp obj.	218.2	16.8	971.8	74.6
Fall, elevation	330.4	25.4	1302.2	100.0

**Table 4-104. Estimates of lost-time injuries by activity when injured for the State of Louisiana, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	595.0	45.7	595.0	45.7
Machine maint.	301.8	23.2	896.8	68.9
Field work	75.0	5.8	971.8	74.6
Crop handling	28.6	2.2	1000.4	76.8
Livestock handling	301.8	23.2	1302.2	100.0

**Table 4-105. Estimates of lost-time injuries by source of injury for the State of Louisiana, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	218.2	16.8	218.2	16.8
Machinery	451.8	34.7	670.0	51.5
Hand tool	301.8	23.2	971.8	74.6
Working surface	330.4	25.4	1302.2	100.0

**Table 4-106. Estimates of lost-time injuries by farm group for the State of Minnesota, 1995.**

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	3288.9	27.8	3288.9	27.8
Livestock	8558.5	72.2	11847.4	100.0

**Table 4-107. Estimates of lost-time injuries by status of the injured worker for the State of Minnesota, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	8073.7	69.5	8073.7	69.5
Partner/family	1186.8	10.2	9260.5	79.7
Hired labor	1429.2	12.3	10689.7	92.0
Unpaid nonfamily	929.1	8.0	11618.8	100.0

(Frequency Missing = 228.6)

**Table 4-108. Estimates of lost-time injuries by gender for the State of Minnesota, 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	9938.2	85.5	9938.2	85.5
Female	1680.6	14.5	11618.8	100.0

(Frequency Missing = 228.6)

**Table 4-109. Estimates of lost-time injuries by age group for the State of Minnesota, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	395.6	1.8	395.6	3.4
20-29	1281.4	10.9	1677.0	14.2
30-39	1855.9	15.7	3532.9	29.9
40-49	1083.7	9.2	4616.6	39.1
50-59	3755.2	31.8	8371.8	71.0
60-69	2933.8	24.9	11305.6	95.8
>=70	490.8	4.2	11796.4	100.0

(Frequency Missing = 51.0)

**Table 4-110. Estimates of lost-time injuries by race or ethnic origin for the State of Minnesota, 1995.**

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	11660.8	98.9	11660.8	98.9
Hispanic	135.6	1.1	11796.4	100.0

(Frequency Missing = 51.0)



**Table 4-111. Estimates of lost-time injuries by month for the State of Minnesota, 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	93.9	0.8	93.9	0.8
March	177.6	1.5	271.5	2.3
April	355.2	3.0	626.7	5.3
May	1064.7	9.0	1691.4	14.3
June	831.6	7.0	2523.0	21.4
July	2171.4	18.4	4694.4	39.8
August	929.1	7.9	5623.5	47.7
September	1365.1	11.6	6988.6	59.2
October	751.5	6.4	7740.1	65.6
November	3224.7	27.3	10964.8	93.0
December	831.6	7.0	11796.4	100.0

(Frequency Missing = 51.0)

**Table 4-112. Estimates of lost-time injuries by severity of the injury for the State of Minnesota, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	10649.3	90.3	10649.3	90.3
Permanent	395.6	3.4	11044.9	93.6
Fatality	751.5	6.4	11796.4	100.0

(Frequency Missing = 51.0)

**Table 4-113. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Minnesota, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1198.1	10.1	1198.1	10.1
Yes	9607.6	81.1	10805.7	91.2
No	1041.7	8.8	11847.4	100.0

**Table 4-114. Estimates of lost-time injuries by body part injured for the State of Minnesota, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	887.1	7.5	887.1	7.5
Eye	353.6	3.0	1240.7	10.5
Chest/trunk	929.1	7.9	2169.8	18.4
Back	2230.8	18.9	4400.6	37.3
Arm/shoulder	1606.8	13.6	6007.4	50.9
Finger	1106.7	9.4	7114.1	60.3
Hand/wrist	1187.5	10.1	8301.6	70.4
Leg/knee/hip	1106.7	9.4	9408.3	79.8
Foot	395.6	3.4	9803.9	83.1
Mult. parts	845.4	7.2	10649.3	90.3
Other	1147.1	9.7	11796.4	100.0

(Frequency Missing = 51.0)

**Table 4-115. Estimates of lost-time injuries by nature of the injury for the State of Minnesota, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	177.6	1.5	177.6	1.5
Bruise	1898.6	16.1	2076.2	17.6
Burn	218.0	1.8	2294.2	19.4
Cut	1679.9	14.2	3974.1	33.7
Crush	751.5	6.4	4725.6	40.1
Fracture	2263.1	19.2	6988.7	59.2
Puncture	489.2	4.1	7477.9	63.4
Sprain/strain	2148.4	18.2	9626.3	81.6
Mult. injury	845.4	7.2	10471.7	88.8
Other	1324.7	11.2	11796.4	100.0

(Frequency Missing = 51.0)

**Table 4-116. Estimates of lost-time injuries by type of event for the State of Minnesota, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	897.3	7.6	897.3	7.6
Caught between	3183.6	27.0	4080.9	34.6
Caught under	969.5	8.2	5050.4	42.8
Struck by/against	749.2	6.4	5799.6	49.2
Struck by falling	969.5	8.2	6769.1	57.4
Contact sharp obj.	1105.1	9.4	7874.2	66.8
Fall, same level	1001.3	8.5	8875.5	75.2
Fall, elevation	271.5	2.3	9147.0	77.5
Overexertion	1461.9	12.4	10608.9	89.9
Other	1187.5	10.1	11796.4	100.0

(Frequency Missing = 51.0)

**Table 4-117. Estimates of lost-time injuries by activity when injured for the State of Minnesota, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	822.4	7.0	822.4	7.0
Machine maint.	1253.2	10.6	2075.6	17.6
Field work	1062.4	9.0	3138.0	26.6
Crop handling	2035.1	17.3	5173.1	43.9
Livestock handling	4766.7	40.4	9939.8	84.3
Other	1856.6	15.7	11796.4	100.0

(Frequency Missing = 51.0)

**Table 4-118. Estimates of lost-time injuries by source of injury for the State of Minnesota, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	146.5	1.2	146.5	1.2
Machinery	3787.3	32.1	3933.8	33.3
Livestock	2690.5	22.8	6624.3	56.2
Pesticide/chem.	218.0	1.8	6842.3	58.0
Plant/tree	887.1	7.5	7729.4	65.5
Working surface	926.8	7.9	8656.2	73.4
Truck/auto	177.6	1.5	8833.8	74.9
Other vehicle	395.6	3.4	9229.4	78.2
Other	2567.0	21.8	11796.4	100.0

(Frequency Missing = 51.0)

**Table 4-119. Estimates of lost-time injuries by farm group for the State of Mississippi, 1995.**

<u>Farm Group</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Crops	2426.1	61.8	2426.1	61.8
Livestock	1499.0	38.2	3925.1	100.0

**Table 4-120. Estimates of lost-time injuries by status of the injured worker for the State of Mississippi, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	3372.6	88.4	3372.6	88.4
Partner/family	110.0	2.9	3482.6	91.3
Hired labor	222.5	5.8	3705.1	97.1
Other	110.0	2.9	3815.1	100.0

(Frequency Missing = 110.0)

**Table 4-121. Estimates of lost-time injuries by gender for the State of Mississippi, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	3494.7	91.6	3494.7	91.6
Female	320.4	8.4	3815.1	100.0

(Frequency Missing = 110.0)

**Table 4-122. Estimates of lost-time injuries by age group for the State of Mississippi, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	112.5	2.9	112.5	2.9
20-29	112.5	2.9	225.0	5.9
30-39	2092.3	54.8	2317.3	60.7
40-49	202.0	5.3	2519.3	66.0
50-59	855.8	22.4	3375.1	88.5
60-69	330.0	8.6	3705.1	97.1
>=70	110.0	2.9	3815.1	100.0

(Frequency Missing = 110.0)

**Table 4-123. Estimates of lost-time injuries by race or ethnic origin for the State of Mississippi, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	3482.6	91.3	3482.6	91.3
Black	332.5	8.7	3815.1	100.0
(Frequency Missing = 110.0)				

**Table 4-124. Estimates of lost-time injuries by month for the State of Mississippi, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	110.0	2.9	110.0	2.9
March	110.0	2.9	220.0	5.8
April	312.0	8.2	532.0	13.9
May	110.0	2.9	642.0	16.8
June	220.0	5.8	862.0	22.6
July	332.5	8.7	1194.5	31.3
August	195.8	5.1	1390.3	36.4
September	412.4	10.8	1802.7	47.3
October	1682.4	44.1	3485.1	91.4
November	220.0	5.8	3705.1	97.1
December	110.0	2.9	3815.1	100.0
(Frequency Missing = 110.0)				

**Table 4-125. Estimates of lost-time injuries by severity of the injury for the State of Mississippi, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	3595.1	94.2	3595.1	94.2
Permanent	220.0	5.8	3815.1	100.0
(Frequency Missing = 110.0)				

**Table 4-126. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Mississippi, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	220.0	5.8	220.0	5.8
Yes	1383.2	36.3	1603.2	42.0
No	2211.9	58.0	3815.1	100.0
(Frequency Missing = 110.0)				

**Table 4-127. Estimates of lost-time injuries by body part injured for the State of Mississippi, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	110.0	2.9	110.0	2.9
Eye	97.9	2.6	207.9	5.4
Chest/trunk	220.0	5.8	427.9	11.2
Back	89.5	2.3	517.4	13.6
Arm/shoulder	220.0	5.8	737.4	19.3
Finger	320.4	8.4	1057.8	27.7
Hand/wrist	537.9	14.1	1595.7	41.8
Leg/knee/hip	2017.4	52.9	3613.1	94.7
Foot	112.5	2.9	3725.6	97.7
Mult. parts	89.5	2.3	3815.1	100.0

(Frequency Missing = 110.0)

**Table 4-128. Estimates of lost-time injuries by nature of the injury for the State of Mississippi, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	97.9	2.6	97.9	2.6
Bruise	442.5	11.6	540.4	14.2
Cut	2014.9	52.8	2555.3	67.0
Crush	335.0	8.8	2890.3	75.8
Fracture	330.0	8.6	3220.3	84.4
Puncture	97.9	2.6	3318.2	87.0
Sprain/strain	187.4	4.9	3505.6	91.9
Mult. injury	89.5	2.3	3595.1	94.2
Other	220.0	5.8	3815.1	100.0

(Frequency Missing = 110.0)

**Table 4-129. Estimates of lost-time injuries by type of event for the State of Mississippi, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	210.4	5.5	210.4	5.5
Caught between	199.5	5.2	409.9	10.7
Caught under	222.5	5.8	632.4	16.6
Struck by/against	335.0	8.8	967.4	25.4
Struck by flying	110.0	2.9	1077.4	28.2
Contact sharp obj.	2000.3	52.4	3077.7	80.7
Fall, elevation	427.9	11.2	3505.6	91.9
Overexertion	89.5	2.3	3595.1	94.2
Other	220.0	5.8	3815.1	100.0

(Frequency Missing = 110.0)

**Table 4-130. Estimates of lost-time injuries by activity when injured for the State of Mississippi, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2440.3	64.0	2440.3	64.0
Machine maint.	112.5	2.9	2552.8	66.9
Field work	432.9	11.3	2985.7	78.3
Crop handling	97.9	2.6	3083.6	80.8
Livestock handling	440.0	11.5	3523.6	92.4
Other	291.5	7.6	3815.1	100.0

(Frequency Missing = 110.0)

**Table 4-131. Estimates of lost-time injuries by source of injury for the State of Mississippi, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	335.0	8.5	335.0	8.5
Machinery	395.3	10.1	730.3	18.6
Livestock	440.0	11.2	1170.3	29.8
Hand tool	1794.9	45.7	2965.2	75.5
Working surface	207.9	5.3	3173.1	80.8
Other vehicle	419.5	10.7	3592.6	91.5
Other	332.5	8.5	3925.1	100.0

**Table 4-132. Estimates of lost-time injuries by farm group for the State of Nebraska, 1995.**

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	2602.9	47.0	2602.9	47.0
Livestock	2933.2	53.0	5536.1	100.0

**Table 4-133. Estimates of lost-time injuries by status of the injured worker for the State of Nebraska, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	5300.8	95.7	5300.8	95.7
Partner/family	235.3	4.3	5536.1	100.0

**Table 4-134. Estimates of lost-time injuries by gender for the State of Nebraska, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	5100.8	92.1	5100.8	92.1
Female	435.3	7.9	5536.1	100.0

**Table 4-135. Estimates of lost-time injuries by age group for the State of Nebraska, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
20-29	435.3	7.9	435.3	7.9
30-39	1598.3	28.9	2033.6	36.7
40-49	1481.6	26.8	3515.2	63.5
50-59	235.3	4.3	3750.5	67.7
60-69	844.4	15.3	4594.9	83.0
>=70	941.2	17.0	5536.1	100.0

**Table 4-136. Estimates of lost-time injuries by race or ethnic origin for the State of Nebraska, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	5536.1	100.0	5536.1	100.0

**Table 4-137. Estimates of lost-time injuries by month for the State of Nebraska, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	200.0	3.8	200.0	3.8
February	235.3	4.4	435.3	8.2
April	470.6	8.9	905.9	17.1
May	927.7	17.5	1833.6	34.6
June	235.3	4.4	2068.9	39.0
July	235.3	4.4	2304.2	43.5
August	435.3	8.2	2739.5	51.7
October	1163.0	21.9	3902.5	73.6
November	1079.7	20.4	4982.2	94.0
December	318.6	6.0	5300.8	100.0

Frequency Missing = 235.3



**Table 4-138. Estimates of lost-time injuries by severity of the injury for the State of Nebraska, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	5536.1	100.0	5536.1	100.0

**Table 4-139. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Nebraska, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Yes	5300.8	95.7	5300.8	95.7
No	235.3	4.3	5536.1	100.0

**Table 4-140. Estimates of lost-time injuries by body part injured for the State of Nebraska, 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Back	1515.0	27.4	1515.0	27.4
Arm/shoulder	705.9	12.8	2220.9	40.1
Finger	235.3	4.3	2456.2	44.4
Hand/wrist	1163.0	21.0	3619.2	65.4
Leg/knee/hip	837.2	15.1	4456.4	80.5
Foot	1079.7	19.5	5536.1	100.0

**Table 4-141. Estimates of lost-time injuries by nature of the injury for the State of Nebraska, 1995.**

<u>Nature of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Amputation	235.3	4.3	235.3	4.3
Bruise	235.3	4.3	470.6	8.5
Cut	83.3	1.5	553.9	10.0
Fracture	1279.7	23.1	1833.6	33.1
Puncture	927.7	16.8	2761.3	49.9
Sprain/strain	2774.8	50.1	5536.1	100.0

**Table 4-142. Estimates of lost-time injuries by type of event for the State of Nebraska, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	1079.7	19.5	1079.7	19.5
Struck by/against	235.3	4.3	1315.0	23.8
Struck by flying	83.3	1.5	1398.3	25.3
Contact sharp obj.	927.7	16.8	2326.0	42.0
Fall, same level	200.0	3.6	2526.0	45.6
Fall, elevation	1785.6	32.3	4311.6	77.9
Overexertion	753.9	13.6	5065.5	91.5
Other	470.6	8.5	5536.1	100.0

**Table 4-143. Estimates of lost-time injuries by activity when injured for the State of Nebraska, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machine maint.	872.5	15.8	872.5	15.8
Field work	470.6	8.5	1343.1	24.3
Livestock handling	3957.7	71.5	5300.8	95.7
Other	235.3	4.3	5536.1	100.0

**Table 4-144. Estimates of lost-time injuries by source of injury for the State of Nebraska, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	235.3	4.3	235.3	4.3
Machinery	470.6	8.5	705.9	12.8
Livestock	2642.7	47.7	3348.6	60.5
Hand tool	318.6	5.8	3667.2	66.2
Power tool	83.3	1.5	3750.5	67.7
Working surface	470.6	8.5	4221.1	76.2
Other	1315.0	23.8	5536.1	100.0

**Table 4-145. Estimates of lost-time injuries by type of farm for the State of New Mexico, 1995.**

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	503.9	35.4	503.9	35.4
Livestock	917.8	64.6	1421.7	100.0

**Table 4-146. Estimates of lost-time injuries by status of the injured worker for the State of New Mexico, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	790.0	64.3	790.0	64.3
Partner/family	118.1	9.6	908.1	74.0
Hired labor	254.9	20.8	1163.0	94.7
Unpaid nonfamily	15.6	1.3	1178.6	96.0
Other	49.3	4.0	1227.9	100.0

(Frequency Missing = 193.8)

**Table 4-147. Estimates of lost-time injuries by gender for the State of New Mexico, 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	1070.6	87.2	1070.6	87.2
Female	157.3	12.8	1227.9	100.0

(Frequency Missing = 193.8)

**Table 4-148. Estimates of lost-time injuries by age group for the State of New Mexico, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	98.6	8.0	98.6	8.0
20-29	73.8	6.0	172.4	14.0
30-39	312.2	25.4	484.6	39.5
40-49	123.2	10.0	607.8	49.5
50-59	241.7	19.7	849.5	69.2
60-69	246.5	20.1	1096.0	89.3
>=70	131.9	10.7	1227.9	100.0

(Frequency Missing = 193.8)

**Table 4-149. Estimates of lost-time injuries by race or ethnic origin for the State of New Mexico, 1995.**

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	908.1	74.0	908.1	74.0
Hispanic	319.8	26.0	1227.9	100.0

(Frequency Missing = 193.8)

**Table 4-150. Estimates of lost-time injuries by month for the State of New Mexico, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	39.8	3.2	39.8	3.2
March	171.7	14.0	211.5	17.2
April	45.6	3.7	257.1	20.9
May	114.4	9.3	371.5	30.3
June	265.4	21.6	636.9	51.9
July	94.9	7.7	731.8	59.6
August	136.4	11.1	868.2	70.7
October	98.6	8.0	966.8	78.7
November	89.4	7.3	1056.2	86.0
December	171.7	14.0	1227.9	100.0

(Frequency Missing = 193.8)

**Table 4-151. Estimates of lost-time injuries by severity of the injury for the State of New Mexico, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	1227.9	100.0	1227.9	100.0

(Frequency Missing = 193.8)

**Table 4-152. Estimates of lost-time injuries by whether professional medical attention was sought for the State of New Mexico, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	193.8	13.6	193.8	13.6
Yes	937.4	65.9	1131.2	79.6
No	290.5	20.4	1421.7	100.0

**Table 4-153. Estimates of lost-time injuries by body part injured for the State of New Mexico, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	216.1	17.6	216.1	17.6
Eye	33.3	2.7	249.4	20.3
Chest/trunk	98.6	8.0	348.0	28.3
Back	104.7	8.5	452.7	36.9
Arm/shoulder	209.3	17.0	662.0	53.9
Finger	184.0	15.0	846.0	68.9
Hand/wrist	52.2	4.3	898.2	73.1
Leg/knee/hip	216.1	17.6	1114.3	90.7
Foot	24.5	2.0	1138.8	92.7
Mult. parts	89.1	7.3	1227.9	100.0

(Frequency Missing = 193.8)

**Table 4-154. Estimates of lost-time injuries by nature of the injury for the State of New Mexico, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	39.8	3.2	39.8	3.2
Bruise	123.1	10.0	162.9	13.3
Burn	49.3	4.0	212.2	17.3
Cut	268.3	21.9	480.5	39.1
Crush	45.6	3.7	526.1	42.8
Fracture	230.5	18.8	756.6	61.6
Sprain/strain	251.2	20.5	1007.8	82.1
Mult. injury	134.7	11.0	1142.5	93.0
Other	85.4	7.0	1227.9	100.0

(Frequency Missing = 193.8)

**Table 4-155. Estimates of lost-time injuries by type of event for the State of New Mexico, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	45.6	3.7	45.6	3.7
Caught between	39.8	3.2	85.4	7.0
Caught under	18.9	1.5	104.3	8.5
Struck by/against	356.5	29.0	460.8	37.5
Struck by falling	89.1	7.3	549.9	44.8
Struck by flying	49.3	4.0	599.2	48.8
Contact sharp obj.	68.2	5.6	667.4	54.4
Fall, same level	98.6	8.0	766.0	62.4
Fall, elevation	193.5	15.8	959.5	78.1
Overexertion	120.5	9.8	1080.0	88.0
Other	147.9	12.0	1227.9	100.0

(Frequency Missing = 193.8)

**Table 4-156. Estimates of lost-time injuries by activity when injured for the State of New Mexico, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	157.3	12.8	157.3	12.8
Machine maint.	113.6	9.3	270.9	22.1
Crop handling	55.4	4.5	326.3	26.6
Livestock handling	863.2	70.3	1189.5	96.9
Other	38.4	3.1	1227.9	100.0

(Frequency Missing = 193.8)

**Table 4-157. Estimates of lost-time injuries by source of injury for the State of New Mexico, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	18.9	1.5	18.9	1.5
Machinery	109.9	9.0	128.8	10.5
Livestock	719.0	58.6	847.8	69.0
Power tool	49.3	4.0	897.1	73.1
Working surface	18.9	1.5	916.0	74.6
Truck/auto	49.3	4.0	965.3	78.6
Other vehicle	98.6	8.0	1063.9	86.6
Other	164.0	13.4	1227.9	100.0

(Frequency Missing = 193.8)

**Table 4-158. Estimates of lost-time injuries by farm group for the State of Ohio, 1995.**

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	2553.6	30.2	2553.6	30.2
Livestock	5904.0	69.8	8457.6	100.0

**Table 4-159. Estimates of lost-time injuries by status of the injured worker for the State of Ohio, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	7766.2	91.8	7766.2	91.8
Partner/family	141.0	1.7	7907.2	93.5
Hired labor	550.4	6.5	8457.6	100.0

**Table 4-160. Estimates of lost-time injuries by gender for the State of Ohio, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	7520.3	88.9	7520.3	88.9
Female	937.3	11.1	8457.6	100.0

**Table 4-161. Estimates of lost-time injuries by age group for the State of Ohio, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	447.9	5.3	447.9	5.3
20-29	204.4	2.4	652.3	7.7
30-39	1959.7	23.2	2612.0	30.9
40-49	1141.7	13.5	3753.7	44.4
50-59	2420.5	28.6	6174.2	73.0
60-69	1078.3	12.7	7252.5	85.8
>=70	1205.1	14.2	8457.6	100.0

**Table 4-162. Estimates of lost-time injuries by race or ethnic origin for the State of Ohio, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	8457.6	100.0	8457.6	100.0

**Table 4-163. Estimates of lost-time injuries by month for the State of Ohio, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	447.9	5.5	447.9	5.5
March	282.0	3.5	729.9	9.0
April	73.9	0.9	803.8	10.0
May	243.5	3.0	1047.3	13.0
June	2604.5	32.3	3651.8	45.2
July	486.4	6.0	4138.2	51.3
August	2142.4	26.5	6280.6	77.8
September	407.3	5.0	6687.9	82.8
November	1000.7	12.4	7688.6	95.2
December	384.5	4.8	8073.1	100.0

(Frequency Missing = 384.5)

**Table 4-164. Estimates of lost-time injuries by severity of the injury for the State of Ohio, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	8316.6	98.3	8316.6	98.3
Permanent	141.0	1.7	8457.6	100.0

**Table 4-165. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Ohio, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	141.0	1.7	141.0	1.7
Yes	6160.0	72.8	6301.0	74.5
No	2156.6	25.5	8457.6	100.0

**Table 4-166. Estimates of lost-time injuries by body part injured for the State of Ohio, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	384.5	4.5	384.5	4.5
Chest/trunk	1485.6	17.6	1870.1	22.1
Back	1205.1	14.2	3075.2	36.4
Arm/shoulder	793.9	9.4	3869.1	45.7
Finger	1219.3	14.4	5088.4	60.2
Hand/wrist	141.0	1.7	5229.4	61.8
Leg/knee/hip	1564.7	18.5	6794.1	80.3
Toe	63.4	0.7	6857.5	81.1
Foot	1078.3	12.7	7935.8	93.8
Mult. parts	447.9	5.3	8383.7	99.1
Other	73.9	0.9	8457.6	100.0



**Table 4-167. Estimates of lost-time injuries by nature of the injury for the State of Ohio, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	243.5	2.9	243.5	2.9
Bruise	2001.4	23.7	2244.9	26.5
Cut	423.0	5.0	2667.9	31.5
Crush	282.0	3.3	2949.9	34.9
Fracture	2731.3	32.3	5681.2	67.2
Poisoning	73.9	0.9	5755.1	68.0
Sprain/strain	1073.8	12.7	6828.9	80.7
Mult. injury	243.5	2.9	7072.4	83.6
Other	1385.2	16.4	8457.6	100.0

**Table 4-168. Estimates of lost-time injuries by type of event for the State of Ohio, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1078.3	12.7	1078.3	12.7
Caught between	282.0	3.3	1360.3	16.1
Caught under	345.4	4.1	1705.7	20.2
Struck by/against	2385.9	28.2	4091.6	48.4
Struck by falling	937.3	11.1	5028.9	59.5
Contact sharp obj.	282.0	3.3	5310.9	62.8
Fall, same level	306.9	3.6	5617.8	66.4
Fall, elevation	1317.3	15.6	6935.1	82.0
Overexertion	384.5	4.5	7319.6	86.5
Other	1138.0	13.5	8457.6	100.0

**Table 4-169. Estimates of lost-time injuries by activity when injured for the State of Ohio, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1624.4	19.2	1624.4	19.2
Machine maint.	769.0	9.1	2393.4	28.3
Field work	63.4	0.7	2456.8	29.0
Crop handling	2395.6	28.3	4852.4	57.4
Livestock handling	3605.2	42.6	8457.6	100.0

**Table 4-170. Estimates of lost-time injuries by source of injury for the State of Ohio, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	267.8	3.2	267.8	3.2
Machinery	2604.5	30.8	2872.3	34.0
Livestock	1667.2	19.7	4539.5	53.7
Power tool	141.0	1.7	4680.5	55.3
Pesticide/chem.	73.9	0.9	4754.4	56.2
Working surface	857.3	10.1	5611.7	66.4
Other vehicle	204.4	2.4	5816.1	68.8
Other	2641.5	31.2	8457.6	100.0

**Table 4-171. Estimates of lost-time injuries by farm group for the State of Pennsylvania, 1995.**

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	3575.6	63.5	3575.6	63.5
Livestock	2058.3	36.5	5633.9	100.0

**Table 4-172. Estimates of lost-time injuries by status of the injured worker for the State of Pennsylvania, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	3224.7	57.2	3224.7	57.2
Partner/family	202.4	3.6	3427.1	60.8
Hired labor	2004.4	35.6	5431.5	96.4
Unpaid nonfamily	202.4	3.6	5633.9	100.0

**Table 4-173. Estimates of lost-time injuries by gender for the State of Pennsylvania, 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	5037.8	89.4	5037.8	89.4
Female	596.1	10.6	5633.9	100.0

**Table 4-174. Estimates of lost-time injuries by age group for the State of Pennsylvania, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	384.4	6.9	384.4	6.9
20-29	2386.6	43.1	2771.0	50.1
30-39	384.4	6.9	3155.4	57.0
40-49	793.5	14.3	3948.9	71.3
50-59	367.0	6.6	4315.9	78.0
60-69	981.5	17.7	5297.4	95.7
>=70	239.0	4.3	5536.4	100.0

(Frequency Missing = 97.5)

**Table 4-175. Estimates of lost-time injuries by race or ethnic origin for the State of Pennsylvania, 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	5633.9	100.0	5633.9	100.0

**Table 4-176. Estimates of lost-time injuries by month for the State of Pennsylvania, 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	101.2	1.9	101.2	1.9
February	101.2	1.9	202.4	3.7
March	396.1	7.3	598.5	11.0
April	384.4	7.1	982.9	18.1
May	198.7	3.7	1181.6	21.7
June	782.8	14.4	1964.4	36.1
July	2406.5	44.2	4370.9	80.4
August	101.2	1.9	4472.1	82.2
September	101.2	1.9	4573.3	84.1
October	345.0	6.3	4918.3	90.4
November	419.4	7.7	5337.7	98.1
December	101.2	1.9	5438.9	100.0

(Frequency Missing = 195.0)

**Table 4-177. Estimates of lost-time injuries by severity of the injury for the State of Pennsylvania, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	5141.9	91.3	5141.9	91.3
Permanent	394.5	7.0	5536.4	98.3
Fatality	97.5	1.7	5633.9	100.0

**Table 4-178. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Pennsylvania, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	492.0	8.7	492.0	8.7
Yes	4823.7	85.6	5315.7	94.4
No	318.2	5.6	5633.9	100.0

**Table 4-179. Estimates of lost-time injuries by body part injured for the State of Pennsylvania, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	101.2	1.8	101.2	1.8
Eye	641.3	11.4	742.5	13.2
Chest/trunk	198.7	3.5	941.2	16.7
Back	413.6	7.3	1354.8	24.0
Arm/shoulder	401.9	7.1	1756.7	31.2
Finger	1972.4	35.0	3729.1	66.2
Hand/wrist	321.9	5.7	4051.0	71.9
Leg/knee/hip	202.4	3.6	4253.4	75.5
Toe	98.3	1.7	4351.7	77.2
Foot	966.9	17.2	5318.6	94.4
Mult. parts	315.3	5.6	5633.9	100.0

**Table 4-180. Estimates of lost-time injuries by nature of the injury for the State of Pennsylvania, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	97.5	1.7	97.5	1.7
Bruise	778.3	13.8	875.8	15.5
Burn	101.2	1.8	977.0	17.3
Cut	1887.3	33.5	2864.3	50.8
Crush	838.8	14.9	3703.1	65.7
Fracture	848.9	15.1	4552.0	80.8
Puncture	463.0	8.2	5015.0	89.0
Sprain/strain	517.7	9.2	5532.7	98.2
Mult. injury	101.2	1.8	5633.9	100.0

**Table 4-181. Estimates of lost-time injuries by type of event for the State of Pennsylvania, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	101.2	1.8	101.2	1.8
Caught between	1927.3	34.2	2028.5	36.0
Caught under	919.0	16.3	2947.5	52.3
Struck by/against	442.5	7.9	3390.0	60.2
Struck by falling	395.3	7.0	3785.3	67.2
Struck by flying	564.2	10.0	4349.5	77.2
Contact sharp obj.	262.8	4.7	4612.3	81.9
Fall, same level	300.7	5.3	4913.0	87.2
Fall, elevation	401.9	7.1	5314.9	94.3
Overexertion	217.8	3.9	5532.7	98.2
Other	101.2	1.8	5633.9	100.0

**Table 4-182. Estimates of lost-time injuries by activity when injured for the State of Pennsylvania, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	678.5	12.3	678.5	12.3
Machine maint.	884.0	16.0	1562.5	28.2
Field work	879.5	15.9	2442.0	44.1
Crop handling	551.9	10.0	2993.9	54.1
Livestock handling	593.2	10.7	3587.1	64.8
Other	1949.3	35.2	5536.4	100.0

(Frequency Missing = 97.5)

**Table 4-183. Estimates of lost-time injuries by source of injury for the State of Pennsylvania, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	900.7	16.0	900.7	16.0
Machinery	622.6	11.1	1523.3	27.0
Livestock	390.8	6.9	1914.1	34.0
Hand tool	742.5	13.2	2656.6	47.2
Power tool	101.2	1.8	2757.8	49.0
Plant/tree	195.8	3.5	2953.6	52.4
Working surface	300.7	5.3	3254.3	57.8
Truck/auto	119.5	2.1	3373.8	59.9
Other vehicle	101.2	1.8	3475.0	61.7
Liquids	202.4	3.6	3677.4	65.3
Other	1956.5	34.7	5633.9	100.0

**Table 4-184. Estimates of lost-time injuries by farm group for the State of Texas, 1995.**

<u>Farm Group</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Crops	2078.7	25.0	2078.7	25.0
Livestock	6221.6	75.0	8300.3	100.0

**Table 4-185. Estimates of lost-time injuries by status of the injured worker for the State of Texas, 1995.**

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	5641.4	68.0	5641.4	68.0
Partner/family	709.8	8.6	6351.2	76.5
Hired labor	1949.1	23.5	8300.3	100.0

**Table 4-186. Estimates of lost-time injuries by gender for the State of Texas, 1995.**

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	6990.6	84.2	6990.6	84.2
Female	1309.7	15.8	8300.3	100.0

**Table 4-187. Estimates of lost-time injuries by age group for the State of Texas, 1995.**

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
30-39	1466.6	17.7	1466.6	17.7
40-49	1800.7	21.7	3267.3	39.4
50-59	2232.9	26.9	5500.2	66.3
60-69	1987.2	23.9	7487.4	90.2
>=70	812.9	9.8	8300.3	100.0

**Table 4-188. Estimates of lost-time injuries by race or ethnic origin for the State of Texas, 1995.**

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	7344.8	88.5	7344.8	88.5
Hispanic	955.5	11.5	8300.3	100.0

**Table 4-189. Estimates of lost-time injuries by month for the State of Texas, 1995.**

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
March	993.6	12.0	993.6	12.0
April	2800.1	33.7	3793.7	45.7
May	316.1	3.8	4109.8	49.5
June	245.7	3.0	4355.5	52.5
July	774.8	9.3	5130.3	61.8
August	496.8	6.0	5627.1	67.8
September	1206.6	14.5	6833.7	82.3
October	993.6	12.0	7827.3	94.3
November	213	2.6	8040.3	96.9
December	260	3.1	8300.3	100.0

**Table 4-190. Estimates of lost-time injuries by severity of the injury for the State of Texas, 1995.**

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	7274.4	87.6	7274.4	87.6
Permanent	1025.9	12.4	8300.3	100.0

**Table 4-191. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Texas, 1995.**

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	1025.9	12.4	1025.9	12.4
Yes	6517.6	78.5	7543.5	90.9
No	756.8	9.1	8300.3	100.0

**Table 4-192. Estimates of lost-time injuries by body part injured for the State of Texas, 1995.**

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Head/neck	709.8	8.6	709.8	8.6
Eye	426.0	5.1	1135.8	13.7
Back	1555.4	18.7	2691.2	32.4
Arm/shoulder	1490.4	18.0	4181.6	50.4
Finger	1569.7	18.9	5751.3	69.3
Leg/knee/hip	1309.7	15.8	7061.0	85.1
Mult. parts	496.8	6.0	7557.8	91.1
Other	742.5	8.9	8300.3	100.0

**Table 4-193. Estimates of lost-time injuries by nature of the injury for the State of Texas, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	316.1	3.8	316.1	3.8
Bruise	993.6	12.0	1309.7	15.8
Burn	213.0	2.6	1522.7	18.3
Cut	993.6	12.0	2516.3	30.3
Crush	260.0	3.1	2776.3	33.4
Fracture	1309.7	15.8	4086.0	49.2
Sprain/strain	3291.5	39.7	7377.5	88.9
Mult. injury	709.8	8.6	8087.3	97.4
Other	213.0	2.6	8300.3	100.0

**Table 4-194. Estimates of lost-time injuries by type of event for the State of Texas, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	316.1	3.8	316.1	3.8
Caught between	756.8	9.1	1072.9	12.9
Caught under	709.8	8.6	1782.7	21.5
Struck by/against	1522.7	18.3	3305.4	39.8
Struck by falling	213.0	2.6	3518.4	42.4
Contact sharp obj.	496.8	6.0	4015.2	48.4
Fall, same level	496.8	6.0	4512.0	54.4
Fall, elevation	993.6	12.0	5505.6	66.3
Overexertion	2794.7	33.7	8300.3	100.0

**Table 4-195. Estimates of lost-time injuries by activity when injured for the State of Texas, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	993.6	12.0	993.6	12.0
Machine maint.	812.9	9.8	1806.5	21.8
Field work	671.7	8.1	2478.2	29.9
Crop handling	1555.4	18.7	4033.6	48.6
Livestock handling	4266.7	51.4	8300.3	100.0



**Table 4-196. Estimates of lost-time injuries by source of injury for the State of Texas, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Livestock	2279.5	27.5	2279.5	27.5
Hand tool	993.6	12.0	3273.1	39.4
Power tool	316.1	3.8	3589.2	43.2
Plant/tree	922.8	11.1	4512.0	54.4
Working surface	1490.4	18.0	6002.4	72.3
Other	2297.9	27.7	8300.3	100.0

**Table 4-197. Estimates of lost-time injuries by farm group for the State of Virginia, 1995.**

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	774.8	24.8	774.8	24.8
Livestock	2345.4	75.2	3120.2	100.0

**Table 4-198. Estimates of lost-time injuries by status of the injured worker for the State of Virginia, 1995.**

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1813.5	58.1	1813.5	58.1
Hired labor	998.4	32.0	2811.9	90.1
Unpaid nonfamily	112.0	3.6	2923.9	93.7
Other	196.3	6.3	3120.2	100.0

**Table 4-199. Estimates of lost-time injuries by gender for the State of Virginia, 1995.**

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	2878.6	92.3	2878.6	92.3
Female	241.6	7.7	3120.2	100.0

**Table 4-200. Estimates of lost-time injuries by age group for the State of Virginia, 1995.**

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	281.2	9.0	281.2	9.0
20-29	296.3	9.5	577.5	18.5
30-39	774.1	24.8	1351.6	43.3
40-49	433.2	13.9	1784.8	57.2
50-59	857.9	27.5	2642.7	84.7
60-69	477.5	15.3	3120.2	100.0

**Table 4-201. Estimates of lost-time injuries by race or ethnic origin for the State of Virginia, 1995.**

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	2306.7	73.9	2306.7	73.9
Hispanic	224.6	7.2	2531.3	81.1
Black	588.9	18.9	3120.2	100.0

**Table 4-202. Estimates of lost-time injuries by month for the State of Virginia, 1995.**

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
March	353.9	11.3	353.9	11.3
April	629.5	20.2	983.4	31.5
May	196.3	6.3	1179.7	37.8
June	492.6	15.8	1672.3	53.6
July	281.2	9.0	1953.5	62.6
Aug	392.6	12.6	2346.1	75.2
September	140.2	4.5	2486.3	79.7
October	56.7	1.8	2543.0	81.5
November	380.9	12.2	2923.9	93.7
December	196.3	6.3	3120.2	100.0

**Table 4-203. Estimates of lost-time injuries by severity of the injury for the State of Virginia, 1995.**

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	3120.2	100.0	3120.2	100.0

**Table 4-204. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Virginia, 1995.**

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	2739.3	93.3	2739.3	93.3
No	196.3	6.7	2935.6	100.0

(Frequency Missing = 184.6)

**Table 4-205. Estimates of lost-time injuries by body part injured for the State of Virginia, 1995.**

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Eye	40.0	1.3	40.0	1.3
Chest/trunk	449.3	14.4	489.3	15.7
Arm/shoulder	299.2	9.6	788.5	25.3
Finger	673.8	21.6	1462.3	46.9
Hand/wrist	644.2	20.6	2106.5	67.5
Leg/knee/hip	688.9	22.1	2795.4	89.6
Toe	184.6	5.9	2980.0	95.5
Foot	55.3	1.8	3035.3	97.3
Mult.parts	84.9	2.7	3120.2	100.0

**Table 4-206. Estimates of lost-time injuries by nature of the injury for the State of Virginia, 1995.**

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	84.9	2.7	84.9	2.7
Burn	236.3	7.6	321.2	10.3
Cut	281.2	9.0	602.4	19.3
Crush	718.8	23.0	1321.2	42.3
Fracture	785.2	25.2	2106.4	67.5
Puncture	351.6	11.3	2458.0	78.8
Sprain/Strain	381.0	12.2	2839.0	91.0
Other	281.2	9.0	3120.2	100.0

**Table 4-207. Estimates of lost-time injuries by type of event for the State of Virginia, 1995.**

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	196.3	6.3	196.3	6.3
Caught between	619.1	19.8	815.4	26.1
Struck by/against	688.9	22.1	1504.3	48.2
Struck by falling	436.2	14.0	1940.5	62.2
Contact sharp object	281.2	9.0	2221.7	71.2
Fall, same level	281.2	9.0	2502.9	80.2
Fall, elevation	269.0	8.6	2771.9	88.8
Overexertion	56.7	1.8	2828.6	90.7
Other	291.6	9.3	3120.2	100.0

**Table 4-208. Estimates of lost-time injuries by activity when injured for the State of Virginia, 1995.**

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm main.	840.5	26.9	840.5	26.9
Machine main.	225.1	7.2	1065.6	34.2
Field work	427.1	13.7	1492.7	47.8
Crop handling	196.3	6.3	1689.0	54.1
Livestock handling	1291.2	41.4	2980.2	95.5
Other	140.0	4.5	3120.2	100.0

**Table 4-209. Estimates of lost-time injuries by source of injury for the State of Virginia, 1995.**

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	84.9	2.7	84.9	2.7
Machinery	477.5	15.3	562.4	18.0
Livestock	702.3	22.5	1264.7	40.5
Hand tool	84.9	2.7	1349.6	43.3
Power tool	380.9	12.2	1730.5	55.5
Plant/tree	196.3	6.3	1926.8	61.8
Working surface	100.0	3.2	2026.8	65.0
Truck/auto	84.9	2.7	2111.7	67.7
Other vehicle	269.0	8.6	2380.7	76.3
Other	739.5	23.7	3120.2	100.0