

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RA) Section A Recodes

### **AGER(4074-4075)**

Variable Type : recode

Description : R's age at interview (RECODE)

value	label	Total
15	15 YEARS	189
16	16 YEARS	206
17	17 YEARS	229
18	18 YEARS	202
19	19 YEARS	173
20	20 YEARS	164
21	21 YEARS	121
22	22 YEARS	153
23	23 YEARS	148
24	24 YEARS	145
25	25 YEARS	161
26	26 YEARS	138
27	27 YEARS	178
28	28 YEARS	154
29	29 YEARS	159
30	30 YEARS	167
31	31 YEARS	155
32	32 YEARS	155
33	33 YEARS	141
34	34 YEARS	126
35	35 YEARS	136
36	36 YEARS	136
37	37 YEARS	133
38	38 YEARS	105
39	39 YEARS	112
40	40 YEARS	105
41	41 YEARS	116
42	42 YEARS	133
43	43 YEARS	125
44-45	44 YEARS	141
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

Notes : Respondents age 45 were 44 at screener

### **FMARITAL(4076-4076)**

Variable Type : recode

Description : Formal (legal) marital status (RECODE)

value	label	Total
1	MARRIED TO A PERSON OF THE OPPOSITE SEX	1212
2	WIDOWED	9
3	DIVORCED OR ANNULLED	286
4	SEPARATED	104
5	NEVER MARRIED	2895
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**RMARITAL(4077-4077)**

Variable Type : recode

Description : Informal marital status (RECODE)

value	label	Total
1	CURRENTLY MARRIED TO A PERSON OF THE OPPOSITE SEX	1212
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	515
3	WIDOWED	7
4	DIVORCED OR ANNULLED	211
5	SEPARATED FOR REASONS OF MARITAL DISCORD	84
6	NEVER BEEN MARRIED	2477
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**EDUCAT(4078-4079)**

Variable Type : recode

Description : Education (number of years of schooling) (RECODE)

value	label	Total
9	9TH GRADE OR LESS	624
10	10TH GRADE	374
11	11TH GRADE	402
12	12TH GRADE	1064
13	1 YEAR OF COLLEGE/GRAD SCHOOL	451
14	2 YEARS OF COLLEGE/GRAD SCHOOL	476
15	3 YEARS OF COLLEGE/GRAD SCHOOL	194
16	4 YEARS OF COLLEGE/GRAD SCHOOL	491
17	5 YEARS OF COLLEGE/GRAD SCHOOL	130
18	6 YEARS OF COLLEGE/GRAD SCHOOL	140
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	160
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents. (This variable has been bottomcoded for public use.)

**HIEDUC(4080-4081)**

Variable Type : recode

Description : Highest completed year of school or highest degree received (RECODE)

value	label	Total
5	9TH GRADE OR LESS	524
6	10TH GRADE	318
7	11TH GRADE	329
8	12TH GRADE, NO DIPLOMA (NOR GED)	22
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	1269
10	SOME COLLEGE BUT NO DEGREE	883
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	287
12	BACHELOR'S DEGREE	598
13	MASTER'S DEGREE	195
14	DOCTORATE DEGREE	43
15	PROFESSIONAL DEGREE	38
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents. (This variable has been bottom-coded for public use.)

**HISPANIC(4082-4082)**

Variable Type : recode

Description : Hispanic origin of respondent (RECODE)

value	label	Total
1	HISPANIC	1013
2	NON-HISPANIC	3493
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **NUMRACE(4083-4083)**

Variable Type : intermediate

Description : Intermediate variable for multiple race reporting (used for HISPRACE2)

value	label	Total
1	SINGLE RACE REPORTED	4277
2	2 OR MORE RACES REPORTED	229
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **RACE(4084-4084)**

Variable Type : recode

Description : Race of respondent (RECODE)

value	label	Total
1	BLACK	899
2	WHITE	3084
3	OTHER	523
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **HISPRACE(4085-4085)**

Variable Type : recode

Description : Race & Hispanic origin of respondent - 1977 OMB standards (RECODE)

value	label	Total
1	Hispanic	1013
2	Non-Hispanic White	2303
3	Non-Hispanic Black	834
4	Non-Hispanic Other	356
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **HISPRACE2(4086-4086)**

Variable Type : recode

Description : Race & Hispanic origin of respondent - 1997 OMB standards (RECODE)

value	label	Total
1	Hispanic	1013
2	Non-Hispanic White, Single Race	2221
3	Non-Hispanic Black, Single Race	775
4	Non-Hispanic Other or Multiple Race	497

**Total****4506**

Universe : Applicable for all respondents

**NUMKDHH(4087-4087)**

Variable Type : recode

Description : Number of bio/adopt/related/legal children under age 18 in household (RECODE)

value	label	Total
0	NO CHILDREN	3146
1	1 CHILD	550
2	2 CHILDREN	507
3	3 CHILDREN	218
4	4 CHILDREN	56
5	5 CHILDREN OR MORE	29
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents. (This variable has been topcoded for public use.)

**NUMFMHH(4088-4088)**

Variable Type : recode

Description : Number of family members in household (RECODE)

value	label	Total
0	NO FAMILY MEMBERS	846
1	1 FAMILY MEMBER	1017
2	2 FAMILY MEMBERS	990
3	3 FAMILY MEMBERS	906
4	4 FAMILY MEMBERS	444
5	5 FAMILY MEMBERS	183
6	6 FAMILY MEMBERS	81
7	7 FAMILY MEMBERS OR MORE	39
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents. (This variable has been topcoded for public use.)

**HHFAMTYP(4089-4089)**

Variable Type : recode

Description : Type of household/family structure (RECODE)

value	label	Total
1	No spouse/partner and no child(ren) (of R) 18 or younger	2672
2	Spouse/partner, but no child(ren) (of R) 18 or younger	548
3	Spouse and R's child(ren) 18 or younger	890
4	Cohabiting partner and R's child(ren) 18 or younger	256
5	No spouse/partner, but child(ren) of R, 18 or younger	140
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**HHPARTYP(4090-4090)**

Variable Type : recode

Description : Type of parental situation in household (RECODE)

value	label	Total
1	Both biological or both adoptive parents	730

2	Biological and step- or adoptive parent	230
3	Single parent (biological, adoptive, or stepparent)	755
4	Other	2791
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **NCHILDHH(4091-4091)**

Variable Type : recode

Description : Number of R's children (18 or younger) living in household (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
0	No children of respondent age 18 or younger in the household	3220
1	1 of respondent's children 18 or younger in the household	495
2	2 of respondent's children 18 or younger in the household	494
3	3 or more of respondent's children 18 or younger in the household	297
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **HHKIDTYP(4092-4092)**

Variable Type : recode

Description : Whether R has children (18 or younger), and whether bio or non-bio, living in the household (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
0	No child(ren) 18 or younger in HH or only older child(ren)	3220
1	At least one biological child (of R's) under 18 in HH, no nonbiological child(ren)	1046
2	Any non-biological child (of R's) 18 or younger in HH	240
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **CSPBBHH(4093-4093)**

Variable Type : recode

Description : Number of R's biological children (18 or younger) with current spouse/ cohabiting partner who live in household (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	2779
0	No joint biological children	726
1	1 joint biological child	410
2	2 joint biological children	399
3	3 or more joint biological children	192
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R is currently married or cohabiting with a female partner AB-1 MARSTAT = 1 or 2. (This variable has been topcoded for public use.)

### **CSPSBHH(4094-4094)**

Variable Type : recode

Description : Number of R's nonbiological children (18 or younger) in household who are the biological children of his current wife/cohabiting partner (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
--------------	--------------	--------------

.	INAPPLICABLE	2779
0	No such child	1517
1	1 or more such children	210
<b>Total</b>		<b>4506</b>

Universe : Applicable if R is currently married or cohabiting with a female partner AB-1 MARSTAT = 1 or 2. (This variable has been topcoded for public use.)

### CSPOKDHH(4095-4095)

Variable Type : recode

Description : Number of all other children (18 or younger) living in household with R and current spouse/cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	2779
0	No such child	1634
1	1 or more such children	93
<b>Total</b>		<b>4506</b>

Universe : Applicable if R is currently married or cohabiting with a female partner AB-1 MARSTAT = 1 or 2. (This variable has been topcoded for public use.)

### INTCTFAM(4096-4096)

Variable Type : recode

Description : Intact status of childhood family (RECODE)

value	label	Total
1	TWO BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	2487
2	ANYTHING OTHER THAN 2 BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	2019
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### PARAGE14(4097-4097)

Variable Type : recode

Description : Parental living situation at age 14 (RECODE)

value	label	Total
1	R LIVED WITH BOTH BIOLOGICAL OR BOTH ADOPTIVE PARENTS AT AGE 14	2868
2	R LIVED WITH BIOLOGICAL MOTHER AND STEPFATHER AT AGE 14	412
3	R LIVED IN ANY OTHER PARENTAL SITUATION OR A NONPARENTAL SITUATION AT AGE 14	1226
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents. (This variable has been recoded for public use.)

### EDUCMOM(4098-4099)

Variable Type : recode

Description : Mother's (or mother-figure's) education (RECODE)

value	label	Total
1	Less than high school	931
2	High school graduate or GED	1460
3	Some college, including 2-year degrees	1056
4	Bachelor's degree or higher	1031
95	No mother/mother-figure identified	28

**Total** **4506**

Universe : Applicable for all respondents. (This variable has been recoded for public use.)

**AGEMOMB1(4100-4101)**

Variable Type : recode

Description : Age of mother (or mother-figure) at first birth (RECODE)

value	label	Total
1	LESS THAN 18 YEARS	655
2	18-19 YEARS	746
3	20-24 YEARS	1617
4	25-29 YEARS	927
5	30 OR OLDER	488
95	NO MOTHER OR MOTHER-FIGURE	28
96	MOTHER-FIGURE HAD NO CHILDREN	45
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents. (This variable has been recoded for public use.)

**FMARNO(4102-4102)**

Variable Type : recode

Description : Number of times R has been married (RECODE)

value	label	Total
0	NEVER BEEN MARRIED	2895
1	1 TIME	1412
2	2 TIMES	176
3	3 TIMES	18
4-95	4 OR MORE TIMES	5
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**AGER\_I(4103-4103)**

Variable Type : imputation flag

Description : AGER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**FMARITAL\_I(4104-4104)**

Variable Type : imputation flag

Description : FMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4503
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**RMARITAL\_I(4105-4105)**

Variable Type : imputation flag

Description : RMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4503
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **EDUCAT\_I(4106-4106)**

Variable Type : imputation flag

Description : EDUCAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4502
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **HIEDUC\_I(4107-4107)**

Variable Type : imputation flag

Description : HIEDUC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4500
1	MULTIPLE REGRESSION IMPUTATION	6
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **HISPANIC\_I(4108-4108)**

Variable Type : imputation flag

Description : HISPANIC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4505
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **RACE\_I(4109-4109)**

Variable Type : imputation flag

Description : RACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4500
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents



**HISPRACE\_I(4110-4110)**

Variable Type : imputation flag

Description : HISPRACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4502
2	LOGICAL IMPUTATION	4
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**HISPRACE2\_I(4111-4111)**

Variable Type : imputation flag

Description : HISPRACE2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4502
2	LOGICAL IMPUTATION	4
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**NUMKDHH\_I(4112-4112)**

Variable Type : imputation flag

Description : NUMKDHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**NUMFMHH\_I(4113-4113)**

Variable Type : imputation flag

Description : NUMFMHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**HHFAMTYP\_I(4114-4114)**

Variable Type : imputation flag

Description : HHFAMTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**HHPARTYP\_I(4115-4115)**

Variable Type : imputation flag

Description : HHPARTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **NCHILDHH\_I(4116-4116)**

Variable Type : imputation flag

Description : NCHILDHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **HHKIDTYP\_I(4117-4117)**

Variable Type : imputation flag

Description : HHKIDTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **CSPBBHH\_I(4118-4118)**

Variable Type : imputation flag

Description : CSPBBHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **CSPSBHH\_I(4119-4119)**

Variable Type : imputation flag

Description : CSPSBHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **CSPOKDHH\_I(4120-4120)**

Variable Type : imputation flag

Description : CSPOKHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

**INTCTFAM\_I(4121-4121)**

Variable Type : imputation flag

Description : INTCTFAM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4504
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**PARAGE14\_I(4122-4122)**

Variable Type : imputation flag

Description : PARAGE14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4500
2	LOGICAL IMPUTATION	6
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**EDUCMOM\_I(4123-4123)**

Variable Type : imputation flag

Description : EDUCMOM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4410
1	MULTIPLE REGRESSION IMPUTATION	96
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**AGEMOMB1\_I(4124-4124)**

Variable Type : imputation flag

Description : AGEMOMB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4467
1	MULTIPLE REGRESSION IMPUTATION	39
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**FMARNO\_I(4125-4125)**

Variable Type : imputation flag

Description : FMARNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4495
2	LOGICAL IMPUTATION	11
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RB-RF) Sections B-F Recodes

### HADSEX(4126-4126)

Variable Type : recode

Description : Whether R ever had sexual intercourse (RECODE)

value	label	Total
1	YES, R EVER HAD INTERCOURSE	3735
2	NO, R NEVER HAD INTERCOURSE	771
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### SEXONCE(4127-4127)

Variable Type : recode

Description : Whether R has had sex only once (RECODE)

value	label	Total
.	INAPPLICABLE	771
1	YES (R HAS HAD SEX ONLY ONCE)	68
2	NO (R HAS HAD SEX MORE THAN ONCE)	3667
<b>Total</b>		<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

### VRY1STSX(4128-4131)

Variable Type : recode

Description : CM date of 1st sex (RECODE)

value	label	Total
.	INAPPLICABLE	771
378-1340	Before Sept 2011	3259
1341-1352	Sept 2011-Aug 2012	165
1353-1364	Sept 2012-Aug 2013	156
1365-1376	Sept 2013-Aug 2014	122
1377-1389	Sept 2014-Sept 2015	33
<b>Total</b>		<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

### FIRSTPFLAG(4132-4132)

Variable Type : intermediate

Description : Flag indicating which section and which series reflects R's first sexual partner

value	label	Total
.	INAPPLICABLE	771
1	cmfstsex - CM of first sex ever, based on DL series	3114
2	cmlsxp - CM when R last had sex with most recent partner	68
3	cmlsxp2 - CM when R last had sex with 2nd-to-last partner	5
4	cmlsxp3 - CM when R last had sex with 3rd-to-last partner	3
5	cmfsxp - CM when R first had sex with most recent partner	203

6	cmfsexp2 - CM when R first had sex with 2nd-to-last partner	12
7	cmfsexp3 - CM when R first had sex with 3rd-to-last partner	3
8	cmfscwcp - CM when R first had sex with CWP	318
9	unable to determine: raw variable(s) missing	9
	<b>Total</b>	<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

### **VR1STAG(4133-4134)**

Variable Type : recode

Description : R's age at 1st sex (RECODE)

value	label	Total
.	INAPPLICABLE	771
0-14	UNDER 15 YEARS	813
15-17	15-17 YEARS	1717
18-19	18-19 YEARS	621
20-44	20 YEARS OR OLDER	584
	<b>Total</b>	<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

### **ELAPSED(4135-4137)**

Variable Type : intermediate

Description : # of mos btwn 1st sex and last sex:R's 1st partner (DF series only)

value	label	Total
.	INAPPLICABLE	4296
0	0	33
1-995	Number of months	177
	<b>Total</b>	<b>4506</b>

Universe : Applicable if cmlsxp[x] and cmfsexp[x] are not blank

### **SEXMAR(4138-4140)**

Variable Type : recode

Description : Months between 1st intercourse and 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	771
0	FIRST INTERCOURSE IN SAME MONTH AS MARRIAGE	157
1-12	1-12 MONTHS	191
13-24	13-24 MONTHS	203
25-36	25-36 MONTHS	211
37-995	MORE THAN 3 YEARS AFTER FIRST INTERCOURSE	2948
996	FIRST INTERCOURSE AFTER FIRST MARRIAGE	25
	<b>Total</b>	<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

### **SEXUNION(4141-4143)**

Variable Type : recode

Description : Months between 1st intercourse and 1st coresidential union or interview (marriage or cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	771
0	First intercourse in same month as marriage or cohabitation	189
1-995	1 to nnn moths after first intecourse	3449
996	First intercourse after first marriage or cohabitation	97
<b>Total</b>		<b>4506</b>

Universe : Applicable if R ever had sexual intercourse with a female (HADSEX = 1)

### **FSEXPAGE(4144-4146)**

Variable Type : recode

Description : Age of 1st sexual partner at 1st sex (RECODE)

value	label	Total
.	INAPPLICABLE	771
0-14	UNDER 15 YEARS	567
15-17	15-17 YEARS	1644
18-19	18-19 YEARS	613
20-95	20 YEARS OR OLDER	640
900-995	ESTIMATED AGE	271
<b>Total</b>		<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

### **FSEXRLTN(4147-4147)**

Variable Type : recode

Description : Relationship with 1st sexual partner at time of 1st sex (RECODE)

value	label	Total
.	INAPPLICABLE	771
1	MARRIED TO HER	164
2	ENGAGED TO HER, AND LIVING TOGETHER	26
3	ENGAGED TO HER, BUT NOT LIVING TOGETHER	30
4	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	36
5	GOING OUT WITH HER OR GOING STEADY	1661
6	GOING OUT WITH HER ONCE IN A WHILE	407
7	JUST FRIENDS	1055
8	HAD JUST MET HER	254
9	SOMETHING ELSE	102
<b>Total</b>		<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

### **SEX1MTHD1(4148-4149)**

Variable Type : recode

Description : Contraceptive method use at 1st sexual intercourse: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	771
1	Condom	2455
2	Withdrawal	152
3	Vasectomy	1
4	Pill	176
5	Female sterilization	6
6	Injection -- Depo-Provera/Lunelle	8
7	Spermicidal foam/jelly/cream/film/suppository	4

8	Hormonal implant -- Norplant/Implanon/Nexplanon	2
9	Rhythm or safe period	3
10	Contraceptive Patch	4
11	Vaginal contraceptive ring	4
12	IUD, coil, loop	6
13	Something else	10
96	No method used at first intercourse	904
	<b>Total</b>	<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

### SEX1MTHD2(4150-4151)

Variable Type : recode

Description : Contraceptive method use at 1st sexual intercourse: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	2969
1	Condom	28
2	Withdrawal	143
4	Pill	409
6	Injection -- Depo-Provera/Lunelle	22
7	Spermicidal foam/jelly/cream/film/suppository	12
8	Hormonal implant -- Norplant/Implanon/Nexplanon	4
9	Rhythm or safe period	5
10	Contraceptive Patch	1
11	Vaginal contraceptive ring	3
12	IUD, coil, loop	1
13	Something else	5
96	No method used at first intercourse	904
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R reported more than 1 method at 1st sexual intercourse (see recode SEX1MTHD1)

### SEX1MTHD3(4152-4153)

Variable Type : recode

Description : Contraceptive method use at 1st sexual intercourse: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3542
1	Condom	1
2	Withdrawal	5
4	Pill	45
7	Spermicidal foam/jelly/cream/film/suppository	4
9	Rhythm or safe period	4
13	Something else	1
96	No method used at first intercourse	904
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R reported more than 2 methods at 1st sexual intercourse (see recode SEX1MTHD1)

### SEX1MTHD4(4154-4155)

Variable Type : recode

Description : Contraceptive method use at 1st sexual intercourse: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3599
7	Spermicidal foam/jelly/cream/film/suppository	1

9	Rhythm or safe period	2
96	No method used at first intercourse	904
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R reported more than 3 methods at 1st sexual intercourse (see recode SEX1MTHD1)

### **LSEXDATE(4156-4159)**

Variable Type : recode

Description : Date of last (or most recent) sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	771
378-1340	Before Sept 2011	169
1341-1352	Sept 2011-Aug 2012	90
1353-1364	Sept 2012-Aug 2013	254
1365-1376	Sept 2013-Aug 2014	1683
1377-1389	Sept 2014-Sept 2015	1539
	<b>Total</b>	<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

### **SEX3MO(4160-4160)**

Variable Type : recode

Description : Whether R had sexual intercourse in past 3 months (based on LSEXDATE) (RECODE)

value	label	Total
.	INAPPLICABLE	771
1	YES, HAD INTERCOURSE	2858
2	NO, DID NOT HAVE INTERCOURSE	877
	<b>Total</b>	<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

### **SEX12MO(4161-4161)**

Variable Type : recode

Description : Whether R had sexual intercourse in past 12 months (based on LSEXDATE) (RECODE)

value	label	Total
.	INAPPLICABLE	771
1	YES, HAD INTERCOURSE	3305
2	NO, DID NOT HAVE INTERCOURSE	430
	<b>Total</b>	<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

### **LSEXRAGE(4162-4163)**

Variable Type : recode

Description : R's age at last (or most recent) sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	771
0-17	UNDER 18 YEARS	252
18-19	18-19 YEARS	268
20-24	20-24 YEARS	625
25-34	25-34 YEARS	1449



35-45 35-44 YEARS 1141  
**Total 4506**

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

**LSEXPAGE(4164-4166)**

Variable Type : recode

Description : Age of last (or most recent) partner at last sex (RECODE)

value	label	Total
.	INAPPLICABLE	771
0-14	UNDER 15 YEARS	24
15-17	15-17 YEARS	260
18-19	18-19 YEARS	319
20-95	20 YEARS OR OLDER	3117
900-995	ESTIMATED AGE	15
	<b>Total</b>	<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

**lsexprac(4167-4167)**

Variable Type : computed

Description : Race/ethnicity of last (or most recent) sexual partner (computed in post-processing)

value	label	Total
.	INAPPLICABLE	792
1	Hispanic	840
2	Non-Hispanic White	2017
3	Non-Hispanic Black	577
4	Non-Hispanic Other	280
	<b>Total</b>	<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

**LSEXRLTN(4168-4168)**

Variable Type : recode

Description : Relationship with last sexual partner at last sex ever (RECODE)

value	label	Total
.	INAPPLICABLE	771
1	Married to her	1254
3	Living together in a sexual relationship	589
4	Going out with her or going steady	888
5	Going out with her once in a while	280
6	Just friends	496
7	Had just met her	46
8	Something else	83
9	Engaged to her: only asked of a subset of Rs	99
	<b>Total</b>	<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

**LSEXUSE1(4169-4170)**

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse ever - 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	771
1	CONDOM	1521
2	WITHDRAWAL	371
3	VASECTOMY	116
4	PILL	315
5	FEMALE STERILIZATION	215
6	INJECTION -- DEPO-PROVERA/LUNELLE	44
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	5
8	HORMONAL IMPLANT -- NORPLANT/IMPLANON/NEXPLANON	35
9	RHYTHM OR SAFE PERIOD	11
10	CONTRACEPTIVE PATCH	51
11	VAGINAL CONTRACEPTIVE RING	40
12	IUD, COIL LOOP	129
13	SOMETHING ELSE	16
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	9
96	NO METHOD USED AT LAST SEX	857
	<b>Total</b>	<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

### LSEXUSE2(4171-4172)

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse ever - 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	2734
1	CONDOM	6
2	WITHDRAWAL	77
3	VASECTOMY	3
4	PILL	552
5	FEMALE STERILIZATION	36
6	INJECTION -- DEPO-PROVERA/LUNELLE	66
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	9
8	HORMONAL IMPLANT -- NORPLANT/IMPLANON/NEXPLANON	15
9	RHYTHM OR SAFE PERIOD	32
10	CONTRACEPTIVE PATCH	16
11	VAGINAL CONTRACEPTIVE RING	31
12	IUD, COIL LOOP	37
13	SOMETHING ELSE	26
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	9
96	NO METHOD USED AT LAST SEX	857
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R reported more than 1 method at last sexual intercourse (see recode LSEXUSE1)

### LSEXUSE3(4173-4174)

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse ever - 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3558
1	CONDOM	3
2	WITHDRAWAL	68
4	PILL	1
6	INJECTION -- DEPO-PROVERA/LUNELLE	1
9	RHYTHM OR SAFE PERIOD	2
10	CONTRACEPTIVE PATCH	4

11	VAGINAL CONTRACEPTIVE RING	2
12	IUD, COIL LOOP	1
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	9
96	NO METHOD USED AT LAST SEX	857
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R reported more than 2 methods at last sexual intercourse (see recode LSEXUSE1)

### **LSEXUSE4(4175-4176)**

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse ever - 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3633
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	1
9	RHYTHM OR SAFE PERIOD	4
10	CONTRACEPTIVE PATCH	1
13	SOMETHING ELSE	1
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	9
96	NO METHOD USED AT LAST SEX	857
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R reported more than 3 methods at last sexual intercourse (see recode LSEXUSE1)

### **METH12M1(4177-4178)**

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse in past 12 mos: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	1202
1	CONDOM	1261
2	WITHDRAWAL	348
3	VASECTOMY	110
4	PILL	283
5	FEMALE STERILIZATION	202
6	INJECTION -- DEPO-PROVERA/LUNELLE	40
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	5
8	HORMONAL IMPLANT -- NORPLANT/IMPLANON/NEXPLANON	35
9	RHYTHM OR SAFE PERIOD	10
10	CONTRACEPTIVE PATCH	49
11	VAGINAL CONTRACEPTIVE RING	35
12	IUD, COIL LOOP	125
13	SOMETHING ELSE	14
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	7
96	NO METHOD USED AT LAST SEX IN THE PAST 12 MONTHS	780
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R had sex in the past 12 months (SEX12MO = 1)

### **METH12M2(4179-4180)**

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse in past 12 mos: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	2945
1	CONDOM	6

2	WITHDRAWAL	70
3	VASECTOMY	3
4	PILL	462
5	FEMALE STERILIZATION	34
6	INJECTION -- DEPO-PROVERA/LUNELLE	60
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	7
8	HORMONAL IMPLANT -- NORPLANT/IMPLANON/NEXPLANON	15
9	RHYTHM OR SAFE PERIOD	26
10	CONTRACEPTIVE PATCH	12
11	VAGINAL CONTRACEPTIVE RING	26
12	IUD, COIL LOOP	33
13	SOMETHING ELSE	20
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	7
96	NO METHOD USED AT LAST SEX IN THE PAST 12 MONTHS	780
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R had sex in the past 12 months (SEX12MO = 1) and reported a 2nd method at last sex (LSEXUSE2 < 95)

### **METH12M3(4181-4182)**

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse in past 12 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3650
1	CONDOM	3
2	WITHDRAWAL	58
6	INJECTION -- DEPO-PROVERA/LUNELLE	1
9	RHYTHM OR SAFE PERIOD	1
10	CONTRACEPTIVE PATCH	4
11	VAGINAL CONTRACEPTIVE RING	1
12	IUD, COIL LOOP	1
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	7
96	NO METHOD USED AT LAST SEX IN THE PAST 12 MONTHS	780
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R had sex in the past 12 months (SEX12MO = 1) and reported a 3rd method at last sex (LSEXUSE3 < 95)

### **METH12M4(4183-4184)**

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse in past 12 mos: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3713
9	RHYTHM OR SAFE PERIOD	4
10	CONTRACEPTIVE PATCH	1
13	SOMETHING ELSE	1
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	7
96	NO METHOD USED AT LAST SEX IN THE PAST 12 MONTHS	780
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R had sex in the past 12 months (SEX12MO = 1) and reported a 4th method at last sex (LSEXUSE4 < 95)

### **METH3M1(4185-4186)**

Variable Type : recode

Description : Contraceptive method used last sexual intercourse in past 3 mos: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	1648
1	CONDOM	995
2	WITHDRAWAL	307
3	VASECTOMY	106
4	PILL	264
5	FEMALE STERILIZATION	185
6	INJECTION -- DEPO-PROVERA/LUNELLE	39
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	5
8	HORMONAL IMPLANT -- NORPLANT/IMPLANON/NEXPLANON	30
9	RHYTHM OR SAFE PERIOD	9
10	CONTRACEPTIVE PATCH	47
11	VAGINAL CONTRACEPTIVE RING	32
12	IUD, COIL LOOP	120
13	SOMETHING ELSE	12
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	5
96	NO METHOD USED AT LAST SEX IN THE PAST 3 MONTHS	702
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R had sex in the past 3 months (SEX3MO = 1)

### **METH3M2(4187-4188)**

Variable Type : recode

Description : Contraceptive method used last sexual intercourse in past 3 mos: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3175
1	CONDOM	4
2	WITHDRAWAL	61
3	VASECTOMY	3
4	PILL	360
5	FEMALE STERILIZATION	32
6	INJECTION -- DEPO-PROVERA/LUNELLE	47
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	6
8	HORMONAL IMPLANT -- NORPLANT/IMPLANON/NEXPLANON	14
9	RHYTHM OR SAFE PERIOD	23
10	CONTRACEPTIVE PATCH	10
11	VAGINAL CONTRACEPTIVE RING	21
12	IUD, COIL LOOP	25
13	SOMETHING ELSE	18
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	5
96	NO METHOD USED AT LAST SEX IN THE PAST 3 MONTHS	702
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R had sex in the past 3 months (SEX3MO = 1) and reported a 2nd method at last sex (LSEXUSE2 < 95)

### **METH3M3(4189-4190)**

Variable Type : recode

Description : Contraceptive method used last sexual intercourse in past 3 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3747
1	CONDOM	3
2	WITHDRAWAL	42
6	INJECTION -- DEPO-PROVERA/LUNELLE	1

10	CONTRACEPTIVE PATCH	4
11	VAGINAL CONTRACEPTIVE RING	1
12	IUD, COIL LOOP	1
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	5
96	NO METHOD USED AT LAST SEX IN THE PAST 3 MONTHS	702
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R had sex in the past 3 months (SEX3MO = 1) and reported a 3rd method at last sex (LSEXUSE3 < 95)

### **METH3M4(4191-4192)**

Variable Type : recode

Description : Contraceptive method used last sexual intercourse in past 3 mos: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3794
9	RHYTHM OR SAFE PERIOD	4
10	CONTRACEPTIVE PATCH	1
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	5
96	NO METHOD USED AT LAST SEX IN THE PAST 3 MONTHS	702
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R had sex in the past 3 months (SEX3MO = 1) and reported a 4th method at last sex (LSEXUSE4 < 95)

### **NUMP3MOS(4193-4193)**

Variable Type : recode

Description : Number of female sexual partners in last 3 mos (RECODE)

value	label	Total
.	INAPPLICABLE	771
0	0 PARTNERS	877
1	1 PARTNER	2564
2	2 PARTNERS	186
3	3 PARTNERS EXACTLY	25
4	3, POSSIBLY MORE PARTNERS	83
	<b>Total</b>	<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

### **LIFPRTNR(4194-4195)**

Variable Type : recode

Description : Number of opposite-sex partners in lifetime (RECODE)

value	label	Total
0	0 PARTNERS	771
1	1 PARTNER	556
2	2 PARTNERS	326
3	3 PARTNERS	341
4	4 PARTNERS	298
5	5 PARTNERS	300
6	6 PARTNERS	252
7	7 PARTNERS	158
8	8 PARTNERS	88
9	9 PARTNERS	73
10-19	10-19 PARTNERS	602
20-49	20-49 PARTNERS	510

50	50 OR MORE PARTNERS	231
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents (This variable has been topcoded for public use.)

### **PARTS1YR(4196-4197)**

Variable Type : recode

Description : Number of opposite-sex partners in past 12 mos (RECODE)

value	label	Total
0	NONE	1202
1	1 PARTNER	2464
2	2 PARTNERS	432
3	3 PARTNERS	160
4	4 PARTNERS	109
5	5 PARTNERS	49
6	6 PARTNERS	27
7	7 OR MORE PARTNERS	63
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents (This variable has been topcoded for public use.)

### **PARTDUR1(4198-4200)**

Variable Type : recode

Description : Months between 1st and most recent intercourse with last/most recent partner (RECODE)

value	label	Total
.	INAPPLICABLE	771
0-995	Number of months between first and most recent sex with this partner	3451
997	Only had sex once with partner	284
	<b>Total</b>	<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

### **PARTDUR2(4201-4203)**

Variable Type : recode

Description : Months between 1st and most recent intercourse with 2nd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	3665
0-995	Number of months between first and most recent sex with this partner	648
997	Only had sex once with partner	193
	<b>Total</b>	<b>4506</b>

Universe : Applicable if r had more than one female partner in the past 12 months (PARTS1YR > 1)

### **PARTDUR3(4204-4206)**

Variable Type : recode

Description : Months between 1st and most recent intercourse with 3rd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	4098

0-995	Number of months between first and most recent sex with this partner	293
997	Only had sex once with partner	115
	<b>Total</b>	<b>4506</b>

Universe : Applicable if r had more than two female partners in the past 12 months (PARTS1YR > 2)

### **COHEVER(4207-4207)**

Variable Type : recode

Description : Whether R ever cohabited (including premarital cohabitation) (RECODE)

value	label	Total
1	Yes, ever cohabited (lived with a woman outside of marriage)	2153
2	No, never cohabited (lived with a woman outside of marriage)	2353
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **EVMARCOH(4208-4208)**

Variable Type : recode

Description : Whether R ever married or cohabited (RECODE)

value	label	Total
1	Yes, ever married or cohabited	2607
2	No, never married or cohabited	1899
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **PMARRNO(4209-4209)**

Variable Type : recode

Description : Number of premarital cohabitations (RECODE)

value	label	Total
0	None	3437
1	One	961
2	Two	95
3-HIGH	Three or more	13
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **NONMARR(4210-4211)**

Variable Type : recode

Description : Number of nonmarital cohabitations (RECODE)

value	label	Total
0	None	2977
1	One	800
2	Two	399
3-HIGH	Three or more	330
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **TIMESCOH(4212-4213)**



Variable Type : recode

Description : Total number of cohabitations (RECODE)

value	label	Total
0	None	2356
1	One	1166
2	Two	500
3-HIGH	Three or more	484
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **MARDAT01(4214-4217)**

Variable Type : recode

Description : CM date of R's 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	2895
378-1340	Before Sept 2011	1328
1341-1352	Sept 2011-Aug 2012	88
1353-1364	Sept 2012-Aug 2013	93
1365-1376	Sept 2013-Aug 2014	78
1377-1389	Sept 2014-Sept 2015	24
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has ever been married (FMARITAL NE 5)

### **MARDAT02(4218-4221)**

Variable Type : recode

Description : CM date of R's 2nd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	4306
378-1340	Before Sept 2011	155
1341-1352	Sept 2011-Aug 2012	10
1353-1364	Sept 2012-Aug 2013	19
1365-1376	Sept 2013-Aug 2014	13
1377-1389	Sept 2014-Sept 2015	3
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has been married more than once (FMARNO GT 1)

### **MARDAT03(4222-4225)**

Variable Type : recode

Description : CM date of R's 3rd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	4483
378-1340	Before Sept 2011	13
1341-1352	Sept 2011-Aug 2012	3
1353-1364	Sept 2012-Aug 2013	2
1365-1376	Sept 2013-Aug 2014	4
1377-1389	Sept 2014-Sept 2015	1
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has been married more than 2 times (FMARNO GT 2)

**MARDAT04(4226-4229)**

Variable Type : recode

Description : CM date of R's 4th marriage (RECODE)

value	label	Total
.	INAPPLICABLE	4501
378-1340	Before Sept 2011	2
1353-1364	Sept 2012-Aug 2013	1
1365-1376	Sept 2013-Aug 2014	1
1377-1389	Sept 2014-Sept 2015	1
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has been married more than 3 times (FMARNO GT 3)

**MAREND01(4230-4230)**

Variable Type : recode

Description : How R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	3961
1	DIVORCED OR ANNULLED	442
2	SEPARATED	93
3	WIDOWED	10
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has been married more than once (FMARNO GT 1) or R's first marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

**MAREND02(4231-4231)**

Variable Type : recode

Description : How R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4431
1	DIVORCED OR ANNULLED	50
2	SEPARATED	21
3	WIDOWED	4
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has been married more than 2 times (FMARNO GT 2) or R's second marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

**MAREND03(4232-4232)**

Variable Type : recode

Description : How R's 3rd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4495
1	DIVORCED OR ANNULLED	7
2	SEPARATED	4
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has been married more than 3 times (FMARNO GT 3) or R's third marriage is not intact (FMARNO = 3 and FMARITAL NE 1)

**MAREND04(4233-4233)**

Variable Type : recode

Description : How R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4505
2	SEPARATED	1
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has been married more than 4 times (FMARNO GT 4) or R's fourth marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

### **MARDIS01(4234-4237)**

Variable Type : recode

Description : CM date when R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	3961
378-1340	Before Sept 2011	426
1341-1352	Sept 2011-Aug 2012	36
1353-1364	Sept 2012-Aug 2013	31
1365-1376	Sept 2013-Aug 2014	40
1377-1389	Sept 2014-Sept 2015	12
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has been married more than once (FMARNO GT 1) or R's first marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

### **MARDIS02(4238-4241)**

Variable Type : recode

Description : CM date when R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4436
378-1340	Before Sept 2011	42
1341-1352	Sept 2011-Aug 2012	4
1353-1364	Sept 2012-Aug 2013	12
1365-1376	Sept 2013-Aug 2014	9
1377-1389	Sept 2014-Sept 2015	3
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has been married more than 2 times (FMARNO GT 2) or R's second marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

### **MARDIS03(4242-4245)**

Variable Type : recode

Description : CM date when R's 3rd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4496
378-1340	Before Sept 2011	6
1341-1352	Sept 2011-Aug 2012	1
1353-1364	Sept 2012-Aug 2013	1
1365-1376	Sept 2013-Aug 2014	1
1377-1389	Sept 2014-Sept 2015	1
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has been married more than 3 times (FMARNO GT 3) or R's third marriage is not intact (FMARNO = 3 and FMARITAL NE 1)

### **MARDIS04(4246-4249)**

Variable Type : recode

Description : CM date when R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4505
1353-1364	Sept 2012-Aug 2013	1
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has been married more than 4 times (FMARNO GT 4) or R's fourth marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

### **MAR1DISS(4250-4252)**

Variable Type : recode

Description : Months between 1st marriage and dissolution of 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	2895
0-12	1 YEAR OR LESS	206
13-24	13-24 MONTHS	161
25-36	25-36 MONTHS	157
37-48	37-48 MONTHS	138
49-60	49-60 MONTHS	114
61-995	MORE THAN 5 YEARS	835
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has ever been married (FMARITAL NE 5)

### **PREMARW1(4253-4253)**

Variable Type : recode

Description : Whether R lived premaritally with his first wife (RECODE)

value	label	Total
.	INAPPLICABLE	2895
1	YES	1015
2	NO	596
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has ever been married (FMARITAL NE 5)

### **COHAB1(4254-4257)**

Variable Type : recode

Description : CM date of 1st cohabitation (incl. premarital cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	2353
378-1340	Before Sept 2011	1822
1341-1352	Sept 2011-Aug 2012	102
1353-1364	Sept 2012-Aug 2013	136
1365-1376	Sept 2013-Aug 2014	67
1377-1389	Sept 2014-Sept 2015	26
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has ever cohabited outside of marriage (COHEVER = 1)

### COHSTAT(4258-4258)

Variable Type : recode

Description : Cohabitation status experience relative to 1st marriage (RECODE)

value	label	Total
1	Never cohabited outside of marriage	2353
2	First cohabited before first marriage	2054
3	First cohabited after first marriage	99
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### COHOUT(4259-4259)

Variable Type : recode

Description : Outcome of R's first (if premarital) cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	2453
1	Intact cohabitation	274
2	Intact marriage	480
3	Dissolved marriage	251
4	Dissolved cohabitation	1048
<b>Total</b>		<b>4506</b>

Universe : Applicable if R's first cohabitation occurred before his first marriage (COHSTAT = 2)

### COH1DUR(4260-4262)

Variable Type : recode

Description : Duration (in months) of R's first (if premarital) cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	2453
0-12	1 YEAR OR LESS	799
13-24	13-24 MONTHS	454
25-36	25-36 MONTHS	248
37-48	37-48 MONTHS	146
49-60	49-60 MONTHS	120
61-995	MORE THAN 5 YEARS	286
<b>Total</b>		<b>4506</b>

Universe : Applicable if R's first cohabitation occurred before his first marriage (COHSTAT = 2)

### CSPBIOKD(4263-4263)

Variable Type : recode

Description : Total number of biological children R has had with current spouse or cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	2779
0	NONE	662
1	1 CHILD	426
2	2 CHILDREN	429
3	3 CHILDREN	154
4-95	4 OR MORE CHILDREN	56

**Total**                    **4506**

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

**DATBABY1(4264-4267)**

Variable Type : recode

Description : CM date when R fathered his first biological child (RECODE)

value	label	Total
.	INAPPLICABLE	2787
378-1340	Before Sept 2011	1389
1341-1352	Sept 2011-Aug 2012	110
1353-1364	Sept 2012-Aug 2013	104
1365-1376	Sept 2013-Aug 2014	82
1377-1389	Sept 2014-Sept 2015	34
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has ever had a biological child (biokids > 0)

**AGEBABY1(4268-4269)**

Variable Type : recode

Description : Age when R fathered his first biological child (RECODE)

value	label	Total
.	INAPPLICABLE	2787
0-19	Under 20 years	245
20-24	20-24 years	624
25-29	25-29 years	478
30-44	30-44 years	372
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has ever had a biological child (biokids > 0)

**B1PREMAR(4270-4270)**

Variable Type : recode

Description : Whether R's first biological child was born before his first marriage (premaritally) (RECODE)

value	label	Total
.	INAPPLICABLE	2787
1	Yes (1st biological child born before 1st marriage)	846
2	No (1st biological child born in same month as or later than 1st marriage)	873
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has ever had a biological child (biokids > 0)

**MARBABY1(4271-4271)**

Variable Type : recode

Description : Formal marital status at time of R's first biological child's birth (RECODE)

value	label	Total
.	INAPPLICABLE	2787
1	Yes, married to child's mother	794
2	No, not married to child's mother	925
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has ever had a biological child (biokids > 0)

**CEBOW(4272-4273)**

Variable Type : recode

Description : Number of biological children born out of wedlock (RECODE)

value	label	Total
.	INAPPLICABLE	2787
0	None	762
1	1 child	568
2	2 children	248
3	3 children	87
4	4 children	30
5-95	5 or more	24
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has ever had a biological child (biokids &gt; 0)

**CEBOWC(4274-4274)**

Variable Type : recode

Description : Number of biological children born out of wedlock, in cohabiting unions (RECODE)

value	label	Total
.	INAPPLICABLE	2787
0	NONE	1052
1	1 CHILD	443
2	2 CHILDREN	156
3	3 CHILDREN	43
4-95	4 OR MORE CHILDREN	25
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has ever had a biological child (biokids &gt; 0)

**CEBOWP(4275-4275)**

Variable Type : recode

Description : Number of biological children born out of wedlock, but paternity established (RECODE)

value	label	Total
.	INAPPLICABLE	3549
0	NONE	150
1	1 CHILD	519
2	2 CHILDREN	203
3	3 CHILDREN	59
4-95	4 OR MORE CHILDREN	26
<b>Total</b>		<b>4506</b>

Universe : Applicable if R ever had a biological child born out of wedlock (CEBOW &gt; 0)

**EVRNOPAT(4276-4276)**

Variable Type : recode

Description : Whether R has never established paternity for his biological children born out of wedlock (RECODE)

value	label	Total
.	INAPPLICABLE	3549
1	YES, 1 OR MORE CHILDREN OUT OF WEDLOCK, BUT NO ESTABLISHED PATERNITY	150
2	NO, 1 OR MORE CHILDREN OUT OF WEDLOCK, BUT ESTABLISHED PATERNITY	807
<b>Total</b>		<b>4506</b>

Universe : Applicable if R ever had a biological child born out of wedlock (CEBOW > 0)

### **NONLIVEB(4277-4278)**

Variable Type : recode

Description : Number of non-live birth pregnancies R has fathered (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
0	NONE	3618
1	1 PREGNANCY	567
2	2 PREGNANCIES	195
3-95	3 OR MORE PREGNANCIES	121
98	REFUSED	4
99	DON'T KNOW	1
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **COMPREG(4279-4280)**

Variable Type : recode

Description : Number of completed pregnancies R has fathered (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
0	NONE	2454
1	1 PREGNANCY	709
2	2 PREGNANCIES	614
3	3 PREGNANCIES	361
4	4 PREGNANCIES	183
5-95	5 OR MORE PREGNANCIES	185
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **ABORTION(4281-4282)**

Variable Type : recode

Description : Number of abortions R has fathered (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	2454
0	NONE	1694
1	1 PREGNANCY	247
2-95	2 OR MORE PREGNANCIES	111
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R has ever fathered a completed pregnancy (COMPREG > 0)

### **LOSSNUM(4283-4283)**

Variable Type : recode

Description : Number of spontaneous pregnancy losses R has fathered (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	2454
0	NONE	1431
1	1 PREGNANCY	438
2-95	2 OR MORE PREGNANCIES	183



**Total**                      **4506**

Universe : Applicable if R has ever fathered a completed pregnancy (COMPREG > 0)

**PARENT01(4284-4284)**

Variable Type : recode

Description : Other biological parent of R's 1st biological child (RECODE)

value	label	Total
.	INAPPLICABLE	2787
1	Current wife	780
2	Current cohabiting partner	154
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	119
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	30
5	Former wife (reported in Section E)	237
6	First cohabiting partner (reported in Section E)	158
7	Other sexual partner, not otherwise classified in codes 1-6	241
<b>Total</b>		<b>4506</b>

Universe : Applicable if R reported a biological child in Sections C, D, E, or F (biokids >0)

**PARENT02(4285-4285)**

Variable Type : recode

Description : Other biological parent of R's 2nd biological child (RECODE)

value	label	Total
.	INAPPLICABLE	3469
1	Current wife	587
2	Current cohabiting partner	81
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	68
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	12
5	Former wife (reported in Section E)	130
6	First cohabiting partner (reported in Section E)	68
7	Other sexual partner, not otherwise classified in codes 1-6	91
<b>Total</b>		<b>4506</b>

Universe : Applicable if R reported more than 1 biological child in Sections C, D, E, or F (biokids >1)

**PARENT03(4286-4286)**

Variable Type : recode

Description : Other biological parent of R's 3rd biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4112
1	Current wife	222
2	Current cohabiting partner	38
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	22
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	3
5	Former wife (reported in Section E)	45
6	First cohabiting partner (reported in Section E)	15
7	Other sexual partner, not otherwise classified in codes 1-6	49
<b>Total</b>		<b>4506</b>

Universe : Applicable if R reported more than 2 biological children in Sections C, D, E, or F (biokids >2)

**PARENT04(4287-4287)**

Variable Type : recode

Description : Other biological parent of R's 4th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4378
1	Current wife	66
2	Current cohabiting partner	11
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	6
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	2
5	Former wife (reported in Section E)	13
6	First cohabiting partner (reported in Section E)	6
7	Other sexual partner, not otherwise classified in codes 1-6	24
<b>Total</b>		<b>4506</b>

Universe : Applicable if R reported more than 3 biological children in Sections C, D, E, or F (biokids >3)

### **PARENT05(4288-4288)**

Variable Type : recode

Description : Other biological parent of R's 5th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4446
1	Current wife	35
2	Current cohabiting partner	3
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	7
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	1
5	Former wife (reported in Section E)	3
6	First cohabiting partner (reported in Section E)	3
7	Other sexual partner, not otherwise classified in codes 1-6	8
<b>Total</b>		<b>4506</b>

Universe : Applicable if R reported more than 4 biological children in Sections C, D, E, or F (biokids >4)

### **PARENT06(4289-4289)**

Variable Type : recode

Description : Other biological parent of R's 6th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4484
1	Current wife	9
2	Current cohabiting partner	1
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	1
5	Former wife (reported in Section E)	2
6	First cohabiting partner (reported in Section E)	1
7	Other sexual partner, not otherwise classified in codes 1-6	8
<b>Total</b>		<b>4506</b>

Universe : Applicable if R reported more than 5 biological children in Sections C, D, E, or F (biokids >5)

### **PARENT07(4290-4290)**

Variable Type : recode

Description : Other biological parent of R's 7th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4495
1	Current wife	4
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	1
5	Former wife (reported in Section E)	2

7	Other sexual partner, not otherwise classified in codes 1-6	4
<b>Total</b>		<b>4506</b>

Universe : Applicable if R reported more than 6 biological children in Sections C, D, E, or F (biokids >6)

### **PARENT08(4291-4291)**

Variable Type : recode

Description : Other biological parent of R's 8th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4500
1	Current wife	2
7	Other sexual partner, not otherwise classified in codes 1-6	4
<b>Total</b>		<b>4506</b>

Universe : Applicable if R reported more than 7 biological children in Sections C, D, E, or F (biokids >7)

### **PARENT09(4292-4292)**

Variable Type : recode

Description : Other biological parent of R's 9th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4504
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	1
7	Other sexual partner, not otherwise classified in codes 1-6	1
<b>Total</b>		<b>4506</b>

Universe : Applicable if R reported more than 8 biological children in Sections C, D, E, or F (biokids >8)

### **PARENT10(4293-4293)**

Variable Type : recode

Description : Other biological parent of R's 10th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4505
6	First cohabiting partner (reported in Section E)	1
<b>Total</b>		<b>4506</b>

Universe : Applicable if R reported more than 9 biological children in Sections C, D, E, or F (biokids >9)

### **WANTB01(4294-4294)**

Variable Type : recode

Description : Wantedness of pregnancy: R's first biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	2966
1	LATER, OVERDUE	101
2	RIGHT TIME	771
3	TOO SOON, MISTIMED	489
4	DIDN'T CARE, INDIFFERENT	3
5	UNWANTED	144
6	DON'T KNOW, NOT SURE	5
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	27
<b>Total</b>		<b>4506</b>

Universe : Applicable if R had a biological child aged 18 or younger (cmintvw - biodob1 LE 216 or bioagegp1= 1 or 2)

### WANTB02(4295-4295)

Variable Type : recode

Description : Wantedness of pregnancy: R's 2nd biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	3527
1	LATER, OVERDUE	63
2	RIGHT TIME	586
3	TOO SOON, MISTIMED	205
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	114
6	DON'T KNOW, NOT SURE	3
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	7
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R had more than one biological child aged 18 or younger (cmintvw - biodob2 LE 216 or bioagegp2= 1 or 2)

### WANTB03(4296-4296)

Variable Type : recode

Description : Wantedness of pregnancy: R's 3rd biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4123
1	LATER, OVERDUE	23
2	RIGHT TIME	200
3	TOO SOON, MISTIMED	55
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	93
6	DON'T KNOW, NOT SURE	3
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	8
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R had more than 2 biological children aged 18 or younger (cmintvw - biodob3 LE 216 or bioagegp3= 1 or 2)

### WANTB04(4297-4297)

Variable Type : recode

Description : Wantedness of pregnancy: R's 4th biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4382
1	LATER, OVERDUE	5
2	RIGHT TIME	60
3	TOO SOON, MISTIMED	16
5	UNWANTED	40
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	3
	<b>Total</b>	<b>4506</b>

Universe : Applicable if R had more than 3 biological children aged 18 or younger (cmintvw - biodob4 LE 216 or bioagegp4= 1 or 2)

### WANTB05(4298-4298)

Variable Type : recode

Description : Wantedness of pregnancy: R's 5th biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4448
2	RIGHT TIME	31
3	TOO SOON, MISTIMED	6
5	UNWANTED	20
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	1
<b>Total</b>		<b>4506</b>

Universe : Applicable if R had more than 4 biological children aged 18 or younger (cmintvw - biodob5 LE 216 or bioagegp5= 1 or 2)

### **WANTB06(4299-4299)**

Variable Type : recode

Description : Wantedness of pregnancy: R's 6th biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4485
1	LATER, OVERDUE	1
2	RIGHT TIME	10
3	TOO SOON, MISTIMED	2
5	UNWANTED	8
<b>Total</b>		<b>4506</b>

Universe : Applicable if R had more than 5 biological children aged 18 or younger (cmintvw - biodob6 LE 216 or bioagegp6= 1 or 2)

### **WANTB07(4300-4300)**

Variable Type : recode

Description : Wantedness of pregnancy: R's 7th biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4496
2	RIGHT TIME	6
5	UNWANTED	4
<b>Total</b>		<b>4506</b>

Universe : Applicable if R had more than 6 biological children aged 18 or younger (cmintvw - biodob7 LE 216 or bioagegp7= 1 or 2)

### **WANTB08(4301-4301)**

Variable Type : recode

Description : Wantedness of pregnancy: R's 8th biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4501
2	RIGHT TIME	3
5	UNWANTED	2
<b>Total</b>		<b>4506</b>

Universe : Applicable if R had more than 7 biological children aged 18 or younger (cmintvw - biodob8 LE 216 or bioagegp8= 1 or 2)

### **WANTB09(4302-4302)**

Variable Type : recode

Description : Wantedness of pregnancy: R's 9th biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4504
3	TOO SOON, MISTIMED	1
5	UNWANTED	1
<b>Total</b>		<b>4506</b>

Universe : Applicable if R had more than 8 biological children aged 18 or younger (cmintvw - biodob9 LE 216 or bioagegp9= 1 or 2)

#### **WANTB10(4303-4303)**

Variable Type : recode

Description : Wantedness of pregnancy: R's 10th biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4505
3	TOO SOON, MISTIMED	1
<b>Total</b>		<b>4506</b>

Universe : Applicable if R had more than 9 biological children aged 18 or younger (cmintvw - biodob10 LE 216 or bioagegp10 = 1 or 2)

#### **HADSEX\_I(4304-4304)**

Variable Type : imputation flag

Description : HADSEX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

#### **SEXONCE\_I(4305-4305)**

Variable Type : imputation flag

Description : SEXONCE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

#### **VRY1STSX\_I(4306-4306)**

Variable Type : imputation flag

Description : VRY1STSX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4377
1	MULTIPLE REGRESSION IMPUTATION	31
2	LOGICAL IMPUTATION	98
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

#### **VRY1STAG\_I(4307-4307)**

Variable Type : imputation flag

Description : VRY1STAG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4475
1	MULTIPLE REGRESSION IMPUTATION	31
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **SEXMAR\_I(4308-4308)**

Variable Type : imputation flag

Description : SEXMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4458
1	MULTIPLE REGRESSION IMPUTATION	46
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **SEXUNION\_I(4309-4309)**

Variable Type : imputation flag

Description : SEXUNION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4368
1	MULTIPLE REGRESSION IMPUTATION	136
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **FSEXPAGE\_I(4310-4310)**

Variable Type : imputation flag

Description : FSEXPAGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4453
1	MULTIPLE REGRESSION IMPUTATION	40
2	LOGICAL IMPUTATION	13
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **FSEXRLTN\_I(4311-4311)**

Variable Type : imputation flag

Description : FSEXRLTN Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4488
1	MULTIPLE REGRESSION IMPUTATION	18
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**SEX1MTHD1\_I(4312-4312)**

Variable Type : imputation flag

Description : SEX1MTHD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4475
1	MULTIPLE REGRESSION IMPUTATION	30
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**SEX1MTHD2\_I(4313-4313)**

Variable Type : imputation flag

Description : SEX1MTHD2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4469
1	MULTIPLE REGRESSION IMPUTATION	37
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**SEX1MTHD3\_I(4314-4314)**

Variable Type : imputation flag

Description : SEX1MTHD3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4469
1	MULTIPLE REGRESSION IMPUTATION	37
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**SEX1MTHD4\_I(4315-4315)**

Variable Type : imputation flag

Description : SEX1MTHD4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4469
1	MULTIPLE REGRESSION IMPUTATION	37
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**LSEXDATE\_I(4316-4316)**

Variable Type : imputation flag

Description : LSEXDATE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4479
1	MULTIPLE REGRESSION IMPUTATION	27
<b>Total</b>		<b>4506</b>



Universe : Applicable for all respondents

**SEX3MO\_I(4317-4317)**

Variable Type : imputation flag

Description : SEX3MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4479
1	MULTIPLE REGRESSION IMPUTATION	27
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**SEX12MO\_I(4318-4318)**

Variable Type : imputation flag

Description : SEX12MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4479
1	MULTIPLE REGRESSION IMPUTATION	27
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**LSEXRAGE\_I(4319-4319)**

Variable Type : imputation flag

Description : LSEXRAGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4479
1	MULTIPLE REGRESSION IMPUTATION	27
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**LSEXPAGE\_I(4320-4320)**

Variable Type : imputation flag

Description : LSEXPAGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4460
1	MULTIPLE REGRESSION IMPUTATION	44
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**LSEXRLTN\_I(4321-4321)**

Variable Type : imputation flag

Description : LSEXRLTN Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4483

1	MULTIPLE REGRESSION IMPUTATION	21
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **LSEXUSE1\_I(4322-4322)**

Variable Type : imputation flag

Description : LSEXUSE1 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4481
1	MULTIPLE REGRESSION IMPUTATION	25
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **LSEXUSE2\_I(4323-4323)**

Variable Type : imputation flag

Description : LSEXUSE2 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4388
1	MULTIPLE REGRESSION IMPUTATION	118
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **LSEXUSE3\_I(4324-4324)**

Variable Type : imputation flag

Description : LSEXUSE3 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4386
1	MULTIPLE REGRESSION IMPUTATION	120
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **LSEXUSE4\_I(4325-4325)**

Variable Type : imputation flag

Description : LSEXUSE4 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4386
1	MULTIPLE REGRESSION IMPUTATION	120
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **METH12M1\_I(4326-4326)**

Variable Type : imputation flag

Description : METH12M1 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
--------------	--------------	--------------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	4467
1	MULTIPLE REGRESSION IMPUTATION	39
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **METH12M2\_I(4327-4327)**

Variable Type : imputation flag

Description : METH12M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4395
1	MULTIPLE REGRESSION IMPUTATION	111
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **METH12M3\_I(4328-4328)**

Variable Type : imputation flag

Description : METH12M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4393
1	MULTIPLE REGRESSION IMPUTATION	112
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **METH12M4\_I(4329-4329)**

Variable Type : imputation flag

Description : METH12M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4393
1	MULTIPLE REGRESSION IMPUTATION	113
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **METH3M1\_I(4330-4330)**

Variable Type : imputation flag

Description : METH3M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4469
1	MULTIPLE REGRESSION IMPUTATION	37
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **METH3M2\_I(4331-4331)**

Variable Type : imputation flag

Description : METH3M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4419
1	MULTIPLE REGRESSION IMPUTATION	87
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **METH3M3\_I(4332-4332)**

Variable Type : imputation flag

Description : METH3M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4417
1	MULTIPLE REGRESSION IMPUTATION	88
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **METH3M4\_I(4333-4333)**

Variable Type : imputation flag

Description : METH3M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4417
1	MULTIPLE REGRESSION IMPUTATION	89
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **NUMP3MOS\_I(4334-4334)**

Variable Type : imputation flag

Description : NUMP3MOS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4476
1	MULTIPLE REGRESSION IMPUTATION	30
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **LIFPRTNR\_I(4335-4335)**

Variable Type : imputation flag

Description : LIFPRTNR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4382
1	MULTIPLE REGRESSION IMPUTATION	119
2	LOGICAL IMPUTATION	5
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PARTS1YR\_I(4336-4336)**

Variable Type : imputation flag

Description : PARTS1YR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4503
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PARTDUR1\_I(4337-4337)**

Variable Type : imputation flag

Description : PARTDUR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4413
1	MULTIPLE REGRESSION IMPUTATION	71
2	LOGICAL IMPUTATION	22
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PARTDUR2\_I(4338-4338)**

Variable Type : imputation flag

Description : PARTDUR2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4485
1	MULTIPLE REGRESSION IMPUTATION	17
2	LOGICAL IMPUTATION	4
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PARTDUR3\_I(4339-4339)**

Variable Type : imputation flag

Description : PARTDUR3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4491
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	4
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **COHEVER\_I(4340-4340)**

Variable Type : imputation flag

Description : COHEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **EVMARCOH\_I(4341-4341)**

Variable Type : imputation flag

Description : EVMARCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PMARRNO\_I(4342-4342)**

Variable Type : imputation flag

Description : PMARRNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4500
1	MULTIPLE REGRESSION IMPUTATION	6
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **NONMARR\_I(4343-4343)**

Variable Type : imputation flag

Description : NONMARR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4500
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	4
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **TIMESCOH\_I(4344-4344)**

Variable Type : imputation flag

Description : TIMESCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4494
1	MULTIPLE REGRESSION IMPUTATION	12
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **MARDAT01\_I(4345-4345)**

Variable Type : imputation flag

Description : MARDAT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4468
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	22
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**MARDAT02\_I(4346-4346)**

Variable Type : imputation flag

Description : MARDAT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4499
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	5
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**MARDAT03\_I(4347-4347)**

Variable Type : imputation flag

Description : MARDAT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4502
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**MARDAT04\_I(4348-4348)**

Variable Type : imputation flag

Description : MARDAT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4504
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**MAREND01\_I(4349-4349)**

Variable Type : imputation flag

Description : MAREND01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4479
1	MULTIPLE REGRESSION IMPUTATION	27
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**MAREND02\_I(4350-4350)**

Variable Type : imputation flag

Description : MAREND02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4492
1	MULTIPLE REGRESSION IMPUTATION	14

**Total** **4506**

Universe : Applicable for all respondents

**MAREND03\_I(4351-4351)**

Variable Type : imputation flag

Description : MAREND03 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4502
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**MAREND04\_I(4352-4352)**

Variable Type : imputation flag

Description : MAREND04 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4504
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**MARDIS01\_I(4353-4353)**

Variable Type : imputation flag

Description : MARDIS01 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4470
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	23
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**MARDIS02\_I(4354-4354)**

Variable Type : imputation flag

Description : MARDIS02 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4499
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	4
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**MARDIS03\_I(4355-4355)**

Variable Type : imputation flag

Description : MARDIS03 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
--------------	--------------	--------------



0	QUESTIONNAIRE DATA (NOT IMPUTED)	4502
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **MARDIS04\_I(4356-4356)**

Variable Type : imputation flag

Description : MARDIS04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **MAR1DISS\_I(4357-4357)**

Variable Type : imputation flag

Description : MAR1DISS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4486
1	MULTIPLE REGRESSION IMPUTATION	19
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PREMARW1\_I(4358-4358)**

Variable Type : imputation flag

Description : PREMARW1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4500
1	MULTIPLE REGRESSION IMPUTATION	6
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **COHAB1\_I(4359-4359)**

Variable Type : imputation flag

Description : COHAB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4405
1	MULTIPLE REGRESSION IMPUTATION	99
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **COHSTAT\_I(4360-4360)**

Variable Type : imputation flag

Description : COHSTAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4461
1	MULTIPLE REGRESSION IMPUTATION	38
2	LOGICAL IMPUTATION	7
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **COHOUT\_I(4361-4361)**

Variable Type : imputation flag

Description : COHOUT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4405
1	MULTIPLE REGRESSION IMPUTATION	101
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **COH1DUR\_I(4362-4362)**

Variable Type : imputation flag

Description : COH1DUR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4385
1	MULTIPLE REGRESSION IMPUTATION	120
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **CSPBIOKD\_I(4363-4363)**

Variable Type : imputation flag

Description : CSPBIOKD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4503
2	LOGICAL IMPUTATION	3
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **DATBABY1\_I(4364-4364)**

Variable Type : imputation flag

Description : DATBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4494
1	MULTIPLE REGRESSION IMPUTATION	12
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **AGEBABY1\_I(4365-4365)**

Variable Type : imputation flag

Description : AGEBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4494
1	MULTIPLE REGRESSION IMPUTATION	12
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **B1PREMAR\_I(4366-4366)**

Variable Type : imputation flag

Description : B1PREMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4483
1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **MARBABY1\_I(4367-4367)**

Variable Type : imputation flag

Description : MARBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **CEBOW\_I(4368-4368)**

Variable Type : imputation flag

Description : CEBOW Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **CEBOWC\_I(4369-4369)**

Variable Type : imputation flag

Description : CEBOWC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **CEBOWP\_I(4370-4370)**

Variable Type : imputation flag

Description : CEBOWP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4497
2	LOGICAL IMPUTATION	9
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **EVROPAT\_I(4371-4371)**

Variable Type : imputation flag

Description : EVROPAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4497
2	LOGICAL IMPUTATION	9
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **NONLIVEB\_I(4372-4372)**

Variable Type : imputation flag

Description : NONLIVEB Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4500
2	LOGICAL IMPUTATION	6
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **COMPREG\_I(4373-4373)**

Variable Type : imputation flag

Description : COMPREG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4494
1	MULTIPLE REGRESSION IMPUTATION	12
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **ABORTION\_I(4374-4374)**

Variable Type : imputation flag

Description : ABORTION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4487
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	6
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **LOSSNUM\_I(4375-4375)**

Variable Type : imputation flag

Description : LOSSNUM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4492
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	9
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PARENT01\_I(4376-4376)**

Variable Type : imputation flag

Description : PARENT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PARENT02\_I(4377-4377)**

Variable Type : imputation flag

Description : PARENT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PARENT03\_I(4378-4378)**

Variable Type : imputation flag

Description : PARENT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PARENT04\_I(4379-4379)**

Variable Type : imputation flag

Description : PARENT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PARENT05\_I(4380-4380)**

Variable Type : imputation flag

Description : PARENT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PARENT06\_I(4381-4381)**

Variable Type : imputation flag

Description : PARENT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PARENT07\_I(4382-4382)**

Variable Type : imputation flag

Description : PARENT07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PARENT08\_I(4383-4383)**

Variable Type : imputation flag

Description : PARENT08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PARENT09\_I(4384-4384)**

Variable Type : imputation flag

Description : PARENT09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PARENT10\_I(4385-4385)**

Variable Type : imputation flag

Description : PARENT10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**WANTB01\_I(4386-4386)**

Variable Type : imputation flag

Description : WANTB01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4501
2	LOGICAL IMPUTATION	5
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**WANTB02\_I(4387-4387)**

Variable Type : imputation flag

Description : WANTB02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4504
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**WANTB03\_I(4388-4388)**

Variable Type : imputation flag

Description : WANTB03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4502
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**WANTB04\_I(4389-4389)**

Variable Type : imputation flag

Description : WANTB04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**WANTB05\_I(4390-4390)**

Variable Type : imputation flag

Description : WANTB05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**WANTB06\_I(4391-4391)**

Variable Type : imputation flag

Description : WANTB06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4505
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**WANTB07\_I(4392-4392)**

Variable Type : imputation flag

Description : WANTB07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**WANTB08\_I(4393-4393)**

Variable Type : imputation flag

Description : WANTB08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**WANTB09\_I(4394-4394)**

Variable Type : imputation flag

Description : WANTB09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**WANTB10\_I(4395-4395)**

Variable Type : imputation flag

Description : WANTB10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RG) Section G Recodes



**DADTYPE(4396-4396)**

Variable Type : recode

Description : Type of children aged 18 or younger that R has (RECODE)

value	label	Total
1	ONLY CORESIDENTIAL CHILDREN	1197
2	ONLY NON-CORESIDENTIAL CHILDREN	342
3	BOTH CORESIDENTIAL AND NON-CORESIDENTIAL CHILDREN	156
4	NO CHILDREN 18 OR YOUNGER, NO CHILDREN AT ALL, OR NEVER HAD SEXUAL INTERCOURSE	2811
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

**DADTYP5(4397-4397)**

Variable Type : recode

Description : Type of children under 5 that R has (RECODE)

value	label	Total
1	ONLY CORESIDENTIAL CHILDREN UNDER 5	783
2	ONLY NON-CORESIDENTIAL CHILDREN UNDER 5	142
3	BOTH CORESIDENTIAL AND NONCORESIDENTIAL CHILDREN UNDER 5	14
4	NEITHER CORESIDENTIAL OR NONCORESIDENTIAL CHILDREN UNDER 5, NO CHILDREN, OR NEVER HAD SEXUAL INTERCOURSE	3567
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

**DADTYP518(4398-4398)**

Variable Type : recode

Description : Type of children 5-18 that R has (RECODE)

value	label	Total
1	ONLY CORESIDENTIAL CHILDREN 5 TO 18	823
2	ONLY NON-CORESIDENTIAL CHILDREN 5 TO 18	288
3	BOTH CORESIDENTIAL AND NONCORESIDENTIAL CHILDREN 5 TO 18	106
4	NEITHER CORESIDENTIAL OR NONCORESIDENTIAL CHILDREN 5 TO 18, NO CHILDREN AT ALL, OR NEVER HAD SEXUAL INTERCOURSE	3289
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

**NUMCRU18(4399-4400)**

Variable Type : recode

Description : Number of coresidential children (&lt;= 18 yrs old) (RECODE)

value	label	Total
0	NONE	3153
1	1 CHILD	527
2	2 CHILDREN	523
3	3 CHILDREN	226
4-95	4 OR MORE CHILDREN	77
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents (This variable has been recoded for Public Use)

**NUMNCU18(4401-4401)**

Variable Type : recode

Description : Number of noncoresidential children (< = 18 yrs old) (RECODE)

value	label	Total
0	NONE	4010
1	1 CHILD	294
2	2 CHILDREN	137
3	3 CHILDREN	38
4-95	4 OR MORE CHILDREN	27
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **SUPP12MO(4402-4402)**

Variable Type : recode

Description : Contribution of child support in last 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	4010
1	CONTRIBUTED CHILD SUPPORT ON A REGULAR BASIS IN LAST 12 MONTHS	347
2	CONTRIBUTED CHILD SUPPORT ONCE IN A WHILE IN LAST 12 MONTHS	70
3	DID NOT CONTRIBUTE CHILD SUPPORT IN LAST 12 MONTHS	79
<b>Total</b>		<b>4506</b>

Universe : Applicable if R has any non-coresidential biological or adopted children aged 18 or younger (ncall > 0)

### **DADTYPE\_I(4403-4403)**

Variable Type : imputation flag

Description : DADTYPE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4504
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **DADTYPU5\_I(4404-4404)**

Variable Type : imputation flag

Description : DADTYPU5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4504
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **DADTYP518\_I(4405-4405)**

Variable Type : imputation flag

Description : DADTYP518 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4504
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**NUMCRU18\_I(4406-4406)**

Variable Type : imputation flag

Description : NUMCRU18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4504
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**NUMNCU18\_I(4407-4407)**

Variable Type : imputation flag

Description : NUMNCU18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4504
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**SUPP12MO\_I(4408-4408)**

Variable Type : imputation flag

Description : SUPP12MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4503
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RH) Section H Recodes

**INTENT(4409-4409)**

Variable Type : recode

Description : Intentions for additional births (RECODE)

value	label	Total
1	R intends to have (more) children	2798
2	R does not intend to have (more) children	1645
3	R does not know his intent	63
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**ADDEXP(4410-4412)**

Variable Type : recode

Description : Central number of additional births expected (RECODE)

value	label	Total
-------	-------	-------

0	NO ADDITIONAL BIRTHS	1590
5	.5 ADDITIONAL BIRTHS	18
10	1 ADDITIONAL BIRTH	812
15	1.5 ADDITIONAL BIRTHS	28
20	2 ADDITIONAL BIRTHS	1410
25	2.5 ADDITIONAL BIRTHS	5
30	3 ADDITIONAL BIRTHS	457
35	3.5 ADDITIONAL BIRTHS	4
40	4 ADDITIONAL BIRTHS	126
45	4.5 ADDITIONAL BIRTHS	1
50	5 ADDITIONAL BIRTHS	32
55	5.5 ADDITIONAL BIRTHS	2
60	6 ADDITIONAL BIRTHS	11
70	7 ADDITIONAL BIRTHS	2
80	8 ADDITIONAL BIRTHS	2
100-995	10 OR MORE ADDITIONAL BIRTHS	6
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **INTENT\_I(4413-4413)**

Variable Type : imputation flag

Description : INTENT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4505
1	MULTIPLE REGRESSION IMPUTATION	1
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **ADDEXP\_I(4414-4414)**

Variable Type : imputation flag

Description : ADDEXP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4490
1	MULTIPLE REGRESSION IMPUTATION	16
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RI) Section I Recodes

### **CURR\_INS(4415-4415)**

Variable Type : recode

Description : Current health insurance status (RECODE)

value	label	Total
1	Currently covered by private health insurance or Medi-Gap	2551
2	Currently covered by Medicaid, CHIP, or a state-sponsored health plan	770
3	Currently covered by Medicare, military health care, or other government health care	221
4	Currently covered only by a single-service plan, only by the Indian Health Service, or currently not covered by health insurance	964
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

**INFEVER(4416-4416)**

Variable Type : recode

Description : Ever used infertility services (RECODE)

value	label	Total
.	INAPPLICABLE	771
1	YES	190
2	NO	3545
<b>Total</b>		<b>4506</b>

Universe : Applicable if respondent has ever had sexual intercourse with a female (HADSEX = 1)

**EVHIVTST(4417-4417)**

Variable Type : recode

Description : Ever had an HIV test

value	label	Total
0	NO HIV TEST REPORTED	1675
1	YES, ONLY AS PART OF BLOOD DONATION	767
2	YES, ONLY OUTSIDE OF BLOOD DONATION	1195
3	YES, IN BOTH CONTEXTS	869
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**CURR\_INS\_I(4418-4418)**

Variable Type : imputation flag

Description : CURR\_INS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4413
1	MULTIPLE REGRESSION IMPUTATION	93
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**INFEVER\_I(4419-4419)**

Variable Type : imputation flag

Description : INFEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**EVHIVTST\_I(4420-4420)**

Variable Type : imputation flag

Description : EVHIVTST Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4466
1	MULTIPLE REGRESSION IMPUTATION	40
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RJ) Section J Recodes

### **METRO(4421-4421)**

Variable Type : recode

Description : Place of residence (metropolitan-non-metropolitan) (RECODE)

value	label	Total
1	PRINCIPAL CITY OF MSA	1727
2	OTHER MSA	2068
3	NOT MSA	711
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

### **RELIGION(4422-4422)**

Variable Type : recode

Description : Current religious affiliation (RECODE)

value	label	Total
1	No religion	1319
2	Catholic	915
3	Protestant	1925
4	Other religion	347
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents

Notes : Please refer to the [2011-2013 user's guide](#) for more information on religion data in the NSFG

### **LABORFOR(4423-4423)**

Variable Type : recode

Description : Labor force status (RECODE)

value	label	Total
1	Working full-time	2297
2	Working part-time	684
3	Working, but on vacation, strike, or had temporary illness	113
4	Working - paternity or family leave	6
5	Not working but looking for work	288
6	In school	601
7	Keeping house	245
8	Caring for family	34
9	Other	238
	<b>Total</b>	<b>4506</b>

Universe : Applicable for all respondents. (This variable has been recoded for public use.)

### **METRO\_I(4424-4424)**

Variable Type : imputation flag

Description : METRO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4506

**Total** **4506**

Universe : Applicable for all respondents

**RELIGION\_I(4425-4425)**

Variable Type : imputation flag

Description : RELIGION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4491
1	MULTIPLE REGRESSION IMPUTATION	15
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

**LABORFOR\_I(4426-4426)**

Variable Type : imputation flag

Description : LABORFOR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4505
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RK) Section K Recodes

**POVERTY(4427-4429)**

Variable Type : recode

Description : Poverty level income (RECODE)

value	label	Total
0-99	0-99 percent of poverty level	1055
100-199	100-199 percent of poverty level	966
200-299	200-299 percent of poverty level	832
300-399	300-399 percent of poverty level	529
400-499	400-499 percent of poverty level	359
500	500 percent of poverty level or greater	765
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents. (This variable has been topcoded for public use.)

**TOTINCR(4430-4431)**

Variable Type : recode

Description : Total income of R's family (RECODE)

value	label	Total
1	Under \$5000	220
2	\$5000-\$7499	107
3	\$7500-\$9999	145
4	\$10,000-\$12,499	153
5	\$12,500-\$14,999	203
6	\$15,000-\$19,999	243
7	\$20,000-\$24,999	249

8	\$25,000-\$29,999	278
9	\$30,000-\$34,999	296
10	\$35,000-\$39,999	248
11	\$40,000-\$49,999	421
12	\$50,000-\$59,999	428
13	\$60,000-\$74,999	424
14	\$75,000-\$99,999	410
15	\$100,000 or more	681
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PUBASSIS(4432-4432)**

Variable Type : recode

Description : Whether R or any member of his family received public assistance in the calendar year before the interview (RECODE)

value	label	Total
1	Yes (received public assistance in [INTERVIEW YEAR -1])	1333
2	No (did not receive public assistance in [INTERVIEW YEAR -1])	3173
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **POVERTY\_I(4433-4433)**

Variable Type : imputation flag

Description : POVERTY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4009
1	MULTIPLE REGRESSION IMPUTATION	497
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **TOTINCR\_I(4434-4434)**

Variable Type : imputation flag

Description : TOTINCR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4009
1	MULTIPLE REGRESSION IMPUTATION	497
<b>Total</b>		<b>4506</b>

Universe : Applicable for all respondents

### **PUBASSIS\_I(4435-4435)**

Variable Type : imputation flag

Description : PUBASSIS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4307
1	MULTIPLE REGRESSION IMPUTATION	199
<b>Total</b>		<b>4506</b>



Universe : Applicable for all respondents