
2022 STI Surveillance Report

State Ranking Tables

Table	Page
Table 2. Chlamydia — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2022	2
Table 11. Gonorrhea — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2022	3
Table 21. Primary and Secondary Syphilis — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2022	4
Table 31. Congenital Syphilis — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2022	5

Table 2. Chlamydia — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2022

Rank*	State	Cases	Rate per 100,000 Population
1	Louisiana	36,200	788.6
2	Mississippi	22,968	781.2
3	Alaska	5,338	727.7
4	South Carolina	35,525	672.5
5	Georgia	72,662	665.8
6	Alabama	31,060	612.1
7	North Carolina	64,525	603.1
8	Arkansas	17,918	588.3
9	Illinois	71,564	568.8
10	South Dakota	5,160	567.1
11	Arizona	40,796	554.4
12	Tennessee	37,942	538.1
13	New Mexico	11,172	528.6
14	New York	103,673	526.9
15	Missouri	32,346	523.6
16	Texas	155,483	517.8
17	Nevada	16,189	509.4
18	Delaware	5,177	508.3
19	Maryland	31,234	506.7
20	Oklahoma	20,190	502.3
21	Indiana	33,834	495.2
	US TOTAL†	1,649,716	495.0
22	California	192,647	493.6
23	Nebraska	9,627	489.2
24	Florida	106,873	480.4
25	Rhode Island	5,199	475.3
26	North Dakota	3,704	475.3
27	Kansas	13,935	474.4
28	Virginia	40,789	469.7
29	Ohio	54,459	463.2
30	Iowa	14,634	457.2
31	Colorado	26,646	456.3
32	Wisconsin	25,676	435.7
33	Michigan	42,977	428.3
34	Pennsylvania	54,645	421.3
35	Kentucky	18,358	406.8
36	Massachusetts	28,373	406.4
37	Minnesota	22,072	386.1
38	Hawaii	5,530	384.0
39	Oregon	15,504	365.6
40	Washington	28,431	365.2
41	Montana	4,089	364.2
42	New Jersey	33,147	357.9
43	Connecticut	12,738	351.3
44	Utah	11,108	328.6
45	Wyoming	1,793	308.4
46	Idaho	5,976	308.2
47	West Virginia	4,450	250.7
48	Maine	3,128	225.8
49	New Hampshire	2,830	202.8
50	Vermont	1,281	198.0

* States were ranked by rate, then by case count, then in alphabetical order, with rates shown rounded to the nearest tenth.

† Total includes cases reported by the District of Columbia with 8,141 cases and a rate of 1,211.8, but excludes territories.

NOTE: See Technical Notes for more information on chlamydia case reporting. This report includes data from years that coincide with the COVID-19 pandemic, which introduced uncertainty and difficulty in interpreting case data. See Impact of COVID-19 on STIs for more information.

Table 11. Gonorrhea — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2022

Rank*	State	Cases	Rate per 100,000 Population
1	Mississippi	10,933	371.9
2	South Dakota	3,067	337.1
3	Louisiana	15,015	327.1
4	Alaska	2,304	314.1
5	Georgia	31,450	288.2
6	South Carolina	14,352	271.7
7	Alabama	13,279	261.7
8	North Carolina	26,715	249.7
9	Missouri	15,209	246.2
10	Nevada	7,392	232.6
11	Tennessee	16,069	227.9
12	Arizona	16,490	224.1
13	Oklahoma	8,974	223.2
14	Arkansas	6,792	223.0
15	New York	43,362	220.4
16	Illinois	26,442	210.2
17	Texas	61,999	206.5
18	California	80,257	205.6
19	Florida	44,333	199.3
20	New Mexico	4,157	196.7
21	Ohio	22,969	195.4
	US TOTAL†	648,056	194.4
22	North Dakota	1,426	183.0
23	Indiana	12,396	181.4
24	Maryland	11,164	181.1
25	Kansas	4,997	170.1
26	Michigan	16,378	163.2
27	Virginia	13,437	154.7
28	Kentucky	6,820	151.1
29	Colorado	8,784	150.4
30	Wisconsin	8,740	148.3
31	Washington	11,400	146.4
32	Pennsylvania	18,851	145.3
33	Delaware	1,464	143.8
34	Minnesota	8,152	142.6
35	Iowa	4,466	139.5
36	Connecticut	4,979	137.3
37	Rhode Island	1,444	132.0
38	Massachusetts	9,206	131.9
39	Nebraska	2,560	130.1
40	Oregon	5,494	129.6
41	Montana	1,311	116.8
42	Hawaii	1,478	102.6
43	New Jersey	9,330	100.7
44	Utah	3,171	93.8
45	West Virginia	1,258	70.9
46	Idaho	1,098	56.6
47	Wyoming	310	53.3
48	New Hampshire	662	47.4
49	Maine	621	44.8
50	Vermont	174	26.9

* States were ranked by rate, then case count, then in alphabetical order, with rates shown rounded to the nearest tenth.

† Total includes cases reported by the District of Columbia with 4,925 cases and a rate of 733.1, but excludes territories.

NOTE: See Technical Notes for more information on gonorrhea case reporting. This report includes data from years that coincide with the COVID-19 pandemic, which introduced uncertainty and difficulty in interpreting case data. See Impact of COVID-19 on STIs for more information.

Table 21. Primary and Secondary Syphilis — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2022

Rank*	State	Cases	Rate per 100,000 Population
1	South Dakota	767	84.3
2	New Mexico	761	36.0
3	Arkansas	1,001	32.9
4	Oklahoma	1,278	31.8
5	Mississippi	913	31.1
6	Arizona	2,151	29.2
7	Montana	325	28.9
8	Nevada	902	28.4
9	Louisiana	1,225	26.7
10	Oregon	1,117	26.3
11	Washington	1,920	24.7
12	Missouri	1,454	23.5
13	Alabama	1,190	23.5
14	Delaware	238	23.4
15	North Carolina	2,473	23.1
16	Alaska	160	21.8
17	Florida	4,618	20.8
18	Ohio	2,402	20.4
19	California	7,849	20.1
20	Georgia	2,182	20.0
21	South Carolina	1,033	19.6
22	New York	3,603	18.3
	US TOTAL†	59,016	17.7
23	Hawaii	231	16.0
24	Tennessee	1,126	16.0
25	Colorado	918	15.7
26	Texas	4,655	15.5
27	Kentucky	670	14.8
28	Maryland	781	12.7
29	Wisconsin	742	12.6
30	West Virginia	218	12.3
31	Rhode Island	133	12.2
32	Kansas	347	11.8
33	Minnesota	675	11.8
34	Massachusetts	824	11.8
35	Illinois	1,457	11.6
36	New Jersey	1,018	11.0
37	Nebraska	215	10.9
38	Virginia	936	10.8
39	Pennsylvania	1,397	10.8
40	Iowa	334	10.4
41	Indiana	686	10.0
42	Michigan	972	9.7
43	North Dakota	64	8.2
44	Utah	238	7.0
45	Connecticut	248	6.8
46	Idaho	118	6.1
47	Maine	82	5.9
48	New Hampshire	74	5.3
49	Wyoming	21	3.6
50	Vermont	3	0.5

* States were ranked by rate, then case count, then in alphabetical order, with rates shown rounded to the nearest tenth.

† Total includes cases reported by the District of Columbia with 271 cases and a rate of 40.3, but excludes territories.

NOTE: See Technical Notes for more information on syphilis case reporting. This report includes data from years that coincide with the COVID-19 pandemic, which introduced uncertainty and difficulty in interpreting case data. See Impact of COVID-19 on STIs for more information.

Table 31. Congenital Syphilis — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2022

Rank*	State†	Cases	Rate per 100,000 Live Births
1	New Mexico	76	355.3
2	South Dakota	40	351.8
3	Arizona	219	281.1
4	Texas	922	246.8
5	Oklahoma	110	227.2
6	Mississippi	73	207.6
7	Louisiana	115	200.2
8	Nevada	65	193.0
9	Arkansas	69	191.9
10	Hawaii	27	172.9
11	California	616	146.5
12	Montana	15	133.6
13	Alaska	12	128.1
14	Florida	276	127.6
15	Missouri	82	118.1
	US TOTAL‡	3,755	102.5
16	Oregon	37	90.4
17	Georgia	101	81.4
18	West Virginia	13	75.6
19	Tennessee	61	74.6
20	Alabama	43	74.1
21	Ohio	90	69.3
22	Kentucky	35	67.0
23	Maryland	45	65.9
24	Illinois	85	64.3
25	Washington	52	62.0
26	Colorado	31	49.2
27	Rhode Island	5	47.8
28	Indiana	38	47.5
29	North Carolina	57	47.3
30	New Jersey	48	47.3
31	Nebraska	11	44.7
32	South Carolina	25	43.7
33	Wisconsin	26	42.1
34	Delaware	4	38.2
35	Kansas	13	37.5
36	Michigan	36	34.3
37	Minnesota	20	31.0
38	Pennsylvania	39	29.4
39	Maine	3	25.0
40	New Hampshire	3	23.8
41	New York	50	23.7
42	Iowa	8	21.7
43	Virginia	20	20.9
44	North Dakota	2	19.8
45	Connecticut	7	19.6
46	Massachusetts	11	15.9
47	Utah	7	15.0
	Idaho	0	0.0
	Vermont	0	0.0
	Wyoming	0	0.0

* States were ranked by rate; then case count, then in alphabetical order, with rates shown rounded to the nearest tenth.

† Mother's state of residence was used to assign case.

‡ Total includes cases reported by the District of Columbia with 12 cases and a rate of 138.6, but excludes territories.

NOTE: See Technical Notes for more information on syphilis case reporting. This report includes data from years that coincide with the COVID-19 pandemic, which introduced uncertainty and difficulty in interpreting case data. See Impact of COVID-19 on STIs for more information.