Behavioral Risk Factor Surveillance System

2012 Codebook Report

Land-Line and Cell-Phone Data

July 15, 2013





State FIPS Code

Section: 0.1 Record Identification Type: Num

Column: 1-2 SAS Variable Name: _STATE

Prologue:

Description: State FIPS Code

| Description: | State FIPS Code | | | |
|--------------|----------------------|-----------|------------|---------------------|
| Value | Value Label | Frequency | Percentage | Weighted Percentage |
| 1 | Alabama | 9,026 | 1.90 | 1.52 |
| 2 | Alaska | 4,345 | 0.91 | 0.22 |
| 4 | Arizona | 7,306 | 1.54 | 2.02 |
| 5 | Arkansas | 5,187 | 1.09 | 0.92 |
| 6 | California | 14,574 | 3.06 | 11.87 |
| 8 | Colorado | 12,255 | 2.58 | 1.63 |
| 9 | Connecticut | 8,781 | 1.85 | 1.15 |
| 10 | Delaware | 5,174 | 1.09 | 0.29 |
| 11 | District of Columbia | 3,827 | 0.80 | 0.22 |
| 12 | Florida | 7,624 | 1.60 | 6.29 |
| 13 | Georgia | 6,100 | 1.28 | 3.06 |
| 15 | Hawaii | 7,582 | 1.59 | 0.44 |
| 16 | Idaho | 5,896 | 1.24 | 0.48 |
| 17 | Illinois | 5,579 | 1.17 | 4.04 |
| 18 | Indiana | 8,645 | 1.82 | 2.03 |
| 19 | Iowa | 7,166 | 1.51 | 0.96 |
| 20 | Kansas | 11,801 | 2.48 | 0.89 |
| 21 | Kentucky | 11,223 | 2.36 | 1.39 |
| 22 | Louisiana | 9,068 | 1.91 | 1.44 |
| 23 | Maine | 9,921 | 2.09 | 0.44 |
| 24 | Maryland | 12,812 | 2.69 | 1.86 |
| 25 | Massachusetts | 21,723 | 4.57 | 2.15 |
| 26 | Michigan | 10,499 | 2.21 | 3.12 |
| 27 | Minnesota | 12,246 | 2.57 | 1.68 |
| 28 | Mississippi | 7,788 | 1.64 | 0.92 |
| 29 | Missouri | 6,754 | 1.42 | 1.90 |
| 30 | Montana | 8,679 | 1.82 | 0.32 |
| 31 | Nebraska | 19,173 | 4.03 | 0.57 |
| 32 | Nevada | 4,846 | 1.02 | 0.85 |
| 33 | New Hampshire | 7,530 | 1.58 | 0.43 |
| 34 | New Jersey | 15,761 | 3.31 | 2.80 |
| 35 | New Mexico | 8,776 | 1.84 | 0.65 |
| 36 | New York | 6,060 | 1.27 | 6.28 |
| 37 | North Carolina | 11,898 | 2.50 | 3.07 |
| 38 | North Dakota | 4,879 | 1.03 | 0.22 |

State FIPS Code

Section: 0.1 Record Identification Type: Num

Column: 1-2 SAS Variable Name: _STATE

Prologue:

Description: State FIPS Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------|-----------|------------|------------------------|
| 39 | Ohio | 13,026 | 2.74 | 3.64 |
| 40 | Oklahoma | 8,015 | 1.68 | 1.19 |
| 41 | Oregon | 5,302 | 1.11 | 1.25 |
| 42 | Pennsylvania | 19,958 | 4.20 | 4.12 |
| 44 | Rhode Island | 5,480 | 1.15 | 0.34 |
| 45 | South Carolina | 12,795 | 2.69 | 1.50 |
| 46 | South Dakota | 7,878 | 1.66 | 0.26 |
| 47 | Tennessee | 7,056 | 1.48 | 2.04 |
| 48 | Texas | 9,129 | 1.92 | 7.89 |
| 49 | Utah | 12,436 | 2.61 | 0.82 |
| 50 | Vermont | 6,056 | 1.27 | 0.21 |
| 51 | Virginia | 7,398 | 1.56 | 2.60 |
| 53 | Washington | 15,319 | 3.22 | 2.20 |
| 54 | West Virginia | 5,409 | 1.14 | 0.61 |
| 55 | Wisconsin | 5,299 | 1.11 | 1.81 |
| 56 | Wyoming | 6,273 | 1.32 | 0.18 |
| 66 | Guam | 2,031 | 0.43 | 0.04 |
| 72 | Puerto Rico | 6,323 | 1.33 | 1.16 |
| | | | | |

Geographic Stratum Code

Section: 0.2 Record Identification Type: Num

Column: 3-4 SAS Variable Name: _GEOSTR

Prologue:

Description: Geographic Stratum Code

ValueValue LabelFrequencyPercentageWeighted PercentageHIDDEN475,687100.00100.00

Household Density Stratum Code

Section: 0.3 Record Identification Type: Num

Column: 5 SAS Variable Name: _DENSTR2

Prologue:

Description: Household Density Stratum Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------|-----------|------------|------------------------|
| 1 | Listed | 331,596 | 69.71 | 50.33 |
| 2 | Unlisted | 45,417 | 9.55 | 13.31 |
| 9 | Not Applicable | 98,674 | 20.74 | 36.36 |

Pre-Call Status Code

Section: 0.4 Record Identification Type: Num

Column: 6 SAS Variable Name: PRECALL

Prologue:

Description: Pre-Call Status Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------|-----------|------------|------------------------|
| 1 | To be called | 470,767 | 98.97 | 98.55 |
| 3 | Pre-screened as non-working number | 1,181 | 0.25 | 0.48 |
| 4 | cell phone - PRO-T-S | 3,376 | 0.71 | 0.84 |
| 5 | Pre-screened as business number | 359 | 0.08 | 0.13 |
| 6 | cell phone - Interviewer | 4 | 0.00 | 0.00 |

Replicate Number

Section: 0.5 Record Identification Type: Num

Column: 7-12 SAS Variable Name: REPNUM

Prologue:

Description: Replicate Number

| Value | Value Label | Frequency | Percentage | Percentage |
|--------|--------------------|-----------|------------|------------|
| HIDDEN | Data not displayed | 475.687 | 100.00 | 100.00 |

Replicate Depth

Section: 0.6 Record Identification Type: Num

Column: 13-14 SAS Variable Name: REPDEPTH

Prologue:

Description: Replicate Depth

Value Value Label Frequency Percentage Percentage

HIDDEN Data not displayed 475,687 100.00 100.00

Notes: Due to the nature of the data or the size of the table for

display, this data is not printed for this report

File Month

Section: 0.7 Record Identification Type: Num

Column: 15-16 SAS Variable Name: FMONTH

Prologue:

Description: File Month

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|------------------------|
| 1 | January | 44,685 | 9.39 | 11.63 |
| 2 | February | 42,146 | 8.86 | 8.35 |
| 3 | March | 41,246 | 8.67 | 7.69 |
| 4 | April | 43,509 | 9.15 | 10.15 |
| 5 | May | 35,271 | 7.41 | 6.19 |
| 6 | June | 35,986 | 7.57 | 6.35 |
| 7 | July | 45,017 | 9.46 | 10.86 |
| 8 | August | 38,281 | 8.05 | 7.06 |
| 9 | September | 35,800 | 7.53 | 6.59 |
| 10 | October | 44,141 | 9.28 | 10.79 |
| 11 | November | 36,555 | 7.68 | 7.60 |
| 12 | December | 33,050 | 6.95 | 6.74 |

Interview Date

Section: 0.8 Record Identification Type: Char

Column: 17-24 SAS Variable Name: IDATE

Prologue:

Description: Interview Date

ValueValue LabelFrequencyPercentageWeighted PercentageHIDDENData not displayed475,687100.00100.00

Notes: Due to the nature of the data or the size of the table for

display, this data is not printed for this report

Interview Month

Section: 0.9 Record Identification Type: Char

Column: 17-18 SAS Variable Name: IMONTH

Prologue:

Description: Interview Month

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|------------------------|
| 1 | January | 37,454 | 7.87 | 8.78 |
| 2 | February | 44,924 | 9.44 | 10.26 |
| 3 | March | 44,703 | 9.40 | 8.88 |
| 4 | April | 40,095 | 8.43 | 7.52 |
| 5 | Мау | 37,045 | 7.79 | 6.60 |
| 6 | June | 38,787 | 8.15 | 7.97 |
| 7 | July | 40,224 | 8.46 | 8.39 |
| 8 | August | 40,490 | 8.51 | 8.63 |
| 9 | September | 37,008 | 7.78 | 7.76 |
| 10 | October | 40,696 | 8.56 | 8.82 |
| 11 | November | 38,471 | 8.09 | 8.64 |
| 12 | December | 35,790 | 7.52 | 7.74 |

Interview Day

Section: 0.10 Record Identification Type: Char

Column: 19-20 SAS Variable Name: IDAY

Prologue:

Description: Interview Day

| Description | i: Interview Day | | | |
|-------------|------------------|-----------|------------|------------------------|
| Value | Value Label | Frequency | Percentage | Weighted Percentage |
| 1 | Interview Day | 17,368 | 3.65 | 3.21 |
| 2 | | 19,972 | 4.20 | 3.81 |
| 3 | | 20,004 | 4.21 | 3.56 |
| 4 | | 19,829 | 4.17 | 3.79 |
| 5 | | 21,672 | 4.56 | 4.24 |
| 6 | | 22,182 | 4.66 | 4.10 |
| 7 | | 21,921 | 4.61 | 4.11 |
| 8 | | 20,105 | 4.23 | 3.91 |
| 9 | | 21,606 | 4.54 | 4.44 |
| 10 | | 21,277 | 4.47 | 4.43 |
| 11 | | 20,376 | 4.28 | 4.20 |
| 12 | | 19,663 | 4.13 | 4.25 |
| 13 | | 18,134 | 3.81 | 3.97 |
| 14 | | 17,935 | 3.77 | 3.95 |
| 15 | | 17,247 | 3.63 | 3.75 |
| 16 | | 15,886 | 3.34 | 3.60 |
| 17 | | 15,330 | 3.22 | 3.58 |
| 18 | | 15,060 | 3.17 | 3.29 |
| 19 | | 14,483 | 3.04 | 3.28 |
| 20 | | 13,054 | 2.74 | 2.92 |
| 21 | | 12,574 | 2.64 | 2.78 |
| 22 | | 10,752 | 2.26 | 2.50 |
| 23 | | 10,550 | 2.22 | 2.43 |
| 24 | | 9,575 | 2.01 | 2.06 |
| 25 | | 9,823 | 2.07 | 2.30 |
| 26 | | 10,301 | 2.17 | 2.48 |
| 27 | | 9,728 | 2.05 | 2.22 |
| 28 | | 8,436 | 1.77 | 1.96 |
| 29 | | 8,442 | 1.77 | 2.05 |
| 30 | | 8,141 | 1.71 | 1.85 |
| 31 | | 4,261 | 0.90 | 1.00 |

Interview Year

Section: 0.11 Record Identification Type: Char

Column: 21-24 SAS Variable Name: IYEAR

Prologue:

Description: Interview Year

ValueValue LabelFrequencyPercentageWeighted Percentage2012Interview Year472,10399.2599.2420133,5840.750.76

Interviewer Identification

Section: 0.12 Record Identification Type: Char

Column: 25-29 SAS Variable Name: INTVID

Prologue:

Description: Interviewer Identification

 Value
 Value Label

 Frequency
 Percentage

 Percentage

HIDDEN Data not displayed 475,687 100.00 100.00

Notes: Due to the nature of the data or the size of the table for

display, this data is not printed for this report

Final Disposition

Section: 0.13 Record Identification Type: Num

Column: 30-33 SAS Variable Name: DISPCODE

Prologue:

Description: Final Disposition

Weighted Value **Percentage** Percentage Value Label Frequency 1100 441,608 92.84 89.48 Completed Interview 1200 Partial Complete Interview 34,079 7.16 10.52

Annual Sequence Number

Section: 0.14 Record Identification Type: Num

Column: 34-43 SAS Variable Name: SEQNO

Prologue:

Description: Annual Sequence Number

ValueValue LabelFrequencyPercentageWeighted PercentageHIDDENData not displayed475,687100.00100.00

Primary Sampling Unit

Section: 0.15 Record Identification Type: Num

Column: 34-43 SAS Variable Name: PSU

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

Weighted **Value** Value Label Frequency **Percentage** Percentage

HIDDEN Data not displayed 475,687 100.00 100.00

Notes: Value should be unique for a state for a year. Due to the

nature of the data or the size of the table for display, this data

is not printed for this report

Number of Attempts

Section: 0.16 Record Identification Type: Num

SAS Variable Name: NATTMPTS **Column: 44-45**

Proloque:

Description: Number of Attempts

Weighted Value Value Label Frequency Percentage Percentage

HIDDEN Data not displayed 475,687 100.00 100.00

Notes: Due to the nature of the data or the size of the table for

display, this data is not printed for this report

Number of Sample Records Selected from Stratum

Section: 0.17 Record Identification Type: Num

Column: 46-51 SAS Variable Name: NRECSEL

Proloque:

Description: Number of Sample Records Selected from Stratum

Weighted Value Value Label Frequency Percentage Percentage

HIDDEN Data not displayed 475,687 100.00 100.00

Notes: Due to the nature of the data or the size of the table for

display, this data is not printed for this report

Number of Telephone Numbers in Stratum from Which Sample Was Selected

Section: 0.18 Record Identification Type: Num

Column: 52-60 **SAS Variable Name: NRECSTR**

Prologue:

Description: Number of Telephone Numbers in Stratum from Which Sample Was Selected

Weighted Value Value Label Frequency Percentage Percentage

HIDDEN 100.00 Data not displayed 475,687 100.00

Notes: Due to the nature of the data or the size of the table for

display, this data is not printed for this report

Correct telephone number?

Section: 0.19 Record Identification Type: Num

Column: 61 SAS Variable Name: CTELENUM

Prologue: Variabe only on the land line survey

Description: Correct Telephone Number?

Value Value Label

1 Yes

Weighted Percentage
Percentage
475,679 100.00 100.00

BLANK Missing 8

Private Residence?

Section: 0.20 Record Identification Type: Num

Column: 62 SAS Variable Name: PVTRESID

Prologue: Variabe only on the land line survey

Description: Private Residence?

Weighted Value Value Label Percentage Frequency **Percentage** 1 Yes 376,951 99.98 99.98 2 No 59 0.02 0.02 BLANK Missing 98,677

Do you live in college housing?

Section: 0.21 Record Identification Type: Num

Column: 63 SAS Variable Name: COLGHOUS

Prologue:

Description: Do you live in college housing?

ValueValue LabelFrequencyPercentageWeighted Percentage1Yes62100.00100.00BLANKMissing475,625

Cellular Telephone

Section: 0.22 Record Identification Type: Num

Column: 64 SAS Variable Name: CELLFON

Prologue: Variabe only on the land line survey

Description: Cellular Telephone

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Not a cellular phone | 377,001 | 100.00 | 100.00 |
| 2 | Yes | 1 | 0.00 | 0.00 |
| BLANK | Missing | 98,685 | | |

Are you 18 years of age or older?

Section: 0.23 Record Identification Type: Num

Column: 65 SAS Variable Name: LADULT

Prologue:

Description: Are you 18 years of age or older?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------------|-----------|------------|------------------------|
| 1 | Yes, Male Respondent | 19,599 | 99.81 | 99.93 |
| 2 | Yes, Female Respondent | 33 | 0.17 | 0.04 |
| 3 | No | 4 | 0.02 | 0.03 |
| BLANK | | 456,051 | | |

Number of Adults in Household

Section: 0.24 Record Identification Type: Num

Column: 66-67 SAS Variable Name: NUMADULT

Prologue: Variabe only on the land line survey

Description: Number of Adults in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-----------------------------------|-----------|------------|---------------------|
| 1 | Number of adults in the household | 133,492 | 35.41 | 18.45 |
| 2 | | 194,502 | 51.59 | 52.85 |
| 3 | | 34,853 | 9.24 | 17.28 |
| 4 | | 11,008 | 2.92 | 8.25 |
| 5 | | 2,346 | 0.62 | 2.35 |
| 6 - 99 | 6 or more | 804 | 0.21 | 0.82 |
| BLANK | Missing | 98,682 | | |

Number of Adult men in Household

Section: 0.25 Record Identification Type: Num

Column: 68-69 SAS Variable Name: NUMMEN

Prologue: Variabe only on the land line survey **Description:** Number of Adult Men in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------------|-----------|------------|------------------------|
| 0 | Number of adult men in the household | 104,347 | 27.68 | 15.77 |
| 1 | | 240,683 | 63.84 | 64.88 |
| 2 | | 27,201 | 7.22 | 15.30 |
| 3 | | 4,132 | 1.10 | 3.35 |
| 4 | | 524 | 0.14 | 0.56 |
| 5 | | 84 | 0.02 | 0.09 |
| 6 - 99 | 6 or more | 34 | 0.01 | 0.04 |
| BLANK | | 98,682 | | |
| | | | | |

Number of Adult women in Household

Section: 0.26 Record Identification Type: Num

Column: 70-71 SAS Variable Name: NUMWOMEN

Prologue: Variabe only on the land line surveyDescription: Number of Adult Women in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 0 | Number of adult women in the household | 43,741 | 11.60 | 7.98 |
| 1 | | 294,797 | 78.19 | 71.25 |
| 2 | | 33,288 | 8.83 | 16.76 |
| 3 | | 4,490 | 1.19 | 3.36 |
| 4 | | 547 | 0.15 | 0.52 |
| 5 | | 113 | 0.03 | 0.11 |
| 6 - 99 | 6 or more | 29 | 0.01 | 0.03 |
| BLANK | | 98,682 | | |

General Health

Section: 1.1 Health Status Type: Num

Column: 73 SAS Variable Name: GENHLTH

Prologue:

Description: Would you say that in general your health is:

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Excellent | 83,864 | 17.63 | 19.03 |
| 2 | Very good | 152,154 | 31.99 | 31.58 |
| 3 | Good | 145,032 | 30.49 | 30.99 |
| 4 | Fair | 65,308 | 13.73 | 13.12 |
| 5 | Poor | 27,766 | 5.84 | 4.91 |
| 7 | Don't know/Not Sure | 949 | 0.20 | 0.16 |
| 9 | Refused | 610 | 0.13 | 0.22 |
| BLANK | Not asked or Missing | 4 | | |
| | | | | |

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days - Health-Related Quality of Life Type: Num

Column: 74-75 SAS Variable Name: PHYSHLTH

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the

past 30 days was your physical health not good?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 30 | Number of days | 171,628 | 36.08 | 35.78 |
| 88 | None | 294,164 | 61.84 | 62.39 |
| 77 | Don't know/Not sure | 8,198 | 1.72 | 1.36 |
| 99 | Refused | 1,696 | 0.36 | 0.47 |
| BLANK | Not asked or Missing | 1 | | |

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days - Health-Related Quality of Life Type: Num

Column: 76-77 SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how

many days during the past 30 days was your mental health not good?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------------|-----------|------------|------------------------|
| 1 - 30 | Number of days Notes: Number of days | 148,526 | 31.22 | 35.03 |
| 88 | None | 319,143 | 67.09 | 63.48 |
| 77 | Don't know/Not sure | 6,087 | 1.28 | 1.03 |
| 99 | Refused | 1,931 | 0.41 | 0.46 |

Poor Physical or Mental Health

Section: 2.3 Healthy Days - Health-Related Quality of Life Type: Num

Column: 78-79 SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your

usual activities, such as self-care, work, or recreation?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 1 - 30 | Number of days Notes: Number of days | 104,257 | 41.89 | 41.74 |
| 88 | None | 139,098 | 55.89 | 56.40 |
| 77 | Don't know/Not sure | 4,451 | 1.79 | 1.34 |
| 99 | Refused | 1,054 | 0.42 | 0.51 |
| BLANK | Not asked or Missing Notes: Section 02.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88 | 226,827 | | |

Have any health care coverage

Section: 3.1 Health Care Access Type: Num

Column: 80 SAS Variable Name: HLTHPLN1

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or

government plans such as Medicare, or Indian Health Service?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 419,328 | 88.15 | 81.24 |
| 2 | No | 54,801 | 11.52 | 18.32 |
| 7 | Don't know/Not Sure | 932 | 0.20 | 0.34 |
| 9 | Refused | 624 | 0.13 | 0.11 |
| BLANK | Not asked or Missing | 2 | | |

Multiple Health Care Professionals

Section: 3.2 Health Care Access Type: Num

Column: 81 SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more

than one or is there no person who you think of as your personal doctor or health care provider?".)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes, only one | 365,483 | 76.83 | 70.48 |
| 2 | More than one | 38,854 | 8.17 | 7.15 |
| 3 | No | 69,855 | 14.69 | 22.01 |
| 7 | Don't know/Not Sure | 1,088 | 0.23 | 0.26 |
| 9 | Refused | 406 | 0.09 | 0.11 |
| BLANK | Not asked or Missing | 1 | | |

Could Not See Doctor Because of Cost

Section: 3.3 Health Care Access Type: Num

Column: 82 SAS Variable Name: MEDCOST

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 59,203 | 12.45 | 16.50 |
| 2 | No | 415,188 | 87.28 | 83.25 |
| 7 | Don't know/Not sure | 1,042 | 0.22 | 0.20 |
| 9 | Refused | 252 | 0.05 | 0.05 |
| BLANK | Not asked or Missing | 2 | | |

Length of time since last routine checkup

Section: 3.4 Health Care Access Type: Num

Column: 83 SAS Variable Name: CHECKUP1

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general

physical exam, not an exam for a specific injury, illness, or condition.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Within past year (anytime less than 12 months ago) | 341,897 | 71.87 | 66.98 |
| 2 | Within past 2 years (1 year but less than 2 years ago) | 56,165 | 11.81 | 13.51 |
| 3 | Within past 5 years (2 years but less than 5 years ago) | 33,603 | 7.06 | 8.65 |
| 4 | 5 or more years ago | 33,267 | 6.99 | 8.37 |
| 7 | Don't know/Not sure | 5,677 | 1.19 | 1.14 |
| 8 | Never | 4,655 | 0.98 | 1.27 |
| 9 | Refused | 422 | 0.09 | 0.10 |
| BLANK | Not asked or Missing | 1 | | |
| | | | | |

Exercise in Past 30 Days

Section: 4.1 Exercise Type: Num

Column: 84 SAS Variable Name: EXERANY2

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as

running, calisthenics, golf, gardening, or walking for exercise?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 355,588 | 74.75 | 75.83 |
| 2 | No | 118,540 | 24.92 | 23.32 |
| 7 | Don't know/Not Sure | 461 | 0.10 | 0.08 |
| 9 | Refused | 1,089 | 0.23 | 0.77 |
| BLANK | Not asked or Missing | 9 | | |

Ever Diagnosed with Heart Attack

Section: 5.1 Chronic Health Conditions Type: Num

Column: 85 SAS Variable Name: CVDINFR4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me

"Yes", "No", or you're "Not sure":

Description: (Ever told) you had a heart attack, also called a myocardial infarction?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 28,794 | 6.05 | 4.40 |
| 2 | No | 444,820 | 93.51 | 95.21 |
| 7 | Don't know/Not sure | 1,884 | 0.40 | 0.35 |
| 9 | Refused | 188 | 0.04 | 0.03 |
| BLANK | Not asked or Missing | 1 | | |

Ever Diagnosed with Angina or Coronary Heart Disease

Section: 5.2 Chronic Health Conditions Type: Num

Column: 86 SAS Variable Name: CVDCRHD4

Prologue:

Description: (Ever told) you had angina or coronary heart disease?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|------------------------|
| 1 | Yes | 29,391 | 6.18 | 4.52 |
| 2 | No | 442,375 | 93.00 | 94.90 |
| 7 | Don't know/Not sure | 3,713 | 0.78 | 0.55 |
| 9 | Refused | 208 | 0.04 | 0.04 |
| | | | | |

Ever Diagnosed with a Stroke

Section: 5.3 Chronic Health Conditions Type: Num

Column: 87 SAS Variable Name: CVDSTRK3

Prologue:

Description: (Ever told) you had a stroke.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|------------------------|
| 1 | Yes | 19,279 | 4.05 | 2.88 |
| 2 | No | 455,112 | 95.67 | 96.89 |
| 7 | Don't know/Not sure | 1,135 | 0.24 | 0.21 |
| 9 | Refused | 161 | 0.03 | 0.03 |

Ever Told Had Asthma

Section: 5.4 Chronic Health Conditions

Type: Num

Column: 88 SAS Variable Name: ASTHMA3

Prologue:

Description: (Ever told) you had asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 60,757 | 12.77 | 13.19 |
| 2 | No-Go to Section 05.06 CHCSCNCR | 413,495 | 86.93 | 86.54 |
| 7 | Don't know/Not Sure-Go to Section 05.06 CHCSCNCR | 1,293 | 0.27 | 0.25 |
| 9 | Refused-Go to Section 05.06 CHCSCNCR | 142 | 0.03 | 0.03 |
| | | | | |

Still Have Asthma

Section: 5.5 Chronic Health Conditions Type: Num

Column: 89 SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 43,267 | 71.21 | 66.68 |
| 2 | No | 15,785 | 25.98 | 30.56 |
| 7 | Don't know/Not Sure | 1,680 | 2.77 | 2.69 |
| 9 | Refused | 25 | 0.04 | 0.07 |
| BLANK | Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing | 414,930 | | |

Ever told) you had skin cancer?

Section: 5.6 Chronic Health Conditions Type: Num

Column: 90 SAS Variable Name: CHCSCNCR

Prologue:

Description: (Ever told) you had skin cancer?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|------------------------|
| 1 | Yes | 40,174 | 8.45 | 5.54 |
| 2 | No | 434,303 | 91.30 | 94.26 |
| 7 | Don't know / Not sure | 1,046 | 0.22 | 0.17 |
| 9 | Refused | 157 | 0.03 | 0.03 |
| BLANK | Not asked or Missing | 7 | | |

Ever told) you had any other types of cancer?

Section: 5.7 Chronic Health Conditions Type: Num

Column: 91 SAS Variable Name: CHCOCNCR

Prologue:

Description: (Ever told) you had any other types of cancer?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|------------------------|
| 1 | Yes | 43,318 | 9.11 | 6.30 |
| 2 | No | 431,264 | 90.66 | 93.49 |
| 7 | Don't know / Not sure | 881 | 0.19 | 0.16 |
| 9 | Refused | 223 | 0.05 | 0.04 |
| BLANK | Not asked or Missing | 1 | | |

Ever told) you have chronic obstructive pulmonary disease, emphysema or chronic bronchitis?

Section: 5.8 Chronic Health Conditions Type: Num

Column: 92 SAS Variable Name: CHCCOPD1

Prologue:

Description: (Ever told) you have Chronic Obstructive Pulmonary Disease or COPD, emphysema or chronic bronchitis?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|---------------------|
| 1 | Yes | 37,827 | 7.95 | 6.33 |
| 2 | No | 435,444 | 91.54 | 93.25 |
| 7 | Don't know / Not sure | 2,242 | 0.47 | 0.38 |
| 9 | Refused | 171 | 0.04 | 0.04 |
| BLANK | Not asked or Missing | 3 | | |

Told Have Arthritis

Section: 5.9 Chronic Health Conditions Type: Num

Column: 93 SAS Variable Name: HAVARTH3

Prologue:

Description: (Ever told) you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses

include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteporosis); tendonitis, bursitis, bunion, tennis

elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 162,758 | 34.22 | 25.49 |
| 2 | No | 310,423 | 65.26 | 74.03 |
| 7 | Don't know/Not Sure | 2,310 | 0.49 | 0.43 |
| 9 | Refused | 193 | 0.04 | 0.04 |
| BLANK | Not asked or Missing | 3 | | |

Ever told you had a depressive disorder

Section: 5.10 Chronic Health Conditions

Type: Num

Column: 94 SAS Variable Name: ADDEPEV2

Prologue:

Description: (Ever told) you that you have a depressive disorder, including depression, major depression, dysthymia, or minor

depression?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 87,655 | 18.43 | 16.83 |
| 2 | No | 385,949 | 81.14 | 82.72 |
| 7 | Don't know/Not sure | 1,599 | 0.34 | 0.38 |
| 9 | Refused | 482 | 0.10 | 0.08 |
| BLANK | Not asked or Missing | 2 | | |

Ever told) you have kidney disease?

Section: 5.11 Chronic Health Conditions

Type: Num

Column: 95 SAS Variable Name: CHCKIDNY

Prologue:

Description: (Ever told) you have kidney disease? Do NOT include kidney stones, bladder infection or incontinence.(Incontinence

is not being able to control urine flow.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|------------------------|
| 1 | Yes | 15,531 | 3.26 | 2.66 |
| 2 | No | 458,629 | 96.41 | 97.08 |
| 7 | Don't know / Not sure | 1,322 | 0.28 | 0.22 |
| 9 | Refused | 202 | 0.04 | 0.03 |
| BLANK | Not asked or Missing | 3 | | |
| | | | | |

Do you have any trouble seeing, even when wearing glasses or contact lenses?

Section: 5.12 Chronic Health Conditions

Type: Num

Column: 96 SAS Variable Name: CHCVISN1

Prologue:

Description: Do you have any trouble seeing, even when wearing glasses or contact lenses?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------------|-----------|------------|---------------------|
| 1 | Yes | 82,316 | 17.30 | 16.19 |
| 2 | No | 390,346 | 82.06 | 83.20 |
| 3 | Not applicable (blind) | 1,092 | 0.23 | 0.20 |
| 7 | Don't know / Not sure | 1,494 | 0.31 | 0.28 |
| 9 | Refused | 437 | 0.09 | 0.13 |
| BLANK | Not asked or Missing | 2 | | |

Ever told) you have diabetes

Section: 5.13 Chronic Health Conditions

Type: Num

Column: 97 SAS Variable Name: DIABETE3

Prologue:

Description: (Ever told) you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If

Respondent says pre-diabetes or borderline diabetes, use response code 4.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 59,763 | 12.56 | 10.17 |
| 2 | Yes, but female told only during pregnancy | 4,067 | 0.85 | 0.91 |
| 3 | No | 403,299 | 84.78 | 87.36 |
| 4 | No, pre-diabetes or borderline diabetes | 7,735 | 1.63 | 1.38 |
| 7 | Don't know/Not Sure | 564 | 0.12 | 0.12 |
| 9 | Refused | 259 | 0.05 | 0.06 |
| | | | | |

Last Visited Dentist or Dental Clinic

Section: 6.1 Oral Health Type: Num

Column: 98 SAS Variable Name: LASTDEN3

Prologue:

Description: How long has it been since you last visited a dentist or a dental clinic for any reason? Include visits to dental

specialists, such as orthodontists.

| | 67.36 | 64.91 |
|--|-------|-------|
| 1 Within the past year (anytime less than 12 months ago) 320,405 | | 01.51 |
| Within the past 2 years (1 year but less than 2 years ago) 49,256 | 10.35 | 11.73 |
| 3 Within the past 5 years (2 years but less than 5 years ago) 43,202 | 9.08 | 10.20 |
| 4 5 or more years ago 56,014 | 11.78 | 11.43 |
| 7 Don't know/Not sure 4,022 | 0.85 | 0.77 |
| 8 Never 2,438 | 0.51 | 0.89 |
| 9 Refused 350 | 0.07 | 0.07 |

Number of Permanent Teeth Removed

Section: 6.2 Oral Health Type: Num

Column: 99 SAS Variable Name: RMVTETH3

Prologue:

Description: How many of your permanent teeth have been removed because of tooth decay or gum disease? Include teeth lost

to infection, but do not include teeth lost for other reasons, such as injury or orthodontics. (If wisdom teeth are

removed because of tooth decay or gum disease, they should be included in the count for lost teeth)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------------|-----------|------------|------------------------|
| 1 | 1 to 5 | 145,428 | 30.57 | 29.42 |
| 2 | 6 or more, but not all | 63,883 | 13.43 | 10.41 |
| 3 | All | 36,586 | 7.69 | 5.05 |
| 7 | Don't know/Not sure | 10,271 | 2.16 | 1.47 |
| 8 | None | 218,516 | 45.94 | 53.48 |
| 9 | Refused | 1,003 | 0.21 | 0.17 |
| | | | | |

Reported Age in Years

Section: 7.1 Demographics Type: Num

Column: 100-101 SAS Variable Name: AGE

Prologue:

Description: What is your age?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|---|-----------|------------|------------------------|
| 7 | Don't know/Not sure | 341 | 0.07 | 0.04 |
| 9 | Refused | 4,239 | 0.89 | 0.65 |
| 18 - 24 | Age 18 - 24 Notes: Code age in years | 24,894 | 5.23 | 13.06 |
| 25 - 34 | Age 25 - 34 | 47,771 | 10.04 | 17.14 |
| 35 - 44 | Age 35 - 44 | 59,708 | 12.55 | 16.74 |
| 45 - 54 | Age 45 - 54 | 83,400 | 17.53 | 18.28 |
| 55 - 64 | Age 55 - 64 | 102,793 | 21.61 | 15.81 |
| 65 – 99 | Age 65 or older | 152,541 | 32.07 | 18.27 |

Hispanic/Latino

Section: 7.2 Demographics Type: Num

Column: 102 SAS Variable Name: HISPANC2

Prologue:

Description: Are you Hispanic or Latino?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|------------------------|
| 1 | Yes | 35,870 | 7.54 | 15.97 |
| 2 | No | 436,925 | 91.85 | 83.55 |
| 7 | Don't know/Not Sure | 1,313 | 0.28 | 0.19 |
| 9 | Refused | 1,579 | 0.33 | 0.29 |
| | | | | |

Multiple Race

Section: 7.3 Demographics Type: Char

Column: 103-108 SAS Variable Name: MRACE

Prologue:

Description: Which one or more of the following would you say is your race? [Mark all that apply.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 7 | Don't know/Not sure | 1,847 | 0.39 | 0.95 |
| 9 | Refused Notes: Specify | 4,700 | 0.99 | 1.42 |
| HIDDEN | Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 469,140 | 98.62 | 97.63 |

Respondent Race Choice

Section: 7.4 Demographics Type: Num

SAS Variable Name: ORACE2 Column: 109

Prologue:

Description: Which one of these groups would you say best represents your race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | White | 4,916 | 48.03 | 45.72 |
| 2 | Black or African American | 1,065 | 10.41 | 14.82 |
| 3 | Asian | 726 | 7.09 | 5.84 |
| 4 | Native Hawaiian or Other Pacific Islander | 1,101 | 10.76 | 4.63 |
| 5 | American Indian, Alaska Native | 819 | 8.00 | 8.46 |
| 6 | Other Notes: Specify | 423 | 4.13 | 7.57 |
| 7 | Don't know/Not sure | 692 | 6.76 | 8.40 |
| 8 | Multiracial but preferred race not asked | 68 | 0.66 | 0.09 |
| 9 | Refused | 425 | 4.15 | 4.47 |
| BLANK | Not asked or Missing Notes: Section 07.03, MRACE, has only one valid race code (1-6) | 465,452 | | |
| | | | | |

Are You A Veteran

Section: 7.5 Demographics Type: Num

SAS Variable Name: VETERAN3 Column: 110

Prologue:

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National

Guard or military reserve unit? Active duty does not include training for the Reserves or National Guard, but DOES

include activation, for example, for the Persian Gulf War.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 59,870 | 12.59 | 10.74 |
| 2 | No | 415,210 | 87.32 | 89.17 |
| 7 | Don't know/Not Sure | 137 | 0.03 | 0.03 |
| 9 | Refused | 273 | 0.06 | 0.06 |
| BLANK | Not asked or Missing | 197 | | |

Marital Status

Section: 7.6 Demographics Type: Num

Column: 111 SAS Variable Name: MARITAL

Prologue:

Description: Are you: (marital status)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|------------------------|
| 1 | Married | 248,184 | 52.21 | 49.65 |
| 2 | Divorced | 66,550 | 14.00 | 10.42 |
| 3 | Widowed | 64,164 | 13.50 | 6.77 |
| 4 | Separated | 10,258 | 2.16 | 2.51 |
| 5 | Never married | 71,196 | 14.98 | 25.23 |
| 6 | A member of an unmarried couple | 12,462 | 2.62 | 4.97 |
| 9 | Refused | 2,575 | 0.54 | 0.46 |
| BLANK | Not asked or Missing | 298 | | |
| | | | | |

Number of Children in Household

Section: 7.7 Demographics Type: Num

Column: 112-113 SAS Variable Name: CHILDREN

Prologue:

Description: How many children less than 18 years of age live in your household?

| Value | Value Label | Frequency | Percentage | Percentage |
|--------|--|-----------|------------|------------|
| 1 - 87 | Number of children Notes: = Number of children | 127,342 | 26.79 | 36.90 |
| 88 | None | 346,521 | 72.90 | 62.77 |
| 99 | Refused | 1,449 | 0.30 | 0.33 |
| BLANK | Not asked or Missing | 375 | | |

Education Level

Section: 7.8 Demographics Type: Num

Column: 114 SAS Variable Name: EDUCA

Prologue:

Description: What is the highest grade or year of school you completed?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Never attended school or only kindergarten | 635 | 0.13 | 0.22 |
| 2 | Grades 1 through 8 (Elementary) | 13,549 | 2.85 | 4.67 |
| 3 | Grades 9 through 11 (Some high school) | 28,167 | 5.93 | 10.10 |
| 4 | Grade 12 or GED (High school graduate) | 139,501 | 29.35 | 28.70 |
| 5 | College 1 year to 3 years (Some college or technical school) | 128,404 | 27.02 | 30.42 |
| 6 | College 4 years or more (College graduate) | 163,510 | 34.41 | 25.57 |
| 9 | Refused | 1,476 | 0.31 | 0.32 |
| BLANK | Not asked or Missing | 445 | | |
| | | | | |

Employment Status

Section: 7.9 Demographics Type: Num

Column: 115 SAS Variable Name: EMPLOY

Prologue:

Description: Are you currently: (employment status)

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|----------------------------------|-----------|------------|------------|
| 1 | Employed for wages | 196,289 | 41.31 | 47.14 |
| 2 | Self-employed | 38,863 | 8.18 | 8.26 |
| 3 | Out of work for more than 1 year | 14,409 | 3.03 | 4.04 |
| 4 | Out of work for less that 1 year | 12,312 | 2.59 | 3.89 |
| 5 | A homemaker | 31,587 | 6.65 | 6.78 |
| 6 | A student | 12,225 | 2.57 | 6.04 |
| 7 | Retired | 132,138 | 27.81 | 16.68 |
| 8 | Unable to work | 35,260 | 7.42 | 6.68 |
| 9 | Refused | 2,053 | 0.43 | 0.50 |
| BLANK | Not asked or Missing | 551 | | |

26 of 162 July 5, 2013

Weighted

Income Level

Section: 7.10 Demographics Type: Num

Column: 116-117 SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Less than \$10,000 Notes: If "no," code 02 | 25,237 | 5.31 | 6.29 |
| 2 | Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01 | 26,406 | 5.56 | 5.45 |
| 3 | Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02 | 34,081 | 7.18 | 7.47 |
| 4 | Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03 | 40,384 | 8.50 | 8.36 |
| 5 | Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06 | 47,352 | 9.97 | 9.57 |
| 6 | Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07 | 59,877 | 12.61 | 12.18 |
| 7 | Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08 | 63,951 | 13.47 | 13.16 |
| 8 | \$75,000 or more | 111,654 | 23.51 | 24.23 |
| 77 | Don't know/Not sure | 33,034 | 6.96 | 7.55 |
| 99 | Refused | 32,961 | 6.94 | 5.75 |
| BLANK | Not asked or Missing | 750 | | |

Reported Weight in Pounds

Section: 7.11 Demographics Type: Num

Column: 118-121 SAS Variable Name: WEIGHT2

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round

fractions up.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------------|---|-----------|------------|---------------------|
| 50 - 0999 | Weight (pounds) Notes: 0 = weight in pounds | 455,056 | 95.86 | 96.19 |
| 7777 | Don't know/Not sure | 6,731 | 1.42 | 1.40 |
| 9000 - 9998 | Weight (kilograms) Notes: The initial '9' indicates this was a metric value. | 704 | 0.15 | 0.29 |
| 9999 | Refused | 12,203 | 2.57 | 2.12 |
| BLANK | Not asked or Missing | 993 | | |

Reported Height in Feet and Inches

Section: 7.12 Demographics Type: Num

Column: 122-125 SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round

fractions down.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------------|--|-----------|------------|------------------------|
| 200 - 711 | <pre>Height (ft/inches) Notes: 0 _ / = feet / inches</pre> | 467,292 | 98.46 | 97.60 |
| 7777 | Don't know/Not sure | 3,235 | 0.68 | 1.05 |
| 9000 - 9998 | Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value. | 1,520 | 0.32 | 0.75 |
| 9999 | Refused | 2,537 | 0.53 | 0.60 |
| BLANK | Not asked or Missing | 1,103 | | |

County Code

Section: 7.13 Demographics Type: Num

Column: 126-128 SAS Variable Name: CTYCODE1

Prologue:

Description: What county do you live in?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 777 | Don't know/Not sure | 3,789 | 0.86 | 1.23 |
| 999 | Refused | 11,000 | 2.48 | 1.41 |
| BLANK | Not asked or Missing | 32,912 | | |
| HIDDEN | Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 427,986 | 96.66 | 97.36 |

Household Telephones

Section: 7.15 Demographics Type: Num

Column: 134 SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are

only used by a computer or fax machine.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 18,285 | 4.87 | 4.61 |
| 2 | No-Go to Section 07.17 CPDEM01 | 355,686 | 94.68 | 94.90 |
| 7 | Don't know/Not sure—Go to Section 07.17 CPDEM01 | 213 | 0.06 | 0.06 |
| 9 | Refused-Go to Section 07.17 CPDEMO1 | 1,475 | 0.39 | 0.43 |
| BLANK | Not asked or Missing-Go to Section 07.17 CPDEM01 | 100,028 | | |

Residential Phones

Section: 7.16 Demographics Type: Num

Column: 135 SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these telephone numbers are residential numbers?

| 1 | Residential telephone number Residential telephone numbers | 8,356 8,496 | 45.71 | 60.44 |
|-------|--|----------------|-------|-------|
| | Residential telephone numbers | 9 496 | | |
| 2 | | 0,400 | 46.48 | 33.77 |
| 3 | Residential telephone numbers | 856 | 4.68 | 2.40 |
| 4 | Residential telephone numbers | 128 | 0.70 | 0.41 |
| 5 | Residential telephone numbers | 30 | 0.16 | 0.09 |
| 6 | Residential telephone numbers Notes: 6 = 6 or more | 30 | 0.16 | 0.15 |
| 7 | Don't know/Not Sure | 190 | 1.04 | 1.12 |
| 9 | Refused | 193 | 1.06 | 1.62 |
| BLANK | Not asked or Missing Notes: Section 07.15, NUMHHOL2, is coded 2, 7, 9, or Missing | 457,408 | | |

Do you have a cell phone for personal use?

Section: 7.17 Demographics Type: Num

Column: 136 SAS Variable Name: CPDEMO1

Prologue:

Description: Do you have a cell phone for personal use? Please include cell phones used for both business and personal use

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 290,971 | 77.47 | 85.84 |
| 2 | No-Go to Section 07.19 RENTHOM1 | 82,266 | 21.90 | 13.58 |
| 7 | Don't know/Not sure-Go to Section 07.19 RENTHOM1 | 165 | 0.04 | 0.03 |
| 9 | Refused-Go to Section 07.19 RENTHOM1 | 2,183 | 0.58 | 0.55 |
| BLANK | Not asked or Missing | 100,102 | | |
| | | | | |

What percent of all calls are received on your cell phone?

Section: 7.18 Demographics Type: Num

Column: 137-139 SAS Variable Name: CPDEMO4

Prologue:

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100,

are received on your cell phone?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|--|-----------|------------|------------------------|
| 1 - 100 | Enter Percent (1 to 100) | 256,180 | 100.00 | 100.00 |
| BLANK | Not asked or Missing Notes: Section 07.17, CPDEMO1, is coded 2, 7, 9, or Missing | 219,507 | | |

Own or Rent Home

Section: 7.19 Demographics Type: Num

Column: 140 SAS Variable Name: RENTHOM1

Prologue:

Description: Do you own or rent your home? (Home is defined as the place where you live most of the time/the majority of the

year.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Own | 344,300 | 72.73 | 68.34 |
| 2 | Rent | 103,339 | 21.83 | 25.12 |
| 3 | Other arrangement | 20,237 | 4.27 | 5.14 |
| 7 | Don't know/Not Sure | 813 | 0.17 | 0.24 |
| 9 | Refused | 4,725 | 1.00 | 1.16 |
| BLANK | Not asked or Missing Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report. | 2,273 | | |

Respondents Sex

Section: 7.20 Demographics Type: Num

Column: 141 SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|------------------------|
| 1 | Male | 191,737 | 40.31 | 48.54 |
| 2 | Female | 283,950 | 59.69 | 51.46 |

Pregnancy Status

Section: 7.21 Demographics Type: Num

Column: 142 SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|---------------|------------|------------------------|
| 1 | Yes | 2,873 | 3.73 | 3.79 |
| 2 | No | 73,172 | 95.10 | 93.70 |
| 7 | Don't know/Not Sure | 210 | 0.27 | 0.31 |
| 9 | Refused | 687 | 0.89 | 2.21 |
| BLANK | Not asked or Missing Notes: Section 07.22, SEX, is coded 1; or Section 07.01, AGE, i greater than 44 | 398,745 is | | |

Activity Limitation Due to Health Problems

Section: 8.1 Disability Type: Num

Column: 143 SAS Variable Name: QLACTLM2

Prologue:

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 115,331 | 24.53 | 20.12 |
| 2 | No | 351,024 | 74.67 | 78.51 |
| 7 | Don't know/Not Sure | 1,746 | 0.37 | 0.30 |
| 9 | Refused | 2,007 | 0.43 | 1.07 |
| BLANK | Not asked or Missing | 5,579 | | |
| | | | | |

Health Problems Requiring Special Equipment

Section: 8.2 Disability Type: Num

Column: 144 SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a

special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 53,335 | 11.36 | 7.98 |
| 2 | No | 414,139 | 88.25 | 90.96 |
| 7 | Don't know/Not Sure | 307 | 0.07 | 0.06 |
| 9 | Refused | 1,514 | 0.32 | 1.00 |
| BLANK | Not asked or Missing | 6,392 | | |

Smoked at Least 100 Cigarettes

Section: 9.1 Tobacco Use Type: Num

Column: 145 SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---|-----------|------------|------------|
| 1 | Yes | 211,864 | 45.19 | 43.32 |
| 2 | No-Go to Section 09.05 USENOW3 | 254,492 | 54.28 | 56.24 |
| 7 | Don't know/Not Sure-Go to Section 09.05 USENOW3 | 1,906 | 0.41 | 0.31 |
| 9 | Refused-Go to Section 09.05 USENOW3 | 582 | 0.12 | 0.14 |
| BLANK | Not asked or Missing | 6,843 | | |

Frequency of Days Now Smoking

Section: 9.2 Tobacco Use Type: Num

Column: 146 SAS Variable Name: SMOKDAY2

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Every day | 54,940 | 25.94 | 30.22 |
| 2 | Some days | 21,160 | 9.99 | 12.92 |
| 3 | Not at all-Go to Section 09.04 LASTSMK2 | 135,426 | 63.94 | 56.68 |
| 7 | Don't Know/Not Sure-Go to Section 09.05 USENOW3 | 81 | 0.04 | 0.04 |
| 9 | Refused-Go to Section 09.05 USENOW3 | 208 | 0.10 | 0.14 |
| BLANK | Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing | 263,872 | | |

Stopped Smoking in past 12 months

Section: 9.3 Tobacco Use Type: Num

Column: 147 SAS Variable Name: STOPSMK2

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit

smoking?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes-Go to Section 09.05 USENOW3 | 43,582 | 57.30 | 60.21 |
| 2 | No-Go to Section 09.05 USENOW3 | 32,206 | 42.34 | 39.40 |
| 7 | Don't know/Not Sure-Go to Section 09.05 USENOW3 | 202 | 0.27 | 0.18 |
| 9 | Refused—Go to Section 09.05 USENOW3 | 72 | 0.09 | 0.21 |
| BLANK | Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 09.02, SMOKDAY2, is coded 3, 7, 9, or Missing | 399,625 | | |

Interval Since Last Smoked

Section: 9.4 Tobacco Use Type: Num

Column: 148-149 SAS Variable Name: LASTSMK2

Prologue:

Description: How long has it been since you last smoked a cigarette, even one or two puffs?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Within the past month (less than 1 month ago) | 2,885 | 2.13 | 3.21 |
| 2 | Within the past 3 months (1 month but less than 3 months ago) | 2,651 | 1.96 | 2.97 |
| 3 | Within the past 6 months (3 months but less than 6 months ago) | 2,700 | 1.99 | 3.01 |
| 4 | Within the past year (6 months but less than 1 year ago) | 4,369 | 3.23 | 4.56 |
| 5 | Within the past 5 years (1 year but less than 5 years ago) | 17,558 | 12.97 | 16.59 |
| 6 | Within the past 10 years (5 years but less than 10 years ago) | 13,487 | 9.96 | 11.07 |
| 7 | 10 years or more | 90,765 | 67.05 | 57.59 |
| 8 | Never smoked regularly | 198 | 0.15 | 0.47 |
| 77 | Don't know/Not sure | 677 | 0.50 | 0.47 |
| 99 | Refused | 84 | 0.06 | 0.06 |
| BLANK | Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 09.02, SMOKDAY2, is coded 7, 9, or Missing; or Section 09.03, STOPSMK2, is coded 1, 2, 7, 9; | 340,313 | | |

Use of Smokeless Tobacco Products

Section: 9.5 Tobacco Use Type: Num

Column: 150 SAS Variable Name: USENOW3

Prologue:

Description: Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? (Snus (Swedish for snuff)

is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.)[Snus

(rhymes with 'goose')]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Every day | 7,919 | 1.69 | 1.81 |
| 2 | Some days | 6,158 | 1.31 | 1.66 |
| 3 | Not at all | 453,629 | 96.85 | 96.38 |
| 7 | Don't know/Not Sure | 140 | 0.03 | 0.03 |
| 9 | Refused | 533 | 0.11 | 0.12 |
| BLANK | Not asked or Missing | 7,308 | | |

Days in past 30 had alcoholic beverage

Section: 10.1 Alcohol Consumption Type: Num

Column: 151-153 SAS Variable Name: ALCDAY5

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic

beverage such as beer, wine, a malt beverage or liquor?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|--|-----------|------------|------------------------|
| 101 - 199 | Days per week Notes: 1 = Days per week | 61,813 | 13.22 | 13.85 |
| 201 - 299 | Days in past 30 days Notes: 2_ = Days in past 30 | 169,223 | 36.18 | 37.85 |
| 777 | Don't know/Not sure-Go to Section 11.01 FLUSHOT5 | 3,207 | 0.69 | 0.66 |
| 888 | No drinks in past 30 days-Go to Section 11.01 FLUSHOT5 | 230,030 | 49.18 | 45.78 |
| 999 | Refused-Go to Section 11.01 FLUSHOT5 | 3,466 | 0.74 | 1.86 |
| BLANK | Not asked or Missing | 7,948 | | |
| | | | | |

Avg alcoholic drinks per day in past 30

Section: 10.2 Alcohol Consumption Type: Num

Column: 154-155 SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the

past 30 days, on the days when you drank, about how many drinks did you drink on the average? (A 40 ounce beer

would count as 3 drinks, or a cocktail drink with 2 shots would count as 2 drinks.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 1 - 76 | Number of drinks Notes: Number of drinks | 226,626 | 98.28 | 97.91 |
| 77 | Don't know/Not sure | 3,114 | 1.35 | 1.70 |
| 99 | Refused | 854 | 0.37 | 0.39 |
| BLANK | Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 9999; | 245,093 | | |

Binge Drinking

Section: 10.3 Alcohol Consumption Type: Num

Column: 156-157 SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks

for men or 4 or more drinks for women on an occasion?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| 1 - 76 | Number of Times | 57,771 | 25.09 | 31.52 |
| 88 | None | 168,992 | 73.40 | 66.64 |
| 77 | Don't know/Not Sure | 2,768 | 1.20 | 1.46 |
| 99 | Refused | 706 | 0.31 | 0.38 |
| BLANK | Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 999; | 245,450 | | |

Most drinks on single occasion past 30 days

Section: 10.4 Alcohol Consumption Type: Num

Column: 158-159 SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| 1 - 76 | Number of drinks | 222,263 | 96.67 | 96.18 |
| 77 | Don't know/Not sure | 6,420 | 2.79 | 3.21 |
| 99 | Refused | 1,238 | 0.54 | 0.61 |
| BLANK | Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 999; | 245,766 | | |

Adult seasonal flu shot/spray past 12 mos

Section: 11.1 Immunization Type: Num

Column: 160 SAS Variable Name: FLUSHOT5

Prologue: Now I will ask you questions about seasonal flu vaccine. There are two ways to get the seasonal flu vaccine, one is

a shot in the arm and the other is a spray, mist, or drop in the nose called FluMist™.

Description: During the past 12 months, have you had either a seasonal flu shot or a seasonal flu vaccine that was sprayed in

your nose?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 202,640 | 43.61 | 35.27 |
| 2 | No-Go to Section 11.04 PNEUVAC3 | 258,088 | 55.55 | 62.66 |
| 7 | Don't know/Not Sure-Go to Section 11.04 PNEUVAC3 | 1,399 | 0.30 | 0.33 |
| 9 | Refused-Go to Section 11.04 PNEUVAC3 | 2,519 | 0.54 | 1.73 |
| BLANK | Not asked or Missing | 11,041 | | |

35 of 162 July 5, 2013

Mainles al

When did you (adult) receive your most recent seasonal flu shot/spray?

Section: 11.2 Immunization Type: Num

Column: 161-166 SAS Variable Name: FLSHTMY2

Prologue:

Description: During what month and year did you receive your most recent flu shot injected into your arm or flu vaccine that was

sprayed in your nose?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------------|---|-----------|------------|------------------------|
| 12011 - 122012 | Month / Year | 185,358 | 91.54 | 90.45 |
| 777777 | Don't know/Not Sure | 16,648 | 8.22 | 9.27 |
| 999999 | Refused | 481 | 0.24 | 0.28 |
| BLANK | Not asked or Missing Notes: Section 11.01, FLUSHOT5, is coded 2, 7, or 9 | 273,200 | | |

Where did you get your last flu shot/vaccine?

Section: 11.3 Immunization Type: Num

Column: 167-168 SAS Variable Name: IMFVPLAC

Prologue:

Description: At what kind of place did you get your last flu shot/vaccine?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | A doctor's office or health maintenance organization (HMO) | 79,009 | 39.06 | 38.58 |
| 2 | A health department | 6,623 | 3.27 | 2.83 |
| 3 | Another type of clinic or health center (Example: a community health center) $% \left(\frac{1}{2}\right) =\frac{1}{2}\left(\frac{1}{2}\right)$ | 18,559 | 9.18 | 8.50 |
| 4 | A senior, recreation, or community center | 3,277 | 1.62 | 1.05 |
| 5 | A store (Examples: supermarket, drug store) | 41,131 | 20.33 | 19.17 |
| 6 | A hospital (Example: inpatient) | 13,739 | 6.79 | 8.09 |
| 7 | An emergency room | 142 | 0.07 | 0.08 |
| 8 | Workplace | 30,188 | 14.92 | 16.66 |
| 9 | Some other kind of place | 6,859 | 3.39 | 3.34 |
| 10 | Received vaccination in Canada/Mexico (Volunteered - Do not read) | 79 | 0.04 | 0.06 |
| 11 | A school | 1,840 | 0.91 | 1.21 |
| 77 | Don't know / Not sure-Probe: | 700 | 0.35 | 0.33 |
| 99 | Refused | 130 | 0.06 | 0.08 |
| BLANK | Not asked or Missing Notes: Section 11.01, FLUSHOT5, is coded 2, 7, or 9 | 273,411 | | |

Pneumonia shot ever

Section: 11.4 Immunization Type: Num

Column: 169 SAS Variable Name: PNEUVAC3

Prologue:

Description: A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different

from the flu shot. Have you ever had a pneumonia shot?

| Value Label | Frequency | Percentage | Weighted Percentage |
|----------------------|------------------------------------|---|---|
| Yes | 159,557 | 34.40 | 26.15 |
| No | 261,728 | 56.43 | 61.33 |
| Don't know/Not Sure | 40,018 | 8.63 | 10.74 |
| Refused | 2,543 | 0.55 | 1.78 |
| Not asked or Missing | 11,841 | | |
| | Yes No Don't know/Not Sure Refused | Yes 159,557 No 261,728 Don't know/Not Sure 40,018 Refused 2,543 | Yes 159,557 34.40 No 261,728 56.43 Don't know/Not Sure 40,018 8.63 Refused 2,543 0.55 |

Had Fall Past Twelve Months

Section: 12.1 Falls Type: Num

Column: 170-171 SAS Variable Name: FALL12MN

Prologue:

Description: In the past 12 months, how many times have you fallen?

| Value | Value Label | Frequency | Percentage | Percentage |
|--------|---|-----------|------------|------------|
| 1 - 76 | Number of times [76=76 or more] Notes: Number of times, 76=76 or more | 93,374 | 27.94 | 25.33 |
| 88 | None-Go to Section 13.01 SEATBELT | 235,650 | 70.50 | 72.04 |
| 77 | Don't know/Not Sure-Go to Section 13.01 SEATBELT | 3,181 | 0.95 | 0.80 |
| 99 | Refused-Go to Section 13.01 SEATBELT | 2,027 | 0.61 | 1.84 |
| BLANK | Missing Notes: Section 07.01, AGE, coded 18-44 | 141,455 | | |

37 of 162 July 5, 2013

Waightad

Injured in Fall

Section: 12.2 Falls Type: Num

Column: 172-173 SAS Variable Name: FALLINJ2

Prologue:

Description: How many of these falls caused an injury? By an injury, we mean the fall caused you to limit your regular activities

for at least a day or to go see a doctor.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 1 - 76 | Number of falls [76=76 or more] Notes: Number of times, 76=76 or more | 36,057 | 38.63 | 38.94 |
| 88 | None | 56,746 | 60.79 | 60.41 |
| 77 | Don't know/Not Sure | 409 | 0.44 | 0.45 |
| 99 | Refused | 130 | 0.14 | 0.20 |
| BLANK | Missing Notes: Section 07.01, AGE, coded 18-44; or Section 12.01, FALL3MN2, is coded 77, 88, 99 or Missing | 382,345 | | |

How often use seatbelts in car?

Section: 13.1 Seatbelt Use Type: Num

Column: 174 **SAS Variable Name: SEATBELT**

Prologue:

Description: How often do you use seat belts when you drive or ride in a car? Would you say—

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Always | 389,310 | 84.12 | 84.12 |
| 2 | Nearly always | 40,770 | 8.81 | 7.74 |
| 3 | Sometimes | 14,792 | 3.20 | 3.05 |
| 4 | Seldom | 5,995 | 1.30 | 1.18 |
| 5 | Never | 7,774 | 1.68 | 1.70 |
| 7 | Don't know/Not sure | 276 | 0.06 | 0.04 |
| 8 | Never drive or ride in a car | 1,104 | 0.24 | 0.23 |
| 9 | Refused | 2,804 | 0.61 | 1.94 |
| BLANK | Not asked or Missing Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 12,862 | | |

is not printed for this report

Did you drive after having too much to drink in the past 30 days?

Section: 14.1 Drinking and Driving

Type: Num

Column: 175-176 SAS Variable Name: DRNKDRI2

Prologue:

Description: During the past 30 days, how many times have you driven when you've had perhaps too much to drink?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 1 - 76 | Number of times Notes: Number of times | 6,793 | 2.90 | 3.44 |
| 88 | None | 224,028 | 95.68 | 92.76 |
| 77 | Don't know/Not sure | 411 | 0.18 | 0.18 |
| 99 | Refused | 2,910 | 1.24 | 3.62 |
| BLANK | Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888 or: Section 13.01, SEATBELT, is coded 8 | 241,545 | | |

Have You Ever Had a Mammogram

Section: 15.1 Breast/Cervical Cancer Screening Type: Num

Column: 177 SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 216,850 | 78.54 | 64.57 |
| 2 | No-Go to Section 15.03 PROFEXAM | 57,236 | 20.73 | 33.34 |
| 7 | Don't know/Not sure—Go to Section 15.03 PROFEXAM | 286 | 0.10 | 0.12 |
| 9 | Refused-Go to Section 15.03 PROFEXAM | 1,718 | 0.62 | 1.96 |
| BLANK | Not asked or Missing Notes: Section 07.22, SEX, is coded 1 | 199,597 | | |

How Long since Last Mammogram

Section: 15.2 Breast/Cervical Cancer Screening Type: Num

Column: 178 SAS Variable Name: HOWLONG

Prologue:

Description: How long has it been since you had your last mammogram?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 134,318 | 61.96 | 61.36 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 35,766 | 16.50 | 17.11 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 15,040 | 6.94 | 7.32 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 11,340 | 5.23 | 5.46 |
| 5 | 5 or more years ago | 18,147 | 8.37 | 8.03 |
| 7 | Don't know/Not sure | 2,032 | 0.94 | 0.63 |
| 9 | Refused | 156 | 0.07 | 0.10 |
| BLANK | Not asked or Missing Notes: Section 07.22, SEX, is coded 1; or Section 15.01, HADMAM, is coded 2, 7, 9, or Missing | 258,888 | | |

Ever Had Breast Physical Exam by Doctor

Section: 15.3 Breast/Cervical Cancer Screening Type: Num

Column: 179 SAS Variable Name: PROFEXAM

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever

had a clinical breast exam?

| | | | | Weighted |
|-------|--|-----------|------------|------------|
| Value | Value Label | Frequency | Percentage | Percentage |
| 1 | Yes | 247,566 | 89.75 | 85.40 |
| 2 | No-Go to Section 15.05 HADPAP2 | 25,186 | 9.13 | 12.26 |
| 7 | Don't know/Not sure-Go to Section 15.05 HADPAP2 | 1,324 | 0.48 | 0.35 |
| 9 | Refused—Go to Section 15.05 HADPAP2 | 1,758 | 0.64 | 1.99 |
| BLANK | Not asked or Missing Notes: Section 07 22 SEX is coded 1 | 199,853 | | |

How Long since Last Breast Physical Exam

Section: 15.4 Breast/Cervical Cancer Screening Type: Num

Column: 180 SAS Variable Name: LENGEXAM

Prologue:

Description: How long has it been since your last breast exam?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 158,420 | 64.01 | 65.26 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 38,677 | 15.63 | 16.30 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 15,231 | 6.15 | 6.27 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 11,552 | 4.67 | 4.60 |
| 5 | 5 or more years ago | 19,729 | 7.97 | 6.57 |
| 7 | Don't know/Not sure | 3,728 | 1.51 | 0.93 |
| 9 | Refused | 147 | 0.06 | 0.06 |
| BLANK | Not asked or Missing Notes: Section 07.22, SEX, is coded 1; or Section 15.03, PROFEXAM, is coded 2, 7, 9, or Missing | 228,203 | | |

Ever Had a Pap Test

Section: 15.5 Breast/Cervical Cancer Screening Type: Num

Column: 181 SAS Variable Name: HADPAP2

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 258,496 | 93.80 | 89.43 |
| 2 | No-Go to Section 15.07 HADHYST2 | 14,196 | 5.15 | 8.18 |
| 7 | Don't know/Not sure-Go to Section 15.07 HADHYST2 | 1,109 | 0.40 | 0.38 |
| 9 | Refused-Go to Section 15.07 HADHYST2 | 1,790 | 0.65 | 2.01 |
| BLANK | Not asked or Missing Notes: Section 07.22, SEX, is coded 1 | 200,096 | | |

How Long Since Last Pap Test

Section: 15.6 Breast/Cervical Cancer Screening Type: Num

Column: 182 SAS Variable Name: LASTPAP2

Prologue:

Description: How long has it been since you had your last Pap test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 118,459 | 45.84 | 53.01 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 44,635 | 17.27 | 17.92 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 22,051 | 8.53 | 7.69 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 17,937 | 6.94 | 6.20 |
| 5 | 5 or more years ago | 50,313 | 19.47 | 14.04 |
| 7 | Don't know/Not sure | 4,764 | 1.84 | 1.05 |
| 9 | Refused | 251 | 0.10 | 0.09 |
| BLANK | Not asked or Missing Notes: Section 07.22, SEX, is coded 1; or Section 15.05, HADPAP2, is coded 2, 7, 9, or Missing | 217,277 | | |

Had Hysterectomy

Section: 15.7 Breast/Cervical Cancer Screening Type: Num

Column: 183 SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? (A hysterectomy is an operation to remove the uterus (womb).)

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--|-----------|------------|------------|
| 1 | Yes | 80,429 | 29.51 | 21.49 |
| 2 | No | 189,869 | 69.66 | 76.28 |
| 7 | Don't know/Not sure | 366 | 0.13 | 0.16 |
| 9 | Refused | 1,916 | 0.70 | 2.07 |
| BLANK | Not asked or Missing Notes: Section 07.22, SEX, is coded 1; or Section 07.23, PREGNANT, is coded 1 | 203,107 | | |

42 of 162 July 5, 2013

Weighted

Has a health professional EVER talked with you about the advantages of the PSA test?

Section: 16.1 Prostate Cancer Screening Type: Num

Column: 184 SAS Variable Name: PCPSAAD1

Prologue: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer.

Description: Has a doctor, nurse, or other health professional EVER talked with you about the advantages of the PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 88,187 | 61.91 | 56.46 |
| 2 | No | 48,441 | 34.01 | 38.30 |
| 7 | Don't know/Not Sure | 4,546 | 3.19 | 2.66 |
| 9 | Refused | 1,274 | 0.89 | 2.58 |
| BLANK | Not asked or Missing Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2 | 333,239 | | |

Has a health professional EVER talked with you about the disadvantages of the PSA test?

Section: 16.2 Prostate Cancer Screening Type: Num

Column: 185 SAS Variable Name: PCPSADI1

Prologue:

Description: Has a doctor, nurse, or other health professional EVER talked with you about the disadvantages of the PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 38,460 | 27.02 | 25.22 |
| 2 | No | 97,448 | 68.46 | 69.36 |
| 7 | Don't know/Not Sure | 5,384 | 3.78 | 3.20 |
| 9 | Refused | 1,061 | 0.75 | 2.22 |
| BLANK | Not asked or Missing Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2 | 333,334 | | |

Has a doctor EVER recommended that you have a PSA test?

Section: 16.3 Prostate Cancer Screening Type: Num

Column: 186 SAS Variable Name: PCPSARE1

Prologue:

Description: Has a doctor, nurse, or other health professional EVER recommended that you have a PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 79,465 | 55.88 | 50.48 |
| 2 | No-Go to Section 17.01 BLDSTOOL | 56,870 | 39.99 | 44.32 |
| 7 | Don't know/Not Sure-Go to Section 17.01 BLDSTOOL | 4,762 | 3.35 | 2.94 |
| 9 | Refused-Go to Section 17.01 BLDSTOOL | 1,119 | 0.79 | 2.26 |
| BLANK | Not asked or Missing Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2; | 333,471 | | |

Ever Had PSA Test

Section: 16.4 Prostate Cancer Screening Type: Num

Column: 187 SAS Variable Name: PSATEST1

Prologue:

Description: Have you EVER HAD a PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 84,293 | 60.58 | 53.42 |
| 2 | No-Go to Section 17.01 BLDSTOOL | 47,897 | 34.42 | 40.53 |
| 7 | Don't know/Not Sure-Go to Section 17.01 BLDSTOOL | 5,953 | 4.28 | 3.82 |
| 9 | Refused-Go to Section 17.01 BLDSTOOL | 994 | 0.71 | 2.22 |
| BLANK | Not asked or Missing Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2; or Section 16.03, PCPSARE1, is coded 2, 7, 9 or missing; | 336,550 | | |

Time Since Last PSA Test

Section: 16.5 Prostate Cancer Screening Type: Num

Column: 188 SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--|-----------|------------|------------|
| 1 | Within the past year (anytime less than 12 months ago) | 53,697 | 63.72 | 63.74 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 12,980 | 15.40 | 16.04 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 5,996 | 7.12 | 7.02 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 4,793 | 5.69 | 5.82 |
| 5 | 5 or more years ago | 5,409 | 6.42 | 6.00 |
| 7 | Don't know/Not Sure | 1,342 | 1.59 | 1.33 |
| 9 | Refused | 49 | 0.06 | 0.04 |
| BLANK | Not asked or Missing Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2; or Section 16.03, PCPSARE1, is coded 2, 7, 9 or missing; or Section 16.04, PSATEST1, is coded, 2, 7, 9, or Missing | 391,421 | | |

44 of 162 July 5, 2013

Waightad

What was the MAIN reason you had this PSA test?

Section: 16.6 Prostate Cancer Screening Type: Num

Column: 189 SAS Variable Name: PCPSARS1

Prologue:

Description: What was the MAIN reason you had this PSA test – was it ...?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Part of a routine exam | 59,757 | 71.27 | 71.47 |
| 2 | Because of a prostate problem | 5,902 | 7.04 | 7.02 |
| 3 | Because of a family history of prostate cancer | 4,187 | 4.99 | 5.30 |
| 4 | Because you were told you had prostate cancer | 3,765 | 4.49 | 4.47 |
| 5 | Some other reason | 9,561 | 11.40 | 11.08 |
| 7 | Don't know/Not Sure | 518 | 0.62 | 0.48 |
| 9 | Refused | 156 | 0.19 | 0.17 |
| BLANK | Not asked or Missing Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2; or Section 16.03, PCPSARE1, is coded 2, 7, 9 or missing; or Section 16.04, PSATEST1, is coded, 2, 7, 9, or Missing | 391,841 | | |

Ever Had Blood Stool Test Using Home Kit

Section: 17.1 Colorectal Cancer Screening Type: Num

Column: 190 SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have

you ever had this test using a home kit?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 110,739 | 37.41 | 35.07 |
| 2 | No-Go to Section 17.03 HADSIGM3 | 180,608 | 61.02 | 62.17 |
| 7 | Don't know/Not Sure-Go to Section 17.03 HADSIGM3 | 2,566 | 0.87 | 0.75 |
| 9 | Refused-Go to Section 17.03 HADSIGM3 | 2,072 | 0.70 | 2.01 |
| BLANK | Not asked or Missing Notes: Section 07.01, AGE, is less than 50 | 179,702 | | |

Time Since Last Blood Stool Test

Section: 17.2 Colorectal Cancer Screening Type: Num

Column: 191 SAS Variable Name: LSTBLDS3

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 28,791 | 26.01 | 29.49 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 15,581 | 14.08 | 14.98 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 11,888 | 10.74 | 10.43 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 14,474 | 13.08 | 12.83 |
| 5 | 5 or more years ago | 36,048 | 32.56 | 29.48 |
| 7 | Don't know/Not sure | 3,833 | 3.46 | 2.72 |
| 9 | Refused | 84 | 0.08 | 0.06 |
| BLANK | Not asked or Missing Notes: Section 7.01, AGE, is less than 50; or Section 17.01, BLDSTOOL, is coded 2, 7, 9, or Missing | 364,988 | | |

Ever Had Sigmoidoscopy/Colonoscopy

Section: 17.3 Colorectal Cancer Screening Type: Num

Column: 192 SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of

cancer or other health problems. Have you ever had either of these exams?

| | | | | Weighted |
|-------|--|-----------|------------|------------|
| Value | Value Label | Frequency | Percentage | Percentage |
| 1 | Yes | 203,715 | 68.91 | 65.56 |
| 2 | No-Go to Section 18.01 HIVTST6 | 88,203 | 29.83 | 31.97 |
| 7 | Don't know/Not Sure-Go to Section 18.01 HIVTST6 | 1,675 | 0.57 | 0.46 |
| 9 | Refused-Go to Section 18.01 HIVTST6 | 2,047 | 0.69 | 2.01 |
| BLANK | Not asked or Missing Notes: Section 7.01. AGE, is less than 50 | 180,047 | | |

Was your last test a sigmoidoscopy or colonoscopy?

Section: 17.4 Colorectal Cancer Screening Type: Num

Column: 193 SAS Variable Name: HADSGCO1

Prologue:

Description: For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is

similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you

sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a

sigmoidoscopy or a colonoscopy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Sigmoidoscopy | 9,991 | 4.91 | 5.29 |
| 2 | Colonoscopy | 188,763 | 92.74 | 92.26 |
| 7 | Don't know/Not Sure | 4,556 | 2.24 | 2.25 |
| 9 | Refused | 222 | 0.11 | 0.20 |
| BLANK | Not asked or Missing Notes: Section 7.01, AGE, is less than 50; or Section 17.03, HADSIGM3, is coded 2, 7, 9, or Missing | 272,155 | | |

Time Since Last Sigmoidoscopy/Colonoscopy

Section: 17.5 Colorectal Cancer Screening Type: Num

Column: 194 SAS Variable Name: LASTSIG3

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 45,065 | 22.15 | 23.32 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 34,390 | 16.91 | 17.73 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 31,217 | 15.35 | 15.54 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 43,723 | 21.49 | 21.38 |
| 5 | Within the past 10 years (5 years but less than 10 years ago) | 34,217 | 16.82 | 15.69 |
| 6 | 10 or more years ago | 11,700 | 5.75 | 5.17 |
| 7 | Don't know/Not sure | 2,958 | 1.45 | 1.05 |
| 9 | Refused | 149 | 0.07 | 0.12 |
| BLANK | Not asked or Missing Notes: Section 7.01, AGE, is less than 50; or Section 17.03, HADSIGM3, is coded 2, 7, 9, or Missing | 272,268 | | |

Ever tested HIV

Section: 18.1 HIV/AIDS Type: Num

Column: 195 SAS Variable Name: HIVTST6

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include

testing fluid from your mouth.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 129,846 | 28.39 | 35.22 |
| 2 | No-Go to Section 18.03 HIVRISK3 | 309,481 | 67.68 | 59.97 |
| 7 | Don't know/Not Sure-Go to Section 18.03 HIVRISK3 | 13,887 | 3.04 | 2.42 |
| 9 | Refused-Go to Section 18.03 HIVRISK3 | 4,076 | 0.89 | 2.39 |
| BLANK | Not asked or Missing | 18,397 | | |

Month and Year of Last HIV Test

Section: 18.2 HIV/AIDS Type: Num

Column: 196-201 SAS Variable Name: HIVTSTD3

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985,

code "777777".)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------------|---|-----------|------------|------------------------|
| 11985 - 122008 | Code month and year Notes:/ month and year | 99,531 | 76.72 | 80.75 |
| 777777 | Don't know/Not sure | 29,802 | 22.97 | 18.92 |
| 999999 | Refused | 396 | 0.31 | 0.33 |
| BLANK | Not asked or Missing Notes: Section 18.01, HIVTST6, is coded 2, 7, 9, or Missing | 345,958 | | |

Do Any High Risk Situations Apply

Section: 18.3 HIV/AIDS Type: Num

Column: 202 SAS Variable Name: HIVRISK3

Prologue:

Description: I am going to read you a list. When I am done, please tell me if any of the situations apply to you. You do not need to

tell me which one. You have used intravenous drugs in the past year. You have been treated for a sexually transmitted or venereal disease in the past year. You have given or received money or drugs in exchange for sex in

the past year. You had anal sex without a condom in the past year. Do any of these situations apply to you?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 10,309 | 2.26 | 3.72 |
| 2 | No | 441,347 | 96.71 | 93.72 |
| 7 | Don't know/Not sure | 376 | 0.08 | 0.08 |
| 9 | Refused | 4,333 | 0.95 | 2.48 |
| BLANK | Not asked or Missing | 19,322 | | |

Had a test for high blood sugar or diabetes in the past three years?

Module: 1.1 Pre-Diabetes Type: Num

Column: 210 **SAS Variable Name: PDIABTST**

Prologue:

Description: Have you had a test for high blood sugar or diabetes within the past three years?

| | | | | Weighted |
|-------|----------------------|-----------|------------|------------|
| Value | Value Label | Frequency | Percentage | Percentage |
| 1 | Yes | 125,311 | 57.92 | 53.39 |
| 2 | No | 82,559 | 38.16 | 43.02 |
| 7 | Don't know/Not Sure | 8,375 | 3.87 | 3.53 |
| 9 | Refused | 106 | 0.05 | 0.06 |
| BLANK | Not asked or Missing | 259,336 | | |

Ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Module: 1.2 Pre-Diabetes Type: Num

Column: 211 SAS Variable Name: PREDIAB1

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

(If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 18,763 | 8.67 | 7.37 |
| 2 | Yes, during pregnancy | 2,484 | 1.15 | 1.11 |
| 3 | No | 194,325 | 89.79 | 91.13 |
| 7 | Don't know/Not Sure | 758 | 0.35 | 0.33 |
| 9 | Refused | 98 | 0.05 | 0.05 |
| BLANK | Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 1; If Section 05.13, DIABETE3, is coded 4 automatically code Module 01.02, PREDIAB1, equal to 1 (yes); | 259,259 | | |

Age When Told Diabetic

Module: 2.1 Diabetes Type: Num

Column: 212-213 SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

| Value | Value Label | Frequency | Percentage | Percentage |
|--------|--|-----------|------------|------------|
| 1 - 97 | Age in years [97 = 97 and older] Notes: Code age in years, 97 = 97 or older | 32,616 | 93.69 | 94.63 |
| 98 | Don't know/Not sure | 2,083 | 5.98 | 5.06 |
| 99 | Refused | 114 | 0.33 | 0.31 |
| BLANK | Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 440,874 | | |

Now Taking Insulin

Module: 2.2 Diabetes Type: Num

Column: 214 SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 10,625 | 30.52 | 31.14 |
| 2 | No | 24,148 | 69.37 | 68.79 |
| 9 | Refused | 37 | 0.11 | 0.08 |
| BLANK | Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 440,877 | | |

50 of 162 July 5, 2013

Waighted

How Often Check Blood for Glucose

Module: 2.3 Diabetes Type: Num

Column: 215-217 SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or

friend, but do NOT include times when checked by a health professional.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|--|-----------|------------|------------------------|
| 101 - 199 | Times per day Notes: 1 Times per day | 21,875 | 62.84 | 62.18 |
| 201 - 299 | Times per week Notes: 2 Times per week | 6,014 | 17.28 | 17.47 |
| 301 - 399 | Times per month Notes: 3 Times per month | 1,797 | 5.16 | 5.33 |
| 401 - 499 | Times per year Notes: 4 Times per year | 752 | 2.16 | 2.24 |
| 777 | Don't know/Not sure | 479 | 1.38 | 1.51 |
| 888 | Never | 3,837 | 11.02 | 11.08 |
| 999 | Refused | 57 | 0.16 | 0.20 |
| BLANK | Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 440,876 | | |
| | | | | |

How Often Check Feet for Sores or Irritations

Module: 2.4 Diabetes Type: Num

Column: 218-220 SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family

member or friend, but do NOT include times when checked by a health professional.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|---|-----------|------------|------------------------|
| 101 - 199 | Times per day Notes: 1 Times per day | 21,536 | 61.87 | 61.37 |
| 201 - 299 | Times per week Notes: 2 Times per week | 5,609 | 16.11 | 15.53 |
| 301 - 399 | Times per month Notes: 3 Times per month | 1,578 | 4.53 | 4.66 |
| 401 - 499 | Times per year Notes: 4 Times per year | 514 | 1.48 | 1.56 |
| 555 | No feet | 199 | 0.57 | 0.65 |
| 777 | Don't know/Not sure | 845 | 2.43 | 2.28 |
| 888 | Never | 4,436 | 12.74 | 13.55 |
| 999 | Refused | 94 | 0.27 | 0.41 |
| BLANK | Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 440,876 | | |

Times Seen Health Professional for Diabetes

Module: 2.5 Diabetes Type: Num

Column: 221-222 SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your

diabetes?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 1 - 76 | Number of times [76=76 or more] Notes: Number of times, 76=76 or more | 29,875 | 85.82 | 85.89 |
| 88 | None | 3,752 | 10.78 | 10.79 |
| 77 | Don't know/Not sure | 1,058 | 3.04 | 2.84 |
| 99 | Refused | 126 | 0.36 | 0.49 |
| BLANK | Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 440,876 | | |

Times Checked for Glycosylated Hemoglobin

Module: 2.6 Diabetes Type: Num

Column: 223-224 SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times

in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 1 - 76 | Number of times [76=76 or more] Notes: Number of times, 76 = 76 or more | 27,868 | 80.06 | 79.30 |
| 88 | None | 2,779 | 7.98 | 8.91 |
| 98 | Never heard of "A one C" test | 1,360 | 3.91 | 3.60 |
| 77 | Don't know/Not sure | 2,713 | 7.79 | 7.82 |
| 99 | Refused | 91 | 0.26 | 0.37 |
| BLANK | Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 440,876 | | |

Times Feet Check for Sores/irritations

Module: 2.7 Diabetes Type: Num

Column: 225-226 SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| 1 - 76 | Number of times [76=76 or more] Notes: Number of times, 76=76 or more | 24,263 | 70.10 | 69.80 |
| 88 | None | 9,326 | 26.94 | 27.37 |
| 77 | Don't know/Not sure | 950 | 2.74 | 2.50 |
| 99 | Refused | 73 | 0.21 | 0.33 |
| BLANK | Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing; or Module 2.04, FEETCHK2, is coded 555 | 441,075 | | |

Last Eye Exam Where Pupils Were Dilated

Module: 2.8 Diabetes Type: Num

Column: 227 SAS Variable Name: EYEEXAM

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you

temporarily sensitive to bright light.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Within the past month (anytime less than 1 month ago) | 6,912 | 19.86 | 18.96 |
| 2 | Within the past year (1 month but less than 12 months ago) | 17,024 | 48.91 | 47.78 |
| 3 | Within the past 2 years (1 year but less than 2 years ago) | 4,588 | 13.18 | 13.38 |
| 4 | 2 or more years ago | 4,661 | 13.39 | 14.23 |
| 7 | Don't know/Not sure | 547 | 1.57 | 1.74 |
| 8 | Never | 1,053 | 3.02 | 3.86 |
| 9 | Refused | 25 | 0.07 | 0.05 |
| BLANK | Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 440,877 | | |

Ever Told Diabetes Has Affected Eyes

Module: 2.9 Diabetes Type: Num

Column: 228 SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 6,523 | 18.74 | 19.73 |
| 2 | No | 27,831 | 79.95 | 79.12 |
| 7 | Don't know/Not sure | 438 | 1.26 | 1.08 |
| 9 | Refused | 17 | 0.05 | 0.07 |
| BLANK | Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 440,878 | | |

Ever Taken Class in Managing Diabetes

Module: 2.10 Diabetes Type: Num

Column: 229 SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 18,666 | 53.63 | 53.80 |
| 2 | No | 15,999 | 45.96 | 45.85 |
| 7 | Don't know/Not sure | 125 | 0.36 | 0.31 |
| 9 | Refused | 18 | 0.05 | 0.04 |
| BLANK | Not asked or Missing Notes: Section 05.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 440,879 | | |

How many days hard to do usual activities in past 30 days

Module: 3.1 Healthy Days (Symptoms)

Type: Num

Column: 230-231 SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as

self-care, work, or recreation?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 30 | Number of days | 2,567 | 28.54 | 27.70 |
| 88 | None | 6,283 | 69.87 | 71.19 |
| 77 | Don't know/Not sure | 124 | 1.38 | 0.98 |
| 99 | Refused | 19 | 0.21 | 0.14 |
| BLANK | Not asked or Missing | 466,694 | | |

How many days depressed in past 30 days

Module: 3.2 Healthy Days (Symptoms)

Type: Num

Column: 232-233 SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how may days have you felt sad, blue, or depressed?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 30 | Number of days | 3,178 | 35.38 | 36.68 |
| 88 | None | 5,648 | 62.88 | 61.91 |
| 77 | Don't know/Not sure | 130 | 1.45 | 1.22 |
| 99 | Refused | 26 | 0.29 | 0.19 |
| BLANK | Not asked or Missing | 466,705 | | |

How many days felt anxious in past 30 days

Module: 3.3 Healthy Days (Symptoms)

Type: Num

Column: 234-235 SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 30 | Number of days | 4,532 | 50.49 | 53.56 |
| 88 | None | 4,279 | 47.67 | 45.09 |
| 77 | Don't know/Not sure | 142 | 1.58 | 1.23 |
| 99 | Refused | 23 | 0.26 | 0.13 |
| BLANK | Not asked or Missing | 466,711 | | |
| | | | | |

How many days full of energy in past 30 days

Module: 3.4 Healthy Days (Symptoms)

Type: Num

Column: 236-237 SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 30 | Number of days | 7,367 | 82.18 | 85.30 |
| 88 | None | 1,295 | 14.45 | 12.27 |
| 77 | Don't know/Not sure | 275 | 3.07 | 2.27 |
| 99 | Refused | 28 | 0.31 | 0.17 |
| BLANK | Not asked or Missing | 466,722 | | |

Difficulty recognizing friend across street

Module: 4.1 Visual Impairment and Access to Eye Care Type: Num

SAS Variable Name: VIDFCLT2 Column: 238

Prologue:

Description: How much difficulty, if any, do you have in recognizing a friend across the street? Would you say—

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | No difficulty | 10,764 | 74.49 | 70.41 |
| 2 | A little difficulty | 1,419 | 9.82 | 8.88 |
| 3 | Moderate difficulty | 551 | 3.81 | 3.79 |
| 4 | Extreme difficulty | 146 | 1.01 | 0.91 |
| 5 | Unable to do because of eyesight | 86 | 0.60 | 0.60 |
| 6 | Unable to do for other reasons | 35 | 0.24 | 0.19 |
| 7 | Don't know/Not sure | 16 | 0.11 | 0.05 |
| 8 | Not applicable (Blind)-Go to Next Module | 4 | 0.03 | 0.02 |
| 9 | Refused | 1,429 | 9.89 | 15.15 |
| BLANK | Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; | 461,237 | | |

Difficulty reading typed text

Module: 4.2 Visual Impairment and Access to Eye Care Type: Num

SAS Variable Name: VIREDIF2 Column: 239

Prologue:

Description: How much difficulty, if any, do you have reading print in newspaper, magazine, recipe, menu, or numbers on the

telephone? Would you say-

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | No difficulty | 8,120 | 56.24 | 51.70 |
| 2 | A little difficulty | 2,868 | 19.86 | 19.83 |
| 3 | Moderate difficulty | 1,362 | 9.43 | 9.36 |
| 4 | Extreme difficulty | 445 | 3.08 | 2.68 |
| 5 | Unable to do because of eyesight | 139 | 0.96 | 0.92 |
| 6 | Unable to do for other reasons | 31 | 0.21 | 0.17 |
| 7 | Don't know/Not sure | 33 | 0.23 | 0.10 |
| 8 | Not applicable (Blind)-Go to Next Module | 3 | 0.02 | 0.02 |
| 9 | Refused | 1,438 | 9.96 | 15.22 |
| BLANK | Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, | 461,248 | | |

CDCVISN1, is coded 3; or Module 04.01, VIDFCLT2, is coded as 8;

Last time visited eye care provider

Module: 4.3 Visual Impairment and Access to Eye Care Type: Num

Column: 240 SAS Variable Name: VIPRFVS2

Prologue:

Description: When was the last time you had your eyes examined by any doctor or eye care provider?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Within the past month (anytime less than 1 month ago)—Go to Module 05.05 VIEYEXM2 | 1,609 | 11.15 | 8.53 |
| 2 | Within the past year (1month but less than 12 months ago)—Go to Module 05.05 VIEYEXM2 | 6,719 | 46.55 | 43.05 |
| 3 | Within the past 2 years (lyears but less than 2 years ago) | 2,103 | 14.57 | 13.63 |
| 4 | 2 or more years ago | 2,353 | 16.30 | 17.21 |
| 5 | Never | 167 | 1.16 | 2.08 |
| 7 | Don't know/Not sure | 42 | 0.29 | 0.22 |
| 9 | Refused | 1,442 | 9.99 | 15.28 |
| BLANK | Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; | 461,252 | | |

Reason did not use eye doc past 12 mos

Module: 4.4 Visual Impairment and Access to Eye Care Type: Num

Column: 241-242 SAS Variable Name: VINOCRE2

Prologue:

Description: What is the main reason you have not visited an eye care professional in the past 12 months?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--|-----------|------------|------------|
| 1 | Cost/insurance | 1,344 | 22.02 | 20.59 |
| 2 | Do not have/know an eye doctor | 44 | 0.72 | 0.52 |
| 3 | Cannot get to the office/clinic (too far away,no transportation) | 60 | 0.98 | 0.66 |
| 4 | Could not get an appointment | 63 | 1.03 | 0.86 |
| 5 | No reason to go (no problem) | 2,059 | 33.73 | 31.27 |
| 6 | Have not thought of it | 253 | 4.14 | 3.51 |
| 7 | Other | 787 | 12.89 | 10.50 |
| 8 | Not Applicable (Blind)-Go to Next Module | 1 | 0.02 | 0.02 |
| 77 | Don't know/Not Sure | 48 | 0.79 | 0.49 |
| 99 | Refused | 1,445 | 23.67 | 31.58 |
| BLANK | Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded 1, 2, or 8; | 469,583 | | |

57 of 162 July 5, 2013

Weighted

When last eyexam

Module: 4.5 Visual Impairment and Access to Eye Care Type: Num

Column: 243 SAS Variable Name: VIEYEXM2

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you

temporarily sensitive to bright light.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Within the past month (anytime less than 1 month ago) | 1,031 | 7.89 | 5.91 |
| 2 | Within the past year (1 month but less than 12 months ago) | 4,921 | 37.68 | 33.95 |
| 3 | Within the past 2 years (1 year but less than 2 years) | 1,783 | 13.65 | 13.03 |
| 4 | 2 or more years ago | 2,558 | 19.59 | 18.82 |
| 5 | Never | 1,035 | 7.92 | 10.33 |
| 7 | Don't know/Not Sure | 281 | 2.15 | 1.62 |
| 8 | Not applicable (Blind)-Go to Next Module | 1 | 0.01 | 0.00 |
| 9 | Refused | 1,450 | 11.10 | 16.34 |
| BLANK | Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; or Module 02.08, EYEEXAM, is not blank; or Module 2.08, EYEEXAM, is coded 1, 2, 3, 4, 7, 8 or 9; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; | 462,627 | | |

Eye care health insurance

Module: 4.6 Visual Impairment and Access to Eye Care Type: Num

Column: 244 SAS Variable Name: VIINSUR2

Prologue:

Description: Do you have any kind of health insurance coverage for eye care?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 7,677 | 53.22 | 51.22 |
| 2 | No | 5,068 | 35.14 | 32.45 |
| 7 | Don't know/Not Sure | 223 | 1.55 | 0.93 |
| 9 | Refused | 1,456 | 10.09 | 15.40 |
| BLANK | Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; | 461,263 | | |

58 of 162 July 5, 2013

Waightad

HIth care pro said now have cataracts

Module: 4.7 Visual Impairment and Access to Eye Care Type: Num

Column: 245 SAS Variable Name: VICTRCT4

Prologue:

Description: Have you been told by an eye doctor or other health care professional that you NOW have cataracts?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 2,200 | 15.25 | 11.32 |
| 2 | No, I had them removed | 1,559 | 10.81 | 6.73 |
| 3 | No | 9,170 | 63.58 | 66.33 |
| 7 | Don't know/Not Sure | 38 | 0.26 | 0.22 |
| 8 | Not applicable (Blind)-Go to Next Module | 1 | 0.01 | 0.00 |
| 9 | Refused | 1,455 | 10.09 | 15.40 |
| BLANK | Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8 | 461,264 | | |

HIth care pro EVER said have glaucoma

Module: 4.8 Visual Impairment and Access to Eye Care **Type:** Num

Column: 246 SAS Variable Name: VIGLUMA2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had glaucoma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 670 | 4.65 | 3.82 |
| 2 | No | 12,252 | 84.97 | 80.53 |
| 7 | Don't know/Not Sure | 41 | 0.28 | 0.21 |
| 9 | Refused | 1,456 | 10.10 | 15.45 |
| BLANK | Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, V | 461,268 | | |

HIth care pro EVER said have macular degeneration

Module: 4.9 Visual Impairment and Access to Eye Care Type: Num

Column: 247 SAS Variable Name: VIMACDG2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had age-related macular

degeneration?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 670 | 4.65 | 3.79 |
| 2 | No | 12,200 | 84.62 | 80.13 |
| 7 | Don't know/Not Sure | 86 | 0.60 | 0.53 |
| 9 | Refused | 1,461 | 10.13 | 15.54 |
| BLANK | Not asked or Missing Notes: Section 07.01, AGE, is less than 40; or Section 05.12, CDCVISN1, is coded 3; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, V | 461,270 | | |

How often did you drink regular soda or pop that contains sugar?

Module: 5.1 Sugar Sweetened Beverages and Menu Labeling **Type:** Num

Column: 248-250 SAS Variable Name: SSBSUGR1

Prologue:

Description: During the past 30 days, how often did you drink regular soda or pop that contains sugar? Do not include diet soda

or diet pop.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|----------------------|-----------|------------|------------------------|
| 101 - 199 | Times per day | 15,896 | 13.60 | 15.79 |
| 201 - 299 | Times per week | 11,810 | 10.10 | 12.79 |
| 301 - 399 | Times per month | 32,795 | 28.05 | 27.71 |
| 777 | Don't know/Not sure | 938 | 0.80 | 0.84 |
| 888 | Never | 54,043 | 46.22 | 39.35 |
| 999 | Refused | 1,435 | 1.23 | 3.52 |
| BLANK | Not asked or Missing | 358,770 | | |

How often did you drink sweetened fruit drinks, such as Kool-aid, cranberry juice cocktail, and lemonade?

Module: 5.2 Sugar Sweetened Beverages and Menu Labeling Type: Num

Column: 251-253 SAS Variable Name: SSBFRUT1

Prologue:

Description: During the past 30 days, how often did you drink sweetened fruit drinks, such as Kool-aid, cranberry juice cocktail,

and lemonade? Include fruit drinks you made at home and added sugar to.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|----------------------|-----------|------------|------------------------|
| 101 - 199 | Times per day | 8,868 | 7.59 | 10.15 |
| 201 - 299 | Times per week | 8,905 | 7.62 | 11.23 |
| 301 - 399 | Times per month | 25,717 | 22.01 | 22.70 |
| 777 | Don't know/Not sure | 1,252 | 1.07 | 1.12 |
| 888 | Never | 70,648 | 60.47 | 51.25 |
| 999 | Refused | 1,440 | 1.23 | 3.55 |
| BLANK | Not asked or Missing | 358,857 | | |
| | | | | |

How often does calorie information help you decide what to order?

Module: 5.3 Sugar Sweetened Beverages and Menu Labeling Type: Num

Column: 254-255 SAS Variable Name: SSBCALRI

Prologue: The next question is about eating out at fast food and chain restaurants.

Description: When calorie information is available in the restaurant, how often does this information help you decide what to

order?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Always | 10,972 | 9.63 | 11.66 |
| 2 | Most of the time | 14,373 | 12.62 | 14.34 |
| 3 | About half the time | 9,491 | 8.33 | 8.38 |
| 4 | Sometimes | 23,046 | 20.24 | 20.74 |
| 5 | Never | 44,291 | 38.89 | 35.76 |
| 6 | Never noticed or never looked for calorie information | 2,620 | 2.30 | 2.10 |
| 8 | Usually cannot find calorie information | 326 | 0.29 | 0.18 |
| 55 | Do not eat at fast food or chain restaurants | 7,602 | 6.68 | 5.59 |
| 77 | Don't know/Not sure | 451 | 0.40 | 0.31 |
| 99 | Refused | 709 | 0.62 | 0.94 |
| BLANK | Not asked or Missing | 361,806 | | |

Number Of Sunburns In Past 12 Months

Module: 6.1 Excess Sun Exposure Type: Num

Column: 256 SAS Variable Name: NUMBURN2

Prologue:

Description: In the past 12 months, how many times did you have a red OR painful sunburn that lasted a day or more?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | One | 4,904 | 11.78 | 13.98 |
| 2 | Two | 2,086 | 5.01 | 6.49 |
| 3 | Three | 678 | 1.63 | 2.21 |
| 4 | Four | 226 | 0.54 | 0.69 |
| 5 | Five or more | 574 | 1.38 | 1.88 |
| 7 | Don't know/Not sure | 265 | 0.64 | 0.76 |
| 8 | None | 32,776 | 78.72 | 73.64 |
| 9 | Refused | 128 | 0.31 | 0.36 |
| BLANK | Not asked or Missing | 434,050 | | |

How many days did you not get enough sleep in past 30 days

Module: 7.1 Inadequate Sleep Type: Num

Column: 257-258 SAS Variable Name: QLREST2

Prologue:

Description: During the past 30 days, for about how many days have you felt you did not get enough rest or sleep?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 30 | Number of days | 15,947 | 62.46 | 62.93 |
| 88 | None | 8,933 | 34.99 | 34.65 |
| 77 | Don't know/Not sure | 620 | 2.43 | 2.32 |
| 99 | Refused | 33 | 0.13 | 0.10 |
| BLANK | Not asked or Missing | 450,154 | | |

How Much Time Do You Sleep

Module: 7.2 Inadequate Sleep Type: Num

Column: 259-260 SAS Variable Name: SLEPTIME

Prologue:

Description: On average, how many hours of sleep do you get in a 24-hour period? Think about the time you actually spend

sleeping or napping, not just the amount of sleep you think you should get. (Enter hours of sleep in whole numbers,

rounding 30 minutes (1/2 hour) or more up to the next whole hour and dropping 29 or fewer minutes.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|------------------------|-----------|------------|------------------------|
| 1 - 24 | Number of hours [1-24] | 25,142 | 98.53 | 98.59 |
| 77 | Don't know/Not Sure | 350 | 1.37 | 1.30 |
| 99 | Refused | 26 | 0.10 | 0.11 |
| BLANK | Missing | 450,169 | | |
| | | | | |

Do you snore?

Module: 7.3 Inadequate Sleep Type: Num

Column: 261 SAS Variable Name: SLEPSNOR

Prologue:

Description: Do you snore? (If the respondent indicates that their spouse or someone told him/her that they snore, then the

answer to the question is 'Yes' the respondent snores.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 12,238 | 47.97 | 48.09 |
| 2 | No | 10,507 | 41.18 | 42.93 |
| 7 | Don't know/Not Sure | 2,760 | 10.82 | 8.91 |
| 9 | Refused | 8 | 0.03 | 0.07 |
| BLANK | Not asked or Missing | 450,174 | | |

Number of Days in Past Thirty Felt You Did Not Get Enough Sleep

Module: 7.4 Inadequate Sleep Type: Num

Column: 262-263 SAS Variable Name: SLEPDAY

Prologue:

Description: During the past 30 days, for about how many days did you find yourself unintentionally falling asleep during the day?

| Value | Value Label | Frequency | Percentage | Percentage |
|--------|-----------------------|-----------|------------|------------|
| 1 - 30 | Number of days [1-30] | 8,134 | 31.89 | 32.15 |
| 88 | None | 16,771 | 65.76 | 65.58 |
| 77 | Don't know/Not Sure | 588 | 2.31 | 2.21 |
| 99 | Refused | 12 | 0.05 | 0.06 |
| BLANK | Missing | 450,182 | | |

63 of 162 July 5, 2013

Maightad

Number of Days in Past Thirty Fell Asleep While Driving

Module: 7.5 Inadequate Sleep Type: Num

Column: 264 SAS Variable Name: SLEPDRIV

Prologue:

Description: During the past 30 days, have you ever nodded off or fallen asleep, even just for a brief moment, while driving?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 758 | 2.97 | 3.66 |
| 2 | No | 22,871 | 89.71 | 89.50 |
| 3 | Don't drive | 1,787 | 7.01 | 6.54 |
| 4 | Don't have license | 46 | 0.18 | 0.20 |
| 7 | Don't know/Not Sure | 17 | 0.07 | 0.04 |
| 9 | Refused | 14 | 0.05 | 0.07 |
| BLANK | Not asked or Missing | 450,194 | | |
| | | | | |

How many times did you drink 100%% PURE fruit juices?

Module: 8.1 Fruits and Vegetables Type: Num

Column: 265-267 SAS Variable Name: FRUITJU1

Prologue:

Description: During the past month, how many times per day, week or month did you drink 100%% PURE fruit juices? Do not

include fruit-flavored drinks with added sugar or fruit juice you made at home and added sugar to. Only include

100%% juice.

| Value | Value Label | Frequency | Percentage | Percentage |
|-----------|------------------------------|-----------|------------|------------|
| 101 - 199 | Per day | 8,873 | 17.88 | 15.97 |
| 201 - 299 | Per week | 7,292 | 14.70 | 17.31 |
| 300 | Less than one time per month | 881 | 1.78 | 1.02 |
| 301 - 399 | Per month | 12,994 | 26.19 | 26.31 |
| 555 | Never | 17,107 | 34.48 | 32.66 |
| 777 | Don't know/Not sure | 959 | 1.93 | 1.54 |
| 999 | Refused | 1,514 | 3.05 | 5.19 |
| BLANK | Not asked or Missing | 426,067 | | |

64 of 162 July 5, 2013

Waightad

How many times did you eat fruit?

Module: 8.2 Fruits and Vegetables Type: Num

Column: 268-270 SAS Variable Name: FRUIT1

Prologue:

Description: During the past month, not counting juice, how many times per day, week, or month did you eat fruit? Count fresh,

frozen, or canned fruit. (Read only if necessary: "Your best guess is fine. Include apples, bananas, applesauce,

oranges, grape fruit, fruit salad, watermelon, cantaloupe or musk melon, papaya, lychees, star fruit,)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|------------------------|
| 101 - 199 | Per day | 20,785 | 41.92 | 40.00 |
| 201 - 299 | Per week | 10,700 | 21.58 | 22.80 |
| 300 | Less than one time per month | 118 | 0.24 | 0.19 |
| 301 - 399 | Per month | 14,140 | 28.52 | 27.30 |
| 555 | Never | 1,688 | 3.40 | 3.55 |
| 777 | Don't know/Not sure | 607 | 1.22 | 0.94 |
| 999 | Refused | 1,545 | 3.12 | 5.21 |
| BLANK | Not asked or Missing | 426,104 | | |
| | | | | |

How many times did you eat beans or lentils?

Module: 8.3 Fruits and Vegetables Type: Num

Column: 271-273 SAS Variable Name: FVBEANS

Proloque:

Description: During the past month, how many times per day, week, or month did you eat cooked or canned beans, such as

refried, baked, black, garbanzo beans, beans in soup, soybeans, edamame, tofu or lentils. Do NOT include long green beans. (Read only if necessary: "Include round or oval beans or peas such as navy, pinto, split peas, cow peas, garbanzo beans, lentils, soy beans and tofu. Do NOT include long green beans such as string beans, broad or

winged beans, or pole beans.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|------------------------|
| 101 - 199 | Per day | 2,563 | 5.17 | 6.44 |
| 201 - 299 | Per week | 14,537 | 29.34 | 30.51 |
| 300 | Less than one time per month | 577 | 1.16 | 0.65 |
| 301 - 399 | Per month | 21,629 | 43.65 | 41.21 |
| 555 | Never | 7,834 | 15.81 | 14.63 |
| 777 | Don't know/Not sure | 864 | 1.74 | 1.23 |
| 999 | Refused | 1,544 | 3.12 | 5.33 |
| BLANK | Not asked or Missing | 426,139 | | |

How many times did you eat dark green vegetables?

Module: 8.4 Fruits and Vegetables Type: Num

Column: 274-276 SAS Variable Name: FVGREEN

Prologue:

Description: During the past month, how many times per day, week, or month did you eat dark green vegetables for example

broccoli or dark leafy greens including romaine, chard, collard greens or spinach?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|------------------------|
| 101 - 199 | Per day | 8,590 | 17.35 | 16.73 |
| 201 - 299 | Per week | 16,873 | 34.07 | 33.74 |
| 300 | Less than one time per month | 194 | 0.39 | 0.30 |
| 301 - 399 | Per month | 18,513 | 37.39 | 36.13 |
| 555 | Never | 3,165 | 6.39 | 6.80 |
| 777 | Don't know/Not sure | 590 | 1.19 | 0.85 |
| 999 | Refused | 1,593 | 3.22 | 5.44 |
| BLANK | Not asked or Missing | 426,169 | | |
| | | | | |

How many times did you eat orange-colored vegetables?

Module: 8.5 Fruits and Vegetables Type: Num

Column: 277-279 SAS Variable Name: FVORANG

Prologue:

Description: During the past month, how many times per day, week, or month did you eat orange-colored vegetables such as

sweet potatoes, pumpkin, winter squash, or carrots? (Read only if needed: "Winter squash have hard, thick skins

and deep yellow to orange flesh. They include acorn, buttercup, and spaghetti squash.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|------------------------|
| 101 - 199 | Per day | 3,079 | 6.22 | 6.34 |
| 201 - 299 | Per week | 15,554 | 31.44 | 29.62 |
| 300 | Less than one time per month | 422 | 0.85 | 0.65 |
| 301 - 399 | Per month | 21,749 | 43.96 | 41.44 |
| 555 | Never | 6,365 | 12.86 | 15.44 |
| 777 | Don't know/Not sure | 718 | 1.45 | 0.99 |
| 999 | Refused | 1,591 | 3.22 | 5.50 |
| BLANK | Not asked or Missing | 426,209 | | |

How many times did you eat OTHER vegetables?

Module: 8.6 Fruits and Vegetables Type: Num

Column: 280-282 SAS Variable Name: VEGETAB1

Prologue:

Description: Not counting what you just told me about, during the past month, about how many times per day, week, or month did

you eat OTHER vegetables? Examples of other vegetables include tomatoes, tomato juice or V-8 juice, corn, eggplant, peas, lettuce, cabbage, and white potatoes that are not fried such as baked or mashed potatoes.(Read

only if needed: "Do not count vegetables you have already counted and do not include fried potatoes.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|------------------------|
| 101 - 199 | Servings per day | 15,780 | 31.92 | 29.17 |
| 201 - 299 | Servings per week | 13,475 | 27.26 | 28.52 |
| 300 | Less than one time per month | 62 | 0.13 | 0.08 |
| 301 - 399 | Servings per month | 16,878 | 34.14 | 33.12 |
| 555 | Never | 781 | 1.58 | 2.18 |
| 777 | Don't know/Not sure | 769 | 1.56 | 1.21 |
| 999 | Refused | 1,692 | 3.42 | 5.72 |
| BLANK | Not asked or Missing | 426,250 | | |
| | | | | |

Age at Asthma Diagnosis

Module: 9.1 Adult Asthma History Type: Num

Column: 283-284 SAS Variable Name: ASTHMAGE

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|---|-----------|------------|------------------------|
| 11 - 96 | Age 11 or older [96 = 96 and older] Notes: 96=96 and older | 2,042 | 66.17 | 59.07 |
| 97 | Age 10 or younger | 734 | 23.78 | 31.24 |
| 98 | Don't know/Not sure | 207 | 6.71 | 6.70 |
| 99 | Refused | 103 | 3.34 | 2.99 |
| BLANK | Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing | 472,601 | | |

Asthma During Past 12 Months

Module: 9.2 Adult Asthma History Type: Num

Column: 285 SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 1,059 | 45.57 | 45.68 |
| 2 | No-Go to Module 09.05 ASRCHKUP | 1,181 | 50.82 | 51.08 |
| 7 | Don't know/Not sure-Go to Module 09.05 ASRCHKUP | 19 | 0.82 | 0.55 |
| 9 | Refused-Go to Module 09.05 ASRCHKUP | 65 | 2.80 | 2.69 |
| BLANK | Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing | 473,363 | | |

Emergency Asthma Care During Past 12 Months

Module: 9.3 Adult Asthma History Type: Num

Column: 286-287 SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your

asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| 1 - 87 | Number of visits [87 = 87 or more] Notes: 87=87 or more | 277 | 26.16 | 28.59 |
| 88 | None | 770 | 72.71 | 70.16 |
| 98 | Don't know/Not sure | 11 | 1.04 | 1.24 |
| 99 | Refused | 1 | 0.09 | 0.01 |
| BLANK | Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 09.02. ASATTACK, is coded 2, 7, 9 or Missing | 474,628 | | |

Urgent Asthma Treatment During Past 12 Months

Module: 9.4 Adult Asthma History Type: Num

Column: 288-289 SAS Variable Name: ASDRVIST

Prologue: If one or more visits to Q3, fill in "Besides those emergency room or urgent care center visits,"]

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent

treatment of worsening asthma symptoms?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 1 - 87 | Number of visits [87 = 87 or more] Notes: 87=87 or more | 457 | 43.15 | 41.44 |
| 88 | None | 585 | 55.24 | 56.68 |
| 98 | Don't know/Not sure | 16 | 1.51 | 1.43 |
| 99 | Refused | 1 | 0.09 | 0.45 |
| BLANK | Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 09.02, ASATTACK, is coded 2, 7, 9 or Missing | 474,628 | | |

Routine Asthma Care During Past 12 Months

Module: 9.5 Adult Asthma History Type: Num

Column: 290-291 SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine

checkup for your asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| 1 - 87 | Number of visits [87 = 87 or more] | 1,351 | 58.18 | 55.58 |
| 88 | None | 874 | 37.64 | 40.66 |
| 98 | Don't know/Not sure | 17 | 0.73 | 0.74 |
| 99 | Refused | 80 | 3.45 | 3.02 |
| BLANK | Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing | 473,365 | | |

Activities Limited Because of Asthma During Past 12 Months

Module: 9.6 Adult Asthma History Type: Num

Column: 292-294 **SAS Variable Name: ASACTLIM**

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of

your asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|---|-----------|------------|------------------------|
| 1 - 365 | Number of days | 603 | 26.00 | 26.75 |
| 777 | Don't know/Not sure | 100 | 4.31 | 3.96 |
| 888 | None | 1,542 | 66.49 | 66.35 |
| 999 | Refused | 74 | 3.19 | 2.93 |
| BLANK | Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing | 473,368 | | |

Asthma Symptoms During Past 30 Days

Module: 9.7 Adult Asthma History Type: Num

Column: 295 **SAS Variable Name: ASYMPTOM**

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when

you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of

asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Less than once a week | 476 | 20.55 | 21.61 |
| 2 | Once or twice a week | 447 | 19.30 | 20.19 |
| 3 | More that 2 times a week, but not every day | 207 | 8.94 | 8.68 |
| 4 | Every day, but not all the time | 295 | 12.74 | 13.45 |
| 5 | Every day, all the time | 141 | 6.09 | 4.95 |
| 7 | Don't know/Not sure | 60 | 2.59 | 2.27 |
| 8 | Not at any time-Go to Module 09.09 ASTHMED3 | 609 | 26.30 | 25.12 |
| 9 | Refused | 81 | 3.50 | 3.71 |
| BLANK | Not asked or Missing Notes: Section 05.04. ASTHMA3. is coded 2. 7. 9. or Missing; or | 473,371 | | |

Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing

Sleep Difficulty Because of Asthma During Past 30 Days

Module: 9.8 Adult Asthma History Type: Num

Column: 296 SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep? Would you

say-

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | One or two | 292 | 17.14 | 17.97 |
| 2 | Three to four | 163 | 9.57 | 9.14 |
| 3 | Five | 54 | 3.17 | 3.88 |
| 4 | Six to ten | 80 | 4.69 | 4.96 |
| 5 | More than ten | 182 | 10.68 | 9.49 |
| 7 | Don't know/Not sure | 44 | 2.58 | 2.33 |
| 8 | None | 811 | 47.59 | 47.47 |
| 9 | Refused | 78 | 4.58 | 4.77 |
| BLANK | Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 09.07, ASYMPTOM, is coded 8 | 473,983 | | |

Days used prescribed preventative asthma med in past 30 days

Module: 9.9 Adult Asthma History Type: Num

Column: 297 SAS Variable Name: ASTHMED3

Prologue:

Description: During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma

attack from occurring?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | 1 to 14 days | 393 | 17.01 | 19.78 |
| 2 | 15 to 24 days | 92 | 3.98 | 3.91 |
| 3 | 25 to 30 days | 920 | 39.83 | 34.99 |
| 7 | Don't know/Not sure | 40 | 1.73 | 1.35 |
| 8 | Never | 775 | 33.55 | 36.21 |
| 9 | Refused | 90 | 3.90 | 3.75 |
| BLANK | Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or | 473,377 | | |

Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing

Times used asthma inhaler during an attack in past 30 days

Module: 9.10 Adult Asthma History Type: Num

Column: 298 SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to

stop it?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | 1 to 4 times (in the past 30 days) | 568 | 24.64 | 25.52 |
| 2 | 5 to 14 times (in the past 30 days) | 220 | 9.54 | 9.34 |
| 3 | 15 to 29 times (in the past 30 days) | 120 | 5.21 | 4.88 |
| 4 | 30 to 59 times (in the past 30 days) | 125 | 5.42 | 4.79 |
| 5 | 60 to 99 times (in the past 30 days) | 39 | 1.69 | 1.64 |
| 6 | 100 or more times (in the past 30 days) | 29 | 1.26 | 0.97 |
| 7 | Don't know/Not sure | 59 | 2.56 | 2.22 |
| 8 | Never (include no attack in past 30 days) | 1,050 | 45.55 | 46.63 |
| 9 | Refused | 95 | 4.12 | 4.00 |
| BLANK | Not asked or Missing Notes: Section 05.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 05.05, ASTHNOW, is coded 2, 7, 9, or Missing | 473,382 | | |

Do you currently volunteer or work in a hospital, medical clinic, doctor's office, dentist's office, nursing home or some other health-care facility?

Module: 10.1 High Risk/Health Care Worker Type: Num

Column: 299 SAS Variable Name: WRKHCF1

Prologue:

Description: Do you currently volunteer or work in a hospital, medical clinic, doctor's office, dentist's office, nursing home or some

other health-care facility? This includes part-time and unpaid work in a health care facility as well as professional

nursing care provided in the home.

Value Value Label Weighted Frequency Percentage Percentage

BLANK Not asked or Missing 475,687

Do you provide direct patient care as part of your routine work?

Module: 10.2 High Risk/Health Care Worker Type: Num

Column: 300 SAS Variable Name: DIRCONT1

Prologue:

Description: Do you provide direct patient care as part of your routine work? By direct patient care we mean physical or hands-on

contact with patients.

Value Value Label Weighted Frequency Percentage Percentage

BLANK Not asked or Missing 475,687

Notes: Module 10.01, WRKHCF1, is coded 2, 7, 9 or missing

Has A Doctor, Nurse, Or Other Health Professional Ever Said That You Have...Problem Caused By A Chronic Illness Or By Medicines; Taken For A Chronic Illness?

Module: 10.3 High Risk/Health Care Worker Type: Num

Column: 301 SAS Variable Name: DRHPAD1

Prologue:

Description: Has a doctor, nurse, or other health professional ever said that you have... Lung problems, other than asthma,

Kidney problems, Anemia, including Sickle Cell, Or A weakened immune system caused by a chronic illness or by

medicines, taken for a chronic illness?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 475,687

Still have this health problem

Module: 10.4 High Risk/Health Care Worker Type: Num

Column: 302 SAS Variable Name: HAVHPAD

Prologue:

Description: Do you still have (this/any of these) problem(s)?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 475,687

Notes: Module 10.03, DRHPAD1, is coded 2, 7, 9 or Missing

Have You Had Shingles Vaccine?

Module: 11.1 Shingles (Zostavax or ZOS)

Type: Num

Column: 303 SAS Variable Name: SHINGLE1

Prologue:

Description: A vaccine for shingles has been available since May 2006, it is called Zostavax®, the zoster vaccine, or the shingles

vaccine. Have you had this vaccine?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 3,549 | 17.12 | 13.04 |
| 2 | No | 16,875 | 81.40 | 85.52 |
| 7 | Don't know/Not Sure | 290 | 1.40 | 1.30 |
| 9 | Refused | 16 | 0.08 | 0.14 |
| BLANK | Not asked or Missing Notes: Section 7.01, AGE, is less than 50 | 454,957 | | |

Received Tetanus Shot In The Past 10 Years?

Module: 12.1 Tetanus Diphtheria (Adults)

Type: Num

Column: 304 SAS Variable Name: TNSARCV

Prologue:

Description: Have you received a tetanus shot in the past 10 years?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------------|-----------|------------|------------------------|
| 1 | Yes | 24,836 | 71.97 | 67.40 |
| 2 | No-Go to next module | 7,336 | 21.26 | 24.91 |
| 7 | Don't know/Not Sure-Go to next module | 2,330 | 6.75 | 7.68 |
| 9 | Refused-Go to next module | 7 | 0.02 | 0.01 |
| BLANK | Not asked or Missing | 441,178 | | |

Was Most Recent Tetanus Shot In 2005 Or Later?

Module: 12.2 Tetanus Diphtheria (Adults)

Type: Num

Column: 305 SAS Variable Name: TNSARCNT

Prologue:

Description: Was your most recent tetanus shot given in 2005 or later?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 17,946 | 72.29 | 73.78 |
| 2 | No-Go to next module | 4,104 | 16.53 | 16.74 |
| 7 | Don't know/Not Sure | 2,766 | 11.14 | 9.38 |
| 9 | Refused | 10 | 0.04 | 0.10 |
| BLANK | Not asked or Missing Notes: Module 12.01, TNSARCV, is coded 2, 7, 9 or Missing | 450,861 | | |

Did Tetanus Shot Included The Pertussis Vaccine?

Module: 12.3 Tetanus Diphtheria (Adults)

Type: Num

Column: 306 SAS Variable Name: TNSASHT1

Prologue: There are currently two types of tetanus shots available for adults. One contains the tetanus diphtheria vaccine. The

other type contains tetanus diphtheria and pertussis or whooping cough vaccine.

Description: Did your doctor say your recent tetanus shot included the pertussis or whooping cough vaccine?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes (included pertusis) | 4,168 | 20.14 | 18.14 |
| 2 | No (did not include pertusis) | 7,287 | 35.20 | 35.96 |
| 7 | Don't know/Not Sure | 9,233 | 44.61 | 45.79 |
| 9 | Refused | 11 | 0.05 | 0.10 |
| BLANK | Not asked or Missing Notes: Module 12.01, TNSARCV, is coded 2, 7, 9 or Missing; or Module 12.02, TNSARCNT, is coded 2 | 454,988 | | |

Have you ever had the HPV vaccination?

Module: 13.1 Adult Human Papilloma Virus (HPV)

Type: Num

Column: 307 SAS Variable Name: HPVADVC2

Prologue: A vaccine to prevent the human papilloma virus or HPV infection is available and is called the cervical cancer or

genital warts vaccine, HPV shot, [Fill: if female "GARDASIL or CERVARIX", if male "GARDASIL"].

Description: Have you ever had the HPV vaccination? (Human Papilloma Virus (Human Pap•uh•loh•muh Virus), Gardasil

(Gar•duh• seel), Cervarix (Serv a rix))

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 1,791 | 8.14 | 8.16 |
| 2 | No-Go to Next Module | 19,082 | 86.71 | 84.57 |
| 3 | Doctor refused when asked-Go to Next Module | 18 | 0.08 | 0.05 |
| 7 | Don't know/Not Sure-Go to Next Module | 1,091 | 4.96 | 7.11 |
| 9 | Refused-Go to Next Module | 25 | 0.11 | 0.10 |
| BLANK | Not asked or Missing Notes: Section 7.01, AGE, is greater than 49 | 453,680 | | |

How many HPV shots did you receive?

Module: 13.2 Adult Human Papilloma Virus (HPV)

Type: Num

Column: 308-309 SAS Variable Name: HPVADSHT

Prologue:

Description: How many HPV shots did you receive?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 - 2 | Number of shots | 531 | 29.71 | 32.85 |
| 3 | All shots | 952 | 53.27 | 55.89 |
| 77 | Don't know/Not Sure | 299 | 16.73 | 10.74 |
| 99 | Refused | 5 | 0.28 | 0.51 |
| BLANK | Not asked or Missing Notes: Section 7.01, AGE, is greater than 49; or Module 13.01, HPVADVC2, is coded 2, 3, 7, 9 or Missing | 473,900 | | |

Why was PSA test done?

Module: 14.1 Prostate Cancer Screening Decision Making Module Type: Num

Column: 310 SAS Variable Name: PCPSADEC

Prologue:

Description: Which of the following best describes the decision to have the PSA test done?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | You made the decision—Go to next module | 887 | 20.21 | 22.62 |
| 2 | Your doctor/nurse/health care provider made the decision—Go to next module | 1,716 | 39.10 | 35.03 |
| 3 | Your doctor/nurse/health care provider and you made the decision together | 1,284 | 29.25 | 29.48 |
| 4 | Your spouse/significant other/family member made the decision—Go to next module | 462 | 10.53 | 11.70 |
| 9 | Refused | 40 | 0.91 | 1.17 |
| BLANK | Not asked or Missing Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2; or Section 16.04, PSATEST1, is coded, 2, 7, 9, or Missing | 471,298 | | |

Who made the decision with you to have PSA test?

Type: Char Module: 14.2 Prostate Cancer Screening Decision Making Module

Column: 311-315 SAS Variable Name: PCDMDECN

Prologue:

Description: Who made the decision with you? (Mark all that apply)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------------------|-----------|------------|------------------------|
| 1 | Doctor/nurse/health care provider | 595 | 45.14 | 69.76 |
| 2 | Spouse/significant other | 34 | 2.58 | 4.87 |
| 3 | Other family member | 17 | 1.29 | 2.80 |
| 4 | Friend/non-relative | 4 | 0.30 | 1.31 |
| 7 | Don't know/Not Sure | 8 | 0.61 | 0.72 |
| 9 | Refused | 26 | 1.97 | 3.05 |
| 18 | | 492 | 37.33 | 11.86 |
| 28 | | 38 | 2.88 | 1.03 |
| 38 | | 1 | 0.08 | 0.09 |
| 48 | | 7 | 0.53 | 0.13 |
| 128 | | 74 | 5.61 | 3.74 |
| 138 | | 10 | 0.76 | 0.37 |
| 148 | | 2 | 0.15 | 0.08 |
| 218 | | 4 | 0.30 | 0.09 |
| 238 | | 2 | 0.15 | 0.04 |
| 328 | | 1 | 0.08 | 0.03 |
| 418 | | 1 | 0.08 | 0.01 |
| 1238 | | 2 | 0.15 | 0.02 |
| BLANK | Not asked or Missing | 474,369 | | |

Notes: Section 7.01, AGE, is less than 40; or Section 07.22, SEX, is coded 2; or Section 16.04, PSATEST1, is coded, 2, 7, 9, or Missing; or Module 14.01, PCPSADEC, is coded 1, 2, or 4

How Many Types of Cancer?

Module: 15.1 Cancer Survivorship Type: Num

Column: 316 SAS Variable Name: CNCRDIFF

Prologue:

Description: How many different types of cancer have you had?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Only one | 5,199 | 78.71 | 79.46 |
| 2 | Two | 1,039 | 15.73 | 14.70 |
| 3 | Three or more | 207 | 3.13 | 3.09 |
| 7 | Don't know/Not Sure-Go to next module | 89 | 1.35 | 1.88 |
| 9 | Refused-Go to next module | 71 | 1.07 | 0.87 |
| BLANK | Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing | 469,082 | | |

Age Told Had Cancer

Module: 15.2 Cancer Survivorship Type: Num

Column: 317-318 SAS Variable Name: CNCRAGE

Prologue:

Description: At what age were you told that you had cancer? (If Response = 2 (Two) or 3 (Three or more), ask: "At what age

was your first diagnosis of cancer?")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 1 - 97 | Age in years Notes: 97 = 97 and older | 6,134 | 95.16 | 96.07 |
| 98 | Don't know/Not Sure | 288 | 4.47 | 3.65 |
| 99 | Refused | 24 | 0.37 | 0.28 |
| BLANK | Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or missing | 469,241 | | |

Type of Cancer

Module: 15.3 Cancer Survivorship Type: Num

Column: 319-320 SAS Variable Name: CNCRTYP1

Prologue:

Description: What type of cancer was it? (If Response = 2 (Two) or 3 (Three or more), ask: "With your most recent diagnoses of cancer, what type of cancer was it?")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Breast cancer | 955 | 14.99 | 12.90 |
| 2 | Cervical cancer (cancer of the cervix) | 291 | 4.57 | 5.46 |
| 3 | Endometrial cancer (cancer of the uterus) | 106 | 1.66 | 1.94 |
| 4 | Ovarian cancer (cancer of the ovary) | 101 | 1.59 | 1.35 |
| 5 | Head and neck cancer | 14 | 0.22 | 0.13 |
| 6 | Oral cancer | 12 | 0.19 | 0.29 |
| 7 | Pharyngeal (throat) cancer | 19 | 0.30 | 0.25 |
| 8 | Thyroid | 112 | 1.76 | 2.12 |
| 9 | Larynx | 12 | 0.19 | 0.14 |
| 10 | Colon (intestine) cancer | 267 | 4.19 | 3.92 |
| 11 | Esophageal (esophagus) | 16 | 0.25 | 0.20 |
| 12 | Liver cancer | 14 | 0.22 | 0.17 |
| 13 | Pancreatic (pancreas) cancer | 13 | 0.20 | 0.22 |
| 14 | Rectal (rectum) cancer | 20 | 0.31 | 0.21 |
| 15 | Stomach | 16 | 0.25 | 0.24 |
| 16 | Hodgkin's Lymphoma (Hodgkin's disease) | 33 | 0.52 | 0.63 |
| 17 | Leukemia (blood) cancer | 44 | 0.69 | 0.83 |
| 18 | Non-Hodgkin´s Lymphoma | 55 | 0.86 | 0.64 |
| 19 | Prostate cancer | 502 | 7.88 | 9.38 |
| 20 | Testicular cancer | 20 | 0.31 | 0.58 |
| 21 | Melanoma | 801 | 12.58 | 13.82 |
| 22 | Other skin cancer | 2,057 | 32.30 | 30.68 |
| 23 | Heart | 2 | 0.03 | 0.03 |
| 24 | Lung | 120 | 1.88 | 1.97 |
| 25 | Bladder cancer | 95 | 1.49 | 1.34 |
| 26 | Renal (kidney) cancer | 54 | 0.85 | 1.22 |
| 27 | Bone | 18 | 0.28 | 0.26 |
| 28 | Brain | 18 | 0.28 | 0.15 |
| 29 | Neuroblastoma | 3 | 0.05 | 0.05 |
| 30 | Other | 341 | 5.35 | 5.91 |
| 77 | Don't know/Not Sure | 215 | 3.38 | 2.68 |
| 99 | Refused | 23 | 0.36 | 0.31 |
| BLANK | Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or missing | 469,318 | | |

Currently Receiving Treatment for Cancer

Module: 15.4 Cancer Survivorship Type: Num

Column: 321 SAS Variable Name: CSRVTRT1

Prologue:

Description: Are you currently receiving treatment for cancer? By treatment, we mean surgery, radiation therapy, chemotherapy,

or chemotherapy pills.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes-Go to next module | 590 | 9.61 | 11.06 |
| 2 | No, I've completed treatment | 3,962 | 64.54 | 65.97 |
| 3 | No, I've refused treatment—Go to next module | 104 | 1.69 | 2.28 |
| 4 | No, I haven't started treatment—Go to next module | 996 | 16.22 | 16.38 |
| 7 | Don't know/Not Sure-Go to next module | 458 | 7.46 | 4.02 |
| 9 | Refused—Go to next module | 29 | 0.47 | 0.29 |
| BLANK | Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or missing | 469,548 | | |

What Type of Doctor Provides Majority of Your Care

Module: 15.5 Cancer Survivorship Type: Num

Column: 322-323 SAS Variable Name: CSRVDOC1

Prologue:

Description: What type of doctor provides the majority of your health care?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Cancer Surgeon | 170 | 4.30 | 4.65 |
| 2 | Family Practitioner | 1,674 | 42.29 | 41.37 |
| 3 | General Surgeon | 85 | 2.15 | 2.43 |
| 4 | Gynecologic Oncologist | 137 | 3.46 | 3.93 |
| 5 | General Practitioner, Internist | 1,027 | 25.95 | 24.03 |
| 6 | Plastic Surgeon, Reconstructive Surgeon | 34 | 0.86 | 0.75 |
| 7 | Medical Oncologist | 124 | 3.13 | 3.00 |
| 8 | Radiation Oncologist | 25 | 0.63 | 0.72 |
| 9 | Urologist | 68 | 1.72 | 1.93 |
| 10 | Other | 519 | 13.11 | 15.06 |
| 77 | Don't know/Not Sure | 87 | 2.20 | 2.08 |
| 99 | Refused | 8 | 0.20 | 0.06 |
| BLANK | Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing; | 471,729 | | |

Did You Receive a Summary of Cancer Treatments Received

Module: 15.6 Cancer Survivorship Type: Num

Column: 324 SAS Variable Name: CSRVSUM

Prologue:

Description: Did any doctor, nurse, or other health professional EVER give you a written summary of all the cancer treatments

that you received?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 1,274 | 32.20 | 32.59 |
| 2 | No | 2,393 | 60.48 | 61.25 |
| 7 | Don't know/Not Sure | 280 | 7.08 | 6.03 |
| 9 | Refused | 10 | 0.25 | 0.12 |
| BLANK | Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing; | 471,730 | | |

Ever Receive Instructions From A Doctor For Follow-Up Check-Ups

Module: 15.7 Cancer Survivorship Type: Num

Column: 325 SAS Variable Name: CSRVRTRN

Prologue:

Description: Have you EVER received instructions from a doctor, nurse, or other health professional about where you should

return or who you should see for routine cancer check-ups after completing treatment for cancer?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 2,690 | 68.02 | 67.01 |
| 2 | No-Go to Module 15.10 CSRVDEIN | 1,159 | 29.30 | 30.99 |
| 7 | Don't know/Not Sure-Go to Module 15.10 CSRVDEIN | 101 | 2.55 | 1.92 |
| 9 | Refused-Go to Module 15.10 CSRVDEIN | 5 | 0.13 | 0.08 |
| BLANK | Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing; | 471,732 | | |

Instructions Written or Printed

Module: 15.8 Cancer Survivorship Type: Num

Column: 326 SAS Variable Name: CSRVINST

Prologue:

Description: Were these instructions written down or printed on paper for you?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 1,745 | 64.89 | 66.71 |
| 2 | No | 708 | 26.33 | 25.24 |
| 7 | Don't know/Not Sure | 236 | 8.78 | 8.05 |
| BLANK | Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing; or | 472,998 | | |

Did Health Insurance Pay For All Of Your Cancer Treatment

Module: 15.9 Cancer Survivorship Type: Num

Column: 327 SAS Variable Name: CSRVINSR

Prologue:

Description: With your most recent diagnosis of cancer, did you have health insurance that paid for all or part of your cancer

treatment? ("Health insurance" also includes Medicare, Medicaid, or other types of state health programs.)

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---|-----------|------------|------------|
| 1 | Yes | 3,614 | 92.10 | 92.82 |
| 2 | No | 225 | 5.73 | 5.92 |
| 7 | Don't know/Not Sure | 82 | 2.09 | 1.17 |
| 9 | Refused | 3 | 0.08 | 0.09 |
| BLANK | Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, | 471,763 | | |

CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing; or

82 of 162 July 5, 2013

Weighted

Ever Denied Insurance Coverage Because Of Your Cancer?

Module: 15.10 Cancer Survivorship Type: Num

Column: 328 SAS Variable Name: CSRVDEIN

Prologue:

Description: Were you EVER denied health insurance or life insurance coverage because of your cancer?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 262 | 6.63 | 7.43 |
| 2 | No | 3,627 | 91.82 | 91.54 |
| 7 | Don't know/Not Sure | 56 | 1.42 | 0.92 |
| 9 | Refused | 5 | 0.13 | 0.11 |
| BLANK | Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing; | 471,737 | | |

Participate In Clinical Trial As Part Of Cancer Treatment?

Module: 15.11 Cancer Survivorship Type: Num

Column: 329 SAS Variable Name: CSRVCLIN

Prologue:

Description: Did you participate in a clinical trial as part of your cancer treatment?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 189 | 4.79 | 5.37 |
| 2 | No | 3,663 | 92.76 | 92.97 |
| 7 | Don't know/Not Sure | 88 | 2.23 | 1.50 |
| 9 | Refused | 9 | 0.23 | 0.16 |
| BLANK | Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing; | 471,738 | | |

Currently Have Physical Pain From Cancer Or Treatment?

Module: 15.12 Cancer Survivorship Type: Num

Column: 330 SAS Variable Name: CSRVPAIN

Prologue:

Description: Do you currently have physical pain caused by your cancer or cancer treatment?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 279 | 7.07 | 7.58 |
| 2 | No-Go to next module | 3,605 | 91.29 | 91.73 |
| 7 | Don't know/Not Sure-Go to next module | 59 | 1.49 | 0.57 |
| 9 | Refused—Go to next module | 6 | 0.15 | 0.12 |
| BLANK | Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing; | 471,738 | | |

Is Pain Under Control?

Module: 15.13 Cancer Survivorship Type: Num

Column: 331 SAS Variable Name: CSRVCTL1

Prologue:

Description: Is your pain currently under control?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes, with medication (or treatment) | 130 | 46.59 | 36.48 |
| 2 | Yes, without medication (or treatment) | 103 | 36.92 | 44.46 |
| 3 | No, with medication (or treatment) | 18 | 6.45 | 4.00 |
| 4 | No, without medication (or treatment) | 25 | 8.96 | 11.68 |
| 7 | Don't know/Not Sure | 2 | 0.72 | 2.85 |
| 9 | Refused | 1 | 0.36 | 0.53 |
| BLANK | Not asked or Missing Notes: Section 05.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 05.07, CHCOCNCR, is coded 2, 7, 9 or Missing; or Module 15.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 15.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing; | 475,408 | | |

How do other people usually classify you in this country?

Module: 16.1 Reactions to Race Type: Num

Column: 332 SAS Variable Name: RRCLASS2

Prologue:

Description: How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, or some other group?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | White | 21,286 | 87.70 | 70.57 |
| 2 | Black or African American | 506 | 2.08 | 4.07 |
| 3 | Hispanic or Latino | 1,294 | 5.33 | 16.93 |
| 4 | Asian | 148 | 0.61 | 2.37 |
| 5 | Native Hawaiian or Other Pacific Islander | 47 | 0.19 | 0.48 |
| 6 | American Indian or Alaska Native | 408 | 1.68 | 2.03 |
| 7 | Don't know/Not sure | 188 | 0.77 | 0.97 |
| 8 | Some Other Group | 197 | 0.81 | 1.56 |
| 9 | Refused | 198 | 0.82 | 1.02 |
| BLANK | Not asked or Missing | 451,415 | | |

How often do you think about your race?

Module: 16.2 Reactions to Race Type: Num

Column: 333 SAS Variable Name: RRCOGNT2

Prologue:

Description: How often do you think about your race? Would you say never, once a year, once a month, once a week, once a

day, once an hour, or constantly?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Never | 15,322 | 63.15 | 48.87 |
| 2 | Once a year | 2,964 | 12.22 | 12.47 |
| 3 | Once a month | 2,143 | 8.83 | 11.84 |
| 4 | Once a week | 1,207 | 4.97 | 8.26 |
| 5 | Once a day | 913 | 3.76 | 5.94 |
| 6 | Once an hour | 34 | 0.14 | 0.34 |
| 7 | Don't know/Not sure | 612 | 2.52 | 2.60 |
| 8 | Constantly | 917 | 3.78 | 9.01 |
| 9 | Refused | 151 | 0.62 | 0.67 |
| BLANK | Not asked or Missing | 451,424 | | |

How do you feel you were treated at work compared to people of other races in past 12 months?

Module: 16.3 Reactions to Race Type: Num

Column: 334 SAS Variable Name: RRATWRK2

Prologue:

Description: Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of

other races?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Worse than other races | 417 | 3.33 | 5.21 |
| 2 | The same as other races | 10,639 | 84.84 | 84.08 |
| 3 | Better than other races | 450 | 3.59 | 4.48 |
| 4 | Worse than some races, better than others | 26 | 0.21 | 0.13 |
| 5 | Only encountered people of the same race | 346 | 2.76 | 0.90 |
| 7 | Don't know/Not sure | 486 | 3.88 | 3.33 |
| 9 | Refused | 176 | 1.40 | 1.87 |
| BLANK | Not asked or Missing Notes: Section 07.09, EMPLOY, is coded 5, 6, 7, 8, 9 or Missing | 463,147 | | |

When seeking health care past 12 months, was experience worse, same, better than people of other races?

Module: 16.4 Reactions to Race Type: Num

Column: 335 SAS Variable Name: RRHCARE3

Prologue:

Description: Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or

better than for people of other races?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Worse than other races | 591 | 2.44 | 3.73 |
| 2 | The same as other races | 16,674 | 68.82 | 70.36 |
| 3 | Better than other races | 2,909 | 12.01 | 11.56 |
| 4 | Worse than some races, better than others | 40 | 0.17 | 0.19 |
| 5 | Only encountered people of the same race | 84 | 0.35 | 0.19 |
| 6 | No health care in past 12 months | 436 | 1.80 | 2.17 |
| 7 | Don't know/Not sure | 3,128 | 12.91 | 10.10 |
| 9 | Refused | 367 | 1.51 | 1.72 |
| BLANK | Not asked or Missing | 451,458 | | |

Times past 30 days felt physical symptoms because of treatment due to your race

Module: 16.5 Reactions to Race Type: Num

Column: 336 SAS Variable Name: RRPHYSM2

Prologue:

Description: Within the past 30 days, have you experienced any physical symptoms, for example, a headache, an upset stomach,

tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 551 | 2.28 | 4.12 |
| 2 | No | 23,422 | 96.77 | 94.48 |
| 7 | Don't know/Not Sure | 117 | 0.48 | 0.75 |
| 9 | Refused | 113 | 0.47 | 0.66 |
| BLANK | Not asked or Missing | 451,484 | | |

Times past 30 days felt emotionally upset because of treatment due to your race

Module: 16.6 Reactions to Race Type: Num

Column: 337 SAS Variable Name: RREMTSM2

Prologue:

Description: Within the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you

were treated based on your race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 869 | 3.59 | 7.20 |
| 2 | No | 23,115 | 95.57 | 91.76 |
| 7 | Don't know/Not Sure | 78 | 0.32 | 0.33 |
| 9 | Refused | 125 | 0.52 | 0.72 |
| BLANK | Not asked or Missing | 451,500 | | |

How often feel nervous past 30 days

Module: 17.1 Mental Illness & Stigma Type: Num

Column: 338 SAS Variable Name: MISNERVS

Prologue:

Description: About how often during the past 30 days did you feel nervous- would you say all of the time, most of the time, some

of the time, a little of the time or none of the time?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | All | 1,664 | 1.69 | 1.87 |
| 2 | Most | 3,508 | 3.56 | 4.14 |
| 3 | Some | 14,945 | 15.16 | 17.08 |
| 4 | A little | 30,671 | 31.11 | 30.81 |
| 5 | None | 47,390 | 48.07 | 45.79 |
| 7 | Don't know/Not sure | 280 | 0.28 | 0.18 |
| 9 | Refused | 128 | 0.13 | 0.13 |
| BLANK | Not asked or Missing | 377,101 | | |

How often feel hopeless past 30 days

Module: 17.2 Mental Illness & Stigma Type: Num

Column: 339 SAS Variable Name: MISHOPLS

Prologue:

Description: During the past 30 days, about how often did you feel hopeless- all of the time, most of the time, some of the time, a

little of the time or none of the time?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | All | 822 | 0.83 | 0.98 |
| 2 | Most | 1,673 | 1.70 | 1.98 |
| 3 | Some | 6,412 | 6.51 | 7.63 |
| 4 | A little | 11,029 | 11.19 | 12.79 |
| 5 | None | 78,268 | 79.43 | 76.31 |
| 7 | Don't know/Not sure | 196 | 0.20 | 0.17 |
| 9 | Refused | 132 | 0.13 | 0.14 |
| BLANK | Not asked or Missing | 377,155 | | |

How often feel restless past 30 days

Module: 17.3 Mental Illness & Stigma Type: Num

Column: 340 SAS Variable Name: MISRSTLS

Prologue:

Description: During the past 30 days, about how often did you feel restless or fidgety? (If necessary: all, most, some, a little, or

none of the time.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | All | 2,154 | 2.19 | 2.48 |
| 2 | Most | 3,091 | 3.14 | 3.80 |
| 3 | Some | 14,785 | 15.01 | 16.67 |
| 4 | A little | 23,390 | 23.75 | 23.57 |
| 5 | None | 54,481 | 55.32 | 52.96 |
| 7 | Don't know/Not sure | 447 | 0.45 | 0.34 |
| 9 | Refused | 136 | 0.14 | 0.18 |
| BLANK | Not asked or Missing | 377,203 | | |

How often feel depressed past 30 days

Module: 17.4 Mental Illness & Stigma Type: Num

Column: 341 SAS Variable Name: MISDEPRD

Prologue:

Description: During the past 30 days, about how often did you feel so depressed that nothing could cheer you up? (If necessary:

all, most, some, a little, or none of the time.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | All | 645 | 0.66 | 0.69 |
| 2 | Most | 1,454 | 1.48 | 1.84 |
| 3 | Some | 4,729 | 4.80 | 5.74 |
| 4 | A little | 7,300 | 7.42 | 8.49 |
| 5 | None | 84,009 | 85.34 | 82.98 |
| 7 | Don't know/Not sure | 166 | 0.17 | 0.12 |
| 9 | Refused | 139 | 0.14 | 0.13 |
| BLANK | Not asked or Missing | 377,245 | | |

How often feel everything was an effort past 30 days

Module: 17.5 Mental Illness & Stigma Type: Num

Column: 342 SAS Variable Name: MISEFFRT

Prologue:

Description: During the past 30 days, about how often did you feel that everything was an effort? (If necessary: all, most, some,

a little, or none of the time.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | All | 2,977 | 3.03 | 3.49 |
| 2 | Most | 3,471 | 3.53 | 4.05 |
| 3 | Some | 10,911 | 11.09 | 12.47 |
| 4 | A little | 15,079 | 15.32 | 15.14 |
| 5 | None | 65,072 | 66.13 | 63.80 |
| 7 | Don't know/Not sure | 690 | 0.70 | 0.70 |
| 9 | Refused | 200 | 0.20 | 0.35 |
| BLANK | Not asked or Missing | 377,287 | | |

How often feel worthless past 30 days

Module: 17.6 Mental Illness & Stigma Type: Num

Column: 343 SAS Variable Name: MISWTLES

Prologue:

Description: During the past 30 days, about how often did you feel worthless? (If necessary: all, most, some, a little, or none of

the time.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | All | 1,017 | 1.03 | 1.07 |
| 2 | Most | 1,395 | 1.42 | 1.48 |
| 3 | Some | 4,631 | 4.71 | 4.97 |
| 4 | A little | 6,462 | 6.57 | 6.83 |
| 5 | None | 84,460 | 85.88 | 85.28 |
| 7 | Don't know/Not sure | 223 | 0.23 | 0.16 |
| 9 | Refused | 159 | 0.16 | 0.22 |
| BLANK | Not asked or Missing | 377,340 | | |

Emotional problem kept you from doing work past 30 days

Module: 17.7 Mental Illness & Stigma Type: Num

Column: 344-345 SAS Variable Name: MISNOWRK

Prologue:

Description: During the past 30 days, for about how many days did a mental health condition or emotional problem keep you from

doing your work or other usual activities? (If asked, "usual activities" includes housework, self-care, caregiving,

volunteer work, attending school, studies or recreation.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 30 | Number | 9,966 | 10.14 | 11.55 |
| 88 | None | 87,534 | 89.07 | 87.64 |
| 77 | Don't know/Not sure | 614 | 0.62 | 0.56 |
| 99 | Refused | 164 | 0.17 | 0.24 |
| BLANK | Not asked or Missing | 377,409 | | |

Receiving medicine or treatment from health pro for emotional problem

Module: 17.8 Mental Illness & Stigma Type: Num

Column: 346 SAS Variable Name: MISTMNT

Prologue:

Description: Are you now taking medicine or receiving treatment from a doctor or other health professional for any type of mental

health condition or emotional problem?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 12,989 | 13.22 | 11.82 |
| 2 | No | 84,938 | 86.47 | 87.92 |
| 7 | Don't know/Not sure | 133 | 0.14 | 0.08 |
| 9 | Refused | 173 | 0.18 | 0.18 |
| BLANK | Not asked or Missing | 377,454 | | |

Mental health treatment can help people lead normal life

Module: 17.9 Mental Illness & Stigma Type: Num

Column: 347 SAS Variable Name: MISTRHLP

Prologue: These next questions ask about peoples' attitudes toward mental illness and its treatment.

Description: Treatment can help people with mental illness lead normal lives. Do you agree slightly or strongly, or disagree

slightly or strongly?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|------------------------|
| 1 | Agree strongly | 61,984 | 63.33 | 60.41 |
| 2 | Agree slightly | 24,193 | 24.72 | 26.84 |
| 3 | Neither agree nor disagree | 2,748 | 2.81 | 2.78 |
| 4 | Disagree slightly | 3,340 | 3.41 | 4.37 |
| 5 | Disagree strongly | 1,631 | 1.67 | 2.24 |
| 7 | Don't know/Not sure | 3,481 | 3.56 | 2.81 |
| 9 | Refused | 502 | 0.51 | 0.55 |
| BLANK | Not asked or Missing | 377,808 | | |

People are generally caring toward people with mental illness

Module: 17.10 Mental Illness & Stigma

Type: Num

Column: 348 SAS Variable Name: MISPHLPF

Prologue:

Description: People are generally caring and sympathetic to people with mental illness. Do you agree slightly or strongly or

disagree slightly or strongly? (If asked for the purpose of Q9 or Q10, say: "answers to these questions will be used by health planners to help understand public attitudes about mental illness and its treatment and to help guide health

education progams.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|------------------------|
| 1 | Agree strongly | 21,953 | 22.45 | 23.79 |
| 2 | Agree slightly | 33,479 | 34.24 | 35.49 |
| 3 | Neither agree nor disagree | 4,340 | 4.44 | 3.70 |
| 4 | Disagree slightly | 24,505 | 25.06 | 24.41 |
| 5 | Disagree strongly | 9,704 | 9.92 | 9.57 |
| 7 | Don't know/Not sure | 3,337 | 3.41 | 2.58 |
| 9 | Refused | 471 | 0.48 | 0.46 |
| BLANK | Not asked or Missing | 377,898 | | |

Times Past 12 Months Worried/Stressed About Having Enough Money To Pay Your Rent/Mortgage?

Module: 18.1 Social Context Type: Num

Column: 349 SAS Variable Name: SCNTMONY

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to pay

your rent/mortgage? Would you say you were worried or stressed---

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Always | 4,377 | 8.39 | 9.48 |
| 2 | Usually | 2,037 | 3.90 | 4.57 |
| 3 | Sometimes | 8,534 | 16.35 | 18.25 |
| 4 | Rarely | 7,298 | 13.98 | 15.13 |
| 5 | Never | 27,131 | 51.99 | 48.08 |
| 7 | Don't know/Not Sure | 82 | 0.16 | 0.15 |
| 8 | Not applicable | 2,042 | 3.91 | 2.82 |
| 9 | Refused | 684 | 1.31 | 1.52 |
| BLANK | Not asked or Missing Notes: Section 07.21, RENTHOM1, is coded 3, 7, 9 or Missing | 423,502 | | |

Times Past 12 Months Worried/Stressed About Having Enough Money To Buy Nutritious Meals?

Module: 18.2 Social Context Type: Num

Column: 350 SAS Variable Name: SCNTMEAL

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to buy

nutritious meals? Would you say you were worried or stressed---

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Always | 2,684 | 4.81 | 5.14 |
| 2 | Usually | 1,631 | 2.92 | 3.31 |
| 3 | Sometimes | 7,038 | 12.61 | 14.64 |
| 4 | Rarely | 6,424 | 11.51 | 12.79 |
| 5 | Never | 36,949 | 66.19 | 62.07 |
| 7 | Don't know/Not Sure | 79 | 0.14 | 0.11 |
| 8 | Not applicable | 117 | 0.21 | 0.21 |
| 9 | Refused | 901 | 1.61 | 1.73 |
| BLANK | Not asked or Missing | 419,864 | | |

93 of 162 July 5, 2013

Marian Landard

How Are You Generally Paid For The Work You Do

Module: 18.3 Social Context Type: Num

Column: 351 SAS Variable Name: SCNTPAID

Prologue:

Description: At your main job or business, how are you generally paid for the work you do. Are you:

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Paid by salary | 10,177 | 37.35 | 33.14 |
| 2 | Paid by the hour | 12,348 | 45.31 | 50.90 |
| 3 | Paid by the job/task (e.g. commission, piecework) | 2,465 | 9.05 | 8.82 |
| 4 | Paid some other way | 1,712 | 6.28 | 5.10 |
| 7 | Don't know/Not Sure | 86 | 0.32 | 0.24 |
| 9 | Refused | 463 | 1.70 | 1.80 |
| BLANK | Not asked or Missing Notes: Section 07.09, EMPLOY, is coded 3, 4, 5, 6, 7, or 8 | 448,436 | | |

How Many Hours Per Week Do You Work

Module: 18.4 Social Context Type: Num

Column: 352-353 SAS Variable Name: SCNTWRK1

Prologue:

Description: About how many hours do you work per week on all of your jobs and businesses combined?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 1 - 96 | Hours (1-96 or more)—Go to next Module | 26,300 | 96.56 | 96.68 |
| 97 | Don't know/Not Sure—Go to next Module | 438 | 1.61 | 1.46 |
| 98 | Zero (none)—Go to next Module | 106 | 0.39 | 0.32 |
| 99 | Refused—Go to next Module | 393 | 1.44 | 1.54 |
| BLANK | Not asked or Missing Notes: Section 07.09, EMPLOY, is coded 3, 4, 5, 6, 7, or 8 | 448,450 | | |

How Were You Generally Paid For The Work You Did

Module: 18.5 Social Context Type: Num

Column: 354 SAS Variable Name: SCNTLPAD

Prologue:

Description: Thinking about the last time you worked, at your main job or business, how were you generally paid for the work you

do? Were you:

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Paid by salary | 7,559 | 42.63 | 35.14 |
| 2 | Paid by the hour | 7,489 | 42.23 | 50.46 |
| 3 | Paid by the job/task (e.g. commission, piecework) | 1,014 | 5.72 | 5.93 |
| 4 | Paid some other way | 871 | 4.91 | 4.24 |
| 7 | Don't know/Not Sure | 348 | 1.96 | 1.62 |
| 9 | Refused | 452 | 2.55 | 2.61 |
| BLANK | Not asked or Missing Notes: Section 07.09, EMPLOY, is coded 1, 2, 5, 6, or 8; or Module 18.04, SCNTWRK1, is > 0 | 457,954 | | |

How Many Hours Per Week Did You Work

Module: 18.6 Social Context Type: Num

Column: 355-356 SAS Variable Name: SCNTLWK1

Prologue:

Description: Thinking about the last time you worked, about how many hours did you work per week at all of your jobs and

businesses combined?

| Value | Value Label | Frequency | Percentage | Percentage |
|--------|---|-----------|------------|------------|
| 1 - 96 | Hours (1-96 or more) | 24,880 | 87.24 | 86.91 |
| 97 | Don't know/Not Sure | 1,634 | 5.73 | 4.39 |
| 98 | Zero (none) | 1,384 | 4.85 | 6.43 |
| 99 | Refused | 621 | 2.18 | 2.27 |
| BLANK | Not asked or Missing Notes: Section 07.09, EMPLOY, is coded 1, 2, 5, 6, or 8; or Module 18.04, SCNTWRK1, is > 0 | 447,168 | | |

95 of 162 July 5, 2013

Weighted

Household prepared to handle large-scale disaster or emergency

Module: 19.1 General Preparedness Type: Num

Column: 357 SAS Variable Name: GPWELPR3

Prologue:

Description: How well prepared do you feel your household is to handle a large-scale disaster or emergency? Would you say...

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Well prepared | 5,039 | 29.88 | 31.28 |
| 2 | Somewhat prepared | 8,852 | 52.48 | 51.34 |
| 3 | Not prepared at all | 2,688 | 15.94 | 15.73 |
| 7 | Don't know/Not Sure | 260 | 1.54 | 1.48 |
| 9 | Refused | 27 | 0.16 | 0.16 |
| BLANK | Not asked or Missing | 458,821 | | |

Does your household have a 3-day supply of water for everyone who lives there?

Module: 19.2 General Preparedness Type: Num

Column: 358 SAS Variable Name: GP3DYWTR

Prologue:

Description: Does your household have a 3-day supply of water for everyone who lives there? A 3-day supply of water is 1 gallon

of water per person per day.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 9,739 | 57.81 | 57.77 |
| 2 | No | 6,912 | 41.03 | 41.14 |
| 7 | Don't know/Not Sure | 173 | 1.03 | 0.90 |
| 9 | Refused | 22 | 0.13 | 0.18 |
| BLANK | Not asked or Missing | 458,841 | | |
| | | | | |

Does your household have a 3-day supply of non-perishable food for everyone who lives there?

Module: 19.3 General Preparedness Type: Num

Column: 359 SAS Variable Name: GP3DYFD1

Prologue:

Description: Does your household have a 3-day supply of nonperishable food for everyone who lives there? By nonperishable

we mean food that does not require refrigeration or cooking.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 14,402 | 85.51 | 83.82 |
| 2 | No | 2,256 | 13.40 | 15.11 |
| 7 | Don't know/Not Sure | 158 | 0.94 | 0.93 |
| 9 | Refused | 26 | 0.15 | 0.14 |
| BLANK | Not asked or Missing | 458,845 | | |

Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Module: 19.4 General Preparedness **Type:** Num

Column: 360 SAS Variable Name: GP3DYPRS

Prologue:

Description: Does your household have a 3-day supply of prescription medication for each person who takes prescribed

medicines?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 13,724 | 81.51 | 77.92 |
| 2 | No | 1,129 | 6.71 | 8.60 |
| 3 | No one in household requires prescribed medicine | 1,866 | 11.08 | 12.56 |
| 7 | Don't know/Not Sure | 96 | 0.57 | 0.79 |
| 9 | Refused | 23 | 0.14 | 0.14 |
| BLANK | Not asked or Missing | 458,849 | | |

Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Module: 19.5 General Preparedness Type: Num

Column: 361 SAS Variable Name: GPBATRAD

Prologue:

Description: Does your household have a working battery operated radio and working batteries for your use if the electricity is

out?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 12,293 | 73.02 | 77.71 |
| 2 | No | 4,325 | 25.69 | 21.16 |
| 7 | Don't know/Not Sure | 199 | 1.18 | 1.02 |
| 9 | Refused | 17 | 0.10 | 0.10 |
| BLANK | Not asked or Missing | 458,853 | | |
| | | | | |

Does your household have a working flashlight and working batteries for your use if the electricity is out?

Module: 19.6 General Preparedness **Type:** Num

Column: 362 SAS Variable Name: GPFLSLIT

Prologue:

Description: Does your household have a working flashlight and working batteries for your use if the electricity is out?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 16,031 | 95.26 | 95.00 |
| 2 | No | 731 | 4.34 | 4.62 |
| 7 | Don't know/Not Sure | 53 | 0.31 | 0.29 |
| 9 | Refused | 14 | 0.08 | 0.09 |
| BLANK | Not asked or Missing | 458,858 | | |

In a large-scale disaster or emergency, what would be your main method of communicating with relatives and friends?

Module: 19.7 General Preparedness Type: Num

Column: 363 SAS Variable Name: GPEMRCM1

Prologue:

Description: In a large-scale disaster or emergency, what would be your main method or way of communicating with relatives and

friends?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------|-----------|------------|------------------------|
| 1 | Regular home telephones | 3,473 | 20.65 | 13.80 |
| 2 | Cell phones | 10,995 | 65.36 | 76.25 |
| 3 | Email | 127 | 0.76 | 0.53 |
| 4 | Pager | 6 | 0.04 | 0.02 |
| 5 | 2-way radios | 233 | 1.39 | 1.23 |
| 6 | Other | 1,351 | 8.03 | 5.45 |
| 7 | Don't know/Not Sure | 600 | 3.57 | 2.52 |
| 9 | Refused | 36 | 0.21 | 0.21 |
| BLANK | Not asked or Missing | 458,866 | | |
| | | | | |

What would be your main method of getting information from authorities in a large-scale disaster or emergency?

Module: 19.8 General Preparedness Type: Num

Column: 364 SAS Variable Name: GPEMRIN1

Prologue:

Description: What would be your main method or way of getting information from authorities in a large-scale disaster or

emergency?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Television | 4,094 | 24.35 | 26.45 |
| 2 | Radio | 6,648 | 39.55 | 40.37 |
| 3 | Internet | 932 | 5.54 | 7.85 |
| 4 | Print media | 40 | 0.24 | 0.21 |
| 5 | Neighbors | 814 | 4.84 | 4.22 |
| 6 | Other | 3,556 | 21.15 | 17.40 |
| 7 | Don't know/Not Sure | 692 | 4.12 | 3.30 |
| 9 | Refused | 35 | 0.21 | 0.20 |
| BLANK | Not asked or Missing | 458,876 | | |

Does your household have a disaster evacuation plan?

Module: 19.9 General Preparedness Type: Num

Column: 365 SAS Variable Name: GPVACPL1

Prologue:

Description: Does your household have a written disaster evacuation plan for how you will leave your home, in case of a

large-scale disaster or emergency that requires evacuation?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 3,160 | 18.81 | 20.88 |
| 2 | No | 13,417 | 79.84 | 78.01 |
| 7 | Don't know/Not Sure | 197 | 1.17 | 0.97 |
| 9 | Refused | 30 | 0.18 | 0.14 |
| BLANK | Not asked or Missing | 458,883 | | |

If public authorities announced mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Module: 19.10 General Preparedness Type: Num

Column: 366 SAS Variable Name: GPMNDEVC

Prologue:

Description: If public authorities announced a mandatory evacuation from your community due to a large-scale disaster or

emergency, would you evacuate?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|------------------------|
| 1 | Yes-Go to next module | 14,506 | 86.38 | 87.75 |
| 2 | No | 1,131 | 6.73 | 6.00 |
| 7 | Don't know/Not Sure | 1,112 | 6.62 | 6.01 |
| 9 | Refused | 44 | 0.26 | 0.25 |
| BLANK | Not asked or Missing | 458,894 | | |

What would be the main reason why you might not evacuate if asked to do so?

Module: 19.11 General Preparedness Type: Num

Column: 367-368 SAS Variable Name: GPNOTEV1

Prologue:

Description: What would be the main reason you might not evacuate if asked to do so?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Lack of transportation | 34 | 1.49 | 1.69 |
| 2 | Lack of trust in public officials | 194 | 8.49 | 8.81 |
| 3 | Concern about leaving property behind | 309 | 13.52 | 16.53 |
| 4 | Concern about personal safety | 94 | 4.11 | 4.86 |
| 5 | Concern about family safety | 90 | 3.94 | 6.56 |
| 6 | Concern about leaving pets | 123 | 5.38 | 4.05 |
| 7 | Concern about traffic jams and inability to get out | 65 | 2.84 | 2.80 |
| 8 | Health problems (could not be moved) | 50 | 2.19 | 2.08 |
| 9 | Other | 1,088 | 47.61 | 41.38 |
| 77 | Don't know/Not Sure | 201 | 8.80 | 8.72 |
| 99 | Refused | 37 | 1.62 | 2.51 |
| BLANK | Not asked or Missing Notes: Module 19.10, GPMNDEVC, is coded 1 | 473,402 | | |

Ever serve in a combat or war zone?

Module: 20.1 Veteran's Health Type: Num

Column: 369 SAS Variable Name: VHCOMBAT

Prologue:

Description: Did you ever serve in a combat or war zone?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Not asked or Missing 475,687

Notes: Section 07.05, VETERAN3, is coded 2, 7, 9, or missing

Doctor diagnosed depression, anxiety, or post traumatic stress disorder (PTSD)?

Module: 20.2 Veteran's Health Type: Num

Column: 370 SAS Variable Name: VHDRPTSD

Prologue:

Description: Has a doctor or other health professional ever told you that you have depression, anxiety, or post traumatic stress

disorder (PTSD)?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Not asked or Missing 475,687

Notes: Section 07.05, VETERAN3, is coded 2, 7, 9, or missing

Doctor diagnosed traumatic brain injury (TBI)?

Module: 20.3 Veteran's Health Type: Num

Column: 371 SAS Variable Name: VHDRTBI

Prologue: A traumatic brain injury may result from a violent blow to the head or when an object pierces the skull and enters the

brain tissue.

Description: Has a doctor or other health professional ever told you that you have suffered a traumatic brain injury (TBI)?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 475,687

Notes: Section 07.05, VETERAN3, is coded 2, 7, 9, or missing

Receive psychological or psychiatric counseling or treatment past 12 months?

Module: 20.4 Veteran's Health Type: Num

Column: 372 SAS Variable Name: VHCOUNSL

Prologue:

Description: In the past 12 months, did you receive any psychological or psychiatric counseling or treatment?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 475,687

Notes: Section 07.05, VETERAN3, is coded 2, 7, 9, or missing

Thought of taking your own life in the past 12 months?

Module: 20.5 Veteran's Health Type: Num

Column: 373 SAS Variable Name: VHTAKLIF

Prologue: The next few questions are a sensitive topic and some people may feel uncomfortable with these questions. At the

end of this section, I will give you a phone number for an organization that can provide information and referral for these issues. Please keep in mind that you can ask me to skip any question you do not want to answer.

Description: Has there been a time in the past 12 months when you thought of taking your own life?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 475,687

Notes: Section 07.05, VETERAN3, is coded 2, 7, 9, or missing

Attempt to commit suicide in past 12 months?

Module: 20.6 Veteran's Health Type: Num

Column: 374 SAS Variable Name: VHSUICID

Prologue:

Description: During the past 12 months, did you attempt to commit suicide? Would you say--- (As I mentioned, I would give you

a phone number for an organization that can provide information and referral for these issues. You can dial the

National Crisis line at 1-800-273-TALK (8255).)

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 475,687

Notes: Section 07.05, VETERAN3, is coded 2, 7, 9, or missing; or

Module 20.05, VHTAKLIF, is coded 2, 7, 9, or missing

Ever had a breathing test to diagnose your COPD?

Module: 21.1 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 375 SAS Variable Name: COPDTEST

Prologue:

Description: Have you ever been given a breathing test to diagnose your COPD, chronic bronchitis, or emphysema?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 6,004 | 78.32 | 75.79 |
| 2 | No | 1,313 | 17.13 | 19.16 |
| 7 | Don't know / Not sure | 177 | 2.31 | 2.00 |
| 9 | Refused | 172 | 2.24 | 3.04 |
| BLANK | Not asked or Missing Notes: Section 05.08, CHCCOPD1, is coded 2, 7, 9, or missing; | 468,021 | | |

Does shortness of breath affect quality of life?

Module: 21.2 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 376 SAS Variable Name: COPDQOL

Prologue:

Description: Would you say that shortness of breath affects the quality of your life?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 4,829 | 63.01 | 61.88 |
| 2 | No | 2,564 | 33.46 | 33.95 |
| 7 | Don't know / Not sure | 100 | 1.30 | 1.13 |
| 9 | Refused | 171 | 2.23 | 3.04 |
| BLANK | Not asked or Missing Notes: Section 05 08 CHCCOPD1 is coded 2. 7. 9. or missing; | 468,023 | | |

Have you seen doctor about shortness of breath?

Module: 21.3 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 377 SAS Variable Name: COPDDOC

Prologue:

Description: Other than a routine visit, have you had to see a doctor in the past 12 months for symptoms related to shortness of

breath, bronchitis, or other COPD, or emphysema flare?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 3,384 | 44.17 | 43.73 |
| 2 | No | 4,047 | 52.82 | 52.66 |
| 7 | Don't know / Not sure | 59 | 0.77 | 0.57 |
| 9 | Refused | 172 | 2.24 | 3.04 |
| BLANK | Not asked or Missing Notes: Section 05.08, CHCCOPD1, is coded 2, 7, 9, or missing; | 468,025 | | |

Been to E.R. or hospital because of COPD?

Module: 21.4 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 378 SAS Variable Name: COPDHOSP

Prologue:

Description: Did you have to visit an emergency room or be admitted to the hospital in the past 12 months because of your

COPD, chronic bronchitis, or emphysema?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 1,267 | 16.54 | 17.11 |
| 2 | No | 6,184 | 80.72 | 79.43 |
| 7 | Don't know / Not sure | 37 | 0.48 | 0.41 |
| 9 | Refused | 173 | 2.26 | 3.06 |
| BLANK | Not asked or Missing Notes: Section 05.08, CHCCOPD1, is coded 2, 7, 9, or missing; | 468,026 | | |

How many medications do you take for COPD?

Module: 21.5 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 379-380 SAS Variable Name: COPDMEDS

Prologue:

Description: How many different medications do you currently take each day to help with your COPD, chronic bronchitis, or

emphysema?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| 1 - 76 | Number (00-76) | 4,506 | 58.87 | 55.31 |
| 88 | None | 2,793 | 36.49 | 39.93 |
| 77 | Don't know / Not sure | 184 | 2.40 | 1.90 |
| 99 | Refused | 171 | 2.23 | 2.86 |
| BLANK | Not asked or Missing Notes: Section 05.08, CHCCOPD1, is coded 2, 7, 9, or missing; | 468,033 | | |

Live With Anyone Depressed, Mentally III, Or Suicidal?

Module: 22.1 Adverse Childhood Experience Type: Num

Column: 381 SAS Variable Name: ACEDEPRS

Prologue:

Description: Did you live with anyone who was depressed, mentally ill, or suicidal?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 4,530 | 13.80 | 15.59 |
| 2 | No | 26,729 | 81.43 | 79.29 |
| 7 | Don't know/Not Sure | 166 | 0.51 | 0.51 |
| 9 | Refused | 1,398 | 4.26 | 4.61 |
| BLANK | Not asked or Missing | 442,864 | | |

Live With a Problem Drinker/Alcoholic?

Module: 22.2 Adverse Childhood Experience Type: Num

Column: 382 SAS Variable Name: ACEDRINK

Prologue:

Description: Did you live with anyone who was a problem drinker or alcoholic?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 7,103 | 21.66 | 22.89 |
| 2 | No | 24,211 | 73.83 | 72.27 |
| 7 | Don't know/Not Sure | 88 | 0.27 | 0.25 |
| 9 | Refused | 1,392 | 4.24 | 4.59 |
| BLANK | Not asked or Missing | 442,893 | | |

Live With Anyone Who Used Illegal Drugs or Abused Prescriptions?

Module: 22.3 Adverse Childhood Experience Type: Num

Column: 383 SAS Variable Name: ACEDRUGS

Prologue:

Description: Did you live with anyone who used illegal street drugs or who abused prescription medications?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 2,416 | 7.37 | 10.04 |
| 2 | No | 28,894 | 88.13 | 85.11 |
| 7 | Don't know/Not Sure | 104 | 0.32 | 0.29 |
| 9 | Refused | 1,372 | 4.18 | 4.56 |
| BLANK | Not asked or Missing | 442,901 | | |

Live With Anyone Who Served Time in Prison or Jail?

Module: 22.4 Adverse Childhood Experience Type: Num

Column: 384 SAS Variable Name: ACEPRISN

Prologue:

Description: Did you live with anyone who served time or was sentenced to serve time in a prison, jail, or other correctional

facility?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 1,867 | 5.69 | 8.04 |
| 2 | No | 29,495 | 89.97 | 87.27 |
| 7 | Don't know/Not Sure | 51 | 0.16 | 0.16 |
| 9 | Refused | 1,371 | 4.18 | 4.53 |
| BLANK | Not asked or Missing | 442,903 | | |

Were Your Parents Divorced/Seperated?

Module: 22.5 Adverse Childhood Experience Type: Num

Column: 385 SAS Variable Name: ACEDIVRC

Prologue:

Description: Were your parents separated or divorced?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 6,795 | 20.73 | 25.76 |
| 2 | No | 24,135 | 73.62 | 67.78 |
| 7 | Don't know/Not Sure | 108 | 0.33 | 0.34 |
| 8 | Parents not married | 363 | 1.11 | 1.48 |
| 9 | Refused | 1,382 | 4.22 | 4.63 |
| BLANK | Not asked or Missing | 442,904 | | |

How Often Did Your Parents Beat Each Other Up?

Module: 22.6 Adverse Childhood Experience Type: Num

Column: 386 SAS Variable Name: ACEPUNCH

Prologue:

Description: How often did your parents or adults in your home ever slap, hit, kick, punch or beat each other up?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Never | 26,038 | 79.45 | 78.03 |
| 2 | Once | 1,197 | 3.65 | 3.92 |
| 3 | More than once | 3,648 | 11.13 | 11.89 |
| 7 | Don't know/Not Sure | 380 | 1.16 | 1.11 |
| 9 | Refused | 1,511 | 4.61 | 5.05 |
| BLANK | Not asked or Missing | 442,913 | | |
| | | | | |

How Often Did A Parent Physically Hurt You In Any Way?

Module: 22.7 Adverse Childhood Experience Type: Num

Column: 387 SAS Variable Name: ACEHURT

Prologue:

Description: Before age 18, how often did a parent or adult in your home ever hit, beat, kick, or physically hurt you in any way?

Do not include spanking. Would you say---

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Never | 26,843 | 81.93 | 80.19 |
| 2 | Once | 985 | 3.01 | 3.32 |
| 3 | More than once | 3,313 | 10.11 | 11.13 |
| 7 | Don't know/Not Sure | 136 | 0.42 | 0.40 |
| 9 | Refused | 1,488 | 4.54 | 4.97 |
| BLANK | Not asked or Missing | 442,922 | | |

How Often Did A Parent Swear At You?

Module: 22.8 Adverse Childhood Experience Type: Num

Column: 388 SAS Variable Name: ACESWEAR

Prologue:

Description: How often did a parent or adult in your home ever swear at you, insult you, or put you down?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Never | 22,091 | 67.46 | 63.93 |
| 2 | Once | 1,650 | 5.04 | 6.05 |
| 3 | More than once | 7,200 | 21.99 | 24.20 |
| 7 | Don't know/Not Sure | 276 | 0.84 | 0.69 |
| 9 | Refused | 1,532 | 4.68 | 5.13 |
| BLANK | Not asked or Missing | 442,938 | | |
| | | | | |

How Often Did Anyone Ever Touch You Sexually?

Module: 22.9 Adverse Childhood Experience Type: Num

Column: 389 SAS Variable Name: ACETOUCH

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, ever touch you sexually?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Never | 28,032 | 85.61 | 85.22 |
| 2 | Once | 1,059 | 3.23 | 3.21 |
| 3 | More than once | 1,896 | 5.79 | 5.79 |
| 7 | Don't know/Not Sure | 94 | 0.29 | 0.30 |
| 9 | Refused | 1,663 | 5.08 | 5.47 |
| BLANK | Not asked or Missing | 442,943 | | |
| | | | | |

How Often Did Anyone Make You Touch Them Sexually?

Module: 22.10 Adverse Childhood Experience Type: Num

Column: 390 SAS Variable Name: ACETTHEM

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, try to make you touch them sexually?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Never | 28,895 | 88.30 | 87.72 |
| 2 | Once | 759 | 2.32 | 2.48 |
| 3 | More than once | 1,352 | 4.13 | 4.21 |
| 7 | Don't know/Not Sure | 93 | 0.28 | 0.20 |
| 9 | Refused | 1,625 | 4.97 | 5.39 |
| BLANK | Not asked or Missing | 442,963 | | |

How Often Did Anyone Ever Force You to Have Sex?

Module: 22.11 Adverse Childhood Experience Type: Num

Column: 391 SAS Variable Name: ACEHVSEX

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, force you to have sex?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Never | 29,730 | 90.91 | 90.26 |
| 2 | Once | 435 | 1.33 | 1.47 |
| 3 | More than once | 828 | 2.53 | 2.67 |
| 7 | Don't know/Not Sure | 69 | 0.21 | 0.19 |
| 9 | Refused | 1,639 | 5.01 | 5.41 |
| BLANK | Not asked or Missing | 442,986 | | |
| | | | | |

Birth date of child

Module: 23.1 Random Child Selection Type: Char

Column: 392-397 SAS Variable Name: RCSBIRTH

Prologue:

Description: What is the birth month and year of the "Xth" child?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 777777 | Don't know/Not sure | 3,457 | 4.11 | 6.68 |
| 999999 | Refused | 6,533 | 7.76 | 9.28 |
| BLANK | Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; | 391,478 | | |
| HIDDEN | Data not displayed | 74,219 | 88.14 | 84.04 |

Gender of child

Module: 23.2 Random Child Selection Type: Num

Column: 398 SAS Variable Name: RCSGENDR

Prologue:

Description: Is the child a boy or a girl?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Воу | 41,707 | 49.60 | 48.54 |
| 2 | Girl | 39,120 | 46.53 | 44.53 |
| 9 | Refused | 3,252 | 3.87 | 6.93 |
| BLANK | Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months | 391,608 | | |

Ethnicity of child

Module: 23.3 Random Child Selection Type: Num

Column: 399 SAS Variable Name: RCHISLAT

Prologue:

Description: Is the child Hispanic or Latino?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 12,518 | 14.89 | 24.87 |
| 2 | No | 68,349 | 81.32 | 68.18 |
| 7 | Don't know/Not Sure | 252 | 0.30 | 0.34 |
| 9 | Refused | 2,931 | 3.49 | 6.61 |
| BLANK | Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months | 391,637 | | |

Race of child (multiple possible)

Module: 23.4 Random Child Selection Type: Char

Column: 400-405 SAS Variable Name: RCSRACE

Prologue:

Description: Which one or more of the following would you say is the race of the child?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| 7 | Don't know/Not sure | 473 | 0.56 | 1.18 |
| 9 | Refused | 3,335 | 3.97 | 7.78 |
| BLANK | Not asked or Missing | 391,713 | | |
| HIDDEN | Data Not Displayed Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months | 80,166 | 95.47 | 91.05 |

109 of 162 July 5, 2013

Martin Cont.

Race of child

Module: 23.5 Random Child Selection Type: Num

Column: 406 SAS Variable Name: RCSBRACE

Prologue:

Description: Which one of these groups would you say best represents the child's race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | White Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 1,407 | 35.79 | 35.95 |
| 2 | Black or African American | 493 | 12.54 | 18.32 |
| 3 | Asian | 498 | 12.67 | 10.67 |
| 4 | Native Hawaiian or other Pacific Islander | 423 | 10.76 | 3.77 |
| 5 | American Indian or Alaskan Native | 202 | 5.14 | 4.28 |
| 6 | Other | 171 | 4.35 | 4.45 |
| 7 | Don't know/Not sure | 498 | 12.67 | 14.35 |
| 9 | Refused | 239 | 6.08 | 8.22 |
| BLANK | Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months; or Module 23.04, RCSRACE, has only one valid race code (1-6) | 471,756 | | |

Relationship to child

Module: 23.6 Random Child Selection Type: Num

Column: 407 SAS Variable Name: RCSRLTN2

Prologue:

Description: How are you related to the child?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Parent (include biologic, step, or adoptive parent) Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 68,219 | 81.35 | 73.12 |
| 2 | Grandparent | 6,076 | 7.25 | 5.47 |
| 3 | Foster parent or guardian | 907 | 1.08 | 0.94 |
| 4 | Sibling (include biologic, step, and adoptive sibling) | 3,115 | 3.71 | 8.18 |
| 5 | Other relative | 1,804 | 2.15 | 3.31 |
| 6 | Not related in any way | 948 | 1.13 | 1.55 |
| 7 | Don't know/Not sure | 61 | 0.07 | 0.10 |
| 9 | Refused | 2,732 | 3.26 | 7.32 |
| BLANK | Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months | 391,825 | | |

HIth pro ever said child has asthma

Module: 24.1 Childhood Asthma Prevalence Type: Num

Column: 408 SAS Variable Name: CASTHDX2

Prologue:

Description: Has a doctor, nurse or other health professional EVER said that the child has asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 10,432 | 13.49 | 12.76 |
| 2 | No-Go to next module | 63,789 | 82.50 | 79.48 |
| 7 | Don't know/Not Sure-Go to next module | 650 | 0.84 | 1.24 |
| 9 | Refused—Go to next module | 2,452 | 3.17 | 6.53 |
| BLANK | Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing | 398,364 | | |

Child still have asthma?

Module: 24.2 Childhood Asthma Prevalence Type: Num

Column: 409 SAS Variable Name: CASTHNO2

Prologue:

Description: Does the child still have asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 6,872 | 65.90 | 64.13 |
| 2 | No | 3,300 | 31.65 | 32.60 |
| 7 | Don't know/Not Sure | 253 | 2.43 | 3.24 |
| 9 | Refused | 3 | 0.03 | 0.04 |
| BLANK | Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or Module 24.01, CASTHDX2, is coded 2, 7, 9, or Missing | 465,259 | | |

Child dad seasonal flu shot past 12 mos

Module: 25.1 Childhood Immunization Type: Num

Column: 410 SAS Variable Name: FLUSHCH2

Prologue: There are two types of seasonal flu vaccinations. One is a shot and the other is a spray in the nose.

Description: During the past 12 months, has [Fill: he/she] had a seasonal flu vaccination?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--|-----------|------------|------------|
| 1 | Yes | 12,980 | 45.62 | 44.49 |
| 2 | No-Go to next module | 13,035 | 45.81 | 44.50 |
| 7 | Don't know/Not Sure-Go to next module | 1,684 | 5.92 | 7.81 |
| 9 | Refused—Go to next module | 756 | 2.66 | 3.19 |
| BLANK | Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE < 6 months; | 447,232 | | |

111 of 162 July 5, 2013

Waighted

Date child rcvd most recent seasonal flu vaccine(mmyyyy)

Module: 25.2 Childhood Immunization Type: Char

Column: 411-416 SAS Variable Name: RCVFVCH4

Prologue: The flu vaccination may have been either the flu shot or the flu spray. The flu spray is the flu vaccination that is

sprayed in the nose.

Description: During what month and year did [Fill: he/she] receive [Fill: his/her] most recent seasonal flu vaccination?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| 999999 | Refused | 43 | 0.33 | 0.74 |
| BLANK | Not asked or Missing Notes: Section 07.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE < 6 months; or Module 25.01, FLUSHCH2, is coded 2, 7, 9, or Missing | 462,724 | | |
| HIDDEN | Data not displayed | 12,920 | 99.67 | 99.26 |

Location of last HIV test

Module: 26.1 HIV/AIDS Type: Num

Column: 417-418 SAS Variable Name: WHRTST8

Prologue:

Description: Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, at a

hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Private doctor or HMO | 3,070 | 46.30 | 45.41 |
| 2 | Counseling and testing site | 195 | 2.94 | 2.66 |
| 3 | Hospital | 991 | 14.94 | 14.81 |
| 4 | Clinic | 1,352 | 20.39 | 22.01 |
| 5 | Jail or prison (or other correctional facility) | 62 | 0.94 | 1.29 |
| 6 | Drug treatment facility | 31 | 0.47 | 0.72 |
| 7 | At home | 238 | 3.59 | 3.06 |
| 8 | Somewhere else | 550 | 8.29 | 8.24 |
| 77 | Don't know/Not sure | 131 | 1.98 | 1.66 |
| 99 | Refused | 11 | 0.17 | 0.14 |
| BLANK | Not asked or Missing Notes: Section 18.01, HIVTST6, is coded 2, 7, 9, or Missing | 469,056 | | |

Was your last HIV test a rapid test?

Module: 26.2 HIV/AIDS Type: Num

Column: 419 SAS Variable Name: HIVRDTST

Prologue:

Description: Was it a rapid test where you could get your results within a couple of hours?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 199 | 19.17 | 21.43 |
| 2 | No | 766 | 73.80 | 72.98 |
| 7 | Don't know/Not sure | 70 | 6.74 | 5.50 |
| 9 | Refused | 3 | 0.29 | 0.08 |
| BLANK | Not asked or Missing Notes: Section 18.01, HIVTST6, is coded 2, 7, 9, or Missing; or Section 18.02, HIVTSTD3, not within the last 12 months | 474,649 | | |

How often get emotional support needed

Module: 27.1 Emotional Support and Life Satisfaction Type: Num

Column: 420 SAS Variable Name: EMTSUPRT

Prologue:

Description: How often do you get the social and emotional support you need?

Value Value Label Weighted
Frequency Percentage Percentage

BLANK Not asked or Missing 475,687

Satisfaction with life

Module: 27.2 Emotional Support and Life Satisfaction Type: Num

Column: 421 SAS Variable Name: LSATISFY

Prologue:

Description: In general, how satisfied are you with your life?

Value Value Label Weighted
Frequency Percentage Percentage

BLANK Not asked or Missing 475,687

Asthma Follow-Up call back request

Followup: 1.1 Asthma Follow-up Call Back

Type: Num

Column: 422 SAS Variable Name: CALLBACK

Prologue:

Description: We would like to call you again within the next 2 weeks to talk in more detail about (your/your child's) experiences

with asthma. The information will be used to help develop and improve the asthma programs in <STATE>. The information you gave us today and any you give us in the future will be kept confidential. If you agree to this, we will

keep your first name or initials and phone number on file, separate from the answers collected today.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 33,681 | 73.02 | 72.80 |
| 2 | No | 12,394 | 26.87 | 27.04 |
| 9 | Refused | 52 | 0.11 | 0.16 |
| BLANK | Not asked or Missing | 429,560 | | |

Asthma Follow-Up call back responded selected

Followup: 1.2 Asthma Follow-up Call Back

Type: Num

Column: 423 SAS Variable Name: ADLTCHLD

Prologue:

Description: Which household member was selected to be the focus of the callback.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 0 | No selection | 159,672 | 79.49 | 77.88 |
| 1 | Adult | 34,001 | 16.93 | 17.67 |
| 2 | Child | 7,210 | 3.59 | 4.45 |
| BLANK | Not asked or Missing | 274,804 | | |
| | | | | |

Correct Phone Number?

CellPhone: 1.1 Cell Phone Introduction Type: Num

Column: 424 SAS Variable Name: CTELNUM1

Prologue: Variabe only on the cell phone survey

Description: Is this (phone number) ?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes-Go to CELLFON2 | 98,638 | 99.96 | 99.95 |
| 2 | No | 1 | 0.00 | 0.00 |
| 7 | Don't know/Not sure | 30 | 0.03 | 0.05 |
| 9 | Refused | 4 | 0.00 | 0.00 |
| BLANK | Not asked or Missing | 377,014 | | |

Is this a cellular telephone?

CellPhone: 1.2 Cell Phone Introduction Type: Num

Column: 425 SAS Variable Name: CELLFON2

Prologue:

Description: Is this a cellular telephone?

ValueValue LabelFrequencyPercentageWeighted Percentage1Yes-Go to CADULT98,673100.00100.00BLANKNot asked or Missing377,014

Are you 18 years of age or older?

CellPhone: 1.3 Cell Phone Introduction Type: Num

Column: 426 SAS Variable Name: CADULT

Prologue: Variabe only on the cell phone survey

Description: Are you 18 years of age or older?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------------|-----------|------------|---------------------|
| 1 | Yes, Male Respondent-Go to PVTRESD2 | 50,539 | 51.22 | 56.25 |
| 2 | Yes, Female Respondent-Go to PVTRESD2 | 48,135 | 48.78 | 43.75 |
| BLANK | Not asked or Missing | 377,013 | | |

Do you live in a private residence?

CellPhone: 1.4 Cell Phone Introduction Type: Num

Column: 427 SAS Variable Name: PVTRESD2

Prologue: Variabe only on the cell phone survey

Description: Do you live in a private residence, that is, not in a dormitory or other type of group living situation?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|----------------------|-----------|------------|------------|
| 1 | Yes-Go to CSTATE | 97,597 | 98.91 | 98.45 |
| 2 | No-Go to CSTATE | 1,075 | 1.09 | 1.55 |
| 7 | Don't know/Not sure | 1 | 0.00 | 0.00 |
| 9 | Refused | 1 | 0.00 | 0.00 |
| BLANK | Not asked or Missing | 377,013 | | |

Do you live in college housing?

CellPhone: 1.5 Cell Phone Introduction Type: Num

Column: 428 SAS Variable Name: CCLGHOUS

Prologue:

Description: Do you live in college housing?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|------------------------|
| 1 | Yes | 1,060 | 99.34 | 98.88 |
| 2 | No | 7 | 0.66 | 1.12 |
| BLANK | Missing | 474,620 | | |

Are you a resident of [STATE]?

CellPhone: 1.6 Cell Phone Introduction **Type:** Num

Column: 429 SAS Variable Name: CSTATE

Prologue: Variabe only on the cell phone survey

Description: Are you a resident of [STATE]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes-Go to LANDLINE | 91,388 | 92.62 | 88.74 |
| 2 | No-Go to RSPSTATE | 7,283 | 7.38 | 11.26 |
| BLANK | Not asked or Missing | 377,016 | | |

In what state do you live?

CellPhone: 1.7 Cell Phone Introduction Type: Num

Column: 430-431 SAS Variable Name: RSPSTATE

Prologue: Variabe only on the cell phone survey

Description: In what state do you live?

| Description: | in what state do you live? | | | | | |
|--------------|----------------------------|-----------|------------|------------------------|--|--|
| Value | Value Label | Frequency | Percentage | Weighted Percentage | | |
| 1 | Alabama | 79 | 1.08 | 0.67 | | |
| 2 | Alaska | 31 | 0.43 | 0.08 | | |
| 4 | Arizona | 247 | 3.39 | 3.11 | | |
| 5 | Arkansas | 59 | 0.81 | 0.52 | | |
| 6 | California | 550 | 7.55 | 10.90 | | |
| 8 | Colorado | 222 | 3.05 | 1.28 | | |
| 9 | Connecticut | 64 | 0.88 | 0.21 | | |
| 10 | Delaware | 29 | 0.40 | 0.06 | | |
| 11 | District of Columbia | 64 | 0.88 | 0.35 | | |
| 12 | Florida | 493 | 6.77 | 18.79 | | |
| 13 | Georgia | 187 | 2.57 | 4.16 | | |
| 15 | Hawaii | 44 | 0.60 | 0.06 | | |
| 16 | Idaho | 77 | 1.06 | 0.68 | | |
| 17 | Illinois | 199 | 2.73 | 5.47 | | |
| 18 | Indiana | 119 | 1.63 | 0.98 | | |
| 19 | Iowa | 204 | 2.80 | 0.82 | | |
| 20 | Kansas | 95 | 1.30 | 0.32 | | |
| 21 | Kentucky | 67 | 0.92 | 0.41 | | |
| 22 | Louisiana | 74 | 1.02 | 0.81 | | |
| 23 | Maine | 45 | 0.62 | 0.08 | | |
| 24 | Maryland | 262 | 3.60 | 3.38 | | |
| 25 | Massachusetts | 192 | 2.64 | 0.75 | | |
| 26 | Michigan | 106 | 1.46 | 1.37 | | |
| 27 | Minnesota | 193 | 2.65 | 0.87 | | |
| 28 | Mississippi | 62 | 0.85 | 0.45 | | |
| 29 | Missouri | 166 | 2.28 | 2.01 | | |
| 30 | Montana | 35 | 0.48 | 0.06 | | |
| 31 | Nebraska | 69 | 0.95 | 0.10 | | |
| 32 | Nevada | 100 | 1.37 | 0.72 | | |
| 33 | New Hampshire | 63 | 0.87 | 0.19 | | |
| 34 | New Jersey | 127 | 1.74 | 0.58 | | |
| 35 | New Mexico | 66 | 0.91 | 0.14 | | |
| 36 | New York | 369 | 5.07 | 8.93 | | |
| 37 | North Carolina | 239 | 3.28 | 2.02 | | |
| 38 | North Dakota | 56 | 0.77 | 0.16 | | |
| | | | | | | |

In what state do you live?

CellPhone: 1.7 Cell Phone Introduction Type: Num

Column: 430-431 SAS Variable Name: RSPSTATE

Prologue: Variabe only on the cell phone survey

Description: In what state do you live?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 39 | Ohio | 148 | 2.03 | 1.55 |
| 40 | Oklahoma | 96 | 1.32 | 0.58 |
| 41 | Oregon | 130 | 1.78 | 1.40 |
| 42 | Pennsylvania | 210 | 2.88 | 1.58 |
| 44 | Rhode Island | 49 | 0.67 | 0.09 |
| 45 | South Carolina | 104 | 1.43 | 0.49 |
| 46 | South Dakota | 40 | 0.55 | 0.05 |
| 47 | Tennessee | 132 | 1.81 | 1.67 |
| 48 | Texas | 472 | 6.48 | 13.37 |
| 49 | Utah | 89 | 1.22 | 0.30 |
| 50 | Vermont | 29 | 0.40 | 0.05 |
| 51 | Virginia | 320 | 4.39 | 4.28 |
| 53 | Washington | 220 | 3.02 | 1.66 |
| 54 | West Virginia | 32 | 0.44 | 0.13 |
| 55 | Wisconsin | 82 | 1.13 | 1.14 |
| 56 | Wyoming | 70 | 0.96 | 0.17 |
| 66 | Guam | 3 | 0.04 | 0.00 |
| 72 | Puerto Rico | 3 | 0.04 | 0.01 |
| BLANK | Not asked or Missing | 468,404 | | |

Do you also have a landline telephone?

CellPhone: 1.8 Cell Phone Introduction Type: Num

Column: 432 SAS Variable Name: LANDLINE

Prologue: Variabe only on the cell phone survey

Description: Do you also have a landline telephone in your home that is used to make and receive calls?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|------------------------------|-----------|------------|------------|
| 1 | Yes | 19,608 | 19.87 | 18.16 |
| 2 | No-Go to Survey Introduction | 79,060 | 80.13 | 81.84 |
| 9 | Refused—Go to Termination | 1 | 0.00 | 0.00 |
| BLANK | Not asked or Missing | 377,018 | | |

118 of 162 July 5, 2013

Maiabtad

What percent of your calls are received on your cell phone?

CellPhone: 1.9 Cell Phone Introduction Type: Num

Column: 433-435 SAS Variable Name: PCTCELL

Prologue: Variabe only on the cell phone survey

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100,

are received on your cell phone?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|--------------------------|-----------|------------|------------------------|
| 1 - 100 | Enter Percent (1 to 100) | 18,774 | 95.73 | 89.31 |
| 777 | Don't know/Not sure | 59 | 0.30 | 0.21 |
| 888 | Zero | 25 | 0.13 | 0.07 |
| 999 | Refused | 753 | 3.84 | 10.40 |
| BLANK | Not asked or Missing | 456,076 | | |
| | | | | |

Questionnaire Version Identifier

State: 1.1 Questionnaire Version Type: Num

Column: 821-822 SAS Variable Name: QSTVER

Prologue:

Description: Questionnaire Version Identifier

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|-------------------------|-----------|------------|------------|
| 10 | Only Version Landline | 221,008 | 46.46 | 35.19 |
| 11 | Version 1 Landline | 71,449 | 15.02 | 12.68 |
| 12 | Version 2 Landline | 68,031 | 14.30 | 11.73 |
| 13 | Version 3 Landline | 16,525 | 3.47 | 4.03 |
| 20 | Only Version Cell Phone | 68,202 | 14.34 | 23.85 |
| 21 | Version 1 Cell Phone | 14,241 | 2.99 | 5.98 |
| 22 | Version 2 Cell Phone | 13,899 | 2.92 | 5.38 |
| 23 | Version 3 Cell Phone | 2,332 | 0.49 | 1.14 |
| | | | | |

Language identifier

State: 1.1 Questionnaire Language Type: Num

Column: 823-824 SAS Variable Name: QSTLANG

Prologue:

Description: Language identifier

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|------------------------|
| 1 | English | 451,204 | 96.64 | 93.26 |
| 2 | Spanish | 15,518 | 3.32 | 6.72 |
| 3 - 99 | Other | 179 | 0.04 | 0.01 |
| BLANK | Missing | 8,786 | | |

119 of 162 July 5, 2013

Waightad

Metropolitan Status Code

Weighting: 1.2 Weighting Variables

Type: Num

Column: 885 SAS Variable Name: MSCODE

Prologue:

Description: Metropolitan Status Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | In the center city of an MSA | 113,119 | 30.41 | 36.47 |
| 2 | Outside the center city of an MSA but inside the county containing the center city $% \left(1\right) =\left(1\right) +\left(1\right) $ | 77,719 | 20.90 | 28.18 |
| 3 | Inside a suburban county of the MSA | 52,729 | 14.18 | 15.47 |
| 4 | In an MSA that has no center city | 2,176 | 0.59 | 1.23 |
| 5 | Not in an MSA | 126,180 | 33.93 | 18.65 |
| BLANK | GU, PR, VI | 103,764 | | |
| | | | | |

Sample Design Stratification Variable

Weighting: 1.3 Weighting Variables

Type: Num

Column: 886-890 SAS Variable Name: STSTR

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two

characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

ValueValue LabelFrequencyPercentageWeighted PercentageHIDDENData not displayed475,687100.00100.00

Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this

report

Stratum weight

Weighting: 1.4 Weighting Variables

Type: Num

Column: 891-900 SAS Variable Name: _STRWT

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected

(NRECSEL).)

ValueValue LabelFrequencyPercentageWeighted PercentageHIDDENData not displayed475,687100.00100.00

Notes: Floating Decimal Point. Due to the nature of the data or the

size of the table for display, this data is not printed for this

report

Raw weighting factor

Weighting: 1.5 Weighting Variables

Type: Num

Column: 901-910 SAS Variable Name: _RAW

Prologue:

Description: Raw weighting factor (Number of adults in the household (NUMADULT) divided by the imputed number of phones

(_IMPNPH).)

Value Value Label Weighted

Value Value Label Frequency Percentage Percentage

HIDDEN Data not displayed 475,687 Notes: Floating Decimal Point. Due to the nature of the data or the

size of the table for display, this data is not printed for this

report

Design weight

Weighting: 1.6 Weighting Variables Type: Num

Column: 911-920 SAS Variable Name: _WT2

Prologue:

Description: Design weight (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAW).)

 Value
 Value Label

 Frequency
 Percentage

 Percentage
 Percentage

HIDDEN Data not displayed 475,687 100.00 100.00

Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this

report

Raw weighting factor used in raking

Weighting: 1.7 Weighting Variables Type: Num

Column: 921-930 SAS Variable Name: _RAWRAKE

Prologue:

Description: Raw weighting factor used in raking (Number of adults in the household (NUMADULT, maximum of 5) divided by

the imputed number of phones (_IMPNPH, maximum of 3).)

Value Value Label Weighted

Frequency Percentage Percentage

HIDDEN Data not displayed 475,687 100.00 100.00

Notes: Floating Decimal Point. Due to the nature of the data or the

size of the table for display, this data is not printed for this report $% \left(1\right) =\left(1\right) +\left(1\right) +\left($

121 of 162 July 5, 2013

100.00

100.00

Design weight use in raking

Weighting: 1.8 Weighting Variables

Type: Num

Column: 931-940 SAS Variable Name: _WT2RAKE

Prologue:

Description: Design weight used in raking (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWRAKE).)

Value Value Label Weighted Frequency Percentage Percentage

HIDDEN Data not displayed 475,687 100.00 100.00

Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this

report

Region

Weighting: 1.9 Weighting Variables

Type: Num

Column: 941-942 SAS Variable Name: _REGION

Prologue:

Description: Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR

Value Value Label Weighted Frequency Percentage Percentage

HIDDEN Data not displayed 475,687 100.00 100.00

Notes: Due to the nature of the data or the size of the table for

display, this data is not printed for this report

Age value used to determine age groups

Weighting: 1.10 Weighting Variables

Type: Num

Column: 943-944 SAS Variable Name: IMPAGE

Prologue:

Description: Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused

to give an age. The value of the imputed age will be an average age computed from the sample if the respondent

refused to give an age.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|-----------------|-----------|------------|------------------------|
| 18 - 24 | Age 18 to 24 | 24,897 | 5.23 | 13.06 |
| 25 - 34 | Age 25 to 34 | 47,819 | 10.05 | 17.16 |
| 35 - 44 | Age 35 to 44 | 60,276 | 12.67 | 16.92 |
| 45 - 54 | Age 45 to 54 | 83,854 | 17.63 | 18.38 |
| 55 - 64 | Age 55 to 64 | 106,266 | 22.34 | 16.21 |
| 65 - 99 | Age 65 or older | 152,575 | 32.07 | 18.27 |

Imputed race/ethnicity value

Weighting: 1.11 Weighting Variables

Type: Num

Column: 945-946 SAS Variable Name: _IMPRACE

Prologue:

Description: Imputed race/ethnicity value (This value is the reported race/ethnicity or an imputed race/ethnicity, if the respondent

refused to give a race/ethnicity. The value of the imputed race/ethnicity will be the most common race/ethnicith

response for that region of the state)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | White, Non-Hispanic | 368,492 | 77.47 | 64.88 |
| 2 | Black, Non-Hispanic | 40,506 | 8.52 | 11.52 |
| 3 | Asian, Non-Hispanic | 9,491 | 2.00 | 4.40 |
| 4 | American Indian/Alaskan Native, Non-Hispanic | 6,959 | 1.46 | 1.02 |
| 5 | Hispanic | 35,925 | 7.55 | 15.98 |
| 6 | Other race, Non-Hispanic | 14,314 | 3.01 | 2.20 |

Imputed number of phones

Weighting: 1.12 Weighting Variables

Type: Num

Column: 947 SAS Variable Name: _IMPNPH

Prologue:

Description: Imputed number of phones used in weighting

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------|-----------|------------|------------------------|
| 1 | Number of phones | 367,473 | 97.47 | 98.31 |
| 2 | | 8,496 | 2.25 | 1.55 |
| 3 | | 856 | 0.23 | 0.11 |
| 4 | | 128 | 0.03 | 0.02 |
| 5 | | 30 | 0.01 | 0.00 |
| 6 | | 30 | 0.01 | 0.01 |
| BLANK | | 98,674 | | |

Original state that collected the cell phone data

Weighting: 1.17 Weighting Variables

Type: Num

Column: 954-955 SAS Variable Name: O_STATE

Prologue:

Description: Original state that collected the cell phone data

| escription: | Original state that collected the cell phone data | | | |
|-------------|---|-----------|------------|---------------------|
| Value | Value Label | Frequency | Percentage | Weighted Percentage |
| 1 | | 9,003 | 1.89 | 1.54 |
| 2 | | 4,387 | 0.92 | 0.26 |
| 4 | | 7,174 | 1.51 | 1.95 |
| 5 | | 5,192 | 1.09 | 0.94 |
| 6 | | 14,241 | 2.99 | 11.56 |
| 8 | | 12,269 | 2.58 | 1.70 |
| 9 | | 8,954 | 1.88 | 1.27 |
| 10 | | 5,294 | 1.11 | 0.36 |
| 11 | | 3,993 | 0.84 | 0.33 |
| 12 | | 7,177 | 1.51 | 5.55 |
| 13 | | 5,969 | 1.25 | 2.92 |
| 15 | | 8,042 | 1.69 | 0.77 |
| 16 | | 5,861 | 1.23 | 0.47 |
| 17 | | 5,457 | 1.15 | 3.86 |
| 18 | | 8,672 | 1.82 | 2.09 |
| 19 | | 7,081 | 1.49 | 1.00 |
| 20 | | 11,878 | 2.50 | 0.96 |
| 21 | | 11,306 | 2.38 | 1.45 |
| 22 | | 9,033 | 1.90 | 1.44 |
| 23 | | 10,035 | 2.11 | 0.52 |
| 24 | | 12,610 | 2.65 | 1.76 |
| 25 | | 21,894 | 4.60 | 2.32 |
| 26 | | 10,534 | 2.21 | 3.15 |
| 27 | | 12,053 | 2.53 | 1.65 |
| 28 | | 7,784 | 1.64 | 0.93 |
| 29 | | 6,693 | 1.41 | 1.87 |
| 30 | | 8,801 | 1.85 | 0.38 |
| 31 | | 19,476 | 4.09 | 0.71 |
| 32 | | 4,822 | 1.01 | 0.87 |
| 33 | | 7,589 | 1.60 | 0.47 |
| 34 | | 15,906 | 3.34 | 2.99 |
| 35 | | 8,925 | 1.88 | 0.80 |
| 36 | | 5,810 | 1.22 | 5.98 |
| 37 | | 11,799 | 2.48 | 3.08 |
| 38 | | 4,959 | 1.04 | 0.26 |
| | | | | |

Original state that collected the cell phone data

Weighting: 1.17 Weighting Variables Type: Num

Column: 954-955 SAS Variable Name: O_STATE

Prologue:

Description: Original state that collected the cell phone data

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|------------------------|
| 39 | | 13,033 | 2.74 | 3.68 |
| 40 | | 8,041 | 1.69 | 1.25 |
| 41 | | 5,219 | 1.10 | 1.22 |
| 42 | | 20,085 | 4.22 | 4.26 |
| 44 | | 5,529 | 1.16 | 0.39 |
| 45 | | 12,870 | 2.71 | 1.59 |
| 46 | | 8,046 | 1.69 | 0.32 |
| 47 | | 6,995 | 1.47 | 2.02 |
| 48 | | 8,706 | 1.83 | 7.38 |
| 49 | | 12,532 | 2.63 | 0.89 |
| 50 | | 6,118 | 1.29 | 0.24 |
| 51 | | 7,171 | 1.51 | 2.48 |
| 53 | | 15,267 | 3.21 | 2.21 |
| 54 | | 5,450 | 1.15 | 0.64 |
| 55 | | 5,290 | 1.11 | 1.81 |
| 56 | | 6,282 | 1.32 | 0.20 |
| 66 | | 2,033 | 0.43 | 0.05 |
| 72 | | 6,347 | 1.33 | 1.19 |
| | | | | |

CRACE with trailing 7, 8, 9s removed

ChildDemograp 1.01 Child Demographic Variables **Type:** Char

hics:

Column: 1128-1133 SAS Variable Name: CRACEORG

Prologue:

Description: CRACE with trailing 7, 8, 9s removed

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 7 | Don't know/Not sure | 488 | 0.55 | 1.16 |
| 9 | Refused | 3,510 | 3.95 | 7.70 |
| BLANK | Missing | 386,793 | | |
| HIDDEN | Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 84,896 | 95.50 | 91.14 |

CRACEORG with responses in ascending order

ChildDemograp 1.02 Child Demographic Variables Type: Num

hics:

Column: 1134-1139 SAS Variable Name: CRACEASC

Prologue:

Description: CRACE with 7, 8, 9s removed, in ascending order

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 7 | Don't know/Not sure | 488 | 0.55 | 1.16 |
| 9 | Refused | 3,510 | 3.95 | 7.70 |
| BLANK | Missing | 386,793 | | |
| HIDDEN | Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 84,896 | 95.50 | 91.14 |

Child Non-Hispanic Race including Multiracial

ChildDemograp 1.03 Child Demographic Variables **Type:** Num

hics:

Column: 1140-1141 SAS Variable Name: _CRACE

Prologue:

Description: Child multiracial race categorization

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--|-----------|------------|------------|
| 1 | White only Notes: CRACEASC = 1 | 63,377 | 71.30 | 65.40 |
| 2 | Black or African American only Notes: CRACEASC =2 | 9,209 | 10.36 | 11.96 |
| 3 | Asian Only Notes: CRACEASC = 3 | 2,299 | 2.59 | 4.38 |
| 4 | Native Hawaiian or other Pacific Islander only Notes: $CRACEASC = 4$ | 327 | 0.37 | 0.35 |
| 5 | American Indian or Alaskan Native only Notes: CRACEASC = 5 | 2,059 | 2.32 | 1.84 |
| б | Other race only Notes: CRACEASC = 6 | 3,621 | 4.07 | 3.71 |
| 7 | Multiracial Notes: CRACEASC >= 12 | 4,004 | 4.50 | 3.49 |
| 77 | Don't know/Not sure Notes: CRACEASC = 7 | 488 | 0.55 | 1.16 |
| 99 | Refused Notes: CRACEASC = 9 | 3,510 | 3.95 | 7.70 |
| BLANK | Missing Notes: CRACEASC = Missing | 386,793 | | |

126 of 162 July 5, 2013

Waighted

Raw child weighting factor

ChildWeighting 1.01 Child Weighting Variables

Type: Num

÷

Column: 1142-1151 SAS Variable Name: _RAWCH

Prologue:

Description: Raw child weighting factor (Number of children in the household (CHILDREN) divided by the imputed number of

phones (_IMPNPH).)

Value Value Label Weighted

Value Value Label Frequency Percentage Percentage

HIDDEN Data not displayed 475,687 100.00 100.00

Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this

report

Child design weight

ChildWeighting 1.02 Child Weighting Variables

Type: Num

:

Column: 1152-1161 SAS Variable Name: _WT2CH

Prologue:

Description: Child design weight (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH).)

Weighted Value Value Label Frequency Percentage Percentage

HIDDEN Data not displayed 475,687 100.00 100.00

Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this

report

Child Age

ChildWeighting 1.03 Child Weighting Variables

Type: Num

Column: 1162-1164 SAS Variable Name: CHILDAGE

Prologue:

Description: Child Age

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------|-----------|------------|------------------------|
| 0 - 11 | 0 Years old | 3,404 | 3.82 | 4.15 |
| 1 | | 147 | 0.16 | 0.17 |
| 2 | | 26 | 0.03 | 0.03 |
| 3 | | 21 | 0.02 | 0.04 |
| 4 | | 16 | 0.02 | 0.01 |
| 7 | | 2 | 0.00 | 0.00 |
| 8 | | 1 | 0.00 | 0.00 |
| 12 - 23 | 1 Year old | 3,836 | 4.30 | 4.58 |
| 24 - 35 | 2 Years old | 3,782 | 4.24 | 4.53 |
| 36 - 47 | 3 Years old | 3,819 | 4.28 | 4.21 |
| 48 - 59 | 4 Years old | 3,797 | 4.26 | 4.44 |
| 60 - 71 | 5 Years old | 3,812 | 4.27 | 4.10 |
| 72 - 83 | 6 Years old | 3,945 | 4.42 | 4.58 |
| 84 - 95 | 7 Years old | 3,920 | 4.39 | 4.25 |
| 96 - 107 | 8 Years old | 3,930 | 4.41 | 3.88 |
| 108 - 119 | 9 Years old | 4,002 | 4.49 | 4.05 |
| 120 - 131 | 10 Years old | 3,993 | 4.48 | 4.11 |
| 132 - 143 | 11 Years old | 4,427 | 4.96 | 4.46 |
| 144 - 155 | 12 Years old | 4,614 | 5.17 | 4.60 |
| 156 - 167 | 13 Years old | 4,518 | 5.06 | 4.63 |
| 168 - 179 | 14 Years old | 5,094 | 5.71 | 5.07 |
| 180 - 191 | 15 Years old | 5,420 | 6.08 | 5.48 |
| 192 - 203 | 16 Years old | 5,967 | 6.69 | 6.57 |
| 204 - 215 | 17 Years old | 6,139 | 6.88 | 6.16 |
| 777 | Don't know / Not sure | 3,622 | 4.06 | 6.63 |
| 999 | Refused | 6,959 | 7.80 | 9.27 |
| BLANK | Not asked or Missing | 386,474 | | |

Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandC 1.1 Child Weighting Variables

ellRaking:

Column: 1253-1255 SAS Variable Name: _CLCPM01

Prologue:

Description: Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value Value Label Frequency Percentage Percentage 1 - 8 First raking margin: (age-sex) 80,245 100.00 100.00

BLANK Missing 395,442

Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandC 1.2 Child Weighting Variables Type: Num

ellRaking:

Column: 1256-1258 SAS Variable Name: _CLCPM02

Prologue:

Description: Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value Value Label Frequency Percentage Percentage 1 - 6 Second raking margin: (race/ethnicity) 80,245 100.00 100.00

BLANK Missing 395,442

Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandC 1.3 Child Weighting Variables Type: Num

ellRaking:

Column: 1259-1261 SAS Variable Name: _CLCPM03

Prologue:

Description: Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ValueValue LabelFrequencyPercentageWeighted Percentage1 - 12Third raking margin: (sex-race/ethnicity)80,245100.00100.00

BLANK Missing 395,442

129 of 162 July 5, 2013

Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC 1.4 Child Weighting Variables Type: Num

ellRaking:

Column: 1262-1264 SAS Variable Name: _CLCPM04

Prologue:

Description: Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value Value Label Weighted
Frequency Percentage Percentage

1 - 18 Fourth raking margin: (age-race/ethnicity) 80,245 100.00 100.00

BLANK Missing 395,442

Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandC 1.5 Child Weighting Variables Type: Num

ellRaking:

Column: 1265-1267 SAS Variable Name: _CLCPM05

Prologue:

Description: Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value Value Label Weighted Frequency Percentage Percentage

1 - 2 Cell Phone Only 80,245 100.00 100.00

BLANK Missing 395,442

Final child weight: Land-line and Cell-Phone data

ChildLandandC 1.5 Child Weighting Variables Type: Num

ellRaking:

Column: 1268-1277 SAS Variable Name: _CLLCPWT

Prologue:

Description: Final child weight: Land-line and Cell-Phone data (Raking derived weight)

Value Value Label Weighted

Value Value Label Frequency Percentage Percentage

HIDDEN Data not displayed 475,687 100.00 100.00

Notes: Floating Decimal Point. Due to the nature of the data or the

size of the table for display, this data is not printed for this report $% \left(1\right) =\left(1\right) +\left(1\right) +\left($

Dual Phone Use Categories

LandandCellRa 1.2 Weighting Variables **king:** Type: Num

Column: 1402 **SAS Variable Name:** _DUALUSE

Prologue:

Description: Dual Phone Use Categories

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------|-----------|------------|------------------------|
| 1 | Land Line: Cell Phone Mostly | 40,824 | 8.58 | 7.80 |
| 2 | Cell Phone: Cell Phone Mostly | 14,196 | 2.98 | 4.22 |
| 3 | Land Line: Cell Phone Occasionally | 5,742 | 1.21 | 0.81 |
| 4 | Cell Phone: Cell Phone Occasionally | 92 | 0.02 | 0.02 |
| 9 | No Dual Phone Use | 414,833 | 87.21 | 87.16 |
| | | | | |

Dual Phone Use Correction Factor

LandandCellRa 1.3 Weighting Variables

king:

Column: 1403-1412 SAS Variable Name: _DUALCOR

Prologue:

Description: Dual phone use correction factor

| Description: | Duai phone use correction factor | | | |
|--------------|----------------------------------|-----------|------------|------------------------|
| Value | Value Label | Frequency | Percentage | Weighted Percentage |
| 0.0369 | | 40 | 0.07 | 0.07 |
| 0.1278 | | 56 | 0.10 | 0.07 |
| 0.1511 | | 176 | 0.32 | 0.40 |
| 0.2065 | | 86 | 0.16 | 0.03 |
| 0.2167 | | 115 | 0.21 | 0.04 |
| 0.2454 | | 189 | 0.34 | 0.53 |
| 0.2474 | | 165 | 0.30 | 0.25 |
| 0.2492 | | 174 | 0.32 | 0.82 |
| 0.2499 | | 342 | 0.62 | 0.25 |
| 0.2554 | | 155 | 0.28 | 1.05 |
| 0.2609 | | 134 | 0.24 | 1.06 |
| 0.2713 | | 390 | 0.71 | 0.27 |
| 0.2759 | | 138 | 0.25 | 0.03 |
| 0.2832 | | 348 | 0.63 | 0.15 |
| 0.2839 | | 140 | 0.25 | 0.26 |
| 0.2954 | | 145 | 0.26 | 0.25 |
| 0.2976 | | 159 | 0.29 | 0.08 |
| 0.3020 | | 170 | 0.31 | 0.10 |
| 0.3024 | | 134 | 0.24 | 0.25 |
| 0.3152 | | 355 | 0.65 | 0.49 |
| 0.3199 | | 266 | 0.48 | 0.56 |
| 0.3252 | | 183 | 0.33 | 3.49 |
| 0.3300 | | 85 | 0.15 | 0.01 |
| 0.3331 | | 285 | 0.52 | 0.99 |
| 0.3516 | | 145 | 0.26 | 0.11 |
| 0.3542 | | 327 | 0.59 | 1.02 |
| 0.3565 | | 193 | 0.35 | 0.10 |
| 0.3616 | | 628 | 1.14 | 0.09 |
| 0.3644 | | 295 | 0.54 | 4.14 |
| 0.3663 | | 569 | 1.03 | 1.30 |
| 0.3695 | | 263 | 0.48 | 0.18 |
| 0.3724 | | 209 | 0.38 | 0.93 |
| 0.3754 | | 129 | 0.23 | 0.02 |
| 0.3857 | | 257 | 0.47 | 0.57 |
| 0.3872 | | 265 | 0.48 | 0.09 |
| | | | | |

132 of 162 July 5, 2013

Dual Phone Use Correction Factor

LandandCellRa 1.3 Weighting Variables

king

Column: 1403-1412 SAS Variable Name: _DUALCOR

Prologue:

Description: Dual phone use correction factor

| Description: | Dual phone use correction factor | | | |
|--------------|----------------------------------|-----------|------------|---------------------|
| Value | Value Label | Frequency | Percentage | Weighted Percentage |
| 0.3882 | | 213 | 0.39 | 0.75 |
| 0.3929 | | 247 | 0.45 | 0.19 |
| 0.3944 | | 318 | 0.58 | 0.81 |
| 0.3982 | | 581 | 1.06 | 0.21 |
| 0.4020 | | 190 | 0.35 | 0.60 |
| 0.4025 | | 204 | 0.37 | 3.89 |
| 0.4029 | | 107 | 0.19 | 0.59 |
| 0.4076 | | 374 | 0.68 | 0.85 |
| 0.4096 | | 678 | 1.23 | 1.13 |
| 0.4129 | | 431 | 0.78 | 0.55 |
| 0.4186 | | 411 | 0.75 | 0.57 |
| 0.4233 | | 657 | 1.19 | 0.30 |
| 0.4241 | | 1,398 | 2.54 | 1.65 |
| 0.4249 | | 303 | 0.55 | 0.13 |
| 0.4273 | | 305 | 0.55 | 0.45 |
| 0.4292 | | 269 | 0.49 | 0.40 |
| 0.4383 | | 348 | 0.63 | 0.37 |
| 0.4518 | | 411 | 0.75 | 0.53 |
| 0.5481 | | 974 | 1.77 | 0.71 |
| 0.5616 | | 680 | 1.24 | 0.65 |
| 0.5707 | | 428 | 0.78 | 0.39 |
| 0.5726 | | 773 | 1.40 | 0.53 |
| 0.5750 | | 641 | 1.17 | 0.13 |
| 0.5758 | | 807 | 1.47 | 2.59 |
| 0.5766 | | 549 | 1.00 | 0.33 |
| 0.5813 | | 887 | 1.61 | 0.77 |
| 0.5870 | | 853 | 1.55 | 0.82 |
| 0.5903 | | 2,145 | 3.90 | 1.45 |
| 0.5923 | | 865 | 1.57 | 1.59 |
| 0.5970 | | 376 | 0.68 | 0.84 |
| 0.5974 | | 455 | 0.83 | 3.79 |
| 0.5979 | | 608 | 1.11 | 1.02 |
| 0.6017 | | 1,633 | 2.97 | 0.30 |
| 0.6055 | | 690 | 1.25 | 1.01 |
| 0.6070 | | 536 | 0.97 | 0.18 |
| | | | | |

133 of 162 July 5, 2013

Dual Phone Use Correction Factor

LandandCellRa 1.3 Weighting Variables

king:

Column: 1403-1412 SAS Variable Name: _DUALCOR

Prologue:

Description: Dual phone use correction factor

| Description. | Dual priorie use correction factor | | | |
|--------------|------------------------------------|-----------|------------|------------------------|
| Value | Value Label | Frequency | Percentage | Weighted Percentage |
| 0.6117 | | 580 | 1.05 | 1.13 |
| 0.6127 | | 535 | 0.97 | 0.14 |
| 0.6142 | | 621 | 1.13 | 0.64 |
| 0.6245 | | 288 | 0.52 | 0.06 |
| 0.6275 | | 534 | 0.97 | 0.99 |
| 0.6304 | | 634 | 1.15 | 0.30 |
| 0.6336 | | 1,760 | 3.20 | 2.46 |
| 0.6355 | | 871 | 1.58 | 4.49 |
| 0.6383 | | 368 | 0.67 | 0.16 |
| 0.6434 | | 562 | 1.02 | 0.17 |
| 0.6457 | | 922 | 1.68 | 1.81 |
| 0.6483 | | 314 | 0.57 | 0.24 |
| 0.6668 | | 821 | 1.49 | 1.55 |
| 0.6699 | | 229 | 0.42 | 0.02 |
| 0.6747 | | 709 | 1.29 | 4.02 |
| 0.6800 | | 699 | 1.27 | 0.73 |
| 0.6847 | | 1,147 | 2.08 | 0.94 |
| 0.6975 | | 491 | 0.89 | 0.65 |
| 0.6979 | | 507 | 0.92 | 0.30 |
| 0.7023 | | 512 | 0.93 | 0.26 |
| 0.7045 | | 475 | 0.86 | 0.47 |
| 0.7160 | | 415 | 0.75 | 0.58 |
| 0.7167 | | 1,050 | 1.91 | 0.51 |
| 0.7240 | | 431 | 0.78 | 0.10 |
| 0.7286 | | 1,473 | 2.68 | 0.61 |
| 0.7390 | | 548 | 1.00 | 3.20 |
| 0.7445 | | 630 | 1.15 | 2.19 |
| 0.7500 | | 1,322 | 2.40 | 1.45 |
| 0.7507 | | 677 | 1.23 | 1.65 |
| 0.7525 | | 664 | 1.21 | 0.55 |
| 0.7545 | | 992 | 1.80 | 1.14 |
| 0.7832 | | 498 | 0.91 | 0.07 |
| 0.7934 | | 425 | 0.77 | 0.16 |
| 0.8488 | | 1,447 | 2.63 | 1.78 |
| 0.8721 | | 497 | 0.90 | 0.27 |
| | | | | |

134 of 162 July 5, 2013

Dual Phone Use Correction Factor

LandandCellRa 1.3 Weighting Variables Type: Num

king:

Column: 1403-1412 SAS Variable Name: _DUALCOR

Prologue:

Description: Dual phone use correction factor

Value Value Label Weighted Frequency Percentage Percentage

0.9630 1,317 2.39 13.03

BLANK 420,667

Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRa 1.4 Weighting Variables Type: Num

king:

Column: 1413-1415 SAS Variable Name: _LLCPM01

Prologue:

Description: Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value Value Label Weighted
Frequency Percentage Percentage

1 - 14 First raking margin: (age-sex) 475,687 100.00 100.00

Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRa 1.5 Weighting Variables Type: Num

king:

Column: 1416-1418 SAS Variable Name: _LLCPM02

Prologue:

Description: Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ValueValue LabelFrequencyPercentageWeighted Percentage1 - 6Second raking margin: (race/ethnicity)475,687100.00100.00

Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRa 1.6 Weighting Variables Type: Num

king:

Column: 1419-1421 SAS Variable Name: _LLCPM03

Prologue:

Description: Combined Land-Line and Cell-Phone Third Margin (Education)

| Valu | ue Value Label | Frequency | Percentage | Weighted Percentage |
|------|----------------|-----------|------------|------------------------|
| 1 | Less than HS | 42,556 | 8.95 | 15.08 |
| 2 | HS Grad | 140,046 | 29.44 | 28.78 |
| 3 | Some College | 128,889 | 27.10 | 30.50 |
| 4 | College Grad | 164,196 | 34.52 | 25.64 |
| | | | | |

Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRa 1.7 Weighting Variables Type: Num

king:

Column: 1422-1424 SAS Variable Name: _LLCPM04

Prologue:

Description: Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Married | 249,935 | 52.54 | 49.87 |
| 2 | Never married, member unmarried couple | 84,130 | 17.69 | 30.33 |
| 3 | Divorced, Widowed, Separated | 141,622 | 29.77 | 19.80 |

Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRa 1.8 Weighting Variables Type: Num

king:

Column: 1425-1427 SAS Variable Name: _LLCPM05

Prologue:

Description: Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

Value Value Label Frequency Percentage Percentage

1 - 2 Fifth raking margin: (rent/own home) 475,687 100.00 100.00

Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRa 1.9 Weighting Variables Type: Num

king:

Column: 1428-1430 SAS Variable Name: _LLCPM06

Prologue:

Description: Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value Value Label Frequency Percentage Percentage

1 - 12 Sixth raking margin: (sex-race/ethnicity) 475,687 100.00 100.00

Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRa 1.10 Weighting Variables Type: Num

king:

Column: 1431-1433 SAS Variable Name: _LLCPM07

Prologue:

Description: Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value Value Label Weighted Frequency Percentage Percentage

1 - 18 Seventh raking margin: (age-race/ethnicity) 475,687 100.00 100.00

Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRa 1.11 Weighting Variables Type: Num

king:

Column: 1434-1436 SAS Variable Name: _LLCPM08

Prologue:

Description: Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

ValueValue LabelFrequencyPercentagePercentage

1 - 3 Eighth raking margin: (phone source-land line or cell phone) 475,687 100.00 100.00

Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRa 1.12 Weighting Variables Type: Num

king:

Column: 1437-1439 SAS Variable Name: _LLCPM09

Prologue:

Description: Combined Land-Line and Cell-Phone Ninth Margin (Regions)

ValueValue LabelFrequencyPercentage1 - 100Ninth raking margin: (region)273,660100.00100.00

BLANK Missing 202,027

137 of 162 July 5, 2013

Weighted

Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRa 1.13 Weighting Variables Type: Num

king:

Column: 1440-1442 SAS Variable Name: _LLCPM10

Prologue:

Description: Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

Value Value Label Weighted
Frequency Percentage Percentage

1 - 700 Tenth raking margin: (region-age) 273,660 100.00 100.00

BLANK Missing 202,027

Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRa 1.14 Weighting Variables Type: Num

king:

Column: 1443-1445 SAS Variable Name: _LLCPM11

Prologue:

Description: Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

Value Value Label Weighted Frequency Percentage Percentage

1 - 200 Eleventh raking margin: (region-sex) 273,660 100.00 100.00

BLANK Missing 202,027

Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRa 1.15 Weighting Variables Type: Num

king:

Column: 1446-1448 SAS Variable Name: _LLCPM12

Prologue:

Description: Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

 Value
 Value Label
 Frequency
 Percentage
 Percentage

1 - 600 Twelfth raking margin: (region-race/ethnicity) 273,660 100.00 100.00

BLANK Missing 202,027

Final weight: Land-line and cell-phone data

LandandCellRa 1.16 Weighting Variables Type: Num

king:

Column: 1449-1458 SAS Variable Name: _LLCPWT

Prologue:

Description: Final weight assigned to each respondent: Land-line and cell-phone data (Raking derived weight)

Weighted Value Value Label Frequency Percentage Percentage

HIDDEN Data not displayed 475,687 100.00 100.00

Adults with good or better health

Calculated Varia 1.1 Calculated Variables Type: Num

bles:

Column: 1597 SAS Variable Name: _RFHLTH

Prologue:

Description: Adults with good or better health

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Good or Better Health Notes: GENHLTH = 1 or 2 or 3 | 381,050 | 80.11 | 81.59 |
| 2 | Fair or Poor Health Notes: GENHLTH = 4 or 5 | 93,074 | 19.57 | 18.03 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing | 1,563 | 0.33 | 0.37 |

Respondents aged 18-64 with health care coverage

Calculated Variables Type: Num

bles:

Column: 1598 SAS Variable Name: _HCVU651

Prologue:

Description: Respondents aged 18-64 who have any form of health care coverage

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---|-----------|------------|------------|
| 1 | Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 1 | 265,824 | 55.88 | 62.77 |
| 2 | Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 2 | 51,711 | 10.87 | 17.87 |
| 9 | Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLAN = 7 or 9 or Missing | 158,152 | 33.25 | 19.36 |

Leisure Time Physical Activity Calculated Variable

Calculated Variables Type: Num

bles:

Column: 1599 SAS Variable Name: _TOTINDA

Prologue:

Description: Adults who reported doing physical activity or exercise during the past 30 days other than their regular job

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | <pre>Had physical activity or exercise Notes: EXERANY2 = 1</pre> | 355,588 | 74.75 | 75.82 |
| 2 | No physical activity or exercise in last 30 days Notes: EXERANY2 = 2 | 118,540 | 24.92 | 23.32 |
| 9 | Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing | 1,559 | 0.33 | 0.86 |

Lifetime Asthma Calculated Variable

CalculatedVaria 5.1 Calculated Variables

Type: Num

bles:

Column: 1600 SAS Variable Name: _LTASTH1

Prologue:

Description: Adults who have ever been told they have asthma

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | No Notes: ASTHMA3 = 2 | 413,495 | 86.93 | 86.54 |
| 2 | Yes Notes: ASTHMA3 = 1 | 60,757 | 12.77 | 13.19 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing | 1,435 | 0.30 | 0.28 |

Current Asthma Calculated Variable

CalculatedVaria 5.2 Calculated Variables Type: Num

bles:

Column: 1601 SAS Variable Name: _CASTHM1

Prologue:

Description: Adults who have been told they currently have asthma

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---|-----------|------------|------------|
| 1 | No Notes: ASTHMA3 = 2 or ASTHMA3 = 1 and ASTHNOW = 2 | 429,280 | 90.24 | 90.57 |
| 2 | Yes Notes: ASTHMA3 = 1 and ASTHNOW = 1 | 43,267 | 9.10 | 8.80 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing | 3,140 | 0.66 | 0.64 |

Computed Asthma Status

CalculatedVaria 5.3 Calculated Variables Type: Num

bles:

Column: 1602 SAS Variable Name: _ASTHMS1

Prologue:

Description: Computed asthma status

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Current Notes: ASTHMA3 = 1 and ASTHNOW = 1 | 43,267 | 9.10 | 8.80 |
| 2 | Former Notes: ASTHMA3 = 1 and ASTHNOW = 2 | 15,785 | 3.32 | 4.03 |
| 3 | Never Notes: ASTHMA3 = 2 | 413,495 | 86.93 | 86.54 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing | 3,140 | 0.66 | 0.64 |

140 of 162 July 5, 2013

Maiabtad

Respondents diagnosed with arthritis

Calculated Variables Type: Num

bles:

Column: 1603 SAS Variable Name: _DRDXAR1

Prologue:

Description: Respondents who have had a doctor diagnose them as having some form of arthritis

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Diagnosed with arthritis Notes: HAVARTH3 = 1 | 162,758 | 34.40 | 25.62 |
| 2 | Not diagnosed with arthritis Notes: HAVARTH3 = 2 | 310,423 | 65.60 | 74.38 |
| BLANK | Don't know/Not Sure/Refused/Missing Notes: HAVARTH3 = 7 or 9 or Missing | 2,506 | | |

Adults aged 18+ that have had permanent teeth extracted

CalculatedVaria 6.1 Oral Health Type: Num

bles:

Column: 1604 SAS Variable Name: _EXTETH2

Prologue:

Description: Adults aged 18+ who have had permanent teeth extracted

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Not at risk Notes: RMVTETH3=8 | 218,516 | 45.94 | 53.48 |
| 2 | At risk Notes: RMVTETH=1 or 2 or 3 | 245,897 | 51.69 | 44.88 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: RMVTETH3=7 or 9 or Missing | 11,274 | 2.37 | 1.64 |

Adults aged 65+ who have had all their natural teeth extracted

CalculatedVaria 6.2 Oral Health Type: Num

bles:

Column: 1605 SAS Variable Name: _ALTETH2

Prologue:

Description: Adults aged 65+ who have had all their natural teeth extracted

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | No Notes: AGE>= 65 and RMVTETH3=1 or 2 or 8 | 121,291 | 77.20 | 77.49 |
| 2 | Yes Notes: AGE>= 65 and RMVTETH3=3 | 24,409 | 15.54 | 14.99 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: AGE>= 65 or =7 or 9 or Missing and RMVTETH3=7 or 9 or Missing | 11,421 | 7.27 | 7.52 |
| BLANK | Missing or Age Less Than 65 Notes: 18 <= AGE <= 64 | 318,566 | | |

Adults that have visited a dentist, dental hygenist or dental clinic within the past year

CalculatedVaria 6.3 Oral Health Type: Num

bles:

Column: 1606 SAS Variable Name: _DENVST2

Prologue:

Description: Adults who have visited a dentist, dental hygenist or dental clinic within the past year

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes Notes: LASTDEN3=1 | 320,405 | 67.36 | 64.91 |
| 2 | No Notes: LASTDEN3=2 or 3 or 4 | 150,910 | 31.72 | 34.25 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: LASTDEN3=7 or 9 or Missing | 4,372 | 0.92 | 0.84 |

MRACE with trailing 7,8,9s removed calculated variable

CalculatedVaria 7.1 Calculated Race Variables Type: Char

bles:

Column: 1607-1612 SAS Variable Name: MRACEORG

Prologue:

Description: MRACE with trailing 7,8,9s removed

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 7 | Don't know/Not sure Notes: MRACE = 7 | 1,847 | 0.39 | 0.95 |
| 9 | Refused Notes: MRACE = 9 | 4,700 | 0.99 | 1.42 |
| BLANK | Missing Notes: MRACE = Missing | 149 | | |
| HIDDEN | Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 468,991 | 98.62 | 97.63 |

142 of 162 July 5, 2013

Martin Land

MRACEORG with responses in ascending order calculated variable

CalculatedVaria 7.2 Calculated Race Variables

bles:

Column: 1613-1618 SAS Variable Name: MRACEASC

Prologue:

Description: MRACE with 7,8,9s removed, in ascending order

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 7 | Don't know/Not sure Notes: MRACEORG = 7 | 1,847 | 0.39 | 0.95 |
| 9 | Refused Notes: MRACEORG = 9 | 4,700 | 0.99 | 1.42 |
| BLANK | Missing Notes: MRACEASC = Missing | 149 | | |
| HIDDEN | Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 468,991 | 98.62 | 97.63 |

Computed Preferred Race

CalculatedVaria 7.3 Calculated Race Variables

bles:

Column: 1619-1620 SAS Variable Name: _PRACE

Prologue:

Description: Preferred race category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | White Notes: MRACEASC = 1 | 388,964 | 81.81 | 74.66 |
| 2 | Black or African American Notes: MRACEASC = 2 | 42,871 | 9.02 | 12.45 |
| 3 | Asian Notes: MRACEASC = 3 | 10,479 | 2.20 | 4.62 |
| 4 | Native Hawaiian or other Pacific Islander Notes: MRACEASC = 4 | 3,021 | 0.64 | 0.42 |
| 5 | American Indian or Alaskan Native Notes: MRACEASC = 5 | 8,810 | 1.85 | 1.89 |
| 6 | Other race Notes: MRACEASC = 6 | 13,661 | 2.87 | 3.36 |
| 7 | No preferred race Notes: MRACEASC >= 12 and ORACE2 = 7 or 9 | 1,107 | 0.23 | 0.24 |
| 8 | Multiracial but preferred race not asked Notes: MRACEASC >= 12 and ORACE2 = 8 or Missing | 9 | 0.00 | 0.00 |
| 77 | Don't know/Not sure Notes: MRACEASC = 7 | 1,847 | 0.39 | 0.95 |
| 99 | Refused Notes: MRACEASC = 9 | 4,700 | 0.99 | 1.42 |
| BLANK | Missing Notes: MRACEASC = Missing | 218 | | |

143 of 162 July 5, 2013

Type: Num

Type: Num

Mainblad

Computed non-Hispanic Race including Multiracial

CalculatedVaria 7.4 Calculated Race Variables

bles:

Column: 1621-1622 SAS Variable Name: _MRACE

Prologue:

Description: Multiracial race categorization

| | | | | Weighted |
|-------|--|-----------|------------|------------|
| Value | Value Label | Frequency | Percentage | Percentage |
| 1 | White only Notes: MRACEASC = 1 | 384,048 | 80.76 | 73.79 |
| 2 | Black or African American only Notes: MRACEASC = 2 | 41,806 | 8.79 | 12.17 |
| 3 | Asian Only Notes: MRACEASC = 3 | 9,753 | 2.05 | 4.51 |
| 4 | Native Hawaiian or other Pacific Islander only Notes: MRACEASC = 4 | 1,920 | 0.40 | 0.33 |
| 5 | American Indian or Alaskan Native only Notes: MRACEASC = 5 | 7,991 | 1.68 | 1.73 |
| 6 | Other race only Notes: MRACEASC = 6 | 13,238 | 2.78 | 3.21 |
| 7 | Multiracial Notes: MRACEASC >= 12 | 10,234 | 2.15 | 1.89 |
| 77 | Don't know/Not sure Notes: MRACEASC = 7 | 1,847 | 0.39 | 0.95 |
| 99 | Refused Notes: MRACEASC = 9 | 4,700 | 0.99 | 1.42 |
| BLANK | Missing Notes: MRACEASC = Missing | 150 | | |

144 of 162 July 5, 2013

Computed Race-Ethnicity grouping

CalculatedVaria 7.5 Calculated Race Variables Type: Num

bles:

Column: 1623 SAS Variable Name: RACE2

Prologue:

Description: Race/ethnicity categories

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | White only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 2 | 363,139 | 76.36 | 63.88 |
| 2 | Black only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 3 | 40,092 | 8.43 | 11.47 |
| 3 | Asian only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 4 | 9,363 | 1.97 | 4.37 |
| 4 | Native Hawaiian or other Pacific Islander only, Non-Hispanic Notes: ${\tt HISPANC2}$ = 2 and ${\tt _MRACE}$ = 5 | 1,711 | 0.36 | 0.25 |
| 5 | American Indian or Alaskan Native only, Non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 6 | 6,891 | 1.45 | 1.00 |
| 6 | Other race only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 7 | 3,237 | 0.68 | 0.47 |
| 7 | Multiracial, non-Hispanic Notes: HISPANC2 = 1 | 9,106 | 1.91 | 1.46 |
| 8 | Hispanic Notes: HISPANC2 = 7 or 9 or _MRACE = 77 or 99 and HISPANC2 = 2 | 35,870 | 7.54 | 15.97 |
| 9 | Don't know/Not sure/Refused Notes: HISPANC2 = Missing or _MRACE = Missing | 6,173 | 1.30 | 1.13 |
| BLANK | Missing | 105 | | |

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable

CalculatedVaria 7.6 Calculated Race Variables Type: Num

bles:

Column: 1624 SAS Variable Name: _RACEG2

Prologue:

Description: White non-Hispanic race group

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Non-Hispanic White Notes: RACE2 = 1 | 363,139 | 76.36 | 63.88 |
| 2 | Non-White or Hispanic Notes: RACE2 = 2 or 3 or 4 or 5 or 6 or 7 or 8 | 106,270 | 22.35 | 34.99 |
| 9 | Don't know/Not sure/Refused Notes: RACE2 = 9 | 6,173 | 1.30 | 1.13 |
| BLANK | | 105 | | |

Computed Five level race/ethnicity category.

CalculatedVaria 7.7 Calculated Race Variables Type: Num

bles:

Column: 1625 SAS Variable Name: _RACEGR2

Prologue:

Description: Five-level race/ethnicity category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | White only, Non-Hispanic Notes: RACE2 = 1 | 363,139 | 76.36 | 63.88 |
| 2 | Black only, Non-Hispanic Notes: RACE2 = 2 | 40,092 | 8.43 | 11.47 |
| 3 | Other race only, Non-Hispanic Notes: RACE2 = 3 or 4 or 5 or 6 | 21,202 | 4.46 | 6.09 |
| 4 | Multiracial, Non-Hispanic Notes: RACE2 = 7 | 9,106 | 1.91 | 1.46 |
| 5 | Hispanic Notes: RACE2 = 8 | 35,870 | 7.54 | 15.97 |
| 9 | Don't know/Not sure/Refused Notes: RACE2 = 9 | 6,173 | 1.30 | 1.13 |
| BLANK | | 105 | | |

Computed race groups used for internet prevalence tables

CalculatedVaria 7.8 Calculated Race Variables Type: Num

bles:

Column: 1626 SAS Variable Name: _RACE_G

Prologue:

Description: Race groups used for internet prevalence tables

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | White - Non-Hispanic Notes: _RACEGR2 = 1 | 363,139 | 77.36 | 64.61 |
| 2 | Black - Non-Hispanic Notes: _RACEGR2 = 2 | 40,092 | 8.54 | 11.60 |
| 3 | Hispanic Notes: _RACEGR2 = 5 | 35,870 | 7.64 | 16.15 |
| 4 | Other race only, Non-Hispanic Notes: _RACEGR2 = 3 | 21,202 | 4.52 | 6.16 |
| 5 | Multiracial, Non-Hispanic Notes: _RACEGR2 = 4 | 9,106 | 1.94 | 1.47 |
| BLANK | Don't know/Not sure/Refused component question Notes: _RACEGR2 = 9 or Missing | 6,278 | | |

Computed number of census race categories chosen

CalculatedVaria 7.9 Calculated Race Variables

bles:

Column: 1627 SAS Variable Name: _CNRACE

Prologue:

Description: Number of census race categories chosen

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 0 | Other/do not know/refused Notes: 6 <= MRACEASC <= 9 | 19,785 | 4.16 | 5.58 |
| 1 | 1 category chosen Notes: MRACEASC had one race category | 446,673 | 93.90 | 92.77 |
| 2 | 2 category chosen Notes: MRACEASC had two race categories | 8,070 | 1.70 | 1.47 |
| 3 | 3 category chosen Notes: MRACEASC had three race categories | 1,053 | 0.22 | 0.16 |
| 4 | 4 category chosen Notes: MRACEASC had four race categories | 74 | 0.02 | 0.01 |
| 5 | 5 category chosen Notes: MRACEASC had five race categories | 32 | 0.01 | 0.01 |
| | | | | |

Computed number of census race categories chosen, collapsed

CalculatedVaria 7.10 Calculated Race Variables

bles:

Column: 1628 SAS Variable Name: _CNRACEC

Prologue:

Description: Number of census race categories chosen, collapsed

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | One category chosen Notes: _CNRACE = 1 | 446,673 | 97.98 | 98.25 |
| 2 | Two or more categories chosen Notes: _CNRACE > 1 | 9,229 | 2.02 | 1.75 |
| BLANK | _CNRACE = 0 or missing Notes: _CNRACE = 0 | 19,785 | | |

147 of 162 July 5, 2013

Type: Num

Reported age in five-year age categories calculated variable

CalculatedVaria 7.11 Calculated Variables

bles:

Column: 1629-1630 SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Age 18 to 24 Notes: 18 <= AGE <= 24 | 24,894 | 5.23 | 13.06 |
| 2 | Age 25 to 29 Notes: 25 <= AGE <= 29 | 21,507 | 4.52 | 8.22 |
| 3 | Age 30 to 34 Notes: 30 <= AGE <= 34 | 26,264 | 5.52 | 8.92 |
| 4 | Age 35 to 39 Notes: 35 <= AGE <= 39 | 27,608 | 5.80 | 7.72 |
| 5 | Age 40 to 44 Notes: 40 <= AGE <= 44 | 32,100 | 6.75 | 9.02 |
| 6 | Age 45 to 49 Notes: 45 <= AGE <= 49 | 36,583 | 7.69 | 8.20 |
| 7 | Age 50 to 54 Notes: 50 <= AGE <= 54 | 46,817 | 9.84 | 10.08 |
| 8 | Age 55 to 59 Notes: 55 <= AGE <= 59 | 50,528 | 10.62 | 8.06 |
| 9 | Age 60 to 64 Notes: 60 <= AGE <= 64 | 52,265 | 10.99 | 7.75 |
| 10 | Age 65 to 69 Notes: 65 <= AGE <= 69 | 47,089 | 9.90 | 5.87 |
| 11 | Age 70 to 74 Notes: 70 <= AGE <= 74 | 37,307 | 7.84 | 4.42 |
| 12 | Age 75 to 79 Notes: 75 <= AGE <= 79 | 28,703 | 6.03 | 3.63 |
| 13 | Age 80 or older Notes: 80 <= AGE <= 99 | 39,442 | 8.29 | 4.35 |
| 14 | Don't know/Refused/Missing Notes: 7 <= AGE <= 9 | 4,580 | 0.96 | 0.70 |

148 of 162 July 5, 2013

Reported age in two age groups calculated variable

CalculatedVaria 7.12 Calculated Variables

bles:

Column: 1631 SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Age 18 to 64 Notes: 18 <= AGE <= 64 | 318,566 | 66.97 | 81.04 |
| 2 | Age 65 or older Notes: 65 <= AGE <= 99 | 152,541 | 32.07 | 18.27 |
| 3 | Don't know/Refused/Missing Notes: 7 <= AGE <= 9 | 4,580 | 0.96 | 0.70 |

Imputed age in six groups

Calculated Variables 7.13 Calculated Variables

bles:

Column: 1632 SAS Variable Name: _AGE_G

Prologue:

Description: Six-level imputed age category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Age 18 to 24 Notes: 18 <= AGE <= 24 | 24,897 | 5.23 | 13.06 |
| 2 | Age 25 to 34 Notes: 25 <= AGE <= 34 | 47,819 | 10.05 | 17.16 |
| 3 | Age 35 to 44 Notes: 35 <= AGE <= 44 | 60,276 | 12.67 | 16.92 |
| 4 | Age 45 to 54 Notes: 45 <= AGE <= 54 | 83,854 | 17.63 | 18.38 |
| 5 | Age 55 to 64 Notes: 55 <= AGE <= 64 | 106,266 | 22.34 | 16.21 |
| 6 | Age 65 or older Notes: AGE >= 65 | 152,575 | 32.07 | 18.27 |

149 of 162 July 5, 2013

Type: Num

Computed Height in Inches

Calculated Variables Type: Num

bles:

Column: 1633-1635 SAS Variable Name: HTIN4

Prologue:

Description: Reported height in inches

Value Value Label

See Frequency Percentage Weighted Percentage

36 - 95 Height in inches A67,289 100.00 100.00 Notes: 0300 <= HEIGHT3 <= 0711 (metric HEIGHT3 value multiplied by 100 and divided by 2.54)

BLANK

8,398

Computed Height in Meters

CalculatedVaria 7.15 Calculated Variables Type: Num

bles:

Column: 1636-1638 SAS Variable Name: HTM4

Prologue:

Description: Reported height in meters

ValueValue LabelFrequencyPercentageWeighted Percentage91 - 244Height in meters [2 implied decimal places]
Notes: 0300 <= HEIGHT3 <= 0711 or 9091 <= HEIGHT3 <= 9244 (non-metric
HEIGHT3 value multiplied by .0254)468,797100.00100.00

Computed Weight in Kilograms

Calculated Variables Type: Num

bles:

Column: 1639-1643 SAS Variable Name: WTKG3

Prologue:

Description: Reported weight in kilograms

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------------|--|-----------|------------|---------------------|
| 2300 - 29500 | Weight in kilograms [2 implied decimal places] Notes: 0001 <= WEIGHT2 <= 650 or 9023 <= WEIGHT2 <= 9295 (non-metric WEIGHT2 value divided by 2.2046) | 455,757 | 95.81 | 96.30 |
| 99999 | Don't know/Refused/Missing Notes: WEIGHT2 = 7777 or 9999 or Missing or not in accepted values | 19,930 | 4.19 | 3.70 |

Computed body mass index

Calculated Variables Type: Num

bles:

Column: 1644-1647 SAS Variable Name: _BMI5

Prologue:

Description: Body Mass Index (BMI)

Weighted Value Label **Value** Frequency Percentage Percentage 1 - 9999 450,212 100.00 100.00 1 or greater Notes: WTKG3/(HTM4*HTM4) (Has 2 implied decimal places) 25,475 BLANK Don't know/Refused/Missing Notes: WTKG3 = 777 or 999 or HTM4 = 777 or 999

Computed body mass index categories

Calculated Variables Type: Num

bles:

Column: 1648 SAS Variable Name: _BMI5CAT

Prologue:

Description: Four-categories of Body Mass Index (BMI)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Underweight Notes: _BMI5 < 1850 (_BMI5 has 2 implied decimal places) | 7,803 | 1.73 | 1.88 |
| 2 | Normal Weight Notes: 1850 <= _BMI5 < 2500 | 151,985 | 33.76 | 34.66 |
| 3 | Overweight Notes: 2500 <= _BMI5 < 3000 | 162,768 | 36.15 | 35.77 |
| 4 | Obese Notes: 30000 <= _BMI5 = 9999 | 127,656 | 28.35 | 27.69 |
| BLANK | Don't know/Refused/Missing Notes: _BMI5 = 9999 | 25,475 | | |

Overweight or obese calculated variable

Calculated Variables Type: Num

bles:

Column: 1649 SAS Variable Name: _RFBMI5

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | No Notes: 1200 <= _BMI5 < 2500 (_BMI5 has 2 implied decimal places) | 159,788 | 33.59 | 34.55 |
| 2 | Yes Notes: 2500 <= _BMI5 < 9999 | 290,424 | 61.05 | 59.99 |
| 9 | Don't know/Refused/Missing Notes: _BMI5 = 9999 | 25,475 | 5.36 | 5.47 |

Computed number of children in household

CalculatedVaria 7.20 Calculated Variables

bles:

Column: 1650 SAS Variable Name: _CHLDCNT

Prologue:

Description: Number of children in household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | No children in household Notes: CHILDREN = 88 | 346,521 | 72.85 | 62.73 |
| 2 | One child in household Notes: CHILDREN = 01 | 51,863 | 10.90 | 15.18 |
| 3 | Two children in household Notes: CHILDREN = 02 | 46,215 | 9.72 | 13.11 |
| 4 | Three children in household Notes: CHILDREN = 03 | 19,311 | 4.06 | 5.65 |
| 5 | Four children in household Notes: CHILDREN = 04 | 6,691 | 1.41 | 1.94 |
| 6 | Five or more children in household Notes: 05 <= CHILDREN < 88 | 3,262 | 0.69 | 0.99 |
| 9 | Don't know/Not sure/Missing Notes: CHILDREN = 99 | 1,824 | 0.38 | 0.40 |
| | | | | |

Computed level of education completed categories

CalculatedVaria 7.21 Calculated Variables

bles:

Column: 1651 SAS Variable Name: _EDUCAG

Prologue:

Description: Level of education completed

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Did not graduate High School Notes: EDUCA = 1 or 2 or 3 | 42,351 | 8.90 | 14.98 |
| 2 | Graduated High School Notes: EDUCA = 4 | 139,501 | 29.33 | 28.67 |
| 3 | Attended College or Technical School Notes: EDUCA = 5 | 128,404 | 26.99 | 30.40 |
| 4 | Graduated from College or Technical School Notes: EDUCA = 6 | 163,510 | 34.37 | 25.55 |
| 9 | Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing | 1,921 | 0.40 | 0.40 |

152 of 162 July 5, 2013

Type: Num

Computed income categories

Calculated Variables Type: Num

bles:

Column: 1652 SAS Variable Name: _INCOMG

Prologue:

Description: Income categories

| 1 Less than \$15,000 Notes: INCOME2 = 1 or 2 2 \$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4 3 \$25,000 to less than \$35,000 A7,352 9.95 9.55 Notes: INCOME2 = 5 4 \$35,000 to less than \$50,000 Notes: INCOME2 = 6 5 \$50,000 or more Notes: INCOME2 = 7 or 8 9 Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing | Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|-------|-------------|-----------|------------|------------------------|
| Notes: INCOME2 = 3 or 4 3 \$25,000 to less than \$35,000 | 1 | | 51,643 | 10.86 | 11.72 |
| Notes: INCOME2 = 5 4 \$35,000 to less than \$50,000 | 2 | · · | 74,465 | 15.65 | 15.81 |
| Notes: INCOME2 = 6 5 \$50,000 or more | 3 | | 47,352 | 9.95 | 9.55 |
| Notes: INCOME2 = 7 or 8 9 | 4 | · · | 59,877 | 12.59 | 12.16 |
| | 5 | • • | 175,605 | 36.92 | 37.34 |
| | 9 | | 66,745 | 14.03 | 13.41 |

Computed Smoking Status

Calculated Variables

Type: Num

bles:

Column: 1653 SAS Variable Name: _SMOKER3

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1 | 54,940 | 11.55 | 12.90 |
| 2 | Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2 | 21,160 | 4.45 | 5.51 |
| 3 | Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3 | 135,426 | 28.47 | 24.19 |
| 4 | Never smoked Notes: SMOKE100 = 2 | 254,492 | 53.50 | 55.43 |
| 9 | Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing | 9,669 | 2.03 | 1.97 |

Current Smoking Calculated Variable

Calculated Variables Type: Num

bles:

Column: 1654 SAS Variable Name: _RFSMOK3

Prologue:

Description: Adults who are current smokers

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | No Notes: _SMOKER3 = 3 or 4 | 389,918 | 81.97 | 79.62 |
| 2 | Yes Notes: _SMOKER3 = 1 or 2 | 76,100 | 16.00 | 18.41 |
| 9 | Don't know/Refused/Missing Notes: _SMOKER3 = 9 | 9,669 | 2.03 | 1.97 |

Drink any alcoholic beverages in past 30 days

Calculated Variables Type: Num

bles:

Column: 1655 SAS Variable Name: DRNKANY5

Prologue:

Description: Adults who reported having had at least one drink of alcohol in the past 30 days.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes Notes: 1 <= ALCDAY5 <= 231 | 231,036 | 48.57 | 50.81 |
| 2 | No Notes: ALCDAY5=888 | 230,030 | 48.36 | 44.99 |
| 7 | Don't know/Not Sure Notes: ALCDAY5=777 | 3,207 | 0.67 | 0.65 |
| 9 | Refused/Missing Notes: ALCDAY5=999, Missing | 11,414 | 2.40 | 3.56 |

Computed drink-occasions-per-day

Calculated Variables Type: Num

bles:

Column: 1656-1658 SAS Variable Name: DROCDY3_

Prologue:

Description: Drink-occasions-per-day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|--|-----------|------------|------------------------|
| 0 | No Drink-Occasions per day Notes: ALCDAY5 = 888 | 230,030 | 48.36 | 44.99 |
| 1 - 899 | Drink-Occasions per day Notes: ALCDAY5 <= 231 | 231,036 | 48.57 | 50.81 |
| 900 | Don't know/Not Sure Or Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing | 14,621 | 3.07 | 4.21 |

154 of 162 July 5, 2013

Martin Land

Binge Drinking Calculated Variable

Calculated Variables

Type: Num

bles:

Column: 1659 SAS Variable Name: _RFBING5

Prologue:

Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one

occasion)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | No Notes: ALCDAY5 < 300 and DRNK3GE5 = 0 or ALCDAY5 = 888 | 399,022 | 83.88 | 78.69 |
| 2 | Yes Notes: ALCDAY5 < 300 and DRNK3GE5 = 1 | 57,771 | 12.14 | 15.95 |
| 9 | Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY5 = 777 or 999 or Missing | 18,894 | 3.97 | 5.36 |

Computed number of drinks of alcohol beverages per day

Calculated Variables Type: Num

bles:

Column: 1660-1663 SAS Variable Name: _DRNKDY4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|------------------------|
| 0 | Did not drink Notes: ALCDAY5 = 888 | 230,030 | 48.36 | 44.99 |
| 1 - 9899 | Number of drinks per day Notes: ALCDAY5 / 7 per week or ALCDAY5 / 30 per month * AVEDRNK2 | 226,625 | 47.64 | 49.63 |
| 9900 | Don't know/Not sure/Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing | 19,032 | 4.00 | 5.39 |

Computed total number drinks a month

Calculated Variables

Type: Num

bles:

Column: 1664-1667 SAS Variable Name: _DRNKMO4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per month

| Value | Value Label | Frequency | Percentage | Percentage |
|----------|---|-----------|------------|------------|
| 0 | Did not drink in the past month Notes: _DRNKDY4 = 0 | 230,030 | 48.36 | 44.99 |
| 1 - 9998 | Number of Drinks Notes: _DRNKDY4 * 30 | 226,625 | 47.64 | 49.63 |
| 9999 | Don't know/Refused/Missing Notes: DRNKDY4 = 900 | 19,032 | 4.00 | 5.39 |

Heavy Alcohol Consumption Calculated Variable

Calculated Variables

Type: Num

bles:

Column: 1668 SAS Variable Name: _RFDRHV4

Prologue:

Description: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per

day)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | No Notes: SEX = 1 and _DRNKDY4 <= 2 or SEX = 2 and _DRNKDY4 <= 1 or ALCDAY5 = 888 | 432,145 | 90.85 | 89.07 |
| 2 | Yes Notes: SEX = 1 and _DRNKDY4 > 2 or SEX = 2 and _DRNKDY4 > 1 | 24,510 | 5.15 | 5.54 |
| 9 | Don't know/Refused/Missing Notes: _DRNKDY4 = 900 | 19,032 | 4.00 | 5.39 |

Adult Men Heavy Alcohol Consumption Calculated Variable

Calculated Variables

Type: Num

bles:

Column: 1669 SAS Variable Name: _RFDRMN4

Prologue:

Description: Adult Men who are Heavy drinkers (having more than two drinks per day)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | No Notes: SEX = 1 and _DRNKDY4 <= 2 or ALCDAY5 = 888 | 171,552 | 89.47 | 87.65 |
| 2 | Yes Notes: SEX = 1 and _DRNKDY4> 2 | 11,396 | 5.94 | 6.31 |
| 9 | Don't know/Refused/Missing Notes: _DRNKDY4 = 900 | 8,789 | 4.58 | 6.04 |
| BLANK | Respondent is female Notes: SEX = 2 | 283,950 | | |

Adult Women Heavy Alcohol Consumption Calculated Variable

Calculated Variables

Type: Num

bles:

Column: 1670 SAS Variable Name: _RFDRWM4

Prologue:

Description: Adult Women who are Heavy drinkers (having more than one drink per day)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | No Notes: SEX = 2 and _DRNKDY4 <= 1 or ALCDAY5 = 888 | 260,593 | 91.77 | 90.41 |
| 2 | Yes Notes: SEX = 2 and _DRNKDY4 > 1 | 13,114 | 4.62 | 4.82 |
| 9 | Don't know/Refused/Missing Notes: _DRNKDY4 = 900 | 10,243 | 3.61 | 4.78 |
| BLANK | Respondent is male Notes: SEX = 1 | 191,737 | | |

Flu Shot Calculated Variable

Calculated Variables

Type: Num

bles:

Column: 1671 SAS Variable Name: _FLSHOT5

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---|-----------|------------|------------|
| 1 | Yes Notes: AGE >=65 and FLUSHOT5 = 1 | 89,093 | 56.70 | 54.59 |
| 2 | No | 58,834 | 37.45 | 37.97 |
| 9 | Don't know/Not Sure Or Refused/Missing | 9,194 | 5.85 | 7.44 |
| BLANK | Age Less Than 65 | 318,566 | | |

157 of 162 July 5, 2013

Waighted

Pneumonia Vaccination Calculated Variable

Calculated Variables

Type: Num

bles:

Column: 1672 SAS Variable Name: _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes Notes: AGE >= 65 and PNEUVAC3 = 1 | 97,847 | 62.27 | 60.13 |
| 2 | No Notes: AGE >= 65 and PNEUVAC3 = 2 | 44,197 | 28.13 | 28.70 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing | 15,077 | 9.60 | 11.17 |
| BLANK | Age Less Than 65 Notes: AGE < 65 | 318,566 | | |

Always or Nearly Always Wear Seat Belts

Calculated Variables Type: Num

bles:

Column: 1673 SAS Variable Name: _RFSEAT2

Prologue:

Description: Always or Nearly Always Wear Seat Belts Calculated Variable

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Always or Almost Always Wear Seat Belt | 431,184 | 90.64 | 89.39 |
| 2 | Sometimes, Seldom, or Never Wear Seat Belt | 28,561 | 6.00 | 5.76 |
| 9 | Don't know/Not Sure Or Refused/Missing | 15,942 | 3.35 | 4.85 |

Always Wear Seat Belts

Calculated Varia 13.2 Calculated Variables Type: Num

bles:

Column: 1674 SAS Variable Name: _RFSEAT3

Prologue:

Description: Always Wear Seat Belts Calculated Variable

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Always Wear Seat Belt | 390,414 | 82.07 | 81.87 |
| 2 | Don't Always Wear Seat Belt | 69,331 | 14.57 | 13.27 |
| 9 | Don't know/Not Sure Or Refused/Missing | 15.942 | 3.35 | 4.85 |

Women respondents aged 40+ who have had a mammogram in the past two years

Calculated Variables

Type: Num

bles:

Column: 1675 SAS Variable Name: _RFMAM2Y

Prologue:

Description: Women respondents aged 40+ who have had a mammogram in the past two years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes Notes: SEX = 2 and AGE => 40and HADMAM = 1 and HOWLONG = 1 or 2 | 161,122 | 70.61 | 69.61 |
| 2 | No Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 3 or 4 or 5 | 54,524 | 23.89 | 24.05 |
| 9 | Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 7 or 9 or SEX = 2 and HADMAM = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing | 12,553 | 5.50 | 6.34 |
| BLANK | Missing or Age less than 40 or Male Notes: SEX = 1 or SEX = 2 and AGE < 40 or SEX = 2 and AGE => 40 and HADMAM = missing | 247,488 | | |

Women respondents aged 50+ that have had a mammogram in the past two years

Calculated Variables

Type: Num

bles:

Column: 1676 SAS Variable Name: _MAM502Y

Prologue:

Description: Women respondents aged 50+ who have had a mammogram in the past two years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes Notes: SEX = 2 and AGE => 50and HADMAM = 1 and HOWLONG = 1 or 2 | 135,444 | 71.83 | 72.03 |
| 2 | No Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 3 or 4 or 5 | 41,944 | 22.24 | 20.95 |
| 9 | Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 7 or 9 or SEX = 2 and HADMAM = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing | 11,169 | 5.92 | 7.02 |
| BLANK | Missing or Age less than 50 or Male Notes: SEX = 1 or SEX = 2 and AGE < 50 or SEX = 2 and AGE => 50 and HADMAM = missing | 287,130 | | |

Women respondents aged 18+ who have had a pap test in the past three years

Calculated Variables

Type: Num

bles:

Column: 1677 SAS Variable Name: _RFPAP32

Prologue:

Description: Women respondents aged 18+ who have had a pap test in the past three years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 1 or 2 or 3 | 145,088 | 74.24 | 74.12 |
| 2 | No Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 4 or 5 or 6 or SEX = 2 and AGE => 18 and HADPAP2 = 2 | 42,915 | 21.96 | 21.38 |
| 9 | Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 7 or 9 or SEX = 2 and AGE => 18 and HADPAP2 = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing | 7,428 | 3.80 | 4.51 |
| BLANK | Missing or Male Notes: SEX = 2 and HADHYST2 = 1 and PREGNANT = 2 or 7 or 9 or missing or SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = missing or SEX = 2 and AGE => 18 and HADPAP2 = missing or SEX = 1 | 280,256 | | |

Male respondents aged 40+ who have had a PSA test in the past 2 years

Calculated Variables Type: Num

bles:

Column: 1678 SAS Variable Name: _RFPSA21

Prologue:

Description: Male respondents aged 40+ who have had a PSA test in the past 2 years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = 1 or 2 | 66,292 | 47.55 | 42.26 |
| 2 | No Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = 3 or 4 or 5 or SEX = 1 and AGE => 40 and PSATEST1 = 2 | 63,665 | 45.66 | 50.22 |
| 9 | Don't know/Not Sure/Refused Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = 7 or 9 or SEX = 1 and AGE => 40 and PSATEST1 = 7 or 9 or SEX = 1 and AGE = 7 or 9 or missing | 9,471 | 6.79 | 7.52 |
| BLANK | Missing or Age less than 40 or Female Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = missing or SEX = 1 and AGE => 40 and PSATEST1 = missing or SEX = 1 and AGE = < 40 or SEX = 2 | 336,259 | | |

160 of 162 July 5, 2013

Mainles al

Respondents aged 50+ who have had a blood stool test within the past two years

Calculated Variables

Type: Num

bles:

Column: 1679 SAS Variable Name: _RFBLDS2

Prologue:

Description: Respondents aged 50+ who have had a blood stool test within the past two years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = 1 or 2 | 43,952 | 14.81 | 15.41 |
| 2 | No Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = 3 or 4 or AGE => 50 and BLDSTOOL = 2 | 240,209 | 80.92 | 79.47 |
| 9 | Don't know/Not Sure/Refused Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = 7 or 9 or AGE => 50 and BLDSTOOL = 7 or 9 or AGE = 7 or 9 or missing | 12,701 | 4.28 | 5.12 |
| BLANK | Missing or Age less than 50 Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = missing or AGE => 50 and BLDSTOOL = missing or AGE < 50 | 178,825 | | |

Respondents aged 50 or older that have had a sigmoidoscopy or colonoscopy

Calculated Variables

Type: Num

bles:

Column: 1680 SAS Variable Name: _RFSIGM2

Prologue:

Description: Respondents aged 50 or older who have had a sigmoidoscopy or colonoscopy

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--|-----------|------------|------------|
| 1 | Yes Notes: AGE => 50 and HADSIGM3 = 1 | 201,834 | 68.05 | 64.76 |
| 2 | No Notes: AGE => 50 and HADSIGM3 = 2 | 86,774 | 29.26 | 31.35 |
| 9 | Don't know/Not Sure/Refused Notes: AGE => 50 and HADSIGM3 = 7 or 9 | 7,972 | 2.69 | 3.89 |
| BLANK | Missing or Age less than 50 Notes: AGE => 50 and HADSIGM3 = missing or AGE = 7 or 9 or missing or AGE < 50 | 179,107 | | |

161 of 162 July 5, 2013

Waightad

Ever been tested for HIV calculated variable

CalculatedVaria 18.1 Calculated Variables

bles:

Column: 1681 SAS Variable Name: _AIDTST3

Prologue:

Description: Adults who have ever been tested for HIV

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes Notes: HIVTST6 = 1 | 129,846 | 28.39 | 35.22 |
| 2 | No Notes: HIVTST6 = 2 | 309,481 | 67.68 | 59.97 |
| 9 | Don't know/Not Sure/Refused Notes: HIVTST6 = 7 or 9 | 17,963 | 3.93 | 4.81 |
| BLANK | Missing or Age greater than 64 Notes: HIVTST6 = Missing | 18,397 | | |

162 of 162 July 5, 2013