

## 2021 Carbapenem Resistant Enterobacteriaceae (CRE)/ Carbapenem Resistant *A. baumannii* (CRAB) Multi-site Gram-Negative Surveillance Initiative (MuGSI)

Healthcare-Associated Infections Community Interface (HAIC) Case Report

Form Approved OMB No. 0920-0978

							,						
Patient's Name	):				Phone no. ( )								
Address:							MRN:						
City:		State			ZIP:	Hospital:							
		Pat	ient Identifier l	informa	tion is not transmitted	to CDC							
DEMOGRAPHICS	3		_				·						
1. STATE:	2. COUNTY:	3. STATE ID:	<del></del>		4a. LABORATORY ID V INCIDENT SPECIMEN ID		4b. FACILITY ID WHERE PATIENT TREATED						
5. DATE OF BIR	 TH:	7. SEX AT BIR	TH:	8а. Ет	HNIC ORIGIN:	8b. RACE:	(Check all that apply)						
6 405			FEMALE		lispanic or Latino lot Hispanic or Latino	_	rican Indian or Alaska	☐ Native Hawaiian or Other Pacific Islander					
6. AGE:	☐ Mos. ☐ Yrs.	☐ Unknown ☐ Check if transgender ☐ Ur			Inknown	☐ Asia ☐ Blac	n k or African American	<ul><li>☐ White</li><li>☐ Unknown</li></ul>					
COLLECTION (	DISC):		ne of □ <i>E</i> so	cherichia c	CRAB								
☐ Blood ☐ Bone ☐ Bronchoalve ☐ CSF	olar lavage (CRAB o	nly, complete Q23c	☐ Joint/syno ☐ Sputum (0	al fluid iid ovial fluid CRAB on	ly, complete Q23c) (CRAB only, complete Q2	☐ Wo (Cl ☐ Ott (Cl	ound (specify): RAB only) her LRT site (specify): RAB only, complete Q230	<del>;</del> )					
12. LOCATION	OF SPECIMEN COLLEC	CTION:			13. WHERE WAS THE	PATIENT LOCA	TED ON THE 3 <sup>RD</sup> CALENDA	AR DAY BEFORE THE					
	☐ OUTPATIENT: ☐ INPATIENT: ☐ LTCF				DISC?								
Facility		•	Facility		☐ Private residence	•	Unknown						
_					LTCF		Facility ID:						
_					Facility ID:		☐ Homeless						
			Facility ID:		☐ Hospital inpatient		☐ Incarcerated						
-	nter	idiology	☐ Autopsy		Facility ID:		Other (specify):						
☐ Observation	nal/	her inpatient	☐ Other (spe	ecify):	Was the patient tranthis hospital?	nsferred from	☐ Unknown						
_					□ Yes □ No □	Unknown							
14. WAS THE PA	ATIENT HOSPITALIZED				15a. WAS THE PATIENT IN AN ICU IN THE 7 DAYS BEFORE THE DISC?  ☐ Yes ☐ No ☐ Unknown								
	I				IF YES, DATE OF ICU ADMISSION: OR Date unknown								
					15b. Was the patien or in the 6 days afte ☐ Yes ☐ No ☐	ER THE DISC?	N THE DAY OF INCIDENT S	PECIMEN COLLECTION					
					IF YES, DATE OF ICU A	DMISSION:		OR Date unknow					
The following:					☐ Died			Unknown					
DATE OF DISCHA	ARGE:		OR		DATE OF DEVE			OR   Date unknown					
☐ Date	unknown 🗆 Le	eft against medica	ıl advice (AMA)	)	DATE OF DEATH:			OK LI Dale unknown					
IF SURVIVED, DIS	SCHARGED TO:							EATH, WAS THE PATHOGEN					
☐ Private resid	dence 🗌 LTCF Fac	cility ID:	LTACH Facili	ity ID:	OF INTEREST ISC	DLATED FROM	A SITE THAT MEETS THE C	ASE DEFINITION?    No   Unknown					
Other (spec	ify):	Unknown											
Public reporting burde	en of this collection of inform	nation is estimated to ave	rage 28 minutes per r	esponse, inc	cluding the time for reviewing in	structions, searchin	ng existing data sources, gathering	and maintaining the data needed,					

Public reporting burden of this collection of information is estimated to average 28 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30329; ATTN: PRA (0920-0978).



17a. TYPES OF INFECTION ASSOCIATED	WITH CULTURE(S) (C	heck all tha	t apply):	□ None □ Co	olonized □ Unknown	
□ Abscess, not skin □ Cellulitis			dural abs	scess	□ Pyelonephritis	□ Surgical incision infection
	ulcer/wound (not decubit s/pressure ulcer		ningitis teomyelit	ie	<ul><li>□ Septic arthritis</li><li>□ Septic emboli</li></ul>	<ul> <li>☐ Surgical site infection (internal)</li> <li>☐ Traumatic wound</li> </ul>
□ Bursitis □ Empyem	•		itonitis		□ Septic embor	☐ Urinary tract infection
□ Catheter site infection (CVC) □ Endocard	ditis	□ Pne	eumonia	(CRAB cases, co	mplete Q23c) □ Skin abscess	□ Other (specify):
<b>17b.</b> RECURRENT UTI □ Yes □ No □	Unknown					
17c. Was the patient treated for 1	THE MUGSI ORGANISM	//? □ Yes	□ No	□ Unknown		
18. UNDERLYING CONDITIONS: (Check a	ill that apply)	lone $\Box$	Unkno	own		
CHRONIC LUNG DISEASE	IMMUNOCOMPROMISE	D CONDITIO	ON	NEUROLO	GIC CONDITION	SKIN CONDITION
	☐ HIV infection			□ Cerebr		□ Burn
☐ Chronic pulmonary disease	☐ AIDS/CD4 count <				c cognitive deficit	☐ Decubitus/pressure ulcer
	<ul><li>Primary immunodefic</li><li>Transplant, hematop</li></ul>		cell	□ Demer		☐ Surgical wound
- B: 1 / III:	☐ Transplant, solid orga				sy/seizure/seizure disorder e sclerosis	<ul> <li>Other chronic ulcer or chronic wound</li> </ul>
☐ With chronic complications	LIVER DISEASE			☐ Neurop	pathy	☐ Other (specify):
CARDIOVASCULAR DISEASE	□ Chronic liver disease	е			son's disease	OTHER
□ CVA/Stroke/TIA	□ Ascites			☐ Other (	specify):	☐ Connective tissue disease
<ul><li>☐ Congenital heart disease</li><li>☐ Congestive heart failure</li></ul>	<ul><li>□ Cirrhosis</li><li>□ Hepatic encephale</li></ul>	opathy			Paralysis	☐ Obesity or morbid obesity
☐ Myocardial infarction	□ Variceal bleeding			□ Hemip □ Parap		□ Pregnant
□ Peripheral vascular disease (PVD)	<ul><li>☐ Hepatitis C</li><li>☐ Treated, in SVR</li></ul>			□ Quadr		Mugsi Conditions
GASTROINTESTINAL DISEASE	☐ Current, chronic			RENAL DI	SEASE	☐ Urinary tract problems/
☐ Diverticular disease	MALIGNANCY				ic kidney disease	abnormalities
☐ Inflammatory bowel disease	☐ Malignancy, hemato			Lowo	st serum creatinine: mg/DL	<ul><li>□ Premature birth</li><li>□ Spina bifida</li></ul>
□ Ob	<ul><li>☐ Malignancy, solid or</li><li>☐ Malignancy, solid or</li></ul>				known or not done	
19. SUBSTANCE USE	OTHER SUBST	ANCES: (	•		□ None □ Unknown	
SMOKING: ALCOHOL					SORDER (DUD)/ABUSE: MODE OF DE	ELIVERY: (Check all that apply)
(Check all that ABUSE:	☐ Marijuana, ca					n popping   Non-IDU   Unknown
apply) □ None □ Unknown □ Yes	☐ Opioid, DEA s		-	ı) ethadone, oxycodo		n popping   Non-IDU   Unknown  popping   Non-IDU   Unknown
☐ Tobacco ☐ No	☐ Opioid, NOS		. (0.9.,	o		n popping □ Non-IDU □ Unknown
$\square$ E-nicotine delivery system $\square$ Unknown	□ Cocaine					n popping 🗆 Non-IDU 🗆 Unknown
☐ Marijuana	<ul><li>☐ Methampheta</li><li>☐ Other (specify</li></ul>					n popping □ Non-IDU □ Unknown n popping □ Non-IDU □ Unknown
	☐ Unknown sub					n popping □ Non-IDU □ Unknown
	DURING THE CURRENT MEDICATION ASSISTED					ent not hospitalized or did not have DUD)
20. RISK FACTORS: (Check all that apply	) $\square$ None $\square$	Unknown			CENTRAL LINE IN PLACE ON THE D	DISC (UP TO THE TIME OF
WAS INCIDENT SPECIMEN COLLECTED 3 C	•	П. V	- NI-		COLLECTION), OR AT ANY TIME IN T	
DAYS AFTER HOSPITAL ADMISSION?		□ Yes	□ No		DAYS BEFORE DISC:	☐ Yes ☐ No ☐ Unknown
PREVIOUS HOSPITALIZATION IN THE YEAR	REFORE DISC:	□ Yes	□ No	□ Unknown	Check here if central I	ine in place for > 2 calendar days: □
					URINARY CATHETER IN PLACE ON	THE DISC (UP TO
IF YES, DATE OF DISCHARGE CLOSEST	10 DISC :				THE TIME OF COLLECTION), OR AT	
OR, DATE UNKNOWN $\square$					CALENDAR DAYS BEFORE DISC:	□ Yes □ No □ Unknown
Facility ID:					IF YES, CHECK ALL THAT APP	
OVERNIGHT STAY IN LTCF IN THE YEAR B	DECORE DISC:	□ V	- N-		□ Indwelling Urethral Cathete	r □ Suprapubic Catheter
Facility ID:	SEFURE DISC.	⊔ Yes	⊔ INO	□ Unknown	□ Condom Catheter	□ Other (specify):
racility ID.						
OVERNIGHT STAY IN LTACH IN THE YEAR	R BEFORE DISC:	□ Yes	□ No	□ Unknown	ANY OTHER INDWELLING DEVICE I	
Facility ID:					TO THE TIME OF COLLECTION), OR CALENDAR DAYS BEFORE DISC:	
SURGERY IN THE YEAR BEFORE DISC:		□ Vac	□ No	□ Unknown	IF YES, CHECK ALL THAT APF	☐ Yes ☐ No ☐ Unknown
SURGERT IN THE TEAR BEFORE DISC.		□ 163		- OHKHOWH		
CURRENT CHRONIC DIALYSIS:		□ Yes	□ No	□ Unknown	□ ET/NT Tube □ Gastrosto	•
					□ Tracheostomy □ Nephros	tomy Tube    Other (specify):
IF YES, TYPE: ☐ Hemodialysis ☐	⊥Peritoneal □ Unkr	nown				<del></del>
IF HEMODIALYSIS, TYPE OF VASCUL	AR ACCESS:				D	
□ AV fistula/graft □ Hemodialysis	s central line 🗆 Unk	nown			PATIENT TRAVELED INTERNATION IN THE YEAR BEFORE DISC:	ALLY  ☐ Yes ☐ No ☐ Unknown
	. HEIGHT:		21c. E	Змі:	COUNTRY:, _	
lbsoz. OR	ft in	. OR			_	•
kg 🗌 Unknown	cm   Unknown		☐ Ur	nknown	PATIENT HOSPITALIZED WHILE VIS COUNTRY(IES) ABOVE:	SITING  ☐ Yes ☐ No ☐ Unknown

Version Date: 10/2020



URINE CULTURES ONLY: 22a. WAS THE URINE COLLECTED THROUGH AN INDWELLING URETHRAL CATHETER?  Yes No Unknown  URINE CULTURES ONLY: 22b. RECORD THE COLONY COUNT:	URINE CULTURES ONI 22c. SIGNS AND SYMP Please indicate if any of the 2 calendar days before throu  □ None □ Costovertebral angle pair □ Dysuria □ Fever [temperature ≥ 100]	PTOMS AS following sy ugh the 2 ca	mptoms were reported lendar days after the D  Unknown  Frequency  Suprapubic ten	during the ISC.		r patients e only: □ Lethargy	
Complete questions 23a-23b ONLY for <i>A. BAUM</i> 23a. DID THE PATIENT HAVE A SPUTUM CULTUFOR CRAB IN THE 30 DAYS BEFORE THE DISC  Yes   No   Unknown   N/A  23b. RISK FACTORS IN THE 7 DAYS BEFORE TI	IRE POSITIVE ?	L n 2	narked in question 3c. Chest Radiolog	for non-l 17a. yy Finding report ava	LRT cultures w gs ( <i>check all tl</i> ailable	vhere pneumonia is	
<ul> <li>□ Non-invasive positive pressure ventilation (CPAP the 7 calendar days before the DISC</li> <li>□ Nebulizer treatment at any time in the 7 calendar</li> <li>□ Mechanical ventilation at any time in the 7 calendar</li> </ul>	or BiPAP) at any time in days before the DISC		Air space density/opa     Ground glass opacitie     Bronchopneumonia/pi     Cannot rule out pneur	s/infiltrates neumonia			
24a. DID THE PATIENT HAVE A POSITIVE TEST(S) FOR SARS-CoV-2 (MOLECULAR ASSAY, SEROLOGY OR OTHER CONFIRMATORY TEST) ON OR BEFORE THE DISC?	24b. IF YES, COMPLETE  FIRST positive test for SARS-CoV-2 on or before DISC:	Sp.	ecimen collection o		Test type    Molecular assay   Antigen   Serology   Unknown   Other (specify):		
24c.COVID-NET CASE ID:  24d. NNDSS IDs (please provide at least one of the	MOST RECENT positive test for SARS-CoV-2 on or before the DISC:		// Unknown		☐ Molecular ass☐ Antigen☐ Serology☐ Unknown☐ Other (specify		
Local case ID: Local record ID: CDC 2019-nCOV ID:	State	,	ntifier:	Le	egacy case ider	ntifier:	
25. WAS THE INCIDENT SPECIMEN POLYMICROE  Yes No Unknown  26b. IF YES, WHAT TESTING METHOD WAS USE		CARBAF  ☐ Yes □	S THE INCIDENT S PENEMASE GENES I No   Laboratory not	<b>3?</b> : testing □	Unknown		
□ CarbaNP □ Automa □ Carbapenemase Inactivation Method (CIM) □ Carba-F □ Disk Diffusion/ROSCO Disk □ Check F □ E-test □ MALDI-	Points TOF MS eneration Nucleic Acid cing ARM-D	Non-Molecula  NDM KPC OXA (sp	ecular Test Results Indeterminate In Test Results: Decify):  arbapenemase gene (s	Negative	□ Unknown  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	Pos	
27a. WAS THE INCIDENT SPECIMEN TESTED FOR ESBL PRODUCTION OR OTHER BETA-LACTAMASE GENES?  Yes No Laboratory not testing Unknown  27b. IF TESTED, WHAT TESTING METHOD WAS USED? (Check all that apply):	□ Broth Microdilution (ATI de □ ESBL well □ Expert rule (ATI flag) □ Unknown □ Broth Microdilution (Manual □ Disk Diffusion □ E-test □ Molecular test (specify): □ Gene variant (specify):	al)	_	Positive Positive Positive Positive Positive Positive Positive Positive	Negative   Inc	determinate   Unknown   Un	

Version Date: 10/2020 PAGE 3 OF 4



28. SUSCEPTIBILITY RESULTS:
Please complete the table below based on the information found in the indicated data source. Shaded antibiotics are required to have the MIC entered into the MuGSI-CM system, if available.

Data Source	Medical Record		Micr			itek	<del>                                     </del>	oenix	Sensi	ititre	Kirby-Bauer			E-test	
Antibiotic	MIC	Interp	MIC	Interp	MIC	Interp	MIC	Interp	MIC	Interp	Zone Diam	Interp	MIC	Interp	
Amikacin	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	⊥′	<u> </u>	<u></u>	<u> </u>	<u></u>		<u> </u>	⊥′	<u> </u>	
Amoxicillin/Clavulanate	'	<u> </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u></u>		<u> </u>	Ш'	<u> </u>	
Ampicillin	'	'			<u> </u>	<u> </u>	Ĺ'					<u> </u>	<u> </u>	<u> </u>	
Ampicillin/Sulbactam		'			'	<u> </u>	<u> </u>					'	'	<u>['</u>	
Aztreonam		'				<u> </u>	<u> </u>						'	<u> </u>	
Cefazolin		'			<u>[</u> '	<u> </u>	Ĺ'						<u> </u>	<u> </u>	
CEFEPIME															
Cefiderocol		'				<u> </u>	<u>['</u>						<u> </u>	<u> </u>	
CEFOTAXIME															
Cefoxitin		'			<u> </u>	<u> </u>	Ĺ'						<u> </u>	<u> </u>	
CEFTAZIDIME															
Ceftazidime/Avibactam	<u> </u>	'			'	<u> </u>	Ĺ'		<u> </u>			<u> </u>	<u> </u>	<u> </u>	
Ceftolozane/Tazobactam		'			<u> </u>	<u> </u>	Ĺ'						<u> </u>	<u> </u>	
CEFTRIAXONE															
Cephalothin	<u> </u>	'			'	<u> </u>	Ĺ'		<u> </u>			<u> </u>	<u> </u>	<u> </u>	
Ciprofloxacin		'				<u> </u>	<u>['</u>						<u> </u>	<u> </u>	
COLISTIN															
DORIPENEM															
Doxycycline	<u> </u>	'			'	<u> </u>	Ĺ'		'			<u> </u>	<u> </u>	<u> </u>	
Eravacycline		'				<u> </u>	<u>['</u>						<u> </u>	<u> </u>	
ERTAPENEM															
Fosfomycin	<u> </u>	'			'	'	Ĺ'		'			'	'	<u> </u>	
Gentamicin	'	<u> </u>	<u> </u>		<u> </u>	<u>        '</u>	<u> </u>		<u> </u>			<u> </u>	<u> </u>	<u> </u>	
IMIPENEM															
Imipenem-relebactam	<u> </u>	<u> </u> '	<u> </u>		<u> </u>	<u> </u> '	<u> </u>	<u> </u>	'			<u> </u>	'	Ĺ'	
Levofloxacin	<u> </u>	<u> </u>	<u></u>		<u> </u>	<u> </u>	<u> </u>		<u> </u>			<u> </u>	<u> </u>	<u> </u>	
MEROPENEM															
Meropenem-vaborbactam	<u> </u>	'	<u> </u>		'	<u> </u>	<u> </u>		'			'	'		
Minocycline	<u> </u>	<u> </u>	<u> </u>		<u> </u>	⊥′	<u> </u>	<u> </u>	'		<u> </u>	<u> </u>	'	Ĺ	
Nitrofurantoin	<u> </u>	<u> </u> '	<u> </u>		<u> </u>	<u> </u> '	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u> '	<u> </u>	
Omadacycline	<u> </u>	'	<u> </u>		'	<u> </u>	<u> </u>		'			'	'	<u> </u>	
Piperacillin/Tazobactam	<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>		<u> </u>			<u> </u>	'	Ĺ	
Plazomicin	<u> </u>	<u> </u>	<u></u>		<u> </u>	<u> </u>	<u> </u>		<u> </u>			<u> </u>	<u> </u>	<u> </u>	
POLYMYXIN B															
Rifampin		'				'	<u>['</u>						'		
Tetracycline		'				<u> </u>	Ĺ'		<u> </u>				<u> </u>		
TIGECYCLINE															
Tobramycin															
Trimethoprim-sulfamethoxazole	,	'				'									
29a. WAS THE CASE FIRST 29b. CRF STATUS: 29c. SO INITIALS: 29d. DATE OF ABSTRACTION:															

TIGECYCLINE																
Tobramycin																
Trimethoprim-sulfamethoxazole																
29a. WAS THE CASE FIRST IDENTIFIED THROUGH AN AUDIT?			29b. CRF STATUS:						29c. SO INITIALS:			29d. DATE OF ABSTRACTION:				
☐ Yes ☐ No			<ul> <li>☐ Complete</li> <li>☐ Pending</li> <li>☐ Chart unavailable after 3 requests</li> </ul>													
29e. COMMENTS:																
-																
S295460-A														PAGE 4 OF 4		