

ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010

ABO

incompatibility (*due to transfusion of blood or blood products*) ~~reaction 999.6~~
with hemolytic transfusion reaction (HTR) (not specified as acute or delayed) 999.61
24 hours or more after transfusion 999.63
acute 999.62
delayed 999.63
less than 24 hours after transfusion 999.62
unspecified time after transfusion 999.61
reaction 999.60
specified NEC 999.69

Absence (organ or part) (complete or partial)

cervix (acquired) (uteri) V88.01

congenital 752.43

pancreas (congenital) 751.7

acquired (postoperative) (posttraumatic) V88.11

partial V88.12

total V88.11

uterus (acquired) V88.01

congenital 752.31

vagina, congenital 752.45

Accessory (congenital)

cervix 752.44

external os 752.44

Administration, prophylactic

antibiotics, long-term V58.62

short-term use - omit code

Admission (encounter)

for

adjustment (of)

cardiac device V53.39

defibrillator, automatic implantable (with synchronous cardiac pacemaker) V53.32

device, unspecified type V53.90

cardiac V53.39

defibrillator, automatic implantable (with synchronous cardiac pacemaker) V53.32

~~intrauterine contraceptive V25.1~~

~~intrauterine contraceptive device V25.1~~

fitting (of)

device, unspecified type V53.90

intrauterine contraceptive ~~V25.1~~

insertion V25.11

removal V25.12

and reinsertion V25.13

replacement V25.13

intrauterine contraceptive device ~~V25.1~~

insertion V25.11

removal V25.12

and reinsertion V25.13

replacement V25.13

insertion (of)

intrauterine contraceptive device V25.11

**ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010**

Admission (encounter) (cont)
for (cont)
 intrauterine device
 insertion V25.11
 removal V25.12
 and reinsertion V25.13
 replacement V25.13
 prophylactic
 administration of
 antibiotics, long-term V58.62
 short-term use - omit code
 removal of
 device
 intrauterine contraceptive V25.12
 intrauterine contraceptive device V25.12
 replacement of intrauterine contraceptive device V25.13
 therapy
 long-term (current) (prophylactic) drug use NEC V58.69
 antibiotics V58.62
 short-term use - omit code
 treatment
 measure V07.9
 specified type NEC V07.8

Aftercare V58.9
 cardiac device V53.39
 defibrillator, automatic implantable (with synchronous cardiac pacemaker) V53.32
 defibrillator, automatic implantable cardiac (with synchronous cardiac pacemaker) V53.32

Agensis - see also Absence, by site, congenital
 cervix 752.43
 uterus 752.31
 vagina (total) (partial) 752.45

AHTR (acute hemolytic transfusion reaction) - see Complications, transfusion

AIN I (anal intraepithelial neoplasia I) (histologically confirmed) 569.44
AIN II (anal intraepithelial neoplasia II) (histologically confirmed) 569.44
AIN III (anal intraepithelial neoplasia III) 230.6

AIPHI (acute idiopathic pulmonary hemorrhage in infants (over 28 days old) 786.31

Allergy, allergic (reaction) 995.3
 anaphylactic shock 995.0

Aneurysm ...
 jugular vein (acute) 453.89
 chronic 453.76

Anomaly, anomalous (congenital) (unspecified type) 759.9
 specified type NEC
 Müllerian
 cervix 752.49
 uterus 752.39
 vagina 752.49
 uterus (Müllerian) 752.39
 uterus 752.39
 with only one functioning horn 752.33

Anteversion
 uterus, uterine (cervix) (postinfectional) (postpartal, old) 621.6
 congenital 752.39

Aortectasia 441.9 (see also Ectasia, aortic) 447.70
 with aneurysm 441.9

ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010

Aplasia - see also Agenesis
uterus **752.39**
Arcuate uterus 752.36
Arcuatus uterus **752.36**
Arteriosclerosis, arteriosclerotic ...
iliac 440.8
Arthritis, arthritic...
due to or associated with
hemochromatosis **275.03** [713.0]
Atresia, atretic (congenital) 759.89
cervix (acquired) 622.4
congenital **752.43**
uterus **752.31**
vagina (acquired) 623.2
congenital **(total) (partial) 752.45**
Balbuties, balbutio (**see also Disorder, fluency) 315.35**
Bicornuate or bicornis uterus **(complete) (partial) 752.34**
Bifid (congenital) - see also Imperfect, closure
uterus **752.34**
Biforis uterus (suprasimplex) **752.34**
Bird
flu (**see also Influenza, avian) 488.02**
Blister - see also Injury, superficial, by site
fracture -omit code
Blood
spitting (see also Hemoptysis) **786.30**
BMI (body mass index)
adult
~~40.0-44.9 and over~~ **V85.41**
45.0-49.9 V85.42
50.0-59.9 V85.43
60.0-69.9 V85.44
70 and over V85.45
Body, bodies
mass index (BMI)
adult
~~40.0-44.9 and over~~ **V85.41**
45.0-49.9 V85.42
50.0-59.9 V85.43
60.0-69.9 V85.44
70 and over V85.45
Bronchiolitis ...
with
influenza, flu, or grippe (**see also Influenza)** 487.1
influenzal (**see also Influenza)** 487.1
Bronchitis ...
with
influenza, flue, or grippe (**see also Influenza)** 487.1
grippal (**see also Influenza)** 487.1
influenzal (**see also Influenza)** 487.1
Bronchorrhagia **786.30**
Bronze, bronzed
diabetes **275.01**

**ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010**

Cardiac - see also condition
device

defibrillator, automatic implantable (**with synchronous cardiac pacemaker**) V45.02

Cataphasia (**see also Disorder, fluency**) 315.35

Catarrh, catarrhal (inflammation) (see also condition) 460

epidemic (**see also Influenza**) 487.1

Cerebromalacia (see also Softening, brain) **348.89**

due to cerebrovascular accident **438.89**

CIN I (**cervical intraepithelial neoplasia I**) 622.11

CIN II (**cervical intraepithelial neoplasia II**) 622.12

CIN III (**cervical intraepithelial neoplasia III**) 233.1

Cirrhosis, cirrhotic 571.5

due to

bronzed diabetes **275.01**

hemochromatosis (**see also Hemochromatosis**) **275.03**

liver (chronic) (hepatolienal) (hypertrophic) (nodular) (splenomegalic) (unilobar) 571.5

pigmentary **275.01**

pigment, pigmentary (of liver) **275.01**

Cluttering (**see also Disorder, fluency**) 315.35

Cold 460

with influenza, flu, or grippe (**see also Influenza**) 487.1

bronchus or chest - see Bronchitis

with grippe or influenza (**see also Influenza**) 487.1

grippy (**see also Influenza**) 487.1

Communication

abnormal - see also Fistula

congenital, between uterus and

anterior abdominal wall **752.39**

bladder **752.39**

intestine **752.39**

rectum **752.39**

Complications

graft ...

corneal NEC 996.79

retroprosthetic membrane **996.51**

transfusion (blood) (lymphocytes) (plasma) ~~NEC 999.80~~

febrile nonhemolytic reaction (FNHTR) **780.66**

hemolytic reaction, incompatibility unspecified **999.83**

acute **999.84**

delayed **999.85**

incompatibility reaction

ABO **999.60**

with hemolytic transfusion reaction (HTR) (not specified as acute or delayed) **999.61**

acute **999.62**

delayed **999.63**

specified type NEC **999.69**

non-ABO (minor antigens) (Duffy) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) **999.75**

with hemolytic transfusion reaction (HTR) (not specified as acute or delayed) **999.76**

acute **999.77**

delayed **999.78**

specified type NEC **999.79**

Rh **antigen (C) (c) (D) (E) (e) (factor) 999.70**

**ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010**

Complications (cont)
transfusion... (cont)
incompatibility reaction (cont)
Rh... (cont)
 with hemolytic transfusion reaction (HTR) (not specified as acute or delayed) 999.71
 acute 999.72
 delayed 999.73
 specified type NEC 999.74
 specified reaction NEC 999.89

Contraception, contraceptive
device (in situ) V45.59
insertion **V25.11**
reinsertion **V25.13**
removal **V25.12**
 and reinsertion V25.13
 replacement V25.13
insertion
 intrauterine contraceptive device **V25.11**

Coryza (acute) 460
with grippe or influenza (**see also Influenza**) 487.1

Cough 786.2
with hemorrhage (see also Hemoptysis) **786.39**
bronchial 786.2
 with grippe or influenza (**see also Influenza**) 487.1
hemorrhagic **786.39**

Cyst (mucus) (retention) (serous) (simple)
embryonal
 uterus **752.39**
uterus (body) (corpus) (recurrent) 621.8
 embryonal **752.39**

Deficiency, deficient
 dihydropyrimidine dehydrogenase (DPD) 277.6

Deficit
 attention 799.51
 cognitive communication 799.52
 concentration 799.51
 executive function 799.55
 frontal lobe 799.55
 psychomotor 799.54
 visuospatial 799.53

Deformity 738.9
uterus (congenital) **752.39**

Delirium, delirious 780.09
acute (~~psychotic~~) **780.09**
 due to conditions classified elsewhere 293.0

Delivery
complicated (by) NEC 669.9
laceration 664.9
 peritoneum (**pelvic**) 665.5
rupture - see also Delivery, complicated, laceration
 peritoneum (**pelvic**) 665.5
trauma (obstetrical) NEC 665.9
 periurethral 664.8

**ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010**

Depression 311
 major 296.2
 recurrent episode 296.3
 single episode 296.2

DHTR (delayed hemolytic transfusion reaction) - see Complications, transfusion

Diabetes, diabetic ...
 with
 loss of protective sensation (LOPS) - see Diabetes, neuropathy
 bronze, bronzed 275.01
 hemochromatosis (*see also Hemochromatosis*) 275.03

Dihydropyrimidine dehydrogenase disease (DPD) 277.6

Dilatation
 aorta (focal) (general) (~~see also Aneurysm, aorta~~) 441.9 (*see also Ectasia, aortic*) 447.70
 with aneurysm 441.9

Disease, diseased - see also Syndrome

iron
 metabolism (*see also Hemochromatosis*) 275.03
 storage (*see also Hemochromatosis*) 275.03
 microvillus inclusion (MVD) 751.5
 Recklinghausen-Applebaum (hemochromatosis) (*see also Hemochromatosis*) 275.03
 von Recklinghausen-Applebaum (hemochromatosis) (*see also Hemochromatosis*) 275.03

Disorder - see also Disease

fluency 315.35
 adult onset 307.0
 childhood onset 315.35
 due to late effect of cerebrovascular accident 438.14
 in conditions classified elsewhere 784.52

iron, metabolism 275.09
 specified type NEC 275.09
metabolism NEC 277.9
 hemochromatosis (*see also Hemochromatosis*) 275.03
 iron 275.09
 storage, iron 275.09

Displacement, displaced
 uterus, uterine (see also Malposition, uterus) 621.6
 congenital 752.39

Distortion (congenital)
 uterus 752.39

Disturbance - see also Disease
 metabolism (acquired) (congenital) (see also Disorder, metabolism) 277.9
 general 277.9
 iron 275.09
 iron 275.09

Division
 cervix uteri 622.8
 external os into two openings by frenum 752.44
 external (cervical) into two openings by frenum 752.44

Double
 external (cervical) os 752.44
 vagina 752.47

DPD (dihydropyrimidine dehydrogenase deficiency) 277.6

Drug - see also condition
 adverse effect-**NEC**, correct substance properly administered 995.20
 therapy (maintenance) status NEC
 long-term (current) (*prophylactic*) use V58.69

ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010

DSTR (delayed serologic transfusion reaction)

due to or resulting from
incompatibility

ABO 999.69

non-ABO antigen (minor) (Duffy) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) 999.79

Rh antigen (C) (c) (D) (E) (e) 999.74

Duplication - see also Accessory

cervical, cervix 752.44

vagina 752.47

Dysplasia - see also Anomaly

anus 569.44

intraepithelial neoplasia I (*AIN I*) (histologically confirmed) 569.44

intraepithelial neoplasia II (*AIN II*) (histologically confirmed) 569.44

intraepithelial neoplasia III (*AIN III*) 230.6

cervix (uteri) 622.10

cervical intraepithelial neoplasia I (*CIN I*) 622.11

cervical intraepithelial neoplasia II (*CIN II*) 622.12

cervical intraepithelial neoplasia III (*CIN III*) 233.1

vulva 624.8

intraepithelial neoplasia I (*VIN I*) 624.01

intraepithelial neoplasia II (*VIN II*) 624.02

intraepithelial neoplasia III (*VIN III*) 233.32

Ectasia, ectasis

annuloaortic 424.1

aorta (~~see also Aneurysm, aorta~~) 441.9 (see also Ectasia, aortic) 447.70

with aneurysm 441.9

aortic 447.70

with aneurysm 441.9

abdominal 447.72

thoracic 447.71

thoracoabdominal 447.73

Edema, edematous 782.3

brain (*cytotoxic*) (*vasogenic*) 348.5

Elevation

Rh titer (see also Complications, transfusion) 999.70

Embedded ~~tooth, teeth~~ 520.6

fragment (status) - see Foreign body, retained

splinter (status) - see Foreign body, retained

tooth, teeth 520.6

Embolism 444.9

vein 453.9

antecubital (*acute*) 453.81

~~acute 453.81~~

axillary (*acute*) 453.84

~~acute 453.84~~

basilic (*acute*) 453.81

~~acute 453.81~~

brachial (*acute*) 453.82

~~acute 453.82~~

brachiocephalic (*acute*) (innominate) 453.87

~~acute 453.87~~

ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010

- Embolism (cont)
 - vein (cont)
 - cephalic **(acute) 453.81**
~~acute 453.81~~
 - internal jugular **(acute) 453.86**
~~acute 453.86~~
 - radial **(acute) 453.82**
~~acute 453.82~~
 - subclavian **(acute) 453.85**
~~acute 453.85~~
 - superior vena cava **(acute) 453.87**
~~acute 453.87~~
 - thoracic **(acute) 453.87**
~~acute 453.87~~
 - ulnar **(acute) 453.82**
~~acute 453.82~~
 - vena cava
 - inferior **453.2**
 - superior **(acute) 453.87**
453.87
- Encephalitis...
 - influenzal **(see also Influenza) 487.8** [323.41]
- Encephalomalacia (brain) (cerebellar) (cerebral) (cerebrospinal) (see also Softening, brain) **348.89**
- Encephalopathy (acute) 348.30
 - due to
 - influenza (virus) **(see also Influenza) 487.8**
identified
 - avian **488.09**
 - novel H1N1 **488.19**
- Encopresis (see also Incontinence, feces) **787.60**
- Enteritis ...
 - influenzal **(see also Influenza) 487.8**
- Ethmoiditis (chronic) (nonpurulent) (purulent) (see also Sinusitis, ethmoidal) 473.2
 - influenzal **(see also Influenza) 487.1**
- Febrile (see also Pyrexia) 780.60
 - nonhemolytic transfusion reaction (FNHTR) 780.66**
- Fecalith (impaction) **560.32**
- Fetalis uterus **752.39**
- Fever 780.60
 - posttransfusion 780.66**
- Findings, (abnormal), without diagnosis (examination) (laboratory test) 796.4
 - cervical
 - non-atypical endometrial cells 795.09**
 - Papanicolaou (smear) 796.9
 - cervix 795.00
 - with
 - non-atypical endometrial cells 795.09**
 - non-atypical endometrial cells 795.09**
- Fistula (sinus) 686.9
 - abdominouterine 619.2
 - congenital **752.39**
 - entero-uterine 619.1
 - congenital **752.39**

ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010

Fistula (cont)

- rectouterine 619.1
 - congenital **752.39**
- uteroabdominal (anterior wall) 619.2
 - congenital **752.39**
- uterointestinal 619.1
 - congenital **752.39**
- uterorectal 619.1
 - congenital **752.39**
- uterovesical 619.0
 - congenital **752.39**
- vesicouterine 619.0
 - congenital **752.39**

Fitting (of)

- defibrillator, automatic implantable cardiac **(with synchronous cardiac pacemaker)** V53.32
- device, unspecified type V53.90
 - cardiac
 - defibrillator, automatic implantable **(with synchronous cardiac pacemaker)** V53.32
- intrauterine contraceptive ~~V25.4~~
 - insertion V25.11**
 - removal V25.12**
 - and reinsertion V25.13**
 - replacement V25.13**
- intrauterine contraceptive device ~~V25.4~~
 - insertion V25.11**
 - removal V25.12**
 - and reinsertion V25.13**
 - replacement V25.13**

Flu - see also Influenza

- bird **(see also Influenza, avian) 488.02**
- swine **(see also Influenza, novel H1N1) 488.12**

Fluid

- retention **276.69**

FNHTR (febrile nonhemolytic transfusion reaction) 780.66

Foreign body

- retained (old) (nonmagnetic) (in) **V90.9**
 - fragment(s)**
 - acrylics V90.2**
 - animal quills V90.31**
 - animal spines V90.31**
 - cement V90.83**
 - concrete V90.83**
 - crystalline V90.83**
 - depleted**
 - isotope V90.09**
 - uranium V90.01**
 - diethylhexylphthalates V90.2**
 - glass V90.81**
 - isocyanate V90.2**
 - metal V90.10**
 - magnetic V90.11**
 - nonmagnetic V90.12**
 - organic NEC V90.39**
 - plastic V90.2**

ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010

Foreign body (cont)
retained... (cont)
fragment(s) (cont)
radioactive
nontherapeutic V90.09
specified NEC V90.09
stone V90.83
tooth V90.32
wood V90.33
specified NEC V90.89

Fracture ...
pelvis, pelvic (bone(s)) (with visceral injury) (closed) 808.8
multiple (~~with disruption of pelvic circle~~) with disruption of pelvic circle 808.43

Frenum
external os 752.44

Genetic
susceptibility to
neoplasia
multiple endocrine (MEN) V84.81

Gestation (period) - see also Pregnancy
multiple
placenta status
quadrupelet
two or more monoamniotic fetuses V91.22
two or more monochorionic fetuses V91.21
unable to determine number of placenta and number of amniotic sacs V91.29
unspecified number of placenta and unspecified number of amniotic sacs V91.20
specified (greater than quadrupelets) NEC
two or more monoamniotic fetuses V91.92
two or more monochorionic fetuses V91.91
unable to determine number of placenta and number of amniotic sacs V91.99
unspecified number of placenta and unspecified number of amniotic sacs V91.90

triplet
two or more monoamniotic fetuses V91.12
two or more monochorionic fetuses V91.11
unable to determine number of placenta and number of amniotic sacs V91.19
unspecified number of placenta, unspecified number of amniotic sacs V91.10

twin
dichorionic/diamniotic (two placentae, two amniotic sacs) V91.03
monochorionic/diamniotic (one placenta, two amniotic sacs) V91.02
monochorionic/monoamniotic (one placenta, one amniotic sac) V91.01
unable to determine number of placenta and number of amniotic sacs V91.09
unspecified number of placenta, unspecified number of amniotic sacs V91.00

Grippe, grippal - see also Influenza
intestinal (see also Influenza) 487.8
Grippy cold (see also Influenza) 487.1
Hanot-Chauffard (-Troisier) syndrome (bronze diabetes) 275.01
Hemochromatosis (acquired) (~~diabetic~~) (~~hereditary~~) (liver) (myocardium) (~~primary idiopathic~~)
(secondary) 275.03
diabetic 275.01
due to repeated red blood cell transfusions 275.02
hereditary 275.01
primary idiopathic 275.01
specified NEC 275.03
transfusion associated (red blood cell) 275.02

**ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010**

Hemoptysis 786.30
specified NEC 786.39

Hemorrhage, hemorrhagic (nontraumatic) 459.0
bronchus (cause unknown) (see also Hemorrhage, lung) 786.30
lung 786.30
mediastinum 786.30
pulmonary (see also Hemorrhage, lung) 786.30
acute idiopathic in infants (AIPHI) (over 28 days old) 786.31
respiratory tract (see also Hemorrhage, lung) 786.30

Hemosiderosis 275.09
dietary 275.09
pulmonary (idiopathic) 275.09 [516.1]
transfusion NEC 275.02

Hernia, hernial (acquired) (recurrent) 553.9
due to adhesion with obstruction 552.9

History (personal) of
allergy (to) V15.09
anaphylactic shock V15.09
cleft lip and palate, corrected V13.64
combat and operational stress reaction V11.4
congenital malformation (corrected) ~~V13.69~~
circulatory system V13.65
digestive system V13.67
ear V13.64
eye V13.64
face V13.64
genitourinary system V13.62
heart V13.65
integument V13.68
limbs V13.68
musculoskeletal V13.68
neck V13.64
nervous system V13.63
respiratory system V13.66
specified type NEC V13.69

dysplasia
vaginal (conditions classifiable to 623.0) V13.23
vulvar (conditions classifiable to 624.01-624.02) V13.24

family
disease or disorder (of)
endocrine V18.19
multiple neoplasia (MEN) syndrome V18.11
endocrine disease V18.19
multiple neoplasia (MEN) syndrome V18.11
multiple
endocrine neoplasia (MEN) syndrome V18.11
foreign body fully removed V15.53
hypospadias (corrected) V13.61

Homicidal ideation V62.85

ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010

HTR (hemolytic transfusion reaction)
due to or resulting from
incompatibility

ABO 999.61

acute 999.62

delayed 999.63

non-ABO antigen (minor) (Duffy) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) 999.76

acute 999.77

delayed 999.78

Rh antigen (C) (c) (D) (E) (e) 999.71

acute 999.72

delayed 999.73

Hypersensitive, hypersensitiveness, hypersensitivity - see also Allergy
due to correct medical substance properly administered 995.27

Hypertension, hypertensive.....Malignant..... Benign ... Unspecified
with

renal (kidney) involvement (~~only conditions classifiable to 585~~

(only conditions classifiable to 585, 587)

(excludes conditions classifiable to 584)

(see also Hypertension, kidney) 403.00 403.10 403.90

pulmonary (artery) (secondary) 416.8

Hypertensive urgency - see Hypertension

Hypervolemia 276.69

Hypoperfusion (in)

newborn 779.89

Hypoplasia, hypoplasia 759.89

cervix (uteri) 752.43

uterus 752.32

vagina 752.45

Hypoventilation 786.09

obesity 278.03

Ideation

homicidal V62.85

Immunization

Rh factor

from transfusion (see also Complications, transfusion) 999.70

Impaction, impacted

bowel, colon, rectum 560.30

fecal 560.32

fecal, feces 560.32

intestine(s) 560.30

fecal 560.32

Imperfect

closure (congenital)

genitalia, genital organ(s) or system

female 752.89

uterus 752.39

uterus (with communication to bladder, intestine, or rectum) 752.39

**ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010**

Incompatibility

ABO

infusion or transfusion reaction (**see also Complications, transfusion**) **999.60**

blood (group) (Duffy) (E) (K(ell)) (Kidd) (Lewis) (M) (N) (P) (S) NEC

infusion or transfusion reaction (**see also Complications, transfusion**) **999.75**

non-ABO (**see also Complications, transfusion**) **999.75**

Rh (**antigen**) (**C**) (**c**) (**D**) (**E**) (**e**) (blood group) (factor)

infusion or transfusion reaction (**see also Complications, transfusion**) **999.70**

Incomplete - see also condition

defecation 787.61

Incontinence 788.30

anal sphincter **787.60**

feces, **fecal 787.60**

rectal **787.60**

Induration, indurated

lung (black) (brown) (chronic) (fibroid) (see also Fibrosis, lung) 515

essential brown **275.09** [516.1]

Infection, infected, infective (opportunistic) 136.9

respiratory 519.8

influenzal (acute) (upper) (**see also Influenza**) 487.1

upper (acute) (infectious) NEC 465.9

with flu, grippe, or influenza (**see also Influenza**) 487.1

influenzal (**see also Influenza**) 487.1

retrovirus 079.50

human immunodeficiency virus type 2 (**HIV 2**) 079.53

human T-cell lymphotropic virus type I (**HTLV-I**) 079.51

human T-cell lymphotropic virus type II (**HTLV-II**) 079.52

Infiltrate, infiltration

with an iron compound **275.09**

Influenza, influenzal 487.1

A/H5N1 (**see also Influenza, avian**) **488.02**

avian **488.02**

with involvement of gastrointestinal tract 488.09

bronchopneumonia 488.01

laryngitis 488.02

manifestations NEC 488.09

respiratory 488.02

pharyngitis 488.02

pneumonia (any form classifiable to 480-483, 485-486) 488.01

respiratory infection (acute) (upper) 488.02

due to identified

avian influenza virus **488.02**

with

manifestations NEC 488.09

respiratory 488.02

pneumonia (any form classifiable to 480-483, 485-486) 488.01

novel H1N1 influenza virus **488.12**

with

manifestations NEC 488.19

respiratory 488.12

pneumonia 488.11

novel (2009) H1N1 **488.12**

with involvement of gastrointestinal tract 488.19

bronchopneumonia 488.11

laryngitis 488.12

**ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010**

Influenza, influenzal (cont)
 novel (2009) H1N1 (cont)
 manifestations NEC 488.19
 respiratory 488.12
 pharyngitis 488.12
 pneumonia (any form classifiable to 480-483, 485-486) 488.11
 respiratory infection (acute) (upper) 488.12
 novel A/H1N1 (see also Influenza, novel H1N1) 488.12
Influenza-like disease (see also Influenza) 487.1
Injury 959.9
 periurethral tissue
 complicating delivery **664.8**
Insertion
 intrauterine contraceptive device **V25.11**
Intoxication
 water **276.69**
Intrauterine contraceptive device
 insertion **V25.11**
 reinsertion **V25.13**
 and reinsertion V25.13
 removal **V25.12**
 replacement V25.13
Iron
 metabolism disease **275.09**
 storage disease **275.09**
Ischemia, ischemic 459.9
 demand 411.89
 supply (see also Angina) 414.9
Laceration - see also Wound, open, by site
 periurethral tissue
 obstetrical trauma **664.8**
Laryngitis ...
 with
 influenza, flu, or grippe (see also Influenza) 487.1
 influenzal (see also Influenza) 487.1
Laryngotracheitis (acute) (infectional) (viral) (see also Laryngitis) 464.20
 influenzal (see also Influenza) 487.1
Lateroversion
 uterus, uterine (cervix) (postinfectional) (postpartal, old) 621.6
 congenital **752.39**
Long-term (current) **(prophylactic)** drug use V58.69
Loss
 control, sphincter, rectum **787.60**
 recurrent pregnancy - see Pregnancy, management affected by, abortion, habitual
Malnutrition (calorie) 263.9
 degree
 mild **(protein) 263.1**
 moderate **(protein) 263.0**
 mild **(protein) 263.1**
 moderate **(protein) 263.0**
 protein-calorie 263.9
 mild 263.1
 moderate 263.0

**ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010**

Malposition
 congenital
 uterus **752.39**
 uterus (acquired) (acute) (adherent) (any degree) (asymptomatic) (postinfectious) (postpartal, old)
 621.6
 congenital **752.39**

Melanemia **275.09**

Meningismus (infectious) (pneumococcal) 781.6
 influenzal NEC (**see also Influenza**) 487.8

Menstruation
 precocious **259.1**

Microvillus inclusion disease (MVD) 751.5
MVD (microvillus inclusion disease) 751.5

Myocardiopathy...
 due to
 influenza (**see also Influenza**) 487.8 [425.8]

Myocarditis (fibroid) (interstitial) (old) (progressive) (senile) (with arteriosclerosis) 429.0
 due to or in
 influenza (**see also Influenza**) 487.8 [422.0]
 influenzal (**see also Influenza**) 487.8 [422.0]

Neoplasia
 anal intraepithelial I (**AIN I**) (histologically confirmed) 569.44
 anal intraepithelial II (**AIN II**) (histologically confirmed) 569.44
 anal intraepithelial III (**AIN III**) 230.6
 multiple endocrine (**MEN**)
 vaginal intraepithelial I (**VAIN I**) 623.0
 vaginal intraepithelial II (**VAIN II**) 623.0
 vaginal intraepithelial III (**VAIN III**) 233.31
 vulvar intraepithelial I (**VIN I**) 624.01
 vulvar intraepithelial II (**VIN II**) 624.02
 vulvar intraepithelial III (**VIN III**) 233.32

**ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010**

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncertain Behavior	Unspecified
Neoplasm, neoplastic.....	199.1	199.1	234.9	229.9	238.9	239.9
colon - see also Neoplasm, intestine, large and rectum ..	154.0	197.5	230.4	211.4	235.2	239.0
colon - see also Neoplasm, intestine, large	153.9	197.5	230.3	211.3	235.2	239.0
with rectum	154.0	197.5	230.4	211.4	235.2	239.0
lymph, lymphatic						
gland (secondary)	-	196.9	-	229.0	238.8	239.89
lower limb.....	-	196.5	-	229.0	238.8	<u>239.9</u>

**ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010**

Neurofibromatosis (multiple) (M9540/1) 237.70
 Schwannomatosis 237.73
 specified type NEC 237.79

Neurosis, neurotic 300.9
 oral (**see also Disorder, fluency**) **315.35**

Obesity (constitutional) (exogenous) (familial) (nutritional) (simple) 278.00
 hypoventilation syndrome 278.03

Obstruction, obstructed, obstructive
 fecal **560.32**

Occlusion
 vena cava
 superior (**acute**) **453.87**
 acute **453.87**

Otitis 382.9
 media (hemorrhagic) (staphylococcal) (streptococcal) 382.9
 acute 382.9
 necrotizing 382.00
 in
 influenza (**see also Influenza**) 487.8 [382.02]
 suppurative 382.00
 due to
 influenza (**see also Influenza**) 487.8 [382.02]

Overload
 fluid **276.69**
 due to transfusion (blood) (blood components) 276.61
 iron, due to repeated red blood cell transfusions 275.02
 transfusion associated circulatory (TACO) 276.61

Pain(s) (see also Painful) 780.96
 jaw **784.92**
 mandible, mandibular 784.92
 maxilla **784.92**

Papulosis, ~~malignant~~ **447.8**
 lymphomatoid 709.8
 malignant 447.8

Persistence, persistent (congenital) 759.89
 Rhesus (Rh) titer (**see also Complications, transfusion**) **999.70**

Pharyngitis ...
 with influenza, flu, or grippe (**see also Influenza**) 487.1
 influenzal (**see also Influenza**) 487.1

Pickwickian syndrome (cardiopulmonary obesity) **278.03**

Pleurisy ...
 with
 influenza, flu, or grippe (**see also Influenza**) 487.1
 influenzal (**see also Influenza**) 487.1

Pneumonia ...
 with influenza, flu, or grippe 487.0
 due to
 identified (virus)
 avian 488.01
 novel H1N1 488.11
 atypical (disseminated) (focal) (primary) 486
 with influenza (**see also Influenza**) 487.0
 basal, basic, basilar - see Pneumonia, **by type**

ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010

Pneumonia ... (cont)
broncho-, bronchial ...
with influenza 487.0
due to
identified (virus)
avian 488.01
novel H1N1 488.11
influenzal (see also Influenza) 487.0
cryptogenic organizing 516.8
due to
influenza (see also Influenza) 487.0
grippal (see also Influenza) 487.0
influenzal (broncho) (lobar) (virus) (see also Influenza) 487.0
interstitial 516.8
with influenzal (see also Influenza) 487.0
lobar (diplococcal) (disseminated) (double) (interstitial) (pneumococcal, any type) 481
with influenza (see also Influenza) 487.0
influenzal (see also Influenza) 487.0
multilobar - see Pneumonia, by type
viral, virus (broncho) (interstitial) (lobar) 480.9
with influenza, flu, or gripe (see also Influenza) 487.0
Pneumorrhagia 786.30
Poisoning (acute) - see also Table of Drugs and Chemicals
water 276.69
Polioencephalitis (acute) (bulbar) (see also Poliomyelitis, bulbar) 045.0
influenzal (see also Influenza) 487.8
Precocious
menstruation 259.1
Pregnancy (single) (uterine) (without sickness) V22.2
complicated (by) 646.9
genital herpes (asymptomatic) (history of) (inactive) 647.6
pneumonia 648.9
management affected by
previous
recurrent pregnancy loss 646.3
recurrent pregnancy loss 646.3
Prolapse, prolapsed
uterus ...
congenital 752.39
Prophylactic
administration of
~~agents affecting estrogen receptors and estrogen levels NEC V07.59~~
~~anastrozole (Arimidex) V07.52~~
~~antibiotics, long-term V58.62~~
~~short-term - omit code~~
~~aromatase inhibitors V07.52~~
~~estrogen receptor downregulators V07.59~~
~~exemestane (Aromasin) V07.52~~
~~fulvestrant (Faslodex) V07.59~~
~~gonadotropin-releasing hormone (GnRH) agonist V07.59~~
~~goserelin acetate (Zoladex) V07.59~~
~~letrozole (Femara) V07.52~~
~~leuprolide acetate (leuprorelin) (Lupron) V07.59~~
~~megestrol acetate (Megace) V07.59~~
~~raloxifene (Evista) V07.51~~
~~selective estrogen receptor modulators (SERMs) V07.51~~

**ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010**

Prophylactic (cont)
administration of (cont)
~~tamoxifen (Nolvadex) V07.51~~
~~toremifene (Fareston) V07.51~~
Pseudoinfluenza (see also Influenza) 487.1
PTP (posttransfusion purpura) 287.41
Puerperal
fever **672**
Purpura 287.2
posttransfusion (PTP)**287.41**
from whole blood (fresh) or blood products 287.41
Reaction
allergic (see also Allergy) 995.3
due to correct medical substance properly administered 995.27
incompatibility
blood group (see also Complications, transfusion) **999.80**
ABO (due to transfusion of blood or blood products) (see also Complications, transfusion) 999.60
minor blood group 999.89
non-ABO (see also Complications, transfusion) 999.75
Rh **antigen (C) (c) (D) (E) (e)** (factor) (infusion) (transfusion) (see also Complications, transfusion) **999.70**
transfusion (blood) (bone marrow) (lymphocytes) (allergic) (see also Complications, transfusion) **999.80**
Recklinghausen-Applebaum disease (hemochromatosis) **275.03**
Recurrent - see condition
pregnancy loss - see Pregnancy, management affected by, abortion, habitual
Reinsertion, contraceptive device V25.42
intrauterine V25.13
Removal (of)
device - see also Fitting (of)
contraceptive **V25.12**
with reinsertion V25.13
Retention, retained
fluid **276.69**
Reticulosis (skin)
Sézary's (M9701/3) 202.2
Retroprosthetic membrane 996.51
Retroversion, retroverted
uterus, uterine ...
congenital **752.39**
Rh **antigen (C) (c) (D) (E) (e)** (factor)
incompatibility, immunization, or sensitization
transfusion reaction (see also Complications, transfusion) **999.70**
titer elevated (see also Complications, transfusion) **999.70**
transfusion reaction (see also Complications, transfusion) **999.70**
Rheumatism, rheumatic (acute NEC) 729.0
gout **714.0**
Rokitansky-Kuster-Hauser syndrome (congenital absence vagina) **752.45**
Rudimentary (congenital) - see also Agenesis
cervix uteri **752.43**
uterine horn **752.39**
uterus **752.39**
solid or with cavity **752.39**
vagina **752.45**

ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010

Schwannomatosis 237.73

Screening (for) V82.9

colonoscopy V76.51

Seizure(s) 780.39

post traumatic 780.33

Septum, septate (congenital) - see also Anomaly, specified type NEC

uterus (see also Double, uterus) **(complete) (partial) 752.35**

vagina **752.49**

longitudinal (with or without obstruction) 752.47

transverse 752.46

Sinusitis (accessory) (nasal) (hyperplastic) (nonpurulent) (purulent) (chronic) 473.9

with influenza, flu, or grippe **(see also Influenza) 487.1**

influenzal **(see also Influenza) 487.1**

Smearing, fecal 787.62

Softening

brain (necrotic) (progressive) **348.89**

due to cerebrovascular accident 438.89

Soiling, fecal 787.62

Sore

throat 462

with influenza, flu, or grippe **(see also Influenza) 487.1**

influenzal **(see also Influenza) 487.1**

Spitting blood (see also Hemoptysis) **786.30**

Sputum, abnormal (amount) (color) (excessive) (odor) (purulent) 786.4

bloody **786.30**

Squamous - see also condition

epithelium in

uterine mucosa (congenital) **752.39**

Stammering **(see also Disorder, fluency) 315.35**

Status (post)

cardiac

device (in situ) V45.00

defibrillator, automatic implantable **(with synchronous cardiac pacemaker) V45.02**

defibrillator, automatic implantable cardiac **(with synchronous cardiac pacemaker) V45.02**

do not resuscitate V49.86

embedded

fragment - see Foreign body, retained

splinter - see Foreign body, retained

physical restraints V49.87

retained foreign body - see Foreign body, retained

Stenosis (cicatricial) - see also Stricture

spinal 724.00

lumbar, lumbosacral **(without neurogenic claudication) 724.02**

with neurogenic claudication 724.03

Stercolith (see also Fecalith) **560.32**

Stuttering **315.35**

adult onset 307.0

childhood onset 315.35

in conditions classified elsewhere 784.52

Subseptus uterus **752.35**

Susceptibility

genetic

to

neoplasia

multiple endocrine **(MEN) V84.81**

**ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010**

Symptoms, specified (general) NEC 780.99
 cognition 799.59
 jaw 784.92
 joint NEC 719.60
 temporomandibular 524.69
 maxilla 784.92

Syndrome - see also Disease
 cardiopulmonary obesity **278.03**
 Hanot-Chauffard (-Troisier) (bronze diabetes) **275.01**
 influenza-like (*see also Influenza*) 487.1
 obesity hypoventilation 278.03
 Pickwickian (cardiopulmonary obesity) **278.03**
 Poland 756.81
 Rokitansky-Kuster-Hauser (congenital absence, vagina) **752.45**
 Troisier-Hanot-Chauffard (bronze diabetes) **275.01**
 water retention **276.69**

TACO (transfusion associated circulatory overload) 276.61

Tear, torn (traumatic) - see also Wound, open, by site
 periurethral tissue
 obstetrical trauma **664.8**

Test(s)
 laboratory V72.60
 male partner of **female with recurrent pregnancy loss** V26.35

Thrombocytopenia, thrombocytopenic 287.5
 dilutional **287.49**
 due to
 drugs **287.49**
 extracorporeal circulation of blood **287.49**
 massive blood transfusion **287.49**
 platelet alloimmunization **287.49**
 secondary **NEC 287.49**

Thrombosis, thrombotic ...
 iliac (**acute**) (vein) 453.89
 chronic 453.79

 jugular (bulb)
 external (**acute**) **453.89**
 ~~**acute 453.89**~~
 internal (**acute**) **453.86**
 ~~**acute 453.86**~~

 vein
 antecubital (**acute**) **453.81**
 ~~**acute 453.81**~~
 axillary (**acute**) **453.84**
 ~~**acute 453.84**~~
 basilic (**acute**) **453.81**
 ~~**acute 453.81**~~
 brachial (**acute**) **453.82**
 ~~**acute 453.82**~~
 brachiocephalic (innominate) (**acute**) **453.87**
 ~~**acute 453.87**~~
 cephalic (**acute**) **453.81**
 ~~**acute 453.81**~~
 internal jugular (**acute**) **453.86**
 ~~**acute 453.86**~~
 radial (**acute**) **453.82**
 ~~**acute 453.82**~~

ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010

- Thrombosis, thrombotic (cont)
vein (cont)
specified site NEC **(acute) 453.89**
~~acute 453.89~~
subclavian **(acute) 453.85**
~~acute 453.85~~
superior vena cava **(acute) 453.87**
~~acute 453.87~~
thoracic **(acute) 453.87**
~~acute 453.87~~
ulnar **(acute) 453.82**
~~acute 453.82~~
vena cava
superior **(acute) 453.87**
~~acute 453.87~~
- Tonsillitis...
with influenza, flu, or grippe **(see also Influenza) 487.1**
influenzal **(see also Influenza) 487.1**
- Tracheitis...
influenzal **(see also Influenza) 487.1**
- Tracheobronchitis (see also Bronchitis) 490
influenzal **(see also Influenza) 487.1**
- Transfusion, blood
incompatible **(see also Complications, transfusion) 999.80**
ABO **(see also Complications, transfusion) 999.60**
non-ABO (see also Complications, transfusion) 999.75
Rh (antigen) (C) (c) (D) (E) (e) (see also Complications, transfusion) 999.70
- Troisier-Hanot-Chauffard syndrome (bronze diabetes) **275.01**
- Tumor (M8000/1) - see also Neoplasm, by site, unspecified nature
stromal
endometrium (endometrial) 236.0
- Uterus
Unicornis uterus **752.33**
Unicornuate uterus (with or without a separate uterine horn) 752.33
Unicorporeus uterus **752.39**
Uniformis uterus **752.39**
Unilateralis uterus **752.39**
- Urgency
fecal 787.63
hypertensive - see Hypertension
- Use of
agents affecting estrogen receptors and estrogen levels NEC V07.59
anastrozole (Arimidex) V07.52
aromatase inhibitors V07.52
estrogen receptor downregulators V07.59
exemestane (Aromasin) V07.52
fulvestrant (Faslodex) V07.59
gonadotropin-releasing hormone (GnRH) agonist V07.59
goserelin acetate (Zoladex) V07.59
letrozole (Femara) V07.52
leuprolide acetate (leuprorelin) (Lupron) V07.59
megestrol acetate (Megace) V07.59
raloxifene (Evista) V07.51
selective estrogen receptor modulators (SERMs) V07.51
tamoxifen (Nolvadex) V07.51
toremifene (Fareston) V07.51

ICD-9-CM Index to Diseases Addenda (FY11)
Effective October 1, 2010

Uterus - see also condition

with only one functioning horn 752.33

Vomiting 787.03

newborn 779.33

bilious 779.32

von Recklinghausen-Applebaum disease (hemochromatosis) **(see also Hemochromatosis) 275.03**

Water

intoxication **276.69**

loading **276.69**

poisoning **276.69**

Widening aorta ~~(see also Aneurysm, aorta) 441.9~~ **(see also Ectasia, aortic) 447.70**

with aneurysm 441.9

Worn out (see also Exhaustion) 780.79

cardiac defibrillator **(with synchronous cardiac pacemaker) V53.32**

**ICD-9-CM Index to External Causes of Injury Addenda (FY11)
Effective October 1, 2010**

Activity (involving) E030
external motion NEC E017.9
roller coaster E017.0
riding
roller coaster E017.0
roller coaster riding E017.0

Activity status E000.9
child assisting in compensated work of other family member E000.8
family member assisting in compensated work of other family member E000.8
volunteer E000.2

Bending, injury ~~in E927.8~~
due to
repetitive movement E927.3
sudden strenuous movement E927.0

Blast (air)
in
war operations E993.9
from nuclear explosion ~~(see also War operations, injury due to, nuclear weapons) E996.0~~
-see War operation, injury due to, nuclear weapons

Exhaustion
due to excessive exertion E927.2

External cause status E000.9
child assisting in compensated work of other family member E000.8
family member assisting in compensated work of other family member E000.8
volunteer E000.2

Fall, falling (accidental) E888.9
from, off
motorized
mobility scooter E884.3
wheelchair E884.3
scooter (nonmotorized) E885.0
motorized mobility E884.3
wheelchair (electric) (motorized) E884.3

Injury, injured (accidental(ly)) NEC E928.9
by, caused by, from
bending ~~E927.8~~
due to
repetitive movement E927.3
sudden strenuous movement E927.0
straining ~~E927.8~~
due to
repetitive movement E927.3
sudden strenuous movement E927.0
twisting ~~E927.8~~
due to
repetitive movement E927.3
sudden strenuous movement E927.0

Lifting, injury ~~in E927.8~~
due to
repetitive movement E927.3
sudden strenuous movement E927.0

Overexertion E927.9
from
lifting ~~E927.8~~
repetitive movement E927.3
sudden strenuous movement E927.0

ICD-9-CM Index to External Causes of Injury Addenda (FY11)
Effective October 1, 2010

Overexertion (cont)
from (cont)
pulling-~~E927.8~~
 repetitive movement E927.3
 sudden strenuous movement E927.0
pushing-~~E927.8~~
 repetitive movement E927.3
 sudden strenuous movement E927.0
 specified NEC E927.8
Pulling, injury ~~in E927.8~~
 due to
 repetitive movement E927.3
 sudden strenuous movement E927.0
Pushing (injury in) (overexertion) E927.8
 due to
 repetitive movement E927.3
 sudden strenuous movement E927.0
Repetitive movements NEC E927.8
Straining, injury ~~in E927.8~~
 due to
 repetitive movement E927.3
 sudden strenuous movement E927.0
Strenuous movements (in recreational or other activities) **NEC** E927.8
Twisting, **injury** ~~Injury in E927.8~~
 due to
 repetitive movement E927.3
 sudden strenuous movement E927.0
War operations (during hostilities) (injury) (by) (in) E995.9
blast (air) (effects) E993.9
from nuclear explosion ~~(see also War operations, injury due to, nuclear weapons) E996.1 - see~~
 War operation, injury due to, nuclear weapons

**ICD-9-CM Table of Drugs and Chemicals Addenda (FY11)
Effective October 1, 2010**

<u>Substance</u>	<u>Poisoning</u>	<u>Accident</u>	<u>Therapeutic Use</u>	<u>Suicide Attempt</u>	<u>Assault</u>	<u>Undetermined</u>
Ammonia (fumes) (gas) (vapor)	987.8	E869.8	-	E952.8	E962.2	E982.8
spirit, aromatic	<u>970.89</u>	E854.3	E940.8	E950.4	E962.0	E980.4
Catha (edulis)	<u>970.89</u>	E854.3	E940.8	E950.4	E962.0	E980.4
Central nervous system						
stimulants	970.9	E854.3	E940.9	E950.4	E962.0	E980.4
specified NEC	<u>970.89</u>	E854.3	E940.8	E950.4	E962.0	E980.4
Cerebral stimulants	970.9	E854.3	E940.9	E950.4	E962.0	E980.4
specified NEC	<u>970.89</u>	E854.3	E940.8	E950.4	E962.0	E980.4
Coca (leaf)	<u>970.81</u>	E854.3	E940.8	E950.4	E962.0	E980.4
Cocaine (hydrochloride) (salt)	<u>970.81</u>	E854.3	E940.8	E950.4	E962.0	E980.4
Crack	<u>970.81</u>	E854.3	E940.8	E950.4	E962.0	E980.4
<u>Dekalin</u>	982.0	E862.4	-	E950.9	E962.1	E980.9
Drug	977.9	E858.9	E947.9	E950.5	E962.0	E980.5
28:20 respiratory and cerebral stimulants	970.9	E854.3	E940.9	E950.4	E962.0	E980.4
specified NEC	<u>970.89</u>	E854.3	E940.8	E950.4	E962.0	E980.4
Fencamfamin	<u>970.89</u>	E854.3	E940.8	E950.4	E962.0	E980.4
Gas	987.9	E869.9	-	E952.9	E962.2	E982.9
utility ...	987.1	E868.1	-	E951.8	E962.2	E981.8
incomplete combustion of-see Carbon, monoxide, fuel, <u>utility</u>						
Gelsemine	<u>970.89</u>	E854.3	E940.8	E950.4	E962.0	E980.4
<u>Immu-G</u>	<u>964.6</u>	<u>E858.2</u>	<u>E934.6</u>	<u>E950.4</u>	<u>E962.0</u>	<u>E980.4</u>
<u>Immuqlobin</u>	<u>964.6</u>	<u>E858.2</u>	<u>E934.6</u>	<u>E950.4</u>	<u>E962.0</u>	<u>E980.4</u>
Pipradrol	<u>970.89</u>	E854.3	E940.8	E950.4	E962.0	E980.4
Stimulants (central nervous system)	970.9	E854.3	E940.9	E950.4	E962.0	E980.4
specified NEC	<u>970.89</u>	E854.3	E940.8	E950.4	E962.0	E980.4
Strychnine (rodenticide) (salts)	989.1	E863.7	-	E950.6	E962.1	E980.7
medicinal NEC	<u>970.89</u>	E854.3	E940.8	E950.4	E962.0	E980.4
Zyprexa	<u>969.3</u>	<u>E853.8</u>	<u>E939.3</u>	<u>E950.3</u>	<u>E962.0</u>	<u>E980.3</u>