

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
All codes	34,854	13,990	20,864	2,298	10,800	8,686	13,070	7,277	7,951	13,140	6,486
001-139	1,088	514	573	138	193	262	495	245	242	391	209
003	*7	*	*	*	*	*	*	*	*	*	*
003.0	*6	*	*	*	*	*	*	*	*	*	*
008	186	77	109	48	23	32	83	46	41	63	36
008.4	90	32	58	*7	*8	17	58	25	23	27	16
008.45	86	30	56	*6	*7	16	57	24	22	25	15
008.6	29	16	13	26	*	*	*	*	*	16	*7
008.61	28	15	13	25	*	*	*	*	*	15	*7
008.8	64	26	37	15	13	13	23	18	13	19	13
009	21	*8	13	*	*7	*6	*	*	*5	*6	*5
009.0	13	*	*8	*	*	*	*	*	*	*	*
009.1	*5	*	*	*	*	*	*	*	*	*	*
011	*8	*6	*	*	*	*	*	*	*	*6	*
011.9	*7	*6	*	*	*	*	*	*	*	*5	*
034	10	*	*6	*	*	*	*	*	*	*	*
034.0	10	*	*6	*	*	*	*	*	*	*	*
038	530	250	280	*9	43	134	345	109	133	188	100
038.0	31	15	16	*	*	*9	18	*6	10	*9	*6
038.1	72	38	34	*	*5	19	48	15	19	26	12
038.10	11	*6	*5	*	*	*	10	*	*	*	*
038.11	47	26	21	*	*	12	30	11	13	14	*8
038.19	14	*6	*8	*	*	*	*8	*	*	*8	*
038.2	11	*6	*	*	*	*	*	*	*	*	*
038.4	104	43	61	*	*8	24	69	26	23	37	18
038.40	*7	*	*	-	*	*	*5	*	*	*	*
038.42	57	20	37	*	*	13	38	14	12	20	10
038.43	*9	*	*	*	*	*	*6	*	*	*	*
038.49	29	14	15	*	*	*7	20	*9	*6	10	*
038.8	12	*5	*7	*	*	*	*9	*	*	*	*
038.9	295	141	154	*	24	74	193	55	72	107	61
041	*6	*	*	*	*	*	*	*	*	*	*
042	72	47	25	*	46	25	*	23	*8	34	*7
047	35	18	17	13	15	*7	*	*6	*6	12	11
047.9	30	15	15	*9	13	*6	*	*5	*6	*9	*9
053	24	*8	16	*	*	*5	16	*	*9	*8	*
053.1	*7	*	*	*	*	*	*6	*	*	*	*
053.9	13	*	*8	*	*	*	*8	*	*6	*	*
054	*6	*	*	*	*	*	*	*	*	*	*
070	24	13	12	*	*7	15	*	*7	*	10	*5
070.5	*8	*	*	-	*	*	*	*	*	*	*
070.54	*6	*	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
070.7	*7	*	*	-	*	*	*	*	*	*	*
070.70	*6	*	*	-	*	*	*	*	*	*	*
075	10	*	*6	*	*5	*	*	*	*	*	*
079	55	29	26	33	*8	*6	*9	15	*5	21	15
079.9	51	27	24	29	*8	*6	*9	13	*	19	14
079.99	51	27	24	29	*8	*6	*9	13	*	19	14
112	21	*6	15	*	*	*	11	*5	*	*9	*
112.0	*7	*	*5	*	*	*	*	*	*	*	*
112.2	*5	*	*	*	*	*	*	*	*	*	*
112.8	*6	*	*	*	*	*	*	*	*	*	*
112.84	*6	*	*	*	*	*	*	*	*	*	*
135	*8	*	*6	*	*	*5	*	*	*	*	*
140-239	1,641	665	976	34	257	628	723	340	362	611	329
141	10	*	*	-	*	*6	*	*	*	*	*
150	*9	*6	*	-	*	*	*6	*	*	*	*
151	19	14	*5	-	*	*6	12	*	*	*	*6
151.0	*6	*5	*	-	*	*	*	*	*	*	*
153	105	43	62	*	*	29	72	21	25	37	21
153.1	*7	*	*	-	*	*	*5	*	*	*	*
153.2	*6	*	*	-	*	*	*	*	*	*	*
153.3	20	11	*9	-	*	*7	12	*	*6	*7	*
153.4	26	*9	17	-	*	*6	20	*	*6	*7	*8
153.6	20	*8	12	*	*	*	16	*5	*	*6	*
153.9	13	*5	*8	-	*	*	*8	*	*	*6	*
154	47	24	24	-	*	16	27	10	13	18	*6
154.0	15	*9	*7	-	*	*	*9	*5	*	*6	*
154.1	28	13	16	-	*	10	17	*	10	10	*
155	22	13	*8	*	*	11	*7	*	*	*8	*6
155.0	16	13	*	*	*	*9	*5	*	*	*	*5
156	*7	*	*	-	*	*	*6	*	*	*	*
157	30	13	17	*	*	*9	20	*6	*7	11	*
157.0	15	*6	*9	*	*	*	10	*	*	*5	*
157.9	*9	*	*	-	*	*	*5	*	*	*	*
158	*7	*	*5	*	*	*	*	*	*	*	*
161	*7	*5	*	-	*	*	*	*	*	*	*
162	149	75	74	*	*	46	100	34	36	57	22
162.2	12	*8	*	-	*	*	*8	*	*	*5	*
162.3	50	25	25	-	*	13	36	11	11	20	*8
162.5	22	10	12	-	*	*5	17	*	*	*8	*
162.8	14	*5	*9	*	*	*6	*7	*6	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
162.9	46	23	23	-	*	16	30	*6	14	18	*7
171	10	*	*5	*	*	*	*	*	*	*	*
174	62	-	62	-	10	26	26	12	13	26	11
174.4	*9	-	*9	-	*	*	*	*	*	*	*
174.8	22	-	22	-	*	*9	10	*7	*	*7	*6
174.9	22	-	22	-	*	10	*8	*	*6	11	*
180	16	-	16	-	*	*8	*	*	*	*	*6
180.9	*8	-	*8	-	*	*	*	*	*	*	*
182	39	-	39	-	*	20	17	*8	11	12	*8
182.0	38	-	38	-	*	19	17	*8	11	11	*8
183	23	-	23	*	*	10	10	*6	*	*7	*6
183.0	23	-	23	*	*	10	10	*6	*	*7	*5
185	91	91	-	-	*	51	39	21	24	26	20
188	41	33	*8	-	*	11	29	*8	11	12	10
188.8	14	12	*	-	*	*	10	*	*	*	*5
188.9	13	10	*	-	*	*	*8	*	*	*7	*
189	52	30	22	*	*	25	22	*9	*8	25	10
189.0	46	26	21	*	*	22	20	*9	*7	23	*8
191	29	16	13	*	*6	*8	10	*6	*6	*8	*8
191.1	*5	*	*	*	*	*	*	*	*	*	*
191.9	*8	*5	*	*	*	*	*	*	*	*	*
193	18	*5	12	*	*7	*8	*	*	*	*7	*
196	10	*7	*	*	*	*	*	*	*	*	*
197	107	42	65	*	*9	36	62	24	27	37	19
197.0	16	*6	11	*	*	*5	*9	*	*5	*5	*
197.2	28	*9	20	*	*	*8	19	*7	*5	10	*6
197.6	20	*7	13	*	*	*9	*9	*	*	*7	*
197.7	33	16	16	-	*	11	19	*6	10	11	*5
198	82	38	44	*	*	32	45	18	21	27	15
198.3	38	17	21	*	*	15	21	*7	12	12	*8
198.5	28	13	15	*	*	10	16	*9	*6	*8	*6
198.8	11	*6	*5	*	*	*	*6	*	*	*5	*
198.89	10	*5	*	*	*	*	*5	*	*	*5	*
199	31	12	19	*	*	10	18	*	*6	15	*6
199.0	23	*7	16	*	*	10	11	*	*	12	*5
199.1	*7	*	*	-	*	*	*7	*	*	*	*
200	*7	*	*	*	*	*	*	*	*	*	*
200.0	*5	*	*	*	*	*	*	*	*	*	*
201	*5	*	*	*	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
202	36	24	12	*	*	12	20	*6	*9	15	*5
202.8	31	20	11	*	*	*9	19	*6	*8	13	*
202.80	17	11	*6	-	*	*	12	*	*	*9	*
203	23	11	12	-	*	*9	13	*	*	13	*
203.0	21	10	11	-	*	*8	13	*	*	13	*
203.00	21	10	11	-	*	*8	13	*	*	13	*
204	20	12	*8	*8	*	*	*5	*5	*	*7	*
204.0	14	*8	*6	*8	*	*	*	*	*	*	*
204.00	12	*7	*5	*7	*	*	*	*	*	*	*
204.1	*7	*	*	-	*	*	*	*	*	*	*
204.10	*6	*	*	-	-	*	*	*	*	*	*
205	22	11	11	*	*	*7	11	*	*	11	*
205.0	18	10	*8	*	*	*6	*9	*	*	*8	*
205.00	16	*9	*8	*	*	*6	*9	*	*	*8	*
210	*7	*	*	*	*	*	*	*	*	*	*
210.2	*5	*	*	-	*	*	*	*	*	*	*
211	45	22	23	*	*	18	23	11	*9	17	*8
211.3	32	18	14	*	*	12	19	*8	*6	12	*7
213	*6	*	*	*	*	*	*	*	*	*	*
218	210	-	210	-	103	106	*	39	46	85	40
218.0	27	-	27	-	13	14	*	*8	*5	*7	*6
218.1	57	-	57	-	26	31	*	12	11	23	11
218.2	21	-	21	-	12	*9	*	*	*6	*8	*
218.9	105	-	105	-	52	53	*	15	23	46	21
220	35	-	35	*	11	15	*8	*7	*7	14	*7
225	28	*9	18	*	*	14	*9	*7	*	11	*7
225.2	22	*7	14	*	*	11	*8	*5	*	*9	*6
226	*9	*	*7	-	*	*	*	*	*	*	*
227	15	*	11	-	*	*	*6	*	*	*6	*
227.3	*8	*	*6	-	*	*	*	*	*	*	*
228	*6	*	*	*	*	*	*	*	*	*	*
233	20	*	19	-	*9	*8	*	*	*	*9	*5
233.0	*8	*	*8	-	*	*	*	*	*	*	*
233.1	11	-	11	-	*6	*	*	*	*	*	*
235	12	*7	*	*	*	*	*6	*	*	*	*
235.2	*6	*	*	-	*	*	*	*	*	*	*
237	*7	*	*	*	*	*	*	*	*	*	*
238	22	15	*7	*	*	*	17	*	*7	10	*
238.7	19	13	*5	*	*	*	16	*	*6	*9	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
239	10	*5	*5	*	*	*	*	*	*	*	*
240-279	1,663	673	990	160	365	483	655	370	360	646	287
241	16	*	14	*	*	*8	*	*	*	*8	*
241.0	*6	*	*5	*	*	*	*	*	*	*	*
241.1	10	*	*9	-	*	*5	*	*	*	*5	*
242	15	*	12	-	*7	*6	*	*	*	*	*
242.0	*6	*	*5	-	*	*	*	*	*	*	*
242.00	*6	*	*	-	*	*	*	*	*	*	*
242.9	*6	*	*	-	*	*	*	*	*	*	*
242.90	*6	*	*	-	*	*	*	*	*	*	*
244	19	*	16	*	*	*8	*7	*	*	*7	*
244.9	18	*	15	*	*	*7	*7	*	*	*7	*
250	584	283	301	22	169	205	188	133	107	244	100
250.0	149	63	86	*7	28	64	50	37	30	63	20
250.00	80	35	45	*	13	35	30	18	17	35	11
250.01	14	*7	*7	*	*	*	*	*	*	*	*
250.02	47	20	28	*	10	22	15	14	10	19	*
250.03	*8	*	*6	*	*	*	*	*	*	*	*
250.1	135	67	67	13	85	27	*9	24	24	55	32
250.10	23	14	*9	*	11	*8	*	*	*	10	*6
250.11	46	22	23	*7	31	*6	*	*8	10	16	11
250.12	23	11	12	*	12	*7	*	*	*	10	*5
250.13	43	20	23	*	32	*6	*	*8	*7	19	*9
250.2	12	*7	*5	*	*	*	*	*	*	*6	*
250.20	*6	*	*	-	*	*	*	*	*	*	*
250.22	*6	*	*	-	*	*	*	*	*	*	*
250.3	*8	*	*	*	*	*	*	*	*	*	*
250.4	31	15	16	-	*5	15	11	*	*	15	*7
250.40	20	10	11	-	*	11	*8	*	*	10	*
250.42	*6	*	*	-	*	*	*	*	*	*	*
250.6	64	27	37	-	19	27	18	14	12	26	12
250.60	36	17	19	-	*7	17	13	*8	*7	13	*7
250.61	*9	*	*7	-	*5	*	*	*	*	*	*
250.62	15	*7	*8	-	*	*7	*	*	*	*7	*
250.7	35	21	14	-	*	13	18	*8	*6	16	*6
250.70	24	13	11	-	*	*7	16	*6	*	11	*
250.72	*5	*	*	-	*	*	*	*	*	*	*
250.8	142	72	69	*	19	49	73	39	27	58	18
250.80	105	53	52	-	10	34	61	31	17	44	13
250.81	13	*6	*7	*	*	*5	*	*	*	*	*
250.82	19	11	*8	*	*	*9	*8	*	*5	*8	*
250.9	*7	*	*	*	*	*	*	*	*	*	*
251	14	*	*9	*	*	*	*6	*	*	*	*
251.2	*8	*	*6	*	*	*	*	*	*	*	*
252	*8	*	*6	*	*	*	*	*	*	*	*
252.0	*6	*	*	*	*	*	*	*	*	*	*
253	17	*6	11	*	*	*	13	*6	*	*	*
253.6	15	*5	*9	-	*	*	13	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
255	*9	*	*6	*	*	*	*	*	*	*	*
255.4	*5	*	*	*	*	*	*	*	*	*	*
263	11	*	*6	*	*	*	*6	*	*	*	*
263.9	10	*	*6	*	*	*	*5	*	*	*	*
270	*6	*	*	*	*	*	*	*	*	*	*
272	45	24	21	*	*9	24	10	14	*9	13	*8
272.0	13	*7	*6	*	*	*6	*	*	*	*	*
272.4	26	14	12	-	*	16	*6	*7	*7	*9	*
274	18	12	*7	-	*	*7	10	*	*	*7	*
274.0	13	*9	*	-	*	*	*7	*	*	*	*
274.9	*5	*	*	-	*	*	*	*	*	*	*
275	17	*7	10	*	*	*	*8	*	*	*6	*
275.4	12	*5	*7	*	*	*	*6	*	*	*	*
275.42	*8	*	*	-	*	*	*	*	*	*	*
276	724	267	457	119	77	145	383	130	191	277	126
276.0	14	*5	*9	*	*	*	11	*	*	*6	*
276.1	126	42	85	*	10	31	83	26	35	35	30
276.2	*8	*	*5	*	*	*	*	*	*	*	*
276.5	480	185	294	112	46	81	240	80	130	192	77
276.50	16	*5	11	*	*	*	*8	*	*	12	*
276.51	455	176	279	110	42	76	227	76	126	178	74
276.52	*8	*	*	*	*	*	*	*	*	*	*
276.6	14	*5	*9	*	*	*6	*	*	*	*9	*
276.7	33	14	18	*	*	*9	21	*8	*8	11	*6
276.8	44	10	34	*	10	14	20	*9	*9	19	*6
277	28	20	*7	*	19	*	*	*8	*	15	*
277.0	11	*7	*	*	*8	*	*	*7	*	*	*
277.02	*9	*	*	*	*6	*	*	*6	*	*	*
277.1	11	10	*	-	11	*	*	*	*	11	*
278	112	20	92	*	58	51	*	41	17	36	17
278.0	105	20	85	*	54	49	*	38	16	35	16
278.00	*6	*	*	*	*	*	*	*	*	*	*
278.01	99	17	81	-	51	46	*	37	14	32	15
278.1	*6	*	*6	-	*	*	*	*	*	*	*
280-289	451	194	257	55	98	102	196	108	96	175	72
280	94	30	65	*	12	22	59	21	24	37	13
280.0	39	15	24	*	*6	*8	25	*8	12	15	*
280.9	53	13	39	*	*6	13	32	13	10	20	*9
282	68	34	34	15	46	*6	*	21	*6	38	*
282.4	*9	*5	*	*	*6	*	*	*	*	*	*
282.42	*6	*	*	*	*5	*	-	*	*	*	*
282.6	57	27	30	11	40	*6	*	16	*5	33	*
282.62	49	23	26	*8	36	*5	-	14	*	28	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
283	*8	*	*	*	*	*	*	*	*	*	*
284	28	15	12	*	*	10	11	*6	*6	*9	*7
284.8	25	15	11	*	*	10	10	*6	*6	*8	*6
285	114	44	70	*	13	23	77	26	31	36	21
285.1	12	*	*7	*	*	*	*8	*	*	*	*
285.2	27	13	14	*	*	*6	18	*7	*5	10	*
285.21	*9	*	*	-	*	*	*6	*	*	*	*
285.22	10	*5	*	*	*	*	*6	*	*	*	*
285.29	*8	*	*	*	*	*	*6	*	*	*	*
285.9	71	25	47	*	*7	14	49	15	21	22	14
286	13	*7	*6	*	*	*	*7	*	*	*	*
286.9	*6	*	*	*	*	*	*	*	*	*	*
287	35	19	15	*5	*7	*9	13	*8	*8	11	*8
287.3	15	*8	*7	*	*	*	*5	*	*	*5	*
287.31	14	*8	*6	*	*	*	*5	*	*	*5	*
287.5	12	*6	*5	*	*	*	*5	*	*	*	*
288	66	30	36	17	*9	20	20	16	14	25	10
288.0	53	22	31	13	*6	17	16	15	12	17	*8
288.8	13	*8	*	*	*	*	*	*	*	*8	*
289	22	*9	13	*9	*	*	*	*	*	11	*
289.3	*6	*	*	*	*	*	*	*	*	*	*
289.8	*6	*	*5	*	*	*	*	*	*	*	*
290-319	2,419	1,222	1,198	132	1,332	717	239	653	536	1,025	206
290	19	*7	12	-	*	*	18	*	*6	*	*
290.4	11	*	*6	-	-	*	11	*	*	*	*
290.40	*5	*	*	-	-	*	*5	*	*	*	*
291	148	108	40	-	65	74	*8	49	52	25	22
291.0	22	18	*	-	*8	12	*	*	*5	*7	*5
291.8	122	86	36	-	56	59	*7	44	45	18	15
291.81	119	84	35	-	55	58	*7	42	44	18	15
292	103	58	45	*	73	20	*9	40	38	16	10
292.0	75	43	32	*	59	15	*	28	33	10	*
292.8	22	12	10	*	11	*	*6	10	*	*	*
292.81	10	*	*6	*	*	*	*6	*	*	*	*
292.84	11	*8	*	*	*8	*	*	*7	*	*	*
293	*9	*6	*	-	*	*	*7	*	*	*	*
293.0	*6	*	*	-	*	*	*	*	*	*	*
294	42	15	28	-	*	*	39	14	11	10	*7
294.8	41	14	27	-	*	*	39	13	11	10	*6
295	333	185	148	*	178	134	20	101	52	153	26
295.3	117	70	46	*	61	48	*7	34	15	60	*8
295.30	60	37	23	*	32	24	*	13	*8	34	*
295.32	16	10	*6	*	*8	*8	*	*6	*	*7	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
295.34	39	23	17	-	20	16	*	14	*	19	*
295.6	10	*7	*	-	*	*	*	*	*	*	*
295.7	160	81	80	*	86	66	*8	50	28	70	11
295.70	126	62	63	*	68	52	*6	32	23	63	*7
295.74	28	15	13	-	15	11	*	17	*	*6	*
295.9	37	22	15	*	19	14	*	12	*6	14	*6
295.90	26	15	10	*	13	*8	*	*5	*5	11	*
295.94	*7	*	*	-	*	*	*	*5	*	*	-
296	971	387	584	74	577	256	65	205	224	475	67
296.2	196	79	117	17	115	48	16	28	44	113	11
296.20	107	46	61	10	63	27	*7	13	23	65	*6
296.22	17	*6	11	*	13	*	*	*	*	12	*
296.23	40	16	25	*	25	10	*	*8	14	16	*
296.24	30	11	19	*	12	*8	*6	*	*	20	*
296.3	263	95	169	*	141	92	26	65	69	109	20
296.30	59	19	40	*	30	23	*6	12	19	25	*
296.32	25	10	15	*	15	*6	*	*	*5	12	*
296.33	125	46	79	*	67	45	12	32	30	53	11
296.34	49	18	31	*	25	17	*6	15	11	19	*
296.4	65	29	36	*	35	22	*6	18	14	27	*7
296.40	28	14	14	*	15	10	*	*6	*5	15	*
296.43	*6	*	*	*	*	*	*	*	*	*	*
296.44	29	11	18	-	16	11	*	*9	*6	11	*
296.5	105	39	66	*	66	29	*7	24	31	42	*8
296.50	63	23	39	*	42	17	*	11	22	25	*
296.53	22	*7	15	*	14	*6	*	*7	*5	*6	*
296.54	18	*8	10	*	*9	*6	*	*5	*	*9	*
296.6	81	32	49	10	50	19	*	17	14	44	*6
296.60	37	13	23	*	23	10	*	*	*8	20	*
296.63	19	*8	11	*	11	*	*	*	*	11	*
296.64	24	10	13	*	14	*6	*	*9	*	12	*
296.7	14	*5	*9	*	*8	*	*	*	*	*5	*
296.8	181	75	106	26	117	33	*5	23	34	113	11
296.80	148	65	83	26	93	25	*	15	29	98	*5
296.89	33	10	23	*	24	*8	*	*8	*	15	*6
296.9	61	31	30	10	42	*7	*	27	14	18	*
296.90	59	30	29	10	41	*7	*	27	13	18	*
297	*8	*	*7	-	*	*	*	*	*	*	*
297.1	*7	*	*6	-	*	*	*	*	*	*	*
298	109	62	46	*	55	29	21	25	20	45	19
298.9	105	61	43	*	54	28	19	25	19	44	18
300	81	28	53	*	38	26	14	20	23	31	*7
300.0	42	13	29	*	18	15	*9	*9	12	17	*
300.00	27	11	16	*	11	*9	*6	*6	*7	10	*
300.01	*9	*	*8	*	*	*	*	*	*	*	*
300.02	*6	*	*	*	*	*	*	*	*	*	*
300.1	*9	*	*7	*	*7	*	*	*	*	*	*
300.11	*7	*	*6	*	*	*	*	*	*	*	*
300.4	21	*9	12	*	*9	*7	*	*7	*5	*7	*
301	*6	*	*	*	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
303	121	88	33	*	58	56	*6	25	25	63	*7
303.0	30	22	*8	-	12	14	*	*7	14	*6	*
303.00	11	*6	*	-	*5	*	*	*	*7	*	*
303.01	18	15	*	-	*6	10	*	*6	*7	*	*
303.9	91	66	25	*	46	42	*	18	11	57	*
303.90	48	35	13	*	26	20	*	*	*	41	*
303.91	42	30	11	*	18	21	*	15	*8	16	*
304	80	54	25	*	56	21	*	20	*5	51	*
304.0	33	24	10	*	23	10	*	*9	*	20	*
304.00	15	*9	*5	*	11	*	*	*	*	12	*
304.01	19	14	*	-	13	*5	*	*9	*	*8	*
304.2	15	11	*	-	10	*6	*	*5	*	*8	*
304.21	10	*8	*	-	*6	*	*	*	*	*	-
304.7	*9	*5	*	*	*8	*	-	*	*	*	*
304.8	10	*7	*	*	*7	*	-	*	*	10	*
304.80	*9	*6	*	*	*6	*	-	*	*	*9	*
305	103	69	34	*5	54	36	*8	18	23	52	11
305.0	40	28	11	*	18	15	*6	*8	13	15	*
305.00	31	22	*9	*	16	10	*	*5	10	13	*
305.01	*7	*5	*	*	*	*	*	*	*	*	*
305.1	22	13	*9	*	11	*9	*	*	*6	*9	*
305.6	18	13	*5	-	11	*8	*	*	*	11	*
305.60	14	10	*	-	*8	*6	*	*	*	*9	*
305.9	12	*8	*	*	*8	*	*	*	*	*9	*
305.90	11	*7	*	*	*7	*	*	*	*	*9	*
307	12	*	*9	*	*7	*	*	*5	*	*	*
309	64	33	31	*6	42	13	*	28	12	16	*8
309.0	21	10	10	*	15	*	*	10	*	*	*
309.2	*9	*5	*	*	*5	*	*	*	*	*	*
309.28	*7	*	*	*	*	*	*	*	*	*	*
309.4	10	*6	*	*	*8	*	*	*	*	*	*
309.8	19	*9	10	*	10	*	*	*7	*	*6	*
309.81	18	*8	10	*	10	*	*	*7	*	*6	*
309.9	*5	*	*	*	*	*	*	*	*	*	*
310	10	*6	*	*	*	*	*6	*	*	*	*
310.2	*5	*	*	*	*	*	*	*	*	*	*
311	137	66	71	*6	89	35	*7	68	24	37	*8
312	26	19	*7	*9	15	*	*	13	*	*9	*
312.3	18	13	*	*	13	*	*	12	*	*	-
312.30	13	*9	*	*	10	*	*	*9	*	*	-
312.34	*5	*	*	*	*	*	-	*	*	*	-
312.9	*6	*	*	*	*	*	-	*	*	*	*
314	16	10	*6	10	*6	-	*	*	*	10	*
314.0	13	*9	*	*9	*	-	-	*	*	*7	*
314.01	12	*9	*	*9	*	-	-	*	*	*7	*
320-389	615	254	361	83	134	151	246	160	134	212	108

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
320	*5	*	*	*	*	*	*	*	*	*	*
323	*5	*	*	*	*	*	*	*	*	*	*
324	*6	*	*	*	*	*	*	*	*	*	*
327	12	*8	*	*	*	*7	*	*	*	*7	*
327.2	12	*8	*	*	*	*7	*	*	*	*7	*
327.23	12	*8	*	*	*	*7	*	*	*	*7	*
331	100	43	57	*	*	*5	87	30	20	37	14
331.0	67	22	45	-	-	*	65	22	13	24	*8
331.3	11	*9	*	*	*	*	10	*	*	*	*
331.4	11	*6	*5	*	*	*	*	*	*	*	*
331.8	*9	*	*	*	-	*	*8	*	*	*5	*
331.82	*8	*	*	-	-	*	*7	*	*	*	*
332	20	10	10	-	*	*	17	*6	*5	*6	*
332.0	19	*9	10	-	*	*	17	*6	*5	*5	*
333	16	*5	11	*	*	*	*7	*	*	*6	*
340	28	*5	23	*	*9	14	*	*6	*9	*8	*
343	*5	*	*	*	*	*	*	*	*	*	*
344	*7	*	*	*	*	*	*	*	*	*	*
345	79	37	42	26	26	18	10	29	13	23	15
345.1	12	*7	*	*	*5	*	*	*	*	*	*
345.10	*8	*	*	*	*	*	*	*	*	*	*
345.3	22	11	12	*8	*	*6	*	*6	*	*8	*
345.4	*5	*	*	*	*	*	*	*	*	*	*
345.5	*7	*	*	*	*	*	*	*	*	*	*
345.9	23	11	13	*6	*8	*6	*	*9	*	*7	*
345.90	17	*9	*9	*	*6	*	*	*6	*	*6	*
345.91	*6	*	*	*	*	*	*	*	*	*	*
346	61	15	46	*	35	19	*	13	15	24	*9
346.8	13	*	*9	*	*7	*	*	*	*	*6	*
346.80	10	*	*7	*	*6	*	*	*	*	*5	*
346.9	40	*8	32	*	24	13	*	*8	10	14	*8
346.90	30	*7	23	*	16	11	*	*6	*6	12	*5
346.91	10	*	*9	*	*8	*	*	*	*	*	*
348	49	23	26	*5	11	12	20	12	*9	18	10
348.1	*8	*6	*	*	*	*	*	*	*	*	*
348.3	25	12	13	*	*	*6	15	*7	*	10	*
348.30	*9	*5	*	*	*	*	*5	*	*	*	*
348.31	11	*	*6	*	*	*	*7	*	*	*	*
348.39	*5	*	*	*	*	*	*	*	*	*	*
349	14	*	*9	*	*	*	*6	*	*	*	*
349.0	*5	*	*	*	*	*	*	*	*	*	*
349.8	*7	*	*	*	*	*	*5	*	*	*	*
349.82	*5	*	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
350	*6	*	*	-	*	*	*	*	*	*	*
350.1	*6	*	*	-	*	*	*	*	*	*	*
351	*7	*	*	*	*	*	*	*	*	*	*
351.0	*6	*	*	*	*	*	*	*	*	*	*
355	*8	*	*	*	*	*	*	*	*	*	*
356	*6	*	*	-	*	*	*	*	*	*	*
357	10	*	*6	*	*	*	*	*	*	*	*
357.0	*8	*	*	*	*	*	*	*	*	*	*
358	*5	*	*	*	*	*	*	*	*	*	*
359	*8	*	*	*	*	*	*	*	*	*	*
362	*5	*	*	*	*	*	*	*	*	*	*
368	*6	*	*	*	*	*	*	*	*	*	*
373	*6	*	*	*	*	*	*	*	*	*	*
373.1	*5	*	*	*	*	*	*	*	*	*	*
376	*7	*	*	*	*	*	*	*	*	*	*
376.0	*7	*	*	*	*	*	*	*	*	*	*
376.01	*6	*	*	*	*	*	*	*	*	*	*
380	*7	*	*	*	*	*	*	*	*	*	*
380.1	*5	*	*	*	*	*	*	*	*	*	*
382	11	*	*6	*9	*	*	*	*	*	*	*
382.9	*9	*	*5	*8	*	*	*	*	*	*	*
386	52	18	34	*	*	14	37	14	19	13	*6
386.0	*5	*	*	-	*	*	*	*	*	*	*
386.00	*5	*	*	-	*	*	*	*	*	*	*
386.1	24	*9	16	-	*	*7	17	*7	*6	*9	*
386.11	17	*	12	-	*	*5	11	*	*	*7	*
386.3	18	*	14	*	*	*6	11	*	*9	*	*
386.30	15	*	11	*	*	*	10	*	*8	*	*
390-459	6,161	3,121	3,040	29	452	1,880	3,801	1,370	1,528	2,250	1,012
394	*7	*	*6	-	*	*	*	*	*	*	*
396	14	*6	*7	*	*	*	*9	*	*	*	*
396.2	*5	*	*	-	-	*	*	*	*	*	*
398	33	13	20	-	*	*	28	*9	*	12	*6
398.9	33	13	20	-	*	*	28	*9	*	12	*6
398.91	32	13	20	-	*	*	28	*9	*	12	*6
401	293	101	192	*	45	122	125	83	61	107	42
401.0	22	*5	16	*	*	*7	11	*6	*	*8	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West	
Number of first-listed diagnoses in thousands												
401.9	268	95	173	*	41	114	113	75	56	99	39	
402	52	19	33	-	*	15	34	10	14	20	*7	
402.0	*5	*	*	-	*	*	*	*	*	*	*	
402.9	46	17	30	-	*	13	31	10	13	18	*5	
402.90	*9	*	*6	-	*	*	*	*	*	*	*	
402.91	38	14	23	-	*	*9	27	*8	10	15	*5	
403	133	67	67	*	25	51	56	29	24	59	21	
403.0	*9	*	*	-	*	*	*	*	*	*5	*	
403.01	*8	*	*	-	*	*	*	*	*	*5	*	
403.9	124	62	62	*	23	46	54	28	22	53	20	
403.91	121	61	60	*	23	46	52	28	21	52	20	
404	35	18	18	-	*	11	21	*8	10	12	*6	
404.9	32	15	16	-	*	*8	20	*7	*9	10	*6	
404.93	25	11	14	-	*	*7	16	*6	*8	*7	*	
410	647	358	289	*	34	218	394	140	164	221	121	
410.0	15	10	*6	-	*	*5	*9	*	*	*6	*	
410.01	15	*9	*6	-	*	*5	*9	*	*	*6	*	
410.1	69	42	27	-	*6	27	36	17	16	23	14	
410.11	68	41	27	-	*6	27	35	16	15	23	13	
410.2	12	*6	*6	-	*	*	*7	*	*	*5	*	
410.21	12	*5	*6	-	*	*	*7	*	*	*	*	
410.3	*8	*5	*	-	*	*	*	*	*	*	*	
410.31	*8	*5	*	-	*	*	*	*	*	*	*	
410.4	72	47	25	-	*6	35	31	13	19	22	18	
410.41	71	46	25	-	*6	34	31	13	18	22	18	
410.5	*8	*5	*	-	*	*	*	*	*	*	*	
410.51	*8	*5	*	-	*	*	*	*	*	*	*	
410.7	365	189	176	-	14	117	234	85	87	129	63	
410.71	361	186	175	-	14	116	231	83	87	129	63	
410.8	13	*8	*6	*	*	*	*9	*	*	*	*	
410.81	13	*8	*6	*	*	*	*9	*	*	*	*	
410.9	82	45	36	*	*	17	60	14	27	27	14	
410.91	79	44	35	-	*	17	59	13	26	26	14	
411	86	43	43	-	*7	38	41	21	18	33	15	
411.1	79	39	40	-	*6	36	37	18	16	31	14	
411.8	*5	*	*	-	*	*	*	*	*	*	*	
411.89	*5	*	*	-	*	*	*	*	*	*	*	
412	*7	*	*	-	*	*	*	*	*	*5	*	
413	41	17	24	-	*6	18	16	*9	12	14	*6	
413.9	36	14	22	-	*	17	16	*8	10	12	*6	
414	979	633	346	*	44	424	511	203	250	375	151	
414.0	953	616	337	*	42	415	496	197	242	367	148	
414.00	102	64	38	-	*	39	60	29	21	40	11	
414.01	815	526	289	*	38	363	414	162	210	312	131	
414.02	27	20	*8	-	*	10	17	*	*9	*9	*	
414.05	*5	*	*	-	*	*	*	*	*	*	-	
414.8	20	13	*6	-	*	*6	12	*	*6	*6	*	
414.9	*5	*	*	-	*	*	*	*	*	*	-	

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
415	145	64	81	*	29	38	77	23	42	52	28
415.1	145	64	81	*	29	38	77	23	42	51	28
415.11	*8	*	*	-	*	*	*	*	*	*	*
415.19	136	59	77	*	26	35	75	22	39	49	26
416	15	*5	*9	*	*	*	*7	*	*	*6	*
416.8	*9	*	*7	*	*	*	*	*	*	*	*
420	13	*8	*5	*	*	*5	*	*	*	*	*
420.9	13	*8	*5	*	*	*5	*	*	*	*	*
420.90	*7	*	*	*	*	*	*	*	*	*	*
421	13	*7	*6	*	*	*	*	*	*	*	*
421.0	12	*7	*6	*	*	*	*	*	*	*	*
423	22	12	11	*	*8	*7	*6	*6	*5	*9	*
423.9	19	*9	*9	*	*7	*7	*	*	*	*8	*
424	93	47	47	*	*9	20	63	23	24	26	20
424.0	41	19	22	*	*7	10	23	11	*9	12	*8
424.1	49	25	24	*	*	*9	38	11	15	13	*9
425	43	27	16	*	10	15	16	*9	*8	16	*9
425.4	33	20	13	*	*7	13	13	*7	*7	12	*7
426	63	30	34	*	*	*9	49	15	15	18	15
426.0	31	14	17	*	*	*	26	*7	*7	11	*6
426.1	20	*9	10	*	*	*	16	*5	*7	*	*
426.13	11	*6	*5	*	*	*	*8	*	*	*	*
427	772	372	400	*5	50	193	522	196	201	252	123
427.0	29	10	19	*	*	12	12	*7	*8	10	*
427.1	51	35	17	*	*6	17	28	15	13	12	11
427.3	461	222	239	*	22	117	321	112	125	155	69
427.31	418	197	221	*	20	106	292	102	111	141	64
427.32	43	25	18	*	*	12	29	10	14	15	*5
427.4	*7	*	*	*	*	*	*	*	*	*	*
427.41	*6	*	*	*	*	*	*	*	*	*	*
427.5	*9	*5	*	*	*	*	*	*	*	*	*
427.6	*8	*	*	-	*	*	*	*	*	*	*
427.69	*6	*	*	-	*	*	*	*	*	*	*
427.8	202	93	110	*	16	36	147	58	45	65	35
427.81	80	36	44	-	*	*7	71	22	20	26	12
427.89	123	57	66	*	14	29	76	36	25	38	23
428	1,106	523	583	*	50	246	807	251	282	418	156
428.0	1,002	474	528	*	45	227	728	229	254	373	146
428.2	36	22	14	*	*	*7	26	*5	11	17	*
428.20	16	*9	*7	*	*	*	12	*	*5	*6	*
428.21	*5	*	*	-	*	*	*	*	*	*	*
428.22	*9	*7	*	-	*	*	*7	*	*	*	*
428.23	*6	*	*	-	*	*	*	*	*	*	*
428.3	58	21	37	-	*	12	45	15	13	22	*7
428.30	36	14	21	-	*	*7	28	10	*9	13	*
428.31	*8	*	*6	-	*	*	*7	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
428.33	11	*	*8	-	*	*	*9	*	*	*5	*
428.4	*6	*	*	-	*	*	*	*	*	*	*
429	*9	*	*	*	*	*	*	*	*	*	*
430	26	10	15	*	*6	11	*8	*7	*	*9	*5
431	58	30	28	*	*	17	37	11	11	21	14
432	25	14	10	*	*	*6	16	*	*	10	*7
432.1	19	13	*6	*	*	*	14	*	*	*8	*6
432.9	*5	*	*	-	*	*	*	*	*	*	*
433	138	75	64	*	*	32	105	21	36	57	24
433.1	116	61	55	*	*	26	89	18	29	49	20
433.10	101	54	47	-	*	22	78	15	25	43	17
433.11	15	*8	*8	*	*	*	11	*	*	*7	*
433.3	17	10	*7	*	*	*	13	*	*6	*5	*
433.30	13	*9	*	*	-	*	11	*	*	*	*
434	389	170	218	*	17	100	271	70	98	152	69
434.0	13	*	*8	*	*	*	*9	*	*	*	*
434.01	12	*	*7	-	*	*	*8	*	*	*	*
434.1	38	19	19	*	*	*8	27	*9	*7	12	*9
434.11	37	18	19	*	*	*8	26	*9	*7	12	*9
434.9	338	146	192	*	14	89	235	58	88	136	57
434.90	*8	*	*	-	*	*	*	*	*	*	*
434.91	330	142	188	*	13	86	231	56	87	131	56
435	187	79	109	*	11	46	130	46	47	63	31
435.8	10	*	*7	-	*	*	*6	*	*	*	*
435.9	171	74	97	*	11	42	118	44	41	58	28
437	36	12	24	*	*	15	18	*9	*7	11	*9
437.2	*7	*	*6	*	*	*	*	*	*	*	*
437.3	15	*5	10	*	*	*8	*	*	*	*5	*
437.7	*6	*	*	-	*	*	*	*	*	*	*
438	26	12	14	*	*	*7	18	*9	*	*7	*8
438.2	*8	*	*	-	*	*	*5	*	*	*	*
438.20	*7	*	*	-	*	*	*	*	*	*	*
438.8	15	*7	*8	*	*	*	11	*6	*	*	*
438.89	11	*6	*6	*	*	*	*7	*	*	*	*
440	129	71	59	*	*	41	84	24	33	54	18
440.1	*9	*	*7	*	*	*	*8	*	*	*	*
440.2	108	62	46	-	*	36	68	20	29	45	13
440.20	10	*5	*5	-	*	*	*7	*	*	*	*
440.21	31	21	10	-	*	12	16	*7	*9	11	*
440.22	17	10	*7	-	*	*8	*9	*	*5	*7	*
440.23	14	*7	*7	-	*	*	11	*	*	*	*
440.24	31	18	13	-	*	*9	22	*5	*6	16	*
440.3	10	*5	*	-	*	*	*7	*	*	*	*
441	57	42	15	*	*	12	44	13	15	20	10
441.0	*9	*	*	-	*	*	*7	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
441.4	37	30	*6	-	*	*8	28	*7	10	14	*6
442	*8	*6	*	*	*	*	*6	*	*	*	*
443	26	13	13	*	*	*7	18	*5	*8	*8	*5
443.9	20	10	10	-	*	*6	14	*	*6	*7	*
444	29	16	13	-	*	*9	18	*5	*9	12	*
444.2	20	10	10	-	*	*6	12	*	*6	*8	*
444.22	18	10	*8	-	*	*5	11	*	*5	*8	*
444.8	*6	*	*	-	*	*	*	*	*	*	*
446	14	*9	*5	*5	*	*	*	*	*	*6	*
446.1	*5	*	*	*5	-	-	-	*	*	*	*
447	19	*7	12	*	*	*5	12	*	*	*8	*
447.1	12	*	*7	-	*	*	*9	*	*	*	*
451	18	*8	10	*	*	*	10	*	*	*5	*
451.1	10	*	*5	*	*	*	*6	*	*	*	*
451.11	*5	*	*	*	*	*	*	*	*	*	*
453	154	72	82	*	27	47	79	31	43	61	18
453.4	124	56	68	*	16	37	71	26	36	50	13
453.40	22	*8	14	-	*	*7	13	*	*	13	*
453.41	67	30	38	*	*9	19	39	14	22	25	*6
453.42	35	19	16	*	*	11	19	*8	10	12	*5
453.8	23	11	12	*	*7	*8	*8	*	*6	10	*
455	34	18	16	-	*6	12	15	10	*7	11	*7
455.2	22	12	10	-	*	*8	10	*6	*	*8	*
455.8	*5	*	*	-	*	*	*	*	*	*	*
456	*7	*	*	-	*	*	*	*	*	*	*
457	*7	*	*6	*	*	*	*	*	*	*5	*
458	107	53	54	*	*5	26	76	23	28	42	14
458.0	49	22	26	*	*	10	37	13	11	19	*5
458.2	12	*6	*6	-	*	*	*7	*	*	*5	*
458.29	11	*6	*	-	*	*	*7	*	*	*	*
458.8	*7	*	*	*	*	*	*5	*	*	*	*
458.9	40	22	18	-	*	10	28	*7	12	15	*5
459	26	13	13	*	*	11	13	*6	*7	*8	*
459.0	*6	*	*	-	*	*	*	*	*	*	*
459.8	18	10	*8	*	*	*8	*9	*	*6	*	*
459.81	17	*9	*8	*	*	*8	*8	*	*6	*	*
460-519	3,485	1,653	1,832	576	376	804	1,729	744	857	1,290	594
461	12	*	*8	*	*	*	*5	*	*	*	*
462	*8	*5	*	*	*	*	*	*	*	*	*
463	11	*	*7	*	*7	*	-	*	*	*6	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
464	17	*8	*9	13	*	*	*	*	*	*8	*
464.4	11	*6	*5	11	*	-	*	*	*	*6	*
465	31	17	15	16	*	*	*6	*9	*	10	*7
465.9	30	16	14	16	*	*	*6	*9	*	10	*7
466	217	110	107	152	10	18	36	40	40	85	52
466.0	66	27	39	*5	10	17	34	16	23	21	*7
466.1	151	83	68	147	*	*	*	24	17	64	45
466.11	90	53	38	88	*	*	*	14	10	35	31
466.19	61	31	30	59	*	*	*	10	*8	29	14
473	14	*6	*8	*	*6	*	*	*	*	*5	*
473.9	*6	*	*	*	*	*	*	*	*	*	*
474	13	*7	*5	*9	*	*	*	*	*	*7	*
474.0	*6	*	*	*	*	*	-	*	*	*	*
474.1	*6	*5	*	*6	*	-	*	*	-	*	*
474.10	*5	*	*	*5	-	-	-	*	-	*	*
475	19	*9	10	*	12	*	*	*5	*6	*	*
478	17	*9	*8	*6	*	*	*	*6	*	*7	*
478.2	*5	*	*	*	*	*	*	*	*	*	*
480	28	14	14	19	*	*	*5	*	10	10	*
480.1	13	*7	*6	11	-	*	*	*	*	*5	*
480.9	13	*6	*7	*7	*	*	*	*	*5	*	*
481	26	11	15	*	*	*8	14	*	*7	12	*
482	106	57	49	*9	*9	22	66	18	28	32	28
482.0	*6	*	*	-	*	*	*	*	*	*	*
482.1	17	*8	*9	*	*	*	*9	*	*	*7	*6
482.2	*8	*	*	*	*	*	*6	*	*	*	*
482.3	*6	*	*	*	*	*	*	*	*	*	*
482.4	39	21	18	*	*	*6	28	*6	12	11	11
482.41	34	17	17	*	*	*	25	*5	*9	*9	10
482.8	14	*9	*	*	*	*	10	*	*	*6	*
482.83	*9	*6	*	*	*	*	*7	*	*	*	*
482.9	17	*8	*9	*5	*	*	*8	*	*	*	*6
483	*7	*	*	*	*	*	*	*	*	*	*
483.0	*6	*	*	*	*	*	*	*	*	*	*
485	13	*7	*5	*6	*	*	*	*	*	*6	*
486	1,053	496	557	132	91	216	615	205	302	376	170
487	37	12	25	10	*	*5	18	*	15	14	*5
487.0	12	*	*7	*	*	*	*6	*	*5	*	*
487.1	23	*7	16	*5	*	*	12	*	*9	*8	*
490	24	11	14	*	*	*6	10	*	*7	12	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
491	513	240	273	*	16	163	333	120	126	214	53
491.2	509	238	271	*	15	161	332	119	125	212	53
491.20	11	*5	*6	-	*	*	*7	*	*	*	*
491.21	415	196	219	*	11	130	274	100	105	165	45
491.22	82	37	45	-	*	28	50	17	16	42	*7
492	19	11	*8	*	*	*6	13	*	*	*7	*
492.8	16	*9	*7	*	*	*5	11	*	*	*6	*
493	444	177	266	145	89	121	88	122	94	146	81
493.0	48	31	17	39	*5	*	*	10	*	*6	29
493.01	*9	*6	*	*8	*	*	-	*	*	*	*
493.02	36	23	13	29	*	*	*	*6	*	*	23
493.2	140	38	102	*	12	65	63	41	41	44	15
493.20	20	*6	14	*	*	*7	11	*	*	*8	*
493.22	116	31	84	*	*9	55	51	35	35	34	12
493.9	254	108	146	104	72	54	24	71	50	96	37
493.90	53	22	31	18	12	13	*9	16	*9	20	*8
493.91	43	23	20	28	*8	*6	*	13	*7	18	*
493.92	158	63	95	58	51	36	13	42	34	57	24
494	*9	*	*8	*	*	*	*6	*	*	*	*
496	105	54	51	*	*	30	70	25	23	40	17
507	180	100	80	*7	16	21	135	45	48	54	33
507.0	179	99	79	*7	16	21	135	45	48	53	33
510	13	*9	*	*	*	*6	*	*	*	*6	*
510.9	12	*8	*	*	*	*5	*	*	*	*6	*
511	65	31	35	*	*9	21	36	15	19	25	*6
511.0	*7	*	*	-	*	*	*	*	*	*	*
511.8	*7	*	*	*	*	*	*	*	*	*	*
511.9	51	23	28	*	*	15	32	12	14	20	*5
512	35	26	*9	*	14	*9	11	*6	*8	14	*6
512.1	*7	*	*	-	*	*	*	*	*	*	*
512.8	25	19	*6	*	12	*5	*7	*	*6	10	*5
513	*5	*	*	*	*	*	*	*	*	*	*
514	*6	*	*	*	*	*	*	*	*	*	*
515	30	13	18	*	*6	*7	18	*9	*9	10	*
516	*8	*	*	*	*	*	*	*	*	*	*
518	366	175	191	14	39	105	208	66	76	146	77
518.0	*6	*	*	*	*	*	*	*	*	*	*
518.3	*5	*	*	*	*	*	*	*	*	*	*
518.5	*7	*	*	*	*	*	*	*	*	*	*
518.8	340	164	176	12	35	96	198	62	70	136	73
518.81	268	131	137	*9	27	73	160	51	55	104	58
518.82	*9	*	*	*	*	*	*	*	*	*	*
518.83	*5	*	*	*	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
518.84	43	16	26	*	*	15	24	*	*9	19	11
518.89	16	10	*6	*	*	*5	*7	*	*	*6	*
519	24	11	13	*6	*	*6	*8	*5	*	11	*
519.0	*9	*	*	*	*	*	*	*	*	*	*
519.1	*5	*	*	*	*	*	*	*	*	*	*
519.8	*8	*	*	*	*	*	*	*	*	*	*
520-579	3,517	1,610	1,908	219	858	1,111	1,329	717	834	1,305	661
522	*9	*	*	*	*	*	*	*	*	*	*
522.5	*8	*	*	*	*	*	*	*	*	*	*
524	13	*5	*8	*	11	*	*	*	*	*	*
524.0	*8	*	*5	*	*7	*	*	*	*	*	*
527	12	*8	*	*	*	*	*6	*	*	*	*
527.2	10	*7	*	*	*	*	*6	*	*	*	*
528	13	*7	*6	*	*	*	*	*	*	*5	*
530	218	104	114	26	38	75	79	46	48	80	43
530.1	39	17	21	*	*8	14	16	*7	*9	16	*7
530.10	*9	*6	*	*	*	*	*	*	*	*5	*
530.11	11	*	*7	*	*	*	*	*	*	*	*
530.19	16	*7	*9	*	*	*6	*6	*	*	*7	*
530.2	12	*7	*5	*	*	*	*7	*	*	*	*
530.21	*9	*6	*	*	*	*	*6	*	*	*	*
530.3	*9	*	*5	*	*	*	*	*	*	*	*
530.7	17	12	*6	*	*6	*6	*5	*	*	*8	*
530.8	127	58	69	24	19	44	40	30	25	44	29
530.81	117	51	65	24	19	40	34	29	22	40	26
531	91	40	51	*	10	33	48	14	25	32	21
531.0	12	*6	*6	-	*	*	*7	*	*	*5	*
531.00	11	*5	*6	-	*	*	*7	*	*	*	*
531.4	58	27	31	*	*	19	35	*9	17	19	13
531.40	58	27	31	*	*	19	35	*9	17	19	13
531.9	11	*	*8	-	*	*5	*	*	*	*	*
531.90	10	*	*7	-	*	*5	*	*	*	*	*
532	51	29	22	*	*6	17	29	10	12	20	10
532.0	*7	*5	*	-	*	*	*	*	*	*	*
532.00	*7	*5	*	-	*	*	*	*	*	*	*
532.4	30	16	14	*	*	*7	19	*7	*8	*9	*6
532.40	29	16	13	*	*	*7	19	*7	*8	*9	*5
532.5	*6	*	*	-	*	*	*	*	*	*	*
532.50	*6	*	*	-	*	*	*	*	*	*	*
532.9	*6	*	*	-	*	*	*	*	*	*	*
533	13	*5	*8	*	*	*	*6	*	*	*7	*
533.4	*8	*	*5	-	*	*	*	*	*	*	*
533.40	*7	*	*	-	*	*	*	*	*	*	*
534	*6	*	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
535	143	59	84	*	37	39	64	28	31	58	26
535.0	24	*9	15	*	*	*6	12	*5	*7	*8	*
535.00	19	*6	13	*	*	*6	*9	*	*6	*7	*
535.1	14	*6	*8	*	*	*	*7	*	*	*	*
535.10	*8	*	*	*	*	*	*	*	*	*	*
535.11	*6	*	*	-	*	*	*	*	*	*	*
535.3	*5	*	*	-	*	*	*	*	*	*	*
535.4	44	18	26	*	*8	14	22	*9	*8	17	11
535.40	24	*8	16	*	*	*9	10	*5	*	10	*
535.41	20	10	10	*	*	*5	12	*	*	*6	*7
535.5	47	18	29	*	14	12	20	*8	10	23	*6
535.50	32	12	20	*	11	*9	11	*6	*7	15	*
535.51	15	*6	*9	*	*	*	*9	*	*	*8	*
535.6	*9	*	*	*	*5	*	*	*	*	*5	*
535.60	*5	*	*	*	*	*	*	*	*	*	*
536	61	21	41	*7	15	19	19	10	12	25	13
536.2	19	*6	13	*	*6	*6	*	*	*	10	*
536.3	14	*	11	*	*7	*	*	*	*	*5	*
536.4	19	*8	11	*	*	*	11	*	*	*6	*
536.41	*7	*	*	*	*	*	*	*	*	*	*
536.42	*6	*	*	*	*	*	*	*	*	*	*
536.49	*6	*	*	*	*	*	*	*	*	*	*
536.8	*9	*	*6	*	*	*	*	*	*	*	*
537	35	19	15	*	*	*7	23	10	*5	10	10
537.0	*6	*	*	*	*	*	*	*	*	*	*
537.8	26	14	12	*	*	*	21	*7	*	*6	*9
537.83	19	*9	*9	-	-	*	16	*6	*	*	*6
540	300	181	119	68	153	59	20	56	67	91	85
540.0	55	36	20	16	19	13	*8	*9	13	15	19
540.1	35	20	16	*9	14	*8	*	*5	10	11	*8
540.9	209	126	83	43	120	38	*8	42	44	65	58
541	11	*5	*5	*	*6	*	*	*	*	*5	*
543	*6	*	*	*	*	*	*	*	*	*	*
550	43	38	*	*6	*5	*9	23	10	10	12	10
550.1	24	21	*	*	*	*6	13	*	*7	*7	*6
550.10	17	15	*	*	*	*	*9	*	*	*5	*
550.9	18	17	*	*	*	*	*9	*	*	*	*
550.90	11	11	*	*	*	*	*5	*	*	*	*
552	62	25	37	*	12	24	26	13	17	23	10
552.1	*8	*6	*	*	*	*	*	*	*	*	*
552.2	42	15	27	*	*8	17	17	*8	12	16	*6
552.20	10	*	*7	*	*	*	*6	*	*	*	*
552.21	27	*9	18	*	*6	12	*9	*5	*7	10	*
552.29	*5	*	*	-	*	*	*	*	*	*	*
552.3	*5	*	*	-	*	*	*	*	*	*	*
553	71	27	44	*	16	26	27	17	17	25	13
553.2	50	21	29	*	11	20	19	11	14	15	10
553.20	*8	*	*	*	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
553.21	37	17	20	*	*8	13	15	*7	10	11	*9
553.29	*5	*	*	-	*	*	*	*	*	*	-
553.3	13	*	*9	*	*	*	*7	*	*	*6	*
555	50	22	28	*	27	16	*	13	11	17	10
555.0	13	*6	*6	*	*8	*	*	*	*	*	*
555.1	10	*	*5	*	*6	*	*	*	*	*	*
555.2	*5	*	*	*	*	*	*	*	*	*	*
555.9	23	*9	13	*	11	*8	*	*5	*6	*8	*
556	33	15	18	*	17	*8	*7	*7	*7	13	*6
556.6	*7	*	*	*	*	*	*	*	*	*	*
556.9	15	*7	*8	*	*8	*	*	*	*	*7	*
557	55	18	37	*	*	17	35	11	15	15	15
557.0	24	*8	16	*	*	*7	15	*	*7	*6	*6
557.9	27	*8	19	-	*	*9	18	*	*7	*8	*8
558	218	81	136	40	48	50	79	48	57	87	26
558.9	214	79	135	38	48	50	77	47	56	86	25
560	323	142	180	15	38	103	167	65	88	112	58
560.0	*6	*	*	*	*	*	*	*	*	*	*
560.1	59	27	32	*	*7	16	33	12	21	18	*8
560.2	*8	*	*	*	*	*	*5	*	*	*	*
560.3	31	14	17	*5	*	*5	19	*7	*6	11	*7
560.39	30	14	16	*5	*	*5	18	*6	*6	10	*7
560.8	105	41	65	*	12	42	49	23	26	36	20
560.81	76	29	47	*	10	27	36	14	19	27	16
560.89	29	12	17	*	*	14	13	*8	*7	*9	*
560.9	113	54	59	*	15	38	59	20	33	41	20
562	314	124	191	-	42	99	174	71	89	111	43
562.1	312	123	189	-	41	99	172	71	88	110	43
562.10	23	*8	15	-	*	*7	14	*5	*	11	*
562.11	200	77	123	-	38	80	82	49	59	69	23
562.12	70	31	39	-	*	*9	61	14	18	23	15
562.13	18	*6	12	-	*	*	15	*	*8	*6	*
564	74	28	46	10	21	16	28	16	17	25	16
564.0	49	20	29	*8	*9	*8	24	*9	13	17	10
564.00	34	15	19	*5	*7	*	17	*7	10	10	*7
564.09	14	*	*9	*	*	*	*6	*	*	*5	*
564.1	15	*	11	*	*8	*	*	*	*	*6	*
565	*5	*	*	-	*	*	*	*	*	*	*
566	31	25	*6	*	10	15	*	*5	*7	14	*5
567	25	14	11	*	*	11	*6	*5	*6	*8	*5
567.2	19	10	*9	*	*	*9	*	*	*	*6	*
567.22	10	*5	*	*	*	*	*	*	*	*	*
568	15	*	12	*	*	*6	*	*	*	*8	*
568.0	*8	*	*7	*	*	*	*	*	*	*	*
568.8	*7	*	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
569	108	48	60	*	11	34	60	30	25	38	15
569.1	*9	*	*7	*	*	*	*6	*	*	*	*
569.3	26	11	14	*	*	*7	16	*9	*	*9	*
569.4	10	*6	*	-	*	*	*7	*	*	*	*
569.6	20	*8	11	*	*	*7	*9	*7	*	*7	*
569.69	12	*5	*7	*	*	*	*7	*	*	*6	*
569.8	38	20	18	*	*	13	20	*9	11	12	*5
569.83	11	*5	*5	*	*	*	*5	*	*	*	*
569.85	16	*9	*6	*	*	*	11	*6	*	*	*
570	*7	*	*	*	*	*	*	*	*	*	*
571	115	75	40	*	24	67	24	22	22	45	25
571.1	14	10	*	-	*	*7	*	*	*	*	*
571.2	54	43	11	-	11	36	*7	11	11	18	14
571.5	36	18	18	*	*	18	13	*5	*7	18	*5
572	63	38	25	*	*6	38	18	16	12	19	16
572.0	*6	*	*	-	*	*	*	*	*	*	*
572.2	47	30	17	-	*	30	13	14	*7	15	12
573	15	*8	*7	*	*	*6	*	*	*	*6	*
573.3	*9	*	*	*	*	*	*	*	*	*	*
574	335	102	234	*	117	99	116	64	67	140	63
574.0	124	41	83	*	45	41	38	23	25	52	24
574.00	118	39	79	*	44	39	35	22	24	49	23
574.01	*6	*	*	-	*	*	*	*	*	*	*
574.1	99	23	76	*	35	32	31	20	17	44	18
574.10	95	22	73	*	34	29	31	20	15	42	18
574.2	38	10	28	*	15	*7	15	*7	12	15	*
574.20	38	10	27	*	15	*7	14	*7	11	15	*
574.4	*6	*	*	*	*	*	*	*	*	*	*
574.40	*5	*	*	*	*	*	*	*	*	*	*
574.5	21	*7	14	-	*	*6	10	*	*	*9	*
574.50	14	*	10	-	*	*	*5	*	*	*6	*
574.51	*8	*	*	-	*	*	*	*	*	*	*
574.6	*9	*	*6	*	*	*	*	*	*	*	*
574.60	*5	*	*	*	*	*	*	*	*	*	*
574.7	14	*6	*8	*	*6	*	*	*	*	*	*
574.70	*7	*	*	-	*7	*	*	*	*	*	*
574.71	*6	*	*	*	*	*	*	*	*	*	*
574.8	13	*	*9	-	*	*	*6	*	*	*	*
574.80	*9	*	*7	-	*	*	*	*	*	*	*
574.9	*6	*	*	*	*	*	*	*	*	*	*
575	79	29	51	*	29	27	23	12	21	35	11
575.0	29	12	17	*	10	*9	10	*	*9	12	*
575.1	39	14	24	*	13	13	12	*6	10	18	*5
575.10	*5	*	*	*	*	*	*	*	*	*	*
575.11	24	*8	16	*	*9	*8	*7	*	*7	12	*
575.12	10	*5	*	*	*	*	*	*	*	*	*
575.8	*9	*	*7	-	*	*	*	*	*	*	*
576	32	15	17	*	*	14	13	*6	10	10	*5

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
576.1	*9	*5	*	*	*	*	*	*	*	*	*
576.2	12	*6	*6	*	*	*6	*	*	*	*	*
576.8	*9	*	*6	*	*	*	*	*	*	*	*
577	273	142	131	*	93	112	64	46	64	117	46
577.0	233	117	116	*	82	92	56	41	57	96	39
577.1	28	19	*9	*	*7	16	*	*	*	16	*
577.2	*6	*	*	-	*	*	*	*	*	*	*
578	174	84	90	*6	16	36	116	39	43	65	27
578.0	22	*9	13	*	*	*6	12	*6	*	*8	*
578.1	41	22	19	*	*	*6	28	11	10	14	*7
578.9	110	52	58	*	*9	24	76	22	29	43	16
580-629	1,974	635	1,339	75	498	524	877	379	468	761	366
581	*6	*	*	*	*	*	*	*	*	*	*
584	315	159	157	*	24	77	213	77	70	118	51
584.5	16	*8	*8	*	*	*	11	*	*	*	*
584.9	296	149	147	*	22	72	200	71	66	113	46
585	35	19	16	*	*6	*8	19	*7	*9	11	*8
585.6	17	*8	*9	*	*5	*	*6	*	*	*6	*
585.9	13	*8	*	-	*	*	*9	*	*	*	*
586	*8	*	*	-	-	*	*	*	*	*	*
590	131	20	111	21	45	33	32	20	31	54	27
590.1	59	*7	52	*7	22	17	14	10	17	20	13
590.10	59	*7	52	*7	22	17	14	*9	17	20	13
590.8	69	12	58	13	23	16	18	10	13	33	14
590.80	69	12	58	13	23	16	18	10	13	33	14
591	*8	*	*	*	*	*	*	*	*	*	*
592	166	87	79	*	58	71	36	39	48	58	21
592.0	55	26	29	*	18	25	11	12	13	18	11
592.1	111	61	50	*	40	45	25	27	35	40	10
593	40	17	24	*7	*9	*9	15	*8	*8	13	11
593.4	11	*	*7	*	*	*	*	*	*	*	*
593.7	*6	*	*	*	*	*	-	*	*	*	*
593.9	14	*7	*7	*	*	*	*7	*	*	*6	*
595	13	*	*9	*	*	*	*8	*	*	*6	*
595.9	*5	*	*	*	*	*	*	*	*	*	*
596	19	14	*6	*	*	*	13	*	*	*8	*5
596.0	*8	*8	*	-	*	*	*7	*	*	*	*
596.1	*5	*	*	-	*	*	*	*	*	*	*
599	522	170	352	27	36	91	368	102	125	202	93
599.0	479	145	333	27	32	77	343	93	116	185	84
599.7	30	20	10	*	*	*7	19	*6	*6	13	*
599.8	*6	*	*6	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
599.82	*5	*	*5	-	-	*	*	*	*	*	*
600	78	78	-	-	*	15	62	15	17	25	21
600.0	71	71	-	-	*	13	57	14	16	22	19
600.00	17	17	-	-	*	*	13	*	*	*7	*
600.01	54	54	-	-	*	10	44	11	12	15	16
601	*8	*8	-	-	*	*	*	*	*	*	*
601.0	*6	*6	-	-	*	*	*	*	*	*	*
604	*9	*9	-	*	*	*	*	*	*	*	*
604.9	*8	*8	-	*	*	*	*	*	*	*	*
607	*8	*8	-	*	*	*	*	*	*	*	*
607.8	*5	*5	-	*	*	*	*	*	*	*	*
608	13	13	-	*	*	*	*	*	*	*6	*
608.4	*9	*9	-	*	*	*	*	*	*	*	*
611	21	*	20	*	12	*7	*	*6	*	*8	*
611.0	10	*	10	*	*	*	*	*	*	*	*
611.1	*6	*	*5	-	*	*	*	*	*	*	*
614	41	-	41	*	28	12	*	*7	*9	18	*7
614.2	*8	-	*8	*	*5	*	-	*	*	*	*
614.6	10	-	10	*	*6	*	*	*	*	*	*
614.9	*9	-	*9	*	*9	*	-	*	*	*	*
616	12	-	12	*	*7	*	*	*	*	*	*
617	59	-	59	-	44	13	*	10	18	22	*9
617.0	30	-	30	-	20	10	*	*6	*9	10	*
617.1	11	-	11	-	*8	*	*	*	*	*	*
617.3	10	-	10	-	*9	*	-	*	*	*	*
618	147	-	147	-	24	64	58	23	37	52	35
618.0	35	-	35	-	*	14	16	*6	*8	11	*9
618.01	17	-	17	-	*	*8	*8	*	*5	*	*
618.04	*9	-	*9	-	*	*	*	*	*	*	*
618.1	11	-	11	-	*6	*	*	*	*	*	*
618.2	21	-	21	-	*	10	*7	*5	*6	*	*6
618.3	13	-	13	-	*	*	*6	*	*	*5	*
618.4	22	-	22	-	*	11	*7	*	*7	*8	*
618.5	30	-	30	-	*	15	14	*	*7	14	*7
618.8	11	-	11	-	*	*	*	*	*	*	*5
618.89	10	-	10	-	*	*	*	*	*	*	*5
619	*6	-	*6	-	*	*	*	*	*	*	*
620	65	-	65	*	43	15	*	12	16	26	11
620.1	11	-	11	*	*9	*	-	*	*	*	*
620.2	39	-	39	*	24	11	*	*7	10	15	*7
620.5	*8	-	*8	*	*	*	-	*	*	*	*
621	15	-	15	-	*	*7	*	*	*	*7	*
621.3	*9	-	*9	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of first-listed diagnoses in thousands												
622	10	-	10	-	*6	*	*	*	*	*	*	*
622.1	*9	-	*9	-	*5	*	*	*	*	*	*	*
625	63	-	63	*	41	16	*6	*8	12	31	12	12
625.3	19	-	19	*	17	*	-	*	*	10	*	*
625.6	17	-	17	-	*	*9	*	*	*5	*5	*	*
625.9	21	-	21	*	17	*	*	*	*	12	*	*
626	114	-	114	*	75	39	*	13	34	45	22	22
626.2	84	-	84	*	55	28	-	*9	28	34	13	13
626.8	27	-	27	*	18	*9	-	*	*5	10	*9	*9
627	10	-	10	-	*	*6	*	*	*	*	*	*
627.1	*7	-	*7	-	-	*	*	*	*	*	*	*
630-677	519	-	519	*	517	*	-	79	92	245	104	104
632	22	-	22	-	22	*	-	*	*	12	*	*
633	24	-	24	-	23	*	-	*	*	*9	*6	*6
633.1	20	-	20	-	19	*	-	*	*	*9	*	*
633.10	19	-	19	-	18	*	-	*	*	*8	*	*
634	18	-	18	*	17	*	-	*	*	*8	*	*
634.9	10	-	10	-	10	*	-	*	*	*	*	*
634.91	*6	-	*6	-	*6	*	-	*	*	*	*	*
640	*6	-	*6	-	*6	-	-	*	*	*	*	*
641	15	-	15	-	15	-	-	*	*	*	*7	*7
642	24	-	24	-	24	*	-	*	*	14	*	*
642.3	*8	-	*8	-	*8	*	-	*	*	*5	*	*
642.33	*7	-	*7	-	*7	*	-	*	*	*	*	*
642.4	*6	-	*6	-	*6	-	-	*	*	*	*	*
643	39	-	39	*	39	-	-	*8	*6	20	*	*
643.0	17	-	17	*	17	-	-	*	*	*8	*	*
643.03	17	-	17	*	17	-	-	*	*	*8	*	*
643.1	16	-	16	-	16	-	-	*	*	*9	*	*
643.13	16	-	16	-	16	-	-	*	*	*9	*	*
644	107	-	107	*	107	*	-	10	20	54	24	24
644.0	97	-	97	*	96	*	-	*9	19	49	20	20
644.03	97	-	97	*	96	*	-	*9	19	49	20	20
644.1	11	-	11	*	11	-	-	*	*	*	*	*
644.13	11	-	11	*	11	-	-	*	*	*	*	*
646	62	-	62	*	62	*	-	11	*8	32	12	12
646.6	41	-	41	*	41	*	-	*7	*5	20	*9	*9
646.63	38	-	38	*	38	*	-	*6	*	20	*8	*8
646.8	15	-	15	-	15	-	-	*	*	10	*	*
646.83	14	-	14	-	14	-	-	*	*	*9	*	*
647	*9	-	*9	*	*8	-	-	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
647.8	*7	-	*7	*	*7	-	-	*	*	*	*
647.83	*6	-	*6	*	*5	-	-	*	*	*	*
648	98	-	98	*	98	*	-	14	22	43	20
648.0	*6	-	*6	-	*6	*	-	*	*	*	*
648.03	*6	-	*6	-	*6	*	-	*	*	*	*
648.4	13	-	13	-	13	-	-	*	*	*5	*
648.43	10	-	10	-	10	-	-	*	*	*	*
648.9	68	-	68	*	68	-	-	*9	13	32	14
648.93	65	-	65	*	65	-	-	*8	13	31	14
654	17	-	17	-	17	*	-	*	*	*9	*
654.5	*8	-	*8	-	*8	-	-	*	*	*	*
654.53	*8	-	*8	-	*8	-	-	*	*	*	*
658	11	-	11	*	11	-	-	*	*	*	*
658.1	*6	-	*6	*	*6	-	-	*	*	*	*
658.13	*6	-	*6	*	*6	-	-	*	*	*	*
659	*5	-	*5	*	*5	-	-	*	*	*	*
670	*7	-	*7	-	*7	*	-	*	*	*	*
670.0	*7	-	*7	-	*7	*	-	*	*	*	*
670.04	*7	-	*7	-	*7	*	-	*	*	*	*
671	*5	-	*5	-	*5	-	-	*	*	*	*
674	17	-	17	-	17	*	-	*	*	*9	*
674.3	*5	-	*5	-	*5	-	-	*	*	*	*
674.34	*5	-	*5	-	*5	-	-	*	*	*	*
674.8	*7	-	*7	-	*7	*	-	*	*	*	*
674.84	*7	-	*7	-	*7	*	-	*	*	*	*
680-709	780	427	354	101	233	224	223	157	164	328	132
681	34	20	15	*5	11	10	*8	*7	*7	13	*7
681.0	22	12	10	*	*9	*6	*	*	*	10	*
681.00	19	10	*9	*	*8	*5	*	*	*	10	*
681.1	12	*7	*	*	*	*	*5	*	*	*	*
681.10	12	*7	*	*	*	*	*5	*	*	*	*
682	554	307	247	51	169	173	161	116	123	215	100
682.0	41	19	21	*7	19	*9	*6	*8	*7	18	*8
682.1	11	*8	*	*	*	*	*	*	*	*	*
682.2	62	27	34	*9	23	20	10	10	*9	32	10
682.3	55	31	24	*	23	13	16	11	10	25	*9
682.4	35	24	11	*	16	13	*	*8	*9	11	*7
682.5	30	12	18	12	*8	*6	*	*	*5	13	*8
682.6	266	152	114	13	63	88	103	58	71	90	46
682.7	48	29	19	*	11	19	15	12	*9	17	*9
683	*7	*	*	*	*	*	*	*	*	*	*
693	*7	*	*	*	*	*	*	*	*	*	*
693.0	*7	*	*	*	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
695	10	*	*	*	*	*	*	*	*	*	*
695.1	*8	*	*	*	*	*	*	*	*	*	*
701	17	10	*7	10	*5	*	*	*	*	16	*
701.4	15	10	*	10	*	*	-	*	-	14	*
705	*7	*	*6	*	*	*	*	*	*	*	*
705.8	*6	*	*5	*	*	*	*	*	*	*	*
705.83	*6	*	*5	*	*	*	*	*	*	*	*
707	81	46	35	*	18	23	39	19	18	32	11
707.0	48	29	19	*	12	10	25	10	10	22	*7
707.03	20	13	*7	*	*6	*	*9	*	*	10	*
707.04	*8	*6	*	-	*	*	*	*	*	*	*
707.05	*7	*	*	*	*	*	*	*	*	*	*
707.07	*7	*	*	-	*	*	*	*	*	*	*
707.09	*5	*	*	-	*	*	*	*	*	*	*
707.1	31	16	15	*	*5	12	14	*8	*8	10	*
707.15	10	*6	*	-	*	*	*	*	*	*	*
707.19	*6	*	*	*	*	*	*	*	*	*	*
709	33	22	11	20	*9	*	*	*	*	28	*
709.2	30	20	10	20	*9	*	*	*	*	27	*
710-739	1,969	823	1,145	40	298	720	911	406	493	667	403
710	33	*	29	*	18	*8	*6	*5	*	14	*9
710.0	25	*	23	*	17	*5	*	*	*	11	*7
711	21	12	*9	*	*6	*6	*6	*	*	*7	*
711.0	20	12	*8	*	*6	*6	*6	*	*	*7	*
711.06	12	*8	*	*	*	*	*	*	*	*	*
714	19	*	15	*	*	*9	*8	*5	*	*6	*
714.0	16	*	14	-	*	*8	*6	*	*	*	*
715	753	290	463	-	21	280	452	155	214	238	146
715.1	47	18	30	-	*	17	29	13	*8	16	11
715.15	17	*8	*9	-	*	*7	*9	*	*	*	*7
715.16	27	*8	19	-	*	*9	17	*7	*5	10	*
715.2	11	*7	*	-	*	*5	*	*	*	*	*
715.26	*7	*	*	-	*	*	*	*	*	*	*
715.3	478	180	297	-	14	171	292	102	132	146	98
715.31	11	*	*8	-	*	*	*8	*	*	*	*
715.35	124	54	70	-	*	51	69	32	33	33	26
715.36	335	120	215	-	*9	115	211	66	96	107	66
715.9	213	84	129	-	*5	85	123	35	72	74	32
715.91	*6	*	*	-	*	*	*	*	*	*	*
715.95	58	25	33	-	*	24	32	11	20	19	*9
715.96	143	54	89	-	*	57	84	20	49	51	23
716	20	11	*9	*	*	10	*6	*	*	*9	*
716.1	*6	*	*	-	*	*	*	*	*	*	*
716.9	11	*6	*5	*	*	*	*	*	*	*	*
717	*5	*	*	*	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
718	12	*	*8	*	*6	*	*	*	*	*	*5
719	44	19	24	*	*5	12	24	11	11	13	*9
719.4	33	13	20	*	*	*8	19	*8	*7	11	*8
719.41	*8	*	*	-	*	*	*	*	*	*	*
719.45	15	*6	*9	*	*	*	*9	*	*	*	*
719.46	*7	*	*	*	*	*	*	*	*	*	*
721	104	45	59	-	10	47	47	18	24	41	21
721.0	33	16	17	-	*	18	10	*	*6	16	*7
721.1	18	10	*7	-	*	11	*6	*	*	*7	*
721.3	44	14	30	-	*	15	26	10	11	15	*8
722	324	154	170	*	102	148	73	56	77	117	74
722.0	57	23	34	*	20	34	*	12	12	21	12
722.1	138	74	64	*	49	56	33	27	34	47	30
722.10	136	72	64	*	48	55	33	27	33	47	30
722.4	12	*	*8	-	*	*7	*	*	*	*	*
722.5	65	29	36	-	20	26	19	10	16	20	19
722.52	62	28	34	-	19	26	18	10	16	18	19
722.7	26	12	14	-	*6	13	*7	*	*7	11	*
722.71	18	*9	*9	-	*	10	*	*	*	*8	*
722.73	*7	*	*	-	*	*	*	*	*	*	*
722.8	12	*6	*7	-	*	*	*	*	*	*8	*
722.83	12	*5	*7	-	*	*	*	*	*	*7	*
722.9	11	*	*7	*	*	*6	*	*	*	*	*
722.93	*7	*	*	*	*	*	*	*	*	*	*
723	35	16	20	*	*5	18	11	*6	*8	14	*7
723.0	13	*5	*8	*	*	*9	*	*	*	*	*
723.1	13	*6	*7	*	*	*6	*	*	*	*6	*
723.4	*7	*	*	-	*	*	*	*	*	*	*
724	164	68	96	*	21	54	89	36	44	52	32
724.0	90	39	51	-	*6	28	57	21	22	28	19
724.02	86	38	48	-	*	27	54	20	20	27	19
724.2	33	11	21	*	*8	*9	15	*7	*9	*9	*8
724.3	*7	*	*	-	*	*	*	*	*	*	*
724.4	12	*	*7	-	*	*7	*	*	*	*	*
724.5	18	*7	11	*	*	*6	*7	*	*	*7	*
726	37	21	16	*	*7	13	16	*9	10	11	*7
726.1	11	*	*7	-	*	*	*6	*	*	*	*
726.10	10	*	*6	-	*	*	*5	*	*	*	*
726.3	*6	*	*	-	*	*	*	*	*	*	*
726.33	*5	*	*	-	*	*	*	*	*	*	*
726.5	*6	*	*	-	*	*	*	*	*	*	*
726.6	*9	*7	*	*	*	*	*	*	*	*	*
726.65	*6	*5	*	*	*	*	*	*	*	*	*
727	17	*9	*8	*	*	*6	*	*	*	*6	*5
727.0	*8	*	*	*	*	*	*	*	*	*	*
728	44	27	17	*	13	13	16	*9	*7	20	*8
728.8	40	25	15	*	12	12	15	*7	*7	19	*8

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
728.88	27	17	10	*	*7	*7	12	*	*	12	*6
729	60	24	37	*	18	20	20	*9	16	22	14
729.1	14	*	10	*	*7	*	*	*	*	*	*
729.5	23	*9	15	*	*6	*7	10	*	*5	*8	*7
729.8	18	10	*8	*	*	*7	*5	*	*	*9	*
729.81	*9	*6	*	*	*	*	*	*	*	*6	*
729.89	*8	*	*	*	*	*	*	*	*	*	*
730	54	34	20	*	11	19	20	14	14	16	*9
730.0	11	*6	*	*	*	*	*	*	*	*5	*
730.07	*5	*	*	*	*	*	*	*	*	*	*
730.1	*7	*	*	*	*	*	*	*	*	*	*
730.2	35	23	12	*	*7	12	13	*8	11	10	*7
730.27	16	11	*5	*	*	*5	*8	*	*7	*	*
730.28	*9	*5	*	*	*	*	*	*	*	*	*
732	*5	*	*	*	*	*	*	*	*	*	*
733	148	48	100	*	24	35	87	33	35	58	23
733.1	70	18	52	*	*	10	59	17	15	28	10
733.13	54	13	41	-	*	*8	46	13	13	19	*8
733.14	*5	*	*	*	*	*	*	*	*	*	*
733.4	20	11	*9	*	*6	*9	*	*	*	*7	*
733.42	17	10	*7	*	*6	*7	*	*	*	*7	*
733.6	19	*	16	*	*5	*7	*7	*	*	*9	*
733.8	29	13	16	*	10	*8	10	*	*7	11	*5
733.81	*6	*	*	*	*	*	*	*	*	*	*
733.82	23	11	12	*	*8	*7	*7	*	*6	*9	*
733.9	*5	*	*	*	*	*	*	*	*	*	*
736	10	*	*6	*	*	*	*	*	*	*	*
737	17	*6	11	*5	*5	*	*	*6	*	*	*
737.3	14	*	10	*5	*	*	*	*	*	*	*
737.30	10	*	*8	*	*	*	*	*	*	*	*
738	31	11	19	*	*8	10	11	*6	*	12	*8
738.1	*7	*	*	*	*	*	*	*	*	*	*
738.19	*7	*	*	*	*	*	*	*	*	*	*
738.4	21	*6	16	*	*	*8	10	*	*	*9	*
740-759	193	101	92	131	28	25	*8	50	25	58	59
742	*9	*	*	*6	*	*	*	*	*	*	*
745	27	13	14	19	*	*	*	10	*	*7	*9
745.4	*6	*	*	*	*	*	*	*	*	*	*
745.5	12	*5	*7	*5	*	*	*	*5	*	*	*
746	14	*7	*7	10	*	*	*	*6	*	*	*
747	29	10	19	14	*	*9	*	*6	*9	*8	*7
747.0	*7	*	*	*7	*	-	-	*	*	*	*
747.8	12	*	10	*	*	*7	*	*	*6	*	*
747.81	11	*	*9	*	*	*7	*	*	*6	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
748	*5	*	*	*	*	-	*	*	*	*	*
749	17	*9	*8	16	*	*	-	*	*	*	*9
749.0	*6	*	*	*5	-	*	-	*	*	*	*
749.2	10	*6	*	*8	*	-	-	*	*	*	*
750	17	15	*	17	*	-	*	*	*	*	*7
750.5	15	13	*	15	*	-	*	*	*	*	*6
751	10	*6	*	*7	*	*	*	*	*	*	*
753	*8	*	*	*	*	*	*	*	*	*	*
754	*8	*5	*	*7	*	*	-	*	*	*	*
755	*8	*	*	*	*	*	*	*	*	*	*
755.6	*6	*	*	*	*	*	*	*	*	*	*
756	17	*9	*8	*5	*	*6	*	*6	*	*5	*
756.1	11	*	*6	*	*	*6	*	*	*	*	*
756.12	10	*	*6	*	*	*5	*	*	*	*	*
757	*5	*	*	*	*	*	*	*	*	*	*
759	*5	*	*	*	*	*	*	*	*	*	*
760-779	200	104	96	200	*	-	-	32	22	70	77
765	25	14	11	25	-	-	-	*	*	13	*8
765.1	22	13	10	22	-	-	-	*	*	11	*8
765.18	*7	*	*	*7	-	-	-	*	*	*	*
769	19	11	*9	19	-	-	-	*	*	*6	10
770	36	21	16	36	-	-	-	*	*5	11	16
770.6	*8	*6	*	*8	-	-	-	*	*	*	*
770.8	19	*9	*9	19	-	-	-	*	*	*7	*6
770.81	*7	*	*	*7	-	-	-	*	*	*	*
770.89	*8	*	*	*8	-	-	-	*	*	*	*
771	18	*8	10	18	-	-	-	*	*	*7	*5
771.8	15	*6	*9	15	-	-	-	*	*	*6	*
771.81	*6	*	*	*6	-	-	-	*	*	*	*
771.82	*5	*	*	*5	-	-	-	*	*	*	*
774	52	24	28	52	-	-	-	*8	*8	16	21
774.6	45	20	24	45	-	-	-	*6	*7	13	18
778	*9	*	*	*9	-	-	-	*	*	*	*
778.4	*8	*	*	*8	-	-	-	*	*	*	*
779	24	13	11	24	-	-	-	*5	*	*8	*8
779.8	16	*9	*7	16	-	-	-	*	*	*6	*
779.89	15	*9	*6	15	-	-	-	*	*	*6	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West	
Number of first-listed diagnoses in thousands												
780-799	189	88	100	42	63	44	40	42	25	90	32	
780	53	27	26	22	17	*7	*7	13	*7	24	10	
780.2	*9	*	*	*	*	*	*	*	*	*	*	
780.3	24	11	13	11	*8	*	*	*7	*	*9	*	
780.39	22	*9	12	*9	*8	*	*	*6	*	*9	*	
780.6	13	*7	*6	*9	*	-	*	*	*	*7	*	
784	*6	*	*	*	*	*	*	*	*	*	*	
786	54	27	27	*6	15	21	12	14	*	30	*6	
786.0	*7	*	*	*	*	*	*	*	*	*	*	
786.5	46	23	23	*	15	19	11	11	*	26	*	
786.50	22	12	10	*	*7	*9	*6	*	*	14	*	
786.59	22	10	12	-	*8	*9	*	*6	*	11	*	
789	25	10	15	*	12	*	*	*6	*	10	*5	
789.0	24	*9	15	*	12	*	*	*5	*	10	*5	
789.00	*9	*	*5	*	*	*	*	*	*	*	*	
789.03	*5	*	*	*	*	*	*	*	*	*	*	
799	33	15	18	*5	10	*6	11	*6	*8	13	*6	
799.9	32	14	18	*5	10	*6	11	*6	*7	13	*6	
800-999	2,968	1,522	1,446	211	846	764	1,147	613	681	1,081	593	
800	16	*9	*6	*8	*	*	*	*	*	*5	*	
800.2	*7	*	*	*	*	*	*	*	*	*	*	
801	34	25	*8	*7	16	*6	*	*5	*7	11	10	
801.0	12	*9	*	*	*6	*	*	*	*	*	*	
801.01	*6	*	*	*	*	*	*	*	*	*	*	
801.2	14	11	*	*	*6	*	*	*	*	*	*	
802	39	32	*7	*	23	*8	*7	*6	10	15	*8	
802.0	*5	*	*	*	*	*	*	*	*	*	*	
802.2	14	12	*	*	10	*	*	*	*	*7	*	
802.4	*7	*6	*	-	*	*	*	*	*	*	*	
802.6	*6	*5	*	*	*	*	*	*	*	*	*	
803	*6	*5	*	*	*	*	*	*	*	*	*	
805	106	49	57	*	28	21	56	14	34	36	21	
805.0	28	17	11	*	10	*6	11	*	*8	12	*5	
805.02	*9	*5	*	*	*	*	*6	*	*	*	*	
805.2	30	13	17	*	*8	*7	15	*	14	*9	*	
805.4	39	16	22	*	*6	*7	25	*8	*9	12	10	
805.6	10	*	*7	-	*	*	*	*	*	*	*	
806	*9	*	*	*	*	*	*	*	*	*	*	
807	45	23	22	*	10	*9	26	10	15	12	*8	
807.0	40	20	19	*	*7	*8	25	*8	15	11	*6	
807.01	*8	*	*	*	*	*	*6	*	*	*	*	
807.02	*9	*	*5	-	*	*	*6	*	*	*	*	
807.03	*8	*	*	-	*	*	*6	*	*	*	*	

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
808	57	19	38	*	*8	10	39	11	14	19	13
808.0	12	*8	*	*	*	*	*	*	*	*	*
808.2	38	*7	31	*	*	*	32	*7	10	11	*9
810	10	*6	*	*	*	*	*	*	*	*	*
810.0	10	*6	*	*	*	*	*	*	*	*	*
812	79	29	50	16	11	13	38	21	20	20	18
812.0	43	12	30	*	*	10	29	13	11	11	*8
812.00	11	*	*7	*	*	*	*6	*	*	*	*
812.01	14	*	*9	*	*	*	*9	*	*	*	*
812.03	*6	*	*	-	*	*	*	*	*	*	*
812.09	12	*	10	*	*	*	10	*	*	*	*
812.2	10	*	*7	*	*	*	*6	*	*	*	*
812.21	*7	*	*	*	*	*	*	*	*	*	*
812.4	24	12	12	15	*	*	*	*5	*6	*5	*8
812.41	15	*8	*7	12	*	*	*	*	*	*	*6
813	71	39	32	*8	26	19	18	14	13	27	17
813.0	13	*6	*7	*	*	*	*	*	*	*	*
813.01	*7	*	*5	*	*	*	*	*	*	*	*
813.2	*9	*6	*	*	*6	*	*	*	*	*	*
813.4	33	16	17	*	*9	10	11	*7	*7	13	*6
813.41	*7	*	*	*	*	*	*	*	*	*	*
813.42	14	*6	*8	*	*	*	*6	*	*	*6	*
813.44	*9	*	*	*	*	*	*	*	*	*	*
813.5	*8	*5	*	*	*	*	*	*	*	*	*
813.54	*6	*	*	*	*	*	*	*	*	*	*
816	*8	*6	*	*	*	*	*	*	*	*	*
820	330	92	238	*	*6	28	293	67	89	119	55
820.0	93	27	66	*	*	*9	81	21	27	29	17
820.02	*7	*	*	*	*	*	*	*	*	*	*
820.03	*9	*	*6	*	*	*	*8	*	*	*	*
820.09	72	18	54	*	*	*5	66	15	22	23	12
820.2	164	46	118	*	*	14	145	34	44	59	26
820.20	11	*	*7	-	*	*	10	*	*	*	*
820.21	139	37	102	*	*	12	123	27	38	50	24
820.22	14	*	*9	*	*	*	11	*	*	*	*
820.8	71	19	52	*	*	*5	65	12	18	29	11
821	52	27	25	11	13	*7	21	10	10	21	11
821.0	27	15	12	*7	*6	*	11	*6	*6	10	*6
821.01	24	13	11	*6	*6	*	10	*	*5	*9	*6
821.2	19	*8	11	*	*	*	11	*	*	*8	*
821.20	*6	*	*	*	*	*	*	*	*	*	*
821.23	*7	*	*6	*	*	*	*6	*	*	*	*
822	14	*6	*9	*	*	*	*8	*	*	*	*
822.0	13	*	*8	*	*	*	*8	*	*	*	*
823	64	39	25	*	30	19	11	14	15	22	12
823.0	27	12	15	*	*8	*9	*8	*8	*	10	*
823.00	21	*9	12	*	*7	*7	*7	*7	*	*8	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
823.02	*5	*	*	*	*	*	*	*	*	*	*
823.2	17	12	*	*	*9	*5	*	*	*	*	*
823.22	13	*9	*	*	*7	*	*	*	*	*	*
823.3	*8	*6	*	*	*6	*	*	*	*	*	*
823.32	*5	*	*	*	*	*	*	*	*	*	*
823.8	*7	*5	*	*	*	*	*	*	*	*	*
823.82	*5	*	*	*	*	*	*	*	*	*	*
824	103	44	59	*	38	36	27	20	29	30	24
824.0	*6	*	*	*	*	*	*	*	*	*	*
824.2	*8	*	*	-	*	*	*	*	*	*	*
824.4	29	12	17	*	10	10	*9	*5	11	*8	*
824.6	25	*7	18	-	*8	*8	*8	*5	*6	*6	*8
824.8	24	11	13	*	*9	10	*	*	*7	*9	*
824.9	*6	*	*	*	*	*	*	*	*	*	*
825	17	12	*5	*	*7	*6	*	*	*	*7	*
825.0	*6	*	*	-	*	*	*	*	*	*	*
825.2	*7	*	*	*	*	*	*	*	*	*	*
831	*5	*	*	*	*	*	*	*	*	*	*
831.0	*5	*	*	*	*	*	*	*	*	*	*
835	*5	*	*	*	*	*	*	*	*	*	*
835.0	*5	*	*	*	*	*	*	*	*	*	*
840	12	*7	*	*	*	*	*7	*	*	*	*
840.4	*8	*	*	-	*	*	*	*	*	*	*
844	11	*7	*	*	*	*	*	*	*	*	*
847	10	*	*5	*	*	*	*	*	*	*	*
850	48	28	19	*7	23	10	*7	10	11	14	12
850.0	10	*5	*5	*	*	*	*	*	*	*	*
850.1	18	10	*8	*	*9	*	*	*	*	*	*5
850.11	18	10	*8	*	*9	*	*	*	*	*	*5
850.5	16	12	*	*	*8	*	*	*	*	*6	*
851	25	17	*8	*	*9	*5	10	*5	*	*8	*6
851.8	17	11	*6	*	*6	*	*7	*	*	*6	*
851.81	*5	*	*	*	*	*	*	*	*	*	*
852	68	39	30	*	15	17	34	10	13	25	20
852.0	15	*9	*6	*	*	*7	*	*	*	*5	*5
852.06	*5	*	*	*	*	*	*	*	*	*	*
852.2	49	27	22	*	10	10	28	*7	10	18	14
852.20	13	*8	*5	*	*	*	*8	*	*	*6	*
852.21	21	*9	12	*	*	*6	13	*	*	*6	*8
852.26	*6	*	*	-	*	*	*	*	*	*	*
853	10	*6	*	*	*	*	*7	*	*	*	*
853.0	10	*6	*	*	*	*	*7	*	*	*	*
860	32	27	*5	*	11	14	*6	*	*6	13	*8
860.0	19	15	*	*	*6	*8	*	*	*	*8	*6

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
861	*8	*7	*	*	*	*	*	*	*	*	*
861.2	*6	*5	*	*	*	*	*	*	*	*	*
861.21	*6	*	*	*	*	*	*	*	*	*	*
862	*6	*5	*	*	*	*	*	*	*	*	*
863	12	*9	*	*	*7	*	*	*	*	*6	*
864	10	*8	*	*	*6	*	*	*	*	*	*
864.0	*7	*6	*	*	*5	*	*	*	*	*	*
865	12	10	*	*	*8	*	*	*	*	*	*
865.0	12	*9	*	*	*7	*	*	*	*	*	*
868	*5	*	*	*	*	*	*	*	*	*	*
873	23	16	*7	*5	*7	*	*7	*	*5	*8	*6
873.0	*6	*	*	*	*	*	*	*	*	*	*
873.4	10	*5	*	*	*	*	*	*	*	*	*
873.42	*5	*	*	*	*	*	*	*	*	*	*
879	*9	*7	*	*	*5	*	*	*	*	*	*
881	*7	*	*	*	*	*	*	*	*	*	*
883	*6	*	*	*	*	*	*	*	*	*	*
891	12	*8	*	*	*	*	*	*	*	*6	*
891.1	*7	*	*	*	*	*	*	*	*	*	*
892	*7	*	*	*	*	*	*	*	*	*5	*
892.1	*5	*	*	*	*	*	*	*	*	*	*
920	12	*	*8	*	*	*	*7	*	*	*	*
922	19	*9	*9	*	*5	*	10	*	*6	*5	*
922.1	11	*6	*5	*	*	*	*6	*	*	*	*
924	18	*7	11	*	*	*	11	*6	*	*	*
924.0	10	*	*7	*	*	*	*8	*	*	*	*
924.01	*8	*	*6	*	*	*	*7	*	*	*	*
924.1	*5	*	*	*	*	*	*	*	*	*	*
935	13	*6	*7	*5	*	*	*	*	*	*6	*
935.1	*9	*	*	*	*	*	*	*	*	*	*
941	20	17	*	*7	*8	*	*	*	*	14	*
941.2	16	14	*	*	*7	*	*	*	*	11	*
941.29	*9	*8	*	*	*	*	*	*	*	*7	*
942	21	17	*	*8	*7	*	*	*	*	15	*
942.2	14	12	*	*7	*	*	*	*	*	10	*
942.24	*5	*	*	*	*	*	*	*	*	*	-
942.3	*7	*	*	*	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
943	13	*8	*5	*	*	*	*	*	*	10	*
943.2	*8	*	*	*	*	*	*	*	*	*6	*
944	11	*9	*	*	*	*	*	*	*	*7	*
944.2	*5	*	*	*	*	*	*	*	*	*	*
945	23	16	*7	*6	*8	*7	*	*	*	17	*
945.2	11	*8	*	*	*	*	*	*	*	*7	*
945.3	*9	*6	*	*	*	*	*	*	*	*7	-
946	*6	*	*	*	*	*	-	*	-	*6	-
946.3	*5	*	*	*	*	*	-	*	-	*	-
958	*8	*	*	*	*	*	*	*	*	*	*
959	34	19	15	*	11	*9	11	*6	*7	*7	14
959.0	16	10	*6	*	*6	*	*	*	*	*	*7
959.01	15	10	*6	*	*6	*	*	*	*	*	*6
959.1	*7	*	*	*	*	*	*	*	*	*	*
962	*8	*	*	*	*	*	*	*	*	*	*
962.3	*8	*	*	*	*	*	*	*	*	*	*
963	*6	*	*	*	*5	*	*	*	*	*	*
963.0	*5	*	*	*	*	*	*	*	*	*	*
965	67	30	37	*	44	12	*8	15	17	21	14
965.0	29	16	13	*	16	*8	*	*6	*7	11	*5
965.09	15	*8	*7	*	*7	*	*	*	*	*6	*
965.1	*6	*	*	*	*	*	*	*	*	*	*
965.4	23	10	14	*	20	*	*	*6	*7	*6	*
965.8	*6	*	*5	*	*	*	*	*	*	*	*
966	11	*	*8	*	*7	*	*	*	*	*	*
966.3	*7	*	*	*	*	*	*	*	*	*	*
967	14	*5	*9	-	*8	*	*	*	*	*	*
967.8	*8	*	*6	-	*	*	*	*	*	*	*
968	*6	*	*	*	*	*	*	*	*	*	*
969	71	28	43	*	46	18	*	13	18	25	16
969.0	26	*9	17	*	17	*6	*	*	*7	*8	*6
969.3	*8	*	*	*	*6	*	*	*	*	*	*
969.4	29	*9	20	*	17	*9	*	*5	*6	13	*
970	23	17	*6	*	11	12	*	10	*	*6	*
970.8	23	17	*6	*	11	12	*	10	*	*6	*
972	*9	*	*	*	*	*	*	*	*	*	*
977	12	*	*8	*	*8	*	*	*	*5	*	*
977.9	*7	*	*6	*	*	*	*	*	*	*	*
980	11	*7	*	*	*	*6	-	*	*	*	*
980.0	*6	*	*	*	*	*	-	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
989	*7	*	*	*	*	*	*	*	*	*5	*
989.5	*5	*	*	*	*	*	*	*	*	*	*
995	35	14	20	*	*7	10	13	*8	10	14	*
995.1	11	*	*6	*	*	*	*	*	*	*	*
995.9	10	*	*6	*	*	*	*6	*	*	*	*
995.91	*7	*	*5	-	*	*	*5	*	*	*	*
996	523	266	257	20	97	181	224	117	105	202	98
996.0	22	11	11	*	*	*6	13	*6	*6	*7	*
996.01	10	*5	*	*	*	*	*7	*	*	*	*
996.04	*7	*	*	*	*	*	*	*	*	*	*
996.1	13	*5	*8	*	*	*	*5	*	*	*7	*
996.2	20	11	*9	*6	*9	*	*	*5	*	10	*
996.4	96	40	56	*	11	35	50	19	20	35	21
996.41	17	*9	*8	-	*	*5	*8	*	*	*	*6
996.42	24	*9	15	-	*	*7	15	*6	*6	*7	*
996.43	*8	*	*	-	*	*	*	*	*	*	*
996.44	*7	*	*6	-	-	*	*6	*	*	*	*
996.47	*9	*	*6	-	*	*	*	*	*	*	*
996.49	25	12	13	*	*	12	*9	*	*	10	*7
996.5	12	*5	*7	*	*	*	*	*	*	*5	*
996.59	*6	*	*	*	*	*	*	*	*	*	*
996.6	188	104	84	*8	34	66	80	46	37	73	33
996.61	13	10	*	*	*	*	11	*	*	*	*
996.62	88	49	38	*6	17	37	27	20	15	38	14
996.64	17	10	*7	*	*	*	13	*	*	*5	*5
996.65	*5	*	*	-	*	*	*	*	*	*	*
996.66	27	14	12	-	*	*9	15	*6	*6	10	*
996.67	13	*7	*6	*	*	*	*	*	*	*	*
996.68	*5	*	*	*	*	*	*	*	*	*	*
996.69	14	*	*9	*	*	*5	*5	*	*	*	*
996.7	135	68	67	*	21	50	61	27	28	49	31
996.72	22	15	*7	*	*	*8	13	*6	*6	*7	*
996.73	43	22	21	-	*6	16	20	*8	*	16	14
996.74	27	14	13	*	*	11	11	*6	*6	10	*
996.77	17	*7	*9	-	*	*7	*8	*	*5	*5	*
996.78	14	*	10	*	*	*	*	*	*	*5	*
996.79	*5	*	*	*	*	*	*	*	*	*	*
996.8	32	20	13	*	11	14	*5	*8	*6	15	*
996.81	20	13	*8	*	*8	*9	*	*	*	11	*
997	131	69	62	*	28	47	53	28	26	49	28
997.0	12	*7	*5	*	*	*	*	*	*	*	*
997.09	*6	*	*	*	*	*	*	*	*	*	*
997.1	11	*7	*	*	*	*	*6	*	*	*	*
997.2	10	*5	*	*	*	*	*	*	*	*	*
997.3	11	*7	*	*	*	*	*5	*	*	*	*
997.4	48	20	29	*	14	18	16	10	11	14	13
997.5	11	*8	*	*	*	*	*	*	*	*	*
997.6	25	15	10	*	*	10	12	*	*	13	*
997.62	12	*8	*	*	*	*6	*	*	*	*5	*
997.69	12	*7	*5	-	*	*	*7	*	*	*8	*
998	246	117	129	*9	63	91	83	59	56	89	43

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
998.1	63	37	27	*	14	23	25	15	12	21	15
998.11	35	22	13	*	*7	10	17	*9	*7	11	*7
998.12	22	13	10	*	*5	10	*7	*	*	*7	*7
998.13	*6	*	*	-	*	*	*	*	*	*	*
998.2	10	*	*7	*	*	*	*	*	*	*	*
998.3	13	*7	*6	*	*	*5	*	*	*	*5	*
998.32	10	*6	*	*	*	*	*	*	*	*	*
998.5	130	58	72	*	39	45	44	32	32	47	19
998.59	126	57	69	*	38	42	43	32	31	46	18
998.6	*7	*	*	*	*	*	*	*	*	*	*
998.8	22	*9	13	*	*	10	*5	*	*7	*9	*
998.83	*9	*	*5	*	*	*	*	*	*	*	*
998.89	13	*5	*8	*	*	*5	*	*	*	*6	*
999	12	*5	*7	*	*	*	*5	*	*	*	*
V01-V85	5,022	385	4,636	70	4,253	246	453	811	1,033	1,933	1,244
V10	*9	*6	*	*	*	*5	*	*	*	*	*
V12	*9	*	*6	*	*	*	*	*	*	*	*
V12.5	*5	*	*	-	*	*	*	*	*	*	*
V15	*6	*	*	*	*	*	*	*	*	*	*
V15.8	*6	*	*	*	*	*	*	*	*	*	*
V17	*7	*	*	*	*	*	*	*	*	*5	*
V22	10	-	10	-	10	-	-	*	*	*7	*
V22.1	*5	-	*5	-	*5	-	-	*	-	*5	*
V25	*5	*	*5	-	*	*	-	*	*	*	*
V25.2	*5	*	*5	-	*	*	-	*	*	*	*
V27	4,127	-	4,127	*7	4,112	*9	-	618	849	1,613	1,047
V27.0	3,800	-	3,800	*7	3,787	*6	-	561	778	1,501	961
V27.1	22	-	22	*	22	-	-	*	*	12	*
V27.2	58	-	58	-	57	*	-	10	11	24	12
V27.9	241	-	241	*	240	*	-	44	57	73	68
V30	*8	*	*	*8	-	-	-	*	*	*	*
V30.1	*8	*	*	*8	-	-	-	*	*	*	*
V42	*5	*	*	*	*	*	*	*	*	*	*
V45	17	*6	10	*	*6	*6	*	*	*	*7	*
V45.7	*5	*	*5	-	*	*	*	*	*	*	*
V45.8	*7	*	*	*	*	*	*	*	*	*	*
V50	*6	*	*6	-	*	*	*	*	*	*	*
V53	11	*6	*6	*	*	*	*7	*	*	*	*
V53.3	10	*5	*	*	*	*	*7	*	*	*	*
V53.31	*7	*	*	*	*	*	*6	*	*	*	*
V54	23	*9	15	*	*	*	17	*6	*8	*	*5

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
V54.1	*8	*5	*	*	*	*	*6	*	*	*	*
V54.8	13	*	10	*	*	*	11	*	*	*	*
V54.81	10	*	*8	-	-	*	*9	*	*	*	*
V55	35	21	14	*	*9	12	11	10	*7	13	*6
V55.2	10	*6	*	*	*	*	*	*	*	*	*
V55.3	21	13	*8	*	*	*7	*6	*6	*	*7	*
V56	*7	*	*	*	*	*	*	*	*	*	*
V56.0	*6	*	*	*	*	*	*	*	*	*	*
V57	477	181	296	*	31	102	341	87	123	154	112
V57.1	76	35	41	*	*	17	54	15	*	31	27
V57.8	395	145	251	*	27	84	282	70	121	123	81
V57.89	395	145	251	*	27	84	282	70	121	123	81
V58	184	102	82	33	32	73	46	48	21	68	47
V58.0	10	*	*7	*	*	*5	*	*	*	*	*
V58.1	145	86	59	32	26	60	27	42	10	56	37
V58.11	138	84	54	32	25	55	27	38	10	54	36
V58.12	*6	*	*	*	*	*5	*	*	*	*	*
V58.4	*9	*	*	*	*	*	*	*	*	*	*
V58.8	12	*5	*7	*	*	*	*9	*	*9	*	*
V58.89	10	*	*6	*	*	*	*9	*	*8	*	*
V59	*9	*	*5	*	*5	*	*	*	*	*	*
V59.4	*8	*	*	-	*	*	*	*	*	*	-
V66	*6	*	*	-	*	*	*6	*	*	*	*
V66.7	*5	*	*	-	*	*	*5	*	*	*	*
V70	11	*6	*6	*	*	*	*	*	*	*6	*
V70.7	*8	*	*	*	*	*	*	*	*	*	*
V71	*9	*	*	*	*	*	*	*	*	*	*

* Figure does not meet standard of reliability or precision.

- Quantity zero.

NOTE: Estimates are rounded to the nearest thousand, and totals may include data from categories that are not shown individually in this table. For these reasons, figures may not always add to totals. Because of low reliability, estimates less than 5,000 are suppressed and an asterisk (*) is inserted. These estimates generally are based on a sample size of less than 30 records and usually have a relative standard error (RSE) of more than 30 percent. Estimates between 5,000 and 9,999 are preceded by an asterisk (*) because they are generally based on fewer than 60 records and may have low reliability. These criteria for minimum sample size and maximum acceptable RSE are consistent with NCHS guidelines for reporting statistical results. More information can be found in the Methods section of National Hospital Discharge Survey:

2005 Annual Summary With Detailed Diagnosis and Procedure Data, Series 13, No. 165.

http://www.cdc.gov/nchs/data/series/sr_13/sr13_165.pdf