

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of days of care in thousands												
All codes	175,767	77,883	97,884	9,158	38,682	49,051	78,876	45,400	35,124	65,301	29,942	
001-139	9,377	4,587	4,790	544	1,296	2,610	4,927	2,251	1,837	3,790	1,500	
003	*48	*	*	*	*	*	*	*	*	*	*	
003.0	*36	*	*	*	*	*	*	*	*	*	*	
008	917	331	586	59	74	227	557	214	219	323	162	
008.4	696	247	450	*	*44	177	467	167	178	233	119	
008.45	687	243	443	*	*43	172	464	166	174	228	118	
008.6	*20	*	*	*16	*	*	*	*	*	*	*	
008.61	*10	*	*	*10	-	-	-	*	*	*	-	
008.8	197	75	123	34	29	47	87	42	35	80	41	
009	109	68	41	*	*	44	*49	*31	*	60	*	
009.0	83	*59	*24	*	*	*33	*41	*	*	*49	*	
009.1	*21	*	*	*	*	*	*	*	*	*	*	
034	26	*	*15	*	*	*	*	*	*	*	*	
034.0	*26	*	*	*	*	*	*	*	*	*	*	
038	6,500	3,246	3,254	211	600	1,832	3,856	1,584	1,326	2,650	940	
038.0	300	176	124	*	*	*73	191	*44	*74	*95	*87	
038.1	660	377	283	*	*42	170	447	195	157	279	*	
038.10	147	*72	*75	-	*	*	118	*	*	*73	*	
038.11	134	*82	*52	-	*	*35	*93	*	*50	*57	*	
038.12	270	*154	116	*	*	*72	179	*67	*55	128	*	
038.19	110	*69	*	-	*	*	*58	*	*	*	*	
038.2	219	112	107	*	*	121	*80	*	*	133	*	
038.4	1,018	412	607	*	66	278	662	290	189	400	140	
038.40	99	*	*66	*	*	*	*70	*38	*	*	*	
038.42	538	154	383	*	*33	147	354	144	102	202	89	
038.43	*98	*77	*	-	*	*	*	*	*	*	*	
038.49	257	135	123	*	*	*62	173	*64	*61	111	*	
038.8	157	*	107	*	*	*	*80	*	*	*49	*	
038.9	4,075	2,077	1,998	152	460	1,115	2,349	1,020	803	1,655	597	
041	79	62	*17	*19	*16	*	*	*	*	*17	*53	
041.1	*21	*16	*	*	*	*	*	*	*	*	*	
042	337	253	85	-	198	135	*	120	*35	164	*	
046	*20	*18	*	-	-	*	*	*	*	*	-	
047	161	56	105	*88	34	*	*	*	*24	54	*73	
047.9	95	*48	46	*	33	*	*	*	*	52	*12	
053	65	*26	38	*	*	*	46	*	*24	*22	*	
053.9	*39	*	*23	*	*	*	*28	*	*	*	*	
054	*65	*	*	*	*	*	*	*	*	*	*	
070	171	113	57	*	*51	109	*	*15	*20	74	61	
070.4	*43	*	*	-	*	*30	*	*	*	*	*	
070.5	*26	*17	*	*	*	*18	*	*	*	*	*	
070.54	*20	*16	*	-	*	*	*	*	*	*	*	
070.7	67	*37	*	-	*	*39	*	*	*	*	*	
070.70	*43	*23	*	-	*	*	*	*	*	*	*	
070.71	*24	*	*	-	*	*	*	*	*	*	*	
079	158	69	89	66	39	*20	33	39	30	61	27	
079.9	143	62	82	57	39	*19	29	32	*26	59	27	
079.99	143	62	82	57	39	*19	29	32	*26	59	27	

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of days of care in thousands											
112	219	78	141	*22	*	*48	135	*45	*44	76	55
112.0	46	*18	*28	*15	*	*	*	*	*	*	*
112.2	*49	*	*44	-	*	*	*34	*	*	*	*
112.4	*46	*	*	-	*	*	*	*	*	*	-
112.8	54	*37	*	-	*	*	*34	*	*	*21	*
112.84	52	*37	*	-	*	*	*32	*	*	*21	*
135	*49	*	*42	*	*	*	*	*	*	*	-
140-239	9,724	4,565	5,159	215	1,121	3,598	4,789	2,145	1,897	3,730	1,951
141	*45	*29	*	-	*	*24	*	*	*	*	*
142	*12	*	*	-	-	*	*	*	*	*	*
142.0	*12	*	*	-	-	*	*	*	*	*	*
150	130	99	*	-	*	*56	*47	*	*	98	*
150.9	*69	*54	*	-	*	*	*	-	*	*66	*
151	214	158	*56	-	*	*99	106	*65	*	*78	*
151.0	*82	*	*	-	*	*	*	*	*	*	*
151.9	*33	*	*	-	*	*	*	*	*	*	*
153	877	377	500	-	*45	295	537	187	173	376	141
153.1	*57	*	*44	-	-	*	*	*	*	*	*
153.2	*81	*	*53	-	*	*46	*	*	*	*	*
153.3	181	77	104	-	*	*55	115	*36	*56	*52	*
153.4	165	*58	107	-	*	*33	124	*36	*	86	*
153.6	155	*90	66	-	*	*	*78	*	*	*73	*
153.9	111	*34	78	-	*	*51	58	*	*	70	*
154	360	236	124	-	*	174	168	76	89	126	*70
154.0	99	70	*	-	*	*40	*57	*26	*	*42	*
154.1	228	144	84	-	*	106	107	*47	*68	76	*
155	298	180	118	*	*	73	107	*33	*	*63	168
155.0	108	60	*48	*	*	58	*45	*22	*	*60	*
155.1	*84	*	*	-	*	*	*	*	*	*	*
156	144	*	*93	-	-	*	*61	*	*	*54	*
156.0	*74	*	*53	-	-	*	*	*	*	*	*
157	349	180	169	-	*	98	227	145	85	93	*
157.0	216	119	97	-	*	*64	131	97	*55	*52	*
157.8	59	*	*33	-	*	*	*50	*	*	*	*
157.9	45	*	*28	-	*	*	*32	*	*	*	*
158	*50	*	*	*	*	*	*	*	*	*	*
161	*43	*	*	-	*	*	*	*	*	*	*
162	1,048	544	505	-	*	401	634	247	260	420	121
162.2	58	*	*50	-	*	*	*44	*	*	*	*
162.3	381	206	175	-	*	125	250	109	85	140	*47
162.4	*33	*	*	-	-	*	*	*	*	*	*
162.5	157	75	82	-	*	*51	103	44	*50	*46	*
162.8	96	*54	*42	-	*	*66	*29	*	*	*58	*
162.9	320	187	133	-	*	130	187	*41	92	145	*42
171	87	*59	*	-	*	*	*73	*64	*	*	*
173	*38	*	*	-	*	*	*	*	*	*	*
174	203	-	203	-	35	96	72	49	34	76	43

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
174.4	22	-	22	-	*	*	*	*	*	*	*
174.8	60	-	60	-	*	29	23	28	*	*	*
174.9	106	-	106	-	*	47	40	*	25	42	24
180	51	-	51	-	*20	*	*	*	*	*26	*
180.9	44	-	44	-	*	*	*	*	*	*	*
182	200	-	200	-	*	68	127	47	*28	48	*
182.0	193	-	193	-	*	60	127	40	*28	48	*
183	164	-	164	*	*	*38	118	*	*	88	*
183.0	159	-	159	*	*	*35	115	*	*	86	*
185	188	188	-	-	*	81	105	35	50	48	56
188	212	189	*22	-	*	*42	162	*62	62	69	*18
188.8	92	*86	*	-	*	*	*70	*	*	*	*
188.9	60	*52	*	-	-	*	*51	*	*	*31	*
189	320	196	124	*	*	104	197	*32	57	129	102
189.0	255	152	103	*	*	102	135	*	54	105	67
189.2	*43	*	*	-	*	*	*41	*	*	*	*
191	260	114	146	*	*51	112	*45	*28	118	92	*
191.1	*67	*	*28	-	*	*	*	*	*	*	*
191.2	*38	*	*	*	*	*	*	*	*	*	*
191.3	*26	*	*12	-	*	*17	*	*	*	*	*
191.9	*49	*	*37	*	*	*37	*	*	*	*	*
193	50	*8	42	-	14	24	*13	*16	*	*10	*15
196	50	*17	33	-	*	*21	*27	*	*	*19	*
196.0	*24	*	*	-	*	*	*	*	*	*	*
197	675	241	434	*	71	264	320	151	126	265	133
197.0	144	44	101	*	*	*46	83	*52	*	64	*
197.6	173	*70	104	*	*	*77	*49	*	*34	*84	*35
197.7	227	87	140	*	*	107	98	*44	42	84	*58
197.8	*26	*	*	-	-	*	*	*	*	*	*
198	784	283	501	*	79	339	364	179	133	338	135
198.3	299	109	190	*	*42	135	122	81	74	65	*79
198.5	324	138	186	*	*	115	176	*66	*40	204	*
198.8	84	*	*72	-	*	*	*35	*	*	*	*
198.89	*53	*	*42	-	*	*	*34	*	*	*	*
199	*40	*	*	-	*	*	*	*	*	*	*
200	123	116	*	-	*	100	*	*	*	*	*25
200.2	*54	*54	-	-	-	*54	-	-	-	*	*
201	*38	*	*	*	*32	*	*	*	*	*	*
201.9	*26	*	*	*	*23	*	*	*	*	*	*
202	174	86	88	*	*	*51	109	*58	*39	*58	*19
202.8	157	80	77	-	*	*47	98	*54	*29	*56	*
202.80	86	*40	*46	-	*	*25	*50	*	*21	*	*
202.83	*38	*	*	-	-	*	*27	*	*	*	*
203	326	255	71	-	*	*81	244	*	*	138	132
203.0	326	255	71	-	*	*81	244	*	*	138	132
203.00	303	236	67	-	*	*59	244	*	*	135	130
204	194	106	88	82	*	*	78	*36	*39	*67	52
204.0	138	*62	76	82	*	*	*	*	*	*	49

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
204.00	*88	*	*	*	*	*	*	*	*	*	*
204.01	42	*	*26	41	*	-	*	*	*	*	*38
204.1	55	43	*	-	-	*	49	*	*	*	*
204.10	53	*42	*	-	-	*	*47	*	*	*	*
205	202	108	*94	*	*	*	*61	*	*	105	*
205.0	149	*63	*86	*	*	*	*48	*	*	*64	*
205.00	141	*60	*	*	*	*	*45	*	*	*64	*
205.1	*54	*	*	-	*	*	*	*	*	*	*
205.10	*54	*	*	-	*	*	*	*	*	*	*
209	79	*	56	-	*	*24	*42	*	*	*46	*
211	288	171	117	*	*31	50	198	82	52	98	*56
211.1	*28	*	*	-	*	*	*	*	*	*	*
211.3	191	118	73	*	*	*39	129	*55	*31	82	*
218	406	-	406	*	192	202	*	87	69	163	87
218.0	42	-	42	-	*19	23	-	*	*	*24	*
218.1	90	-	90	*	33	55	*	27	*16	28	*19
218.2	24	-	24	-	*	*15	-	*	*	*	*
218.9	249	-	249	-	131	109	*	42	45	101	61
220	80	-	80	*	29	34	*	*	*17	46	*
225	142	*38	104	*	*	68	67	65	*21	*	*26
225.2	114	*	87	-	*	59	*53	*60	*	*	*
227	49	*21	29	-	*	*22	*	*	*	*21	*
227.3	*31	*	*	-	*	*	*	*	*	*	*
233	38	*	37	-	*10	24	*	*	*	*16	*
233.0	19	-	19	-	*	*14	*	*	*	*	*
233.1	*17	-	*17	-	*	*	*	*	*	*	*
235	*50	*	*	-	*	*	*30	*	*	*	*
236	*26	*	*	-	*	*	*	*	*	*	*
237	*54	*	*	*	*	*	*	*	*	*	*
238	71	*55	*16	*	*	*	53	*	*	*31	*
238.7	65	*52	*	*	*	*	49	*	*	*	*
238.75	*39	*31	*	-	*	*	*35	*	*	*	*
239	68	*24	*44	-	*	*22	*41	*	*	*37	*
239.6	*21	*	*	-	*	*	*	*	*	*	*
240-279	7,659	3,327	4,332	430	1,287	2,689	3,253	2,397	1,361	2,578	1,323
241	36	*8	29	-	*	19	*13	*8	*	17	*
241.0	*7	*	*6	-	*	*	*	*	*	*	*
241.1	27	*	23	-	*	*12	*12	*	*	*13	*
242	26	*	21	-	*10	*	*	*	*	*	*
244	84	*20	63	*	*13	36	32	*	*13	40	*14
244.9	78	*20	58	*	*11	34	31	*	*12	39	*10
246	*12	*	*	-	*	*	*	*	*	*	*
250	3,446	1,725	1,721	52	608	1,477	1,308	1,206	577	1,062	601
250.0	553	215	337	*20	80	161	292	152	61	241	99
250.00	346	132	213	*	28	97	216	123	25	131	67

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
250.01	31	*19	*12	*13	*	*	*	*	*	*	*
250.02	164	59	105	*	28	63	74	*27	26	88	*23
250.1	490	252	239	30	274	146	41	87	109	197	98
250.12	136	65	71	*	46	70	*19	*34	*28	39	34
250.13	340	180	160	28	217	75	*20	50	77	153	59
250.2	87	*40	*47	*	*	50	*	*29	*	*40	*
250.20	*31	*	*	*	*	*	*	*	*	*	*
250.22	*51	*	*	-	*	*34	*	*	*	*	*
250.4	220	138	82	-	*	121	*81	*74	*85	*31	*30
250.40	92	*32	*60	-	*	*32	*52	*	*	*	*
250.42	*43	*	*	-	*	*	*	*	*	*	*
250.6	626	267	360	-	108	246	272	272	80	190	85
250.60	359	135	224	-	*42	131	186	175	*39	102	*42
250.61	*40	*	*29	-	*27	*	*	*	*	*	*
250.62	179	112	67	-	*	89	*76	*86	*	*48	*
250.63	*49	*	*39	-	*24	*	*	*	*	*17	*
250.7	410	191	219	-	*	165	242	138	*46	100	125
250.70	306	127	179	-	*	97	206	90	*38	66	112
250.72	*88	*56	*	-	-	*61	*	*	*	*	*
250.8	963	603	360	*	81	544	337	422	172	216	152
250.80	665	426	239	*	*35	390	239	317	78	143	126
250.81	45	*	*28	*	*	*	*	*	*	*	*
250.82	218	147	71	-	*	98	92	*68	69	63	*
250.9	*21	*	*14	-	*	*11	*	*	*	*	*
250.92	*17	*	*11	-	*	*	*	*	*	*	*
251	32	*17	*	*	*	*	*16	*	*	*	*
251.1	*16	*	*	*	*	*	*	*	*	*	*
252	*17	*	*13	-	*	*	*	*	*	*	*
252.0	*14	*	*	-	*	*	*	*	*	*	*
252.01	*10	*	*	-	*	*	*	*	*	*	*
253	151	78	73	*	*	*35	85	*	*46	*45	*43
253.6	132	66	67	*	*	*34	80	*	*41	*38	*39
255	52	*	*33	*	*	*	*	*	*	*27	*
255.4	*31	*	*	-	*	*	*	*	*	*	*
255.41	*31	*	*	-	*	*	*	*	*	*	*
263	88	*37	51	-	*	*39	47	*	*	*38	*
263.9	75	*26	49	-	*	*32	*40	*	*	*30	*
266	*21	*	*	-	*	*	*	*	*	*	*
266.2	*21	*	*	-	*	*	*	*	*	*	*
270	65	*	*48	*40	*	*	*	*	-	*38	*
270.3	*39	*	*38	*39	-	-	-	-	-	*	*
272	148	79	69	-	*22	87	39	71	*13	33	30
272.0	53	*29	24	-	*	35	*12	*31	*	*9	*11
272.4	80	41	40	-	*	42	26	32	*	22	*19
274	94	52	*42	-	*	*45	45	*32	*	*22	*13
274.0	59	*31	*	-	*	*33	*22	*	*	*	*
274.9	*32	*19	*	-	*	*	*	*	*	*	*
275	213	106	107	*	*	60	75	*88	*29	71	*
275.0	*88	*	*	*	-	*	*	*	*	*	-
275.4	116	*27	89	-	*	*42	73	*	*27	51	*
275.42	66	*	*50	-	-	*	*48	*	*	*40	*
275.49	*29	*	*	-	-	*	*	*	*	*	*
276	2,331	849	1,482	201	262	554	1,313	592	429	903	407
276.0	135	*48	87	*	*	*	96	*30	*27	*57	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of days of care in thousands											
276.1	517	192	324	*	26	89	395	122	91	178	126
276.2	133	*44	89	*	*34	*55	*	*	*	*70	43
276.5	1,122	410	712	152	116	244	610	328	218	429	148
276.50	25	*	*15	-	*	*	*	*	*	*14	*
276.51	1,054	376	678	152	110	201	591	323	214	375	142
276.6	61	*18	43	-	*	*35	*18	*	*	27	*
276.7	114	49	64	-	*8	30	75	36	*22	*21	*35
276.8	200	76	125	*	44	68	87	35	*28	111	26
276.9	*34	*	*33	-	*	*	*	*	*	*	*
277	170	110	*60	*36	*82	*	*	*	*95	*47	*
277.0	123	*75	*48	*	*81	*	-	*	*74	*	*
277.02	107	*68	*	*	*72	*	-	*	*68	*	-
278	500	137	363	*	186	204	107	205	61	165	68
278.0	483	132	352	*	180	195	105	204	58	158	63
278.00	31	*13	18	*	*7	*16	*	*	*	*11	*12
278.01	452	119	333	-	173	180	100	201	55	146	51
280-289	2,434	952	1,482	164	466	579	1,226	727	444	848	415
280	294	87	207	*	51	68	172	69	48	147	31
280.0	133	38	95	-	28	34	70	28	*18	65	*22
280.9	157	48	109	*	*22	31	101	38	29	81	*
281	*24	*	*14	*	*	*	*13	*	*	*14	*
281.9	*11	*	*	*	*	*	*	*	*	*	*
282	403	202	201	71	269	*53	*	103	103	150	47
282.4	43	*	*24	*20	*	*	*	*	*	*	*16
282.42	*23	*	*	*	*	*	-	*	*	*	-
282.49	*20	*	*19	*16	*	-	*	*	*	*	*16
282.6	343	176	167	50	248	*	*	88	91	136	*
282.62	314	154	161	*31	239	*	-	77	87	123	*
283	*43	*	*	*	*	*	*	*	*	*	*
284	194	102	93	*	*	69	105	*18	*22	92	62
284.1	106	43	63	*	*	48	44	*10	*	*54	*28
284.8	81	*54	*	-	*	*	59	*	*	*	*34
284.89	80	*53	*	-	*	*	59	*	*	*	*34
285	903	271	632	*	32	204	657	376	121	255	152
285.1	402	92	310	-	*	70	315	207	49	85	62
285.2	190	55	135	*	*	77	111	72	*23	62	*
285.21	87	*	*66	-	*	*	*47	*	*	*	*
285.22	34	*	*24	*	*	*	*20	*	*	*	*
285.29	69	*	45	-	*	*25	45	*	*9	*33	*
285.9	294	121	173	*	*14	55	216	84	47	106	57
286	55	*20	*35	*	*	*	*	*	*	*	*26
287	147	58	90	*13	*13	55	66	*28	*31	*36	53
287.3	57	*21	36	*	*	*19	*	*	*	*	*18
287.31	44	*16	*28	*	*	*	*	*	*	*	*11
287.5	67	31	35	*	*	*33	*23	*	*	*	33
288	306	149	156	31	41	88	146	97	72	103	34
288.0	229	118	111	*24	*	81	105	68	57	76	*28
288.00	163	79	84	*	*	60	76	51	*44	58	*
288.03	62	*36	*26	*	*	*	*	*	*	*	*
288.6	63	*22	41	*	*12	*	*40	*	*	*25	*
288.60	55	*21	35	*	*12	*	*33	*	*	*25	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
289	64	*33	32	*21	*19	*	*	*	*19	*29	*
289.8	*16	*	*	-	*	*	*	*	*	*	*
289.81	*16	*	*	-	*	*	*	*	*	*	*
290-319	14,099	7,421	6,678	937	6,376	4,444	2,342	4,319	3,361	4,816	1,603
290	99	*57	*41	-	-	*	92	*	*	*	*
290.4	*55	*	*	-	-	*	*51	*	*	*	*
291	858	680	178	*	309	491	58	350	186	173	149
291.0	256	225	*	-	74	166	*	92	*39	*72	*54
291.8	560	429	132	*	221	304	*34	235	141	93	90
291.81	526	401	125	*	196	297	*33	224	121	92	90
291.89	*34	*	*	-	*	*	*	*	*	*	*
292	339	208	132	*	199	92	47	127	103	82	28
292.0	200	122	78	*	139	52	*	70	67	46	*17
292.8	116	76	*40	-	52	*29	*36	46	*35	*27	*
292.81	47	*25	*	-	*	*	*28	*	*	*	*
292.84	57	44	*	-	40	*	*	*33	*	*	*
293	45	*	*26	*	*	*	*28	*	*	*25	*
293.0	*30	*	*	-	-	*	*27	*	*	*	*
294	327	144	183	-	*	*	300	118	50	105	54
294.8	282	113	170	-	*	*	267	77	48	104	53
295	3,271	1,759	1,512	*	1,604	1,314	350	1,048	748	1,113	362
295.3	1,046	654	392	-	441	503	102	263	314	386	84
295.30	468	315	153	-	170	259	*	*	161	183	*
295.32	307	192	115	-	157	141	*	*	*66	101	*55
295.34	243	128	115	-	106	88	*	*	*67	97	*
295.6	*78	*62	*	-	*	*	*	*	*	*	*
295.7	1,769	821	948	*	914	640	213	651	361	535	221
295.70	1,265	612	653	*	699	456	108	467	281	338	179
295.72	*81	*	*	-	*	*	-	*	*	*	*
295.74	410	172	237	-	183	122	105	169	*	156	*38
295.9	293	170	123	-	174	*94	*	105	*47	104	*37
295.90	236	136	100	-	155	*68	*	*	*	93	*37
296	5,967	2,711	3,255	564	2,796	1,729	879	1,433	1,596	2,494	444
296.2	1,067	454	612	96	419	307	244	171	307	547	*42
296.20	509	190	320	*58	235	178	*	91	180	207	*32
296.22	*28	*	*	*	*	*	*	*	*	*	-
296.23	235	126	109	*	93	*78	*	*	78	113	*
296.24	285	126	158	*	*78	*41	149	*30	*35	218	*
296.3	1,550	633	917	*57	613	550	331	325	445	627	152
296.30	257	90	167	*	109	90	*	*55	101	78	*23
296.32	154	*54	99	*	54	*56	*	*	*40	*65	*
296.33	730	311	419	*	310	263	145	162	220	264	85
296.34	398	176	222	*	131	140	109	*76	80	214	*28
296.4	433	166	267	*	232	120	*69	127	145	102	*59
296.40	158	*76	*82	*	*68	*50	*	*	*49	*	*
296.43	*44	*	*	*	*26	*	*	*	*	*	*
296.44	222	*71	151	*	131	*56	*	*	*72	*52	*
296.5	623	284	340	*	301	215	*83	88	192	252	91
296.50	362	189	173	*	186	100	*55	*47	98	152	64
296.53	93	*40	*52	*	62	*	-	*	*47	*	*
296.54	142	*	90	*	*37	*77	*	*	*32	*78	*
296.6	456	176	279	*60	197	133	*66	*63	112	265	*
296.60	285	132	153	*52	132	74	*	*	*51	187	*
296.63	*50	*	*	*	*	*	-	*	*	*	-
296.64	110	*	87	*	*31	*44	*	*	*	*52	*
296.7	108	*52	57	*	*48	*37	*	*	*45	*50	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
296.8	900	402	497	118	450	281	*51	232	210	405	52
296.80	732	326	406	116	363	221	*33	172	163	358	*38
296.89	166	76	90	*	87	*60	*	*60	*46	*46	*
296.9	816	540	276	174	529	83	*	413	132	245	*
296.90	776	515	261	171	509	75	*	405	127	230	*
298	651	324	327	*	306	140	178	204	181	181	85
298.9	638	316	323	*	305	131	177	202	178	177	82
299	*82	*55	*	*	*50	*	-	*	*	*	*
300	231	114	117	*	111	62	37	73	27	75	57
300.0	120	61	60	*	59	*22	*32	*32	*13	30	45
300.00	86	*41	44	*	*38	*16	*24	*21	*	*25	*33
300.01	*11	*	*	-	*	*	*	*	*	*	*
300.02	*24	*	*	-	*	*	*	*	*	*	*
300.1	*39	*	*21	*	*	*	*	*	*	*	*
300.11	*28	*	*	*	*	*	*	*	*	*	*
300.4	44	*19	24	*	*24	*16	*	*15	*	*19	*
301	*42	*	*26	*	*30	*	-	*	*	*	*
303	308	216	93	*	95	191	*21	72	83	66	87
303.0	87	58	29	-	24	55	*	*14	35	26	*
303.00	32	21	*11	-	*	19	*	*	17	*12	*
303.01	51	34	*17	-	*16	33	*	*	*18	*	*
303.9	221	158	63	*	71	136	*	57	*48	40	75
303.90	58	*33	*25	-	*18	*38	*	*	*	*	*21
303.91	111	76	*	*	52	*47	*	*31	*	*29	*
304	178	128	51	*	97	66	*	63	*31	66	*19
304.0	79	59	*20	-	43	*	*	*30	*	*28	*
304.00	39	*30	*	-	23	*	*	*	*	*	*
304.01	*39	*	*	-	*	*	*	*	*	*	*
304.2	*42	*	*	-	*	*	-	*	*	*	-
304.7	*29	*25	*	-	*16	*	*	*18	*	*	*
305	269	198	71	*	180	73	*	77	28	81	83
305.0	103	70	34	*	77	19	*	*14	15	*19	55
305.00	78	56	22	*	58	*14	*	*	12	*14	39
305.01	*15	*13	*	*	*	*	*	*	*	*	*
305.1	79	65	*14	-	58	*14	*	*47	*	*12	*12
305.2	*25	*18	*	*	*21	*	-	*	*	*14	*
305.20	*13	*	*	*	*	*	-	*	*	*12	*
305.6	46	39	*	-	*13	*33	-	*14	*	*29	*
305.60	*31	*27	*	-	*	*	-	*	*	*	*
305.61	*13	*12	*	-	*	*	-	*10	-	*	-
307	61	*	43	*	*31	*	*	*28	*	*17	*
309	289	92	197	*82	146	49	*	80	70	49	90
309.0	39	*25	*15	*	*19	*	*	*	*17	*	*
309.2	63	*15	48	*	27	*	*	*	*18	*	*
309.28	60	*14	46	*	26	*	*	*	*17	*	*
309.4	40	*20	*21	*	23	*	-	*	*	*	*17
309.8	131	*21	110	*	64	*	*	*	*	*	*27
309.81	129	*20	109	*	63	*	*	*	*	*	*27
310	285	177	109	-	*	*58	220	243	*	*	*
310.1	229	134	*94	-	-	*	211	207	-	*	*
310.2	*14	*	*	-	*	*	*	*	*	*	*
311	431	231	200	*29	240	115	*48	173	101	101	56
312	111	95	*	*	86	*	*	*53	*	*38	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
312.3	*61	*50	*	*	*48	*	*	*	*	*	*
312.34	*29	*	*	*	*	*	-	*	*	*	*
313	*55	*	*	*	*	-	-	*	*	*	-
313.8	*54	*	*	*	*	-	-	*	*	*	-
313.81	*41	*	*	*	*	-	-	*	*	*	-
314	111	92	*	96	*	*	*	*18	*44	*	*
314.0	111	92	*	96	*	*	*	*18	*44	*	*
314.01	106	88	*	94	*	*	*	*17	*44	*	*
317	*22	*22	-	-	*22	-	-	*22	-	-	-
320-389	5,869	2,813	3,056	323	1,151	1,883	2,513	2,545	673	1,452	1,200
323	*45	*	*41	*	*	*	*	*	*	*	*
324	123	*60	*	*	*	*	*	*	*	*	*
324.0	*86	*39	*	*	*	*	*	*	*	*	*
327	135	125	*	*	*88	*30	*	*89	*	*	*32
327.2	50	41	*	*	*	*30	*	*	*	*	*32
327.23	49	41	*	*	*	*29	*	*	*	*	*32
331	846	250	596	*18	*	223	595	286	117	186	256
331.0	581	160	420	-	-	*	458	191	72	150	168
331.4	167	*37	130	*	*	*88	*	*	*	*	*59
331.5	46	*	*22	-	*	*	44	*	*	*	*29
331.8	*28	*	*	-	-	*	*27	*	*	*	*
331.82	*27	*	*	-	-	*	*	*	*	*	*
332	96	74	*22	-	*	*	88	*31	*	*43	*
332.0	96	74	*22	-	*	*	88	*31	*	*43	*
333	98	*28	70	*	*	58	*27	*45	*11	*40	*
333.0	*18	*	*	-	-	*	*	*	*	*	-
333.9	*54	*	*45	*	*	*37	*	*	*	*24	*
333.90	*51	*	*43	-	*	*36	*	*	*	*	-
336	*50	*	*47	-	*	*	*	*	*	*	-
338	460	143	317	*	207	112	141	236	53	108	63
338.1	152	55	96	*	39	32	80	82	*23	*15	*32
338.18	60	*20	40	*	23	29	*	*20	*13	*11	*17
338.19	85	*	53	-	*	*	67	61	*	*	*
338.2	57	*11	47	*	*17	24	*16	22	*	*	*12
338.29	49	*9	39	*	*14	24	*	*20	*	*	*
338.3	129	66	63	-	*	*51	*43	*	*	73	*
340	161	45	116	-	52	99	*	*35	*35	54	37
342	1,188	810	377	-	*	506	662	883	*	*	*
342.9	1,187	810	376	-	*	505	662	882	*	*	*
342.90	1,132	771	362	-	*	488	625	830	*	*	*
343	*30	*18	*	*20	*	*	*	*	*	*	*20
343.2	*20	*	*	*	*	*	-	*	-	*	*18
344	355	191	164	*	*75	200	70	227	*	*41	77
344.0	130	*94	*36	*	*	*74	*	*	*	*	*48
344.00	*89	*	*	*	*	*62	*	*	*	*	*
344.1	186	91	95	*	*34	102	*49	137	*	*	*29
345	695	360	335	103	197	206	189	218	129	253	95

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
345.1	87	45	42	*	*43	*	*	*19	*	*35	*
345.10	61	*34	*27	*	*20	*	*	*	*	*21	*
345.3	97	53	44	*16	*	*40	*	*24	*	*44	*14
345.4	48	*33	*15	*	*15	*	*	*	*	*	*
345.40	37	*28	*9	*	*	*	*	*	*	*	*
345.5	54	*	48	*	*	*	*	*	*	*20	*
345.50	44	*	39	*	*	*	*	*	*	*	*
345.9	365	201	164	52	100	118	95	120	66	132	46
345.90	334	187	147	41	84	114	94	94	64	130	46
345.91	*31	*	*	*	*	*	*	*	*	*	-
346	169	*16	153	*	103	44	*	*20	34	80	35
346.8	*26	*	*20	*	*	*	*	*	*	*	*
346.80	*18	*	*14	*	*	*	*	*	*	*	*
346.9	103	*8	95	*	62	29	*	*13	*23	48	20
346.90	58	*	53	*	30	*23	*	*9	*10	*27	*11
346.91	*24	*	*23	-	*14	*	*	*	*	*	*
348	554	326	227	45	120	97	291	126	90	267	70
348.1	83	*64	*19	*	*56	*	*	*	*	*30	*
348.2	*35	*	*31	*	*32	-	-	*	*	*	*
348.3	337	196	141	*	*	77	228	*39	*58	209	*31
348.30	126	*59	67	*	*	*19	104	*	*	96	*
348.31	122	*82	*40	-	*	*	79	*	*	*68	*
348.39	89	*56	*33	*	*	*	*45	*	*	*44	*
348.4	*24	*	*	*	*	*	*	*	*	*	*
348.8	*18	*	*	*	*	*	*	-	*	*	*
348.9	*38	*	*	*	*	*	*	*	*	*	*
349	82	*	62	*	*15	*	*55	*29	*	*26	*
349.0	*13	*	*11	*	*11	*	*	*	*	*	-
349.8	49	*	*31	-	*	*	*36	*	*	*	*
349.82	*32	*	*	-	*	*	*	*	*	*	-
350	*16	*	*	-	*	*	*	*	*	*	*
350.1	*16	*	*	-	*	*	*	*	*	*	*
351	*13	*	*8	*	*	*	*	*	*	*	*
351.0	*13	*	*8	*	*	*	*	*	*	*	*
355	*22	*	*	-	*	*	*	*	*	*	*
357	81	*	*56	*	*	*	*	*53	*	*	*
357.8	*24	*	*	-	*	*	*	*	*	*	*
357.81	*24	*	*	-	*	*	*	*	*	*	*
358	*50	*	*	-	*	*	*	*	*	*	*
358.0	*49	*	*	-	*	*	*	*	*	*	*
358.01	*41	*	*	-	*	*	*	*	*	*	*
359	79	*	50	*	*	*16	*	*	*	*	*12
366	*8	*	*6	*	-	*	*	*8	-	-	-
366.8	*8	*	*6	*	-	*	*	*8	-	-	-
368	*14	*	*	-	*	*	*	*	*	*	*
377	*42	*	*	*	*	*	*	*	*	*	*
377.3	*40	*	*	*	*	*	*	*	*	*	*
382	38	21	*16	30	*	*	*	*	*	20	*
382.9	35	21	*14	30	*	*	*	*	*	19	*
383	*12	*	*	*	*	-	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of days of care in thousands											
386	96	46	50	-	*	34	55	*19	*17	40	*20
386.1	66	39	27	-	*	*29	30	*12	*	*34	*
386.11	45	*29	*15	-	*	*	*21	*	*	*31	*
386.12	*18	*	*	-	*	*	*	*	*	*	*
386.3	*25	*	*19	-	*	*	*21	*	*	*	*
386.30	*24	*	*18	-	*	*	*21	*	*	*	*
389	*9	*	*	*	*	*	*	*8	*	*	*
390-459	28,741	14,654	14,088	185	1,897	7,802	18,857	7,723	5,848	11,039	4,131
396	158	*85	*73	-	*	*	114	*	*	*67	*
396.3	*78	*66	*	-	*	*	*	*	*	*	*
398	65	*	*46	-	*	*	58	*	*	*	*
398.9	65	*	*46	-	*	*	58	*	*	*	*
398.91	65	*	*46	-	*	*	58	*	*	*	*
401	1,045	512	533	*	234	338	469	397	105	389	154
401.0	112	51	62	-	*	57	46	*21	*	56	*22
401.1	172	*	*	-	*	*	-	*	-	*	-
401.9	760	296	465	*	60	274	422	210	92	326	132
402	147	54	93	-	*	42	96	*32	*25	88	*
402.0	*21	*	*	-	*	*	*	*	*	*	*
402.9	125	40	85	-	*	38	83	*22	*22	78	*
402.90	*18	*	*	-	*	*	*	*	*	*	*
402.91	107	*33	74	-	*	*28	76	*	*20	68	*
403	590	282	309	-	113	155	323	130	84	290	87
403.0	130	*42	88	-	*33	*40	56	*26	*	87	*
403.00	80	*29	*51	-	*	*	*38	*	*	*52	*
403.01	50	*	*37	-	*	*	*	*	*	*35	*
403.9	460	240	221	-	79	115	266	103	74	203	80
403.90	160	91	68	-	*15	*16	128	*29	*23	73	*35
403.91	301	148	152	-	64	99	138	74	51	130	*45
404	298	120	178	-	*	107	175	67	*53	150	*29
404.0	*47	*	*	-	*	*	*	*	*	*	*
404.01	*36	*	*	-	*	*	*	*	*	*	*
404.9	244	99	145	-	*	*80	153	*54	*41	122	*27
404.91	198	78	120	-	*	*63	132	*49	*	107	*
404.93	*38	*	*	-	*	*	*	*	*	*	*
410	3,196	1,880	1,315	-	165	951	2,080	730	774	1,325	366
410.0	62	*36	*25	-	*	*32	*27	*	*	*37	*
410.01	62	*36	*25	-	*	*32	*27	*	*	*37	*
410.1	233	153	80	-	*27	80	126	69	59	88	*
410.11	233	153	80	-	*27	80	126	69	59	88	*
410.2	36	*24	*12	-	*	*	*20	*	*	*15	*
410.21	36	*24	*12	-	*	*	*20	*	*	*15	*
410.3	*21	*17	*	-	-	*	*	*	*	*	*
410.31	*21	*17	*	-	-	*	*	*	*	*	*
410.4	240	176	64	-	*	95	131	56	38	119	28
410.41	238	175	63	-	*	95	130	56	37	119	27
410.5	*35	*	*24	-	*	*	*	*	*	*	*
410.51	*35	*	*24	-	*	*	*	*	*	*	*
410.7	2,258	1,246	1,012	-	86	595	1,576	547	528	943	240
410.71	2,248	1,246	1,002	-	86	595	1,566	547	518	942	240
410.9	284	206	78	-	*	102	152	*28	107	89	61
410.91	242	167	75	-	*	70	142	*	104	74	61
410.92	*37	*36	*	-	-	*	*	*	*	*	-
411	109	69	40	-	*	54	46	22	*19	48	*20

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
411.1	91	57	34	-	*	43	41	20	*15	36	*20
412	53	21	*32	-	*	30	*15	*	*	43	*
413	166	136	30	-	*	18	141	133	*	22	*
413.9	155	134	21	-	*	*9	141	133	*	*13	*
414	2,809	1,676	1,133	-	61	1,070	1,677	592	757	1,162	298
414.0	2,673	1,610	1,063	-	58	994	1,621	577	741	1,121	235
414.00	268	113	155	-	*	97	169	88	66	94	21
414.01	2,292	1,430	862	-	55	837	1,399	465	653	961	212
414.02	101	58	42	-	*	51	49	*23	*20	56	*
414.1	*60	*11	*	-	*	*	*	*	*	*	*54
414.8	72	51	*21	-	*	*25	47	*	*15	*37	*10
415	911	381	530	-	137	330	444	221	184	347	159
415.1	896	372	524	-	137	327	432	220	183	334	159
415.11	*37	*	*19	-	*	*	*	*	*	*	*
415.19	854	349	506	-	127	306	421	209	176	325	145
416	150	*64	86	*	*	*25	72	*87	*	*	*21
416.8	112	*56	56	*	*	*25	*35	*59	*	*	*20
420	25	*17	*	*	*	*	*	*	*	*	*
420.9	25	*17	*	*	*	*	*	*	*	*	*
420.90	*16	*	*	*	*	*	*	*	*	*	*
421	149	*	*75	*	*	*	*54	*	*	*83	*
421.0	149	*	*75	*	*	*	*54	*	*	*83	*
423	131	73	58	-	*23	43	64	*32	*54	*34	*
423.9	62	*20	*42	-	*	*30	*24	*	*	*22	*
424	788	486	301	*	*	115	642	387	115	221	65
424.0	250	100	150	-	*	*56	184	*87	*26	101	*36
424.1	515	374	141	*	*	56	443	287	89	110	*29
425	239	102	137	*	111	66	58	121	39	58	*22
425.4	218	89	129	*	107	54	52	117	34	52	*16
426	226	140	86	*	*12	*21	182	44	33	80	70
426.0	129	78	51	*	*	*	113	*21	*	58	39
426.1	60	33	27	*	*	*	51	*16	*14	*	*
426.13	31	*15	*16	*	*	*	*24	*	*	*	*
426.7	*18	*17	*	*	*	*	*	*	*	*	*
427	3,064	1,458	1,606	*	150	564	2,347	914	493	1,241	416
427.0	62	27	34	-	*	*23	*28	*17	*13	*18	*
427.1	232	150	82	-	*22	86	124	64	48	70	50
427.3	1,932	922	1,010	*	60	340	1,532	644	281	798	209
427.31	1,691	806	885	-	52	286	1,354	612	243	686	150
427.32	241	116	125	*	*	54	178	32	38	112	59
427.4	*40	*	*	-	*	*	*	*	*	*	*
427.41	*40	*	*	-	*	*	*	*	*	*	*
427.5	83	*77	*	*	*	*	*78	*	*	*	*
427.6	*21	*14	*	*	*	*	*17	*	*	*	*
427.69	*19	*13	*	*	*	*	*	*	*	*	*
427.8	660	232	428	*	37	91	531	161	117	260	121
427.81	241	83	159	-	*	*24	214	70	45	98	28
427.89	418	149	269	*	34	67	317	91	72	162	93
427.9	*22	*	*	-	*	*	*20	*	*	*	*
428	5,718	2,693	3,026	65	208	1,345	4,100	1,539	1,231	2,191	757
428.0	2,321	1,075	1,247	57	100	586	1,577	623	455	928	315
428.2	1,657	976	681	-	69	448	1,140	477	337	651	191

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
428.20	112	69	*44	-	*	*26	83	*	*25	46	*
428.21	294	169	125	-	*	73	213	61	58	154	*
428.22	146	54	91	-	*	*21	123	*	*22	62	*50
428.23	1,104	683	421	-	55	329	720	381	233	389	102
428.3	1,224	375	848	-	*23	208	993	315	325	414	169
428.30	238	84	155	-	*	*45	181	*40	67	100	*32
428.31	207	59	148	-	*	*34	168	58	50	80	*
428.32	115	*28	87	-	*	*32	81	*29	*	53	*
428.33	663	204	459	-	*	97	562	188	191	181	103
428.4	497	263	234	*	*	100	374	124	113	186	73
428.40	*34	*	*	*	*	*	*	*	*	*	*
428.41	91	44	*47	-	-	*30	62	*	*	*44	*
428.42	73	*38	*	-	*	*	*50	*	*	*	*
428.43	298	158	140	-	*	*44	245	*72	79	99	48
429	*34	*	*22	-	*	*	*22	*	*	*	*
430	273	137	136	-	*99	97	*77	*75	127	*66	*
431	630	359	270	*	*29	239	360	157	143	198	131
432	256	102	154	*	*	57	182	*33	54	*82	*86
432.1	212	87	125	*	*	*50	155	*22	*42	*63	*85
432.9	*43	*	*	-	*	*	*27	*	*	*	*
433	364	199	165	-	*	88	262	83	88	143	49
433.1	306	171	135	-	*	73	219	71	83	126	26
433.10	221	117	104	-	*	56	164	53	53	97	17
433.11	85	54	*31	-	*	*	55	*	*	*29	*
434	2,018	848	1,170	*	72	523	1,420	503	373	897	246
434.0	*44	*	*	-	*	*	*29	*	*	*	*
434.01	*44	*	*	-	*	*	*29	*	*	*	*
434.1	397	116	281	-	*	79	305	187	*57	83	71
434.11	288	114	174	-	*	79	196	80	*57	81	71
434.9	1,577	704	873	*	58	429	1,086	310	308	797	161
434.90	*22	*	*	-	-	*	*20	*	-	*21	*
434.91	1,555	697	858	*	58	427	1,066	310	308	777	160
435	499	214	285	-	16	152	330	160	105	196	38
435.8	*23	*	*	-	*	*18	*	*	*	*	*
435.9	468	205	263	-	16	130	322	143	97	190	38
437	155	86	69	*	*	46	106	77	*28	36	*15
437.1	*54	*	*	-	-	*	*53	*	*	*	*
437.2	27	*	*	-	*	*14	*	*	*	*	*
437.3	39	*10	28	-	*	26	*12	*11	*	*10	*
437.7	*14	*	*	-	*	*	*	*	*	*	*
438	946	325	622	-	*	72	872	243	*24	151	528
438.1	103	*	*	-	-	*	*	*	*	*	-
438.2	677	104	573	-	*	*	650	91	*	67	509
438.20	667	97	570	-	*	*	643	91	*	60	507
438.8	166	132	*33	-	*	*34	130	*66	*	69	*
438.89	116	84	*32	-	*	*33	81	*24	*	*63	*
440	848	510	337	-	*	298	526	227	156	372	93
440.1	*15	*	*	-	-	*	*	*	*	*	*
440.2	778	465	313	-	*	272	495	215	145	344	74
440.20	36	*20	*	-	*	*	*29	*	*	*	*
440.21	168	98	69	-	*	64	102	*25	29	96	*
440.22	88	*40	*48	-	*	*	55	*41	*	*31	*
440.23	119	90	*30	-	-	*31	88	*	*26	55	*
440.24	347	206	141	-	*	128	211	133	*55	135	*
440.3	*51	*39	*	-	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
440.31	*36	*	*	-	*	*	*	*	*	*	*
441	477	360	116	-	*	125	315	75	147	162	92
441.0	124	88	*35	-	*	*44	*47	*	*	*	*32
441.01	*76	*	*	-	*	*	*	*	*	*	*
441.02	*21	*20	*	-	-	*	*	*	*	*	*
441.2	79	*51	*	-	*	*	*66	*	*	*	*
441.4	203	157	*46	-	-	*43	160	*27	73	66	*36
442	77	*62	*	-	*	*19	*57	*	*	*	*
443	212	149	63	*	*	117	87	*64	69	77	*
443.9	184	125	59	-	*	101	82	*60	51	71	*
444	193	101	92	-	*	49	133	*37	56	*54	*46
444.2	125	61	*63	-	*	*30	89	*	*29	*33	*
444.22	97	*38	*59	-	*	*25	*68	*	*28	*26	*
444.8	39	*21	*	-	*	*	*28	*	*	*	*
444.81	*27	*	*	-	-	*	*	*	*	*	-
446	70	*26	*44	*	*	*	*32	*	*	*24	*
447	*58	*	*33	*	*	*	*	*	*	*	*
451	*26	*	*	-	*	*	*	*	*	*	*
453	747	389	358	*	120	244	381	179	191	298	80
453.4	641	342	299	-	96	203	341	158	157	247	78
453.40	130	62	68	-	*	49	68	*	*41	68	*
453.41	339	186	152	-	36	104	199	120	77	91	51
453.42	172	94	79	-	*47	51	74	*22	40	87	*23
453.8	88	*35	53	*	*	*32	*36	*	*	*44	*
455	94	57	37	-	*20	25	49	*25	*	29	27
455.2	68	44	*24	-	*15	*20	*33	*	*	*24	*20
457	*40	*	*27	-	*	*	*	*	*	*	*
458	392	189	203	*	*12	91	284	89	78	175	50
458.0	194	103	91	-	*	28	163	*25	38	106	25
458.2	57	23	*34	-	*	*14	42	*26	*	*16	*
458.29	48	*19	*28	-	*	*12	35	*	*	*15	*
458.9	124	51	73	*	*	45	69	*34	30	42	*18
459	137	78	59	-	*	*32	93	*67	*25	*29	*
459.8	95	*61	*34	-	*	*24	*63	*52	*	*	*
459.81	94	*61	*33	-	*	*24	*62	*52	*	*	*
460-519	19,225	8,711	10,513	1,759	1,740	5,144	10,581	4,829	3,731	7,458	3,207
461	110	*16	*94	*	*	*	*	*82	*	*20	*
461.9	*15	*	*	*	*	*	*	*	*	*	-
462	24	*10	*	*	*8	*	*	*8	*	*	*
463	*14	*	*	*	*	*	*	*	*	*	*
464	47	28	*19	31	*	*	*	*16	*	*18	*
464.4	20	*15	*	20	-	-	-	*	*	*	*
465	74	35	39	35	*15	*	*18	16	*19	*17	21
465.9	73	34	39	35	*15	*	*18	16	*19	*17	21
466	539	293	246	368	*24	45	101	75	83	245	136

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
466.0	173	54	119	*	*24	45	100	37	*30	84	*22
466.1	365	238	127	363	-	*	*	38	53	161	114
466.11	260	172	88	258	-	-	*	29	39	112	81
466.19	105	66	38	105	-	*	*	*9	*	49	33
473	39	*15	*24	*	*	*18	*	*	*	*	*
473.9	*19	*	*12	*	*	*9	*	*	*	*	*
474	24	*17	*	22	*	-	*	*	*	*	*15
474.0	*5	*	*	*	*	-	-	*	*	*	*
474.1	*19	*13	*	*18	*	-	*	*	*	*	*
474.10	*10	*	*	*10	*	-	-	*	-	*	*
475	39	*15	*24	*	19	*	*	*	*	*14	*19
478	53	27	*25	*16	*	*20	*	*	*	*21	*22
478.2	*19	*	*	*	*	*	*	*	*	*	*
480	167	82	85	84	*	*	*33	*	*	*60	63
480.1	*49	*	*32	*37	-	-	*	*	*	*	*
480.9	94	54	*40	33	*	*	*	*	*	*39	*37
481	141	68	74	*	*	*47	68	*	*	50	*37
482	861	450	410	*64	64	215	517	188	190	315	168
482.1	140	*65	*74	*	*	*	111	*	*	*77	*
482.3	60	*	*30	*	*	*	*	*	*	*	*
482.30	*22	*	*	*	*	*	*	*	*	*	-
482.4	337	187	150	*	*	*89	219	*	72	138	*67
482.42	275	166	108	*	*	*68	186	*	*43	124	*
482.8	96	*52	*44	-	*	*	*60	*	*	*	*
482.83	*57	*	*	-	*	*	*33	*	*	*	*
482.9	138	84	54	*44	*	*37	55	53	*23	*	*39
483	54	*	*41	*13	*	*	*	*	*	*	*
483.0	*18	*	*	*	*	*	*	*	*	*	*
485	*46	*	*	*	*	*	*35	*	*	*	*
486	4,691	2,134	2,557	347	422	965	2,956	1,079	1,153	1,701	758
487	278	112	166	77	47	91	63	57	50	80	92
487.0	121	46	75	*27	*22	*37	*36	*	*26	*30	*42
487.1	146	64	82	50	*19	54	*24	*32	*23	46	45
490	89	33	56	*	*	*21	63	*15	*18	52	*
491	2,939	1,228	1,710	*	67	955	1,916	734	626	1,227	351
491.2	2,935	1,227	1,708	*	67	953	1,914	733	626	1,226	351
491.20	69	*	*33	-	*	*	*31	*	*	*49	*
491.21	2,401	995	1,406	*	37	795	1,568	599	525	977	300
491.22	465	196	269	-	*	149	315	123	98	199	44
492	65	52	*	-	*	*24	*34	*	*	*14	*
492.8	44	*35	*	-	-	*	*29	*	*	*	*
493	2,038	886	1,152	331	362	549	795	531	276	948	284
493.0	88	66	*21	75	*	*	*	*	*	*	61
493.00	29	*26	*	*23	*	*	*	-	*	*	*26
493.02	47	36	*	42	*	*	*	*	*	*	35
493.1	77	*	*73	*8	*	*	-	*	*	*	*10
493.12	*68	*	*	*	*	*	-	*	*	*	*
493.2	808	263	544	*	102	329	374	264	144	271	128
493.20	67	*	62	-	*	*	*33	*30	*	*33	-
493.21	*23	*	*	-	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of days of care in thousands											
493.22	717	250	467	*	76	310	330	231	137	229	119
493.9	1,065	553	512	247	191	208	419	195	125	661	84
493.90	166	47	120	44	*26	48	49	38	*18	102	*9
493.91	461	362	99	98	*31	*33	*	46	*23	379	*
493.92	438	144	294	105	134	128	71	112	84	180	62
494	*46	*	*25	*	-	*	*35	*	*	*	*
496	493	86	407	*	*	349	143	362	36	53	42
507	1,344	700	644	*	73	226	1,036	338	226	621	158
507.0	1,339	699	640	*	73	225	1,032	334	226	620	158
510	161	128	*	*	*	*55	*71	*	*	*	*
510.9	148	120	*	*	*	*	*	*	*	*	*
511	690	287	403	*	74	215	380	326	103	188	73
511.8	236	89	146	-	*58	*75	103	121	*	*74	*
511.81	162	*45	117	-	*	*49	80	*84	*	*48	*
511.89	*74	*44	*	-	*	*	*	*	*	*	*
511.9	431	186	245	*	*	128	267	192	67	112	60
512	220	140	80	*	42	75	97	57	70	53	40
512.1	96	60	*36	-	*	*27	66	*	*36	*	*21
512.8	117	74	43	*	37	*46	*28	*32	*32	*34	*
513	108	*	*	*	*	*	*	-	*	*	*
513.0	108	*	*	*	*	*	*	-	*	*	*
514	*36	*	*	-	*	*	*	*	*	*	*
515	212	77	134	*	*	87	115	*48	*52	68	44
516	*84	*	*	*	*	*	*	*	*	*	-
516.8	*66	*	*	*	*	*	*	*	*	*	-
518	3,402	1,580	1,822	252	320	956	1,874	647	572	1,466	717
518.0	58	*33	*25	*22	*	*	*23	*	*	*26	*25
518.4	*42	*	*	-	*	*	*	*	*	*	*
518.5	113	*85	*	*	*	*	*	*	*	*	*
518.8	3,177	1,436	1,742	220	301	884	1,773	625	554	1,368	631
518.81	2,352	1,042	1,310	198	251	638	1,265	479	377	989	506
518.82	*24	*	*	*	*	*	*	*	*	*	*
518.83	*34	*	*20	*	*	*	*25	*	*	*	*
518.84	679	324	355	*	*	212	424	113	144	315	107
518.89	89	*51	*38	*	*	*	*48	*	*	*	*
519	70	45	*25	*	*	40	*16	*	*	*33	*
519.1	36	*23	*	*	*	*28	*	*	*	*23	*
519.19	*30	*21	*	*	*	*27	-	*	-	*22	*
520-579	16,906	7,852	9,054	597	3,340	5,974	6,994	4,075	3,298	6,753	2,781
522	30	*15	*15	*	*15	*	*	*	*	*	*
522.5	26	*14	*	*	*14	*	*	*	*	*	*
524	19	*	*14	*	*15	*	-	*	-	*11	*
527	*32	*	*27	*	*	*	*	*	*	*	*
527.2	*29	*	*24	*	*	*	*	*	*	*	*
528	49	*21	*28	*	*	*	*	*	*	*20	*
530	666	303	364	70	114	201	281	121	108	292	146

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
530.0	32	*	*19	-	*	*	*	*	*	*	*
530.1	141	62	80	*	*39	45	58	*17	*23	78	*23
530.10	50	*17	*33	-	*	*18	*25	*	*	42	*
530.11	*21	*	*	*	*	*	*	*	*	*	*
530.19	53	*19	*34	-	*	*19	*22	*	*	*	*
530.2	73	*45	*	*	*	*	*58	*	*	*	*
530.21	*45	*24	*	*	*	*	*	*	*	*	*
530.3	*41	*	*31	*	*	*	*	*	*	*	*
530.5	*22	*	*16	-	*	*	*17	*	*	*	*
530.7	81	37	44	-	*20	*	36	*	*	41	*
530.8	261	122	139	66	39	85	72	48	49	111	52
530.81	233	102	131	64	37	70	62	48	38	98	49
531	320	159	161	-	*22	114	184	68	79	143	*31
531.4	183	95	88	-	*	47	129	*44	*33	92	*
531.40	172	88	84	-	*	46	119	*44	*32	81	*
531.9	45	*	*32	-	*	*	*24	*	*	*	*
531.90	36	*	*32	-	*	*	*15	*	*	*	*
532	341	213	128	-	*21	125	195	114	95	88	*45
532.4	207	125	83	-	*	82	121	*65	44	72	*
532.40	196	114	82	-	*	82	111	*55	44	71	*
532.5	*59	*40	*	-	*	*	*	*	*	*	*
532.50	*57	*	*	-	*	*	*	*	*	*	*
533	27	*	*21	-	*	*	*	*	*	*19	*
533.9	*19	*	*	-	*	*	*	*	*	*	*
533.90	*19	*	*	-	*	*	*	*	*	*	*
534	*28	*	*20	-	*	*20	*	*	*	*	*
535	436	157	279	*	76	118	235	149	65	177	46
535.0	45	*19	*26	*	*	*	*22	*17	*	*20	*
535.00	35	*14	*22	*	*	*	*	*	*	*18	*
535.1	*34	*	*25	*	*	*	*	*	*	*	*
535.10	*24	*	*	*	*	*	*	*	*	*	*
535.3	*22	*19	*	-	*	*	*	*	*	*	*
535.4	164	55	109	*	31	*27	105	68	*24	57	*16
535.40	93	*23	69	*	*26	*	51	*32	*	36	*
535.41	71	*32	*40	-	*	*	54	*36	*	*	*
535.5	156	46	109	*	27	50	74	43	*24	71	*18
535.50	95	31	65	*	24	36	32	25	*14	46	*
535.51	61	*16	45	*	*	*	*42	*	*	*25	*
536	410	139	271	*	82	153	152	127	75	165	43
536.2	90	46	44	*	36	*45	*	*	*	59	*
536.3	105	*	85	*	*40	44	*	*	*	*41	*16
536.4	197	69	127	*	*	51	134	88	*32	58	*18
536.41	93	*	75	*	*	*	*68	*	*	*38	*
536.42	48	*	*28	*	*	*19	*24	*	*	*	*
536.49	*56	*	*	*	*	*	*	*	*	*	*
536.8	*17	*	*	-	*	*	*	*	*	*	*
537	270	115	155	*	*23	92	145	92	76	87	*
537.0	94	42	*52	*	*	*40	*	*	*	*48	*
537.8	159	67	92	-	*	*45	105	71	*49	*30	*
537.83	64	*25	*39	-	-	*	52	*24	*	*	*
537.84	*50	*	*	-	-	*	*	*	*	*	*
537.89	*42	*	*	-	*	*	*	*	*	*	*
540	781	446	335	206	328	150	97	199	107	246	230
540.0	223	155	68	73	84	*35	*	*69	*34	63	57
540.1	168	91	77	*43	58	*41	*	*38	*	*48	56
540.9	391	200	190	90	186	74	41	91	47	135	117

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of days of care in thousands											
564.1	35	*	*30	*	*20	*	*	*	*	*21	*
564.8	*50	*	*	*	*	*	*	*	*	*	-
565	*18	*	*	-	*	*	*	*	*	*	*
566	82	68	*	*	48	*	*	*22	*	*34	*
567	283	147	137	*	*	155	*67	*77	*70	91	*
567.2	149	*68	82	*	*	*81	*56	*	*	*58	*
567.22	122	*58	*64	*	*	*68	*	*	*	*	*
568	109	*	73	*	*28	*37	*31	*	*	*60	*
568.0	64	*	54	-	*	*	*	*	*	*36	*
568.8	*45	*	*19	*	*	*	*	*	*	*	*
568.89	*21	*	*	*	*	*	*	*	*	*	-
569	833	409	424	*	79	351	399	212	217	335	69
569.1	*31	*	*30	-	*	*	*	*	*	*	*
569.3	96	40	56	-	*	26	63	*35	*	31	*
569.4	46	*29	*	-	*	*	*	*	*	*24	*
569.49	*28	*	*	-	*	*	*	*	*	*	*
569.6	228	133	96	*	*48	129	50	60	*27	125	*
569.62	*83	*	*	*	*	*	*	*	*	*	-
569.69	115	53	63	*	*	*56	*39	41	*	*	*
569.8	407	187	219	*	*19	154	232	92	148	136	*31
569.81	*92	*58	*	*	*	*	*37	*	*	*	*
569.82	*22	*	*	-	*	*	*	*	*	*	*
569.83	127	*	*86	-	*	*	*81	*	*	*	*
569.85	89	*	73	-	*	*	84	*52	*	*26	*
569.89	*65	*	*	*	*	*	*	*	*	*17	*
570	*30	*	*	-	*	*	*	*	*	*	*
571	680	512	168	*	80	472	127	172	100	315	93
571.1	82	*53	*	-	*	*45	*	*	*	*	*
571.2	359	310	*49	-	*38	278	*43	*97	*57	160	*44
571.5	201	135	65	-	*	130	66	61	*	118	*
572	506	264	242	-	*	351	126	107	51	211	137
572.0	*92	*	*	-	*	*	*	*	*	*	*
572.2	320	179	141	-	*	239	55	*28	*34	141	118
572.3	32	*25	*	-	*	*18	*	*	*	*	*11
572.4	*46	*	*	-	-	*	*	*	*	*	-
573	34	*	*22	*	*	*	*	*	*	*	*
574	1,510	562	947	*15	387	453	654	331	251	680	247
574.0	568	222	346	*	126	149	288	139	103	243	82
574.00	525	202	323	*	120	143	257	122	100	222	80
574.01	*42	*	*	-	*	*	*	*	*	*	*
574.1	256	110	146	*	70	69	114	49	48	105	54
574.10	247	109	138	*	70	64	110	48	47	104	48
574.2	175	62	113	*	46	72	51	*	35	86	38
574.20	164	61	103	*	37	70	49	*	33	76	38
574.3	*50	*	*	-	*	*	*	*	*	*	*
574.30	*40	*	*	-	*	*	*	*	*	*	*
574.4	*28	*	*	-	*	*	*	*	*	*	*
574.5	144	*44	100	-	*39	*52	53	*28	*	88	*14
574.50	86	*	79	-	*	*	*38	*	*	*52	*14
574.51	58	*	*21	-	*	*	*	*	*	*	*
574.6	91	*44	47	-	*	*21	*53	*	*	*42	*
574.60	73	*40	*33	-	*	*17	*42	*	*	*31	*
574.7	85	*39	47	*	*29	*33	*	*	*	*33	*29
574.70	65	*31	*34	*	*24	*24	*	*	*	*	*25
574.8	52	*	*28	-	*	*	*	*	*	*28	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
574.80	46	*	*26	-	*	*	*	*	*	*	*
574.9	*61	*	*53	-	*	*	*	*	*	*	*
574.90	*18	*	*	-	*	*	*	*	*	*	*
575	320	149	171	*	81	118	112	77	60	131	52
575.0	158	90	68	*	26	65	63	*41	39	44	34
575.1	128	46	82	*	40	42	*40	*31	*	69	*
575.10	*29	*	*	*	*	*	*	*	*	*	*
575.11	67	*	49	-	33	*23	*	*	*	46	*
575.12	*33	*	*	-	*	*	*	*	*	*	*
575.8	*30	*	*	*	*	*	*	*	*	*	*
576	157	58	98	*	*22	52	81	*43	*46	45	*23
576.1	*47	*	*	*	*	*	*	*	*	*	*
576.2	72	*28	44	*	*	*24	44	*	*	*	*
576.8	*32	*	*23	*	*	*	*	*	*	*	*
577	1,781	1,028	754	*	628	748	380	498	344	587	352
577.0	1,575	942	632	*	547	650	357	477	310	500	287
577.1	147	66	81	*	72	58	*	*	*23	48	60
577.2	*44	*	*	-	*	*35	*	*	*	*	*
578	991	452	539	*	79	267	635	208	204	398	182
578.0	68	36	*32	*	*	*23	*30	*	*17	*23	*
578.1	224	115	109	*	*26	65	128	*30	57	102	35
578.9	699	301	398	*	43	179	477	159	131	272	137
579	85	*	58	*35	*	*	*	*	*	*	*33
579.3	*44	*	*38	*33	*	*	*	*	-	*	*31
580-629	9,121	3,519	5,602	207	1,255	2,216	5,442	2,091	1,681	3,726	1,624
581	*22	*	*	*	*	*	*	*	*	*	*
584	3,033	1,433	1,600	*	137	799	2,067	660	546	1,289	537
584.5	199	101	97	*	*	*59	126	*69	*44	*40	*46
584.9	2,830	1,328	1,502	*	124	738	1,941	590	500	1,249	490
585	319	188	131	*	48	106	163	65	*23	137	95
585.4	*32	*	*21	-	*	*	*28	*	*	*	*
585.6	267	168	99	*	45	102	118	*44	*20	112	91
590	504	141	363	51	140	143	171	131	89	189	94
590.1	209	44	166	*	71	53	81	48	43	78	39
590.10	208	44	165	*	71	53	80	48	43	78	38
590.8	285	96	189	45	64	88	89	82	44	105	55
590.80	285	96	189	45	64	88	89	82	44	105	55
591	50	*25	*26	*	*12	*	*	*	*	*16	*19
592	354	176	178	*	117	124	112	93	73	154	34
592.0	120	44	76	*	50	42	*28	28	*22	52	*17
592.1	235	133	102	*	67	83	84	65	51	102	*17
593	138	48	90	*13	*	32	81	*28	34	56	*21
593.4	*41	*	*32	*	*	*	*	*	*	*	*
593.7	*13	*	*	*11	*	*	-	*	*	*	*
593.70	*12	*	*	*11	*	-	-	*	*	*	*
593.8	*28	*	*	*	*	*	*	*	*	*	*
593.9	*25	*	*19	*	*	*	*18	*	*	*17	*
595	97	61	*36	*	*	*	68	*	*29	*32	*
595.0	*18	*	*	-	*	*	*	*	*	*	*
595.8	*30	*	*	-	-	*	*	*	*	*	-

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
595.82	*28	*	*	-	-	*	*	*	*	*	-
595.9	45	*	*18	*	*	*	*26	*	*	*	*
596	91	63	*	*	*	*	46	*	*	43	*
596.5	*24	*	*	*	*	*	*	*	*	*	*
596.54	*24	*	*	*	*	*	*	*	*	*	*
599	2,881	897	1,984	62	162	432	2,225	778	453	1,224	426
599.0	2,749	805	1,945	61	149	402	2,138	739	428	1,181	402
599.7	91	74	*	*	*	*17	65	*32	*	*18	*22
599.70	37	35	*	-	*	*	*22	*	*	*	*
599.71	54	39	*	*	*	*	43	*	*	*	*
600	278	278	-	-	*	26	252	40	47	57	135
600.0	251	251	-	-	*	*22	228	33	42	48	127
600.00	132	132	-	-	-	*	128	*	*	*	*
600.01	119	119	-	-	*	*18	101	*27	39	45	*
600.9	*22	*22	-	-	-	*	*20	*	*	*	*
600.91	*22	*22	-	-	-	*	*19	*	*	*	*
601	*18	*18	-	-	*	*	*	*	*	*	*
604	*29	*29	-	*	*	*	*	*	*	*	*
604.9	*24	*24	-	*	*	*	*	*	*	*	*
604.90	*21	*21	-	*	*	*	*	*	*	*	-
608	48	48	-	*	*	*	*	*	*	*20	*
608.4	*33	*33	-	*	*	*	*	*	*	*	-
611	72	*	69	*	37	27	*	*13	*	29	*24
611.0	56	*	56	*	30	*20	*	*	*	*22	*21
611.1	*9	*	*6	*	*	*	*	*	*	*	*
614	113	-	113	-	71	*29	*	*19	*28	43	*
614.6	24	-	24	-	*21	*	*	*	*	*11	*
614.9	*21	-	*21	-	*13	*	*	*	*	*	*
616	37	-	37	*	*	*	*	*	*	*	*
616.4	*28	-	*28	*	*	*	*	*	*	*	*
617	127	-	127	-	91	36	-	*40	37	25	*24
617.0	71	-	71	-	42	*29	-	*	22	*18	*23
618	218	-	218	-	32	87	98	29	57	95	36
618.0	60	-	60	-	*	33	22	*	*11	40	*6
618.01	38	-	38	-	*	*22	14	*	*	*25	*
618.04	*14	-	*14	-	*	*	*	*	*	*	*
618.1	18	-	18	-	*	*6	*	*	*	*7	*
618.2	23	-	23	-	*10	*9	*	*	*	*	*
618.3	*12	-	*12	-	-	*	*	*	*	*	*
618.4	48	-	48	-	*	*12	25	*10	*18	*14	*
618.5	43	-	43	-	*	19	23	*	*13	24	*
618.8	*9	-	*9	-	*	*	*	*	*	*	*
619	*27	-	*27	-	*	*18	*	*	*	*	*
620	144	-	144	*	105	31	*	29	35	45	34
620.0	*11	-	*11	-	*	*	-	*	*	*	*
620.1	33	-	33	-	30	*	-	*	*	*	*
620.2	77	-	77	*	54	*17	*	*19	*17	25	16
620.5	*11	-	*11	*	*9	*	-	*	*	*	*
621	32	-	32	-	*	26	*	*	*	*	*
621.3	*16	-	*16	-	*	*11	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
622	*19	-	*19	-	*	*	*	*	*	*	*
622.1	*18	-	*18	-	*	*	*	*	*	*	*
625	87	-	87	*	61	19	*	*14	22	40	*11
625.3	23	-	23	*	22	*	-	*	*	*	*
625.6	21	-	21	-	*	*10	*	*	*8	*	*
625.9	32	-	32	*	25	*	-	*	*	*19	*
626	199	-	199	*	130	65	*	21	52	103	23
626.2	156	-	156	*	103	51	-	17	43	79	18
626.8	31	-	31	-	22	*7	*	*	*	*15	*
626.9	*10	-	*10	-	*	*	-	-	*	*	*
627	27	-	27	-	*	*15	*	*	*	*	*
627.1	*19	-	*19	-	-	*10	*	*	*	*	*
630-679	1,516	-	1,516	*	1,491	*	-	397	346	545	228
632	30	-	30	-	30	-	-	*	*14	*8	*
633	43	-	43	-	43	*	-	*	*11	*23	*
633.1	34	-	34	-	34	-	-	*	*	*17	*
633.10	33	-	33	-	33	-	-	*	*	*17	*
634	21	-	21	-	21	-	-	*	*	*	*
634.9	*10	-	*10	-	*10	-	-	*	*	*	*
641	37	-	37	-	37	-	-	*	*	*	*
641.9	*9	-	*9	-	*9	-	-	*	*	*	-
641.93	*9	-	*9	-	*9	-	-	*	*	*	-
642	87	-	87	*	84	*	-	18	*22	34	*
642.0	*10	-	*10	-	*10	-	-	*	*	*	*
642.03	*10	-	*10	-	*10	-	-	*	*	*	*
642.3	*12	-	*12	-	*11	*	-	*	*	*	*
642.33	*12	-	*12	-	*10	*	-	*	*	*	*
642.4	33	-	33	*	32	*	-	*	*	*	*
642.43	*28	-	*28	-	*26	*	-	*	*	*	*
643	98	-	98	-	98	*	-	*	*	60	*17
643.0	36	-	36	-	36	-	-	*	*	*23	*
643.03	36	-	36	-	36	-	-	*	*	*23	*
643.1	39	-	39	-	39	*	-	*	*	*18	*
643.13	39	-	39	-	39	*	-	*	*	*18	*
643.2	*18	-	*18	-	*18	-	-	-	*	*	*
643.23	*18	-	*18	-	*18	-	-	-	*	*	*
644	296	-	296	*	283	*	-	54	87	97	58
644.0	289	-	289	*	275	*	-	53	85	94	56
644.03	289	-	289	*	275	*	-	53	85	94	56
644.1	*7	-	*7	-	*7	-	-	*	*	*	*
644.13	*7	-	*7	-	*7	-	-	*	*	*	*
646	144	-	144	*	144	-	-	*20	34	66	25
646.6	66	-	66	*	66	-	-	*	*16	27	*13
646.63	63	-	63	*	62	-	-	*	*	26	*13
646.8	73	-	73	-	73	-	-	*	*	37	*10
646.83	61	-	61	-	61	-	-	*	*	35	*
647	*21	-	*21	-	*20	*	-	*	*	*	*
648	349	-	349	*	346	*	-	97	67	128	57
648.0	52	-	52	-	52	-	-	*	*	*34	*
648.03	51	-	51	-	51	-	-	*	*	*34	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
648.2	*19	-	*19	-	*19	-	-	*	*	*	-
648.23	*13	-	*13	-	*13	-	-	*	*	*	-
648.4	43	-	43	-	43	-	-	*	*18	*	*
648.43	*27	-	*27	-	*27	-	-	*	*	*	*
648.6	*33	-	*33	-	*33	-	-	*	*	*	*
648.8	*14	-	*14	-	*14	-	-	*	*	*	*
648.83	*14	-	*14	-	*14	-	-	*	*	*	*
648.9	180	-	180	*	177	*	-	66	22	46	46
648.93	176	-	176	*	173	*	-	65	21	44	46
649	64	-	64	*	63	-	-	*34	*19	*	*
649.7	59	-	59	*	57	-	-	*	*18	*	*
649.73	59	-	59	*	57	-	-	*	*18	*	*
654	56	-	56	-	56	-	-	*14	*	*	*
654.5	*37	-	*37	-	*37	-	-	*	*	*	*
654.53	*37	-	*37	-	*37	-	-	*	*	*	*
658	30	-	30	-	30	-	-	*	*	*	*
658.1	*11	-	*11	-	*11	-	-	*	*	*	-
658.13	*11	-	*11	-	*11	-	-	*	*	*	-
659	45	-	45	-	45	-	-	*42	*	*	*
670	33	-	33	-	33	-	-	*	*	*	*
670.0	33	-	33	-	33	-	-	*	*	*	*
670.04	33	-	33	-	33	-	-	*	*	*	*
674	68	-	68	*	68	-	-	*	*	*24	*
680-709	3,887	2,013	1,873	225	863	1,317	1,481	1,125	738	1,336	688
681	102	52	51	*	*22	47	*27	*27	*20	43	*
681.0	57	*22	*35	*	*	*27	*	*15	*	*	*
681.00	48	*22	*26	*	*	*19	*	*15	*	*	*
681.1	45	*30	*	*	*	*20	*	*	*	*21	*
681.10	36	*21	*	*	*	*	*	*	*	*21	*
682	2,664	1,293	1,370	170	604	839	1,050	708	515	999	442
682.0	159	67	92	*21	70	34	*34	30	36	57	36
682.1	71	49	*23	*24	*22	*21	*	*	*	*22	*22
682.2	310	171	139	*39	83	138	50	49	44	158	59
682.3	231	135	96	*	72	77	78	66	52	68	46
682.4	114	71	*42	*	55	*23	*28	*30	*	52	*23
682.5	124	51	73	*14	41	*32	*37	*27	*	47	*38
682.6	1,402	605	797	47	230	432	692	429	303	476	194
682.7	202	129	72	*	*21	71	104	47	37	101	*
682.8	*38	*15	*	*	*	*	*	*	*	*	*
684	*8	*	*	*7	-	-	*	*	*	*	*
692	*27	*	*	*9	*	*	*	*	*	*	*
692.9	*23	*	*	*	*	*	*	*	*	*	*
693	48	*12	36	*	*	*16	*24	*	*	*	*
693.0	48	*12	36	*	*	*16	*24	*	*	*	*
698	*25	*	*	-	*	*	*	*	*	*	*
698.9	*18	*	*	-	*	*	*	*	*	*	*
707	825	527	298	*	131	350	340	271	152	225	176
707.0	587	425	163	*	*83	298	202	194	109	145	139
707.03	300	204	96	*	*	*92	146	*	*51	86	112
707.05	*82	*	*	-	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
707.07	149	115	*34	-	-	122	*	124	*	*	*
707.1	172	78	94	*	*	*43	102	*	*38	54	*33
707.10	*28	*	*	-	*	*	*	*	*	*	*
707.15	*43	*	*	*	*	*	*	*	*	*	*
707.19	*31	*	*	-	*	*	*	*	*	*	*
707.2	*55	*	*	-	*	*	*	*	*	*	*
707.23	*47	*	*	-	*	*	*	*	*	*	*
708	*11	*	*	*	*	*	*	*	*	*	*
708.0	*10	*	*	*	*	*	*	*	*	*	*
710-739	8,704	3,604	5,100	122	961	3,532	4,089	2,390	1,867	2,940	1,506
710	101	*	74	*	*51	*28	*	*	*	*40	*24
710.0	86	*	62	*	*51	*	*	*	*	*34	*19
711	226	103	123	*	*71	*33	*96	*	*38	*59	*84
711.0	208	102	106	*	*65	*33	*85	*	*32	*47	*84
711.06	93	*45	*	*	*	*	*	*	*	*	*
714	109	*33	76	*	*	66	39	*52	*	*32	*15
714.0	83	*22	62	-	*	*45	36	*43	*	*23	*
715	3,398	1,291	2,107	*	65	1,507	1,825	869	707	1,216	605
715.1	395	173	222	-	*	175	214	55	36	146	157
715.11	*27	*	*	-	-	*	*20	*	*	*	*20
715.15	117	55	62	-	*	49	64	*21	*	54	36
715.16	246	99	147	-	*	116	129	*33	30	82	101
715.2	*17	*	*	-	*	*	*	*	*	*	*
715.3	2,162	819	1,343	-	38	957	1,167	648	535	696	283
715.31	37	*13	24	-	*	*12	25	*	*	*10	*11
715.35	674	319	355	-	*24	279	372	242	180	178	74
715.36	1,439	485	954	-	*	657	769	399	344	507	189
715.37	*11	*	*	-	*	*	*	*	*	*	*
715.9	806	281	525	*	*18	355	432	160	125	367	154
715.90	56	*	54	-	*	*	*38	*24	*	*	*
715.91	39	23	*16	-	*	*17	*18	*	*	*11	*19
715.95	194	108	86	-	*	97	93	*27	45	80	43
715.96	456	145	311	*	*	220	224	53	72	255	76
716	86	34	52	*	*	37	39	*	*33	*30	*13
716.1	*27	*	*18	-	*	*	*	*	*	*	*
716.9	55	*23	33	*	*	*18	33	*	*23	*	*13
716.96	*23	*	*	-	*	*	*	-	*	*	*
717	*10	*	*	-	*	*	*	*	*	*	*
718	34	*	*18	*	*	*16	*	*	*	*	*14
719	154	85	69	*	*	91	56	82	*28	31	*
719.4	100	*59	42	-	*	*61	35	*63	*12	*16	*
719.41	*14	*	*	-	*	*	*	*	*	*	*
719.45	*26	*	*23	-	*	*	*24	*	*	*	*
719.46	*57	*	*	-	*	*	*	*	*	*	*
721	337	152	185	-	68	123	147	45	125	108	59
721.0	56	32	24	-	*8	29	*19	*11	*17	*22	*
721.1	81	49	32	-	*16	36	*29	*	*27	*28	*
721.3	178	63	115	-	43	48	87	*20	70	48	40
722	1,186	557	629	*	267	576	342	331	278	382	195
722.0	107	41	66	-	43	58	*	21	*14	49	23
722.1	406	178	228	-	131	159	116	96	124	105	82
722.10	399	172	227	-	131	153	116	96	123	99	81

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
722.4	66	17	48	-	*	44	*13	*	*	*15	32
722.5	337	150	187	-	70	156	111	47	95	146	49
722.52	328	142	186	-	62	156	109	47	94	138	49
722.7	183	145	*38	*	*	128	*43	131	*23	*23	*
722.71	135	119	*	-	*	118	*	110	*	*	*
722.73	*18	*	*	*	*	*	*	*	*	*	*
722.8	*22	*	*	-	*	*	*	*	*	*	*
722.83	*21	*	*	-	*	*	*	*	*	*	*
722.9	*62	*	*48	*	*	*	*	*	*	*	*
722.93	*36	*	*	*	*	*	*	*	*	*	*
723	115	58	57	-	*17	32	67	54	*22	28	*
723.0	64	*48	*16	-	*	*17	*45	*32	*17	*	*
723.1	23	*	*19	-	*	*	*	*13	*	*	*
723.4	*20	*	*	-	*	*	*	*	*	*	*
724	612	260	353	*	61	134	418	175	157	234	46
724.0	403	193	210	-	*	88	303	111	111	148	33
724.02	393	185	208	-	*	87	294	109	108	143	32
724.2	68	27	41	*	*	*22	34	*	*20	*30	*
724.4	66	*24	*42	-	*	*	54	*41	*	*15	*
724.5	69	*15	54	-	*33	*12	*24	*	*15	*38	*
726	87	49	38	*	*	*29	39	*22	*	27	*
726.3	*22	*22	*	-	*	*	*	*	*	*	*
726.33	*22	*22	*	-	*	*	*	*	*	*	*
726.6	*35	*	*	*	*	*	*	*	*	*	*
726.65	*27	*	*	*	*	*	*	*	*	*	*
727	50	24	*25	*	*	*	*17	*	*	*	*
727.0	*24	*	*	*	*	*	*	*	*	*	*
728	363	198	164	*	57	142	163	120	*43	69	131
728.8	338	185	152	*	*41	139	158	117	*42	66	113
728.88	210	101	109	-	*21	40	149	113	*	43	*34
729	226	82	144	*	47	85	91	110	*34	53	30
729.1	64	*	56	*	*	*	*44	*	*	*	*
729.5	62	*36	*26	*	*	*37	*	*45	*	*	*
729.8	60	*20	40	*	*22	*24	*14	*20	*	*16	*19
729.89	43	*19	*24	*	*10	*	*	*	*	*	*18
729.9	*27	*	*	*	*	*	*	*	*	*	-
730	472	269	203	*	*70	215	159	140	79	214	*38
730.0	100	*78	*	*	*	*	*	*	*	*	*
730.1	112	*52	*60	*	*	*31	*	*	*	*75	*
730.17	*31	*	*	*	*	*	*	*	*	*	*
730.2	260	139	121	*	*	148	*57	*91	*39	106	*
730.27	145	62	83	*	*	94	*42	*53	*	64	*
730.28	*68	*	*	*	*	*	*	*	*	*	*
732	*15	*	*	*	*	-	-	*	*	*	*
733	641	174	467	*	52	173	405	162	136	222	120
733.0	*29	*	*29	-	-	*	*	*27	*	*	*
733.00	*29	*	*29	-	-	*	*	*27	*	*	*
733.1	388	87	301	*	*	*57	320	89	85	137	77
733.13	282	59	223	-	*	*41	239	66	63	95	58
733.14	*29	*	*26	-	*	*	*26	*	*	*	*
733.15	*26	*	*	*	-	*	*	*	*	*	*
733.4	98	42	56	-	*23	46	*29	*18	*21	40	*19
733.42	74	34	*40	-	*	*35	*21	*	*19	*34	*
733.6	38	*11	27	*	*	*20	*	*10	*	*18	*
733.8	71	28	43	*	*16	*21	*33	*	*19	*23	*18
733.82	60	*23	37	-	*16	*19	*25	*	*	*21	*13

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of days of care in thousands											
733.9	*16	*	*	*	*	*	*	*	*	*	*
736	67	*18	*49	*	*	*	*49	*50	*	*	*
737	221	*80	141	*	*45	107	*52	*	*65	*73	*
737.3	192	*	122	*	*44	*81	*50	*	*59	*69	*
737.30	167	*	110	*	*	*77	*	*	*44	*62	*
738	169	70	99	*	*18	101	49	*23	44	61	41
738.1	*13	*	*	*	*	*	*	*	*	*	*
738.19	*11	*	*	*	*	*	*	*	*	*	*
738.4	153	61	92	-	*	96	48	*21	41	54	36
740-759	1,052	568	484	626	174	181	71	189	221	406	237
741	*24	*21	*	*	*	-	-	-	*	*	*
741.0	*23	*21	*	*	*	-	-	-	*	*	*
742	39	*	*25	*18	*	*	*	*	*	*	*
745	136	82	55	104	*	*	*	*	*	*73	*39
745.5	60	*30	*30	*	*	*	*	*	*	*	*
746	91	*55	*36	*59	*	*	*	*	*	*	*
747	150	*60	90	92	*	*	*	*	*	*	*41
747.8	*54	*	*	*	*	*	*	*	*	*	-
749	*13	*	*	*13	-	-	-	*	*	*	*
750	34	24	*11	34	-	*	*	*	*	*	*11
750.5	30	22	*	30	-	-	-	*	*	*	*10
751	85	*60	*24	*52	*	*	*	*	*	*54	*
753	51	38	*12	*29	*	*	*	*	*	*	*
753.1	*27	*24	*	*	*	*	*	*	*	*	*
754	74	*24	*	*66	*	*	-	*	*	*	*
755	*23	*	*	*	*	*	-	*	*	*	*
755.6	*22	*	*	*	*	*	-	*	*	*	*
755.63	*21	*	*	*	*	*	-	*	-	*	*
756	149	75	74	*53	*19	66	*	*45	*27	61	*17
756.1	89	*54	35	*	*	66	*	*	*	*23	*
756.12	50	*17	*33	*	*	34	*	*	*	*22	*
759	*83	*	*	*69	*	*	*	*	*	*	*
759.8	*63	*	*	*	*	*	*	*	*	*	*
760-779	1,861	964	898	1,861	*	-	-	160	295	878	529
765	390	178	213	390	-	-	-	*	*	233	*68
765.1	334	152	182	334	-	-	-	*	*	191	*
769	319	169	*	319	-	-	-	*	*	235	*
770	381	234	148	381	*	-	-	*	*	181	156
770.6	*83	*	*	*83	*	-	-	*	*	*	*
770.8	136	70	*67	136	-	-	-	*	*	*94	*
770.89	*67	*44	*	*67	-	-	-	*	*	*	*
771	131	*64	*67	131	-	-	-	*	*	*	*91

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of days of care in thousands											
771.8	118	*53	*	118	-	-	-	*	*	*	*90
771.81	*99	*	*	*99	-	-	-	*	*	*	*
774	87	54	33	87	-	-	-	*11	*13	19	43
774.2	*31	*	*	*31	-	-	-	*	*	*	*
774.6	54	33	21	54	-	-	-	*	*9	15	*21
775	*28	*19	*	*28	-	-	-	*	*	*	*14
775.5	*19	*	*	*19	-	-	-	*	-	*	*
777	156	*	*	156	-	-	-	*	*	*	*
778	*21	*	*	*21	-	-	-	*	*	*	*
778.4	*14	*	*	*14	-	-	-	*	*	*	*
779	225	65	159	225	-	-	-	*	*	96	103
779.3	*69	*	*	*69	-	-	-	*	*	*	*
779.8	125	*31	*93	125	-	-	-	*	*	*30	*84
779.89	124	*30	*93	124	-	-	-	*	*	*29	*84
780-799	452	196	256	87	133	111	121	43	47	238	124
780	84	41	43	35	*	*19	23	*12	*	37	28
780.2	*14	*	*	*	*	*	*	*	*	*11	*
780.3	29	*19	*	*17	*	*	*	*	*	*	*16
780.39	26	*17	*	*14	*	*	*	*	*	*	*
780.6	*22	*	*	*16	*	*	-	*	*	*	*
780.60	*18	*	*	*13	*	*	-	*	*	*	-
780.9	*12	*	*	*	*	-	*	*	-	*	*
786	56	31	25	*	*9	25	*16	*7	*	32	*13
786.5	47	23	24	*	*9	24	*13	*7	*	27	*9
786.50	23	*14	*9	*	*	*10	*	*	*	15	*
786.59	22	*9	*13	*	*	*12	*	*	*	*11	*
787	*20	*	*	*	*	*	*	*	*	*	*
787.0	*18	*	*	*	*	*	*	*	*	*	*
789	53	*17	36	*	21	*	*	*17	*	*15	*17
789.0	46	*16	30	*	21	*	*	*13	*	*14	*17
789.00	*12	*	*	*	*	*	*	*	-	*	*
799	201	89	113	*24	80	39	58	*	*30	125	43
799.9	193	85	107	*18	80	37	58	*	*30	123	36
800-999	15,857	7,991	7,865	600	3,500	4,574	7,182	3,648	3,400	5,980	2,829
800	48	38	*	*17	*	*	*	*	*	*	*17
800.2	*33	*23	*	*	*	*	*	*	*	*	*
801	295	200	95	*	136	*60	*79	*44	55	93	103
801.0	32	18	*	*	*11	*	*	*	*	*	*
801.01	*18	*9	*	*	*	*	*	*	*	*	*
801.2	177	110	*68	*	*75	*	*63	*	*	*66	*60
801.21	*41	*	*	*	*	-	*	*	*	*	*
801.26	*81	*	*	*	*	*	*	-	*	*	*
802	146	98	48	*	60	*51	*31	32	*25	45	43
802.2	35	28	*	*	*21	*	*	*	*	*20	*
802.4	*37	*18	*	-	*	*	*	*	*	*	*
802.6	*15	*	*	*	*	*	*	*	*	*	*
805	726	349	377	*	112	212	401	145	140	230	211
805.0	258	151	108	*	51	102	105	*38	*55	80	*86

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
805.01	*53	*	*	-	*	*	*	*	*	*	*
805.02	108	*29	*	-	*	*	*35	*	*	*	*
805.06	*21	*20	*	-	*18	*	*	*	*	*	-
805.2	146	*75	72	*	*14	*57	75	*	*25	52	*56
805.4	286	117	169	*	45	47	194	86	46	93	61
805.6	*30	*	*28	-	*	*	*25	*	*	*	*
806	130	*77	*	*	*	*	*88	*	*	*	*
806.0	*94	*58	*	*	*	*	*78	*	*	*	*
807	237	110	126	*	31	64	142	49	38	88	62
807.0	211	92	119	*	24	57	129	46	37	75	52
807.01	*20	*	*	-	*	*	*	*	*	*	*
807.02	47	*9	*38	-	*	*	*44	*	*	*	*
807.03	*37	*	*	-	*	*	*32	*	*	*	*
807.04	*20	*	*	-	*	*	*	*	*	*	*
807.05	*22	*	*	*	*	*	*	*	*	*	*
807.09	*35	*	*	-	*	*	*	*	*	*	*
807.2	*25	*	*	-	*	*	*	*	*	*	*
808	396	133	263	*	*58	72	246	85	68	129	114
808.0	117	*52	*65	-	*47	*53	*	*34	*	*	*
808.2	206	*63	144	*	*	*	197	*29	*40	50	88
808.4	*25	*	*	*	*	*	*	*	*	*	*
808.8	*44	*	*44	*	*	*	*	*	*	*	-
810	*21	*	*	*	*	*	*	*	*	*	*
810.0	*21	*	*	*	*	*	*	*	*	*	*
812	249	60	189	*15	*25	56	153	60	45	112	32
812.0	167	*29	138	-	*	*37	127	*35	*29	85	*
812.00	57	*	*48	-	*	*	*49	*	*	*31	*
812.01	46	*	43	-	*	*	37	*	*	*26	*
812.09	47	*	*35	-	*	*	*28	*	*	*21	*
812.2	*31	*	*23	-	*	*	*	*	*	*	-
812.21	*28	*	*21	-	*	*	*	*	*	*	-
812.4	34	*11	*22	*15	*	*	*	*	*	*	*10
812.41	*16	*	*11	*11	*	*	*	*	*	*	*
813	217	94	124	*13	*14	86	104	65	32	86	34
813.0	*46	*	*17	*	*	*	*	*	*	*	*
813.2	*28	*24	*	*	*	*	*	*	*	*	*
813.23	*21	*	*	*	*	*	*	*	*	*	*
813.4	84	33	51	*	*	28	48	*13	*	40	*15
813.42	46	*	*31	*	*	*17	*27	*	*	*30	*
813.44	*30	*	*	*	*	*	*	*	*	*	*
816	*15	*	*	*	*	*	*	*	*	*	*
816.1	*15	*	*	-	*	*	*	*	*	*	*
820	1,751	574	1,177	*	*48	168	1,533	315	385	802	249
820.0	415	128	287	*	*	*39	345	72	103	170	70
820.03	*33	*	*	*	*	*	*25	*	*	*	*
820.09	366	110	256	-	*	*	306	*57	91	151	67
820.2	905	292	612	*	*	66	827	170	180	435	120
820.20	58	*	*41	-	*	*	*48	*	*	*	*
820.21	765	252	514	-	*	*35	727	152	136	378	100
820.22	82	*	58	*	*	*	*51	*	*	*35	*
820.8	424	150	274	-	*	*62	357	72	102	190	60
821	417	230	187	*26	140	84	167	77	105	201	*34
821.0	188	132	56	*24	85	*	*51	*37	*36	87	*28
821.00	*49	*39	*	*	*	*	*	*	-	*44	*
821.01	139	93	*46	*	77	*	*24	*33	*36	*43	*27
821.2	163	*57	106	*	*	*31	110	*	*58	65	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of days of care in thousands											
821.21	*40	*	*	-	*	*	*	-	*	*	-
821.23	74	*	53	*	*	*	*58	*	*	*26	*
822	*31	*	*23	-	*	*	*22	*	*	*	*
822.0	*28	*	*21	-	*	*	*20	*	*	*	*
823	410	264	146	*	194	114	95	63	80	149	118
823.0	185	104	80	*	70	60	55	*	35	57	*69
823.00	154	81	73	*	68	56	*31	*	*30	*36	*69
823.2	87	69	*18	*	56	*21	*	*	*	*38	*28
823.20	*18	*	*	*	*	*	*	*	*	*	*
823.22	66	55	*	*	*43	*	*	*	*	*	*
823.3	*43	*28	*	*	*	*	*	*	*	*	*
823.32	*41	*	*	*	*	*	*	*	*	*	*
823.8	*48	*32	*	*	*	*	*	*	*	*	*
823.82	*42	*	*	-	*	*	*	*	*	*	*
824	329	118	210	*	109	87	129	84	55	124	66
824.2	*18	*	*	-	*	*	*	*	*	*	*
824.4	109	*26	83	*	38	*24	46	*25	*	48	*24
824.6	67	*16	51	*	*15	*24	*28	*19	*13	*18	*17
824.8	70	36	*34	*	*24	*20	*24	*	*11	*32	*12
825	59	*24	*35	*	*36	*12	*	*	*10	*32	*
825.0	*11	*	*	-	*	*	*	*	*	*	-
825.2	*22	*	*	*	*	*	*	*	*	*	*
840	*15	*9	*	-	*	*	*	*	*	*	*
843	*19	*	*	-	*	*	*	*	*	*	*
844	*26	*	*	-	*	*	*	*	*	*	*
847	*11	*	*	*	*	*	*	*	*	*	*
850	113	70	43	*	41	34	*31	38	*19	31	*25
850.0	*30	*	*	*	*	*	*	*	*	*	*
850.1	19	*7	*12	*	*10	*	*	*	*	*	*
850.11	19	*7	*12	*	*10	*	*	*	*	*	*
850.5	50	*34	*15	*	*21	*8	*	*20	*	*23	*
850.9	*14	*	*	*	*	*	*	*	*	*	*
851	150	90	59	*	*27	*52	*66	*	*45	*35	*44
851.8	112	72	*40	*	*25	*	*45	*	*30	*	*28
851.86	*28	*	*	*	*	*	*	*	*	*	*
852	667	372	296	*	120	115	396	103	139	211	214
852.0	223	124	98	*	*82	*14	97	*42	*53	*53	*74
852.00	*46	*	*	-	*	*	*	*	*	*	*
852.01	97	*29	*68	*	*	*	*59	*	*	*	*
852.06	*66	*	*16	-	*51	*	*	*	*	*	*
852.2	414	243	171	*	*38	76	299	*60	86	129	139
852.20	89	*52	*38	*	*	*	69	*	*15	*40	*
852.21	134	64	70	*	*	*	99	*	*51	*34	*24
852.26	84	*38	*46	*	*	*	*	*	*	*	*
853	114	76	*38	*	*	*	81	*	*	*56	*17
853.0	114	76	*38	*	*	*	81	*	*	*56	*17
853.01	47	*38	*	*	*	*	*23	*	*	*	*
860	242	173	69	*	87	*53	100	*49	*44	123	*25
860.0	110	96	*	*	*34	*	*63	*	*	*68	*
860.2	*47	*	*	-	*	*	*	*	*	*	*
860.4	*58	*41	*	-	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
861	94	*75	*	*	*	*	*	*	*	*	*
861.2	65	*47	*	*	*	*	*	*	*	*	*
861.21	65	*47	*	*	*	*	*	*	*	*	*
863	*46	*33	*	*	*35	*	*	*	*	*	*
864	72	*45	*	*	*46	*	*	*	*	*	*
864.0	*32	*	*	*	*	*	-	*	*	*	*
864.1	*40	*25	*	*	*31	*	*	*	*	*	*
865	123	78	*	*	44	*	*	*	*34	*32	*
865.0	102	61	*	*	*37	*	*	*	*	*30	*
867	*36	*34	*	-	*	*	*31	*	*	*	*
867.0	*32	*32	-	-	*	*	*31	*	*	*	*
868	*84	*80	*	*	*76	*	*	*	*	*	*
873	81	59	*22	*	*20	*	*23	*	*	*43	*11
873.0	*16	*	*	*	*	*	*	*	*	*	*
873.4	*19	*	*	*	*	*	*	*	*	*	*
879	*42	*	*	*	*	*	*	*	*	*35	*
881	*32	*16	*	*	*26	*	*	*	*	*	*
891	42	*29	*13	*	*13	*	*	*10	*	*	*
891.0	*15	*	*	*	*	*	*	*	*	*	*
891.1	*26	*	*	*	*	*	*	*	*	*	*
920	17	*	*12	*	*	*	*13	*	*	*	*
922	40	*17	*23	*	*	*	*23	*19	*	*	*
922.2	*22	*	*	*	*	*	*	*	*	*	*
924	84	*	74	*	*	*	66	47	*	*19	*
924.0	49	*	41	-	*	*	*38	*	*	*18	*
924.01	*38	*	*37	-	*	*	*29	*	*	*	*
924.1	*20	*	*20	-	-	*	*17	*	*	*	*
927	*12	*12	-	*	*	*	-	*	*	*	*
935	26	*13	*	*	*	*	*	*	*	*	*
935.1	*20	*8	*	*	*	*	*	*	*	*	*
941	*27	*	*	*	*	*	*	*	*	*	*
942	*22	*	*	*	*	*	*	*	*	*	-
945	*27	*	*	*	*	*	*	*	*	*	*
959	111	57	53	*40	50	*	*17	77	*12	*16	*
959.0	29	*12	17	*	*	*	*12	*9	*9	*	*
959.01	27	*12	*15	*	*	*	*12	*9	*	*	*
959.9	*43	*	*	*	*	*	-	*	*	*	-
962	*24	*	*	*	*	*	*	*	*	*	*
962.3	*23	*	*	*	*	*	*	*	*	*	*
965	295	113	182	*	124	116	47	58	56	128	52
965.0	159	67	92	*	37	83	*39	*21	28	88	*21
965.00	40	*	*27	-	*	*24	*	*	*	*23	*
965.01	*13	*	*	-	*	*	-	*	*	*	*
965.09	83	*36	*48	*	*	*45	*	*	*	*50	*
965.1	*13	*	*	*	*9	*	-	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
965.4	93	37	56	*	70	*20	*	*24	*15	34	*20
965.8	*16	*	*	-	*	*	*	*	*	*	*
966	27	*	*13	*	*	*	*	*	*	*	*
966.3	*19	*	*	*	*	*	*	*	*	*	*
967	76	*	66	-	*18	*24	*	*	*	*36	*35
967.8	*38	*	*36	-	*	*	*	*	*	*	*
967.9	*23	*	*	-	*	*	*	*	*	*	*
969	213	94	119	*	112	86	*	41	62	69	42
969.0	56	*20	35	*	35	*20	*	*	*16	*	*19
969.3	38	22	*16	*	27	*	*	*	*	*	*
969.4	80	30	50	*	43	24	*	*	29	31	*8
970	47	*24	*24	-	*24	*22	*	*	*11	*	*
970.8	46	*23	*23	-	*24	*21	*	*	*10	*	*
971	*15	*	*	-	*	*	*	*	*	*	*
972	31	*	*21	*	*	*15	*	*	*	*14	*
972.6	*11	*	*	*	*	*	*	*	*	*	*
977	*16	*	*	*	*	*	*	*	*	*	*
980	*16	*	*	*	*	*	*	*	*	*	*
989	*26	*	*	*	*	*	*	*	*	*	*
992	*10	*	*	*	*	*	*	*	*	*	*
994	*38	*36	*	*	*	*	*	*	*	*	*
995	125	32	93	*	44	38	27	32	*26	55	*12
995.0	*14	*	*	*	*	*	*	*	*	*	*
995.1	35	*15	20	*	*	*17	*14	*	*	*12	*
996	3,237	1,703	1,534	110	398	1,349	1,381	798	721	1,293	425
996.0	94	53	41	*	*	*	52	*28	*23	40	*
996.01	26	*9	*17	*	*	*	23	*10	*	*12	*
996.04	45	*28	*17	-	*	*	*21	*	*	*	*
996.1	65	*52	*13	*	*	*	*32	*	*	*	*
996.2	82	*49	33	24	*	*35	*	*	*	45	*
996.3	86	*41	*45	*	*	*46	*29	*31	*	*23	*
996.39	76	*32	*44	*	*	*46	*22	*	*	*	*
996.4	529	255	274	*	*16	192	319	158	110	174	88
996.41	128	70	58	-	*	*37	89	*60	*	*36	*23
996.42	108	*39	70	-	*	*57	49	*	*39	*33	*
996.43	53	*28	*25	-	*	*17	*34	*	*	*15	*
996.44	*43	*	*23	-	*	*	*	*	*	*	*
996.46	*15	*	*	-	*	*	*	*	*	*	*
996.47	42	*21	*20	-	*	*15	*25	*	*	*11	*
996.49	119	62	58	*	*	45	64	*	*20	*54	*
996.5	69	*33	36	*	*	*37	*15	*17	*22	*26	*
996.59	45	*22	*23	*	*	*22	*	*	*15	*	*
996.6	1,425	734	691	*	206	566	621	313	326	636	150
996.61	121	*87	*	-	*	*	*61	*	*	*	*
996.62	376	171	205	*	*54	155	163	86	*68	190	*32
996.63	*78	*71	*	*	*	*	*	*	*	*	*
996.64	245	126	119	-	*	*42	192	74	68	95	*
996.65	*38	*30	*	-	*	*	*	*	*	*	*
996.66	275	131	144	-	*	131	135	89	*68	89	*29
996.67	118	75	*43	*	*38	*33	*	*	*	*48	*
996.69	126	*34	91	*	*	85	*	*	*	*83	*
996.7	626	331	295	*	75	244	277	156	150	191	129

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
996.72	101	55	46	-	*	39	41	*18	28	*35	*
996.73	134	65	69	-	*	35	80	*36	*28	*32	*37
996.74	179	129	*50	*	*	77	76	58	*53	59	*
996.76	*35	*	*	*	*	*	*30	*	*	*	-
996.77	37	*	31	-	*	*17	*18	*	*	*	*
996.78	79	53	25	*	*	30	*	*22	*	*	*34
996.79	*21	*	*	*	*	*	*	*	*	*	*
996.8	261	154	106	*	*54	178	*	87	*39	132	*
996.81	101	*50	*51	*	*	63	*	*	*33	*47	*
997	737	371	365	*	160	252	311	193	216	223	104
997.0	*27	*	*	*	*	*	*	*	*	*	*
997.1	66	*25	*41	*	*	*	*38	*	*	*	*
997.2	*48	*37	*	-	*	*	*	*	*	*	*
997.3	*63	*39	*	*	*	*	*	*	*	*	*
997.39	*45	*	*	*	*	*	*	*	*	*	*
997.4	314	133	181	*	87	124	95	50	96	103	64
997.5	*48	*37	*	-	*	*	*	*	*	*	*
997.6	166	81	85	-	*	*45	100	*56	*51	*	*
997.62	104	*64	*	-	*	*	*	*	*	*	*
997.69	61	*	*45	-	*	*	*43	*	*	*	*
998	1,809	860	949	*42	353	701	713	468	456	637	247
998.1	286	143	143	*	50	95	127	44	68	128	46
998.11	142	84	58	*	*16	57	55	*11	*33	59	*38
998.12	123	48	75	-	*23	*33	67	*31	*32	54	*
998.13	*21	*	*	-	*	*	*	*	*	*	*
998.2	*29	*	*	*	*	*	*	*	*	*	*
998.3	172	73	98	*	*	50	102	*	*	62	*
998.31	*54	*28	*	*	*	*	*28	*	*	*	*
998.32	98	*	*71	-	*	*21	*	*	*	*26	*
998.5	1,174	555	619	*	229	506	415	351	330	373	121
998.51	*41	*	*34	-	*	*	*	*	*	*	*
998.59	1,132	548	585	*	224	483	402	332	325	365	110
998.6	89	*47	*42	-	*33	*	*	*31	*	*45	*
998.8	57	*29	*27	*	*	*28	*	*	*	*	*
998.83	*41	*	*	*	*	*	*	*	*	*	*
999	417	245	172	*63	93	120	141	116	84	178	*38
999.3	389	240	149	*62	89	117	120	115	80	157	*37
999.31	366	224	143	*62	80	113	111	110	76	156	*
999.39	*22	*	*	*	*	*	*	*	*	*	*
V01-V89	19,282	4,145	15,136	258	11,630	2,387	5,007	4,347	4,080	6,790	4,066
V07	36	*20	*16	*	*7	*18	*	31	-	*	*
V07.8	*24	*	*13	*	*	*	*	*22	-	*	-
V07.9	*9	*	*	-	*	*	-	*9	-	-	-
V10	73	*39	34	*	*	*14	*55	*42	*	*26	*
V10.3	*21	-	*21	-	-	*	*	*	*	*	-
V10.4	*46	*	*	*	-	*	*	*	*	*	*
V12	42	*21	*21	-	*	*31	*	*	*	*25	*
V12.5	*23	*14	*	-	*	*18	*	*	*	*	*
V15	39	*23	*	*	*	*	*	*	*	*26	*
V15.8	*34	*22	*	-	*	*	*	*	*	*	*
V17	*14	*	*	*	*	*	-	*	*	*	*
V27	10,858	-	10,858	*	10,784	61	-	2,055	2,561	4,111	2,131
V27.0	8,936	-	8,936	*	8,881	*42	-	1,753	1,975	3,527	1,682
V27.1	39	-	39	-	39	-	-	*	*	*18	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
V27.2	237	-	237	-	231	*	-	55	64	81	37
V27.9	1,627	-	1,627	-	1,613	*	-	238	509	476	405
V42	*16	*	*	*	*	*	*	*	*	*	*
V43	*41	*	*40	-	*	*	*	*34	-	*	-
V43.6	*31	-	*31	-	*	*	*	*	-	*	-
V43.65	*25	-	*25	-	*	*	*	*	-	*	-
V44	*37	*	*	-	*	*	*37	*	*	*	-
V45	533	310	223	*	*19	80	432	399	*	113	*8
V45.0	*19	*	*	-	-	*	*19	*	*	*	*
V45.7	*36	*	*34	-	*	*33	*	*	*	*26	-
V45.71	*29	-	*29	-	*	*26	*	*	*	*	-
V45.8	463	284	179	*	*15	*45	401	388	*	67	*
V45.81	61	*32	*	-	*	*	*52	*	*	*40	-
V45.82	231	210	*	-	-	*	228	207	*	*	-
V45.89	168	*41	127	*	*	*32	121	161	*	*	*
V46	*23	*	*	*	*	*	*	-	*	*	*
V52	*16	*	*	*14	*	-	*	*	-	*15	*
V52.8	*15	*	*	*14	*	-	-	*	-	*15	-
V53	28	*15	*	*	-	*	*18	*	*	*	*
V53.3	*24	*12	*	*	-	*	*17	*	*	*	*
V54	191	94	*97	*	*	*79	110	163	-	*	*
V54.1	151	*68	*	-	-	*	*81	130	-	*	*
V54.17	115	*68	*	-	-	*	*61	115	-	-	-
V55	327	160	167	*	*54	151	79	53	58	183	*
V55.2	128	65	64	*	*	*41	*33	*22	*	61	*
V55.3	177	86	*91	*	*37	96	*39	*	*	114	*
V56	46	*29	*	-	*	*	*	-	*	*38	*
V56.0	45	*28	*	-	*	*	*	-	*	*38	*
V57	5,492	2,535	2,957	*	400	1,256	3,799	1,005	1,207	1,663	1,617
V57.1	263	249	*	-	-	123	140	223	*	*	*
V57.8	5,129	2,187	2,942	*	400	1,084	3,608	691	1,201	1,635	1,602
V57.89	5,091	2,177	2,914	*	400	1,074	3,579	653	1,201	1,635	1,602
V58	1,028	601	427	62	124	496	345	312	164	435	117
V58.0	126	*	*	-	*	*	*	120	*	*	*
V58.1	706	401	305	59	114	383	149	160	117	330	99
V58.11	690	398	292	59	106	377	149	149	114	329	98
V58.6	60	*16	44	-	*	*22	37	*	*	56	*
V58.69	*35	*	*27	-	-	*	*	-	*	*35	*
V58.8	84	*59	*25	*	*	*	*39	*	*41	*	*
V58.89	*52	*	*	*	*	*	*38	-	*41	*	-
V59	*21	*	*	-	*14	*	*	*	*	*	-
V59.4	*21	*	*	-	*	*	*	*	*	*	-
V62	75	*26	*49	*	47	*26	*	*10	*	*29	*
V62.8	75	*26	*49	*	47	*26	*	*10	*	*29	*
V62.84	75	*26	*49	*	47	*26	*	*10	*	*29	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
V70	88	82	*6	*	38	*	*	75	*	*	*
V70.7	*14	*	*	-	*13	*	*	*	*	*	*
V85	42	*11	31	-	*11	*18	*	*	*	*23	*
V85.4	30	*	*20	-	*	*17	*	-	*	*22	*

*Figure does not meet standards of reliability or precision. Estimates preceded by the asterisk should be used with caution.

- Quantity zero.

SOURCE: CDC/NCHS National Hospital Discharge Survey, 2009.

More information about survey methodology can be found at:

ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/NHDS/NHDS_2009_Documentation.pdf.