

SECTION C  
Marital and Relationship History

VARIABLES IMPORTED FROM EARLIER SECTIONS:

AGE_R	R'S AGE AT INTERVIEW (FROM A)
AGESCRN	R'S AGE AT SCREENER (FROM A)
CMBIRTH	CM FOR MO/YR OF R'S BIRTH (FROM A)
CMINTVW	CM OF INTERVIEW (FROM A)
CMLSTYR	CENTURY MONTH OF MONTH OF INTERVIEW - 1 YR (FROM A)
CMLSTYR_FILL	MONTH/YEAR FILL FOR CENTURY MONTH OF INTERVIEW - 1 YR (FROM A)
CMJAN3YR	CENTURY MONTH OF THE JANUARY 3 YEARS PRIOR TO CURRENT YEAR FROM A
THREEYRS_FILL	YEAR FILL FOR YEAR OF INTERVIEW - 3 YR ("2003") (FROM A)
EVRMARRY	WHETHER RESPONDENT EVER MARRIED (FROM A)
MARSTAT	R'S INFORMAL MARITAL STATUS (FROM A)
FMARIT	R'S FORMAL MARITAL STATUS (FROM A)
MANREL	RELATIONSHIP OF MAN IN HH TO R (HUSBAND OR COHAB PARTNER) (FROM A)
MANWITHR	NAME FILL FOR CURRENT HUSBAND OR COHABITING PARTNER (FROM A)
HIGRADE	R'S HIGHEST GRADE ATTENDED (FROM A)
HKIDS18	# OF NONBIOKIDS IN HH < AGE 19 & RELAR = CODES 4 TO 10 (FROM A)
MENARCHE	R'S AGE AT FIRST MENSTRUAL PERIOD (FROM B)
EVERPREG	WHETHER R HAS EVER BEEN PREGNANT (FROM B)
CMPBEG_S[1]	CM FOR MO/YR WHEN 1 <sup>ST</sup> PREGNANCY (EVEN IF CURRENT) BEGAN (FROM B)
CMENDP_S[X]_FILL	FILL FOR PREG END DATE SORTED INTO CORRECT ORDER (FROM B)

VARIABLES CREATED IN THIS SECTION & OUTPUT TO DATA FILE

CHPNAME	NAME FILL FOR CURRENT HUSBAND OR COHABITING PARTNER (FC C-1)
MARRCNTR	MARRIAGE LOOP COUNTER (FC C-2)
CMMARRHX	CM DATE OF MARRIAGE X (FC C-7)
CMMARRCH	CM DATE OF MARRIAGE TO CURRENT HUSBAND (FC C-7)
CMHSBDOBX	CM FOR HUSBAND X'S DATE OF BIRTH (FC C-8)
CMDOBCH	CM FOR CURRENT HUSBAND'S DOB (FC C-8)
CMPMCOHX	CM DATE WHEN R BEGAN LIVING (PREMARITALLY) WITH HUSBAND X (FC C-9)
CMHSBDIEX	CM DATE WHEN HUSBAND X DIED (FC C-18)
CMDIVORCX	CM DATE OF DIVORCE OR ANNULMENT FROM HUSBAND X (FC C-20)
CMSTPHSBX	CM DATE R STOPPED LIVING WITH FORMER HUSBAND X (FC C-21)
PREVHUSB	NUMBER OF FORMER HUSBANDS (FC C-22)
CMSTRTCP	CM DATE WHEN R BEGAN LIVING WITH CURRENT COHABITING PARTNER (FC C-26)
CMDOBPCP	CM FOR CURRENT COHABITING PARTNER'S DOB (FC C-27)
CMSTRTHP	CM DATE R BEGAN LIVING WITH CURRENT HUSBAND OR COHAB PARTNER (FC C-31)
EVRCOHAB	WHETHER R HAS EVER LIVED WITH A NONMARITAL PARTNER (FC C-32)
PREVCOHB	NUMBER OF FORMER COHABITING PARTNERS (FC C-34)
CMCOHSTX	CM DATE R BEGAN LIVING WITH FORMER COHABITING PARTNER X (FC C-35)
CMDOBXCX	CM FOR FORMER COHABITING PARTNER'S DOB (FC C-36)
CMSTPCOHX	CM DATE R STOPPED LIVING WITH FORMER COHAB PARTNER X (FC C-39)
RHADSEX	WHETHER R HAS EVER HAD SEX (HETEROSEXUAL VAGINAL INTERCOURSE) (FC C-42)
CMFSTSEX	CM DATE OF FIRST SEXUAL INTERCOURSE (FC C-44)
FLGSXDK1	FLAG INDICATING SPECIAL-CASE REPORTING ON WNFSTSEX_M (FC C-44)
CMLSEXP	CM DATE OF LAST SEX WITH 1 <sup>ST</sup> SEXUAL PARTNER (FC C-57)
CMFPLAST	CM DATE OF LAST OR ONLY SEX WITH 1 <sup>ST</sup> SEXUAL PARTNER (FC C-57)
CMSEXAFM	CM DATE OF 1 <sup>ST</sup> SEX AFTER MENARCHE (FC C-60)
FLGSXDK2	FLAG INDICATING SPECIAL-CASE REPORTING ON WNSEXAFM_M (FC C-60)
PARTS12	NUMBER OF PARTNERS IN LAST 12 MOS (FC C-64)
PLYRELPHX	RELATIONSHIP TO R OF PARTNERS IN LAST 12 MOS (FC C-70)
CMLSEXX	CM DATE OF LAST SEX WITH PARTNER X IN LAST 12 MOS (FC C-71)
PCURRNTX	WHETHER PARTNER X IN LAST 12 MOS IS CURRENT (FC C-73)
CMFSEXx	CM DATE OF 1 <sup>ST</sup> SEX WITH PARTNER X IN LAST 12 MOS (FC C-77)
CMFSEXTOTx	CM DATE OF 1 <sup>ST</sup> OR ONLY SEX WITH PARTNER X IN LAST 12 MOS (FC C-78)

LIFEPRTS	NUMBER OF PARTNERS IN LIFETIME (FC C-83)
CURRPRTT	TOTAL NUMBER OF CURRENT SEXUAL PARTNERS, INCLUDING A CURRENT
(NOT	SEPARATED) HUSBAND OR COHABITING PARTNER IN THE TOTAL (FC C-83)
CURRPRTS	NUMBER OF CURRENT NONMARITAL, NONCORESIDENTIAL PARTNERS (FC C-
83)	
CURPART1	NAME OR INITIALS OF current partner 1 (R'S 15-17 ONLY) (FC C-
83)	
CURPART2	NAME OR INITIALS OF CURRENT PARTNER 2 (R'S 15-17 ONLY) (FC C-
83)	
CURPART3	NAME OR INITIALS OF CURRENT PARTNER 3 (R'S 15-17 ONLY) (FC C-
83)	
CMCURRP1	CM DATE OF LAST (OR ONLY) SEX WITH CURPART1 (FC C-83)
CMCURRP2	CM DATE OF LAST (OR ONLY) SEX WITH CURPART2 (FC C-83)
CMCURRP3	CM DATE OF LAST (OR ONLY) SEX WITH CURPART3 (FC C-83)

VARIABLES CREATED IN THIS SECTION & ARE NOT OUTPUT TO DATA FILE:

COHBCNTR	COHABITING PARTNER LOOP COUNTER (FC C-2)
PRT12CNTR	RECENT PARTNER LOOP COUNTER (FC C-2)
PRT12IDCNTR	RECENT PARTNER IDENTIFICATION LOOP COUNTER (FC C-2)
MATCHFP_FLAG	FLAG FOR A RECENT PARTNER IS ALSO THE FIRST PARTNER (FC C-2)
MARRFILL	MARRIAGE ORDER FILL (FC C-6B)
HUSBFILL	HUSBAND NAME FILL (FC C-6B)
CMMARRHX_FILL	MO/YR FILL FOR CMMARRHX (FC C-7)
NUMKDSHX_FILL	FILL FOR THE # OF CHILDREN HUSBAND X HAD WHEN MARRIED R (FC C-12A)
CMHSBDIEX_FILL	MO/YR FILL FOR CMHSBDIEX (FC C-18)
CMDIVORCX_FILL	MO/YR FILL FOR CMDIVORCX (FC C-20)
CMSTPHSBX_FILL	MO/YR FILL FOR CMSTPHSBX (FC C-21)
CPNUMKDS_FILL	FILL FOR THE NUMBER OF CHILDREN CURRENT PARTNER HAD WHEN
STARTED	LIVING WITH R (FC C-28A)
COHBFILL	COHABITING PARTNER NAME FILL (FC C-34B)
CMCOHSTX_FILL	MO/YR FILL FOR CMCOHSTX (FC C-35)
CMSTPCOHX_FILL	MO/YR FILL FOR CMSTPCOHX (FC C-39)
CMSTPCOHX_FILL	MO/YR FILL FOR CMSTPCOHX (FC C-39)
CMFSTSEX_FILL	MO/YR FILL FOR CMFSTSEX (FC C-44)
FRSTPART_FILL	FIRST PARTNER NAME FILL (FC C-52)
CMLSEAFP_FILL	MO/YR FILL FOR CMFPLAST (FC C-57)
CMSEXAFM_FILL	MO/YR FILL FOR CMSEXAFM (FC C-60)
PXNAME_FILL	NAME FILL FOR PARTNERS IN LAST 12 MOS (FC C-67)
CMLSEXX_FILL	MO/YR FILL FOR CMLSEX FOR PARTNER X IN LAST 12 MOS (FC C-71)

-----Section C Begins Here -----

FLOW CHECK C-1: INITIALIZE CHPNAME (name fill for current husband or cohabiting partner) (value may change in Flow Checks C-5, C-5b, or C-25):

SET CHPNAME = null/blank

IF AB-1 MARSTAT = 3 or 4 or 5 or 6 or DK or RF, SET CHPNAME = null/blank

ELSE IF MARSTAT = 1 or 2, SET CHPNAME = MANWITHR.

ELSE IF MARSTAT = 1 AND MANWITHR = blank, SET CHPNAME = "Your husband".

ELSE IF MARSTAT = 2 AND MANWITHR = blank, SET CHPNAME = "Your partner".

FLOW CHECK C-2:

{Note for Programmer: These skip instructions were moved after the directions to initialize counter so that Rs with FMARIT = 5 or 0 will still have counters initialized.

INITIALIZE COUNTERS AND FLAG TO 0:

MARRCNTR COUNTS LOOPS THROUGH HUSBANDS SERIES (CB).

COHBCNTR COUNTS LOOPS THROUGH OTHER COHAB PARTNERS SERIES (CD).

PRT12CNTR COUNTS LOOPS THROUGH RECENT PARTNERS SERIES (CI).

PRT12IDCNTR COUNTS LOOPS THROUGH IDENTIFYING RECENT PARTNERS

(CI).

**MATCHFP\_FLAG** INDICATES IF ANY OF THE RECENT PARTNERS WERE SAME AS FIRST PARTNER (CI).

SET MARRCNTR = 0  
 SET COHBCNTR = 0  
 SET PRT12CNTR = 0  
 SET PRT12IDCNTR = 0  
 MATCHFP\_FLAG = 0

IF FMARIT = 1 or 2 or 3 or 4, CONTINUE.  
 ELSE IF FMARIT = 5 (never married) or 0 (DK or RF), GO TO FLOW CHECK C-23.

NUMBER OF MARRIAGES (CA)

C\_INTRO1

CA-0. Las siguientes preguntas son acerca de su matrimonios y otras relaciones.

♦ ENTER [1] to continue

**TIMESMAR**

CA-1. IF FMARIT = 1 or 4 (married or separated), ASK:  
 Incluyendo a su matrimonio actual, ¿cuántas veces se ha casado?

ELSE IF FMARIT = 2 or 3 (widowed or divorced), ASK:  
 ¿Cuántas veces se ha casado?

♦ ENTER number

[HELP AVAILABLE]

Number \_\_\_\_\_

UNDERLYING RANGE: 1 to 95  
 (But we want to allow space for only 6 husbands in looping)

**FLOW CHECK C-4:** IF MARSTAT = 1 (married) AND 1 LE TIMESMAR LE 6, ASK CA-2 HUSBNAMEX FOR EACH FORMER HUSBAND IF ANY (up to TIMESMAR-1) AND THEN ASK CA-2b HSBVERIF TO VERIFY NAME OF CURRENT HUSBAND.

ELSE IF 2 LE CA-1 TIMESMAR LE 6 OR (CA-1 TIMESMAR = 1 AND AB-1 MARSTAT NE 1), ASK CA-2 HUSBNAMEX FOR EACH OF THE [TIMESMAR] FORMER (or currently separated) HUSBANDS.

ELSE IF MARSTAT = 1 (married) AND 1 LE TIMESMAR LE 6 AND CHPNAME = "YOUR HUSBAND", ASK CA-2 HUSBNAMEX FOR EACH FORMER HUSBAND IF ANY (up to TIMESMAR-1) AND THEN GO TO CA-2c CHVERIFY TO FIND OUT NAME OF CURRENT HUSBAND.

ELSE IF TIMESMAR = DK OR RF, GO TO CA-2c CHVERIFY TO FIND OUT NAME OF CURRENT OR MOST RECENT HUSBAND (BASED ON MARSTAT VALUE).

ELSE IF TIMESMAR GT 6 AND MARSTAT = 1 (married), ASK HUSBNAMEX FOR HER FIRST 5 FORMER HUSBANDS AND THEN ASK CA-2c CHVERIFY OR CA-2b HSBVERIF (as appropriate based on

CHPNAME value) ABOUT R's CURRENT HUSBAND. (*For currently married women with more than 6 marriages, we will only ask about her 1<sup>st</sup> 5 husbands and her current husband.*)

ELSE IF TIMESMAR GT 6 AND MARSTAT NE 1 (married), ASK HUSBNAMEX FOR HER FIRST 6 FORMER HUSBANDS. (*For currently unmarried women with more than 6 marriages, we will only ask about her 1<sup>st</sup> 6 marriages.*)

(SEE ENDNOTE)

HUSBNAMEX

CA-2.

IF CA-1 TIMESMAR GT 6 AND AB-1 MARSTAT=1, ASK:

Para ahorrar tiempo durante la entrevista, voy a preguntarle sobre sus primeros cinco matrimonios, y luego sobre su esposo actual.

Por favor dígame los nombres o iniciales de sus ex-esposos para poder referirme a ellos durante la entrevista. Comencemos con el nombre o iniciales de su primer esposo. (PROBE: ¿Y su siguiente esposo?)

ELSE IF CA-1 TIMESMAR GT 6 AND AB-1 MARSTAT NE 1, ASK:

Para ahorrar tiempo durante la entrevista, voy a preguntarle solamente sobre sus primeros 6 matrimonios.

Por favor dígame los nombres o iniciales de sus ex-esposos para poder referirme a ellos durante la entrevista. Comencemos con el nombre o iniciales de su primer esposo. (PROBE: ¿Y su siguiente esposo?)

ELSE IF CA-1 TIMESMAR = 1 AND AB-1 MARSTAT NE 1 AND FMARIT NE 2 OR 3, ASK:

Por favor dígame el nombre o las iniciales de su esposo para poder referirme a él durante la entrevista.

ELSE (IF TIMESMAR = 2 AND MARSTAT = 1) OR (IF TIMESMAR = 1 AND FMARIT = 2 OR 3 (widowed or divorced)), ASK:

Por favor dígame el nombre o las iniciales de su ex-esposo para poder referirme a él durante la entrevista.

ELSE IF TIMESMAR = 2 AND MARSTAT NE 1 (married) ASK:

Por favor dígame los nombres o iniciales de sus ex-esposos para poder referirme a ellos durante la entrevista. Comencemos con el nombre o iniciales de su primer esposo. (PROBE: ¿Y su segundo esposo?)

ELSE IF 2 LT TIMESMAR LE 6, ASK:

Por favor dígame los nombres o iniciales de sus ex-esposos para poder referirme a ellos durante la entrevista. Comencemos con el nombre o iniciales de su primer esposo y luego mencione los que siguen en orden. (PROBE: ¿Y su siguiente esposo?)

{ Allow space for entry of names or initials for up to 6 husbands  
 { TYPE: String [20]  
 { Note: Married Rs with more than 6 marriages will only use 5 of these spaces because for them, we ask only about 1st 5 husbands and then the current husband.

**FLOW CHECK C-5:** IF CA-1 TIMESMAR GE 1 AND AB-1 MARSTAT = 1 AND CHPNAME NE "YOUR HUSBAND", ASK CA-2b HSBVERIF USING CHPNAME FOR HUSBAND'S NAME FOR MARRIAGE X, WHERE X = TIMESMAR.

ELSE IF TIMESMAR GE 1 AND MARSTAT = 1 AND CHPNAME = "YOUR HUSBAND", GO TO CA-2c CHVERIFY.

ELSE IF TIMESMAR GE 1 AND MARSTAT NE 1, GO TO FLOW CHECK C-6.

{ ASKED ONLY IF MARSTAT = 1 (married) and CHPNAME NE "YOUR HUSBAND".

**HSBVERIF**

CA-2b. ¿Y me dijo que el nombre de su esposo actual es [CHPNAME]?

Sí.....1(FLOW CHECK C-6)

No.....5(FLOW CHECK C-6)

{ ASKED ONLY IF (MARSTAT=1 AND CHPNAME= "YOUR HUSBAND") OR  
{ IF (TIMESMAR = DK/RF and FMARIT = 1,2,3, or 4).

**CHVERIFY**

CA-2c. IF MARSTAT = 1 AND (CHPNAME= "YOUR HUSBAND" OR TIMESMAR = DK/RF), ASK:

Tal vez ya me lo haya dicho, pero por favor dígame el nombre o iniciales de [su esposo actual] para poder referirme a él durante la entrevista

ELSE IF FMARIT = 2, 3, or 4, ASK:

Tal vez ya me lo haya dicho, pero por favor dígame el nombre o iniciales de su esposo más reciente, para poder referirme a él durante la entrevista.

Name \_\_\_\_\_

TYPE: String [20]

**FLOW CHECK C-5b:** IF CA-2c CHVERIFY NE BLANK OR DK OR RF AND MARSTAT=1 (married), THEN SET CHPNAME = CHVERIFY.

**FLOW CHECK C-6:** SET MARRCNTR = 1.

**FLOW CHECK C-6b:** DEFINE MARRFILL:  
(Fill for marriage order)

```
MARRFILL = blank if TIMESMAR = 1 or DK/RF
ELSE IF TIMESMAR GT 1,
    MARRFILL = "first" if MARRCNTR = 1
              = "second" if MARRCNTR = 2
              = "third" if MARRCNTR = 3
              = "fourth" if MARRCNTR = 4
              = "fifth" if MARRCNTR = 5
              = "sixth" if MARRCNTR = 6 and
                MARSTAT NE 1
              = "current" if MARRCNTR = 6 and
                MARSTAT = 1
```

**DEFINE HUSBFILL:**  
(Fill for husband's name)

```

IF (MARRCNTR = TIMESMAR AND MARSTAT = 1) OR
(TIMESMAR=DK/RF), SET HUSBFILL = CHPNAME.
ELSE IF HUSBNAMEX (where X = MARRCNTR) NE DK OR RF,
SET HUSBFILL = HUSBNAMEX.
ELSE IF HUSBNAMEX = DK OR RF (where X = MARRCNTR),
SET HUSBFILL = "your (MARRFILL) husband)"

```

HUSBANDS (CB)C\_INTRO2

CB-0. Las siguientes preguntas son acerca de su (MARRFILL) matrimonio.

♦ ENTER [1] to continue

WHMARHX\_M

① of ②

CB-1m. ¿En qué mes y año se casaron usted y (HUSBFILL)?

♦ PROBE for season if DK month  
♦ ENTER MM/YYYY

[HELP AVAILABLE]

[CALENDAR REFERENCE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

WHMARHX\_Y

② of ②

CB-1y. (¿En qué mes y año se casaron usted y (HUSBFILL)?

[CALENDAR REFERENCE]

♦ After R has given the year, say: Por favor ponga las iniciales de su esposo en el cuadro correspondiente a este mes y año en la línea de "Matrimonios, Vida en Pareja, y Parejas" de su calendario. Si esto sucedió antes de [[[[STR YEAR SYSDATE - 3]]]], por favor anote la fecha y las iniciales de él en la columna de "Antes de [[[[STR YEAR SYSDATE - 3]]]]".

♦ ENTER (WHMARHX\_M)/YYYY

UNDERLYING RANGE: 1971 to 2011

**FLOW CHECK C-7: COMPUTE CMMARRHX (where X = MARRCNTR):**  
(Century month for date of marriage to husband X)

SET CMMARRHX = null/blank.

IF WHMARHX\_Y = RF, SET CMMARRHX = 9998 (RF).  
ELSE IF WHMARHX\_Y = DK, SET CMMARRHX = 9999 (DK).

ELSE IF WHMARHX\_M LE 12,  
COMPUTE CMMARRHX = (WHMARHX\_Y - 1900)\*12 +  
WHMARHX\_M

ELSE IF 13 LE WHMARHX\_M LE 16, USE MONTH  
APPROPRIATE TO SEASON & COMPUTE CMMARRHX AS ABOVE.

ELSE IF WHMARHX\_M = DK OR RF, ASSIGN MONTH = 6  
(June) & COMPUTE CMMARRHX AS ABOVE.

IF CMMARRHX NE BLANK, ESTABLISH CMMARRHX\_FILL AS FOLLOWS:

IF CMMARRHX = BLANK, DK, OR RF, SET CMMARRHX\_FILL =  
ADATE UNKNOWN."

ELSE IF CMMARRHX LT 9996, DEFINE CMMARRHX\_FILL as  
follows:

IF 1 LE WHMARHX\_M LE 12, THEN ESTABLISH MO/YR  
FILL IN THE FORMAT "1/1998" etc.

ELSE IF MONTH WAS REPORTED AS A SEASON (codes  
13-16), THEN ESTABLISH FILL IN THE FORMAT  
"SPRING, 1998" etc.

ELSE IF MONTH WAS REPORTED AS DK OR RF, BUT  
YEAR WAS REPORTED, THEN ESTABLISH FILL BASED  
ONLY ON THE YEAR IN THE FORMAT "1998" etc.

- Edit Check CB1\_1: IF (WHMARHX\_M LE 12) AND CMMARRHX > CMINTVW,  
DISPLAY: The date entered cannot be after the date  
of interview. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB1\_2: IF (WHMARHX\_M LE 12) AND CMMARRHX < CMBIRTH,  
DISPLAY: The date entered cannot be before her date  
of birth. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB1\_3: IF (13 LE WHMARHX\_M LE 16) AND CMMARRHX > (CMINTVW  
+ 2) , DISPLAY: The date entered cannot be after  
the date of interview. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB1\_4: IF (13 LE WHMARHX\_M LE 16) AND CMMARRHX < (CMBIRTH  
- 3) , DISPLAY: The date entered cannot be before  
her date of birth. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB1\_5: IF (WHMARHX\_M = DK OR RF) AND WHMARHX\_Y >  
(CMINTVW/12 +1900), DISPLAY: The date entered  
cannot be after the date of interview. Please  
correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB1\_6: IF (WHMARHX\_M = DK OR RF) AND WHMARHX\_Y <  
(CMBIRTH/12 +1900)- 1, DISPLAY: The date entered  
cannot be before her date of birth. Please  
correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB1\_7: IF MARRCNTR > 1 AND (MARENDHX[X-1] = 1 AND  
CMMARRHX[X] < CMHSBDIEX[X-1]), DISPLAY: The date  
entered for the beginning of her (MARFILL) marriage  
(WHMARHX) is before the end of her previous

marriage (WNDIEHX). Is this correct?  
 INVOLVING: WHMARHX\_M, WHMARHX\_Y, WNDIEHX\_M,  
 WNDIEHX\_Y

**Edit Check CB1\_8:** IF MARRCNTR > 1 AND (MARENDHX[X-1] =(2 OR 3) AND  
 CMMARRHX[X] < CMDIVORCX[X-1]), DISPLAY: The date  
 entered for the beginning of her (MARFILL) marriage  
 (WHMARHX) is before the end of her previous  
 marriage (DIVDATHX). Is this correct?  
 INVOLVING: WHMARHX\_M, WHMARHX\_Y, DIVDATHX\_M,  
 DIVDATHX\_Y

**Edit Check CB1\_9:** IF MARRCNTR > 1 AND (MARENDHX[X-1]=DK/RF AND  
 CMMARRHX[X] < CMSTPHSBX[X-1]), DISPLAY: The date  
 entered for the beginning of her (MARFILL) marriage  
 (WHMARHX) is before the end of her previous  
 marriage (WNSTPHX). Is this correct?  
 INVOLVING: WHMARHX\_M, WHMARHX\_Y, WNSTPHX\_M,  
 WNSTPHX\_Y

**FLOW CHECK C-7a:** COMPUTE CMMARRCH:  
 (CM for date of marriage to current husband)

SET CMMARRCH = blank/inapp (if no current husband)  
 IF MARRCNTR = TIMESMAR AND AB-1 MARSTAT = 1

(married),

SET CMMARRCH = CMMARRHX for this husband

DEFINE CMMARRCH\_FILL AS FOLLOWS:

IF CMMARRCH = BLANK, DK, OR RF, SET CMMARRCH\_FILL =  
 ADATE UNKNOWN."

ELSE IF CMMARRCH LT 9996, DEFINE CMMARRCH\_FILL AS  
 FOLLOWS:

IF 1 LE WHMARHX\_M LE 12, THEN ESTABLISH MO/YR  
 FILL IN THE FORMAT "1/1998" etc.

ELSE IF MONTH WAS REPORTED AS A SEASON (codes  
 13-16), THEN ESTABLISH FILL IN THE FORMAT  
 "SPRING, 1998" etc.

ELSE IF MONTH WAS REPORTED AS DK OR RF, BUT  
 YEAR WAS REPORTED, THEN ESTABLISH FILL BASED  
 ONLY ON THE YEAR IN THE FORMAT "1998" etc.

IF (CMMARRHX = blank or DK or RF) OR (WHMARHX\_M = 13 or  
 14 or 15 or 16 or DK or RF), ASK CB-2 AGEMARHX.  
 ELSE GO TO EDIT CHECK CB2\_1.

#### AGEMARHX

CB-2. IF CA-1 TIMESMAR = 1, ASK:

¿Qué edad tenía usted cuando se casaron?

ELSE IF TIMESMAR GT 1 or TIMESMAR=DK/RF, ASK:

¿Qué edad tenía usted cuando se casó esa (MARRFILL) vez?



♦ *ENTER* age in years

UNDERLYING RANGE: 10 to 45

**EDIT CHECK CB2\_1a:**        **PROBE IF (AGEMARHX < 13) AND (AGEMARHX <> NONRESPONSE). DISPLAY TEXT:** R has reported getting married at an age younger than 13 years. Please correct whichever item has been entered incorrectly.

**EDIT CHECK CB2\_1b:**        **PROBE IF (CMMARRHX - CMBIRTH)/12 LT 13 OR IF CB-2 AGEMARHX < 13. DISPLAY TEXT:** R has reported getting married at an age younger than 13 years. Please correct whichever item has been entered incorrectly.  
**INVOLVING(WHMARHX\_M,WHMARHX\_Y,AGEMARHX)**

**HXAGEMAR**

CB-3.            ¿Qué edad tenía (HUSBFILL) cuando se casaron?

*If R says DK, probe for the age difference between R and this husband and have her add to or subtract from her age at the marriage. Enter the resulting value for his age in years.*

♦ *ENTER* age in years

UNDERLYING RANGE: 10 to 95

**DOBHUSBX\_M**

① of ②

CB-4m.            ¿En qué mes y año nació él?

♦ *PROBE* for season if DK month  
♦ *ENTER* MM/YYYY

[HELP AVAILABLE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

**DOBHUSBX\_Y**

② of ②

CB-4y.            (¿En qué mes y año nació él?)

[HELP AVAILABLE]

♦ *ENTER* (DOBHUSBX\_M)/YYYY

UNDERLYING RANGE: 1909 to 2001

**FLOW CHECK C-8:**        **COMPUTE CMHSBDOBX (where X = MARRCNTR):**  
**(CM for husband X's date of birth)**

SET CMHSBDOBX = null/blank.

IF DOBHUSBX\_Y = RF, SET CMHSBDOBX = 9998 (RF).  
ELSE IF DOBHUSBX\_Y = DK, SET CMHSBDOBX = 9999 (DK).

ELSE IF DOBHUSBX\_M LE 12,  
COMPUTE CMHSBDOBX = (DOBHUSBX\_Y - 1900)\*12 +  
DOBHUSBX\_M

ELSE IF 13 LE DOBHUSBX\_M LE 16, USE MONTH  
APPROPRIATE TO SEASON & COMPUTE CMHSBDOBX AS ABOVE.

ELSE IF DOBHUSBX\_M = DK OR RF, ASSIGN MONTH = 6  
(June) & COMPUTE CMHSBDOBX AS ABOVE.

IF MARRCNTR = TIMESMAR AND AB-1 MARSTAT = 1 (married),

SET CMDOBCH = CMHSBDOBX for this husband  
(CMDOBCH = CM for current husband's date of birth)

**Edit Check CB4\_1:** IF (DOBHUSBX\_M LE 12) AND CMHSBDOBX > CMINTVW -  
120, **DISPLAY:** The date entered cannot be less than  
10 years ago. Please correct.  
**HARD, NONSUPPRESSIBLE EDIT CHECK.**

**Edit Check CB4\_2:** IF (13 LE DOBHUSBX\_M LE 16) AND CMHSBDOBX >  
(CMINTVW - 118) , **DISPLAY:** The date entered cannot  
be less than 10 years ago. Please correct.  
**HARD, NONSUPPRESSIBLE EDIT CHECK.**

**Edit Check CB4\_3:** IF (DOBHUSBX\_M = DK OR RF) AND DOBHUSBX\_Y >  
(CMINTVW/12 +1900)- 10, **DISPLAY:** The date entered  
cannot be more than 35 years ago. Please correct.  
**HARD, NONSUPPRESSIBLE EDIT CHECK.**

**EDIT CHECK CB4\_4:** PROBE IF (CMMARRHX - CMHSBDOBX)/12 LT 13 OR IF CB-4  
HXAGEMAR < 13. **DISPLAY TEXT:** R has reported that  
this husband was younger than age 13 when they got  
married. Is this correct?

**Edit Check CB4\_5:** IF (CMMARRHX - CMHSBDOBX)/12 NE HXAGEMAR, **DISPLAY  
TEXT:** The date entered is inconsistent with this  
husband's age at marriage, given the date of  
marriage R reported. Has one of these been entered  
incorrectly?  
**INVOLVING(WHMARHX\_M,WHMARHX\_Y,DOBHUSBX\_M,DOBHUSBX\_Y  
,HXAGEMAR)**

#### LVTOGHX

CB-5. Algunas parejas viven juntas sin estar casados. Vivir juntos  
significa tener una relación de tipo sexual y vivir en la misma  
dirección. ¿Usted y (HUSBFILL) vivieron juntos antes de  
casarse?

[HELP AVAILABLE]

Sí.....1  
No.....5(Flow Check C-10)

**STRTOGHX\_M**

① of ②

CB-6m. ¿En qué mes y año empezaron a vivir juntos?

♦ *PROBE* for season if DK month♦ *ENTER* MM/YYYY

[HELP AVAILABLE]

[CALENDAR REFERENCE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

**STRTOGHX\_Y**

② of ②

CB-6y. (¿En qué mes y año empezaron a vivir juntos?)

[HELP AVAILABLE]

[CALENDAR REFERENCE]

♦ *After R has reported year, say* :Por favor anote algo en el cuadro correspondiente en la línea de "Matrimonios, Vida en Pareja, y Parejas" de su calendario para indicar cuándo ocurrió esto.

♦ *ENTER* (STRTOGHX\_M)/YYYY

UNDERLYING RANGE: 1971 to 2011

**FLOW CHECK C-9: COMPUTE CMPMCOHX (where X = MARRCNTR):**  
(CM for date when they began premarital cohabitation)

SET CMPMCOHX = null/blank.

IF STRTOGHX\_Y = RF, SET CMPMCOHX = 9998 (RF).

ELSE IF STRTOGHX\_Y = DK, SET CMPMCOHX = 9999 (DK).

ELSE IF STRTOGHX\_M LE 12,

COMPUTE CMPMCOHX = (STRTOGHX\_Y - 1900)\*12 +  
STRTOGHX\_MELSE IF 13 LE STRTOGHX\_M LE 16, USE MONTH  
APPROPRIATE TO SEASON & COMPUTE CMPMCOHX AS ABOVE.ELSE IF STRTOGHX\_M = DK OR RF, ASSIGN MONTH = 6  
(June) & COMPUTE CMPMCOHX AS ABOVE.

**Edit Check CB6\_1:** IF (STRTOGHX\_M LE 12) AND CMPMCOHX > CMINTVW,  
**DISPLAY:** The date entered cannot be after the date  
of interview. Please correct.  
**HARD, NONSUPPRESSIBLE EDIT CHECK.**

**Edit Check CB6\_2:** IF (STRTOGHX\_M LE 12) AND CMPMCOHX < CMBIRTH,  
**DISPLAY:** The date entered cannot be before her date  
of birth. Please correct.  
**HARD, NONSUPPRESSIBLE EDIT CHECK.**

**Edit Check CB6\_3:** IF (13 LE STRTOGHX\_M LE 16) AND CMPMCOHX > (CMINTVW

+ 2) , **DISPLAY:** The date entered cannot be after the date of interview. Please correct.  
**HARD, NONSUPPRESSIBLE EDIT CHECK.**

**Edit Check CB6\_4:** IF (13 LE STRTOGHX\_M LE 16) AND CMPMCOHX < (CMBIRTH - 3) , **DISPLAY:** The date entered cannot be before her date of birth. Please correct.  
**HARD, NONSUPPRESSIBLE EDIT CHECK.**

**Edit Check CB6\_5:** IF (STRTOGHX\_M = DK OR RF) AND STRTOGHX\_Y > (CMINTVW/12 +1900), **DISPLAY:** The date entered cannot be after the date of interview. Please correct.  
**HARD, NONSUPPRESSIBLE EDIT CHECK.**

**Edit Check CB6\_6:** IF STRTOGHX\_Y < (CMBIRTH/12 +1900)- 1, **DISPLAY:** The date entered cannot be before her date of birth. Please correct.  
**HARD, NONSUPPRESSIBLE EDIT CHECK.**

**EDIT CHECK CB6\_7:** PROBE IF CMMARRHX = CMPMCOHX, CHECK WHETHER R DID INDEED BEGIN COHABITING WITH HER HUSBAND IN THE SAME MONTH AS (BUT BEFORE) MARRIAGE. **DISPLAY TEXT:** Verify with R whether R did indeed begin living together the same month as (but before) marriage. INVOLVING(STRTOGHX\_M,STRTOGHX\_Y,WHMARHX\_M,WHMARHX\_Y )

**EDIT CHECK CB6\_8:** PROBE IF CMMARRHX LE CMPMCOHX. **DISPLAY TEXT:** The date that the R has reported she married this husband is earlier than the date she reported she started living with him before marriage. Has one of these dates been entered incorrectly? INVOLVING(STRTOGHX\_M,STRTOGHX\_Y,WHMARHX\_M,WHMARHX\_Y )

**EDIT CHECK CB6\_9:** PROBE IF (CMPMCOHX - CMBIRTH)/12 LT 13. **DISPLAY TEXT:** R has reported that she began living together with this husband when she was younger than 13 years. Is this correct? INVOLVING(STRTOGHX\_M,STRTOGHX\_Y)

**ENGAGHX**

CB-7. Cuando empezaron a vivir juntos, ¿estaban comprometidos o tenían planes concretos para casarse?

Sí..... 1  
 No.....5

**FLOW CHECK C-10:** IF MARRCNTR = 1 OR (MARRCNTR = TIMESMAR AND MARSTAT = 1 or 5 (married or separated)), ASK CB-8 HISPFX.  
**ELSE, GO TO CB-12 MARBEFHX.**

{ Hisp & Race asked only for 1<sup>st</sup> or current/separated husbands

**HISPFX**

CB-8. IF (MARRCNTR = 1 AND TIMESMAR GT 1) OR (MARRCNTR = 1 AND TIMESMAR = 1 AND FMARIT = 2 or 3), ASK:  
 ¿Era (HUSBFILL) hispano o latino, o de origen español?

ELSE IF (MARRCNTR = TIMESMAR AND MARSTAT = 1 or 5), ASK:

¿Es (HUSBFILL) hispano o latino, o de origen español?

Sí.....1  
No.....5

**RACEHX**

CB-9. ¿Cuál de los grupos en la tarjeta 2 describe el origen racial de (HUSBFILL)? Por favor escoja uno o más grupos.

- ♦ *If R reports a mixture of several races (biracial, mixed, mulatto, etc.), enter all groups that are part of the mixture.*
- ♦ *ENTER all that apply. Do not probe AO.*
- ♦ *Press [Space] or [-] to separate responses*

[SHOW CARD 2]  
[HELP AVAILABLE]

Indio Americano o Nativo de Alaska .....1  
Asiático.....2  
Nativo de Hawai o de otras islas del Pacífico.....3  
Negro, moreno o afro-americano.....4  
Blanco.....5

**FLOW CHECK C-11: IF MORE THAN ONE RACE IS CODED FOR CB-9 RACEHX, ASK CB-10 BSTRACHX.  
ELSE, GO TO FLOW CHECK C-12.**

**BSTRACHX**

CB-10. ¿Cuál de esos grupos, es decir (RESPONSES FROM CB-9 RACEHX), diría usted que describe mejor su origen racial?

[HELP AVAILABLE]

{ DISPLAY ONLY THOSE CATEGORIES REPORTED IN CB-9 RACEHX

[ / Indio Americano o Nativo de  
Alaska.....1  
[ / Asiático.....2  
[ / Nativo de Hawai o de otras islas del Pacífico.....3  
[ / Negro, moreno o afro-americano.....4  
[ / Blanco.....5

**EDIT CHECK CB10\_1: PROBE IF BSTRACHX <> RACEHX (IF A CHOICE, OTHER THAN THOSE PREVIOUSLY SELECTED IN RACEHX), DISPLAY:  
You cannot choose a race that was not among the choices given. Re-select.**

**FLOW CHECK C-12: IF MARRCNTR = TIMESMAR AND MARSTAT = 1 or 5 (married or separated), ASK CB-11 CHEDMARN.  
ELSE GO TO CB-12 MARBEFHX.**

{ Asked only for current or separated husbands

**CHEDMARN**

CB-11. IF MARSTAT = 1 (married), ASK:

Por favor mire la tarjeta 11. ¿Cuál es el nivel más alto de estudios que (CHPNAME) ha completado?

ELSE IF MARSTAT = 5 (separated), ASK:

Por favor mire la tarjeta 21. ¿Cuál es el nivel más alto de estudios que su esposo ha completado?

[SHOW CARD 11]

No se graduó de 'High School'.....1  
 Graduado(a) de 'High School' o obtuvo el GED.....2  
 Estudios de universidad o  
 'college' pero no obtuvo un título.....3  
 Título de una universidad o  
 'college' de 2 años (por ej., título de Asociado)....4  
 Graduado(a) de una universidad o  
 'college' de 4 años (por ej., BA, BS)..... 5  
 Estudios de posgrado o profesionales.....6

**MARBEFHX**

CB-12. Cuando se casaron, ¿(HUSBFILL) había estado casado antes?

[HELP AVAILABLE]

Sí.....1  
 No.....5

**KIDSHX**

CB-13. Cuando usted y él se casaron, ¿tenía él algún hijo, sea biológico o adoptado, de alguna relación anterior?

Sí.....1  
 No.....5(FLOW CHECK C-16)

**NUMKDSHX**

CB-14. ¿Cuántos hijos tenía?

*ENTER number \_\_\_\_\_*

UNDERLYING RANGE: 1 to 95

**FLOW CHECK C-12a: SET NUMKDSHX\_FILL.**

**IF NUMKDSHX NE DK OR RF, NUMKDSHX\_FILL = NUMKDSHX.**

**IF NUMKDSHX = DK OR RF, NUMKDSHX\_FILL IS BLANK.**

**KIDLIVHX**

CB-15. IF CB-14 NUMKDSHX = 1, ASK:  
 ¿Alguna vez ese hijo vivió con usted y (HUSBFILL)?

ELSE IF CB-14 NUMKDSHX > 1 OR NUMKDSHX=DK/RF, ASK:

¿Alguna vez vivió con usted y (HUSBFILL) alguno de los hijos que él tuvo con una pareja anterior?

Sí.....1  
 No.....5

**FLOW CHECK C-13: IF MARRCNTR = TIMESMAR AND MARSTAT = 1 (married) AND  
 CB-14 NUMKDSHX = 1, ASK CB-16a CHKID18A.**

**ELSE IF MARRCNTR = TIMESMAR AND MARSTAT = 1 (married)  
AND CB-14 NUMKDSHX > 1 OR CB-14 NUMKDSHX = DK/RF, GO  
TO CB-16b CHKID18B.**

**ELSE, GO TO FLOW CHECK C-16.**

**CHKID18A**

CB-16a. En estos momentos, ¿tiene ese hijo 18 años o menos?

Sí.....1(FLOW CHECK C-14)

No.....5(FLOW CHECK C-14)

**CHKID18B**

CB-16b. En estos momentos, ¿cuántos de esos [NUMKDSHX] hijos tienen  
18 años o menos?

*ENTER number \_\_\_\_\_*

UNDERLYING RANGE: 0 to 95

**EDIT CHECK CB16b\_1: PROBE IF CB-16b CHKID18B GT CB-14 NUMKDSHX.  
DISPLAY TEXT: R has reported a larger number of  
children 18 and under than the total number of  
children she said this husband had when they got  
married. Has something been entered incorrectly?**

(AC Note: Typo 2 of 3 that caused the marital dissolution routing  
error.)

**FLOW CHECK C-14: IF (CB-16a CHKID18A = 5, DK, OR RF) OR (CB-16b  
CHKID18B = 0, DK, OR RF), GO TO FLOW CHECK C-16.**

**WHRCHKDS**

CB-17. IF CB-16a CHKID18A = 1, ASK:

¿Dónde vive ese hijo en estos momentos? En este hogar con  
usted y (CHPNAME), con la madre de él o ella, con sus  
abuelos u otros parientes, o en algún otro lugar?

ELSE IF CB-16b CHKID18B = 1, ASK:

En estos momentos, ¿dónde vive ese hijo de 18 años o menos?  
¿En este hogar con usted y (CHPNAME), con la madre de él o  
ella, con sus abuelos u otros parientes, o en algún otro  
lugar?

ELSE IF CB-16b CHKID18B > 1, ASK:

En estos momentos, dónde viven esos (CHKID18B) hijos de 18  
años o menos? ¿En este hogar con usted y (CHPNAME), con la  
madre de ellos, con sus abuelos u otros parientes, o en  
algún otro lugar?

[HELP AVAILABLE]

♦ *ENTER all that apply*

♦ PRESS [Space] or [-] to separate responses

En este hogar.....1

Con la madre de ellos.....2

Con sus abuelos u otros parientes.....3

En algún otro lugar.....4

**EDIT CHECK CB17\_1:**           **PROBE IF HHKIDS18 = 0 BUT R HAS REPORTED THAT ANY OF HER HUSBAND'S CHILDREN LIVE ONLY AIN THIS HOUSEHOLD" (CB-17 WHRCHKDS = ONLY 1). DISPLAY TEXT:** R has reported that her husband's child(ren) lives with them, but earlier did not report any children 18 or under in the household. Has something been entered incorrectly?

**FLOW CHECK C-15:** IF CB-17 WHRCHKDS INCLUDES CODES 2 or 3 or 4, ASK CB-18 SUPPORCH. ELSE GO TO FLOW CHECK C-16.

**SUPPORCH**

CB-18. IF CB-16a CHKID18A = 1 OR CB-16b CHKID18B = 1, ASK:  
¿Contribuye (CHPNAME) regularmente a la manutención de este hijo de 18 años o menos?

ELSE IF CB-16b CHKID18B > 1, ASK:  
¿Contribuye (CHPNAME) regularmente a la manutención de esos hijos de 18 años o menos?

♦ *If necessary, say:* La manutención regular del niño es el apoyo financiero que se provee cada cierto tiempo, como cada semana, cada dos semanas o cada mes.

Sí.....1

No.....5

**FLOW CHECK C-16:** IF MARRCNTR < TIMESMAR OR (MARRCNTR = TIMESMAR AND AB-1 MARSTAT NE 1 OR 5), ASK CB-19 MARENDHX.

ELSE (IF MARRCNTR = TIMESMAR AND FMARIT = 4 (separated) ) OR (IF TIMESMAR = DK/RF AND MARSTAT NE 1), GO TO CB-22 WNSTPHX.

ELSE IF (MARRCNTR = TIMESMAR OR TIMESMAR = DK OR RF) AND MARSTAT = 1 (married), GO TO FLOW CHECK C-22.

**MARENDHX**

CB-19. ¿Cómo terminó su (MARRFILL) matrimonio?

♦ *READ categories if necessary to prompt R.*

[HELP AVAILABLE]

Con la muerte de su esposo.....1

En divorcio.....2

En anulación.....3

**FLOW CHECK C-17:** IF CB-19 MARENDHX = 1, ASK CB-20 WNDIEHX.  
ELSE IF MARENDHX = 2 or 3, ASK CB-21 DIVDATHX.  
ELSE IF MARENDHX = DK OR RF, GO TO CB-22 WNSTPHX.

**WNDIEHX\_M**



① of ②

CB-20m. ¿En qué mes y año murió (HUSBFILL)?

- ♦ *PROBE for season if DK month*
- ♦ *ENTER MM/YYYY*

[CALENDAR REFERENCE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

**WNDIEHX\_Y**

② of ②

CB-20y. (¿En qué mes y año murió (HUSBFILL)?)

[CALENDAR REFERENCE]

- ♦ *After R has given the year, say: Por favor ponga alguna anotación en el cuadrado que corresponda en la línea de "Matrimonios, Vida en Pareja, y Parejas" en su calendario para indicar cuándo sucedió eso.*
- ♦ *Use your judgement -- if respondent seems upset, do not push the issue of recording the date on the calendar.*
- ♦ *ENTER (WNDIEHX\_M)/YYYY*

UNDERLYING RANGE: 1971 to 2011

**FLOW CHECK C-18: COMPUTE CMHSBDIEX (where X=MARRCNTR):**  
(CM for date of husband X's death)

SET CMHSBDIEX = null/blank.

IF WNDIEHX\_Y = RF, SET CMHSBDIEX = 9998 (RF).  
ELSE IF WNDIEHX\_Y = DK, SET CMHSBDIEX = 9999 (DK).

ELSE IF WNDIEHX\_M LE 12,  
COMPUTE CMHSBDIEX = (WNDIEHX\_Y - 1900)\*12 +  
WNDIEHX\_M  
ELSE IF 13 LE WNDIEHX\_M LE 16, USE MONTH  
APPROPRIATE TO SEASON & COMPUTE CMHSBDIEX AS  
ABOVE.

ELSE IF WNDIEHX\_M = DK OR RF, ASSIGN MONTH = 6  
(June) & COMPUTE CMHSBDIEX AS ABOVE.

IF CMHSBDIEHX NE BLANK, ESTABLISH CMHSBDIEX\_FILL AS

FOLLOWS:

IF CMHSBDIEHX = BLANK, DK, OR RF, SET  
CMHSBDIEX\_FILL = ADATE UNKNOWN."

ELSE IF CMHSBDIEHX LT 9996, DEFINE  
CMHSBDIEX\_FILL as follows:

IF 1 LE WNDIEHX\_M LE 12, THEN ESTABLISH

MO/YR FILL IN THE FORMAT "1/1998" etc.

ELSE IF MONTH WAS REPORTED AS A SEASON (codes 13-16), THEN ESTABLISH FILL IN THE FORMAT "SPRING, 1998" etc.

ELSE IF MONTH WAS REPORTED AS DK OR RF, BUT YEAR WAS REPORTED, THEN ESTABLISH FILL BASED ONLY ON THE YEAR IN THE FORMAT "1998" etc.

- Edit Check CB1\_1:** IF (WNDIEHX\_M LE 12) AND CMHSBDIEHX > CMINTVW, **DISPLAY:** The date entered cannot be after the date of interview. Please correct. **HARD, NONSUPPRESSIBLE EDIT CHECK.**
- Edit Check CB20\_2:** IF (WNDIEHX\_M LE 12) AND CMHSBDIEHX < CMBIRTH, **DISPLAY:** The date entered cannot be before her date of birth. Please correct. **HARD, NONSUPPRESSIBLE EDIT CHECK.**
- Edit Check CB20\_3:** IF (13 LE WNDIEHX\_M LE 16) AND CMHSBDIEHX > (CMINTVW + 2) , **DISPLAY:** The date entered cannot be after the date of interview. Please correct. **HARD, NONSUPPRESSIBLE EDIT CHECK.**
- Edit Check CB20\_4:** IF (13 LE WNDIEHX\_M LE 16) AND CMHSBDIEHX < (CMBIRTH - 3) , **DISPLAY:** The date entered cannot be before her date of birth. Please correct. **HARD, NONSUPPRESSIBLE EDIT CHECK.**
- Edit Check CB20\_5:** IF (WNDIEHX\_M = DK OR RF) AND WNDIEHX\_Y > (CMINTVW/12 +1900), **DISPLAY:** The date entered cannot be after the date of interview. Please correct. **HARD, NONSUPPRESSIBLE EDIT CHECK.**
- Edit Check CB20\_6:** IF (WNDIEHX\_M = DK OR RF) AND WNDIEHX\_Y < (CMBIRTH/12 +1900)- 1, **DISPLAY:** The date entered cannot be before her date of birth. Please correct. **HARD, NONSUPPRESSIBLE EDIT CHECK.**
- EDIT CHECK CB20\_7:** PROBE IF CMHSBDIEHX LT CMMARRHX. **DISPLAY TEXT:** R has reported that her husband died earlier than their marriage. Has one of the dates been entered incorrectly?
- EDIT CHECK CB20\_8:** PROBE IF CMHSBDIEHX LT CMDOBHSBX. **DISPLAY TEXT:** R has reported that her husband died earlier than his date of birth. Has one of the dates been entered incorrectly?
- FLOW CHECK C-19:** IF CB-19 MARENDHX=1, GO TO FLOW CHECK C-22.

**DIVDATHX\_M**

① of ②

CB-21m.

IF CB-19 MARENDHX = 2, ASK:

¿En qué mes y año se finalizó su divorcio?

ELSE IF CB-19 MARENDHX = 3, ASK:  
¿En qué mes y año se anuló su matrimonio?

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

- ♦ *PROBE for season if DK month*
- ♦ *ENTER MM/YYYY*

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

**DIVDATHX\_Y**

@ of @

CB-21y. IF CB-19 MARENDHX = 2, DISPLAY:  
¿En qué mes y año se finalizó su divorcio?

ELSE IF CB-19 MARENDHX = 3, DISPLAY:  
¿En qué mes y año se anuló su matrimonio?

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

♦ *After R has given the year, say: Por favor ponga alguna anotación en el cuadrado que corresponda en la línea de "Matrimonios, Vida en Pareja, y Parejas" en su calendario para indicar cuándo sucedió eso*

♦ *Use your judgement -- if respondent seems upset, do not push the issue of recording the date on the calendar.*

♦ *ENTER (DIVDATHX\_M)/YYYY*

UNDERLYING RANGE: 1971 to 2011

**FLOW CHECK C-20: COMPUTE CMDIVORCX (where X=MARRCNTR):**  
(CM for date of divorce or annulment from husband X)

SET CMDIVORCX = null/blank.

IF DIVDATHX\_Y = RF, SET CMDIVORCX = 9998 (RF).  
ELSE IF DIVDATHX\_Y = DK, SET CMDIVORCX = 9999  
(DK).

ELSE IF DIVDATHX\_M LE 12, COMPUTE CMDIVORCX =  
(DIVDATHX\_Y - 1900)\*12 + DIVDATHX\_M

ELSE IF 13 LE DIVDATHX\_M LE 16, USE MONTH  
APPROPRIATE TO SEASON & COMPUTE CMDIVORCX AS  
ABOVE.

ELSE IF DIVDATHX\_M = DK OR RF, ASSIGN MONTH = 6  
(June) & COMPUTE CMDIVORCX AS ABOVE.

IF CMDIVORCX NE BLANK, ESTABLISH CMDIVORCX\_FILL AS

## FOLLOWS:

IF CMDIVORCX = BLANK, DK, OR RF, SET  
CMDIVORCX\_FILL = ADATE UNKNOWN."

ELSE IF CMDIVORCX LT 9996, DEFINE CMDIVORCX\_FILL  
as follows:

IF 1 LE DIVDATHX\_M LE 12, THEN ESTABLISH  
MO/YR FILL IN THE FORMAT "1/1998" etc.

ELSE IF MONTH WAS REPORTED AS A SEASON  
(codes 13-16), THEN ESTABLISH FILL IN THE  
FORMAT "SPRING, 1998" etc.

ELSE IF MONTH WAS REPORTED AS DK OR RF,  
BUT YEAR WAS REPORTED, THEN ESTABLISH FILL  
BASED ONLY ON THE YEAR IN THE FORMAT  
"1998" etc.

- Edit Check CB21\_1: IF (DIVDATHX\_M LE 12) AND CMDIVORCX > CMINTVW,  
DISPLAY: The date entered cannot be after the  
date of interview. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB21\_2: IF (DIVDATHX\_M LE 12) AND CMDIVORCX < CMBIRTH -  
3, DISPLAY: The date entered cannot be before  
her date of birth. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB21\_3: IF (13 LE DIVDATHX\_M LE 16) AND CMDIVORCX >  
(CMINTVW + 2) , DISPLAY: The date entered cannot  
be after the date of interview. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB21\_4: IF (13 LE DIVDATHX\_M LE 16) AND CMDIVORCX <  
(CMBIRTH - 3) , DISPLAY: The date entered cannot  
be before her date of birth. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB21\_5: IF (DIVDATHX\_M = DK OR RF) AND DIVDATHX\_Y >  
(CMINTVW/12 +1900), DISPLAY: The date entered  
cannot be after the date of interview. Please  
correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB21\_6: IF (DIVDATHX\_M = DK OR RF) AND DIVDATHX\_Y <  
(CMBIRTH/12 +1900)- 1, DISPLAY: The date entered  
cannot be before her date of birth. Please  
correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK CB21\_7: PROBE IF CMDIVORCX LT CMMARRHX. DISPLAY TEXT: R  
has reported that the divorce occurred earlier  
than their marriage. Has one of the dates been  
entered incorrectly?
- EDIT CHECK CB21\_8: PROBE IF CMDIVORCX LT CMDOBHSBX. DISPLAY TEXT:  
R has reported that the divorce occurred earlier  
than her husband's date of birth. Has one of  
the dates been entered incorrectly?

**WNSTPHX\_M**

① of ②

CB-22m.

IF MARRCNTR = TIMESMAR AND MARSTAT = 5 (separated), ASK:  
 ¿En qué mes y año vivieron juntos usted y (HUSBNAMEX/su  
 esposo) por última vez?

♦ *If necessary, say:* (IF NECESSARY, SAY: ¿Cuándo fue la  
 última vez que vivieron juntos?)

ELSE ASK:

¿En qué mes y año vivieron juntos usted y (HUSBFILL) por  
 última vez?

♦ *PROBE for season if DK month*

♦ *ENTER MM/YYYY*

[HELP AVAILABLE]

[CALENDAR REFERENCE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

**WNSTPHX\_Y**

② of ②

CB-22y.

IF MARRCNTR = TIMESMAR AND MARSTAT = 5 (separated), DISPLAY:  
 (¿En qué mes y año vivieron juntos usted y (HUSBNAMEX/su  
 esposo) por última vez?)

ELSE DISPLAY:

(¿En qué mes y año vivieron juntos usted y (HUSBFILL) por  
 última vez?)

[HELP AVAILABLE]

[CALENDAR REFERENCE]

♦ *After R has reported year, say:* Si piensa que eso la puede  
 ayudar luego a recordar las fechas de otras cosas, puede  
 marcar en la línea de "Matrimonios, Vida en Pareja, y  
 Parejas" en el calendario cuándo dejó de vivir con ese  
 esposo.

♦ *ENTER (WNSTPHX\_M)/YYYY*

UNDERLYING RANGE: 1971 to 2011

**FLOW CHECK C-21: COMPUTE CMSTPHSBX (where X=MARRCNTR):**  
 (CM for date R last lived with husband X)  
 SET CMSTPHSBX = null/blank.

IF WNSTPHX\_Y = RF, SET CMSTPHSBX = 9998 (RF).  
 ELSE IF WNSTPHX\_Y = DK, SET CMSTPHSBX = 9999  
 (DK).

ELSE IF WNSTPHX\_M LE 12,  
 COMPUTE CMSTPHSBX = (WNSTPHX\_Y - 1900)\*12 +  
 WNSTPHX\_M

ELSE IF 13 LE WNSTPHX\_M LE 16, USE MONTH  
 APPROPRIATE TO SEASON & COMPUTE CMSTPHSBX AS  
 ABOVE.

ELSE IF WNSTPHX\_M = DK OR RF, ASSIGN MONTH = 6  
 (June) & COMPUTE CMSTPHSBX AS ABOVE.

IF CMSTPHSBX NE BLANK, ESTABLISH CMSTPHSBX\_FILL AS

FOLLOWS:

IF CMSTPHSBX = BLANK, DK, OR RF, SET  
 CMSTPHSBX\_FILL = ADATE UNKNOWN."

ELSE IF CMSTPHSBX LT 9996, DEFINE CMSTPHSBX\_FILL  
 as follows:

IF 1 LE WNSTPHX\_M LE 12, THEN ESTABLISH  
 MO/YR FILL IN THE FORMAT "1/1998" etc.

ELSE IF MONTH WAS REPORTED AS A SEASON  
 (codes 13-16), THEN ESTABLISH FILL IN THE  
 FORMAT "SPRING, 1998" etc.

ELSE IF MONTH WAS REPORTED AS DK OR RF,  
 BUT YEAR WAS REPORTED, THEN ESTABLISH FILL  
 BASED ONLY ON THE YEAR IN THE FORMAT  
 "1998" etc.

- Edit Check CB22\_1: IF (WNSTPHX\_M LE 12) AND CMSTPHSBX > CMINTVW,  
 DISPLAY: The date entered cannot be after the  
 date of interview. Please correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB22\_2: IF (WNSTPHX\_M LE 12) AND CMSTPHSBX < CMBIRTH,  
 DISPLAY: The date entered cannot be before her  
 date of birth. Please correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB22\_3: IF (13 LE WNSTPHX\_M LE 16) AND CMSTPHSBX >  
 (CMINTVW + 2) , DISPLAY: The date entered cannot  
 be after the date of interview. Please correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB22\_4: IF (13 LE WNSTPHX\_M LE 16) AND CMSTPHSBX <  
 (CMBIRTH - 3) , DISPLAY: The date entered cannot  
 be before her date of birth. Please correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB22\_5: IF (WNSTPHX\_M = DK OR RF) AND WNSTPHX\_Y >  
 (CMINTVW/12 +1900), DISPLAY: The date entered  
 cannot be after the date of interview. Please  
 correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CB22\_6: IF (WNSTPHX\_M = DK OR RF) AND WNSTPHX\_Y <  
 (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered

cannot be before her date of birth. Please correct.

**HARD, NONSUPPRESSIBLE EDIT CHECK.**

**EDIT CHECK CB22\_7:** PROBE IF CMSTPHSBX LT CMMARRHX. DISPLAY TEXT: R has reported that she stopped living with her husband earlier than their marriage. Has one of the dates been entered incorrectly?

**EDIT CHECK CB22\_8:** PROBE IF CMSTPHSBX LT CMDOBHSBX. DISPLAY TEXT: R has reported that she stopped living with her husband before his date of birth. Has one of the dates been entered incorrectly?

**EDIT CHECK CB22\_9:** PROBE IF CMSTPHSBX GT CMDIVORCX AND CMDIVORCX NE NULL/BLANK. DISPLAY TEXT: R has reported that she stopped living with this former husband after their divorce. Is this correct?

**FLOW CHECK C-22:** IF MARRCNTR = TIMESMAR OR IF TIMESMAR = DK/RF, THEN DO:

SET PREVHUSB = NULL/BLANK.

COMPUTE PREVHUSB:

= NUMBER OF PREVIOUS (NONCURRENT) HUSBANDS  
(separated husbands should be counted here)

(Count all husbands with MARENDHX NE BLANK, AND ADD 1 if FMARIT = 4.)

= 0 if FMARIT = 5 OR 0 (never married).

THEN GO TO FLOW CHECK C-23.

ELSE IF MARRCNTR LT TIMESMAR, ADVANCE MARRCNTR BY 1 AND RETURN TO FLOW CHECK C-6b TO ASK ABOUT NEXT HUSBAND.

**FLOW CHECK C-23:** IF AB-1 MARSTAT = 2 (cohabiting), CONTINUE WITH FLOW CHECK C-24.

ELSE IF MARSTAT NE 2, GO TO FLOW CHECK C-31.

**CURRENT COHABITING PARTNER (CC)**

**FLOW CHECK C-24:** IF (CHPNAME = "YOUR PARTNER"/blank) AND AB-1 MARSTAT = 2 (cohabiting), ASK CC-0 CPNAME.

ELSE IF (CHPNAME NE "YOUR PARTNER"/blank) AND AB-1 MARSTAT = 2 (cohabiting), GO TO C\_INTRO3 CC-1.

**CPNAME**

CC-0. Antes me dijo que está viviendo en pareja con un hombre. Por favor dígame el nombre o las iniciales de él para poder referirme a él durante la entrevista.

♦ ENTER Name or initials

TYPE: String [20]

**FLOW CHECK C-25: IF NAME OR INITIALS GIVEN IN CC-0 CPNAME, SET CHPNAME = CPNAME.**

**GO TO CC-2 WNSTRTCP.**

**C\_INTRO3**

CC-1. Antes me dijo que usted y (CHPNAME) están viviendo juntos en pareja. Las siguientes preguntas son acerca de su relación con él

♦ *ENTER [1] to continue*

**WNSTRTCP\_M**

① of ②

CC-2m. ¿En qué mes y año empezaron a vivir juntos usted y (CHPNAME)?

♦ *PROBE for season if DK month*

♦ *ENTER MM/YYYY*

[CALENDAR REFERENCE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

**WNSTRTCP\_Y**

② of ②

CC-2y. En qué mes y año empezaron a vivir juntos usted y (CHPNAME)?

[CALENDAR REFERENCE]

♦ *After R has given the year, say: Por favor ponga las iniciales de su pareja en el cuadrado que corresponda en la línea de "Matrimonios, Vida en Pareja, y Parejas" en su calendario.*

♦ *ENTER (WNSTRTCP\_M)/YYYY*

UNDERLYING RANGE: 1971 to 2011

**FLOW CHECK C-26: COMPUTE CMSTRTCP:**  
(CM for date when R began living with current cohab partner)

**SET CMSTRTCP = null/blank.**

**IF WNSTRTCP\_Y = RF, SET CMSTRTCP = 9998 (RF).**

**ELSE IF WNSTRTCP\_Y = DK, SET CMSTRTCP = 9999 (DK).**

**ELSE IF WNSTRTCP\_M LE 12,**

**COMPUTE CMSTRTCP = (WNSTRTCP\_Y - 1900)\*12 + WNSTRTCP\_M**



ELSE IF 13 LE WNSTRTCP\_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMSTRTCP AS ABOVE.

ELSE IF WNSTRTCP\_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMSTRTCP AS ABOVE.

DEFINE CMSTRTCP\_FILL AS FOLLOWS:

IF CMSTRTCP = BLANK, DK, OR RF, SET CMSTRTCP\_FILL = ADATE UNKNOWN."

ELSE IF CMSTRTCP LT 9996, DEFINE CMSTRTCP\_FILL AS FOLLOWS:

IF 1 LE WNSTRTCP\_M LE 12, THEN ESTABLISH MO/YR FILL IN THE FORMAT "1/1998" etc.

ELSE IF MONTH WAS REPORTED AS A SEASON (codes 13-16), THEN ESTABLISH FILL IN THE FORMAT "SPRING, 1998" etc.

ELSE IF MONTH WAS REPORTED AS DK OR RF, BUT YEAR WAS REPORTED, THEN ESTABLISH FILL BASED ONLY ON THE YEAR IN THE FORMAT "1998" etc.

Edit Check CC2\_1: IF (WNSTRTCP\_M LE 12) AND CMSTRTCP > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CC2\_2: IF (WNSTRTCP\_M LE 12) AND CMSTRTCP < CMBIRTH, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CC2\_3: IF (13 LE WNSTRTCP\_M LE 16) AND CMSTRTCP > (CMINTVW + 2) , DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CC2\_4: IF (13 LE WNSTRTCP\_M LE 16) AND CMSTRTCP < (CMBIRTH - 3) , DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CC2\_5: IF (WNSTRTCP\_M = DK OR RF) AND WNSTRTCP\_Y > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CC2\_6: IF (WNSTRTCP\_M = DK OR RF) AND WNSTRTCP\_Y < (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK C-26a: IF (CMSTRTCP = blank or DK or RF) OR (WNSTRTCP\_M = 13

or 14 or 15 or 16 or DK or RF), ASK CC-3 CIPHERAGE.  
ELSE GO TO EDIT CHECK CC3\_1.

**CPHERAGE**

CC-3. ¿Qué edad tenía usted cuando empezó a vivir con (CHPNAME)?

♦ ENTER age in years

UNDERLYING RANGE: 10 to 45

**EDIT CHECK CC3\_1: PROBE IF (CMSTRTCP - CMBIRTH)/12 LT 13 OR IF CC-3  
CPHERAGE < 13. DISPLAY TEXT: R has reported that she  
started living with this partner at an age younger  
than 13 years. Is this correct?**

**CPHISAGE**

CC-4. ¿Qué edad tenía (CHPNAME) cuando empezaron a vivir juntos?

♦ If R says DK, probe for the age difference between R and this partner and have her add to or subtract from her age at the time they began living together. Enter the resulting value for age in years.

♦ ENTER age in years \_\_\_\_\_

UNDERLYING RANGE: 10 to 95

**WNCPBRN\_M**

@ of @

CC-5m. En qué mes y año nació (CHPNAME)?

♦ PROBE for season if DK month

♦ ENTER MM/YYYY

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

**WNCPBRN\_Y**

@ of @

CC-5y. (¿En qué mes y año nació (CHPNAME)?)

♦ ENTER (WNCPBRN\_M)/YYYY

UNDERLYING RANGE: 1909 to 2001

**FLOW CHECK C-27: COMPUTE CMDOBCP:  
(CM for current cohab partner's date of birth)**

SET CMDOBCP = null/blank.

IF WNCPBRN\_Y = RF, SET CMDOBCP = 9998 (RF).

ELSE IF WNCPBRN\_Y = DK, SET CMDOBCP = 9999 (DK).

ELSE IF WNCPBRN\_M LE 12,

COMPUTE CMDOBCP = (WNCPBRN\_Y - 1900)\*12 +  
WNCPBRN\_M

ELSE IF 13 LE WNCBPN\_M LE 16, USE MONTH  
APPROPRIATE TO SEASON & COMPUTE CMDOBCP AS  
ABOVE.

ELSE IF WNCBPN\_M = DK OR RF, ASSIGN MONTH = 6  
(June) & COMPUTE CMDOBCP AS ABOVE.

**Edit Check CC5\_1:** IF (WNCBPN\_M LE 12) AND CMDOBCP > CMINTVW -  
120, **DISPLAY:** The date entered cannot be less  
than 10 years ago. Please correct.  
**HARD, NONSUPPRESSIBLE EDIT CHECK.**

**Edit Check CC5\_2:** IF (13 LE WNCBPN\_M LE 16) AND CMDOBCP >  
(CMINTVW - 118) , **DISPLAY:** The date entered  
cannot be less than 10 years ago. Please  
correct.  
**HARD, NONSUPPRESSIBLE EDIT CHECK.**

**Edit Check CC5\_3:** IF (WNCBPN\_M = DK OR RF) AND WNCBPN\_Y >  
(CMINTVW/12 +1900)- 10, **DISPLAY:** The date  
entered cannot be more than 35 years ago.  
Please correct.  
**HARD, NONSUPPRESSIBLE EDIT CHECK.**

**EDIT CHECK CC5\_4:** PROBE IF (CMSTRTCP - CMDOBCP)/12 LT 13 OR IF CC-  
4 CPHISAGE < 13. **DISPLAY TEXT:** R has reported  
that this partner was younger than age 13 when  
they began living together. Please correct  
whichever item has been entered incorrectly.  
**INVOLVING(WNSTRTCP\_M,WNSTRTCP\_Y,CPHISAGE)**

**CPENGAG1**

CC-6. Cuando empezaron a vivir juntos, ¿estaban comprometidos o  
tenían planes concretos para casarse?

Sí....1  
No....5

**WILLMARR**

CC-7. Por favor mirela Tarjeta 21. ¿Qué tan probable es que  
usted se case con [CHPNAME]?

[SHOW CARD 21]

No hay probabilidad.....1  
Es poco probable.....2  
50% de probabilidades.....3  
Bastante probable.....4  
Casi con seguridad.....5

**CPHISP**

CC-8. ¿Es (CHPNAME) hispano o latino, o de origen español?

Sí....1

No....5

**CPRACE**

CC-9.

Cuál de los grupos en la Tarjeta 2 describe el origen racial de (CHPNAME)? Por favor escoja uno o más grupos.

♦ *If R reports a mixture of several races (biracial, mixed, mulatto, etc.), enter all groups that are part of the mixture.*

♦ *ENTER all that apply. Do not probe AO.*

♦ *PRESS [Space] or [-] to separate responses*

[SHOW CARD 2]

[HELP AVAILABLE]

Indio Americano o Nativo de	
Alaska.....	1
Asiática.....	2
Nativa de Hawai o de otras islas del Pacífico.....	3
Negra, morena o afro-americana.....	4
Blanca.....	5

**FLOW CHECK C-28: IF MORE THAN ONE RACE CODED FOR CC-9 CPRACE, ASK CC-10 CPBESTR.  
ELSE, GO TO CC-11 CPEDUC.**

**CPBESTR**

CC-10.

Cuál de esos grupos, es decir (RESPONSES FROM CC-9 CPRACE), diría usted que describe mejor el origen racial de (CHPNAME)?

[HELP AVAILABLE]

{ DISPLAY ONLY THOSE CATEGORIES REPORTED IN CC-9 CPRACE

[ / Indio Americano o Nativo de Alaska.....	1
[ / Asiático.....	2
[ / Nativo de Hawai o de otras islas del Pacífico.....	3
[ / Negro, moreno o afro-americano.....	4
[ / Blanco.....	5

**EDIT CHECK CG7d\_1:**

**PROBE IF CPBESTR <> CPRACE (IF A CHOICE, OTHER THAN THOSE PREVIOUSLY SELECTED IN CPRACE),  
DISPLAY: You cannot choose a race that was not among the choices given. Re-select.**

**CPEDUC**

CC-11.

Por favor mire la Tarjeta 11. ¿Cuál es el nivel más alto de estudios que (CHPNAME) ha completado?

[SHOW CARD 11]

No se graduó de 'High School'.....1  
 Graduado(a) de 'High School' o obtuvo el GED.....2  
 Estudios de universidad o  
 'college' pero no obtuvo un título.....3  
 Título de una universidad o  
 'college' de 2 años (por ej., título de Asociado)....4  
 Graduado(a) de una universidad o  
 'college' de 4 años (por ej., BA, BS)..... 5  
 Estudios de posgrado o profesionales.....6

**CPMARBEF**

CC-12. ¿Alguna vez (CHPNAME) ha estado casado?

[HELP AVAILABLE]

Sí....1  
 No....5

**CPKIDS**

CC-13. Cuando usted y (CHPNAME) empezaron a vivir juntos en pareja, ¿tenía él algún hijo, sea biológico o adoptado, de alguna relación anterior?

Sí.....1  
 No.....5 (FLOW CHECK C-31)

**CPNUMKDS**

CC-14. ¿Cuántos hijos tenía?

*ENTER number*

UNDERLYING RANGE: 1 to 95

**FLOW CHECK C-28a: SET CPNUMKDS\_FILL.**

**IF CPNUMKDS NE DK OR RF, CPNUMKDS\_FILL = CPNUMKDS.  
 IF CPNUMKDS = DK OR RF, CPNUMKDS\_FILL IS BLANK.**

**CPKIDLIV**CC-15. IF CC-14 CPNUMKDS = 1, ASK:  
¿Alguna vez vivió ese hijo con usted y (CHPNAME)?

ELSE IF CC-14 CPNUMKDS > 1 OR CPNUMKDS=DK/RF, ASK:  
 ¿Alguna vez vivió con usted y (CHPNAME) alguno de los hijos de él de relaciones anteriores?

Sí....1  
 No....5

**FLOW CHECK C-28b: IF CC-14 CPNUMKDS = 1, ASK CC-16a CPKID18A.**

**ELSE IF CC-14 CPNUMKDS > 1 OR CPNUMKDS=DK/RF, GO TO  
 CC-16b CPKID18B.**

**CPKID18A**

CC-16a. En estos momentos, ¿tiene ese hijo 18 años o menos?

Sí .....1 (FLOW CHECK C-29)  
 No .....5 (FLOW CHECK C-29)

**CPKID18B**

CC-16b. En estos momentos, ¿cuántos de esos [CPNUMKDS] hijos tienen 18 años o menos, si es que hay alguno de esa edad?

*ENTER number \_\_\_\_\_*

UNDERLYING RANGE: 0 to 95

**EDIT CHECK CC16b\_1:**      **PROBE IF CC-16b CPKID18B GT CC-14 CPNUMKDS.**  
**DISPLAY TEXT:** R has reported a larger number of children 18 and under than the total number of children she said this partner had when they began living together. Has something been entered incorrectly?

**FLOW CHECK C-29:** IF (CC-16a CPKID18A = 5, DK, OR RF) OR (CC-16b CPKID18B = 0, DK, OR RF), GO TO FLOW CHECK C-31.

**WHRCPKDS**

CC-17. IF CC-16a CPKID18A = 1, ASK:  
 ¿Dónde vive ese hijo en estos momentos? ¿En este hogar con usted y (CHPNAME), con la madre de él o ella, con sus abuelos u otros parientes, o en algún otro lugar?

ELSE IF CC-16b CPKID18B = 1, ASK:  
 En este hogar con usted y (CHPNAME), con la madre de él o ella, con sus abuelos u otros parientes, o en algún otro lugar?

ELSE IF CC-16b CPKID18B > 1, ASK:  
 ¿En estos momentos, dónde viven esos (CPKID18B) hijos de 18 años o menos? En este hogar con usted y (CHPNAME), con la madre de ellos, con sus abuelos u otros parientes, o en algún otro lugar?

[HELP AVAILABLE]

- ♦ *ENTER all that apply*
- ♦ PRESS [Space] or [-] to separate responses

En este hogar.....1  
 Con la madre de ellos.....2  
 Con sus abuelos u otros parientes..3  
 En algún otro lugar.....4

**EDIT CHECK CC17\_1:**      **PROBE IF HHKIDS18 = 0 BUT R HAS REPORTED THAT ANY OF HER PARTNER'S CHILDREN LIVE ONLY AIN THIS HOUSEHOLD" (CC-17 WHRCPKDS = ONLY 1). DISPLAY TEXT:** R has reported that her partner's child(ren) lives with them, but earlier did not report any children 18 or under in the household. Has something been entered incorrectly?  
**INVOLVING: WHRCPKDS CC-17**

**FLOW CHECK C-30:** IF CC-17 WHRCPKDS INCLUDES CODES 2 or 3 or 4, ASK CC-18 SUPPORCP. ELSE GO TO FLOW CHECK C-31.

**SUPPORCP**

CC-18. IF CC-16a CPKID18A = 1 OR CC-16b CPKID18B = 1, ASK:  
¿Contribuye (CHPNAME) regularmente a la manutención de ese hijo?

ELSE IF CC-16b CPKID18B > 1, ASK:  
¿Contribuye (CHPNAME) regularmente a la manutención de esos hijos?

♦ *If necessary:* La manutención regular del niño es el apoyo financiero que se provee cada cierto tiempo, como cada semana, cada dos semanas o cada mes.

Sí....1

No....5

(SEE ENDNOTE)

**FLOW CHECK C-31: COMPUTE CMSTRTHP:**  
(CM for date when R began living with current husband or cohabiting partner)

INITIALIZE CHSTRTHP = inapp/blank  
(should only remain blank for cases with  
MARSTAT NE 1 or 2)

IF AB-1 MARSTAT = 1 (married) THEN FOR  
X=MARRCNTR:  
IF CMPMCOHX IS BLANK OR CMPMCOHX >  
CMMARRCH THEN CMSTRTHP = CMMARRCH.  
ELSE CMSTRTHP = CMPMCOHX.

ELSE IF MARSTAT = 2 (cohabiting) THEN:  
CMSTRTHP = CMSTRTCP (even if dk/rf)

IF FMARIT = 5 or 0 (never married) AND MARSTAT NE 2,  
CONTINUE WITH C\_INTRO4 CD-0.  
ELSE IF (FMARIT = 1 or 2 or 3 or 4) OR MARSTAT = 2, GO  
TO CD-1 LIVEOTH.

(SEE ENDNOTE)

**FORMER (non-current) COHABITING PARTNERS (CD)**

**C\_INTRO4**

CD-0. Algunas parejas viven juntas sin estar casados. Vivir juntos significa tener una relación de tipo sexual y vivir en la misma dirección.

♦ *ENTER [1] to continue*

**LIVEOTH**

CD-1. IF AB-1 MARSTAT NE 1 or 2 AND FMARIT = 5 or 0 (never married),  
ASK: ¿Alguna vez ha vivido en pareja con un hombre?

ELSE IF (AB-1 MARSTAT NE 1 or 2 OR ONE OR MORE HUSBNAMEX = DK OR RF), ASK:  
Sin contar a ningún hombre de quien ya hemos hablado, ¿alguna vez ha vivido en pareja con algún otro hombre?

ELSE IF AB-1 MARSTAT = 1 or 2 AND NO DK OR RF VALUES ON HUSBNAMEX,  
 ASK: Además de (CHPNAME AND (fill in all husbands named in  
 HUSBNAMEX)), ¿Alguna vez ha vivido en pareja con algún otro  
 hombre?

♦ Do not count "dating" or "sleeping over" as living  
 together. Living together means having a sexual  
 relationship while sharing the same usual address.

Sí....1  
 No....5

**FLOW CHECK C-32: COMPUTE EVRCOHAB:**  
 (Whether R has ever lived with a man outside of  
 marriage)

**EVRCOHAB = 1 (YES) IF CD-1 LIVEOTH = 1**  
 (yes)  
 OR IF MANREL = 2  
 OR IF AB-1 MARSTAT = 2  
 OR IF CB-5 LIVTOGHX = 1  
 (yes) for any husband

**EVRCOHAB = 5 (NO) OTHERWISE.**

**IF LIVEOTH = 1 (yes), ASK CD-2 HMOTHMEN.**  
**ELSE IF LIVEOTH = 5, DK, OR RF, GO TO FLOW CHECK C-34.**

**HMOTHMEN**

CD-2. IF AB-1 MARSTAT = 1 or 2 OR FMARIT = 1 or 2 or 3 or 4, ASK:  
 Not counting anyone we've already talked about, with how many  
 other men have you ever lived? ¿Sin contar a alguien de quien ya  
 hayamos hablado ¿Con cuántos otros hombres ha vivido en su vida?

ELSE IF MARSTAT NE 1 or 2 AND FMARIT = 5 or 0, ASK:  
 ¿Con cuántos hombres ha vivido en su vida?

♦ Do not count husbands R lived with prior to marriage. Do  
 not count R's current cohabiting partner.

ENTER number \_\_\_\_\_

UNDERLYING RANGE: 1 to 95 (allow space for 4 in looping)

**FLOW CHECK C-33: IF CD-2 HMOTHMEN = DK OR RF, GO TO FLOW CHECK C-34.**

**OTHMANX**

CD-3. IF (AB-1 MARSTAT = 1 or 2 OR FMARIT = 1 or 2 or 3 or 4) AND  
 CD-2 HMOTHMEN = 1, ASK: Por favor dígame el nombre o las iniciales  
 del otro hombre con el que vivió para poder referirme a él durante  
 la entrevista.

ELSE IF (MARSTAT NE 1 or 2 AND FMARIT = 5 or 0) AND CD-2 HMOTHMEN  
 = 1, ASK:  
 Por favor dígame el nombre o las iniciales del hombre con el que  
 vivió para poder referirme a él durante la entrevista.



ELSE IF (MARSTAT = 1 or 2 OR FMARIT = 1 or 2 or 3 or 4) AND (2 LE CD-2 HMOTHMEN LE 4), ASK:

Comenzando con el primero, por favor dígame el nombre o las iniciales de los otros hombres con los que vivió para poder referirme a ellos durante la entrevista.

ELSE IF (MARSTAT NE 1 or 2 AND FMARIT = 5 or 0) AND (2 LE CD-2 HMOTHMEN LE 4), ASK:

Comenzando con el primero, por favor dígame el nombre o las iniciales de los hombres con los que vivió para poder referirme a ellos durante la entrevista.

ELSE IF (MARSTAT = 1 or 2 OR FMARIT = 1 or 2 or 3 or 4) AND CD-2 HMOTHMEN GT 4, ASK:

Para ahorrar tiempo durante la entrevista, solamente voy a preguntarle acerca de los primeros 4 hombres con los que usted vivió. Comenzando con el primero, por favor dígame el nombre o las iniciales de los otros hombres con los que vivió para poder referirme a ellos durante la entrevista.

ELSE IF (MARSTAT NE 1 or 2 AND FMARIT = 5 or 0) AND CD-2 HMOTHMEN GT 4, ASK:

Para ahorrar tiempo durante la entrevista, solamente voy a preguntarle acerca de los primeros 4 hombres con los que usted vivió. Comenzando con el primero, por favor dígame el nombre o las iniciales de los hombres con los que vivió para poder referirme a ellos durante la entrevista.

{ Space for names/initials, TYPE: String [20]

**EDIT CHECK CD3\_1a:** (very soft edit) PROBE IF NAME/INITIALS REPORTED IN CD-3 OTHMANX IS SAME AS NAME OF A HUSBAND OR CURRENT COHABITING PARTNER (in CA-2 HUSBNAMEX OR CHPNAME). IF UPPERCASE(OTHMANX) = UPPERCASE(HUSBNAMEX), DISPLAY TEXT: Just to make sure I haven't entered something incorrectly, is this man someone different from the man named (HUSBNAMEX) we have already talked about?

**EDIT CHECK CD3\_1b:** (very soft edit) PROBE IF NAME/INITIALS REPORTED IN CD-3 OTHMANX IS SAME AS NAME OF A HUSBAND OR CURRENT COHABITING PARTNER (in CA-2 HUSBNAMEX OR CHPNAME). IF UPPERCASE(OTHMANX) = UPPERCASE(CHPNAME), DISPLAY TEXT: Just to make sure I haven't entered something incorrectly, is this man someone different from the man named (CHPNAME) we have already talked about?

**FLOW CHECK C-34: DEFINE PREVCOHB:**  
(Number of former cohabiting partners)

PREVCOHB = 0 IF EVRCOHAB = NO  
OR IF CD-2 HMOTHMEN = DK OR RF  
OR IF CD-1 LIVEOTH = NO, DK, OR RF  
PREVCOHB = HMOTHMEN

IF PREVCOHB = 0, GO TO FLOW CHECK C-41.

ELSE, CONTINUE WITH FLOW CHECK C-34b.

**FLOW CHECK C-34b: DETERMINE WHICH FORMER COHABITING PARTNER TO DISCUSS.**

INCREASE COHBCNTR BY 1.

IF HMOTHMEN = 1, SET NTH = blank

ELSE IF HMOTHMEN GT 1,

USE "1<sup>st</sup>" for nth if COHBCNTR = 1

USE "2<sup>nd</sup>" for nth if COHBCNTR = 2, and so forth.

DEFINE COHBFILL:

(Name fill for each former cohabiting partner)

IF OTHMANX NE DK OR RF, SET COHBFILL = OTHMANX

(where X = COHBCNTR).

ELSE IF OTHMANX = DK OR RF, SET COHBFILL = "your  
(COHBCNTR) partner"

ASK CD-4 TO CD-14 FOR EACH FORMER COHABITING PARTNER

(up to a max of 4).

**STRTOHX\_M**

① of ②

CD-4m.

¿En qué mes y año empezaron a vivir juntos usted y  
(COHBFILL)?

♦ *PROBE* for season if DK month

♦ *ENTER* MM/YYYY

[HELP AVAILABLE]

[CALENDAR REFERENCE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

**STRTOHX\_Y**

② of ②

CD-4y.

(¿En qué mes y año empezaron a vivir juntos usted y  
(COHBFILL)?)

[HELP AVAILABLE]

[CALENDAR REFERENCE]

♦ *After R has given the year, say:* Por favor ponga las  
iniciales de su pareja en el cuadrado que corresponda en la  
línea de "Matrimonios, Vida en Pareja, y Parejas" en su  
calendario.

♦ *ENTER* (STRTOHX\_M)/YYYY

UNDERLYING RANGE: 1971 to 2011

**FLOW CHECK C-35: COMPUTE CMCOHSTX:**

(CM for date R began living with former cohabiting  
partner X)

SET CMCOHSTX = null/blank.

IF STRTOTHX\_Y = RF, SET CMCOHSTX = 9998 (RF).  
 ELSE IF STRTOTHX\_Y = DK, SET CMCOHSTX = 9999

(DK).

ELSE IF STRTOTHX\_M LE 12,  
 COMPUTE CMCOHSTX = (STRTOTHX\_Y - 1900)\*12 +  
 STRTOTHX\_M

ELSE IF 13 LE STRTOTHX\_M LE 16, USE MONTH  
 APPROPRIATE TO SEASON & COMPUTE CMCOHSTX AS  
 ABOVE.

ELSE IF STRTOTHX\_M = DK OR RF, ASSIGN MONTH = 6  
 (June) & COMPUTE CMCOHSTX AS ABOVE.

IF CMCOHSTX NE BLANK, ESTABLISH CMCOHSTX\_FILL AS

FOLLOWS:

IF CMCOHSTX = BLANK, DK, OR RF, SET  
 CMCOHSTX\_FILL = ADATE UNKNOWN."

ELSE IF CMCOHSTX LT 9996, DEFINE CMCOHSTX\_FILL  
 as follows:

IF 1 LE STRTOTHX\_M LE 12, THEN ESTABLISH  
 MO/YR FILL IN THE FORMAT "1/1998" etc.

ELSE IF MONTH WAS REPORTED AS A SEASON  
 (codes 13-16), THEN ESTABLISH FILL IN THE  
 FORMAT "SPRING, 1998" etc.

ELSE IF MONTH WAS REPORTED AS DK OR RF,  
 BUT YEAR WAS REPORTED, THEN ESTABLISH FILL  
 BASED ONLY ON THE YEAR IN THE FORMAT  
 "1998" etc.

- Edit Check CD4\_1: IF (STRTOTHX\_M LE 12) AND CMCOHSTX > CMINTVW,  
 DISPLAY: The date entered cannot be after the  
 date of interview. Please correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CD4\_2: IF (STRTOTHX\_M LE 12) AND CMCOHSTX < CMBIRTH,  
 DISPLAY: The date entered cannot be before her  
 date of birth. Please correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CD4\_3: IF (13 LE STRTOTHX\_M LE 16) AND CMCOHSTX >  
 (CMINTVW + 2) , DISPLAY: The date entered cannot  
 be after the date of interview. Please correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CD4\_4: IF (13 LE STRTOTHX\_M LE 16) AND CMCOHSTX <  
 (CMBIRTH - 3) , DISPLAY: The date entered cannot  
 be before her date of birth. Please correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CD4\_5: IF (STRTOTHX\_M = DK OR RF) AND STRTOTHX\_Y >  
 (CMINTVW/12 +1900), DISPLAY: The date entered  
 cannot be after the date of interview. Please  
 correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.

**Edit Check CD4\_6:** IF (STRTOHX\_M = DK OR RF) AND STRTOHX\_Y < (CMBIRTH/12 +1900)- 1, **DISPLAY:** The date entered cannot be before her date of birth. Please correct.  
**HARD, NONSUPPRESSIBLE EDIT CHECK.**

**FLOW CHECK C-35a:** IF (CMCOHSTX = blank or DK or RF) OR (STRTOHX\_M = 13 or 14 or 15 or 16 or DK or RF), ASK CD-5 HERAGECX.  
**ELSE GO TO EDIT CHECK CD5\_1.**

**HERAGECX**

CD-5. ¿Qué edad tenía usted cuando empezó a vivir con (COHBFILL)?

♦ ENTER age in years \_\_\_\_\_

UNDERLYING RANGE: 10 to 45

**EDIT CHECK CD5\_1:** PROBE IF (CMCOHSTX - CMBIRTH)/12 LT 13 OR IF CD-5 CXHERAGE < 13. **DISPLAY TEXT:** R has reported that she started living with this partner at an age younger than 13 years. Is this correct?

**HISAGECX**

CD-6. ¿Qué edad tenía él cuando empezaron a vivir juntos?

♦ If R says DK, probe for the age difference between R and this partner and have her add to or subtract from her age at the start of the cohabitation. Enter this resulting value for age in years.

♦ ENTER age in years \_\_\_\_\_

UNDERLYING RANGE: 10 to 95

**WNBRCX\_M**

① of ②

CD-7m. ¿En qué mes y año nació él?

♦ PROBE for season if DK month

♦ ENTER MM/YYYY

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

**WNBRCX\_Y**

② of ②

CD-7y. (¿En qué mes y año nació él?)

♦ ENTER (WNBRCX\_M)/YYYY

UNDERLYING RANGE: 1909 to 2001

**FLOW CHECK C-36:** COMPUTE CMDOBCX:  
(CM for this former cohabiting partner's date of

birth)

SET CMDOBCX = null/blank.

IF WNBRCX\_Y = RF, SET CMDOBCX = 9998 (RF).  
ELSE IF WNBRCX\_Y = DK, SET CMDOBCX = 9999 (DK).

ELSE IF WNBRCX\_M LE 12,  
COMPUTE CMDOBCX = (WNBRCX\_Y - 1900)\*12 +  
WNBRCX\_M

ELSE IF 13 LE WNBRCX\_M LE 16, USE MONTH  
APPROPRIATE TO SEASON & COMPUTE CMDOBCX AS  
ABOVE.

ELSE IF WNBRCX\_M = DK OR RF, ASSIGN MONTH = 6  
(June) & COMPUTE CMDOBCX AS ABOVE.

Edit Check CD7\_1: IF (WNBRCX\_M LE 12) AND CMDOBCX > CMINTVW -  
120, DISPLAY: The date entered cannot be less  
than 10 years ago. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CD7\_2: IF (13 LE WNBRCX\_M LE 16) AND CMDOBCX >  
(CMINTVW - 118) , DISPLAY: The date entered  
cannot be less than 10 years ago. Please  
correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CD7\_3: IF WNBRCX\_Y > (CMINTVW/12 +1900)- 10, DISPLAY:  
The date entered cannot be less than 10 years  
ago. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK CD7\_4: PROBE IF (CMCOHSTX - CMDOBCX)/12 LT 13 OR IF CD-  
6 CXHISAGE < 13. DISPLAY TEXT: R has reported  
that this partner was younger than age 13 when  
they began living together. Please correct  
whichever item has been entered incorrectly.  
INVOLVING(STRTOTHX\_M, STRTOTHX\_Y, HISAGECX)

ENGAG1CX

CD-8. Cuando empezaron a vivir juntos, ¿estaban comprometidos o  
tenían planes concretos para casarse?

Sí....1  
No....5

FLOW CHECK C-37: IF COHBCNTR = 1, ASK CD-9 HISPCX.  
ELSE GO TO CD-12 MAREVCX.

{ Ask only for 1<sup>st</sup> former CP

HISPCX

CD-9. ¿Era (COHBFILL) hispano o latino, o de origen español?

Sí....1  
No....5

{ Ask only for 1<sup>st</sup> former CP

RACECX

CD-10. ¿Cuál de los grupos en la tarjeta 2 describe el origen  
racial de (COHBFILL)? Por favor escoja uno o más grupos.

- ♦ *If R reports a mixture of several races (biracial, mixed, mulatto, etc.), enter all groups that are part of the mixture.*
- ♦ *ENTER all that apply. Do not probe AO.*
- ♦ *PRESS [Space] or [-] to separate responses*

[SHOW CARD 2]  
[HELP AVAILABLE]

Indio Americano o Nativo de Alaska.....1  
Asiático.....2  
Nativo de Hawai o de otras islas del Pacífico.....3  
Negro, moreno o afro-americano.....4  
Blanco.....5

**FLOW CHECK C-38: IF MORE THAN ONE RACE CODED FOR RACECX, ASK CD-11  
BSTRACCX. ELSE, GO TO CD-12 MAREVCX.**

{ Ask only for 1<sup>st</sup> former CP if more than 1 race reported

**BSTRACCX**

CD-11. ¿Cuál de esos grupos, es decir (RESPONSES FROM CD-10 RACECX), diría usted que mejor describe el origen racial de él?

[HELP AVAILABLE]

{ DISPLAY ONLY THOSE CATEGORIES REPORTED IN CD-10 RACECX  
[ / Indio Americano o Nativo de Alaska.....1  
[ / Asiático.....2  
[ / Nativo de Hawai o de otras islas del Pacífico.....3  
[ / Negro, moreno o afro-americano.....4  
[ / Blanco.....5

**EDIT CHECK CG7d\_1: PROBE IF BSTRACCX <> RACECX (IF A CHOICE, OTHER THAN THOSE PREVIOUSLY SELECTED IN RACECX),  
DISPLAY: You cannot choose a race that was not among the choices given. Re-select.**

**MAREVCX**

CD-12. Cuando empezaron a vivir juntos, )(COHBFILL) ¿había estado casado antes?

[HELP AVAILABLE]

Sí....1  
No....5

**CXKIDS**

CD-13. Cuando ustedes empezaron a vivir juntos, ¿tenía él algún hijo, sea biológico o adoptado, de alguna relación anterior?

Sí....1

No....5

**STPTOGCX\_M**

① of ②

CD-14m. ¿En qué mes y año usted y (COHBFILL) vivieron juntos por última vez?

- ♦ *PROBE for season if DK month*
- ♦ *ENTER MM/YYYY*

## [CALENDAR REFERENCE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

**STPTOGCX\_Y**

② of ②

CD-14y. (*¿En qué mes y año usted y (COHBFILL) vivieron juntos por última vez?*)

- ♦ *After R has given the year, say: Por favor ponga alguna anotación en el cuadrado que corresponda en la línea de "Matrimonios, Vida en Pareja, y Parejas" en su calendario para indicar cuándo sucedió eso.*

## [CALENDAR REFERENCE]

- ♦ *ENTER (STPTOGCX\_M)/YYYY*

UNDERLYING RANGE: 1971 to 2011

**FLOW CHECK C-39: COMPUTE CMSTPCOHX:**  
(CM for date when R stopped cohabiting with this partner X)

SET CMSTPCOHX = null/blank.

IF STPTOGCX\_Y = RF, SET CMSTPCOHX = 9998 (RF).  
ELSE IF STPTOGCX\_Y = DK, SET CMSTPCOHX = 9999  
(DK).

ELSE IF STPTOGCX\_M LE 12,  
COMPUTE CMSTPCOHX = (STPTOGCX\_Y - 1900)\*12 +  
STPTOGCX\_M

ELSE IF 13 LE STPTOGCX\_M LE 16, USE MONTH  
APPROPRIATE TO SEASON & COMPUTE CMSTPCOHX AS  
ABOVE.

ELSE IF STPTOGCX\_M = DK OR RF, ASSIGN MONTH = 6  
(June) & COMPUTE CMSTPCOHX AS ABOVE.

DEFINE CMSTPCOHX\_FILL AS FOLLOWS:

IF CMSTPCOHX = BLANK, DK, OR RF, SET  
CMSTPCOHX\_FILL = ADATE UNKNOWN."

ELSE IF CMSTPCOHX LT 9996, DEFINE CMSTPCOHX\_FILL AS FOLLOWS:

IF 1 LE STPTOGCX\_M LE 12, THEN ESTABLISH MO/YR FILL IN THE FORMAT "1/1998" etc.

ELSE IF MONTH WAS REPORTED AS A SEASON (codes 13-16), THEN ESTABLISH FILL IN THE FORMAT "SPRING, 1998" etc.

ELSE IF MONTH WAS REPORTED AS DK OR RF, BUT YEAR WAS REPORTED, THEN ESTABLISH FILL BASED ONLY ON THE YEAR IN THE FORMAT "1998" etc.

- Edit Check CD14\_1: IF (STPTOGCX\_M LE 12) AND CMSTPCOHX > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CD14\_2: IF (STPTOGCX\_M LE 12) AND CMSTPCOHX < CMBIRTH, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CD14\_3: IF (13 LE STPTOGCX\_M LE 16) AND CMSTPCOHX > (CMINTVW + 2) , DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CD14\_4: IF (13 LE STPTOGCX\_M LE 16) AND CMSTPCOHX < (CMBIRTH - 3) , DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CD14\_5: IF (STPTOGCX\_M = DK OR RF) AND STPTOGCX\_Y > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check CD14\_6: IF (STPTOGCX\_M = DK OR RF) AND STPTOGCX\_Y < (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK CD14\_7: PROBE IF CMSTPCOHX < CMCOHSTX. DISPLAY TEXT: R has reported that she stopped living with the partner before she began living with him. Has one of the dates been entered incorrectly?
- EDIT CHECK CD14\_8: THE DATES R LIVED WITH NON-CURRENT, NON-MARITAL PARTNERS SHOULD NOT OVERLAP WITH MARRIAGES. COMPARE CMCOHSTX AND CMSTPCOHX WITH CMMARRHX AND CMSTPHSBX FOR ALL HUSBANDS. PROBE IF OVERLAP OCCURS. The ending date of this relationship occurs during a period of time that the respondent was married to another man. Verify dates with R and re-enter.
- EDIT CHECK CD14\_9: THE DATES R LIVED WITH NON-CURRENT, NON-MARITAL



PARTNERS CANNOT OVERLAP WITH PREMARITAL COHABITATIONS WITH HUSBANDS. COMPARE CMCOHSTX AND CMSTPCOHX WITH CMPMCOHX FOR ALL HUSBANDS. PROBE IF OVERLAP OCCURS. The ending date of this relationship occurs during a period of time that the respondent was living with another man. Verify dates with R and re-enter.

EDIT CHECK CD14\_10: THE DATES R LIVED WITH NON-CURRENT, NON-MARITAL PARTNERS CANNOT OVERLAP WITH HER CURRENT COHABITATION WITH A PARTNER. COMPARE CMCOHSTX AND CMSTPCOHX WITH CMSTRTCP. PROBE IF OVERLAP OCCURS. The ending date of this relationship occurs during a period of time that the respondent is living with her current partner. Verify dates with R and re-enter.

EDIT CHECK CD14\_11: COHABITATION DATES WITH DIFFERENT PARTNERS CANNOT OVERLAP EACH OTHER. COMPARE CMCOHSTX AND CMSTPCOHX FOR EACH "X" PARTNER REPORTED. PROBE IF OVERLAP OCCURS. The ending date of this relationship occurs during a period of time that the respondent was living with another partner. Verify dates with R and re-enter.

FLOW CHECK C-40: IF COHBCNTR LT HMOTHMEN AND COHBCNTR LT 4, RETURN TO FLOW CHECK C-34b TO ASK ABOUT NEXT FORMER COHABITING PARTNER.

ELSE IF COHBCNTR = HMOTHMEN OR IF COHBCNTR = 4, CONTINUE WITH FLOW CHECK C-41.

EVER HAD INTERCOURSE (CE)

FLOW CHECK C-41: IF FMARIT = 5 or 0 (never married) AND EVRCOHAB = 5 (no) AND EVERPREG = 5 (no), ASK CE-1 EVERSEX.

ELSE IF (FMARIT = 1, 2, 3, or 4) OR (CA-1 TIMESMAR GE 1) OR EVRCOHAB = 1 (yes) OR EVERPREG = 1 (yes), GO TO FLOW CHECK C-42

CE-1. En algún momento de su vida, ¿alguna vez ha tenido relaciones sexuales con un hombre, es decir, hacer el amor, tener sexo o "acostarse"?

♦ *No cuente el sexo oral, sexo anal, caricias excitantes u otras formas de actividad sexual sin penetración del pene en la vagina.*

♦ *No cuente el sexo con otra mujer.*

Sí....1  
No....5

FLOW CHECK C-42: COMPUTE RHADSEX:  
(Whether R has ever had vaginal intercourse with a

male)

RHADSEX = 1 (yes) IF CE-1 EVERSEX = YES  
 OR FMARIT = 1, 2, 3, or 4  
 OR CA-1 TIMESMAR GE 1  
 OR EVRCOHAB = YES  
 OR EVERPREG = YES

RHADSEX = 5 (no) IF CE=1 EVERSEX = NO, DK,  
 OR RF.

IF RHADSEX = NO, ASK CE-2 YNOSEX.  
 ELSE IF RHADSEX = YES, GO TO FLOW CHECK C-43.

#### YNOSEX

CE-2. Como usted sabe, algunas personas ya han tenido relaciones sexuales a su edad y otras no. Por favor mire la tarjeta 22 donde aparecen algunas razones que la gente da para no tener relaciones sexuales.

¿Cuál diría usted que es la razón más importante por la que usted no ha tenido relaciones sexuales hasta ahora?

[SHOW CARD 22]  
 [HELP AVAILABLE]

Es en contra de su religión o sus principios morales..1  
 No se quiere quedar embarazada.....2  
 No quiere contagiarse de una enfermedad  
 de transmisión sexual.....3  
 Todavía no ha encontrado a la persona adecuada.....4  
 Está en una relación, pero está esperando  
 el momento oportuno.....5  
 Otra razón.....6

FLOW CHECK C-43: IF RHADSEX = YES, ASK CE-3 WNFSTSEX.  
 ELSE IF RHADSEX = NO, GO TO FLOW CHECK C-48.

#### WNFSTSEX\_M

① of ②

CE-3m.

Por favor mire el calendario y piense en la primera vez en su vida cuando tuvo relaciones sexuales con un hombre. ¿En qué mes y año fue eso?

◆ *If R refuses, remind her gently of the importance of the question and the confidentiality of her answer. If appropriate say: Yo entiendo que ésta puede ser una pregunta difícil. Sin embargo, esta pregunta es muy importante porque nos dice cuándo una mujer está expuesta por primera vez al riesgo de embarazarse. ¿Estaría dispuesta a darnos el mes y el año, o tal vez sólo el año? Si no, podemos pasar a la siguiente pregunta.*

◆ *Sexual intercourse here refers to a sexual encounter between*

*a man and a woman, in which the penis enters the vagina. Do not count oral sex, anal sex, heavy petting, or other forms of sexual activity that do not involve vaginal penetration. Do not count sex with a female partner.*

◆ ENTER [96] if R insists that she has never had sexual intercourse.

◆ PROBE for season if DK month  
◆ ENTER MM/YYYY

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño
96. Never had sex.			

**EDIT CHECK CE3m\_1:**      **WNFSTSEX\_M=DK THEN SAY:** If R does not know the date, probe using the calendar and other reference dates.

{ YEAR IS ASKED ONLY IF WNFSTSEX\_M NE 96

**WNFSTSEX\_Y**

② of ②

CE-3y.

*(Por favor mire el calendario y piense en la primera vez en su vida cuando tuvo relaciones sexuales con un hombre. ¿En qué mes y año fue eso?)*

◆ *If R refuses, remind her gently of the importance of the question and the confidentiality of her answer. If appropriate say: Yo entiendo que ésta puede ser una pregunta difícil. Sin embargo, esta pregunta es muy importante porque nos dice cuándo una mujer está expuesta por primera vez al riesgo de embarazarse. ¿Estaría dispuesta a darnos el mes y el año, o tal vez sólo el año? Si no, podemos pasar a la siguiente pregunta.*

◆ *Sexual intercourse here refers to a sexual encounter between a man and a woman, in which the penis enters the vagina. Do not count oral sex, anal sex, heavy petting, or other forms of sexual activity that do not involve vaginal penetration. Do not count sex with a female partner.*

◆ *After R has given year, say: Por favor anote este evento en el cuadro que corresponda en la línea de "Primera pareja" en su calendario. Puede usar PSEX o alguna otra anotación que después usted entienda.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

◆ ENTER [WNFSTSEX\_M]/YYYY

UNDERLYING RANGE: 1961 to 2011

**EDIT CHECK CE3m\_1:**      **WNFSTSEX\_Y=DK THEN SAY:** If R does not know the date, probe using the calendar and other reference dates.

**FLOW CHECK C-44: COMPUTE CMFSTSEX:**  
(CM for date of first vaginal intercourse with a male)

**SET CMFSTSEX = null/blank.**

**IF WNFSTSEX\_Y = RF, SET CMFSTSEX = 9998 (RF).**  
      **ELSE IF WNFSTSEX\_Y = DK, SET CMFSTSEX = 9999**  
**(DK).**

**ELSE IF WNFSTSEX\_M LE 12,**  
      **COMPUTE CMFSTSEX = (WNFSTSEX\_Y - 1900)\*12 +**  
      **WNFSTSEX\_M**

**ELSE IF 13 LE WNFSTSEX\_M LE 16, USE MONTH**  
      **APPROPRIATE TO SEASON & COMPUTE CMFSTSEX AS**  
      **ABOVE.**

**IF WNFSTSEX\_M = 96, SET CMFSTSEX = 9996 (R has**  
      **never had sex) AND RESET RHADSEX = NO.**

**ELSE IF WNFSTSEX\_M = DK OR RF, ASSIGN MONTH = 6**  
      **(June) & COMPUTE CMFSTSEX AS ABOVE.**

**IF CMFSTSEX NE BLANK, ESTABLISH CMFSTSEX\_FILL AS**  
**FOLLOWS:**

**IF CMFSTSEX = BLANK, DK, OR RF, SET**  
      **CMFSTSEX\_FILL = ADATE UNKNOWN."**

**ELSE IF CMFSTSEX LT 9996, DEFINE CMFSTSEX\_FILL**  
      **as follows:**

**IF 1 LE WNFSTSEX\_M LE 12, THEN ESTABLISH**  
          **MO/YR FILL IN THE FORMAT "1/1998" etc.**

**ELSE IF MONTH WAS REPORTED AS A SEASON**  
          **(codes 13-16), THEN ESTABLISH FILL IN THE**  
          **FORMAT "SPRING, 1998" etc.**

**ELSE IF MONTH WAS REPORTED AS DK OR RF,**  
          **BUT YEAR WAS REPORTED, THEN ESTABLISH FILL**  
          **BASED ONLY ON THE YEAR IN THE FORMAT**  
          **"1998" etc.**

**ELSE IF CMFSTSEX = 9996, SET CMFSTSEX\_FILL =**  
      **"NOT APPLICABLE".**

**COMPUTE FLGSXDK1:**  
(Flag indicating reporting of season or DK/RF on CE-3  
WNFSTSEX\_M)

IF 13 LE WNFSTSEX\_M LE 16, SET FLGSXDK1 = 1.  
 ELSE IF WNFSTSEX\_M = DK/RF, SET FLGSXDK1 = 2.  
 ELSE IF WNFSTSEX\_M = 96, SET FLGSXDK1 = 3.  
 ELSE SET FLGSXDK1 = 0.

IF CMFSTSEX = DK OR RF, ASK CE-4 AGEFSTSX.  
 IF CMFSTSEX NE BLANK AND CMFSTSEX < 9996, GO TO EDIT  
 CHECK CE3\_1.

ELSE IF CMFSTSEX = 9996, GO TO FLOW CHECK C-48.

**Edit Check CE3\_1:** IF (WNFSTSEX\_M LE 12) AND CMFSTSEX > CMINTVW,  
 DISPLAY: The date entered cannot be after the  
 date of interview. Please correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.

**Edit Check CE3\_2:** IF (WNFSTSEX\_M LE 12) AND CMFSTSEX < CMBIRTH,  
 DISPLAY: The date entered cannot be before her  
 date of birth. Please correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.

**Edit Check CE3\_3:** IF (13 LE WNFSTSEX\_M LE 16) AND CMFSTSEX >  
 (CMINTVW + 2) , DISPLAY: The date entered cannot  
 be after the date of interview. Please correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.

**Edit Check CE3\_4:** IF (13 LE WNFSTSEX\_M LE 16) AND CMFSTSEX <  
 (CMBIRTH - 3) , DISPLAY: The date entered cannot  
 be before her date of birth. Please correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.

**Edit Check CE3\_5:** IF (WNFSTSEX\_M = DK OR RF) AND WNFSTSEX\_Y >  
 (CMINTVW/12 +1900), DISPLAY: The date entered  
 cannot be after the date of interview. Please  
 correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.

**Edit Check CE3\_6:** IF (WNFSTSEX\_M = DK OR RF) AND WNFSTSEX\_Y <  
 (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered  
 cannot be before her date of birth. Please  
 correct.  
 HARD, NONSUPPRESSIBLE EDIT CHECK.

**EDIT CHECK CE3\_7:** PROBE IF CMFSTSEX > CMPBEG\_S[1] + 2 (date when  
 1<sup>st</sup> pregnancy began + 2 months leeway). DISPLAY  
 TEXT:  
 I just recorded that your first sex was in  
 [CMFSTSEX\_FILL]. But based on when your first  
 pregnancy ended, the computer calculated that  
 your first pregnancy began in [CMPBEG\_S\_FILL],  
 which is before the date of your first sex.  
 Please tell me which date I should correct?  
 INVOLVING: WNFSTSEX\_M CE-3, WNFSTSEX\_Y CE-3

**AGEFSTSX**  
 CE-4.

Esa primera vez en su vida que tuvo relaciones sexuales con  
 un hombre, ¿qué edad tenía usted?

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

**IF FIRST SEX OCCURRED CMJAN3YR OR LATER, DISPLAY:**

♦ *If necessary, suggest to R that she look at her calendar to verify her age at first sex (for example, if it occurred in the same month as her birthday).*

♦ *ENTER age in years \_\_\_\_\_*

UNDERLYING RANGE: 0 to 45

**EDIT CHECK CE4\_1: PROBE IF INT(CMFSTSEX - CMBIRTH)/12) IS INCONSISTENT WITH CE-4 AGEFSTX. DISPLAY TEXT:** The date of first sex and the age at first sex I have recorded are inconsistent with each other. Let me read them to you so we can correct one.  
**INVOLVING:** CE-4 AGEFSTX, CE-3 WNFSTSEX\_M, CE-3 WNFSTSEX\_Y

**FLOW CHECK C-45: IF CE-4 AGEFSTX = DK OR RF, ASK CE-5 SEX18. ELSE GO TO FLOW CHECK C-46.**

**SEX18**

CE-5. ¿Tenía usted menos de 18 años de edad, o tenía 18 años o más?

Menor de 18 años.....1  
18 años o más.....2

**FLOW CHECK C-45b: IF CE-5 SEX18 = 1 OR DK, ASK CE-6 SEX15. ELSE IF SEX18 = 2, GO TO CE-7 SEX20. ELSE IF SEX18 = RF, GO TO FLOW CHECK C-46.**

**SEX15**

CE-6. ¿Tenía usted menos de 15 años de edad, o tenía 15 años o más?

Menor de 15 años.....1  
15 años o más.....2

**FLOW CHECK C-45c: IF CE-6 SEX15 = 1, 2, DK, or RF, GO TO FLOW CHECK C-46.**

**SEX20**

CE-7. ¿Tenía usted menos de 20 años de edad, o tenía 20 años o más?

Menor de 20 años.....1  
20 años o más.....2

**FLOW CHECK C-46: IF CE-4 AGEFSTSX GT 17 OR (CE-4 AGEFSTSX = DK OR RF AND CE-5 SEX18 = 2), GO TO FLOW CHECK C-47.**

**GRFSTSX**

CE-8. ¿En qué año o grado estaba esa primera vez que tuvo relaciones sexuales con un hombre?

[HELP AVAILABLE]

♦ *ENTER [96] if R was not in school when she first had intercourse*

1º grado o año.....	1
2º grado o año.....	2
3º grado o año.....	3
4º grado o año.....	4
5º grado o año.....	5
6º grado o año.....	6
7º grado o año.....	7
8º grado o año.....	8
9º grado o año.....	9
10º grado o año.....	10
11º grado o año.....	11
12º grado o año.....	12
1 año de college o menos.....	13
2º año de college o menos.....	14
3º año de college o menos.....	15
4º año de college/estudios de posgrado.....	16
<i>Not in school</i> .....	96

UNDERLYING RANGE: 1 to 16, 96

**FLOW CHECK C-47: IF FMARIT = 0 OR 5 (never married) AND EVRCOHAB = NO, ASK CE-9 SXMTONCE.**

**ELSE IF FMARIT = 1, 2, 3, or 4 OR EVRCOHAB = YES, GO TO FLOW CHECK C-48.**

**SXMTONCE**

CE-9. ¿Ha tenido relaciones sexuales más de una vez?

[HELP AVAILABLE]

Sí....1

No....5

**Sex Communication (CF)**

**FLOW CHECK C-48: IF AGESCRN > 24, GO TO FLOW CHECK C-51.**

**TALKPAR**

CF-1. IF AGE\_R GE 18, SAY:

Las siguientes preguntas son acerca de cómo aprendió sobre el sexo y los anticonceptivos. Antes de cumplir 18 años de edad, ¿alguna vez habló con uno de sus padres, tutores o guardianes sobre alguno de los temas que aparecen en la Tarjeta 23?

ELSE IF AGE\_R LT 18, SAY:

Las siguientes preguntas son acerca de cómo aprendió sobre el sexo y los anticonceptivos. ¿Alguna vez habló con uno de sus padres, tutores o guardianes sobre alguno de los temas que aparecen en la Tarjeta 23?

[SHOW CARD 23]

- ♦ ENTER all that apply
- ♦ PRESS [Space] or [-] to separate responses

Cómo negarse a tener sexo.....1  
 Métodos anticonceptivos.....2  
 Dónde conseguir anticonceptivos.....3  
 Enfermedades de transmisión sexual.....4  
 Cómo prevenir el VIH/SIDA.....5  
 Cómo se usa un condón.....6  
 Ninguno de los de arriba.....7

**EDIT CHECK CF1\_1:** TALKPAR=7 + ANOTHER RESPONSE THEN "None" cannot be selected with any other answer. Re-verify with R and then either de-select all answers but "None" or de-select "None" before continuing.  
**HARD, NONSUPPRESSIBLE EDIT CHECK.**

**SEDNO**

CF-2. IF AGE\_R GE 18, ASK:

Ahora me interesa saber sobre la educación sexual que pudo haber recibido. Antes de cumplir 18 años de edad, ¿alguna vez recibió instrucción en la escuela, iglesia, centro comunitario o en algún otro lugar... Acerca de cómo negarse a tener sexo?

ELSE IF AGE\_R LT 18, ASK:

Ahora me interesa saber sobre la educación sexual que pudo haber recibido. ¿Alguna vez recibió instrucción en la escuela, iglesia, centro comunitario o en algún otro lugar... Acerca de cómo negarse a tener sexo?

Sí.....1  
 No.....5(CF-5 SEDBC)

**SEDNOG**

CF-3. ¿En qué año o grado estaba cuando recibió por primera vez instrucción sobre cómo negarse a tener sexo?

♦ ENTER [96] if R was not in school when she received the instruction

1° grado o año.....1  
 2° grado o año.....2  
 3° grado o año.....3  
 4° grado o año.....4  
 5° grado o año.....5  
 6° grado o año.....6  
 7° grado o año.....7  
 8° grado o año.....8  
 9° grado o año.....9  
 10° grado o año.....10  
 11° grado o año.....11  
 12° grado o año.....12  
 1 año de college o menos.....13  
 2° año de college o menos.....14



3° año de college o menos.....15  
 4° año de college/estudios de posgrado.....16  
*Not in school when received instruction* .....96

UNDERLYING RANGE 1-16,96

**EDIT CHECK CF3\_1:**           **PROBE IF CF-3 SEDNOG GT AF-3 HIGRADE. DISPLAY**  
**TEXT:** R has reported receiving this instruction  
 in a grade higher than her highest grade  
 attended. Is this correct?

**FLOW CHECK C-49: IF RHADSEX=NO, GO TO FLOW CHECK CF-5 SEDBC.**

**ELSE IF RHADSEX = YES THEN DO:**  
**IF CE-8 GRFSTX NE 96 OR DK OR RF OR BLANK AND**  
**GRFSTX = CF-3 SEDNOG, ASK CF-4 SEDNOSX.**

**ELSE IF GRFSTX = DK OR RF OR 96 OR BLANK OR**  
**SEDNOG = DK OR RF OR 96, ASK CF-4 SEDNOSX.**

**ELSE IF GRFSTX NE SEDNOG, GO TO CF-5 SEDBC.**  
**END.**

**SEDNOSX**

CF-4. ¿Recibió instrucción sobre cómo negarse a tener sexo antes o  
 después de la primera vez que tuvo relaciones sexuales?

Antes.....1  
 Después.....2

**SEDBC**

CF-5. IF AGE\_R GE 18, ASK:  
 Antes de cumplir 18 años de edad, ¿recibió algún tipo de  
 instrucción en la escuela, iglesia, centro comunitario o en algún  
 otro lugar...

Acerca de métodos anticonceptivos?

ELSE IF AGE\_R LT 18, ASK:  
 ¿Alguna vez ha recibido algún tipo de instrucción en la escuela,  
 iglesia, centro comunitario o en algún otro lugar...

Acerca de métodos anticonceptivos?

Sí....1  
 No....5(CF-8 SEDSTD)

**SEBCG**

CF-6.           ¿En qué año o grado estaba cuando recibió por primera vez  
 instrucción sobre métodos anticonceptivos?

♦ *ENTER [96] if R was not in school when she received the  
 instruction*

1 grado o año.....1  
 2° grado o año.....2  
 3° grado o año.....3  
 4° grado o año.....4  
 5° grado o año.....5  
 6° grado o año.....6

7° grado o año.....	7
8° grado o año.....	8
9° grado o año.....	9
10° grado o año.....	10
11° grado o año.....	11
12° grado o año.....	12
1° año de college.....	13
2° año de college.....	14
3° año de college.....	15
4° año de college/estudios de posgrado.....	16
<i>Not in school when received instruction</i> .....	96
UNDERLYING RANGE 1-16,96	

**EDIT CHECK CF6\_1:**           **PROBE IF CF-6 SEDBCG GT AF-3 HIGRADE. DISPLAY**  
**TEXT:** R has reported receiving this instruction  
in a grade higher than her highest grade  
attended. Is this correct?

**FLOW CHECK C-50: IF RHADSEX=NO, GO TO CF-8 SEDSTD.**

**ELSE IF RHADSEX = YES THEN DO:**  
**IF CE-8 GRFSTX NE 96 OR DK OR RF OR BLANK AND**  
**GRFSTX = CF-6 SEDBCG, ASK CF-7 SEDBCSX.**

**ELSE IF GRFSTX = DK OR RF OR 96 OR BLANK OR**  
**SEDBCG = DK OR RF OR 96, ASK CF-7 SEDBCSX.**

**ELSE IF GRFSTX NE SEDBCG, GO TO CF-8 SEDSTD.**  
**END.**

**SEDBCSX**

CF-7.           ¿Recibió instrucción sobre métodos anticonceptivos antes o  
después de la primera vez que tuvo relaciones sexuales?

Antes.....1  
Después.....2

**SEDSTD**

CF-8. IF AGE\_R GE 18, ASK:  
Antes de cumplir 18 años de edad, ¿Alguna vez recibió  
instrucción formal en la escuela, iglesia, centro comunitario  
o en algún otro lugar acerca de enfermedades de transmisión  
sexual?

**ELSE IF AGE\_R LT 18, ASK:**  
¿Alguna vez recibió instrucción formal en la escuela,  
iglesia, centro comunitario o en algún otro lugar acerca de  
enfermedades de transmisión sexual?

Sí....1  
No....5 (CF-11 SEDHIV)

**SEDSTDG**

CF-9.           ¿En qué grado o año estaba cuando recibió por primera vez  
instrucción acerca de enfermedades de transmisión sexual?

♦ *ENTER [96] if R was not in school when she received the  
instruction*

1 grado o año.....	1
2° grado o año.....	2
3° grado o año.....	3
4° grado o año.....	4
5° grado o año.....	5
6° grado o año.....	6
7° grado o año.....	7
8° grado o año.....	8
9° grado o año.....	9
10° grado o año.....	10
11° grado o año.....	11
12° grado o año.....	12
1° año de college.....	13
2° año de college.....	14
3° año de college.....	15
4° año de college/estudios de posgrado.....	16
<i>Not in school when received instruction</i> .....	96

UNDERLYING RANGE 1-16,96

**EDIT CHECK CF9\_1:**           **PROBE IF CF-6 SEDSTDSG GT AF-3 HIGRADE. DISPLAY TEXT:** R has reported receiving this instruction in a grade higher than her highest grade attended. Is this correct?

**FLOW CHECK C-50a: IF RHADSEX=NO, GO TO CF-11 SEDHIV.**

**ELSE IF RHADSEX = YES THEN DO:**

**IF CE-8 GRFSTX NE 96 OR DK OR RF OR BLANK AND GRFSTX = CF-6 SEDBCG, ASK CF-10 SEDSTDSX.**

**ELSE IF GRFSTX = DK OR RF OR 96 OR BLANK OR SEDSTDG = DK OR RF OR 96, ASK CF-10 SEDSTDSX.**

**ELSE IF GRFSTX NE SEDSTDG, GO TO CF-11 SEDHIV. END.**

**SEDSTDSX**

CF-10.           ¿Recibió instrucción sobre enfermedades de transmisión sexual antes o después de la primera vez que tuvo relaciones sexuales?

Antes.....1  
Después.....2

**SEDHIV**

CF-11. IF AGE\_R GE 18, ASK:

Antes de cumplir 18 años de edad, ¿Alguna vez recibió instrucción formal en la escuela, iglesia, centro comunitario o en algún otro lugar acerca de cómo prevenir el VIH/SIDA?

ELSE IF AGE\_R LT 18, ASK:

¿Alguna vez recibió instrucción formal en la escuela, iglesia, centro comunitario o en algún otro lugar acerca de cómo prevenir el VIH/SIDA?

Sí.....1  
No....5(CF-14 PLEDGE)

**SEDHIVG**

CF-12.           ¿En qué año o grado estaba cuando recibió por primera vez

instrucción  
sobre cómo prevenir el VIH/SIDA?

♦ *ENTER [96] if R was not in school when she received the instruction*

1st grade	.....1
2nd grade	.....2
3rd grade	.....3
4th grade	.....4
5th grade	.....5
6th grade	.....6
7th grade	.....7
8th grade	.....8
9th grade	.....9
10th grade	.....10
11th grade	.....11
12th grade	.....12
1st year of college	.....13
2nd year of college	.....14
3rd year of college	.....15
4th year of college	.....16
Not in school when received instruction	.....96

UNDERLYING RANGE 1-16,96

**EDIT CHECK CF12\_1:**           **PROBE IF CF-12 SEDHIVSG GT AF-3 HIGRADE.**  
**DISPLAY TEXT:** R has reported receiving this instruction in a grade higher than her highest grade attended. Is this correct?

**FLOW CHECK C-50b: IF RHADSEX=NO, GO TO CF-14 PLEDGE.**

**ELSE IF RHADSEX = YES THEN DO:**  
**IF CE-8 GRFSTX NE 96 OR DK OR RF OR BLANK AND GRFSTX = CF-6 SEDBCG, ASK CF-13 SEDHIVSX.**  
  
**ELSE IF GRFSTX = DK OR RF OR 96 OR BLANK OR SEDHIVG = DK OR RF OR 96, ASK CF-13 SEDHIVSX.**  
  
**ELSE IF GRFSTX NE SEDHIVG, GO TO CF-14 PLEDGE. END.**

**SEDSHIVX**

CF-13.           ¿Recibió instrucción sobre cómo prevenir el VIH/SIDA antes o después de la primera vez que tuvo relaciones sexuales?

Antes.....1  
Después.....2

**PLEDGE**

CF-14. IF FMARIT = 1 or 2 or 3 or 4, ASK:

¿Alguna vez prometió en público o por escrito que llegaría virgen al matrimonio?

ELSE IF FMARIT = 0 OR 5 (never married), ASK:

¿Alguna vez ha prometido en público o por escrito que llegará virgen al matrimonio?

Sí....1  
No....5

**FLOW CHECK C-51: IF RHADSEX = NO, GO TO FLOW CHECK C-83.**

**FIRST INTERCOURSE PARTNER (CG)**

**FRSTPART**

CG-1. Tengo algunas preguntas sobre el primer hombre que fue pareja sexual suya en toda su vida. Por favor dígame el nombre o las iniciales del primer hombre que fue su pareja sexual para poder referirme a él en estas preguntas.

[HELP AVAILABLE]

♦ ENTER *Name or initials*

TYPE: String [20]

**FLOW CHECK C-52: CREATE FRSTPART\_FILL:**

**IF CG-1 FRSTPART = DK OR RF, SET FRSTPART\_FILL = "your first partner".**

**ELSE SET FRSTPART\_FILL = CG-1 FRSTPART.**

**FLOW CHECK C-52a: IF FMARIT = 1 or 2 or 3 or 4 (ever married) OR EVRCOHAB = YES, ASK CG-2 SAMEMAN.**

**ELSE IF FMARIT = 0 OR 5 AND EVRCOHAB = NO, GO TO FLOW CHECK C-53.**

**SAMEMAN (SEE ENDNOTE)**

CG-2. Por favor mire la pantalla. ¿Es (FRSTPART) alguien de quien ya hemos hablado antes? Es decir, ¿era alguien con quien ha estado casada o con quien ha vivido?

<u>Name</u>	<u>Start</u>	<u>End</u>
Your first former husband, (HUSBNAME1)	(CMMARRH1_FILL)	(CMDIVORC1_FILL)
Your second former husband, (HUSBNAME2)	(CMMARRH2_FILL)	(CMHSBDIE2_FILL)
Your current husband, (CHPNAME)	(CMMARRCH_FILL)	still married
Your husband, from whom you are separated	(CMMARRCH_FILL)	(CMSTPHSBX_FILL)
Your current partner, (CHPNAME)	(CMSTRTCP_FILL)	still living together
Your first former partner, (OTHMAN1)	(CMCOHST1_FILL)	(CMSTPCOH1_FILL)

Sí....1  
No....5

(SEE ENDNOTE)

**EDIT CHECK CG2\_1a: PROBE IF SAMEMAN = NO/DK/RF AND [UPPERCASE(FRSTPART)] = [UPPERCASE(HUSBNAMEX[X])] {WHERE [X]=1 TO 6},**  
**DISPLAY TEXT:** R has stated that none of the men just listed was her first partner, but a man listed on the screen has the same name or initials as her first partner. If her first partner was a different man, please give him a different name or initials to distinguish him from the other man.

**EDIT CHECK CG2\_1b: PROBE IF SAMEMAN = NO/DK/RF AND [UPPERCASE(FRSTPART)] = UPPERCASE(PI\_CHPNAME)], DISPLAY TEXT:** R has stated that none of the men just

listed was her first partner, but a man listed on the screen has the same name or initials as her first partner. If her first partner was a different man, please give him a different name or initials to distinguish him from the other man.

**EDIT CHECK CG2\_1c:** PROBE IF SAMEMAN = NO/DK/RF AND [UPPERCASE (FRSTPART) = UPPERCASE (OTHMANK[X])] {WHERE [X]=1 TO 4}, DISPLAY TEXT: R has stated that none of the men just listed was her first partner, but a man listed on the screen has the same name or initials as her first partner. If her first partner was a different man, please give him a different name or initials to distinguish him from the other man.

**FLOW CHECK C-52b: IF CG-2 SAMEMAN NE 1 (YES) GO TO FLOW CHECK C-53.**

**WHOFSTPR**

CG-3. ¿Cuál de los hombres que aparecen en la pantalla fue su primera pareja sexual? ¿Fue ...

*[Programmers: PLEASE DISPLAY SAME LIST OF MEN AS SHOWN ON SUMMARY SCREEN, BUT INCLUDE CODE NUMBERS TO ENABLE SELECTION OF ONE MAN AS HER FIRST PARTNER. CODE NUMBERS WILL BE ASSIGNED AS FOLLOWS:*

1 - 6 = First - Sixth Former Husband  
 7 = (Current Husband) or (Current Husband from whom she is separated)  
 8 = Current Cohabiting Partner  
 9 - 12 = First - Fourth Former Cohabiting Partners  
 20 = None Of The Above

*CODE NUMBERS WILL BE CONSISTENT, EVEN IF SOME OF THEM ARE BLANK FOR A GIVEN R. FOR EXAMPLE, AN R WHO IS CURRENTLY MARRIED WITH 1 FORMER HUSBAND AND 1 FORMER COHABITING PARTNER WILL HAVE DATA FOR #1, 7, AND 9 ONLY. ONLY CODES WITH DATA WILL BE DISPLAYED DURING IW.]*

[EMPTY/VALUE FROM FILL SHOWN ABOVE].....1  
 [EMPTY/VALUE FROM FILL SHOWN ABOVE].....2  
 [EMPTY/VALUE FROM FILL SHOWN ABOVE].....3  
 [EMPTY/VALUE FROM FILL SHOWN ABOVE].....4  
 [EMPTY/VALUE FROM FILL SHOWN ABOVE].....5  
 [EMPTY/VALUE FROM FILL SHOWN ABOVE].....6  
 [EMPTY/VALUE FROM FILL SHOWN ABOVE].....7  
 [EMPTY/VALUE FROM FILL SHOWN ABOVE].....8  
 [EMPTY/VALUE FROM FILL SHOWN ABOVE].....9  
 [EMPTY/VALUE FROM FILL SHOWN ABOVE].....10  
 [EMPTY/VALUE FROM FILL SHOWN ABOVE].....11  
 [EMPTY/VALUE FROM FILL SHOWN ABOVE] ..... 12  
 None of the above.....20

**FLOW CHECK C-53: IF AGE\_R GE 18, ASK CG-4 FPAGE.  
 ELSE IF AGE\_R LT 18, GO TO CG-5 KNOWFP.**

**FPAGE**

CG-4. ¿Qué edad tenía (FRSTPART) esa primera vez que usted tuvo relaciones sexuales con él?

♦ ENTER age in years

UNDERLYING RANGE: 5 to 95

**FLOW CHECK C-54:** IF CG-4 FPAGE = DK OR RF, ASK CG-4b FPRELAGE.  
ELSE IF FPAGE LE 95, GO TO CG-5 KNOWFP.

**FPRELAGE**

CG-4b. ¿Era mayor que usted, menor que usted, o de su misma edad?

Mayor.....1  
Menor.....2  
De su misma edad..3

**FLOW CHECK C-55:** IF CG-4b FPRELAGE = 1 OR 2, ASK CG-4c FPRELYRS.  
ELSE IF FPRELAGE = 3 OR DK OR RF, GO TO CG-5 KNOWFP.

**FPRELYRS**

CG-4c. ¿Por cuántos años?

Por 1 ó 2 años.....1  
Entre 3 y 5 años.....2  
Entre 6 y 10 años.....3  
Más de 10 años.....4

**KNOWFP**

CG-5. Please look at Card 24. Por favor mire la tarjeta 24.  
Cuando usted tuvo por primera vez relaciones sexuales con  
(FRSTPART), ¿cómo describiría su relación con él?

[SHOW CARD 24]  
[HELP AVAILABLE]

Estaba casada con él.....1  
Estaba comprometida con él.....2  
Estaban viviendo juntos en una relación sexual,  
pero no estaban comprometidos.....3  
Estaba saliendo con él o estaban de novios.....4  
Estaban saliendo juntos de vez en cuando.....5  
Eran solamente amigos.....6  
Lo acababa de conocer.....7  
Otra relación.....8

**FLOW CHECK C-56:** ASK CG-6 STILFPSX IF:  
B CG-2 SAMEMAN = YES AND WHOFSTPR NE (7 OR 8) AND  
MARSTAT NE 1 or 2  
OR  
B IF CG-2 SAMEMAN NE YES AND MARSTAT NE 1 or 2  
  
ELSE GO TO CG-7m LSTSEXP\_M IF:  
B CG-2 SAMEMAN = YES AND WHOFSTPR NE (7 OR 8) AND

**MARSTAT = 1 or 2**

**OR**

**B CG-2 SAMEMAN = YES AND WHOFSTPR = (7 OR 8)**

**OR**

**B CG-2 SAMEMAN NE YES AND MARSTAT = 1 or 2**

**STILFPSX**

CG-6. ¿En estos momentos lo considera una pareja sexual suya?

[HELP AVAILABLE]

Sí....1

No....5

**LSTSEAFP\_M**

CG-7m.

① of ②

¿Cuándo fue la última vez que usted tuvo relaciones sexuales con el, es decir, en qué mes y año?

♦ *ENTER [96] if R only had sex once with this partner*

♦ *PROBE for season if DK month*

♦ *ENTER MM/YYYY*

[HELP AVAILABLE]

[CALENDAR REFERENCE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño
96. Only had sex once.			

{ ASKED ONLY IF LSTSEAFP\_M NE 96

**LSTSEAFP\_Y**

② of ②

CG-7y.

IF LSTSEAFP\_M NE 96, DISPLAY:

(¿Cuándo fue la última vez que usted tuvo relaciones sexuales con su primera pareja, es decir, en qué mes y año?)

[HELP AVAILABLE]

[CALENDAR REFERENCE]

♦ *After R has given the year, say: Por favor anote a esta pareja y la fecha en el cuadro que corresponda en la línea de "Matrimonios, Vida en Pareja, y Parejas" en su calendario. Puede usar "USEXO" y las iniciales de él o alguna otra abreviatura o anotación que después usted entienda.*

♦ *ENTER (LSTSEAFP\_M)/YYYY*

UNDERLYING RANGE: 1961 to 2011

**FLOW CHECK C-57: COMPUTE CMLSEAFP:**

**(CM for date of last sex with first sexual partner)**

**SET CMLSEAFP = null/blank.**

**IF LSTSEAFP\_Y = RF, SET CMLSEAFP = 9998 (RF).**



```

ELSE IF LSTSEXFP_Y = DK, SET CMLSEXFP = 9999
(DK).

ELSE IF LSTSEXFP_M LE 12,
COMPUTE CMLSEXFP = (LSTSEXFP_Y - 1900)*12 +
LSTSEXFP_M

ELSE IF 13 LE LSTSEXFP_M LE 16, USE MONTH
APPROPRIATE TO SEASON & COMPUTE CMLSEXFP AS
ABOVE.

ELSE IF LSTSEXFP_M = 96, SET CMLSEXFP = 9996
(only had sex once with this partner).

ELSE IF LSTSEXFP_M = DK OR RF, ASSIGN MONTH = 6
(June) & COMPUTE CMLSEXFP AS ABOVE.

COMPUTE CMFPLAST:
(CM for date of last or only sex with first sexual
partner)

IF CMLSEXFP = 9996, THEN SET CMFPLAST = CMFSTSEX.
ELSE SET CMFPLAST = CMLSEXFP.

ESTABLISH CMLSEXFP_FILL AS FOLLOWS:

IF CMLSEXFP = BLANK, DK, OR RF, SET
CMLSEXFP_FILL = ADATE UNKNOWN."

ELSE IF CMLSEXFP LT 9996, DEFINE CMLSEXFP_FILL
AS FOLLOWS:

    IF 1 LE LSTSEXFP_M LE 12, THEN ESTABLISH
    MO/YR FILL IN THE FORMAT "1/1998" etc.

    ELSE IF MONTH WAS REPORTED AS A SEASON
    (codes 13-16), THEN ESTABLISH FILL IN THE
    FORMAT "SPRING, 1998" etc.

    ELSE IF MONTH WAS REPORTED AS DK OR RF,
    BUT YEAR WAS REPORTED, THEN ESTABLISH FILL
    BASED ONLY ON THE YEAR IN THE FORMAT
    "1998" etc.

ELSE IF CMLSEXFP = 9996, SET CMLSEXFP_FILL =
"NOT APPLICABLE".

Edit Check CG7_1: IF (LSTSEXFP_M LE 12) AND CMLSEXFP > CMINTVW,
DISPLAY: The date entered cannot be after the
date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CG7_2: IF (LSTSEXFP_M LE 12) AND CMLSEXFP < CMBIRTH,
DISPLAY: The date entered cannot be before her
date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CG7_3: IF (13 LE LSTSEXFP_M LE 16) AND CMLSEXFP >
(CMINTVW + 2) , DISPLAY: The date entered cannot
be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

```

**Edit Check CG7\_4:** IF (13 LE LSTSEXFP\_M LE 16) AND CMLSEXFP < (CMBIRTH - 3) , DISPLAY: The date entered cannot be before her date of birth. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.

**Edit Check CG7\_5:** IF (LSTSEXFP\_M = DK OR RF) AND LSTSEXFP\_Y > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.

**Edit Check CG7\_6:** IF (LSTSEXFP\_M = DK OR RF) AND LSTSEXFP\_Y < (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered cannot be before her date of birth. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.

**EDIT CHECK CG7\_7:** PROBE IF CMLSEXFP < CMFSTSEX. DISPLAY TEXT: R has reported that she last had sex with this partner (LSTSEXFP\_M/\_Y) before she first had sex with this partner (WNFSTSEX\_M/\_Y). Please correct whichever date(s) has been entered incorrectly.  
INVOLVING(LSTSEXFP\_M,LSTSEXFP\_Y,WNFSTSEX\_M,WNFSTSEX\_Y)

**FLOW CHECK C-57b:** (IF FIRST PARTNER IS CURRENT AND IS NOT R'S CURRENT HUSBAND OR COHABITING PARTNER, ASK CG-7b FPEDUC)  
IF CG-6 STILFPSX=1, ASK CG-7b FPEDUC.  
ELSE IF CG-6 STILFPSX=5, DK/RF, OR SYSMIS, GO TO FLOW CHECK C-58

**FPEDUC**

CG-7b. Por favor mire la tarjeta 11. ¿Cuál es el nivel más alto de estudios que él ha completado?

[SHOW CARD 11]

Menos de High School.....1  
Graduada de High School o obtuvo el GED..... ..2  
Estudios de college pero no obtuvo un título....3  
Título de un college de 2 años(por ej., título de Asociada).....4  
Graduada de un >college= de 4 años (por ej., BA, BS)..... 5

**FPHISP**

CG-7c.

¿Es (FRSTPART\_FILL) hispano o latino, o de origen español?

Sí....1  
No....5

**FPRACE**

CG-7d.

Cuál de los grupos en la Tarjeta 2 describe el origen racial de (FRSTPART\_FILL)? Por favor escoja uno o más grupos.

♦ If R reports a mixture of several races (biracial, mixed, mulatto, etc.), enter all groups that are part of the mixture.

- ♦ ENTER all that apply. Do not probe A0.
- ♦ PRESS [Space] or [-] to separate responses

[SHOW CARD 2]  
[HELP AVAILABLE]

Indio Americano o Nativo de Alaska.....1  
Asiático.....2  
Nativo de Hawai o de otras islas del Pacífico.....3  
Negro, moreno o afro-americano.....4  
Blanco.....5

**FLOW CHECK C-57c: IF MORE THAN ONE RACE CODED IN CG-7d FPRACE, ASK CG-7e FPRACEB. ELSE, GO TO FLOW CHECK C-57d.**

**FPRACEB**

CG-7e. ¿Cuál de estos grupos, es decir (RESPONSES FROM FPRACE), diría usted que mejor describe el origen racial de esa persona?

[HELP AVAILABLE]

{ DISPLAY ONLY THOSE CATEGORIES REPORTED IN CG-7D FPRACE

[ / Indio Americano o Nativo de Alaska.....1  
[ / Asiático.....2  
[ / Nativo de Hawai o de otras islas del Pacífico....3  
[ / Negro, moreno o afro-american.....4  
[ / Blanca.....5

**EDIT CHECK CG7d\_1: PROBE IF FPRACEB <> FPRACE (IF A CHOICE, OTHER THAN THOSE PREVIOUSLY SELECTED IN FPRACE), DISPLAY: You cannot choose a race that was not among the choices given. Re-select.**

**FLOW CHECK C-57d: IF RELATIONSHIP HAS LASTED LONGER THAN 1 MONTH (CMFPLAST-CMFSTSEX GE 1), THEN ASK CG-7f FPRN. ELSE GO TO FLOW CHECK C-58.**

**FPRN**

CG-7f. Por favor mire la tarjeta 85. Cuando usted tuvo por primera vez relaciones sexuales con (FRSTPART), ¿cómo describiría su relación con él?

[SHOW CARD 85]

Estaba comprometida con él.....2  
Estaba saliendo con él o estaban de novios.....4  
Estaban saliendo juntos de vez en cuando.....5  
Eran solamente amigos.....6  
Lo acababa de conocer.....7  
Otra relación.....8

**FLOW CHECK C-58: IF BA-1 MENARCHE = 96 OR CE-5 AGEFSTSX > BA-1**

**MENARCHE, GO TO CH-1 LIFEPR.**

**ELSE IF (AGEFSTSX = DK OR RF AND CMFSTSEX = DK OR RF),  
GO TO CG-9 SEXAFMEN.**

**ELSE IF (AGEFSTSX = DK OR RF AND CMFSTSEX <> DK OR  
RF), GO TO CG-8 WHICH1ST.**

**ELSE IF AGEFSTSX LE MENARCHE, CONTINUE WITH C\_INTRO6  
CG-7g.**

**C\_INTRO6**

CG-7g.

IF CE-5 AGEFSTSX = BA-1 MENARCHE, SAY:

Me dijo que usted tenía [AGEFSTSX] años cuando tuvo relaciones sexuales por primera vez, la misma edad que tenía cuando usted tuvo su primer menstruación o regla. Para nosotros es importante saber si su primera relación sexual fue antes o después de su primera menstruación, así sabremos algo acerca de su riesgo de embarazo.

ELSE IF CE-5 AGEFSTSX < BA-1 MENARCHE, SAY:

Me dijo que usted tenía [AGEFSTSX] años cuando tuvo relaciones sexuales por primera vez, y que tenía [MENARCHE] años cuando tuvo su primera menstruación o regla. Para nosotros es importante para saber si su primera relación sexual fue después de su primera menstruación, así sabremos algo acerca de su riesgo de embarazo.

♦ ENTER [1] to continue

**FLOW CHECK C-58b: IF CE-5 AGEFSTSX = BA-1 MENARCHE, ASK CG-8 WHICH1ST.  
ELSE GO TO FLOW CHECK C-59.**

**WHICH1ST**

CG-8. ¿Qué sucedió primero, su primera relación sexual o su primera menstruación?

[HELP AVAILABLE]

Relación sexual.....1(FLOW CHECK C-59)  
Menstruación.....2(CH-1 LIFEPR)

**FLOW CHECK C-59: IF AB-1 MARSTAT NE 1 or 2 AND EVERPREG = NO AND  
EVRCOHAB = NO, ASK CG-9 SEXAFMEN. ELSE, GO TO CG-10m  
WNSEXAFM\_M.**

**SEXAFMEN**

CG-9. ¿Desde que tuvo su primera menstruación, ha tenido relaciones sexuales?

♦ Do not count oral sex, anal sex, heavy petting, or other forms of sexual activity that do not involve vaginal penetration.

[HELP AVAILABLE]

Sí....1  
No....5(CH-1 LIFEPR)

**WNSEXAFM\_M**

① of ②

CG-10m.

Trate de recordar, después de su primera menstruación, ¿en qué mes y año tuvo relaciones sexuales por primera vez?

- ♦ ENTER [96] if R insists that she has not had sexual intercourse since her first menstrual period.
- ♦ PROBE for season if DK month
- ♦ ENTER MM/YYYY

[HELP AVAILABLE]

[CALENDAR REFERENCE]

- |            |           |               |               |
|------------|-----------|---------------|---------------|
| 1. Enero   | 5. Mayo   | 9. Septiembre | 13. Invierno  |
| 2. Febrero | 6. Junio  | 10. Octubre   | 14. Primavera |
| 3. Marzo   | 7. Julio  | 11. Noviembre | 15. Verano    |
| 4. Abril   | 8. Agosto | 12. Diciembre | 16. Otoño     |
96. No sex since first menstrual period

{ ASKED ONLY IF WNSEXAFM\_M NE 96

**WNSEXAFM\_Y**

② of ②

CG-10y.

IF WNSEXAFM\_M NE 96, DISPLAY:

(Trate de recordar, después de su primera menstruación, ¿en qué mes y año tuvo relaciones sexuales por primera vez?)

[HELP AVAILABLE]

[CALENDAR REFERENCE]

♦ After R has given the year, say: Por favor anote este evento en el cuadro que corresponda en la línea de "Matrimonios, Vida en Pareja, y Parejas" en su calendario. Puede usar cualquier abreviatura o anotación que después usted entienda.

♦ ENTER (WNSEXAFM\_M)/YYYY

UNDERLYING RANGE: 1966 to 2011

**FLOW CHECK C-60: COMPUTE CMSEXAFM:**(CM for date of 1<sup>st</sup> sexual intercourse after menarche)

SET CMSEXAFM = null/blank.

IF WNSEXAFM\_Y = RF, SET CMSEXAFM = 9998 (RF).

ELSE IF WNSEXAFM\_Y = DK, SET CMSEXAFM = 9999

(DK).

ELSE IF WNSEXAFM\_M LE 12,

COMPUTE CMSEXAFM = (WNSEXAFM\_Y - 1900)\*12 + WNSEXAFM\_M

ELSE IF 13 LE WNSEXAFM\_M LE 16, USE MONTH APPROPRIATE TO SEASON &amp; COMPUTE CMSEXAFM AS

ABOVE.

IF WNSEXAFM\_M = 96, SET CMSEXAFM = 9996 (R has never had sex).

ELSE IF WNSEXAFM\_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMSEXAFM AS ABOVE.

IF CMSEXAFM NE BLANK, ESTABLISH CMSEXAFM\_FILL AS FOLLOWS:

IF CMSEXAFM = BLANK, DK, OR RF, SET CMSEXAFM\_FILL = ADATE UNKNOWN."

ELSE IF CMSEXAFM LT 9996, DEFINE CMSEXAFM\_FILL AS FOLLOWS:

IF 1 LE WNSEXAFM\_M LE 12, THEN ESTABLISH MO/YR FILL IN THE FORMAT "1/1998" etc.  
ELSE IF MONTH WAS REPORTED AS A SEASON (codes 13-16), THEN ESTABLISH FILL IN THE FORMAT "SPRING, 1998" etc.

ELSE IF MONTH WAS REPORTED AS DK OR RF, BUT YEAR WAS REPORTED, THEN ESTABLISH FILL BASED ONLY ON THE YEAR IN THE FORMAT "1998" etc.

ELSE IF CMSEXAFM = 9996, SET CMSEXAFM\_FILL = "NOT APPLICABLE".

COMPUTE FLGSXDK2:

(Flag indicating reporting of season or DK/RF on CG-10 WNSEXAFM\_M)

IF 13 LE WNSEXAFM\_M LE 16, SET FLGSXDK2 = 1.  
ELSE IF WNSEXAFM\_M = DK/RF, SET FLGSXDK2 = 2.  
ELSE IF WNSEXAFM\_M = 96, SET FLGSXDK2 = 3.  
ELSE SET FLGSXDK2 = 0.

IF CMSEXAFM = DK OR RF, ASK CG-11 AGESXAFM.

IF CMSEXAFM NE BLANK AND CMSEXAFM < 9996, GO TO EDIT CHECK CG10\_3.

ELSE IF CMSEXAFM = 9996, GO TO CH-1 LIFEPRF.

Edit Check CG10\_1: IF (WNSEXAFM\_M LE 12) AND CMSEXAFM > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CG10\_2: IF (WNSEXAFM\_M LE 12) AND CMSEXAFM < CMBIRTH, DISPLAY: The date entered cannot be before her date of birth. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CG10\_3: IF (13 LE WNSEXAFM\_M LE 16) AND CMSEXAFM > (CMINTVW + 2) , DISPLAY: The date entered cannot be after the date of interview. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.

**Edit Check CG10\_4:** IF (13 LE WNSEXAFM\_M LE 16) AND CMSEXAFM < (CMBIRTH - 3) , DISPLAY: The date entered cannot be before her date of birth. Please correct. **HARD, NONSUPPRESSIBLE EDIT CHECK.**

**Edit Check CG10\_5:** IF (WNSEXAFM\_M = DK OR RF) AND WNSEXAFM\_Y > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct. **HARD, NONSUPPRESSIBLE EDIT CHECK.**

**Edit Check CG10\_6:** IF (WNSEXAFM\_M = DK OR RF) AND WNSEXAFM\_Y < (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered cannot be more than 40 years ago. Please correct. **HARD, NONSUPPRESSIBLE EDIT CHECK.**

**EDIT CHECK CG10\_7:** PROBE IF CMSEXAFM > CMPBEG\_S[1] + 2 (DATE WHEN 1<sup>ST</sup> PREGNANCY BEGAN + 2 MONTHS LEEWAY). DISPLAY TEXT: R has reported first having sexual intercourse (after menarche) more than 2 months after the computer has calculated that her 1st pregnancy began. Is this correct? INVOLVING(WNSEXAFM\_M,WNSEXAFM\_Y)

**AGESXAFM**

CG-11. Trade de recordar: Después de su primera menstruación, ¿qué edad tenía cuando tuvo relaciones sexuales por primera vez?

[HELP AVAILABLE]

♦ ENTER age in years

UNDERLYING RANGE: 5 to 45

**FLOW CHECK C-60b:** IF CG-11 AGESXAFM = DK or RF, ASK CG-12 AFMEN18. ELSE IF AGESXAFM LE 45, GO TO EDIT CHECK CG14\_1.

**AFMEN18**

CG-12. ¿Tenía usted menos de 18 años de edad, o tenía 18 años o más?

Menor de 18 años.....1

18 años o más.....2

**FLOW CHECK C-61:** IF CG-12 AFMEN18 = 1 OR DK, ASK CG-13 AFMEN15. ELSE IF AFMEN18 = 2, ASK CG-14 AFMEN20. ELSE IF AFMEN18 = RF, GO TO CH-1 LIFEPR.

**AFMEN15**

CG-13. ¿Tenía usted menos de 15 años de edad, o tenía 15 años o más?

Menor de 15 años.....1

15 años o más.....2

**FLOW CHECK C-62:** IF CG-13 AFMEN15 = 1, 2, DK, OR RF, GO TO CH-1 LIFEPR.

**AFMEN20**

CG-14. ¿Tenía usted menos de 20 años de edad, o tenía 20 años o más?

Menor de 20 años.....1  
20 años o más.....2

**EDIT CHECK CG14\_1:** IF CMSEXAFM < 9996 AND CG-11 AGESXAFM NE (DK OR RF), THEN PROBE IF INT(CMSEXAFM - CMBIRTH)/12) IS INCONSISTENT WITH CG-11 AGESXAFM. **DISPLAY TEXT:** R has reported an age at first sex after menarche that appears inconsistent with the mo/yr when she first had sex after menarche. Has something been entered incorrectly?  
**INVOLVING(WNSEXAFM\_M,WNSEXAFM\_Y,AGESXAFM)**

**EDIT CHECK CG14\_2:** IF CG-11 AGESXAFM NE (DK OR RF) AND BA-1 MENARCHE NE DK OR RF, THEN PROBE IF CG-11 AGESXAFM < BA-1 MENARCHE. **DISPLAY TEXT:** R has reported that she first had sex after menarche at an age younger than her age at first period. Has something been entered incorrectly?

**NUMBERS OF SEXUAL PARTNERS (CH)**

**LIFEPRT**

CH-1. Contando todos los hombres que han sido sus parejas sexuales, incluso aquellos con los que tuvo relaciones sexuales solamente una vez, ¿con cuántos hombres ha tenido relaciones sexuales en toda su vida?

[HELP AVAILABLE]

♦ *If R is unable or unwilling to give an exact number, say: "Si usted prefiere, puede darme un cálculo aproximado, entre tal y tal número."*

♦ *ENTER [Ctrl-D] or [Ctrl-R] as appropriate, and enter range in the next two questions.*

♦ *ENTER number of partners in lifetime*

UNDERLYING RANGE 1 to 995

**EDIT CHECK CH1\_1:** IF CG-2 SAMEMAN = 5 OR DK OR RF AND CH-1 LIFEPRT=1. **DISPLAY:** R has reported that she has only had one partner in her life (LIFEPRT), but when asked whether her first partner was the same man that she identified as her husband or cohabiting partner (SAMEMAN) , she said "(no/don't know/refused)" depending on code for SAMEMAN]. Please correct the information.  
**INVOLVING: SAMEMAN AND LIFEPRT**

**FLOW CHECK C-62b:** IF CH-1 LIFEPRT = DK OR RF, ASK CH-1b LIFEPRT\_LO.  
**ELSE IF LIFEPRT LE 995, GO TO FLOW CHECK C-62c.**

**LIFEPRT\_LO**

① of ②

CH-1b. (Contando todos los hombres que han sido sus parejas sexuales, incluso aquellos con los que tuvo relaciones sexuales solamente una vez, ¿con cuántos hombres ha tenido



relaciones sexuales en toda su vida?)

♦ *ENTER lower range for number of male partners in lifetime.*

♦ *\_\_\_ Lower Range to Upper Range*

UNDERLYING RANGE: 1 to 995

**LIFEPRT\_HI**

② of ②

CH-1c.

(Contando todos los hombres que han sido sus parejas sexuales, incluso aquellos con los que tuvo relaciones sexuales solamente una vez, ¿con cuántos hombres ha tenido relaciones sexuales en toda su vida?)

♦ *ENTER upper range for number of male partners in lifetime.*

♦ *(LIFEPRT\_LO) to Upper Range*

UNDERLYING RANGE: 2 to 995

(SEE ENDNOTE)

EDIT CHECK CH1c\_1:

IF LIFEPRT\_LO = NONRESPONSE OR LIFEPRT\_HI = NONRESPONSE OR LIFEPRT\_LO <= LIFEPRT\_HI,  
**DISPLAY:** The upper range for number of partners (LIFEPRT\_HI\_Fill) is smaller than the lower range (LIFEPRT\_LO\_Fill). Please correct by verifying with the respondent and changing one of them.

FLOW CHECK C-62c: IF FMARIT = 1 or 2 or 3 or 4, ASK CH-2 PTSB4MAR.  
 ELSE IF FMARIT = 5 or 0 (NEVER MARRIED), GO TO CH-3 MON12PRT

**PTSB4MAR**

CH-2. IF CA-1 TIMESMAR = 1 AND FMARIT = 3 (divorced), ASK:

Incluyendo a su ex-esposo, ¿cuántos hombres tuvo como parejas sexuales antes de casarse?

ELSE IF TIMESMAR = 1 AND FMARIT = 1, 2, or 4 (married, widowed, or separated), ASK:

Incluyendo a su esposo, ¿cuántos hombres tuvo como parejas sexuales antes de casarse?

ELSE IF TIMESMAR > 1 OR IF TIMESMAR = DK OR RF, ASK:

Incluyendo a su primer esposo, ¿cuántos hombres tuvo como parejas sexuales antes de casarse por primera vez?

[HELP AVAILABLE]

♦ *If R is unable or unwilling to give an exact number, say: "If you would prefer, you can give me a range."*

♦ *ENTER [Ctrl-D] or [Ctrl-R] as appropriate, and enter range in the next two questions.*

♦ *ENTER number of partners before marriage*

UNDERLYING RANGE: 0 to 995

**FLOW CHECK C-63:** IF CH-2 PTSB4MAR = DK OR RF, ASK CH-2b PTSB4MAR\_LO.  
ELSE IF PTSB4MAR LE 995, GO TO EDIT CHECK CH2\_1

**PTSB4MAR\_LO**

① of ②

CH-2b.

IF CA-1 TIMESMAR = 1 AND FMARIT = 3 (divorced), ASK:  
Incluyendo a su ex-esposo ¿cuántos hombres tuvo como parejas sexuales antes de casarse?

ELSE IF TIMESMAR = 1 AND FMARIT = 1, 2, or 4 (married, widowed, or separated), ASK:  
Incluyendo a su, ¿cuántos hombres tuvo como parejas sexuales antes de casarse?

ELSE IF TIMESMAR > 1 OR IF TIMESMAR = DK OR RF, ASK:  
Incluyendo a su primer esposo ¿cuántos hombres tuvo como parejas sexuales antes de casarse por primera vez?

♦ *ENTER lower range for number of male partners before marriage.*

♦ *\_\_\_ Lower Range to Upper Range*

UNDERLYING RANGE: 1 to 995

**PTSB4MAR\_HI**

② of ②

CH-2c.

IF CA-1 TIMESMAR = 1 AND FMARIT = 3 (divorced), ASK:  
Incluyendo a su ex-esposo, ¿cuántos hombres tuvo como parejas sexuales antes de casarse?

ELSE IF TIMESMAR = 1 AND FMARIT = 1, 2, or 4 (married, widowed, or separated), ASK:  
Incluyendo a su esposo, ¿cuántos hombres tuvo como parejas sexuales antes de casarse?

ELSE IF TIMESMAR > 1 OR IF TIMESMAR = DK OR RF, ASK:  
Incluyendo a su primer esposo, ¿cuántos hombres tuvo como parejas sexuales antes de casarse por primera vez?

♦ *ENTER upper range for number of male partners before marriage.*

♦ *(LIFEPRT\_LO) to Upper Range*

UNDERLYING RANGE: 2 to 995

**EDIT CHECK CH2\_1:** PROBE IF CH-2 PTSB4MAR > CH-1 LIFEPRT. DISPLAY  
**TEXT:** R has reported more partners before marriage (PTSB4MAR) than she reported for her lifetime (LIFEPRT). Please correct whichever number(s) has been entered incorrectly.

**MON12PRT**

CH-3. En los últimos 12 meses, es decir, desde

[[SPA\_CMLSTYR\_FILL]], ¿con cuántos hombres ha tenido relaciones sexuales? Por favor cuente a todos los hombres que han sido sus parejas sexuales, incluso a aquellos con quienes tuvo sexo una sola vez.

[HELP AVAILABLE]

- ♦ *If R is unable or unwilling to give an exact number, say: "If you would prefer, you can give me a range."*
- ♦ *ENTER [Ctrl-D] or [Ctrl-R] as appropriate, and enter range in the next two questions.*
- ♦ *ENTER number of partners in last 12 months*

UNDERLYING RANGE 0 to 995

**FLOW CHECK C-63b: IF CH-3 MON12PRT = DK OR RF, ASK CH-3b MON12PRT\_LO.  
ELSE IF MON12PRT LE 995, GO TO EDIT CHECK CH3\_1.**

**MON12PRT\_LO**

① of ②

CH-3b. (En los últimos 12 meses, es decir, desde [[SPA\_CMLSTYR\_FILL]], ¿con cuántos hombres ha tenido relaciones sexuales? Por favor cuente a todos los hombres que han sido sus parejas sexuales, incluso a aquellos con quienes tuvo sexo una sola vez.)

- ♦ *ENTER lower range for number of male partners in last 12 months.*
- ♦ *\_\_\_ Lower Range to Upper Range*

UNDERLYING RANGE: 1 to 995

**MON12PRT\_HI**

② of ②

CH-3c. (En los últimos 12 meses, es decir, desde [[SPA\_CMLSTYR\_FILL]], ¿con cuántos hombres ha tenido relaciones sexuales? Por favor cuente a todos los hombres que han sido sus parejas sexuales, incluso a aquellos con quienes tuvo sexo una sola vez.)

- ♦ *ENTER upper range for number of male partners in last 12 months.*
- ♦ *(MON12PRT\_LO) to Upper Range*

UNDERLYING RANGE: 2 to 995

**EDIT CHECK CH3\_1: PROBE IF CH-3 MON12PRT > CH-1 LIFEPR. DISPLAY TEXT: R has reported more partners in the last 12 months (MON12PRT) than she reported for her lifetime (LIFEPR). Please correct whichever number(s) has been entered incorrectly.**

**EDIT CHECK CH3\_2: PROBE IF CMFPLAST >= CMINTVW-12 and CH-3 MON12PRT = 0. DISPLAY TEXT: R has reported that**

she had no partners in the past 12 months (MON12PRT) but she reported a date of last sex with her first partner (WNFSTSEX\_M/\_Y) that was within the past 12 months. Please correct whichever item has been entered incorrectly.

**SEXUAL PARTNERS IN THE LAST 12 MONTHS (UP TO 3) AND LAST PARTNER (CI)**

**FLOW CHECK C-64: COMPUTE PARTS12:**

(Number of partners in last 12 mos)

```
SET PARTS12 = NULL/BLANK.
IF CH-2 MON12PRT LE 995,
    SET PARTS12 = MON12PRT.
ELSE IF MON12PRT = DK OR RF,
    IF MON12PRT_LO = DK OR MON12PRT_HI = DK,
        SET PARTS12 = DK.
    ELSE IF MON12PRT_LO = RF OR MON12PRT_HI = RF,
        SET PARTS12 = RF.
    ELSE SET PARTS12 = MON12PRT_LO.
```

IF CH-1 LIFEPR1 = 1 AND CG-2 SAMEMAN = YES (R was ever married to or ever lived with this 1 partner), GO TO FLOW CHECK C-83.

[note: SAMEMAN criterion necessary because some R's said "no/dk/rf" to SAMEMAN but "1" to # of lifetime partners.]

ELSE IF LIFEPR1 NE 1 OR (IF CH-1 LIFEPR1 = 1 AND CG-2 SAMEMAN NE YES), THEN DO:

```
DETERMINE WHOM R HAS HAD SEX WITH SINCE CMLSTYR:
IF PARTS12 = 0, DK, OR RF, GO TO FLOW CHECK C-66.
```

```
ELSE IF PARTS12 = 1 AND (AB-1 MARSTAT = 1 or 2), GO TO CI-1 WHOSNC1Y.
```

```
ELSE IF PARTS12 LE 3, GO TO FLOW CHECK C-66.
```

```
ELSE IF PARTS12 GT 3, GO TO CI-2 P3INTRO.
```

**WHOSNC1Y**

CI-1. Usted mencionó que ha tenido una pareja sexual desde (CMLSTYR\_FILL). ¿Es (CHPNAME)?

Sí....1  
No....5

**EDIT CHECK CI1\_1:** PROBE IF CI-1 WHOSNC1Y = NO AND CMFSTSEX GE CMLSTYR. DISPLAY TEXT: R has answered WHOSNC1Y as "no", but her 1<sup>st</sup> sexual intercourse was within the last 12 months. Is this correct? Please correct whichever item has been entered incorrectly.

**EDIT CHECK CI1\_2:** PROBE IF CI-1 WHOSNC1Y = NO AND MARSTAT = 1 or 2. DISPLAY TEXT: R has answered WHOSNC1Y as

"no", but she is currently married or cohabiting. Please correct whichever item has been entered incorrectly.

**FLOW CHECK C-65: ELSE IF CI-1 WHOSNC1Y=1 AND CG-2 SAMEMAN=1 AND CG-3 WHOFSTPR = 7 OR 8, THEN DO:**  
**CMLSEX1=CMFPLAST**  
**PCURRNTX1=1**  
**IF MARSTAT=1 THEN P1YREL1=7 (current husband)**  
**IF MARSTAT=2 THEN P1YREL1=8 (current cohab)**  
**GO TO FLOW CHECK C-83**  
**ELSE IF CI-1 WHOSNC1Y=1 AND CG-2 SAMEMAN <> 1 OR (CG-2 SAMEMAN=1 AND CG-3 WHOFSTPR NE 7 OR 8)), GO TO FLOW CHECK C-66.**  
**ELSE, GO TO FLOW CHECK C-66.**  
 [R'S W/ ONLY ONE PARTNER IN <12 MONS (AND LIFETIME), FIRST PARTNER WHO IS ALSO HUSBAND/COHAB, ARE SKIPPED TO END]

### P3INTRO

CI-2. Para ahorrar tiempo durante la entrevista, solo le preguntaré acerca de sus 3 parejas más recientes en los últimos 12 meses. Empecemos con su pareja más reciente.

♦ *ENTER [1] to continue*

**FLOW CHECK C-66: SET PRT12IDCNTR = 1.**

**IF CI-1 WHOSNC1Y=1 AND CG-2 SAMEMAN NE 1 OR (CG-2 SAMEMAN=1 AND CG-3 WHOFSTPR NE 7 OR 8)), GO TO FLOW CHECK C-70B.**  
**ELSE GO TO CI-3 PXNAME.**

### PXNAME

CI-3. IF PRT12IDCNTR = 1, ASK:  
 Por favor dígame el nombre o las iniciales del hombre con el que tuvo relaciones sexuales más recientemente.

ELSE ASK:

Por favor dígame el nombre o las iniciales del ultimo hombre con el que tuvo relaciones sexuales antes de (LAST\_PART).

♦ *This could be asking again for the name of the respondent's FIRST partner, if her last sex with him was within the past 12 months.*

TYPE: String [20]

**FLOW CHECK C-67 : CREATE PXNAME\_FILL (where X = PRT12IDCNTR):**

**SET PXNAME\_FILL = NULL/BLANK.**

**IF CI-3 PXNAME NE BLANK, DK, OR RF, SET PXNAME\_FILL = CI-3 PXNAME**  
**ELSE IF PRT12IDCNTR = 1, SET PXNAME\_FILL = "your most recent partner".**  
**ELSE PRT12IDCNTR = 2, SET PXNAME\_FILL = "your 2<sup>nd</sup> most recent partner".**

**ELSE PRT12IDCNTR = 3, SET PXNAME\_FILL = "your 3<sup>rd</sup> most recent partner".**

**FLOW CHECK C-68: IF PARTS12 = 0 OR DK OR RF, GO TO CI-4 MATCHFPX  
 ELSE IF PARTS12 > 0 AND CMFPLAST GE CMLSTYR AND  
 MATCHFP\_FLAG NE 1, GO TO CI-4 MATCHFPX  
 ELSE IF EVRCOHAB=1 OR EVRMARRY=1, GO TO CI-5 MATCHHPX  
 ELSE GO TO CI-6 P1YLSEX\_MX**

**MATCHFPX**

CI-4. Es[PXNAME/PI\_CHPNNAME] el hombre que usted nos dijo que fue su primera pareja sexual en su vida?

Sí....1  
 No....5

**FLOW CHECK C-69: IF MATCHFPX = 1, SET MATCHFP\_FLAG = 1 AND GO TO FLOW CHECK C-70.  
 ELSE IF EVRCOHAB=1 OR EVRMARRY=1, GO TO CI-5 MATCHHPX.  
 ELSE GO TO FLOW CHECK C-70**

**MATCHHPX**

CI-5. ¿Es [pareja mas reciente / su segundo pareja mas reciente / su tercer pareja mas reciente / [UPPERCASE PXNAME /UPPERCASE PI\_CHPNNAME / UPPERCASE PXNAME / UPPERCASE PI\_CHPNNAME]] alguno de los siguientes esposos o parejas de quienes ya hemos hablado?

Name	Start	End
1. Your first former husband, (HUSBNAME1)	(CMMARRH1_FILL)	(CMDIVORC1_FILL)
2. Your second former husband, (HUSBNAME2)	(CMMARRH2_FILL)	(CMHSBDIE2_FILL)
...	...	...
6. Your sixth former husband, (HUSBNAME6)	(CMMARRH6_FILL)	(CMHSBDIE6_FILL)
7. Your current husband, (CHPNAME)	(CMMARRCH_FILL)	still married
<b>OR</b> Your husband, from whom you are separated	(CMMARRCH_FILL)	(CMSTPHSBX_FILL)
8. Your current partner, (CHPNAME)	(CMSTRICP_FILL)	still living together
9. Your first former partner, (OTHMAN1)	(CMCOHST1_FILL)	(CMSTPCOH1_FILL)
20. None of the above		

{NOTE TO PROGRAMMERS: CREATE SCREEN TO DISPLAY NAMES OR INITIALS OF ALL REPORTED HUSBANDS AND PARTNERS, ALONG WITH START & END DATES OF MARRIAGE/COHABITATION. EXAMPLE IS SHOWN ABOVE. HUSBANDS WITH WHOM SHE LIVED PREMARITALLY SHOULD ONLY BE LISTED UNDER "HUSBANDS." INCLUDE CODE NUMBERS ASSIGNED AS FOLLOWS:

- 1 - 6 = First - Sixth Former Husband
- 7 = (Current Husband) or (Current Husband from whom she is separated)
- 8 = Current Cohabiting Partner
- 9 - 12 = First - Fourth Former Cohabiting Partners
- 20 = None Of The Above

CODE NUMBERS WILL BE CONSISTENT, EVEN IF SOME OF THEM ARE BLANK FOR A GIVEN R. FOR EXAMPLE, AN R WHO IS CURRENTLY MARRIED WITH 1 FORMER HUSBAND AND 1 FORMER COHABITING PARTNER WILL HAVE DATA FOR #1, 7, AND 9 ONLY. ONLY CODES WITH DATA WILL BE DISPLAYED DURING IW.]

**FLOW CHECK C-70: Create P1YRELPH: "relationship of last/2<sup>nd</sup> to last/3<sup>rd</sup> to last partner to R"**

SET P1YREL PX = NULL/BLANK.

IF MATCHFPX = 1, SET P1YREL PX = 13.  
 ELSE IF 1 LE MATCHHPX LE 12, SET P1YREL PX = MATCHHPX.  
 ELSE IF MATCHHPX = 20 OR (MATCHFPX = 5 AND MATCHHPX IS  
 BLANK) OR (MATCHFPX IS BLANK AND MATCHHPX IS BLANK),  
 SET P1YREL PX = 20.  
 ELSE IF MATCHFPX = DK OR MATCHHPX = DK, SET P1YREL PX =  
 99.  
 ELSE IF MATCHFPX = RF OR MATCHHPX = RF, SET P1YREL PX =  
 98.

INITIALIZE CMLSEX X (where X = PRT12IDCNTR):  
 (CM for date of last sex with Xth partner in last 12  
 mos)  
 SET CMLSEX X = null/blank

IF P1YREL PX = 13, SET CMLSEX X=CMFPLAST AND GO TO FLOW  
 CHECK C-73.  
 ELSE, ASK CI-6 P1YLSEX\_MX.

FLOW CHECK C-70b: IF CI-1 WHOSNC1Y=1 AND CG-2 SAMEMAN NE 1 OR (CG-2  
 SAMEMAN=1 AND CG-3 WHOFSTPR NE 7 OR 8)), THEN  
 PXNAME[1]=CHPNAME  
 P1YREL PX[1]=7

**P1YLSEX\_MX**

① of ②

CI-6m.

¿En qué mes y año tuvo relaciones sexuales con [pareja mas  
 reciente / su segundo pareja mas reciente / su tercer pareja  
 mas reciente / [UPPERCASE PXNAME / UPPERCASE PI\_CHPNAME /  
 UPPERCASE PXNAME / UPPERCASE PI\_CHPNAME]] por última vez?

- ♦ PROBE for season if DK month
- ♦ ENTER MM/YYYY

[HELP AVAILABLE]

[CALENDAR REFERENCE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

UNDERLYING RANGE: 1-16

**P1YLSEX\_YX**

② of ②

CI-6y.

(¿En qué mes y año fue la última vez que tuvo relaciones  
 sexuales con él?)

[HELP AVAILABLE]

[CALENDAR REFERENCE]

- ♦ After R has given the year, say: Por favor anote a esta  
 pareja y la fecha en el cuadro que corresponda en la línea  
 de "Matrimonios, Vida en Pareja, y Parejas" en su  
 calendario. Puede usar "USEXO" y las iniciales de él o

alguna otra abreviatura o anotación que después usted entienda.

♦ ENTER (P1YLSEX\_MX)/YYYY

UNDERLYING RANGE: 1971 to 2011

FLOW CHECK C-71: COMPUTE CMLSEXX (where X = PRT12IDCNTR):  
(CM for date of last sex with Xth partner in last 12 mos)

IF P1YLSEX\_YX = RF, SET CMLSEXX = 9998 (RF).  
ELSE IF P1YLSEX\_YX = DK, SET CMLSEXX = 9999

(DK).

ELSE IF P1YLSEX\_MX LE 12,  
COMPUTE CMLSEXX = (P1YLSEX\_YX - 1900)\*12 +  
P1YLSEX\_MX

ELSE IF 13 LE P1YLSEX\_MX LE 16, USE MONTH  
APPROPRIATE TO SEASON & COMPUTE CMLSEXX AS  
ABOVE.

ELSE IF P1YLSEX\_MX = DK OR RF, ASSIGN MONTH = 6  
(June) & COMPUTE CMLSEXX AS ABOVE.

ESTABLISH CMLSEXX\_FILL AS FOLLOWS:

IF CMLSEXX = BLANK, DK, OR RF, SET CMLSEXX\_FILL  
= ADATE UNKNOWN."

ELSE IF CMLSEXX LT 9996, DEFINE CMLSEXX\_FILL AS  
FOLLOWS:

IF 1 LE P1YLSEX\_MX LE 12, THEN ESTABLISH  
MO/YR FILL IN THE FORMAT "1/1998" etc.

ELSE IF MONTH WAS REPORTED AS A SEASON  
(codes 13-16), THEN ESTABLISH FILL IN THE  
FORMAT "SPRING, 1998" etc.

ELSE IF MONTH WAS REPORTED AS DK OR RF,  
BUT YEAR WAS REPORTED, THEN ESTABLISH FILL  
BASED ONLY ON THE YEAR IN THE FORMAT  
"1998" etc.

Edit Check CI6\_1: IF (P1YLSEX\_MX LE 12) AND CMLSEXX > CMINTVW,  
DISPLAY: The date entered cannot be after the  
date of interview. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CI6\_2: IF (P1YLSEX\_MX LE 12) AND CMLSEXX < CMBIRTH,  
DISPLAY: The date entered cannot be before her  
date of birth. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CI6\_3: IF (13 LE P1YLSEX\_MX LE 16) AND CMLSEXX >  
(CMINTVW + 2) , DISPLAY: The date entered cannot  
be after the date of interview. Please correct.  
HARD, NONSUPPRESSIBLE EDIT CHECK.



**Edit Check CI6\_4:** IF (13 LE P1YLSEX\_MX LE 16) AND CMLSEXX < (CMBIRTH - 3) , DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

**Edit Check CI6\_5:** IF (P1YLSEX\_MX = DK OR RF) AND P1YLSEX\_YX > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

**Edit Check CI6\_6:** IF (P1YLSEX\_MX = DK OR RF) AND P1YLSEX\_YX < (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

**EDIT CHECK CI6\_7:** PROBE IF (PARTS12 = 0) AND (PARTS12 NE DK/RF) AND (CMLSEXX NE DK OR RF) AND (CMLSEXX > CMLSTYR) DISPLAY TEXT: R has reported that her last sex with this partner was within the last 12 months (P1YLSEX\_M1/Y1), but previously she said she had no partners during the last 12 months (MON12PRT). Please correct. INVOLVING(P1YLSEX\_MX,P1YLSEX\_YX,CH\_FEM.MON12PRT)

**EDIT CHECK CI6\_8:** PROBE IF (PARTS12 NE 0) AND (PARTS12 NE DK/RF) AND CMLSEXX < CMLSTYR DISPLAY TEXT: R has reported that her last sex with this partner was longer ago than 12 months (P1YLSEX\_M1/Y1). In this series of questions, we are only asking about partners she had sex with during the last 12 mos. Please correct. INVOLVING(P1YLSEX\_MX,P1YLSEX\_YX,CH\_FEM.MON12PRT)

**FLOW CHECK C-72:** IF P1YRELPX NE (7 or 8), ASK CI-7 P1YCURRPX. (Where X = PRT12IDCNTR)  
ELSE GO TO FLOW CHECK C-73.

**P1YCURRPX**

CI-7. Considera usted que (PRT1YNMX) es pareja sexual suya en estos momentos?

[HELP AVAILABLE]

Sí....1  
No....5

v

**FLOW CHECK C-73:** COMPUTE PCURRNTX (where X = PRT12IDCNTR):  
(Whether Xth partner in last 12 mos is Acurrent")  
SET PCURRNTX = NULL/BLANK.

IF P1YCURRPX = 1 THEN PCURRNTX = 1 (current).  
ELSE IF P1YRELPX=7 or 8 (current husb/cohab) THEN PCURRNTX=1 (current).  
ELSE IF P1YRELPX = 13 (first partner ever) AND CG-6 STILFPSX = 1, THEN PCURRNTX = 1 (current).  
ELSE IF P1YRELPX = 13 (first partner ever) AND CG-6 STILFPSX = 5, DK, OR RF, THEN PCURRNTX = 5 (not current).

ELSE IF P1YCURREPX = 5, DK, OR RF, THEN PCURRNTX = 5  
(not current).

FLOW CHECK C-74: IF (PARTS12 = 0, DK, OR RF) OR (PRT12IDCNTR = PARTS12  
AND PARTS12 = 1) OR (PRT12IDCNTR = PARTS12 AND PARTS12  
= 2) OR (PRT12IDCNTR = 3) GO TO FLOW CHECK C-75.  
ELSE ADVANCE PRT12IDCNTR BY 1 AND RETURN TO PXNAME CI-  
3

{This starts partner characteristics loop.

FLOW CHECK C-75: INCREASE PRT12CNTR BY 1.

IF PARTNER BEING DISCUSSED IS R'S FIRST SEXUAL PARTNER  
(IF CI-4 MATCHFPX=1 WHERE X=PRT12CNTR), THEN GO TO  
FLOW CHECK C-82.

ELSE, ASK CI-9 P1YRAGEX.

#### P1YRAGEX

CI-9. Ahora tengo algunas preguntas más sobre [[pareja mas reciente / su  
segundo pareja mas reciente / su tercer pareja mas reciente /  
[PXNAME / PI\_CHPNAME /]. Piense ahora en [[pareja mas reciente /  
su segundo pareja mas reciente / su tercer pareja mas reciente /  
[PXNAME / PI\_CHPNAME /]. ¿Qué edad tenía usted cuando tuvo  
relaciones sexuales con él por primera vez?

[HELP AVAILABLE]

[CALENDAR REFERENCE]

♦ Suggest to R that if it will help, she can look at her  
calendar to help her remember her age at first sex with this  
partner.

♦ *ENTER age in years*

UNDERLYING RANGE: 5 to 45

FLOW CHECK C-76: IF AGE\_R GE 18, ASK CI-10 P1YHSAGEX.  
ELSE IF AGE\_R LT 18, AND:  
IF CI-7 P1YCURREPX NE 1 OR PARTS12=0, ASK CI-10  
P1YHSAGEX.  
ELSE IF CI-7 P1YCURREPX=1, GO TO CI-11 P1YRFX.

#### P1YHSAGEX

CI-10. ¿Y qué edad tenía él la primera vez que usted tuvo  
relaciones sexuales con él?

[HELP AVAILABLE]

♦ *ENTER age in years*

UNDERLYING RANGE: 5 to 95

#### P1YRFX

CI-11. Por favor mire la Tarjeta 26. Cuando tuvo relaciones  
sexuales con (PRT1YNMX) por primera vez, ¿cómo describiría  
su relación con él?

[SHOW CARD 24]

Estaba casada con él.....1  
 Estaba comprometida con él.....2  
 Estaban viviendo juntos en una relación sexual,  
 pero no estaban comprometidos.....3  
 Estaba saliendo con él o estaban de novios.....4  
 Estaban saliendo juntos de vez en cuando.....5  
 Eran solamente amigos.....6  
 Lo acababa de conocer.....7  
 Otra relación.....8

**P1YFSEX\_MX**

① of ②

CI-12m.

¿En qué mes y año tuvo relaciones sexuales con él por primera vez?

♦ *Do not count oral sex, anal sex, heavy petting, or other forms of sexual activity that do not involve vaginal penetration.*

♦ *ENTER [96] if R only had sex once with this partner*

♦ *PROBE for season if DK month*

♦ *ENTER MM/YYYY*

## [CALENDAR REFERENCE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño
96. <i>Only had sex once with this partner</i>			

UNDERLYING RANGE: 1-16, 96

{ ASKED ONLY IF P1YFSEX\_MX NE 96

**P1YFSEX\_YX**

② of ②

CI-12y.

IF P1YFSEX\_M NE 96, DISPLAY:

(¿En qué mes y año tuvo relaciones sexuales con él por primera vez?)

♦ *Do not count oral sex, anal sex, heavy petting, or other forms of sexual activity that do not involve vaginal penetration.*

## [CALENDAR REFERENCE]

♦ *After R has given the year, say: Por favor ponga las iniciales de su pareja en el cuadrado que corresponda en una de las líneas de "Matrimonios, Vida en Pareja, y Parejas" en su calendario.*

♦ *ENTER (P1YFSEX\_MX)/YYYY*

UNDERLYING RANGE: 1971 to 2011

**FLOW CHECK C-77: COMPUTE CMFSEXx (where x = PRT12CNTR):**  
**(CM for date of 1<sup>st</sup> sex with partner X in last 12 mos)**

**SET CMFSEXx = null/blank.**

```

IF P1YFSEX_YX = RF, SET CMFSEXx = 9998 (RF).
ELSE IF P1YFSEX_YX = DK, SET CMFSEXx = 9999
(DK).
ELSE IF P1YFSEX_MX LE 12,
COMPUTE CMFSEXx = (P1YFSEX_Y - 1900)*12 +
P1YFSEX_MX

```

```

ELSE IF 13 LE P1YFSEX_MX LE 16, USE MONTH
APPROPRIATE TO SEASON & COMPUTE CMFSEXx AS
ABOVE.

```

```

ELSE IF P1YFSEX_MX = 96, SET CMFSEXx = 9996
(only had sex once with this partner)

```

```

ELSE IF P1YFSEX_MX = DK OR RF, ASSIGN MONTH = 6
(June) & COMPUTE CMFSEXx AS ABOVE.

```

```

Edit Check CI12_1: IF (P1YFSEX_MX LE 12) AND CMFSEXx > CMINTVW,
DISPLAY: The date entered cannot be after the
date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CI12_2: IF (P1YFSEX_MX LE 12) AND CMFSEXx < CMBIRTH,
DISPLAY: The date entered cannot be before her
date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CI12_3: IF (13 LE P1YFSEX_MX LE 16) AND CMFSEXx >
(CMINTVW + 2) , DISPLAY: The date entered cannot
be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CI12_4: IF (13 LE P1YFSEX_MX LE 16) AND CMFSEXx <
(CMBIRTH - 3) , DISPLAY: The date entered cannot
be before her date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CI12_5: IF (P1YFSEX_MX = DK OR RF) AND P1YFSEX_YX >
(CMINTVW/12 +1900), DISPLAY: The date entered
cannot be after the date of interview. Please
correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check CI12_6: IF (P1YFSEX_MX = DK OR RF) AND P1YFSEX_YX <
(CMBIRTH/12 +1900)- 1, DISPLAY: The date entered
cannot be before her date of birth. Please
correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK C-78: COMPUTE CMFSEXTOTx:
(CM for date of first or only sex with up to 3
partners in past 12 months. This converts the "96"
code for "only once" to the date of last sex, reported
earlier)
SET CMFSEXTOTx = NULL/BLANK.

IF CMFSEXx=9996, THEN SET CMFSEXTOTx=CMLSEXx.
ELSE SET CMFSEXTOTx=CMFSEXx

```

**EDIT CHECK CI12\_7:**      **PROBE IF CMFSEXx LT CMFSTSEX. DISPLAY TEXT:R**  
 has reported first having sexual intercourse  
 with this partner (PIYFSEX\_M/\_Y) before she ever  
 had sexual intercourse in her life  
 (WNFSTSEX\_M/\_Y). Please correct whichever  
 date(s) has been entered incorrectly.  
**INVOLVING(PIYFSEX\_MX,PIYFSEX\_YX)**

**FLOW CHECK C-79:** **IF PARTNER BEING DESCRIBED IS CURRENT AND IS NOT R's**  
**CURRENT HUSBAND OR SEPARATED HUSBAND OR COHABITING**  
**PARTNER (CI-7 PIYCURRPX = 1 (YES) AND PIYRELPX NE (7**  
**OR 8)), ASK CI-13 PIYEDUCX.**  
**ELSE GO TO FLOW CHECK C-82.**

**PIYEDUCX**

CI-13.      Por favor mire la tarjeta 11. ¿Cuál es el nivel más alto de  
 estudios que él ha completado?

[SHOW CARD 11]

No se graduó de 'High School'.....1  
 Graduado(a) de 'High School' o obtuvo el GED.....2  
 Estudios de universidad o  
 'college' pero no obtuvo un título.....3  
 Título de una universidad o 'college' de 2 años  
 (por ej., título de Asociado).....4  
 Graduado(a) de una universidad o 'college' de 4 años  
 (por ej., BA, BS).....5  
 Estudios de posgrado o profesionales.....6

**PIYHISPX**

CI-14.      ¿Es [[pareja mas reciente su segundo pareja mas reciente  
 su tercer pareja mas reciente[UPPERCASE PXNAME UPPERCASE  
 PI\_CHPNAME UPPERCASE PXNAME UPPERCASE PI\_CHPNAME]  
 pareja mas reciente UPPERCASE PI\_CHPNAME]] hispano o  
 latino, o de origen español?

Sí....1

No....5

**PIYRACEX**

CI-15.      ¿Cuál de los grupos en la Tarjeta 2 describe el origen racial de  
 (PRT1YNMX)? Por favor escoja uno o más grupos.

♦ *If R reports a mixture of several races (biracial, mixed,  
 mulatto, etc.), enter all groups that are part of the mixture.*

♦ *ENTER all that apply. Do not probe A0.*

♦ *PRESS [Space] or [-] to separate responses*

[SHOW CARD 2]  
 [HELP AVAILABLE]

Indio Americano o Nativo de Alaska.....1  
 Asiático.....2  
 Nativo de Hawai o de otras islas del Pacífico.....3

Negro, moreno o afro-americano.....4  
 Blanco.....5

**FLOW CHECK C-80: IF MORE THAN ONE RACE CODED IN CI-15 P1YRACEX, ASK CI-16 P1YRACEBX. ELSE, GO TO FLOW CHECK C-81.**

**P1YRACEBX**

CI-16. ¿Cuál de estos grupos, es decir (RESPONSES FROM P1YRACE), diría usted que mejor describe el origen racial de esa persona?

[HELP AVAILABLE]

- { DISPLAY ONLY THOSE CATEGORIES REPORTED IN CI-15 P1YRACEX
- [ /Indio Americano o Nativo de Alaska.....1
- [ /Asiático.....2
- [ /Nativo de Hawai o de otras islas del Pacífico.....3
- [ /Negro, moreno o afro-americano.....4
- [ /Blanco.....5

**EDIT CHECK CI16\_1: PROBE IF P1YRACEBX <> P1YRACEX (IF A CHOICE, OTHER THAN THOSE PREVIOUSLY SELECTED IN P1YRACEX), DISPLAY: You cannot choose a race that was not among the choices given. Re-select.**

**FLOW CHECK C-81: IF THIS PARTNER IS EXPLICITLY REPORTED AS "CURRENT" (CI-7 P1YCRRPX = 1 (YES) ), AND RELATIONSHIP HAS LASTED LONGER THAN 1 MONTH (CMLSEXx - CMFSEXx GE 1), AND R IS NOT CURRENTLY SEPARATED FROM THIS HUSBAND (P1YRELPX NE 7), THEN ASK CI-17 P1YRN. ELSE GO TO FLOW CHECK C-82.**

**P1YRNX**

CI-17. Por favor mire la tarjeta 85. ¿Cómo describiría su relación con (PRT1YNMX) en estos momentos?

[SHOW CARD 85]

Note from JA: showcard should exclude "married to him" and "living together..."

- Estaba comprometida con él.....2
- Estaba saliendo con él o estaban de novios.....4
- Estaban saliendo juntos de vez en cuando.....5
- Eran solamente amigos.....6
- Lo acababa de conocer.....7
- Otra relación.....8

**FLOW CHECK C-82: IF PRT12CNTR LT PARTS12 AND PRT12CNTR<3 AND PARTS12 NE DK/RF, RETURN TO FLOW CHECK C-75. (REPEAT P1YRAGEX THROUGH P1YRNX AS NEEDED FOR NEXT PARTNER IN LAST 12 MOS.) ELSE IF PRT12CNTR = PARTS12 OR PRT12CNTR=3 OR PARTS12 = 0, DK, OR RF, GO TO FLOW CHECK C-83.**

## FLOW CHECK C-83:DEFINE COMPUTED VARIABLES:

LIFEPRTS is defined for all Rs:

COMPUTE LIFEPRTS - # of male sexual partners in  
lifetime

SET LIFEPRTS = NULL/BLANK.

IF RHADSEX = NO

SET LIFEPRTS = 0.

ELSE IF CH-1 LIFEPRT LE 995,

SET LIFEPRTS = CH-1 LIFEPRT.

ELSE IF CH-1 LIFEPRT = DK OR RF,

IF LIFEPRT\_LO = DK OR LIFEPRT\_HI = DK, SET  
LIFEPRTS = DK.

ELSE IF LIFEPRT\_LO = RF OR LIFEPRT\_HI = RF, SET  
LIFEPRTS = RF.

ELSE SET LIFEPRTS = CH-1b LIFEPRT\_LO.

IF RHADSEX = NO, ALL OF THE REMAINING COMPUTED VARIABLES DEFINED  
BELOW ARE BLANK/INAPP, EXCEPT FOR CURRPRTT AND CURRPRTS.

IF RHADSEX = NO, THEN DO:

SET CURRPRTT = 0

SET CURRPRTS = 0

GO TO FLOW CHECK D-1.

END.

ELSE IF RHADSEX = YES, THEN DO:

COMPUTE CURRPRTT = Total number of current sexual  
partners, including a current (not  
separated) husband or cohabiting  
partner in the total

SET CURRPRTT = NULL/BLANK.

= Sum across all partners with PCURRNTX = 1.

COMPUTE CURRPRTS = Total number of current sexual  
partners, NOT including husbands or  
cohabiting partners (for use  
primarily in Audio CASI for a series  
asked only of minors)

SET CURRPRTS = NULL/BLANK.

= Sum across all partners with P1CURRPx=YES  
and P1YRELPx NE 7,8.

Note from JA:

instead of the above, the information that gets  
passed to E for use in the EF series (method use  
with partners in past 12 months - will restrict  
to last 12 months within E) is:

P1NAME, CMLSEX1

P2NAME, CMLSEX2

P3NAME, CMLSEX3

COMPUTE CURPART1, CURPART2, CURPART3:

(Name or initials of up to 3 current sexual partners,

```
who are not husbands or cohabiting partners, among
respondents aged 15-17 -- for use in ACASI)
COMPUTE CMCURRP1, CMCURRP2, CMCURRP3:
  (CM date of last or only sex with each of these 3
  current partners)
SET CURPART1, CURPART2, CURPART3, CMCURRP1, CMCURRP2,
  CMCURRP3 = NULL/BLANK.

IF CURRPRTS = 0 OR AGE_R GE 18, THEN DO:
  SET CURPART1, CURPART2, & CURPART3 TO BLANK.
  SET CMCURRP1, CMCURRP2, & CMCURRP3 TO BLANK.
  END.

ELSE IF CURRPRTS > 0 AND AGE_R LT 18, THEN DO:

  IF CI-7 P1YCURRPX=1 THEN DO:
    CURPARTX=PXNAME
    CMCURRPX= CMLSEXX
    END;
```

----- Section C Ends Here -----