

DEPARTMENT OF THE INTERIOR,
CENSUS OFFICE.

ROBERT P. PORTER,
Superintendent.

Appointed April 20, 1889; resigned July 31, 1893.

CARROLL D. WRIGHT,
Commissioner of Labor in charge.
Appointed October 5, 1893.

REPORT

ON

VITAL AND SOCIAL STATISTICS

IN

THE UNITED STATES

AT THE

ELEVENTH CENSUS: 1890.

PART III.—STATISTICS OF DEATHS.

JOHN S. BILLINGS, M. D.,

DEPUTY SURGEON-GENERAL, U. S. ARMY, EXPERT SPECIAL AGENT.



WASHINGTON, D. C.:
GOVERNMENT PRINTING OFFICE.

1894.

134417
317.3

WITHDRAWN
SMITHSONIAN INSTITUTION

CONTENTS—PART III.

	Page.
Letter of transmittal of the Commissioner of Labor in charge to the Secretary of the Interior	v
TABLE 1.—Deaths in the United States, by states and territories, with distinction of sex, and statement of rate of death per thousand of population, for the censuses of 1890, 1880, and 1870	3
TABLE 2.—Deaths in the United States, by states and territories, with distinction of sex and color, and statement of rate of death per thousand of population during the census year ended May 31, 1890	7
TABLE 3.—Deaths in the United States, by states and territories, with distinction of age and sex, for the census year ended May 31, 1890	10-13
TABLE 4.—Deaths in the United States from each specified disease and class of diseases, with distinction of age and sex, during the census year ended May 31, 1890	16-23
TABLE 5.—Deaths in each state and territory from each specified disease and class of diseases, with distinction of age and sex, during the census year ended May 31, 1890	26-425
Alabama	26-33
Arizona	34-41
Arkansas	42-49
California	50-57
Colorado	58-65
Connecticut	66-73
Delaware	74-81
District of Columbia	82-89
Florida	90-97
Georgia	98-105
Idaho	106-113
Illinois	114-121
Indiana	122-129
Indian territory	130-137
Iowa	138-145
Kansas	146-153
Kentucky	154-161
Louisiana	162-169
Maine	170-177
Maryland	178-185
Massachusetts	186-193
Michigan	194-201
Minnesota	202-209
Mississippi	210-217
Missouri	218-225
Montana	226-233
Nebraska	234-241
Nevada	242-249
New Hampshire	250-257
New Jersey	258-265
New Mexico	266-273
New York	274-281
North Carolina	282-289
North Dakota	290-297
Ohio	298-305
Oklahoma	306-313
Oregon	314-321
Pennsylvania	322-329
Rhode Island	330-337
South Carolina	338-345
South Dakota	346-353
Tennessee	354-361
Texas	362-369
Utah	370-377
Vermont	378-385
Virginia	386-393
Washington	394-401
West Virginia	402-409
Wisconsin	410-417
Wyoming	418-425
TABLE 6.—Deaths in each state group in certain registration states from each specified disease and class of diseases, with distinction of age and sex, during the census year ended May 31, 1890	428-531
Connecticut—	
Group 1	428-435
Group 2	436-443
Massachusetts—	
Group 1	444-451
Group 2	452-459
New Hampshire—	
Group 1	460-467
Group 2	468-475
New Jersey—	
Group 1	476-483
Group 2	484-491
New York—	
Group 1	492-499
Group 2	500-507
Group 3	508-515
Group 4	516-523
Group 5	524-531

U. S. Census,

	Page.
TABLE 7.—Deaths in Alabama from each specified disease and class of diseases, with distinction of age, sex, and color, during the census year ended May 31, 1890.....	534-549
White.....	534-541
Colored.....	542-549
TABLE 8.—Deaths in the United States reported from registration sources, by age and sex, with specification of cause, for the census year ended May 31, 1890.....	552-559
TABLE 9.—Deaths in the rural portion of registration states, by age and sex, with specification of cause, for the census year ended May 31, 1890.....	562-569
TABLE 10.—Deaths in 271 registration cities, by age and sex, with specification of cause, during the census year ended May 31, 1890.....	572-579
TABLE 11.—Deaths in 271 registration cities, by grand divisions, with distinction of age and sex and specification of cause, for the census year ended May 31, 1890.....	583-623
Grand division A.....	584-591
Grand division B.....	592-599
Grand division C.....	600-607
Grand division D.....	608-615
Grand division E.....	616-623
TABLE 12.—Deaths in the Chinese population of the United States, by age and sex, with specification of cause, for the census year ended May 31, 1890.....	626-633
TABLE 13.—Deaths in the Indian population of the United States, by age and sex, with specification of cause, for the census year ended May 31, 1890.....	636-643
TABLE 14.—Deaths in the United States, by age and sex, with distinction of color, nativity, and parental nativity, and specification of cause, during the census year ended May 31, 1890.....	647-671
TABLE 15.—Deaths in each of 5 geographical divisions, by age and sex, with distinction of color, nativity, and parental nativity, and specification of cause, during the census year ended May 31, 1890.....	675-799
Grand division A.....	675-699
Grand division B.....	700-724
Grand division C.....	725-749
Grand division D.....	750-774
Grand division E.....	775-799
TABLE 16.—Deaths in the United States and in each grand group, from certain specified diseases and classes of diseases, with distinction of month of death, sex, and certain groups of ages, during the census year ended May 31, 1890.....	802-933
The United States.....	802-807
Grand group 1.—North Atlantic coast.....	808-813
Grand group 2.—Middle Atlantic coast.....	814-819
Grand group 3.—South Atlantic coast.....	820-825
Grand group 4.—Gulf coast.....	826-831
Grand group 5.—Northeastern hills and plateaus.....	832-837
Grand group 6.—Central Appalachian region.....	838-843
Grand group 7.—Region of the lakes.....	844-849
Grand group 8.—Interior plateaus and table-lands.....	850-855
Grand group 9.—South Central Appalachian region.....	856-861
Grand group 10.—Ohio valley.....	862-867
Grand group 11.—South interior plateaus and table-lands.....	868-873
Grand group 12.—Mississippi river belt, south.....	874-879
Grand group 13.—Mississippi river belt, north.....	880-885
Grand group 14.—Southwest central region.....	886-891
Grand group 15.—Central region.....	892-897
Grand group 16.—Prairies.....	898-903
Grand group 17.—Missouri river belt.....	904-909
Grand group 18.—Western plains.....	910-915
Grand group 19.—Heavily timbered region of the northwest.....	916-921
Grand group 20.—Cordilleran region.....	922-927
Grand group 21.—Pacific coast.....	928-933
TABLE 17.—Deaths in registration cities in the United States from certain specified diseases and classes of diseases, with distinction of month of death, color, sex, and certain groups of ages, during the census year ended May 31, 1890.....	936-953
Total.....	936-941
White.....	942-947
Colored.....	948-953
TABLE 18.—Deaths from each reported cause, by states, state groups, and registration cities, during the census year ended May 31, 1890.....	956-1051

LETTER OF TRANSMITTAL.

DEPARTMENT OF THE INTERIOR,
CENSUS OFFICE,
WASHINGTON, D. C., November 22, 1894.

SIR:

I have the honor to transmit herewith Part III of the Report on Vital and Social Statistics, containing a portion of the statistics of deaths. The analysis of the figures given herein will be found in Part I of this report.

I am, very respectfully, your obedient servant,

CARROLL D. WRIGHT,
Commissioner of Labor in charge.

Hon. HOKE SMITH,
Secretary of the Interior.

v

TABLE 1.

NUMBER OF DEATHS IN THE UNITED STATES, BY STATES AND TERRITORIES, WITH
DISTINCTION OF SEX, AND STATEMENT OF RATE OF DEATH PER THOUSAND
OF POPULATION, FOR THE CENSUSES OF 1890, 1880, AND 1870.

STATISTICS OF DEATHS.

TABLE 1.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF SEX: 1890, 1880, 1870.

STATES AND TERRITORIES.	1890					1880					1870				
	Popula- tion.	DEATHS.			Deaths per 1,000 of popula- tion.	Popula- tion.	DEATHS.			Deaths per 1,000 of popula- tion.	Popula- tion.	DEATHS.			Deaths per 1,000 of popula- tion.
		Total.	Males.	Females.			Total.	Males.	Females.			Total.	Males.	Females.	
The United States ..	62,622,250	872,944	463,044	409,900	13.94	50,155,783	756,893	391,960	364,933	15.09	38,558,371	492,263	260,673	231,590	12.77
Alabama	1,518,017	20,898	10,628	10,270	13.81	1,262,505	17,929	8,842	9,087	14.20	996,992	10,771	5,637	5,134	10.80
Arizona	59,620	573	375	198	9.61	40,440	291	207	84	7.20	9,658	252	168	84	26.09
Arkansas	1,128,179	14,391	7,695	6,696	12.76	802,525	14,812	7,741	7,071	18.46	484,471	6,119	3,202	2,917	12.63
California	1,208,130	17,703	11,146	6,557	14.65	864,694	11,530	7,395	4,135	13.33	560,247	9,025	5,687	3,338	16.11
Colorado	412,198	5,453	3,237	2,216	13.23	194,327	2,547	1,610	937	13.11	39,864	375	232	149	3.41
Connecticut	746,258	14,470	7,532	6,938	19.30	622,700	9,179	4,629	4,550	14.74	537,454	6,796	3,550	3,246	12.64
Dakota						135,177	1,304	743	561	9.65	14,181	101	69	32	7.12
Delaware	168,493	3,107	1,632	1,455	18.44	146,608	2,212	1,113	1,099	15.09	125,015	1,561	827	734	12.49
District of Columbia	230,392	5,955	3,171	2,784	25.85	177,624	4,192	2,110	2,082	23.60	131,700	2,015	1,065	950	15.30
Florida	391,422	4,145	2,221	1,924	10.59	260,493	3,159	1,610	1,549	11.72	187,748	2,261	1,225	1,036	12.06
Georgia	1,837,353	21,174	10,691	10,483	11.52	1,542,180	21,549	10,782	10,767	13.97	1,184,109	13,606	6,990	6,616	11.49
Idaho	84,385	711	417	294	8.43	32,610	323	201	122	9.90	14,999	50	39	11	3.33
Illinois	3,826,351	53,123	28,836	24,287	13.88	3,077,371	45,017	23,698	21,319	14.63	2,539,891	33,672	18,141	15,531	13.26
Indiana	2,192,404	24,180	12,482	11,698	11.03	1,978,301	31,213	15,971	15,242	15.78	1,680,637	17,661	9,208	8,453	10.51
Iowa	1,911,896	17,521	9,269	8,252	9.16	1,624,615	19,377	10,187	9,190	11.93	1,194,020	9,597	5,117	4,480	8.04
Kansas	1,427,096	12,018	6,379	5,639	8.42	996,096	15,160	7,921	7,239	15.22	364,399	4,546	2,433	2,113	12.48
Kentucky	1,858,635	23,377	12,534	11,293	12.85	1,648,690	23,718	11,947	11,771	14.39	1,321,011	14,345	7,304	6,951	10.86
Louisiana	1,118,587	16,354	8,885	7,469	14.62	699,946	14,514	7,839	6,675	15.44	726,915	14,499	8,212	6,287	19.95
Maine	661,036	10,044	5,325	4,719	15.19	643,936	9,523	4,722	4,801	14.67	626,915	7,728	3,993	3,735	12.33
Maryland	1,042,390	18,000	9,264	8,736	17.27	934,943	13,919	8,618	8,301	18.10	780,894	9,740	5,085	4,655	12.47
Massachusetts	2,238,943	45,112	22,739	22,373	20.15	1,783,085	33,149	16,416	16,733	18.59	1,457,351	25,859	12,894	12,965	17.74
Michigan	2,093,889	25,016	13,356	11,660	11.95	1,636,937	19,743	10,407	9,336	12.06	1,184,059	11,181	5,771	5,410	9.44
Minnesota	1,301,826	15,488	8,388	7,100	11.90	780,773	9,037	4,869	4,168	11.57	439,706	3,526	1,949	1,577	8.02
Mississippi	1,289,600	14,899	7,730	7,169	11.55	1,131,597	14,583	7,527	7,056	12.89	827,922	9,172	4,786	4,384	11.08
Missouri	2,679,134	32,435	17,480	14,955	12.11	2,168,380	36,615	19,237	17,378	16.89	1,721,295	27,932	15,762	12,220	16.26
Montana	132,159	1,012	695	317	7.66	39,159	336	225	111	8.53	20,595	185	137	48	8.98
Nebraska	1,058,910	8,445	4,563	3,882	7.98	452,402	5,330	3,112	2,818	13.11	122,993	1,000	545	455	8.13
Nevada	45,761	434	327	107	9.48	62,266	728	535	193	11.69	42,491	615	423	192	14.47
New Hampshire	376,530	7,074	3,560	3,514	18.79	346,991	5,584	2,769	2,815	16.09	318,300	4,291	2,092	2,199	13.48
New Jersey	1,444,933	30,344	16,072	14,272	21.00	1,131,116	18,474	9,524	8,950	16.33	906,096	10,586	5,716	4,870	11.68
New Mexico	153,593	2,522	1,333	1,189	16.42	119,565	2,436	1,347	1,089	20.37	91,874	1,180	623	557	12.84
New York	5,997,853	123,117	65,303	57,814	20.53	5,082,371	88,332	45,952	42,380	17.38	4,382,759	69,095	36,740	32,355	15.77
North Carolina	1,617,947	18,420	9,202	9,218	11.38	1,399,750	21,547	10,593	10,954	15.39	1,071,361	10,588	5,142	5,446	9.88
North Dakota	182,719	1,716	939	777	9.39										
Ohio	3,672,316	49,844	26,426	23,418	13.57	3,198,062	42,610	22,079	20,531	13.32	2,665,260	29,568	15,724	13,844	11.09
Oklahoma	61,834	352	211	141	5.69										
Oregon	313,767	2,575	1,530	1,045	8.21	174,768	1,864	1,034	830	10.67	90,923	622	337	285	6.84
Pennsylvania	5,258,014	73,530	39,507	34,023	13.98	4,282,891	63,881	33,613	30,268	14.92	3,521,951	52,639	27,961	24,678	14.95
Rhode Island	345,506	7,559	3,821	3,738	21.88	276,531	4,702	2,346	2,356	17.00	217,353	2,741	1,423	1,318	12.61
South Carolina	1,151,149	15,495	7,730	7,715	13.46	995,577	15,728	7,609	8,119	15.80	705,606	7,380	3,757	3,623	10.46
South Dakota	328,808	2,705	1,415	1,290	8.23										
Tennessee	1,767,518	23,854	12,278	11,576	13.50	1,542,359	25,910	13,800	13,110	16.80	1,253,520	14,239	6,963	7,276	11.31
Texas	2,235,523	26,478	14,625	11,853	11.84	1,591,749	24,735	13,121	11,614	15.54	818,579	11,197	6,254	4,943	13.68
Utah	297,905	2,118	1,142	976	10.19	143,963	2,414	1,270	1,144	16.77	86,786	891	452	439	10.27
Vermont	332,422	5,425	2,657	2,768	16.32	332,286	5,024	2,505	2,519	15.12	330,551	3,545	1,804	1,741	10.72
Virginia	1,655,980	23,232	11,994	11,238	14.03	1,512,565	24,681	12,216	12,465	16.32	1,225,163	15,183	7,552	7,631	12.39
Washington	349,390	2,695	1,566	1,129	7.71	75,116	755	467	288	10.05	23,955	223	131	92	9.31
West Virginia	762,794	8,275	4,296	3,979	10.85	618,457	7,418	3,781	3,637	11.99	442,014	4,018	2,061	1,957	9.09
Wisconsin	1,636,880	18,662	10,041	8,621	11.06	1,315,497	16,011	8,592	7,419	12.17	1,054,670	9,960	5,339	4,621	9.44
Wyoming	60,705	414	270	144	6.82	20,789	189	119	70	9.08	9,118	74	59	15	8.12

NOTE.—The total deaths in the United States, including Indian territory and Indians on reservations, was 875,521. In this table Indian territory and Indians on reservations are excluded, in order to agree with the population figures.

TABLE 2.

NUMBER OF DEATHS IN THE UNITED STATES, BY STATES AND TERRITORIES, WITH
DISTINCTION OF SEX AND COLOR, AND STATEMENT OF RATE OF DEATH
PER THOUSAND OF POPULATION DURING THE CENSUS
YEAR ENDED MAY 31, 1890.

STATISTICS OF DEATHS.

TABLE 2.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF SEX AND COLOR: 1890.

STATES AND TERRITORIES.	TOTAL.			WHITE.						COLORED.					
	Population.	Deaths.	Rate per 1,000.	Male.			Female.			Male.			Female.		
				Population.	Deaths.	Rate per 1,000.	Population.	Deaths.	Rate per 1,000.	Population.	Deaths.	Rate per 1,000.	Population.	Deaths.	Rate per 1,000.
The United States...	62,622,250	872,944	13.94	28,206,332	404,514	14.34	26,777,558	854,114	13.22	3,861,548	58,530	15.16	3,776,812	55,786	14.77
Alabama.....	1,513,017	20,898	13.81	420,072	5,302	12.62	413,646	5,005	12.10	337,884	5,326	15.79	341,915	5,265	15.40
Arizona.....	59,620	573	9.61	33,405	352	10.54	22,175	191	8.61	3,166	23	7.26	874	7	8.01
Arkansas.....	1,128,179	14,391	12.76	426,510	5,816	13.64	392,242	4,948	12.61	159,245	1,879	11.80	150,182	1,748	11.64
California.....	1,208,130	17,708	14.65	617,392	10,099	16.36	494,280	6,323	12.79	82,667	1,047	12.67	12,791	234	16.97
Colorado.....	412,198	5,453	13.23	240,244	3,189	13.27	164,224	2,178	13.26	5,003	48	9.59	2,727	38	13.93
Connecticut.....	746,258	14,470	19.39	363,216	7,377	20.31	370,222	6,784	18.32	6,322	155	24.52	6,498	154	23.70
Delaware.....	163,493	3,107	18.44	71,078	1,236	18.09	63,988	1,126	16.32	14,495	366	25.25	13,932	329	23.61
District of Columbia.....	230,392	5,955	25.85	75,753	1,698	22.41	78,942	1,364	17.28	33,831	1,473	43.54	41,866	1,420	33.92
Florida.....	391,424	4,145	10.59	117,766	1,292	10.97	107,139	1,047	9.77	84,181	929	11.04	82,292	877	10.66
Georgia.....	1,837,353	21,174	11.52	489,707	5,331	10.89	488,650	4,872	9.97	430,218	5,360	12.46	428,778	5,611	13.09
Idaho.....	84,385	711	8.43	49,162	388	7.89	32,856	289	8.80	2,128	29	13.63	239	5	20.92
Illinois.....	3,826,351	53,123	13.88	1,941,376	28,291	14.57	1,827,096	23,801	13.03	30,932	545	17.62	26,947	486	18.04
Indiana.....	2,192,404	24,180	11.03	1,094,565	12,034	10.99	1,052,171	11,284	10.72	23,782	448	18.84	21,886	414	18.92
Iowa.....	1,911,896	17,521	9.16	988,645	9,188	9.29	912,441	8,171	8.96	5,808	81	13.95	5,002	81	16.19
Kansas.....	1,427,096	12,018	8.42	726,312	6,054	8.34	650,241	5,263	8.09	25,800	325	12.60	24,743	376	15.20
Kentucky.....	1,858,635	23,877	12.85	809,140	10,305	12.74	781,322	9,093	11.64	183,618	2,279	17.06	134,555	2,200	16.35
Louisiana.....	1,118,587	16,354	14.62	281,524	4,826	17.14	276,871	3,812	13.77	277,826	4,059	14.61	282,366	3,657	12.95
Maine.....	661,086	10,044	15.19	331,604	5,306	16.00	327,659	4,704	14.36	986	19	19.27	837	15	17.92
Maryland.....	1,042,390	18,000	17.27	409,805	7,015	17.12	416,688	6,564	15.75	105,886	2,249	21.24	110,011	2,172	19.74
Massachusetts.....	2,238,943	45,112	20.15	1,075,611	22,414	20.84	1,139,762	22,068	19.36	12,098	325	26.86	11,472	305	26.59
Michigan.....	2,003,889	25,016	11.95	1,080,717	13,151	12.17	992,167	11,453	11.54	11,063	205	18.53	9,942	207	20.82
Minnesota.....	1,301,826	15,488	11.90	692,150	8,344	12.06	604,009	7,044	11.66	3,171	44	13.88	2,496	56	22.44
Mississippi.....	1,289,600	14,899	11.55	276,215	3,414	12.36	268,636	2,925	10.89	373,472	4,316	11.56	371,277	4,244	11.43
Missouri.....	2,079,184	32,435	12.11	1,309,425	16,033	12.24	1,219,033	13,608	11.16	75,813	1,447	19.09	74,813	1,347	17.98
Montana.....	132,159	1,012	7.66	83,898	676	8.06	43,373	310	7.15	3,984	19	4.77	904	7	7.74
Nebraska.....	1,058,910	8,445	7.98	565,897	4,511	7.97	481,001	3,843	7.99	6,937	52	7.50	5,085	39	7.67
Nevada.....	45,761	434	9.48	24,387	312	12.79	14,697	102	6.94	4,827	15	3.11	1,850	5	2.70
New Hampshire.....	376,530	7,074	18.79	186,171	3,551	19.07	189,669	3,506	18.48	395	9	22.78	295	8	27.12
New Jersey.....	1,444,933	30,344	21.00	696,739	15,403	22.11	699,342	13,597	19.43	24,080	669	27.78	24,272	675	27.81
New Mexico.....	153,593	2,522	16.42	76,920	1,313	17.07	65,799	1,180	17.93	6,135	20	3.26	4,739	9	1.90
New York.....	5,997,853	123,117	20.53	2,939,969	64,267	21.86	2,963,963	56,947	19.08	36,924	1,036	28.06	36,977	867	23.45
North Carolina.....	1,617,947	18,420	11.38	523,155	5,608	10.72	532,227	5,578	10.48	275,994	3,594	13.02	286,571	3,640	12.70
North Dakota.....	182,719	1,716	9.39	101,249	937	9.25	80,874	775	9.58	341	2	5.87	255	2	7.84
Ohio.....	3,072,316	49,844	13.57	1,810,342	25,365	14.01	1,774,463	22,478	12.67	45,394	1,061	23.37	42,117	940	22.32
Oklahoma.....	61,834	352	5.69	33,090	199	6.01	25,736	133	5.17	1,643	12	7.30	1,365	8	5.86
Oregon.....	313,767	2,575	8.21	171,187	1,508	8.81	130,571	1,029	7.88	10,653	31	2.91	1,356	7	5.16
Pennsylvania.....	5,258,014	78,530	13.98	2,609,854	38,258	14.66	2,538,403	32,889	12.96	56,477	1,249	22.12	53,280	1,134	21.28
Rhode Island.....	345,506	7,559	21.88	164,463	3,710	22.56	173,396	3,625	20.91	3,562	111	31.16	4,085	113	27.66
South Carolina.....	1,151,149	15,495	13.46	230,405	2,647	11.49	231,603	2,400	10.36	341,932	5,133	15.01	347,209	5,315	15.31
South Dakota.....	328,808	2,705	8.23	179,331	1,411	7.87	147,959	1,283	8.67	919	4	4.35	599	7	11.69
Tennessee.....	1,767,518	23,854	13.50	677,939	8,390	12.38	658,698	7,891	11.98	213,646	3,888	18.20	217,235	3,685	16.96
Texas.....	2,235,523	26,478	11.84	926,036	11,894	12.84	819,899	9,394	11.46	246,517	2,731	11.08	243,071	2,459	10.12
Utah.....	207,993	2,118	10.19	108,929	1,131	10.38	96,970	976	10.06	1,534	11	7.17	472
Vermont.....	332,422	5,425	16.32	168,778	2,652	15.71	162,640	2,760	16.97	549	5	9.11	455	8	17.58
Virginia.....	1,655,980	23,232	14.03	513,181	6,471	12.61	506,941	5,942	11.72	311,097	5,523	17.75	324,761	5,296	16.31
Washington.....	349,390	2,695	7.71	211,126	1,531	7.25	129,387	1,099	8.49	6,436	35	5.44	2,441	30	12.20
West Virginia.....	762,794	8,275	10.85	372,270	4,009	10.77	357,807	3,747	10.47	18,015	287	15.93	14,702	232	15.78
Wisconsin.....	1,686,880	18,662	11.06	871,426	9,991	11.47	809,047	8,570	10.59	3,525	50	14.18	2,882	51	17.70
Wyoming.....	60,705	414	6.82	38,206	264	6.91	21,069	143	6.79	1,137	6	5.28	293	1	3.41

NOTE.—The total deaths in the United States, including Indian territory and Indians on reservations, was 875,521. In this table Indian territory and Indians on reservations are excluded, in order to agree with the population figures.

TABLE 3.

NUMBER OF DEATHS IN THE UNITED STATES, BY STATES AND TERRITORIES, WITH
DISTINCTION OF AGE AND SEX, FOR THE CENSUS YEAR ENDED MAY 31, 1890.

TABLE 3.—DEATHS, BY STATES AND TERRITORIES,

	STATES AND TERRITORIES.	Total.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	The United States.....	875,521	197,167	52,050	27,520	17,666	13,159	307,562	37,269	22,366	34,384	44,569	41,312
2	Males.....	464,830	110,064	27,397	14,415	9,143	6,779	167,798	18,794	11,111	16,114	22,558	20,692
3	Females.....	411,191	87,103	24,653	13,105	8,523	6,380	139,764	18,465	11,255	18,270	22,011	20,620
4	Alabama.....	{ M.. 10,628 F.. 10,270	{ 2,552 2,027	{ 779 730	{ 474 369	{ 249 226	{ 155 166	{ 4,209 3,518	{ 444 410	{ 350 307	{ 498 653	{ 740 665	{ 526 585
5	Arizona.....	{ M.. 421 F.. 233	{ 41 43	{ 16 15	{ 15 13	{ 6 1	{ 4 4	{ 82 76	{ 21 23	{ 10 5	{ 16 12	{ 24 16	{ 24 16
6	Arkansas.....	{ M.. 7,695 F.. 6,606	{ 1,553 1,232	{ 518 496	{ 303 259	{ 209 189	{ 142 141	{ 2,725 2,317	{ 434 420	{ 328 285	{ 401 467	{ 487 448	{ 384 405
7	California.....	{ M.. 11,160 F.. 6,579	{ 1,650 1,434	{ 323 280	{ 145 127	{ 118 117	{ 92 79	{ 2,328 2,037	{ 276 259	{ 185 181	{ 292 311	{ 575 384	{ 693 384
8	Colorado.....	{ M.. 3,247 F.. 2,224	{ 652 581	{ 139 131	{ 91 71	{ 76 67	{ 52 50	{ 1,010 900	{ 175 152	{ 82 93	{ 86 93	{ 223 146	{ 301 131
9	Connecticut.....	{ M.. 7,532 F.. 6,938	{ 1,693 1,258	{ 317 274	{ 172 169	{ 104 134	{ 86 87	{ 2,372 1,922	{ 280 231	{ 101 125	{ 216 215	{ 363 295	{ 311 329
10	Delaware.....	{ M.. 1,652 F.. 1,455	{ 382 328	{ 115 73	{ 47 38	{ 31 23	{ 30 20	{ 605 482	{ 67 66	{ 45 45	{ 54 57	{ 78 76	{ 83 74
11	District of Columbia.....	{ M.. 3,171 F.. 2,784	{ 1,044 844	{ 171 154	{ 64 64	{ 38 39	{ 34 39	{ 1,351 1,140	{ 91 93	{ 60 74	{ 78 114	{ 146 161	{ 127 118
12	Florida.....	{ M.. 2,221 F.. 1,924	{ 403 383	{ 155 124	{ 72 70	{ 50 46	{ 36 29	{ 716 652	{ 92 101	{ 80 67	{ 98 114	{ 131 118	{ 133 98
13	Georgia.....	{ M.. 10,091 F.. 10,483	{ 2,395 2,108	{ 990 812	{ 486 424	{ 224 231	{ 177 141	{ 4,272 3,716	{ 418 414	{ 348 341	{ 502 634	{ 576 610	{ 476 559
14	Idaho.....	{ M.. 429 F.. 302	{ 60 63	{ 26 31	{ 11 16	{ 11 11	{ 9 14	{ 117 135	{ 26 30	{ 18 19	{ 19 17	{ 18 17	{ 24 15
15	Illinois.....	{ M.. 28,836 F.. 24,287	{ 7,858 6,185	{ 1,756 1,620	{ 925 734	{ 586 565	{ 484 422	{ 11,609 9,526	{ 1,213 1,193	{ 581 647	{ 856 952	{ 1,285 1,294	{ 1,225 1,287
16	Indiana.....	{ M.. 12,482 F.. 11,698	{ 2,671 2,212	{ 658 623	{ 332 345	{ 216 193	{ 188 177	{ 4,065 3,550	{ 522 527	{ 345 332	{ 476 668	{ 651 745	{ 540 683
17	Indian territory.....	{ M.. 80 F.. 66	{ 18 16	{ 7 3	{ 4 4	{ 1 1	{ 2 1	{ 32 24	{ 2 2	{ 5 3	{ 2 6	{ 4 7	{ 5 5
18	Iowa.....	{ M.. 9,273 F.. 8,264	{ 1,824 1,349	{ 438 404	{ 282 276	{ 211 181	{ 132 156	{ 2,887 2,366	{ 508 544	{ 312 309	{ 363 411	{ 419 471	{ 340 407
19	Kansas.....	{ M.. 6,385 F.. 5,652	{ 1,575 1,235	{ 438 391	{ 231 202	{ 138 139	{ 97 91	{ 2,479 2,058	{ 269 294	{ 180 168	{ 243 300	{ 293 309	{ 242 288
20	Kentucky.....	{ M.. 12,584 F.. 11,293	{ 2,778 2,098	{ 863 733	{ 478 419	{ 294 272	{ 220 206	{ 4,633 3,728	{ 586 579	{ 384 396	{ 558 653	{ 783 787	{ 614 662
21	Louisiana.....	{ M.. 8,885 F.. 7,469	{ 2,060 1,613	{ 461 393	{ 313 266	{ 171 174	{ 131 104	{ 3,136 2,550	{ 353 331	{ 259 235	{ 423 410	{ 507 403	{ 420 354
22	Maine.....	{ M.. 5,325 F.. 4,719	{ 681 513	{ 161 122	{ 93 80	{ 48 64	{ 48 33	{ 1,031 812	{ 142 132	{ 89 103	{ 188 226	{ 252 288	{ 180 222
23	Maryland.....	{ M.. 9,264 F.. 8,736	{ 2,809 2,216	{ 633 564	{ 302 289	{ 146 149	{ 110 109	{ 4,000 3,327	{ 310 286	{ 152 185	{ 257 307	{ 386 393	{ 325 359
24	Massachusetts.....	{ M.. 22,739 F.. 22,373	{ 5,958 4,844	{ 1,118 1,050	{ 551 561	{ 349 348	{ 287 280	{ 8,263 7,083	{ 739 740	{ 394 410	{ 636 721	{ 985 1,024	{ 1,009 1,048
25	Michigan.....	{ M.. 13,356 F.. 11,660	{ 3,080 2,485	{ 733 602	{ 324 332	{ 238 229	{ 189 182	{ 4,564 3,830	{ 602 586	{ 339 354	{ 429 524	{ 593 644	{ 561 562
26	Minnesota.....	{ M.. 8,444 F.. 7,156	{ 2,484 1,866	{ 509 487	{ 277 215	{ 167 162	{ 153 136	{ 3,590 2,866	{ 408 437	{ 227 249	{ 264 317	{ 406 386	{ 381 431
27	Mississippi.....	{ M.. 7,730 F.. 7,169	{ 1,481 1,220	{ 536 448	{ 340 309	{ 213 181	{ 132 131	{ 2,702 2,289	{ 399 427	{ 284 285	{ 411 462	{ 490 476	{ 364 370
28	Missouri.....	{ M.. 17,480 F.. 14,955	{ 4,632 3,457	{ 1,061 1,005	{ 583 522	{ 372 323	{ 271 269	{ 6,919 5,576	{ 705 657	{ 448 409	{ 622 732	{ 912 881	{ 819 816
29	Montana.....	{ M.. 847 F.. 466	{ 105 53	{ 37 28	{ 24 24	{ 15 19	{ 16 19	{ 197 143	{ 51 48	{ 18 17	{ 24 28	{ 64 34	{ 86 25
30	Nebraska.....	{ M.. 4,627 F.. 3,950	{ 1,233 954	{ 362 325	{ 176 175	{ 141 112	{ 92 92	{ 2,004 1,658	{ 282 266	{ 152 141	{ 154 165	{ 204 226	{ 190 195
31	Nevada.....	{ M.. 340 F.. 114	{ 32 19	{ 1 3	{ 9 3	{ 3 2	{ 5 2	{ 50 29	{ 13 6	{ 14 3	{ 10 9	{ 13 3	{ 15 3
32	New Hampshire.....	{ M.. 3,560 F.. 3,514	{ 720 561	{ 122 122	{ 54 77	{ 44 44	{ 38 30	{ 976 834	{ 96 84	{ 46 74	{ 97 98	{ 114 137	{ 111 120
33	New Jersey.....	{ M.. 16,072 F.. 14,272	{ 4,928 3,900	{ 932 833	{ 407 468	{ 314 300	{ 198 191	{ 6,779 5,692	{ 561 559	{ 243 267	{ 384 409	{ 641 544	{ 680 628
34	New Mexico.....	{ M.. 1,467 F.. 1,306	{ 230 225	{ 93 117	{ 101 82	{ 66 70	{ 63 71	{ 553 565	{ 212 170	{ 77 85	{ 60 61	{ 53 64	{ 59 35
35	New York.....	{ M.. 65,303 F.. 57,814	{ 16,973 13,515	{ 3,648 3,294	{ 1,697 1,545	{ 1,120 998	{ 766 738	{ 24,204 20,090	{ 1,937 1,826	{ 954 933	{ 1,484 1,573	{ 2,533 2,364	{ 2,976 2,654
36	North Carolina.....	{ M.. 9,202 F.. 9,218	{ 1,863 1,554	{ 799 739	{ 475 449	{ 261 234	{ 185 142	{ 3,583 3,118	{ 407 437	{ 286 332	{ 438 537	{ 472 567	{ 361 460

STATISTICS OF DEATHS.

WITH DISTINCTION OF AGE AND SEX: 1890.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
37,152	36,014	31,996	31,584	32,384	30,307	35,668	36,061	35,640	30,362	22,619	12,205	4,580	2,093	9,404	1
18,694 18,458	18,437 17,577	16,837 15,159	17,447 14,137	17,588 14,799	17,028 13,279	19,746 15,923	20,012 16,049	19,625 16,015	16,418 13,944	11,460 11,159	5,834 6,371	1,988 2,592	811 1,282	5,388 4,066	2 3
401 500	390 514	297 454	367 366	346 405	263 215	365 350	316 289	346 307	276 207	188 216	83 78	42 46	37 48	144 137	4
26 18	34 13	33 14	30 2	32 5	21 5	15 10	15 2	4 2	6 3	3 1	1 3	1 1	1 1	24 11	5
376 365	393 387	316 263	311 215	264 198	221 132	264 177	185 153	152 132	105 70	94 59	45 28	11 16	11 19	188 140	6
748 369	778 306	720 293	673 262	678 310	695 287	766 307	584 255	467 195	274 155	172 114	66 62	19 20	8 15	163 73	7
259 137	241 101	184 89	142 63	133 52	81 40	94 42	59 44	43 45	31 21	11 10	10 7	3 5	1 1	78 52	8
292 247	292 270	270 237	295 281	307 262	299 314	385 332	415 335	374 408	366 369	301 352	168 222	58 116	18 37	49 39	9
58 64	39 48	42 49	62 44	77 45	49 38	84 61	80 60	63 89	64 52	47 42	26 21	10 15	1 7	18 20	10
107 106	125 118	127 103	155 97	165 106	123 94	131 83	116 85	111 85	81 75	39 66	23 40	7 13	5 11	3 2	11
103 109	110 117	98 74	87 84	75 73	77 47	102 58	76 49	79 46	44 25	43 31	20 8	5 7	7 11	45 35	12
464 539	427 557	402 432	314 366	350 345	250 252	392 324	352 329	336 349	282 229	207 180	113 122	44 48	29 47	137 90	13
21 11	25 11	14 8	24 6	23 4	18 1	19 4	15 5	17 3	4 5	3 3	3 3	3 3	3 3	24 5	14
1,106 1,046	1,115 1,026	1,044 796	1,153 782	1,045 802	1,079 775	1,185 818	1,162 840	1,105 815	863 681	520 497	283 245	97 74	38 35	272 156	15
466 589	435 536	430 406	411 396	478 443	480 391	579 427	599 491	638 467	521 372	367 305	187 149	72 66	22 15	198 140	16
2 4	7 3	2	2	4	2 2	4 3	2 1	2 1	2 2	1 1	1 1	1	1	3	17
328 398	301 333	289 313	300 264	306 302	405 302	481 352	501 367	518 339	407 302	275 218	141 123	55 40	10 17	129 98	18
220 277	204 274	212 242	257 210	276 211	269 178	271 185	286 185	255 137	172 116	97 73	55 50	17 18	7 10	81 69	19
462 521	470 511	396 438	392 355	404 278	366 278	453 385	447 348	512 351	385 301	296 219	144 124	46 49	17 46	236 204	20
387 345	427 368	362 290	390 267	416 282	314 227	374 300	321 269	247 238	214 180	133 158	50 76	38 47	25 56	89 83	21
160 184	174 173	163 165	183 179	199 195	254 180	278 214	366 234	463 333	351 313	351 280	197 219	70 99	16 26	111 92	22
348 346	312 314	310 312	337 292	339 296	323 300	367 370	389 333	394 414	318 342	208 242	93 138	31 56	8 21	57 53	23
921 926	860 878	827 839	859 845	933 873	919 899	981 1,006	1,080 1,048	1,058 1,089	989 1,005	688 941	376 607	109 243	33 91	80 57	24
474 555	424 490	427 403	467 368	515 384	517 357	610 483	695 484	667 491	623 468	403 311	214 182	66 67	24 30	142 87	25
354 328	256 271	221 202	236 164	268 194	286 194	331 222	340 223	289 196	248 180	141 130	84 84	32 29	13 14	69 47	26
311 380	323 347	285 318	246 226	258 279	217 171	291 231	243 179	282 183	191 128	150 134	64 61	33 39	35 38	151 146	27
712 736	731 706	642 548	668 578	659 492	658 439	628 502	637 502	616 459	441 340	278 210	144 130	32 32	27 23	182 187	28
67 33	58 24	57 25	45 11	45 15	41 7	30 10	13 7	22 6	7 3	4 6	3 4	3 3	2 2	17 15	29
170 189	156 170	143 129	158 106	154 123	126 78	163 98	168 101	152 94	98 76	67 34	24 33	5 11	5 2	52 55	30
9 9	21 5	19 8	35 10	32 3	39 5	30 5	18 5	13 2	2 4	1 2	1 1	1	1	6 2	31
107 113	121 127	95 121	123 124	122 139	150 146	174 180	230 221	294 241	248 259	236 235	132 138	38 74	7 18	41 31	32
637 511	627 559	562 476	663 484	610 557	610 505	655 539	625 579	606 531	549 575	348 436	171 246	37 105	21 31	63 39	33
38 34	47 43	54 33	41 23	53 31	42 24	38 42	27 20	23 22	19 14	20 15	11 7	7 4	5 2	28 12	34
2,866 2,475	2,896 2,354	2,677 2,186	2,816 2,238	2,719 2,453	2,790 2,365	2,961 2,661	2,973 2,796	2,471 2,630	2,471 2,434	1,762 1,876	901 1,125	302 430	75 168	283 183	35
323 426	333 407	253 362	264 319	257 308	260 256	350 331	345 284	374 310	305 251	238 213	120 80	61 55	39 46	133 119	36

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS, BY STATES AND TERRITORIES,

STATES AND TERRITORIES.		Total.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	North Dakota	{ M.. 1,018	292	76	29	27	27	451	61	39	37	39	67
		{ F.. 834	192	64	40	38	25	359	58	32	30	60	46
2	Ohio	{ M.. 26,426	5,818	1,402	741	481	364	8,806	1,116	539	835	1,154	1,075
		{ F.. 23,418	4,456	1,260	668	492	368	7,244	1,062	598	958	1,266	1,117
3	Oklahoma	{ M.. 266	55	24	9	2	8	98	13	6	8	12	14
		{ F.. 196	34	20	11	3	4	72	18	4	6	10	12
4	Oregon	{ M.. 1,588	202	44	36	30	28	340	83	57	74	101	93
		{ F.. 1,099	186	53	35	32	16	322	69	60	72	72	53
5	Pennsylvania	{ M.. 39,507	9,433	2,219	1,177	779	587	14,195	1,489	789	1,232	1,810	1,647
		{ F.. 34,023	7,267	2,023	1,045	683	543	11,561	1,322	773	1,236	1,526	1,575
6	Rhode Island	{ M.. 3,821	990	235	101	75	52	1,462	120	39	95	167	166
		{ F.. 3,738	816	214	99	65	44	1,238	124	65	136	154	138
7	South Carolina	{ M.. 7,780	1,048	657	341	181	131	2,958	363	273	414	487	341
		{ F.. 7,715	1,355	605	323	187	125	2,595	388	317	447	548	481
8	South Dakota	{ M.. 1,772	403	118	66	66	51	704	147	77	85	87	78
		{ F.. 1,676	306	123	58	59	60	606	152	81	108	112	93
9	Tennessee	{ M.. 12,278	2,664	884	421	270	172	4,411	562	403	628	823	618
		{ F.. 11,576	2,167	766	397	225	151	3,706	523	378	747	849	670
10	Texas	{ M.. 14,625	3,333	991	625	330	259	5,538	756	542	713	810	701
		{ F.. 11,853	2,519	840	470	285	228	4,342	735	461	686	773	679
11	Utah	{ M.. 1,159	249	106	50	33	37	475	90	73	43	36	45
		{ F.. 997	204	97	32	37	27	367	86	60	52	53	54
12	Vermont	{ M.. 2,657	453	69	47	32	22	623	100	61	91	91	76
		{ F.. 2,768	347	91	44	28	24	534	90	72	113	104	132
13	Virginia	{ M.. 11,994	2,543	792	471	277	176	4,259	515	402	612	678	491
		{ F.. 11,238	2,101	716	425	261	174	3,677	565	417	739	708	549
14	Washington	{ M.. 1,624	274	75	47	51	28	475	94	51	56	134	99
		{ F.. 1,194	212	77	56	27	27	399	90	80	60	105	91
15	West Virginia	{ M.. 4,296	979	282	138	94	58	1,551	230	128	236	268	159
		{ F.. 3,979	800	255	149	82	65	1,351	217	124	236	265	196
16	Wisconsin	{ M.. 10,081	2,258	496	247	181	152	3,334	398	231	304	413	409
		{ F.. 8,671	1,718	443	250	170	145	2,726	425	246	373	414	444
17	Wyoming	{ M.. 313	43	12	11	4	3	73	16	5	12	27	28
		{ F.. 177	32	10	6	6	2	56	11	8	15	9	12

STATISTICS OF DEATHS.

WITH DISTINCTION OF AGE AND SEX: 1890—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
50	50	37	34	21	17	30	29	17	11	4	2	2	1	14	} 1
50	37	23	14	17	14	16	25	16	9	10	3	3	12		
938	944	906	894	942	1,024	1,235	1,455	1,480	1,295	885	471	142	50	240	} 2
1,023	934	834	779	839	858	970	1,067	1,139	1,035	856	424	172	60	188	
16	16	15	12	10	4	9	3	5	2		1		1	21	} 3
12	10	11	6	2	5	3		1	1		1			22	
85	69	80	67	79	87	85	84	65	46	22	15	7	4	45	} 4
59	47	43	46	42	24	46	39	30	26	12	9	4	1	23	
1,494	1,509	1,374	1,485	1,434	1,408	1,707	1,910	1,936	1,673	1,125	536	162	56	536	} 5
1,363	1,268	1,105	1,157	1,242	1,144	1,467	1,519	1,607	1,452	1,185	635	217	76	393	
147	161	145	139	160	158	135	159	181	176	124	54	11	6	13	} 6
151	134	141	150	153	142	162	183	166	180	153	101	44	16	7	
283	287	281	226	270	199	301	267	288	187	136	64	39	23	93	} 7
349	340	354	253	260	149	246	232	220	195	126	32	41	36	106	
70	61	56	43	57	55	58	53	44	30	18	9	3		37	} 8
75	64	52	43	52	36	45	48	37	17	13	8	3	2	29	
493	496	387	399	441	337	399	421	417	318	246	121	55	25	278	} 9
616	554	467	397	406	290	364	349	326	239	200	141	68	47	230	
660	664	655	573	532	417	508	410	326	266	168	72	21	26	267	} 10
633	624	493	410	336	278	329	251	234	164	117	51	16	30	211	
43	32	31	44	29	23	38	27	51	34	19	7	4		11	} 11
38	29	30	16	20	24	24	34	35	29	22	15	1		8	
80	61	60	86	94	116	143	174	196	201	213	107	46	9	29	} 12
115	95	92	100	110	111	147	144	190	193	203	126	47	18	32	
366	368	341	422	426	353	536	531	525	442	304	175	65	29	154	} 13
449	488	440	346	372	241	442	370	396	346	291	155	73	59	115	
93	103	80	65	59	55	60	44	40	23	16	10		2	65	} 14
56	59	43	27	33	21	25	20	15	10	14	1	2		43	
141	124	115	131	129	114	153	173	200	165	128	66	20	10	55	} 15
165	169	132	106	134	115	108	119	160	121	105	58	23	16	59	
385	330	284	311	349	407	494	589	605	483	356	172	61	21	145	} 16
401	357	268	258	250	313	415	426	430	370	240	144	50	32	89	
27	15	17	12	14	10	4	3	3	2	4	2			39	} 17
13	7	3		3	1	1	2	4	3	2	1	1		25	

TABLE 4.

NUMBER OF DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE
AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX,
DURING THE CENSUS YEAR ENDED MAY 31, 1890.

STATISTICS OF DEATHS.

OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE CENSUS YEAR ENDED MAY 31, 1890.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
37,152	36,014	31,996	31,584	32,384	30,307	35,668	36,061	35,640	30,362	22,619	12,205	4,580	2,093	9,404	1
18,684 18,458	18,437 17,577	16,837 15,159	17,447 14,137	17,588 14,796	17,028 13,279	19,746 15,923	20,012 16,049	19,625 16,015	16,418 13,944	11,460 11,159	5,834 6,371	1,988 2,592	811 1,282	5,338 4,066	2 3
829	837	797	789	896	781	1,091	1,101	1,114	915	645	377	149	79	1,674	4
368 461	386 451	385 412	408 331	449 447	442 339	572 519	604 407	617 497	499 416	346 299	195 182	69 80	37 42	918 756	5 6
4,997	4,390	3,578	3,206	3,026	2,803	3,201	3,046	2,861	2,325	1,613	824	261	129	1,307	7
2,688 2,309	2,318 2,072	1,881 1,697	1,770 1,436	1,563 1,463	1,490 1,313	1,672 1,529	1,615 1,431	1,558 1,303	1,221 1,104	800 813	425 399	117 144	46 83	722 585	8 9
2 1	2	3 3	6 1	6	1	2	1	1						3 1	10
55 111	46 111	48 92	17 52	13 44	15 27	16 23	7 23	9 11	12 7	8 6	3 1	1 1		20 22	11
14 19	6 12	6 7	7 2	4 5	6 4	1 4	3 4	1 3	3 5	1 1		1 1		15 12	12
41 72	39 52	36 28	19 25	16 23	18 11	10 25	11 9	13 8	10 9	4 4	3 5	2	1	48 39	13
3 3	4 7	2 2	3	2 1	2	3 5	3 1	3 1	1 1	1 2	1			14 28	14
41 66	54 49	30 43	33 31	26 30	28 21	27 53	36 35	27 24	25 20	7 16	9 8	3 3	1 4	21 9	15
30 36	22 33	22 21	22 16	16 9	13 13	7 7	13 12	6 3	2 9	2 3	1		1	8 15	16
1,352 797	990 647	652 495	516 387	377 405	324 280	328 226	264 224	206 156	142 104	62 56	31 23	9 4	2 3	159 92	17
388 452	429 467	464 435	522 455	564 512	580 529	691 694	722 694	752 686	578 652	396 473	210 242	52 89	19 49	204 163	18
														65 48	19
489 400	476 392	391 334	343 271	289 253	264 253	288 311	259 244	236 223	182 147	135 106	57 50	16 19	9 13	104 100	20
48 50	73 54	57 44	67 32	62 55	70 56	81 71	75 59	84 54	62 59	42 54	22 23	4 5	6 4	11 12	21
115 220	90 172	79 120	119 87	113 64	95 74	116 49	104 50	75 55	73 19	26 22	15 6	3 1		19 29	22
76 50	70 51	64 49	50 27	43 19	33 9	27 8	33 8	19 3	13 3	4 1		1		18 10	23
31 32	37 24	27 24	40 27	32 43	43 34	75 53	85 67	126 76	118 69	112 69	74 38	25 21	8 8	13 5	24
445	503	498	456	408	289	303	236	166	120	86	41	14	8	158	25
339 106	382 121	334 114	374 82	335 73	232 57	236 67	168 68	112 54	82 38	47 39	23 18	5 9	1 7	105 53	26 27
2 1	3 3	2 1	1 1	1 3	1	2 1	1 1	1	1	1	1			2	28
250 58	293 61	315 64	298 45	258 32	177 23	160 18	99 11	61 6	23 2	11 1	5			44 5	29
13 1	15 3	7 1	10 1	13	5	4	3 2	1							30
65 27	61 41	53 26	50 20	53 27	32 14	47 22	41 18	18 14	20 6	7 6	2	1	1	18 11	31
9 19	10 13	7 22	15 15	10 11	18 19	23 27	24 36	32 33	38 30	29 31	15 18	5 8	1 6	43 35	32
166	147	175	222	275	383	885	1,427	3,107	4,428	5,985	4,346	2,235	1,145	370	33
75 91	66 81	80 95	87 135	122 153	184 199	383 502	646 781	1,436 1,671	2,048 2,380	2,760 3,225	1,941 2,405	987 1,298	421 724	194 176	34 35
															36
															37
2	1		1					1						7 7	38
75 89	66 80	80 95	87 134	122 153	184 199	276 355	415 453	634 636	732 827	663 764	363 517	132 184	50 104	119 89	39
						107 147	231 328	802 1,034	1,316 1,553	2,097 2,461	1,578 1,888	805 1,114	362 620	68 80	40

TABLE 4.—NUMBER OF DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE AND CLASS OF

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	150,433	5,222	2,600	1,435	924	769	11,040	2,625	3,499	10,068	16,066	15,283
2	Males.....	71,151	2,966	1,453	735	495	376	6,025	1,262	1,332	3,631	7,150	6,993
3	Females.....	79,282	2,256	1,237	700	429	393	5,015	1,363	2,167	6,437	8,916	8,290
4	1. Rheumatism.....	{ M. 2,468 F. 2,040	{ 33 27	{ 18 11	{ 14 15	{ 19 12	{ 22 16	{ 106 81	{ 113 90	{ 133 116	{ 129 111	{ 105 95	{ 112 75
5	2. Scrofula and tabes.....	{ M. 2,071 F. 2,050	{ 432 354	{ 215 171	{ 109 107	{ 66 45	{ 53 48	{ 875 725	{ 152 156	{ 120 127	{ 112 127	{ 131 134	{ 102 128
6	3. Leprosy.....	{ M. 10 F. 5	{ 1 1					{ 1 1	{ 1 1			{ 1 1	
7	4. Consumption.....	{ M. 48,925 F. 53,274	{ 1,024 847	{ 508 511	{ 280 206	{ 161 200	{ 135 154	{ 2,108 2,008	{ 474 637	{ 719 1,579	{ 3,020 5,817	{ 6,569 8,235	{ 6,394 7,540
8	5. Hydrocephalus.....	{ M. 2,468 F. 1,870	{ 1,091 764	{ 532 396	{ 186 171	{ 123 84	{ 73 87	{ 2,005 1,502	{ 198 178	{ 52 51	{ 35 24	{ 31 25	{ 21 15
9	6. Cancer.....	{ M. 6,958 F. 11,578	{ 23 26	{ 10 11	{ 7 13	{ 16 8	{ 16 11	{ 77 69	{ 27 25	{ 20 20	{ 34 47	{ 02 93	{ 113 203
10	7. Tumor.....	{ M. 1,032 F. 1,416	{ 45 39	{ 14 17	{ 14 14	{ 13 6	{ 9 8	{ 95 84	{ 26 30	{ 28 24	{ 49 44	{ 45 40	{ 59 62
11	8. Anæmia.....	{ M. 468 F. 634	{ 111 83	{ 11 14	{ 9 8	{ 5 4	{ 2 3	{ 138 112	{ 14 22	{ 13 25	{ 16 46	{ 11 50	{ 9 42
12	9. Dropsy.....	{ M. 4,829 F. 5,241	{ 91 55	{ 94 62	{ 82 67	{ 68 52	{ 48 45	{ 383 281	{ 192 170	{ 161 157	{ 145 154	{ 112 197	{ 102 178
13	10. Diabetes.....	{ M. 1,527 F. 880	{ 12 3	{ 14 5	{ 7 1	{ 11 5	{ 6 9	{ 50 23	{ 44 35	{ 76 57	{ 79 50	{ 69 34	{ 55 38
14	11. Others of this group.....	{ M. 361 F. 278	{ 98 56	{ 32 37	{ 27 6	{ 12 12	{ 12 12	{ 182 123	{ 20 18	{ 7 11	{ 12 17	{ 13 13	{ 13 8
15	12. Others of this class.....	{ M. 34 F. 16	{ 1 1	{ 4 2		{ 1 1		{ 6 6	{ 1 3	{ 2 2		{ 1 1	{ 3 1
16	II.—Diseases of the nervous system.....	89,974	22,688	6,561	2,975	1,765	1,149	35,138	3,340	1,888	1,909	1,864	1,809
17	Males.....	48,664	12,894	3,387	1,555	883	598	19,317	1,729	958	997	988	952
18	Females.....	41,310	9,794	3,174	1,420	882	551	15,821	1,611	930	972	876	857
19	1. Inflammation of the brain.....	{ M. 9,714 F. 8,061	{ 3,356 2,520	{ 1,516 1,434	{ 694 654	{ 413 379	{ 286 236	{ 6,265 5,223	{ 828 721	{ 371 374	{ 346 298	{ 282 223	{ 212 180
20	2. Apoplexy.....	{ M. 8,040 F. 6,959	{ 106 74	{ 30 22	{ 18 16	{ 15 8	{ 6 10	{ 175 130	{ 25 28	{ 26 24	{ 71 59	{ 93 82	{ 131 99
21	3. Paralysis.....	{ M. 8,554 F. 8,016	{ 90 78	{ 56 62	{ 43 31	{ 22 31	{ 17 21	{ 228 223	{ 54 77	{ 61 50	{ 77 63	{ 70 65	{ 110 110
22	4. Tetanus and trismus nascentium.....	{ M. 1,238 F. 781	{ 879 614	{ 13 6	{ 4 5	{ 7 8	{ 4 4	{ 907 637	{ 50 22	{ 61 17	{ 30 13	{ 27 10	{ 22 11
23	5. Epilepsy.....	{ M. 1,363 F. 1,004	{ 74 63	{ 41 14	{ 15 9	{ 10 15	{ 9 8	{ 149 109	{ 53 56	{ 85 59	{ 180 96	{ 140 103	{ 122 74
24	6. Convulsions.....	{ M. 8,981 F. 7,617	{ 6,520 5,051	{ 1,021 987	{ 413 383	{ 206 211	{ 108 109	{ 8,268 6,741	{ 203 203	{ 65 76	{ 62 97	{ 44 72	{ 30 70
25	7. Mental diseases.....	{ M. 992 F. 921							{ 1 1	{ 4 4	{ 11 22	{ 38 43	{ 54 68
26	8. Diseases of the brain.....	{ M. 7,112 F. 5,210	{ 1,461 1,064	{ 517 454	{ 251 239	{ 151 154	{ 104 113	{ 2,484 2,024	{ 344 288	{ 173 178	{ 174 170	{ 187 165	{ 212 154
27	9. Diseases of the spinal cord.....	{ M. 1,857 F. 1,539	{ 375 311	{ 174 187	{ 107 78	{ 57 73	{ 57 42	{ 770 691	{ 156 179	{ 92 107	{ 77 83	{ 70 49	{ 35 34
28	10. Others of this class.....	{ M. 813 F. 1,202	{ 33 19	{ 19 8	{ 10 5	{ 2 3	{ 7 8	{ 71 43	{ 15 36	{ 20 41	{ 19 71	{ 23 64	{ 24 57
29	III.—Diseases of the circulatory system.....	48,757	3,038	260	149	122	125	3,694	893	996	1,295	1,512	1,538
30	Males.....	25,938	1,747	144	79	64	68	2,102	440	460	598	677	670
31	Females.....	22,819	1,291	116	70	58	57	1,592	453	536	697	835	868
32	1. Angina pectoris.....	{ M. 714 F. 541							{ 9 4	{ 7 8	{ 9 11	{ 6 20	{ 19 29
33	2. Aneurism.....	{ M. 381 F. 170							{ 1 1	{ 1 1	{ 4 7	{ 11 7	{ 16 12
34	3. Diseases of the heart.....	{ M. 23,709 F. 21,250	{ 890 669	{ 123 102	{ 73 63	{ 62 55	{ 66 54	{ 1,214 943	{ 426 446	{ 450 519	{ 580 672	{ 655 798	{ 638 815
35	4. Others of this class.....	{ M. 1,134 F. 858	{ 357 622	{ 21 14	{ 6 7	{ 2 3	{ 2 3	{ 838 649	{ 4 2	{ 2 3	{ 5 7	{ 5 10	{ 4 12

STATISTICS OF DEATHS.

DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
13,188	11,917	10,064	9,446	8,944	7,731	7,989	7,227	5,944	4,084	2,271	955	281	140	1,651	1
6,157 7,031	5,572 6,345	4,652 5,412	4,543 4,903	4,308 4,636	3,908 3,843	3,986 4,007	3,759 3,468	3,088 2,856	2,164 1,920	1,141 1,130	444 511	139 142	57 83	840 811	2 3
93 80	119 98	98 88	152 103	161 136	151 131	195 183	216 187	243 165	149 132	99 95	42 44	16 11	4 9	32 20	4
56 104	72 91	63 86	62 66	64 55	59 53	50 58	47 47	37 37	35 22	13 11	5 7	3 1		13 15	5
	1 1	1 1	1 1	1 1	1 1	1 1	1 1			1 1					6
5,538 6,051	4,793 4,949	3,732 3,671	3,426 2,900	2,902 2,280	2,320 1,759	2,075 1,649	1,709 1,432	1,203 1,067	786 645	342 329	115 137	34 29	18 19	598 541	7
13 12	18 18	18 6	11 5	8 7	8 5	7 2	7 3	8 2	5 1	1 2	1 1			11 11	8
166 440	235 705	361 1,051	501 1,311	664 1,523	818 1,306	973 1,386	1,014 1,139	793 894	541 616	305 368	124 176	35 56	10 24	65 121	9
66 79	57 106	56 130	83 124	82 137	84 139	76 116	86 83	61 84	35 67	21 37	5 8	2 5	1 1	15 16	10
15 39	16 47	12 28	17 34	27 33	36 30	32 29	32 29	27 26	24 10	11 14	10 4	2 2	1 4	5 8	11
110 186	153 278	175 290	189 289	274 369	312 318	443 479	476 461	572 510	477 395	236 261	130 126	44 36	21 26	72 71	12
90 32	77 41	76 52	89 58	109 83	103 91	121 91	134 81	135 65	108 28	54 9	11 5	2 2	1	24 5	13
8 7	9 10	8 10	9 11	12 8	15 10	11 10	16 4	7 5	3 4	9 3	1 3	1	1	4 3	14
2 1	2 1	2	3 1	4	1	2	1 2	2 1	1					1	15
1,989	2,313	2,364	2,884	3,440	3,624	4,891	5,386	5,718	5,068	3,409	1,583	402	128	767	16
1,070 919	1,267 1,046	1,312 1,052	1,581 1,303	1,802 1,638	2,022 1,602	2,711 2,180	2,936 2,450	3,143 2,575	2,734 2,334	1,756 1,653	739 844	156 246	56 72	438 329	17 18
191 160	194 155	181 111	163 108	142 97	123 71	115 83	80 71	55 60	55 37	30 33	17 9	1	3	60 47	19
191 163	224 188	317 286	460 393	608 594	692 590	1,059 802	1,074 921	1,090 857	906 763	541 555	221 270	40 77	18 17	78 61	20
144 116	205 180	273 212	360 334	470 476	588 498	872 825	1,087 954	1,286 1,187	1,235 1,134	840 824	390 455	89 128	25 44	81 61	21
21 13	25 12	16 11	17 4	12 8	13 8	13 6	8 2	4 4	3 2		1 1			8	22
95 86	120 84	75 60	71 48	48 43	61 41	48 41	46 33	42 22	26 17	13 13	5 5		2	34 12	23
34 53	43 44	26 37	22 29	19 31	18 19	18 19	16 25	19 18	19 13	11 7	6 2	1 2	1	57 58	24
61 63	83 75	83 07	91 90	69 79	71 68	74 60	89 74	98 64	70 66	57 39	13 18	4 6	1	21 13	25
243 140	285 186	255 153	296 185	314 197	304 186	377 228	386 250	391 231	324 209	200 117	72 57	16 27	8 6	67 57	26
62 45	51 44	55 44	69 44	73 38	97 47	73 42	56 28	60 27	31 15	9 7	1 2	1		20 12	27
28 80	37 78	31 71	32 68	47 75	55 72	62 74	94 92	98 105	65 78	55 58	13 25	5 5	2 1	12 8	28
1,774	2,107	2,417	2,866	3,415	3,559	4,554	5,027	4,901	3,950	2,328	1,007	249	96	519	29
855 919	1,055 1,112	1,213 1,204	1,517 1,349	1,775 1,640	1,943 1,616	2,539 2,015	2,899 2,128	2,754 2,147	2,207 1,743	1,273 1,055	508 501	119 130	44 52	292 227	30 31
14 29	29 28	28 24	41 37	59 37	85 54	97 57	105 59	94 56	74 51	26 25	10 7	1		8 5	32
20 11	40 18	42 19	56 16	49 15	42 9	36 11	21 10	16 15	14 7	5 4	2 3		1	4 4	33
815 867	978 1,056	1,135 1,155	1,411 1,282	1,652 1,575	1,797 1,536	2,388 1,929	2,741 2,050	2,616 2,045	2,088 1,673	1,214 1,014	487 484	112 129	43 52	269 210	34
6 12	8 10	8 6	9 14	15 13	19 17	18 18	22 9	22 31	31 12	28 12	7 7	6 1		11 8	35

VITAL AND SOCIAL STATISTICS.

TABLE 4.—NUMBER OF DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE AND CLASS OF

	CAUSE OF DEATH.	Allages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	138,361	26,494	11,780	6,591	4,036	2,683	51,584	5,951	2,620	4,623	5,459	5,138
2	Males	75,314	14,857	6,272	3,422	2,114	1,391	28,056	3,038	1,248	2,414	3,300	2,995
3	Females	63,047	11,637	5,508	3,169	1,922	1,292	23,528	2,913	1,372	2,209	2,159	2,143
4	1. Croup	{ M. 7,519 F. 6,343	{ 2,307 1,780	{ 1,346 1,120	{ 1,153 1,020	{ 854 726	{ 609 531	{ 6,269 5,177	{ 1,087 955	{ 81 71	{ 19 28	{ 20 12	{ 8 9
5	2. Laryngitis	{ M. 395 F. 330	{ 67 62	{ 74 51	{ 44 40	{ 43 37	{ 14 22	{ 242 212	{ 41 47	{ 12 16	{ 4 5	{ 6 3	{ 10 8
6	3. Bronchitis	{ M. 10,760 F. 10,662	{ 3,785 3,139	{ 1,254 1,187	{ 461 515	{ 248 220	{ 121 124	{ 5,869 5,185	{ 240 256	{ 82 125	{ 118 153	{ 166 195	{ 168 186
7	4. Pneumonia	{ M. 42,739 F. 33,757	{ 5,876 4,563	{ 2,970 2,573	{ 1,425 1,269	{ 770 765	{ 495 474	{ 11,536 9,644	{ 1,283 1,255	{ 816 873	{ 1,843 1,582	{ 2,591 1,509	{ 2,973 1,494
8	5. Pleurisy	{ M. 1,243 F. 892	{ 46 36	{ 26 22	{ 22 12	{ 9 6	{ 12 2	{ 115 78	{ 49 34	{ 24 20	{ 61 46	{ 68 42	{ 73 61
9	6. Asthma	{ M. 1,369 F. 1,069	{ 37 28	{ 13 17	{ 8 8	{ 7 3	{ 5 3	{ 70 59	{ 10 8	{ 5 5	{ 3 9	{ 11 14	{ 14 16
10	7. Others of this class	{ M. 11,289 F. 9,994	{ 2,739 2,029	{ 589 538	{ 309 305	{ 183 165	{ 135 136	{ 3,955 3,173	{ 378 358	{ 228 268	{ 366 386	{ 438 384	{ 349 369
11	V.—Diseases of the digestive system	39,466	7,477	2,672	967	479	366	11,961	1,308	958	1,200	1,500	1,671
12	Males	20,979	4,268	1,399	503	241	214	6,625	697	520	596	697	731
13	Females	18,487	3,209	1,273	464	238	152	5,336	611	438	604	803	940
14	1. Dentition	{ M. 1,654 F. 1,526	{ 819 719	{ 699 686	{ 110 103	{ 12 12	{ 7 3	{ 1,647 1,523					
15	2. Angina	{ M. 783 F. 674	{ 147 101	{ 88 58	{ 73 66	{ 46 54	{ 48 38	{ 402 317	{ 128 137	{ 38 56	{ 23 26	{ 23 17	{ 20 17
16	3. Diseases of the stomach	{ M. 4,010 F. 4,070	{ 623 459	{ 203 173	{ 98 98	{ 58 60	{ 45 42	{ 1,027 832	{ 131 151	{ 72 64	{ 82 136	{ 105 192	{ 112 209
17	4. Obstruction of the bowels	{ M. 1,269 F. 934	{ 202 104	{ 23 24	{ 21 12	{ 15 8	{ 15 7	{ 275 155	{ 64 39	{ 71 35	{ 60 37	{ 83 31	{ 65 40
18	5. Hernia	{ M. 933 F. 549	{ 109 32	{ 8 2	{ 4 3	{ 3 3	{ 3 1	{ 127 38	{ 13 2	{ 4 2	{ 16 4	{ 28 5	{ 30 11
19	6. Other diseases of the bowels	{ M. 1,114 F. 875	{ 318 259	{ 92 63	{ 39 41	{ 13 17	{ 15 8	{ 477 388	{ 38 25	{ 17 22	{ 31 86	{ 40 31	{ 36 35
20	7. Jaundice	{ M. 967 F. 731	{ 386 246	{ 13 16	{ 16 3	{ 7 8	{ 6 5	{ 428 278	{ 33 37	{ 35 33	{ 30 20	{ 30 15	{ 21 27
21	8. Inflammation and abscess of the liver	{ M. 1,289 F. 953	{ 60 29	{ 14 12	{ 8 10	{ 6 8	{ 2 1	{ 90 60	{ 20 18	{ 26 13	{ 32 26	{ 59 35	{ 69 61
22	9. Other diseases of the liver	{ M. 3,209 F. 2,311	{ 121 102	{ 38 27	{ 25 19	{ 19 19	{ 8 10	{ 211 177	{ 30 21	{ 24 30	{ 42 26	{ 56 55	{ 84 89
23	10. Peritonitis	{ M. 2,107 F. 2,888	{ 135 106	{ 48 41	{ 27 31	{ 23 20	{ 28 18	{ 261 216	{ 135 107	{ 154 136	{ 193 222	{ 181 354	{ 182 381
24	11. Ascites	{ M. 404 F. 402	{ 14 9	{ 9 5	{ 12 6	{ 7 4	{ 6 3	{ 48 27	{ 14 9	{ 18 7	{ 10 18	{ 15 10	{ 14 12
25	12. Others of this class	{ M. 3,240 F. 2,574	{ 1,334 1,043	{ 164 166	{ 70 72	{ 32 28	{ 32 16	{ 1,632 1,325	{ 91 65	{ 61 40	{ 77 53	{ 77 58	{ 98 58
26	VI.—Diseases of the urinary system and male organs of generation.	23,652	429	162	165	112	113	981	412	311	500	824	1,075
27	Males	15,447	270	101	88	63	50	581	229	163	268	385	530
28	Females	8,205	159	61	77	49	54	400	183	148	232	439	545
29	1. Bright's disease	{ M. 7,274 F. 4,363							{ 87 64	{ 73 83	{ 151 135	{ 205 212	{ 281 289
30	2. Calculus, urinary	{ M. 448 F. 74	{ 13 4	{ 5 1	{ 1 1	{ 3 3	{ 1 1	{ 23 5	{ 8 3	{ 2 2	{ 4 1	{ 7 1	{ 3 2
31	3. Diseases of the kidney	{ M. 4,775 F. 3,045	{ 192 121	{ 82 36	{ 78 69	{ 52 46	{ 56 48	{ 460 340	{ 116 92	{ 66 53	{ 91 74	{ 141 178	{ 194 199
32	4. Diseases of the bladder	{ M. 1,705 F. 246	{ 19 11	{ 4 1	{ 4 3	{ 3 3	{ 2 2	{ 32 15	{ 3 2	{ 3 3	{ 8 5	{ 12 11	{ 20 15
33	5. Others of this class	{ M. 1,245 F. 477	{ 46 23	{ 10 4	{ 5 4	{ 5 3	{ 5 6	{ 66 40	{ 15 22	{ 19 7	{ 14 17	{ 20 37	{ 32 40
34	VII.—Diseases of the female organs of generation.	2,895	3		4	2		9	2	41	191	219	310
35	1. Ovarian tumors	F. 494				1		1	1	2	11	14	32
36	2. Ovarian diseases	F. 150							1	3	9	11	12
37	3. Uterine tumors	F. 338									1	7	19
38	4. Uterine diseases	F. 621								4	39	66	95
39	5. Others of this class	F. 1,292	3		4	1		8		32	181	121	152
40	VIII.—Affections connected with pregnancy.	11,257								23	1,086	2,471	2,404
41	1. Abortion	F. 838								1	65	169	171
42	2. Childbirth	F. 5,295								9	507	1,063	1,045
43	3. Puerperal septicæmia	F. 3,863								7	340	940	904
44	4. Extra-uterine pregnancy	F. 48									2	9	12
45	5. Others of this class	F. 1,213								6	172	290	272

STATISTICS OF DEATHS.

DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
5,075	5,283	5,028	5,150	5,569	5,267	6,188	6,268	6,278	5,238	3,740	1,892	673	242	1,086	1
2,887 2,188	3,063 2,220	2,956 2,072	3,096 2,063	3,171 2,398	3,014 2,253	3,363 2,825	3,258 3,010	3,232 3,046	2,630 2,608	1,775 1,965	846 1,046	275 398	85 157	612 474	2 3
7 10	5 6	5 1	1 2	2 4	3 1	5 6	3 4	4 4	4 9	3 4	2			41 40	4
7 9	10 8	8 3	10 2	6	10 2	9 7	7 5	6	2 3	4 2		1		1 3	5
180 186	186 173	252 196	266 216	361 307	335 351	413 474	461 553	530 620	478 558	345 467	180 284	58 96	14 30	58 51	6
2,242 1,564	2,411 1,571	2,216 1,468	2,239 1,418	2,227 1,577	2,021 1,438	2,100 1,720	1,938 1,750	1,778 1,638	1,385 1,349	838 965	364 451	122 160	40 59	375 263	7
66 44	66 56	60 55	74 47	79 54	77 41	114 55	76 76	94 65	74 55	38 29	20 18	1 5	2 5	12 6	8
30 19	31 32	39 43	79 59	117 82	123 89	189 120	181 143	201 153	123 101	91 57	31 31	10 12	9	11 8	9
354 356	354 374	376 306	427 319	379 374	445 331	533 443	592 479	619 566	564 533	456 441	249 261	84 116	29 54	114 103	10
1,641	1,751	1,760	1,917	2,070	2,059	2,395	2,305	1,970	1,408	796	348	91	23	334	11
756 885	849 902	945 815	1,016 901	1,099 971	1,135 924	1,393 1,002	1,270 1,035	1,069 901	773 635	387 409	174 174	47 44	10 13	190 144	12 13
														7 3	14
15 12	14 12	8 11	14 11	16 12	17 9	13 9	17 9	10 3	6 5	7 3	2 2	2	1	8 5	15
141 209	146 213	196 167	218 200	206 233	261 235	314 238	313 255	299 269	210 207	496 134	43 65	9 19	1 8	28 34	16
69 40	62 67	64 41	43 54	67 61	61 50	76 75	72 69	50 57	40 33	13 26	12 9	3 5	1	19 9	17
44 10	36 30	34 40	51 54	57 51	65 48	99 77	75 64	90 43	75 35	43 18	22 10	7 1	2	17 4	18
37 22	38 22	33 26	33 26	31 45	42 33	49 20	50 33	46 33	48 28	29 30	17 6	4 3	3 1	15 10	19
27 26	46 24	25 14	26 27	39 23	33 35	44 42	40 38	43 34	30 28	17 22	5 4	4 2		11 2	20
65 58	113 49	104 79	111 78	103 90	106 73	130 92	104 84	79 70	46 34	18 14	5 9	1 2		10 8	21
132 87	199 135	263 156	311 208	349 223	321 223	396 231	316 240	217 194	143 126	56 53	19 20	3 5	2	30 16	22
138 337	115 249	119 186	101 150	91 106	89 97	101 85	75 85	68 64	49 37	28 28	9 15	3 3		15 30	23
11 15	12 28	22 27	20 19	29 25	29 37	37 35	41 37	31 33	24 28	11 18	7 10	4	1	6 7	24
79 69	68 73	72 68	88 74	111 106	111 84	134 98	167 121	136 101	102 74	69 63	33 24	7 4	3	24 16	25
1,144	1,290	1,379	1,518	1,765	1,782	2,264	2,431	2,315	1,846	1,038	448	91	32	206	26
606 538	713 577	773 606	914 804	1,094 671	1,184 598	1,575 689	1,737 674	1,797 518	1,466 380	820 218	364 84	65 26	26 6	137 69	27 28
345 305	416 339	443 359	526 377	649 408	701 367	840 404	806 384	756 287	548 177	264 100	91 30	13 8	6 3	73 32	29
8 3	5 2	10 6	9 1	34 3	16 7	49 12	67 6	77 8	76 5	33 3	9 2	2 1	2	4 1	30
205 175	217 191	247 205	281 187	289 223	318 186	404 225	476 224	475 175	377 155	230 80	123 40	22 12	10 3	33 22	31
13 12	23 8	28 14	30 15	58 15	87 16	173 19	275 27	329 22	304 21	183 19	89 3	15 2	5	10 2	32
35 43	52 37	45 22	59 24	64 16	66 22	100 29	133 33	160 26	161 22	110 16	52 9	13 3	3	17 12	33
295	354	336	325	233	164	137	105	65	39	25	10			35	34
45 16 21 55 158	61 19 39 88 147	49 12 59 59 166	44 23 55 59 144	49 9 49 38 88	44 5 40 32 43	49 9 23 31 25	43 6 15 17 24	22 6 9 14 14	14 3 5 8 9	7 1 3 5 9	3 2			3 2 2 10 17	35 36 37 38 39
2,174	1,753	867	223	20	13	6	5	3	5					204	40
192 1,049 725 10 198	138 884 587 10 154	72 486 224 4 81	12 128 64 1 18	2 8 0 4	1 8 3 1	2 2 4	4 4 1	2 2	4 4					15 100 73 16	41 42 43 44 45

STATISTICS OF DEATHS.

DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
101	98	83	81	112	75	96	90	71	47	17	9	2	2	20	1
57 44	61 37	49 34	42 39	64 48	47 28	55 41	48 42	40 31	32 15	9 8	5 4	2	2	14 6	2 3
36 36	35 23	38 21	28 29	38 30	31 19	27 25	30 25	25 17	21 11	3 6	2 4	2	2	8 4	4
8 3	9 8	7 8	9 6	12 7	8 6	14 5	12 8	4 7	6 1	4 1	2	2	2	5 1	5
8 2	9 2	4 4	2 1	6 1	4 1	5 3	2	2 1	1 2						6
5 3	8 2	1	3 3	8 10	4 2	9 8	4 9	9 6	4 1	2 1	1	1	1	1 1	7
88	82	80	95	111	106	109	105	97	74	44	29	6	3	19	8
58 30	41 41	41 39	54 41	61 50	57 49	66 43	61 44	59 38	41 33	24 20	13 16	3 3	3	11 8	9 10
38 27	31 29	25 28	31 25	29 23	28 21	35 23	24 22	32 20	10 15	5 5	1 6	2 1	1	8 6	11
12 1	5 2	10 3	13 5	21 13	18 11	22 12	22 8	10 6	8 6	7 3	3 2	1	1	1	12
8 2	5 10	6 8	10 11	11 14	11 17	9 8	15 14	17 12	23 12	12 12	9 8	2	2	2 2	13
19	29	32	35	36	27	27	27	17	9	5		2	1	4	14
12 7	17 12	23 9	16 19	20 16	14 13	13 14	15 12	11 6	8 1	3 2		2	1	3 1	15 16
3 2	10 5	8 4	5 5	8 4	6 3	1 4	5 2	1	2	1		1		2	17
6 3	5 1	12	4 7	3 6	4 5	8 6	6 6	5 1	2 1					1	18
3 2	2 6	3 5	7 7	9 6	4 5	4 4	4 4	5 5	4	2		1	1	1	19
3,227	3,100	2,538	2,412	2,064	1,624	1,532	1,275	1,013	806	617	336	124	65	1,050	20
2,766 461	2,647 453	2,143 395	2,029 383	1,725 339	1,356 268	1,182 350	976 299	709 304	513 293	319 298	159 177	54 70	28 37	862 188	21 22
44 61	30 60	39 50	23 41	24 36	21 31	23 47	15 34	23 36	13 24	14 36	3 17	3 4	3 8	18 16	23
294 30	284 21	238 21	187 21	170 16	118 16	99 14	75 10	39 11	13 5	10 2	3 2	2 1	1	130 18	24
15 4	18 9	13 1	23 10	16 2	10 3	15 9	9 5	10 13	6 11	20 10	15 6	3 3	2 2	12 17	25
212 6	186 16	133 9	113 2	71 4	65 3	37 2	33 2	11 1	7	3 1			1 1	61 6	26
207 21	179 14	152 14	107 7	77 12	41 7	33 11	32 6	16 2	7 1	7 1	1			68 8	27
															28
31 1	29	15	16	9	9	8	2	5	2	2				8	29
554 27	511 19	373 27	315 22	231 24	181 16	163 35	119 28	98 15	85 16	25 4	9 2	4 1	2 1	166 10	30
32 13	34 9	33 10	32 9	31 12	14 6	16 10	18 6	13 7	10 8	4 3	3 3	1	1	34 26	31
103 10	106 1	77 2	107 2	79 5	66	53 2	42 1	27	10	6				16 1	32
11 8	16 6	11 3	17 8	16 9	8 8	10 5	7 4	4 2	6 2	1 1	1			7 1	33
59 32	54 29	42 20	72 15	54 19	42 10	33 8	25 6	19 4	11 2	3 2				9 6	34
111 31	133 33	143 37	140 33	148 46	123 27	129 22	97 10	68 7	36 9	18 5	8 1	2		51 7	35
30 5	27 4	21 7	25 1	31 8	24 6	18 4	20 4	11 2	10 4	8 1	3 1	1 1	1	3 3	36
36 53	39 60	23 61	23 41	30 29	33 11	29 15	10 15	13 3	9 4	5 1				3 3	37
61 10	52 7	54 10	53 13	55 7	47 9	42 11	33 13	31 8	14 6	13 5	4 5	2 2	1 1	18 9	38
966 149	949 156	776 123	776 158	683 110	554 115	474 155	430 155	312 193	274 201	180 226	109 139	37 57	17 23	258 67	39

TABLE 5.

NUMBER OF DEATHS IN EACH STATE AND TERRITORY FROM EACH SPECIFIED DISEASE
AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX,
DURING THE CENSUS YEAR ENDED MAY 31, 1890.

VITAL AND SOCIAL STATISTICS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ALABAMA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	3,290	77	47	42	30	27	223	84	116	271	386	322
2	Males.....	1,343	42	23	18	16	9	108	47	46	83	150	115
3	Females.....	1,947	35	24	24	14	18	115	37	70	188	236	207
4	1. Rheumatism.....	{ M. 51 F. 42	{ 3 1	{ 1 1	{ 1 1	{ 2 1	{ 2 1	{ 8 1	{ 3 1	{ 1 5	{ 3 3	{ 2 3	{ 3 1
5	2. Scrofula and tubercles.....	{ M. 65 F. 74	{ 11 4	{ 7 9	{ 3 5	{ 2 1	{ 2 2	{ 23 21	{ 1 8	{ 6 5	{ 8 7	{ 4 6	{ 3 3
6	3. Leprosy.....	{ M. F.											
7	4. Consumption.....	{ M. 849 F. 1,314	{ 12 12	{ 7 9	{ 3 6	{ 3 6	{ 2 6	{ 27 39	{ 17 13	{ 20 44	{ 64 162	{ 128 206	{ 100 182
8	5. Hydrocephalus.....	{ M. 21 F. 29	{ 8 13	{ 1 4	{ 2 4	{ 1 2	{ 1 1	{ 13 23	{ 2 1	{ 1 1	{ 1 1	{ 2 1	{ 2 2
9	6. Cancer.....	{ M. 81 F. 209	{ 1 1		{ 1 1		{ 2 1	{ 2 3		{ 1 1	{ 2 2	{ 4 4	{ 1 5
10	7. Tumor.....	{ M. 15 F. 26	{ 1 1		{ 1 1		{ 1 1	{ 3 3	{ 1 1		{ 3 3	{ 2 1	{ 1 2
11	8. Anemia.....	{ M. 15 F. 10	{ 5 1		{ 1 1			{ 6 3	{ 2 1	{ 3 1			
12	9. Dropsy.....	{ M. 220 F. 235	{ 2 2	{ 6 2	{ 9 6	{ 6 4	{ 4 8	{ 27 22	{ 17 14	{ 14 15	{ 6 9	{ 7 16	{ 5 12
13	10. Diabetes.....	{ M. 17 F. 5	{ 1 1					{ 1 1		{ 1 1	{ 1 1	{ 1 1	{ 2 2
14	11. Others of this group.....	{ M. 7 F. 2		{ 1 1				{ 1 1	{ 3 3				
15	12. Others of this class.....	{ M. 2 F. 1							{ 1 1				
16	II.—Diseases of the nervous system.....	1,556	361	109	62	46	18	596	72	69	57	47	47
17	Males.....	819	189	55	34	23	9	310	38	36	28	22	24
18	Females.....	737	172	54	28	23	9	286	34	33	29	25	23
19	1. Inflammation of the brain.....	{ M. 151 F. 134	{ 33 35	{ 18 21	{ 12 9	{ 11 7	{ 4 2	{ 78 74	{ 12 7	{ 7 15	{ 14 5	{ 6 9	{ 7 3
20	2. Apoplexy.....	{ M. 93 F. 91	{ 1 1	{ 1 1	{ 1 1			{ 1 4	{ 1 1		{ 1 2	{ 2 3	{ 5 5
21	3. Paralysis.....	{ M. 147 F. 124	{ 2 2	{ 4 4	{ 1 2		{ 1 1	{ 8 5	{ 2 1	{ 3 1	{ 2 2	{ 3 3	{ 3 1
22	4. Tetanus and trismus nascentium.....	{ M. 61 F. 35	{ 49 30	{ 1 1		{ 2 2		{ 50 33	{ 1 1	{ 4 4	{ 1 1		
23	5. Epilepsy.....	{ M. 31 F. 30	{ 3 1	{ 2 2				{ 3 3	{ 3 3	{ 5 4	{ 1 3	{ 3 3	{ 4 2
24	6. Convulsions.....	{ M. 134 F. 147	{ 72 81	{ 19 14	{ 5 9	{ 7 3	{ 1 1	{ 104 108	{ 8 8	{ 4 5	{ 2 6	{ 4 2	{ 2 4
25	7. Mental diseases.....	{ M. 11 F. 21									{ 1 1		{ 2 2
26	8. Diseases of the brain.....	{ M. 160 F. 128	{ 26 23	{ 12 12	{ 13 6	{ 4 7	{ 3 5	{ 58 53	{ 13 13	{ 13 7	{ 7 9	{ 4 4	{ 6 6
27	9. Diseases of the spinal cord.....	{ M. 16 F. 8	{ 4 1	{ 1 3	{ 2 1			{ 8 4	{ 1 1			{ 2 1	
28	10. Others of this class.....	{ M. 15 F. 10		{ 1 1				{ 2 2		{ 1 1	{ 1 1	{ 1 1	
29	III.—Diseases of the circulatory system.....	807	44	5	2	1	9	61	12	24	30	28	27
30	Males.....	387	32	1	1	1	3	38	9	14	10	12	8
31	Females.....	420	12	4	1		6	23	3	10	20	16	19
32	1. Angina pectoris.....	{ M. 6 F. 7											
33	2. Aneurism.....	{ M. 6 F. 3											{ 1 1
34	3. Diseases of the heart.....	{ M. 349 F. 392	{ 9 3	{ 3 3	{ 1 1	{ 1 1	{ 3 6	{ 14 13	{ 9 3	{ 14 10	{ 10 20	{ 12 16	{ 7 17
35	4. Others of this class.....	{ M. 26 F. 18	{ 23 9	{ 1 1				{ 24 10					{ 1 1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ALABAMA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
267	278	219	217	208	130	156	128	106	63	49	18	5	10	34	1
98	101	73	82	85	60	66	63	62	41	24	6	4	6	14	2
169	177	146	135	123	61	90	65	44	22	25	12	1	4	20	3
2	1		2	2	1	4	5	6	3	2	1	1		1	4
	2		1	3	1	4	4	4	2	4	1				
3	5	3	1	1	3	1	2			1					5
3	7	4	1	1	3	3	1				1				
															6
82	79	61	63	64	38	34	23	15	14	6	1		1	12	7
147	131	98	81	73	32	39	27	13	11	5	2		1	8	
		2													
			1		1										8
3	4	2	6	5	10	7	11	10	6	7	1	1	1		9
6	19	24	33	24	11	31	15	13	4	5	2	1	1	5	
1	3	2	1	1	2	2	1	1							10
	1		2	3	1	2	2							2	
						1		1	1		1		2	1	11
										1					
4	8	5	7	12	15	16	19	25	16	8	2	2	4	1	12
11	15	16	15	17	11	11	15	13	5	10	5			3	
2			2			1	1	4	1						13
	1		1	1	1										
1	1						1								14
				1											
1															15
1															
44	36	51	48	70	47	76	80	81	51	33	20	9	2	12	16
22	17	31	27	34	27	45	38	46	23	23	15	2	2	4	17
22	19	23	21	36	20	31	42	35	23	15	5	7		8	18
3	7	5	3	2	2	1							1		19
5	5	3	3	3	2				1		1			3	
2	1	6	6	6	8	16	18	8	6	7	3			1	20
5	2	5	7	15	8	5	11	6	4	6	1	2			
2	3	10	8	14	6	20	12	23	10	12	8	1		1	21
3	3	6	5	4	6	15	15	23	16	8	3	3			
1		1	1												22
2	1	2	2	1	1	1			2		2			1	23
	2	1		3	2	2	1		1						
1	4			1	1	1		1	1						24
3	1	1		1		4	1							3	
		1				1	1	2	1	1					25
		2	3	5	3	2	2	2							
8		5	7	8	5	4	4	8	6	1		1	1	1	26
4	2	5	5	2	1	3	7	3	1			2		1	
1	1			1				2							27
	1			1				1							
2		1		1	2	1	1	2	2	2	1	1			28
2			1	2			4		1						
36	32	48	47	64	41	72	74	80	50	46	14	4	2	15	29
11	13	13	26	34	22	40	40	42	29	19	4	4	1	8	30
25	19	35	21	40	19	32	34	38	21	27	10		1	7	31
					1	3			1	1					32
1				1	2		3								
1	1	1		2											33
					1						1				
10	12	12	26	22	20	37	40	41	28	18	4	4	1	8	34
23	18	34	20	39	16	32	31	37	21	27	9		1	5	
1	1	1	1		1			1							35

VITAL AND SOCIAL STATISTICS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ALABAMA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system.....	2,672	623	231	125	70	40	1,089	105	70	155	169	137
2	Males.....	1,470	342	129	70	41	19	601	56	41	86	112	78
3	Females.....	1,202	281	102	55	29	21	488	49	29	69	57	59
4	1. Croup.....	{ M.. 209 F.. 159	134 91	31 30	16 14	10 7	6 6	197 148	7 5		1 3	1	1
5	2. Laryngitis.....	{ M.. 4 F.. 5	1 1	1	1	1	2	2 5		1			1
6	3. Bronchitis.....	{ M.. 152 F.. 149	55 51	28 13	14 13	5 5	1 4	103 86	3 7	1 3	4 4	2 3	1 4
7	4. Pneumonia.....	{ M.. 894 F.. 691	110 93	60 45	34 22	21 12	10 7	235 179	37 32	33 21	69 55	101 43	65 49
8	5. Pleurisy.....	{ M.. 28 F.. 33		1				1	1	3	1	2	4
9	6. Asthma.....	{ M.. 10 F.. 17								1	1		1
10	7. Others of this class.....	{ M.. 173 F.. 148	43 45	9 12	6 5	4 3	2 4	64 69	8 5	5 3	12 5	8 9	16 1
11	V.—Diseases of the digestive system.....	912	162	128	66	17	12	385	23	23	30	44	36
12	Males.....	494	91	66	42	8	8	215	13	13	12	25	14
13	Females.....	418	71	62	24	9	4	170	10	10	18	19	22
14	1. Dentition.....	{ M.. 80 F.. 77	20 23	40 39	15 11	1 3	1	77 76					
15	2. Angina.....	{ M.. 26 F.. 13	7 2	2	5 1	1 3	3 2	18 8	1 1		1		2
16	3. Diseases of the stomach.....	{ M.. 74 F.. 71	12 5	11 9	8 5	1	1	31 21	4 4	2		2 4	2 4
17	4. Obstruction of the bowels.....	{ M.. 45 F.. 24	4 1	4 1		1		9 3	2 1	5 2	1 3	6 1	2 1
18	5. Hernia.....	{ M.. 19 F.. 4	1		2			1 2			1		1
19	6. Other diseases of the bowels.....	{ M.. 29 F.. 28	6 8	2 5	4 1	1 1		13 15	1	1	1	2 1	2 2
20	7. Jaundice.....	{ M.. 19 F.. 19	8 10	1 1	1		1	10 12				1	1
21	8. Inflammation and abscess of the liver.....	{ M.. 29 F.. 18	4	2				4 2			2	3	2
22	9. Other diseases of the liver.....	{ M.. 51 F.. 36	6 3	1	2 1			9 4	1 1	2		3 2	1
23	10. Peritonitis.....	{ M.. 28 F.. 49	2	1	2	2	1	6 2	1	1	5	8 9	8
24	11. Ascites.....	{ M.. 23 F.. 24	1 1	1	1	2	1	5 2	2	4 2			1 2
25	12. Others of this class.....	{ M.. 71 F.. 55	22 16	4 4	4 2	1	2	32 23	2	1	4	2	3 4
26	VI.—Diseases of the urinary system and male organs of generation.....	337	7	5	1	1	2	16	4	9	7	19	12
27	Males.....	220	2	1		1		4	2	3	3	8	1
28	Females.....	117	5	4	1		2	12	2	6	4	11	11
29	1. Bright's disease.....	{ M.. 82 F.. 59							1		1	5	1
30	2. Calculus, urinary.....	{ M.. 30 F.. 2	1					1	1				1
31	3. Diseases of the kidney.....	{ M.. 61 F.. 37	1 1	4		1	2	2 7		2 1	2 2	2 4	
32	4. Diseases of the bladder.....	{ M.. 24 F.. 8	3	1	1			1 4					
33	5. Others of this class.....	{ M.. 23 F.. 11	1					1		1		1 2	
34	VII.—Diseases of the female organs of generation.....	115									10	7	10
35	1. Ovarian tumors.....	F.. 9										1	
36	2. Ovarian diseases.....	F.. 4											1
37	3. Uterine tumors.....	F.. 7											
38	4. Uterine diseases.....	F.. 43									1	2	4
39	5. Others of this class.....	F.. 52									9	4	5
40	VIII.—Affections connected with pregnancy.....	423								3	60	79	82
41	1. Abortion.....	F.. 21									2	5	2
42	2. Childbirth.....	F.. 185								2	26	34	31
43	3. Puerperal septicaemia.....	F.. 174								1	23	32	41
44	4. Extra-uterine pregnancy.....	F.. 8											
45	5. Others of this class.....	F.. 43									9	8	8

VITAL AND SOCIAL STATISTICS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ALABAMA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	
1	IX.—Diseases of the bones and joints.....	38	3	2		1		6	4		2	3		
2	Males.....	21	2			1		3	3		1	2		
3	Females.....	17	1	2				3	1		1	1		
4	1. Diseases of the spine.....	{M F	{2 1	{ 2		{ 1		{3 3	{ 2		{ 1	{ 1		
5	2. Diseases of the bones.....	{M F	{3 3						1			1		
6	3. Diseases of the hip joint.....	{M F												
7	4. Others of this class.....	{M F	{4 4						1		1	1		
8	X.—Diseases of the skin.....	34	4	2	1			7		4	1	2	1	
9	Males.....	19	3	1	1			5		3	1	1		
10	Females.....	15	1	1				2		1		1	1	
11	1. Abscess.....	{M F	{13 6	2				2		3	1	1		
12	2. Carbuncle.....	{M F	{2 4											
13	3. Others of this class.....	{M F	{4 5	1 1	1 1	1		3 2		1		1	1	
14	XI.—Diseases of the absorbent system.....	5								2	1	2		
15	Males.....	3								2		1		
16	Females.....	2									1	1		
17	1. Addison's disease.....	{M F	{1 1							1				
18	2. Diseases of the spleen.....	{M F	{1 1							1				
19	3. Others of this class.....	{M F	{1 1									1 1		
20	XII.—Accidents and injuries.....	1,180	119	41	34	28	22	244	85	42	99	157	129	
21	Males.....	854	62	21	21	16	10	130	40	29	80	136	112	
22	Females.....	326	57	20	13	12	12	114	45	13	19	21	17	
23	1. Burns and scalds.....	{M F	{77 112	7 9	9 7	15 7	8 10	5 10	44 43	16 29	2 4	3 5	2 3	
24	2. Drowned.....	{M F	{66 7		2 1		2 1	1 1	5 3	1 1	5 16	8 1	11	
25	3. Exposure and neglect.....	{M F	{14 20	5 4	2 1		1		7 6	2	1	2	1 2	
26	4. Gunshot wounds.....	{M F	{111 13	1		2	1	4	4 2	6 1	13 5	26 2	16 1	
27	5. Homicide.....	{M F	{97 11			1		1 1			6	19 2	24 4	
28	6. Infanticide.....	{M F	{2 2	2				2						
29	7. Injuries by machinery.....	{M F	{10 1							1	1	4	1	
30	8. Railroad accidents.....	{M F	{112 7	1		1		2	3	3 1	11	26 1	20 1	
31	9. Suffocation.....	{M F	{34 44	23 33	2 3	1 2		26 38	2 2			1		
32	10. Suicide by shooting.....	{M F	{8 1									2	1 1	
33	11. Suicide by drowning.....	{M F	{2 3								1	1	1 1	
34	12. Suicide by poison.....	{M F	{9 9						1		2	2	2	
35	13. Other suicides.....	{M F	{9 3								1	1	1 1	
36	14. Sunstroke.....	{M F	{10 2								2	1	1	
37	15. Surgical operations.....	{M F	{4 1									1		
38	16. Wounds.....	{M F	{23 12	1		1		1 1	1 1		3 2	6	2	
39	17. Other accidents and injuries.....	{M F	{266 80	22 10	6 8	3 2	4 1	3 1	38 22	12 8	14 2	25 4	34 7	32

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ALABAMA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1	2	2	1	4	2	3	2	4	1				1		1
1	1	2	1	2	2	1	1	3	1				1		2
	1	1	1	2	2	2	1	1	1				1		3
	1	2	1	1	1	1	1	1	1				1		4
1				1	1	1									5
															6
							1	2							7
1	3	1		1	1	5	4		2	1					8
1	2	1		1	1	3	1	1	1	1					9
	1					2	3	1	1						10
1	2	1	1	1	1	1	1			1					11
	1					2			1						12
						1	3		1						13
						1									14
															15
															16
															17
															18
															19
77	75	43	43	37	19	30	25	12	9	20	6	4	3	21	20
68	62	33	37	33	14	20	19	7	6	9	3	2	1	13	21
9	13	10	6	4	5	10	6	5	3	11	3	2	2	8	22
2	1		1			1	1			3		1			23
2	1	3			2	5		1		5		1	1		24
2	4	2	2	6		2	2								25
1			1					1	1	1					26
	2		1	1		2					1				27
11	7	7	4	5	2	1	1	2					1	3	28
					1										29
10	18	2	4	5	3	1				1				3	30
	1						1							1	31
															32
1	1			1											33
1															34
17	6	8	6	5		2	2	1							35
	1	2		1											36
1	1			1		1								1	37
	1			1		1								1	38
2	1	1	1												39
							1								40
		1	1	1	3	1				1					41
1	1	1	2	1										1	42
	1	2			1		1	1	1						43
1			1	1											44
1	4	2						2		1					45
1	1	1	1	1	1									3	46
19	17	7	15	7	5	11	9	4	4	3	3	1	1	5	47
4	6	3	3		1	2	3	4	2	5	1	1		2	48

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ARIZONA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
44	47	47	32	37	26	25	15	6	6	4	4		1	35	1
26 18	34 13	33 14	30 2	32 5	21 5	15 10	15	4 2	6	3 1	1 3		1	24 11	2 3
1	4			2	3	1	1		1					13	4
1	3 1			1 1	1 2	1	1		1					7 6	5 6
9	7	9	6	4	4	2	1	1						5	7
5 4	2 5	2 7	6	4	2 2	1 1	1	1						4 1	8 9
							1							1	10
														1	11
														1	12
														1 1	13
														1	14
		2						1							15
			2											1	16
	1		1	1		1								1	17
1	2	1 1	1	1	1	1								1	18
															19
2 3	1 2	1 2	3	2	1										20
					1										21
	1			1	1										22
1		2													23
1															24
	1	1	1	1	1	2								1	25
	1	1	1	1	1	2								1	26
															27
															28
	1	1	1	1	1	1								1	29
							1								30
															31
															32
							3	1	2	3	4		1	1	33
							3	1	2	2 1	1 3		1	1	34
															35
															36
															37
															38
							1				2				39
							2	1	2	2 1	1 1		1	1	40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ARIZONA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	95	1					1			9	14	4
2	Males	70									5	8	4
3	Females	25	1					1			4	6	
4	1. Rheumatism	{ M. 1 F. 2										1	
5	2. Scrofula and tabes	{ M. F.											
6	3. Leprosy	{ M. F.											
7	4. Consumption	{ M. 59 F. 18	1					1			5	8	4
8	5. Hydrocephalus	{ M. F.											
9	6. Cancer	{ M. 7 F. 2											
10	7. Tumor	{ M. F.											
11	8. Anæmia	{ M. F.	1										
12	9. Dropsy	{ M. 1 F. 3									1	1	
13	10. Diabetes	{ M. F.	1										
14	11. Others of this group	{ M. F.											
15	12. Others of this class	{ M. F.											
16	II.—Diseases of the nervous system	24	4	1	1	1		7	1	1	1	1	1
17	Males	15	3			1		4		1	1		
18	Females	9	1	1	1			3	1			1	1
19	1. Inflammation of the brain	{ M. 6 F. 3	3					3		1	1		
20	2. Apoplexy	{ M. F.	4										
21	3. Paralysis	{ M. F.	3										
22	4. Tetanus and trismus nascentium	{ M. F.											
23	5. Epilepsy	{ M. F.											
24	6. Convulsions	{ M. F.	1									1	
25	7. Mental diseases	{ M. 1 F. 1											1
26	8. Diseases of the brain	{ M. 1 F. 4				1		1					
27	9. Diseases of the spinal cord	{ M. F.											
28	10. Others of this class	{ M. F.											
29	III.—Diseases of the circulatory system	27	2					2	1		1		4
30	Males	20	2					2	1		1		1
31	Females	7											3
32	1. Angina pectoris	{ M. F.	1										1
33	2. Aneurism	{ M. F.	1										
34	3. Diseases of the heart	{ M. 18 F. 6	1					1	1		1		1
35	4. Others of this class	{ M. F.	1	1				1					2

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ARIZONA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints												
2	Males.....												
3	Females.....												
4	1 Diseases of the spine..... { M. { F.												
5	2 Diseases of the bones..... { M. { F.												
6	3 Diseases of the hip joint..... { M. { F.												
7	4 Others of this class..... { M. { F.												
8	X.—Diseases of the skin												
9	Males.....												
10	Females.....												
11	1 Abscess..... { M. { F.												
12	2 Carbuncle..... { M. { F.												
13	3 Others of this class..... { M. { F.												
14	XI.—Diseases of the absorbent system												
15	Males.....												
16	Females.....												
17	1 Addison's disease..... { M. { F.												
18	2 Diseases of the spleen..... { M. { F.												
19	3 Others of this class..... { M. { F.												
20	XII.—Accidents and injuries	70	1	2			1	4	2	4	1	7	5
21	Males.....	64		2			1	3	1	3	1	7	3
22	Females.....	6	1					1	1	1			2
23	1 Burns and scalds..... { M. { F.	3					1	1		1			
24	2 Drowned..... { M. { F.	1							1				
25	3 Exposure and neglect..... { M. { F.	4							1				
26	4 Gunshot wounds..... { M. { F.	6											
27	5 Homicide..... { M. { F.	10										2	1
28	6 Infanticide..... { M. { F.												
29	7 Injuries by machinery..... { M. { F.												
30	8 Railroad accidents..... { M. { F.	5								1		2	
31	9 Suffocation..... { M. { F.	1	1					1					
32	10 Suicide by shooting..... { M. { F.	4											1
33	11 Suicide by drowning..... { M. { F.												
34	12 Suicide by poison..... { M. { F.	4											1
35	13 Other suicides..... { M. { F.	5											1
36	14 Sunstroke..... { M. { F.	6											
37	15 Surgical operations..... { M. { F.	1											1
38	16 Wounds..... { M. { F.	3										2	
39	17 Other accidents and injuries..... { M. { F.	12		2				2		1	1	1	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ARKANSAS.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
741	780	579	526	402	353	441	338	284	175	153	73	27	30	328	1
376	393	316	311	264	221	264	185	152	105	94	45	11	11	188	2
365	387	283	215	198	132	177	153	132	70	59	28	16	19	140	3
51	47	36	25	28	15	31	29	22	8	8	10	3	1	110	4
21	21	17	16	17	10	16	14	10	4	4	7			59	5
30	26	19	9	11	5	15	15	12	4	4	3	3	1	51	6
153	181	123	103	85	58	68	58	58	37	26	9	4	2	49	7
83	102	71	68	51	30	45	31	27	23	15	6	3	2	28	8
70	79	52	35	34	28	23	27	31	14	11	3	1		21	9
1															10
1	2	1	2	1					1					1	11
1				1						1				1	12
1														1	13
1	1													1	14
3	2	3	1		1	2			1	1				1	15
			1	2										1	16
	3		1											1	17
15	25	11	12	14	4	6	6	3	6	3	1	2		6	18
16	14	4	7	9	11	4	5	7	2	2				4	19
12	14	16	14	12	9	10	13	12	11	6	5			6	20
9	17	10	8	9	9	10	7	13	5	3	1			1	21
															22
41	51	31	36	18	14	19	11	9	5	6		1	2	11	23
28	32	30	14	11	8	7	13	10	7	4	2			10	24
4	1	1		1	1	2		1						1	25
2	1	1	2			2		1						1	26
3	3	3	1	1		6		2						1	27
7	5	1	1	2										1	28
4	6	4	3	2	1		2							1	29
1	2	1												1	30
2	1	1	1	1			1					1			31
1	1	1	1												32
3	1	1	4	1	1	1		1						1	33
1			1	2			1							3	34
	1														35
	3	1	2	6		11	10	16	18	35	16	13	18	5	36
	1		1	1			7	2	9	9	10	5	6	3	37
	2	1	1	5			4	8	9	16	6	8	12	2	38
															39
															40
	1	1	1	1		5	2	6	4	8	2		1	3	
	2					2	2	2	6	2				1	
							2	3	5	11	8	5	5		
							2	5	3	14	6	8	12		

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ARKANSAS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	1,845	56	46	17	14	13	146	49	57	141	195	173
2	Males	875	33	23	7	9	7	79	21	28	47	88	77
3	Females	970	23	23	10	5	6	67	28	29	94	107	96
4	1. Rheumatism	{ M. 44 F. 35	1	1				1 2	1 2	6 3	6 2	1 2	1 3
5	2. Scrofula and tubercles	{ M. 42 F. 38	8 4	5 4	4 2	1 2		18 13	4 7	2 3	7 3	4 2	2 1
6	3. Leprosy	{ M. F.											
7	4. Consumption	{ M. 558 F. 651	11 7	8 6	1 4	5 3	2 3	27 20	3 11	6 19	27 77	76 92	70 84
8	5. Hydrocephalus	{ M. 12 F. 16	6 8	3 5	1		1	11 14		1		1	
9	6. Cancer	{ M. 43 F. 92					2	2			1		2 2
10	7. Tumor	{ M. 8 F. 11	2	1		1		3 1			4		2
11	8. Anemia	{ M. 1 F. 6	1		1			1 1			1	1	
12	9. Dropsy	{ M. 149 F. 118	2 3	6 5	1 2	1 2	2 2	12 14	11 7	11 4	5 6	6 9	2 4
13	10. Diabetes	{ M. 14 F. 1	1	1		1		3	1	2	2	1	
14	11. Others of this group	{ M. F.	1					1	1				
15	12. Others of this class	{ M. 2 F. 2		1	1			2					
16	II.—Diseases of the nervous system	1,101	232	105	63	55	35	490	101	66	58	28	32
17	Males	602	131	52	29	25	17	254	52	39	32	14	16
18	Females	499	101	53	34	30	18	236	49	27	26	14	16
19	1. Inflammation of the brain	{ M. 165 F. 127	40 31	23 17	9 8	11 9	8 6	91 71	17 13	8 6	11 9	8 2	6 4
20	2. Apoplexy	{ M. 35 F. 33	1					1		2 1	1 1		1
21	3. Paralysis	{ M. 77 F. 43	2	1	2	1	2	3 6		3 1	1 2	2 1	1
22	4. Tetanus and trismus nascentium	{ M. 10 F. 5	3 4					3 4	1 1	4	1		
23	5. Epilepsy	{ M. 20 F. 24			1 1		1	1 5	2 3	5 2	2	4	3
24	6. Convulsions	{ M. 61 F. 71	32 38	6 8	9 6	2 4	2	49 58	5 5	2	2 3		3
25	7. Mental diseases	{ M. F.	4 1										1
26	8. Diseases of the brain	{ M. 176 F. 132	41 16	15 19	9 12	11 13	8 6	84 66	23 19	12 10	10 7	2 5	5 6
27	9. Diseases of the spinal cord	{ M. 39 F. 47	11 8	6 8	1 4	1 3	1	19 24	4 8	3 6	5 1	2	1
28	10. Others of this class	{ M. 15 F. 16	1 1	1	1		1	3 2		1	1	2	1
29	III.—Diseases of the circulatory system	338	15	3			1	19	9	10	12	19	13
30	Males	185	9	3				12	4	7	7	9	5
31	Females	153	6				1	7	5	3	5	10	8
32	1. Angina pectoris	{ M. 3 F. 2										1	
33	2. Aneurism	{ M. 3 F. 1											1
34	3. Diseases of the heart	{ M. 174 F. 148	6 4	3			1	9 5	4 5	7 3	7 5	8 10	5 7
35	4. Others of this class	{ M. 5 F. 2	3 2					3 2					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ARKANSAS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system....	2,620	492	135	74	74	34	809	106	90	174	187	153
2	Males.....	1,501	280	64	37	35	18	434	40	53	102	112	84
3	Females.....	1,119	212	71	37	39	16	375	66	37	72	75	69
4	1. Croup..... { M. 191	191	141	16	13	9	3	182	7	1			
	{ F. 165	165	103	22	9	14	3	151	8		1		1
5	2. Laryngitis..... { M. 3	3		1			1	2					
	{ F. 3	3			1		1	2	1				
6	3. Bronchitis..... { M. 91	91	19	5	4	4	3	35	5	3	2	8	1
	{ F. 96	96	14	8	8	4	2	36	7	3	3	3	5
7	4. Pneumonia..... { M. 944	944	54	28	15	16	9	122	17	40	81	92	69
	{ F. 647	647	53	28	9	16	7	113	28	24	56	59	50
8	5. Pleurisy..... { M. 14	14							1	1	1	3	1
	{ F. 10	10										2	1
9	6. Asthma..... { M. 8	8		1		2		2					
	{ F. 6	6						1	2				
10	7. Others of this class..... { M. 250	250	66	14	5	4	2	91	10	8	18	9	13
	{ F. 192	192	42	12	10	5	3	72	20	10	12	11	12
11	V.—Diseases of the digestive system.....	660	131	54	21	14	10	230	49	27	36	26	31
12	Males.....	358	75	28	10	5	8	126	26	14	15	17	13
13	Females.....	302	56	26	11	9	2	104	23	13	21	9	18
14	1. Dentition..... { M. 19	19	8	9	2			19					
	{ F. 19	19	7	12				19					
15	2. Angina..... { M. 29	29	9	1		1	2	13	4	1	1	2	1
	{ F. 19	19	8	1	3	3		15	1				
16	3. Diseases of the stomach..... { M. 98	98	18	11	4	2	4	39	10	6	5	1	2
	{ F. 94	94	10	3	2	5	2	22	16	7	6	4	6
17	4. Obstruction of the bowels..... { M. 15	15							3			1	
	{ F. 11	11	1		2			3	1			1	
18	5. Hernia..... { M. 6	6											1
	{ F. 3	3											
19	6. Other diseases of the bowels..... { M. 34	34	7	1		1	1	10	2		2	2	2
	{ F. 22	22	2	2	1			5	1	2	2		4
20	7. Jaundice..... { M. 11	11	3					3	1			1	
	{ F. 15	15	5	1				6		2			
21	8. Inflammation and abscess of the liver..... { M. 32	32	3	1				4		1	1	3	1
	{ F. 12	12	1					1	1	1	3		
22	9. Other diseases of the liver..... { M. 41	41	6	1	2	1	1	11	2	1	2	1	2
	{ F. 31	31	4	2				6	2	1		1	4
23	10. Peritonitis..... { M. 15	15	4					4	1		2	1	
	{ F. 19	19		1				1			7	2	2
24	11. Ascites..... { M. 5	5		1				1		1			1
	{ F. 8	8									1		
25	12. Others of this class..... { M. 53	53	17	3	2			22	3	4	2	5	4
	{ F. 49	49	18	4	3	1		26	1			1	1
26	VI.—Diseases of the urinary system and male organs of generation.....	202	8	2	1	2	3	16	9	15	5	10	11
27	Males.....	146	6	2	1	2	1	12	5	9	4	7	9
28	Females.....	56	2				2	4	4	6	1	3	2
29	1. Bright's disease..... { M. 57	57								3	1	3	4
	{ F. 21	21								2			
30	2. Calculus, urinary..... { M. 12	12	1	1		1		3		1			1
	{ F. 2	2										1	
31	3. Diseases of the kidney..... { M. 29	29	3	1		1	1	6	1	1	1	2	2
	{ F. 21	21	2				1	3		2	1	1	2
32	4. Diseases of the bladder..... { M. 11	11	1					1				1	
	{ F. 2	2											
33	5. Others of this class..... { M. 37	37	1		1			2	4	4	2	2	2
	{ F. 10	10					1	1	4	2			
34	VII.—Diseases of the female organs of generation.....	75								2	11	6	8
35	1. Ovarian tumors..... F. 2	2											1
36	2. Ovarian diseases..... F. 3	3											
37	3. Uterine tumors..... F. 21	21											1
38	4. Uterine diseases..... F. 49	49								2	9	5	6
39	5. Others of this class..... F. 21	21											
40	VIII.—Affections connected with pregnancy.....	342									46	72	64
41	1. Abortion..... F. 31	31									5	6	2
42	2. Childbirth..... F. 160	160									20	30	32
43	3. Puerperal septicæmia..... F. 135	135									18	31	26
44	4. Extra-uterine pregnancy..... F. 16	16											
45	5. Others of this class..... F. 16	16									3	5	4

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ARKANSAS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	82	32	10	5		1	48	2	6	1	4	2
2	Males	49	17	5	4			26	1	5		4	1
3	Females	33	15	5	1		1	22	1	1	1		1
4	1. Diseases of the spine..... { M..	39	16	4	4			24	1	2		2	1
	{ F..	30	15	4	1			20	1	1	1		1
5	2. Diseases of the bones..... { M..	4								2		1	
	{ F..												
6	3. Diseases of the hip joint..... { M..	3		1				1				1	
	{ F..	1											
7	4. Others of this class..... { M..	3	1	1				2		1			
	{ F..	2					1	1					
8	X.—Diseases of the skin.....	45	8	3	2	2		15		2	3		5
9	Males	27	4	3	1	1		9		1	2		2
10	Females	18	4		1	1		6		1	1		3
11	1. Abscess..... { M..	15	1	1		1		3		1	1		1
	{ F..	10	2			1		3		1			3
12	2. Carbuncle..... { M..	3			1			1					
	{ F..	3											
13	3. Others of this class..... { M..	9	3	2				5			1		1
	{ F..	5	2		1			3			1		
14	XI.—Diseases of the absorbent system.....	5							2				
15	Males	3							2				
16	Females.....	2											
17	1. Addison's disease..... { M..												
	{ F..												
18	2. Diseases of the spleen..... { M..	2							1				
	{ F..	1											
19	3. Others of this class..... { M..	1							1				
	{ F..	1											
20	XII.—Accidents and injuries.....	682	81	25	23	20	19	138	52	46	60	71	51
21	Males	513	45	12	11	10	11	89	29	32	48	65	45
22	Females.....	169	36	13	12	10	8	79	23	14	12	6	6
23	1. Burns and scalds..... { M..	32	6	1	4	6	3	20	6	1		1	
	{ F..	59	6	8	4	8	6	32	17	2	3	1	1
24	2. Drowned..... { M..	66		4	3	1	2	10	7	9	7	13	4
	{ F..	16	1		1			2	1	4	3	2	1
25	3. Exposure and neglect..... { M..	13	10	2				12			1		
	{ F..	9	4			1		5					
26	4. Gunshot wounds..... { M..	79					1	1		9	12	9	10
	{ F..	6		1	2			3		1		1	
27	5. Homicide..... { M..	43							3		4	4	6
	{ F..	3	2					2					
28	6. Infanticide..... { M..	1	1					1					
	{ F..												
29	7. Injuries by machinery..... { M..	6											2
	{ F..												
30	8. Railroad accidents..... { M..	32									4	8	6
	{ F..												
31	9. Suffocation..... { M..	18	14					14	1		1		
	{ F..	21	15	1			1	17	1	1			
32	10. Suicide by shooting..... { M..	4									1	2	
	{ F..												
33	11. Suicide by drowning..... { M..	1											
	{ F..												
34	12. Suicide by poison..... { M..	5									2		
	{ F..	5											
35	13. Other suicides..... { M..	15							1		1	1	2
	{ F..	2											
36	14. Sunstroke..... { M..	4					1	1					1
	{ F..	1											
37	15. Surgical operations..... { M..	7							1	1			1
	{ F..	2	1					1					1
38	16. Wounds..... { M..	14		1		1		2	1	1	1	1	1
	{ F..	2											
39	17. Other accidents and injuries..... { M..	173	14	4	4	2	5	29	9	11	17	26	12
	{ F..	43	7	3	5	1		16	4	6	3	2	3

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ARKANSAS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1	1	5	1	3	1	1	2	2	1					1	1
		4	1	2	1		1	2	1						2
1	1	1		1		1	1							1	3
		4	1	2	1			1							4
1		1		1		1	1							1	4
							1								5
								1	1						6
	1														7
6	1	1	3	1	1	1	1	1		1				3	8
4		1	1	1	1	1	1	1		1				1	9
2	1		2											2	10
3		1	1			1	1	1		1					11
1	1													1	11
			2	1										1	12
1					1									1	13
															14
	1			1		1									14
							1								15
															16
							1								17
															18
	1														18
															19
				1											19
49	38	37	19	15	13	14	8	4	5	3	1		1	27	20
46	34	31	19	12	11	13	8	1	4	2	1		1	22	21
3	4	6		3	2	1		3	1	1				5	22
		1												2	23
1								2						1	23
4	2	1	1	1	1	1								5	24
1	1	1													24
															25
	1													2	25
12	9	4	4	1	1	2	1		1					3	26
														1	26
5	6	8		1		1	3							2	27
		1													27
															28
															28
		1												3	29
															29
4	2	2	1		1	1			1					2	30
															30
1									1						31
1														1	31
							1								32
															32
														1	33
															33
	1	2		1			1								34
		1		1	1										34
2	1	1	3	1										2	35
	1														35
2										1					36
															36
1				1		2									37
															37
3				2			1				1				38
				1	1										38
11	13	11	10	4	7	5	2	1	1	1			1	2	39
1	1	2		1		1		1	1	1					39

VITAL AND SOCIAL STATISTICS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CALIFORNIA.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes.....	17,739	3,084	603	272	235	171	4,365	535	336	603	950	1,077
2	Males.....	11,160	1,650	323	145	118	92	2,328	276	185	292	575	693
3	Females.....	6,579	1,434	280	127	117	79	2,037	259	151	311	374	384
4	Unknown causes.....	498	131	8	3	5		147	11	11	8	16	11
5	Males.....	351	75	6	1	2		84	6	7	4	11	7
6	Females.....	147	56	2	2	3		63	5	4	4	5	4
7	I.—General diseases.												
8	General diseases—A.....	2,280	628	174	83	86	76	1,047	193	103	116	138	117
9	Males.....	1,228	311	93	45	36	44	529	82	44	56	79	79
10	Females.....	1,052	317	81	38	50	32	518	111	59	60	59	38
11	1. Smallpox.....	2			1			1					
12	2. Measles.....	28	6	8	2	1	2	19	4	1	1	1	1
13	3. Scarlet fever.....	28	1	1	3	8	2	15	6	2	3		1
14	4. Diphtheria.....	162	11	23	17	12	23	86	41	16	4	2	4
15	5. Whooping cough.....	50	27	13	2		1	43	3	1	1		2
16	6. Fever.....	15	5					5	1				1
17	7. Cerebro-spinal fever.....	25	5	8	2		1	16	3	1		2	1
18	8. Enteric fever.....	290	7	3	2	4	10	26	12	11	37	63	40
19	9. Diarrheal diseases.....	305	138	19	15	4	3	179	7	7	5	2	9
20	10. Cholera infantum.....	111	93	14	1	3		111					
21	11. Malarial fever.....	80	5	3		1	2	11	4	3	3	6	7
22	12. Erysipelas.....	26	3	1				4			1		3
23	13. Septicæmia.....	56	3			3		6			1	3	8
24	14. Venereal diseases.....	28	12	2	1			14	1		1		3
25	15. Others of this group.....	24	1					1	1	2		2	2
26	General diseases—B.....	688	387	16	7	2	2	414	8	2	6	12	15
27	Males.....	420	202	6	3	1	1	213	4	1	2	10	7
28	Females.....	268	185	10	4	1	1	201	4	1	4	2	8
29	1. Parasitic diseases.....	3			1			1					
30	2. Alcoholism.....	148		1				1			1	2	5
31	3. Lead poison.....	1											
32	4. Other poisons.....	42	1	2				3	2	1	1	6	1
33	5. Inanition.....	226	201	4	2	1	1	209	2		2	2	1
34	General diseases—C.....	1,317	823	6	2	1	1	833	2	3	7	1	4
35	Males.....	724	449	4				453	1	1	4		3
36	Females.....	593	374	2	2	1	1	380	1	2	3	1	1
37	1. Premature birth.....	71	71					71					
38	2. Stillborn.....	317	317					317					
39	3. Malformation.....	5	4					4	1				
40	4. Debility and atrophy.....	192	57	4				61		1	4		3
	5. Old age.....	139	130					71	1	2	3	1	1

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CALIFORNIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	3,943	90	38	17	20	12	177	42	65	190	379	455
2	Males.....	2,556	45	20	12	14	7	98	24	34	76	246	307
3	Females.....	1,387	45	18	5	6	5	79	18	31	114	133	148
4	1. Rheumatism.....	{ M.. 60 F.. 20	1	1				2	2	3	3	1	4
5	2. Scrofula and tabes.....	{ M.. 31 F.. 23	5	3	2	1	2	13	1	3		1	3
6	3. Leprosy.....	{ M.. F.. 1											
7	4. Consumption.....	{ M.. 1,972 F.. 927	15	5	7	5	3	35	7	20	66	236	284
8	5. Hydrocephalus.....	{ M.. 53 F.. 34	17	11	3	5	1	37	6	3			1
9	6. Cancer.....	{ M.. 254 F.. 267	1	1			1	2	2	2	1	1	4
10	7. Tumor.....	{ M.. 23 F.. 23			1		1	2	3		1		1
11	8. Anemia.....	{ M.. 15 F.. 21	3		1			3	2	1		1	
12	9. Dropsy.....	{ M.. 89 F.. 45	3					3	1	2	3	3	5
13	10. Diabetes.....	{ M.. 42 F.. 20				2		2		1	1	1	3
14	11. Others of this group.....	{ M.. 12 F.. 6	1			1		2			1	2	
15	12. Others of this class.....	{ M.. 3 F..											2
16	II.—Diseases of the nervous system.....	1,832	340	123	47	33	19	562	74	33	51	48	55
17	Males.....	1,113	190	62	20	13	10	295	41	17	23	17	31
18	Females.....	719	150	61	27	20	9	267	33	16	28	31	24
19	1. Inflammation of the brain.....	{ M.. 190 F.. 146	48	35	9	7	7	106	26	3	5	4	4
20	2. Apoplexy.....	{ M.. 254 F.. 127	3	2	1			4		1	1	1	2
21	3. Paralysis.....	{ M.. 228 F.. 134	2	1			1	2	1	2	3	1	4
22	4. Tetanus and trismus nascentium.....	{ M.. 20 F.. 9	7					7	1	6	2		1
23	5. Epilepsy.....	{ M.. 39 F.. 22	2					2	1	2	6	3	2
24	6. Convulsions.....	{ M.. 164 F.. 134	114	22	7	3	2	148	5	2	1	1	1
25	7. Mental diseases.....	{ M.. 14 F.. 12									1	1	1
26	8. Diseases of the brain.....	{ M.. 146 F.. 81	11			2	1	14	3	1	2	5	13
27	9. Diseases of the spinal cord.....	{ M.. 41 F.. 38	5	5	2	1	1	13	4	1	2		3
28	10. Others of this class.....	{ M.. 17 F.. 16			1			1	1	1	1	1	2
29	III.—Diseases of the circulatory system.....	1,349	53	2	2	3	2	62	20	20	27	47	42
30	Males.....	899	31	1		1	1	34	10	10	16	25	22
31	Females.....	450	22	1	2	2	1	28	10	10	11	22	20
32	1. Angina pectoris.....	{ M.. 23 F.. 9								1			2
33	2. Aneurism.....	{ M.. 45 F.. 8									1		2
34	3. Diseases of the heart.....	{ M.. 808 F.. 422	17	1		1	1	20	9	10	15	23	20
35	4. Others of this class.....	{ M.. 23 F.. 11	14			1		14	1		1		1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CALIFORNIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
490	393	343	259	273	250	238	154	105	40	28	9	3		41	1
339 160	284 109	223 120	166 93	178 95	169 81	171 67	104 50	66 39	25 15	15 13	7 2	2 1		22 19	2 3
2 1	6	5 1	5	6	4 2	4 1	4 5	7	1 1	1					4
3 2	4	1 1	1 2	2	2	1								1	5
	1														6
320 138	253 90	192 72	139 48	119 48	101 35	89 24	46 11	27 16	11 8	7	2			18 13	7
	1	2		1		1	1								8
7 12	11 14	13 34	17 30	28 39	43 34	58 30	35 25	20 12	6 3	1 10	1 1	2 1		1 6	9
2 3	1 1	2 6	2	4	4 1	5 1		2		1					10
1	3	2	1	1	1	1		2 3	1	2					11
3 2	8	4 1	6	12 3	10 5	9 8	10 6	4 5	5 2	3 2	4 1				12
2		4 3	4	5 2	3 4	5 1	7 3	6 1	1 1	1				1	13
1			4	1	1		1								14
														1	15
51	61	64	75	106	125	146	137	99	61	45	13	6		20	16
24 27	40 21	41 23	61 14	71 35	83 42	114 32	91 46	77 22	35 26	25 20	8 5	4 2		15 5	17 18
4 2	6 2	7 3	6 2	3 2	6 1	7		1 1	1					1	19
6 6	11 3	10 7	17 6	20 12	27 19	56 18	35 21	34 7	12 8	8 4	3 1	1 1		5 2	20
2 5	4 6	8 7	17 3	24 12	31 14	35 9	32 17	27 11	15 12	12 16	5 1	3		3 2	21
2		2		1											22
2 3	3 2	3 1	6	1 1	5 1	3	1 2							1	23
2	1			1			1							4 1	24
1 1	1 1	2 1		1 3	1	1	2			2					25
7 2	12 4	9	12 3	17 3	7 6	9 4	15 4	12 1	5 3	2	2	1		1	26
2 3	1 2	2	2	2 1	6	2	2 1			1					27
1	2	2	1	1 1	1	1	3 1	3 1	2 2		1				28
62	87	110	110	113	131	172	128	103	68	19	10	4	4	10	29
44 18	61 26	77 33	77 33	76 37	96 35	117 55	94 34	68 35	45 23	12 7	4 6	1 3	3 1	7 3	30 31
2 1	2	3	2	2	1	4 2	2	1	1 1	1				1	32
2	6 1	5	7	5 3	8 1	5 1	4		1						33
40 17	52 25	67 32	67 33	68 34	87 34	108 52	88 33	66 34	43 22	11 6	4 6	1 3	3 1	6 3	34
	1	2 1	1	1				1		1					35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CALIFORNIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system ...	2,654	444	181	95	60	41	821	109	50	71	92	116
2	Males	1,665	244	96	52	38	23	453	56	17	40	58	76
3	Females.....	989	200	85	43	22	18	368	53	33	31	34	40
4	1. Croup	{ M. 108 F. 91	{ 22 23	{ 19 12	{ 13 12	{ 16 9	{ 12 12	{ 82 68	{ 19 20	{ 3 1	{ 1 1		
5	2. Laryngitis	{ M. 11 F. 12	{ 3 3		{ 2 	{ 2 1	{ 2 1	{ 9 5	{ 1 3				1
6	3. Bronchitis.....	{ M. 298 F. 186	{ 79 64	{ 22 26	{ 4 5	{ 8 3		{ 113 98	{ 6 4	{ 2 3	{ 1 4	{ 7 5	{ 3 4
7	4. Pneumonia	{ M. 980 F. 551	{ 118 82	{ 51 45	{ 26 23	{ 11 9	{ 5 4	{ 211 163	{ 27 22	{ 11 22	{ 35 20	{ 43 26	{ 57 30
8	5. Pleurisy.....	{ M. 33 F. 10			{ 1 			{ 1 				{ 1 	{ 6
9	6. Asthma	{ M. 71 F. 27	{ 1 		{ 1 			{ 2 	{ 1 			{ 1 	{ 1
10	7. Others of this class.....	{ M. 164 F. 112	{ 22 27	{ 4 2	{ 6 2	{ 1 	{ 4 1	{ 37 32	{ 2 3	{ 1 7	{ 3 6	{ 6 3	{ 8 5
11	V.—Diseases of the digestive system.	872	138	33	4	4	6	185	12	11	23	30	42
12	Males	498	71	17	4	3	1	96	6	6	9	13	19
13	Females.....	374	67	16		1	5	89	6	5	14	17	23
14	1. Dentition	{ M. 21 F. 20	{ 12 12	{ 9 8				{ 21 20					
15	2. Angina	{ M. 15 F. 7	{ 2 3	{ 2 1	{ 1 	{ 1 		{ 6 4	{ 1 			{ 1 	
16	3. Diseases of the stomach.....	{ M. 82 F. 74	{ 18 14	{ 2 4	{ 1 	{ 1 		{ 22 19		{ 1 	{ 1 	{ 1 	{ 2 3
17	4. Obstruction of the bowels.....	{ M. 25 F. 22	{ 4 2			{ 1 		{ 5 4	{ 1 2	{ 3 	{ 1 1	{ 2 1	{ 1
18	5. Hernia	{ M. 24 F. 9	{ 5 					{ 5 		{ 1 	{ 2 		{ 1
19	6. Other diseases of the bowels.....	{ M. 13 F. 19	{ 3 7	{ 1 		{ 1 		{ 4 8		{ 1 	{ 1 2	{ 1 2	{ 1
20	7. Jaundice	{ M. 24 F. 18	{ 11 9	{ 1 				{ 11 10	{ 1 1				{ 1 1
21	8. Inflammation and abscess of the liver.....	{ M. 45 F. 27	{ 3 					{ 3 				{ 1 2	{ 5
22	9. Other diseases of the liver.....	{ M. 124 F. 48	{ 1 	{ 1 	{ 1 			{ 1 2		{ 1 		{ 1 	{ 2 1
23	10. Peritonitis	{ M. 71 F. 93	{ 4 3	{ 1 1	{ 1 		{ 1 2	{ 7 6	{ 3 3	{ 1 2	{ 4 7	{ 7 11	{ 8 14
24	11. Ascites.....	{ M. 14 F. 6								{ 1 			
25	12. Others of this class.....	{ M. 40 F. 31	{ 9 16	{ 2 				{ 11 16			{ 1 1		{ 2
26	VI.—Diseases of the urinary system and male organs of generation.	587	6		4		2	12	10	7	9	14	24
27	Males	452	5		2			7	6	5	4	8	16
28	Females.....	135	1		2		2	5	4	2	5	6	8
29	1. Bright's disease.....	{ M. 242 F. 76							{ 1 	{ 1 	{ 1 2	{ 4 2	{ 9 3
30	2. Calculus, urinary.....	{ M. 10 F. 1							{ 2 				
31	3. Diseases of the kidney.....	{ M. 103 F. 43	{ 3 		{ 2 2		{ 2 	{ 5 4	{ 3 3	{ 3 1	{ 2 3	{ 3 1	{ 3 3
32	4. Diseases of the bladder.....	{ M. 57 F. 2	{ 1 					{ 1 		{ 1 	{ 1 	{ 1 	{ 1
33	5. Others of this class.....	{ M. 40 F. 13	{ 1 1					{ 1 1		{ 1 		{ 3 	{ 3 1
34	VII.—Diseases of the female organs of generation.	54								1	5	2	6
35	1. Ovarian tumors.....	F. 14										{ 1 	
36	2. Ovarian diseases.....	F. 5											
37	3. Uterine tumors.....	F. 8											{ 3
38	4. Uterine diseases.....	F. 7								{ 1 	{ 2 	{ 1 	{ 3
39	5. Others of this class.....	F. 20									{ 2 	{ 1 	{ 3
40	VIII.—Affections connected with pregnancy.	137									9	37	37
41	1. Abortion.....	F. 19									{ 3 	{ 5 	{ 3
42	2. Childbirth.....	F. 69									{ 3 	{ 14 	{ 20
43	3. Puerperal septicemia.....	F. 36									{ 1 	{ 16 	{ 12
44	4. Extra-uterine pregnancy.....	F. 1											
45	5. Others of this class.....	F. 13									{ 2 	{ 2 	{ 2

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CALIFORNIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	42	3	1			1	5	6	8	1	1	4
2	Males.....	29	2	1				3	4	6		1	4
3	Females.....	13	1				1	2	2	2	1		
4	1. Diseases of the spine..... { M. 16	16	2	1				3	1	3		1	3
	{ F. 6	6	1				1	2	1	1			
5	2. Diseases of the bones..... { M. 4	4							1				
	{ F. 1	1											
6	3. Diseases of the hip joint..... { M. 7	7							2	3			
	{ F. 5	5							2	1			
7	4. Others of this class..... { M. 2	2											1
	{ F. 1	1											
8	X.—Diseases of the skin.....	37	6	1			2	9				4	4
9	Males.....	28	4	1			2	7				3	1
10	Females.....	9	2					2				1	3
11	1. Abscess..... { M. 13	13	1				2	3				1	1
	{ F. 6	6	2					2					3
12	2. Carbuncle..... { M. 8	8										2	
	{ F. 1	1											
13	3. Others of this class..... { M. 7	7	3	1				4				1	
	{ F. 2	2											
14	XI.—Diseases of the absorbent system.....	7							1				1
15	Males.....	5							1				
16	Females.....	2											1
17	1. Addison's disease..... { M. 3	3											1
	{ F. 2	2											
18	2. Diseases of the spleen..... { M. 1	1							1				
	{ F. 1	1											
19	3. Others of this class..... { M. 1	1											
	{ F. 1	1											
20	XII.—Accidents and injuries.....	1,442	35	20	8	21	7	91	47	52	80	138	144
21	Males.....	1,192	21	16	6	10	3	56	35	37	58	104	121
22	Females.....	250	14	4	2	11	4	35	12	15	22	34	23
23	1. Burns and scalds..... { M. 34	34	1	5	4	3		13	2	1	3	2	2
	{ F. 36	36	2	2	1	5		10	3	2	4	6	2
24	2. Drowned..... { M. 177	177	2	2		3	1	8	9	7	13	19	18
	{ F. 27	27			1	1	2	4	4	1	2	3	2
25	3. Exposure and neglect..... { M. 38	38	4	2		1	1	8					4
	{ F. 10	10	5	1		1		7		1			
26	4. Gunshot wounds..... { M. 78	78		1				1	1	9	8	9	10
	{ F. 7	7								1	1		2
27	5. Homicide..... { M. 67	67				1		1	1	1	2	4	9
	{ F. 12	12								2	3	4	
28	6. Infanticide..... { M. 1	1	1					1					
	{ F. 1	1											
29	7. Injuries by machinery..... { M. 7	7									1	1	
	{ F. 2	2								2			
30	8. Railroad accidents..... { M. 104	104							3	7	2	10	14
	{ F. 8	8								1	1	3	
31	9. Suffocation..... { M. 38	38	7	1				8			1	6	4
	{ F. 9	9	1					1		2		1	
32	10. Suicide by shooting..... { M. 80	80									3	12	7
	{ F. 5	5										2	3
33	11. Suicide by drowning..... { M. 6	6											
	{ F. 1	1											
34	12. Suicide by poison..... { M. 32	32										3	5
	{ F. 23	23											5
35	13. Other suicides..... { M. 69	69							1		2	4	5
	{ F. 14	14								2	2	2	1
36	14. Sunstroke..... { M. 9	9	1					1			1	1	2
	{ F. 2	2										1	
37	15. Surgical operations..... { M. 16	16										1	2
	{ F. 9	9							1				2
38	16. Wounds..... { M. 27	27				1		1	2	2	2	1	1
	{ F. 4	4	1					1					1
39	17. Other accidents and injuries..... { M. 409	409	5	5	2	2	1	15	16	10	20	34	41
	{ F. 81	81	5	1		3	2	11	4	4	4	7	5

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CALIFORNIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
1	8		1	2	2	1	1		1					1
1	6		1	1	2	1	1		1					2
	2			1										3
	2			1	2									4
	2													5
	1			1		1	1							6
1	2		1											7
	1								1					8
	1	1	5	2	1	2	4		4					9
	1	1	4	2	1	1	4		3					10
			1			1			1					11
			2	2	1		2		1					12
	1		2			1	1		1					13
		1	1				1		1					14
	3				1	1								15
	2				1	1								16
	1													17
	2				1									18
	1													19
						1								20
140	138	104	116	96	81	75	39	20	11	5	4	3		58
123	128	89	105	83	73	57	34	18	7	5	2	2		55
17	10	15	11	13	8	18	5	2	4		2	1		3
1	1	3	1	1	2		1	1						23
1	1	1			2	3	1							24
17	14	16	11	9	9	6	5	1		2				13
2	1	1	1	4		2								25
3	2	1	3	2		3	2	4		1	2	1		2
											1			1
10	11	3	4	4	3	2	1							2
2	2													26
15	8	10	1	3	3	5		1						4
1	1	1												27
														28
	2		1	1	1									29
13	11	6	7	7	6	3	4	4	1	2				4
				1					2					30
2	4	1	4	3	2	1	1							1
			1		1									1
14	6	3	9	6	10	4	3	1	1					1
														32
	3				2									1
				1										33
2	6	5	7		5	3	1							1
4	2	2			1	1								34
7	12	4	7	8	4	5	2		1					7
1	1	2	2	1	1	1								35
								1						36
								1						37
2	4	1	2	1	1	2								38
1	1	1		2		1								39
1	2	1	4	3	2	2	2	1						38
1		1												38
35	40	35	44	35	23	21	11	5	4			1		19
7	2	4	7	4	2	10	3	2	2			1		1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

COLORADO.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
396	342	273	205	185	121	136	103	88	52	21	17	8	2	130	1
259 137	241 101	184 89	142 63	133 52	81 40	94 42	59 44	43 45	31 21	11 10	10 7	3 5	1 1	78 52	2 3
15	14	8	7	3	2	7	4	4	3	1	2	1		32	4
12 3	9 5	5 3	7 3	3	1 1	4 3	1 3	2 2	3	1	1	1		20 12	5 6
69	48	32	19	12	5	10	5	4	4	1		1		20	7
44 25	37 11	21 11	16 3	12	4 1	7 3	4 1	1 3	4	1		1		7 13	8 9
															10
1														1	11
1															12
2		2										1			13
															14
1	1	2				1 1	1								15
1	1				1										16
37 14	24 8	10 7	8 2	9	1	2	2	1	1					4 3	17
1 2	5	2	1	1	1	2 1	2	2	2	1				2 3	18
															19
1 2	1	2		1		1		1							20
	1	2	3		1	2			1					2	21
2 3	4	1 2	1	1	1										22
	1		3												23
1			1											1	24
9	8	10	11	9	1	8	3	1						6	25
7 2	8	7 3	9 2	9	1	7 1	2 1	1						4 2	26 27
															28
5 1	3	6 1	7 2	7		5 1	1							1	29
	1														30
2 1	3	1 1	2	2	1	2	1	1						2 2	31
	1							1						1	32
	1	2		1		2	6	11	8	5	8	3	1	1	33
	1	1		1		2	3	2	4	2	4	2	1	1	34
		1					3	9	4	3	4	1			35
															36
															37
															38
	1	1		1		2	1 1	3	1 1					1	39
							2	2	3	2	4	2	1		40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

COLORADO—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	660	21	8	1	2	1	33	9	15	26	61	100
2	Males.....	401	12	4	1	1		18	6	5	13	33	71
3	Females.....	259	9	4		1	1	15	3	10	13	28	29
4	1. Rheumatism.....	{ M 9 F 9				1		1	2	1	1	1	2
5	2. Scrofula and tabes.....	{ M 6 F 4	4					4					
6	3. Leprosy.....	{ M F											
7	4. Consumption.....	{ M 326 F 164	2					2	1	2	11	31	65
8	5. Hydrocephalus.....	{ M 14 F 8	5	3	1			9	2	1	1		1
9	6. Cancer.....	{ M 21 F 37				1		1				1	1
10	7. Tumor.....	{ M 6 F 9	1	1				2	1	1			1
11	8. Anæmia.....	{ M 1 F 4							1	1			
12	9. Dropsy.....	{ M 12 F 18	1	1				2				1	1
13	10. Diabetes.....	{ M 6 F 4							1				1
14	11. Others of this group.....	{ M F					1	1			1		
15	12. Others of this class.....	{ M F											
16	II.—Diseases of the nervous system.....	390	118	34	14	6	9	181	15	14	10	13	17
17	Males.....	217	67	17	4		4	92	8	7	3	9	10
18	Females.....	173	51	17	10	6	5	89	7	7	7	4	7
19	1. Inflammation of the brain.....	{ M 57 F 39	26	9	3		3	41	1	3		1	4
20	2. Apoplexy.....	{ M 21 F 18	1					1	1				1
21	3. Paralysis.....	{ M 31 F 22	1		1		1	3	1		1	1	1
22	4. Tetanus and trismus nascentium.....	{ M 5 F 1	2		1			2					2
23	5. Epilepsy.....	{ M 4 F										1	
24	6. Convulsions.....	{ M 43 F 45	30	4			1	35	1	1		1	1
25	7. Mental diseases.....	{ M 3 F 2											1
26	8. Diseases of the brain.....	{ M 30 F 26	6	3				9			1	2	2
27	9. Diseases of the spinal cord.....	{ M 21 F 14	2	1	1		1	4	4	3	2	4	1
28	10. Others of this class.....	{ M 2 F 6	1					1		1	2	1	
29	III.—Diseases of the circulatory system.....	270	40	4	1	2	1	48	12	9	10	16	10
30	Males.....	150	25	2	1	2		30	5	2	1	6	5
31	Females.....	120	15	2			1	18	7	7	9	10	5
32	1. Angina pectoris.....	{ M 4 F 4											1
33	2. Aneurism.....	{ M 3 F 1											
34	3. Diseases of the heart.....	{ M 127 F 112	14	2	1	2		19	4	2	1	6	5
35	4. Others of this class.....	{ M 16 F 3	11	2			1	11	1	7	9	10	4

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

COLORADO—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	1,016	167	80	53	37	29	366	55	26	25	37	67
2	Males	637	88	44	39	21	17	209	31	9	12	45	53
3	Females	379	79	36	14	16	12	157	24	17	13	12	14
4	1. Croup	{ M. 54 F. 34	{ 11 8	{ 3 9	{ 11 1	{ 10 5	{ 3 3	{ 38 26	{ 13 5	{ 2 3			1
5	2. Laryngitis	{ M. 2 F. 1					1	1	1				
6	3. Bronchitis	{ M. 52 F. 39	{ 24 20	{ 5 5	{ 9 3	{ 1 1	{ 1 1	{ 39 30	{ 1 1		1	1	
7	4. Pneumonia	{ M. 441 F. 245	{ 34 29	{ 26 15	{ 15 9	{ 8 10	{ 12 6	{ 95 69	{ 13 15	{ 5 13	{ 10 11	{ 40 10	{ 49 12
8	5. Pleurisy	{ M. 9 F. 2			1			1	1				2
9	6. Asthma	{ M. 12 F. 3											
10	7. Others of this class	{ M. 67 F. 55	{ 19 22	{ 10 7	{ 3 1	{ 2 1	{ 1 2	{ 35 32	{ 2 3	{ 2 2	{ 1 2	{ 4 2	{ 3 2
11	V.—Diseases of the digestive system	226	53	4	7	1	1	66	11	8	8	20	18
12	Males	127	30		3	1		34	8	4	4	9	9
13	Females	99	23	4	4		1	32	3	4	4	11	9
14	1. Dentition	{ M. 5 F. 3	{ 5 2		1			{ 5 3					
15	2. Angina	{ M. 8 F. 7			2			{ 2 2	{ 4 2	{ 1 2		1	
16	3. Diseases of the stomach	{ M. 19 F. 17	{ 6 4	2	1			{ 7 6			1	3	
17	4. Obstruction of the bowels	{ M. 6 F. 4	{ 2 2					{ 2 2				1	
18	5. Hernia	{ M. 8 F. 2	{ 3 2					{ 3 2	{ 1 1			1	
19	6. Other diseases of the bowels	{ M. 8 F. 5	{ 2 4					{ 2 4			1		3
20	7. Jaundice	{ M. 5 F. 2	{ 2 2		1			{ 2 1					
21	8. Inflammation and abscess of the liver	{ M. 8 F. 4	{ 1 4					{ 1 1				2	
22	9. Other diseases of the liver	{ M. 21 F. 7	{ 2 1					{ 2 1	{ 1 1		1		1
23	10. Peritonitis	{ M. 17 F. 33		1		1	1	{ 1 2	{ 1 1	{ 1 2	{ 3 2	{ 5 2	{ 4 8
24	11. Ascites	{ M. 2 F. 1										1	
25	12. Others of this class	{ M. 20 F. 14	{ 9 10	1				{ 9 11		2		3	2
26	VI.—Diseases of the urinary system and male organs of generation	105	8			1		9	7	2	3	4	13
27	Males	76	4			1		5	5	1	1	4	9
28	Females	29	4					4	2	1	2		4
29	1. Bright's disease	{ M. 40 F. 19							{ 3 2	{ 1 1	{ 1 2	{ 4 2	{ 4 4
30	2. Calculus, urinary	{ M. 1 F. 1											
31	3. Diseases of the kidney	{ M. 21 F. 8	{ 4 3			1		{ 5 3	{ 2 2				4
32	4. Diseases of the bladder	{ M. 10 F. 10											1
33	5. Others of this class	{ M. 4 F. 2		1				{ 1 1					
34	VII.—Diseases of the female organs of generation	20							1	1		3	1
35	1. Ovarian tumors	F. 4										2	
36	2. Ovarian diseases	F. 1							1				
37	3. Uterine tumors	F. 3											
38	4. Uterine diseases	F. 3											1
39	5. Others of this class	F. 9								1		1	
40	VIII.—Affections connected with pregnancy	107									9	28	29
41	1. Abortion	F. 6										2	2
42	2. Childbirth	F. 43									5	9	12
43	3. Puerperal septicæmia	F. 47									2	14	12
44	4. Extra-uterine pregnancy	F. 1											
45	5. Others of this class	F. 11									2	3	3

VITAL AND SOCIAL STATISTICS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

COLORADO—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	9	2					2	1	2	1		1
2	Males	5	2					2		2			
3	Females	4							1		1		1
4	1. Diseases of the spine..... { M { F	4 2	2					2	1	1			1
5	2. Diseases of the bones..... { M { F	1 1											
6	3. Diseases of the hip joint..... { M { F	1 1								1		1	
7	4. Others of this class..... { M { F												
8	X.—Diseases of the skin	13	3					3		2	1		
9	Males	8	1					1		2	1		
10	Females	5	2					2					
11	1. Abscess	3 3								1			
12	2. Carbuncle	3 3									1		
13	3. Others of this class..... { M { F	2 2	1 2					1 2		1			
14	XI.—Diseases of the absorbent system.....	3											
15	Males	3											
16	Females.....												
17	1. Addison's disease..... { M { F	1 1											
18	2. Diseases of the spleen..... { M { F	1 1											
19	3. Others of this class..... { M { F	1 1											
20	XII.—Accidents and injuries	457	20	3	5	7	6	41	16	14	20	52	53
21	Males	379	13	2	1	4	2	22	11	11	16	40	51
22	Females.....	78	7	1	4	3	4	19	5	3	4	12	2
23	1. Burns and scalds..... { M { F	10 13		1			1 2	1 3		1	1	1	1 1
24	2. Drowned..... { M { F	24 2	1		1 1	1	1 1	4 2	3	1	4	1	4
25	3. Exposure and neglect..... { M { F	4 3	2		1			2 3					
26	4. Gunshot wounds..... { M { F	42 5				1 1		1 2	3	1	4	5 2	9
27	5. Homicide..... { M { F	12 3									1 1	2	1
28	6. Infanticide..... { M { F												
29	7. Injuries by machinery..... { M { F	3 3											2
30	8. Railroad accidents..... { M { F	74 5	1			1		1 1	1	5	2	6 1	16
31	9. Suffocation..... { M { F	2 1	2					2		1			
32	10. Suicide by shooting..... { M { F	14 1								1	1	4 1	3
33	11. Suicide by drowning..... { M { F												
34	12. Suicide by poison..... { M { F	11 5										2 4	1
35	13. Other suicides..... { M { F	8 1										4	1
36	14. Sunstroke..... { M { F	1 1											
37	15. Surgical operations..... { M { F	3 2		1				1		1			
38	16. Wounds..... { M { F	2 4									1		1
39	17. Other accidents and injuries..... { M { F	169 33	7 4	2		2 1	1	11 7	4 3	1 1	2 2	15 2	14

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

COLORADO—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
		1			1										1
		1			1										2
					1										3
															4
		1													5
															6
															7
1	1	1	1	1		1								1	8
1	1	1	1	1		1								1	9
		1	1	1		1								1	10
		1	1	1										1	11
1			1												12
															13
		1			1		1								14
		1			1		1								15
								1							16
								1							17
					1										18
		1													19
58	45	39	30	30	12	11	7	5	1	2				21	20
54	43	33	25	28	11	7	4	3	1	2				17	21
4	2	6	5	2	1	4	3	2						4	22
2	1		1	1											23
1	1	3				1	1								24
1		1	2	1	1									1	25
		2													26
5	5		3	3	2									1	27
1	1	2	2		1									1	28
1			1												29
				1											30
14	7	5	4	3		4	1	1	1	1				3	31
		1													32
1	1		1	1		1									33
															34
2	1		1	3										1	35
		1	2			1									36
1															37
		1	1												38
		1	2			1									39
27	27	20	8	15	7	1	4	2		1				10	40
2	1	1	2	2	1	2	1	2						4	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
539	562	507	576	569	613	717	750	782	735	653	390	174	55	38.	1
292 247	292 270	270 237	295 281	307 262	299 314	385 332	415 385	374 408	366 369	301 352	168 222	58 116	18 37	49 39	2 3
6	1	6	6	5	2	6	6	5	4	2		1		7	4
3 3	1 3	3 3	3 3	5	1 1	3 3	3 3	3 2	3 1	2		1		4 3	5 6
56	53	46	54	34	47	55	51	52	59	42	18	8	4	9	7
32 24	25 28	23 23	27 27	14 20	28 19	31 24	27 24	25 27	34 25	17 25	6 12	2 6	3 1	5 4	8 9
			1												10
	1	2													11
	1	1													12
		2				1					1				13
1	3	1	1	1			1	1							14
										1					15
1 1		1		1	1 1										16
17 7	13 10	11 8	6 11	7 6	4 6	8 4	5 3	6 7	2 2	1 2	1			1 1	17
4 11	2 2	5 1	14 6	2 7	5 7	11 11	11 10	10 11	18 19	12 13	3 8	1 5	1	2 1	18
														1	19
6 4	4 9	3 6	4 6	2 5	13 4	1 6	8 4	2 5	3 3	1 3		1 1		1	20
	1 1	1		1	1	3 1	2 3	2	2 1	1 1					21
3	4 1	3			4 1	5	1 1	1		1	2				22
1				2											23
	1	1	2			2 2	2	5 2	9	2 4	1 1		2 1		24
17	11	13	12	9	13	6	6	8	3	1	1			7	25
14 3	8 3	8 5	8 4	8 1	6 7	4 2	5 1	5 3	3	1	1			4 3	26 27
															28
14 3	7 2	7 4	7 4	7 1	2 4	2	3	3 1	1					1	29
		1	1		1										30
	1 1	1		1	2 2		2 1	1 1	2						31
					1	2		1		1	1			3 3	32
6	5	5	10	6	8	18	42	66	105	182	158	93	34	11	33
2 4	1 4	2 3	5 5	3 3	3 5	11 7	23 19	23 48	47 58	74 108	68 90	31 62	8 26	7 4	34 35
															36
															37
															38
2 4	1 4	2 3	5 5	3 3	3 5	9 5	12 12	6 15	8 6	7 13	6 6	1 4	1 2	6 4	39
							2	11	17	39	67	62	30	7	40
							2	7	28	52	95	84	58	24	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	2,584	106	37	25	15	12	195	25	50	161	289	273
2	Males	1,251	58	22	15	9	4	108	15	22	63	146	131
3	Females	1,333	48	15	10	6	8	87	10	28	98	143	142
4	1. Rheumatism	{ M. 54 F. 44	{ 1 1	{ 1 1				{ 2 1	{ 3 1	{ 1 1	{ 1 2	{ 2 4	{ 1 3
5	2. Scrofula and tubercles	{ M. 24 F. 23	{ 7 6	{ 1 1	{ 1 2	{ 1 1	{ 1 1	{ 11 10	{ 2 1	{ 1 1	{ 1 1		{ 1 1
6	3. Leprosy	{ M. F.											
7	4. Consumption	{ M. 908 F. 835	{ 23 11	{ 6 7	{ 7 2	{ 4 2	{ 2 3	{ 42 25	{ 5 4	{ 15 23	{ 58 91	{ 136 134	{ 125 135
8	5. Hydrocephalus	{ M. 55 F. 51	{ 22 22	{ 14 7	{ 6 6	{ 3 3	{ 1 3	{ 46 41	{ 4 3	{ 1 1		{ 1 1	{ 1 1
9	6. Cancer	{ M. 119 F. 259									{ 1 1	{ 2 1	{ 1 1
10	7. Tumor	{ M. 10 F. 24	{ 2 2			{ 1 1		{ 3 3	{ 1 1				
11	8. Anæmia	{ M. 5 F. 10	{ 2 3			{ 1 1		{ 3 3					
12	9. Dropsy	{ M. 39 F. 49	{ 1 2					{ 1 2	{ 1 1	{ 2 1	{ 1 1	{ 2 1	{ 1 1
13	10. Diabetes	{ M. 32 F. 28								{ 2 1	{ 1 1	{ 3 1	{ 1 2
14	11. Others of this group	{ M. 5 F. 10	{ 2 1		{ 1 1			{ 3 2		{ 1 1	{ 2 2		
15	12. Others of this class	{ M. F.											
16	II.—Diseases of the nervous system	1,688	252	94	47	24	15	432	49	18	31	28	26
17	Males	845	140	44	19	11	7	221	27	7	14	14	16
18	Females	853	112	50	28	13	8	211	22	11	17	14	10
19	1. Inflammation of the brain	{ M. 120 F. 122	{ 41 30	{ 13 26	{ 5 16	{ 5 7	{ 2 4	{ 66 83	{ 20 13	{ 3 6	{ 4 3	{ 3 3	{ 4 1
20	2. Apoplexy	{ M. 219 F. 249	{ 2 1	{ 1 1				{ 3 2				{ 2 5	{ 1 1
21	3. Paralysis	{ M. 158 F. 164	{ 1 1	{ 2 1	{ 1 1			{ 3 4		{ 2 2	{ 1 3	{ 3 2	{ 1 1
22	4. Tetanus and trismus nascentium	{ M. 9 F. 9	{ 7 6					{ 7 6		{ 1 1		{ 1 1	{ 1 1
23	5. Epilepsy	{ M. 28 F. 16		{ 1 1		{ 1 1		{ 2 6		{ 2 1	{ 5 2	{ 1 2	{ 4 4
24	6. Convulsions	{ M. 116 F. 118	{ 73 67	{ 19 20	{ 11 8	{ 4 2	{ 2 3	{ 109 100	{ 2 2		{ 1 2		{ 1 1
25	7. Mental diseases	{ M. 26 F. 37										{ 1 1	{ 1 1
26	8. Diseases of the brain	{ M. 107 F. 82	{ 12 5	{ 6 1	{ 2 1	{ 1 3	{ 1 1	{ 22 10	{ 3 2	{ 1 1	{ 3 3	{ 3 1	{ 4 1
27	9. Diseases of the spinal cord	{ M. 39 F. 20	{ 3 2	{ 3 1	{ 1 2		{ 1 1	{ 8 6	{ 2 2	{ 2 2			{ 2 1
28	10. Others of this class	{ M. 13 F. 36	{ 1 1					{ 1 1		{ 1 1	{ 3 3	{ 2 2	{ 1 1
29	III.—Diseases of the circulatory system	966	49	5	2	1	1	58	13	17	18	19	29
30	Males	499	26	4	2			32	5	8	12	7	9
31	Females	467	23	1			1	26	8	9	6	12	20
32	1. Angina pectoris	{ M. 15 F. 23											{ 1 1
33	2. Aneurism	{ M. 7 F. 2											{ 1 1
34	3. Diseases of the heart	{ M. 450 F. 420	{ 10 9	{ 2 1	{ 1 1			{ 13 12	{ 5 8	{ 8 9	{ 12 6	{ 7 11	{ 8 18
35	4. Others of this class	{ M. 27 F. 22	{ 16 14	{ 2 1	{ 1 1			{ 19 14				{ 1 1	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
225	201	146	160	151	141	158	131	112	71	47	30	6	3	9	1
123 102	88 113	67 79	76 84	77 74	66 75	82 76	76 55	44 68	29 42	20 27	13 17	1 5	3	4 5	2 3
4 1	3 4	3 1	4 1	5 3	4 1	7 3	5 1	1 6	4 5	2 5	2 1				4
2	1 3	2	1 1		1	1	1 1	1							5
															6
113 93	75 82	54 57	63 40	55 28	42 28	41 27	33 21	25 20	12 10	6 9	4 2	2	1	4 3	7
1	1			1						1				2	8
1 4	6 15	4 16	6 37	11 35	14 35	22 31	21 20	10 29	7 15	9 6	3 12	1 1	1		9
1	3	2	1	2 1	1	1 4	2 2	1 4	1	2					10
1	1					1	1 2	1 1		1					11
	2 2	2	3	2 3	2 6	7 7	4 3	3 4	4 10	1 3	4 2	2	1		12
4	1 1	3	1 1	1 3	2 4	3 3	9 5	2 3	2 1						13
	1		1	1	1			1		2					14
															15
26	39	53	56	75	80	114	142	152	137	124	57	23	6	11	16
15 11	15 24	23 30	25 31	34 41	41 48	61 53	78 64	71 81	68 69	65 59	24 33	6 17	3 3	7 4	17 18
2 1	3 1	2 5	2 1	3	1 1	2 1	4	1 1	3	1	1				19
3 4	2 4	6 7	11 12	16 21	15 16	27 24	38 34	24 33	23 37	29 27	11 15	2 6	3 1	3	20
1	5	4 4	5 8	4 8	10 12	12 16	26 8	29 23	24 20	24 21	7 15	3 9	2	1 2	21
		1			1										22
1	3 2	2	2 1	3 1	2 1	1		1 1			1				23
	1 2	1	1	3			1	2	1					2	24
1 1	1 4	3 1	1 4	2 3	8	3 4	2	4 2	2 2	5 2	3 1	1			25
6 4	3 2	5 5	3 3	3 4	8 8	8 6	8 5	9 13	10 7	6 5	1 2	1			26
	1 1	1 2	1 1	2	4 1	4 1	4 3	2	5	1 1				2	27
1 1	1 3	1 3		1 1	1	4 1	1 8	1 6		3		1		1	28
24	38	27	50	60	63	97	99	116	116	76	31	9	1	5	29
11 13	21 17	16 11	28 22	28 32	26 37	63 34	57 42	61 55	57 59	38 38	11 20	3 6	1	5	30 31
2			1 1	2 2	3 2	1	3 5	3 2	2 3	4	1				32
		1	2	1	1			1 1							33
11 11	21 17	15 11	24 20	25 29	21 35	63 32	54 37	56 50	54 56	34 33	10 19	3 6	1	5	34
			1	1	1	1		1 2	1	4 1	1				35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	2,306	320	133	83	51	29	616	75	21	53	78	87
2	Males	1,241	187	81	40	29	16	353	39	8	35	52	51
3	Females	1,065	133	52	43	22	13	263	36	13	18	26	36
4	1. Croup	{ M. 85 F. 58	{ 14 5	{ 21 6	{ 13 14	{ 11 10	{ 5 6	{ 64 41	{ 16 16	{ 2 1		2	
5	2. Laryngitis	{ M. 7 F. 5	{ 2 1	{ 2		{ 2 2		{ 6 4					
6	3. Bronchitis	{ M. 230 F. 247	{ 61 54	{ 23 14	{ 9 11	{ 4 3	{ 3	{ 100 82	{ 3 3	{ 1	{ 6 2	{ 3 3	{ 5 7
7	4. Pneumonia	{ M. 761 F. 583	{ 91 55	{ 30 28	{ 17 14	{ 9 7	{ 8 7	{ 155 111	{ 17 12	{ 5 10	{ 26 12	{ 41 17	{ 38 24
8	5. Pleurisy	{ M. 24 F. 15					{ 1	{ 1	{ 1		{ 1	{ 2	{ 3
9	6. Asthma	{ M. 16 F. 22	{ 1					{ 1					{ 1
10	7. Others of this class	{ M. 118 F. 135	{ 18 18	{ 5 3	{ 1 3	{ 2		{ 26 24	{ 2 3		{ 2 3	{ 4 3	{ 4 5
11	V.—Diseases of the digestive system	686	110	30	6	8	6	160	17	6	22	20	27
12	Males	336	68	20	4	3	3	98	9	6	12	9	10
13	Females	350	42	10	2	5	3	62	8		10	11	17
14	1. Dentition	{ M. 37 F. 24	{ 19 17	{ 16 6	{ 2			{ 37 24					
15	2. Angina	{ M. 7 F. 8	{ 1		{ 1		{ 1 2	{ 4 3	{ 2 1			{ 1	
16	3. Diseases of the stomach	{ M. 57 F. 77	{ 8 5	{ 1			{ 2	{ 9 8	{ 2	{ 1	{ 1 2	{ 1 3	{ 1 1
17	4. Obstruction of the bowels	{ M. 27 F. 19	{ 6 1	{ 1 1				{ 7 2			{ 3	{ 1	{ 3 1
18	5. Hernia	{ M. 9 F. 17	{ 2					{ 2					
19	6. Other diseases of the bowels	{ M. 7 F. 3	{ 2	{ 1				{ 3				{ 1	
20	7. Jaundice	{ M. 12 F. 10	{ 7 2				{ 1	{ 7 3					
21	8. Inflammation and abscess of the liver	{ M. 23 F. 28	{ 1					{ 1 2	{ 1				{ 1 1
22	9. Other diseases of the liver	{ M. 61 F. 54	{ 2					{ 2			{ 1	{ 1	{ 1
23	10. Peritonitis	{ M. 52 F. 68	{ 3	{ 1 3		{ 1		{ 5 4	{ 2 5	{ 5	{ 8 6	{ 4 4	{ 4 12
24	11. Ascites	{ M. 7 F. 7											
25	12. Others of this class	{ M. 44 F. 35	{ 17 15		{ 2	{ 1 1	{ 1	{ 21 16	{ 3 1		{ 1	{ 2 1	{ 1 1
26	VI.—Diseases of the urinary system and male organs of generation	491	6	3	3	1		13	6	2	10	21	25
27	Males	288	4	2	2			8	3	1	4	5	10
28	Females	203	2	1	1	1		5	3	1	6	16	15
29	1. Bright's disease	{ M. 152 F. 138							{ 2 3	{ 1	{ 4 5	{ 4 11	{ 7 10
30	2. Calculus, urinary	{ M. 1 F. 1											
31	3. Diseases of the kidney	{ M. 56 F. 51	{ 2 2	{ 1 1	{ 2 1		{ 1	{ 5 5	{ 1		{ 1	{ 1 5	{ 2 3
32	4. Diseases of the bladder	{ M. 41 F. 3	{ 1					{ 1					{ 1
33	5. Others of this class	{ M. 38 F. 10	{ 1	{ 1				{ 2					{ 2
34	VII.—Diseases of the female organs of generation	43									2	1	5
35	1. Ovarian tumors	F. 14											{ 1
36	2. Ovarian diseases	F. 4									{ 1		
37	3. Uterine tumors	F. 11											{ 1
38	4. Uterine diseases	F. 6											{ 2
39	5. Others of this class	F. 8									{ 1	{ 1	{ 1
40	VIII.—Affections connected with pregnancy	95									8	17	27
41	1. Abortion	F. 6										{ 1	{ 2
42	2. Childbirth	F. 29										{ 3	{ 9
43	3. Puerperal septicemia	F. 40									{ 5	{ 9	{ 10
44	4. Extra-uterine pregnancy	F. 4											{ 1
45	5. Others of this class	F. 20									{ 2	{ 4	{ 6

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	30	3		1			4	3	1	1	1	1
2	Males	12	1					1	1	1	1	1	1
3	Females	18	2		1			3	2				
4	1. Diseases of the spine	{ M. 4 F. 12	1		1			1 3	1			1	
5	2. Diseases of the bones	{ M. 5 F. 2									1		1
6	3. Diseases of the hip joint	{ M. 3 F. 1							1 1	1			
7	4. Others of this class	{ M. 3 F. 1											
8	X.—Diseases of the skin	28	8					8	2		1		
9	Males	16	7					7	1		1		
10	Females	12	1					1	1				
11	1. Abscess	{ M. 9 F. 9	4					4	1 1				
12	2. Carbuncle	{ M. 4 F. 1	1					1			1		
13	3. Others of this class	{ M. 3 F. 2	2					2					
14	XI.—Diseases of the absorbent system	6										1	1
15	Males	4											1
16	Females	2										1	
17	1. Addison's disease	{ M. 3 F. 2										1	1
18	2. Diseases of the spleen	{ M. 3 F. 1											
19	3. Others of this class	{ M. 1 F. 1											
20	XII.—Accidents and injuries	661	52	12	11	19	5	99	26	22	39	65	50
21	Males	512	28	7	6	12	4	57	19	18	33	61	42
22	Females	149	24	5	5	7	1	42	7	4	6	4	8
23	1. Burns and scalds	{ M. 15 F. 18	1	1	3	2	4	11 8	2		2	1	2
24	2. Drowned	{ M. 92 F. 19	1	1	1	7		10 5	9 2	12 1	12 1	8 1	8 2
25	3. Exposure and neglect	{ M. 13 F. 3	6		1			7 1			1		
26	4. Gunshot wounds	{ M. 17 F. 1		1				1	2	1	5		1 1
27	5. Homicide	{ M. 1 F. 1											1
28	6. Infanticide	{ M. 1 F. 1											
29	7. Injuries by machinery	{ M. 3 F. 1								1			
30	8. Railroad accidents	{ M. 121 F. 9							1 1	1	9	31	12
31	9. Suffocation	{ M. 20 F. 14	8	1		1		10 11			1	2	2
32	10. Suicide by shooting	{ M. 10 F. 1										2	
33	11. Suicide by drowning	{ M. 1 F. 2									1		
34	12. Suicide by poison	{ M. 9 F. 1											2
35	13. Other suicides	{ M. 20 F. 7											2 1
36	14. Sunstroke	{ M. 7 F. 1		1				1					1
37	15. Surgical operations	{ M. 7 F. 5	1	1				2	1			1	2
38	16. Wounds	{ M. 17 F. 5		1				1	3	1	1	1	2
39	17. Other accidents and injuries	{ M. 159 F. 63	11	1	1	2	1	15 16	3 2	3 2	4 2	15	11

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
4		2	1	3	1		4	2		1				1	1
1		1		1			2			1					2
3		1	1	2	1		2	2						1	3
1							1								
3				1	1		1	1						1	4
		1					1			1					5
		1	1												6
				1											
							1	1							7
	1	1	1	4		3		4	3						8
	1	1	1	4		3		3	3						9
		1	1					1							10
	1		1	3		2		2	1						11
						1			2						12
				1				1							13
					1	1		2							14
					1	1		2							15
						1									16
					1	1		1							17
									1						18
															19
39	51	34	33	36	24	28	20	29	20	24	8	2	3	9	20
36	49	31	26	29	21	17	15	21	14	12	2	1	2	6	21
3	2	3	7	7	3	11	5	8	6	12	6	1	1	3	22
			1	1	1				1		1				23
4	8	1	8	4	1	2	1	1	1					2	24
		1	1			2						1	1	1	
	2		1			1		1	1	1					25
3		3				1									26
1															27
															28
			2												29
13	20	6	5	4	5	4	1	1	4	1			1	2	30
	1	1	3			1								1	
1		1		1	1			1	1					1	31
	3	1	1	2				1							32
		1													33
1	1		2	2			1		1						34
	2	2	3	3	5			1	2						35
		1	1		1	1		1	1	1					36
		1	1	1						2					36
	1	1					1	1							37
1			1	1		1	3	3							38
						1		1	1						38
13	12	14	3	10	8	7	9	13	6	8	2	1	1	1	39
2	1		1	6	1	5	4	4	1	11	5				39

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

DELAWARE.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
122	87	91	106	122	87	145	140	152	116	89	47	25	8	38	1
58	39	42	62	77	49	84	80	63	64	47	26	10	1	18	2
64	48	40	44	45	38	61	60	89	52	42	21	15	7	20	3
	5	1	1	3	4	8	2	3	8	5				3	4
	3	1		2	2	7	2	1	2	3				3	5
	2		1	1	2	1		2	6	2					6
16	2	12	9	7	4	10	10	11	7	8	5	1		10	7
7	1	9	7	6		3	5	3	3	5	2	1		7	8
9	1	3	2	1	4	7	5	8	4	3	3			3	9
															10
		1													11
															12
															13
1							1							1	14
															15
1			1												16
4	1	4	3	4		1	1							2	17
5		2			2	3	1	1							18
2		2	1	1		1	3		1	4	1			2	19
1	1	1	2		1	3	1	7	3	3	3			2	20
														1	21
		1	1					1	1	1	1				22
				1											23
		1	1			1	1	1	1						24
					1										25
	1	1	1						1					1	26
														1	27
			1						1						28
															29
	1	1													30
									1						31
															32
			1												33
						11	12	20	20	30	25	18	4	1	34
			2			5	5	6	10	14	15	6			35
			1			6	7	14	10	16	10	12	4	1	36
															37
															38
															39
			2			5	4	5	8	9	11	3			40
			1			3	7	9	9	9	7	7	3		
							1	1	2	5	4	3			
						3		5	1	7	3	5	1	1	

VITAL AND SOCIAL STATISTICS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

DELAWARE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	593	20	10	4	3	2	39	11	20	46	73	75
2	Males.....	263	11	6	1	2		20	3	9	18	30	34
3	Females.....	330	9	4	3	1	2	19	8	11	28	43	41
4	1. Rheumatism.....	{ M F	1 2										
5	2. Scrofula and tabes.....	{ M F	3 1	1 1				1 1					
6	3. Leprosy.....	{ M F											
7	4. Consumption.....	{ M F	208 268	5 3	5 2	1 2	1 1	12 10	2 7	5 11	18 26	30 42	34 39
8	5. Hydrocephalus.....	{ M F	2 4	2 1	2	1		2 4					
9	6. Cancer.....	{ M F	19 33	1			1	1 1	1				2
10	7. Tumor.....	{ M F	4 3							1			
11	8. Anæmia.....	{ M F	1 3	1 2				1 2			1		
12	9. Dropsy.....	{ M F	22 12	2	1			3	1	2	1	1	
13	10. Diabetes.....	{ M F	3 3							1			
14	11. Others of this group.....	{ M F	1	1				1					
15	12. Others of this class.....	{ M F											
16	II.—Diseases of the nervous system.....	371	93	29	15	4	4	145	8	9	7	10	4
17	Males.....	203	42	20	11		3	76	4	8	2	5	1
18	Females.....	168	51	9	4	4	1	69	4	1	5	5	3
19	1. Inflammation of the brain.....	{ M F	56 48	18 23	13 5	5 4	2	38 34	2 3	6 1	2 4	3 1	
20	2. Apoplexy.....	{ M F	35 19	1				1					
21	3. Paralysis.....	{ M F	52 42	1	1	1		3					
22	4. Tetanus and trismus nascentium.....	{ M F	5 2	1				1				1	1
23	5. Epilepsy.....	{ M F	1 4							1		1	
24	6. Convulsions.....	{ M F	29 35	19 25	4 4	3	1	27 30	1		1		
25	7. Mental diseases.....	{ M F	2 2										
26	8. Diseases of the brain.....	{ M F	21 14	4 1	2	2	1	8 3	1	1		3	2
27	9. Diseases of the spinal cord.....	{ M F	2						1				
28	10. Others of this class.....	{ M F	2									1	
29	III.—Diseases of the circulatory system.....	215	33	3	1		1	38	4	3	3	8	7
30	Males.....	132	21	3			1	25	2		1	5	4
31	Females.....	83	12		1			13	2	3	2	3	3
32	1. Angina pectoris.....	{ M F	4							1		1	
33	2. Aneurism.....	{ M F											
34	3. Diseases of the heart.....	{ M F	128 76	18 9	3	1		21 10	2 2		1 2	5 2	4 3
35	4. Others of this class.....	{ M F	4 3	3 3				4 3					

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

DELAWARE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
54	29	36	40	36	27	28	27	29	8	5		2		8	1
22	9	15	18	23	12	10	13	15	5	4		1		2	2
32	20	21	22	13	15	18	14	14	3	1		1		6	3
	1			1											4
	1			1		1									5
															6
21	8	13	15	18	9	5	5	4	4	3		1		1	7
28	19	13	20	7	9	13	10	7	2	1				4	8
															9
1		7	2	1	2	2	4	6				1		1	10
			1	1		1	1			1					11
1			1	1	1	1	4	5	1					1	12
1			1	1		3		1	1					1	13
															14
															15
3	9	11	7	12	8	28	24	24	27	19	9	1	1	5	16
1	5	2	4	8	7	17	16	14	16	11	4			2	17
2	4	9	3	4	1	11	8	10	11	3	5	1	1	3	18
	2		1					1			1				19
	1			2	1	8	6	7	2	6	1			1	20
1	1	4		1		3		1	4	1	1		1		21
		1	1	3	5	6	8	6	13	3	2			1	22
		2	1	1	1	3	7	7	7	6	4	1		2	23
															24
1		1		1		1	1								25
	1		1	1											26
1	1	1	1	2		1	2	1	1	1					27
															28
										1					29
12	6	7	16	15	12	14	19	15	17	7	5	2	2	3	30
7	4	1	13	11	9	11	11	7	12	3	3	1	1	1	31
5	2	6	3	4	3	8	8	8	5	4	2	1	1	2	32
		1			1										33
7	4	1	13	11	9	11	11	7	12	3	3	1	1	1	34
5	2	5	3	4	2	3	8	8	5	4	2	1	1	2	35

VITAL AND SOCIAL STATISTICS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

DELAWARE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	4									1		
2	Males	3									1		
3	Females	1											
4	1. Diseases of the spine	2									1		
	{ M	1											
	{ F	1											
5	2. Diseases of the bones	1											
	{ M	1											
	{ F												
6	3. Diseases of the hip joint.....												
	{ M												
	{ F												
7	4. Others of this class												
	{ M												
	{ F												
8	X.—Diseases of the skin												
9	Males												
10	Females												
11	1. Abscess												
	{ M												
	{ F												
12	2. Carbuncle												
	{ M												
	{ F												
13	3. Others of this class												
	{ M												
	{ F												
14	XI.—Diseases of the absorbent system.....												
15	Males												
16	Females												
17	1. Addison's disease												
	{ M												
	{ F												
18	2. Diseases of the spleen												
	{ M												
	{ F												
19	3. Others of this class												
	{ M												
	{ F												
20	XII.—Accidents and injuries	128	13	3		3	3	22	4	3	9	6	23
21	Males	101	6	3		2	2	13	4	2	8	4	21
22	Females	27	7			1	1	9	1	1	1	2	2
23	1. Burns and scalds	7	1	3		1	1	6					1
	{ M	4				1		1					
	{ F	3	1	3			1						
24	2. Drowned	17					1	1	2		3	1	3
	{ M	1											
	{ F	16					1	1	2		3	1	3
25	3. Exposure and neglect	1					1	1					
	{ M	1					1	1					
	{ F												
26	4. Gunshot wounds	4									2		1
	{ M	4									2		1
	{ F												
27	5. Homicide	2									1		
	{ M	2									1		
	{ F												
28	6. Infanticide												
	{ M												
	{ F												
29	7. Injuries by machinery												
	{ M												
	{ F												
30	8. Railroad accidents	33							1	1	1	2	12
	{ M	2										2	
	{ F	31							1	1	1		12
31	9. Suffocation	2											1
	{ M	7	4					4					1
	{ F												
32	10. Suicide by shooting	1											1
	{ M	1											1
	{ F												
33	11. Suicide by drowning												
	{ M												
	{ F												
34	12. Suicide by poison												
	{ M												
	{ F												
35	13. Other suicides	2											
	{ M	1											
	{ F	1											
36	14. Sunstroke	1											
	{ M	1											
	{ F												
37	15. Surgical operations	1											
	{ M	1											
	{ F												
38	16. Wounds	3								1	1		
	{ M	1											
	{ F	2								1	1		
39	17. Other accidents and injuries ..	28	5			1		6	1			1	2
	{ M	9	3					3					2
	{ F	19	2			1		3	1			1	2

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

DELAWARE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
	1					1								1	1
	1					1								1	2
						1								1	3
	1														4
															5
															6
															7
															8
															9
															10
															11
															12
															13
															14
															15
															16
														1	17
															18
															19
8	8	6	6	7	6	7	3	5	3	1		1			20
8	6	6	5	6	5	6	2	2	2			1			21
	2		1	1	1	1	1	3	1	1					22
									1	1					23
2	1	3		1											24
					1										25
				1											26
						1									27
															28
															29
3	2	3	1	1	2		2		1			1			30
	1							1	2						31
															32
															33
															34
	1		1					1							35
						1									36
						1									37
						1									38
3	2		3	3	3	3			1						39
	1		1					1							40

VITAL AND SOCIAL STATISTICS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	1,080	65	30	20	9	11	135	24	39	68	133	104
2	Males	542	41	16	12	5	5	79	10	14	22	57	59
3	Females	538	24	14	8	4	6	56	14	25	46	76	45
4	1. Rheumatism..... { M. 16		1					1	1		1	1	
	{ F. 20		2					2		3	1	2	
5	2. Scrofula and tuberc..... { M. 13		4	1	2	1	1	9	1	1			
	{ F. 16		6	4	2			12	2	1			
6	3. Leprosy												
7	4. Consumption	442	16	12	8	3	3	42	6	13	21	55	57
	{ F. 385		6	4	5	4	4	23	10	20	44	71	42
8	5. Hydrocephalus	20	13	1	1	1	1	17	2				1
	{ F. 14		7	3	1		1	12	1		1		
9	6. Cancer	29							1			2	1
	{ F. 79												
10	7. Tumor	3											1
	{ F. 4												1
11	8. Anæmia	3		1				1		1		1	
	{ F. 3												
12	9. Dropsy	7	1	1	1			3					
	{ F. 8			1			1	2					
13	10. Diabetes	3											1
	{ F. 4												
14	11. Others of this group..... { M. 9		6	1				7				1	
	{ F. 5		3	1				4					
15	12. Others of this class												
	{ F. 7												
16	II.—Diseases of the nervous system	655	204	29	11	5	10	259	8	6	7	11	15
17	Males	384	103	18	7	2	4	139	3	5	2	5	8
18	Females	271	96	11	4	3	6	120	5	1	5	6	7
19	1. Inflammation of the brain..... { M. 43		17	7	2	1	2	29	2			1	1
	{ F. 34		17	5		2	2	26	2		1	1	
20	2. Apoplexy	75	2					2			1		
	{ F. 52		1					1					3
21	3. Paralysis	42								1			2
	{ F. 43			1				1			1		
22	4. Tetanus and trismus nascentium { M. 31		27					27				1	
	{ F. 27		25				1	26			1		
23	5. Epilepsy..... { M. 14									2			2
	{ F. 7											1	
24	6. Convulsions	64	48	8	3	1		60	1	2			
	{ F. 47		39	1	4	1	2	47					
25	7. Mental diseases	22										1	1
	{ F. 17								1			3	2
26	8. Diseases of the brain	83	13	3	2		2	20			1	2	2
	{ F. 33		12	4			1	17	2		1		1
27	9. Diseases of the spinal cord..... { M. 9		1					1					
	{ F. 5		2					2			1		
28	10. Others of this class..... { M. 1											1	1
	{ F. 6									1			
29	III.—Diseases of the circulatory system.....	305	11				1	12	11	7	6	9	10
30	Males	167	6					6	6	2	4	6	4
31	Females	138	5				1	6	5	5	2	3	6
32	1. Angina pectoris	4										1	
	{ F. 2												
33	2. Aneurism	11											1
	{ F. 2												
34	3. Diseases of the heart	147	1					1	6	2	4	6	3
	{ F. 130		2				1	3	5	5	2	2	6
35	4. Others of this class	5	5					5					
	{ F. 4		3					3					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—(Continued).

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	10							1				1
2	Males.....	5											1
3	Females.....	5							1				
4	1. Diseases of the spine.....	{ M.. 1 F.. 2							1				1
5	2. Diseases of the bones.....	{ M.. 2 F.. 1											
6	3. Diseases of the hip joint.....	{ M.. 1 F.. 2											
7	4. Others of this class.....	{ M.. 1 F.. 1											
8	X.—Diseases of the skin.....	12	2					2					2
9	Males.....	6	1					1					1
10	Females.....	6	1					1					1
11	1. Abscess.....	{ M.. 2 F.. 2											1
12	2. Carbuncle.....	{ M.. 1 F.. 1											1
13	3. Others of this class.....	{ M.. 3 F.. 3	1					1					1
14	XI.—Diseases of the absorbent system.....	6									1	1	
15	Males.....	5									1	1	
16	Females.....	1											
17	1. Addison's disease.....	{ M.. 2 F.. 1										1	
18	2. Diseases of the spleen.....	{ M.. 1 F.. 1											
19	3. Others of this class.....	{ M.. 2 F.. 1									1		
20	XII.—Accidents and injuries.....	217	37	2	5	4	4	52	7	9	20	20	14
21	Males.....	168	23	1	3	3	3	33	6	9	18	18	11
22	Females.....	49	14	1	2	1	1	19	1		2	2	3
23	1. Burns and scalds.....	{ M.. 7 F.. 8			3	1	1	5	1				2
24	2. Drowned.....	{ M.. 23 F.. 1							1	4	5	5	
25	3. Exposure and neglect.....	{ M.. 3 F.. 6	3					3					
26	4. Gunshot wounds.....	{ M.. 10 F.. 1								3	2	2	1
27	5. Homicide.....	{ M.. 8 F.. 1									2	3	
28	6. Infanticide.....	{ M.. 5 F.. 4	5					5					
29	7. Injuries by machinery.....	{ M.. 5 F.. 4	4					4					
30	8. Railroad accidents.....	{ M.. 24 F.. 2							1	1	4	5	4
31	9. Suffocation.....	{ M.. 13 F.. 6	11		1			11			1		
32	10. Suicide by shooting.....	{ M.. 7 F.. 1									1		
33	11. Suicide by drowning.....	{ M.. 3 F.. 1											
34	12. Suicide by poison.....	{ M.. 4 F.. 1											
35	13. Other suicides.....	{ M.. 6 F.. 1										1	1
36	14. Sunstroke.....	{ M.. 1 F.. 1											
37	15. Surgical operations.....	{ M.. 2 F.. 1										1	
38	16. Wounds.....	{ M.. 12 F.. 1		1		1		2	1	1	2		3
39	17. Other accidents and injuries.....	{ M.. 43 F.. 17	4	1	1	1	2	7	2		1	2	2

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

DISTRICT OF COLUMBIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
1	1	1	1	2		1		1						1
1	1	1	1	2		1		1						2
						1								3
			1	1										4
								1						5
1	1	1												6
				1										7
			3		1	1			3					8
			2						2					9
			1		1	1			1					10
			1											11
			1		1									12
			1				1							13
	1			2				1						14
	1			1				1						15
				1										16
	1				1									17
								1						18
				1										19
11	15	9	17	11	7	8	7	4	1	2	3			20
9	14	7	13	9	6	5	5	2		1	2			21
2	1	2	4	2	1	3	2	2	1	1	1			22
1				1			1	1						23
1	2	1	1	2						1				24
			1										1	25
	2													26
1	2													27
														28
														29
1	3		2	2		1	1							30
			1											31
1	2	1	1		1									32
			3											33
1		1		1			1							34
			2	1							1			35
			1											36
								1						37
	1	1					1							38
4	2	3	3	3	5	3	3	2			1			39
		1	1	1	1	2	1	1	1	1				40

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

FLORIDA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.		
212	227	172	171	148	124	160	125	125	69	74	28	12	18	80	1	
103	110	98	87	75	77	102	76	79	44	43	20	5	7	45	2	
109	117	74	84	73	47	58	49	46	25	31	8	7	11	35	3	
19	11	11	6	7	4	9	12	4	3	4	4	1		25	4	
6	3	4	2	5	3	4	4	3	3	3	2			12	5	
13	8	7	4	2	1	5	8	1		1	2	1		13	6	
39	47	32	23	22	26	32	23	19	10	8	4	2		15	7	
20	29	24	12	7	16	15	16	15	7	4	2			9	8	
19	18	8	11	15	10	17	7	4	3	4	2	2		6	9	
																10
		1			1											11
1	2			3		1										12
																13
																14
																15
1	1		1		1			1	1					2		
						1										16
5	3	3	3	2	3	2	4		1					2		
4	5	3	2	3	1	3			1	2						17
2	8	9	3	2	5	1	6	10	3	2	1			2		
8	5	2	3	3	5	4	6	4	1	2	1			3		
																19
																20
10	13	8	3	2	6	4	5	5	3	2	1	1		3		
5	4	2	3	3	4	5	1		1		1	1		2		
1			1	1		2										21
1		1				3	1	1								22
1	2	1	1	1		2										23
	1	1	1			1				1						24
1	6	7	5	4	2	4		2	1							25
1	5	6	3	4	1	4		2	1							26
	1	1	2	1	1											27
																28
	4	3	2	3	1	2		2								29
	1															30
1		3	1	1		2			1							31
	1															32
	1		3	2	3	7	5	8	11	16	9	4	8	5		33
			1	2	1	3	2	5	5	10	6	3	2	4		34
	1		2	2	2	4	3	3	6	6	3	1	6	1		35
																36
																37
																38
			1		1	2	2		2		2	1		3		39
	1		2	2	2	4	2	2	3	1	1			1		40
						1	1	5	3	10	4	2	2	1		40

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

FLORIDA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
59	69	36	40	40	29	22	24	26	15	13	1	3	3	8	1
30	30	14	17	19	17	14	13	16	8	7	1		2	5	2
29	39	22	23	21	12	8	11	10	7	6		3	1	3	3
1		1			1	1	1	2			1				4
1							1					1			5
		1		2				1							6
				1											7
26	28	9	13	12	10	4	4	3	2	1			1	5	7
22	27	13	12	11	5	1	4	6		3		1		3	8
	1					1									9
		2	1	1	2	1	2	3	2						10
3	4	5	8	4	3	6	2	3	2	1					11
					2		1	1		1		1			12
					1					1					13
							1								14
2		2	2	4	2	7	4	6	4	5			1		15
3	5	3	3	4	3	1	4	1	4	1			1		16
1	1														17
			1												18
															19
11	16	11	8	12	12	16	12	14	7	4	1		2	2	20
8	8	7	5	7	9	13	10	6	4	3	1		1	1	21
3	8	4	3	5	3	3	2	8	3	1			1	1	22
1	1	1		1	1		1	1							23
	1	1	2	2	1	5	1	3	1	1					24
	2		2		1	1		2	1	1					25
1	2	3	1	3	3		4	3	2	2			1		26
1		2		5		1	1	4	2					1	27
															28
	1						1	1							29
					1										30
3	1					1	1								31
1	2												1		32
															33
2	2	2	3	1	4	5									34
1		1												1	35
1						1									36
		1				2	2	1	1		1				37
	1														38
9	10	15	22	14	11	16	10	17	7	12			2	4	39
6	4	6	10	3	7	9	12	9	5	7				3	40
3	6	9	12	11	4	7	7	8	2	5			2	1	41
				1											42
					1				1						43
															44
6	4	6	10	2	6	9	12	9	4	7				2	45
3	6	9	12	11	4	7	7	8	1	5			2	1	46

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

FLORIDA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system.....	457	87	32	18	15	8	160	25	15	22	25	20
2	Males	252	43	16	8	4	4	75	11	7	12	15	15
3	Females.....	205	44	16	10	11	4	85	14	8	10	10	5
4	1. Croup..... { M	15	9	2	2			13	1				
	{ F	25	17	2	2		1	22	2				
5	2. Laryngitis..... { M												
	{ F												
6	3. Bronchitis..... { M	20	6	2				8	1				
	{ F	16	4	2			1	7	2				
7	4. Pneumonia..... { M	140	17	5	2	1	3	28	6	3	10	13	12
	{ F	111	13	9	7	5	1	35	8	6	7	6	3
8	5. Pleurisy..... { M	14	1					1	1	1			
	{ F	9	1					2			1	2	1
9	6. Asthma..... { M	10											
	{ F	6											
10	7. Others of this class..... { M	53	10	7	4	3	1	25	2	3	2	2	3
	{ F	38	9	3	1	5	1	19	2	2	2	2	1
11	V.—Diseases of the digestive system.....	237	52	28	15	2	1	98	9	12	5	10	6
12	Males	128	24	11	8	2	1	46	3	6	3	4	4
13	Females.....	109	28	17	7			52	6	6	2	6	2
14	1. Dentition..... { M	16	3	8	4	1		16					
	{ F	22	11	9	2			22					
15	2. Angina..... { M	4											1
	{ F	4	1					1	1				
16	3. Diseases of the stomach..... { M	12	2					2	1	2	1	2	
	{ F	17		1				1	2		1	3	
17	4. Obstruction of the bowels..... { M	8	1					1	1	1		1	1
	{ F	5							1	1		1	
18	5. Hernia..... { M	5											
	{ F	1											
19	6. Other diseases of the bowels..... { M	8	1	1		1		3					
	{ F	13	3	2	1			6			1	1	
20	7. Jaundice..... { M	10	6					6					
	{ F	3	2					2					
21	8. Inflammation and abscess of the liver. { M	8		1	1			2					1
	{ F	3											1
22	9. Other diseases of the liver..... { M	13	1					1		1		1	
	{ F	6								2			1
23	10. Peritonitis..... { M	5											
	{ F	7	1	1				2		1			
24	11. Ascites..... { M	6			1			1					
	{ F	2			2			1	1				
25	12. Others of this class..... { M	33	10	1	2		1	14	1	2	2		1
	{ F	26	10	4	3			17	1	2		1	
26	VI.—Diseases of the urinary system and male organs of generation.	66	2		1			3		2	2	1	2
27	Males	46	2					2			2	1	1
28	Females.....	20			1			1		2			1
29	1. Bright's disease..... { M	22										1	1
	{ F	9								1			1
30	2. Calculus, urinary..... { M	6	1					1					
	{ F	2			1			1					
31	3. Diseases of the kidney..... { M	10	1					1					
	{ F	5								1			
32	4. Diseases of the bladder..... { M	4											
	{ F	2											
33	5. Others of this class..... { M	4									2		
	{ F	2											
34	VII.—Diseases of the female organs of generation.	25								1	2		2
35	1. Ovarian tumors..... F	2											
36	2. Ovarian diseases..... F												
37	3. Uterine tumors..... F	1											
38	4. Uterine diseases..... F	7									1		1
39	5. Others of this class..... F	15								1	1		1
40	VIII.—Affections connected with pregnancy.	119								2	21	22	23
41	1. Abortion..... F	7											1
42	2. Childbirth..... F	79								1	9	17	15
43	3. Puerperal septicæmia..... F	29									8	4	7
44	4. Extra-uterine pregnancy..... F												
45	5. Others of this class..... F	4								1	1		

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

FLORIDA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	15	1			1		2		2	1	2	
2	Males.....	10	1					1		2	1	2	
3	Females.....	5				1		1					
4	1. Diseases of the spine.....	{ M. 4 F. 3	1			1		1		1		1	
5	2. Diseases of the bones.....	{ M. 2 F. 1								1			
6	3. Diseases of the hip joint.....	{ M. 1 F. 1											
7	4. Others of this class.....	{ M. 4 F. 2									1	1	
8	X.—Diseases of the skin.....	10	4	1				5	1				
9	Males.....	6	3	1				4					
10	Females.....	4	1					1	1				
11	1. Abscess.....	{ M. 4 F. 1	1					1	1				
12	2. Carbuncle.....	{ M. 1 F. 1											
13	3. Others of this class.....	{ M. 5 F. 1	3	1				4					
14	XI.—Diseases of the absorbent system.....	1											
15	Males.....	1											
16	Females.....	1											
17	1. Addison's disease.....	{ M. 1 F. 1											
18	2. Diseases of the spleen.....	{ M. 1 F. 1											
19	3. Others of this class.....	{ M. 1 F. 1											
20	XII.—Accidents and injuries.....	306	40	5	7	11	7	70	23	15	26	33	31
21	Males.....	226	20	1	6	9	4	40	12	12	19	25	29
22	Females.....	80	20	4	1	2	3	30	11	3	7	8	2
23	1. Burns and scalds.....	{ M. 20 F. 24	3	2	5	8	1	17	1		2	1	1
24	2. Drowned.....	{ M. 21 F. 9							3	2	1	4	5
25	3. Exposure and neglect.....	{ M. 9 F. 8	6	1				6					
26	4. Gunshot wounds.....	{ M. 36 F. 3					1	1		2	6	5	6
27	5. Homicide.....	{ M. 19 F. 2								1	2	3	4
28	6. Infanticide.....	{ M. 1 F. 1											
29	7. Injuries by machinery.....	{ M. 2 F. 1									1		1
30	8. Railroad accidents.....	{ M. 14 F. 1									2	5	1
31	9. Suffocation.....	{ M. 7 F. 8	3	1	1			4	1				1
32	10. Suicide by shooting.....	{ M. 4 F. 1											
33	11. Suicide by drowning.....	{ M. 1 F. 1											
34	12. Suicide by poison.....	{ M. 4 F. 2									1		
35	13. Other suicides.....	{ M. 5 F. 1									1		1
36	14. Sunstroke.....	{ M. 5 F. 2									1		1
37	15. Surgical operations.....	{ M. 2 F. 1										1	
38	16. Wounds.....	{ M. 7 F. 1								1	2		1
39	17. Other accidents and injuries.....	{ M. 71 F. 20	8	1		1	2	12	7	6	7	6	9

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

FLORIDA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
		1	2			3	1	1						1
			1			1	1	1						2
		1	1			2								3
			1											4
		1	1											5
							1							6
														7
						1		1						8
						1	1							9
					1	1								10
					1	1								11
						1								12
								1						13
						1								14
						1								15
														16
							1							17
														18
														19
12	15	22	16	7	3	10	6	6		1	2		1	7
9	14	22	12	7	1	7	4	4		1	2			6
8	1		4		2	3	2	2					1	1
				1				1						23
2			2		1								1	2
1	2	1	1					1						24
														25
	1	1				1								26
1	4	3	4	2	1									1
4	2	3	2											27
								1						28
														29
														30
1	1	2	1					1						31
				1										32
														33
														34
	1	1	1			1								1
														35
1		2	1											36
1								2	2					37
														38
		1												1
1	1	8	2	3		4	1			1	2			1
	1		1		1	3		1						1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

GEORGIA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,003	984	834	680	695	502	716	681	685	511	387	235	92	76	227	1
464 539	427 557	402 432	314 366	350 345	250 252	392 324	352 320	336 349	282 229	207 180	113 122	44 48	29 47	137 90	2 3
45	26	30	34	47	32	40	32	49	28	25	12	7	9	50	4
21 24	11 15	13 17	15 19	30 17	14 18	20 20	18 14	19 30	11 17	12 13	7 5	3 4	3 6	35 15	5 6
201	181	154	112	116	66	109	113	97	71	60	32	7	7	31	7
97 104	84 97	66 88	46 66	56 60	35 31	51 58	53 60	53 44	34 37	24 36	19 13	2 5	1 6	14 17	8 9
6 8	3 6	3 10	1	1 2	1 2	3	2	1 1	1	1	1	1	1	1	10 11
1															12
1 2		1							2						13
8 7	1	1 4	2 3	1 5		2 4	6 4	1	3	1 3	3 1		1		14 15
1	1	1		1			1								16
42 33	29 35	26 25	11 16	6 10	5 8	13 12	8 12	7 8	8 4	1 6	3		1	5	17
6 22	11 18	9 18	10 21	19 21	15 11	17 21	12 25	30 25	17 18	11 16	9 7	1 3	3	6 6	18
27 19	28 31	25 20	13 21	17 15	13 9	13 14	15 11	12 7	3 11	8 7	3 3	1 2	1 1	1 7	19
1	3	1	1 1	1 3		1 1	5 1	2		1 3	1 1			1	20 21
2 7	4 5	1 4	5 2	3 2	1	1 2	3 4	2	1					1	22
1 4	4	4	3 1	5 2		2	1 1			1				1	23
2 1	2	1	1	2	1	2 1	2	1	1 1	1					24
7	9	7	6	7	6	7	4	3	5	1				3	25
7	6 3	6 1	5 1	6 1	4 2	7	3 1	3	5	1				2 1	26 27
														1	28
5	5	3	4	3	3	3	2	2	1						29
				2											30
2	1 2	2	1 1	1 1		4	1 1		1					1	31
	1	1 1			1 1			1	3	1				1	32
1	4	3	5		4	13	22	52	56	93	59	39	33	6	33
1	1 3	3	3 2		1 3	7 6	10 12	21 31	21 35	45 48	21 38	18 21	10 23	2 4	34 35
															36
															37
														1	38
1	1 3	3	3 2		1 3	3 4	5 3	4 9	11 13	5 11	3 10	2 3	1 3	1 1	39
						4	5	17	10	40	18	16	9	1 3	40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

GEORGIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	3,433	73	69	42	29	28	241	88	123	288	349	325
2	Males.....	1,496	41	44	23	10	16	134	41	49	108	151	134
3	Females.....	1,937	32	25	19	19	12	107	47	74	180	198	191
4	1. Rheumatism.....	{ M. 64 F. 57	1	1	1		2	4	4	4	9	1	1
5	2. Scrofula and tabes.....	{ M. 58 F. 64	9	8	3	1	1	22	7	5	5	2	1
6	3. Leprosy.....	{ M. 1 F. 0										1	
7	4. Consumption.....	{ M. 930 F. 1,225	11	14	5	5	6	41	19	22	77	135	122
8	5. Hydrocephalus.....	{ M. 13 F. 12	8	1			1	9	1				
9	6. Cancer.....	{ M. 81 F. 212		1	1	1	1	2	2	2	1	3	2
10	7. Tumor.....	{ M. 13 F. 34	1		1			2	1		1	1	2
11	8. Anemia.....	{ M. 11 F. 15	4		1			5	1			2	1
12	9. Dropsy.....	{ M. 295 F. 299	5	16	12	4	6	43	14	16	14	9	6
13	10. Diabetes.....	{ M. 22 F. 12	1					1		1	1		
14	11. Others of this group.....	{ M. 5 F. 5	1		1			2	1	1			1
15	12. Others of this class.....	{ M. 3 F. 2		3				3					
16	II.—Diseases of the nervous system.....	1,832	368	121	59	40	28	616	89	62	56	47	45
17	Males.....	1,000	197	73	30	19	18	337	47	32	28	27	30
18	Females.....	832	171	48	29	21	10	279	42	30	28	20	15
19	1. Inflammation of the brain.....	{ M. 181 F. 142	39	28	11	6	9	93	16	12	13	13	9
20	2. Apoplexy.....	{ M. 106 F. 84	1	2				3			1	3	2
21	3. Paralysis.....	{ M. 249 F. 228	5	1	1	1	2	9	1	4	2	5	2
22	4. Tetanus and trismus nascentium.....	{ M. 37 F. 25	22	1			1	24	5	4			1
23	5. Epilepsy.....	{ M. 38 F. 29	2	2	1		1	6	2	1	3	3	4
24	6. Convulsions.....	{ M. 146 F. 130	92	18	4	5	2	121	8	2	2		2
25	7. Mental diseases.....	{ M. 29 F. 25									1		1
26	8. Diseases of the brain.....	{ M. 189 F. 143	36	14	13	7	2	72	14	9	7	6	8
27	9. Diseases of the spinal cord.....	{ M. 7 F. 7	2	1			1	4	1				
28	10. Others of this class.....	{ M. 18 F. 19	3	2				5			2	2	2
29	III.—Diseases of the circulatory system.....	828	18	9	7		2	36	12	11	28	32	37
30	Males.....	395	9	3	5			17	8	7	12	11	13
31	Females.....	433	9	6	2		2	19	4	4	16	21	24
32	1. Angina pectoris.....	{ M. 10 F. 6								1	1		
33	2. Aneurism.....	{ M. 5 F. 5							1				
34	3. Diseases of the heart.....	{ M. 375 F. 420	5	3	5		2	13	8	6	11	11	12
35	4. Others of this class.....	{ M. 5 F. 2	4	1				4					1

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

GEORGIA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	2,851	656	263	153	72	48	1,192	126	101	164	147	106
2	Males	1,492	336	138	89	35	25	623	66	47	82	83	60
3	Females	1,359	320	125	64	37	23	569	60	54	82	64	46
4	1. Croup	{ M.. 192 F.. 209	{ 109 124	{ 26 27	{ 26 22	{ 10 10	{ 10 7	{ 131 190	{ 8 12	{ .. 2	{ 1 ..	{ .. 1	{
5	2. Laryngitis	{ M.. 1 F.. 1	{	{ 1 ..	{	{	{	{ 1 ..	{	{	{	{	{
6	3. Bronchitis	{ M.. 97 F.. 134	{ 31 37	{ 15 12	{ 5 12	{ 3 4	{ 1 2	{ 55 67	{ 3 ..	{ .. 3	{ 3 4	{ 3 6	{ 1 1
7	4. Pneumonia	{ M.. 947 F.. 791	{ 144 131	{ 84 68	{ 52 27	{ 17 19	{ 10 13	{ 307 258	{ 41 39	{ 39 39	{ 68 65	{ 74 46	{ 51 41
8	5. Pleurisy	{ M.. 48 F.. 48	{ 2 ..	{ .. 1	{ 1 ..	{ .. 1	{ 2 ..	{ 5 2	{ 3 3	{ 1 4	{ 2 2	{ 3 2	{
9	6. Asthma	{ M.. 23 F.. 38	{	{ 1 ..	{ 1 ..	{ 1 ..	{	{ 3 ..	{	{	{ 2 ..	{	{ 1 ..
10	7. Others of this class	{ M.. 184 F.. 138	{ 50 28	{ 12 16	{ 4 3	{ 4 3	{ 2 1	{ 72 51	{ 11 6	{ 7 6	{ 8 9	{ 3 9	{ 8 3
11	V.—Diseases of the digestive system	1,167	256	215	58	10	17	556	30	32	37	28	36
12	Males	596	126	111	22	5	10	274	18	20	17	11	17
13	Females	571	130	104	36	5	7	282	12	12	20	17	19
14	1. Dentition	{ M.. 132 F.. 158	{ 49 61	{ 71 77	{ 10 18	{ 1 1	{ 1 ..	{ 131 158	{	{	{	{	{
15	2. Angina	{ M.. 28 F.. 18	{ 4 4	{ 4 1	{ 3 4	{ 1 1	{ 4 ..	{ 16 10	{ 4 3	{ 1 1	{ 1 1	{	{ 1 ..
16	3. Diseases of the stomach	{ M.. 87 F.. 78	{ 11 5	{ 5 7	{ 2 5	{ 1 1	{ 2 2	{ 21 20	{ 5 3	{ 4 2	{ 5 4	{ 1 5	{ 3 3
17	4. Obstruction of the bowels	{ M.. 23 F.. 17	{ 1 2	{ 2 ..	{ .. 1	{	{ .. 1	{ 3 4	{ 1 2	{ 3 1	{ 2 1	{ 1 ..	{ 1 ..
18	5. Hernia	{ M.. 21 F.. 3	{	{ 1 ..	{	{	{	{ 1 ..	{	{	{ 1 ..	{ 1 ..	{ 2 ..
19	6. Other diseases of the bowels	{ M.. 41 F.. 42	{ 10 13	{ 7 5	{ 3 3	{	{ 1 2	{ 21 23	{ 1 ..	{ 1 1	{ 3 2	{ 1 1	{ 1 1
20	7. Jaundice	{ M.. 21 F.. 27	{ 7 12	{ .. 1	{	{	{	{ 7 13	{	{ 1 1	{ 1 ..	{ 1 1	{ 1 1
21	8. Inflammation and abscess of the liver	{ M.. 18 F.. 13	{	{	{	{	{	{	{ 1 ..	{ 2 ..	{ 2 1	{	{ 1 1
22	9. Other diseases of the liver	{ M.. 53 F.. 53	{ 4 7	{ 5 1	{ 1 3	{ .. 1	{	{ 10 12	{ 3 1	{ 2 1	{ 1 1	{ .. 1	{ 2 4
23	10. Peritonitis	{ M.. 24 F.. 43	{ .. 2	{ 1 1	{	{	{ 1 ..	{ 2 3	{ 1 ..	{ 2 2	{ 2 5	{ 1 4	{ 1 5
24	11. Ascites	{ M.. 38 F.. 36	{ 2 ..	{ 1 2	{	{ 1 ..	{ .. 1	{ 4 3	{ 2 2	{ 3 1	{ .. 1	{ 2 2	{ 3 ..
25	12. Others of this class	{ M.. 110 F.. 83	{ 38 24	{ 14 9	{ 3 2	{ 1 1	{ 2 ..	{ 58 36	{ .. 2	{ 2 2	{ 3 3	{ 3 3	{ 2 3
26	VI.—Diseases of the urinary system and male organs of generation	290	9	3	3	5	1	21	5	2	6	12	6
27	Males	268	4	3	1	2	1	11	4	2	2	6	3
28	Females	82	5	2	2	3	..	10	1	..	4	6	3
29	1. Bright's disease	{ M.. 96 F.. 40	{	{	{	{	{	{	{ 1 ..	{	{ 1 2	{ 2 3	{ 1 1
30	2. Calculus, urinary	{ M.. 20 F.. 4	{ .. 1	{	{	{	{	{ .. 1	{ 2 1	{	{	{	{ 1 ..
31	3. Diseases of the kidney	{ M.. 51 F.. 28	{ 2 2	{ 2 ..	{ .. 2	{ 1 3	{ 1 ..	{ 6 7	{ 1 ..	{ 2 ..	{ 1 2	{ 3 3	{ .. 1
32	4. Diseases of the bladder	{ M.. 17 F.. 2	{	{	{	{	{	{	{	{	{	{ 1 ..	{ 1 ..
33	5. Others of this class	{ M.. 24 F.. 8	{ 2 2	{ 1 ..	{ 1 ..	{ 1 ..	{	{ 5 2	{	{	{	{	{ 1 ..
34	VII.—Diseases of the female organs of generation	112	1	1	..	3	13	12	10
35	1. Ovarian tumors	F.. 11	3
36	2. Ovarian diseases	F.. 1
37	3. Uterine tumors	F.. 5
38	4. Uterine diseases	F.. 50	1	5	8	3
39	5. Others of this class	F.. 45	1	1	..	2	8	4	4
40	VIII.—Affections connected with pregnancy	426	3	63	90	83
41	1. Abortion	F.. 21	2	4	8
42	2. Childbirth	F.. 236	1	38	46	46
43	3. Puerperal septicæmia	F.. 139	1	14	33	25
44	4. Extra-uterine pregnancy	F.. 1
45	5. Others of this class	F.. 29	1	9	7	4

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

GEORGIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
115	108	110	93	90	55	82	89	86	59	46	40	11	7	24	1
55 60	47 61	63 47	52 41	54 36	28 27	50 32	36 53	47 39	31 28	26 20	15 25	4 7	4 3	19 5	2 3
1	1					1		1						1 1	4
					1										5
4	1 4	6 4	5 1	4 2	3 1	1 6	5 7	1 10	1 4	4 4	1 5			1	6
48 42	42 38	41 33	34 30	40 24	21 18	32 20	20 37	25 18	25 14	13 10	8 11	2 5	2 2	14 1	7
2 5	4	3 2	1 3	2 3	1 3	4	5 1	7 5	1 2	3 2	3 2	1 2	1	1	8
1 1	1 5	2 3	1 4	1 4	1	6 4	2 2	4 3	4 6	1 1	1	1			9
4 7	3 9	11 5	11 3	7 3	2 4	7 1	4 6	9 3	4 2	5 3	3 6		2	3 2	10
50	34	62	37	40	29	47	42	37	24	18	9	4	2	13	11
32 18	16 18	33 29	19 18	23 17	11 18	28 19	26 16	16 21	7 17	9 9	6 3	3 1	1 1	9 4	12 13
														1	14
1 1					1		2 1				1			1	15
11 4	2 5	6 4	2 1	5 5	2 4	7 2	5 3	3 6	3 3	1 3				1 1	16
2 1	1 1	2	1	1	2	3	2 1	1		1				2	17
2	2	4 1	1	1	1	1 1		1			1	2		1	18
2 1	1	1 1	2 2		1	2	1 1	2	3	2 1	1		1	1	19
2	1	2 1	1 2	2 2	1	1 1		2 1		1				1	20
2 1	1 3	2 2	1	2 2	2	2 1	1			1					21
4 1	5 1	6 5	1 3	5 2	2 3	4 5	4 5	4 4	1 4	2 1				1	22
3 6	2 5	3 6	3 2		1 3	1					2			2	23
1	1 2	5	3 4	1 2		3 1	4 3	5 5	2 4	1	2	1			24
2 3	1	7 3	6 3	6 4		7 5	7 2	4 3	1 2	2 2	1 1	1	1	1	25
13	29	23	6	13	26	35	23	23	23	14	6		1	3	26
9 4	17 12	17 6	5 1	9 4	20 6	28 7	17 6	18 5	18 5	13 1	6		1	2 1	27 28
6 3	10 3	9 3	2 1	6 4	13 6	16 5	5 3	9 2	8 3	3 1	3			1	29
1		1	1	1		2	1 1	3	5	2	1				30
	6 2	3 3	1	2	4	3 2	5 1	4 3	3 2	5	1		1	1	31
	1				2	4	4 1	1	1	1	1			1	32
2	1 6	4	1		1	3	2	1	1	2					33
5	10	9	17	6	5	9	6	5			1				34
1 1 2 1			1	1		2	4								35 36 37 38 39
84	52	28	13	2	1									7	40
2 50 30 1 1	3 26 18 5	2 15 11	9 4	1	1									4 2 2 4 4	41 42 43 44 45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

GEORGIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	49	6	4	2	2		14	4	5	4	1	2
2	Males	34	3	3	1	1		8	4	4	3	1	
3	Females	15	3	1	1	1		6		1	1		2
4	1. Diseases of the spine	32	3	3	1	1		8	4	2	3	1	
	{ M.	14	3	1	1	1		6		1	1		2
5	2. Diseases of the bones												
6	3. Diseases of the hip joint.....	1								1			
7	4. Others of this class	1								1			
8	X.—Diseases of the skin.....	50	12	8	3		2	25	4	1	1	1	1
9	Males	25	6	4	1		1	12	3	1			1
10	Females	25	6	4	2			13	1		1	1	
11	1. Abscess	9	2	1				3	3	1			1
	{ F.	8	2					2			1	1	
12	2. Carbuncle	7	1					1					
	{ F.	2											
13	3. Others of this class	9	3	3	1		1	8					
	{ F.	15	4	4	2		1	11	1				
14	XI.—Diseases of the absorbent system	10										1	
15	Males	6										1	
16	Females	4											
17	1. Addison's disease.....	3											
	{ F.	1											
18	2. Diseases of the spleen	1											
	{ F.	1											
19	3. Others of this class.....	2										1	
	{ F.	2											
20	XII.—Accidents and injuries.....	1,224	181	58	53	24	34	350	78	68	108	115	89
21	Males	871	93	32	31	14	20	190	37	47	85	101	77
22	Females	353	88	26	22	10	14	160	41	21	23	14	12
23	1. Burns and scalds.....	76	6	9	14	9	14	52	8	1	2	1	2
	{ F.	126	11	16	11	7	12	57	23	12	11	4	2
24	2. Drowned.....	62	2		1	1		4	8	14	7	6	3
	{ F.	10	2	1		2		5	2	1			
25	3. Exposure and neglect.....	33	18	7	4			29	1	1	1		
	{ F.	34	16	2	2		1	21	4	1	2		1
26	4. Gunshot wounds.....	139			1	1	1	3	6	10	21	24	19
	{ F.	13	1					1	3		1	3	2
27	5. Homicide	80								1	10	12	9
	{ F.	12					1	1			1	1	3
28	6. Infanticide.....	1	1					1					
	{ F.	1	1					1					
29	7. Injuries by machinery.....	15								2	4	2	1
	{ F.												
30	8. Railroad accidents	101		1	1			2	2	5	9	22	15
	{ F.	5									1		1
31	9. Suffocation.....	50	35	5	4			44	2				
	{ F.	47	36	2	4			42	2				
32	10. Suicide by shooting.....	6										1	1
	{ F.												
33	11. Suicide by drowning.....												
	{ F.												
34	12. Suicide by poison	9										2	2
	{ F.	3									1	1	
35	13. Other suicides	7								1		2	
	{ F.	4											
36	14. Sunstroke.....	7									1	1	
	{ F.	3								1		1	
37	15. Surgical operations	5									1	1	
	{ F.	2											
38	16. Wounds	25	1					1			4	1	3
	{ F.	2			1			1					
39	17. Other accidents and injuries.....	255	30	10	6	3	5	54	10	12	25	26	22
	{ F.	91	21	5	4	1		31	7	6	6	4	3

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

GEORGIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
2	1	3	2	2	3	2	1	1	2	1
2	1	3	2	1	2	1	1	1	1	2
.....	1	1	1	1	3
2	1	3	2	1	2	1	1	1	} 4
.....	1	1	1	1	
.....	1	} 5
.....	} 6
.....	} 7
1	1	1	1	1	3	1	3	4	1	8
1	1	1	2	2	1	9
.....	1	1	1	2	1	1	2	10
1	1	1	2	} 11
.....	
.....	1	1	2	1	1	} 12
.....	1	1	1	
.....	1	1	1	1	} 13
.....	
2	2	2	1	1	1	14
2	1	1	1	1	15
.....	1	1	16
2	1	} 17
.....	1	
.....	1	1	} 18
.....	
.....	1	} 19
.....	1	1	
83	73	46	46	22	26	22	14	17	20	13	6	1	3	22	20
74	66	39	37	19	21	18	11	10	10	9	3	1	16	21
9	7	7	11	3	5	4	3	7	10	4	3	1	2	6	22
2	1	1	3	1	2	} 23
3	1	3	2	1	1	2	1	2	1	
6	5	3	1	1	1	1	1	1	} 24
1	1	
1	1	1	1	1	} 25
.....	
16	13	5	5	3	3	3	4	1	3	} 26
1	1	
15	10	5	9	1	4	1	1	1	1	} 27
1	1	1	1	1	1	
.....	} 28
.....	
2	1	1	1	1	} 29
.....	
13	13	6	3	2	2	1	1	1	1	3	} 30
1	1	1	
1	1	1	1	1	} 31
.....	1	1	
1	1	1	1	} 32
.....	
.....	} 33
.....	
1	1	1	2	} 34
.....	1	
1	1	1	1	1	1	1	} 35
.....	
1	1	1	1	1	1	} 36
.....	
1	1	1	1	1	} 37
.....	
3	2	1	2	3	2	1	1	1	} 38
.....	
11	15	16	14	8	7	8	1	6	5	6	3	1	4	} 39
1	1	2	7	1	2	1	1	5	5	3	2	1	2	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IDAHO.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
32	36	22	30	27	19	23	20	20	9	6	3			29	1
21 11	25 11	14 8	24 6	23 4	18 1	19 4	15 5	17 3	4 5	3 3				24 5	2 3
2	1			1	1	1	4	1	2	2	1			4	4
2	1			1	1	1	4	1	1 1	2		1		4	5 6
5	5	4	1		1	4	1	3	1					3	7
4 1	2 3	2 2	1		1	2 2	1	2 1	1					2 1	8 9
															} 10
															} 11
	1	1													} 12
	1	1													} 13
															} 14
						1									} 15
1							1								} 16
3	2 1	1				1									} 17
		1	1		1			1 1						2	} 18
															} 19
1									1					1	} 20
						1		1							} 21
						1									} 22
						1									} 23
															} 24
	3		1	1		1	1								25
	2 1		1	1		1	1								26 27
															} 28
	1 1		1	1		1	1								} 29
															} 30
	1														} 31
															} 32
				1		1		2	2	3	1			2	33
				1		1		2	1 1	1 2	1			1 1	34 35
															} 36
															} 37
															} 38
				1		1			1	1				1	} 39
								2	1						} 40
										2		1		1	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IDAHO—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
6	5	4	4	5	1	3	5	1	2					3	1
1	2	2	1	4	1	3	4	1	2					2	2
5	3	2	3	1			1							1	3
1															4
															5
															6
1	2	1	2	1	1	3	1		1					2	7
4	2			1											8
			1	1			1	1							9
							1								10
														1	11
		2	1	2			1		1						12
	1														13
															14
															15
1	4		4		1	2	1	2						1	16
1	4		3		1	2	1	2						1	17
			1												18
1			1												19
	1		1					1							20
	1		1			2		1							21
															22
															23
	1														24
			1		1		1								25
															26
	1														27
															28
2	2	1	2	2		3	1	3			1			1	29
2	1	1	2	2		3	1	1						1	30
	1			1				2			1				31
				1											32
			1												33
2	1	1	1	1		3	1	1						1	34
	1							2			1				35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IDAHO—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	2			1			1	1				
2	Males	1			1			1					
3	Females	1							1				
4	1. Diseases of the spine..... {M	1			1			1					
	{F	1							1				
5	2. Diseases of the bones..... {M												
	{F												
6	3. Diseases of the hip joint..... {M												
	{F												
7	4. Others of this class..... {M												
	{F												
8	X.—Diseases of the skin.....	2											
9	Males	2											
10	Females.....												
11	1. Abscess..... {M												
	{F												
12	2. Carbuncle..... {M	2											
	{F												
13	3. Others of this class..... {M												
	{F												
14	XI.—Diseases of the absorbent system.....												
15	Males												
16	Females.....												
17	1. Addison's disease..... {M												
	{F												
18	2. Diseases of the spleen..... {M												
	{F												
19	3. Others of this class..... {M												
	{F												
20	XII.—Accidents and injuries.....	106	2	3		2	1	6	3	5	7	8	12
21	Males	92	1	1		2		4	2	3	5	7	11
22	Females.....	14	1	2			1	4	1	2	2	1	1
23	1. Burns and scalds..... {M	1				1		1					
	{F	2		1				1					
24	2. Drowned..... {M	19		1				1		2	3	2	4
	{F	2								1			
25	3. Exposure and neglect..... {M	6	1					1		1			
	{F												
26	4. Gunshot wounds..... {M	7										1	
	{F	1										1	
27	5. Homicide..... {M	1											
	{F												
28	6. Infanticide..... {M												
	{F												
29	7. Injuries by machinery..... {M	1										1	
	{F												
30	8. Railroad accidents..... {M	5											1
	{F												
31	9. Suffocation..... {M	1											
	{F												
32	10. Suicide by shooting..... {M	2											
	{F												
33	11. Suicide by drowning..... {M	1											
	{F												
34	12. Suicide by poison..... {M	1											1
	{F	1											
35	13. Other suicides..... {M	3											2
	{F												
36	14. Sunstroke..... {M												
	{F												
37	15. Surgical operations..... {M												
	{F	1											
38	16. Wounds..... {M	1											
	{F												
39	17. Other accidents and injuries.. {M	43		1		1		2	2		2	3	3
	{F	7	1				1	2	1	1	2		1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IDAHO—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
															1
															2
															3
															4
															5
															6
															7
															8
		1			1										9
		1			1										10
															11
		1			1										12
															13
															14
															15
															16
															17
															18
															19
10	7	4	10	9	5	1	3	2							20
9	7	4	10	9	5	1	1	2						12	21
1							2								22
							1								23
		1	3	2										2	24
			1	1	2										25
1	1	1		1	1									1	26
	1														27
															28
															29
			1											3	30
							1								31
1				1											32
														1	33
1															34
1															35
															36
							1								37
														1	38
6	5	2	5	4	2	1		2						4	39

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ILLINOIS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	8,355	308	100	75	39	39	621	124	143	524	921	917
2	Males	4,038	175	83	37	23	15	333	52	47	193	389	403
3	Females	4,317	133	77	38	16	24	288	72	96	331	532	514
4	1. Rheumatism	{ M.. 160 F.. 122	{ 5 2	{ 2	{ 1 1	{ 1 1	{ 3 1	{ 10 7	{ 11 5	{ 9 5	{ 12 6	{ 8 5	{ 5 2
5	2. Scrofula and tabes	{ M.. 79 F.. 106	{ 22 30	{ 10 13	{ 2 2	{ 1 1	{ 1 3	{ 36 49	{ 3 8	{ 3 2	{ 10 4	{ 4 5	{ 5 4
6	3. Leprosy	{ M. F.											
7	4. Consumption	{ M.. 2,738 F.. 2,960	{ 55 49	{ 39 26	{ 18 19	{ 7 7	{ 3 5	{ 122 106	{ 16 31	{ 17 68	{ 159 303	{ 358 494	{ 371 473
8	5. Hydrocephalus	{ M.. 133 F.. 113	{ 68 39	{ 25 29	{ 13 10	{ 4 4	{ 2 8	{ 112 90	{ 10 12	{ 1 1	{ 1 2		{ 2 4
9	6. Cancer	{ M.. 477 F.. 605	{ 3 3	{ 1 1		{ 2 1		{ 6 5	{ 2 3	{ 1 3	{ 4 2	{ 4 5	{ 7 15
10	7. Tumor	{ M.. 81 F.. 99	{ 1 3		{ 2 1	{ 3 1	{ 1 2	{ 7 8		{ 4 5	{ 2 4	{ 4 2	{ 6 8
11	8. Anæmia	{ M.. 29 F.. 37	{ 9 4	{ 1 1		{ 1 1		{ 11 7		{ 1 1			{ 1 3
12	9. Dropsy	{ M.. 219 F.. 220	{ 3 2	{ 5 2	{ 1 3	{ 1 1	{ 3 2	{ 13 10	{ 5 4	{ 5 7	{ 4 5	{ 6 10	{ 4 6
13	10. Diabetes	{ M.. 95 F.. 42		{ 2 1			{ 2 1	{ 6 2	{ 2 3	{ 5 1	{ 5 3	{ 4 3	{ 2 1
14	11. Others of this group	{ M.. 24 F.. 13	{ 9 1		{ 2 1			{ 10 4	{ 3 2	{ 2 3			
15	12. Others of this class	{ M. F.											{ 1
16	II.—Diseases of the nervous system	5,690	2,089	464	181	101	56	2,391	170	83	77	102	126
17	Males	3,172	1,200	218	95	49	34	1,599	89	39	39	43	67
18	Females	2,518	889	246	83	52	22	1,292	81	44	38	59	59
19	1. Inflammation of the brain	{ M.. 647 F.. 528	{ 278 205	{ 92 108	{ 51 40	{ 15 23	{ 10 13	{ 455 389	{ 37 36	{ 20 14	{ 13 7	{ 8 12	{ 18 12
20	2. Apoplexy	{ M.. 399 F.. 281	{ 6 5	{ 3 1	{ 1 3	{ 1 1	{ 2 1	{ 13 10	{ 1 1	{ 1 1	{ 3 3	{ 7 9	{ 7 4
21	3. Paralysis	{ M.. 451 F.. 362	{ 5 7	{ 1 6	{ 1 1			{ 8 14	{ 3 5	{ 4 4	{ 5 1	{ 2 3	{ 4 5
22	4. Tetanus and trismus nascentium	{ M.. 57 F.. 43	{ 40 23				{ 1 1	{ 40 25	{ 3 2	{ 4 2	{ 1 1		{ 2 2
23	5. Epilepsy	{ M.. 76 F.. 48	{ 1 3		{ 1 1		{ 2 2	{ 2 6	{ 4 3	{ 2 2	{ 5 3	{ 9 5	{ 3 6
24	6. Convulsions	{ M.. 897 F.. 711	{ 730 542	{ 84 85	{ 28 21	{ 19 13	{ 4 4	{ 865 665	{ 8 13	{ 1 6	{ 4 2		{ 3 8
25	7. Mental diseases	{ M. F.	{ 49 58										{ 1 2
26	8. Diseases of the brain	{ M.. 415 F.. 285	{ 106 83	{ 27 31	{ 7 11	{ 8 7	{ 7 3	{ 155 135	{ 17 9	{ 4 6	{ 5 8	{ 11 10	{ 18 8
27	9. Diseases of the spinal cord	{ M.. 133 F.. 109	{ 32 21	{ 10 14	{ 9 5	{ 5 5	{ 2 2	{ 58 47	{ 15 7	{ 2 7	{ 3 7	{ 4 4	{ 3 3
28	10. Others of this class	{ M.. 48 F.. 93	{ 2 1	{ 1 1				{ 3 1	{ 1 3	{ 1 1		{ 1 6	{ 3 7
29	III.—Diseases of the circulatory system	2,379	138	12	7	5	7	169	57	88	76	79	93
30	Males	1,324	87	8	5	1	2	103	29	34	34	40	38
31	Females	1,055	51	4	2	4	5	66	28	54	42	39	55
32	1. Angina pectoris	{ M.. 35 F.. 28							{ 2				{ 1
33	2. Aneurism	{ M.. 23 F.. 9								{ 1		{ 2	{ 2
34	3. Diseases of the heart	{ M.. 1,217 F.. 986	{ 52 30	{ 7 3	{ 4 2		{ 2 5	{ 65 44	{ 27 28	{ 34 52	{ 34 39	{ 37 37	{ 36 53
35	4. Others of this class	{ M.. 49 F.. 32	{ 35 21	{ 1 1		{ 1 1		{ 38 22			{ 1		{ 1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ILLINOIS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
726	695	562	565	510	478	455	415	311	195	76	32	6	6	18	1
337	347	285	290	257	254	237	215	185	108	30	22	4	1	49	2
389	348	277	275	253	219	218	200	126	87	46	10	2	5	29	3
5	10	6	5	8	13	17	13	12	8	5	1			2	} 4
5	7	7	9	7	9	11	12	11	5	9				1	
2	4	3	2	4		6		1	1					1	} 5
2	4	10	3	4	2	1	2	2	3					1	
															} 6
307	282	235	199	170	137	101	101	74	33	9	6	2		39	} 7
335	274	181	176	135	99	100	84	39	30	4	5	1		22	
	3		1	1	1		2	1	1					1	} 8
13	27	27	51	47	58	71	59	53	30	9	4	1		3	} 9
33	38	53	69	79	74	68	62	44	31	15	2		3	1	
4	7	4	14	3	6	9	4	2	4					1	} 10
6	5	10	7	10	10	6	7	5	1	1				1	
3	2	1	2	1	3	1	3	1	2	1	1			1	} 11
2	7	7	14	10	26	22	25	29	23	5	10	1		2	} 12
2	15	10	8	12	16	27	26	22	17	15	3	1	2	2	
3	6	3	3	10	8	10	8	11	6					3	} 13
3	2	5	2	5	4	3	3	2						4	} 14
	1			2	2		2			1			1		
	1			1	1		1								} 15
				1				1							} 16
110	148	141	159	193	221	285	241	267	215	143	65	11	4	38	16
62	68	80	101	122	128	164	154	149	124	75	36	8	3	22	17
48	80	61	58	71	93	121	87	118	91	68	29	3	1	16	18
11	9	15	13	9	11	9	4	4	2	1	1		1	6	} 19
4	9	4	7	5	3	3	5	5	4	3				6	
12	13	12	32	37	40	45	56	54	33	20	10	2		1	} 20
6	13	18	11	26	33	37	25	36	19	20	7			2	
5	8	14	20	37	38	57	55	60	66	37	16	6	1	5	} 21
7	14	7	16	18	23	49	32	52	51	34	16	2	1	3	
1	1	1	2	2		1									} 22
8	8	6	7	4	2	8	2		1	2				3	} 23
4	7	2	2	1	2	3	1							1	
2	4			2	1	2			1	1				3	} 24
2	1	2	1	2	2	1		1						2	
4	2	7	4	4	2	6	6	3		2	1			1	} 25
6	9	6	3	5	2	5	5	2		2	1				
12	16	16	16	21	22	25	19	22	17	10	6		1	2	} 26
8	11	11	8	7	13	10	9	12	8	6	3	1		2	
6	4	7	6	4	7	5	4	2	2		1				} 27
5	4	2	7	1	6	2	2	1	2						
2	3	2	1	2	5	6	8	4	2	2	1			1	} 28
5	12	8	3	5	3	8	8	9	7	3	2				
88	119	134	149	158	177	213	245	212	160	97	32	7	5	21	29
45	60	80	86	80	99	127	139	125	113	52	22	4	5	9	30
43	59	54	63	78	78	86	106	87	47	45	10	3		12	31
2	3	1		3	3	5	4	5	5	1	1				} 32
	2	2	2	2	2	3	2	5	1					2	
1	2	5	6	1	2	1	1								} 33
		4		1	1	1				2					
42	54	74	79	76	94	119	129	120	108	51	21	4	5	8	} 34
42	56	48	60	75	74	81	104	81	46	43	10	3		10	
1	1		1	1	1		5							1	} 35
1	1		1	1	1	1	2	1							

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ILLINOIS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system . . .	9,486	2,003	901	480	310	218	3,912	404	129	272	328	357
2	Males	5,287	1,153	483	250	160	117	2,163	206	60	154	194	209
3	Females	4,199	850	418	230	150	101	1,749	198	69	118	134	148
4	1. Croup { M.	507	111	99	85	68	51	414	88	2			
	{ F.	450	80	77	98	65	51	371	72	1			
5	2. Laryngitis { M.	47	7	16	6	4	3	36	5	3			
	{ F.	32	5	4	3	4	6	22	5	1			2
6	3. Bronchitis { M.	941	397	131	52	24	15	619	25	5	7	11	11
	{ F.	821	312	123	46	15	13	509	24	9	10	11	11
7	4. Pneumonia { M.	2,845	437	210	85	49	36	817	68	38	118	152	172
	{ F.	2,067	313	179	64	52	24	632	77	41	88	92	103
8	5. Pleurisy { M.	58	3					3	2	1	7	2	2
	{ F.	54	3	2				7	3	2	2	2	1
9	6. Asthma { M.	125	3			1		4	1			1	1
	{ F.	101	4	1	1			6	1				3
10	7. Others of this class { M.	764	195	27	22	14	12	270	17	11	22	28	23
	{ F.	674	133	32	18	12	7	202	16	15	18	29	28
11	V.—Diseases of the digestive system	2,416	557	138	43	26	18	782	85	47	68	97	106
12	Males	1,296	325	67	29	15	11	447	47	26	27	47	36
13	Females	1,120	232	71	14	11	7	335	38	21	41	50	70
14	1. Dentition { M.	72	45	22	4	1		72					
	{ F.	72	39	31	2			72					
15	2. Angina { M.	49	13	4	3	2	3	25	11	2		2	
	{ F.	40	7	4	3	2	2	18	9	4	3	1	
16	3. Diseases of the stomach { M.	333	69	17	10	2	2	100	7	5	8	6	8
	{ F.	303	50	14	5	2	2	73	11	2	13	12	15
17	4. Obstruction of the bowels { M.	82	8		2	3		13	6	3	1	9	5
	{ F.	50	6	2				8	1	2	4	2	1
18	5. Hernia { M.	53	3					3				4	
	{ F.	29	1					1					1
19	6. Other diseases of the bowels { M.	52	13	5	2	1		21	1			3	2
	{ F.	37	10	3			1	14		1	1		7
20	7. Jaundice { M.	57	30	1			1	32	1	1		2	1
	{ F.	53	23	1		1		25	3			1	2
21	8. Inflammation and abscess of the liver. { M.	69	4	2	1	1		8	3		1	3	2
	{ F.	60	3		1	1		5	1	1	2	2	3
22	9. Other diseases of the liver. { M.	186	8	3	2	2	2	17	1	2	5	1	5
	{ F.	114	6	4				10		1		3	4
23	10. Peritonitis { M.	129	13	5	3	1	2	24	15	12	9	13	9
	{ F.	181	4	4	2	3		13	2	7	12	26	34
24	11. Ascites { M.	14									1	1	
	{ F.	15					1	1					
25	12. Others of this class { M.	200	119	8	2	2	1	132	2	1	2	3	4
	{ F.	166	83	8	1	2	1	95	10	3	6	3	3
26	VI.—Diseases of the urinary system and male organs of generation.	1,209	22	5	12	3	4	46	32	21	27	56	61
27	Males	828	10	3	6	2	3	24	18	13	12	29	33
28	Females	381	12	2	6	1	1	22	14	8	15	27	28
29	1. Bright's disease { M.	385							9	5	5	13	10
	{ F.	193							6	2	10	13	14
30	2. Calculus, urinary. { M.	17			1			1				1	
	{ F.	6							1				
31	3. Diseases of the kidney { M.	267	8	2	4	1	3	18	9	8	5	12	17
	{ F.	144	12	1	3	1	1	18	6	6	3	9	8
32	4. Diseases of the bladder { M.	85	1					1					3
	{ F.	9			1			1			1		1
33	5. Others of this class { M.	74	1	1	1	1		4			2	3	3
	{ F.	29		1	2			3	1		1	5	5
34	VII.—Diseases of the female organs of generation.	182			1	1		2	1	2	7	14	22
35	1. Ovarian tumors { F.	35							1		1	3	1
36	2. Ovarian diseases { F.	10									1		2
37	3. Uterine tumors { F.	27											3
38	4. Uterine diseases { F.	25									1	3	5
39	5. Others of this class { F.	85			1	1		2		2	4	8	11
40	VIII.—Affections connected with pregnancy.	676									60	147	136
41	1. Abortion { F.	46									1	11	8
42	2. Childbirth { F.	258									17	47	50
43	3. Puerperal septicæmia { F.	300									37	67	65
44	4. Extra-uterine pregnancy { F.	6										1	2
45	5. Others of this class { F.	66									5	21	11

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ILLINOIS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	191	31	15	11	9	4	70	19	19	15	10	4
2	Males.....	106	15	9	7	7	3	41	12	8	7	8	1
3	Females.....	85	16	6	4	2	1	29	7	11	8	2	3
4	1. Diseases of the spine..... {M.....	82	15	8	7	5	3	38	7	8	6	4	1
	{F.....	64	16	6	4	2	1	29	6	10	6	1	1
5	2. Diseases of the bone..... {M.....	8				1		1					
	{F.....	9										1	
6	3. Diseases of the hip joint..... {M.....	14		1		1		2	5		1	4	
	{F.....	7							1	1	2		2
7	4. Others of this class..... {M.....	2											
	{F.....	5											
8	X.—Diseases of the skin.....	127	26	3	2	3	2	36	5	5	5	7	3
9	Males.....	63	11	2	2	1		16		2	4	3	2
10	Females.....	64	15	1		2	2	20	5	3	1	4	1
11	1. Abscess..... {M.....	42	5	1	2	1		9		2	2	3	2
	{F.....	41	10	1		1	1	13	2	3	1	3	1
12	2. Carbuncle..... {M.....	7									1		
	{F.....	6											
13	3. Others of this class..... {M.....	14	6	1				7			1		
	{F.....	17	5			1	1	7	3			1	
14	XI.—Diseases of the absorbent system.....	22	3	1		2	1	7				1	3
15	Males.....	11	2			2		4				1	
16	Females.....	11	1	1			1	3					3
17	1. Addison's disease..... {M.....	1											
	{F.....												
18	2. Diseases of the spleen..... {M.....	3	1					1					
	{F.....	6		1			1	2					1
19	3. Others of this class..... {M.....	7	1			2		3				1	
	{F.....	5	1					1					2
20	XII.—Accidents and injuries.....	2,742	125	64	58	49	33	329	135	125	195	277	257
21	Males.....	2,172	67	39	42	27	19	194	100	99	166	236	218
22	Females.....	570	58	25	16	22	14	135	35	26	29	41	39
23	1. Burns and scalds..... {M.....	62	3	11	14	6	5	39	6		2	2	2
	{F.....	77	7	6	7	11	5	36	16	1	2	2	4
24	2. Drowned..... {M.....	270	1	13	9	4	3	30	20	26	30	31	17
	{F.....	27		4	5	1	2	12	3	3	3	1	1
25	3. Exposure and neglect..... {M.....	23	8	1				9		1	1	1	2
	{F.....	9	6					6			1	1	
26	4. Gunshot wounds..... {M.....	82				1	1	2	4	5	16	14	11
	{F.....	11		1		1		2	2	4			
27	5. Homicide..... {M.....	61	1					1			5	10	18
	{F.....	9								1	1	1	2
28	6. Infanticide..... {M.....												
	{F.....												
29	7. Injuries by machinery..... {M.....	16								1	1	2	2
	{F.....	1											
30	8. Railroad accidents..... {M.....	470		2	1		1	4	14	28	40	77	63
	{F.....	51			1			1	1	5	6	3	1
31	9. Suffocation..... {M.....	78	25	3	3	1	2	34	3	1	3	7	3
	{F.....	44	22	1	3			26			4	2	2
32	10. Suicide by shooting..... {M.....	101									1	13	10
	{F.....	14										2	4
33	11. Suicide by drowning..... {M.....	7											1
	{F.....	9										2	2
34	12. Suicide by poison..... {M.....	49									1	5	3
	{F.....	29									4	8	6
35	13. Other suicides..... {M.....	120									2	7	11
	{F.....	27										2	3
36	14. Sunstroke..... {M.....	37	2					2	1	1	3	3	3
	{F.....	12	4	1				5	1			1	
37	15. Surgical operations..... {M.....	40	1	1				2	2	1	3	1	4
	{F.....	56					1	1		1	1	6	6
38	16. Wounds..... {M.....	37	3					3	2	3	3	4	3
	{F.....	11	2	2		1		5		1	1	1	1
39	17. Other accidents and injuries..... {M.....	719	23	8	15	15	7	68	48	32	55	59	65
	{F.....	183	17	11	2	5	6	41	11	10	6	9	7

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ILLINOIS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
7	9	6	4	7	2	7	5	1	3	1				2	1
5	5	2	1	3	2	5	3		2					1	2
2	4	4	3	4		2	2	1	1	1				1	3
5	2	1	1	1	2	3	1		1					1	4
2	3	3	1			1				1					
	2			1		1	2		1					1	5
	1		1	2		1	1	1							
		1		1					1						6
	1					1									
		1	1	2			1								7
								1							
9	6	6	4	6	4	5	10	5	8	2	1				8
4	3	3	2	3	2	5	7	2	3	2					9
5	3	3	2	3	2	2	3	3	5		1				10
4	3	3	2	3	1	2	2	2	1	1					11
5	3	3	1	2			1	2	2						
					1	2	3								12
					2		1		2		1				
			1	1		1	2		2						13
							1	1	2	1					
	2	2	2	2		1	1		1						14
	1	2	1	1					1						15
	1		1	1		1	1								16
		1													17
	1	1	1	1		1									18
			1	1											19
	1						1		1						
189	215	170	214	125	113	95	85	64	57	24	15	4	1	53	20
161	178	145	176	110	90	75	65	48	40	13	9	2		47	21
28	37	25	38	15	23	20	20	16	17	11	6	2	1	6	22
1	2	1	1	3	1					2					23
1	2	1		2	1	3	2	2	1					1	
19	23	15	20	10	4	5	5	3			1			11	24
2	1			1	1										
1	1		2	1		1		1			2				25
								1							
5	5	6	4	3	3	2	2								26
2	2						1								
5	3	5	6	3	1	1		1		1				1	27
1		1		1	1	1									
															28
1	4		2		1	2									29
39	40	36	33	16	20	14	11	11	11	1	1			11	30
5	3	5	6	1	3	4	3		2	1	1	1		6	
3	2	5	2	4		2	3		1		1			4	31
	2	1	2			2		1						2	
9	13	13	12	10	7	4	7	1						1	32
2			2	2		1	1								
1		1	1	1		1			1						33
	2			1		1			1						
5	11	2	5	4	4	4	1	3						1	34
2	2	2	2	4	3										
6	10	20	14	10	9	11	6	9	1	2				2	35
3	4	2	3	1	4	1	3							1	
	4	2	4	2	6	1	1	2	1		1				36
1					2			1		1					
2	6	2	3	5	3		2	1	3						37
8	9	8	9	3	2	1			1						
3	1	2	2	5	1	1		2		1				1	38
	1							1							
61	53	35	65	33	30	26	27	14	22	6	3	2		15	39
3	9	5	14	5	6	6	10	10	12	10	5	1	1	2	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIANA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.		
1,055	971	836	807	921	871	1,006	1,090	1,105	893	672	336	138	37	338	1	
466	435	430	411	478	480	579	599	638	521	367	187	72	22	198	2	
589	536	406	396	443	391	427	491	467	372	305	149	66	15	140	3	
15	18	21	23	30	19	32	30	33	21	19	9	3	1	40	4	
7	6	14	11	15	13	14	13	18	12	11	6	2	1	28	5	
8	12	7	12	15	6	18	17	15	9	8	3	1		21	6	
131	119	133	98	110	105	106	99	106	76	50	26	6	5	53	7	
65	59	68	51	60	57	61	52	64	47	21	15	3	2	36	8	
66	60	65	47	50	48	45	47	42	29	29	11	3	3	17	9	
															10	
1	2	2	5	1	1	2									2	11
2	2	7		1	1										1	
															12	
	1							1						1	12	
	2								1					2	13	
			1			1	1			1				2		
1														1	14	
		1												1		
1	1			1		1	1	1						1	15	
	1	1		2			1	1						1		
1				1	1									1	16	
		2		1			1							1		
		1												1	17	
34	34	35	18	18	21	22	12	12	7	1				14	17	
30	25	25	19	24	19	14	12	7	4	2				3		
9	9	11	14	24	18	21	22	28*	20	11				5	18	
11	14	13	3	17	11	15	20	19	15	17				3		
															19	
														2	19	
														1		
6	8	9	9	3	7	5	9	8	6	4				2	20	
9	8	4	7	2	6	9	9	7	5	6	2	1		1		
3	1	4		3	3	2	4	6	6	1					21	
4	4	2	4	2	6	2	1	1	2	2						
6	2	3	8	6	2	4	4	8	3	2				1	22	
10	5	7	3	3	4	1	1	3			2			2		
1		3				3								6	23	
		1	2		1	1								2		
2		1	1	3		3		1	4	2					24	
		2	1	1				3	2	1						
7	8	4	16	6	5	8	16	2	7	2				9	25	
7	7	3	15	6	3	7	11	2	4	1				6	26	
	1	1	1		2	1	5		3	1				9		
															28	
6	3	3	11	3	2	3	5	1	1					2	29	
							1				1					
															30	
				1											31	
1	3		3	2	1	2	5	1	2					1		
		1	1												32	
	1		1			2	1		1	1				3		
	1					1			3	1				3		
3	2	5	3	7	5	17	30	61	83	134	101	57	16	16	33	
1		3		3	3	9	10	29	34	65	53	25	8	10	34	
2	2	2	3	4	2	8	20	32	49	69	48	32	8	6		
															36	
															37	
															38	
	1													1	38	
1		3		3	3	8	7	15	12	18	12	2		7	39	
2	1	2	3	4	2	4	11	9	20	19	14	6		4		
						1	3	14	22	47	41	23	8	2	40	
						4	9	23	29	50	34	26	6	2		

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIANA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	5,019	132	87	42	17	31	309	65	106	366	579	570
2	Males.....	2,258	70	38	16	11	15	150	30	45	133	223	228
3	Females.....	2,761	62	49	26	6	16	159	35	61	233	356	342
4	1. Rheumatism.....	{ M.. 105 F.. 62	1			1	2	4 1	8 3	5 6	8 4	4 5	3 7
5	2. Scrofula and tabes.....	{ M.. 76 F.. 67	14 13	5 10	6 6	3	1 2	29 31	5 3	3 1	3 2	5 7	4 5
6	3. Leprosy.....	{ M.. F..											
7	4. Consumption.....	{ M.. 1,537 F.. 1,967	28 29	15 21	5 12	2 3	6 8	56 73	7 15	24 49	107 216	204 329	211 316
8	5. Hydrocephalus.....	{ M.. 60 F.. 42	18 14	14 9	3 4	2 2	3 3	40 32	6 6	4 1	5	2	
9	6. Cancer.....	{ M.. 220 F.. 325	1 1		1			2 2		1	2 3	1 2	2 4
10	7. Tumor.....	{ M.. 27 F.. 64	2 1	1			1 1	3 3				1 1	1 4
11	8. Anæmia.....	{ M.. 19 F.. 20	4 2	2	2		1	7 4		1 1		2	1 1
12	9. Dropsy.....	{ M.. 138 F.. 166		2 2		2		2 6	3 5	4 2	3 4	1 8	5 5
13	10. Diabetes.....	{ M.. 66 F.. 36				1		1 1	1 2	3 1	5 3	5 2	1
14	11. Others of this group.....	{ M.. 8 F.. 12	2 1	2 4		1	1	6 6					
15	12. Others of this class.....	{ M.. F..											
16	II.—Diseases of the nervous system.....	2,568	586	200	90	52	46	974	129	89	64	55	39
17	Males.....	1,361	321	113	46	31	26	537	70	47	30	26	19
18	Females.....	1,207	265	87	44	21	20	437	59	42	34	29	20
19	1. Inflammation of the brain.....	{ M.. 315 F.. 286	108 99	62 44	25 30	16 9	16 11	227 193	26 27	20 16	5 8	4 6	1 5
20	2. Apoplexy.....	{ M.. 186 F.. 142	4 5	2 1			1	7 6	3 2	2	4 2	3 1	2 2
21	3. Paralysis.....	{ M.. 289 F.. 271	3 1	3 2	1	2		9 4	3 3	3 1	2 1	1 2	2 2
22	4. Tetanus and trismus nascentium.....	{ M.. 23 F.. 11	6 4	1 1		1		8 5	4 2	3 2		2	2 1
23	5. Epilepsy.....	{ M.. 39 F.. 38	2 4	2				4 4	1 1	2 4	6 5	6 3	4 1
24	6. Convulsions.....	{ M.. 156 F.. 129	121 87	11 13	5 1	2 3	2 3	141 107	5 7	4 1		1 2	1 1
25	7. Mental diseases.....	{ M.. 14 F.. 15									2	1	2
26	8. Diseases of the brain.....	{ M.. 225 F.. 190	61 51	23 20	8 8	8 5	2 6	102 90	17 9	7 10	5 3	5 6	4 4
27	9. Diseases of the spinal cord.....	{ M.. 77 F.. 66	15 14	7 6	7 5	2 3	5	36 28	11 7	3 5	7 5	3 5	1 1
28	10. Others of this class.....	{ M.. 37 F.. 59	1	2				3	1	3 3	1 5	1 3	3
29	III.—Diseases of the circulatory system.....	1,209	77	6	4		3	90	18	36	39	48	38
30	Males.....	669	38	4	4		3	49	8	19	18	23	14
31	Females.....	540	39	2				41	10	17	21	25	24
32	1. Angina pectoris.....	{ M.. 23 F.. 12									1	1	2
33	2. Aneurism.....	{ M.. 3 F.. 3									1		
34	3. Diseases of the heart.....	{ M.. 618 F.. 502	19 22	4 1	3		3	29 23	8 10	10 17	17 20	22 24	14 21
35	4. Others of this class.....	{ M.. 25 F.. 23	19 17	1	1			20 18					1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIANA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
453	382	292	253	299	261	263	258	207	145	83	41	9	4	74	1
196 257	147 235	137 155	117 136	122 177	133 123	139 124	147 111	105 102	87 58	49 34	20 21	4 5	3 1	33 36	2 3
3 1	4 3	3 2	5 6	8 4	11 3	6 5	7 6	11 2	10	2 3	3			1	4
5 3	1 5	3 1		1 1	4 2	4 5	3	4	1 1					1	5
															6
169 227	123 181	106 112	88 76	86 90	81 61	75 58	77 58	39 45	24 16	19 10	5 8	2 1	2	32 26	7
1					1		1							1	8
	1		1											1	9
8 14	9 25	12 25	17 35	18 54	26 37	25 29	34 23	24 25	18 22	10 9	7 9		1 1	3 4	9
	2 12	2 3	2 6	1 9	3 7	4 6	1 2	5 3	1 3	1 1				1	10
1 3	1	2	1 1		1	2 2	3 1	2	1	1					11
3 4	3 5	5 3	4 8	5 16	8 10	16 15	13 19	18 23	23 14	14 10	5 3	2 3		1 3	12
6 1	3	6 7	3	2 3	4 2	6 3	8 2	3 2	9 2	2 1	1			1	13
1	1 3					1 1									14
				1				1							15
62	52	50	57	90	91	137	162	180	152	97	47	15	2	24	16
26 36	31 21	23 27	22 35	42 48	44 47	73 64	78 84	97 83	90 62	54 43	28 19	8 7	1 1	15 9	17 18
3 7	7 2	3 3	4 3	3 5	2	2 4	2 2	1	2 1	1	1			3 2	19
4 4	4 3	6 4	5 4	13 8	17 12	25 16	21 26	27 24	22 11	10 11	4 3	2 1		5 2	20
8 2	2 6	7 7	3 8	15 22	12 20	29 25	41 37	46 45	46 41	33 23	20 15	5 6	1	2	21
1 1	2					1									22
3 4	2 1	4	1 3	2 2	2 1	2 1	1 2	1 1	1	1				1	23
	3 2	1	1					1	1	1				1	24
2	2	1	2 5		2	1	1	2 2	2 2	2	1			1	25
6 7	7 4	5 2	1 9	4 4	8 9	10 10	6 9	15 6	12 2	6 3	1 1	1	1	2 2	26
	2 2	1 2	3 1	1 1		2 3	1 2	3 1	1 2	1				1 1	27
1 6	1 1	1 3	2 3	4 6	1 5	2 4	5 6	5 4	4 2	2 4	1			1	28
35	45	52	62	75	90	108	130	136	100	47	27	8		25	29
15 20	18 27	33 19	26 36	43 32	47 43	68 40	74 56	39 47	56 44	36 11	15 12	4 4		14 11	30 31
1 1	2 2		1 2	3 1	1	1	3	4 2	3 1	2					32
		1				1	1			1					33
14 19	16 25	32 18	25 33	40 31	46 42	66 40	69 55	35 44	53 43	34 11	14 12	4 4		11 10	34
		1	1			1	1	1						3	35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIANA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	3,482	630	230	139	79	71	1,149	156	66	147	146	126
2	Males	1,866	353	118	69	42	42	624	87	30	59	86	61
3	Females	1,616	277	112	70	37	29	525	69	36	88	60	65
4	1. Croup	{ M. 162 F. 143	{ 39 24	{ 23 25	{ 24 32	{ 20 8	{ 16 14	{ 122 113	{ 34 25	{ 2 	{ 	{ 2 1	{
5	2. Laryngitis	{ M. 10 F. 5	{ 2 1	{ 2 	{ 1	{ 1	{ 	{ 4 3	{ 2 1	{ 	{ 	{ 	{ 2
6	3. Bronchitis	{ M. 217 F. 206	{ 74 67	{ 13 17	{ 5 6	{ 2 3	{ 3 1	{ 97 94	{ 10 4	{ 1 4	{ 4 6	{ 2 3	{ 4 5
7	4. Pneumonia	{ M. 945 F. 756	{ 130 103	{ 57 49	{ 31 19	{ 16 16	{ 20 10	{ 254 197	{ 30 31	{ 19 20	{ 37 51	{ 49 30	{ 42 37
8	5. Pleurisy	{ M. 22 F. 12	{ 	{ 1 	{ 1 	{ 1 1	{ 	{ 2 2	{ 	{ 2 	{ 1 2	{ 2 2	{ 2 2
9	6. Asthma	{ M. 38 F. 37	{ 1 1	{ 1 	{ 1	{ 	{ 	{ 2 2	{ 	{ 	{ 1 	{ 	{ 1 2
10	7. Others of this class	{ M. 472 F. 457	{ 107 71	{ 22 20	{ 8 11	{ 3 8	{ 3 4	{ 143 114	{ 11 8	{ 6 12	{ 17 28	{ 31 26	{ 10 19
11	V.—Diseases of the digestive system	1,188	210	55	28	14	16	323	46	30	30	39	46
12	Males	624	131	29	14	7	7	188	22	19	17	16	17
13	Females	564	79	26	14	7	9	135	24	11	22	23	29
14	1. Dentition	{ M. 16 F. 15	{ 7 6	{ 7 8	{ 2 1	{ 	{ 	{ 16 15	{ 	{ 	{ 	{ 	{
15	2. Angina	{ M. 38 F. 26	{ 9 2	{ 2 2	{ 3 1	{ 2 	{ 4 3	{ 20 8	{ 8 8	{ 1 4	{ 1 	{ 1	{
16	3. Diseases of the stomach	{ M. 176 F. 191	{ 30 16	{ 4 7	{ 2 5	{ 2 4	{ 2 3	{ 40 35	{ 5 6	{ 4 3	{ 1 12	{ 3 8	{ 7 13
17	4. Obstruction of the bowels	{ M. 34 F. 23	{ 6 2	{ 	{ 	{ 1 	{ 	{ 7 2	{ 3 3	{ 6 	{ 1 1	{ 1 1	{ 1 1
18	5. Hernia	{ M. 24 F. 24	{ 3 1	{ 1 	{ 	{ 	{ 	{ 4 1	{ 	{ 	{ 	{ 1 	{ 1
19	6. Other diseases of the bowels	{ M. 43 F. 34	{ 15 10	{ 4 2	{ 3 3	{ 1 1	{ 1 	{ 20 16	{ 1 1	{ 1 1	{ 1 1	{ 1 2	{ 2 1
20	7. Jaundice	{ M. 35 F. 20	{ 14 5	{ 	{ 1 1	{ 1 	{ 	{ 16 6	{ 	{ 	{ 1 	{ 1 	{
21	8. Inflammation and abscess of the liver	{ M. 30 F. 24	{ 	{ 2 	{ 1 	{ 	{ 	{ 3 	{ 	{ 1 	{ 1 	{ 4 2	{ 1
22	9. Other diseases of the liver	{ M. 83 F. 60	{ 4 4	{ 1 1	{ 	{ 1 1	{ 	{ 6 6	{ 1	{ 3 	{ 3 1	{ 1 2	{ 1 4
23	10. Peritonitis	{ M. 41 F. 51	{ 4 2	{ 1 1	{ 1 	{ 	{ 	{ 6 3	{ 1 3	{ 2 3	{ 4 5	{ 4 5	{ 2 7
24	11. Ascites	{ M. 8 F. 14	{ 1 2	{ 1 1	{ 	{ 1 	{ 	{ 1 4	{ 	{ 	{ 1 1	{ 	{
25	12. Others of this class	{ M. 96 F. 82	{ 38 29	{ 7 4	{ 4 3	{ 	{ 3 	{ 49 39	{ 4 1	{ 2 	{ 3 1	{ 2 2	{ 3 3
26	VI.—Diseases of the urinary system and male organs of generation.	582	17	4	4	1	6	32	14	13	19	12	24
27	Males	398	10	3				13	10	6	11	6	13
28	Females	184	7	1	4	1	6	19	4	7	8	6	11
29	1. Bright's disease	{ M. 188 F. 97	{ 	{ 	{ 	{ 	{ 	{ 	{ 3 2	{ 3 6	{ 3 7	{ 3 4	{ 8 4
30	2. Calculus, urinary	{ M. 18 F. 4	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 1 	{ 	{
31	3. Diseases of the kidney	{ M. 109 F. 65	{ 8 5	{ 3 1	{ 4 4	{ 	{ 5 	{ 11 15	{ 5 1	{ 1 1	{ 6 1	{ 3 2	{ 2 6
32	4. Diseases of the bladder	{ M. 43 F. 8	{ 1 	{ 	{ 	{ 	{ 	{ 1 	{ 1 	{ 	{ 1 	{ 	{ 1
33	5. Others of this class	{ M. 40 F. 10	{ 1 2	{ 	{ 	{ 1 	{ 1 	{ 1 4	{ 1 	{ 2 	{ 	{ 	{ 2 1
34	VII.—Diseases of the female organs of generation.	107	1					1		3	7	8	8
35	1. Ovarian tumors	F. 21											
36	2. Ovarian diseases	F. 3										1	
37	3. Uterine tumors	F. 10											
38	4. Uterine diseases	F. 19									1	3	3
39	5. Others of this class	F. 54	1					1		3	6	4	5
40	VIII.—Affections connected with pregnancy.	344									32	89	72
41	1. Abortion	F. 37									2	6	6
42	2. Childbirth	F. 153									13	44	30
43	3. Puerperal septicæmia	F. 122									12	34	26
44	4. Extra-uterine pregnancy	F. 19											
45	5. Others of this class	F. 32									5	5	10

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIANA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	146	32	12	10	9	2	65	17	11	14	8	2
2	Males	85	15	6	5	4	2	32	8	8	10	6	2
3	Females	61	17	6	5	5		33	9	3	4	2	
4	1. Diseases of the spine..... { M.....	71	15	6	5	4	2	32	6	6	8	3	2
	{ F.....	59	17	6	5	5		33	9	3	3	1	
5	2. Diseases of the bones	8								1	1	2	
6	3. Diseases of the hip joint..... { M.....	3							2			1	
	{ F.....	2										1	
7	4. Others of this class	3								1	1	1	
	{ M.....	3											
	{ F.....												
8	X.—Diseases of the skin	56	9	4	2			15		1	2	2	
9	Males	27	5	2	1			8				2	
10	Females	29	4	2	1			7		1	2		
11	1. Abscess	12	2	1	1			4				2	
	{ M.....	12	2	1	1			4				2	
	{ F.....	13	1	2				3			1		
12	2. Carbuncle	6								1	1		
	{ M.....	6											
	{ F.....	6											
13	3. Others of this class	9	3	1				4					
	{ M.....	9	3	1				4					
	{ F.....	10	3		1			4					
14	XI.—Diseases of the absorbent system.....	16	1		1	1	1	4		2		2	1
15	Males	7	1			1	1	3					
16	Females	9			1			1		2		2	1
17	1. Addison's disease..... { M.....	2					1	1				1	
	{ F.....	1											
18	2. Diseases of the spleen..... { M.....	4	1			1		2				1	1
	{ F.....	6			1			1		1			
19	3. Others of this class..... { M.....	1								1			
	{ F.....	2											
20	XII.—Accidents and injuries	1,235	81	29	38	29	17	194	65	66	101	131	91
21	Males	922	42	16	23	16	10	107	35	55	82	107	74
22	Females	213	39	13	15	13	7	87	30	11	19	24	17
23	1. Burns and scalds	57	8	6	12	11	6	43	2	1	3	1	1
	{ M.....	57	8	6	12	11	6	43	2	1	3	1	1
	{ F.....	59	2	2	10	6	6	26	14	2	1	1	
24	2. Drowned	82		3	5			8	7	10	17	14	4
	{ M.....	82		3	5			8	7	10	17	14	4
	{ F.....	18		4	2			6	3		1		2
25	3. Exposure and neglect	10	3					3	1			1	1
	{ M.....	10	3					3	1			1	1
	{ F.....	9	4	1				5			1		
26	4. Gunshot wounds	76				2		2	4	13	18	6	7
	{ M.....	76				2		2	4	13	18	6	7
	{ F.....	4									1		2
27	5. Homicide..... { M.....	29	1					1			3	6	5
	{ F.....	7									3	1	1
28	6. Infanticide												
	{ M.....												
	{ F.....												
29	7. Injuries by machinery	8								1	2		1
	{ M.....	8								1	2		1
	{ F.....												
30	8. Railroad accidents..... { M.....	183			1			1	6	8	13	32	21
	{ F.....	26	2				1	3	4	3	1	4	2
31	9. Suffocation	24	11	2		1		14	1	1			3
	{ M.....	24	11	2		1		14	1	1			3
	{ F.....	26	14	1	1	4		20		2			1
32	10. Suicide by shooting	28									4	7	3
	{ M.....	28									4	7	3
	{ F.....	5									1	3	1
33	11. Suicide by drowning	6										1	1
	{ M.....	6										1	1
	{ F.....	1											
34	12. Suicide by poison..... { M.....	19										1	3
	{ F.....	19									4	4	2
35	13. Other suicides..... { M.....	57								1	1	3	4
	{ F.....	16									3	3	
36	14. Sunstroke	6		1				1			1	1	1
	{ M.....	6		1				1			1	1	1
	{ F.....	1											
37	15. Surgical operations..... { M.....	7	1					1		1	1		1
	{ F.....	10										1	1
38	16. Wounds	22		1	1			2	1	1	1	2	2
	{ M.....	22		1	1			2	1	1	1	2	2
	{ F.....	9	2					2					
39	17. Other accidents and injuries .. { M.....	312	18	4	4	2	4	32	13	19	18	32	18
	{ F.....	103	15	4	2	3		24	8	3	3	7	4

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIANA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
5	2	3	5	4	1	5	1	2						1	1
1	2	2	4	2	1	3	1	2						1	2
4		1	1	2		2								3	
1	1	1	4	2		2		2						1	4
4		1	1	2		2									
	1	1				1	1								5
					1										6
															7
1	5	2	1	6	2	2	6	3	3	3		1		1	8
															9
1	2	1	1	3	1	1	4	3	2						10
	3	1	1	3	1	1	2		1	3		1		1	
															11
1	2		1	1		1	2	1				1			
							1		1						12
		1		2	1	1	1	1			1				
		1		1											13
	1			1			1	1	2	2				1	
															14
	1			1	1		3							1	
															15
	1			1			2							1	16
					1		1								17
	1														18
				1			1	1						1	19
					1			1							20
71	73	65	58	49	45	45	44	38	41	19	7	7		25	20
61	62	56	49	42	42	34	28	23	29	10	3	5		18	21
10	11	9	9	7	3	11	16	15	12	9	4	2		7	22
					1			1							23
	1	1	1	1	1	2	2	4	2						
5	4	2	5	2	2			1						1	24
						1	2	1						2	
								1						1	25
							1	1						1	
5	1	4	5	3	4	1	1	1	1						26
		1													27
4	3	3	1	2					2						28
				1											29
3				1											30
17	14	10	14	10	4	8	5	4	6	1	1	2		6	31
	3	1	1			1	1		1						32
1		1				2		1						1	33
1															34
	3	1	1	2	2	4									35
															36
		1		1		2		1							37
	4	1	2		2		2	2	1	1				1	38
2	1		1			1	2	1	1						39
3	6	8	2	6	6	4	4	3	3					4	
		1	1	3	1	2			1						
	1				1										36
															37
1	1	2		1	1	1	2	1							38
															39
3		1	2		2	2	1	1	1					1	
										2					39
19	25	24	18	14	18	9	13	8	14	8	2	3		5	39
6	5	2	4	2		2	5	7	7	7	3	2		2	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIAN TERRITORY—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	2	1		1			2					
2	Males.....												
3	Females.....	2	1		1			2					
4	1. Diseases of the spine.....	{ M. F.	1		1			2					
5	2. Diseases of the bones.....	{ M. F.											
6	3. Diseases of the hip joint.....	{ M. F.											
7	4. Others of this class.....	{ M. F.											
8	X.—Diseases of the skin.....	1											
9	Males.....	1											
10	Females.....												
11	1. Abscess.....	{ M. F.	1										
12	2. Carbuncle.....	{ M. F.											
13	3. Others of this class.....	{ M. F.											
14	XI.—Diseases of the absorbent system.....												
15	Males.....												
16	Females.....												
17	1. Addison's disease.....	{ M. F.											
18	2. Diseases of the spleen.....	{ M. F.											
19	3. Others of this class.....	{ M. F.											
20	XII.—Accidents and injuries.....	8	2					2	1			1	
21	Males.....	8	2					2	1			1	
22	Females.....												
23	1. Burns and scalds.....	{ M. F.											
24	2. Drowned.....	{ M. F.											
25	3. Exposure and neglect.....	{ M. F.	2		2			2					
26	4. Gunshot wounds.....	{ M. F.	3									1	
27	5. Homicide.....	{ M. F.											
28	6. Infanticide.....	{ M. F.											
29	7. Injuries by machinery.....	{ M. F.											
30	8. Railroad accidents.....	{ M. F.											
31	9. Suffocation.....	{ M. F.											
32	10. Suicide by shooting.....	{ M. F.											
33	11. Suicide by drowning.....	{ M. F.											
34	12. Suicide by poison.....	{ M. F.											
35	13. Other suicides.....	{ M. F.											
36	14. Sunstroke.....	{ M. F.											
37	15. Surgical operations.....	{ M. F.											
38	16. Wounds.....	{ M. F.											
39	17. Other accidents and injuries.....	{ M. F.	3						1				

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IOWA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
726	634	602	564	596	707	883	868	857	709	498	264	95	27	227	1
328 398	301 333	289 313	300 264	306 290	405 302	481 352	501 367	518 339	407 302	275 218	141 123	55 40	10 17	129 98	2 3
10	11	10	13	14	25	20	36	26	19	15	10	1		32	4
4 6	3 8	6 4	6 7	5 9	18 7	8 12	21 15	15 11	12 7	8 7	4 6	1		22 10	5 6
82	85	68	48	46	53	67	58	51	49	23	19	8		23	7
38 44	45 40	30 38	24 24	25 21	26 27	34 33	34 24	31 20	22 27	12 11	11 8	6 2		13 10	8 9
	1														10
3 2	1	4	1	1	1		1	1						1	11
														2 1	12
4 6	3 4	2 1	1		2	1								5	13
	3	1 1	1			1									14
		1	1		1	1									15
17 9	13 11	11 8	3 7	11 3	4 4	5 5	3 3	2 3	1 5	2	1 1			2 2	16
8 13	13 9	1 8	11 8	8 10	8 14	14 5	19 13	15 5	11 18	5 6	5 3	3 2		1 5	17
															18
1 7	11 4	11 6	4 3	3 1	6 4	7 13	5 3	3 7	3 1	2 1	1 3	1		1 1	19
1 1	2	2	1 1	1 2	2	1 4		6 2	1 1	1					20
2 6	1 7	2 7	4 1	1 3	2 2	4 2	5 2	3 2	6	1 1		1		2	21
2	1	1	1	1			1	1							22
	1	1			2 1	2 2	1 2	1 1	2 2	2 2	4 1	1			23
6	7	6	6	8	5	2	4	2	2	1				1	24
2 4	4 3	5 1	6	6 2	3 2	1 1	3 1	2	2	1				1	25
										1					26
	3 1	2	5	5 1	3 1	1	1	1	1					1	27
	1						1								28
2 3	1	3	1	1		1	1	1							29
1	1	1		1	1		1		1						30
2			4	4	4	6	24	44	82	118	86	81	16	8	31
2			1 3	3 1	2 2	3 3	9 15	26 18	45 37	63 55	39 47	18 13	7 9	5 3	32
															33
															34
															35
															36
															37
															38
2			1 3	3 1	2 2	2 3	8 9	9 7	14 8	15 11	5 10	2		2	39
							1 6	17 11	31 29	48 44	34 37	16 13	7 9	3 3	40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IOWA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	2,965	96	32	13	17	8	166	38	81	214	285	277
2	Males	1,341	48	18	7	9	5	87	23	37	65	109	116
3	Females	1,624	48	14	6	8	3	79	15	44	149	176	161
4	1. Rheumatism.....	{ M 72 F 54	3			1		4	5	14	3	3	6
5	2. Scrofula and tuberc.....	{ M 24 F 34	8	3		1		12	2	2		1	6
6	3. Leprosy	{ M F											
7	4. Consumption	{ M 792 F 1,047	14	6	2	3	3	28	9	9	53	100	100
8	5. Hydrocephalus.....	{ M 31 F 30	15	5	3	2		25	2	1	1	1	1
9	6. Cancer	{ M 228 F 262	1	1				3		2	1	2	1
10	7. Tumor.....	{ M 24 F 31	1	1				2	1	2	3		1
11	8. Anæmia	{ M 14 F 15	1		1			2			1		1
12	9. Dropsy.....	{ M 93 F 121	3				1	4	1	2	1	1	4
13	10. Diabetes.....	{ M 58 F 27	1	1	1	1	1	5	3	5	1	1	3
14	11. Others of this group.....	{ M 5 F 3	1	1				2			1	1	
15	12. Others of this class.....	{ M F											
16	II.—Diseases of the nervous system	1,685	341	111	51	21	18	512	64	41	51	48	40
17	Males.....	927	186	57	32	12	8	295	28	18	27	22	19
18	Females.....	758	155	54	19	9	10	247	36	23	24	26	21
19	1. Inflammation of the brain.....	{ M 172 F 138	58	28	13	6	3	108	14	5	7	6	4
20	2. Apoplexy	{ M 136 F 112	4	1	1			6			3	1	3
21	3. Paralysis.....	{ M 258 F 190	3		2			5	1	2	3	5	2
22	4. Tetanus and trismus nascentium.....	{ M 6 F 9	4					4					
23	5. Epilepsy	{ M 31 F 23	1					1	3	3	5	3	4
24	6. Convulsions.....	{ M 112 F 117	81	13	5	3	1	103		1	1	2	
25	7. Mental diseases	{ M 9 F 13										2	
26	8. Diseases of the brain.....	{ M 142 F 79	28	12	6	1		47	7	4	3	3	6
27	9. Diseases of the spinal cord.....	{ M 45 F 41	6	3	5	2	4	20	3	3	3	2	1
28	10. Others of this class.....	{ M 16 F 36	1					1			2		
29	III.—Diseases of the circulatory system	1,058	64	5	4	3	4	80	23	28	32	30	24
30	Males.....	577	38		2	2	3	45	11	11	13	12	10
31	Females.....	501	26	5	2	1	1	35	12	17	19	18	14
32	1. Angina pectoris.....	{ M 21 F 16											
33	2. Aneurism	{ M 5 F 4											1
34	3. Diseases of the heart.....	{ M 514 F 463	29		2	2	3	36	11	11	13	12	9
35	4. Others of this class.....	{ M 17 F 18	9					9				1	1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IOWA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
274	202	183	152	166	190	202	180	145	102	40	18	10		40	1
119	90	79	72	61	93	97	95	71	63	22	13	3		26	2
155	112	104	80	105	97	105	85	74	39	18	5	7		14	3
1	3	2	5	2	3	3	4	5	6	1	1			1	4
3	2	1		4	2	5	8	4	2	2					
	2				2	2	1								5
1	2		1		1	1	1	1	1	1					
															6
104	68	55	44	40	34	45	33	30	16	6				18	7
131	82	69	48	48	39	41	23	23	15	4		3		8	
1				2											8
9	10	16	13	10	37	29	35	21	22	6	5	2		4	9
12	19	23	26	34	31	36	26	21	8	8	3	4		3	
1	1	1	1	3	3	2	1	2		1				1	10
1	3	2	1	4	4	1	5	6		1					
1		1	1	1	3	2	1	2	1	1					11
						1	2	2							
4	2	2	2	2	7	12	12	10	15	4	6	1		1	12
3	5	6	4	11	14	16	14	15	13	2	2			3	
2	3	3	6	3	4	4	8	2	3	3	1				13
				2	5	3	1	2							
	1				1									1	14
															15
47	41	35	50	47	77	112	122	118	123	75	26	9	2	15	16
19	23	14	26	29	42	69	77	72	71	48	18	5	1	4	17
28	18	21	24	18	35	43	45	46	52	27	8	4	1	11	18
1	5	4	4	3	3	2	3	1	2						19
4	4	3	1	2	1	1	1	1	1					1	
5	4	2	6	7	9	14	16	20	25	10	4			1	20
6	4	3	7	3	14	13	16	10	16	6				4	
5	6	4	7	7	16	31	42	36	35	31	11	5	1	2	21
1	2	6	13	6	16	20	18	25	31	17	7	2	1	2	
	1				1										22
1	1		1	3	2		1	1		2					23
4	1	2	1	1	1	1	1	1		1				1	
		1	1			2		1							24
1	2					1								3	
3	1		1			2		1							25
5		2				1	1	1		1					
2	4	2	4	5	6	10	13	9	7	6	3			1	26
2	3	3	2	2	1	3	8	3	2	3	1	2			
2		1	2	2	2	3		2							27
				3	1	1		1						1	
5	1			2	3	5	1	1							28
	2	1	1	1	2	2	2	3	2						
32	32	49	40	76	86	104	101	127	95	49	27	4	2	17	29
15	15	26	18	35	49	60	63	66	52	32	14	3		7	30
17	17	23	22	41	37	44	38	61	43	17	13	1	2	10	31
	1	1	3	1	2	4	1	6	3	1	1				32
		1		2	2	2		3		2					
				1	1	1	1	2							33
		1													
14	14	25	18	33	45	55	61	58	48	31	12	1		7	34
17	17	21	19	37	34	40	37	56	43	15	13	1	2	10	
1				1	1	1	1	1	1		1	2			35
								2							

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IOWA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	3,062	526	200	155	85	63	1,029	172	73	121	120	85
2	Males	1,664	295	112	85	51	31	574	82	39	68	67	42
3	Females	1,398	231	88	70	34	32	455	90	34	53	53	43
4	1. Croup	{ M. 197 F. 155	24 24	36 27	37 25	29 15	19 18	145 109	45 38	3 6	2		
5	2. Laryngitis	{ M. 7 F. 2	2		1 2	1		4 2		1			1
6	3. Bronchitis	{ M. 161 F. 156	43 33	13 16	6 7	4 3	1	66 60	4 6	1 2	2 3	5 7	1 3
7	4. Pneumonia	{ M. 775 F. 602	113 88	46 31	29 25	15 12	8 7	211 163	16 29	22 18	47 33	45 26	23 21
8	5. Pleurisy	{ M. 17 F. 16	2					2				2	3 2
9	6. Asthma	{ M. 29 F. 20		1				1	1				1
10	7. Others of this class	{ M. 478 F. 447	111 86	16 14	12 11	2 4	4 6	145 121	16 17	12 8	17 17	15 20	14 16
11	V.—Diseases of the digestive system	937	148	37	17	12	8	222	38	28	34	33	40
12	Males	511	95	19	8	6	3	131	24	14	24	17	21
13	Females	426	53	18	9	6	5	91	14	14	10	16	19
14	1. Dentition	{ M. 15 F. 13	10 10	5 2	1			15 13					
15	2. Angina	{ M. 17 F. 19	2 2	3 1	1 2	2 1	1 2	9 8	3 6	1 1	2		2
16	3. Diseases of the stomach	{ M. 94 F. 118	12 8	1 6	1 3	1 2	1	15 20	3 3	1 2	4 3	4 5	1 4
17	4. Obstruction of the bowels	{ M. 39 F. 21	7 1	1	1			9 1	5	2 2	5	1	3
18	5. Hernia	{ M. 28 F. 16	4 2					4 2	1			3	2
19	6. Other diseases of the bowels	{ M. 27 F. 17	12 6	2 1		1		15 7	3		1	1	
20	7. Jaundice	{ M. 19 F. 13	7 2	1				7 3	1				
21	8. Inflammation and abscess of the liver.	{ M. 31 F. 19			2			2		1 1	2	1	1 2
22	9. Other diseases of the liver	{ M. 92 F. 54	6 1	1		1	2	8 3	2 1	1		3 2	6 2
23	10. Peritonitis	{ M. 56 F. 69	6 3	1 3	1 1	1		9 4	4 4	6 7	10 3	3 6	4 9
24	11. Ascites	{ M. 5 F. 5							1				
25	12. Others of this class	{ M. 88 F. 62	29 21	5 4	4	1	2	40 28	1	2 1		2 2	4
26	VI.—Diseases of the urinary system and male organs of generation.	497	8		4	2	2	16	7	4	9	22	23
27	Males	374	7		2	1		10	5	3	7	11	16
28	Females	123	1		2	1	2	6	2	1	2	11	7
29	1. Bright's disease	{ M. 181 F. 67							4 1	2 2	4 2	6 6	8 3
30	2. Calculus, urinary	{ M. 6 F. 2											1
31	3. Diseases of the kidney	{ M. 108 F. 37	4		1 2	1 1	2	6 5	1 1		3	5 3	6 2
32	4. Diseases of the bladder	{ M. 55 F. 6			1			1		1			1
33	5. Others of this class	{ M. 24 F. 11	3 1					3 1				2	2
34	VII.—Diseases of the female organs of generation.	65								4	4	8	4
35	1. Ovarian tumors	F. 12								1	1		
36	2. Ovarian diseases	F. 3											
37	3. Uterine tumors	F. 6									1		
38	4. Uterine diseases	F. 9										1	1
39	5. Others of this class	F. 35								3	2	7	3
40	VIII.—Affections connected with pregnancy	296									16	63	74
41	1. Abortion	F. 35									4	7	9
42	2. Childbirth	F. 114									5	19	23
43	3. Puerperal septicæmia	F. 106									5	28	33
44	4. Extra-uterine pregnancy	F. 1											
45	5. Others of this class	F. 40									2	9	9

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IOWA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	90	17	3	5		2	27	8	7	6	7	5
2	Males	53	15	3	4		1	20	4	2	2	4	3
3	Females	37	2		1		1	7	4	5	4	3	2
4	1. Diseases of the spine..... { M.	42	15	3	1		1	10	3		2	3	3
	{ F.	31	2		4		1	7	4	4	4	2	1
5	2. Diseases of the bones..... { M.	1								1		1	
	{ F.	3											
6	3. Diseases of the hip joint. { M.	6							1	1			
	{ F.	2										1	1
7	4. Others of this class..... { M.	1								1			
	{ F.	1											
8	X.—Diseases of the skin	44	6	2	1		1	10		2	2	1	1
9	Males	21	2	2			1	5		2	1	1	
10	Females	23	4		1			5			1		1
11	1. Abscess	15	1	1			1	3		1	1	1	1
	{ F.	17	1		1			2			1		1
12	2. Carbuncle	1											
	{ M.	1											
	{ F.	1											
13	3. Others of this class..... { M.	6	1	1				2		1			
	{ F.	5	3					3					
14	XI.—Diseases of the absorbent system.....	15		1			1	2		1	1	2	1
15	Males	7		1			1	2					1
16	Females	8							1	1	1	2	
17	1. Addison's disease..... { M.	1									1		
	{ F.	1											
18	2. Diseases of the spleen { M.	4					1	1					1
	{ F.	2										1	
19	3. Others of this class..... { M.	2		1				1					
	{ F.	5								1		1	
20	XII.—Accidents and injuries	992	73	31	23	19	10	156	53	64	72	101	63
21	Males	761	39	17	12	7	3	78	35	51	59	86	53
22	Females	231	34	14	11	12	7	78	18	13	13	15	10
23	1. Burns and scalds..... { M.	31	3	7	7	2	2	21	2	1			1
	{ F.	39	2	4	6	6	5	23	8	2		1	1
24	2. Drowned	61	1	1	1			3	6	14	12	6	5
	{ F.	16	1	2	1	1		5	3	3	2	2	
25	3. Exposure and neglect..... { M.	6	1		1			2					1
	{ F.	8	3					3	1			1	1
26	4. Gunshot wounds..... { M.	45							2	5	8	9	2
	{ F.	2							1				1
27	5. Homicide..... { M.	23							1	1	1	2	3
	{ F.	3										2	
28	6. Infanticide	1	1					1					
	{ M.	1	1					1					
	{ F.												
29	7. Injuries by machinery..... { M.	6							1	1			
	{ F.												
30	8. Railroad accidents..... { M.	106					1	1	1	7	7	25	14
	{ F.	11								1		1	3
31	9. Suffocation..... { M.	27	14					14		4		3	2
	{ F.	15	10	1		1		12					
32	10. Suicide by shooting..... { M.	23									1	8	2
	{ F.	2											1
33	11. Suicide by drowning..... { M.	2											
	{ F.	2											1
34	12. Suicide by poison..... { M.	12									1	3	1
	{ F.	5											
35	13. Other suicides..... { M.	41									1	2	3
	{ F.	16									1	2	
36	14. Sunstroke..... { M.	18		1				1			2	1	5
	{ F.	3						1					
37	15. Surgical operations..... { M.	14								1	2	1	2
	{ F.	6								1	2		
38	16. Wounds..... { M.	32	1	2	1	2	1	7	3	3	1	1	1
	{ F.	4		1				1		1	1		
39	17. Other accidents and injuries... { M.	313	18	6	2	3		29	19	14	24	28	12
	{ F.	99	17	6	4	3	2	32	5	5	6	3	2

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IOWA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
3	3	5	1	1	3	4	4	2	3		1			1
1	1	3	1	1	2	3	3	1	1		1			2
2	2	2			1	1	1	1	2					3
1		3	1		1	1	2	1	1		1			4
1	1	1			1	1	1	1	2					
1	1	1		1		1								5
	1													
					1	1	1							6
						1								
														7
5	1	3	5	1	3	2	5	1			1			8
4		2			1	4	1							9
1	1	1	5	1	2	2	4	1			1			
3		2			1	3	3							11
1	1	1	5		1	1	1				1			
					1									12
1							1	1						13
				1		1								
1	1		1	2		1	2							14
														15
1	1		1	1		1	1							
								1						17
			1			1								18
							1							
				1										19
				1										
1	1			1										20
68	56	46	54	40	38	42	33	33	18	19	5	3	1	27
59	49	36	47	35	33	35	28	29	15	8	1	1		23
9	7	10	7	5	5	7	5	4	3	11	4	2	1	4
1	1	1			1				1					2
		1												23
3	3		3	2	1									3
							1							24
		1		1	1					1				25
											1			
4	3		3	3	3			1	1					1
														26
1			3	3										27
1	1	4	4	2				1	1					2
														28
														29
2		1			1									29
10	9	7	3	3	3	5	2	3	2					5
1				1	3	1				1				1
														30
	2	1	1	1	1									1
														31
1	1	1	3		1	1	2	1		1				1
														32
			1				1	1						33
1	3	2			3	2								34
						1								
7	2	5	5	3	3	4	2	1						35
2	2	3	1	2	2	1		2						
2	1	2		1	1	2								36
		1										1		
														37
3		1			1	1		1	1					37
		1	1											
4	3		2	2	1	2		1						1
						1								38
20	21	10	24	18	13	17	21	20	9	6	1	1		6
6	4	4	3	2	1	2	4	2	2	10	4	1	1	1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KANSAS.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
497	478	454	467	487	447	456	471	392	288	170	105	35	17	150	1
220 277	204 274	212 242	257 210	276 211	269 178	271 185	286 185	255 137	172 116	97 73	55 50	17 18	7 10	81 69	2 3
11	10	9	17	16	11	11	15	13	16	6	6	1	2	12	4
3 8	3 7	6 3	14 3	9 7	6 5	7 4	12 3	9 4	5 11	4 2	3 3	1	2	5 7	5 6
88	64	59	49	51	46	44	39	30	26	14	5	3	2	19	7
44 44	31 33	22 37	23 26	33 18	24 22	22 22	25 14	21 9	15 11	8 6	1 4	1 2	1 1	11 8	8 9
															10
1 5	1 4	3 2		2	1										11
														1	12
2 1	1	1 1			2		1	1						1 2	13
	1														14
	1 1	1	1 1					1 1						1	15
1	1	1		1			2 1							1	16
19 12	11 10	6 12	1 8	12 7	4 5	5 4	3 1	2 1	1	1				1 1	17
8 3	4 2	6 4	7 5	9 4	10 2	9 8	10 8	6 2	8 7	3 2		1	1	4 2	18
														1	19
11 15	9 11	4 14	8 9	3 3	8 8	5 8	6 1	7 4	5 2	3 2	1		1	2 1	20
2	1 2	1 1	2 1	1 1	1	1		1		1					21
2 4	2 2	2	3 2	5 1	2	3 1	3 2	1 1		1	1				22
1			1					1	1						23
1				2	3		1 1	1	1	1			1		24
4	4	6	1	8	3	1	2	3	1					1	25
4	3 1	6	1	7 1	3	1	2	3	1					1	26 27
															28
3	2	2		5	2			2						1	29
	1	1		1											30
1	1	3		1 1		1	2	1	1						31
			1		1										32
1		4	2		3	7	6	13	25	33	25	14	6	7	33
1		4	1 1		3	3 4	3 3	7 6	16 9	16 17	12 13	5 9	4 2	2 5	34 35
															36
															37
														1	38
1		4	1 1		3	2 3	2 1	4 2	6 1	3 2		2 1		1 3	39
						1	1	3	10	13	12	3	4	1	40
						1	2	4	8	15	11	8	2	1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KANSAS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	1,985	63	29	9	13	8	122	39	49	142	214	187
2	Males.....	875	32	19	6	11	5	73	19	23	83	85	69
3	Females.....	1,110	31	10	3	2	3	49	20	26	109	129	118
4	1. Rheumatism.....	{ M. 34		1	1	1		3	3	2	2	2	
	{ F. 30				1			1	2	1	3		
5	2. Scrofula and tubercles.....	{ M. 24	8	1	1	1		11	2	1	1		1
	{ F. 24	8	2					10	1	1	3	2	1
6	3. Leprosy.....	{ M.											
	{ F.												
7	4. Consumption.....	{ M. 588	15	6	3	4	3	31	4	16	26	81	64
	{ F. 781	13	6		2	1		22	7	17	99	121	108
8	5. Hydrocephalus.....	{ M. 20	8	7		1	1	17	1		1		
	{ F. 11	6	1	1		1		9		1			
9	6. Cancer.....	{ M. 101		1				1					2
	{ F. 138	1		1				2	2	1		1	4
10	7. Tumor.....	{ M. 18				1		1	1			2	2
	{ F. 29	1						1	1	1		1	1
11	8. Anæmia.....	{ M. 4							1				
	{ F. 7	1						1		1	1	2	
12	9. Dropsy.....	{ M. 52		1	1	3	1	5	4	3		1	4
	{ F. 73		1					1	6	1	1	1	
13	10. Diabetes.....	{ M. 27		1				1	2	1	2		
	{ F. 13	1						1	1	2	1		
14	11. Others of this group.....	{ M. 4		2				2	1		1		
	{ F. 4						1	1			1	1	
15	12. Others of this class.....	{ M. 3	1					1					
	{ F.												
16	II.—Diseases of the nervous system.....	1,065	266	90	42	25	16	439	44	35	23	22	25
17	Males.....	583	140	42	26	16	6	230	23	20	12	14	12
18	Females.....	482	126	48	16	9	10	209	21	15	11	8	13
19	1. Inflammation of the brain.....	{ M. 126	58	15	11	6	1	91	12	4	1	4	2
	{ F. 117	48	23	4	5	4		84	5	8	4		1
20	2. Apoplexy.....	{ M. 100	3	1	2			6	1	1		2	4
	{ F. 50	1						1			1	1	2
21	3. Paralysis.....	{ M. 115	2		2	1	1	6	1	1	3		1
	{ F. 104							3	2	1			4
22	4. Tetanus and trismus nascentium.....	{ M. 5	2					2		1			
	{ F. 4	2	1					3					
23	5. Epilepsy.....	{ M. 21							1	2	3	3	
	{ F. 9						1	1	1	2	2	2	1
24	6. Convulsions.....	{ M. 66	41	8	4	1	3	57	2	2		2	
	{ F. 48	32	5	4	1			42	2				
25	7. Mental diseases.....	{ M. 8											2
	{ F. 8												2
26	8. Diseases of the brain.....	{ M. 83	22	6	6	6		40	4	4	1	2	2
	{ F. 83	31	7	5	2	4		49	5	2	3	2	
27	9. Diseases of the spinal cord.....	{ M. 43	11	10	1	2	1	25	3	2	3	1	1
	{ F. 38	10	8	3	1	1		23	7	1	1	3	
28	10. Others of this class.....	{ M. 16	1	2				3		3	1		
	{ F. 21	2	1					3		1	1		3
29	III.—Diseases of the circulatory system.....	576	47	3		2	3	55	14	12	20	19	14
30	Males.....	319	35			1	3	39	6	5	9	10	6
31	Females.....	257	12	3		1		16	8	7	11	9	8
32	1. Angina pectoris.....	{ M. 10								1			1
	{ F. 7												
33	2. Aneurism.....	{ M. 5											
	{ F. 6												
34	3. Diseases of the heart.....	{ M. 289	23			1	3	27	6	4	9	10	5
	{ F. 237	6	2			1		9	8	7	11	9	8
35	4. Others of this class.....	{ M. 15	12					12					
	{ F. 7	6	1					7					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KANSAS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system.....	2,051	475	198	119	58	50	900	108	41	79	69	53
2	Males.....	1,090	270	105	57	29	23	484	49	15	44	38	26
3	Females.....	961	205	93	62	29	27	416	59	26	35	31	27
4	1. Croup.....	{ M.. 131 F.. 128	{ 27 23	{ 21 20	{ 29 28	{ 17 13	{ 15 16	{ 109 100	{ 20 27				
5	2. Laryngitis.....	{ M.. 4 F.. 2		{ 1	{ 1		{ 1	{ 2 1			{ 1	{ 1	
6	3. Bronchitis.....	{ M.. 80 F.. 100	{ 25 33	{ 16 12	{ 1 5	{ 3 4	{ 1	{ 45 55	{ 1 3		{ 2	{ 1	{ 1 4
7	4. Pneumonia.....	{ M.. 522 F.. 426	{ 124 80	{ 47 43	{ 14 17	{ 7 5	{ 4 7	{ 196 152	{ 14 18	{ 9 16	{ 33 23	{ 28 18	{ 17 15
8	5. Pleurisy.....	{ M.. 11 F.. 5	{ 1					{ 1	{ 1				{ 1
9	6. Asthma.....	{ M.. 28 F.. 14	{ 1					{ 1				{ 1	
10	7. Others of this class.....	{ M.. 314 F.. 286	{ 92 69	{ 21 17	{ 12 12	{ 2 6	{ 3 3	{ 130 107	{ 13 10	{ 6 9	{ 10 10	{ 8 11	{ 7 8
11	V.—Diseases of the digestive system.....	620	124	48	17	13	12	214	18	12	18	20	18
12	Males.....	338	69	26	6	6	7	114	8	6	8	10	7
13	Females.....	282	55	22	11	7	5	100	10	6	10	10	11
14	1. Dentition.....	{ M.. 11 F.. 9	{ 5 4	{ 5				{ 10 9					
15	2. Angina.....	{ M.. 21 F.. 19	{ 4	{ 5 3	{ 1 4	{ 2 1	{ 2 4	{ 14 12	{ 1 4	{ 2 2		{ 1	
16	3. Diseases of the stomach.....	{ M.. 80 F.. 58	{ 12 7	{ 7 6		{ 3 2	{ 1 1	{ 23 18	{ 1 1		{ 4 1	{ 3 4	{ 1 4
17	4. Obstruction of the bowels.....	{ M.. 29 F.. 22		{ 1 1	{ 1	{ 1	{ 2	{ 5 7	{ 2 2	{ 1 1	{ 3 5	{ 2	{ 2 1
18	5. Hernia.....	{ M.. 26 F.. 11	{ 3 3	{ 1				{ 4 3				{ 1	{ 2
19	6. Other diseases of the bowels.....	{ M.. 22 F.. 18	{ 8 5	{ 2 1	{ 1 1			{ 11 9	{ 1		{ 1	{ 1	
20	7. Jaundice.....	{ M.. 15 F.. 12	{ 5 4				{ 1	{ 6 4				{ 1	{ 1
21	8. Inflammation and abscess of the liver.....	{ M.. 14 F.. 21		{ 1				{ 1				{ 1	{ 1
22	9. Other diseases of the liver.....	{ M.. 40 F.. 25	{ 2 1	{ 1	{ 2 1	{ 1		{ 4 4	{ 1				{ 2
23	10. Peritonitis.....	{ M.. 15 F.. 29	{ 2 2	{ 1	{ 1	{ 1		{ 2 5	{ 2 1	{ 3 1	{ 1 3	{ 3 3	{ 1 2
24	11. Ascites.....	{ M.. 6 F.. 11	{ 1	{ 1				{ 1 1					
25	12. Others of this class.....	{ M.. 59 F.. 47	{ 27 23	{ 4 3	{ 1 2		{ 1	{ 33 28				{ 1	{ 1
26	VI.—Diseases of the urinary system and male organs of generation.....	277	10	1	3	1		15	2	6	5	7	9
27	Males.....	215	7		2	1		10	1	4	3	3	5
28	Females.....	62	3	1	1			5	1	2	2	4	4
29	1. Bright's disease.....	{ M.. 98 F.. 31								{ 1 1	{ 3 1	{ 2 1	{ 2 3
30	2. Calculus, urinary.....	{ M.. 7 F.. 1	{ 1					{ 1					
31	3. Diseases of the kidney.....	{ M.. 74 F.. 25	{ 4 3	{ 1	{ 1	{ 1		{ 6 5	{ 1	{ 3 1	{ 1	{ 1 2	{ 3
32	4. Diseases of the bladder.....	{ M.. 28 F.. 2	{ 1		{ 1			{ 2				{ 1	{ 1
33	5. Others of this class.....	{ M.. 8 F.. 3	{ 1					{ 1					
34	VII.—Diseases of the female organs of generation.....	55								3	4	5	4
35	1. Ovarian tumors.....	F.. 5										{ 1	{ 1
36	2. Ovarian diseases.....	F.. 5									{ 1		{ 1
37	3. Uterine tumors.....	F.. 5										{ 1	{ 2
38	4. Uterine diseases.....	F.. 7									{ 1		
39	5. Others of this class.....	F.. 33								3	2	3	1
40	VIII.—Affections connected with pregnancy.....	220									22	42	42
41	1. Abortion.....	F.. 22									{ 1	{ 5	{ 1
42	2. Childbirth.....	F.. 110									{ 12	{ 20	{ 19
43	3. Puerperal septicæmia.....	F.. 66									{ 6	{ 10	{ 16
44	4. Extra-uterine pregnancy.....	F.. 2									{ 1		
45	5. Others of this class.....	F.. 20									{ 2	{ 7	{ 6

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KANSAS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	64	24	5	1	1	1	32	8	2	6	1	2
2	Males	40	19	2		1		22	5		3		1
3	Females.....	24	5	3	1		1	10	3	2	3	1	1
4	1. Diseases of the spine..... {M	33	18	2		1		21	4		3		
	{F	19	5	3	1		1	10	2	2	2		1
5	2. Diseases of the bones..... {M	3	1					1					
	{F	1											
6	3. Diseases of the hip joint..... {M	2											1
	{F	3							1				
7	4. Others of this class..... {M	2							1				
	{F	1									1		
8	X.—Diseases of the skin.....	26	6	1	1	1	1	10		1	2	2	1
9	Males	14	4	1		1	1	7			1	1	
10	Females.....	12	2		1			3		1	1	1	1
11	1. Abscess..... {M	8	2	1			1	4			1	1	
	{F	7	1		1			2		1	1		1
12	2. Carbuncle..... {M	3	1					1					
	{F	1											
13	3. Others of this class..... {M	3	1			1		2					
	{F	4	1					1				1	
14	XI.—Diseases of the absorbent system.....	8	1					1					
15	Males	6	1					1					
16	Females.....	2											
17	1. Addison's disease..... {M	1											
	{F												
18	2. Diseases of the spleen..... {M	4	1					1					
	{F	2											
19	3. Others of this class..... {M	1											
	{F												
20	XII.—Accidents and injuries.....	780	69	32	26	19	9	155	41	51	49	71	62
21	Males	586	34	15	16	11	2	78	24	39	43	62	51
22	Females.....	194	35	17	10	8	7	77	17	12	6	9	11
23	1. Burns and scalds..... {M	22	4	6	4	2		16	1		1	1	
	{F	31	1	2	2	4	4	13	8	3		2	
24	2. Drowned..... {M	50		1	3	3		7	4	13	5	7	4
	{F	22		2	2	2		6	1	6	1	2	
25	3. Exposure and neglect..... {M	6	2					2					
	{F	13	7	1	1			9				1	
26	4. Gunshot wounds..... {M	52	1		1			2	1	7	8	6	4
	{F	6							2	2			1
27	5. Homicide..... {M	30								1	3	8	3
	{F	4			1			1					2
28	6. Infanticide..... {M												
	{F												
29	7. Injuries by machinery..... {M												
	{F												
30	8. Railroad accidents..... {M	80		1			1	2		2	3	12	15
	{F	6	1		1			2			1		
31	9. Suffocation..... {M	16	11			1		12		1	1		
	{F	17	14	1	1		1	17					
32	10. Suicide by shooting..... {M	21									4	6	1
	{F	2											1
33	11. Suicide by drowning..... {M	4											
	{F	3											
34	12. Suicide by poison..... {M	6											1
	{F	2											
35	13. Other suicides..... {M	34										3	2
	{F	3										1	
36	14. Sunstroke..... {M	6	1					1					
	{F												
37	15. Surgical operations..... {M	6	1	1				2			1		
	{F	4											
38	16. Wounds..... {M	20	1					1		1	1	1	3
	{F	2	1					1					
39	17. Other accidents and injuries... {M	233	13	6	8	5	1	33	18	14	16	18	18
	{F	79	11	11	2	2	2	28	6	1	4	3	7

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KANSAS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1	2	2	1	2	1	1	1	1				1			1
1	2	1	1	2	1	1	1	1				1			2
	2		1	2	1	1	1								3
															4
								1				1			5
		1													6
1		1													7
1					2		4	1	1					1	8
1					1		1	1	1					1	9
					1		3	1						1	10
					1		2							1	11
1							1	1							12
					1			1	1						13
	1		2	2		1	1								14
	1		1	1		1	1								15
			1	1											16
															17
	1		1	1		1									18
								1							19
44	37	46	37	32	33	38	23	18	7	7	4			25	20
35	31	41	36	29	29	29	20	9	4	3	3			20	21
9	6	5	1	3	4	9	3	9	3	4	1			5	22
1		2													23
	1				1		1			1				1	24
1	1	2	3		1		1	1						2	25
					1					1	1			1	26
4	6	6	3		1	1		1		1				1	27
3		5		4	1		1							1	28
		1													29
9	5	8	7	4	5	4	2	1						1	30
1						1	1								31
	1														32
1	1	1	3		2	2									33
	1	1			1	1		1							34
1	1		2			1									35
2	2	3	3	5	2	7	2	1	1					1	36
						1								1	37
1	1				2	1	2	1	1					2	38
		2				2									39
13	12	12	12	13	11	10	11	5	3	1	2			11	40
6	2	2	1	2	1	3	1	7	2	2	1				

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KENTUCKY.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
983	981	834	747	762	644	838	795	863	686	515	268	95	63	440	1
462	470	396	392	404	366	453	447	512	385	296	144	46	17	236	2
521	511	438	355	358	278	385	348	351	301	219	124	49	46	204	3
29	29	21	26	19	21	38	35	31	24	30	11	5	4	79	4
8	12	10	10	7	9	18	23	20	10	19	5	5	1	38	5
21	17	11	16	12	12	20	12	11	14	11	6	5	3	41	6
168	166	123	99	107	71	111	94	94	58	48	25	7		79	7
82	92	63	57	56	36	65	47	55	37	28	14	5		49	8
86	74	65	42	51	35	46	47	39	21	20	11	2		30	9
															10
4	3	2		3	1		1			1		1		2	11
12	6	11	2	4	5		3	2	1					3	12
1															13
		1	1							1				1	14
		1				1	1							3	15
2	4	1	2	5	2		3	2	1			2		1	16
6	6	4	1	2			5	2	2			1			17
1	1		1	1											18
36	51	22	17	14	17	19	12	3	5	3	1			10	19
34	26	16	9	20	5	6	5	4	3	2	1			5	20
9	8	24	16	13	8	28	17	29	20	14	3	2		19	21
15	19	13	17	11	15	17	23	19	8	8	7	1		8	22
															23
19	17	10	9	12	4	10	7	15	5	4	4			4	24
8	10	9	5	8	8	15	7	7	2	3	1			6	25
1	1		3	1	1	6	2	5	3	3	3			2	26
		4	3	3	2	6	2	2	2	4	4			1	27
3	5	1	3	2	2	1	2	1	2		1			2	28
4	5	2	2	2		1	1	1	1					1	29
6	3	1	2	5	1		1	1						3	30
4		1	2			1								1	31
1		1	3	1			1		1	3	1			1	32
2	1	4	1	1			1		1	3				3	33
3	9	6	8	5	6	5	6	2	3	3	1			7	34
5	8	6	8	4	6	5	3	2	2	3	1			6	35
3	1			1			3		1					1	36
3															37
															38
															39
3	1	2	1	2	3	4	8	12	12	15	6	5	1	1	40
	1			1	6	12	12	7	13	15	9	3	1	2	41
							2	6	22	37	48	15	8	4	42
							5	10	30	43	55	18	24	5	43

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KENTUCKY—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	4,810	134	95	66	41	38	374	106	157	413	627	534
2	Males	2,089	76	53	36	20	20	205	47	69	125	250	216
3	Females	2,721	58	42	30	21	18	169	59	88	288	377	318
4	1. Rheumatism	{ M.. 77 F.. 52				1	1	2	1	5	1	2	3
5	2. Scrofula and tubercles	{ M.. 143 F.. 117	13	16	11	7	5	52	8	12	9	15	9
6	3. Leprosy	{ M. F.											
7	4. Consumption	{ M.. 1,467 F.. 2,071	33	21	17	6	7	84	25	45	102	221	192
8	5. Hydrocephalus	{ M.. 62 F.. 39	23	15	4	4	3	49	4	1	4	2	1
9	6. Cancer	{ M.. 134 F.. 230	1		1	1		3	1			2	3
10	7. Tumor	{ M.. 19 F.. 29	1					1		3	1	1	1
11	8. Anæmia	{ M.. 7 F.. 10	1		1			2				4	1
12	9. Dropsy	{ M.. 144 F.. 158	3	1	2	1	3	10	6	2	5	7	5
13	10. Diabetes	{ M.. 26 F.. 8							1	1	3		1
14	11. Others of this group	{ M.. 9 F.. 7	2	2		1	1	3	1				1
15	12. Others of this class	{ M. F.											
16	II.—Diseases of the nervous system	2,150	586	191	116	53	34	980	116	75	67	66	54
17	Males	1,187	346	114	64	23	17	564	59	38	27	39	29
18	Females	963	240	77	52	30	17	416	57	37	40	27	25
19	1. Inflammation of the brain	{ M.. 393 F.. 281	149	58	37	13	12	269	34	19	12	16	9
20	2. Apoplexy	{ M.. 118 F.. 80	6	2				8		1	2	7	2
21	3. Paralysis	{ M.. 175 F.. 190	2	2	3		1	8				2	2
22	4. Tetanus and trismus nascentium	{ M.. 41 F.. 23	30					30	1	3	2	1	2
23	5. Epilepsy	{ M.. 49 F.. 19	4	1	1	1		7		4	6	3	7
24	6. Convulsions	{ M.. 145 F.. 123	92	24	9	2	2	129	3		2	1	2
25	7. Mental diseases	{ M.. 13 F.. 16									1		2
26	8. Diseases of the brain	{ M.. 153 F.. 117	40	21	6		2	69	9	4	1	5	2
27	9. Diseases of the spinal cord	{ M.. 74 F.. 84	21	6	7	7		41	12	6	2	2	1
28	10. Others of this class	{ M.. 26 F.. 30	2		1			3		1		1	2
29	III.—Diseases of the circulatory system	983	29	6	4	6	2	47	16	20	24	32	29
30	Males	526	19	4	3	4	2	32	7	12	11	13	9
31	Females	457	10	2	1	2		15	9	8	13	19	20
32	1. Angina pectoris	{ M.. 9 F.. 10											1
33	2. Aneurism	{ M.. 6 F.. 5										1	2
34	3. Diseases of the heart	{ M.. 501 F.. 435	13	4	3	4	2	26	7	11	11	13	8
35	4. Others of this class	{ M.. 10 F.. 7	6	2	1	2		11	9	8	13	18	18

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KENTUCKY—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
390	361	293	259	250	193	211	177	167	97	69	17	6	8	101	1
168 222	137 224	118 175	101 158	112 138	95 95	108 103	93 87	96 71	49 48	46 29	10 7	3 3	2 6	45 56	2 3
3 3	4	4 2	2 1	11 1	4 3	4 3	4 9	16 1	4 6	6 2	1	2	1	2 1	4
4 5	5 3	1 6	4 5	10 7	4 1	2	3 3	3 2	2 1	1		1		1 1	5
148 201	112 193	92 143	81 106	68 79	65 55	67 49	53 39	36 36	24 21	12 7	6		1 3	33 40	7
1	2													1 1	8
1 6	6 10	10 12	7 28	13 35	13 25	17 30	24 18	19 17	5 10	8 8	1 6			1 9	9
2 1	2 5	4	3 3	1 2	1 3	2 4	2	1 2	1	1					10
1 1	2 1			1	2	1	1								11
6 4	6 6	10 7	4 14	8 12	10 6	14 15	4 16	16 11	9 10	13 10	2		2	7 4	12
2	4	1		1 1	1	2	1	4 2	4		1		1		13
1		1	1					1		1					14
						1									15
36	43	49	61	69	52	84	93	95	85	50	27	9	4	35	16
22 14	25 18	24 25	33 28	39 30	28 24	41 43	56 37	52 43	44 41	30 20	11 16	5 4	1 3	20 15	17 18
2 1	3 2	6 6	4 3	7 1	1 2	1 3	1 1	2 2	1 5		1			6 1	19
6 4	5 3	10 3	9 8	6 8	10 5	10 7	13 13	10 10	9 6	6 1	2 7			2 3	20
1 3	7 3	2 7	8 7	8 12	8 10	19 26	25 19	27 27	24 24	23 16	7 6	2 3	1 3	1 3	21
1			1												22
2	3 2	1 2	3 1	3 2	1 1	1 1	1	1	1					5	23
2	1		1	2	1	1 1								2 4	24
1 2	4 2	1 1	1 1	1 1	1 2	1		3 1			1			1	25
4 2	1 3	4 1	5 4	8 2	6 3	5 3	13 4	7 1	6 2	1	1 1			2 2	26
1 1	1	2	2 1	3 1	1	1	1	1	1					1 1	27
2 1	1 1	2	3	3 1		2 2	2	2 1	2 3	3	1	3		1	28
27	55	45	60	83	69	120	97	99	87	37	14	3	3	16	29
11 16	29 26	18 27	37 28	40 43	37 32	63 57	56 41	62 37	45 42	26 11	5 9	1 2	2 1	10 6	30 31
1		2	2 1	1	2	1	1	2 1	1	2 1					32
	1 1		1	1	1	1	1							1	33
11 15	28 25	18 25	34 22	38 43	36 30	60 57	56 38	60 35	44 41	23 10	5 8	1 2	2 1	9 6	34
						1	1	1	1	1	1				35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KENTUCKY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
IV.—Diseases of the respiratory system	3,646	779	326	194	130	74	1,503	194	86	136	161	153
Males	2,016	433	185	94	64	40	816	111	37	90	88	88
Females	1,630	346	141	100	66	34	687	83	49	46	73	65
1. Croup	{ M. 305 F. 266	{ 151 129	{ 45 34	{ 30 29	{ 23 30	{ 16 14	{ 265 236	{ 34 22	{ 2 2	{ 2 2	{ 1 1	{ 1 1
2. Laryngitis	{ M. 10 F. 2	{ 1 1	{ 3 1	{ 1 1	{ 1 1	{ 1 1	{ 4 1	{ 2 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
3. Bronchitis	{ M. 240 F. 205	{ 69 48	{ 35 15	{ 14 14	{ 6 6	{ 6 2	{ 130 85	{ 10 7	{ 1 3	{ 4 4	{ 4 8	{ 7 7
4. Pneumonia	{ M. 1,116 F. 808	{ 148 118	{ 91 76	{ 42 38	{ 22 26	{ 14 16	{ 317 274	{ 47 39	{ 24 30	{ 76 31	{ 69 49	{ 67 39
5. Pleurisy	{ M. 26 F. 20	{ 1 3	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 3	{ 1 1	{ 1 1	{ 4 4	{ 1 2	{ 1 3
6. Asthma	{ M. 39 F. 33	{ 1 1	{ 2 1	{ 1 1	{ 1 1	{ 1 1	{ 2 2	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
7. Others of this class	{ M. 280 F. 296	{ 68 47	{ 9 16	{ 8 17	{ 12 4	{ 4 2	{ 96 86	{ 17 13	{ 6 14	{ 6 13	{ 13 14	{ 12 15
V.—Diseases of the digestive system	905	159	62	22	18	9	270	36	20	38	40	39
Males	514	89	34	9	6	4	142	25	12	20	26	15
Females	391	70	28	13	12	5	128	11	8	18	14	24
1. Dentition	{ M. 23 F. 22	{ 10 6	{ 13 13	{ 1 1	{ 1 1	{ 1 1	{ 23 21	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
2. Angina	{ M. 16 F. 28	{ 3 5	{ 3 1	{ 1 4	{ 1 7	{ 1 1	{ 7 18	{ 3 4	{ 1 1	{ 1 1	{ 1 1	{ 1 1
3. Diseases of the stomach	{ M. 96 F. 96	{ 14 10	{ 10 4	{ 2 5	{ 2 2	{ 2 1	{ 30 22	{ 4 2	{ 3 2	{ 4 5	{ 5 2	{ 7 7
4. Obstruction of the bowels	{ M. 39 F. 24	{ 5 3	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 5 3	{ 3 1	{ 4 2	{ 6 1	{ 5 1	{ 2 1
5. Hernia	{ M. 20 F. 11	{ 2 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 4 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
6. Other diseases of the bowels	{ M. 37 F. 32	{ 10 14	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 11 17	{ 1 1	{ 1 1	{ 4 4	{ 3 1	{ 2 1
7. Jaundice	{ M. 23 F. 12	{ 12 5	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 13 5	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
8. Inflammation and abscess of the liver	{ M. 36 F. 23	{ 1 2	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 3	{ 1 1	{ 1 1	{ 1 1	{ 2 2	{ 4 4
9. Other diseases of the liver	{ M. 79 F. 47	{ 5 6	{ 2 2	{ 1 1	{ 1 1	{ 1 1	{ 8 10	{ 2 3	{ 3 3	{ 4 1	{ 2 1	{ 1 1
10. Peritonitis	{ M. 42 F. 38	{ 2 2	{ 1 2	{ 1 1	{ 1 1	{ 1 1	{ 5 6	{ 5 1	{ 3 3	{ 1 3	{ 6 5	{ 2 11
11. Ascites	{ M. 11 F. 13	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
12. Others of this class	{ M. 92 F. 45	{ 25 16	{ 4 4	{ 2 1	{ 2 1	{ 1 1	{ 33 22	{ 4 1	{ 1 1	{ 2 2	{ 3 3	{ 3 3
VI.—Diseases of the urinary system and male organs of generation.	422	9	4	3	3	2	21	12	8	6	14	10
Males	307	5	2	2	2	1	12	10	2	3	11	4
Females	115	4	2	1	1	1	9	2	6	3	3	6
1. Bright's disease	{ M. 140 F. 51	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 5 8	{ 4 1	{ 1 1	{ 2 2	{ 6 2	{ 3 1
2. Calculus, urinary	{ M. 13 F. 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
3. Diseases of the kidney	{ M. 91 F. 51	{ 2 3	{ 2 2	{ 2 1	{ 2 1	{ 1 1	{ 5 8	{ 5 1	{ 1 3	{ 1 1	{ 3 1	{ 4 4
4. Diseases of the bladder	{ M. 27 F. 3	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
5. Others of this class	{ M. 36 F. 9	{ 2 1	{ 2 1	{ 1 1	{ 1 1	{ 1 1	{ 5 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
VII.—Diseases of the female organs of generation.	84								1	7	8	5
1. Ovarian tumors	F. 8									1		
2. Ovarian diseases	F. 5											
3. Uterine tumors	F. 6											
4. Uterine diseases	F. 17										3	
5. Others of this class	F. 48								1	6	5	5
VIII.—Affections connected with pregnancy.	298								2	29	61	59
1. Abortion	F. 25									3	5	6
2. Childbirth	F. 132								1	12	23	20
3. Puerperal septicaemia	F. 118									12	29	27
4. Extra-uterine pregnancy	F. 1											1
5. Others of this class	F. 22								1	2	4	5

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KENTUCKY—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	171	50	19	9	12	3	93	15	11	11	8	7
2	Males	100	28	9	7	7	1	52	10	7	6	3	6
3	Females	71	22	10	2	5	2	41	5	4	5	5	1
4	1. Diseases of the spine..... { M. 93	28	9	7	7	1	52	9	6	5	3	5	
	{ F. 60	21	10	2	5	2	40	4	3	5	1		
5	2. Diseases of the bones..... { M. 1												1
	{ F. 2												
6	3. Diseases of the hip joint..... { M. 1										1		
	{ F. 8		1				1	1	1			4	
7	4. Others of this class..... { M. 5								1	1			1
	{ F. 1												
8	X.—Diseases of the skin	51	9	7	3			19	2	1	1		
9	Males	33	6	3	3			12	1	1	1		
10	Females	18	3	4				7	1				
11	1. Abscess	16	3	2	1			6			1		
	{ M. 16		1	1			2	1					
	{ F. 10												
12	2. Carbuncle	6						2					
	{ M. 6		1	1			2						
	{ F. 3												
13	3. Others of this class..... { M. 11		3	1	2			6	1	1			
	{ F. 5		1	2			3						
14	XI.—Diseases of the absorbent system.....	9								2			1
15	Males	4											1
16	Females	5								2			
17	1. Addison's disease..... { M. 1												
	{ F. 1												
18	2. Diseases of the spleen..... { M. 1												1
	{ F. 3									2			
19	3. Others of this class..... { M. 3												
	{ F. 1												
20	XII.—Accidents and injuries	1,262	83	29	36	32	14	194	55	81	117	166	127
21	Males	993	46	20	25	21	7	119	34	66	98	147	111
22	Females.....	269	37	9	11	11	7	75	21	15	19	19	16
23	1. Burns and scalds..... { M. 54		2	11	8	8	5	34	7			1	3
	{ F. 61		4	4	6	7	4	25	12	7	3	5	
24	2. Drowned..... { M. 106			2	7			9	8	11	14	22	14
	{ F. 11				1	1		2	2	2	2	3	
25	3. Exposure and neglect..... { M. 22		8	2	2			12		1	1		1
	{ F. 12		3	2	1			6		1	3	1	
26	4. Gunshot wounds..... { M. 136		1	1				2	5	8	27	23	23
	{ F. 4									1			1
27	5. Homicide..... { M. 82									2	3	14	18
	{ F. 6		1					1		1	1	2	
28	6. Infanticide..... { M. 1												
	{ F. 1												
29	7. Injuries by machinery..... { M. 3										1		
	{ F. 1												
30	8. Railroad accidents..... { M. 118					1		1	3	5	13	25	21
	{ F. 9								1			1	2
31	9. Suffocation..... { M. 20		11		1	1		13		1		1	2
	{ F. 18		14	1				15					
32	10. Suicide by shooting..... { M. 12										1	2	2
	{ F. 3										1	1	1
33	11. Suicide by drowning..... { M. 5											1	
	{ F. 1											1	
34	12. Suicide by poison..... { M. 3									1	3		1
	{ F. 7												
35	13. Other suicides..... { M. 28											3	1
	{ F. 6									1			1
36	14. Sunstroke..... { M. 7											1	2
	{ F. 2												
37	15. Surgical operations..... { M. 7		1					1				4	
	{ F. 5		1					1					2
38	16. Wounds..... { M. 20		2					2	2	2	4	2	2
	{ F. 7		1					1					
39	17. Other accidents and injuries... { M. 370		21	4	7	11	2	45	9	36	34	43	22
	{ F. 117		13	2	4	3	2	24	6	5	5	5	8

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KENTUCKY—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
3	2	4	1	3	1	3	5	1	1					2	1
2	2	2	1	1	1	2	3	1						1	2
1		2		2		1	2		1					1	3
1	2	2	1	2	1	1	3	1						1	4
		2		2			1		1					1	4
1				1											5
						1									6
1						1	1								7
							1								7
2	3		2	5	1	3	3	4		2	2			1	8
1	1		2	3		2	2	3		2	1			1	9
1	2			2	1	1	1	1			1				10
1	1		1	1		2		2						1	11
1	1			1	1	1	1	1			1				11
				2			1	1		1	1				12
				1											12
	1		1	1			1			1					13
															13
		1	2	1		1	1								14
															14
		1	1	1		1	1								15
															16
			1												17
															18
				1											18
		1	1				1								19
															19
77	87	67	49	39	32	27	30	24	22	15	15	7	1	30	20
69	70	60	48	30	26	23	20	19	16	11	7	2		22	21
8	17	7	16	9	6	4	10	5	6	4	8	5	1	8	22
4	1	1			1				1	1					23
1		1			2	1				2	1				23
10	4	7	3	1		2	1								24
				1											24
	1	1			1		1		1	2					25
															25
12	9	7	4	2	2	1	2		1					3	26
	2														26
9	10	7	5	3		1	2	1		1				6	27
				1										1	27
															28
															28
	1							1							29
															29
10	9	8	3	1	4	3	1	2	2	2	1			4	30
1	1		1				1	1							30
				2			1	1						1	31
															31
1	1	1	2		1			1							32
															32
		1	1	2											33
															33
			1				1		1						34
															34
1	2	3	3	4	1	2	2	3	1	1		1		1	35
	1			2											35
		1						1		1					36
		1							1						36
							1	1							37
															37
	1	1	1	1		2	1			1	1				38
				1		1	1								38
22	29	22	20	16	16	11	7	10	9	3	6	1		9	39
6	9	5	4	3	3	2	7	4	4	1	6	4	1	5	39

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

LOUISIANA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
732	795	652	657	698	541	674	590	485	394	291	126	85	81	172	1
387	427	362	390	416	314	374	321	247	214	133	50	38	25	89	2
345	368	290	267	282	227	300	269	238	180	158	76	47	56	83	3
23	21	28	22	16	18	33	22	14	19	17	11	9	4	47	4
8	10	12	15	7	8	15	9	6	10	10	3	4	1	27	5
15	11	16	7	9	10	13	13	8	9	7	8	5	3	20	6
106	138	100	97	117	90	87	91	70	39	25	13	7	4	35	7
59	75	56	63	69	46	47	48	48	20	11	8	3		16	8
47	63	44	34	48	44	40	43	22	19	14	5	4	4	19	9
		1	1	1											10
1		2				4	1		1					2	11
2	3	3	4	1		1	1								12
				1	1		1						1	1	13
	2					2								1	14
	2	1					1							3	15
1	3	1	2	1	1	4	3	2	1	1				2	16
3	3	3	2			4	1			1				1	17
	1	1	1				1	1							18
9	10	2	4	5	3	3	8	2		1	1			2	19
7	11	4	1	4	1	2	3								20
10	24	27	25	36	26	27	22	23	5	4	3	3		4	21
12	16	13	9	23	21	18	22	13	13	8	3	2	2	9	22
															23
34	26	14	24	22	12	9	12	15	8	5	3			5	24
18	22	15	13	14	15	14	11	8	3	4	2	2		1	25
	3	1	3	2	3		1	1	2						26
2	1	1	2												27
3	3	3	1	1	1	2	1	2	3					1	28
1	3	3	2												29
1	4	4	1	1						1					30
1	1	1		1											31
	2		1			2		3	2		1				32
1				4			1		1				1	1	33
7	16	10	6	14	6	9	4	5	4	4	2		1	4	34
5	12	6	5	13	6	7	3	2	3	3	1	1		2	35
2	4	4	1	1		2	1	3	1	1	1		1	2	36
															37
															38
2	9	5	4	12	6	6	1	1	1	1				2	39
	2	3	1	1		1									40
1	1			1											
1	1														
2	2	1	1			1	1			1	1			1	
2	1														
		1					1	1	2	1	1		1		
6	9	5	10	16	20	58	55	89	116	107	54	45	51	6	
3	3	2	3	9	6	24	30	35	59	40	18	22	18	4	
3	6	3	7	7	14	34	25	54	57	67	36	23	36	2	
3	3	2	3	9	6	19	29	24	35	26	9	8	6	3	
3	6	3	7	7	14	30	21	30	42	35	20	9	16		
						5	1	11	24	14	9	14	12	1	
						4	4	24	15	32	16	14	20	2	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

LOUISIANA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	2,242	61	21	15	14	7	118	38	48	149	255	211
2	Males.....	1,136	41	8	8	6	2	65	16	16	67	126	118
3	Females.....	1,106	20	13	7	8	5	53	22	32	82	129	98
4	1. Rheumatism.....	{ M. 36 F. 23								1	1	2	2
5	2. Scrofula and tabes.....	{ M. 24 F. 17	5	2	1			8	2	2	1	3	1
6	3. Leprosy.....	{ M. 3 F. 1											
7	4. Consumption.....	{ M. 792 F. 724	10	3	4	3	1	21	8	7	53	110	100
8	5. Hydrocephalus.....	{ M. 20 F. 12	13	1	1			15	1			2	
9	6. Cancer.....	{ M. 84 F. 181		1		1	1	3	1	1	2	2	5
10	7. Tumor.....	{ M. 16 F. 4	1		1			1		2	1	1	1
11	8. Anæmia.....	{ M. 11 F. 13	5					5	1	1	2	1	1
12	9. Dropsy.....	{ M. 127 F. 125	5	2	1	2	1	11	3	2	5	6	3
13	10. Diabetes.....	{ M. 15 F. 5									1	1	
14	11. Others of this group.....	{ M. 8 F. 1	2		1			3			1	1	1
15	12. Others of this class.....	{ M. F.											
16	II.—Diseases of the nervous system.....	1,535	540	79	71	33	21	744	66	29	49	32	32
17	Males.....	865	322	44	39	17	13	435	30	18	23	19	15
18	Females.....	670	218	35	32	16	8	309	36	11	26	13	17
19	1. Inflammation of the brain.....	{ M. 124 F. 88	39	16	10	6	4	75	9	6	8	3	4
20	2. Apoplexy.....	{ M. 112 F. 109	1	1				2			1	1	1
21	3. Paralysis.....	{ M. 78 F. 56	1	2		1		4	1		2	1	3
22	4. Tetanus and trismus nascentium.....	{ M. 189 F. 110	170	3		1	2	176	1	2	2		1
23	5. Epilepsy.....	{ M. 15 F. 17	1					1	1	2	1	4	2
24	6. Convulsions.....	{ M. 131 F. 110	79	11	16	7	2	115	5	2	3	1	2
25	7. Mental diseases.....	{ M. 12 F. 13									1	1	
26	8. Diseases of the brain.....	{ M. 173 F. 138	28	11	10	2	3	54	14	5	6	7	4
27	9. Diseases of the spinal cord.....	{ M. 20 F. 19	3		3		1	7			1	1	
28	10. Others of this class.....	{ M. 11 F. 10	1				1	2		1			1
29	III.—Diseases of the circulatory system.....	946	28	6	2	1	2	39	6	14	19	22	34
30	Males.....	419	19	4	1		1	25	3	5	10	7	17
31	Females.....	427	9	2	1	1	1	14	3	9	9	15	17
32	1. Angina pectoris.....	{ M. 6 F. 3										1	1
33	2. Aneurism.....	{ M. 10 F. 8										2	
34	3. Diseases of the heart.....	{ M. 382 F. 405	4	2	1		1	8	3	5	10	7	15
35	4. Others of this class.....	{ M. 21 F. 11	15	2	1			17			1	12	17

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

LOUISIANA—Continued.

30 to 35.	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown	
230	199	164	160	171	128	106	97	69	34	30	4	4	5	22	1
109 121	103 96	79 85	85 75	98 73	67 61	57 49	53 44	32 37	20 14	13 17	2 2	2 2	3 2	10 12	2 3
1 2	1 2	2	3 2	4 2	2	3 1	4 2	5 4	3	3 2		1		2	4
	4 2		1	2		1		2							5
			1		1		1			1					6
100 99	85 72	69 58	59 41	64 31	42 32	26 20	24 15	9 11	3 5	2 6	1	1		8 8	7
1	1					1	1								8
1 10	2 11	4 18	9 26	12 30	10 17	10 17	8 14	7 9	7 7	2 4	1	2		3	9
1		1 1	1	4	1	1	1			1					10
1	1 2			1 1		2	1								13
5 7	6 7	4 6	10 6	8 9	9 12	14 7	14 11	10 11	6 2	6 3	1 1		3	1 1	12
1	3	1	2 1	3	2	1 1	1		1					1	13
						1		1							14
															15
34	58	53	64	61	51	68	67	42	40	25	8	5		7	16
19 15	35 23	29 24	41 23	28 33	35 16	39 29	38 29	21 21	19 21	12 13	3 5	3 2		3 4	17 18
3 2	2 4	3 2	3 2	3	2		1		1	1					19
2 3	11 3	6 6	10 7	4 16	13 9	19 15	22 14	5 10	10 10	4 5	1 3	1			20
1	8 1	4 2	10 2	4 9	8 3	7 8	7 8	12 2	3 5	3 5	2 1	1 2			21
1 1	2 1	1	1 1	1 1					1						22
3 1	1	4	1 2	1			1							1	23
	1	1	1											1 1	24
	1 3	1 2	3 1	4 1		1	1 1	2	1	1					25
5 5	8 8	9 6	10 6	9 5	11 2	13 5	6 4	4 5	2 5	4 2	1	1		1 3	26
2 2	2 2	4	1	2	1 2				1 1						27
2 1		2	3	1			1 1	2							28
37	52	52	67	81	59	100	90	68	53	33	9	1	3	7	29
22 15	20 32	27 25	37 30	38 43	31 28	48 52	47 43	28 40	29 24	17 16	5 4	1	2	2 5	30 31
			2	1 1	1		2								32
1	1	1	1 2	4		2 1	1 1	1							33
22 14	20 31	26 25	34 28	32 42	31 27	46 51	44 42	27 40	28 24	16 16	5 4	1	1 2	2 4	34
				1					1	1				1	35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

LOUISIANA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	2,033	350	136	102	52	33	673	62	60	130	120	98
2	Males	1,161	189	77	47	21	20	354	33	32	62	61	61
3	Females	872	161	59	55	31	13	319	29	28	68	59	37
4	1. Croup	{ M 96 F 99	25 41	23 18	18 13	8 13	4 5	88 90	6 8		1	2	
5	2. Laryngitis	{ M 5 F 3	2		2			2 2				1	
6	3. Bronchitis	{ M 147 F 125	57 40	15 9	7 11	5	2	81 66	5 1	2 3	4 4	6 2	3 2
7	4. Pneumonia	{ M 714 F 499	64 58	30 28	17 23	10 10	10	131 126	15 15	21 18	47 49	62 32	52 30
8	5. Pleurisy	{ M 47 F 16	2 1	3	1	1		7 1	2	2	4	4	3 1
9	6. Asthma	{ M 18 F 22		1	1			2					1
10	7. Others of this class	{ M 134 F 108	29 20	6 3	4 6	2 3	4	45 32	5 5	7 7	7 10	6 5	2 4
11	V.—Diseases of the digestive system	765	145	39	20	14	5	273	20	15	19	24	31
12	Males	423	68	42	10	9	2	131	10	7	10	12	15
13	Females	342	77	47	10	5	3	142	10	8	9	12	16
14	1. Dentition	{ M 70 F 79	33 41	29 33	6 5	1	1	70 79					
15	2. Angina	{ M 18 F 20	2 3	2 4	1 1	4 3	2	9 13	4 4	1			1
16	3. Diseases of the stomach	{ M 45 F 45	6 4	1	1	1	1	7 7	1 4		1 2	4 1	2
17	4. Obstruction of the bowels	{ M 25 F 14	2 3			1		3 3	1	3		2	
18	5. Hernia	{ M 21 F 1	1					1				1	
19	6. Other diseases of the bowels	{ M 23 F 17	4 4	2	1			7 5	1 1		1		1 1
20	7. Jaundice	{ M 7 F 7	1 2					1 2			2	1	1
21	8. Inflammation and abscess of the liver	{ M 67 F 36	1	3	2	1	1	4 4		1 1	2 1	1 2	5 4
22	9. Other diseases of the liver	{ M 70 F 51	1	1				2		2	3	1	5 3
23	10. Peritonitis	{ M 25 F 23		1		1		2 1		2 1	1 2	2 4	4 3
24	11. Ascites	{ M 8 F 12	1	1				2	1	1	1	1	
25	12. Others of this class	{ M 44 F 37	17 19	4 6	2 1	1	1	25 26	2		1		1 1
26	VI.—Diseases of the urinary system and male organs of generation	373	7	4	1			12	5	3	8	13	27
27	Males	248	4	4	1			9	4	2	6	8	19
28	Females	125	3					3	1	1	2	5	8
29	1. Bright's disease	{ M 160 F 109							2 1	2 1	4 2	6 4	15 7
30	2. Calculus, urinary	{ M 11 F 1		1				1					
31	3. Diseases of the kidney	{ M 46 F 10	3 1	3	1			7 1	1		2	1	3
32	4. Diseases of the bladder	{ M 13 F 3		1				1					
33	5. Others of this class	{ M 18 F 2	1 1					1 1	1			1	1 1
34	VII.—Diseases of the female organs of generation	36									13	8	9
35	1. Ovarian tumors	F 8											
36	2. Ovarian diseases	F 4											
37	3. Uterine tumors	F 4											2
38	4. Uterine diseases	F 24									4	8	6
39	5. Others of this class	F 46											
40	VIII.—Affections connected with pregnancy	270									41	63	47
41	1. Abortion	F 14									1	4	1
42	2. Childbirth	F 147									25	40	26
43	3. Puerperal septicaemia	F 83									8	19	17
44	4. Extra-uterine pregnancy	F											
45	5. Others of this class	F 26									7	5	3

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

LOUISIANA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	25	1	1			1	3	2	2		2	2
2	Males.....	12	1					1		1		1	1
3	Females.....	13		1			1	2	2	1		1	1
4	1. Diseases of the spine.....	{ M. 6 F. 9	1	1			1	2	2	1			1
5	2. Diseases of the bones.....	{ M. 3 F. 3								1			1
6	3. Diseases of the hip joint.....	{ M. 1 F. 2										1	
7	4. Others of this class.....	{ M. 2 F. 2										1	
8	X.—Diseases of the skin.....	38	6				1	7			2	2	4
9	Males.....	18	3					3			1	2	2
10	Females.....	20	3				1	4			1		2
11	1. Abscess.....	{ M. 12 F. 7	1	1				1			1	1	1
12	2. Carbuncle.....	{ M. 3 F. 4										1	1
13	3. Others of this class.....	{ M. 3 F. 9	2				1	2					1
14	XI.—Diseases of the absorbent system.....	3							1				
15	Males.....	3											
16	Females.....	3							1				
17	1. Addison's disease.....	{ M. 1 F. 1											
18	2. Diseases of the spleen.....	{ M. 2 F. 2							1				
19	3. Others of this class.....	{ M. 1 F. 1											
20	XII.—Accidents and injuries.....	1,046	79	28	28	24	16	175	77	83	114	102	92
21	Males.....	809	39	12	19	12	11	93	55	69	98	90	79
22	Females.....	237	40	16	9	12	5	82	22	14	16	12	13
23	1. Burns and scalds.....	{ M. 42 F. 56	4	6	12	7	4	33	3	3	1		
24	2. Drowned.....	{ M. 152 F. 21	1	2	3	3		9	14	23	21	20	16
25	3. Exposure and neglect.....	{ M. 13 F. 12	7	1		1	1	9	2				1
26	4. Gunshot wounds.....	{ M. 138 F. 15	1	1	2	1		2	3	11	27	21	23
27	5. Homicide.....	{ M. 90 F. 8							2	2	10	20	17
28	6. Infanticide.....	{ M. 1 F. 1									1		1
29	7. Injuries by machinery.....	{ M. 1 F. 1											1
30	8. Railroad accidents.....	{ M. 17 F. 3	1					1	1		1	3	3
31	9. Suffocation.....	{ M. 16 F. 22	12	3				12	1	1			1
32	10. Suicide by shooting.....	{ M. 25 F. 1								1	1	3	1
33	11. Suicide by drowning.....	{ M. 2 F. 1											1
34	12. Suicide by poison.....	{ M. 10 F. 3									1	2	1
35	13. Other suicides.....	{ M. 12 F. 4										1	1
36	14. Sunstroke.....	{ M. 19 F. 8					1	1			1	1	2
37	15. Surgical operations.....	{ M. 9 F. 11	1		1			1					1
38	16. Wounds.....	{ M. 35 F. 21	1	1			3	4	12	15	10	4	2
39	17. Other accidents and injuries.....	{ M. 208 F. 52	11	3	4	1	2	21	18	13	26	17	11

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

LOUISIANA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
	1	2	1	3	1	2	2	1		1					1
	1	2	1	1	2	2	1	1		1					2
		2		1		2	1	1							3
			1							1					4
															5
				1											6
	1			1				1							7
3	1	2		3	5	5	1	1		1				1	8
2	1	1		1	2	2								1	9
1		1		2	3	3	1	1		1					10
2		1		1	2	1								1	11
	1			1		1				1					12
		1				1									13
1					3		1	1							14
		1				1									15
			1												16
															17
						1									18
		1													19
73	56	39	46	40	28	22	21	20	14	6	4	2	2	21	20
62	46	36	36	42	25	19	14	16	7	4	2	1		15	21
11	10	3	10	7	3	3	7	4	7	2	2	1	2	6	22
5	1		2		1	1	1		2	1			1		23
7	9	9	4	8	2	3	1	1	1	1	1			3	24
				1					1	1	1			1	25
16	9	4	11	3	1		1					1		6	26
	2													1	27
14	9	6	3	3	1	1								2	28
1	2		2											1	29
		1				1		1							30
				1									1		31
2	2	1		1	4	2	3	2	1	1					32
				1	1										33
2	1	1	2	2			1								34
		3	1	2	1	2		1							35
1			1	1											36
2	3	2	2	3	1		1	2							37
2	1			3										1	38
	1	1	1	2		1	2		1						39
1		1	1	1			2	2						1	40
18	9	8	10	13	13	10	4	7	5	2	2	1			41
1	1	1	3	2	2	1	2	3	2	1	1			2	42

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MAINE.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
344	347	328	362	394	434	492	650	706	771	631	416	169	42	203	1
160	174	163	183	199	254	278	366	463	458	351	197	70	16	111	2
184	173	165	179	195	180	214	284	333	313	280	219	99	26	92	3
9	14	13	7	11	14	21	17	32	22	25	18	7	1	71	4
6	6	3	3	4	9	7	5	19	10	13	7	4	1	30	5
3	8	10	4	7	5	14	12	13	12	12	11	3		41	6
43	34	28	29	24	28	31	24	34	43	23	18	7	3	14	7
27	23	12	20	13	18	15	12	22	24	14	10	3	1	11	8
16	11	16	9	11	10	16	12	12	19	9	8	4	2	3	9
															10
															11
1															12
1	1	1	1	1	1	1		1	1						13
															14
	1					1			1						15
	1				1		2								16
2															17
18	11	5	9	3	4	3	3	4	3	1		1		2	17
5	5	8	4	4	2	3	3	3	3					1	18
3	4	2	3	4	9	8	3	10	15	6	5	1		3	18
3	1	5	1	5	2	8	2	8	9	5	6	2	1	1	19
															20
1	3	2	3	2		2		2	2	1				1	20
1						1	2		1						21
1	1	1		1		1	1		2	1				1	21
3	1		5	3	3	2	2	2	1	1	1			1	22
3	1	1	3	3	2	1	2		1	2					22
		2			1										23
1		1		1											23
	2				1		5	3	3	4	4	1	1		24
						1	1		3	2	1	2	1		24
1	2	1	2	2	3	1	1	1						2	25
															26
1	1	1	1	1	3	1	1	1						2	26
															27
															28
1	1		1	1	3		1	1						2	29
															30
															31
	1	1		1		1									31
															32
															33
1	1		1	2	2	6	13	42	71	107	132	77	24	3	33
															34
1	1		1	1	2	3	6	15	41	49	56	31	11	2	34
						3	7	27	30	58	76	46	13	1	35
															36
															37
															38
															39
1	1		1	1	2	1	4	8	12	6	1	4	2	1	39
							3	5	8	7	8	2	2		40
							2	7	29	43	55	27	9	1	40
						3	4	22	22	51	68	44	11	1	40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MAINE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	2,313	60	19	19	9	7	114	24	40	159	237	186
2	Males	1,086	34	11	12	3	4	64	8	9	53	95	75
3	Females	1,227	26	8	7	6	3	50	16	31	106	142	111
4	1. Rheumatism	{ M. 34 F. 30							1		2	2	1
5	2. Scrofula and tabes	{ M. 23 F. 34	5	1	1			6	2	1	2	2	5
6	3. Leprosy	{ M. F.											
7	4. Consumption	{ M. 698 F. 779	12	3	5	1	2	23	1	5	44	90	66
8	5. Hydrocephalus	{ M. 40 F. 32	15	7	4	2	2	30	4	1		1	1
9	6. Cancer	{ M. 176 F. 236	1					1		1	1	1	1
10	7. Tumor	{ M. 13 F. 36			1			1		1		2	1
11	8. Anæmia	{ M. 4 F. 8							1		2	1	
12	9. Dropsy	{ M. 65 F. 50	1					1	1	2	1	1	1
13	10. Diabetes	{ M. 30 F. 19	1					1	1	1	5	2	4
14	11. Others of this group	{ M. 3 F. 3			2			2					
15	12. Others of this class	{ M. F.				1		1					
16	II.—Diseases of the nervous system	1,193	95	33	18	13	7	166	22	14	23	24	15
17	Males	656	59	21	11	7	3	101	11	8	11	15	8
18	Females	537	36	12	7	6	4	65	11	6	12	9	7
19	1. Inflammation of the brain	{ M. 72 F. 47	18	13	7	3	2	43	4	2	4	5	1
20	2. Apoplexy	{ M. 143 F. 117	1			1		2			1	1	
21	3. Paralysis	{ M. 189 F. 184	1	1			1	3			1	3	1
22	4. Tetanus and trismus nascentium	{ M. F.							1	1	1		
23	5. Epilepsy	{ M. 17 F. 7							1	1	1	3	1
24	6. Convulsions	{ M. 32 F. 27	21	4	1			26	1			1	1
25	7. Mental diseases	{ M. 46 F. 19										1	2
26	8. Diseases of the brain	{ M. 115 F. 84	12	3	1	3		19	4	2	3	1	1
27	9. Diseases of the spinal cord	{ M. 22 F. 13	6		1	2		7		2	1		1
28	10. Others of this class	{ M. 14 F. 39	1		1			1		1	1	1	1
29	III.—Diseases of the circulatory system	836	23	3	1	2		29	11	3	9	17	16
30	Males	483	12	2		2		16	9	2	5	4	6
31	Females	353	11	1	1			13	2	1	4	13	10
32	1. Angina pectoris	{ M. 19 F. 12											
33	2. Aneurism	{ M. 5 F. 2											
34	3. Diseases of the heart	{ M. 452 F. 335	9	2		2		13	8	2	5	4	6
35	4. Others of this class	{ M. 7 F. 4	2					3	1			13	10

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE.—Continued.

MAINE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
150	151	114	131	131	118	128	148	162	141	94	37	4	2	42	1
68 82	73 78	48 66	56 75	56 75	60 58	64 64	79 69	96 66	80 61	51 43	20 17	3 1	1 1	27 15	2 3
	1 1	2	2	5	2	4 4	4 5	7 2	5 2	1	1 3	2		1 1	4
	2	1 3	2	1	1 4	1	2	2 1	1 2	1 1	1 1				5
															6
63 71	64 64	41 47	43 40	34 28	43 26	32 21	35 25	39 26	36 16	19 19	6 4	1 1	1	12 10	7
	1			1			1			1				1	8
3 6	3 7	4 12	7 29	16 30	10 14	23 26	24 32	30 25	26 27	14 14	7 7		1	7 2	9
1	1 2	1	3	5	7	4	2	2 2	2 5	1 2	1			1	10
	1	1	1					1	2					1	11
1 1	2 2	1	1 1	5 4	3 4	4 3	10 5	11 6	6 8	12 6	4 2			3 1	12
1		1	1 1	2	1 3	1 5	2	4 2	2	3				2	13
							1	1	1						14
															15
18	18	39	38	60	63	83	121	146	141	102	59	14	3	24	16
10 8	11 7	25 14	19 19	28 32	36 27	40 43	60 61	82 64	88 53	57 45	29 30	5 9	1 2	11 13	17 18
1	2 1	2		2	1	1	1 3	1 2	2	2				1 2	19
	1	4	2 5	10 10	9 7	15 11	23 19	24 19	19 12	15 10	13 11	1 5	1 2	3 5	20
3 2	6 1	3 5	5 4	10 9	8 12	12 19	21 26	35 29	39 27	22 24	11 16	3 3		3 3	21
	1				1			1							22
1	1	4		1	3			1	1						23
1					1 1		1	1	1			1			24
1 1		2 2	7 2	4 3	2 3	4 2	3	7 1	5 2	5 1	2			1 1	25
3 3	1 1	5 3	3 4	2 3	9 2	8 7	10 6	10 7	17 7	11 7	3 3			3 2	26
1		2 2	2		3			1 1	2						27
1	3	3 2	4	1 4	1	1	5	1 5	2 5	2 3		1			28
16	20	34	34	47	60	68	105	117	109	82	32	18	1	8	29
2 14	9 11	19 15	19 15	25 22	38 22	48 20	66 39	71 46	63 46	54 23	14 18	6 12	1	7 1	30 31
		1 1	1	4 2	2	4 1	2 3	2 1	4 1	1				1	32
			2	1				1 1	1						33
2 14	9 10	18 14	16 15	20 20	38 19	44 19	63 36	66 43	58 44	54 27	14 18	6 12	1	6 1	34
	1						1	2 1	1						35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MAINE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system.....	1,601	191	70	49	27	26	363	39	22	49	75	37
2	Males.....	809	110	36	23	10	12	191	23	7	24	40	15
3	Females.....	792	81	34	26	17	14	172	16	15	25	35	22
4	1. Croup.....	{ M. 40 F. 42	{ 10 12	{ 4 8	{ 6 5	{ 4 8	{ 3 5	{ 27 38	{ 11 3		{ 1 1		
5	2. Laryngitis.....	{ M. F.											
6	3. Bronchitis.....	{ M. 58 F. 72	{ 15 11	{ 2 4	{ 1 4	{ 1 1		{ 19 19		{ 1 3		{ 2 4	
7	4. Pneumonia.....	{ M. 476 F. 482	{ 46 31	{ 18 13	{ 12 13	{ 4 4	{ 2 4	{ 82 65	{ 4 5	{ 2 12	{ 17 16	{ 28 22	{ 11 17
8	5. Pleurisy.....	{ M. 14 F. 7	{ 1 1	{ 1 1				{ 3 1	{ 1 1		{ 2 1		{ 3 1
9	6. Asthma.....	{ M. 16 F. 8					{ 1 1		{ 1 1				
10	7. Others of this class.....	{ M. 205 F. 181	{ 38 27	{ 11 9	{ 3 4	{ 1 4	{ 7 5	{ 60 49	{ 7 4	{ 3 3	{ 4 5	{ 12 9	{ 1 5
11	V.—Diseases of the digestive system.....	356	44	8	5	3	2	62	5	9	12	15	17
12	Males.....	193	29	1	2	2	1	35	3	6	2	4	5
13	Females.....	163	15	7	3	1	1	27	2	3	10	11	12
14	1. Dentition.....	{ M. 6 F. 7	{ 5 2	{ 1 4	{ 1 1			{ 6 7					
15	2. Angina.....	{ M. 7 F. 6	{ 2 2		{ 1 1			{ 4 3			{ 1 1		
16	3. Diseases of the stomach.....	{ M. 38 F. 51	{ 4 2	{ 1 1	{ 2 2	{ 1 1		{ 5 6	{ 1 1		{ 3 3	{ 9 9	{ 7 7
17	4. Obstruction of the bowels.....	{ M. 15 F. 6	{ 4 4					{ 4 4			{ 1 1	{ 1 1	{ 2 1
18	5. Hernia.....	{ M. 15 F. 7	{ 3 3					{ 3 3			{ 1 1		
19	6. Other diseases of the bowels.....	{ M. 7 F. 4	{ 3 2				{ 1 1	{ 4 2		{ 1 1		{ 1 1	
20	7. Jaundice.....	{ M. 8 F. 6	{ 3 3					{ 3 1			{ 1 1		
21	8. Inflammation and abscess of the liver.....	{ M. 12 F. 5								{ 1 1		{ 1 1	{ 1 1
22	9. Other diseases of the liver.....	{ M. 38 F. 30	{ 1 1					{ 1 1			{ 1 1		{ 1 1
23	10. Peritonitis.....	{ M. 16 F. 27	{ 2 2					{ 2 2	{ 2 2	{ 4 2	{ 3 3	{ 1 1	{ 1 1
24	11. Ascites.....	{ M. 4 F. 1									{ 1 1		
25	12. Others of this class.....	{ M. 27 F. 13	{ 4 4	{ 1 1	{ 1 1			{ 5 5					{ 1 1
26	VI.—Diseases of the urinary system and male organs of generation.....	421		1				1	3		6	7	7
27	Males.....	302		1				1	1		3	2	5
28	Females.....	119							2		3	5	2
29	1. Bright's disease.....	{ M. 132 F. 70							{ 1 1		{ 2 2	{ 3 3	{ 2 2
30	2. Calculus, urinary.....	{ M. 4 F. 1											
31	3. Diseases of the kidney.....	{ M. 100 F. 40							{ 1 1		{ 1 1	{ 1 2	{ 2 2
32	4. Diseases of the bladder.....	{ M. 43 F. 5		{ 1 1				{ 1 1				{ 1 1	
33	5. Others of this class.....	{ M. 23 F. 3							{ 1 1				{ 1 1
34	VII.—Diseases of the female organs of generation.....	26										1	3
35	1. Ovarian tumors.....	F. 11											1
36	2. Ovarian diseases.....	F. 1											
37	3. Uterine tumors.....	F. 4											
38	4. Uterine diseases.....	F. 3											1
39	5. Others of this class.....	F. 7										1	1
40	VIII.—Affections connected with pregnancy.....	98									6	30	27
41	1. Abortion.....	F. 12											4
42	2. Childbirth.....	F. 54									2	21	12
43	3. Puerperal septicæmia.....	F. 18									1	4	7
44	4. Extra-uterine pregnancy.....	F. 4											1
45	5. Others of this class.....	F. 14									3	3	4

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MAINE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	30	2			1		3	8		2	2	1
2	Males.....	13	1			1		2	2		1		
3	Females.....	17	1					1	6		1	2	1
4	1. Diseases of the spine.....	{ M. 10 F. 13	1			1		2	1		1		1
5	2. Diseases of the bones.....	{ M. 1 F. 1											
6	3. Diseases of the hip joint.....	{ M. 1 F. 4							1		1		
7	4. Others of this class.....	{ M. 2 F. 1											
8	X.—Diseases of the skin.....	15	4	1				5	1				1
9	Males.....	10	2	1				3					1
10	Females.....	5	2					2	1				
11	1. Abscess.....	{ M. 4 F. 3	1					1	1				1
12	2. Carbuncle.....	{ M. 3 F. 1											
13	3. Others of this class.....	{ M. 3 F. 1	2	1				3					
14	XI.—Diseases of the absorbent system.....	4											
15	Males.....	2											
16	Females.....	2											
17	1. Addison's disease.....	{ M. 1 F. 1											
18	2. Diseases of the spleen.....	{ M. 3 F. 1											
19	3. Others of this class.....	{ M. 3 F. 1	2	1				3					
20	XII.—Accidents and injuries.....	435	10	6	5	6	6	33	24	28	36	32	31
21	Males.....	335	4	3	5	3	5	20	18	22	31	30	28
22	Females.....	100	6	3		3	1	13	6	6	5	2	3
23	1. Burns and scalds.....	{ M. 7 F. 15		1	1		1	3	2				
24	2. Drowned.....	{ M. 92 F. 9	1		1	2	1	5	10	15	15	6	11
25	3. Exposure and neglect.....	{ M. 3 F. 6		2			1	3					
26	4. Gunshot wounds.....	{ M. 14 F. 2								2	6		1
27	5. Homicide.....	{ M. 2 F. 1								1	1		
28	6. Infanticide.....	{ M. 1 F. 1											
29	7. Injuries by machinery.....	{ M. 4 F. 1								1			1
30	8. Railroad accidents.....	{ M. 30 F. 1									2	5	6
31	9. Suffocation.....	{ M. 3 F. 1	1					1					1
32	10. Suicide by shooting.....	{ M. 6 F. 1									1	1	
33	11. Suicide by drowning.....	{ M. 2 F. 2									1		
34	12. Suicide by poison.....	{ M. 7 F. 3											
35	13. Other suicides.....	{ M. 19 F. 4								1	1	1	1
36	14. Sunstroke.....	{ M. 3 F. 1										2	
37	15. Surgical operations.....	{ M. 6 F. 6	1					1					1
38	16. Wounds.....	{ M. 7 F. 1											
39	17. Other accidents and injuries.....	{ M. 130 F. 49	1		3	1	2	7	6	3	5	15	7

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MAINE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
	1	1	1	2	2	1	2	3		1				1
	1			2	1		2	1		1				2
		1	1		1	1		2						3
	1			1	1		2	1						4
		1	1		1	1		2						5
														6
				1						1				7
			1	1	1	1		1		2	1			8
			1	1	1	1		1		1	1			9
			1	1				1						10
					1	1				1				11
						1	1			1	1			12
														13
				1	1	1				1				14
				1	1	1				1				15
														16
										1				17
				1	1									18
						1								19
26	19	20	19	14	21	16	19	25	22	24	12	2	1	11
22	14	17	14	11	18	13	15	19	18	11	5			9
4	5	3	5	3	3	3	4	6	4	13	7	2	1	2
							1		1	3				1
1														1
6	8		1	5	2	3	2	2	1					1
1	1													1
			1					2	1					1
2		2						1						1
		1												1
														1
			1						1					1
3		4	3		2				2					3
			1											1
1														1
1		1							1					1
			1	1		1								1
1			1	1	1	1	1	1						1
3	2			1	2		2	3	1	2	1			1
				1		1								1
						1	1							1
			1		2									1
	2	2	1				1							1
		1		1	2	1			1	1				1
6	4	9	6	2	7	8	8	12	11	8	4			2
1	2		2	1	2		3	4	2	10	7	2	1	1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MARYLAND.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
694	626	622	629	635	623	737	772	808	660	450	231	87	29	110	1
348 346	312 314	310 312	337 292	339 296	323 300	367 370	389 383	394 414	318 342	208 242	93 138	31 56	8 21	57 53	2 3
12	11	8	13	12	12	14	18	25	12	5	3	2	1	18	4
6 6	4 7	6 2	8 5	6 6	8 4	5 9	7 11	12 13	7 5	5	3	2	1	6 12	5 6
64	77	70	54	60	66	79	65	67	48	23	17	4		21	7
39 25	41 36	40 30	26 28	30 30	38 28	43 36	26 39	35 32	20 28	14 14	7 10	1 3		11 10	8 9
		1													10
1	1						1							1	11
															12
2	2			1	2									1	13
		2													14
	1							1							15
1					1										16
26 9	22 11	17 9	10 7	8 10	12 3	12 4	2 7	5	1 2	2 1				4 2	17
6 7	6 9	10 7	11 13	13 13	16 15	23 23	8 24	23 24	13 20	7 9	3 9	1 3		2 4	18
														2	19
	4 7	8 4	4 5	5 3	3 7	4 6	8 8	2 4	2 3	2 3				1	20
	2	1	1	2	2	1	3	2	2	2	2				21
	2 5	2 3			1	1		1	2						22
4	3 2	1 2		1 1		1	3								23
1		2			1	1	1	1	2	1	2			1	24
7	9	14	8	11	6	7	5	1	4	2	2	1		1	25
4 3	6 3	10 4	6 2	7 4	4 2	6 1	4 1	1 1	3 1	1 1	2	1		1	26 27
							1								28
3 3	3 2	10 3	6 1	4 1	3 1	5	2		1						29
	2														30
1	1			2 3	1 1	1 1	1			1					31
		1	1									1			32
	1			1				1	2 1	1	2			1	33
3	3	1	3	6	7	22	31	79	120	147	89	47	20	11	34
1 2	1 2	1	1 2	4 2	6 1	8 14	12 19	36 43	46 74	63 84	26 63	14 33	6 14	5 6	35
															36
															37
															38
1 2	1 2	1	1 2	4 2	6 1	7 9	5 10	16 15	20 31	21 27	8 24	3 8	1 2	2 3	39
						1 5	7 9	20 28	26 43	42 57	18 39	11 25	5 12	3 4	40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MARYLAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	3,327	148	87	49	27	20	331	67	74	215	328	301
2	Males.....	1,542	87	55	26	11	8	187	27	23	83	143	138
3	Females.....	1,785	61	32	23	16	12	144	40	51	132	185	163
4	1. Rheumatism.....	{ M. 51 F. 58	{ 1 1	{ 2 2	{	{ 1	{ 1	{ 4 4	{ 3 3	{ 4 4	{ 3 3	{ 2 2	{ 2 3
5	2. Scrofula and tubercles.....	{ M. 42 F. 32	{ 15 7	{ 5 2	{ 1 2	{ 3 2	{ 1 1	{ 25 14	{ 2 1	{ 1 3	{ 2 3	{	{ 3 2
6	3. Leprosy.....	{ M. F.	{	{	{	{	{	{	{	{	{	{	{
7	4. Consumption.....	{ M. 1,089 F. 1,226	{ 31 24	{ 27 11	{ 13 14	{ 5 8	{ 5 6	{ 81 63	{ 12 27	{ 13 37	{ 72 119	{ 137 176	{ 125 146
8	5. Hydrocephalus.....	{ M. 66 F. 59	{ 25 25	{ 14 12	{ 10 6	{ 2 4	{ 1 4	{ 52 51	{ 7 4	{ 1	{ 2 2	{	{ 1 1
9	6. Cancer.....	{ M. 130 F. 265	{ 1	{ 1	{	{	{	{ 2	{ 1	{	{	{ 5	{ 3 7
10	7. Tumor.....	{ M. 22 F. 29	{	{ 2	{	{	{	{ 2	{ 2	{ 2	{ 1	{ 1	{ 3
11	8. Anæmia.....	{ M. 13 F. 11	{ 7 1	{	{	{	{	{ 7 1	{	{ 1	{	{ 1	{
12	9. Dropsy.....	{ M. 103 F. 85	{ 1 1	{ 2	{ 1 1	{ 1	{ 1	{ 5 3	{ 2 1	{ 3 1	{ 3 5	{	{ 1 4
13	10. Diabetes.....	{ M. 12 F. 12	{	{	{	{	{	{	{	{ 1	{ 3	{	{
14	11. Others of this group.....	{ M. 14 F. 8	{ 6 2	{ 4 3	{ 1	{ 1	{	{ 11 6	{ 1	{	{	{ 1	{
15	12. Others of this class.....	{ M. F.	{	{	{	{	{	{	{	{	{	{	{
16	II.—Diseases of the nervous system.....	1,860	521	125	54	38	18	756	41	21	31	26	25
17	Males.....	966	296	63	29	21	6	415	23	9	13	12	11
18	Females.....	894	225	62	25	17	12	341	18	12	18	14	14
19	1. Inflammation of the brain.....	{ M. 155 F. 143	{ 62 59	{ 31 32	{ 13 11	{ 9 9	{ 1 4	{ 116 115	{ 11 8	{ 3 2	{ 3 1	{ 1 2	{ 2 4
20	2. Apoplexy.....	{ M. 171 F. 164	{ 1	{	{	{	{	{ 1	{	{ 1	{ 2	{ 3 2	{ 2 2
21	3. Paralysis.....	{ M. 184 F. 214	{ 1 1	{ 2 2	{ 1 1	{ 1	{ 1	{ 2 5	{ 1	{	{ 2	{ 3 2	{ 4
22	4. Tetanus and trismus nascentium.....	{ M. 30 F. 16	{ 27 9	{	{ 1	{ 1	{	{ 28 10	{ 2	{ 1	{	{	{ 1
23	5. Epilepsy.....	{ M. 23 F. 17	{ 2	{ 1 1	{ 1	{ 1 1	{	{ 5 1	{ 1	{ 3	{ 1	{ 3	{ 2 2
24	6. Convulsions.....	{ M. 238 F. 194	{ 185 139	{ 20 21	{ 11 7	{ 6 6	{ 1 5	{ 223 178	{ 8 3	{ 1	{ 2	{ 5	{ 1
25	7. Mental diseases.....	{ M. 10 F. 9	{	{	{	{	{	{	{	{	{ 1	{	{
26	8. Diseases of the brain.....	{ M. 117 F. 99	{ 16 14	{ 8 7	{ 3 4	{ 3 1	{ 2 1	{ 32 27	{ 3 3	{ 1 2	{ 3 3	{ 2 5	{ 2 2
27	9. Diseases of the spinal cord.....	{ M. 26 F. 11	{ 1 3	{ 2	{ 1	{	{ 1	{ 6 4	{ 1	{ 1	{	{ 1	{ 1
28	10. Others of this class.....	{ M. 12 F. 27	{ 1	{ 1	{ 1	{	{	{ 2 1	{	{ 1	{ 3	{ 3	{ 2
29	III.—Diseases of the circulatory system.....	909	55	3	3	3	5	69	15	9	18	27	28
30	Males.....	451	24	2	1	2	2	29	6	5	9	14	13
31	Females.....	458	31	1	2	3	3	40	9	4	9	13	15
32	1. Angina pectoris.....	{ M. 20 F. 12	{	{	{	{	{	{	{	{	{ 1	{ 1	{
33	2. Aneurism.....	{ M. 7 F. 3	{	{	{	{	{	{	{	{	{	{	{ 1
34	3. Diseases of the heart.....	{ M. 402 F. 411	{ 9 9	{ 2 1	{ 1 2	{ 3	{ 3	{ 14 18	{ 6 9	{ 5 4	{ 8 9	{ 13 12	{ 12 15
35	4. Others of this class.....	{ M. 22 F. 32	{ 15 22	{	{	{	{	{ 15 22	{	{	{	{ 1	{

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MARYLAND—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
301	201	206	233	195	187	191	178	134	90	48	20	2	2	23	1
150	95	82	110	97	73	85	95	60	46	23	9	1	1	14	2
151	106	124	123	98	114	106	83	74	44	25	11	1	1	9	3
3	1	3	3	3	3	3	5	5	2					1	} 4
3	1	1	4	4	8	4	4	5	3						
3			2	1			1	1		1					} 5
	1		3		1	1	1	1	1						
															} 6
134	85	67	82	70	52	44	48	26	22	7				12	} 7
138	88	91	70	62	57	52	37	33	15	8	2			5	
		1													} 8
		1													
1	5	4	14	13	11	24	28	15	6	1	2				} 9
4	12	22	32	28	41	38	31	16	16	4	4	1		3	
2	1	2	4	3	1	1	2	1							} 10
2	1	3	5	1	2	3	2	2					1		
3			2	2		2									} 11
			1	1	1	1			1	1					
5	2	5	1	3	6	10	8	11	15	14	6	1	1	1	} 12
1	3	4	6	3	4	6	6	16	7	9	5			1	
2	1		1	2		1	2	1	1						} 13
		2	2			1	2	1		1					
			1				1								} 14
									1						
															} 15
30	41	51	51	64	96	99	116	155	122	78	31	12	2	9	16
17	22	20	26	33	55	45	56	76	50	40	13	6		6	17
13	19	25	25	31	41	54	60	79	63	38	18	6	2	3	18
2	2		3	1	5	3	2		1						} 19
3		1	2	1	1	2	2								
3	7	12	10	22	16	17	19	21	18	15	2	1		1	} 20
3	5	6	8	12	17	13	25	25	21	13	6	1			
2	3	8	4	5	17	20	25	37	27	16	9	3		3	} 21
	5	9	8	10	11	30	18	43	30	21	9	2	2	1	
	1	2						1							} 22
3	2	1	2			1	1		1	1					} 23
1	2	1	2		1	2									
1	1			1	1		2				1			1	} 24
														1	
1	1	1	2	1			1	2	1						} 25
		1	1	1	1		3	1							
7	5	4	3	2	9	2	8	11	11	7	1	2		2	} 26
2	3	5	3	6	7	4	6	6	5	4	3	3			
2	1	3	1	1	5	1		2		1					} 27
	1		1	1					3						
	1		1		2	1		3							} 28
	1		1	1	3	1	4	3	4						
32	40	46	63	65	54	70	104	111	84	38	16	3	1	7	29
17	27	21	34	38	25	40	51	54	40	13	8	2		5	30
15	13	25	29	27	29	39	53	57	44	25	8	1	1	2	31
2	4	1	2	1	2	2	3	6		2					} 32
	1			2				1							
2		1		2		1									} 33
				1	2										
15	22	19	32	34	23	33	50	47	38	11	8	2		5	} 34
13	12	25	29	24	24	35	52	54	44	20	8	1	1	2	
	1			1		1		1	2						} 35
					1	1	1	2		5					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MARYLAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	2,563	514	278	163	91	61	1,107	126	43	65	80	70
2	Males	1,323	303	134	76	43	32	588	69	15	31	43	33
3	Females	1,240	211	144	87	48	29	519	57	28	34	37	37
4	1. Croup	{ M. 122 F. 113	19 14	24 25	22 24	17 14	12 13	94 90	26 20	1 2			
5	2. Laryngitis	{ M. 8 F. 14	1 2	3 3	2 1	2	1	6 9	1 2		1		1
6	3. Bronchitis	{ M. 215 F. 230	83 70	22 33	8 16	3 7	8 4	124 130	2 5		1 4	1 3	3 2
7	4. Pneumonia	{ M. 760 F. 693	156 94	76 75	39 42	19 23	7 10	297 244	30 21	11 22	21 22	35 29	24 28
8	5. Pleurisy	{ M. 19 F. 19	1 1		1			2 3	1 1		1		1 1
9	6. Asthma	{ M. 32 F. 36	1				1	2	1			1	
10	7. Others of this class	{ M. 167 F. 135	42 30	9 7	5 3	4 2	3 1	63 43	9 7	3	8 7	4 4	5 5
11	V.—Diseases of the digestive system	792	215	88	15	4	5	327	17	8	16	17	23
12	Males	424	126	46	5	3	1	181	11	2	11	11	12
13	Females	368	89	42	10	1	4	146	6	6	5	6	11
14	1. Dentition	{ M. 87 F. 76	53 46	32 27	2 2		1	87 76					
15	2. Angina	{ M. 3 F. 13	2	2	1		2	7	3	1		1	
16	3. Diseases of the stomach	{ M. 67 F. 75	14 10	5 5		1		19 21	3	2	1	1	3 2
17	4. Obstruction of the bowels	{ M. 31 F. 28	5 3	1 1		1		7 4	3	1	1	2	1 2
18	5. Hernia	{ M. 21 F. 15	3					3			1	1	
19	6. Other diseases of the bowels	{ M. 19 F. 7	4 1	3				7 1	1		1		1
20	7. Jaundice	{ M. 13 F. 10	10 2				1	10 3					
21	8. Inflammation and abscess of the liver	{ M. 12 F. 9							1		1		1 1
22	9. Other diseases of the liver	{ M. 53 F. 28	1 2	1				2 2		1		2	2 1
23	10. Peritonitis	{ M. 35 F. 42	1 1	1 1	1 2	1 1	1	5 4	1	2	6 2	4 4	4 2
24	11. Ascites	{ M. 7 F. 5											1
25	12. Others of this class	{ M. 76 F. 60	35 22	3 6	2	1		41 28	3 2	1	1 2		1 2
26	VI.—Diseases of the urinary system and male organs of generation.	569	9	3	3	3	3	21	11	7	13	19	16
27	Males	342	7	2	3	1	1	14	6	2	7	8	7
28	Females	227	2	1		2	2	7	5	5	6	11	9
29	1. Bright's disease	{ M. 201 F. 151							1 1	2 4	3 4	6 7	2 8
30	2. Calculus, urinary	{ M. 5 F. 1							1				
31	3. Diseases of the kidney	{ M. 81 F. 60	6 1	2 1	3	1 2	1 2	13 6	5 3		3 2	2 3	5 1
32	4. Diseases of the bladder	{ M. 29 F. 5									1		
33	5. Others of this class	{ M. 26 F. 10	1 1					1 1				1	
34	VII.—Diseases of the female organs of generation.	61								1	1	4	12
35	1. Ovarian tumors	F. 9										1	1
36	2. Ovarian diseases	F. 3								1			
37	3. Uterine tumors	F. 10											2
38	4. Uterine diseases	F. 9										1	2
39	5. Others of this class	F. 30									1	2	7
40	VIII.—Affections connected with pregnancy.	173								1	19	33	27
41	1. Abortion	F. 18										4	1
42	2. Childbirth	F. 89									10	17	11
43	3. Puerperal septicaemia	F. 34								1	2	6	11
44	4. Extra-uterine pregnancy	F. 3										1	1
45	5. Others of this class	F. 34									7	5	3

VITAL AND SOCIAL STATISTICS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MARYLAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	45	3	2	2	2		9	6	2	4	2	2
2	Males	29	2	2	1	1		6	4	2	2	2	
3	Females	16	1		1	1		3	2		2		2
4	1. Diseases of the spine..... { M..	14	2	2	1	1		6	2			1	
	{ F..	10	1		1	1		3	2				2
5	2. Diseases of the bones	6								1			
	{ M..	3											
	{ F..	3											
6	3. Diseases of the hip joint..... { M..	7							2	1	2	1	
	{ F..	3									2		
7	4. Others of this class	2											
	{ M..												
	{ F..												
8	X.—Diseases of the skin.....	40	12	2	2			16		1	1	1	1
9	Males	25	7	1	2			10			1	1	1
10	Females	15	5	1				6		1			
11	1. Abscess..... { M..	7	1		1			2				1	
	{ F..	7	4	1				5		1			
12	2. Carbuncle..... { M..	4									1		1
	{ F..	1											
13	3. Others of this class	14	6	1	1			8					
	{ M..	7	1					1					
	{ F..												
14	XI.—Diseases of the absorbent system.....	5											
15	Males	1											
16	Females	4											
17	1. Addison's disease..... { M..	1											
	{ F..	1											
18	2. Diseases of the spleen..... { M..	2											
	{ F..												
19	3. Others of this class..... { M..	1											
	{ F..												
20	XII.—Accidents and injuries	717	85	21	20	13	10	149	39	39	47	68	53
21	Males	528	45	13	12	8	9	87	27	31	37	58	45
22	Females	189	40	8	8	5	1	62	12	8	10	10	8
23	1. Burns and scalds	27	4	4	3	5	3	19	2		1	1	
	{ M..	34		3	5	4	1	13	7	3	1	2	
	{ F..												
24	2. Drowned..... { M..	113		2	2			4	12	8	9	14	13
	{ F..	10								1	2	1	1
25	3. Exposure and neglect..... { M..	15	7		1			8		1			
	{ F..	20	13	1	1			15	1			1	
26	4. Gunshot wounds..... { M..	28			1		2	2		4	7	7	2
	{ F..	4						1			2	1	
27	5. Homicide	18										3	5
	{ M..	7								1	1	2	1
	{ F..												
28	6. Infanticide..... { M..												
	{ F..												
29	7. Injuries by machinery..... { M..	2											
	{ F..												
30	8. Railroad accidents..... { M..	61			1	1		2	3	5	6	12	7
	{ F..	5											
31	9. Suffocation..... { M..	18	12	1				13				1	
	{ F..	18	14					14	1				1
32	10. Suicide by shooting..... { M..	9									1	2	
	{ F..	1											1
33	11. Suicide by drowning..... { M..												
	{ F..												
34	12. Suicide by poison..... { M..	12											3
	{ F..	2											
35	13. Other suicides..... { M..	10										1	
	{ F..	3										1	
36	14. Sunstroke..... { M..	9	4					4			1		1
	{ F..	4	1					1			1		
37	15. Surgical operations..... { M..	11	1					1	1	1		1	3
	{ F..	19											
38	16. Wounds..... { M..	23		1	1		2	4	2	3	4		1
	{ F..	6				1		1	1				
39	17. Other accidents and injuries... { M..	172	17	5	4	2	2	30	7	10	8	16	13
	{ F..	56	12	4	1			17	1	2	2	1	1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MARYLAND—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
2	2		4	1	4	1		1	3	2				1
2	2		4	1	2	1		1	1	2				2
					2				2					3
1			2	1	1				2	1				4
1			2		1	1		1		1				5
	1				1									6
	1								1					7
	2	1	2	4	2	1	2	1	3		2			8
	1		2	2		1	2	1	2		1			9
	1	1	1	2	2				1		1			10
	1		1	1	1				1					11
					1		2							12
	1	1	1	1	1	1		1	1		1			13
2			1	1				1						14
			1	1				1						15
2				1				1						16
			1	1										17
				1										18
2								1						19
45	51	41	38	38	24	20	19	13	11	11	4	3		4
36	42	37	29	28	18	12	15	9	4	5	3	1		4
9	9	4	9	10	6	8	4	4	7	6	1	2		21
1	2	1												22
3	1		2	1	1									23
7	12	13	7	6	3	3	1							1
2	1				2									24
	1	1			1		1	2						25
	1		1		1									26
3	2		1											27
5	3		1			1				1				28
					1									29
		1								1				30
3	3	4	4	3	2		1	2	1		1			2
		2		2		1								31
1		1			1		1							32
1	1	1		1	2									33
														34
3		1		1	1		1	2						35
				2										36
	2	3	2	1			1							37
	1	1	1											38
		1	2						2					39
2	1	1	1	2	1			1						1
1	5		3	4										1
	1		1	1	3		1			1		1		1
10	14	10	10	13	4	7	9	2	3	3	2	1		1
2	1	1	2	1	1	5	4	3	5	5	1	1		1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,847	1,738	1,666	1,704	1,806	1,818	1,987	2,128	2,147	1,994	1,629	983	852	124	137	1
921	860	827	859	933	919	931	1,080	1,058	989	688	376	109	33	80	2
926	878	839	845	873	899	1,006	1,048	1,089	1,005	941	607	243	91	57	3
23	16	24	17	25	24	29	31	37	23	15	10	2	1	25	4
9	12	11	7	10	13	14	14	16	12	7	3			16	5
14	4	13	10	15	11	15	17	21	11	8	7	2	1	9	6
146	115	96	91	89	108	100	90	111	119	92	54	14	9	5	7
81	64	50	42	50	51	46	39	46	47	41	20	6	1	1	8
65	51	46	49	39	57	54	51	65	72	51	34	8	8	4	9
															10
2	1	1	1		1										11
1	1														12
3	3	3	1	1			1								13
3	3	2	1	1		1	1								14
															15
1								1		2					16
2			1					1							17
1	1		1		1		1		2						18
57	35	23	14	10	8	4	6	2	4	2	1				19
23	20	16	12	4	6	5	6	4	6	3					20
4	11	8	12	23	23	20	15	25	23	19	11	1			21
17	11	19	23	19	28	40	28	42	49	27	25	6	5	2	22
															23
4	3	5	2		5	4	4		2	3		1		1	24
	3	2	1	5	1	1	3	4	4	2			1		25
2	1	1	3	3	5	4	3	4	2	1	1				26
1		1	2	1	6	1	2	5	2	2	6	1	1		27
5	5	7	5	10	5	6	4	1	1	1	1				28
14	12	3	7	6	8		4	4	2	2					29
	1	1		1			1	1							30
2		1	1												31
3	4	2	4	2	5	8	5	7	15	15	6	4	1		32
1		1		3	6	6	6	8	7	13	2	1	1		33
40	31	28	21	24	14	13	5	5	2	7				4	34
28	19	20	15	19	10	8	3	2	2	3				2	35
12	12	8	6	5	4	5	2	3		4				2	36
									1						37
22	17	15	12	13	8	5		1	1	1					38
11	8	8	4	3	1	3	1			1					39
1	1	1		1	1		1								40
1	1														
5	1	4	2	3		1	2								
1	3		1	2			1	1		1					
			1	2											
			1	3											
12	10	9	15	22	26	60	105	178	269	455	382	197	75	11	33
5	4	3	9	9	13	21	46	74	128	178	151	66	21	7	34
7	6	6	6	13	13	39	59	104	141	277	231	131	54	4	35
															36
															37
															38
5	4	3	9	9	13	18	26	34	38	31	23	4	2	5	39
7	6	6	6	13	13	26	38	40	37	57	45	17	3	4	40
						3	20	40	90	147	128	62	19	2	
						13	21	64	104	220	186	114	51		

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	8,791	388	230	87	56	46	807	163	159	588	1,014	932
2	Males.....	4,026	223	131	46	31	25	456	79	48	235	470	422
3	Females.....	4,765	165	99	41	25	21	351	84	111	353	544	510
4	1. Rheumatism.....	{ M.. 87	1	1	1	2		4	8	5	5	5	1
	{ F.. 84	1	1	1			1	4	3	1	4		1
5	2. Scrofula and tubercles.....	{ M.. 76	23	12	5	1	4	45	5	1		7	5
	{ F.. 87	25	6	3	1	2		37	8	1	4	5	4
6	3. Leprosy.....	{ M..											
	{ F..												
7	4. Consumption.....	{ M.. 2,885	73	40	10	7	6	136	39	28	217	443	401
	{ F.. 3,096	50	30	15	7	6		108	34	99	323	515	477
8	5. Hydrocephalus.....	{ M.. 273	110	71	26	14	14	235	17	8	2	2	4
	{ F.. 232	80	57	19	16	12		184	30	5	2	3	2
9	6. Cancer.....	{ M.. 422	2	1	1		1	4	1	1	1	2	5
	{ F.. 917		1					1	1	6	4	4	13
10	7. Tumor.....	{ M.. 59	2	1	1	1		5	2		2	6	1
	{ F.. 99		1	2				3	1	1	2	2	3
11	8. Anæmia.....	{ M.. 50	6	2		1		9	3		1		1
	{ F.. 72	3	1					4	3	3	3	13	3
12	9. Dropsy.....	{ M.. 63	1			1		2	1			2	
	{ F.. 84	2	1		1			4	2	1	2	1	
13	10. Diabetes.....	{ M.. 85		1	1			2	3	5	6	3	3
	{ F.. 70								1	2	5	5	5
14	11. Others of this group.....	{ M.. 24	6	3	1	4		14			1		1
	{ F.. 23	3	2					5	1	1	2	1	2
15	12. Others of this class.....	{ M.. 2											
	{ F.. 1	1						1					
16	II.—Diseases of the nervous system.....	5,382	1,033	392	163	89	64	1,741	141	74	66	93	92
17	Males.....	2,751	576	198	70	41	36	921	68	43	36	53	48
18	Females.....	2,631	457	194	93	48	28	820	73	31	30	40	44
19	1. Inflammation of the brain.....	{ M.. 544	206	106	35	23	18	388	36	23	11	7	6
	{ F.. 494	170	101	44	20	12		347	44	15	12	11	5
20	2. Apoplexy.....	{ M.. 629	5	1	1			7		4	6	7	8
	{ F.. 659	4	1	1				6		1	3	3	9
21	3. Paralysis.....	{ M.. 511	4	2	1		1	8	6	1	4	5	10
	{ F.. 508	1	7	1	4			13	2	2	2	3	7
22	4. Tetanus and trismus nascentium.....	{ M.. 14	2					2	2	3		1	
	{ F.. 5	4						4					
23	5. Epilepsy.....	{ M.. 76	1	1	1			3	3	2	6	10	7
	{ F.. 52	1						1	3	1	4	3	2
24	6. Convulsions.....	{ M.. 438	291	71	23	13	10	408	12	3	2		
	{ F.. 404	229	68	37	15	11		360	13	2	3	5	7
25	7. Mental diseases.....	{ M.. 111									1	9	3
	{ F.. 118									1	1	2	2
26	8. Diseases of the brain.....	{ M.. 325	54	14	8	1	7	84	8	5	5	8	11
	{ F.. 305	41	14	8	7	4		74	7	10	5	9	9
27	9. Diseases of the spinal cord.....	{ M.. 77	12	3	1	4		20	1	1	1	6	2
	{ F.. 37	5	4	2	1	1		13	3			1	2
28	10. Others of this class.....	{ M.. 26	1					1		1			1
	{ F.. 49	2						2	1			3	1
29	III.—Diseases of the circulatory system.....	3,563	209	13	12	2	3	239	51	62	77	89	98
30	Males.....	1,759	123	9	4	1	1	138	27	33	32	33	44
31	Females.....	1,804	86	4	8	1	2	101	24	29	45	56	54
32	1. Angina pectoris.....	{ M.. 34									1	2	
	{ F.. 32												
33	2. Aneurism.....	{ M.. 22									1		1
	{ F.. 5												
34	3. Diseases of the heart.....	{ M.. 1,636	80	8	4	1	1	94	27	33	31	33	43
	{ F.. 1,713	51	4	8	1	2		66	24	28	44	53	52
35	4. Others of this class.....	{ M.. 67	43	1				44					
	{ F.. 54	35						35		1		1	2

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
783	652	573	533	498	457	434	408	335	241	124	50	12	5	23	1
379	292	239	229	243	207	194	195	150	111	48	12	4	1	12	2
404	360	331	304	255	250	240	213	185	130	76	38	8	4	11	3
4	2	3	4	4	5	8	13	7	5	2	1	1			4
5	6	5	9	7	6	8	7	7	8	2		1			4
2	1	1	1	1	3	2	2								5
4	1	6	2	2	2	5	1	3	2						5
															6
353	255	203	187	174	131	107	87	65	35	13	4			7	7
349	283	224	170	107	97	93	80	56	34	24	14	3		6	7
1	1		1											2	8
2		2												1	8
6	14	17	24	43	53	53	69	54	47	18	6	2	1	1	9
24	56	76	91	107	112	101	94	96	67	39	18	4	4	3	9
3	5	6	2	5	3	5	3	3	1	6	2			1	10
5	2	8	9	14	14	7	10	6	8	2					10
	3	1	1	5	4	4	3	7	5	1	1			1	11
8	4	4	7	8	3	4	2	2	2	1	1				11
3	3	3	2	6	4	5	6	10	10	5		1			12
	4	4	9	6	8	13	9	7	6	5	2			1	12
6	7	5	7	3	4	9	10	4	6	2					13
6	3	4	4	4	8	7	10	7	3	1					13
1	1			1			2								14
1	1	1	3			1	2	1	1	2					14
				1					1						15
															15
112	152	157	201	205	248	337	425	429	415	301	145	31	7	10	16
65	80	85	90	92	125	169	222	238	269	136	42	9	3	8	17
47	72	72	102	113	123	168	203	191	206	165	103	22	4	2	18
14	9	14	3	6	8	5	3	1	5	8	1			1	19
8	7	8	6	4	1	3	11	7	1	2	2				19
11	11	24	32	35	43	85	99	99	85	58	15	3	1	1	20
11	17	22	37	45	53	80	86	69	95	73	41	8			20
6	14	23	27	24	31	41	65	91	73	54	21	3	1	3	21
3	11	13	23	21	35	59	51	70	72	63	46	9	2	1	21
2			1		1		2								22
	1														22
5	5	2	4	4	6	3	7	4	3	2					23
3	6	2	2	3	6	4	3	3	3	2	1				23
3	4	1	2	2	2	1									24
1	3		2	2	1		1		1	1	1			1	24
8	10	5	8	6	7	9	12	9	10	9	2	2		1	25
3	4	9	14	11	8	1	18	19	12	9	2	2	1		25
13	24	9	16	9	16	19	24	26	28	15	3	1			26
14	18	15	14	16	12	15	26	18	20	12	8	2	1		26
2	1	5	6	5	8	5	4	6	3						27
		1	2	3	2	3	3	3	1						27
1	2	2		3	3	1	6	2	2						28
4	5	2	2	8	5	3	4	2	1	3	2	1			28
															29
127	146	182	205	245	296	302	378	384	312	230	99	24	4	13	29
54	68	92	104	116	148	148	195	196	176	104	42	4	1	4	30
73	78	90	101	120	148	154	183	188	136	126	57	20	3	9	31
2	2	1	3	2	2	5	7	3	6		1				32
2	2		1	1	5	2	5	2	6	2	1				32
1	1	3	3	2	3		3	1		1					33
1		1				1	1				1				33
50	64	87	97	110	139	142	182	190	163	102	40	4	1	4	34
69	75	80	98	127	142	150	177	182	129	124	53	20	3	8	34
1	1	1	1	2	4	1	3	2	5	1	1				35
1	1		2	1	1	1		4	1	2	2			1	35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	6,917	1,234	555	322	180	114	2,405	212	57	148	191	257
2	Males	3,451	650	277	159	86	51	1,223	108	27	69	107	155
3	Females	3,466	584	278	163	94	63	1,182	104	30	79	84	102
4	1. Croup	{ M. 251 F. 239	{ 42 30	{ 48 53	{ 59 50	{ 34 35	{ 21 30	{ 204 198	{ 39 38	{ 2 1	{ 1 1		
5	2. Laryngitis	{ M. 24 F. 17	{ 3 5	{ 5 2	{ 2 3	{ 6 1		{ 16 11	{ 2 1				{ 2 2
6	3. Bronchitis	{ M. 747 F. 876	{ 256 228	{ 83 88	{ 24 32	{ 16 24	{ 7 8	{ 386 380	{ 18 16	{ 3 2	{ 9 10	{ 8 18	{ 14 8
7	4. Pneumonia	{ M. 2,018 F. 1,947	{ 251 237	{ 127 123	{ 66 66	{ 25 29	{ 20 22	{ 489 477	{ 41 45	{ 18 23	{ 50 58	{ 88 61	{ 120 75
8	5. Pleurisy	{ M. 58 F. 51	{ 1 1	{ 1 1	{ 2 2			{ 4 3	{ 5 2	{ 1 2	{ 2 4	{ 2 4	{ 6 6
9	6. Asthma	{ M. 31 F. 41	{ 3 2	{ 1 1	{ 1 1			{ 5 2			{ 1 1		{ 1 1
10	7. Others of this class	{ M. 322 F. 295	{ 94 81	{ 12 12	{ 5 10	{ 5 5	{ 3 3	{ 119 111	{ 8 3	{ 3 3	{ 7 5	{ 9 5	{ 13 10
11	V.—Diseases of the digestive system	1,749	239	82	32	11	7	371	38	40	70	66	88
12	Males	819	127	41	17	4	4	193	18	19	33	23	32
13	Females	930	112	41	15	7	3	178	20	21	31	43	56
14	1. Dentition	{ M. 59 F. 54	{ 30 26	{ 26 26	{ 3 2			{ 59 54					
15	2. Angina	{ M. 17 F. 10	{ 2 2	{ 1 1	{ 4 1	{ 3 1	{ 1 1	{ 11 5	{ 1 1				{ 1 1
16	3. Diseases of the stomach	{ M. 142 F. 175	{ 11 8	{ 1 3	{ 3 1	{ 1 1		{ 16 14	{ 6 5	{ 1 1	{ 3 5	{ 3 7	{ 1 11
17	4. Obstruction of the bowels	{ M. 56 F. 54	{ 9 7	{ 2 1	{ 1 1			{ 12 7	{ 1 1	{ 2 1		{ 4 1	{ 1 3
18	5. Hernia	{ M. 29 F. 35	{ 1 5					{ 1 5	{ 1 1				{ 3 3
19	6. Other diseases of the bowels	{ M. 29 F. 31	{ 11 9		{ 1 1			{ 11 10					{ 2 2
20	7. Jaundice	{ M. 32 F. 39	{ 18 14	{ 1 1				{ 19 14					{ 2 3
21	8. Inflammation and abscess of the liver	{ M. 40 F. 49	{ 5 1					{ 5 1		{ 2 1	{ 3 1		{ 1 1
22	9. Other diseases of the liver	{ M. 140 F. 151	{ 3 3	{ 1 1	{ 2 1			{ 3 4			{ 3 4	{ 2 2	{ 2 7
23	10. Peritonitis	{ M. 180 F. 224	{ 8 8	{ 5 1	{ 3 8		{ 3 2	{ 19 20	{ 6 11	{ 12 10	{ 25 17	{ 11 29	{ 18 30
24	11. Ascites	{ M. 5 F. 12	{ 1 2					{ 1 3			{ 1 1		
25	12. Others of this class	{ M. 90 F. 96	{ 31 27	{ 4 10	{ 1 2	{ 2 2		{ 36 41	{ 3 1	{ 2 3	{ 4 5	{ 1 3	{ 3 2
26	VI.—Diseases of the urinary system and male organs of generation.	1,434	18	6	4	7	4	39	12	20	39	46	78
27	Males	825	10	4	2	2	2	20	4	8	21	20	32
28	Females	609	8	2	2	5	2	19	8	12	18	26	46
29	1. Bright's disease	{ M. 390 F. 325							{ 1 5	{ 4 6	{ 16 10	{ 11 13	{ 18 25
30	2. Calculus, urinary	{ M. 8 F. 4											
31	3. Diseases of the kidney	{ M. 230 F. 222	{ 6 8	{ 3 2	{ 2 2	{ 2 4	{ 2 2	{ 15 18	{ 3 3	{ 4 5	{ 3 5	{ 8 10	{ 11 17
32	4. Diseases of the bladder	{ M. 118 F. 18	{ 2 1					{ 3 1			{ 1 1	{ 1 1	{ 1 2
33	5. Others of this class	{ M. 79 F. 40	{ 2 1				{ 1 1	{ 2 1		{ 1 1	{ 1 2	{ 3 3	{ 2 2
34	VII.—Diseases of the female organs of generation.	108			1			1			3	10	6
35	1. Ovarian tumors	F. 21										1	
36	2. Ovarian diseases	F. 8											
37	3. Uterine tumors	F. 20											
38	4. Uterine diseases	F. 7										1	1
39	5. Others of this class	F. 52			1			1			3	8	5
40	VIII.—Affections connected with pregnancy.	284									12	57	79
41	1. Abortion	F. 19									1	4	6
42	2. Childbirth	F. 96									2	16	32
43	3. Puerperal septicaemia	F. 107									5	24	27
44	4. Extra-uterine pregnancy	F. 4										1	1
45	5. Others of this class	F. 58									4	12	14

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
246	267	280	275	350	337	346	345	354	345	253	152	58	19	20	1
136 110	161 106	152 128	161 114	187 163	164 173	177 169	162 183	136 218	138 207	96 157	57 95	17 41	6 13	12 8	2 3
	2	1												2	4
				1						1					
1	2	1				1			1						5
						1									
16 7	21 9	16 15	12 8	32 33	25 40	31 44	38 46	32 58	38 59	28 64	15 38	8 14	1 6	1 1	6
105 92	123 80	116 98	127 91	136 111	122 112	114 103	110 115	84 135	79 118	51 83	30 44	8 19	2 3	5 4	7
4 1	6 4	3 5	3 4	5 1	3 3	8 3	1 2	2 2	3 4	1 1	1 1	1 1	1 1	1	8
	2 2	1 2	1 1	6 5	3 3	3 6	3 3	1 5	3 6	3 2	2				9
10 10	7 9	14 8	18 10	8 12	11 13	20 12	10 16	17 18	14 20	14 8	12 10	1 7	3 3	4 2	10
73	81	86	118	115	110	131	124	98	77	37	23	2		1	11
31 42	36 45	41 45	52 66	56 59	54 56	60 71	59 65	53 45	33 44	10 27	10 13				12 13
															14
1					1			1		1					15
	1			1											
6 8	8 5	9 9	15 13	10 12	10 18	15 14	12 11	11 11	11 16	3 8	2 6		1		16
2	3 5	2 2	2 5	3 4	7 4	1 5	6 7	4 5	3 4		2				17
1		1 1	3 4	1 4	5 1	1 4	5 7	3 3	2 2		2 1				18
1	1 4	2	1 1	1	5	6 2	2 3	2 2	1	1	1			1	19
			2 1	1 1		3 3		3 2	1 4	1 3	1 1				20
1 3	5 3	3 2	2 5	3 6	3 3	4 11	4 2	5	3 3		1				21
7 7	7 5	11 15	12 17	25 16	15 14	18 16	16 18	12 9	5 8	1 6	1 2				22
10 20	10 17	12 11	8 13	9 11	8 7	11 9	7 6	8 4	5 4	1 3	2				23
		1	2 2					1							24
2 2	2 3	2 3	5 5	3 4	5 3	1 3	7 8	8 4	3 2	3 3	1				25
68	73	83	90	113	102	139	133	151	138	70	33	5		2	26
23 45	22 51	39 44	47 43	63 50	59 43	87 52	92 41	108 43	104 34	47 23	26 7	2 3		1 1	27 28
13 22	11 34	20 23	34 30	34 32	34 20	51 30	45 24	48 20	34 16	10 11	5 2			1 1	29
			1		1		4 1	3 1		1	1				30
8 18	7 12	16 19	11 10	20 16	18 19	27 20	22 9	19 17	21 11	11 8	5 4	1 1			31
1	2	1 1	1 1	4 2	2 2	7	14 2	24 1	32 1	14 4	9	1 1			32
1 5	2 5	2 1	1 1	5 1	5 1	2 2	7 5	14 5	17 6	11	7				33
4	21	17	16	6	5	9	7	2	1						34
	7	3		1	3	5	1								35
	1	5	4	1	1	1	1								36
	3	1		3	1	3	2		1						37
4	10	8	8	1			3	1							38
															39
75	44	13	2											2	40
6 23 28 1 17	2 16 17 1 8	6 3 1 3													41 42 43 44 45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	108	7	4	5	2	3	21	14	14	10	9	8
2	Males	65	4	1	3	1	3	12	10	6	7	8	5
3	Females	43	3	3	2	1	3	9	4	8	3	1	3
4	1. Diseases of the spine..... {M..	37	4	3	3	3	10	5	3	2	7	3	3
	{F..	24	3	3	3	3	6	2	2	1	1	1	1
5	2. Diseases of the bone..... {M..	11			1		1	1	1	2	1		1
	{F..	4								2			1
6	3. Diseases of the hip joint..... {M..	13		1		1	2	4	1	4			1
	{F..	12			1	1	2	2	2	4	1		1
7	4. Others of this class..... {M..	4										1	
	{F..	3											
8	X.—Diseases of the skin.....	86	20	2			1	23	1	4	1	1	8
9	Males	43	13				1	14		4		1	4
10	Females	43	7	2				9	1		1		4
11	1. Abscess..... {M..	25	5					5		4		1	3
	{F..	22	4	2				6	1		1		4
12	2. Carbuncle..... {M..	5											
	{F..	4											
13	3. Others of this class..... {M..	13	8				1	9					1
	{F..	17	3					3					
14	XI.—Diseases of the absorbent system.....	12	1				1	2	1		2		1
15	Males	6					1	1			2		
16	Females	6	1					1	1				1
17	1. Addison's disease..... {M..	2											
	{F..												
18	2. Diseases of the spleen..... {M..	2					1	1					
	{F..	1							1				
19	3. Others of this class..... {M..	4									2		
	{F..	3	1					1					1
20	XII.—Accidents and injuries.....	1,795	129	35	32	25	9	230	89	89	82	136	153
21	Males	1,326	68	21	20	14	4	127	66	74	67	114	127
22	Females	469	61	14	12	11	5	103	23	15	15	22	26
23	1. Burns and scalds..... {M..	53	2	5	7	3	1	18	7		2	3	5
	{F..	67	1	5	6	4	3	19	9	2	1	3	2
24	2. Drowned..... {M..	250	2	3	6	4	1	16	29	38	21	34	18
	{F..	40	1	3	1	2	1	8	8	1		5	2
25	3. Exposure and neglect..... {M..	11	6					6		1			
	{F..	5	2					2					1
26	4. Gunshot wounds..... {M..	26				1		1	1	3	7	6	
	{F..	1											
27	5. Homicide..... {M..	11	1					1		2	1	3	3
	{F..	5								1			1
28	6. Infanticide..... {M..												
	{F..												
29	7. Injuries by machinery..... {M..	6								1	1	2	
	{F..												
30	8. Railroad accidents..... {M..	215							10	5	6	26	37
	{F..	11								1		2	1
31	9. Suffocation..... {M..	56	30	4	1	1	1	37		2		3	1
	{F..	49	37	1	1			39	1			1	
32	10. Suicide by shooting..... {M..	37									1	3	2
	{F..	2									1		
33	11. Suicide by drowning..... {M..	14										1	1
	{F..	9									3		
34	12. Suicide by poison..... {M..	24										2	2
	{F..	18									4	3	5
35	13. Other suicides..... {M..	65								1	1	2	3
	{F..	18										2	
36	14. Sunstroke..... {M..	7			1			1					2
	{F..												
37	15. Surgical operations..... {M..	23		1				1	2		2	1	2
	{F..	31		1	1			2			1	1	5
38	16. Wounds..... {M..	32	1	1				2		2	1	3	3
	{F..	7		1				1		1			1
39	17. Other accidents and injuries..... {M..	496	26	7	5	5	1	44	17	19	24	25	48
	{F..	206	20	3	2	5	1	32	5	9	5	5	7

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
4	2	3	2	5	2	4	3	2	1	2	2				1
2	1	2	1	4	2	2	1	1	1						2
2	1	1	1	1	1	2	2	1		2	2				3
1	1	1	1	1	1	1		1							4
2	1			1			2	1		2	2				
1		1		2		2									5
			1	1		1									6
			1	1		1	1		1						7
4	2	2	5	6	6	5	5	7	3	1	1		1		8
2		1	2	4	4	3	3	2	1	1					9
2	2	1	3	2	2	5	2	5	2		1		1		
2		1	2	1	2	2	1	2	1						10
2	1	1	1	1	1	2	1	1	1				1		
				3			1			1					11
			1			1		2							
															12
			2	2	2	2	1								
	1					2	1	2	1		1				13
							1								
		1		1		1	1		1				1		14
		1		1		1	1		1				1		15
						1							1		16
													1		17
		1													18
				1					1						19
130	126	112	113	102	83	77	68	54	47	42	32	6	3	21	20
106	101	91	91	79	69	55	49	36	26	17	13	1		17	21
24	25	21	22	23	14	22	19	18	21	25	19	5	3	4	
5		1	1	2	1	1	3	3		1				1	22
4	4	2	5	5	3	1	2		3	2					
16	13	13	12	14	11	7	2	1		1				4	23
2	2	1	3	2	3		2		2					1	
			2				1				1				24
							1								
								1							25
1			2	2	1	1		1							26
	1														
															27
1	1	1													
															28
				1				1							29
27	27	12	19	12	11	10	3	1	7					2	30
1	1		1		1	1	2								
		3	3	2		1	1	1						2	31
	2	1	1	1		1								3	
	6	5	6	2	2	5		3	1					1	32
	1														
3	1	1	4	1	1	1	1							1	33
			1				2								
6	1	1	2	2	1	1	3	2	1						34
1	1	1	1	1							1				
6	10	7	6	3	5	7	3	4	2	1	2			2	35
3	1	5	1	2	2	2									
		1			1		2								36
	2	1		2	2		2	3	1	2					37
3	4	5	2	4	1	1	2								
3	1	4	1	2		1	6	3		1					38
1			1		2		1								
39	40	41	33	37	31	21	24	13	14	11	10	1		4	39
10	7	5	7	7	3	12	10	17	16	23	18	5	3		

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MICHIGAN.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,029	914	830	835	899	874	1,093	1,179	1,158	1,091	714	396	133	54	229	1
474 555	424 490	427 403	467 368	515 384	517 357	610 483	605 484	667 491	623 468	403 311	214 182	66 67	24 30	142 87	2 3
8	21	25	13	21	25	31	44	34	21	21	10	5	1	26	4
3 5	8 13	13 12	10 3	13 8	13 12	15 16	23 21	19- 15	8 13	12 9	6 4	2 3	1	13 13	5 6
120	103	79	90	78	70	76	73	88	74	41	26	3	4	31	7
58 62	45 58	36 43	50 40	44 34	38 32	42 34	46 27	54 34	45 29	23 18	16 10	2 1	1 3	22 9	8 9
2 3	2 2	4	3	1	1	1				2				1	10 11
1	2			1				1							12
2 4	4	1	1 1	1	2	1	1		1		1				13
					2		1								14
1	1		1			2			2 1	1	1				15
	1			1					1						16
5					2	1									17
24 27	19 15	16 15	20 14	7 8	7 6	10 8	6 4	6 4	3 1	1 2				10	18
6 7	8 15	8 9	14 6	20 7	16 11	17 12	19 11	22 10	22 13	13 8	5 4	1 1	1 1	5 2	18
														6	19
12 7	6 12	2 8	8 5	6 8	4 8	7 4	8 6	8 7	4 5	2 4	4 3			1 5	20
6	2	1	3	3	1 2	2	1 3	4 2	4 4	1 1	1 1		1	1	21
4 3	2 5	4 5	4 7	7 2	2 2	4 5	5 1	5 8	6 2	1 1	1 1				22
2 1	4 1	2 1	3	2	2	1	1		1 1						23
	1 1	2 1		1 3	2		2 1	8 3	2 2	5 1	5	1			24
12	14	7	13	12	4	7	4	4	2	2				4	25
11 1	8 6	7	11 2	10 2	4	3 4	3 1	3 1	2	2				4	26 27
	1		1		1										28
6	6	3	8 1	6	2	3 1	1	2		2				2	29
															30
3 1	1 6	4	2 1	4 1	1	2	2 1	1	1						31
2					1				1					2	32
	1	1	1	6	10	20	43	98	155	202	128	80	28	7	33
	1	1	1	5 1	6 4	11 9	23 20	51 47	78 77	102 100	66 62	38 42	12 16	1 6	34 35
															36
															37
															38
	1	1	1	5 1	6 4	6 5	19 13	19 18	23 18	24 19	10 7	4 4		1 1	39
						5	4	32 29	55 50	78 81	56 55	34 38	12 16	5	40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	4,341	176	81	24	20	15	316	65	94	315	403	413
2	Males.....	1,987	91	36	7	11	6	151	27	32	100	165	176
3	Females.....	2,354	85	45	17	9	9	165	38	62	215	238	237
4	1. Rheumatism.....	{ M. 82 F. 57		1				1 5	3	4 1	5 5	1 1	7 1
5	2. Scrofula and tubercles.....	{ M. 46 F. 59	13	4	1	1	1	20 18			3 4	1 1	1 5
6	3. Leprosy.....	{ M. F.											
7	4. Consumption.....	{ M. 1,237 F. 1,510	41 32	11 23	2 9	5 5	2 2	61 71	13 24	14 43	82 195	148 223	155 215
8	5. Hydrocephalus.....	{ M. 53 F. 57	24 27	15 13	3 4	3 2	2 2	47 46	4 4	1 2		1 1	
9	6. Cancer.....	{ M. 294 F. 406	2 2		1		1	2 5		1	2		3 7
10	7. Tumor.....	{ M. 46 F. 49	5			1		6 2		2	2	2	4 3
11	8. Anæmia.....	{ M. 14 F. 30	3 7	1 2				4 9		1		1 2	
12	9. Dropsy.....	{ M. 134 F. 142		1	1	1	1	3 4	3 1	1 2	3 2	3 5	2 3
13	10. Diabetes.....	{ M. 71 F. 34	1					1 1	4 2	9 9	3 3	7 2	8 1
14	11. Others of this group.....	{ M. 10 F. 10	2 3	3 1	1			6 4		1	2	1	1 1
15	12. Others of this class.....	{ M. F.											
16	II.—Diseases of the nervous system.....	2,492	624	181	76	34	26	941	106	53	54	46	53
17	Males.....	1,351	361	89	38	20	14	522	61	22	22	22	22
18	Females.....	1,141	263	92	38	14	12	419	45	31	32	24	31
19	1. Inflammation of the brain.....	{ M. 234 F. 193	81 63	31 25	15 18	9 6	5 5	141 117	36 19	9 17	6 6	11 4	2 7
20	2. Apoplexy.....	{ M. 196 F. 138	3 2		1 1		1	3 5	1	2 1	1 3	1 3	3 5
21	3. Paralysis.....	{ M. 307 F. 264	2 2		2 2			4 4		1	4 2	2 1	6 6
22	4. Tetanus and trismus nascentium.....	{ M. 12 F. 9	9 4					9 4				1	1
23	5. Epilepsy.....	{ M. 36 F. 41	3 1	3 3	1		1	8 4	2 2		2 4	3 3	1 3
24	6. Convulsions.....	{ M. 266 F. 212	211 147	24 28	10 5	2 4	4 1	251 185	3 3	1 3	5 5	3 3	
25	7. Mental diseases.....	{ M. 15 F. 23								1		1	
26	8. Diseases of the brain.....	{ M. 171 F. 114	29 18	16 15	3 7	5 2	1 3	54 45	6 7	2 3	7 3	1 6	7 5
27	9. Diseases of the spinal cord.....	{ M. 90 F. 90	23 25	14 21	7 5	4 1	3 1	51 53	11 9	6 5	2 7		3 2
28	10. Others of this class.....	{ M. 24 F. 57	1	1				1 2	2 2		2	2	2 4
29	III.—Diseases of the circulatory system.....	1,540	94	10	5	3	5	117	38	26	44	35	34
30	Males.....	840	60	7	3	3	3	76	14	13	18	15	16
31	Females.....	700	34	3	2		2	41	24	13	26	20	18
32	1. Angina pectoris.....	{ M. 18 F. 16							1		1		
33	2. Aneurism.....	{ M. 7 F. 3											
34	3. Diseases of the heart.....	{ M. 789 F. 658	44 20	7 1	3 2	3	2	59 25	13 24	13 13	16 26	13 20	16 18
35	4. Others of this class.....	{ M. 26 F. 23	16 14	2			1	17 16			1	2	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MICHIGAN—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
352	292	284	266	246	211	254	269	213	162	82	50	7	3	44	F
142 210	118 174	136 148	134 132	116 130	110 101	124 130	146 123	122 91	93 69	49 33	20 30	3 4	2 1	21 23	29 30
2 1	3 2	2 6	8 1	7 4	2 3	4 7	9 4	7 6	7 4	7 3	3 3				4
2 4	3 3	1 1	2 3	2 1	1 1	2 4	4 8	1	1	2				1	5
															6
121 179	97 131	104 86	85 71	76 50	54 40	60 47	51 47	51 31	31 24	16 14	4 5		1	14 13	7
	2													1	8
6 18	6 28	18 39	26 45	21 59	29 36	39 47	56 36	38 28	29 21	8 10	5 14	2 2	1	2 4	9
3 2	2 2	1 5	4 6	1 8	4 5	3 4	4 4	3 1	3 1	1 1				1 1	10
1	1 1	1 4	1 1		3 5	1 1	1	2	1						11
3 4	4 3	4 5	4 5	8 6	11 9	9 19	14 20	19 22	20 16	12 5	7 7	1 1	1	2 3	12
5 1	2 2	4 2	4	1 1	6 2	6 1	7 4	3 1	2 2	3	1				13
		1		1										1 1	14
															15
66	55	61	81	92	98	146	169	173	146	82	49	6	4	11	16
37 29	30 25	29 32	44 37	49 43	65 33	79 67	98 71	101 72	74 72	38 44	26 23		2 2	8 3	17 18
6 3	3 1	4 3	3 2	2 4	1 2	5 1	2 2	1	3	2 1	1				19
7 1	2 3	8 5	12 9	17 12	22 6	21 16	32 19	30 16	18 11	5 14	9 6		1 2	1	20
2 4	7 4	6 6	11 13	18 12	27 13	38 30	43 39	50 42	44 46	26 20	13 14	5	1	4	21
	1	1	1	1			1								22
2 5	4 6	2 2	5 1		1 2	1 3	2	2						1 1	23
3 3	1 1		1 3	1	1		1 1	1	1 2	1					24
2 1	1 2	1	1 1	2	2	1 3	3	2 1	2 4	1 1	1 1			1	25
10 3	9 5	7 6	7 3	8 6	7 3	13 6	13 1	10 3	5 4	2 3	2 2			1	26
3 1	2	1 3	2 1	1 2	1 2		2 1	2 2	1	1				1 1	27
2 8	1 2	1 5	1 4	1 2	4 2	7	2 5	5 6	3 2	1 4					28
42	61	53	79	105	115	163	171	158	160	85	40	3	1	10	29
15 27	27 34	26 27	40 39	62 43	62 53	101 62	98 73	86 72	80 80	56 29	27 13	1 2	1	6 4	30 31
	1	1	3	1	3 2	3 2	1 1	4 3	2 1	1	1				32
	2 1		1	1	1	1		1		1 1					33
15 27	25 30	26 26	39 36	60 42	59 49	96 60	96 71	80 69	77 77	54 27	25 12	2	1	6 4	34
	2				1	1	1	1	1 2	1	1	1			35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	3,699	637	297	147	106	95	1,282	170	68	105	142	117
2	Males	2,022	349	174	66	57	50	696	89	33	56	80	72
3	Females	1,677	288	123	81	49	45	586	81	35	49	62	45
4	1. Croup	{ M 203 F 165	44 21	38 25	25 37	29 24	29 18	165 125	32 30	2 7	3	3	1
5	2. Laryngitis	{ M 10 F 7	1	1	2	1	3 2	3 3	2				1
6	3. Bronchitis	{ M 226 F 220	70 62	29 30	6 8	6 6	2 4	113 110	8 4	1 2	2 2	3 6	3 3
7	4. Pneumonia	{ M 1,036 F 794	137 111	73 47	23 29	15 13	13 13	261 213	32 30	18 17	37 31	55 31	57 25
8	5. Pleurisy	{ M 25 F 21	1	1	2			2 2			4	1 4	1 1
9	6. Asthma	{ M 40 F 29	2	2	1			1 4					2
10	7. Others of this class	{ M 482 F 441	98 90	33 18	9 7	5 6	6 9	151 130	14 14	10 9	13 13	13 21	10 16
11	V.—Diseases of the digestive system	1,168	249	52	19	14	5	339	29	25	30	56	48
12	Males	647	138	34	8	9		189	19	13	13	27	25
13	Females	521	111	18	11	5	5	150	10	12	17	29	23
14	1. Dentition	{ M 30 F 22	17 11	12 9	1 2			30 22					
15	2. Angina	{ M 24 F 19	3 4	7 2	2	1 1	2	13 9	3 3	1 2		2 2	1 1
16	3. Diseases of the stomach	{ M 123 F 117	19 18	5 3	1 2	3 2	1	28 26	4 1	1 1	1 2	6 5	3 3
17	4. Obstruction of the bowels	{ M 37 F 20	6 2	1	1	1		8 3		4	2	2	4 2
18	5. Hernia	{ M 48 F 20	3 4					3 4	1	1	1 2	1	4 1
19	6. Other diseases of the bowels	{ M 26 F 18	8 5	2				10 5		3	1	1	1
20	7. Jaundice	{ M 27 F 23	8 9			1		8 10				2	1
21	8. Inflammation and abscess of the liver	{ M 29 F 23	1		1			1 1			2	1	
22	9. Other diseases of the liver	{ M 99 F 65	8 2	1		1	1	10 3	1 2	1 1	2	1 4	4 4
23	10. Peritonitis	{ M 73 F 88	7 4	3 2	4	1 1		11 11	7 3	5 5	6 5	6 15	6 7
24	11. Ascites	{ M 11 F 9	1	1		1		3			1		1
25	12. Others of this class	{ M 120 F 97	57 52	3 2	3 1	1	1	64 56	3		3 2	4 1	3 2
26	VI.—Diseases of the urinary system and male organs of generation	647	9	4	5	3	2	23	7	5	16	20	20
27	Males	466	5	2	1	2		10	3	3	11	11	5
28	Females	181	4	2	4	1	2	13	4	2	5	9	15
29	1. Bright's disease	{ M 244 F 92							2 1	1 2	7 1	7 3	2 10
30	2. Calculus, urinary	{ M 9 F 1											
31	3. Diseases of the kidney	{ M 116 F 74	4 4	2 2	1 4	2 1	2	9 13	1 3	2	4 4	4 4	1 3
32	4. Diseases of the bladder	{ M 65 F 3	1					1					1
33	5. Others of this class	{ M 32 F 11										2	1 2
34	VII.—Diseases of the female organs of generation	84				1		1			4	7	9
35	1. Ovarian tumors	F 29				1		1			1	1	3
36	2. Ovarian diseases	F 9									2	3	1
37	3. Uterine tumors	F 9											
38	4. Uterine diseases	F 12										1	3
39	5. Others of this class	F 25									1	2	2
40	VIII.—Affections connected with pregnancy	420									39	94	85
41	1. Abortion	F 22									1	4	4
42	2. Childbirth	F 212									16	41	44
43	3. Puerperal septicemia	F 135									12	32	30
44	4. Extra-uterine pregnancy	F 3											
45	5. Others of this class	F 51									10	17	7

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	116	23	9	2	3	4	41	4	2	8	8	4
2	Males.....	64	13	5	1	2	2	23	3		5	3	3
3	Females.....	52	10	4	1	1	2	18	1	2	3	5	1
4	1. Diseases of the spine.....	{ M.. 50 F.. 40	{ 13 10	{ 5 4	{ 1 1	{ 2 1	{ 2 2	{ 23 18	{ 1 1		{ 4 1	{ 2 2	{ 2 1
5	2. Diseases of the bones.....	{ M.. 6 F.. 4								1		1	1
6	3. Diseases of the hip joint.....	{ M.. 7 F.. 5							2	1	1	2	
7	4. Others of this class.....	{ M.. 1 F.. 3											
8	X.—Diseases of the skin.....	64	17	3				20	2		1	3	8
9	Males.....	28	6	1				7		1			5
10	Females.....	36	11	2				13	2			3	3
11	1. Abscess.....	{ M.. 15 F.. 26	{ 4 6	{ 1 2				{ 5 8	{ 2 2		1		{ 3 2
12	2. Carbuncle.....	{ M.. 6 F.. 1	{ 1 1					{ 1 1					1
13	3. Others of this class.....	{ M.. 7 F.. 9	{ 2 4					{ 2 4					{ 1 1
14	XI.—Diseases of the absorbent system.....	16	4					4			1		1
15	Males.....	12	3					3			1		1
16	Females.....	4	1					1					
17	1. Addison's disease.....	{ M.. 3 F.. 2											
18	2. Diseases of the spleen.....	{ M.. 4 F.. 1	{ 1 1					{ 1 1					
19	3. Others of this class.....	{ M.. 5 F.. 2	{ 2 1					{ 2 1			1		1
20	XII.—Accidents and injuries.....	1,458	88	30	36	27	21	202	69	91	91	156	134
21	Males.....	1,157	48	21	21	15	13	118	44	72	76	132	122
22	Females.....	301	40	9	15	12	8	84	25	19	15	24	12
23	1. Burns and scalds.....	{ M.. 52 F.. 60	{ 4 4	{ 10 3	{ 10 9	{ 4 6	{ 3 2	{ 31 24	{ 3 8	{ 1 11	{ 6 5	{ 1 5	{ 1 4
24	2. Drowned.....	{ M.. 161 F.. 11	{ 2 2	{ 5 2	{ 7 3	{ 3 2	{ 2 2	{ 19 6	{ 14 2	{ 31 18	{ 15 18	{ 23 1	{ 11 1
25	3. Exposure and neglect.....	{ M.. 13 F.. 8	{ 1 3	{ 1 1	{ 1 1	{ 1 1		{ 3 5		1	1		1
26	4. Gunshot wounds.....	{ M.. 67 F.. 3					2	{ 2 2	4	8	9	8	6
27	5. Homicide.....	{ M.. 24 F.. 7			1	1		{ 1 1	1	1		1	3
28	6. Infanticide.....	{ M.. 1 F.. 1	{ 1 1					{ 1 1					
29	7. Injuries by machinery.....	{ M.. 9 F.. 1								1	1		
30	8. Railroad accidents.....	{ M.. 160 F.. 14	{ 1 1				1	{ 2 2	2	7	12	29	21
31	9. Suffocation.....	{ M.. 36 F.. 16	{ 21 10	{ 1 1	1			{ 21 12	1	1	2	1	1
32	10. Suicide by shooting.....	{ M.. 30 F.. 2										4	5
33	11. Suicide by drowning.....	{ M.. 3 F.. 1										1	
34	12. Suicide by poison.....	{ M.. 19 F.. 12									3	1	1
35	13. Other suicides.....	{ M.. 62 F.. 15								1	1	1	2
36	14. Sunstroke.....	{ M.. 12 F.. 5	{ 1 1		1	1		{ 1 2	1		1	2	1
37	15. Surgical operations.....	{ M.. 11 F.. 11					1	{ 1 1	1			2	1
38	16. Wounds.....	{ M.. 21 F.. 8	{ 2 2	{ 1 1		1		{ 4 3				2	1
39	17. Other accidents and injuries.....	{ M.. 477 F.. 127	{ 17 17	{ 4 2	{ 4 2	{ 4 5	{ 4 4	{ 33 30	{ 18 9	{ 21 6	{ 25 4	{ 57 15	{ 66 4

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MICHIGAN—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
6	5	3	2	9	8	7	4	3	2					1
3	3	1	1	5	6	3	1	2	2					2
3	2	2	1	4	2	4	3	1	1					3
2	3	1	1	4	2	2	1	2						4
2	2	2	1	4	1	3	2							
					3				2					5
							1	1						
1					1	1								6
				1										7
1					1	1								
2	5	3	1	4	2		2	4	2	3	1	1		8
1	1	2	1	3	1		1	1	1	1	1	1		9
1	4	1		1	1		1	3	1	2				
1	1	1			1		1	1	1	1		1		11
1	3	1		1	1			1						
		1	1	2						1				12
			1					1	1	1	1			13
	1							2						
2		2	1	1	1	1		1						14
1		1	1	1	1			1						15
1		1				1								
				1	1		1							17
1														
		1	1					1						18
1		1												19
100	99	75	76	68	54	54	47	39	33	21	7	4	1	37
91	88	63	67	54	45	39	40	29	23	13	3	3		35
9	11	12	9	14	9	15	7	10	10	8	4	1	1	
2		2	1	2	1			1						23
	2		1		2		2			1				
13	7	5	2	6	4	3	1							4
	1	1												
			1					2	1	2				1
													1	
4	7	3	8	3		3	1	1						3
2	5	2	4		1			2						
2		1												28
3	2		1			1								29
16	12	10	13	15	5	4	3	4	2	1				2
		1		3	1	3			1					
	1	1	2	2			1	1	1					2
1	4	3	4	1	3	1	2		2					32
		1												
	1		1					1						1
3		2	1	3	3		2	1	1					34
1		1	1	3			1	1						
3	5	2	5	3	7	11	6	5	2	1	1	1		5
1		2		2	2	2	2		1				1	
					1	1	2		1	1				36
3	1	1	1	1	1		1			1				37
1		2	1	1		2								
3	3	3			1	1	2	1						38
	1				1				1					
41	40	29	25	19	18	14	19	11	13	7	2	2		17
2	6	3	6	3	3	7	3	8	7	6	4	1		

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MINNESOTA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
682	527	423	400	454	480	553	563	485	428	271	168	61	27	116	1
354	256	221	236	268	286	331	340	289	248	141	84	32	18	69	2
328	271	202	164	186	194	222	223	196	180	130	84	29	14	47	3
10	20	13	6	15	23	21	27	24	21	12	10	5	3	17	4
3	8	5	1	7	15	10	9	15	11	5	6	4	1	6	5
7	12	8	5	8	8	11	18	9	10	7	4	1	2	11	6
121	59	43	43	40	40	42	58	27	23	16	4	3	2	15	7
77	39	25	30	18	27	25	31	16	9	9	2	3	1	7	8
44	20	14	13	22	13	17	27	11	14	7	2	2	1	8	9
3	1			2				1							10
2			2	1	1										11
4	3	2	1		1	1		1	1					1	12
3	2													2	13
			1												14
				1											15
1	2	2		1				1						1	16
1															17
43	22	7	11	11	9	2	6	1		1	1	1		2	18
15	7	4	6	5	4	4	6	2	3						19
10	5	8	7	5	8	15	17	11	6	7		2	2	3	20
7	7	8	3	9	6	10	15	6	8	4	2		1	1	21
1		2	1	1	1	1	1	1	1					1	22
4	3	1	4	2	4	2	2	1	1	1	1			2	23
2		1			1	1	1	1	1						24
12	4	1	1	1	4	3	4	1	1					1	25
10	2	5	1	1	1	1	3	1	1						26
2		2	2		1										27
	1														28
1			1	1		1	2	1	1	3			1		29
															30
3	4	3	6	2	5	3	4	5	1		1				31
															32
3	4	2	4	1	3	2	4	3	1		1				33
		1	2	1	2	1		2							34
			1		1			1							35
2	3	2	2	1	2	1	3								36
		1	1												37
															38
1	1		1		1	1			1		1				39
															40
1			1		1	1	1	3	1						
1		2		3	2	5		9	14	6	7	3	1		
2						1	2	3	11	7	5	2	1		
						1	8	17	35	49	32	13	5	1	
						3	8	27	32	45	32	18	8	1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MINNESOTA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	2,368	110	47	21	15	14	207	40	69	178	272	293
2	Males	1,138	71	28	12	9	6	126	24	21	57	126	126
3	Females	1,230	39	19	9	6	8	81	16	48	121	146	167
4	1. Rheumatism	{ M. 50 F. 47	1		1		2	2	1	1	3	2	3
5	2. Scrofula and tubercles	{ M. 28 F. 29	6	2		3	1	12	1		2	3	2
6	3. Leprosy	{ M. 2 F. 2											
7	4. Consumption	{ M. 732 F. 831	33	12	5	1	3	54	4	14	49	110	115
8	5. Hydrocephalus	{ M. 62 F. 27	21	13	6	4	1	45	12	3	1	1	
9	6. Cancer	{ M. 159 F. 171	3	2		1	1	4	2	1		2	2
10	7. Tumor	{ M. 20 F. 26	1	1		1	2	2			1	3	2
11	8. Anæmia	{ M. 5 F. 5									1	2	
12	9. Dropsy	{ M. 44 F. 72	3	1			1	3	4	1		1	2
13	10. Diabetes	{ M. 33 F. 16		1				1		1	1	5	2
14	11. Others of this group	{ M. 3 F. 6	3					3				1	
15	12. Others of this class	{ M. 5 F. 5											
16	II.—Diseases of the nervous system	1,338	453	131	51	26	17	678	62	35	33	47	38
17	Males	716	258	65	26	11	9	369	30	18	16	19	15
18	Females	622	195	66	25	15	8	309	32	17	17	28	23
19	1. Inflammation of the brain	{ M. 260 F. 173	84	26	13	8	3	134	15	10	5	6	2
20	2. Apoplexy	{ M. 95 F. 61	4	1				5			4	1	3
21	3. Paralysis	{ M. 77 F. 93	1				1	2	2	3	2	2	3
22	4. Tetanus and trismus nascentium	{ M. 8 F. 5	4	1				5	1				
23	5. Epilepsy	{ M. 26 F. 12	6	1				7	2	1	3	5	4
24	6. Convulsions	{ M. 163 F. 156	124	17	9	3	2	155	5	1	1	2	2
25	7. Mental diseases	{ M. 10 F. 12									1		2
26	8. Diseases of the brain	{ M. 69 F. 44	14	10	1			25	2	1	1	2	1
27	9. Diseases of the spinal cord	{ M. 54 F. 32	21	9	3		3	36	3	2		2	
28	10. Others of this class	{ M. 14 F. 14					1	1		2	1	1	
29	III.—Diseases of the circulatory system	710	79	6	2	4	3	94	19	18	19	32	30
30	Males	407	43	1	1	2	3	50	7	6	11	11	12
31	Females	303	36	5	1	2		44	12	12	8	21	18
32	1. Angina pectoris	{ M. 7 F. 4							1				1
33	2. Aneurism	{ M. 3 F. 1							1				1
34	3. Diseases of the heart	{ M. 368 F. 276	21	1	1	2	3	28	6	6	11	11	10
35	4. Others of this class	{ M. 29 F. 22	22	5	1	2		24	11	11	8	21	17

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MINNESOTA—Continued.

CAUSE OF DEATH		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system.....	2,420	511	227	108	76	71	993	136	51	78	79	96
2	Males.....	1,367	306	115	57	40	43	561	58	23	35	47	56
3	Females.....	1,053	205	112	51	36	28	432	78	28	43	32	40
4	1. Croup.....	{ M.. 151 F.. 92	{ 40 15	{ 22 16	{ 16 14	{ 17 11	{ 22 10	{ 117 66	{ 29 23	{ 4 1			1
5	2. Laryngitis.....	{ M.. 3 F.. 1	{ 1 			{ 1 	{ 1 	{ 3 					
6	3. Bronchitis.....	{ M.. 202 F.. 193	{ 85 79	{ 31 27	{ 10 12	{ 6 5	{ 2 2	{ 134 125	{ 5 5	{ 7 4	{ 6 5	{ 1 3	{ 1 5
7	4. Pneumonia.....	{ M.. 701 F.. 539	{ 114 70	{ 53 56	{ 25 17	{ 13 18	{ 14 10	{ 219 171	{ 21 31	{ 8 16	{ 21 25	{ 33 22	{ 46 28
8	5. Pleurisy.....	{ M.. 21 F.. 11		{ 1 			{ 1 	{ 1 	{ 1 2				{ 3 1
9	6. Asthma.....	{ M.. 35 F.. 19	{ 1 2					{ 1 2				{ 1 1	
10	7. Others of this class.....	{ M.. 254 F.. 198	{ 65 39	{ 9 12	{ 6 8	{ 3 2	{ 3 6	{ 86 67	{ 3 17	{ 4 7	{ 8 13	{ 12 6	{ 5 6
11	V.—Diseases of the digestive system.....	770	232	37	11	11	6	297	24	12	25	35	35
12	Males.....	427	139	18	5	9	3	174	11	6	11	23	15
13	Females.....	343	93	19	6	2	3	123	13	6	14	12	20
14	1. Dentition.....	{ M.. 12 F.. 12	{ 10 7	{ 1 4	{ 1 1			{ 12 12					
15	2. Angina.....	{ M.. 16 F.. 15	{ 4 1	{ 2 1	{ 2 1	{ 1 1	{ 1 1	{ 9 5	{ 5 5	{ 1 1	{ 2 2	{ 1 1	{ 1 1
16	3. Diseases of the stomach.....	{ M.. 60 F.. 46	{ 12 10	{ 1 4	{ 1 1	{ 1 1	{ 1 1	{ 14 16	{ 1 1	{ 2 1	{ 2 2	{ 1 1	{ 2 1
17	4. Obstruction of the bowels.....	{ M.. 16 F.. 16	{ 3 1			{ 1 		{ 4 1		{ 2 		{ 3 1	{ 1 1
18	5. Hernia.....	{ M.. 9 F.. 8	{ 3 1					{ 3 1				{ 1 	
19	6. Other diseases of the bowels.....	{ M.. 29 F.. 22	{ 13 16	{ 3 1		{ 1 		{ 17 17	{ 3 2		{ 1 1	{ 1 1	{ 3 1
20	7. Jaundice.....	{ M.. 11 F.. 9	{ 5 4			{ 2 		{ 7 4				{ 1 	
21	8. Inflammation and abscess of the liver.....	{ M.. 29 F.. 16	{ 2 1	{ 1 		{ 1 	{ 1 	{ 5 1	{ 1 1	{ 1 1	{ 1 1	{ 7 1	{ 1 1
22	9. Other diseases of the liver.....	{ M.. 50 F.. 42	{ 2 	{ 1 				{ 2 1	{ 1 			{ 2 1	{ 2 2
23	10. Peritonitis.....	{ M.. 63 F.. 72	{ 4 1	{ 1 1		{ 1 1	{ 1 	{ 7 3	{ 5 2	{ 3 3	{ 5 8	{ 7 9	{ 5 13
24	11. Ascites.....	{ M.. 8 F.. 7	{ 1 					{ 1 	{ 1 				
25	12. Others of this class.....	{ M.. 124 F.. 78	{ 80 51	{ 9 7	{ 2 2	{ 1 1	{ 1 1	{ 93 62	{ 1 2	{ 1 1	{ 1 1		{ 2
26	VI.—Diseases of the urinary system and male organs of generation.....	323	12	1		1	2	16	8	9	11	18	19
27	Males.....	223	10	1		1	1	13	4	2	5	7	15
28	Females.....	100	2				1	3	4	7	6	11	4
29	1. Bright's disease.....	{ M.. 99 F.. 42							{ 2 5	{ 1 5	{ 5 3	{ 5 5	{ 9 1
30	2. Calculus, urinary.....	{ M.. 3 F.. 1	{ 1 					{ 1 					
31	3. Diseases of the kidney.....	{ M.. 79 F.. 45	{ 6 2	{ 1 		{ 1 	{ 1 	{ 9 2	{ 2 3	{ 1 2	{ 2 2	{ 2 4	{ 6 3
32	4. Diseases of the bladder.....	{ M.. 28 F.. 4	{ 1 					{ 1 				{ 1 	
33	5. Others of this class.....	{ M.. 14 F.. 8	{ 2 				{ 1 	{ 2 1	{ 1 1		{ 1 	{ 1 	
34	VII.—Diseases of the female organs of generation.....	41									2	5	5
35	1. Ovarian tumors.....	F.. 10											
36	2. Ovarian diseases.....	F.. 1											
37	3. Uterine tumors.....	F.. 5										1	
38	4. Uterine diseases.....	F.. 8										1	2
39	5. Others of this class.....	F.. 17									2	3	3
40	VIII.—Affections connected with pregnancy.....	282									10	51	71
41	1. Abortion.....	F.. 11										2	4
42	2. Childbirth.....	F.. 134									7	16	28
43	3. Puerperal septicæmia.....	F.. 114									6	25	32
44	4. Extra-uterine pregnancy.....	F.. 3										1	1
45	5. Others of this class.....	F.. 20									3	7	6

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MINNESOTA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	41	9	2	3		1	15	6	4	3	1	1
2	Males.....	23	6		2		1	9	3	1	2		1
3	Females.....	18	3	2	1			6	3	3	1	1	
4	1. Diseases of the spine..... { M. 16	16	5		2		1	8	3		1		1
	{ F. 14	14	3	2	1			6	3	3			
5	2. Diseases of the bones..... { M. 5	5								1			
	{ F. 2	2											
6	3. Diseases of the hip joint..... { M. 2	2	1					1			1		
	{ F. 2	2									1	1	
7	4. Others of this class..... { M. 1	1											
	{ F. 1	1											
8	X.—Diseases of the skin.....	33	6	1	1			8	1		1	4	3
9	Males.....	18	3					3	1		1	4	2
10	Females.....	15	3	1	1			5					1
11	1. Abscess..... { M. 10	10	1					1	1		1	4	2
	{ F. 13	13	1	1	1			3					1
12	2. Carbuncle..... { M. 1	1											
	{ F. 1	1											
13	3. Others of this class..... { M. 8	8	2					2					
	{ F. 2	2	2					2					
14	XI.—Diseases of the absorbent system.....	4	1			1		2				1	
15	Males.....	2	1			1		2					
16	Females.....	2										1	
17	1. Addison's disease..... { M. 1	1				1		1					
	{ F. 1	1										1	
18	2. Diseases of the spleen..... { M. 1	1				1		1					
	{ F. 1	1											
19	3. Others of this class..... { M. 1	1	1					1					
	{ F. 1	1											
20	XII.—Accidents and injuries.....	792	40	29	26	13	14	122	46	50	44	67	73
21	Males.....	622	20	20	20	8	8	76	28	43	38	54	58
22	Females.....	170	20	9	6	5	6	46	18	7	6	13	15
23	1. Burns and scalds..... { M. 31	31	1	7	7	4	1	20	1	1		2	1
	{ F. 34	34	1	3	3	4	5	16	6	2	1	2	1
24	2. Drowned..... { M. 68	68	2	4	4	1	1	12	6	9	3	12	4
	{ F. 9	9	1	1	1			2	2	1	1	1	2
25	3. Exposure and neglect..... { M. 10	10	1	3	1		1	6	1				1
	{ F. 5	5	4					4					
26	4. Gunshot wounds..... { M. 30	30			1			1	2	3	9	3	4
	{ F. 9	9		1	1			2	1	1	1		2
27	5. Homicide..... { M. 14	14				1		1		1		2	3
	{ F. 7	7		1				1	1		1	2	1
28	6. Infanticide..... { M. 1	1											
	{ F. 1	1											
29	7. Injuries by machinery..... { M. 3	3									1		1
	{ F. 1	1											
30	8. Railroad accidents..... { M. 70	70			2			2	2	6	5	2	10
	{ F. 9	9							1	1			
31	9. Suffocation..... { M. 19	19	7	1				8	2		3	1	2
	{ F. 12	12	7	1				8	1			2	
32	10. Suicide by shooting..... { M. 24	24										2	1
	{ F. 1	1											
33	11. Suicide by drowning..... { M. 4	4											1
	{ F. 2	2											
34	12. Suicide by poison..... { M. 19	19									1		1
	{ F. 5	5											2
35	13. Other suicides..... { M. 38	38										6	5
	{ F. 13	13										2	1
36	14. Sunstroke..... { M. 7	7			1			1		2			1
	{ F. 2	2							1				
37	15. Surgical operations..... { M. 15	15	3		1			4			1		1
	{ F. 12	12		1				1				1	1
38	16. Wounds..... { M. 11	11							2			2	1
	{ F. 2	2											1
39	17. Other accidents and injuries..... { M. 259	259	6	5	4	2	5	22	12	21	11	22	22
	{ F. 47	47	7	2		1	1	11	5	3	1	3	3

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MINNESOTA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1	2	2		2		1		1				1		1	1
1	1	1		1		1		1				1		1	2
	1	1		1											3
	1	1		1				1							4
1				1		1						1		1	5
															6
															7
3	1	1	1	3	1	3	1	1	1						8
1				3		1		1	1						9
2	1	1	1	1	1	2	1								10
2	1	1	1	1	1	2	1								11
															12
1				2		1		1	1						13
															14
															15
															16
															17
															18
															19
															20
63	59	30	39	44	39	33	24	19	11	3	5	2		19	20
54	50	27	33	37	36	20	19	17	8		4	1		19	21
9	9	3	6	7	3	13	5	2	3	3	1	1			22
1	1	1	1	2		1		1	1						23
1						2									23
3	2	1	1	2	2	1	2	1			1			1	24
1				1							1				24
												1			25
4	2					1								1	26
1				1											26
1	1	1	2	1	1									1	27
															27
															28
															28
															29
															29
															30
10	6	5	4	6	5		1	1						5	30
		1	1		1	4									30
1	1	1													31
1	1														31
2	3	2	5	3	2		1	2						1	32
1															32
1	1			1											33
															33
3	3	2	5	2	1		1		1						34
	1	1													34
2	5	3	1	5	3	3	1	2						2	35
2	1		2	2		2			1						35
			3												36
															36
															37
3		1		1	1	1	1	2							37
2	3	1	1			1									37
													1		38
															38
															39
23	24	9	12	16	20	11	12	7	5		2			8	39
1	3		1		1	3	4	2	1	3	1	1			39

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MISSISSIPPI.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
691	670	603	472	537	388	522	422	465	319	284	125	72	73	297	1
311 380	323 347	285 318	246 226	258 279	217 171	291 231	243 179	282 183	191 128	150 134	64 61	33 39	35 38	151 146	2 3
40	36	22	26	23	15	25	33	38	25	20	8	2	4	70	4
14 26	18 18	13 9	11 15	8 15	4 11	12 13	21 12	23 15	9 16	13 7	6 2	1 1	4	36 34	5 6
137	125	136	88	99	81	80	76	59	35	44	14	14	5	56	7
73 64	66 59	68 68	52 36	49 30	44 37	39 41	39 37	35 24	17 18	23 21	10 4	5 9	5 5	31 25	8 9
5 7	6 4	5 11	4 2	1 1	2 1	1 2	5	1	1 1	2	1			1 1	10 11
		1						1						1	12
2		1			1									2 2	13
	1													1	14
	1 1	2 4	1	4	2	1 3	4 3	1	1	1 3			1	1 1	15
	1			1			1							1	16
14 17	11 14	12 6	9 4	8 9	4 10	8 3	5 5	4 7	1 1	1 3	1	1		3 5	17
12 10	7 14	17 12	11 15	19 17	20 6	16 21	16 11	8 8	10 11	9 5	2 2	3 6	3	8 4	18
														2 1	19
35 25	28 22	26 28	26 13	16 17	14 15	9 9	11 11	18 8	4 5	8 9	6	1 1	1	12 9	20
	3 1	1 2		1	2 1	2		1			1				21
4 2	1 1	2 1	1	1	1	1	1	2		2 1					22
3 1	4 1	2 3	1		2	2	1							1	23
	3 1		1	1 2		1 1	1					1 1			24
3	6	6	3	2	3	4	1	3		1				1	25
2 1	6	3 3	3	2	3	4	1	2 1		1				1	26 27
															28
1	3	2 1	3	2	2	2	1	2							29
	1					1									30
1 1	2	1 2			1			1						1	31
						1				1					32
1			2	5	4	15	10	43	37	57	42	28	39	13	33
1			2	1 4	2 2	8 7	4 6	18 25	18 19	25 32	20 22	11 17	18 21	4 9	34 35
															36
															37
														1	38
1			2	1 4	2 2	2 2	4 3	8 8	2 6	2 10	2 2	2	1 2	3 4	39
						6 5		10 17	16 13	23 22	18 20	9 17	17 19	1 4	40

VITAL AND SOCIAL STATISTICS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MISSISSIPPI—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	2,216	49	31	26	30	12	148	52	67	179	249	192
2	Males.....	998	30	17	16	16	7	86	25	29	64	110	83
3	Females.....	1,218	19	14	10	14	5	62	27	38	115	139	109
4	1. Rheumatism.....	{ M. 50 F. 33	1					1	2	4	2	2	2
5	2. Scrofula and tabes.....	{ M. 47 F. 15	7	3	2	4	1	17	6	5	2	5	1
6	3. Leprosy.....	{ M. F.											
7	4. Consumption.....	{ M. 631 F. 802	12	7	5	4	3	31	10	14	51	96	75
8	5. Hydrocephalus.....	{ M. 8 F. 5	4	1			1	6					1
9	6. Cancer.....	{ M. 55 F. 117			1			1			2	2	2
10	7. Tumor.....	{ M. 14 F. 23	1	1			1	3				1	
11	8. Apæmia.....	{ M. 4 F. 8					1	1					
12	9. Dropsy.....	{ M. 174 F. 175	4	5	8	7	1	25	7	6	7	2	5
13	10. Diabetes.....	{ M. 12 F. 7									3	1	
14	11. Others of this group.....	{ M. 3 F. 3	1					1				1	
15	12. Others of this class.....	{ M. F.											
16	II.—Diseases of the nervous system.....	994	184	65	56	23	20	348	62	43	50	34	26
17	Males.....	518	96	27	37	12	8	180	35	21	27	18	11
18	Females.....	476	88	38	19	11	12	168	27	22	23	16	15
19	1. Inflammation of the brain.....	{ M. 101 F. 96	18	12	10	5	1	46	13	7	8	6	5
20	2. Apoplexy.....	{ M. 47 F. 41							2		3	2	3
21	3. Paralysis.....	{ M. 94 F. 68		1				1	1		1	1	
22	4. Tetanus and trismus nascentium.....	{ M. 17 F. 12	12		1			13	1		1		
23	5. Epilepsy.....	{ M. 32 F. 23	1		1		1	2		7	6	2	1
24	6. Convulsions.....	{ M. 70 F. 81	42	5	11	3	3	64	2		3		
25	7. Mental diseases.....	{ M. 5 F. 10									3		
26	8. Diseases of the brain.....	{ M. 122 F. 117	22	8	13	4	4	51	16	5	5	5	1
27	9. Diseases of the spinal cord.....	{ M. 9 F. 10	1	1	1			4	1	2	1		
28	10. Others of this class.....	{ M. 21 F. 18		1	1			2	1		1	2	1
29	III.—Diseases of the circulatory system.....	579	11	3	1	3	2	20	4	13	10	25	13
30	Males.....	288	7	2	1	1	1	12	3	7	7	9	2
31	Females.....	291	4	1		2	1	8	1	6	3	16	11
32	1. Angina pectoris.....	{ M. 5 F. 5										1	
33	2. Aneurism.....	{ M. 7 F. 3										1	
34	3. Diseases of the heart.....	{ M. 273 F. 280	5	1	1	1	1	9	3	7	7	7	2
35	4. Others of this class.....	{ M. 3 F. 3	2	1				3					11

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MISSISSIPPI—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system....	2,282	429	173	96	53	35	788	94	74	154	155	118
2	Males	1,270	239	99	45	28	18	429	35	37	93	106	65
3	Females.....	1,012	190	74	51	27	17	359	59	37	61	49	53
4	1. Croup.....	{ M. 119 F. 107	{ 82 65	{ 15 10	{ 7 13	{ 3 7	{ 6 3	{ 113 98	{ 3 5				
5	2. Laryngitis.....	{ M. 3 F. 5		{ 1 2				{ 1 3	{ 1 1		{ 1 1		
6	3. Bronchitis.....	{ M. 82 F. 78	{ 18 18	{ 16 8	{ 6 8	{ 3 3	{ 2 2	{ 45 39	{ 3 6	{ 1 3	{ 3 2	{ 3 2	{ 3 1
7	4. Pneumonia.....	{ M. 845 F. 602	{ 86 59	{ 51 37	{ 26 24	{ 16 13	{ 7 7	{ 186 140	{ 20 35	{ 29 24	{ 78 47	{ 94 39	{ 57 47
8	5. Pleurisy.....	{ M. 24 F. 17	{ 1 1	{ 2 2				{ 1 3		{ 2 2	{ 1 1		{ 1 1
9	6. Asthma.....	{ M. 13 F. 19	{ 2 1	{ 1 1				{ 2 2	{ 1 1			{ 2 2	
10	7. Others of this class.....	{ M. 184 F. 184	{ 50 46	{ 16 14	{ 6 6	{ 6 4	{ 3 4	{ 81 74	{ 7 10	{ 5 9	{ 10 11	{ 8 6	{ 4 4
11	V.—Diseases of the digestive system.....	620	139	63	23	17	10	252	30	16	25	30	18
12	Males	331	75	33	9	9	9	135	17	6	12	14	9
13	Females.....	289	64	30	14	8	1	117	13	10	13	16	9
14	1. Dentition.....	{ M. 33 F. 29	{ 17 12	{ 12 13	{ 4 4			{ 33 29					
15	2. Angina.....	{ M. 17 F. 17	{ 4 4		{ 1 2	{ 2 1	{ 1 1	{ 8 7	{ 3 3			{ 2 2	{ 1 1
16	3. Diseases of the stomach.....	{ M. 55 F. 62	{ 6 6	{ 10 6		{ 2 2	{ 3 3	{ 21 14	{ 6 4	{ 2 3	{ 4 4	{ 2 2	{ 1 3
17	4. Obstruction of the bowels.....	{ M. 12 F. 15	{ 1 4	{ 2 2				{ 2 7	{ 2 2		{ 1 1		
18	5. Hernia.....	{ M. 14 F. 4	{ 1 4					{ 1 1			{ 2 1		
19	6. Other diseases of the bowels.....	{ M. 35 F. 31	{ 10 12	{ 3 3	{ 2 3	{ 1 1	{ 2 1	{ 18 19	{ 2 1		{ 2 2	{ 1 1	
20	7. Jaundice.....	{ M. 13 F. 12	{ 5 5	{ 1 1				{ 5 6	{ 1 1			{ 1 1	
21	8. Inflammation and abscess of the liver.....	{ M. 19 F. 10				{ 1 1		{ 1 1	{ 1 1		{ 1 1	{ 1 2	{ 3 3
22	9. Other diseases of the liver.....	{ M. 26 F. 23	{ 1 1		{ 1 1		{ 1 1	{ 1 3	{ 1 1			{ 1 1	{ 2 1
23	10. Peritonitis.....	{ M. 8 F. 14	{ 1 1	{ 1 1				{ 1 1		{ 1 1	{ 2 2		{ 6 6
24	11. Ascites.....	{ M. 14 F. 15	{ 1 1		{ 1 3	{ 1 1	{ 1 1	{ 3 5			{ 2 2	{ 1 1	{ 1 1
25	12. Others of this class.....	{ M. 85 F. 57	{ 31 18	{ 7 5	{ 1 1	{ 3 1		{ 42 25	{ 2 2	{ 4 3	{ 2 4	{ 4 2	{ 1 3
26	VI.—Diseases of the urinary system and male organs of generation.....	247	1	4	2	4	1	12	7	8	10	9	13
27	Males	188		3	1	4	1	9	4	5	5	3	7
28	Females.....	59	1	1	1			3	3	3	5	6	6
29	1. Bright's disease.....	{ M. 77 F. 29							{ 1 1		{ 1 1	{ 3 3	{ 1 1
30	2. Calculus, urinary.....	{ M. 10 F. 10				{ 1 1		{ 1 1					
31	3. Diseases of the kidney.....	{ M. 53 F. 17		{ 3 1	{ 1 1	{ 2 2	{ 1 1	{ 7 2		{ 1 1	{ 1 1	{ 1 3	{ 2 2
32	4. Diseases of the bladder.....	{ M. 19 F. 2				{ 1 1		{ 1 1		{ 1 1		{ 1 1	
33	5. Others of this class.....	{ M. 29 F. 11		{ 1 1				{ 1 1	{ 3 2	{ 4 1	{ 3 3	{ 1 3	{ 3 1
34	VII.—Diseases of the female organs of generation.....	89			1			1		1	13	8	7
35	1. Ovarian tumors.....	F. 5											
36	2. Ovarian diseases.....	F. 1											
37	3. Uterine tumors.....	F. 7											
38	4. Uterine diseases.....	F. 41											
39	5. Others of this class.....	F. 35			1			1		1	2	5	5
40	VIII.—Affections connected with pregnancy.....	335								3	54	76	52
41	1. Abortion.....	F. 12											
42	2. Childbirth.....	F. 207									3	3	1
43	3. Puerperal septicaemia.....	F. 93								2	36	43	37
44	4. Extra-uterine pregnancy.....	F. 1									11	28	13
45	5. Others of this class.....	F. 23									4	7	1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MISSISSIPPI—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1		1		1	3										1
				1	1										2
1		1			2										3
					1										4
1					1										
				1	1										5
					1										
															6
		1													
															7
		2	2	1	3	2	1	1				1	1	1	8
	1		1	3		1	1					1		1	9
	1		2		2							1	1	1	
		1					1								11
	1	1	1		1									1	
				1	1							1			12
					1										
			1	2		1									13
													1		
1														1	14
1														1	15
															17
															18
1															
														1	19
65	46	38	37	31	19	32	22	10	7	11	5	2	2	26	20
58	42	31	33	22	18	25	18	8	4	8	3	1	1	22	21
7	4	7	4	9	1	7	4	2	3	3	2	1	1	4	
2	2	1	1	1		4	1				1			1	23
1	1	2	1	1		2				2	2		1	2	
5	4	5	1	5	2	2	3	1	1	1				1	24
1			2	1											
						1	1		1			1			25
13	11	5	7	2	5	1	1	1					1	8	26
13	11	8	5	3		3	3			1	1			4	27
1	1														
															28
2														1	29
8	3		4	1	3	1	1			1				2	30
1		1					1	1							
															31
	1	1	2							1					32
															33
1															34
3	1		1	1		1	1		1	1					35
1															
1			1			1	2							1	36
1			1			1									37
	1			1											
1		1	1	3	1	2								1	38
				1											
9	9	10	10	6	7	9	8	6	2	3	1	1		4	39
1	1	4		5	1	2	2	1	2	1				1	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MISSOURI.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,448	1,437	1,190	1,246	1,151	1,097	1,130	1,139	1,075	781	488	274	64	50	369	1
712	731	642	668	650	658	628	637	616	441	278	144	32	27	182	2
736	706	548	578	492	439	502	502	459	340	210	130	32	23	187	3
25	17	16	28	26	23	26	35	33	28	14	10	1	2	52	4
8	6	6	16	7	13	10	18	20	16	9	4	1	2	32	5
17	11	10	12	19	10	16	17	13	12	5	6			20	6
208	176	154	125	134	108	146	106	92	77	53	25	3	2	59	7
111	82	77	67	66	65	75	57	53	39	32	15	3	2	28	8
97	94	77	58	68	43	71	49	39	38	21	10			31	9
		1				1									10
4	4	2	1		2	1			2					3	11
7	9	6	2	3	1	2		1		1				2	12
		1												2	13
1				1	1				1					3	14
1				1										2	15
3	1	1	1	3	3	1	1	2		1				1	16
1		1	1		1			1						1	17
53	35	24	15	12	20	12	8	12	6	1	2			7	18
30	22	14	16	15	12	11	8	12	6	1				2	19
15	13	17	19	14	15	33	22	17	16	13	6	1	2	9	20
19	22	17	17	22	19	19	20	14	18	11	4			8	21
														3	22
28	25	21	16	21	18	16	10	9	7	12	4	1		4	23
25	22	26	15	15	10	24	13	8	10	5	3			4	24
1	1	3	6	8	3	5	6	5		2	2			1	25
2	4	2	2	1	1	4	4	2	1	1	2			1	26
3	3	2	6	5	1	6	5	3	1	1	1	1		1	27
6	3	5	1	3	1	1	1	1	1					1	28
4	2	5	1		4									1	29
3	2	1	1	1		1								1	30
1			1											1	31
1	5	2	1	2	2	1	3	5	6	3				1	32
1			1	3	1	5	3	1	1	2	1			1	33
14	25	16	19	11	13	10	9	6	4	2	1			6	34
11	18	10	15	7	8	10	8	6	3	1	1			2	35
3	7	6	4	4	5		1	1	1	1				4	36
		1													28
7	15	6	9	7	7	4	5	4			1			1	29
1	6	3	4	1	2									2	30
	1	1	1				1							1	31
3	1	2	2	2	1	5	1	2	1					1	32
1	1	1	3	1	1	1	1		2	1				2	33
2	1	1			2				1	1					34
6	10	5	7	4	14	28	64	120	118	149	71	30	27	5	35
1	5	3	3	1	4	10	30	60	49	68	34	11	10	3	36
5	5	2	4	3	10	18	34	60	69	81	37	19	17	2	37
															38
															39
1	5	3	3	1	4	9	23	43	36	34	15	3	4	1	40
	5	2	4	3	10	17	29	43	40	44	24	6	9	2	41
															42
						1	7	17	13	34	19	8	6	2	43
						1	5	17	29	37	13	13	8	2	44

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MISSOURI—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	5,159	194	86	46	33	33	392	86	111	356	569	546
2	Males	2,489	125	42	22	15	18	222	48	47	108	264	243
3	Females	2,670	69	44	24	18	15	170	38	64	248	305	303
4	1. Rheumatism.....	{ M. 105 F. 66	2	1	1	1	2	6	6	8	3	4	5
5	2. Scrofula and tabes.....	{ M. 92 F. 65	24 13	10 3	5 1	1	3 3	43 20	7 4	1 1	7 7	7 7	4 6
6	3. Leprosy	{ M. 2 F. 0	0	0	0	0	0	0	1	0	0	0	0
7	4. Consumption	{ M. 1,670 F. 1,389	36 22	10 22	10 14	4 8	7 5	67 71	12 16	23 45	86 222	239 276	219 269
8	5. Hydrocephalus	{ M. 92 F. 53	46 22	18 13	4 3	4 4	4 5	76 47	9 1	3 1	0	2	1 1
9	6. Cancer	{ M. 264 F. 364	1 1	0	1 1	1	1	4 2	3 2	1 1	1	3 2	6 12
10	7. Tumor	{ M. 50 F. 39	2 1	1	1	2	0	5 3	1 2	1 1	2	1 2	4 1
11	8. Anæmia	{ M. 19 F. 32	5 6	1	0	1	0	5 8	0	1	1	4	2
12	9. Dropsy	{ M. 125 F. 130	4 3	3 1	1 1	1 2	2	9 6	3 4	8 6	3 8	4 8	3 8
13	10. Diabetes	{ M. 56 F. 19	1	0	0	0	0	1 1	4 3	1 2	4 1	4 2	1 1
14	11. Others of this group	{ M. 13 F. 13	4 4	1 2	2	1	1	6 9	2 2	0	1	1	0
15	12. Others of this class	{ M. 1 F. 0	0	0	0	0	0	0	0	0	0	1	0
16	II.—Diseases of the nervous system.....	3,068	1,006	247	115	82	32	1,482	143	77	76	81	79
17	Males	1,699	581	121	67	42	14	825	76	44	41	52	34
18	Females	1,369	425	126	48	40	18	657	67	33	35	29	45
19	1. Inflammation of the brain	{ M. 375 F. 303	146 111	50 50	31 22	21 7	4 9	252 199	30 23	14 9	15 14	10 11	7 10
20	2. Apoplexy	{ M. 164 F. 113	1 1	1	2	0	0	4 1	2 1	3	0	4 2	8 2
21	3. Paralysis	{ M. 215 F. 211	4 1	1 4	2	2 1	1	9 7	3 4	2	2 1	5	2 5
22	4. Tetanus and trismus nascentium	{ M. 113 F. 87	98 82	0	0	1	0	99 82	3 1	1	0	4	1 1
23	5. Epilepsy	{ M. 57 F. 41	1 2	2	1	2	1	4 6	1 5	5 3	7 4	9 3	4 1
24	6. Convulsions	{ M. 287 F. 206	218 134	32 33	6 8	8 7	2 3	266 185	6 5	1 1	3 4	3 1	2
25	7. Mental diseases	{ M. 25 F. 28	0	0	0	0	0	0	0	2	0	1 2	2 5
26	8. Diseases of the brain	{ M. 324 F. 225	84 55	21 28	14 11	3 13	3 1	125 108	17 11	12 6	6 2	10 4	8 11
27	9. Diseases of the spinal cord	{ M. 115 F. 118	27 36	14 11	12 6	6 10	5 2	64 65	14 15	8 7	6 5	4 4	1 6
28	10. Others of this class	{ M. 24 F. 37	2 3	0	0	0	1	2 4	2	1	2 3	2 2	1 2
29	III.—Diseases of the circulatory system	1,390	96	11	6	3	4	120	34	41	48	67	60
30	Males	747	51	7	3	2	3	66	19	15	14	32	33
31	Females	643	45	4	3	1	1	54	15	26	34	35	27
32	1. Angina pectoris	{ M. 26 F. 14	0	0	0	0	0	0	2	1	1	0	1 2
33	2. Aneurism	{ M. 17 F. 4	0	0	0	0	0	0	0	0	1	0	1
34	3. Diseases of the heart	{ M. 663 F. 593	23 19	6 4	3 2	2	3 1	37 26	17 15	14 25	13 32	32 35	31 24
35	4. Others of this class	{ M. 41 F. 32	28 26	1	1	1	0	20 28	0	1	0	0	1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MISSOURI—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
482	462	327	373	295	280	236	220	168	111	42	31	3	1	68	1
218	223	159	179	149	157	118	123	87	68	27	17	1	1	30	2
264	239	168	194	146	123	118	97	81	43	15	14	2		38	3
3	4	3	7	8	7	12	10	8	6	2	1			2	4
4	1	5	4	6	3	7	4	3	4	1	2	1			5
8	3	7	5	2	3		2		1						6
	3	1	1		1	1		3							7
		1													8
188	194	121	128	92	93	56	58	33	30	6	3		1	21	9
225	196	110	124	72	67	60	47	32	16	7	5			29	10
						1		2							11
						1									12
7	11	21	23	31	33	29	33	21	16	14	4	1		2	13
16	26	38	49	54	40	32	31	20	15	3	4	1		7	14
5	2		6	4	3	3	2	5		2	2			1	15
4	3	3	4	4	1	1	1	4	1						16
2	1	1	1		3	3	1							1	17
1	5	2	1	1	2	2	3								18
6	5	3	6	8	9	10	10	17	11		7			3	19
6	4	9	6	9	9	12	9	10	7	4	3			2	20
7	3	1	3	4	6	3	6	1	4	3					21
	1		5			3									22
		1				1	1								23
															24
85	87	96	98	96	93	118	120	141	95	43	23	5	6	24	25
33	47	55	51	61	55	75	56	79	56	28	14	2	3	12	26
52	40	41	47	35	38	43	64	62	39	15	9	3	3	12	27
4	10	0	4	4	3	4	3	1	4	1				3	28
8	9	3	4		2	5	1	2			1			2	29
4	4	12	16	14	13	27	11	22	11	6	2		1	2	30
6	3	6	11	5	15	13	14	15	9	2	1	2			31
9	7	10	6	11	19	20	20	38	26	16	8	1	1	2	32
9	8	11	14	16	11	15	35	32	20	9	6	1	2	3	33
1			1			2								1	34
1	1														35
5	4	2	2	4	3	1	2	2		1				1	36
6	3	2	2		2			1		2					37
	2	1	1	2	2				1	1					38
1		1	2	1			2							1	39
	3	5	2	2	2	2	4	1	1						40
5	1	1	2	5	1	2		2	2						41
7	16	15	15	24	10	17	11	11	11	3	3	1		2	42
7	11	13	10	6	4	6	11	8	2	1			1	3	43
2	1	4	1		3	3	3	3						1	44
4	2	2	1	1	1	1	1	1	1					2	45
1			3		2	1	2	4	2		1		1		46
5	2	2	1	1	2	2		1	4	1	1			1	47
63	85	78	91	94	99	139	114	105	86	27	18	4	1	16	48
32	53	39	41	56	56	81	63	61	49	18	9	3	1	6	49
31	32	39	50	38	43	58	51	44	37	9	9	1		10	50
2		2	2	1	2	3	3	3	2	1				1	51
2	1	1	2		2		2								52
2	3	2	1	2	1	3	1		1	1					53
			1	1					1						54
26	49	35	38	51	51	75	57	57	45	15	8	3	1	6	55
29	31	38	47	37	41	57	49	43	36	9	9	1		9	56
2	1		1		2		2	1	1	1	1				57

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MISSOURI—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	5,991	1,158	524	274	181	136	2,273	199	127	202	285	235
2	Males	3,332	671	265	154	101	64	1,255	89	63	108	163	147
3	Females	2,659	487	259	120	80	72	1,018	100	64	94	122	88
4	1. Croup	{ M. 357 F. 312	{ 116 116	{ 67 58	{ 49 41	{ 48 28	{ 36 31	{ 316 274	{ 31 32	{ 2 1	{ 2 1	{ 1 1	{ 1 1
5	2. Laryngitis	{ M. 16 F. 8	{ 1 1	{ 1 4		{ 4 1	{ 2 2	{ 6 7	{ 1 1	{ 2 1		{ 1 1	
6	3. Bronchitis	{ M. 384 F. 391	{ 141 105	{ 43 60	{ 27 21	{ 5 9	{ 4 6	{ 220 201	{ 7 9	{ 3 4	{ 4 7	{ 6 9	{ 7 7
7	4. Pneumonia	{ M. 1,908 F. 1,392	{ 254 173	{ 126 108	{ 59 44	{ 31 38	{ 17 27	{ 487 390	{ 51 46	{ 41 40	{ 77 69	{ 124 83	{ 113 58
8	5. Pleurisy	{ M. 38 F. 26	{ 2 2		{ 1 2			{ 3 2	{ 1 1	{ 2 1	{ 3 1	{ 4 5	{ 2 1
9	6. Asthma	{ M. 46 F. 43				{ 1 1		{ 1 1		{ 1 1		{ 1 2	
10	7. Others of this class	{ M. 583 F. 487	{ 157 93	{ 28 29	{ 18 12	{ 12 4	{ 7 6	{ 222 144	{ 9 12	{ 12 20	{ 22 16	{ 26 23	{ 24 22
11	V.—Diseases of the digestive system	1,468	275	79	38	24	14	430	74	38	49	60	66
12	Males	832	157	42	22	11	8	240	45	27	24	35	33
13	Females	636	118	37	16	13	6	190	29	11	25	25	33
14	1. Dentition	{ M. 33 F. 44	{ 19 20	{ 12 21	{ 2 2			{ 33 43					
15	2. Angina	{ M. 38 F. 38	{ 9 5	{ 7 1	{ 2 4	{ 4 3	{ 1 1	{ 23 14	{ 9 15		{ 3 1		{ 1 1
16	3. Diseases of the stomach	{ M. 168 F. 166	{ 25 23	{ 6 2	{ 9 6	{ 5 2	{ 2 1	{ 47 34	{ 9 5	{ 4 3	{ 4 9	{ 8 7	{ 9 9
17	4. Obstruction of the bowels	{ M. 57 F. 34	{ 8 6	{ 3 2	{ 2 2		{ 1 1	{ 14 8	{ 3 3	{ 7 3		{ 5 1	{ 2 3
18	5. Hernia	{ M. 48 F. 19	{ 5 1				{ 1 1	{ 5 1	{ 1 1			{ 1 1	{ 2 2
19	6. Other diseases of the bowels	{ M. 43 F. 26	{ 15 3	{ 3 5	{ 1 1		{ 1 1	{ 19 9	{ 2 1		{ 1 3	{ 3 2	{ 1 1
20	7. Jaundice	{ M. 34 F. 27	{ 18 15		{ 2 2		{ 1 2	{ 20 18	{ 1 1			{ 1 1	{ 2 3
21	8. Inflammation and abscess of the liver	{ M. 81 F. 52	{ 4 3		{ 1 1	{ 1 1		{ 6 5		{ 3 1	{ 1 1	{ 3 2	{ 6 7
22	9. Other diseases of the liver	{ M. 128 F. 81	{ 4 5	{ 1 1			{ 1 4	{ 6 11	{ 2 2	{ 1 1		{ 6 1	{ 3 2
23	10. Peritonitis	{ M. 57 F. 59	{ 2 5	{ 2 2	{ 1 1			{ 5 5	{ 11 1	{ 7 2	{ 4 7	{ 5 9	{ 9 6
24	11. Ascites	{ M. 14 F. 12	{ 1 1	{ 1 1			{ 1 1	{ 3 1	{ 2 1	{ 1 1	{ 2 2		
25	12. Others of this class	{ M. 131 F. 78	{ 47 32	{ 7 5	{ 2 2	{ 1 2	{ 2 2	{ 59 41	{ 5 2	{ 4 2	{ 9 1	{ 4 1	{ 3 2
26	VI.—Diseases of the urinary system and male organs of generation.	683	16	7	7	8	6	44	18	12	21	16	36
27	Males	467	10	5	6	6	4	31	8	3	12	9	18
28	Females	216	6	2	1	2	2	13	10	9	9	7	18
29	1. Bright's disease	{ M. 169 F. 73							{ 1 5	{ 1 5	{ 8 5	{ 5 5	{ 9 5
30	2. Calculus, urinary	{ M. 10 F. 4									{ 1 1		{ 1 1
31	3. Diseases of the kidney	{ M. 198 F. 99	{ 8 4	{ 3 1	{ 6 1	{ 5 2	{ 4 1	{ 26 9	{ 6 6	{ 2 3	{ 4 1	{ 3 6	{ 6 9
32	4. Diseases of the bladder	{ M. 42 F. 12	{ 1 2	{ 1 1				{ 1 3			{ 1 1		{ 1 1
33	5. Others of this class	{ M. 48 F. 28	{ 1 1	{ 2 1		{ 1 1		{ 4 1	{ 1 4	{ 1 1	{ 1 1		{ 1 3
34	VII.—Diseases of the female organs of generation.	134								4	6	7	20
35	1. Ovarian tumors	F. 26										{ 1 1	{ 5 1
36	2. Ovarian diseases	F. 6											
37	3. Uterine tumors	F. 10											
38	4. Uterine diseases	F. 25									{ 3 3	{ 1 5	{ 7 7
39	5. Others of this class	F. 67								{ 4 3	{ 3 3	{ 5 5	{ 7 7
40	VIII.—Affections connected with pregnancy	494								1	48	120	103
41	1. Abortion	F. 48									{ 5 5	{ 9 9	{ 10 10
42	2. Childbirth	F. 132									{ 13 13	{ 40 40	{ 38 38
43	3. Puerperal septicæmia	F. 214								{ 1 1	{ 22 22	{ 56 56	{ 47 47
44	4. Extra-uterine pregnancy	F. 3											{ 3 3
45	5. Others of this class	F. 47									{ 8 8	{ 15 15	{ 10 10

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MISSOURI—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	129	33	11	5	2	3	54	11	5	11	9	6
2	Males.....	74	18	5	2	1	1	27	9	3	8	2	5
3	Females.....	55	15	6	3	1	2	27	2	2	3	7	1
4	1. Diseases of the spine..... { M.	56	17	4	2	1	1	25	7	2	4	1	3
	{ F.	46	14	6	2	1	2	25	2	2	3	5	1
5	2. Diseases of the bones..... { M.	7		1				1	1		3	1	
	{ F.	5			1			1				1	
6	3. Diseases of the hip joint..... { M.	4		1				1					1
	{ F.	1	1										
7	4. Others of this class..... { M.	7	1					1	1	1	1		1
	{ F.	3										1	
8	X.—Diseases of the skin.....	86	23	3	3		2	31	1	2	5	7	2
9	Males.....	59	15	1	2		1	19	1	1	3	5	1
10	Females.....	27	8	2	1		1	12		1	2	2	1
11	1. Abscess..... { M.	26	4		1			4	1	1	3	5	1
	{ F.	15	3	1	1			5		1	2	2	1
12	2. Carbuncle..... { M.	11											
	{ F.	1											
13	3. Others of this class..... { M.	22	11	1	2		1	15					
	{ F.	11	5	1			1	7					
14	XI.—Diseases of the absorbent system.....	17	1	1				2	1	3			
15	Males.....	13	1	1				2	1	2			
16	Females.....	4								1			
17	1. Addison's disease..... { M.	3											
	{ F.	2											
18	2. Diseases of the spleen..... { M.	4	1					1	1				
	{ F.	2								1			
19	3. Others of this class..... { M.	6		1				1		2			
	{ F.												
20	XII.—Accidents and injuries.....	1,662	144	32	41	31	27	275	90	91	132	168	172
21	Males.....	1,296	87	22	25	17	15	166	69	78	105	132	143
22	Females.....	366	57	10	16	14	12	109	21	13	27	36	29
23	1. Burns and scalds..... { M.	53	7	8	7	10	6	38	7		1	1	1
	{ F.	69	4	3	7	10	5	29	7	3	4	2	2
24	2. Drowned..... { M.	109	2	3	8	2	1	16	10	19	13	16	12
	{ F.	7	1	1				2	1		1		
25	3. Exposure and neglect..... { M.	9	4					4	1				
	{ F.	14	7		1			8			3	1	1
26	4. Gunshot wounds..... { M.	117		1			1	2	9	10	15	24	20
	{ F.	12			1			1	2	3	3	1	1
27	5. Homicide..... { M.	73			1			1	1	4	6	6	13
	{ F.	10	1					1		1	1	5	
28	6. Infanticide..... { M.	7	7					7					
	{ F.	2	2					2					
29	7. Injuries by machinery..... { M.	5							1			1	1
	{ F.												
30	8. Railroad accidents..... { M.	154	1	1				2	5	6	15	20	25
	{ F.	8										1	1
31	9. Suffocation..... { M.	44	33	1	3	1		38	1			3	
	{ F.	21	16				1	17		1		1	
32	10. Suicide by shooting..... { M.	61								1	4	8	11
	{ F.	4								1	1		1
33	11. Suicide by drowning..... { M.	8											1
	{ F.	6											2
34	12. Suicide by poison..... { M.	29									1	2	1
	{ F.	25									6	7	2
35	13. Other suicides..... { M.	57									1	3	5
	{ F.	14										1	1
36	14. Sunstroke..... { M.	13								2	1		1
	{ F.	6										1	
37	15. Surgical operations..... { M.	13	1					1		1	2		8
	{ F.	24							1			2	
38	16. Wounds..... { M.	55	2	2	1		1	6	3	1	6	7	6
	{ F.	13	2		1		1	4	2	1		1	2
39	17. Other accidents and injuries..... { M.	489	30	6	5	4	6	51	31	35	41	41	46
	{ F.	131	24	6	6	4	5	45	8	2	7	12	8

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MISSOURI—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
.9	2	2	5	6	3	2	1	2		1				1
6	1	1	3	3	3	1	1	1						2
3	1	1	2	3		1		1		1				3
5	1	1	1	2	2	1	1							4
3	1		1	2		1								
		1	1	1	1									5
			2	1										
1								1						7
								1		1				
4	2	8	2	3	6	2	6	3	1	1				8
4	1	6	1	2	4	2	4	3	1	1				9
	1	2	1	1	2	2	2							
3	1	1		2	1	2	1	1						11
		1		1	1	1	1							
1		4			2	3	3	1						12
					1	1								
	1	2	1	1	1			1	1	1				13
		1	1				1							
	1	2	4		1	1	1		1					14
	1	2	1	3	1	1	1		1					15
			1	2			1		1					17
		1	1			1								18
	1	1			1									19
106	121	87	91	69	71	43	38	26	27	11	13	2	1	28
94	100	76	77	55	59	32	32	21	19	7	7	1	1	21
12	21	11	14	14	12	10	6	5	8	4	6	1		7
1		2	2	3		1	1	1		2	1	1	1	23
3	3													
4	9	2		3	3	1	1							24
1		1		1										
					1			1		1				25
9	4	7	5	6	1	2								26
	1													
7	7	8	4	4	4		5	1						27
				1										
														28
	1		1											29
15	14	11	12	3	6	5	7	5	1	1	1			30
			1	3		1		1						
						1			1					31
5	5	3	8	6	3	3	1	1	1					32
				1										
1	1		1	1		1			2					33
1	1				1									
4	2	3	8	3	2	1		1	1					34
3	1	1		2	3									
6	7	9	8	3	5	4	4		3					35
1	3	2	2	2		1								
3			3	1		1			1					36
					3		2							
2	1	1			4			2						37
1	4	2	2	1	1									
5	3	5	3	1	4	2	1		1					38
			2			1								
32	46	27	24	24	26	13	12	8	9	5	6			39
2	8	3	5		4	5	3	4	5	3	3			

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MONTANA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown:	
100	77	82	56	60	48	40	20	28	10	10	7	6	2	32	1
67	53	57	45	45	41	30	13	22	7	4	3	3	2	17	2
33	24	25	11	15	7	10	7	6	3	6	4	3	2	15	3
2	1	1	2	5	3	1	2		1	2		1		6	4
2		1	2	2	1	1	2					1		4	5
	1			3	2				1	2				2	6
9	12	6		9	3		2	2	1					1	7
7	8	5		6	2		1	2	1					1	8
2	4	1		3	1		1								9
															10
															11
															12
															13
															14
															15
															16
6	5	3		3	2			1							17
1	2			1											18
1		1		2	1			1						1	19
				1											20
1	1														21
	1	1													22
				1			1								23
	2	1	1	1											24
	1								1						25
1		2	1	1	5			2						1	26
1		2	1	1	5			2						1	27
															28
1		2	1	1	5			2							29
															30
														1	31
															32
		1		1	1	2	2	7	2	3	6	3	2	3	33
				1	1			3	1	1	3	1		1	34
		1				2	2	4	1	2	3	2	2	2	35
															36
															37
															38
				1	1			2		1	1			1	39
								2		1				1	40
						2	2	1	1	1	2	1	2	1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MONTANA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	225	4	2	2	1	3	12	9	15	16	28	24
2	Males	129	2	2	1		2	7	6	5	8	18	12
3	Females	96	2		1	1	1	5	3	10	8	10	12
4	1. Rheumatism	{ M. 6 F. 4										1	1
5	2. Scrofula and tubercles	{ M. 14 F. 7		1	1		2	4	3	1		5	
6	3. Leprosy	{ M. . F. .											
7	4. Consumption	{ M. 83 F. 66							2	4	8	12	7
8	5. Hydrocephalus	{ M. 2 F. 3		1		1		2	1				1
9	6. Cancer	{ M. 7 F. 6											1
10	7. Tumor	{ M. . F. 2									1		
11	8. Anæmia	{ M. 1 F. .	1					1					
12	9. Dropsy	{ M. 12 F. 7											3
13	10. Diabetes	{ M. . F. .											
14	11. Others of this group	{ M. 3 F. 1	1	1				1					
15	12. Others of this class	{ M. 1 F. .											
16	II.—Diseases of the nervous system	80	13	5	3	3	3	27	6		2	4	4
17	Males	52	9	2	1		3	15	4		2	2	3
18	Females	28	4	3	2	3		12	2			2	1
19	1. Inflammation of the brain	{ M. 10 F. 6	1	1		2	1	3	2		1	1	
20	2. Apoplexy	{ M. 7 F. 2	1					1					1
21	3. Paralysis	{ M. 9 F. 6		1				1				1	
22	4. Tetanus and trismus nascentium	{ M. . F. .											
23	5. Epilepsy	{ M. . F. 3										1	
24	6. Convulsions	{ M. 5 F. 5	4	2			1	5		1			
25	7. Mental diseases	{ M. 1 F. .											
26	8. Diseases of the brain	{ M. 6 F. 2	1					1					2
27	9. Diseases of the spinal cord	{ M. 11 F. 4	2		1	1	1	4	2		1	1	
28	10. Others of this class	{ M. 3 F. .											
29	III.—Diseases of the circulatory system	45	4	1				5	3	1	3	3	4
30	Males	31	3	1				4	1		1		3
31	Females	14	1					1	2	1	2	3	1
32	1. Angina pectoris	{ M. 2 F. .							1				1
33	2. Aneurism	{ M. 1 F. 1											
34	3. Diseases of the heart	{ M. 26 F. 12	1	1				2		1	1	3	2
35	4. Others of this class	{ M. 2 F. 1	2					2					1

VITAL AND SOCIAL STATISTICS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MONTANA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	5					1	1			2		1
2	Males.....	2					1	1			1		
3	Females.....	3									1		1
4	1. Diseases of the spine..... {M.....	3											
	{F.....										1		1
5	2. Diseases of the bones..... {M.....	1					1	1					
	{F.....												
6	3. Diseases of the hip joint... {M.....	1											
	{F.....											1	
7	4. Others of this class..... {M.....	1											
	{F.....												
8	X.—Diseases of the skin.....	4						1			1		
9	Males.....	4	1					1			1		
10	Females.....												
11	1. Abscess..... {M.....	3										1	
	{F.....												
12	2. Carbuncle..... {M.....	1											
	{F.....												
13	3. Others of this class..... {M.....	1	1					1					
	{F.....												
14	XI.—Diseases of the absorbent system.....												
15	Males.....												
16	Females.....												
17	1. Addison's disease..... {M.....												
	{F.....												
18	2. Diseases of the spleen..... {M.....												
	{F.....												
19	3. Others of this class..... {M.....												
	{F.....												
20	XII.—Accidents and injuries.....	159	1	1	2			4	9	1		16	25
21	Males.....	142	1		1			2	7			14	25
22	Females.....	17		1	1			2	2	1		2	
23	1. Burns and scalds..... {M.....	4	1					1	1				
	{F.....												
24	2. Drowned..... {M.....	7											2
	{F.....				1				1				
25	3. Exposure and neglect..... {M.....	1											
	{F.....												
26	4. Gunshot wounds..... {M.....	12								2	1		3
	{F.....												
27	5. Homicide..... {M.....	16										3	1
	{F.....									1			
28	6. Infanticide..... {M.....												
	{F.....												
29	7. Injuries by machinery..... {M.....												
	{F.....												
30	8. Railroad accidents..... {M.....	18			1			1					3
	{F.....												
31	9. Suffocation..... {M.....	3											1
	{F.....												
32	10. Suicide by shooting..... {M.....	9											1
	{F.....												
33	11. Suicide by drowning..... {M.....												
	{F.....												
34	12. Suicide by poison..... {M.....	1										1	
	{F.....												
35	13. Other suicides..... {M.....	2											
	{F.....												
36	14. Sunstroke..... {M.....	1											
	{F.....												
37	15. Surgical operations..... {M.....	2											2
	{F.....												
38	16. Wounds..... {M.....	3							1				
	{F.....												
39	17. Other accidents and injuries... {M.....	63							3			7	14
	{F.....					1			1			1	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEBRASKA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
359	326	272	264	277	204	261	269	246	174	101	57	16	7	107	1
170	136	143	158	154	126	163	168	152	98	67	24	5	5	52	2
189	170	129	106	123	78	98	101	94	76	34	33	11	2	55	3
13	13	6	9	15	11	9	12	10	12	7	3			9	4
10	5	4	6	10	5	6	7	6	8	6				4	5
3	8	2	3	5	6	3	5	4	4	1	3			5	6
58	39	40	44	23	13	24	25	18	11	10	1	1		25	7
34	21	26	28	14	7	14	16	11	3	7				13	8
24	18	14	16	9	6	10	9	7	8	3	1	1		12	9
															10
	1		1												11
3	2	1	2	1											12
1			1												13
1		1	1		1			1			1			2	13
1														4	14
1		1	1											1	15
															16
22	13	9	11	6	1	7	5	1		1				2	17
8	10	6	6	5	1	3			1					3	18
5	2	6	6	5	3	5	5	3	2	3				5	19
5	3	1	3	1	3	3	4	4	5	1				2	20
														1	21
2	3	6	3	2	1	1	1	2		2					22
1		1		1	1	1	1		1						23
	1	1	4			1	2	1		1					24
2	1	2	2	1	1	2	1	1						2	25
4	2	3	2	1		1	1	1							26
			2				2								27
		2						3	4						28
1			1			1	1	1	1			1			29
	4	5	1	1	1	4	1	1						1	30
1															31
	2	5			1	4	1	1							32
	2		1	1											33
	1														34
															35
1	1	4		1		3	1								36
															37
	1	1	1			1									38
								1							39
		1	2			9	9	21	24	29	22	10	2	3	40
		1	1			5	4	12	12	19	10	2	2	3	
			1			4	5	9	12	10	12	8			
		1	1			4	1	6	1	2	1			3	
						2	2	1	1			1			
						1	3	6	11	17	9	2	2		
						2	3	8	11	10	12	7			

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEBRASKA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	1,068	61	25	9	3	7	105	17	31	67	95	89
2	Males	490	38	11	4		5	58	13	9	18	26	42
3	Females	578	23	14	5	3	2	47	4	22	49	69	47
4	1. Rheumatism	{ M.. 27 F.. 24	2 1	1			2	2 4	1	2 4	1 2	1 1	1 1
5	2. Scrofula and tabes	{ M.. 14 F.. 12	4 2	1 1	1	1		5 5	1			1 1	1 1
6	3. Leprosy	{ M. F.											
7	4. Consumption	{ M.. 264 F.. 356	10 9	5 3	3 3		2	20 17	1 2	4 10	14 40	22 64	34 40
8	5. Hydrocephalus	{ M.. 26 F.. 20	16 9	4 7	1		1	22 16	3	3	1		
9	6. Cancer	{ M. F.								1		2	1
10	7. Tumor	{ M.. 15 F.. 18	1 1	1				1 2	2	1	1	3	1
11	8. Anæmia	{ M.. 2 F.. 3	1	1				1 1		1			1
12	9. Dropsy	{ M.. 55 F.. 53	1 1	1	1		1	3 2	2	1 2	1	1	2 1
13	10. Diabetes	{ M.. 15 F.. 8	1				1	2	2	1	1		1 1
14	11. Others of this group	{ M. F.	2					2	1		1		1
15	12. Others of this class	{ M. F.											
16	II.—Diseases of the nervous system	688	208	77	26	15	9	335	29	14	19	23	17
17	Males	380	102	47	11	7	4	171	24	8	8	12	9
18	Females	308	106	30	15	8	5	164	5	6	11	11	8
19	1. Inflammation of the brain	{ M.. 95 F.. 71	31 25	18 16	6 5	3 2	1 3	59 51	12 3	4 3	4 2	3 2	3 3
20	2. Apoplexy	{ M. F.		1				1				1	1 2
21	3. Paralysis	{ M.. 63 F.. 46		4		1		1 4		1	1		2
22	4. Tetanus and trismus nascentium	{ M. F.							1			1	
23	5. Epilepsy	{ M.. 12 F.. 4	1			1	1	2 2	2 1	1	1	4 1	1
24	6. Convulsions	{ M.. 72 F.. 70	52 51	14 4	1 4		1	68 62	1	1	1	2	
25	7. Mental diseases	{ M. F.									1		1 1
26	8. Diseases of the brain	{ M.. 49 F.. 46	9 20	8 5	2 4	2	1	21 30	4 1	1		2 4	1 1
27	9. Diseases of the spinal cord	{ M.. 29 F.. 22	9 6	5 5	1 2	1 1	1	17 15	4		2	1	
28	10. Others of this class	{ M. F.		1	1			2		1	1	1	1
29	III.—Diseases of the circulatory system	404	47	3	2	5	4	61	17	10	17	27	15
30	Males	226	28	3	1	2	3	37	11	6	7	15	9
31	Females	178	19		1	3	1	24	6	4	10	12	6
32	1. Angina pectoris	{ M. F.								1			
33	2. Aneurism	{ M. F.									2		
34	3. Diseases of the heart	{ M.. 207 F.. 161	18 14	3	1 1	2 3	3 1	27 19	11 5	5 3	6 8	15 12	9 6
35	4. Others of this class	{ M. F.	12 7	10 5				10 5		1 1			

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEBRASKA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	1,378	376	136	88	60	27	687	76	40	38	41	44
2	Males	748	212	65	49	30	16	372	35	20	20	24	26
3	Females	630	164	71	39	30	11	315	41	20	18	17	18
4	1. Croup	{ M. 111 F. 82	{ 33 19	{ 15 21	{ 21 11	{ 12 12	{ 8 2	{ 89 65	{ 18 15	{ 1 2			
5	2. Laryngitis	{ M. 6 F. 4	{ 1 1	{ 1 1	{ 2 1			{ 3 2		{ 1 1			{ 1 1
6	3. Bronchitis	{ M. 78 F. 77	{ 38 21	{ 4 14	{ 6 5	{ 3 2	{ 3 3	{ 54 42	{ 1 4			{ 1 3	{ 1 1
7	4. Pneumonia	{ M. 369 F. 290	{ 88 67	{ 34 25	{ 16 19	{ 11 13	{ 5 7	{ 154 131	{ 11 14	{ 9 10	{ 15 11	{ 18 9	{ 22 12
8	5. Pleurisy	{ M. 3 F. 8							{ 1 1				
9	6. Asthma	{ M. 14 F. 7										{ 1 1	
10	7. Others of this class	{ M. 167 F. 162	{ 53 56	{ 11 11	{ 4 4	{ 4 2		{ 72 75	{ 5 7	{ 9 7	{ 5 7	{ 4 4	{ 3 5
11	V.—Diseases of the digestive system	389	72	31	16	5	7	131	11	9	11	9	20
12	Males	220	42	16	7	3	4	72	7	6	4	3	9
13	Females	169	30	15	9	2	3	59	4	3	7	6	11
14	1. Dentition	{ M. 8 F. 10	{ 3 4	{ 5 6				{ 8 10					
15	2. Angina	{ M. 11 F. 7	{ 2 1	{ 3 1	{ 1 1		{ 2 1	{ 8 4	{ 2 2			{ 1 1	{ 1 1
16	3. Diseases of the stomach	{ M. 53 F. 34	{ 7 4	{ 4 2		{ 1 1		{ 12 9		{ 1 1			{ 1 2
17	4. Obstruction of the bowels	{ M. 14 F. 6	{ 3 1					{ 3 1	{ 1 1	{ 1 1			
18	5. Hernia	{ M. 8 F. 5	{ 1 1					{ 1 1		{ 1 1		{ 1 1	
19	6. Other diseases of the bowels	{ M. 23 F. 17	{ 9 5	{ 2 2	{ 1 3	{ 1 1		{ 13 11			{ 2 1	{ 1 1	{ 2 1
20	7. Jaundice	{ M. 5 F. 1	{ 3 1					{ 3 1					
21	8. Inflammation and abscess of the liver.	{ M. 11 F. 18								{ 1 1	{ 1 1	{ 1 1	{ 3 1
22	9. Other diseases of the liver	{ M. 28 F. 10	{ 2 2	{ 1 1		{ 1 1		{ 3 3	{ 1 1				{ 1 1
23	10. Peritonitis	{ M. 24 F. 32	{ 1 4		{ 2 2	{ 1 1	{ 1 1	{ 3 4	{ 3 1	{ 3 2	{ 1 3	{ 4 4	{ 4 4
24	11. Ascites	{ M. 6 F. 4	{ 1 1					{ 1 1					{ 1 1
25	12. Others of this class	{ M. 29 F. 25	{ 10 13	{ 1 4	{ 5 5		{ 1 1	{ 17 17	{ 1 1				
26	VI.—Diseases of the urinary system and male organs of generation.	176	6		2		1	9	2	6		11	6
27	Males	127	5		2		1	8	1	3		4	2
28	Females	49	1					1	1	3		7	4
29	1. Bright's disease	{ M. 60 F. 28							{ 1 1	{ 1 2		{ 2 1	{ 2 2
30	2. Calculus, urinary	{ M. 4 F. 1											
31	3. Diseases of the kidney	{ M. 42 F. 15	{ 5 1		{ 2 2		{ 1 1	{ 8 1		{ 2 1		{ 2 5	{ 2 2
32	4. Diseases of the bladder	{ M. 14 F. 2											
33	5. Others of this class	{ M. 7 F. 3										{ 1 1	
34	VII.—Diseases of the female organs of generation.	24										2	2
35	1. Ovarian tumors	F. 3											
36	2. Ovarian diseases	F. 1											
37	3. Uterine tumors	F. 3											1
38	4. Uterine diseases	F. 6										1	1
39	5. Others of this class	F. 11										1	1
40	VIII.—Affections connected with pregnancy.	190									12	37	43
41	1. Abortion	F. 19									2	5	2
42	2. Childbirth	F. 117									7	17	26
43	3. Puerperal septicæmia	F. 46									2	12	13
44	4. Extra-uterine pregnancy	F. 4											
45	5. Others of this class	F. 8									1	3	2

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEBRASKA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	25	6	1			2	9	2	4	1	1	1
2	Males	17	6				1	7		3	1	1	1
3	Females	8		1			1	2	2	1			
4	1. Diseases of the spine	{ M. 14	6				1	7			1	1	1
	{ F. 7			1			1	2	2	1			
5	2. Diseases of the bones	{ M. 1											
	{ F. 1												
6	3. Diseases of the hip joint.....	{ M. 3								3			
	{ F. 3												
7	4. Others of this class	{ M. 0											
	{ F. 0												
8	X.—Diseases of the skin.....	16	3				1	4			2	1	1
9	Males	8	1				1	2					
10	Females	8	2					2			2	1	1
11	1. Abscess	{ M. 5	1					1			2	1	1
	{ F. 6												
12	2. Carbuncle	{ M. 0											
	{ F. 0												
13	3. Others of this class	{ M. 3					1	1					
	{ F. 2		2					2					
14	XI.—Diseases of the absorbent system.....	2			1			1					
15	Males	0			1			1					
16	Females	2											
17	1. Addison's disease.....	{ M. 0											
	{ F. 0												
18	2. Diseases of the spleen.....	{ M. 0											
	{ F. 0												
19	3. Others of this class.....	{ M. 2			1			1					
	{ F. 0												
20	XII.—Accidents and injuries	571	46	28	11	13	15	113	47	26	45	60	51
21	Males	422	23	13	4	9	10	59	32	21	38	49	38
22	Females	149	23	15	7	4	5	54	15	5	7	11	13
23	1. Burns and scalds	{ M. 24	2	5	1	2	5	15	2				1
	{ F. 21		2	2	2	2	3	11	4	1	1		
24	2. Drowned	{ M. 34		2	2	2	1	7	5	3	6	6	2
	{ F. 16			6	2			8	4	1		1	
25	3. Exposure and neglect	{ M. 6	4					4	1				
	{ F. 6		4					4					
26	4. Gunshot wounds	{ M. 40					1	1	5	3	9	4	5
	{ F. 4								2		1		
27	5. Homicide.....	{ M. 18									1	3	4
	{ F. 5								1		1	1	
28	6. Infanticide	{ M. 0											
	{ F. 0												
29	7. Injuries by machinery	{ M. 1											
	{ F. 0												
30	8. Railroad accidents.....	{ M. 49			1			1	2	2	3	6	9
	{ F. 4									1		1	
31	9. Suffocation	{ M. 10	6	1				7	1			1	
	{ F. 11		10					10				1	
32	10. Suicide by shooting.....	{ M. 16										3	3
	{ F. 1										1		
33	11. Suicide by drowning	{ M. 3											
	{ F. 0												
34	12. Suicide by poison.....	{ M. 8										1	2
	{ F. 5												
35	13. Other suicides	{ M. 26										2	2
	{ F. 9										1		3
36	14. Sunstroke	{ M. 5	1									1	
	{ F. 0												
37	15. Surgical operations.....	{ M. 6					1	1			1		1
	{ F. 9		2					2			1	1	3
38	16. Wounds	{ M. 10	1				1	2	1		1	1	
	{ F. 3							1					
39	17. Other accidents and injuries.....	{ M. 166	9	5		5	1	20	15	13	17	22	12
	{ F. 55		4	7	3	2	2	18	4	2	1	5	4

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEBRASKA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
1	1	1	1				2	1						1
1	1	1	1				1	1						2
1	1	1	1				1	1						3
			1				1	1						4
								1						5
														6
														7
	1		2	1	1		1		1					8
	1		2	1	1		1		1					9
	1		2	1	1									10
	1													11
														12
							1		1					13
							1							14
							1							15
							1							16
														17
														18
							1							19
31	50	24	22	20	12	14	18	14	1	7	3		1	12
28	42	18	18	17	12	10	14	8	1	5	2		1	9
3	8	6	4	3	4	4	4	6		2	1			3
1	2	1	1	1		1		1	1					1
2		1	1		1			1						1
		1	1								1			1
2	2	4	1	1	1	1	1	1						1
4		1	2	1		2		1						1
1									1					1
	1													1
6	14	1	2	1	1									1
1		1												1
			1											1
	2	2	1	1	1	1		1						1
	1							1	1					1
				6				1		1				1
3	6	1	3	1	2	1	2							3
1	2									1				1
				1		1		1						1
	1	1		1		1	1							1
1	2									2				2
		1		1										1
9	12	8	7	4	7	3	10	2		2	1		1	1
	3	1	2	1		3	4	4		1	1			1

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEVADA.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes.....	454	51	4	12	5	7	79	19	17	19	16	13
2	Males.....	340	32	1	9	3	5	50	13	14	10	13	15
3	Females.....	114	19	3	3	2	2	29	6	3	9	3	3
4	Unknown causes.....	47	9	1	1	1	1	13		2		1	
5	Males.....	35	5	1	1	1	1	9		2		1	
6	Females.....	12	4					4					
I.—General diseases.													
7	General diseases—A.....	61	16	1	4	4	2	27	6	4	1	2	1
8	Males.....	41	9		4	2	1	16	2	4		2	1
9	Females.....	20	7	1		2	1	11	4		1		
10	1. Smallpox.....	{ M. F.											
11	2. Measles.....	{ M. F.			1	1		2					
12	3. Scarlet fever.....	{ M. F.				1		1	1				
13	4. Diphtheria.....	{ M. F.	1			1		2	2	2			
14	5. Whooping cough.....	{ M. F.	1	1				1					
15	6. Fever.....	{ M. F.											
16	7. Cerebro-spinal fever.....	{ M. F.	3										
17	8. Enteric fever.....	{ M. F.	8							1		2	1
18	9. Diarrheal diseases.....	{ M. F.	7	4	1			5					
19	10. Cholera infantum.....	{ M. F.	4	3		1		4					
20	11. Malarial fever.....	{ M. F.	6			1		1					
21	12. Erysipelas.....	{ M. F.	2					3					
22	13. Septicæmia.....	{ M. F.											
23	14. Venereal diseases.....	{ M. F.	2				1	1					
24	15. Others of this group.....	{ M. F.	2							1			
25	General diseases—B.....	9											
26	Males.....	7											
27	Females.....	2											
28	1. Parasitic diseases.....	{ M. F.											
29	2. Alcoholism.....	{ M. F.	7					2					
30	3. Lead poison.....	{ M. F.											
31	4. Other poisons.....	{ M. F.											
32	5. Inanition.....	{ M. F.											
33	General diseases—C.....	16	7					7			1	1	
34	Males.....	10	5					5			1	1	
35	Females.....	6	2					2					
36	1. Premature birth.....	{ M. F.											
37	2. Stillborn.....	{ M. F.	3	3				3					
38	3. Malformation.....	{ M. F.											
39	4. Debility and atrophy.....	{ M. F.	5	2				2			1	1	
40	5. Old age.....	{ M. F.	2					1					

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEVADA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
18	26	27	45	35	44	35	23	15	6	3	1			8	1
9	21	19	35	32	39	30	18	13	2	1				6	2
9	5	8	10	3	5	5	5	2	4	2	1			2	3
1	4	1	3	7	5	3	3	1	1					2	4
1	3	1	1	7	4	3	2	1						1	5
	1		2		1		1		1					1	6
1	1	2	2	4	4	3	2		1						7
1	1	2	1	3	2	3	2		1						8
			1	1	2										9
															10
															11
															12
															13
															14
															15
	1	2													16
			1	2	1										17
							1		1						18
			1												19
1				1	1	2									20
					1										21
															22
						1									23
							1								24
2		1	2		2	1		1							25
1		1	1		2	1		1							26
1			1												27
															28
1		1	1		2	1		1							29
1			1												30
															31
															32
						1		3	2		1				33
						1		2	2		1				34
								1							35
															36
															37
															38
						1									39
								2							40
								1	2		1				

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEVADA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
1	2	6	12	5	12	6	6	4						1
1	2	4	11	4	10	4	6	3						2
		2	1	1	2	2		1						3
		1			1	1								4
		1												5
														6
	2	2	8	4	3	2	4							7
		1				1								8
1		1	2	1	2	1		2						9
			1											10
														11
			1		4		2	1						12
					1			1						13
														14
														15
	2	2	4	2	1	2	3	1	1	2				16
	2	1	3	2	1	2	2	1	1					17
		1	1				1			2				18
														19
		1		1			1							20
	1		2			2			1					21
			1							2				22
	1		1					1						23
														24
														25
		1		1	1		1							26
														27
														28
2	2	1	6	2		3	2	1						29
1	1	1	6	2		2		1						30
1	1					1	2							31
							1							32
														33
1	1	1	6	2		2		1						34
1	1					1	1							35

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
220	248	216	247	261	296	354	451	535	507	471	270	112	25	72	1
107 113	121 127	95 121	123 124	122 139	150 146	174 180	230 221	294 241	248 259	236 235	132 138	33 74	7 18	41 31	2 3
5	6	6	4	6	6	6	10	10	13	11	4	2		14	4
3 2	2 4	5 1	2 2	3 3	3 3	5 1	7 3	7 3	7 6	7 4	1 3	1 1		5 9	5 6
21	20	27	28	22	14	22	31	28	20	22	18	4	2	9	7
9 12	10 10	16 11	12 16	13 9	7 7	9 13	17 14	12 16	11 9	8 14	12 6	1 3	2	4 5	8 9
															10
															11
						1									12
1	2 2	3	2 2	1			1	1							13
															14
1		1 1									1			1	15
3									2					1	16
7 1	4 2	3 4	3 3	2 6	1 2	1 3	1	3		2		1	1	1 2	17
4	2 3	4 2	3 6	5 3	2 3	5 8	9 9	5 7	7 6	2 11	6 4		1	1	18
														1	19
1		1	3	4	1	1		1			1				20
		1	2	1	1	2	1		2	2		1			21
1	1 1	2 4	1 3		2		3	3 1	1					1	22
1			2		1	1									23
1	1						2 5	4 3	1 1	4 1	4 1	2			24
1	3	1	4	2	3	1	1	4	4	2	1	1			25
1	2 1	1	2 2	1 1	3		1	3 1	2 2	2	1	1			26 27
															28
1	2	1	1 1	1 1	1			2	1						29
			1												30
	1		1				1	1	2						31
					2				1	2		1	1		32
4	2			3	4	5	10	36	77	129	105	60	16	3	33
1 3	2			2 1	4	3 2	3 7	20 16	39 38	58 71	52 53	20 40	4 12	2 1	34 35
															36
															37
															38
1 3	2			2 1	4	3 2	3 4	9 6	6 10	6 15	10 3	2 6		2 1	39
								11 10	33 28	52 56	42 50	18 34	4 12		40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	1,225	47	29	12	4	5	97	13	32	59	96	92
2	Males.....	513	20	15	2	3	2	42	5	7	24	33	42
3	Females.....	712	27	14	10	1	3	55	8	25	35	63	50
4	1. Rheumatism.....	{ M.. 19 F.. 13			1			1	1		1	1	2
5	2. Scrofula and tabes.....	{ M.. 13 F.. 17	4	2				4	2			1	
6	3. Leprosy.....	{ M.. F..											
7	4. Consumption.....	{ M.. 320 F.. 409	6	5	1	1	2	15	3	4	23	29	37
8	5. Hydrocephalus.....	{ M.. 15 F.. 25	5	7	3	1	2	13	3	1			
9	6. Cancer.....	{ M.. 72 F.. 160	1					1				2	1
10	7. Tumor.....	{ M.. 9 F.. 21	1					1				1	1
11	8. Anæmia.....	{ M.. 21 F.. 16	4	1				5		1		1	1
12	9. Dropsy.....	{ M.. 28 F.. 35		1		1		2					1
13	10. Diabetes.....	{ M.. 13 F.. 12		1				1		2		1	1
14	11. Others of this group.....	{ M.. 3 F.. 4	1	1	1			2					
15	12. Others of this class.....	{ M.. F..											
16	II.—Diseases of the nervous system.....	913	88	40	18	7	6	159	22	11	10	12	21
17	Males.....	447	50	19	7	2	4	82	15	7	9	3	14
18	Females.....	466	38	21	11	5	2	77	7	4	1	9	7
19	1. Inflammation of the brain.....	{ M.. 60 F.. 61	14	9	4	1	2	30	6	4	4	1	4
20	2. Apoplexy.....	{ M.. 121 F.. 140	1	1				1	1	1		2	1
21	3. Paralysis.....	{ M.. 89 F.. 111		2			2	2		1		1	1
22	4. Tetanus and trismus nascentium.....	{ M.. 1 F.. 1											
23	5. Epilepsy.....	{ M.. 12 F.. 9							2	1	2	1	1
24	6. Convulsions.....	{ M.. 40 F.. 32	24	7	2	1		34	2			1	2
25	7. Mental diseases.....	{ M.. 12 F.. 21										2	1
26	8. Diseases of the brain.....	{ M.. 90 F.. 69	10	2	1	1		13	5		1	1	2
27	9. Diseases of the spinal cord.....	{ M.. 11 F.. 4	1					1	2	1			
28	10. Others of this class.....	{ M.. 12 F.. 18	1					1			1	1	
29	III.—Diseases of the circulatory system.....	640	37	2	1		2	42	7	7	11	10	17
30	Males.....	331	18	1				19	7	3	7	4	5
31	Females.....	309	19	1	1		2	23		4	4	6	12
32	1. Angina pectoris.....	{ M.. 17 F.. 12								1	1		1
33	2. Aneurism.....	{ M.. 2 F.. 1											
34	3. Diseases of the heart.....	{ M.. 301 F.. 288	11	1				12	7	2	6	4	5
35	4. Others of this class.....	{ M.. 11 F.. 8	7		1		2	17		4	4	6	11

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
88	81	62	74	64	63	93	78	99	68	32	10	5		10	1
41 47	33 48	20 42	32 42	29 35	29 34	38 55	40 38	46 53	22 46	15 17	9 10	1 4		5 5	2 2
1 1			2	1	1		2 1	1 2		1 1	2			1	4
2 1	1		1 2	1			1		1	1	2				5
		1													6
32 36	29 34	16 31	29 21	15 14	16 9	18 20	14 16	15 21	11 14	9 5	1 3	1		3 8	7
	1					1								1	8
1 4	2 5	8	12	5 11	10 19	11 25	13 16	15 19	6 23	4 8	4 2	4		1	9
1 1	2	2 1	2	2 2	1	1	2 1	1 2			1			1	10
1 2	3	1	2	2	1	3	2 2	2 1		1 1					11
1	1	1	1	1 7	1 2	3 6	7 2	8 7	4 2	1	1 2				12
2	1 1		2	2 1	3	1	1	2 1			1				13
1 1						1									14
															15
25	22	22	32	41	60	53	91	104	93	82	32	11	1	9	16
10 15	11 11	7 15	16 16	16 25	25 35	23 30	46 45	56 48	48 45	35 47	11 21	6 5	1	7 2	17 18
2 3	3 2	3	1	4	1	2 1	1	1 3	1						19
1 3	2 1	1 4	7 5	10 6	7 15	8 12	28 21	16 19	18 18	10 20	4 6	3 4		2 1	20
2 3	2 1	1 3	1 6	1 6	7 7	7 9	7 8	15 16	17 20	18 15	4 11	2	1	1	21
	1														22
1	1	1	1	1	1	1	1	3	1 1						23
2		1						1 1						1	24
1 1	2	1 2	1 2	1	1 2		1 2	2	2	1 6				1	25
3 1	3 2	3 1	4	5 6	8 7	4 5	7 10	12 7	7 5	6 4	2 3	1 1		3	26
	1				1 1	1 1	1	3	1						27
1 1	1	1	1 2	1	1	2	2 3	3 2	1	2	1 1				28
16	24	19	17	30	41	62	69	90	91	59	21	1	2	4	29
4 12	15 9	6 13	8 9	9 21	24 17	30 32	38 31	56 34	39 52	41 18	13 8	1	2	2 2	30 31
2	1			1	5 1	2	2	1 1	1 2	2 1				1	32
		1				1		1							33
2 12	14 9	6 12	8 9	8 21	19 16	29 29	36 29	54 33	36 48	38 17	12 8	1	2	2 1	34
							1		2 1	1	1				35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system.....	1,035	122	55	39	29	18	263	22	8	23	30	17
2	Males.....	511	63	24	15	14	11	127	12	2	9	18	7
3	Females.....	524	59	31	24	15	7	136	10	6	14	12	10
4	1. Croup.....	{ M.. 45 F.. 51	6 10	10 10	9 13	7 9	4 3	36 45	8 4	1 1		1	
5	2. Laryngitis.....	{ M.. 4 F.. 1	1	1	1			3	1				
6	3. Bronchitis.....	{ M.. 72 F.. 102	14 22	3 7	2 4	3 2	3 1	25 36	1			1	1
7	4. Pneumonia.....	{ M.. 317 F.. 307	34 18	6 11	2 6	4 3	4 3	50 41	2 4	1 5	6 14	13 8	6 6
8	5. Pleurisy.....	{ M.. 13 F.. 6							1		1		
9	6. Asthma.....	{ M.. 9 F.. 4											
10	7. Others of this class.....	{ M.. 51 F.. 53	8 9	4 3	1 1			13 14			2	4 1	1 3
11	V.—Diseases of the digestive system.....	316	35	9	3	2	2	51	8	5	7	6	10
12	Males.....	151	18	4	1	1	2	26	3	1	4	1	5
13	Females.....	165	17	5	2	1		25	5	4	3	5	5
14	1. Dentition.....	{ M.. 12 F.. 6	8 4	2 1	1 1		1	12 6					
15	2. Angina.....	{ M.. 2 F.. 6		1 2				1 2			1		
16	3. Diseases of the stomach.....	{ M.. 25 F.. 49	2 4	1				2 5	1		1	1	1 2
17	4. Obstruction of the bowels.....	{ M.. 3 F.. 5			1			1					
18	5. Hernia.....	{ M.. 9 F.. 7		1				1 1					
19	6. Other diseases of the bowels.....	{ M.. 4 F.. 12		2				2	1				2
20	7. Jaundice.....	{ M.. 3 F.. 4		1				1					
21	8. Inflammation and abscess of the liver.....	{ M.. 15 F.. 9											
22	9. Other diseases of the liver.....	{ M.. 36 F.. 25		1		1		2					1
23	10. Peritonitis.....	{ M.. 26 F.. 34	2 2			1		3 2	1 1	1 2	3 2	1 3	2 1
24	11. Ascites.....	{ M.. 1 F.. 1											
25	12. Others of this class.....	{ M.. 16 F.. 7	6 2		1		1	7 3	1			1	1
26	VI.—Diseases of the urinary system and male organs of generation.....	241	3		1			4	2		11	6	4
27	Males.....	150	1					1	1		6		2
28	Females.....	91	2		1			3	1		5	6	2
29	1. Bright's disease.....	{ M.. 71 F.. 54									4 3	4	2 1
30	2. Calculus, urinary.....	{ M.. 1 F.. 1											
31	3. Diseases of the kidney.....	{ M.. 36 F.. 28	1 2		1			1 3	1		2		1
32	4. Diseases of the bladder.....	{ M.. 29 F.. 5										1	
33	5. Others of this class.....	{ M.. 14 F.. 4									2	1	
34	VII.—Diseases of the female organs of generation.....	18									1	1	
35	1. Ovarian tumors.....	F.. 7											
36	2. Ovarian diseases.....	F.. 1									1		
37	3. Uterine tumors.....	F.. 5											
38	4. Uterine diseases.....	F.. 5											
39	5. Others of this class.....	F.. 5										1	
40	VIII.—Affections connected with pregnancy.....	41									3	13	10
41	1. Abortion.....	F.. 2										1	
42	2. Childbirth.....	F.. 14									1	1	4
43	3. Puerperal septicemia.....	F.. 17									1	8	4
44	4. Extra-uterine pregnancy.....	F.. 1											
45	5. Others of this class.....	F.. 8									1	3	2

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	LX.—Diseases of the bones and joints.....	11							1	1	2		1
2	Males.....	5									1		1
3	Females.....	6							1	1	1		
4	1. Diseases of the spine.....	{ M. 5 F. 4									1		1
5	2. Diseases of the bones.....	{ M. F.											
6	3. Diseases of the hip joint.....	{ M. F. 1							1				
7	4. Others of this class.....	{ M. F. 1								1			
8	X.—Diseases of the skin.....	12	2					2			1		
9	Males.....	7											
10	Females.....	5	2					2			1		
11	1. Abscess.....	{ M. 3 F. 2	1					1			1		
12	2. Carbuncle.....	{ M. F. 2	1					1					
13	3. Others of this class.....	{ M. 3 F. 1											
14	XI.—Diseases of the absorbent system.....	6											
15	Males.....	3											
16	Females.....	3											
17	1. Addison's disease.....	{ M. F. 1											
18	2. Diseases of the spleen.....	{ M. F. 1											
19	3. Others of this class.....	{ M. 2 F. 1											
20	XII.—Accidents and injuries.....	294	18	5	5	1	4	33	9	12	14	24	17
21	Males.....	215	11	4	3		4	22	7	10	11	19	15
22	Females.....	79	7	1	2	1		11	2	2	3	5	2
23	1. Burns and scalds.....	{ M. 7 F. 10		2			2	4					
24	2. Drowned.....	{ M. 26 F. 4			1			1	5	2	6	4	1
25	3. Exposure and neglect.....	{ M. F. 2											
26	4. Gunshot wounds.....	{ M. 4 F. 1								1		1	
27	5. Homicide.....	{ M. 4 F. 2			1			1	1			1	
28	6. Infanticide.....	{ M. F.											
29	7. Injuries by machinery.....	{ M. F. 2											
30	8. Railroad accidents.....	{ M. 36 F. 5								1	1	7	5
31	9. Suffocation.....	{ M. 6 F. 3	5	1				6					
32	10. Suicide by shooting.....	{ M. 4 F. 1											1
33	11. Suicide by drowning.....	{ M. F. 1											
34	12. Suicide by poison.....	{ M. 3 F. 2										1	1
35	13. Other suicides.....	{ M. 18 F. 8								2	1		3
36	14. Sunstroke.....	{ M. F.											
37	15. Surgical operations.....	{ M. F. 1	1					1					
38	16. Wounds.....	{ M. 8 F. 1			1		1	1		1		1	1
39	17. Other accidents and injuries.....	{ M. 96 F. 36	6	1	1		1	9	1	4	4	6	6

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
1	1			1			3							1
1	1			1			2							2
1	1			1			1							3
							2							4
							1							5
														6
														7
			2	1	3		1	1			1			8
			1	1	2		1	1			1			9
			1	1	1									10
					2			1						11
				1										12
			1				1					1		13
					1									14
				1	1	2		1		1				15
					1	1		1		1				16
							1							17
				1			1							18
					1					1				19
								1						20
14	21	15	16	15	6	18	15	13	13	13	13	4		9
14	16	11	14	11	5	14	10	9	8	8	3			8
	5	4	2	4	1	4	5	4	5	5	10	4		1
1	1		1	1		1	1			1				23
1		4			1			1	1					1
											1	1		25
						1	1							1
						1								27
						2								28
			1			1								29
3	6	3	1	1		1		1		1				6
	2							1						30
	1	1												31
	1			1		1			1					32
		1												33
	1								1					34
1	1	1	1	1	1	2	1	2	1		1			35
			1	2			2	1			1			36
														37
1	1			1	1					1	1			38
7	6	2	11	7	3	6	8	5	4	6	1			39
		3		1		1	2	2	4	3	8	4		1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,148	1,186	1,038	1,147	1,167	1,115	1,194	1,204	1,137	1,124	784	417	142	52	102	1
637 511	627 559	562 476	663 484	610 557	610 505	655 539	625 579	606 531	549 575	348 436	171 246	37 105	21 31	63 39	2 3
8	12	6	4	10	5	15	10	16	13	5	5	2		7	4
6 2	4 8	3 3	4	7 3	2 3	10 5	5 5	10 6	6 7	2 3	4 1			5 2	5 6
119	78	81	86	69	80	71	72	62	64	62	33	8	2	6	7
68 51	39 39	46 35	42 44	33 36	40 40	36 35	38 34	31 31	34 30	32 30	15 18	1 7	1 1	1 5	8 9
															10
	1		1		1										11
2															12
1	1														13
4	1	1			1	1			1					1	14
			1			1			1						15
1			2	1		3									16
1	2		1												17
40 19	19 17	21 10	17 16	9 6	10 8	8 4	5 4	5 2	1 2	2			1		18
11 13	9 10	12 17	11 17	11 21	21 15	11 16	23 19	16 23	13 12	14 22	6 13	5		1 2	19
														1	20
11 6	4 5	7 4	6 7	6 4	8 10	6 6	5 1	2 3	7 7	4 4	1 3	1 1	1		21
	1 3	1 2	2	2 3	2 1	4 1	1 4	2 2	6 3	3 2	2 1				22
2 3	1 2	2	1 2	3 1	1 2	2 1	1		1	1 1					23
1 1	2	1 1			1										24
1 1		2	2	1 1	1 2	2 4	4 5	6 1	7 3	8 1	6 1	1			25
8	23	21	21	8	7	6	9	4		5	3			2	26
7 1	19 4	15 6	16 5	7 1	5 2	2 4	8 1	4		2 3	2 1			1 1	27
															28
3	17 4	12 4	15 3	5 1	4	2	6							1	29
			1												30
3 1	2	3 2	1	2	1 2	2	2			1				1	31
1			1			2	1	4		1 3	2 1				32
3	6	4	4	6	6	14	35	65	127	139	129	66	23	5	33
	4 2	3 1	1 3	3 3	3 3	7 7	11 24	30 35	60 67	62 77	56 73	22 44	9 14	4 1	34 35
															36
															37
															38
3	4 2	3 1	1 3	3 3	3 3	2 5	5 12	14 11	21 22	8 20	10 12	4 4	2 2	3 1	39
						5	6	16	39	54	46	18	7	1	40
						2	12	24	45	57	61	40	12		

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	4,817	239	84	48	26	20	417	67	85	261	501	553
2	Males	2,383	127	50	23	14	12	226	32	31	96	248	277
3	Females	2,434	112	34	25	12	8	191	35	54	165	253	276
4	1. Rheumatism..... { M. 43	1	1	1				3	1	5	1	1	4
	{ F. 59	1						2	2	4	2		2
5	2. Scrofula and tabes..... { M. 35	11	1	2				14	1	3	1	4	
	{ F. 42	16	2	1	2			21		1	1		3
6	3. Leprosy..... { M.												
	{ F.												
7	4. Consumption..... { M. 1,781	21	6	8	3	2	40	15	17	86	239	262	
	{ F. 1,607	19	6	8	6	3	42	17	39	159	247	259	
8	5. Hydrocephalus..... { M. 173	82	40	10	8	7	147	11	4	3	1	1	
	{ F. 135	69	24	14	3	3	113	13	2		2		
9	6. Cancer..... { M. 195										1	4	
	{ F. 424	1					1			1	2	5	
10	7. Tumor..... { M. 35	1	1	1			3		1	1		1	
	{ F. 33											1	
11	8. Anæmia..... { M. 15	5		1			6					2	
	{ F. 23	2	1	1			4	1	2	1		2	
12	9. Dropsy..... { M. 48	1					1	3					
	{ F. 61	2					2	1	5		1	3	
13	10. Diabetes..... { M. 42	1			2	1	4			1	4	2	
	{ F. 42					1	1			1	1	3	
14	11. Others of this group..... { M. 16	4	1	1		2	8	1					
	{ F. 6	2	1			1	4						
15	12. Others of this class..... { M.				1		1						
	{ F.	2											
16	II.—Diseases of the nervous system.....	4,279	1,267	357	136	84	42	1,886	96	41	45	48	69
17	Males	2,279	716	196	66	41	18	1,037	47	24	24	29	37
18	Females	2,000	551	161	70	43	24	849	49	17	21	19	32
19	1. Inflammation of the brain..... { M. 516	200	98	32	17	9	356	32	12	7	13	10	
	{ F. 376	131	65	28	21	9	254	24	8	9	8	11	
20	2. Apoplexy..... { M. 495	5	1	3			9			3	4	7	
	{ F. 451	9	2	1			12	1	1	1	1	2	
21	3. Paralysis..... { M. 271	4	2		2		8			2	1	6	
	{ F. 296	2	1				3	1	4			2	
22	4. Tetanus and trismus nascentium { M. 51	39					39	1		2			
	{ F. 29	29					29						
23	5. Epilepsy..... { M. 52	2	3	1		1	7		5	6	3	6	
	{ F. 32	1					1	4	1	2	2	1	
24	6. Convulsions..... { M. 530	395	64	23	12	7	501	6	4	1	2	1	
	{ F. 489	333	66	31	14	12	456	12	2	2	1		
25	7. Mental diseases..... { M. 33									1		1	
	{ F. 53										1	5	
26	8. Diseases of the brain..... { M. 263	62	9	6	1	106	8	1	1	1	2	3	
	{ F. 204	41	23	9	7	82	2	1	4	2	2	6	
27	9. Diseases of the spinal cord..... { M. 48	8	1	1		10			1	1	2	2	
	{ F. 36	5	4	1	1	12	3		1	2	1		
28	10. Others of this class..... { M. 20	1				1				1	1	1	
	{ F. 34						2			3	2	4	
29	III.—Diseases of the circulatory system.....	1,920	214	8	2	8	4	236	42	37	46	42	56
30	Males	957	117	4	1	6	3	131	22	14	21	19	26
31	Females	963	97	4	1	2	1	105	20	23	25	23	30
32	1. Angina pectoris..... { M. 41								1			2	1
	{ F. 37												
33	2. Aneurism..... { M. 13												
	{ F. 6												
34	3. Diseases of the heart..... { M. 825	49	3	1	6	3	92	22	14	20	19	25	
	{ F. 861	52	3	1	2	1	59	19	23	22	21	30	
35	4. Others of this class..... { M. 78	68	1				69			1			
	{ F. 59	45	1				46			3			

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
456	403	324	332	283	279	274	215	144	137	54	18	2	1	11	1
239	201	164	178	141	132	149	116	64	63	19	2	1	1	4	2
217	202	160	154	142	147	125	99	80	74	35	16	1	1	7	3
1	1	2	4	4	3	1	5	4	2	1	1				4
1	1	2	3	2	6	5	10	5	6	4	1			1	4
3	1		2	1	1		1	2		1					5
1		5	1		4	2	2	1							6
225	191	146	143	106	89	105	56	29	25	4				3	7
191	166	110	92	70	66	55	31	23	18	11	4		1	6	8
1	1		2	2											9
1			1	2	1										10
1	2	15	11	21	24	31	37	18	19	9	1	1			11
16	26	33	49	54	55	51	41	37	35	9	8	1			12
3	3	3	8	1	4	2	3	4	1						13
1	3		2	5	4	5	3	3			1				14
1	1		1		1	1		1	1	1					15
3	4		1	2		1				3	1				16
3	1	5	3	3	3	2	12	4	12	3					17
5	1		1	4	4	2	3	6	11	8	1				18
2		1	6	2	5	3	2	2	3		1			1	19
		2	2	3	7	4	9	4	3						20
	1			1	2	4			1						21
								1							22
76	102	95	132	199	188	210	223	270	292	171	89	21	4	22	16
51	62	42	65	95	116	106	119	154	132	81	39	4	1	14	17
25	40	53	67	104	72	104	104	116	160	90	50	17	3	8	18
12	11	11	11	10	15	6	2	3	2	1	1			1	19
9	6	3	10	11	5	3	3	5	1	4				2	20
16	22	14	26	38	48	58	58	80	60	36	12		1	3	21
6	8	26	32	50	35	58	51	55	59	26	18	7	1	2	22
7	8	5	11	14	21	19	36	40	40	26	20	4		3	23
1	6	7	14	24	12	27	27	37	59	41	21	9	1	1	24
1	2	1	2		1			1							25
4	7	1	1	4			2	3						3	26
1	2	5	2	1	2	1	4	2	1						27
1	1		3	2	3	1	1	3						1	28
2	4	1		1	1	1	2	1		1				2	29
3	3		1	5	3	2	2	4	5	2					30
1	3	4	3	2	5	4	5	3	8	4	4	1			31
4	6	7	6	14	18	13	14	16	21	15	6			2	32
2	8	5	3	9	8	8	7	13	27	10	4		1	2	33
2	2	2	2	6	5	6	3	3	1						34
1	1		2	4	3	1	2		2	1					35
1	2		2	2	2	2	1	1	3	1	3				36
2	2	1	1	2	1	1	3		3	3	3				37
49	86	78	107	130	135	165	178	199	157	110	42	12	7	6	29
25	34	42	49	62	67	85	92	105	88	45	19	4	3	4	30
24	52	36	58	68	68	80	86	94	69	65	23	8	4	2	31
1	2	1	2	2	5	4	11	6	3	1	1			1	32
	1	2	5	4		3	2	9	6	2					33
	2		4	2	2				3						34
1	2		2				1								35
23	30	41	43	57	59	81	81	96	82	42	18	4	3	3	36
22	48	33	50	64	68	76	82	84	61	62	23	8	4	2	37
1				1				3		2					38
1	1	1	1		1	1	1	1	2	1					39

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system.....	4,308	960	484	268	172	95	1,979	221	57	98	143	168
2	Males.....	2,530	521	257	129	87	46	1,040	116	25	51	92	106
3	Females.....	2,278	439	227	139	85	49	939	105	32	47	51	62
4	1. Croup.....	{ M.. 233 F.. 216	{ 30 21	{ 51 37	{ 47 40	{ 31 40	{ 23 25	{ 132 163	{ 46 46	{ 4 3		{ 1 1	
5	2. Laryngitis.....	{ M.. 25 F.. 22	{ 4 7	{ 9 2	{ 2 4	{ 1 2		{ 16 15	{ 1 1	{ 1 1		{ 1 1	{ 1 1
6	3. Bronchitis.....	{ M.. 554 F.. 570	{ 229 188	{ 58 71	{ 27 27	{ 17 6	{ 4 6	{ 335 298	{ 8 11	{ 1 5	{ 3 5	{ 4 6	{ 10 8
7	4. Pneumonia.....	{ M.. 1,457 F.. 1,217	{ 203 175	{ 129 110	{ 51 59	{ 35 32	{ 15 17	{ 433 393	{ 57 39	{ 16 18	{ 41 34	{ 78 84	{ 80 48
8	5. Pleurisy.....	{ M.. 37 F.. 40	{ 3 2	{ 1 1	{ 1 1	{ 1 1		{ 5 4		{ 1 3	{ 1 3	{ 3 4	{ 4 1
9	6. Asthma.....	{ M.. 25 F.. 27	{ 1 1					{ 1 1		{ 1 1			{ 2 2
10	7. Others of this class.....	{ M.. 199 F.. 186	{ 51 46	{ 10 6	{ 1 8	{ 2 5	{ 4 1	{ 68 66	{ 5 5	{ 3 1	{ 6 7	{ 5 6	{ 9 5
11	V.—Diseases of the digestive system.....	1,346	235	48	20	9	9	321	33	32	42	50	66
12	Males.....	657	142	27	11	7	7	194	18	20	20	20	21
13	Females.....	689	93	21	9	2	2	127	15	12	22	30	45
14	1. Dentition.....	{ M.. 30 F.. 20	{ 20 7	{ 9 12	{ 1 1			{ 30 20					
15	2. Angina.....	{ M.. 15 F.. 13	{ 4 3	{ 2 1	{ 3 3	{ 1 1	{ 1 7	{ 11 7	{ 1 1	{ 3 3	{ 1 1		
16	3. Diseases of the stomach.....	{ M.. 135 F.. 163	{ 24 24	{ 7 4	{ 2 3	{ 3 1	{ 1 1	{ 37 32	{ 1 5	{ 2 2	{ 4 2	{ 5 4	{ 1 9
17	4. Obstruction of the bowels.....	{ M.. 49 F.. 44	{ 15 5	{ 1 1	{ 1 1		{ 2 2	{ 18 6	{ 3 3	{ 1 1	{ 1 1	{ 1 2	{ 3 3
18	5. Hernia.....	{ M.. 27 F.. 18	{ 4 4		{ 1 1		{ 1 1	{ 6 6	{ 1 1				{ 2 2
19	6. Other diseases of the bowels.....	{ M.. 18 F.. 22	{ 5 4	{ 1 1				{ 6 4		{ 1 1	{ 1 1	{ 1 1	{ 1 1
20	7. Jaundice.....	{ M.. 33 F.. 22	{ 27 13					{ 27 13	{ 1 1	{ 1 1			
21	8. Inflammation and abscess of the liver.....	{ M.. 37 F.. 47			{ 1 1	{ 1 1		{ 1 1		{ 2 1	{ 1 1		{ 2 2
22	9. Other diseases of the liver.....	{ M.. 127 F.. 100	{ 1 1	{ 2 2	{ 1 1	{ 1 1		{ 5 1		{ 1 1		{ 1 1	{ 1 3
23	10. Peritonitis.....	{ M.. 117 F.. 171	{ 8 8	{ 3 2	{ 1 1	{ 1 1	{ 2 2	{ 15 12	{ 10 7	{ 14 5	{ 11 13	{ 11 23	{ 9 27
24	11. Ascites.....	{ M.. 8 F.. 12			{ 1 1			{ 1 1			{ 2 2	{ 1 1	
25	12. Others of this class.....	{ M.. 61 F.. 57	{ 24 28	{ 3 1			{ 1 1	{ 37 31	{ 1 2	{ 1 2	{ 1 1	{ 1 4	{ 2 7
26	VI.—Diseases of the urinary system and male organs of generation.....	1,031	19	9	6	5	10	49	31	11	18	38	47
27	Males.....	610	8	5	3	3	7	26	13	6	9	16	19
28	Females.....	421	11	4	3	2	3	23	18	5	9	22	28
29	1. Bright's disease.....	{ M.. 286 F.. 202							{ 5 8	{ 4 2	{ 6 6	{ 10 7	{ 12 11
30	2. Calculus, urinary.....	{ M.. 3 F.. 1	{ 1 1					{ 1 1					
31	3. Diseases of the kidney.....	{ M.. 184 F.. 176	{ 7 8	{ 5 4	{ 3 3	{ 3 2	{ 7 3	{ 25 20	{ 7 6	{ 2 3	{ 2 2	{ 5 11	{ 6 9
32	4. Diseases of the bladder.....	{ M.. 75 F.. 6											{ 1 1
33	5. Others of this class.....	{ M.. 62 F.. 36	{ 1 2					{ 1 2	{ 1 4		{ 1 1	{ 1 4	{ 1 7
34	VII.—Diseases of the female organs of generation.....	63										3	10
35	1. Ovarian tumors.....	F.. 11											1
36	2. Ovarian diseases.....	F.. 3											
37	3. Uterine tumors.....	F.. 13											
38	4. Uterine diseases.....	F.. 10										1	4
39	5. Others of this class.....	F.. 26										2	5
40	VIII.—Affections connected with pregnancy.....	207									9	32	49
41	1. Abortion.....	F.. 16									1		5
42	2. Childbirth.....	F.. 50									1	8	9
43	3. Puerperal septicæmia.....	F.. 98									1	30	24
44	4. Extra-uterine pregnancy.....	F.. 1											
45	5. Others of this class.....	F.. 43									6	14	11

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
167	192	181	195	187	193	208	213	189	172	138	69	19	10	9	1
91	109	105	138	106	102	110	87	88	72	59	21	3	5	4	2
76	83	76	57	81	91	98	126	101	100	79	48	16	5	5	3
				1			1		1						4
1	2		1					2	1						5
	3					1			1						
4	4	15	15	12	16	26	23	20	17	23	9	2	5	2	6
13	10	13	8	12	17	15	25	35	31	26	19	6	2	2	
80	87	79	96	81	71	66	55	50	46	29	9	1		2	7
53	62	57	45	56	57	64	80	54	49	38	25	7	2	2	
2	2	2	4	1	2	4	1		2	2	1				8
4	2		1	2	2	4	5	1	3	1					
	3		4	4	2	1	2	3	1	2					9
			1	2	4	1	6	2	2	6	1				
4	11	9	18	8	11	13	6	13	5	3	2				10
6	6	6	2	8	11	13	9	9	10	8	3	3	1	1	
59	66	71	77	101	87	95	95	55	48	34	8	3		3	11
29	24	24	38	44	47	54	44	26	21	10	2			1	12
30	42	47	39	57	40	41	51	29	27	24	6	3		2	13
															14
1						1	1								15
6	4	5	6	5	14	12	14	11	7	1	2				16
4	11	7	7	17	6	10	16	8	9	8	4	1		1	
3			2	3	4	2	3	2	1	2					17
1	3	3	4	3	4	6	4	1		1	1	1			
2			3	4	5	5	3	1							18
1			2	3	2	2	4		2	1					
1	3	1			2	1	1	1							19
		2	1	5	2		1	1	2						
			1			1	1		1	1	1				20
				2							1	1			
2	5	2	5	3	2	6	1	2	1	2					21
1	2	8	3	8	5	3	6	3	1	3					
2	7	14	12	25	15	15	14	4	6	4				1	22
4	6	15	13	12	8	11	7	7	8	3		1			
12	4	2	8	7	3	6	1	3	1						23
18	17	7	7	6	11	3	6	4	1	3				1	
1	1	2	1	1	2	1	1		1						24
					1	1	1		2						
	1		1		1	5	5	1	3	1	1				25
	2	2	1	1	1	3	5	3	1	4					
42	57	65	85	81	86	81	91	97	85	43	17	3	2	2	26
20	31	36	53	41	53	55	63	65	60	30	10	1	1	2	27
22	26	29	32	40	33	26	28	32	25	13	7	2	1		28
16	15	21	34	24	35	25	20	26	21	11				1	29
8	15	17	19	22	22	13	15	17	10	7	2		1		
							2			1					30
3	13	11	12	11	14	14	20	13	12	6	2			1	31
11	11	11	11	16	9	10	10	12	14	4	4	2			
			2	4		9	11	17	16	8	6	1	1		32
			1		1		1	1	1						
1	3	4	5	2	4	7	10	4	11	4	2				33
3		1	1	2	1	3	2	2		2	1				
5	5	7	9	7	1	5	2	1	3	4				1	34
			3	1		2	2			2					35
		2							1						36
1	1	2	1	2	1	2	1			1				1	37
		1	2			1			1						38
4	4	2	3	4					1	1					39
39	40	12	4						1					1	40
5	3	2													41
13	15	4													42
18	17	4	3											1	43
															44
3	5	2	1						1						45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.	49	3	2	2	2		9	6	4	5	3	2
2	Males	33	3	2		2		7	5	1	2	3	2
3	Females	16			2			2	1	3	3		
4	1. Diseases of the spine. {M	20	2	1		1		4	3	1	2	1	2
	{F	11			2			2	1	3	2		
5	2. Diseases of the bones. {M	5										2	
	{F	3									1		
6	3. Diseases of the hip joint. {M	3				1		1	2				
	{F												
7	4. Others of this class. {M	5	1	1				2					
	{F	2											
8	X.—Diseases of the skin.	61	18	2		1	3	24	2	2	3		3
9	Males	29	9					9	2	2	2		2
10	Females	32	9	2		1	3	15			1		1
11	1. Abscess	15	5					5	1	2			2
	{F	18	2	2		1	3	8			1		1
12	2. Carbuncle	7									1		
	{F	3											
13	3. Others of this class. {M	7	4					4	1		1		
	{F	11	7					7					
14	XI.—Diseases of the absorbent system.	7											1
15	Males	3											
16	Females	4											1
17	1. Addison's disease. {M	1											1
	{F	1											
18	2. Diseases of the spleen. {M	1											
	{F	1											
19	3. Others of this class. {M	1											
	{F	2											
20	XII.—Accidents and injuries.	1,336	83	16	25	25	21	170	69	61	77	123	108
21	Males	1,094	56	9	18	13	17	113	58	45	67	114	92
22	Females	242	27	7	7	12	4	57	11	16	10	9	16
23	1. Burns and scalds. {M	39		5	8	3	7	23	5		2	1	3
	{F	42	2	4	2	8	4	20	4	1	1		3
24	2. Drowned	199			4	3	6	13	28	17	16	16	14
	{F	28		1	2	2		5	1	5	2	3	2
25	3. Exposure and neglect. {M	13	2					2					
	{F	3	2					2					
26	4. Gunshot wounds. {M	30							2	3	4	4	3
	{F												
27	5. Homicide. {M	8											1
	{F	6											1
28	6. Infanticide. {M	1	1					1					
	{F												
29	7. Injuries by machinery. {M	3									1		
	{F												
30	8. Railroad accidents. {M	352			1	1		2	4	14	30	60	42
	{F	17			1			1	2	2			4
31	9. Suffocation. {M	43	27	1	2			30			1	1	1
	{F	18	10					10		1	2	3	
32	10. Suicide by shooting. {M	32									2	3	1
	{F	2										1	
33	11. Suicide by drowning. {M	2											
	{F	1											
34	12. Suicide by poison. {M	10										1	3
	{F	10									1	1	2
35	13. Other suicides. {M	49									3	1	1
	{F	11										1	1
36	14. Sunstroke. {M	7							1				
	{F	3	1					1					
37	15. Surgical operations. {M	4										1	
	{F	4											1
38	16. Wounds. {M	52				1	1	2	4	2	1	5	4
	{F	8						2	1	1	1		
39	17. Other accidents and injuries. {M	250	26	3	3	5	3	40	14	9	7	21	19
	{F	89	12	1	1	2		16	3	6	3		2

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
4	6	1	4	1	2	1		1						1	
2	3	1	3	1	2	1								2	
2	3		1					1						3	
2	2	1	1		1									4	
2			1												
	2		1	1	1									5	
														6	
	1		1			1								7	
	1							1							
1	4	4	4	3	1		3	1	3	2		1		8	
1	1	1	3	3	1	1	1	1	2			1		9	
	3	3	1	3			2		1	2				10	
	2	1	2	1	1		1		1			1		11	
		3	1												
1	1		1	2	1		1	1						12	
							1								
	1			2	1		1	1						13	
									1	2					
1		1				1	2			1				14	
1		1				1	1							15	
							1			1				16	
		1												17	
							1							18	
							1								
1						1				1				19	
														20	
111	106	87	83	82	45	48	56	33	22	16	4	5	3		27
98	96	79	73	70	40	39	40	28	11	6	1	1	23	21	
13	10	8	10	12	5	9	16	5	11	10	3	5	2	4	22
	1	1				3								23	
	1	1	2	2	1	1					1		1		
17	11	13	11	12	5	6	7	1						24	
1	1	1		1			1	1	1	1					12
														2	
	1	2	3		1				1	1			1	1	25
2	4	2	1	1	2		1							1	26
2	1		2		2										27
					1	2								2	
															28
2															29
35	44	29	24	18	9	11	12	8	3	1				6	30
		1		2			5								31
	1			3	1	1	1	1		1				1	
				1					1						32
5	7	2	1	6	1		2	2							
1															33
1	1														
2		1	1					2							34
2	2		1	1	1										
7	4	2	8	6	2	4	5	5	1						35
	1	2	2	2		1			1						
1		1	1	1	1			1							36
				1	1										
1		1		1	1										37
								1							
2	2	6	7	2	4	4	1	2	3	1					38
				1				2							
22	19	20	14	20	11	10	10	7	3	1	1			2	39
4	5	2	5	1	2	5	6	4	8	9	2	5	1		

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW MEXICO.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
72	90	87	64	84	66	80	47	45	33	35	18	11	7	40	1
38	47	54	41	53	42	38	27	23	19	20	11	7	5	28	2
34	43	33	23	31	24	42	20	22	14	15	7	4	2	12	3
2	6	8	4	6	3	5	5	7	4	3	1	3	1	1	4
1	2	6	2	3	1	4	2	2	2	3	1	2	1		5
1	4	2	2	3	2	1	3	5	2			1		1	6
17	15	15	18	24	22	21	10	6	5	4	5	2	1	4	7
8	5	9	12	17	12	9	3	5	3	2	4		1	4	8
9	10	6	6	7	10	12	7	1	2	2	1	2			9
	1	1	1					1							10
															11
1				3	1				2			1			12
	1			3											13
2	1					1					1				14
						1									15
5	1	4	5	5	5	4		4	1				1		16
3	2	2	2	2	3	7		2				1			17
1															18
1	1	1	1	2	2	1				1				1	19
2		1	1	1	1	2	1		1	1	2			1	20
	1	1	1	2	1	1	3								21
	3	1	1	1	1	2									22
															23
															24
	1	1	3	1		2								1	25
	4			1	1	1								1	26
															27
	4			1	1	1									28
															29
	3			1	1									1	30
															31
	1														32
						1									33
					1	3	2	9	5	9	3	3	1		34
						3	1	3	1	6	3	2	1		35
							1	6	4	3	3	1			36
															37
															38
					1	2	1	2			1				39
								3	1	6	2	2	1		40
						1	1	4	4	3		1			

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW MEXICO—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	187	6	2		2	3	13	2	7	7	14	18
2	Males	94		2		2		4		2	3	4	11
3	Females	93	6				3	9	2	5	4	10	7
4	1. Rheumatism	{ M. 5 F. 5									1		
5	2. Scrofula and tuberc.	{ M. 2 F. 2				1		1					
6	3. Leprosy	{ M. 1 F. 1	1					1					
7	4. Consumption	{ M. 54 F. 37		2			1	2	1	2	1	3	10
8	5. Hydrocephalus	{ M. 1 F. 1	1					1					
9	6. Cancer	{ M. 12 F. 8		1			2	3		1		1	1
10	7. Tumor	{ M. 1 F. 1									1		
11	8. Anæmia	{ M. 1 F. 1											
12	9. Dropsy	{ M. 19 F. 18										1	1
13	10. Diabetes	{ M. 1 F. 1											
14	11. Others of this group	{ M. 1 F. 1							1				
15	12. Others of this class	{ M. 1 F. 1				1		1					
16	II.—Diseases of the nervous system	86	17	7	2	1	1	28	7	5	2	3	1
17	Males	46	12	3	2		1	18	4	2	1	1	1
18	Females	40	5	4		1		10	3	3	1	2	
19	1. Inflammation of the brain	{ M. 10 F. 6	5	1			1	7		2		1	
20	2. Apoplexy	{ M. 7 F. 5			1			1					
21	3. Paralysis	{ M. 10 F. 22	3	1	1		1	5	2	1	1	1	
22	4. Tetanus and trismus nascentium	{ M. 2 F. 2	1					1	1				
23	5. Epilepsy	{ M. 3 F. 1		1				1	1				1
24	6. Convulsions	{ M. 7 F. 2	3	2				5			1		
25	7. Mental diseases	{ M. 1 F. 1											
26	8. Diseases of the brain	{ M. 4 F. 2	1					1				1	
27	9. Diseases of the spinal cord	{ M. 4 F. 1	3					3	1				
28	10. Others of this class	{ M. 1 F. 1											
29	III.—Diseases of the circulatory system	50	3	1	1			5			5	3	2
30	Males	27	2					2			1	2	1
31	Females	23	1	1	1			3			4	1	1
32	1. Angina pectoris	{ M. 1 F. 4									1		1
33	2. Aneurism	{ M. 1 F. 1											
34	3. Diseases of the heart	{ M. 24 F. 16	1		1			1			1	2	1
35	4. Others of this class	{ M. 1 F. 3	1					1			1		

STATISTICS OF DEATHS.

269

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW MEXICO—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
															1
17	13	16	10	13	10	12	6	5	2	6	4	1		11	1
12	7	10	5	4	7	6	2	3	2	3	2	1		6	2
5	6	6	5	9	3	6	4	2		3	2			5	3
2			1	1	1					1					4
				1		1									5
															6
															7
9	5	6	2	1		2	1	1	2	1				6	7
5	4	4	4	3		2		1		2	1			5	8
															9
1	1		1	1	1	2		1			1	1			10
			1	2	1										11
															12
	1	4	1	1	5	2	1	1		1	1				13
	2	2		3	2	2	3	1			1				14
															15
															16
1	2	3	2	1	4	8	6	2	7	3	1				17
															18
1	1	1	2	1	3	2	4	2	4	1	1				19
					1	6	2		3	2					20
															21
	1		2				2		1						22
							1		1						23
1	1	1			1	4	1	1	3	1	1				24
		2				4			2						25
															26
															27
															28
															29
2	8	2	3	1	2	4	5	3	2	1	1			1	30
															31
2	4	1	2	1	1	2	4	2	1	1					32
	4	1	1			2	1	1	1		1				33
															34
1															35
1	4	1	2	1	1	2	4	2	1	1				1	
	4		1		1	1	1		1						
								1							

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW MEXICO—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	323	54	12	16	4	6	92	27	7	13	18	18
2	Males	191	31	5	8	2	3	49	16	1	9	13	11
3	Females	132	23	7	8	2	3	43	11	6	4	5	7
4	1. Croup	{ M. 12 F. 7	5 4	3 1			2	8 7	4				
5	2. Laryngitis	{ M. 1 F. 1			1			1					
6	3. Bronchitis	{ M. 18 F. 16	3 2	1	1		1	4 5	3 4		2	2	1
7	4. Pneumonia	{ M. 119 F. 82	11 12	1 5	4 4	2 2	1	19 23	7 5	1 4	7 3	9 5	11 5
8	5. Pleurisy	{ M. 8 F. 5	2					2					1
9	6. Asthma	{ M. 3 F. 2											
10	7. Others of this class	{ M. 31 F. 19	10 5	1	4		1	16 7	2 2	1	1	2	
11	V.—Diseases of the digestive system	138	21	12	5	5	7	59	28	7	5	4	2
12	Males	67	12	5	2		2	21	17	2	2	3	1
13	Females	71	9	7	3	5	5	29	11	5	3	1	1
14	1. Dentition	{ M. 1 F. 4		1 1				1 4					
15	2. Angina	{ M. 35 F. 33	5	4 5	2 2		2 5	13 16	15 9	2 4	1 1	1	
16	3. Diseases of the stomach	{ M. 8 F. 8	2 1			1		2 2	2				
17	4. Obstruction of the bowels	{ M. 2 F. 2											
18	5. Hernia	{ M. 1 F. 1	1					1					
19	6. Other diseases of the bowels	{ M. 6 F. 3	1 1					1 1				1	
20	7. Jaundice	{ M. 1 F. 1	1					1					
21	8. Inflammation and abscess of the liver	{ M. 1 F. 1											1
22	9. Other diseases of the liver	{ M. 4 F. 3									1	1	1
23	10. Peritonitis	{ M. 1 F. 3							2		1		
24	11. Ascites	{ M. 1 F. 7											
25	12. Others of this class	{ M. 7 F. 9	2 4	1	1			2 6		1	1	1	
26	VI.—Diseases of the urinary system and male organs of generation.	16										1	
27	Males	14										1	
28	Females	2											
29	1. Bright's disease	{ M. 7 F. 1											
30	2. Calculus, urinary	{ M. 1 F. 1											
31	3. Diseases of the kidney	{ M. 3 F. 1										1	
32	4. Diseases of the bladder	{ M. 3 F. 1											
33	5. Others of this class	{ M. 1 F. 1											
34	VII.—Diseases of the female organs of generation.	3										1	1
35	1. Ovarian tumors	F. 1											
36	2. Ovarian diseases	F. 1											
37	3. Uterine tumors	F. 1											
38	4. Uterine diseases	F. 1											1
39	5. Others of this class	F. 1										1	
40	VIII.—Affections connected with pregnancy.	58									8	19	7
41	1. Abortion	F. 4									1		
42	2. Childbirth	F. 43									6	14	5
43	3. Puerperal septicæmia	F. 7									4	4	2
44	4. Extra-uterine pregnancy	F. 1											
45	5. Others of this class	F. 4									1	1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW MEXICO—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	2							1				1
2	Males.....	1											1
3	Females.....	1							1				
4	1. Diseases of the spine..... { M. { F.	1 1							1				1
5	2. Diseases of the bones..... { M. { F.												
6	3. Diseases of the hip joint..... { M. { F.												
7	4. Others of this class..... { M. { F.												
8	X.—Diseases of the skin	3	1					1					1
9	Males.....	1											
10	Females.....	2	1					1					1
11	1. Abscess..... { M. { F.												
12	2. Carbuncle..... { M. { F.												
13	3. Others of this class..... { M. { F.	1 2	1					1					1
14	XI.—Diseases of the absorbent system.....	3											
15	Males.....	1											
16	Females.....	2											
17	1. Addison's disease..... { M. { F.												
18	2. Diseases of the spleen..... { M. { F.												
19	3. Others of this class..... { M. { F.	1 2											
20	XII.—Accidents and injuries	150	9	3	5	2	2	21	6	4	18	10	19
21	Males.....	123	3		3	1	1	8	5	2	15	10	18
22	Females.....	27	6	3	2	1	1	13	1	2	3		1
23	1. Burns and scalds..... { M. { F.	3 5		1	1	1	1	4	1				
24	2. Drowned..... { M. { F.	6 1		1	2	1		3 1	1		1		
25	3. Exposure and neglect..... { M. { F.	2 6							1		1		
26	4. Gunshot wounds..... { M. { F.	10 1									3		
27	5. Homicide..... { M. { F.	29 1									2	3	6 1
28	6. Infanticide..... { M. { F.												
29	7. Injuries by machinery..... { M. { F.												
30	8. Railroad accidents..... { M. { F.	13									2		5
31	9. Suffocation..... { M. { F.	2 1	2 1					2 1					
32	10. Suicide by shooting..... { M. { F.	2									1		1
33	11. Suicide by drowning..... { M. { F.												
34	12. Suicide by poison..... { M. { F.	1 1									1		
35	13. Other suicides..... { M. { F.	1									1		
36	14. Sunstroke..... { M. { F.												
37	15. Surgical operations..... { M. { F.												
38	16. Wounds..... { M. { F.	4 1									1		
39	17. Other accidents and injuries..... { M. { F.	51 9	1 1	1	1			2 3	3	2 1	6	7	6

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW MEXICO—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
															1
															2
															3
															4
															5
															6
															7
															8
						1									9
						1									10
															11
															12
						1									13
															14
				1	1		1								15
				1	1		1								16
															17
								1							18
				1	1										19
9	14	9	8	4	5	1	1	2	1	2		1	1	14	20
9	13	8	7	4	4	1	1	1	1	2		1	1	13	21
	1	1	1		1			1						1	22
	2														23
												1			24
			1										1		25
1	2		1	2	1										26
2	2	2	1												27
															28
															29
1	2		1			1	1								30
															31
															32
															33
	1														34
															35
															36
															37
					1					2					38
5	4	5	3	1	3			1	1						39
	1	1	1		1			1							40

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
5,341	5,250	4,863	5,054	5,172	5,155	5,022	5,769	5,353	4,905	3,638	2,026	732	243	466	1
2,866 2,475	2,896 2,354	2,677 2,186	2,816 2,238	2,719 2,453	2,790 2,365	2,961 2,661	2,973 2,796	2,723 2,630	2,471 2,434	1,762 1,876	901 1,125	302 430	75 168	233 183	2 3
22	28	25	33	30	42	48	73	60	51	28	23	11	2	15	4
12 10	15 13	17 8	15 18	18 12	22 20	26 22	42 31	31 29	30 21	14 14	18 5	7 4	2	10 5	5 6
444	379	304	293	317	332	352	374	351	322	239	119	33	13	32	7
223 221	192 187	156 148	154 141	148 169	162 170	157 195	191 183	167 184	149 173	111 128	57 62	12 21	5 8	17 15	8 9
			1	2											10
	2 4	2	3	1		1		1 1		1	1				11
1 6	2	1	1	1	2	1	1	1	1					1	12
4 17	3 12	6 8	2 6	3 4	1	4	1	2 1	3	1	1			1	13
	1 3		2			1		1	1					1	14
2 1	2		1	1	1	4	1	1	1	1				1	15
	2 6	5 4	1		1	1	1 3	1		2					16
100 67	73 48	48 35	45 25	30 37	25 18	18 15	21 13	14 5	9 8	4 11	1	1		5 2	17
54 50	57 53	53 51	57 69	59 80	81 95	78 119	100 111	94 114	91 126	67 94	34 39	3 13	4 5	5 2	18
														3 2	19
39 33	22 21	10 29	19 16	19 24	26 29	28 31	23 27	14 26	13 14	11 3	3 1	2 1	1	1 1	20
5 12	14 4	10 7	9 6	9 6	6 7	10 4	12 11	12 7	5 7	2 11	1 3	1 3	1 1	2	21
6 21	8 17	5 10	10 7	14 8	10 9	11 4	12 2	7 5	6 2	2	1	1		1 2	22
11 5	6 13	6 2	6 1	5 2		4 1	2 2	2						1	23
1 3	4 2	1 1	3 5	5 6	10 9	12 10	16 14	19 20	19 14	20 9	16 16	5 3	1	1	24
103	93	86	71	81	46	44	23	12	17	14	12	6	2	8	25
77 26	74 19	59 27	56 15	74 7	36 10	31 13	13 10	9 3	14 3	6 8	8 4	1 5	1 1	6 2	26 27
1															28
67 17	64 15	56 19	46 10	58 6	30 7	18 4	6 1	3	4	2	1			1	29
3	1			3				1							30
6 5	8 3	2 6	7 1	11 1	2 1	5 3	5 3	1 1	2	1				1 1	31
	1 1	1 2	3 4	2	4 2	8 6	2 6	4 2	8 3	4 7	7 4	1 5	1 1	4 1	32
40	31	41	60	48	88	184	303	557	786	1,047	792	366	140	32	33
17 23	13 18	19 22	20 40	20 28	41 47	85 99	118 185	244 313	363 423	491 556	351 441	161 205	48 92	18 14	34 35
															36
															37
			1											2 1	38
17 23	13 18	19 22	20 39	20 28	41 47	61 67	79 112	97 119	122 151	100 121	72 92	23 35	5 12	9 5	39
						24 32	39 73	147 194	241 272	291 435	279 349	138 170	43 80	7 8	40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	20,897	940	421	195	109	71	1,736	218	289	1,062	2,027	2,282
2	Males.....	10,532	567	213	105	58	34	977	118	101	419	1,017	1,183
3	Females.....	10,365	373	208	90	51	37	759	100	188	643	1,010	1,099
4	1. Rheumatism.....	{ M.. 270 F.. 229	{ 2 6	{ 2 1	{ 2 3	{ 3 1	{ 2 1	{ 11 12	{ 10 5	{ 10 11	{ 10 9	{ 10 5	{ 10 8
5	2. Scrofula and tabes.....	{ M.. 113 F.. 136	{ 45 45	{ 16 11	{ 6 7	{ 1 1	{ 3 3	{ 71 67	{ 4 2	{ 2 5	{ 2 8	{ 2 2	{ 2 8
6	3. Leprosy.....	{ M. F.											
7	4. Consumption.....	{ M.. 7,869 F.. 6,985	{ 183 121	{ 67 94	{ 43 31	{ 16 28	{ 12 14	{ 321 258	{ 45 53	{ 67 147	{ 387 598	{ 965 969	{ 1,129 1,025
8	5. Hydrocephalus.....	{ M.. 587 F.. 398	{ 288 172	{ 121 91	{ 45 43	{ 34 17	{ 8 15	{ 496 338	{ 40 28	{ 8 10	{ 3 6	{ 4 4	{ 9 2
9	6. Cancer.....	{ M.. 988 F.. 1,919	{ 2 1		{ 2 1	{ 1 1	{ 2 1	{ 7 2	{ 2 1		{ 1 4	{ 8 10	{ 12 27
10	7. Tumor.....	{ M.. 130 F.. 149	{ 4 2	{ 2 2	{ 1 2	{ 1 1	{ 2 1	{ 10 7	{ 1 1	{ 2 1	{ 5 4	{ 9 1	{ 4 6
11	8. Anemia.....	{ M.. 62 F.. 81	{ 18 11	{ 1 1	{ 2 1		{ 1 1	{ 21 13	{ 2 4	{ 2 2	{ 4 7	{ 4 4	{ 1 10
12	9. Dropsy.....	{ M.. 251 F.. 265	{ 7 3	{ 1 1		{ 1 2	{ 2 1	{ 11 6	{ 6 2	{ 4 4	{ 4 5	{ 10 5	{ 6 6
13	10. Diabetes.....	{ M.. 200 F.. 154	{ 1 2	{ 1 1				{ 2 3	{ 6 2	{ 5 7	{ 3 1	{ 5 8	{ 10 5
14	11. Others of this group.....	{ M.. 60 F.. 18	{ 17 10	{ 2 9	{ 4 2	{ 1 1	{ 3 1	{ 27 23	{ 2 3		{ 1 1	{ 4 2	{ 6 2
15	12. Others of this class.....	{ M. F.								{ 1			
16	II.—Diseases of the nervous system.....	13,822	3,341	1,045	392	239	153	5,170	376	200	184	223	242
17	Males.....	7,282	1,875	529	195	115	67	2,781	194	102	91	115	134
18	Females.....	6,540	1,466	516	197	124	86	2,389	182	98	93	108	108
19	1. Inflammation of the brain.....	{ M.. 1,608 F.. 1,428	{ 565 452	{ 293 284	{ 111 115	{ 66 76	{ 44 53	{ 1,079 980	{ 126 102	{ 52 57	{ 37 43	{ 32 35	{ 35 21
20	2. Apoplexy.....	{ M.. 1,642 F.. 1,624	{ 14 17	{ 4 6		{ 4 1		{ 22 28	{ 4 6	{ 2 2	{ 7 9	{ 11 9	{ 23 21
21	3. Paralysis.....	{ M.. 1,056 F.. 1,123	{ 10 13	{ 3 6	{ 4 2	{ 3 4	{ 1 2	{ 21 27	{ 5 9	{ 6 3	{ 7 3	{ 7 11	{ 10 12
22	4. Tetanus and trismus nascentium.....	{ M.. 101 F.. 45	{ 65 34	{ 1 1				{ 67 34	{ 6 1	{ 6 1	{ 5 1	{ 1 1	{ 4 1
23	5. Epilepsy.....	{ M.. 172 F.. 140	{ 11 15	{ 8 2	{ 3 3		{ 3 2	{ 25 22	{ 5 9	{ 7 3	{ 12 11	{ 16 16	{ 13 8
24	6. Convulsions.....	{ M.. 1,290 F.. 1,078	{ 966 744	{ 153 147	{ 54 51	{ 25 23	{ 8 17	{ 1,206 982	{ 23 14	{ 5 5	{ 4 8	{ 3 12	{ 1 8
25	7. Mental diseases.....	{ M.. 175 F.. 136									{ 1 3	{ 6 6	{ 11 10
26	8. Diseases of the brain.....	{ M.. 971 F.. 696	{ 220 160	{ 53 60	{ 19 19	{ 14 13	{ 6 7	{ 312 259	{ 16 23	{ 17 12	{ 13 9	{ 27 12	{ 26 19
27	9. Diseases of the spinal cord.....	{ M.. 209 F.. 170	{ 24 30	{ 12 10	{ 3 6	{ 3 5	{ 5 3	{ 47 54	{ 6 15	{ 7 11	{ 5 4	{ 10 3	{ 5 5
28	10. Others of this class.....	{ M.. 58 F.. 100	{ 1 1	{ 2 1				{ 2 3	{ 1 4	{ 4 4	{ 3 3	{ 2 4	{ 1 3
29	III.—Diseases of the circulatory system.....	8,539	559	33	22	21	22	657	154	170	190	243	300
30	Males.....	4,461	322	22	13	11	10	378	67	77	91	117	140
31	Females.....	4,078	237	11	9	10	12	279	87	93	99	126	160
32	1. Angina pectoris.....	{ M.. 131 F.. 86							{ 1	{ 1		{ 2	{ 1 6
33	2. Aneurism.....	{ M.. 75 F.. 24								{ 1		{ 5 1	{ 4 2
34	3. Diseases of the heart.....	{ M.. 3,985 F.. 3,766	{ 112 86	{ 16 11	{ 12 7	{ 11 10	{ 10 11	{ 161 125	{ 66 86	{ 76 91	{ 91 98	{ 112 122	{ 135 151
35	4. Others of this class.....	{ M.. 270 F.. 202	{ 210 151	{ 6 1	{ 1 1			{ 217 154	{ 1	{ 1		{ 1	{ 1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
2,012	1,829	1,613	1,466	1,322	1,211	1,106	1,005	693	530	274	105	32	14	71	1
1,023 989	972 857	843 770	760 706	666 656	607 604	548 558	493 512	333 360	244 286	125 149	48 57	13 19	5 9	37 34	2
17 8	16 14	14 15	18 20	22 16	18 20	19 15	33 21	21 19	10 17	15 9	4 2	1 1	1	1 1	3
2 5	2 6	4 2	2 5	3 8	5 5	2 3	4 4	2 6	3	1					4
944 888	884 695	745 512	617 400	473 328	387 276	323 217	239 238	142 136	109 120	41 48	17 20	2 5	3 2	29 20	5
6 2	7 3	3 1	2 1	2 1	2	1	1	1 1	1		1				6
26 65	39 105	49 199	82 224	111 241	135 243	144 252	145 194	101 148	69 97	35 58	16 28	5 8	5	1 8	7
11 7	8 11	8 17	9 24	10 10	13 17	9 16	14 6	10 8	5 8	1 3		1 1		1	8
1 1	2 3	2 1	5 4	4 7	5 6	2 5	6 7	2 4	2 1	2	1				9
3 7	8 15	4 14	7 15	17 24	18 16	27 27	23 25	34 26	35 31	23 25	8 5	3 3	2 1	4 3	10
10 5	5 5	11 6	16 10	20 21	21 21	21 20	24 14	20 12	10 10	7 3	1 1	1 1		2 1	11
3 1	1	3 3	1 3	4	3 2	3	4 2		2 1	2 1	1			1	12
			1				1								13
305	372	379	519	601	655	839	931	956	856	607	263	69	8	67	14
192 113	216 156	228 151	289 230	304 297	345 310	444 395	460 471	488 468	433 423	298 309	110 153	25 44	2 6	31 36	15
39 27	30 25	34 16	31 20	32 13	19 15	13 20	19 19	11 7	4 11	9 8	1 2			5 7	16
43 28	44 45	73 62	105 92	125 145	152 155	241 195	207 223	218 204	184 188	115 125	49 60	10 16	1	6 11	17
19 11	36 21	40 25	56 44	60 69	80 69	93 96	131 149	143 184	164 151	117 134	46 76	9 19	1 5	5 5	18
1 2	2 1	1 1	1	2	1 3	2	3	1							19
13 11	15 12	13 6	7 10	4 3	11 8	6 8	7 1	4 6	2 3	2 4				3 1	20
3 7	7 4	7 4	2 5	2 8	2 3	4	3 5	2 3	5 3	5 1	1			3 6	21
12 8	19 14	13 9	17 14	10 13	13 9	16 11	15 11	17 8	11 13	9 6	2 2	1		2 1	22
43 9	47 18	32 19	55 25	49 28	42 28	47 46	59 53	71 44	53 45	40 21	10 11	5 9	1	7 5	23
15 4	9 11	13 6	14 10	16 7	21 9	15 13	9 6	12 8	5	4				2	24
4 6	7 5	2 3	2 9	4 11	4 11	7 8	7 4	8 5	5 9	1 6	1 2				25
316	391	406	488	595	711	781	850	814	708	449	205	61	16	34	26
167 149	208 183	212 194	251 237	285 310	381 330	419 362	458 392	453 361	374 334	233 216	92 113	34 27	5 11	19 15	27
2 5	4 3	3 4	10 9	12 7	20 5	18 10	22 11	14 7	20 9	3 3	2 2			1	28
6 1	8 3	11 4	8 3	6 1	11 1	7 2	2	3 3	2 2	1					29
159 141	195 176	196 185	232 220	262 296	345 316	389 343	429 379	428 344	344 321	222 211	89 109	32 27	5 11	17 14	30
1 2	1	2 1	1 5	5 6	5 8	5 7	5 2	8 7	8 2	7 2	1 2	2		2	31

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	22,154	4,476	2,032	986	580	348	8,422	711	239	418	678	835
2	Males	11,899	2,493	1,097	544	313	162	4,609	366	117	209	420	518
3	Females	10,255	1,983	935	442	267	186	3,813	345	122	209	258	317
4	1. Croup	{ M 882 F 686	{ 128 79	{ 215 161	{ 176 133	{ 127 97	{ 77 69	{ 723 539	{ 127 120	{ 15 10	{ 2 4	{ 3 3	{ 3 3
5	2. Laryngitis	{ M 78 F 63	{ 17 15	{ 11 14	{ 12 7	{ 7 9	{ 1 3	{ 48 48	{ 8 8	{ 1 2	{ 1 1	{ 1 1	{ 1 2
6	3. Bronchitis	{ M 2,559 F 2,760	{ 966 849	{ 275 269	{ 90 95	{ 38 41	{ 18 25	{ 1,387 1,279	{ 40 41	{ 11 18	{ 18 26	{ 43 35	{ 42 44
7	4. Pneumonia	{ M 7,144 F 5,801	{ 1,074 819	{ 543 454	{ 244 195	{ 124 113	{ 53 81	{ 2,038 1,602	{ 167 154	{ 78 83	{ 167 158	{ 346 190	{ 424 237
8	5. Pleurisy	{ M 221 F 152	{ 13 13	{ 12 7	{ 7 2	{ 2 1	{ 4 1	{ 38 23	{ 8 5	{ 4 2	{ 8 9	{ 11 7	{ 16 12
9	6. Asthma	{ M 83 F 75	{ 6 3					{ 6 3	{ 1 1		{ 1 1		
10	7. Others of this class	{ M 932 F 718	{ 289 205	{ 41 30	{ 15 10	{ 15 7	{ 9 7	{ 369 259	{ 16 16	{ 8 7	{ 13 10	{ 1 29	{ 33 19
11	V.—Diseases of the digestive system	5,143	794	205	52	41	32	1,124	119	122	138	190	260
12	Males	2,638	458	113	35	20	22	648	65	63	66	84	123
13	Females	2,505	336	92	17	21	10	476	54	59	72	115	137
14	1. Dentition	{ M 168 F 139	{ 102 89	{ 59 45	{ 5 4	{ 1 1	{ 1 1	{ 167 139					
15	2. Angina	{ M 39 F 24	{ 7 3	{ 5 4	{ 3 2	{ 3 3	{ 2 3	{ 20 15	{ 4 1	{ 5 1	{ 1 2	{ 1 1	{ 2 1
16	3. Diseases of the stomach	{ M 545 F 569	{ 87 64	{ 23 21	{ 7 7	{ 4 6	{ 5 4	{ 126 102	{ 9 20	{ 4 5	{ 6 8	{ 12 20	{ 19 27
17	4. Obstruction of the bowels	{ M 162 F 133	{ 38 14	{ 1 4	{ 5 1	{ 1 1	{ 2 1	{ 46 20	{ 6 1	{ 2 5	{ 7 4	{ 5 6	{ 6 5
18	5. Hernia	{ M 108 F 92	{ 16 2					{ 16 2	{ 1 1		{ 1 1	{ 2 1	{ 5 2
19	6. Other diseases of the bowels	{ M 64 F 37	{ 14 12	{ 4 1	{ 1 1		{ 2 1	{ 21 13	{ 2 1	{ 2 1	{ 1 1	{ 2 1	{ 2 4
20	7. Jaundice	{ M 66 F 58	{ 41 24	{ 2 1			{ 1 1	{ 44 24		{ 1 1		{ 2 1	{ 1 1
21	8. Inflammation and abscess of the liver	{ M 152 F 143	{ 5 4			{ 1 2		{ 6 6	{ 3 3	{ 1 1	{ 1 2	{ 7 3	{ 11 11
22	9. Other diseases of the liver	{ M 564 F 455	{ 4 6	{ 1 1		{ 2 1	{ 1 1	{ 8 9	{ 4 2	{ 2 1	{ 4 4	{ 8 7	{ 13 18
23	10. Peritonitis	{ M 469 F 601	{ 38 30	{ 8 7	{ 11 7	{ 7 3	{ 6 2	{ 70 42	{ 24 23	{ 37 36	{ 36 48	{ 34 66	{ 46 61
24	11. Ascites	{ M 15 F 26	{ 1 1			{ 1 1		{ 2 1					{ 1 2
25	12. Others of this class	{ M 286 F 228	{ 106 87	{ 10 10	{ 3 3	{ 3 2	{ 2 2	{ 124 102	{ 12 4	{ 10 9	{ 9 2	{ 11 5	{ 17 6
26	VI.—Diseases of the urinary system and male organs of generation	5,598	102	36	30	33	24	234	84	49	83	197	317
27	Males	3,252	71	23	16	18	14	142	40	32	41	81	150
28	Females	2,346	31	13	23	15	10	92	44	17	42	116	167
29	1. Bright's disease	{ M 1,581 F 1,244							{ 11 17	{ 12 10	{ 22 21	{ 42 50	{ 72 89
30	2. Calculus, urinary	{ M 19 F 10	{ 4 1					{ 4 1			{ 1 1		
31	3. Diseases of the kidney	{ M 1,157 F 984	{ 54 24	{ 21 13	{ 14 22	{ 15 15	{ 13 10	{ 117 84	{ 27 26	{ 16 7	{ 17 19	{ 34 60	{ 69 72
32	4. Diseases of the bladder	{ M 340 F 43	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 1 1	{ 6 1	{ 1 1	{ 1 1	{ 1 1	{ 3 1	{ 4 3
33	5. Others of this class	{ M 155 F 65	{ 12 5	{ 1 1	{ 1 1			{ 15 6	{ 1 1	{ 3 1		{ 2 5	{ 5 3
34	VII.—Diseases of the female organs of generation	288			1			1		2	7	17	36
35	1. Ovarian tumors	F 72											5
36	2. Ovarian diseases	F 24									1	4	2
37	3. Uterine tumors	F 57											3
38	4. Uterine diseases	F 26									2	5	8
39	5. Others of this class	F 109			1			1		2	4	8	18
40	VIII.—Affections connected with pregnancy	872									45	195	236
41	1. Abortion	F 62									3	9	14
42	2. Childbirth	F 231									9	46	54
43	3. Puerperal septiœmia	F 391									16	108	110
44	4. Extra-uterine pregnancy	F 9										2	2
45	5. Others of this class	F 179									17	30	58

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—Continued.

1	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	226	11	3	7	4	6	31	37	29	12	15	14
2	Males.....	129	4	1	4	2	6	17	18	16	8	10	9
3	Females.....	103	7	2	3	2	6	14	19	13	4	5	5
4	1. Diseases of the spine.....	{ M. 87 F. 59	4	1	4	2	4	15	9	6	6	5	8
5	2. Diseases of the bones.....	{ M. 25 F. 18					2	2	3	3			1
6	3. Diseases of the hip joint.....	{ M. 23 F. 15		1		1		2	6	7	2	4	
7	4. Others of this class.....	{ M. 8 F. 11	1					1	3			1	
8	X.—Diseases of the skin.....	267	74	8	1	1		84	7	4	5	13	10
9	Males.....	151	45	2		1		48	4	4	4	7	6
10	Females.....	116	29	6	1			36	3		1	6	4
11	1. Abscess.....	{ M. 97 F. 73	22	1		1		24	3	3	3	7	5
12	2. Carbuncle.....	{ M. 18 F. 16	1	1				2			1		1
13	3. Others of this class.....	{ M. 36 F. 27	22	1				23	1		1		
14	XI.—Diseases of the absorbent system.....	57	2	2				4		1		2	3
15	Males.....	32	1	1				2				1	2
16	Females.....	25	1	1				2		1		1	1
17	1. Addison's disease.....	{ M. 15 F. 11								1			1
18	2. Diseases of the spleen.....	{ M. 7 F. 5		1				1					
19	3. Others of this class.....	{ M. 10 F. 9	1	1				2				1	2
20	XII.—Accidents and injuries.....	5,129	374	74	80	69	63	660	217	203	281	387	423
21	Males.....	3,830	219	43	46	41	37	386	155	163	244	313	344
22	Females.....	1,299	155	31	34	28	26	274	62	40	37	74	79
23	1. Burns and scalds.....	{ M. 88 F. 142	6	14	12	16	8	56	5	2	2		4
24	2. Drowned.....	{ M. 721 F. 81	10	7	8	2	6	33	58	65	73	77	66
25	3. Exposure and neglect.....	{ M. 23 F. 16	7	1		1		8			1	1	1
26	4. Gunshot wounds.....	{ M. 82 F. 11			1	1		2	1	10	16	13	10
27	5. Homicide.....	{ M. 56 F. 23	1		1			2	1	2	7	12	8
28	6. Infanticide.....	{ M. 1 F. 6	1					7				4	3
29	7. Injuries by machinery.....	{ M. 14 F. 1						15			1	1	3
30	8. Railroad accidents.....	{ M. 583 F. 41		1	2	1	4	8	15	22	44	69	77
31	9. Suffocation.....	{ M. 204 F. 130	95	4	3	2		104	5	1	2	10	7
32	10. Suicide by shooting.....	{ M. 134 F. 4						138			6	11	17
33	11. Suicide by drowning.....	{ M. 12 F. 7						19			1	1	2
34	12. Suicide by poison.....	{ M. 71 F. 53						124		1	3	8	8
35	13. Other suicides.....	{ M. 229 F. 62						291		1	6	9	18
36	14. Sunstroke.....	{ M. 43 F. 6	6	1				49	1		1	9	8
37	15. Surgical operations.....	{ M. 93 F. 124	14	2	3	1		19	5	4		3	10
38	16. Wounds.....	{ M. 78 F. 30	1	1	2	1	1	7	2	7	5	7	3
39	17. Other accidents and injuries.....	{ M. 1,398 F. 563	78	13	17	19	18	145	63	50	78	83	112

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
10	13	10	6	8	6	8	9	10	4	1	2			1	1
4	8	7	2	3	3	5	3	5	1	1	2			1	2
6	5	3	4	5	3	3	6	5	3						3
	3	6	1	3	2	1	1	1	1						4
5	3	2	3	2	1			1	2						
3	2	1	1			2	3	1		1	1			1	5
	1	1	1	2	2	1	3	2	1						
1	2					1									6
1	1														
	1				1	1	2	3			1				7
				1		2	2	2							
14	5	7	14	16	15	14	16	21	10	7	4			1	8
9	4	4	7	7	7	10	8	12	3	3	3			1	9
5	1	3	7	9	8	4	8	9	7	4	1				10
7	3	3	3	4	6	8	6	11		1					11
5	1	1	6	4	4	1	5	7	6	1					
2		1	3	2	1	2	1	1	2						12
	1			5	2	3	1	1		1					
			1	1				1	1	2	3			1	13
			1	1	2		2	1	1	2	1				
3	4	9	7	6	7		2	5	3	1					14
2	3	6	4	4	3		1	2	2						15
1	1	3	3	2	4		1	3	1	1					16
1	2	4	2	3	1		1		1						17
1	1	3	2	1	1										
		2	1		1		1	1	1						18
			1	1	1			1							
	1		1	1	1			2	1	1					19
			1	1	1			1							
431	376	354	319	302	270	236	182	134	119	73	37	11	10	104	20
340	293	280	249	236	214	181	129	79	74	41	13	2	3	85	21
85	83	74	70	66	56	55	53	55	45	32	24	9	7	19	22
3	1	5	2	3	1	1	5	1	1				1		23
5	7	7	7	6	5	5	8	8			2				
53	54	54	38	34	32	27	20	10	5					22	24
2	2	6	3	1	5	7	2	3	1		1			3	
3		1	2	1		1		1		2			1	2	25
			1					3	1	1				3	
5	4	5	5	2	5	1	2		2						26
			1	1		1								1	
8	3	6	4	2	2	1		1							27
2		3		2	1		2								
															28
															28
2	2	1	1		1		1	1							29
															29
69	56	38	32	29	22	24	16	10	11	6				35	30
6	2	1	1	5	3	4	3	3	2					1	
12	9	10	11	7	5	4	5	1	4				1	6	31
5	3	3	3	3	2	2	4	1	2	1	1			4	
18	15	10	15	10	10	12	5	4		1					32
1															32
	2	2	1	1	1	2	1	1						1	33
1		3	1	1			1	1							
7	7	7	9	6	5	8									34
5	3	4	5	4	1	3		1	1		1			1	
15	15	22	21	31	25	20	17	10	8	5				6	35
6	7	8	4	10	4	3	4	1	2					2	
7	2	3	3	6	2	1	1		1						36
	1	1		1											
6	9	8	5	6	9	6		1	1	1					37
20	24	16	9	7	3	1	3								
8	4	8	5	6	8	5		4						1	38
1	2	1	2	2	1	2		1	1		2		1	1	
130	110	101	95	92	86	68	56	35	41	26	13	2		12	39
31	36	24	29	23	31	27	24	34	35	30	17	9	6	3	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NORTH CAROLINA.

20 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
749	740	615	583	565	516	681	629	684	556	451	200	116	85	252	1
323 426	333 407	253 362	264 319	257 308	260 256	350 331	345 284	374 310	305 251	238 213	120 80	61 55	39 46	133 119	2 3
28	33	28	26	38	25	43	40	55	43	44	15	20	4	67	4
15 13	9 24	14 14	14 12	18 20	12 13	16 27	21 19	32 23	23 20	20 24	9 6	10 10	3 1	38 29	5 6
141	120	89	78	67	76	81	83	95	70	52	19	14	13	41	7
71 67	69 51	44 45	38 40	33 34	35 41	41 40	39 44	45 50	39 31	24 28	12 7	7 7	4 9	25 16	8 9
1		2		1	1	1			1						10
3	2	1		1	2	1	2								11
		1													12
		1	1					1	1		1			4	13
2				1				1						1	14
					1										15
4 1		5 2	2 1	1 2	2	1 4		1 3	3 1		1			1 2	16
1 2	1	1				1							1		17
44 19	42 19	17 14	11 13	7 15	10 8	7 14	4 12	9 7	5 3	3 1	2 1			5 3	18
11 15	8 13	8 13	13 14	13 7	16 17	17 15	23 20	22 31	14 23	12 19	6 4	4 7	2 7	14 8	19
13 19	14 8	6 5	6 9	7 5	3 8	9 5	6 8	6 8	10 2	7 7	3	2		2	20
2	1	2	1	2	2	1	2	2	1	2		1	1	1	21
	1	1	2	1	2				2						22
4	1 1	3	2	1	2			1		1					23
	3 2	2 3	2 1		1 1	4	3 1	1	1						24
	1	1	1				1	2	1		1				25
8	4	3	8	3	6	5	8	6	2	4	1			4	26
7 1	2 2	1 2	8	3	4 2	4 1	6 2	4 2	2	2 2	1			3 1	27
								1							28
5	2	1	8	2	2	3	5	4			1			1	29
															30
2 1	2	2		1	2 1	1 1	1		2		1			1	31
															32
					1		1	1			2 1			1 1	33
2	2		2	1	5	5	7	37	50	79	50	38	37	11	34
1 1	2		2	1	2 3	2 3	6 1	15 22	23 27	34 45	30 20	22 16	18 19	4 7	35
															36
															37
															38
1 1	2		2	1	2 3	1	2	6 3	5 7	6 6	3 3	3 1	3 1	3 2	39
						1	4	9	18	28	27	19	15	1	40
						3	1	19	20	39	17	15	18	5	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NORTH CAROLINA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	3,384	85	70	56	30	20	261	111	130	263	361	295
2	Males	1,356	44	35	32	13	11	135	45	42	91	151	99
3	Females	2,028	41	35	24	17	9	126	66	88	172	210	196
4	1. Rheumatism	{ M. 45 F. 58	{ 1 1	{ 1 1	{ 2 1	{ 1 1	{ 1	{ 5 5	{ 1 2	{ 4 2	{ 2 3	{ 1 3	{ 1 2
5	2. Scrofula and tabes	{ M. 81 F. 103	{ 6 8	{ 9 8	{ 8 5	{ 2	{ 2 1	{ 25 24	{ 10 12	{ 4 8	{ 3 4	{ 7 9	{ 4 11
6	3. Leprosy	{ M. F.	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
7	4. Consumption	{ M. 868 F. 1,344	{ 18 24	{ 10 16	{ 13 9	{ 5 10	{ 4 4	{ 50 63	{ 14 24	{ 22 63	{ 70 148	{ 132 187	{ 86 169
8	5. Hydrocephalus	{ M. 23 F. 14	{ 9 4	{ 5 2	{ 4 2	{ 1	{ 1	{ 18 10	{ 3 2	{ 2	{ }	{ }	{ }
9	6. Cancer	{ M. 77 F. 195	{ 1 }	{ 2 }	{ }	{ }	{ 2	{ 3 2	{ 1 }	{ }	{ 2 }	{ 3 }	{ 3 1
10	7. Tumor	{ M. 11 F. 20	{ }	{ }	{ }	{ }	{ 1	{ 1 }	{ }	{ 1 }	{ }	{ 2 }	{ 1 }
11	8. Anæmia	{ M. 4 F. 12	{ 1 1	{ 1	{ }	{ }	{ }	{ 1 2	{ 1 1	{ 1 1	{ 2 2	{ 1 }	{ 1 1
12	9. Dropsy	{ M. 224 F. 261	{ 7 2	{ 7 6	{ 3 7	{ 7 3	{ 4 }	{ 28 18	{ 15 21	{ 12 10	{ 11 11	{ 7 7	{ 3 12
13	10. Diabetes	{ M. 17 F. 17	{ }	{ 1 }	{ }	{ }	{ }	{ 1 }	{ 2 }	{ 1 }	{ 1 }	{ 1 }	{ 1 }
14	11. Others of this group	{ M. 6 F. 3	{ 1 1	{ 1 }	{ 2 }	{ }	{ }	{ 4 1	{ }	{ }	{ }	{ 1 }	{ }
15	12. Others of this class	{ M. F. 1	{ }	{ }	{ }	{ }	{ }	{ }	{ 1 }	{ }	{ }	{ }	{ }
16	II.—Diseases of the nervous system	1,292	103	88	44	29	21	375	52	45	51	38	31
17	Males	670	108	48	23	11	13	195	22	21	29	20	17
18	Females	622	85	40	21	18	8	180	30	24	22	18	14
19	1. Inflammation of the brain	{ M. 127 F. 136	{ 32 36	{ 20 25	{ 8 9	{ 2 9	{ 6 2	{ 68 81	{ 10 15	{ 7 9	{ 10 7	{ 7 4	{ 4 4
20	2. Apoplexy	{ M. 83 F. 62	{ 1 }	{ 1 }	{ }	{ 1 }	{ 1	{ 1 4	{ 2 1	{ 1 1	{ 2 3	{ 3 1	{ 2 3
21	3. Paralysis	{ M. 197 F. 187	{ 1 2	{ 1 1	{ 2	{ 1 2	{ 1	{ 3 8	{ 4 4	{ 2 2	{ 3 1	{ 3 1	{ 4 1
22	4. Tetanus and trismus nascentium	{ M. 10 F. 8	{ 8 4	{ }	{ 1 }	{ }	{ }	{ 8 5	{ 1 }	{ 2	{ }	{ 1 }	{ }
23	5. Epilepsy	{ M. 32 F. 27	{ 4 4	{ 1 1	{ 1 }	{ 2 }	{ }	{ 9 5	{ 1 }	{ 2 2	{ 4 4	{ 2 1	{ 2 2
24	6. Convulsions	{ M. 75 F. 69	{ 44 25	{ 10 11	{ 6 4	{ 5 2	{ 2 2	{ 67 44	{ 1 3	{ 3 3	{ 1 1	{ 2 2	{ 1 2
25	7. Mental diseases	{ M. 31 F. 22	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ 3 1	{ 5	{ 3 }
26	8. Diseases of the brain	{ M. 76 F. 72	{ 12 12	{ 6 7	{ 6 4	{ 4	{ 3 1	{ 27 38	{ 1 4	{ 3 4	{ 2 1	{ 3 1	{ 1 1
27	9. Diseases of the spinal cord	{ M. 23 F. 16	{ 6 1	{ 2 2	{ 1 }	{ }	{ 2 1	{ 11 4	{ 2 3	{ 3 }	{ 4 2	{ }	{ 1 }
28	10. Others of this class	{ M. 16 F. 23	{ }	{ }	{ 1 1	{ }	{ }	{ 1 1	{ }	{ 1 1	{ 2	{ 1 3	{ }
29	III.—Diseases of the circulatory system	802	18	5	1	1	2	27	11	10	21	29	25
30	Males	410	9	4	1	1	1	16	6	9	11	10	13
31	Females	392	9	1	 	 	 	11	5	10	10	19	12
32	1. Angina pectoris	{ M. 8 F. 6	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ 1 }	{ }	{ }	{ 1 }
33	2. Aneurism	{ M. 1 F. 2	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
34	3. Diseases of the heart	{ M. 408 F. 381	{ 8 9	{ 4 1	{ 1 }	{ 1 1	{ 1 }	{ 15 10	{ 6 5	{ 9 9	{ 11 9	{ 10 19	{ 13 11
35	4. Others of this class	{ M. 1 F. 3	{ 1 }	{ }	{ }	{ }	{ }	{ 1 1	{ }	{ }	{ 1 }	{ }	{ }

VITAL AND SOCIAL STATISTICS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NORTH CAROLINA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system . . .	2,613	504	221	123	72	45	965	121	68	129	132	101
2	Males	1,377	286	113	58	42	24	523	61	29	68	74	51
3	Females	1,236	218	108	65	30	21	442	60	39	61	58	50
4	1. Croup	{ M. 178 F. 170	{ 113 89	{ 22 26	{ 10 19	{ 11 7	{ 7 9	{ 163 150	{ 12 15	{ 1 1		1	
5	2. Laryngitis	{ M. 3 F. 2			1			1			1		
6	3. Bronchitis	{ M. 132 F. 119	{ 32 19	{ 27 15	{ 6 9	{ 9 3	{ 2 2	{ 76 46	{ 7 6	{ 1 4	{ 2 6	{ 1 4	{ 3 1
7	4. Pneumonia	{ M. 723 F. 609	{ 75 52	{ 43 43	{ 25 20	{ 11 17	{ 10 6	{ 164 138	{ 28 24	{ 16 21	{ 47 40	{ 60 39	{ 43 40
8	5. Pleurisy	{ M. 32 F. 30	{ 1 1	{ 1 1				{ 1 2	{ 4 4		{ 2 4	{ 1 1	{ 1 1
9	6. Asthma	{ M. 24 F. 18	{ 2 2	{ 2 1	{ 2 1	{ 1 1		{ 5 3	{ 1 1		{ 1 1		
10	7. Others of this class	{ M. 285 F. 288	{ 66 55	{ 19 22	{ 15 16	{ 10 3	{ 4 6	{ 114 102	{ 9 15	{ 11 12	{ 15 10	{ 12 14	{ 5 8
11	V.—Diseases of the digestive system	771	164	75	46	14	11	310	32	20	21	22	28
12	Males	420	94	41	26	5	7	173	19	10	14	8	14
13	Females	351	70	34	20	9	4	137	13	10	7	14	14
14	1. Dentition	{ M. 35 F. 40	{ 9 19	{ 23 16	{ 3 5			{ 35 40					
15	2. Angina	{ M. 18 F. 22	{ 4 3	{ 2 2	{ 5 2	{ 3 3	{ 2 2	{ 13 10	{ 2 5	{ 1 4		1	
16	3. Diseases of the stomach	{ M. 42 F. 37	{ 9 4		{ 3 2		{ 1 1	{ 13 8	{ 3 3	{ 1 1	{ 1 2	{ 1 2	{ 1 3
17	4. Obstruction of the bowels	{ M. 17 F. 16	{ 2 2	{ 1 1	{ 1 1		{ 1 1	{ 3 5	{ 1 1			3	1
18	5. Hernia	{ M. 16 F. 8	{ 2 1		{ 1 1			{ 4 1	{ 1 1				1
19	6. Other diseases of the bowels	{ M. 70 F. 58	{ 23 16	{ 11 9	{ 4 5	{ 1 2	{ 1 1	{ 40 32	{ 4 3	{ 1 1	{ 1 1	{ 1 1	{ 1 2
20	7. Jaundice	{ M. 18 F. 14	{ 7 3	{ 1 1	{ 1 1			{ 9 4	{ 1 1		{ 1 1		
21	8. Inflammation and abscess of the liver	{ M. 17 F. 12	{ 2 1					{ 2 1	{ 2 2	{ 1 1		1	1
22	9. Other diseases of the liver	{ M. 46 F. 34	{ 4 3	{ 1 3	{ 1 1		{ 1 1	{ 6 5		{ 2 2	{ 4 4		3
23	10. Peritonitis	{ M. 12 F. 12	{ 1 1		{ 1 1			{ 2 1	{ 1 1	{ 1 1	{ 2 2		1
24	11. Ascites	{ M. 18 F. 20			{ 3 1	{ 1 1		{ 4 1		{ 1 1		1	2
25	12. Others of this class	{ M. 111 F. 78	{ 31 18	{ 3 5	{ 3 5	{ 2 1	{ 3 1	{ 42 30	{ 4 3	{ 4 4	{ 6 1	{ 3 5	{ 4 1
26	VI.—Diseases of the urinary system and male organs of generation	286	5	6	3	1	3	18	7	4	9	12	11
27	Males	214	2	4		1	2	9	4	4	6	5	3
28	Females	72	3	2	3		1	9	3	3	3	7	8
29	1. Bright's disease	{ M. 85 F. 37							3	2	1	2	4
30	2. Calculus, urinary	{ M. 37 F. 2		2				2		1	1		
31	3. Diseases of the kidney	{ M. 55 F. 28	{ 2 3	{ 2 2		{ 1 3	{ 2 1	{ 7 9	{ 1 2	{ 1 1	{ 3 1	{ 2 2	{ 1 4
32	4. Diseases of the bladder	{ M. 21 F. 1									1	1	
33	5. Others of this class	{ M. 16 F. 4							1		1		
34	VII.—Diseases of the female organs of generation	84								1	6	5	7
35	1. Ovarian tumors	F. 8											
36	2. Ovarian diseases	F. 2											
37	3. Uterine tumors	F. 5											
38	4. Uterine diseases	F. 24									1	1	4
39	5. Others of this class	F. 45								1	5	4	3
40	VIII.—Affections connected with pregnancy	307								2	39	78	47
41	1. Abortion	F. 19									3	3	3
42	2. Childbirth	F. 192								2	24	51	20
43	3. Puerperal septicemia	F. 72									6	21	11
44	4. Extra-uterine pregnancy	F. 4											
45	5. Others of this class	F. 24									6	3	7

VITAL AND SOCIAL STATISTICS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NORTH CAROLINA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	47	8	5	2	2		17	3	4	2		2
2	Males.....	32	5	3	2			10	2	4	1		
3	Females.....	15	3	2		2		7	1		1		2
4	1. Diseases of the spine.....	{ M. 25 F. 12	{ 5 3	{ 3 2	{ 2 	{ 2 	{ 	{ 10 7	{ 1 1	{ 3 	{ 1 		2
5	2. Diseases of the bones.....	{ M. 1 F. 1											
6	3. Diseases of the hip joint.....	{ M. 3 F. 1							1				
7	4. Others of this class.....	{ M. 3 F. 1								1		1	
8	X.—Diseases of the skin.....	47	8	5	3	2		18	1		2	2	3
9	Males.....	31	5	3	2	2		12	1			1	3
10	Females.....	16	3	2	1			6			2	1	
11	1. Abscess.....	{ M. 10 F. 4		1	1			2	1			1	2
12	2. Carbuncle.....	{ M. 6 F. 1		1	1			2				1	1
13	3. Others of this class.....	{ M. 15 F. 11	5 3	1 1	1	2		9 4			1		
14	XI.—Diseases of the absorbent system.....	3									1		
15	Males.....												
16	Females.....	3									1		
17	1. Addison's disease.....	{ M. F.											
18	2. Diseases of the spleen.....	{ M. F.											
19	3. Others of this class.....	{ M. F.	3								1		
20	XII.—Accidents and injuries.....	723	84	31	32	27	30	204	55	44	72	60	43
21	Males.....	515	46	17	18	15	16	112	28	31	55	51	41
22	Females.....	208	38	14	14	12	14	92	27	13	17	9	2
23	1. Burns and scalds.....	{ M. 70 F. 77	5 7	7 4	10 10	9 8	11 9	42 38	11 14	2 8	1 5	1 2	
24	2. Drowned.....	{ M. 58 F. 16		3 1	1 1	2 1	2 2	8 5	4 4	10 2	9	4	6 1
25	3. Exposure and neglect.....	{ M. 21 F. 16	12 4	1 4	1		1	15 9				1 1	1
26	4. Gunshot wounds.....	{ M. 37 F. 5		1				1	1	3	10	6	4
27	5. Homicide.....	{ M. 64 F. 5	1	1			1	2		1	5	11	13
28	6. Infanticide.....	{ M. F.											
29	7. Injuries by machinery.....	{ M. 12 F.								1	5	2	2
30	8. Railroad accidents.....	{ M. 34 F. 4							1		5	4	6
31	9. Suffocation.....	{ M. 28 F. 18	18 17	2				20 17	2	1	1		1
32	10. Suicide by shooting.....	{ M. 4 F. 2								2	1	1	
33	11. Suicide by drowning.....	{ M. F.	2										
34	12. Suicide by poison.....	{ M. 5 F. 2										2	
35	13. Other suicides.....	{ M. 11 F. 4								1	1	1	
36	14. Sunstroke.....	{ M. 2 F. 2			1			1			1	1	
37	15. Surgical operations.....	{ M. 6 F. 4		1				1			1	1	1
38	16. Wounds.....	{ M. 10 F. 2	1 1			1		2 1		1	2		
39	17. Other accidents and injuries.....	{ M. 153 F. 49	9 8	4 3	6 2	3 2	2 2	24 17	10 5	10 1	14 5	18 3	8

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NORTH CAROLINA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
4			2	2	1	3	1	2	4					1
3			1	2		2	1	2	4					2
1			1		1	1								3
2			1	1		1	1	2	2					4
			1											5
1									1					6
1				1										7
						1			1					8
	2	1	1	3	1	4	3	1	2	2	1			9
	1	1	1	2	1	3	1	1	2	1	1			10
			1	1		1		1	1					11
	1					2								12
			1	1	1		1		1	1				13
	1			1			2							14
			1	1										15
														16
														17
														18
			1	1										19
35	46	24	24	21	12	16	10	8	14	10	5	2	3	15
28	38	21	21	18	10	12	8	6	8	5	4	1	2	15
7	8	3	3	3	2	4	2	2	6	5	1	1	1	22
	1	1	1			3		1	4					23
	2	2	1	3	3	1			1	2		1		24
3	2					1								25
1	1			1		1					1			26
2						1								27
4	1	1	2	1	1		1							28
		1												29
11	7	5	3	4		1								30
						1								31
														32
1			1											33
														34
2	6	3	2	1	1	1	2	1						35
						1								36
	1													37
	1													38
														39
				1	1									40
				2										41
														42
														43
														44
														45
														46
														47
														48
														49
														50
4	14	9	8	6	4	2	3	2	2	5	2	1	2	5
1	1		2	1	1		1	1	5	3	1	1	1	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NORTH DAKOTA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
100	87	60	48	38	31	46	54	33	20	14	5	5	1	26	1
50	50	37	34	21	17	30	29	17	11	4	2	2	1	14	2
50	37	28	14	17	14	16	25	16	9	10	3	3		12	3
2	7	1	1	3	1	2	5	1		1				4	4
	3		1	2	1	2	3	1						1	5
2	4	1		1			2			1				2	6
16	11	8	4	5	6	5	9	7		2			1	3	7
8	6	5	2	4	3	5	4	3					1	1	8
8	5	3	2	1	3		5	4		2				2	9
															10
															11
															12
															13
															14
															15
															16
7	3	3	1		1	2	1	1							17
2	2	1													18
1	1	1	1	2	1	2	1	3						1	18
3	1	1			1		2								19
															20
1	1	1	1	2	1	1	1	1						1	20
															21
	1	1			1	1	1	2		2			1		21
															22
1			1	1			1							1	22
															23
1	1														23
															24
							1	1							24
															25
	2	1		1		1									25
															26
	2	1		1		1									26
															27
															28
															29
	2	1				1									29
															30
															31
					1										31
															32
															33
1	1						3	3	3	5	1	3			33
															34
1	1						1	1	1	3		1	1		34
							2	2	2	2	1	2			35
															36
															37
															38
															39
1	1							1							39
															40
							1	1	1	3		1	1		40
							2	1	2	2	1	2			40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NORTH DAKOTA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	280	13	6	2	2	4	27	11	10	22	34	33
2	Males.....	140	8	5	2		4	19	2	6	14	12	17
3	Females.....	140	5	1		2		8	9	4	8	22	16
4	1. Rheumatism.....	{ M. 10 F. 5							1	1	1	1	2
5	2. Scrofula and tabes.....	{ M. 5 F. 1	2	1				3		1			
6	3. Leprosy.....	{ M. F.											
7	4. Consumption.....	{ M. 101 F. 105	4	2	2		3	11	2	5	13	11	14
8	5. Hydrocephalus.....	{ M. 5 F. 1	2	2			1	5					
9	6. Cancer.....	{ M. 11 F. 11	1					1				1	
10	7. Tumor.....	{ M. 1 F. 1											1
11	8. Anæmia.....	{ M. F.											
12	9. Dropsy.....	{ M. 4 F. 13								2	2		
13	10. Diabetes.....	{ M. 1 F. 1											
14	11. Others of this group.....	{ M. F.											
15	12. Others of this class.....	{ M. 2 F.											
16	II.—Diseases of the nervous system.....	119	42	14	4	6	2	68	4	4	1	3	3
17	Males.....	66	27	8	1	2	1	35	1	1			3
18	Females.....	53	19	6	3	4	1	33	3	3	1	3	
19	1. Inflammation of the brain.....	{ M. 21 F. 14	9	3	1	2		15	1				1
20	2. Apoplexy.....	{ M. 3 F. 6								1		1	
21	3. Paralysis.....	{ M. 10 F. 3	1	1				2		1			
22	4. Tetanus and trismus nascentium.....	{ M. F.				2		2					
23	5. Epilepsy.....	{ M. F.											
24	6. Convulsions.....	{ M. 9 F. 12	9	1		1		9	1			1	
25	7. Mental diseases.....	{ M. F.											
26	8. Diseases of the brain.....	{ M. 12 F. 7	2	1			1	3			1	1	1
27	9. Diseases of the spinal cord.....	{ M. 7 F. 7	2	3		1		5	2	1			
28	10. Others of this class.....	{ M. 3 F. 2					1	1					1
29	III.—Diseases of the circulatory system.....	57	5	2				7		2	2	4	5
30	Males.....	37	2					2		1	1	1	5
31	Females.....	20	3	2				5		1	1	3	
32	1. Angina pectoris.....	{ M. F.											
33	2. Aneurism.....	{ M. F.											
34	3. Diseases of the heart.....	{ M. 37 F. 18	2	2				2		1	1	1	5
35	4. Others of this class.....	{ M. F.	2	2				2					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NORTH DAKOTA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	279	77	31	13	6	5	132	16	6	12	8	14
2	Males	160	48	17	6	3	3	77	9	3	6	4	10
3	Females	119	29	14	7	3	2	55	7	3	6	4	4
4	1. Croup	{ M. 6 F. 7	{ 3 2	{ 1 2	{ 1	{ 1	{ 1	{ 5 6			1		
5	2. Laryngitis	{ M. 1 F.											
6	3. Bronchitis	{ M. 22 F. 20	{ 16 10	{ 1 1	{ 1	{ 1 1	{ 1 1	{ 19 13					
7	4. Pneumonia	{ M. 81 F. 45	{ 13 7	{ 9 8	{ 5 3		{ 1 1	{ 28 19	{ 4 2	{ 2 3	{ 4 3	{ 4 3	{ 8 2
8	5. Pleurisy	{ M. 2 F. 5											1
9	6. Asthma	{ M. 5 F. 3											
10	7. Others of this class	{ M. 43 F. 39	{ 16 10	{ 6 3	{ 1 2	{ 2 1	{ 1	{ 25 17	{ 5 5	{ 1 1	{ 1 3	{ 1	{ 2 1
11	V.—Diseases of the digestive system	109	33	10	4	2	2	51	8	1	2	2	3
12	Males	60	22	5			1	28	7				1
13	Females	49	11	5	4	2	1	23	1	1	2	2	2
14	1. Dentition	{ M. 3 F. 3		{ 3 3				{ 3 3					
15	2. Angina	{ M. 3 F. 1	{ 1 1			1		{ 1 1	{ 1 1				
16	3. Diseases of the stomach	{ M. 7 F. 4	{ 5 1					{ 5 1					
17	4. Obstruction of the bowels	{ M. 4 F. 3					1	{ 1 1					1
18	5. Hernia	{ M. 6 F. 3	{ 1 1					{ 1 1	{ 1 1		1		
19	6. Other diseases of the bowels	{ M. 4 F. 5	{ 3 2		1			{ 3 3					
20	7. Jaundice	{ M. 1 F. 1											
21	8. Inflammation and abscess of the liver	{ M. 2 F. 3	{ 1 1		1			{ 1 1					1
22	9. Other diseases of the liver	{ M. 4 F. 4	{ 1 1					{ 1 1	{ 1 1			1	1
23	10. Peritonitis	{ M. 6 F. 10	{ 2 2	1		1		{ 4 4	{ 4 1		1	1	
24	11. Ascites	{ M. 2 F.											
25	12. Others of this class	{ M. 19 F. 13	{ 12 4	{ 2 1	{ 2		{ 1	{ 14 8	{ 1 1				
26	VI.—Diseases of the urinary system and male organs of generation	28	4	1		2	1	8		1		1	2
27	Males	18	3	1		1	1	6					2
28	Females	10	1			1		2		1		1	
29	1. Bright's disease	{ M. 5 F. 6								1		1	1
30	2. Calculus, urinary	{ M. 1 F.											
31	3. Diseases of the kidney	{ M. 9 F. 4	{ 3 1	1		1	1	{ 6 2					
32	4. Diseases of the bladder	{ M. 3 F.											1
33	5. Others of this class	{ M. 1 F. 1											
34	VII.—Diseases of the female organs of generation	2										1	
35	1. Ovarian tumors	F.											
36	2. Ovarian diseases	F.											
37	3. Uterine tumors	F.											
38	4. Uterine diseases	F.	1										
39	5. Others of this class	F.	1									1	
40	VIII.—Affections connected with pregnancy	38									1	8	10
41	1. Abortion	F.	5										2
42	2. Childbirth	F.	21									4	6
43	3. Puerperal septicaemia	F.	11									4	2
44	4. Extra-uterine pregnancy	F.										4	
45	5. Others of this class	F.	1								1		

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NORTH DAKOTA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
			1	1											1
			1	1											2
			1	1											3
															4
															5
															6
															7
	1	1													8
	1	1													9
	1														10
		1													11
			1												12
															13
				2											14
			1												15
			1												16
															17
			1												18
			1												19
8	7	7	5	3	2	4	5	1	1	1				3	20
8	6	5	4	3	1	4	4	1	1					3	21
	1	2	1		1		1			1					22
															23
	1	1													24
	1														25
	1														26
		1				1									27
															28
															29
	3														30
															31
															32
															33
2						1									34
1		1	1	2										1	35
															36
		1	1			1									37
		1													38
5	1	1	2	1	1	2	4	1	1					2	39
		1	1				1			1					

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

OHIO.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,961	1,878	1,740	1,673	1,781	1,882	2,205	2,522	2,619	2,330	1,741	895	314	110	423	1
938 1,023	944 934	906 834	894 779	942 839	1,024 858	1,235 970	1,455 1,067	1,480 1,139	1,295 1,035	885 856	471 424	142 172	50 60	240 183	2 3
29	44	33	37	55	61	66	88	68	74	41	26	4	5	51	4
14 15	26 18	16 17	22 15	27 28	36 25	39 27	58 30	40 28	50 24	22 19	16 10	1 3	3 2	27 24	5 6
240	215	148	144	140	157	196	173	167	158	102	47	13	7	57	7
134 106	109 106	74 74	70 74	75 65	92 65	119 77	98 75	91 76	87 71	47 55	27 20	6 7	3 4	36 21	8 9
2 8	4 7	1 4	4 4	3	1 1	1 1	1 1	1	1	1	1	1	1	1	10 11
2 2	3	3 1	2 1	1	1	2	2	3	1	1	1	1	1	3	12 13
1 2	1 3	2 1	1 2	1 1	1	1	1	1	1	1	1	1	1	1	14 15
89 47	54 45	27 35	25 24	19 27	24 26	21 16	10 14	21 7	9 5	5 3	4	1	1	11 5	16 17
12 20	20 17	18 9	25 18	33 18	44 17	43 26	38 33	39 38	36 38	21 28	13 12	2 6	2	9 5	17 18
17 9	16 12	11 10	4 9	8 5	6 10	25 12	12 9	10 9	17 8	5 9	1 5	2	2	8 4	19
2 1	8 1	3	5 2	2 2	3 6	8 8	8 7	3 3	8 5	2 5	4	2	2	2	20 21
7 15	4 16	5 9	5 6	10 5	9 4	8 5	9 6	4 8	9 2	2 4	1	1	1	3 2	22
2	1	4 2	3 3	1	3	3	2	3	1	1	1	1	1	1	23
2	1	1	2	2	2	8 6	7 3	7 9	6 11	11 6	5 1	4 1	1	1	24
29	23	27	22	23	16	19	20	22	15	4	4	2	2	9	25
22 7	19 4	23 4	18 4	16 7	13 3	15 4	14 6	13 9	8 7	4	2	1 1	1	6 3	26 27
18 3	14	19 1	15 1	11 3	10 3	7	9 1	6	2 1	2	2	2	2	3 2	28 29
2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	30
2 1	4 2	1 1	2 1	5 2	3	4 3	2 4	2 1	1 1	1	1	1	1	1	31
3	1 2	2	1 2	2	2	3 1	3 1	5 8	5 5	4	2 2	1 1	1	3 1	32
11	9	14	15	14	17	35	82	190	306	441	316	150	57	23	33
6 5	5 4	5 9	4 11	7 7	10 7	15 20	43 39	94 96	133 173	198 243	142 174	61 89	27 30	11 12	34 35
1	5 4	5 9	4 11	7 7	10 7	9 15	26 20	32 27	49 52	54 40	21 36	12 8	3 1	5 6	36 37
6 4	5 4	5 9	4 11	7 7	10 7	9 15	26 20	32 27	49 52	54 40	21 36	12 8	3 1	5 6	38 39
6 4	5 4	5 9	4 11	7 7	10 7	9 15	26 20	32 27	49 52	54 40	21 36	12 8	3 1	5 6	40

VITAL AND SOCIAL STATISTICS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

OHIO—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	9,516	292	153	54	44	45	588	131	195	627	1,027	934
2	Males	4,362	160	74	27	21	21	303	54	66	218	429	414
3	Females.....	5,154	132	79	27	23	24	285	77	129	409	598	520
4	1. Rheumatism	{ M. 148 F. 156	1	2	1	1	1	5	3	8	7	6	8
5	2. Scrofula and tubercles	{ M. 117 F. 116	21	17	6	3	2	49	4	5	8	4	8
6	3. Leprosy	{ M. F.											
7	4. Consumption	{ M. 2,963 F. 3,420	68	26	14	8	7	123	27	32	183	405	375
8	5. Hydrocephalus.....	{ M. 162 F. 96	46	21	2	4	7	80	9	1	2	2	1
9	6. Cancer	{ M. 520 F. 781	2	1		1	1	5	1	3	3	3	10
10	7. Tumor	{ M. 75 F. 121	4	1	2	1	1	9	1	2	4	1	6
11	8. Anæmia.....	{ M. 23 F. 40	6				1	7	1	2		2	2
12	9. Dropsy	{ M. 261 F. 336	6	3	2		1	12	3	5	1	3	2
13	10. Diabetes	{ M. 128 F. 65		1				1	5	7	10	5	3
14	11. Others of this group	{ M. 23 F. 13	7	2		3		12		1	2		1
15	12. Others of this class	{ M. F.	2					9		2			
16	II.—Diseases of the nervous system	5,960	1,508	412	165	111	68	2,264	227	102	121	116	98
17	Males	3,313	900	216	98	55	36	1,305	110	41	64	61	54
18	Females.....	2,647	608	196	67	56	32	959	117	61	57	55	44
19	1. Inflammation of the brain	{ M. 607 F. 495	231	93	38	27	16	405	49	12	17	13	9
20	2. Apoplexy	{ M. 472 F. 345	8	1		3		12	2		7	6	14
21	3. Paralysis.....	{ M. 742 F. 679	8	3	6	3		20	5	6	6	5	6
22	4. Tetanus and trismus nascentium	{ M. 52 F. 25	28		1			29	1	3	3	2	1
23	5. Epilepsy	{ M. 74 F. 61	5			1		5	2	2	14	10	4
24	6. Convulsions.....	{ M. 650 F. 487	490	74	25	11	7	607	13	2	2	2	1
25	7. Mental diseases	{ M. 48 F. 46							1		1	3	3
26	8. Diseases of the brain	{ M. 418 F. 280	92	28	15	5	5	145	14	6	7	12	12
27	9. Diseases of the spinal cord	{ M. 162 F. 135	33	16	12	4	8	73	17	10	5	6	2
28	10. Others of this class.....	{ M. 88 F. 94	5	1	1	2		9	2		2	2	2
29	III.—Diseases of the circulatory system.....	3,099	157	14	14	6	2	193	52	63	65	75	71
30	Males	1,680	94	5	7	1	1	108	26	27	32	31	40
31	Females.....	1,419	63	9	7	5	1	85	26	36	33	44	31
32	1. Angina pectoris.....	{ M. 45 F. 33								1		3	1
33	2. Aneurism	{ M. 16 F. 14										1	1
34	3. Diseases of the heart.....	{ M. 1,558 F. 1,332	50	2	7	1	1	61	26	27	31	31	39
35	4. Others of this class	{ M. 61 F. 40	44	3				47				1	1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

OHIO—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
769	713	629	559	531	539	528	555	480	327	193	68	25	11	87	1
331	352	293	272	232	243	260	275	248	184	101	27	15	6	39	2
438	361	236	287	299	296	268	280	232	143	92	41	10	5	48	3
7	7	5	8	10	13	15	13	12	11	7	3				4
9	5	7	4	7	19	12	14	18	12	4	3	1		2	
5	4	3	2	4	4	5	4	5	2					1	5
13	4	5	6	4	3	4	4	2	1	2					6
293	300	240	206	145	140	136	130	95	60	20	7	7	3	27	7
376	271	228	168	142	133	101	102	100	43	30	10	2	2	29	
1		4			2			1						1	8
3	3		1											1	
9	17	25	32	42	52	62	77	79	55	30	8	3	1	3	9
26	46	63	77	99	99	98	102	54	41	29	10	3	3	8	
5	4	5	5	3	7	4	8	3	2	2		1	1	2	10
6	8	12	8	12	15	5	7	10	4	4	2			2	
1			1	2	2	1		1	3	1	1				11
	2	1	3	5	3		1	2	2						
7	11	3	10	18	16	26	28	40	39	22	7	4	1	3	12
5	12	15	16	22	19	39	47	43	32	23	16	4		6	
3	8	8	6	7	6	11	13	12	11	9	1			2	13
	8	5	3	7	5	9	3	6	2						
	1		1	1			2		1	1					14
			1	1											
			1		1										15
134	140	156	170	208	246	319	378	428	389	255	121	26	14	48	16
73	76	96	96	104	133	183	217	240	214	132	68	14	5	27	17
61	64	60	74	104	113	136	161	188	175	123	53	12	9	21	18
10	7	11	8	11	10	16	10	3	10		3			3	19
8	8	6	7	4	5	5	3	5	1	3				1	
13	15	13	18	33	37	55	61	73	65	30	13			5	20
13	8	16	14	33	28	43	42	46	38	27	11	3	3	4	
10	12	22	32	33	48	73	93	119	104	76	47	13	4	8	21
11	12	14	21	42	46	58	88	107	111	79	36	8	4	4	
1	4	1	1	1	1	2	1	1							22
			2	2	1										
12	8	6	1	1	1	3		1	1					2	23
7	9		3	2	3	1	2	1	3				1		
5	2	1	1	1			1	3	2	1	1			6	24
4	3	3	1	1		1	1	1						4	
1	4	11	5	3	3	5	6	2	2	3				1	25
4	3	6	8	3	6	5	3	3	2	1	1	1			
16	16	21	22	14	20	26	25	22	21	11	4	1	1	2	26
8	12	5	11	14	13	17	15	13	13	7	3		1	2	
4	6		6	5	8	3	6	7	2	1				1	27
2	4	4	1	2	5	3	1							1	
1	2	10	3	3	5	5	14	9	7	10				2	28
4	5	6	8	4	6	3	6	12	7	6	2			2	
97	116	154	160	200	227	280	369	379	315	147	77	21	4	34	29
47	54	83	78	99	123	149	227	226	175	80	45	6	2	22	30
50	62	71	82	101	104	131	142	153	140	67	32	15	2	12	31
	1	2	1	2	8	7	8	8	5	2					32
3	2		3	3	3	4	5	1	1	3					
	3	3	3	1	2			1	2	1				1	33
		3	3	1		1		2		1					
47	50	77	74	96	112	141	215	216	164	77	45	5	2	22	34
46	59	67	76	97	101	125	136	149	138	62	32	14	2	10	
		1			1	1	4	1	4			1			35
1	1	1				1	1	1	1	1		1		1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

OHIO—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system.....	7,208	1,232	641	365	251	152	2,641	365	127	186	202	220
2	Males.....	3,851	698	327	197	126	83	1,431	171	60	80	118	129
3	Females.....	3,357	534	314	168	125	69	1,210	194	67	106	84	91
4	1. Croup.....	{ M.. 384	{ F.. 79	{ M.. 66	{ F.. 65	{ M.. 41	{ F.. 48	{ M.. 299	{ F.. 72	{ M.. 5	{ F.. 1	{ M.. 3	{ F.. 1
5	2. Laryngitis.....	{ M.. 18	{ F.. 5	{ M.. 2	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 9	{ F.. 2	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1
6	3. Bronchitis.....	{ M.. 532	{ F.. 160	{ M.. 53	{ F.. 16	{ M.. 19	{ F.. 5	{ M.. 253	{ F.. 9	{ M.. 6	{ F.. 3	{ M.. 3	{ F.. 8
7	4. Pneumonia.....	{ M.. 1,965	{ F.. 303	{ M.. 163	{ F.. 92	{ M.. 52	{ F.. 24	{ M.. 634	{ F.. 62	{ M.. 33	{ F.. 57	{ M.. 84	{ F.. 88
8	5. Pleurisy.....	{ M.. 59	{ F.. 1	{ M.. 2	{ F.. 2	{ M.. 1	{ F.. 1	{ M.. 4	{ F.. 4	{ M.. 3	{ F.. 2	{ M.. 2	{ F.. 2
9	6. Asthma.....	{ M.. 106	{ F.. 4	{ M.. 1	{ F.. 2	{ M.. 2	{ F.. 2	{ M.. 5	{ F.. 2	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1
10	7. Others of this class.....	{ M.. 787	{ F.. 146	{ M.. 40	{ F.. 23	{ M.. 13	{ F.. 5	{ M.. 227	{ F.. 20	{ M.. 15	{ F.. 16	{ M.. 25	{ F.. 29
11	V.—Diseases of the digestive system.....	2,339	436	103	29	13	14	595	59	40	54	100	111
12	Males.....	1,204	236	62	10	7	8	323	26	18	28	38	51
13	Females.....	1,135	200	41	19	6	6	272	33	22	26	62	60
14	1. Dentition.....	{ M.. 54	{ F.. 27	{ M.. 25	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 53	{ F.. 44	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1
15	2. Angina.....	{ M.. 35	{ F.. 7	{ M.. 2	{ F.. 2	{ M.. 1	{ F.. 1	{ M.. 13	{ F.. 6	{ M.. 1	{ F.. 6	{ M.. 2	{ F.. 3
16	3. Diseases of the stomach.....	{ M.. 292	{ F.. 33	{ M.. 15	{ F.. 4	{ M.. 2	{ F.. 1	{ M.. 55	{ F.. 7	{ M.. 4	{ F.. 1	{ M.. 6	{ F.. 14
17	4. Obstruction of the bowels.....	{ M.. 80	{ F.. 11	{ M.. 2	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 15	{ F.. 1	{ M.. 5	{ F.. 3	{ M.. 7	{ F.. 8
18	5. Hernia.....	{ M.. 53	{ F.. 6	{ M.. 2	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 6	{ F.. 3	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 2
19	6. Other diseases of the bowels.....	{ M.. 53	{ F.. 16	{ M.. 4	{ F.. 2	{ M.. 1	{ F.. 2	{ M.. 22	{ F.. 1	{ M.. 1	{ F.. 2	{ M.. 2	{ F.. 1
20	7. Jaundice.....	{ M.. 45	{ F.. 14	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 16	{ F.. 16	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1
21	8. Inflammation and abscess of the liver.....	{ M.. 51	{ F.. 50	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 2	{ F.. 3	{ M.. 2	{ F.. 1	{ M.. 1	{ F.. 4
22	9. Other diseases of the liver.....	{ M.. 180	{ F.. 9	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 10	{ F.. 10	{ M.. 2	{ F.. 3	{ M.. 4	{ F.. 7
23	10. Peritonitis.....	{ M.. 118	{ F.. 8	{ M.. 2	{ F.. 1	{ M.. 1	{ F.. 2	{ M.. 12	{ F.. 5	{ M.. 2	{ F.. 12	{ M.. 14	{ F.. 8
24	11. Ascites.....	{ M.. 19	{ F.. 18	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 2
25	12. Others of this class.....	{ M.. 215	{ F.. 107	{ M.. 10	{ F.. 9	{ M.. 6	{ F.. 2	{ M.. 120	{ F.. 3	{ M.. 4	{ F.. 3	{ M.. 4	{ F.. 4
26	VI.—Diseases of the urinary system and male organs of generation.....	1,432	16	11	7	8	5	47	18	16	27	38	42
27	Males.....	1,013	10	8	5	4	2	29	14	12	22	20	24
28	Females.....	419	6	3	2	4	3	18	4	4	5	18	18
29	1. Bright's disease.....	{ M.. 486	{ F.. 222	{ M.. 9	{ F.. 9	{ M.. 14	{ F.. 10	{ M.. 22	{ F.. 2	{ M.. 2	{ F.. 14	{ M.. 10	{ F.. 12
30	2. Calculus, urinary.....	{ M.. 29	{ F.. 6	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1
31	3. Diseases of the kidney.....	{ M.. 331	{ F.. 148	{ M.. 8	{ F.. 7	{ M.. 5	{ F.. 4	{ M.. 26	{ F.. 5	{ M.. 3	{ F.. 5	{ M.. 9	{ F.. 9
32	4. Diseases of the bladder.....	{ M.. 100	{ F.. 21	{ M.. 2	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 3	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1
33	5. Others of this class.....	{ M.. 67	{ F.. 22	{ M.. 1	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 2	{ F.. 1	{ M.. 1	{ F.. 1	{ M.. 3	{ F.. 2
34	VII.—Diseases of the female organs of generation.....	157	1					1			13	11	16
35	1. Ovarian tumors.....	F.. 34									3		1
36	2. Ovarian diseases.....	F.. 7											1
37	3. Uterine tumors.....	F.. 23										1	1
38	4. Uterine diseases.....	F.. 20									1	4	5
39	5. Others of this class.....	F.. 73	1					1			9	6	8
40	VIII.—Affections connected with pregnancy.....	534								1	42	113	100
41	1. Abortion.....	F.. 52									3	13	14
42	2. Childbirth.....	F.. 228									20	37	39
43	3. Puerperal septicaemia.....	F.. 197								1	13	48	30
44	4. Extra-uterine pregnancy.....	F.. 2										1	1
45	5. Others of this class.....	F.. 55									6	14	17

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

OHIO—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	231	38	20	11	6	4	79	19	11	15	11	17
2	Males	123	21	11	7	2	1	42	9	8	6	6	8
3	Females	108	17	9	4	4	3	37	10	3	9	5	9
4	1. Diseases of the spine..... { M. 99	20	11	7	2			40	6	6	4	6	7
	{ F. 87	16	8	4	3			33	8	3	6	4	7
5	2. Diseases of the bones..... { M. 12								1	2	2		
	{ F. 10		1		1			3				1	1
6	3. Diseases of the hip joint..... { M. 6						1	1	2				1
	{ F. 9							4		3			1
7	4. Others of this class..... { M. 6	1						1					
	{ F. 2	1						1					
8	X.—Diseases of the skin	122	27	10		2		39	2	4	5	6	6
9	Males	63	15	3		2		20	1	1	2	4	3
10	Females	59	12	7				19	1	3	3	2	3
11	1. Abscess	37	6	1		2		9		1	1	3	3
	{ F. 32	6	3					9	1	1	3	2	3
12	2. Carbuncle	8		1				1			1		
	{ F. 5												
13	3. Others of this class..... { M. 18	9	2					11	1			1	
	{ F. 22	6	3					9		2			
14	XI.—Diseases of the absorbent system.....	40	2		1			3	1	3	3	1	3
15	Males	23	2					2	1		2	1	2
16	Females	17			1			1		3	1		1
17	1. Addison's disease..... { M. 4										1	1	
	{ F. 2												
18	2. Diseases of the spleen..... { M. 12				1			1	1		1		1
	{ F. 6									1			1
19	3. Others of this class..... { M. 7	2						2					1
	{ F. 9									2	1		
20	XII.—Accidents and injuries	2,403	152	50	50	37	34	323	133	123	189	221	177
21	Males	1,871	82	33	29	27	16	187	96	105	164	190	161
22	Females	532	70	17	21	10	18	136	37	18	25	31	16
23	1. Burns and scalds..... { M. 82	7	12	13	15	5		52	3		3		4
	{ F. 93	6	8	11	6	7		38	13	4	6	1	1
24	2. Drowned..... { M. 187	1	6	4	4	3		18	29	32	30	17	13
	{ F. 25		3	2	1	3		9	3	2	2	3	1
25	3. Exposure and neglect..... { M. 15	3						3					2
	{ F. 10	8						8				1	
26	4. Gunshot wounds..... { M. 89					1		1	3	13	28	10	2
	{ F. 7					1		1	1	1	1	1	
27	5. Homicide..... { M. 48	1	1					2	1		2	7	7
	{ F. 13								3		1	1	1
28	6. Infanticide..... { M. 1	1						1					
	{ F. 1	1						1					
29	7. Injuries by machinery..... { M. 20									1	6	3	3
	{ F. 1												
30	8. Railroad accidents..... { M. 440	1	1	1	1	1		4	15	19	37	73	60
	{ F. 44							2	4	4	4	3	2
31	9. Suffocation..... { M. 64	30	4	1	1	1		37	6	2	2	4	1
	{ F. 37	23	1			3		27	4		1	1	1
32	10. Suicide by shooting..... { M. 68								1		3	11	8
	{ F. 5										1	1	2
33	11. Suicide by drowning..... { M. 11									1			1
	{ F. 10									1		2	
34	12. Suicide by poison..... { M. 22											1	2
	{ F. 24									1	3	4	3
35	13. Other suicides..... { M. 91									1	1	7	4
	{ F. 12										2		
36	14. Sunstroke..... { M. 19	1		1				2				1	
	{ F. 4						2					1	
37	15. Surgical operations..... { M. 12								1		1	1	2
	{ F. 23										1	2	
38	16. Wounds..... { M. 48			1				1	4	4	4	6	5
	{ F. 12	2						2	2			1	
39	17. Other accidents and injuries..... { M. 654	38	9	8	6	5		66	33	32	47	49	49
	{ F. 212	29	5	7	2	3		46	7	5	6	7	4

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

OHIO—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
3	7	7	8	8	10	9	13	6	3	5				1
2	3	2	4	7	4	4	8	4	2	4				2
1	4	5	4	1	6	5	5	2	1	1				3
2	3	1	4	4	4	1	4	3	2	2				4
1	2	4	4	1	4	5	4	1	1	1				
		1		1		1	1	1		2				5
	2	1			1		1							
						1	1	1						6
				2		1	2							7
					1									
6	7	6	4	4	8	7	3	4	5	3	3			8
3	4	3	3	2	5	5	2	1	1	2	1			9
3	3	3	1	2	3	2	1	3	4	1	2			
	4	3	3	2	2	2	1	1	1	1				11
2	2	2		1	2	2					1			
1					1	3	1				1			12
					1			2		1				
2					2					1				13
1	1	1	1	1			1		4		1			
1	2	3	4	2	3	5	4	1				1		14
1	1	3	2	1	2	3	2							15
	1		2	1	1	2	2	1				1		
				1	1									16
	1						1							
	1	3			1	2	2							17
			1			1	1							
1						1	1							18
			2	1	1	1								19
			1	1	1									
154	154	130	134	124	107	92	75	69	55	49	34	13	4	43
123	126	109	112	108	88	75	60	55	34	19	19	5	2	33
81	28	21	22	16	19	17	15	14	21	30	15	8	2	10
2	1	4	4	2	2	1	1	2			1			23
3	7	3	2		1	4	1	2	1	5	1			
9	11	7	2	3	5	4	2							24
2			1	1										
1		2					2	2		1	1	1		25
										1				
4	6	6	4	2	7	3								26
	1	1	1											
3	5	5	3	4		1	3	2						27
3	1			2		1								
														28
	1	1	1	2	1	1								29
44	45	24	21	21	18	11	6	18	3	3	2			30
4	3		1	2	2	1	2	3	3				11	
1	4		2	1	1		1		1	1	1			31
			1					1						
7	3	5	2	12	3	3	6	3						32
1		1												
1	2			2	1	1	1		1	1				33
			1	1										
1		1	7	2	3	2	1	1	1					34
3	4	1	1	1	1	1	1	1						
5	3	6	15	14	7	7	7	6	5	1	1			35
1	1	3	1	3	1	1	1	1						
2	3		1	3	2	2	1	1	1					36
						1								
1	2	1				2		1						37
3	4	2	5	1	1		1	1	1					
2	3	2	3	2	2		2	1	3	1	1			38
1		1	1			1	2					1		
40	37	45	47	38	36	37	27	18	14	11	12	4	2	10
9	7	10	8	5	13	8	8	5	15	23	14	7	2	3

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

OKLAHOMA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
28	26	26	18	12	9	12	8	6	3		2		1	43	1
16	16	15	12	10	4	9	3	5	2		1		1	21	2
12	10	11	6	2	5	3		1	1		1			22	3
3	7	7	2	1	3	6	1				1			30	4
8	4	3	1	1	2	4	1							13	5
	3	4	1		1	2					1			17	6
7	6	2	3	4	2			2	2					3	7
4	2	2	1	2				1	1					2	8
3	4		2	2	2			1	1					1	9
															10
															11
1															12
															13
															14
1															15
1	1			1											16
			1												17
1	2														18
1															19
	1														20
1	1		1	1	2			1	1					1	21
															22
	1							1						1	23
														1	24
															25
		1													26
		1													27
															28
															29
															30
															31
															32
															33
													1		34
													1		35
															36
															37
															38
															39
													1		40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

OKLAHOMA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	2	1		1			2					
2	Males	1	1					1					
3	Females	1			1			1					
4	1. Diseases of the spine	{ M. 1	1					1					
	{ F. 1				1			1					
5	2. Diseases of the bones	{ M. .											
	{ F. .												
6	3. Diseases of the hip joint	{ M. .											
	{ F. .												
7	4. Others of this class	{ M. .											
	{ F. .												
8	X.—Diseases of the skin												
9	Males												
10	Females												
11	1. Abscess	{ M. .											
	{ F. .												
12	2. Carbuncle	{ M. .											
	{ F. .												
13	3. Others of this class	{ M. .											
	{ F. .												
14	XI.—Diseases of the absorbent system												
15	Males												
16	Females												
17	1. Addison's disease	{ M. .											
	{ F. .												
18	2. Diseases of the spleen	{ M. .											
	{ F. .												
19	3. Others of this class	{ M. .											
	{ F. .												
20	XII.—Accidents and injuries	43	4	1	2			7	5	1	3	7	3
21	Males	36	3	1	2			6			3	7	3
22	Females	7	1					1	5	1			
23	1. Burns and scalds	{ M. 1		1				1					
	{ F. 3		1					1	2				
24	2. Drowned	{ M. 2			1			1				1	
	{ F. 2								1	1			
25	3. Exposure and neglect	{ M. .											
	{ F. .												
26	4. Gunshot wounds	{ M. 12									2	1	
	{ F. .												
27	5. Homicide	{ M. 7										3	1
	{ F. .												
28	6. Infanticide	{ M. .											
	{ F. .												
29	7. Injuries by machinery	{ M. .											
	{ F. .												
30	8. Railroad accidents	{ M. .											
	{ F. .												
31	9. Suffocation	{ M. 2	2					2					
	{ F. .												
32	10. Suicide by shooting	{ M. 1											
	{ F. .												
33	11. Suicide by drowning	{ M. .											
	{ F. .												
34	12. Suicide by poison	{ M. .											
	{ F. .												
35	13. Other suicides	{ M. 1										1	
	{ F. .												
36	14. Sunstroke	{ M. .											
	{ F. .												
37	15. Surgical operations	{ M. .											
	{ F. .												
38	16. Wounds	{ M. 1									1		
	{ F. .												
39	17. Other accidents and injuries	{ M. 9	1		1			2				1	2
	{ F. 2								2				

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

OREGON.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	2,687	388	97	71	62	44	662	152	117	146	173	146
2	Males	1,588	202	44	36	30	28	340	83	57	74	101	93
3	Females	1,099	186	53	35	32	16	322	69	60	72	72	53
4	Unknown causes	109	32	3	1			36	2	1	3	5	4
5	Males	63	14	1	1			16	2	1	1	3	1
6	Females	46	18	2				20			2	2	3
7	I.—General diseases.												
8	General diseases—A	575	118	41	21	26	17	223	63	44	38	43	27
9	Males	306	58	17	9	13	10	107	32	16	17	26	18
10	Females	269	60	24	12	13	7	116	31	28	21	17	9
11	1. Smallpox	{ M. 1 F. 1							1	1			
12	2. Measles	{ M. 12 F. 13	3	1	3			7		1	1		1
13	3. Scarlet fever	{ M. 9 F. 11	1	1		1	1	4	3	2			
14	4. Diphtheria	{ M. 47 F. 50	1	3	2	7	7	20	17	3	2	2	1
15	5. Whooping cough	{ M. 6 F. 11	4	2		1		6					
16	6. Fever	{ M. 6 F. 6	4	1				5					
17	7. Cerebro-spinal fever	{ M. 13 F. 16	5	2		1	1	9	2	1		1	
18	8. Enteric fever	{ M. 89 F. 63	2	1		1	1	3	4	1	9	20	13
19	9. Diarrheal diseases	{ M. 46 F. 44	10	3	3	1		16	5	2	3		1
20	10. Cholera infantum	{ M. 32 F. 27	25	4	1	2		32					
21	11. Malarial fever	{ M. 18 F. 15	2		1	1	1	4		3	1	1	
22	12. Erysipelas	{ M. 6 F. 3	1					1			1		1
23	13. Septicæmia	{ M. 12 F. 8	1		1			1		1	1	2	1
24	14. Venereal diseases	{ M. 5 F. 6							1	2		1	1
25	15. Others of this group	{ M. 4 F. 1	1					1					
26	General diseases—B	29	4	1	1		1	7	1				
27	Males	21	1	1			1	3	1				
28	Females	8	3		1			4					
29	1. Parasitic diseases	{ M. 1 F. 1			1			1					
30	2. Alcoholism	{ M. 14 F. 1											
31	3. Lead poison	{ M. 4 F. 1		1			1	2					
32	4. Other poisons	{ M. 4 F. 1		1			1	2					
33	5. Inanition	{ M. 3 F. 5	1					1	1				
34	General diseases—C	135	88					88					
35	Males	67	41					41					
36	Females	68	47					47					
37	1. Premature birth	{ M. 5 F. 10	5					5					
38	2. Stillborn	{ M. 22 F. 22	22					22					
39	3. Malformation	{ M. 2 F. 4	2					2					
40	4. Debility and atrophy	{ M. 18 F. 20	12					12					
41	5. Old age	{ M. 20 F. 12	20					12					

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

OREGON.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
144	116	123	113	121	111	131	123	95	72	34	24	11	5	68	1
85 59	69 47	80 43	67 46	79 42	87 24	85 46	84 39	65 30	46 26	22 12	15 9	7 4	4 1	45 23	2 3
8	4	3	2	2	3	7	4	3	3	1	2	2	1	13	4
6 2	4	3	1 1	2	2 1	3 4	3 1	3	1 2	1	1 1	1 1	1	7 6	5 6
26	11	18	19	12	12	11	7	4	5	3	1		1	7	7
21 5	5 6	13 5	14 5	5 7	8 4	3 8	6 1	1 3	5	2 1	1		1	5 2	8 9
															10
	1	1		1	1	1									11
															12
	1					1	1							2	13
1															14
1															15
						1									16
11 2	4 3	9 3	7 1	2 4	2	1 1	1		1					1 1	17
4	1	2 1	2 2	1	3 2	1 2	1	2	3	2 1				1	18
															19
1 1	1		3 1	1 1	1	1		1			1		1		20
1 1		1	1					1	1						21
2			1 1	1	1 1	1		1						1	22
1				1	1			1							23
						1	2							1	24
1	2	5		2	1	4	3	1						2	25
1	1 1	5		2	1	4	3	1						2	26 27
															28
	1 1	5		2	1	4								1	29
															30
1								1							31
								2						1	32
					1	1	5	6	7	8	8	6	3	2	33
					1	1	2 3	5 1	3 4	3 5	5 3	4 2	2 1	1 1	34 35
															36
															37
															38
					1		2 2	2 1	1 2	2		1			39
						1		3	2	3	5	4	2	1	40
							1		2	3	3	1	1	1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

OREGON—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	494	15	4	8	4	3	34	17	15	30	50	47
2	Males	292	8	4	6	2	1	21	13	7	13	24	30
3	Females	202	7		2	2	2	13	4	8	17	26	17
4	1. Rheumatism	{ M. 16 F. 2				1		1	2		1	1	1
5	2. Scrofula and tabes	{ M. 13 F. 7	3		3		1	6	4	2			1
6	3. Leprosy	{ M. F.											
7	4. Consumption	{ M. 190 F. 249	4	3	1	1		8	5	4	12	22	29
8	5. Hydrocephalus	{ M. 5 F. 3	1	1	1	1		4					
9	6. Cancer	{ M. F.					1	1				1	1
10	7. Tumor	{ M. F.							1			1	
11	8. Anemia	{ M. F.											
12	9. Dropsy	{ M. F.			1	1		1	1	1			
13	10. Diabetes	{ M. F.							1			1	
14	11. Others of this group	{ M. F.											
15	12. Others of this class	{ M. F.											
16	II.—Diseases of the nervous system	212	35	15	7	3	7	67	10	9	10	4	4
17	Males	132	24	5	5	1	4	39	4	6	7	2	2
18	Females	80	11	10	2	2	3	28	6	3	3	2	2
19	1. Inflammation of the brain	{ M. 29 F. 17	9	2	3		2	16	2	1	3	1	
20	2. Apoplexy	{ M. 25 F. 7					1	1			1		1
21	3. Paralysis	{ M. 25 F. 13	1	1				2			1	1	1
22	4. Tetanus and trismus nascentium	{ M. F.	1	1				1					
23	5. Epilepsy	{ M. 4 F. 4	1	1				1		1			1
24	6. Convulsions	{ M. 13 F. 9	10	1	1		1	12					
25	7. Mental diseases	{ M. F.									1		
26	8. Diseases of the brain	{ M. 21 F. 13	2	1	1	1		5	1	1	1		
27	9. Diseases of the spinal cord	{ M. 9 F. 11		1		1	2	1	1	3	1		
28	10. Others of this class	{ M. F.	1								1		
29	III.—Diseases of the circulatory system	155	2	3				5	1	5	3	5	4
30	Males	97	1	1				2		3	1	2	3
31	Females	58	1	2				3	1	2	2	3	1
32	1. Angina pectoris	{ M. F.											
33	2. Aneurism	{ M. F.											
34	3. Diseases of the heart	{ M. 94 F. 53	1	1				2		3	1	2	3
35	4. Others of this class	{ M. F.	1	1				1					

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

OREGON—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
42	30	34	27	32	30	27	27	18	11	8	6			9	1
22	14	22	13	18	24	17	19	11	6	7	4			7	2
20	16	12	14	14	6	10	8	7	5	1	2			2	3
1		1		1		2	2	1			1			1	4
				1					1						5
							1							1	6
20	14	13	10	9	20	8	8	3	1		1			3	7
19	13	10	14	4	3	5	3	3	2		2			1	8
								1							9
		6	2	5	2		5	3	2	3	1			1	10
	1	1		7	2	3	2	3	1						11
1				1	1	1	1		1	1					12
		1			1					1					13
		2		1		4	3	2	2	3	1			1	14
1	2			2		1	1	1	1						15
			1	1	1	2	1							1	16
						1									17
															18
8	5	2	7	15	9	11	21	9	9	2	1			9	19
4	4	1	3	10	5	10	15	8	5		1			6	20
4	1	1	4	5	4	1	6	1	4	2				3	21
1				1		1		1							22
	1		2	5	1	4	1	5	1		1			1	23
1			2	1	1		1	1	2						24
			1		2	4	7	2	3					1	25
			1	1	1		3	1	2	2					26
															27
															28
				2											29
				1		1									30
							1								31
															32
															33
															34
7	6	14	17	16	9	17	19	9	12	2	1			3	35
4	4	7	8	12	6	10	15	7	9	2	1			1	36
3	2	7	9	4	3	7	4	2	3					2	37
						1			2						38
			1			1	1		1						39
															40
4	4	7	8	12	6	9	15	7	7	2	1			1	41
3	2	7	8	4	3	6	3	2	2					2	42

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

OREGON—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	13	3					3	2	4			2
2	Males	9	2					2	1	3			2
3	Females	4	1					1	1	1			
4	1. Diseases of the spine	{ M 5 F 4	2 1					2 1	1 1	2 1			
5	2. Diseases of the bones	{ M 2 F											1
6	3. Diseases of the hip joint	{ M 2 F								1			1
7	4. Others of this class	{ M F											
8	X.—Diseases of the skin	4								1			
9	Males	4								1			
10	Females												
11	1. Abscess	{ M 3 F								1			
12	2. Carbuncle	{ M 1 F											
13	3. Others of this class	{ M F											
14	XI.—Diseases of the absorbent system	4											
15	Males	4											
16	Females												
17	1. Addison's disease	{ M 2 F											
18	2. Diseases of the spleen	{ M 2 F											
19	3. Others of this class	{ M F											
20	XII.—Accidents and injuries	285	13	4	4	10	1	32	15	17	29	31	27
21	Males	223	8	2	3	8	1	22	10	13	22	24	25
22	Females	62	5	2	1	2		10	5	4	7	7	2
23	1. Burns and scalds	{ M 12 F 7	2	1	1	2		5 2	1		1	1	2
24	2. Drowned	{ M 52 F 16	2	2	1	3	1	9 3	3	4	7	5	9
25	3. Exposure and neglect	{ M 6 F 1	2					2 1			1		
26	4. Gunshot wounds	{ M 19 F 3							1 1	1	4	2	
27	5. Homicide	{ M 7 F 6							1			1	1
28	6. Infanticide	{ M F									1	2	
29	7. Injuries by machinery	{ M 3 F									1		1
30	8. Railroad accidents	{ M 24 F							1		2	8	4
31	9. Suffocation	{ M F 1	1	1				1					
32	10. Suicide by shooting	{ M 10 F 3									1	1	1
33	11. Suicide by drowning	{ M F 1											
34	12. Suicide by poison	{ M F 3								1		1	1
35	13. Other suicides	{ M 3 F 2								2		1	
36	14. Sunstroke	{ M F											
37	15. Surgical operations	{ M 5 F 3			1			1 1				1	
38	16. Wounds	{ M 5 F 1								2		1	1
39	17. Other accidents and injuries	{ M 78 F 16	2			3		5 2	4	4	5	5	7

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

OREGON—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
				1	1										1
				1	1										2
															3
				1											4
					1										5
															6
															7
					1		2								8
					1		2								9
					1		1								10
							1								11
							1								12
															13
	1	1			1					1					14
	1	1			1					1					15
															16
	1	1													17
					1					1					18
															19
21	27	12	13	12	9	14	4	8	4		1			9	20
13	23	11	10	12	9	9	2	7	2		1			8	21
8	4	1	3			5	2	1	2					1	22
		1	1		2	2									23
1			1												24
2	6	2	1	1				2						1	25
1			1			1					1				26
	3	3		1			2							1	27
	1						1								28
2		1		2										1	29
1		1													30
	1				2									2	31
															32
1			2	2	1										33
2					1										34
				1											35
															36
	1		1			1									37
2															38
	1														39
6	5	4	5	4	4	7		5	2					4	40
1	3					3	1	1	2						41

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

PENNSYLVANIA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
2,857	2,777	2,479	2,642	2,076	2,552	3,174	3,429	3,543	3,125	2,310	1,171	379	132	929	1
1,494 1,363	1,509 1,268	1,374 1,105	1,485 1,157	1,434 1,242	1,408 1,144	1,707 1,467	1,910 1,519	1,936 1,607	1,673 1,452	1,125 1,185	536 635	162 217	56 76	536 393	2 3
32	35	39	40	42	37	73	80	106	93	44	24	7	2	91	4
13 19	14 21	18 21	24 16	21 21	14 23	44 29	44 36	59 47	60 33	22 22	16 8	5 2	1 1	53 38	5 6
391	330	249	228	180	203	215	233	217	178	134	58	23	3	106	7
208 183	184 146	143 106	128 100	77 103	108 95	112 103	128 105	132 85	97 81	59 75	25 33	13 10	2 1	59 47	8 9
			2												10
1	2			1 1		1								1	11
2 5	1 2	1 2	1		1 1							1		3 1	12
7	6 2	1	2 1	2 5	3 1	1 1	1 1	2 2	1 1		1	1		4 3	13
	1 1	1		1					1		1			2 2	14
2 2	1 3	1	1		2	2	2 1		2						15
1 1	2	2 3	1 1	1 2	2 1	1	1 1	1	1						16
156 97	121 66	87 49	47 47	34 41	34 31	28 12	27 21	13 9	11 3	7 2	3 2	1 1	1	11 11	17
14 28	28 31	25 33	42 25	26 34	37 34	48 65	68 55	76 51	43 51	27 46	13 24	6 5	1	14 17	18
														15 7	19
11 11	9 9	11 4	11 10	2 3	10 5	12 5	7 8	7 5	8 7	5 1		1		2 2	20
3 7	3 5	6 2	4 4	3 9	7 5	5 7	6 6	5 5	3 4	4 6				1 1	21
10 20	8 18	6 8	9 9	3 3	5 11	9 6	7 6	8 8	7 4	4 3	3			3 2	22
4 2	5 4	3 2	4 2	3 1	2 2	1	2		1	1				1 1	23
5 2	1 1		4 1	1 4	5 3	6 5	7 5	20 5	21 10	11 15	6 6	3 4	1	2 1	24
34	41	31	31	31	25	31	20	16	14	12	3		1	24	25
24 10	31 10	26 5	24 7	23 8	20 5	24 7	11 9	8 8	10 4	5 7	3		1	15 9	26 27
						1									28
16 4	23 4	24 3	23 4	18 6	12 2	15 3	7 2	3	4	1				2 1	29
2 1	2 1		1	1	3	1									30
5 1	4 4	2 1	2	4 1	4 1	4 2	2	1 1	1		2				31
1 3	2 1	1	1	1	1 2	3 2	2 7	4 7	5 4	4 5	3		1	11 8	32
19	7	23	18	37	48	100	129	323	480	585	428	187	75	54	33
6 13	4 3	9 14	6 12	16 21	23 25	40 60	68 61	150 173	208 272	261 324	182 246	69 118	23 47	29 25	34 35
															36
															37
														1	38
6 13	4 3	9 14	6 12	16 21	23 25	33 54	49 46	82 94	106 125	100 125	54 75	14 25	5 12	21 18	39
						7 6	19 15	68 79	102 147	161 199	128 171	55 93	23 35	7 7	40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

PENNSYLVANIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	11,793	382	159	80	42	54	717	154	198	667	1,120	1,098
2	Males.....	5,621	218	95	38	23	22	396	77	74	254	516	497
3	Females.....	6,172	164	64	42	19	32	321	77	124	413	604	601
4	1. Rheumatism.....	{ M.. 168 F.. 175	1		1	1	2	4 2	7 14	10 17	11 6	7 8	6 4
5	2. Scrofula and tubercles.....	{ M.. 149 F.. 114	46 29	11 11	1 11	4 2	1 4	63 57	7 4	7 4	7 5	7 7	13 5
6	3. Leprosy.....	{ M. F.											
7	4. Consumption.....	{ M.. 3,765 F.. 3,924	54 64	32 30	15 17	8 9	8 11	117 131	25 32	40 79	204 382	476 567	451 559
8	5. Hydrocephalus.....	{ M.. 192 F.. 127	88 58	41 18	14 10	7 5	5 12	155 103	15 15	2 2	5	4	3 1
9	6. Cancer.....	{ M.. 631 F.. 1,085	2 2		1 1		3 2	6 5	3 1		2 4	5 5	10 17
10	7. Tumor.....	{ M.. 93 F.. 117	6 1	3	2			11 1	4 1	2 2	6 3	3 3	5 4
11	8. Anæmia.....	{ M.. 33 F.. 38	4 3					4 3		1	1		2
12	9. Dropsy.....	{ M.. 412 F.. 485	7 5	3 2	1 2	2 2	1 1	14 12	11 6	4 11	11 7	7 8	4 6
13	10. Diabetes.....	{ M.. 158 F.. 87	1	3	1	2		7 2	4 2	9 4	7 4	6 2	3 5
14	11. Others of this group.....	{ M.. 26 F.. 20	9 2	2 2	2		2 1	15 5	1 1	2		1 2	
15	12. Others of this class.....	{ M. F.											
16	II.—Diseases of the nervous system.....	9,251	2,493	666	318	159	98	3,734	251	138	151	139	148
17	Males.....	5,067	1,470	351	177	87	58	2,143	135	68	77	78	81
18	Females.....	4,184	1,023	315	141	72	40	1,591	116	70	74	61	67
19	1. Inflammation of the brain.....	{ M.. 792 F.. 589	311 190	112 99	60 54	34 22	19 17	536 382	69 51	24 25	26 17	18 11	16 17
20	2. Apoplexy.....	{ M.. 992 F.. 888	21 10	6 3	4 3	1	2	32 18	6 4	3 2	7 6	7 6	11 8
21	3. Paralysis.....	{ M.. 837 F.. 865	11 7	10 3	4 1	2 1	1 1	28 13	2 2	4 4	4 5	10 5	6 10
22	4. Tetanus and trismus nascentium.....	{ M.. 48 F.. 26	19 16			3	1	22 17	4 1	4	3	2	1 1
23	5. Epilepsy.....	{ M.. 107 F.. 65	7 5	4 2	1	1	1	13 10	4 3	6 4	10 5	12 4	11 6
24	6. Convulsions.....	{ M.. 1,253 F.. 1,017	397 662	147 149	69 63	33 32	21 13	1,167 919	27 27	7 12	5 10	5 7	4 9
25	7. Mental diseases.....	{ M.. 94 F.. 64									1 1	3 5	1 5
26	8. Diseases of the brain.....	{ M.. 741 F.. 461	184 112	65 43	27 18	10 12	10 6	296 191	18 14	11 14	16 13	12 14	24 8
27	9. Diseases of the spinal cord.....	{ M.. 124 F.. 95	17 20	7 15	10 2	3 2	4	41 39	3 11	7 6	5 7	7 3	3
28	10. Others of this class.....	{ M.. 79 F.. 114	3 1	1	2		3	8 2	2 3	2 3	9	2 5	4 3
29	III.—Diseases of the circulatory system.....	4,963	499	30	15	15	16	575	83	94	136	143	145
30	Males.....	2,643	274	16	10	9	14	323	37	40	64	66	59
31	Females.....	2,320	225	14	5	6	2	252	46	54	72	77	86
32	1. Angina pectoris.....	{ M.. 95 F.. 58							1	1	1	1	3
33	2. Aneurism.....	{ M.. 27 F.. 17									2		1 2
34	3. Diseases of the heart.....	{ M.. 2,333 F.. 2,110	114 104	14 11	10 4	8 6	14 2	160 127	37 45	38 52	61 71	65 76	58 81
35	4. Others of this class.....	{ M.. 188 F.. 135	160 121	2 3	1			163 125		1 2		1	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

PENNSYLVANIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
988	903	798	786	752	637	726	678	602	424	247	100	26	5	172	1
464 524	437 466	365 428	372 414	353 399	330 307	346 330	339 339	325 277	224 200	115 132	41 59	14 12	1 4	81 91	2 3
4 6	5 10	7 6	11 12	7 9	7 11	10 19	19 9	22 14	17 9	8 12	2 6	1		3 1	4
4 6	4 4	4 2	6 3	5 5	6 3	5 4	1 1	1 1	3 1	1				1 1	5
425 453	378 351	303 281	270 227	253 176	195 128	167 136	155 148	123 105	79 64	34 32	10 15	4	1 1	55 57	6 7
1	1 1	2			1 2		1							3	8
11 36	21 57	30 97	47 127	47 161	73 105	106 134	84 109	82 85	47 57	31 44	13 14	4 5		9 20	9
3 8	8 7	4 11	6 12	7 10	6 6	10 13	15 9	1 9	1 8	5 1	1	2		1 2	10
2 2	1 5	2 3	1 3	4 2	1 4	2 4	2 1	5 2	3 1	1	1	1		1 1	11
6 6	9 24	8 22	15 25	18 29	30 33	35 61	50 51	73 55	55 57	37 37	15 21	3 5	3	7 6	12
7 7	10 7	7 2	14 5	11 7	8 13	10 7	14 9	17 5	18 3	5	1			1 2	13
1		2		1	3 2	1 2	1	1 1	1		1	1		1	14
163	197	165	276	321	343	509	600	671	654	465	174	42	12	98	16
84 79	109 88	97 68	157 119	167 154	176 167	271 238	320 280	345 326	362 292	232 233	84 90	10 32	8 4	63 35	17 18
14 12	14 12	11 7	13 10	12 8	8 10	6 5	6 3	7 4	4 4	4 6	1			4 4	19
14 17	13 18	24 21	43 34	58 66	83 66	117 105	139 131	141 119	153 112	83 93	31 33	6 12	6 4	15 13	20
17 12	15 20	22 11	37 27	42 44	39 54	67 91	108 105	124 144	149 140	107 108	41 47	4 19	2	9 4	21
1 2	4 1		1 1	1	2 1	1	1							1	22
6 7	9 6	8 3	5 2	1 3	2 1	6 1	6 4	5 5	1	1	1 1			2	23
3 6	2 1	3 3	2 5	2 3	1 1	2 2	2 2	3 1	2 1	1 1	1 1			14 6	24
6 1	8 5	7 4	12 6	7 5	4 4	7 5	10 5	10 5	9 9	5 2	1 1			3 1	25
17 13	38 17	19 12	35 22	32 15	26 21	50 18	36 20	42 27	29 15	23 16	8 3	1		9 7	26
4 4	4	1 3	7 6	7 3	7 4	9 3	5 1	6 3	4 2	1				3	27
2 5	2 8	2 4	2 6	5 7	4 5	6 8	7 9	9 18	11 9	7 7	1 3			3	28
149	187	197	298	328	311	415	526	522	419	238	100	13	4	80	29
78 71	94 93	114 83	159 139	175 153	160 151	219 196	298 228	289 233	233 186	129 109	47 53	9 4	2 2	48 32	30 31
1	3 3	7 2	4 2	12 3	10 8	16 8	15 8	11 6	6 8	4 4	1 1	1		3	32
1	4 2	1 3	7 1	4 2	2	1 1	3 1	1 1	1		1			2	33
77 69	87 88	106 80	148 135	156 147	147 143	200 186	276 219	274 225	225 175	121 105	45 50	8 4	2 2	42 30	34
1		1		3 1	1	2 1	4	3 1	2 2	4	1 1			3	35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

PENNSYLVANIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	11,594	2,022	1,131	659	407	288	4,507	607	183	321	390	354
2	Males	6,253	1,190	591	327	212	147	2,467	314	89	154	238	180
3	Females	5,341	832	540	332	195	141	2,040	293	94	167	152	174
4	1. Croup	{ M 752 F 632	{ 108 64	{ 153 117	{ 130 122	{ 103 90	{ 80 70	{ 574 463	{ 153 143	{ 12 8	{ 2 4	{ 2 1	{ 3
5	2. Laryngitis	{ M 41 F 56	{ 7 8	{ 5 7	{ 5 6	{ 9 6	{ 1 3	{ 27 30	{ 6 8	{ 3	{ 2	{ 1 2	{ 1
6	3. Bronchitis	{ M 735 F 744	{ 267 220	{ 97 83	{ 29 35	{ 15 13	{ 10 9	{ 418 360	{ 14 13	{ 5 11	{ 7 8	{ 13 9	{ 9 18
7	4. Pneumonia	{ M 3,542 F 2,993	{ 610 403	{ 294 287	{ 180 139	{ 74 81	{ 48 49	{ 1,156 950	{ 106 105	{ 57 58	{ 114 123	{ 181 121	{ 145 112
8	5. Pleurisy	{ M 93 F 62	{ 2 2	{ 1 1	{ 1 2			{ 4 5	{ 1 3		{ 5 4	{ 6 1	{ 4 7
9	6. Asthma	{ M 212 F 90	{ 2 1	{ 2	{ 1		{ 2	{ 5 3	{ 1	{ 2	{ 2	{ 1	{ 1
10	7. Others of this class	{ M 878 F 764	{ 194 124	{ 41 43	{ 31 28	{ 11 5	{ 6 10	{ 283 220	{ 33 21	{ 13 13	{ 24 26	{ 34 17	{ 22 34
11	V.—Diseases of the digestive system	3,017	559	143	50	25	22	799	79	50	75	109	124
12	Males	1,622	335	73	30	12	17	467	41	26	31	47	51
13	Females	1,395	224	70	20	13	5	332	38	24	44	62	73
14	1. Dentition	{ M 113 F 84	{ 69 42	{ 37 39	{ 6	{ 1	{ 1	{ 113 84					
15	2. Angina	{ M 45 F 27	{ 9 2	{ 5	{ 3 2	{ 4 2	{ 2 1	{ 23 7	{ 8 4	{ 5 3	{ 1 6	{ 2	{ 1
16	3. Diseases of the stomach	{ M 321 F 293	{ 48 33	{ 10 12	{ 8 5	{ 1 2	{ 4	{ 71 52	{ 11 11	{ 3 3	{ 3 11	{ 6 17	{ 10 17
17	4. Obstruction of the bowels	{ M 115 F 99	{ 24 14	{ 2	{ 1 1	{ 1 2	{ 1	{ 29 17	{ 6 5	{ 5 1	{ 5 3	{ 7 1	{ 6 4
18	5. Hernia	{ M 87 F 67	{ 12 3	{ 1	{ 1			{ 14 3	{ 1	{ 1	{ 2	{ 4	{ 3 2
19	6. Other diseases of the bowels	{ M 77 F 53	{ 23 15	{ 2	{ 4 1			{ 29 16	{ 1	{ 1	{ 2 2	{ 2 4	{ 2 4
20	7. Jaundice	{ M 77 F 50	{ 39 22	{ 2 2	{ 1	{ 1		{ 43 24	{ 1		{ 1		{ 2
21	8. Inflammation and abscess of the liver	{ M 94 F 60	{ 5 2	{ 1	{ 3 1	{ 1 1		{ 9 4	{ 4 1	{ 2	{ 3	{ 5 2	{ 3
22	9. Other diseases of the liver	{ M 305 F 191	{ 16 11	{ 1 3	{ 1 3	{ 1 1	{ 1 1	{ 19 19			{ 4 2	{ 1 4	{ 8 5
23	10. Peritonitis	{ M 152 F 264	{ 5 6	{ 4 3		{ 1 2	{ 6 3	{ 16 14	{ 3 7	{ 11 11	{ 11 14	{ 16 27	{ 12 36
24	11. Ascites	{ M 22 F 21	{ 2		{ 1			{ 2 1		{ 1	{ 1		{ 1
25	12. Others of this class	{ M 214 F 186	{ 83 74	{ 8 11	{ 2 4	{ 4 2	{ 2	{ 99 91	{ 6 5	{ 4 2	{ 2 2	{ 6 5	{ 5 3
26	VI.—Diseases of the urinary system and male organs of generation.	2,092	27	15	14	6	9	71	30	21	42	58	90
27	Males	1,335	14	10	9	4	3	40	19	10	23	29	40
28	Females	757	13	5	5	2	6	31	11	11	19	29	50
29	1. Bright's disease	{ M 630 F 418							{ 9 5	{ 8 8	{ 11 17	{ 13 15	{ 24 23
30	2. Calculus, urinary	{ M 44 F 4		{ 1				{ 1					
31	3. Diseases of the kidney	{ M 412 F 249	{ 10 9	{ 9 4	{ 9 5	{ 4 2	{ 3 3	{ 35 25	{ 8 6	{ 2 3	{ 11 1	{ 12 11	{ 13 22
32	4. Diseases of the bladder	{ M 116 F 27	{ 1 2					{ 1 2				{ 1 1	{ 1 1
33	5. Others of this class	{ M 133 F 59	{ 3 2	{ 1			{ 1	{ 3 4	{ 2		{ 1 1	{ 3 2	{ 2 4
34	VII.—Diseases of the female organs of generation.	172								2	10	11	23
35	1. Ovarian tumors	F 37									1	1	5
36	2. Ovarian diseases	F 11								1	1	1	1
37	3. Uterine tumors	F 33									1	1	1
38	4. Uterine diseases	F 34								1	2	4	8
39	5. Others of this class	F 57								7	4	4	2
40	VIII.—Affections connected with pregnancy.	604								1	34	130	147
41	1. Abortion	F 35									1	9	12
42	2. Childbirth	F 294									15	52	64
43	3. Puerperal septicæmia	F 177								1	13	46	45
44	4. Extra-uterine pregnancy	F 3									1	1	1
45	5. Others of this class	F 95									5	22	25

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

PENNSYLVANIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	207	31	17	10	2	5	65	23	14	13	4	11
2	Males	129	23	10	7	2	2	44	13	9	9	3	5
3	Females	78	8	7	3	3	3	21	10	5	4	1	6
4	1. Diseases of the spine	{ M. 98 F. 68	{ 19 7	{ 10 7	{ 6 3	{ 1 3	{ 2 2	{ 38 19	{ 13 9	{ 7 5	{ 5 3	{ 2 1	{ 3 5
5	2. Diseases of the bones	{ M. 13 F. 1	{ 2 	{ 	{ 1 	{ 1 	{ 	{ 4 	{ 1	{ 	{ 1 	{ 	{
6	3. Diseases of the hip joint	{ M. 10 F. 4	{ 1 1	{ 	{ 	{ 	{ 1	{ 1 2	{ 	{ 2 1	{ 2 	{ 1 	{ 1 1
7	4. Others of this class	{ M. 8 F. 5	{ 1 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 	{ 1 	{ 	{ 1
8	X.—Diseases of the skin	170	30	8	5	4		47	5	3	6	6	5
9	Males	96	16	3	3	2		24	3	2	3	2	2
10	Females	74	14	5	2	2		23	2	1	3	4	3
11	1. Abscess	{ M. 55 F. 42	{ 5 2	{ 3 4	{ 2 1	{ 2 1	{ 	{ 10 8	{ 2 	{ 2 1	{ 2 2	{ 1 4	{ 2 3
12	2. Carbuncle	{ M. 17 F. 5	{ 3 2	{ 	{ 	{ 	{ 	{ 3 2	{ 	{ 	{ 1 	{ 	{
13	3. Others of this class	{ M. 24 F. 27	{ 8 10	{ 1	{ 1 1	{ 2 1	{ 	{ 11 13	{ 1 2	{ 	{ 1 	{ 1 	{
14	XI.—Diseases of the absorbent system	45	4	3	2	1	1	11	1		3		1
15	Males	27	3	1		1		5	1		2		
16	Females	18	1	2	2		1	6			1		1
17	1. Addison's disease	{ M. 8 F. 3	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 	{
18	2. Diseases of the spleen	{ M. 8 F. 7	{ 	{ 	{ 2 	{ 1 	{ 1	{ 1 3	{ 	{ 	{ 1 	{ 	{ 1
19	3. Others of this class	{ M. 11 F. 8	{ 3 1	{ 1 2	{ 	{ 	{ 	{ 4 3	{ 1 	{ 	{ 1 	{ 	{
20	XII.—Accidents and injuries	4,195	253	84	74	53	64	528	186	215	236	426	420
21	Males	3,347	156	56	47	30	34	323	117	179	253	376	375
22	Females	848	97	28	27	23	30	205	69	36	43	50	45
23	1. Burns and scalds	{ M. 150 F. 183	{ 4 4	{ 24 7	{ 14 17	{ 9 16	{ 11 19	{ 62 63	{ 14 36	{ 6 9	{ 9 7	{ 12 10	{ 11 4
24	2. Drowned	{ M. 328 F. 58	{ 8 1	{ 7 5	{ 11 3	{ 6 2	{ 7 3	{ 39 14	{ 39 7	{ 47 8	{ 19 4	{ 28 4	{ 27 6
25	3. Exposure and neglect	{ M. 22 F. 23	{ 14 11	{ 1 	{ 1	{ 	{ 1	{ 16 12	{ 2	{ 	{ 	{ 1 	{ 1
26	4. Gunshot wounds	{ M. 79 F. 11	{ 1 	{ 1 	{ 1 	{ 1 	{ 1 	{ 5 	{ 3 2	{ 2 	{ 21 1	{ 10 2	{ 10
27	5. Homicide	{ M. 56 F. 17	{ 1 1	{ 	{ 	{ 	{ 	{ 1 1	{ 1	{ 1 	{ 3 1	{ 10 	{ 7 3
28	6. Infanticide	{ M. 1 F. 1	{ 1 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 	{ 	{ 	{
29	7. Injuries by machinery	{ M. 34 F. 1	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 6 	{ 3 	{ 8
30	8. Railroad accidents	{ M. 754 F. 33	{ 1 	{ 1 3	{ 1 1	{ 2 	{ 1 3	{ 6 7	{ 14 2	{ 35 3	{ 68 7	{ 144 4	{ 111 5
31	9. Suffocation	{ M. 110 F. 81	{ 59 51	{ 6 5	{ 1 2	{ 3 1	{ 1 	{ 70 59	{ 2 1	{ 1 2	{ 2 3	{ 9 1	{ 4 1
32	10. Suicide by shooting	{ M. 66 F. 2	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 6 	{ 10
33	11. Suicide by drowning	{ M. 12 F. 9	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 2 1	{ 2 	{ 1
34	12. Suicide by poison	{ M. 32 F. 23	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 2 4	{ 9 	{ 4 5
35	13. Other suicides	{ M. 124 F. 27	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 3	{ 3 3	{ 7 1	{ 10 3
36	14. Sunstroke	{ M. 22 F. 5	{ 1 	{ 1 1	{ 	{ 	{ 	{ 2 1	{ 1 	{ 1	{ 1 	{ 1 	{ 2 1
37	15. Surgical operations	{ M. 34 F. 30	{ 4 1	{ 	{ 	{ 	{ 	{ 4 1	{ 2 1	{ 1 	{ 2 2	{ 3	{ 4 3
38	16. Wounds	{ M. 74 F. 17	{ 2 	{ 3 	{ 1 	{ 	{ 2 1	{ 8 1	{ 5 1	{ 11 1	{ 8 	{ 6 	{ 5 3
39	17. Other accidents and injuries	{ M. 1,449 F. 308	{ 60 28	{ 12 7	{ 18 3	{ 9 4	{ 10 4	{ 109 46	{ 37 16	{ 74 11	{ 106 10	{ 137 16	{ 161 10

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

PENNSYLVANIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
10	8	3	10	7	7	4	11	7	4	1	1		1	3	1
7	4	3	5	3	6	3	6	2	2	1	1		1	3	2
3	4		5	4	1	1	5	5	2					3	3
3	3	2	4	3	4	1	5	1	2					2	4
2	4		5	3	1		4	4	2					1	5
1	1	1			1	1	1				1			1	6
2						1									7
1			1		1			1		1					8
1				1		1	1	1							9
18	6	10	10	11	11	11	3	7	6	4	2	1		3	10
10	4	3	7	8	6	6	2	4	3	2	2			3	11
3	2	7	3	3	5	5	1	3	3	2		1		10	12
7	3	2	6	3	2	5	1	3	1		1			2	13
3	2	5	2	2	2	2	1	2	3					1	14
1			1	5	4		1			1					15
1				1		1									16
2	1	1				1		1	2	1	1			1	17
		1	1			3		1		2		1			18
3	4	4	2	5	5	2		1	2					1	19
2	3	3		4	3			1	2					1	20
1	1	1	2	1	2	2									21
	2	1		2	2									1	22
			1	1		1									23
1	1	2		1					1						24
1			1		1										25
1				1	1	1		1	1						26
	1	1	1		1	1									27
320	297	272	227	204	156	137	124	89	77	69	32	11	5	104	28
272	267	234	200	178	127	107	102	58	38	34	15	6	4	82	29
48	30	38	27	26	29	30	22	31	39	35	17	5	1	22	30
6	5	7	2	5	2	2	1	1	1	1	1			2	31
9	7	5	3	6	2	4	2	5	3	6				2	32
25	15	18	18	10	10	5	10	4		2				12	33
4	2	4	2	1	1			1						1	34
						1			1	1	1				35
		1	1			2									36
9	2	3	2	5	3			1						1	37
1		1		1	1		2	1		1					38
4	5	7				2									39
2															40
4	4	2	3	3	1	2		1						1	41
5	5	7		1		1			1						42
6	4	3	2	6	3	2	1	1	1		1			1	43
1		1	1				1	1		2	2			1	44
130	141	100	89	36	54	48	48	31	23	20	9	5	3	38	45
17	9	8	13	9	12	14	16	21	30	20	14	4	1	11	46

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	1,395	75	27	13	8	4	127	33	27	98	159	189
2	Males.....	660	42	10	7	5	2	67	12	10	30	81	79
3	Females.....	735	32	17	6	3	2	60	21	17	68	78	60
4	1. Rheumatism.....	{ M 28 F 27							1 1	2 1		4 1	
5	2. Scrofula and tubercles.....	{ M 11 F 18	5 6	1 2		1 1		6 10	1 1			1 3	
6	3. Leprosy.....	{ M F											
7	4. Consumption.....	{ M 463 F 458	13 13	4 4		1 3		18 21	1 7	5 12	27 63	76 74	77 58
8	5. Hydrocephalus.....	{ M 37 F 34	16 9	5 9	2 2	3 1	2 2	28 23	8 10		1		
9	6. Cancer.....	{ M 62 F 131	1					1 1			1		1
10	7. Tumor.....	{ M 11 F 14	2			1		3			1		1
11	8. Anæmia.....	{ M 10 F 9	3 2					3 2		1			1
12	9. Dropsy.....	{ M 11 F 27	1		1			1 1		1 1	1		1
13	10. Diabetes.....	{ M 18 F 14			1			1		1	1		1
14	11. Others of this group.....	{ M 9 F 3	3 1		3			6 2	1	1			
15	12. Others of this class.....	{ M F											
16	II.—Diseases of the nervous system.....	828	159	68	26	20	15	288	33	5	11	13	17
17	Males.....	423	88	31	10	15	12	156	15	1	5	8	9
18	Females.....	405	71	37	16	5	3	132	18	4	6	5	8
19	1. Inflammation of the brain.....	{ M 80 F 66	21 14	11 14	1 5	11 2	9 1	53 36	8 13		2 3	2 1	2 2
20	2. Apoplexy.....	{ M 106 F 102	1					1			1	1	2
21	3. Paralysis.....	{ M 47 F 68	1 1		1			1 2					1 2
22	4. Tetanus and trismus nascentium.....	{ M 4 F 1	2					2		1			
23	5. Epilepsy.....	{ M 9 F 10		1 1		1		1 2			1 2		1
24	6. Convulsions.....	{ M 90 F 82	54 48	17 17	9 7	3 3	2 1	85 76	4 3	1	1	1	
25	7. Mental diseases.....	{ M 27 F 20										2 2	2 3
26	8. Diseases of the brain.....	{ M 46 F 39	8 6	1 5		1 2	1 1	11 14	2 2	1		2	1
27	9. Diseases of the spinal cord.....	{ M 10 F 8	2 1	1				3 1	1		1		
28	10. Others of this class.....	{ M 4 F 9											1
29	III.—Diseases of the circulatory system.....	496	28	2	1			31	3	7	11	9	10
30	Males.....	250	16	2				18	3	5	6	2	4
31	Females.....	246	12		1			13		2	5	7	6
32	1. Angina pectoris.....	{ M 10 F 8											
33	2. Aneurism.....	{ M 6 F 4									1		
34	3. Diseases of the heart.....	{ M 230 F 225	13 7	2		1		15 8	3	5 2	6 4	2 7	4 5
35	4. Others of this class.....	{ M 4 F 9	3 5					3 5					1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

RHODE ISLAND—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
136	121	89	73	95	64	61	56	48	35	19	8	2		5	1
69	59	41	40	35	32	24	24	27	18	7	2			3	2
67	62	48	33	60	32	37	32	21	17	12	6	2		2	3
2	4	3	3	1	2	1		2	1	2					4
2		2	2	1	2	5	3	2		1	4				
	1	1						1							5
1								1							6
															7
65	51	30	30	21	18	15	11	9	5		1			3	7
61	49	26	15	18	14	13	9	8	4	4	2				8
															9
1	1	3	7	9	7	5	9	8	6	3	1				9
2	11	14	14	32	12	14	10	6	8	4		1		1	10
1		3		1	2	1	1	2	1	1					11
	1	1	1	1	3	2			1						12
	1	1		2	1	2	2	2	1	2					13
1		1		4	2	2	5	2	3	2					14
	1	4	1	2	1	1	3	2	3	1		1			15
		1		3				1							16
19	19	17	29	42	40	44	63	62	65	35	19	5		2	17
10	13	9	10	20	23	25	29	35	27	19	7	1		1	18
9	6	8	19	22	17	19	34	27	38	16	12	4		1	19
3	2	1	1	2	1			2		1				1	20
2		1	1	1	2			1		1					21
2	3	4	4	10	10	16	13	16	13	9	1	1		1	22
1	2	2	6	9	9	9	23	13	14	7	6	1			23
2	2	3		1	5	1	7	8	7	3	5	1			24
1		2	8	3	3	4	7	9	12	8	5	2			25
						1			1						26
1	2			1	1	1			1						27
1									1						28
1	1								1						29
	1								1						30
1	1								1						31
1	1								1						32
1	1								1						33
1	1								1						34
1	1								1						35
3	9	13	13	19	18	11	26	27	34	16	6				36
8	7	12	15	14	22	26	17	28	25	19	6				37
1					1		1			1					38

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	14							4	2	1		1
2	Males.....	8							4				
3	Females.....	6								2	1		1
4	1. Diseases of the spine..... { M. 6								4				
	{ F. 3									1	1		
5	2. Diseases of the bones..... { M. 2												1
	{ F. 1												
6	3. Diseases of the hip joint..... { M. 1									1			
	{ F. 1												
7	4. Others of this class..... { M. 1												
	{ F. 1												
8	X.—Diseases of the skin.....	23	4		1	1		6	1			2	2
9	Males.....	13	1		1	1		3				1	1
10	Females.....	10	3					3	1			1	1
11	1. Abscess..... { M. 3											1	1
	{ F. 6		1					1	1			1	1
12	2. Carbuncle..... { M. 2												
	{ F. 2												
13	3. Others of this class..... { M. 8		1		1	1		3					
	{ F. 4		2					2					
14	XI. Diseases of the absorbent system.....	2	2					2					
15	Males.....	1	1					1					
16	Females.....	1	1					1					
17	1. Addison's disease..... { M. 1												
	{ F. 1												
18	2. Diseases of the spleen..... { M. 1												
	{ F. 1												
19	3. Others of this class..... { M. 1		1					1					
	{ F. 1		1					1					
20	XII.—Accidents and injuries.....	282	20	6	10		5	41	15	4	16	20	19
21	Males.....	214	11	2	8		4	25	13	3	14	17	17
22	Females.....	68	9	4	2		1	16	2	1	2	3	2
23	1. Burns and scalds..... { M. 8				2		1	3					1
	{ F. 3								1				
24	2. Drowned..... { M. 50			1	2		2	5	6		8	3	3
	{ F. 6				1		1	2		1		1	
25	3. Exposure and neglect..... { M. 3												1
	{ F. 2		2					2					
26	4. Gunshot wounds..... { M. 3										1		
	{ F. 3												
27	5. Homicide..... { M. 3												
	{ F. 3												
28	6. Infanticide..... { M. 1												
	{ F. 1												
29	7. Injuries by machinery..... { M. 1								1				
	{ F. 1												
30	8. Railroad accidents..... { M. 26								2	1		4	3
	{ F. 4											1	1
31	9. Suffocation..... { M. 6		2	1	1			4					
	{ F. 5		4					4					
32	10. Suicide by shooting..... { M. 6										1		
	{ F. 1												
33	11. Suicide by drowning..... { M. 5											1	1
	{ F. 1												
34	12. Suicide by poison..... { M. 2												
	{ F. 2												
35	13. Other suicides..... { M. 10										2		1
	{ F. 2												
36	14. Sunstroke..... { M. 3						1	1					
	{ F. 3												
37	15. Surgical operations..... { M. 2											1	
	{ F. 2												
38	16. Wounds..... { M. 12				1			1				1	2
	{ F. 5							1					1
39	17. Other accidents and injuries..... { M. 74		9		2			11	4	2	2	8	5
	{ F. 36		3	3	1			7	1		2		

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

RHODE ISLAND—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
		2		1			1	1	1						1
		2		1			1	1	1						2
		1		1					1						3
		1						1							4
															5
								1							6
															7
		2	2		1	2	1	1			3				8
		1	1		1	2		1			2				9
		1	1				1				1				10
			1	1											11
						1					1				12
		1			1	1		1			1				13
							1				1				14
															15
															16
															17
															18
															19
22	16	18	17	16	12	13	17	10	8	8	5		1	4	20
16	13	15	14	14	9	12	11	8	5	4	1			3	21
6	3	3	3	2	3	1	6	2	3	4	4		1	1	22
2					1		1								23
1	3	2	2	2	3	4	3	2			1			2	24
	1						1								25
				1				1							26
1		1		1											27
															28
															29
2		2	5	2	1		1	1	1						30
2					2										31
	1														32
	1	1		1					1	1					33
			1					1	1						34
2		1				1									35
1		1			1	3								1	36
1				1											37
1									1						38
2	1	1	1	1	1	1									39
5	6	3	8	3	2	3	4	4	1	3					40
2	1	1	2	1	1		4	2	3	4	4		1		41

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH CAROLINA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
632	627	635	479	530	348	547	499	508	382	262	146	60	59	199	1
288	287	281	226	270	199	301	267	288	187	136	64	39	23	93	2
349	340	354	253	260	149	246	232	220	195	126	82	41	36	106	3
21	28	26	26	32	15	25	27	27	18	10	12	6	3	47	4
6	11	14	16	9	10	14	13	15	8	4	4	2	1	16	5
15	17	12	10	23	5	11	14	12	10	6	8	4	2	31	6
126	90	99	70	65	57	69	71	78	58	30	24	12	6	42	7
61	47	49	36	29	28	39	40	48	23	17	10	6	1	16	8
65	43	50	34	36	29	30	31	30	35	13	14	6	5	26	9
															10
1		1	1	1											11
4			2	1						1		1			12
1															13
		1	1		1				1						14
						1									15
3	4			3	1	2	4	1	1	1	1	1	1		16
5	2	3	2	2	3		2	1	4	1	1				17
1			1		1		1								18
21	18	13	11	8	4	6	6	7	5	1	1			5	19
23	19	13	9	9	2	4	4	2	2					4	20
15	7	20	8	11	7	16	16	24	8	8	5	3		6	21
11	6	15	10	10	12	8	20	20	17	9	9	5	3	7	22
															23
14	15	9	10	10	12	10	10	8	6	2	1		2	3	24
16	12	13	10	11	9	13	8	7	5		2			9	25
1		1			2	1		1		1	1				26
		1		1	1	1			3	1	1		1		27
1	1	1	1	1	1	2	1	1		1					28
3	3	4	2			1	1	2	2						29
2	2	1				1			1						30
1	1	1	1	1	1	1	1	4	1	3	1	2			31
3			1	1		1			2		1				32
12	2	8	7	5	1	2	5	2	1	2	1			2	33
11	2	6	5	4			3	1	1	1				2	34
1		2	2	1	1	2	2	1		1	1				35
															36
															37
															38
								1							39
2		2		3	2	6	4	8	9	8	3			2	40
2	2	2		3		3	5	8	12	6	7	1	2	1	
						1	3	9	16	24	11	9	10		
						1	5	13	21	36	18	16	13	1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH CAROLINA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	3,094	69	76	47	42	22	256	103	144	276	411	311
2	Males.....	1,351	32	41	25	26	8	132	47	56	119	169	132
3	Females.....	1,743	37	35	22	16	14	124	56	88	157	242	179
4	1. Rheumatism.....	{ M. 47 F. 37		1			1	2 1	2 2	1 1	3 1	4 .1	1 2
5	2. Scrofula and tubercles.....	{ M. 69 F. 71	10 9	12 10	6 2	1 1	2 3	31 25	2 9	3 4	9 6	1 5	4 5
6	3. Leprosy.....	{ M. 1 F. 1											
7	4. Consumption.....	{ M. 906 F. 1,206	15 17	13 15	6 12	5 6	2 7	41 57	23 31	39 65	87 135	153 214	119 154
8	5. Hydrocephalus.....	{ M. 19 F. 10	4 5	5	2 1	1		12 6		1 2	1		1
9	6. Cancer.....	{ M. 50 F. 121		1				1	2			1 3	2 2
10	7. Tumor.....	{ M. 18 F. 24	2 1		1			3 2		1	4 1	1 1	1 2
11	8. Anæmia.....	{ M. 5 F. 8		1 1				1 2	1	1	1		2
12	9. Dropsy.....	{ M. 224 F. 252		7 7	9 6	19 7	3 2	38 25	18 13	10 14	13 13	8 16	4 11
13	10. Diabetes.....	{ M. 10 F. 3	1					1		2	1	1	1
14	11. Others of this group.....	{ M. 3 F. 10		2 1	1 1		1	3 5					
15	12. Others of this class.....	{ M. 1 F. 1											
16	II.—Diseases of the nervous system.....	1,229	317	56	37	23	16	449	60	44	50	33	32
17	Males.....	642	169	25	20	8	10	232	24	22	29	18	21
18	Females.....	587	148	31	17	15	6	217	36	22	21	15	11
19	1. Inflammation of the brain.....	{ M. 95 F. 83	17 17	8 10	8 3	5 5	5 1	43 36	9 13	9 9	12 8	5 5	1 3
20	2. Apoplexy.....	{ M. 77 F. 62	2	1				2 1	1 1		1 1	1 1	1 2
21	3. Paralysis.....	{ M. 126 F. 126	2 2	1 1		1	1	4 5	1 1	3 2	1		4
22	4. Tetanus and trismus nascentium.....	{ M. 63 F. 51	60 46		1	1		60 48		1			
23	5. Epilepsy.....	{ M. 28 F. 20	2 1	2				4 1	2 1		4 5	3 2	1 1
24	6. Convulsions.....	{ M. 109 F. 127	73 67	9 16	9 9	1 7	1 2	93 101	2 8	2 4	3 5	3 1	3 3
25	7. Mental diseases.....	{ M. 33 F. 23								1		2 1	5 3
26	8. Diseases of the brain.....	{ M. 83 F. 72	13 13	3 2	3 3	2	2 3	23 21	8 8	3 5	7 3	3 4	6 1
27	9. Diseases of the spinal cord.....	{ M. 13 F. 7		1 1		1		1 4		3	1	1	
28	10. Others of this class.....	{ M. 15 F. 16		1			1	2	1	1		1	1
29	III.—Diseases of the circulatory system.....	679	18	5	5	4	4	36	10	9	23	32	24
30	Males.....	311	8	3	1		2	14	5	4	8	17	3
31	Females.....	368	10	2	4	4	2	22	5	5	15	15	21
32	1. Angina pectoris.....	{ M. 4 F. 3											
33	2. Aneurism.....	{ M. 3 F. 2											
34	3. Diseases of the heart.....	{ M. 303 F. 357	7 6	3 1	1 3		2	13 16	5 5	4 5	8 15	17 15	3 21
35	4. Others of this class.....	{ M. 1 F. 6	1 4	1 1				1 6					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH CAROLINA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system.....	2,025	407	190	100	53	31	781	104	67	112	134	75
2	Males.....	1,120	218	106	58	29	23	434	49	33	62	77	41
3	Females.....	905	189	84	42	24	8	347	55	34	50	57	34
4	1. Croup.....	{ M. 109 F. 61	{ 44 30	{ 24 16	{ 19 6	{ 7 2	{ 6 3	{ 100 57	{ 7 4	{ 1			
5	2. Laryngitis.....	{ M. 2 F. 2	{ 1 1					{ 1 2					
6	3. Bronchitis.....	{ M. 103 F. 102	{ 39 26	{ 13 14	{ 10 5	{ 1	{ 2	{ 63 48	{ 1 4	{ 1 5	{ 2 3	{ 1 3	{ 3 2
7	4. Pneumonia.....	{ M. 631 F. 533	{ 70 86	{ 43 37	{ 19 25	{ 14 17	{ 12	{ 158 165	{ 30 37	{ 26 22	{ 53 41	{ 61 43	{ 35 23
8	5. Pleurisy.....	{ M. 54 F. 29	{ 1 1	{ 1	{ 1	{ 1		{ 3 1	{ 2 1	{ 3	{ 3	{ 4 1	{ 1
9	6. Asthma.....	{ M. 22 F. 15	{ 1 1	{ 1	{ 2			{ 1 4					{ 1
10	7. Others of this class.....	{ M. 199 F. 163	{ 64 45	{ 23 15	{ 10 3	{ 7 4	{ 4 3	{ 108 70	{ 9 9	{ 2 7	{ 7 3	{ 11 10	{ 2 8
11	V.—Diseases of the digestive system.....	832	202	171	64	22	5	464	30	17	10	25	21
12	Males.....	450	127	88	27	12	2	256	13	8	14	15	3
13	Females.....	382	75	83	37	10	3	208	17	9	5	10	18
14	1. Dentition.....	{ M. 119 F. 93	{ 46 22	{ 60 57	{ 11 13	{ 2 1		{ 119 93					
15	2. Angina.....	{ M. 9 F. 22	{ 2 4	{ 5	{ 3 5	{ 1		{ 5 15	{ 1 3	{ 2 1			{ 2
16	3. Diseases of the stomach.....	{ M. 42 F. 48	{ 10 5	{ 4	{ 2 1	{ 3 1	{ 1 1	{ 20 8	{ 2 3	{ 2 1	{ 2	{ 3	{ 5
17	4. Obstruction of the bowels.....	{ M. 9 F. 9	{ 3	{ 2	{ 1			{ 5 3	{ 1	{ 1			{ 1
18	5. Hernia.....	{ M. 18 F. 2	{ 2 1	{ 1				{ 3 1		{ 1			{ 1
19	6. Other diseases of the bowels.....	{ M. 48 F. 34	{ 13 10	{ 9 6	{ 4 6	{ 2	{ 2	{ 23 25	{ 3 3	{ 2	{ 2	{ 2	{ 1
20	7. Jaundice.....	{ M. 13 F. 16	{ 8 5	{ 1 1		{ 1 2		{ 10 8	{ 1		{ 1	{ 1	{ 1
21	8. Inflammation and abscess of the liver.....	{ M. 33 F. 14	{ 2 2	{ 1 1				{ 3 3			{ 2 2	{ 1 2	{ 1 1
22	9. Other diseases of the liver.....	{ M. 36 F. 28	{ 3 1	{ 3 1	{ 1 1	{ 1		{ 8 3			{ 3	{ 2 1	{ 1
23	10. Peritonitis.....	{ M. 10 F. 16							{ 2 2	{ 1		{ 2 3	{ 2
24	11. Ascites.....	{ M. 24 F. 11					{ 1	{ 1		{ 1	{ 1	{ 3	{ 2
25	12. Others of this class.....	{ M. 89 F. 89	{ 33 25	{ 7 10	{ 6 10	{ 3 3	{ 1	{ 54 49	{ 4 5	{ 1 3	{ 3 2	{ 5	{ 3
26	VI.—Diseases of the urinary system and male organs of generation.....	237	6	3	3		3	15	1	7	10	18	8
27	Males.....	162	5	1	3		3	12		2	4	10	4
28	Females.....	75	1	2				3	1	5	6	8	4
29	1. Bright's disease.....	{ M. 66 F. 35								{ 3	{ 2 2	{ 2 5	{ 3 1
30	2. Calculus, urinary.....	{ M. 19 F. 1	{ 2				{ 1	{ 3				{ 1	
31	3. Diseases of the kidney.....	{ M. 37 F. 28		{ 1 1	{ 3		{ 2	{ 6 1	{ 1	{ 1 1	{ 1 4	{ 5 3	{ 1 3
32	4. Diseases of the bladder.....	{ M. 19 F. 6	{ 1					{ 1		{ 1			
33	5. Others of this class.....	{ M. 21 F. 5	{ 2 1	{ 1				{ 2 2		{ 1		{ 2	
34	VII.—Diseases of the female organs of generation.....	55								1	5	7	5
35	1. Ovarian tumors.....	F. 4								1			1
36	2. Ovarian diseases.....	F. 5											
37	3. Uterine tumors.....	F. 5											
38	4. Uterine diseases.....	F. 25									2	7	2
39	5. Others of this class.....	F. 16									3		2
40	VIII.—Affections connected with pregnancy.....	278								1	41	69	50
41	1. Abortion.....	F. 19									1	4	2
42	2. Childbirth.....	F. 161									22	39	30
43	3. Puerperal septicæmia.....	F. 71									9	18	13
44	4. Extra-uterine pregnancy.....	F. 1											
45	5. Others of this class.....	F. 27								1	9	8	5

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH CAROLINA—Continued.

CAUSE OF DEATH		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	42	1	3	2	3		9	4	3	2	1	6
2	Males.....	22		2	2	2		6	1		1	1	3
3	Females.....	20	1	1		1		3	3	3	1		3
4	1. Diseases of the spine.....	{ M. 13 F. 10		2		2		4	1			1	1
5	2. Diseases of the bones.....	{ M. 3 F. 3								1	1		1
6	3. Diseases of the hip joint.....	{ M. 2 F. 1			1			1					1
7	4. Others of this class.....	{ M. 4 F. 6		1	1	1		3	1	1			1
8	X.—Diseases of the skin.....	49	10	2			2	14	4	2	3	1	3
9	Males.....	26	6	2			2	8	1	1	2	1	1
10	Females.....	23	4					6	3	1	1		2
11	1. Abscess.....	{ M. 13 F. 14	3	2				5	1	1	2	1	1
12	2. Carbuncle.....	{ M. 5 F. 4								1			
13	3. Others of this class.....	{ M. 8 F. 5	3					3					
14	XI.—Diseases of the absorbent system.....	5					1	1				1	1
15	Males.....	3										1	
16	Females.....	2					1	1					1
17	1. Addison's disease.....	{ M. 1 F. 1										1	
18	2. Diseases of the spleen.....	{ M. 1 F. 1					1	1					
19	3. Others of this class.....	{ M. 1 F. 1											1
20	XII.—Accidents and injuries.....	852	95	42	37	33	22	229	74	71	71	72	63
21	Males.....	577	56	23	17	16	12	124	36	49	49	58	49
22	Females.....	275	39	19	20	17	10	105	38	22	22	14	14
23	1. Burns and scalds.....	{ M. 63 F. 117	8	8	8	7	6	37	14	2	3		
24	2. Drowned.....	{ M. 49 F. 3		1		3	2	6	4	8	6	5	6
25	3. Exposure and neglect.....	{ M. 37 F. 37	17	7	2		1	27	1	1			1
26	4. Gunshot wounds.....	{ M. 51 F. 9			1	2		3	5	7	2	8	4
27	5. Homicide.....	{ M. 83 F. 6							1	1	4	8	10
28	6. Infanticide.....	{ M. 1 F. 1									1	1	1
29	7. Injuries by machinery.....	{ M. 12 F. 1								2	2	3	2
30	8. Railroad accidents.....	{ M. 47 F. 3			1			1	2	1	8	7	10
31	9. Suffocation.....	{ M. 25 F. 13	17	4	1	1		23	1	1			
32	10. Suicide by shooting.....	{ M. 5 F. 1									1		
33	11. Suicide by drowning.....	{ M. 1 F. 1											
34	12. Suicide by poison.....	{ M. 1 F. 1											
35	13. Other suicides.....	{ M. 7 F. 1										1	1
36	14. Sunstroke.....	{ M. 13 F. 4		1				1		2			1
37	15. Surgical operations.....	{ M. 4 F. 3									2	1	1
38	16. Wounds.....	{ M. 21 F. 3		1				1		1	4	2	1
39	17. Other accidents and injuries.....	{ M. 160 F. 76	14	2	4	3	3	26	9	20	13	13	12
			8	5	5	1	1	20	4	8	7	4	4

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH CAROLINA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
2	4	2	1	2	2	2	2								1
1	4	1	1	1	1	2	1								2
1		1		1	1	1	1								3
1	2		1		1		1								4
	1			1	1	1	1								5
		1													6
1	1			1		1									7
1	1	1	3	2	2	6	1	1	2	1	1				8
1	1	1	1	2	1	3	3	1	1	2	1	1			9
			1		1	2	1			1		1			10
				1	1	1	2			1		1			11
1				1	1	2	1			1					12
	1	1	1	1			1		1						13
1											1				14
1										1					15
															16
															17
1															18
										1					19
40	45	33	24	27	14	18	12	15	11	6	6	5	3	13	20
31	38	30	19	20	11	15	9	11	5	4	3	5	2	9	21
9	7	3	5	7	3	3	3	4	6	2	3		1	4	22
1	2	1	1	1	2	1	1	1	3		1	1	1	1	23
3	2	2	3	2				1						1	24
1					1		1	1		1		1		1	25
1	1														26
5	6	6	2		1									2	26
8	12	7	2	2	1	4	5	1	1						27
	1			1											28
1	1	1													29
1	4	3	2	1	3	2	1	1							30
1						1	1								31
1	1		1			1									32
															33
															34
1		2		1		1									35
1			1	4	1	1		1			1				36
		1	1												37
1	4		1	2	1	2	1							1	38
8	7	9	6	8	1	5		5	4	3	2	3	2	4	39
4	3		3	4	2	1	2	1	3	2	2			2	39

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH DAKOTA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
145	125	108	86	109	91	103	101	81	47	31	17	6	2	66	1
70	61	56	43	57	55	58	53	44	30	18	9	3	2	37	2
75	64	52	43	52	36	45	48	37	17	13	8	3	2	29	3
7	7	8	4	6	10	7	6	5	3	3				22	4
6	3	3	1		4	4	1	2	2	2				10	5
1	4	5	2	6	6	3	5	3	1	1				12	6
17	25	7	6	12	9	11	3	1		3	2			6	7
10	11	5	1	10	6	4	2			1	1			6	8
7	14	2	5	2	3	7	1	1		2	1				9
															10
															11
1	1														12
	2														13
			1				1								14
	1														15
															16
6	8	1	1	2	1					1				1	17
4	3	2	2	2	1	2	1								18
2	1	2		2	1	2	1				1	1		2	19
	6		2			3								1	20
		1		2			1				1				21
	1					1	1								22
1				4	2		1	1				1			23
2				1	1										24
	1	1						1							25
	1	2	1	1				1							26
		1	2	1	1			1							27
															28
	1	2	1	1				1							29
															30
															31
															32
1						1	2	6	4	5	7	4	1	4	33
							1	1	3	4	3	2		2	34
1							1	5	1	1	4	2	1	2	35
															36
															37
															38
						1			1	1	1				39
1							1		1			1			40
							1	1	2	3	2	2	1	2	41
							5		1	1	4	1		2	42

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH DAKOTA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	526	23	10	5	10	4	52	19	32	57	57	51
2	Males.....	228	11	5	2	5	1	24	10	13	18	24	16
3	Females.....	298	12	5	3	5	3	28	9	19	39	33	35
4	1. Rheumatism.....	{ M. 10 F. 12	1					1	1	1	2		
5	2. Scrofula and tubercles.....	{ M. 17 F. 21	1	1	2	1	1	3	3	3	3	2	2
6	3. Leprosy.....	{ M. 1 F. 1											
7	4. Consumption.....	{ M. 168 F. 203	9	3	2	4	1	19	5	7	15	21	12
8	5. Hydrocephalus.....	{ M. 1 F. 3	1	1				1					
9	6. Cancer.....	{ M. 18 F. 34									1		1
10	7. Tumor.....	{ M. 1 F. 3											
11	8. Anæmia.....	{ M. 4 F. 1		1				1					
12	9. Dropsy.....	{ M. 8 F. 14							1	1			1
13	10. Diabetes.....	{ M. 5 F. 3								2	1	1	
14	11. Others of this group.....	{ M. 1 F. 1		1				1					
15	12. Others of this class.....	{ M. 1 F. 1											
16	II.—Diseases of the nervous system.....	198	67	9	6	7	6	95	8	5	1	4	10
17	Males.....	103	31	3	3	4	2	43	6	2			8
18	Females.....	95	36	6	3	3	4	52	2	3	1	4	2
19	1. Inflammation of the brain.....	{ M. 24 F. 15	4	1	2	3	2	12	3	1			4
20	2. Apoplexy.....	{ M. 7 F. 13	1					1				1	
21	3. Paralysis.....	{ M. 27 F. 15					1	2		1			1
22	4. Tetanus and trismus nascentium.....	{ M. 1 F. 2	1					1					
23	5. Epilepsy.....	{ M. 5 F. 1	1					1		1			1
24	6. Convulsions.....	{ M. 24 F. 31	20	1	1	1	1	23	1			1	
25	7. Mental diseases.....	{ M. 1 F. 1											
26	8. Diseases of the brain.....	{ M. 5 F. 11		1			1	1				2	2
27	9. Diseases of the spinal cord.....	{ M. 9 F. 5	4	1		1		4	2	1			
28	10. Others of this class.....	{ M. 1 F. 2											
29	III.—Diseases of the circulatory system.....	124	5	2		2		9	3	1	4	6	6
30	Males.....	76	5	2		1		8	2	1	3	3	3
31	Females.....	48				1		1	1		1	3	3
32	1. Angina pectoris.....	{ M. 2 F. 1											1
33	2. Aneurism.....	{ M. 1 F. 1											
34	3. Diseases of the heart.....	{ M. 72 F. 48	3	2		1		6	2	1	3	3	2
35	4. Others of this class.....	{ M. 2 F. 1	2					2					3

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH DAKOTA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
47	27	27	25	25	22	27	18	19	6	2	1	1	1	10	1
26	12	9	12	11	15	14	4	8	3	1	1	1		6	2
2	15	18	13	14	7	13	14	11	3	1			1	4	3
1	2		2	1	1	1	1	2	1						4
		1					1	1							5
															6
25	7	8	7	7	10	8	3	5	2		1	1		5	7
17	10	10	5	6	5	6	4	4		1				3	8
1	4	1	2	3	4	4	1	1		1			1	1	9
		1	1					1							10
1	1	1													11
1	1	2	1	2	1	1	2	1						1	12
1	2								3						12
															14
															15
1	6	7	6	8	7	7	11	10	6			3		3	16
1	2	3	4	5	4	3	9	6	4			2		2	17
	4	4	2	3	3	4	2	4	2			1		1	18
				1	1			1							
		1												1	19
		1	2	1	1		1	1	1			1			20
	2		2	2	3	3	5	4	3			2			21
	1	3	2	2	1	2		1	1						22
															23
						1		2							
															24
															25
	1	1		1				1							26
1				1			1								27
		1				2									28
7	5	5	11	9	13	9	13	10	6	2	1			4	29
2	3	4	6	6	8	6	9	5	5		1			1	30
5	2	1	5	3	5	3	4	5	1	2				3	31
								1							32
															33
2	3	4	6	6	8	6	8	5	5		1			1	34
5	2	1	5	3	5	3	4	5	1	2				3	35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH DAKOTA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	592	98	34	29	21	22	204	55	20	26	28	28
2	Males	325	54	23	16	15	9	117	22	8	14	13	20
3	Females	267	44	11	13	6	13	87	33	12	12	15	8
4	1. Croup	{ M. 20 F. 15	7 6	3	4	2	2	18	2				
5	2. Laryngitis	{ M. F. 2		1			1	2					
6	3. Bronchitis	{ M. 33 F. 27	6 6	7 3	3	3	2	21	2	1	1	1	
7	4. Pneumonia	{ M. 180 F. 139	22 18	9 5	7 8	6 3	3	47	12	6	11	8	15
8	5. Pleurisy	{ M. F.											
9	6. Asthma	{ M. 12 F. 4											
10	7. Others of this class	{ M. 80 F. 80	19 14	4 2	2 3	4	2	31	6	1	2	4	5
11	V.—Diseases of the digestive system	165	46	15	4	4	1	70	6	8	10	2	7
12	Males	88	28	7	3	2	1	41	3	5	4	2	3
13	Females	77	18	8	1	2		29	3	3	6		4
14	1. Dentition	{ M. 6 F. 9	4 4	2 5				6					
15	2. Angina	{ M. 4 F. 4			1			1	1	1	1		
16	3. Diseases of the stomach	{ M. 7 F. 17		1 1		1		1	1	1	1		1
17	4. Obstruction of the bowels	{ M. 5 F. 3	1	1		1		3		1			
18	5. Hernia	{ M. 1 F. 3											
19	6. Other diseases of the bowels	{ M. 8 F. 3	4	1	1		1	6	1		1		
20	7. Jaundice	{ M. F.											
21	8. Inflammation and abscess of the liver	{ M. 2 F. 1											
22	9. Other diseases of the liver	{ M. 8 F. 8		1				1			1		
23	10. Peritonitis	{ M. 11 F. 12			1			1	1	1	1	2	3
24	11. Ascites	{ M. 1 F. 1											
25	12. Others of this class	{ M. 35 F. 16	19 8	3 1		1		23		2	1		
26	VI.—Diseases of the urinary system and male organs of generation.	58	4				1	5		1	4	1	1
27	Males	36	3					3			1	1	1
28	Females	22	1				1	2		1	3		
29	1. Bright's disease	{ M. 21 F. 10								1	2		1
30	2. Calculus, urinary	{ M. F.											
31	3. Diseases of the kidney	{ M. 12 F. 12	2 1				1	2			1	1	
32	4. Diseases of the bladder	{ M. F.											
33	5. Others of this class	{ M. 3 F.	1					1					
34	VII.—Diseases of the female organs of generation.	11										3	3
35	1. Ovarian tumors	F.											
36	2. Ovarian diseases	F.											
37	3. Uterine tumors	F.	1									2	1
38	4. Uterine diseases	F.	4									1	2
39	5. Others of this class	F.	6										
40	VIII.—Affections connected with pregnancy.	79									9	20	17
41	1. Abortion	F.	6								1		3
42	2. Childbirth	F.	52								6	13	10
43	3. Puerperal septicæmia	F.	17									6	3
44	4. Extra-uterine pregnancy	F.											
45	5. Others of this class	F.	4								2	1	1

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH DAKOTA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	7								2	1		
2	Males.....	5								1	1		
3	Females.....	2								1			
4	1. Diseases of the spine.....	{ M. 4 F. 2								1	1		
5	2. Diseases of the bones.....	{ M. F.											
6	3. Diseases of the hip joint.....	{ M. F.	1										
7	4. Others of this class.....	{ M. F.											
8	X.—Diseases of the skin.....	3	1					1				1	1
9	Males.....	2	1					1				1	
10	Females.....	1											1
11	1. Abscess.....	{ M. 2 F. 1	1					1				1	1
12	2. Carbuncle.....	{ M. F.											
13	3. Others of this class.....	{ M. F.											
14	XI.—Diseases of the absorbent system.....	2											
15	Males.....												
16	Females.....	2											
17	1. Addison's disease.....	{ M. F. 2											
18	2. Diseases of the spleen.....	{ M. F.											
19	3. Others of this class.....	{ M. F.											
20	XII.—Accidents and injuries.....	177	11	10	3	8	4	36	10	10	12	18	15
21	Males.....	133	3	6	3	5	2	19	8	9	12	13	13
22	Females.....	44	8	4		3	2	17	2	1		5	2
23	1. Burns and scalds.....	{ M. 10 F. 5		2	2	2	1	7		1		1	
24	2. Drowned.....	{ M. 11 F. 3		2	1	2		5	1	2	2		
25	3. Exposure and neglect.....	{ M. 2 F. 2	1					1					
26	4. Gunshot wounds.....	{ M. F. 14									6	2	
27	5. Homicide.....	{ M. F. 6							1				
28	6. Infanticide.....	{ M. F.											
29	7. Injuries by machinery.....	{ M. F.											
30	8. Railroad accidents.....	{ M. 4 F.		1				1				1	
31	9. Suffocation.....	{ M. 3 F. 3	1					1		1			1
32	10. Suicide by shooting.....	{ M. 11 F.										3	3
33	11. Suicide by drowning.....	{ M. F. 3										1	2
34	12. Suicide by poison.....	{ M. 1 F. 2										1	
35	13. Other suicides.....	{ M. 6 F. 1								1		1	
36	14. Sunstroke.....	{ M. F. 1											
37	15. Surgical operations.....	{ M. F. 2									1		1
38	16. Wounds.....	{ M. F. 1							1				
39	17. Other accidents and injuries.....	{ M. 61 F. 25	2	1		1	1	5	5	4	3	5	8
			5	3			1	9	1	1		3	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH DAKOTA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1				1			1		1						1
1				1			1		1						2
															3
				1			1		1						4
															5
1															6
															7
															8
															9
															10
															11
															12
															13
	1	1													14
	1	1													15
	1	1													16
															17
															18
															19
10	12	18	4	6	6	9	3	3	1					4	20
7	10	13	4	4	4	8	3	2						4	21
3	2	5		2	2	1		1	1						22
			1												23
	1														24
		2													25
	1														26
	1	3					1							1	27
1			1			1								2	28
															29
															30
		2													31
1					1	1									32
1		1	1		2										33
															34
			1					1							35
1		1		1		2									36
							1								37
															38
4	7	6	1	4	2	4	1	1						1	39
2	2	2		1	1	1		1	1						

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TENNESSEE.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,109	1,050	854	796	847	636	763	770	743	557	446	262	123	72	508	1
493 616	496 554	387 467	389 397	441 406	337 299	399 364	421 349	417 326	318 239	246 200	121 141	55 68	25 47	278 230	2 3
42	42	33	36	29	27	43	34	39	36	27	19	8	3	92	4
21 21	23 19	13 20	19 17	17 12	19 8	20 23	18 16	18 21	24 12	16 11	7 12	4 4	1 2	54 38	5 6
203	199	165	127	135	112	118	136	107	68	58	34	12	7	86	7
109 94	108 91	83 82	75 52	77 58	58 54	58 60	71 65	61 46	34 34	32 26	14 20	6 6	1 6	46 40	8 9
				1											10
5 5	5 6	1 5	2 1	1 3		1	1 2	1 1		1				2 2	11
1															12
	1			1										3	13
1		1				1				1					14
1 7	2 3	1	1 2	1	3 1	2 3	1 4	4 1			1 1			3 1	15
2														3 2	16
40 31	31 25	24 18	19 11	19 16	16 13	13 5	15 15	6 10	4 6	5 3	2 4			7 3	17
26 19	27 22	21 29	25 18	33 20	25 29	29 38	27 29	32 21	12 22	19 16	9 12	5 2	1 3	12 14	18
														1 4	19
27 15	35 21	32 18	21 14	18 15	10 9	8 11	15 14	11 8	11 1	5 4	2 1		2	12 12	20
1 3	3 3	2 1		2	2		5	1 2	2 2	1 1	2				21
2 13	2 8	2 4	2 2	1 1	1 1	3 1	2	3 2	2 1	1 1					22
2	1 2	1 4	4 1		1	1	3 1	2	3			1		3 2	23
2	2		1 1	2		1	2	1 1		1			1		24
5	8	6	8	8	2	6	2	6	2					7	25
4 1	6 2	4 2	7 1	8	1 1	3 3	2	5 1	1 1					3 4	26 27
															28
2	2	2 1	4	5	1	2 1	1	3						1	29
															30
2 1	4 2	2	3 1	2		1 1		1	1 1					1 1	31
		1		1	1	1	1	1 1						1 3	32
1	4	5	5	5	7	16	21	50	67	83	70	51	35	12	33
1	1 3	4 1	2 3	1 4	4 3	6 10	7 14	24 26	29 38	38 45	26 44	20 31	10 25	8 4	34 35
															36
															37
															38
1	1 3	4 1	2 3	1 4	4 3	3 8	4 8	11 8	7 10	9 7	1 8	1 3	1 2	6	39
						3 2	3 6	13 18	22 28	29 38	25 36	19 28	9 23	2 4	40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TENNESSEE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	5,024	138	91	65	37	36	367	152	178	437	680	511
2	Males	2,094	70	54	28	23	17	192	70	73	141	274	202
3	Females	2,930	68	37	37	14	19	175	82	105	296	406	309
4	1. Rheumatism	{ M. 85 F. 68			1	1	1	3	4	3	3	4	8
5	2. Scrofula and tubercles	{ M. 180 F. 191	23	18	10	10	6	67	20	17	8	13	12
6	3. Leprosy	{ M. F.											
7	4. Consumption	{ M. 1,466 F. 2,171	30	23	10	9	7	79	35	42	115	248	167
8	5. Hydrocephalus	{ M. 26 F. 26	10	7	2	1	2	22	1		1		1
9	6. Cancer	{ M. 95 F. 207	1		1			1		2	1	3	7
10	7. Tumor	{ M. 13 F. 28	2		1	1		2	1	1	1	2	
11	8. Anæmia	{ M. 6 F. 5	1	1	1			3		1			
12	9. Dropsy	{ M. 185 F. 214	3	4	4	2	2	15	9	6	16	3	5
13	10. Diabetes	{ M. 31 F. 14		1	1	1		2	1	2	1	1	1
14	11. Others of this group	{ M. 6 F. 3		1	1			1			1		1
15	12. Others of this class	{ M. 1 F. 3		1				1	1				
16	II.—Diseases of the nervous system	2,040	521	180	88	60	35	896	141	65	81	61	56
17	Males	1,066	280	107	45	40	22	494	81	35	37	29	31
18	Females	974	244	82	43	20	13	402	60	30	44	32	25
19	1. Inflammation of the brain	{ M. 320 F. 283	91	53	22	22	17	205	43	15	15	12	9
20	2. Apoplexy	{ M. 45 F. 68	1	1	2			4			3	1	2
21	3. Paralysis	{ M. 172 F. 180	2	1	3			6	4	2	2	1	3
22	4. Tetanus and trismus nascentium	{ M. 33 F. 25	17	1				18	1	2	2	1	2
23	5. Epilepsy	{ M. 34 F. 33	3	1	1	1		6	2	2	2	1	5
24	6. Convulsions	{ M. 176 F. 157	106	27	6	6	2	147	8	3	5	2	
25	7. Mental diseases	{ M. 16 F. 6											
26	8. Diseases of the brain	{ M. 196 F. 150	50	17	9	11	1	88	21	8	8	7	8
27	9. Diseases of the spinal cord	{ M. 32 F. 27	8	5	1		2	16	2	2	2	2	1
28	10. Others of this class	{ M. 33 F. 43	2	1	1			4		1	1	3	1
29	III.—Diseases of the circulatory system	849	42	5		2	2	51	17	11	31	38	35
30	Males	477	24	1		1		26	8	8	20	20	17
31	Females	372	18	4		1	2	25	9	3	11	18	18
32	1. Angina pectoris	{ M. 4 F. 4									1		
33	2. Aneurism	{ M. 6 F. 3										1	1
34	3. Diseases of the heart	{ M. 453 F. 355	11	1		1	2	13	8	8	19	20	17
35	4. Others of this class	{ M. 14 F. 10	13	6	2			13	9	2	11	14	17

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TENNESSEE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
409	381	297	275	290	189	205	176	154	96	73	27	15	2	110	1
147	144	107	105	118	81	94	89	79	58	45	14	8		53	2
262	237	190	170	172	108	111	87	75	38	28	13	7	2	57	3
	5	5	5	7	5	5	7	11	4	4	1	1		2	4
3	3	3	1	7	3	7	4	7	2	3	3	1	1	1	1
2	4	4	6	4	5	1	2	1	7	2		1		4	5
10	5	9	7	4	7	4	1	3	2	1	1			1	1
															6
134	121	81	77	86	50	56	52	40	19	19	4	2		39	7
223	199	141	119	112	54	70	46	34	14	8	5	2		46	7
						1									8
	1									1				2	8
4	4	3	5	7	7	13	9	7	5	8	5	3		1	9
11	12	20	26	24	25	14	16	15	12	8	1	2	1	5	9
2		1	1	1	1		1								10
2		1	1	2	3	2	2			2					10
1		1													11
2	9	11	10	10	12	17	12	16	19	10	3	1		5	12
13	16	14	14	23	16	12	17	14	8	5	3	2		2	12
2	1	1	1	3	1	1	5	3	4	2	1			1	13
	1	2	1			2	1	1							13
					1			1						1	14
							1	1							14
			1												15
45	51	53	56	49	51	66	84	80	61	45	26	13	6	54	16
21	23	21	22	22	25	32	46	43	32	23	13	5	2	29	17
24	28	32	34	27	26	34	38	37	29	22	13	8	4	25	18
3	6	4	4	1	2	5	2	1		2				2	19
9	10	4	5	2	6	2	2	1						2	19
2	1	4	4	3	7	7	8	4	2		2	1		1	20
2	2	8	8	4	6	7	4	6	2	1	2		1	2	20
5	5	4	8	8	6	18	21	25	23	11	9	1	2	8	21
1	5	6	9	8	7	17	21	22	23	17	7	7	2	8	21
3	1	1	1		1									1	22
	1								1		1				22
2	4	3	1				2	1		1				2	23
3	4	3		2		2								2	23
1				1	1				1	1	1			5	24
4	1	3	2					2	1					2	24
1		1			3		2	1		1		1		6	25
1		1		1										3	25
4	5	4	2	6	2	5	9	7	3	4	1			4	26
2	4	4	4	8	2	3	6	3						5	26
	1		1	1	1	1	2								27
		1	1				1								27
2	1	2	1	2	3	3	2	4	3	3	3	2	1	1	28
			5	2	4	2	4	3	2	4	3	1			28
29	34	38	53	65	49	74	95	99	53	32	21	1	3	20	29
12	17	7	26	38	25	42	62	63	38	22	14		1	11	30
17	17	31	27	27	24	32	33	36	15	10	7	1	2	9	31
					2	1									32
1	1						2								32
	1	1		1										1	33
				1											33
12	16	6	26	37	23	41	60	62	38	22	14		1	10	34
16	16	31	27	26	24	32	33	36	15	10	7	1	2	9	34
								1							35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TENNESSEE—Continued.

CAUSE OF DEATH		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	3,496	818	296	157	93	54	1,418	149	99	174	176	136
2	Males	1,950	452	163	89	52	29	785	81	49	93	117	76
3	Females	1,546	366	133	68	41	25	633	68	50	81	59	60
4	1. Croup	{ M 333 F 265	208 156	40 30	26 21	29 15	5 6	308 238	15 17	3 5	1 1	1 1	1 1
5	2. Laryngitis	{ M 3 F 5	1		1	2		1 3	1				
6	3. Bronchitis	{ M 209 F 176	67 46	31 20	11 11	8 3	3	117 83	9 5	4 2	1 7	6 6	6 7
7	4. Pneumonia	{ M 1,080 F 812	120 113	77 64	43 27	15 14	17 10	272 228	43 37	30 33	80 63	88 42	57 38
8	5. Pleurisy	{ M 22 F 23		1				1 1		1		3	2
9	6. Asthma	{ M 18 F 18	1					1					1
10	7. Others of this class	{ M 285 F 247	56 40	14 19	8 9		7 6	85 80	13 8	12 9	12 10	19 11	10 14
11	V.—Diseases of the digestive system	1,050	177	117	40	16	13	363	40	27	34	42	46
12	Males	558	93	60	19	4	8	184	19	16	21	21	27
13	Females	492	84	57	21	12	5	179	21	11	13	21	19
14	1. Dentition	{ M 62 F 61	20 19	35 32	6 7		1	62 61					
15	2. Angina	{ M 25 F 31	6 4	2 1	1 2	3		9 11	5 6		1		2 1
16	3. Diseases of the stomach	{ M 122 F 109	18 13	10 9	5 1	2 1	2 2	37 26	3 7	6 5	4 3	3 4	7 5
17	4. Obstruction of the bowels	{ M 30 F 14	3 2	1	1			4 3	1	4	3	1	1
18	5. Hernia	{ M 21 F 1		1			1	2	1			2	
19	6. Other diseases of the bowels	{ M 45 F 46	7 7	6 4	2 5		1 1	16 19	3 4	1 2	1 1	3 1	2 2
20	7. Jaundice	{ M 25 F 21	14 7	1	1			15 8	2 1		1		1
21	8. Inflammation and abscess of the liver	{ M 44 F 28	2 4	1				2 5		1	2	3	1
22	9. Other diseases of the liver	{ M 67 F 43	4 3	3 3		1 1	1	8 9	1	2		2	3
23	10. Peritonitis	{ M 28 F 38	2					2	2	2	7	2	5
24	11. Ascites	{ M 15 F 11					1	1			1	1	1
25	12. Others of this class	{ M 74 F 89	17 25	3 5	3 5	1 2	2	26 37	1 3		3 1	2 6	5 2
26	VI.—Diseases of the urinary system and male organs of generation.	276	6	1	4	1		12	7	5	5	20	8
27	Males	207	2		3	1		6	5	4	2	12	4
28	Females	69	4	1	1			6	2	1	3	8	4
29	1. Bright's disease	{ M 79 F 20							1	2	2	8	2
30	2. Calculus urinary	{ M 22 F 4	1					1	1			1	
31	3. Diseases of the kidney	{ M 60 F 29	2 3	1	2 1	1		5 5	3 1	2		1 3	2
32	4. Diseases of the bladder	{ M 21 F 5										1	
33	5. Others of this class	{ M 25 F 11			1			1	1		1	1	1
34	VII.—Diseases of the female organs of generation.	122								1	7	7	17
35	1. Ovarian tumors	F 7											
36	2. Ovarian diseases	F 7										1	2
37	3. Uterine tumors	F 7											1
38	4. Uterine diseases	F 34									2	1	2
39	5. Others of this class	F 67								1	5	5	12
40	VIII.—Affections connected with pregnancy.	372								1	47	83	81
41	1. Abortion	F 36									4	8	8
42	2. Childbirth	F 182									22	39	36
43	3. Puerperal septicæmia	F 123									12	28	34
44	4. Extra-uterine pregnancy	F 4									1	1	1
45	5. Others of this class	F 27								1	8	8	2

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TENNESSEE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	119	31	7	7	4	4	53	8	8	8	10	2
2	Males	71	15	4	4	3	3	29	3	6	5	7	1
3	Females	48	16	3	3	1	1	24	5	2	3	3	1
4	1. Diseases of the spine..... { M. 60	14	4	3	3	3	3	27	3	4	3	6	1
	{ F. 38	14	3	3	1	1	1	22	4	1	1	3	
5	2. Diseases of the bones..... { M. 6	1						1		2	2	1	
	{ F. 3	2						2					
6	3. Diseases of the hip joint..... { M. 2												
	{ F. 4	4								1	1		1
7	4. Others of this class..... { M. 3			1				1					
	{ F. 3	3							1		1		
8	X.—Diseases of the skin.....	60	10	3			1	14	2	2		2	5
9	Males.....	35	5					5	2	2			3
10	Females.....	25	5	3			1	9				2	2
11	1. Abscess..... { M. 17	1						1	2				3
	{ F. 14	2					1	3				2	2
12	2. Carbuncle..... { M. 4												
	{ F. 2	2											
13	3. Others of this class..... { M. 14	4						4		2			
	{ F. 9	3	3					6					
14	XI.—Diseases of the absorbent system.....	12			1	1		2	1	1		2	
15	Males.....	7			1	1		2	1	1			
16	Females.....	5										2	
17	1. Addison's disease..... { M. 2											2	
	{ F. 2	2											
18	2. Diseases of the spleen..... { M. 3					1		1	1				
	{ F. 3	3											
19	3. Others of this class..... { M. 4			1				1		1			
	{ F. 3	3											
20	XII.—Accidents and injuries.....	1,172	106	33	38	21	25	223	61	55	112	127	114
21	Males.....	885	63	18	20	9	10	120	39	36	90	113	103
22	Females.....	287	43	15	18	12	15	103	22	19	22	14	11
23	1. Burns and scalds..... { M. 56	4	7	11	7	4	33	6	2	2	1	1	1
	{ F. 83	2	3	10	9	10	34	13	12	5	3	3	4
24	2. Drowned..... { M. 76		3			1	4	2	9	15	8	6	
	{ F. 11		1	1		2	4	4	4	4			
25	3. Exposure and neglect..... { M. 26	12	1				13	2		2	1	2	
	{ F. 22	9	3				12		1	5			
26	4. Gunshot wounds..... { M. 84	1	1				2	3	5	11	13	15	
	{ F. 7							1			2		
27	5. Homicide..... { M. 108	1		1		1	3	3	2	10	21	18	
	{ F. 7									3	1		
28	6. Infanticide..... { M. 1	1					1						
	{ F. 1	1	1										
29	7. Injuries by machinery..... { M. 9									3	1		
	{ F. 9	9											
30	8. Railroad accidents..... { M. 125								2	5	13	27	30
	{ F. 6	6									1	1	
31	9. Suffocation..... { M. 32	24	1		1	2	26						1
	{ F. 29	18	1	3			24						
32	10. Suicide by shooting..... { M. 12											5	1
	{ F. 1	1										1	
33	11. Suicide by drowning..... { M. 2												
	{ F. 1	1											
34	12. Suicide by poison..... { M. 7											1	2
	{ F. 10	10										2	4
35	13. Other suicides..... { M. 14											1	
	{ F. 6	6										2	
36	14. Sunstroke..... { M. 12	1					1		2	1			
	{ F. 3	1					1						1
37	15. Surgical operations..... { M. 4	1					1						
	{ F. 1	1											
38	16. Wounds..... { M. 30	1					1	1	1	5	1	1	5
	{ F. 6	6							2	1	1		
39	17. Other accidents and injuries..... { M. 288	18	5	8	1	4	36	20	10	28	33	22	2
	{ F. 93	12	7	4	1	3	27	6	6	3	2	2	2

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TENNESSEE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
3	2			5		5	1	6	5	1	1			1	1
3	2			2		4		2	4	1	1			1	2
				3		1	1	4	1						3
2	1			1		3		2	4	1	1			1	} 4
				3				4							
						1									} 5
1	1								1						} 6
				1		1									} 7
							1								
2	2	2	2	2	6	5	3	6	1		2			2	8
2	2		1	1	4	4	1	3	1		2			2	9
		2	1	1	2	1	2	3							10
2	1				3	1		1	1					2	} 11
		2			2		2	1							
			1	1	1	2									} 12
			1			1									
	1				1	1	1	2			2				} 13
					1			2							
	2	1						2						1	14
		1						2							} 15
	2												1		
															} 16
		1													} 17
			1												} 18
								2							} 19
	2												1		
86	76	55	42	46	28	23	25	19	11	16	6	7	2	38	20
74	66	49	35	36	25	19	18	14	7	5	3	3	2	28	21
12	10	6	7	10	3	4	7	5	4	11	3	4		10	22
1	1	2	1			2		1	1	1				1	} 23
1	1	4	1	1			2		1					2	
8	8	6			5	1				1				3	} 24
	2			1											
1	1		1	1				1		1				2	} 25
														2	
9	7	5	4	2	2	1	1			1				3	} 26
2	1			1											
5	13	9	6	7	3		1	2						5	} 27
1						1	1								
															} 28
2	2					1									} 29
18	9	4	3	4	2	1	1		2					4	} 30
1					1		2								
1		1	1	1				1				1		1	} 31
														3	
2		1		1	1	1									} 32
		1	1												} 33
1			1	1	1										} 34
1	2		1												
1	1	3	1	2	1	1	2							1	} 35
1			1	1											
3		1		1	1					1			1		} 36
				1											
	1		1			1									} 37
1															
1	1	1	3	1	1	2	2	2	1			1			} 38
2						1									
21	22	15	13	15	8	8	11	8	3	1	3	2	1	8	} 39
3	3	2	3	5	1	2	2	4	3	10	3	3		3	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TEXAS.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,293	1,288	1,148	983	868	695	837	661	560	430	285	123	37	56	478	1
660 633	664 624	655 493	573 410	532 336	417 278	508 329	410 251	326 234	266 164	168 117	72 51	21 16	26 30	267 211	2 3
59	61	65	39	44	33	63	43	31	27	31	10	3	2	84	4
24 35	30 31	32 33	22 17	22 22	20 13	39 24	26 17	18 13	15 12	13 18	6 4	2 1	2	46 38	5 6
273	255	201	104	143	129	142	120	105	91	38	21	3	5	103	7
152 121	130 125	117 84	106 88	72 71	77 52	73 69	76 44	57 48	53 38	24 14	12 9	1 2	3 2	51 52	8 9
2		1	1	1		1	1							3	10
9 5	5 11	8 8	1 7	2	2 1	2 1	1	1	2	2	1			3 4	11
															12
	1 1		1		1	1 2		2			1			2 2	13
1					1									2	14
4 6	3 4	2	5	3 5	1	3 5	1 2	1 3	4		2			2 1	15
2 4	3 5	2	4 1	2 3	3	3 5	1			1				4	16
46 30	38 28	26 14	31 13	12 14	13 8	11 14	16 6	13 6	8 5	2 2	1 1		1	7 10	17
23 27	21 14	29 19	20 29	23 22	23 24	23 17	31 18	19 21	19 14	9 7	5 5			11 11	18
														3 3	19
55 33	50 43	44 32	36 27	22 25	28 8	25 27	21 16	17 12	16 15	9 2	2 2	1 1	2 1	20 13	20
4 2	4 7	2 3	5	1	1	1 3	3	2 3	2	1			1		21
2 10	2 10	4 3	4 4	5 2	3 2	4	1	3 1	1	1 1				1	22
2	1 1	2	2	2	3	1			1						23
2 4	2 1		1 2	1	1 1	1	2	1	1		1		1	1	24
6	19	17	7	17	10	8	13	4	1	3	1			7	25
5 1	17 2	14 3	5 2	12 5	10	6 2	10 3	2 2	1	2 1	1			5 2	26 27
		1		1											28
3 1	12	11 2	2	6	4	3	4	2						3	29
				1											30
1	5	2	2 1	4 4	5	2 2	4 1	2		2				1	31
1	2	1	1 1	1	1	1	2 2		1	1	1			1 2	32
7	5	4	7	9	5	7	28	51	68	65	41	20	31	12	33
3 4	3 2	2 2	3 4	5 4	1 4	6 1	15 13	26 25	24 44	38 27	26 15	12 8	13 18	6 6	34 35
															36
															37
														2	38
3 4	3 2	2 2	3 4	5 4	1 4	4 1	9 3	5 5	8 15	4 3	4 3		3	2 4	39
						2	6	21	16	34	22	12	13	2	40
							10	20	29	24	12	6	15	2	

VITAL AND SOCIAL STATISTICS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TEXAS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	3,107	94	42	38	30	14	218	67	67	188	285	305
2	Males.....	1,603	58	29	22	17	9	135	35	35	78	127	134
3	Females.....	1,504	36	13	16	13	5	83	32	32	110	158	171
4	1. Rheumatism.....	{ M.. 73 F.. 37	{ 4 1	{ 1 	{	{	{ 3 	{ 8 1	{ 4 1	{ 2 3	{ 4 3	{ 3 3	{ 3 1
5	2. Scrofula and tabes.....	{ M.. 50 F.. 40	{ 13 6	{ 6 6	{ 5 5	{ 2 1	{	{ 23 19	{ 4 1	{ 3 4	{	{ 2 2	{ 4
6	3. Leprosy.....	{ M. F.. 1	{	{	{	{	{	{	{	{	{	{	{
7	4. Consumption.....	{ M.. 1,027 F.. 1,032	{ 18 11	{ 4 5	{ 4 3	{ 6 5	{ 1 1	{ 33 25	{ 11 12	{ 11 19	{ 56 92	{ 114 137	{ 113 143
8	5. Hydrocephalus.....	{ M.. 43 F.. 20	{ 15 8	{ 9 	{ 4 3	{ 4 2	{ 1 1	{ 33 14	{ 2 5	{	{ 1 	{ 1 	{
9	6. Cancer.....	{ M.. 148 F.. 165	{ 2 	{ 1 	{	{ 1 1	{	{ 4 2	{ 1 3	{	{ 4 2	{ 1 2	{
10	7. Tumor.....	{ M.. 30 F.. 26	{	{ 1 	{	{	{	{ 1 3	{ 1 2	{ 1 	{ 1 2	{ 2 2	{ 1 1
11	8. Anæmia.....	{ M.. 5 F.. 11	{ 1 3	{ 1 	{	{	{	{ 2 3	{	{	{	{	{ 4
12	9. Dropsy.....	{ M.. 190 F.. 152	{ 5 3	{ 5 2	{ 8 4	{ 4 3	{ 3 1	{ 25 13	{ 12 4	{ 14 4	{ 9 5	{ 4 11	{ 11 11
13	10. Diabetes.....	{ M.. 27 F.. 5	{	{	{	{	{	{ 1 	{	{ 2 	{ 3 	{	{ 1 2
14	11. Others of this group.....	{ M.. 10 F.. 12	{ 3 1	{ 1 	{ 1 	{	{ 1 	{ 6 1	{	{ 2 1	{	{ 2 1	{ 1 1
15	12. Others of this class.....	{ M. F.. 3	{	{	{	{ 1 	{	{ 1 	{ 1 	{	{	{	{ 1
16	II.—Diseases of the nervous system.....	2,248	587	142	112	71	73	985	204	118	114	81	50
17	Males.....	1,287	346	80	56	36	37	555	102	61	67	51	25
18	Females.....	961	241	62	56	35	36	430	102	57	47	30	25
19	1. Inflammation of the brain.....	{ M.. 309 F.. 215	{ 71 48	{ 24 22	{ 24 11	{ 12 10	{ 14 10	{ 145 101	{ 32 46	{ 24 18	{ 27 9	{ 19 10	{ 3 5
20	2. Apoplexy.....	{ M.. 98 F.. 61	{ 1 	{	{	{	{ 2 	{ 1 2	{ 2 	{ 1 	{ 4 1	{ 6 1	{ 2 2
21	3. Paralysis.....	{ M.. 138 F.. 94	{ 3 1	{ 2 1	{ 1 	{	{ 3 	{ 9 5	{ 2 3	{ 5 1	{ 2 3	{ 1 1	{ 3 3
22	4. Tetanus and trismus nascentium.....	{ M.. 92 F.. 65	{ 72 54	{ 3 	{ 1 1	{ 1 	{	{ 76 56	{ 3 1	{ 4 	{	{ 1 3	{
23	5. Epilepsy.....	{ M.. 36 F.. 36	{ 4 1	{	{ 1 	{ 1 	{ 1 1	{ 5 4	{ 3 3	{ 1 3	{ 4 3	{ 6 5	{ 1 2
24	6. Convulsions.....	{ M.. 154 F.. 133	{ 111 76	{ 9 15	{ 6 6	{ 2 3	{ 2 	{ 128 102	{ 6 6	{ 1 7	{ 3 5	{ 2 1	{ 1 1
25	7. Mental diseases.....	{ M. F.. 7 3	{	{	{	{	{	{	{	{	{	{	{ 1
26	8. Diseases of the brain.....	{ M.. 382 F.. 290	{ 71 58	{ 37 17	{ 23 35	{ 19 12	{ 19 21	{ 169 143	{ 49 35	{ 22 21	{ 21 17	{ 13 9	{ 11 11
27	9. Diseases of the spinal cord.....	{ M.. 46 F.. 39	{ 11 3	{ 4 7	{ 1 2	{ 3 5	{	{ 19 17	{ 5 7	{ 4 3	{ 5 4	{ 1 	{ 2
28	10. Others of this class.....	{ M.. 25 F.. 25	{ 2 	{ 1 	{	{	{	{ 3 	{ 2 2	{ 2 	{ 1 2	{ 2 2	{ 2 1
29	III.—Diseases of the circulatory system.....	784	53	4	6	8	1	72	32	20	42	31	41
30	Males.....	412	31	3	2	6		42	16	12	20	13	12
31	Females.....	372	22	1	4	2	1	30	16	8	22	18	29
32	1. Angina pectoris.....	{ M. F.. 11 10	{	{	{	{	{	{	{	{ 2 	{ 2 	{ 1 	{
33	2. Aneurism.....	{ M.. 10 F.. 4	{	{	{	{	{	{	{	{	{	{ 1 	{ 1
34	3. Diseases of the heart.....	{ M.. 370 F.. 347	{ 15 18	{ 3 1	{ 1 4	{ 6 1	{	{ 25 24	{ 16 16	{ 12 6	{ 19 20	{ 11 17	{ 11 28
35	4. Others of this class.....	{ M.. 21 F.. 11	{ 16 4	{	{ 1 	{	{ 1 1	{ 17 6	{	{	{ 1 	{ 1 	{ 1 1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TEXAS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
334	276	246	236	200	158	177	105	84	49	26	8	1	7	70	1
170	129	134	121	116	86	93	59	47	33	18	4	1	5	43	2
164	147	112	115	84	72	84	46	37	16	8	4		2	27	3
2	7	2	5	5	2	7	2	6	4	3			1	3	} 4
4	2	1			3	5	1	4	1	2			1	1	
2	2	4	1	1	2	1	2								} 5
2	2	1	1	1	1	1			1						
			1												} 6
136	108	97	94	76	46	49	24	16	12	3	2		1	25	} 7
134	115	86	83	44	54	40	28	13	6	1				20	
1			1			1								1	} 8
	1														
10	6	12	9	17	19	20	14	11	10	5		1	1	3	} 9
9	10	14	21	23	20	24	8	8	2	3	3		1	2	
5		3		3	3	1	1		2	1				4	} 10
1	3	2	2	3	2		2			1					
1	1		1				1							2	} 11
9	5	16	9	13	10	12	13	12	3	5	2		2	4	} 12
14	12	6	6	13	12	13	6	12	6	1	1			2	
4		1	2	1	3	2	2	2	2	1				2	} 13
						1									
	2	1		1	1									1	} 14
							1								
															} 15
54	72	62	80	65	50	82	56	59	47	31	6	3	1	28	16
29	44	36	49	39	34	50	37	36	31	18	4	1		18	} 17
25	28	26	31	26	16	32	19	23	16	13	2	2	1	10	
12	6	9	8	5	6	4	1	1	1					6	} 18
3	7	2	2	3	1	4	4			2				1	
4	6	3	8	12	8	12	8	11	6	5		1		1	} 19
5	2		4	5	4	9	7	7	3	4	1	1			
1	5	9	6	5	10	20	13	18	14	11	1		1	3	} 20
5	5	1	7	8	6	10	8	11	11	5			1		
	3	2			1						1			1	} 21
		1													
1		1		1				1							} 22
1	4	1	3	1	2		2		1					1	} 23
2	3	7	3	2			2		2						
2	1	1	2	1	2				2					2	} 24
		4	2		1	1								3	
	2	1	1	2		1									} 25
	1		1												
9	8	10	18	11	3	12	11	3	5	1	2			4	} 26
5	8	8	7	7	4	4	1	1	1	2		1		5	
	6		2	1			1							1	} 27
3	1	1	1			1									
	3		1	1	2	1	1	3	2	1					} 28
1	1	2	4			3		3	1		1				
43	52	53	49	57	39	67	65	54	18	25	6	1	1	16	29
20	21	23	25	29	22	44	39	34	13	17	3			7	} 30
23	31	30	24	28	17	23	26	20	5	8	3	1	1	9	
			1		1	1	2	3	1					1	} 31
		3		1			1	1							
	2		1	3	1	1	1								} 32
1		1				1	1								} 33
20	19	23	22	26	20	42	37	31	12	16	3			5	} 34
22	30	26	24	26	17	22	24	18	5	8	3	1	1	9	
			1							1				1	} 35
	1			1				1							

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TEXAS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system . . .	4,190	860	293	179	91	65	1,488	175	134	246	264	196
2	Males	2,392	461	154	103	53	36	807	95	65	143	154	115
3	Females	1,798	399	139	76	38	29	681	80	69	103	110	81
4	1. Croup	{ M. 264 F. 199	140 108	39 31	37 24	18 12	10 6	244 181	14 13		3		1
5	2. Laryngitis	{ M. 16 F. 7	2 2	3 1	4 1	1 1	1 1	11 4	3 2				
6	3. Bronchitis	{ M. 191 F. 174	60 56	31 26	12 8	4 6	2 5	109 101	4 7	3 2	7 7	4 6	2 9
7	4. Pneumonia	{ M. 1,468 F. 1,065	145 146	52 56	40 33	22 16	17 13	276 264	51 44	54 50	111 83	130 90	101 61
8	5. Pleurisy	{ M. 32 F. 11	1 1	1		1		3 1	3		4 1	2 2	
9	6. Asthma	{ M. 22 F. 30	2 1		1			3 1		2	1		1
10	7. Others of this class	{ M. 399 F. 312	111 85	28 25	9 10	7 4	6 5	161 129	20 14	8 14	18 11	18 11	12 8
11	V.—Diseases of the digestive system	1,635	268	118	57	42	36	521	116	113	80	78	65
12	Males	971	165	65	36	22	23	311	58	65	54	35	36
13	Females	664	103	53	21	20	13	210	63	48	26	43	29
14	1. Dentition	{ M. 54 F. 43	25 19	23 22	5 2	1		54 43					
15	2. Angina	{ M. 47 F. 36	9 3	7 6	4 2	2 3	5 2	27 16	4 10	3 1	2 1	1 2	1 1
16	3. Diseases of the stomach	{ M. 178 F. 158	26 27	19 11	14 10	11 10	10 6	80 64	9 17	6 9	7 3	4 5	4 7
17	4. Obstruction of the bowels	{ M. 43 F. 22	6 1		1 3		2	9 6	2 2	5 2	5	2	1
18	5. Hernia	{ M. 29 F. 12	7	1				8	1				1
19	6. Other diseases of the bowels	{ M. 64 F. 34	19 10	1 1	2 1	2	2	26 13	2 2	5 2	2 4		3
20	7. Jaundice	{ M. 216 F. 118	20 10	3 2	7	2	2	34 15	21 24	32 24	25 12	14 8	11 8
21	8. Inflammation and abscess of the liver	{ M. 92 F. 48	3 2	1	1	1	1	3 6	3 2	3 2	2	3 6	8 1
22	9. Other diseases of the liver	{ M. 73 F. 59	6 5	1 2	1 3	3	1	12 14		3 4	1	4 4	2
23	10. Peritonitis	{ M. 30 F. 56	4	1			1	5 3	4 1	1 2	5 4	3 11	1 11
24	11. Ascites	{ M. 24 F. 9		3	2			5	2		1	2	
25	12. Others of this class	{ M. 121 F. 69	40 26	6 3		1	1	48 30	5 2	7 2	4 2	2 3	4 1
26	VI.—Diseases of the urinary system and male organs of generation	390	8	9	10	2	4	33	24	16	20	19	17
27	Males	282	7	5	7	1	4	24	16	7	9	10	11
28	Females	108	1	4	3	1		9	8	9	11	9	6
29	1. Bright's disease	{ M. 107 F. 50							2 1	2 5	5 3	4 5	10 5
30	2. Calculus, urinary	{ M. 16 F. 1	1					1	1				
31	3. Diseases of the kidney	{ M. 106 F. 47	5 1	5 4	6 3	1	3	20 8	12 6	3 4	3 7	5 3	
32	4. Diseases of the bladder	{ M. 26 F. 6			1		1	2					1
33	5. Others of this class	{ M. 27 F. 5	1			1		1 1	1 1	2	1 1	1 1	1
34	VII.—Diseases of the female organs of generation	96								3	12	7	10
35	1. Ovarian tumors	F. 11									2		
36	2. Ovarian diseases	F. 1											
37	3. Uterine tumors	F. 4											
38	4. Uterine diseases	F. 37								1	3	5	6
39	5. Others of this class	F. 43							2	7	7	2	4
40	VIII.—Affections connected with pregnancy	612									85	137	114
41	1. Abortion	F. 43									4	8	12
42	2. Childbirth	F. 314									44	66	53
43	3. Puerperal septicæmia	F. 208									28	50	41
44	4. Extra-uterine pregnancy	F. 1											
45	5. Others of this class	F. 46									9	13	8

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TEXAS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	65	18	4	3	2	4	31	5	1	3	5	3
2	Males.....	42	11	2	1	2	3	19	3	1	3	1	2
3	Females.....	23	7	2	2	1	1	12	2			4	1
4	1. Diseases of the spine..... {M	28	9	1	2	2	2	14	1	1	1		2
	{F	17	6	2	2		1	11	2				
5	2. Diseases of the bones..... {M	8	1	1				2	2		2	1	
	{F	4										3	1
6	3. Diseases of the hip joint..... {M	1					1	1					
	{F												
7	4. Others of this class..... {M	5	1		1			2					
	{F	2	1					1				1	
8	X.—Diseases of the skin.....	61	15	7	2			24		1	1	1	3
9	Males.....	35	9	3	1			13		1		1	2
10	Females.....	26	6	4	1			11			1		1
11	1. Abscess..... {M	17	1	3				4		1			2
	{F	14	3	3				6			1		
12	2. Carbuncle..... {M	7										1	
	{F	3											1
13	3. Others of this class..... {M	11	3	1	1			9					
	{F	9	3					5					
14	XI.—Diseases of the absorbent system.....	24	4	2	2		1	9	1			2	2
15	Males.....	13	2	1	2			5	1				2
16	Females.....	11	2	1			1	4				2	
17	1. Addison's disease..... {M												
	{F												
18	2. Diseases of the spleen..... {M	10	1	1	2			4	1				2
	{F	9	2	1			1	4				2	
19	3. Others of this class..... {M	3	1					1					
	{F	2											
20	XII.—Accidents and injuries.....	1,542	155	50	46	32	30	313	82	78	115	173	157
21	Males.....	1,197	93	32	31	19	16	191	50	55	91	150	140
22	Females.....	345	62	18	15	13	14	122	32	23	24	23	17
23	1. Burns and scalds..... {M	62	11	13	10	8	5	47	5		2		1
	{F	108	5	8	6	8	6	33	23	10	10	4	7
24	2. Drowned..... {M	88		1	3	3	3	10	11	8	9	11	13
	{F	14	3	2	1	1		7		2			1
25	3. Exposure and neglect..... {M	13	10	1				11				1	
	{F	11	6					6				1	
26	4. Gunshot wounds..... {M	150	1		1		1	3	4	6	12	31	23
	{F	6					2	2		1	1	1	
27	5. Homicide..... {M	166	1					1	2		12	30	33
	{F	18	2		1	1		4		1	5	1	1
28	6. Infanticide..... {M												
	{F	1	1					1					
29	7. Injuries by machinery..... {M	23									3	3	4
	{F												
30	8. Railroad accidents..... {M	119			1			1	1	5	12	18	15
	{F	6										1	1
31	9. Suffocation..... {M	44	31	3				34	2	2	4	1	2
	{F	20	23	2	2		1	28					
32	10. Suicide by shooting..... {M	30									2	3	3
	{F	3								1	1	1	
33	11. Suicide by drowning..... {M											1	1
	{F	4											
34	12. Suicide by poison..... {M	24										1	2
	{F	17									2	6	1
35	13. Other suicides..... {M	22									2	4	1
	{F	5										1	1
36	14. Sunstroke..... {M	10			1			1			1	5	4
	{F	11			1		1	2	2			1	
37	15. Surgical operations..... {M	9									1	3	
	{F	3										1	
38	16. Wounds..... {M	34	3		2	1		6	2	5		6	4
	{F	9	2	1				3		1		1	
39	17. Other accidents and injuries..... {M	380	36	14	13	7	7	77	23	29	31	33	35
	{F	100	20	5	4	3	4	36	7	8	5	3	4

STATISTICS OF DEATHS.

369

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TEXAS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
4	1	1	3	3		1	2	2						1
2	1	1	2	3			2	2						2
2			1			1								3
2		1	1	2			2	1						4
2			1			1								5
				1										6
	1		1					1						7
1	4	5	6	1	3	4	1	3	2					8
1	2	5	4	1	1	2		2	1					9
1	2		2		2	2	1	1	1					10
1	1	4	2	1		2								11
	1	1	1	1	1	1	1							12
								2	1					13
	1		1		1				1					14
2	2		2	2	1	1								15
2	1			2										16
	1		2		1	1								17
2	1		1		1	1								18
				2										19
	1		1											20
119	97	99	81	55	31	28	21	14	10	8	3	1	3	54
111	84	76	70	50	23	22	17	10	9	3		1	2	42
8	13	23	11	5	8	6	4	4	1	5	3		1	12
3	4	1	1	1	2	2	1	2		1	1		1	23
7	4	4	1	1				1						24
1	1	3	2	2	2	2	1		1			1		24
			1				1							25
										1				3
20	20	8	9	4	3	2	1	1						3
		1												1
21	18	15	12	5	3	3	2	1	1					7
1	1	2			1		1							1
														28
4	2	3	2					1						1
														29
15	8	10	6	9	5	3	1		1					9
		2								1				1
				2										1
				1										1
4	5	4		3	1	1	1	1						2
														32
														33
			1											1
1	4	2	6	2	1	1	1							3
1	2	2	1											2
2	4	7	2	2	3	2	1							2
1	1			1										1
1		2	1	2			1							1
	1	2	1	1										1
1				2		1			1					1
			1											1
1			3	1	1			1					1	3
	1													1
24	19	21	25	15	4	7	8	3	5	3				8
1	2	8	5	1	5	4	1	3	1	2	2		1	1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

UTAH.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
81	61	61	60	49	47	62	61	86	63	41	22	5	4	19	1
43	32	31	44	29	23	38	27	51	34	19	7	4	4	11	2
38	29	30	16	20	24	24	34	35	29	22	15	1		8	3
1	1	4	5	1	3	4	3		2	2					4
		1	3	1	1	2				1					5
1	1	3	2		2	2	3			1					6
15	6	4	7	5	4	2	5	8	5		1			1	7
10	4	3	5	3	1	1	1	7	3					1	8
5	2	1	2	2	3	1	4	1	2		1				9
					1										10
															11
															12
									1						13
															14
	1						1								15
															16
6	1	1	1	2	1	1	1	1	1						17
1	1	1	2	1		1	1	3	1						18
2	2				1		2	1	1					1	19
															20
1		1	1	1	1			1	1						21
2															22
1			2	1				2							23
															24
	1		1												25
2	2	2	4		1										26
1	1	1	4		1										27
1	1														28
		1	2												29
															30
1	1		1												31
					1										32
		1	1												33
	2	1		1	1	3	11	24	21	27	16	5	2	1	34
	2					3	5	9	10	11	5	4	2	1	35
		1		1	1	5	6	15	11	16	11	1			36
															37
															38
															39
	2	1		1	1	3	3	5	2	4		1		1	40
						3	4	7	3	4	1				
							2	4	8	7	5	3	2		
						2	2	8	8	12	10	1			

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

UTAH—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	163	6	3	2	1	4	16	2	3	4	9	7
2	Males	73	5	2	1		3	11	1	1	2	3	2
3	Females	90	1	1	1	1	1	5	1	2	2	6	5
4	1. Rheumatism	{ M F	7 6									1	
5	2. Scrofula and tubercles	{ M F	5 1	1	1			2 1			1	1	
6	3. Leprosy	{ M F											
7	4. Consumption	{ M F	34 34				2 1	2 2	1	1	1	1 3	1 4
8	5. Hydrocephalus	{ M F	4 1	3	1			4 1					
9	6. Cancer	{ M F	6 19			1		1				1	1
10	7. Tumor	{ M F	2 4						1				1
11	8. Anæmia	{ M F	1										
12	9. Dropsy	{ M F	11 22	1			1	2		1	1	1	
13	10. Diabetes	{ M F	3 3			1		1			1	1	
14	11. Others of this group	{ M F											
15	12. Others of this class	{ M F											
16	11.—Diseases of the nervous system	176	64	24	3	2	4	97	8	5	3	3	4
17	Males	104	42	14	2		3	61	6	1		1	2
18	Females	72	22	10	1	2	1	36	2	4	3	2	2
19	1. Inflammation of the brain	{ M F	20 13	10 6	6 4	1 1		17 11	2		1	1	
20	2. Apoplexy	{ M F	7 8									1	1 1
21	3. Paralysis	{ M F	18 12				1	1 1	1	1		1	1
22	4. Tetanus and trismus nascentium	{ M F	1										
23	5. Epilepsy	{ M F	2										
24	6. Convulsions	{ M F	27 21	24 12	2 3		1	26 16	1		1		1
25	7. Mental diseases	{ M F	4 1										
26	8. Diseases of the brain	{ M F	11 6	1 1	3 1		1	6 2		1		1	
27	9. Diseases of the spinal cord	{ M F	12 9	7 2	2 2		1 1	10 5	1	2			
28	10. Others of this class	{ M F	2 2		1			1 1	1				
29	III.—Diseases of the circulatory system	83	4		1	1		6	7	0	7	2	6
30	Males	37	3			1		4	1	4	2		2
31	Females	46	1		1			2	6	5	5	2	4
32	1. Angina pectoris	{ M F	1										1
33	2. Aneurism	{ M F											
34	3. Diseases of the heart	{ M F	34 45	1 1		1		2 2	1 6	4 5	2 5	2	2 3
35	4. Others of this class	{ M F	3	2				2					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

UTAH—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	12	4	2			1	7			1		
2	Males	8	2	2			1	5					
3	Females	4	2					2			1		
4	1. Diseases of the spine	{ M. 7 F. 3	2	2			1	5			1		
5	2. Diseases of the bones	{ M. 1 F. 1											
6	3. Diseases of the hip joint	{ M. 1 F. 1											
7	4. Others of this class	{ M. 1 F. 1											
8	X.—Diseases of the skin	8	1					1			1	1	1
9	Males	6									1	1	
10	Females	2	1					1					1
11	1. Abscess	{ M. 6 F. 2	1					1			1	1	1
12	2. Carbuncle	{ M. 1 F. 1											
13	3. Others of this class	{ M. 1 F. 1											
14	XI.—Diseases of the absorbent system												
15	Males												
16	Females												
17	1. Addison's disease	{ M. 1 F. 1											
18	2. Diseases of the spleen	{ M. 1 F. 1											
19	3. Others of this class	{ M. 1 F. 1											
20	XII.—Accidents and injuries	134	7	5	4	1	1	18	9	17	8	12	14
21	Males	115	6	2	4		1	13	8	14	8	9	13
22	Females	19	1	3		1		5	1	3		3	1
23	1. Burns and scalds	{ M. 2 F. 5	1		2			1		1			
24	2. Drowned	{ M. 18 F. 1		1	2		1	4	4	3	1	3	1
25	3. Exposure and neglect	{ M. 1 F. 1											1
26	4. Gunshot wounds	{ M. 3 F. 2							1	1	1	1	
27	5. Homicide	{ M. 9 F. 1									1		2
28	6. Infanticide	{ M. 1 F. 1											
29	7. Injuries by machinery	{ M. 1 F. 1											
30	8. Railroad accidents	{ M. 14 F. 1	1	1				1	1	2		3	
31	9. Suffocation	{ M. 3 F. 1	2					2				1	
32	10. Suicide by shooting	{ M. 1 F. 1											
33	11. Suicide by drowning	{ M. 1 F. 1											
34	12. Suicide by poison	{ M. 2 F. 1											1
35	13. Other suicides	{ M. 5 F. 1											
36	14. Sunstroke	{ M. 1 F. 2									1	1	1
37	15. Surgical operations	{ M. 1 F. 1											
38	16. Wounds	{ M. 1 F. 1											
39	17. Other accidents and injuries	{ M. 55 F. 9	2	1	2		1	5	3	7	4	2	8

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

UTAH—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
			2	1	1										1
			2	1	1										2
															3
			1		1										4
			1												5
															6
					1										7
2					1	1									8
2					1	1									9
2					1	1									10
															11
															12
															13
															14
															15
															16
															17
															18
															19
9	9	6	9	7	1	3	2	4	1					5	20
9	7	6	9	6	1	2	1	3	1					5	21
	2			1		1	1	1							22
	2														23
	1	1													24
															25
														1	26
3			1	1										1	27
															28
															29
3		2	2												30
															31
														1	32
															33
				1											34
	2		1		1									1	35
															36
			1												37
															38
3	4	3	4	4		2	1	3	1					1	39
				1		1	1	1							

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VERMONT.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over..	Unknown.	
195	156	152	186	204	227	290	318	386	394	416	233	93	27	61	1
80	61	60	86	94	116	143	174	196	201	213	107	46	9	29	2
115	95	92	100	110	111	147	144	190	193	203	126	47	18	32	3
2	1	3	4	5	7	7	7	12	6	6	2			10	4
1		1	2	1	2	2	4	10	3	4				5	5
1	1	2	2	4	5	5	3	2	3	2	2			5	6
22	16	8	19	14	14	15	12	18	17	18	6	4	2	3	7
10	7	2	8	6	10	6	6	5	9	7	2	2	1	1	8
12	9	6	11	8	4	9	6	13	8	11	4	2	1	2	9
															10
															11
															12
	1		1												13
	2	1	1		1	1	1							1	14
															15
1						1			1						16
1			1			1		1				1			17
8	3	1		1	3	2	2		2						18
4	3	3	1	5		1	2	2	2	1	1				19
1	1	1	2	2	4	3	2	4	4	2	2	1	1	1	20
3	1	1	5		2		2	6	4	8	2	1	1		21
				2	1			1							22
	1			1		2		2	1	1					23
	2		4	1	2	2	2			1		1		1	24
3			2	1		2	1	2		2					25
1		1				1									26
	1			1	1					2		1			27
				1											28
		1													29
1	1	1	1	1											30
															31
					1			1							32
1							1		1			1		1	33
	1	1		2	1	3	7	19	37	119	81	46	16	1	34
				1	1	1	2	10	14	54	39	21	5		35
	1	1		1	1	2	5	9	23	65	42	25	11	1	36
															37
															38
															39
	1	1		1	1	1	1	2	3	8	2	1	1		40
								3	2	4	3	1	1		
						1	1	8	11	46	37	20	4		
						1	3	6	21	61	39	24	10	1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VERMONT—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	1,096	28	9	6	2		45	9	23	74	63	94
2	Males	444	14	1	2	2		19	5	5	22	23	33
3	Females	652	14	8	4			26	4	18	52	40	61
4	1. Rheumatism	{ M F	13 22						1				2
5	2. Scrofula and tubercles	{ M F	11 7	1				1	2	1	2	1	1
6	3. Leprosy	{ M F											
7	4. Consumption	{ M F	263 398	9 8	1 4	1 1	1	11 13	1 1	2 13	16 47	21 39	31 54
8	5. Hydrocephalus	{ M F	10 9	4 3	1 2	1 3	1	7 8	1	1			
9	6. Cancer	{ M F	90 128		1			1			2		1 2
10	7. Tumor	{ M F	7 27						1		1		1
11	8. Anæmia	{ M F	2 5		1			1	1				
12	9. Dropsy	{ M F	26 43	1 2				1 2			1	1	2
13	10. Diabetes	{ M F	21 13						1	1	1	1	
14	11. Others of this group	{ M F	1								1		
15	12. Others of this class	{ M F											
16	II.—Diseases of the nervous system	611	53	28	8	3	4	96	19	9	9	10	13
17	Males	293	28	14	6	2	1	51	7	6	3	3	3
18	Females	318	25	14	2	1	3	45	12	3	6	7	10
19	1. Inflammation of the brain	{ M F	23 21	4 6	4 3	1	1	11 10	4 4		2	1	1
20	2. Apoplexy	{ M F	65 67							1		1	1
21	3. Paralysis	{ M F	100 97	1	1			2	2				2
22	4. Tetanus and trismus nascentium	{ M F											
23	5. Epilepsy	{ M F	10 8						1	1			1
24	6. Convulsions	{ M F	23 29	15 13	4 5	1	1	21 19		1	1	1	2
25	7. Mental diseases	{ M F	13 18								1	1	
26	8. Diseases of the brain	{ M F	37 34	8 3	3 1	2		13 5		2	1	1	2
27	9. Diseases of the spinal cord	{ M F	10 18	1 2	3 4	2	1	6 9		2		1	
28	10. Others of this class	{ M F	12 26						1		3	2	3
29	III.—Diseases of the circulatory system	464	26					26	4	4	9	11	13
30	Males	256	16					16	3	2	6	8	3
31	Females	208	10					10	1	2	3	3	10
32	1. Angina pectoris	{ M F	3 4						1				1
33	2. Aneurism	{ M F	1										
34	3. Diseases of the heart	{ M F	248 198	14 8				14 8	2 1	2	6 3	8 2	3 3
35	4. Others of this class	{ M F	4 6	2 2				2 2				1	1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VERMONT—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
72	60	60	67	64	68	76	77	82	74	43	20	9		16	1
30	25	21	23	21	33	32	41	40	35	21	9	2		4	2
42	35	39	44	43	35	44	36	42	39	22	11	7		12	3
	3				4		1	4	1						
	1		3	2	1	1	1	2	4	1	1	1		1	4
	1	2				1	1	1	1						5
															6
25	19	16	17	11	14	16	18	16	14	8	4			3	7
32	27	28	25	20	14	17	18	19	13	9	2			7	8
							1								9
4	1		4	6	11	12	15	14	11	6	2	2		1	9
6	2	7	10	12	11	19	18	11	14	10	4	3		1	10
		1	1	1	4			1			1				11
2	2	2	2	4		2		3	2	1				1	12
							1				1	1			13
		1					1								14
2	3	1	4	2	3	3	2	2	3	4	1	1		1	15
1	1	2	1	2	1	1	2	2	1	3		1		1	16
				3	2		1								17
															18
13	11	15	10	25	25	42	54	72	72	71	31	4	1	9	19
2	5	6	5	11	12	18	27	35	38	40	15	1	1	4	20
11	6	9	5	14	13	24	27	37	34	31	16	3		5	21
	1	1	1	1							1				22
1	1	1	1	1											23
3	1	3		1	4	6	12	7	10	11	7		1	1	24
		2		3	6	7	7	11	9	11	4			2	25
3	1	2	3	5	5	8	11	17	20	19	5	1		3	26
		1		3	2	9	9	15	18	15	10	3		3	27
															28
				3			2	1			1				29
		2		1		2	1	1	1						30
1			1											1	31
	1	1	1	2	2	1	5	1	3	1					32
1	1	1	1	2	2	1	5	1	1	1					33
2	2	1	1	1	2	1	2	2	4	4	1				34
1	2	1	1	3	2	4	2	4	4	4	1				35
							2			1					
	1		2			2									
1	3	1		2	1	1	1	2	3	4	1				
11	7	14	22	24	31	51	53	60	60	38	20	6			
4	3	3	14	12	19	33	30	24	35	25	11	5			
7	4	11	8	12	12	18	23	36	25	13	9	1			
						1			1						
								3							
									1						
4	3	3	13	12	19	32	29	24	33	25	11	5			
7	4	11	8	12	12	18	23	31	25	13	9	1			
			1				1								
								2							

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VERMONT—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	26	5				2	7	2	1		2	
2	Males	13	3				1	4	1	1		1	
3	Females.....	13	2				1	3	1			1	
4	1. Diseases of the spine..... { M. 10		3				1	4		1		1	
	{ F. 11		2					2	1			1	
5	2. Diseases of the bones..... { M. 1												
	{ F. 1												
6	3. Diseases of the hip joint..... { M. 2								1				
	{ F. 1							1					
7	4. Others of this class..... { M. 1												
	{ F. 1												
8	X.—Diseases of the skin.....	18							1			1	
9	Males	8											
10	Females.....	10							1			1	
11	1. Abscess..... { M. 3								1			1	
	{ F. 5												
12	2. Carbuncle..... { M. 2												
	{ F. 1												
13	3. Others of this class..... { M. 3												
	{ F. 4												
14	XI.—Diseases of the absorbent system.....	2											
15	Males	1											
16	Females.....	1											
17	1. Addison's disease..... { M. 1												
	{ F. 1												
18	2. Diseases of the spleen..... { M. 2												
	{ F. 1												
19	3. Others of this class..... { M. 3												
	{ F. 4												
20	XII—Accidents and injuries.....	251	15	5	7	5		32	12	11	11	22	14
21	Males	181	6	1	4	2		13	8	9	11	18	12
22	Females.....	70	9	4	3	3		19	4	2		4	2
23	1. Burns and scalds..... { M. 6			1	1	2		4	1				
	{ F. 1												
24	2. Drowned..... { M. 30				2	1		3	2	6	2	6	
	{ F. 5			1	1			2	1	1			
25	3. Exposure and neglect..... { M. 1		1					1					
	{ F. 1												
26	4. Gunshot wounds..... { M. 4								1	1			
	{ F. 1												
27	5. Homicide..... { M. 2												2
	{ F. 2												
28	6. Infanticide..... { M. 1												
	{ F. 1												
29	7. Injuries by machinery..... { M. 3												
	{ F. 1												
30	8. Railroad accidents..... { M. 32										2	6	3
	{ F. 2											1	
31	9. Suffocation..... { M. 4		2					2					
	{ F. 5		5					5					
32	10. Suicide by shooting..... { M. 4												
	{ F. 1												
33	11. Suicide by drowning..... { M. 1												
	{ F. 2												
34	12. Suicide by poison..... { M. 2												
	{ F. 1												
35	13. Other suicides..... { M. 14										1	1	
	{ F. 3												
36	14. Sunstroke..... { M. 1												
	{ F. 1												
37	15. Surgical operations..... { M. 1											1	
	{ F. 1												
38	16. Wounds..... { M. 5			1				1	1			1	
	{ F. 1			1				1	1				
39	17. Other accidents and injuries..... { M. 79		3		2	1		6	4	2	6	4	9
	{ F. 40		4	1	1	1		7	1	1		2	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VERMONT—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1	1		2	3	1	3		1	2						1
	1			1		2		1	1						2
1			2	2	1	1			1						3
1	1		1	2	1	2		1	1						4
						1			1						5
				1											6
			1												7
2	1	1	2	1	1	1	2	2		1	2				8
1	1	1	1	1		1	1	2		1	2				9
1	1	1	1	1			1								10
								2							11
						1									12
1			1		1		1			1	2				13
				1			1								14
				1				1							15
				1			1								16
															17
															18
															19
12	9	8	14	13	13	14	15	12	9	11	8	4	1	6	20
12	7	5	13	11	10	12	11	7	9	5	2	2		4	21
	2	3	1	2	3	2	4	5	6	6	6	2	1	3	22
							1								23
5			2	1		1		2							24
								1							25
	1					1									26
	1									1					27
															28
2	1														29
2	1	2	3		2	3		2	4					2	30
						1		1							31
			1	2		1									32
							1								33
			1	1		1									34
			1	1	1										35
	1	1	2	2	1		3			1				1	36
				1											37
						1		1							38
3	2	2	4	6	7	5	5	2	4	3	2	2		1	39
	2	1			2	1	3	4	4	5	6	2	1	2	39

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VIRGINIA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
815	856	781	766	798	594	978	901	921	788	595	330	138	88	269	1
366 449	368 488	341 440	422 346	426 372	353 241	536 442	531 370	525 396	442 346	304 291	175 155	65 73	29 59	154 115	2 3
38	35	45	44	57	30	56	54	56	46	34	28	7	4	53	4
20 18	16 19	12 33	24 20	27 30	21 9	29 27	34 20	29 27	22 24	21 13	15 13	3 4	4	30 23	5 6
121	106	92	92	73	72	124	101	81	86	41	27	5		37	7
63 58	47 59	46 46	47 45	36 37	31 41	65 59	55 46	44 37	42 44	20 21	16 11	4 1		16 21	8 9
															10
3 3	2 9	3 4	1 2	1 1	1 3	1	1	1	1 3					1	11
			1	1	2				1	1					12
1		1		2	1	3	1			1 1				2	13
							1							1 2	14
1 1		3	1 1		1 2	1 3	1	2 1	1 2						15
1	1	1	1	1			1		1						16
34 20	16 15	18 13	15 10	4 8	5 6	13 5	7 6	2 3	6 5	1 1	1			5 3	17
9 11	13 14	10 15	16 17	21 13	11 21	27 30	29 23	26 21	23 22	8 10	9 4	3 1		6 7	18
														1	19
12 17	12 12	7 7	6 9	5 7	4 7	16 13	7 10	6 9	7 8	2 6	2 4			4 2	20
2 1	1 1		1	2	2 2	1 2	2 4	1	1	3	1	1		1	21
1	1 3	1	2 2	2	2	5 2	2 1	2	3		1			2	22
1 3	1 4	5 2	3 2	1 1			2	1							23
	1	1 1		1 2	2	2	2 1	3 3	1 1	5	3 1				24
7	4	9	5	7	6	6	6	2	2	3	2	1	2	7	25
7	4	8 1	5	5 2	6	5 1	5 1	1 1	1 1	2 1	1 1	1	2	7	26 27
				1							1				28
7	4	7	5	5	5	4	4	1	1					6	29
															30
		1				1		1	1				1		31
		1		1	1	1	1 1			2 1	1	1	1	1	32
	2	6	5	4	11	24	18	81	87	157	91	56	49	8	33
	2		3 2	3 1	6 5	8 16	10 8	43 38	47 40	75 82	48 43	25 31	14 35	7 1	34 35
															36
															37
															38
	2		3 2	3 1	6 5	7 12	5 5	17 9	12 10	12 11	4 6	4 2	4	3 1	39
		6					1 4	5 3	26 29	63 71	44 37	21 29	14 31	4	40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VIRGINIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	4,508	93	78	68	45	30	314	138	181	431	532	407
2	Males	2,028	46	47	33	22	19	167	66	81	166	220	163
3	Females	2,480	47	31	35	23	11	147	72	100	265	312	244
4	1. Rheumatism	{ M 80 F 70			1			1	3	1	1	6	3
5	2. Scrofula and tabes	{ M 114 F 114	6	13	5	8	7	39	14	13	4	10	3
6	3. Leprosy	{ M 1 F								1			
7	4. Consumption	{ M 1,365 F 1,685	28	18	11	7	9	73	26	50	142	192	146
8	5. Hydrocephalus	{ M 25 F 17	8	6		2		16	3		1	2	
9	6. Cancer	{ M 122 F 226	1		1			1	1	2		2	1
10	7. Tumor	{ M 24 F 38		1			1	2	2		3	1	1
11	8. Anæmia	{ M 2 F 10	1			1	1	3		1	2	1	1
12	9. Dropsy	{ M 255 F 303	4	7	13	3	2	29	17	9	12	5	7
13	10. Diabetes	{ M 30 F 11			1		1	1	1	2	2	1	2
14	11. Others of this group	{ M 8 F 6	1	1	2	1		4	1	2			
15	12. Others of this class	{ M 2 F		1				1		1			
16	II.—Diseases of the nervous system	2,093	444	128	62	47	23	704	75	52	76	66	41
17	Males	1,133	234	68	34	23	11	370	38	26	42	41	20
18	Females	960	210	60	28	24	12	334	37	26	34	25	21
19	1. Inflammation of the brain	{ M 198 F 192	44	26	19	9	4	102	17	13	20	16	4
20	2. Apoplexy	{ M 156 F 114	1	1			1	3		1	1	3	1
21	3. Paralysis	{ M 306 F 271	4	3	2			9	1	1	5	3	9
22	4. Tetanus and trismus nascentium	{ M 36 F 29	21	1				22	3	1	2	3	1
23	5. Epilepsy	{ M 32 F 31	1	4		1		6	3	2	3	4	2
24	6. Convulsions	{ M 201 F 168	137	24	6	8	3	178	6	2	3	3	1
25	7. Mental diseases	{ M 19 F 13								1	2	2	3
26	8. Diseases of the brain	{ M 134 F 95	22	6	3	4	3	38	6	2	2	7	2
27	9. Diseases of the spinal cord	{ M 26 F 21	4	3	4	1		12	2	3	3		
28	10. Others of this class	{ M 25 F 26		1			1	2		1	2	4	3
29	III.—Diseases of the circulatory system	1,096	33	8	10	2	1	54	15	21	40	40	27
30	Males	597	19	1	5	1		26	12	11	16	19	15
31	Females	499	14	7	5	1	1	28	3	10	24	21	12
32	1. Angina pectoris	{ M 11 F 9								1		2	
33	2. Aneurism	{ M 6 F 4									1	1	
34	3. Diseases of the heart	{ M 573 F 481	17	1	4	1		23	12	10	15	17	14
35	4. Others of this class	{ M 7 F 5	2		1			3					1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VIRGINIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
293	304	284	249	251	154	245	191	191	152	79	43	15	7	47	1
109 184	117 187	109 175	122 127	128 123	78 76	117 128	112 79	100 91	77 75	39 40	23 20	7 8	2 5	25 22	2 3
1 2	2 2	3 2	6 5	5 6	6 3	10 6	8 5	7 7	8 7	5 2	1 2	1	1	2 2	4
1 4	5 3	5 8	6	5 4	2	3 4	3 1	1	2	2	1			2	5
															6
96 147	96 141	81 121	89 81	96 74	47 35	53 59	64 39	46 28	34 28	10 9	4 4	1 2	1	18 15	7
				1	1									1	8
5 12	5 21	3 18	6 23	7 23	11 19	17 29	15 16	17 23	12 17	7 9	8 4	3		2 1	9
2 4	1 4	1 3	4	1	4	4	3 1	1 1	1 2	1		1		1	10
							1	1					1		11
3 15	5 16	15 23	14 14	10 15	10 12	25 26	18 15	27 28	20 21	14 17	8 10	5 2	1 3	1 2	12
1	3	1	1	3 1	2 1	4	1 1	2 2		3	1				13
					1	1									14
															15
47	40	44	73	91	76	130	143	134	122	83	49	11	5	31	16
21 26	18 22	23 21	42 31	55 36	47 29	75 55	76 67	76 58	76 46	41 42	21 28	4 7	1 4	20 11	17 18
5 6	4 3	2 3	4 6	1 2	1 1	2 4	1 2	3 2	2					1 1	19
2 4	1 8	6 4	11 9	22 10	17 9	23 11	21 13	15 8	16 7	4 10	3 4	1 1		5 3	20
4 8	6 3	8 4	15 11	22 16	17 14	40 29	35 39	36 37	45 32	31 31	14 22	3 4	3	2 1	21
		1	1			1								1	22
1 1	2 3		1 1	2	1	1	1 1	1	1 1	2	1		1	3	23
2	1	1 3	1 2			1	2 1	1	2			1		1 4	24
	1		2	1		2	3 3	6						1 1	25
6 5	3 2	5 4	6 1	7 4	10 3	4 7	8 8	11 6	9 4	1	3		1	3	26
1 1						1	1	1	1		1			2 1	27
1	1 1	1	1 1	2 2	2 1	1 2	4	4 3	2	3 1	1	1		1	28
41	47	66	74	83	69	114	124	104	77	51	20	6	4	19	29
19 22	17 30	28 38	43 31	43 40	43 26	66 48	75 49	66 38	42 35	30 21	10 10	2 4	3 1	11 8	30 31
		1			1	2 2	1 1	3	1		1 1				32
	1 1		1 1	1		1	1		1						33
18 22	16 29	28 37	42 30	42 40	42 24	63 46	73 48	63 38	41 34	29 21	9 9	2 4	3 1	11 8	34
1					1	1				1					35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
IV.—Diseases of the respiratory system . . .	3, 245	577	271	160	88	57	1, 153	161	91	179	167	116
1 Males	1, 778	321	149	79	46	30	625	91	46	90	102	63
2 Females	1, 467	256	122	81	42	27	528	70	45	89	65	53
4 1. Croup { M..	150	64	30	16	22	8	140	12	1			
{ F..	134	62	24	15	16	8	125	6	2	1		
5 2. Laryngitis { M..	5	1			1	1	3					
{ F..	5	3			1		4					
6 3. Bronchitis { M..	168	43	21	11	2	2	79	5	2	1	2	3
{ F..	145	36	20	13		2	71	9	3		2	3
7 4. Pneumonia { M..	964	116	74	32	17	13	252	44	32	66	77	47
{ F..	746	91	56	35	15	11	208	42	29	61	41	31
8 5. Pleurisy { M..	42	1		2		1	4	1		2	2	
{ F..	23	1				1	2			1		1
9 6. Asthma { M..	46	5	1	1	1		8	2				2
{ F..	44	1	1				2				1	
10 7. Others of this class { M..	394	91	23	17	3	5	139	27	11	21	21	11
{ F..	370	62	21	18	10	5	116	13	11	26	21	18
11 V.—Diseases of the digestive system	972	211	109	47	15	10	392	34	25	27	37	32
12 Males	522	121	59	29	9	5	223	15	17	10	10	16
13 Females	450	90	50	18	6	5	169	19	8	17	27	16
14 1. Dentition { M..	102	49	40	9	3	1	102					
{ F..	79	33	37	8	1		79					
15 2. Angina { M..	18	2	1	3	1	2	9	3	2	1	1	1
{ F..	21	4	1	2	1	1	9	3		2		2
16 3. Diseases of the stomach { M..	70	12	5	5	1		23	4	1	2	1	2
{ F..	79	9		5		1	15	3	2	3	10	4
17 4. Obstruction of the bowels . . . { M..	26	1		1			2	1	1	3		
{ F..	25					1	2	2	2	1	1	1
18 5. Hernia { M..	23				1		1				2	1
{ F..	3											
19 6. Other diseases of the bowels . { M..	30	5	3	4			12		1	2		1
{ F..	26	6	3	1	2		12	1	1	1	1	
20 7. Jaundice { M..	24	11				1	12		1			
{ F..	18	3					3	1			2	
21 8. Inflammation and abscess of { M..	31	3	1	1		1	6		1			3
{ F..	14		2				2				1	1
22 9. Other diseases of the liver . . { M..	69	7	2	3	2		14	?	1		2	1
{ F..	52	5	2			1	8		1	1	4	2
23 10. Peritonitis { M..	19		1				1	2	3		1	2
{ F..	31				1		1	2	2	5	4	1
24 11. Ascites { M..	14			1	1		2		3		1	
{ F..	13					1	1	1	1		1	
25 12. Others of this class { M..	96	31	6	2			39	3	3	2	2	5
{ F..	89	30	5	2			37	6	4	4	3	5
26 VI.—Diseases of the urinary system and male organs of generation.	409	4	1	1	1	1	8	3	6	8	18	15
27 Males	297	3				1	4	2	2	4	10	3
28 Females	112	1	1	1	1		4	1	4	4	8	12
29 1. Bright's disease { M..	139							2		1	6	1
{ F..	58								2	3	6	7
30 2. Calculus, urinary { M..	23										1	
{ F..	2											
31 3. Diseases of the kidney { M..	77	2				1	3		1	3	3	2
{ F..	40	1	1	1	1		4	1	2	1	1	4
32 4. Diseases of the bladder . . . { M..	39	1					1				1	1
{ F..	3											
33 5. Others of this class { M..	19								1			
{ F..	9											
34 VII.—Diseases of the female organs of generation.	75								2	5	9	8
35 1. Ovarian tumors F.	9										1	1
36 2. Ovarian diseases F.	5										1	
37 3. Uterine tumors F.	4											1
38 4. Uterine diseases F.	31									1	4	3
39 5. Others of this class F.	26								2	4	3	3
40 VIII.—Affections connected with pregnancy.	330								2	35	68	57
41 1. Abortion F.	15								1	1	2	4
42 2. Childbirth F.	226									19	50	37
43 3. Puerperal septicæmia F.	60								1	8	9	14
44 4. Extra-uterine pregnancy . . F.												
45 5. Others of this class F.	29									7	7	2

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VIRGINIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	87	11	7	4	5		27	5	5	13	5	4
2	Males	43	2	3	3	4		12	2	3	5	3	2
3	Females	44	9	4	1	1		15	3	2	8	2	2
4	1. Diseases of the spine..... { M. 29	29	2	2	3	4		11	2	2	3	2	1
	{ F. 34	34	7	4	1	1		13	3	1	6	1	2
5	2. Diseases of the bones..... { M. 4	4										1	
	{ F. 5	5	1					1			1		
6	3. Diseases of the hip joint..... { M. 5	5		1				1		1	1		
	{ F. 2	2								1		1	
7	4. Others of this class..... { M. 5	5									1		1
	{ F. 3	3	1					1			1		
8	X.—Diseases of the skin	47	12	2	1	1		16	2	3	2	1	
9	Males	28	6		1	1		8	1	2	2	1	
10	Females	19	6	2				8	1	1			
11	1. Abscess	7				1		1		1	1	1	
	{ M. 7	7						1					
	{ F. 8	8	2					2	1	1			
12	2. Carbuncle	9	1					1	1	1	1		
	{ M. 9	9	1					1	1	1	1		
	{ F. 0	0											
13	3. Others of this class..... { M. 12	12	5		1			6					
	{ F. 11	11	4	2				6					
14	XI.—Diseases of the absorbent system.....	5										1	
15	Males	1											
16	Females	4										1	
17	1. Addison's disease..... { M. 0	0											
	{ F. 0	0											
18	2. Diseases of the spleen..... { M. 1	1										1	
	{ F. 3	3											
19	3. Others of this class..... { M. 0	0											
	{ F. 1	1											
20	XII.—Accidents and injuries	1,091	103	29	42	33	30	237	91	74	95	102	96
21	Males	765	51	16	28	15	12	122	37	53	78	93	82
22	Females	326	52	13	14	18	18	115	54	21	17	9	14
23	1. Burns and scalds..... { M. 70	70	2	7	13	10	10	42	9	1	3	1	3
	{ F. 130	130	9	5	8	13	14	49	41	10	5	3	2
24	2. Drowned..... { M. 102	102		1	9			10	8	12	16	8	15
	{ F. 27	27		1	1		2	4	7	4	4	3	2
25	3. Exposure and neglect..... { M. 38	38	13	3	2	2	1	21			2	2	1
	{ F. 30	30	13	3	1	2		19	1		3		
26	4. Gunshot wounds..... { M. 66	66			1			1	6	8	17	8	5
	{ F. 7	7								2	3	1	1
27	5. Homicide..... { M. 59	59	3					3	2	1	6	15	9
	{ F. 6	6											2
28	6. Infanticide..... { M. 0	0											
	{ F. 2	2	2					2					
29	7. Injuries by machinery..... { M. 2	2								1			
	{ F. 0	0											
30	8. Railroad accidents..... { M. 114	114		1				1	1	3	12	33	19
	{ F. 9	9			1	1		2		2			
31	9. Suffocation..... { M. 22	22	16	1		1		18		1			
	{ F. 20	20	15	1				16			1		
32	10. Suicide by shooting..... { M. 10	10										2	1
	{ F. 0	0											
33	11. Suicide by drowning..... { M. 1	1											
	{ F. 1	1											
34	12. Suicide by poison..... { M. 1	1											
	{ F. 0	0											
35	13. Other suicides..... { M. 11	11										2	2
	{ F. 4	4										1	1
36	14. Sunstroke..... { M. 9	9									1		3
	{ F. 1	1									1		
37	15. Surgical operations..... { M. 3	3								2			1
	{ F. 10	10											2
38	16. Wounds..... { M. 20	20	1					1	1	2	1	2	1
	{ F. 4	4											2
39	17. Other accidents and injuries... { M. 237	237	16	3	3	2	1	25	10	24	20	20	22
	{ F. 75	75	13	3	3	2	2	23	5	1	2	2	2

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VIRGINIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1	3	5	4	2	1	3	2	1	4		1			1	1
1	2	3		1	1	2		1	4					1	2
	1	2	4	1		1	2				1				3
	1	2		1		1		1	2						} 4
	1	1	2			1	2				1				
									1					1	} 5
		1	2												
	1	1													} 6
1					1				1						} 7
				1											
2	2	1		3	1	4		3	3	2	1		1		8
2	1	1		1	1	2		2	2	2	1				} 9
	1			2		2		1	1				1		
		1	1	1		1		1							} 10
				1				1							
2						1			1		1				} 11
	1				1			1							} 12
				1		2		1	1	2				1	} 13
			1	1		2									} 14
			1	1		2									} 15
				1		2									} 16
			1												} 17
			1	1		1									} 18
						1									} 19
55	58	49	45	35	21	25	26	22	19	18	9	3	2	15	20
47	50	35	35	31	17	18	21	12	10	7	4	2	1	10	21
8	8	8	10	4	4	7	5	10	9	11	5	1	1	5	22
1		1		1	1	2	1	2		2					} 23
2	3	2	1	1	1	2	1	4		2	2				
4	13	3	3	4	1	2		1						2	} 24
2						1									
2	1		2	1		1				3	2				} 25
						1		2		2	1			1	
2	4	4	1	2	2	2	3							1	} 26
3	5	3	2	5	2		2	1							} 27
	2					1		1							
															} 28
														1	} 29
13	10	8	3	3		3	1	1	1					2	} 30
		1	1	1	1	1									
	1	1	1											2	} 31
2	2		1	1			1								} 32
1															} 33
				1											
										1					} 34
			1	1	3		2								} 35
			1						2						
				1		2	1		1						} 36
1		1	3	1		1									} 37
	1	1													
1	1	2	1	1	2	2		1	1						} 38
		1													
17	13	13	20	11	5	4	10	6	7	1	2	2	1	4	} 39
4	2	3	3	1	2	1	4	3	7	7	1	1	1	2	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WASHINGTON.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.		
149	162	123	92	92	76	85	64	55	33	30	11	2	2	108	1	
93	103	80	65	59	55	60	44	40	23	16	10	2	2	65	2	
56	59	43	27	33	21	25	20	15	10	14	1	2	2	43	3	
4	4	7	2	5	3	7		3	2	1				14	4	
2	2	4	2	4	2	5		2	2	1				12	5	
2	2	3		1	1	2		1						2	6	
27	28	10	6	12	3	6	8	4	1	3				18	7	
20	19	8	6	5	3	3	4	2	1	3				10	8	
7	9	2		7		3	4	2						8	9	
																10
	1					1										11
														1		12
														1		13
1								1						1		14
														1		15
1				1										1		16
														1		17
14	13	4	6	2	2	1								4		18
4	4	1		3			2							1		19
	2	1		1		1		1	1	2				1		20
	4	1		2			2	1						1		21
2	3	2			1	1				1				1		22
1														2		23
1	1	1				1	1	1						1		24
				2										1		25
4	5	3	4	4	1					1				2		26
4	4	3	4	3	1					1				2		27
	1															28
	4	2	4	2	1									1		29
	1															30
					1									1		31
3				1										1		32
		1								1						33
					1	3	3	8	4	10	1	1	1	5		34
						2	2	5	3	2	1		1	5		35
					1	1	1	3	1	8		1	1			36
																37
																38
						1	1	4	1				1	2		39
					1			1		2				2		40
						1	1	2	2	6	1	1		3		
						1	1	2	1							

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WASHINGTON—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	444	10	10	4	3	4	31	9	25	29	78	36
2	Males	225	7	3	2	2	2	16	2	6	16	34	17
3	Females	219	3	7	2	1	2	15	7	19	13	44	19
4	1. Rheumatism..... { M. 13						1	1		3	2	1	
	{ F. 8								2	1		1	1
5	2. Scrofula and tabes..... { M. 3			1				1					
	{ F. 6			2	1		1	4	1			1	
6	3. Leprosy												
	{ M.												
	{ F.												
7	4. Consumption..... { M. 151		3	2	1	2	1	9	2	2	11	30	16
	{ F. 163		1	3	1		1	6	3	14	12	39	17
8	5. Hydrocephalus..... { M. 3		2					2					
	{ F. 5		1	2				3	1	1			
9	6. Cancer	19										1	1
	{ M. 19											2	1
	{ F. 20												
10	7. Tumor..... { M. 2		1					1				1	
	{ F. 2												
11	8. Anemia..... { M. 13		2					2		1		1	
	{ F. 4												
12	9. Dropsy..... { M. 15					1		1		1	1		
	{ F. 7												
13	10. Diabetes..... { M. 5				1			1			2		
	{ F. 4									2		1	
14	11. Others of this group..... { M. 1										1		
	{ F.												
15	12. Others of this class..... { M.												
	{ F.												
16	II.—Diseases of the nervous system.....	219	47	13	9	12	5	86	10	6	6	5	10
17	Males	128	23	7	4	9	2	45	6		3	3	7
18	Females.....	91	24	6	5	3	3	41	4	6	3	2	3
19	1. Inflammation of the brain..... { M. 29		9	4	2	4		19	1		1		1
	{ F. 20		6	2	2	1	1	12	3	2	1		1
20	2. Apoplexy..... { M. 16											1	3
	{ F. 8												
21	3. Paralysis..... { M. 23		1					1		1			1
	{ F. 10												
22	4. Tetanus and trismus nascentium { M.												
	{ F.												
23	5. Epilepsy..... { M. 5											1	
	{ F. 1												
24	6. Convulsions..... { M. 15		9	1	1			11	2				
	{ F. 20		12	2	2	1	1	18					
25	7. Mental diseases..... { M. 7												1
	{ F. 6												2
26	8. Diseases of the brain..... { M. 11			1		2		3			1		1
	{ F. 9		2			1		3					
27	9. Diseases of the spinal cord..... { M. 19		5	1	1	3	2	12	3			2	
	{ F. 15		3	2	1		1	7	1	3	2		
28	10. Others of this class..... { M. 3										1		
	{ F. 2											1	
29	III.—Diseases of the circulatory system.....	115	3	1			1	5	3	1	4	3	6
30	Males	75	1					1	1		2		1
31	Females.....	40	2	1			1	4	2	1	2	3	5
32	1. Angina pectoris..... { M. 1												
	{ F. 1												
33	2. Aneurism..... { M. 2												
	{ F. 1												
34	3. Diseases of the heart..... { M. 72		1					1	1		2		1
	{ F. 36		1	1			1	3	1	1	2	3	5
35	4. Others of this class..... { M.												
	{ F. 2		1					1	1				

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WASHINGTON—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
41	44	25	18	19	24	15	14	16	2	3	3		1	11	1
20	23	10	10	15	16	9	8	13		2	2		1	5	2
21	24	15	8	4	8	6	6	3	2	1	1			6	3
1			1		1			2		1				1	4
1									1						
	1														5
			1												6
															7
18	18	7	4	9	11	3	3	4						4	7
20	19	11	5	1	6	4	1			1				4	8
		1													9
	1		2	1		4	3	2						1	10
	2	4	1	2	1	2	3	1						1	11
	1			1									1		12
					2		1	3		1	1				13
								1	1						14
	2	2	2	1	2	2	1	2			1				15
	1		1				1	1							16
					1										17
9	13	11	12	7	7	13	5	8	5	1	3			2	18
6	10	5	6	3	7	11	4	4	5		3			2	19
3	3	6	6	4		2	1	4		1					20
	1								1						21
	3	1													22
	1	1	2	1	1	2	1	1	1						23
	1	1	1	2			2	4	3		3				24
1	1	1	1		1	5	2	2							25
1	1	1	1			2		4	3						26
								2							27
															28
		1	2	1	1										29
1			1											1	30
	1			1	3		1								31
		1	2	1											32
	1	1	1			3									33
1	1	1	1	2				1						1	34
1					1					1					35
	1					1									36
		1													37
8	4	8	15	8	6	12	9	9	6	4	1			3	38
5	3	4	12	6	5	9	8	7	5	2	1			3	39
3	1	4	3	2	1	3	1	2	1	2					40
															41
			1				1								42
	1		1												43
								1							44
5	2	4	11	6	5	9	7	7	5	2	1			3	45
3	1	4	2	2	1	3	1	1	1	2					46

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WASHINGTON—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	6	1	1	1			3					
2	Males	2		1				1					
3	Females	4	1		1			2					
4	1. Diseases of the spine	{ M. 1		1				1					
	{ F. 3	1	1		1			2					
5	2. Diseases of the bones	{ M. 1											
	{ F. 1												
6	3. Diseases of the hip joint	{ M. 1											
	{ F. 1												
7	4. Others of this class	{ M. 1											
	{ F. 1												
8	X.—Diseases of the skin	8	2			1		3		1	1		
9	Males	6	2			1		3		1			
10	Females	2									1		
11	1. Abscess	{ M. 3				1		1				1	
	{ F. 2												
12	2. Carbuncle	{ M. 1											
	{ F. 1												
13	3. Others of this class	{ M. 3	2					2		1			
	{ F. 1												
14	XI.—Diseases of the absorbent system	2											
15	Males	2											
16	Females												
17	1. Addison's disease	{ M. 1											
	{ F. 1												
18	2. Diseases of the spleen	{ M. 1											
	{ F. 1												
19	3. Others of this class	{ M. 1											
	{ F. 1												
20	XII.—Accidents and injuries	270	8	9	4	3	2	26	19	18	15	22	22
21	Males	222	3	7	2	2	1	15	14	16	10	20	18
22	Females	48	5	2	2	1	1	11	5	2	5	2	4
23	1. Burns and scalds	{ M. 8	1	3	1		1	6					
	{ F. 7			1				1	3	1			
24	2. Drowned	{ M. 45		3		2		5	5	7	1	4	3
	{ F. 9				1	1		2	1	1	3		
25	3. Exposure and neglect	{ M. 1											
	{ F. 1												1
26	4. Gunshot wounds	{ M. 25								3	4	4	3
	{ F. 4						1	1			1		1
27	5. Homicide	{ M. 10											1
	{ F. 1												
28	6. Infanticide	{ M. 1											
	{ F. 1												
29	7. Injuries by machinery	{ M. 4									1		
	{ F. 1												
30	8. Railroad accidents	{ M. 23							1		1	3	3
	{ F. 1												
31	9. Suffocation	{ M. 4	2					2					
	{ F. 2		2					2					
32	10. Suicide by shooting	{ M. 3									1	2	1
	{ F. 2												
33	11. Suicide by drowning	{ M. 1									1		
	{ F. 1												
34	12. Suicide by poison	{ M. 2											
	{ F. 2												
35	13. Other suicides	{ M. 7											2
	{ F. 2												
36	14. Sunstroke	{ M. 1											
	{ F. 1												
37	15. Surgical operations	{ M. 2			1			1					
	{ F. 1												
38	16. Wounds	{ M. 8							2	1			
	{ F. 2			1				1					
39	17. Other accidents and injuries	{ M. 75		1				1	6	5	2	7	6
	{ F. 16		3		1			4	1		2	2	1

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WASHINGTON—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1														2	1
1														1	2
1														1	3
															4
														1	5
															6
														1	7
	2		1												8
	2		1												9
	2		1												10
															11
															12
															13
					1		1								14
				1			1								15
															16
								1							17
									1						18
				1											19
34	27	26	11	10	5	8	3		2	2				20	20
20	25	25	10	8	4	8	2		1	1				16	21
5	2	1	1	2	1		1		1	1				4	22
										1				2	23
3	5	4	1			2								1	24
	1													5	25
														2	26
3		5	1											1	27
		1	2	2			1							1	28
2															29
1	1	1													30
2	5	2		3		1								2	31
1	1														32
1	2		1						1						33
1															34
1		2												1	35
1				1	1	1									36
															37
	1														38
2	2	1	1												39
13	7	7	5	3	3	4	1			1				4	40
2	1		1	1	1		1		1						41

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WEST VIRGINIA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
306	293	247	237	263	220	261	292	360	286	233	124	43	26	114	1
141 165	124 169	115 132	131 106	129 134	114 115	153 108	173 119	200 160	165 121	128 105	66 58	20 23	10 16	55 59	2 3
8	6	8	8	9	11	10	9	16	9	9	2	2	1	19	4
4 4	3 3	3 5	5 3	5 4	4 7	5 5	6 3	7 9	5 4	4 5	1 1	1 1	1 1	11 8	5 6
59	36	24	24	39	28	21	30	32	30	16	3	2	3	15	7
34 25	20 16	14 10	13 11	20 19	10 18	13 8	16 14	16 16	18 12	7 9	1 2	1 1	1 2	6 9	8 9
1	1	1				1 1	1		1						10 11
			1					1							12
2	1	2	1	1		2								1	13
										1				1 3	14
1	1 1			1		1		2							15
									1						16
20 14	11 7	5 7	5 4	7 9	4 6	7 1	5 8	3 5	2 1	1				3 2	17
4 4	5 3	5 1	6 4	10 6	3 5	4 4	8 6	11 5	12 9	2 9	1 2	1	1 1	1 1	18
															19
5 2	2	2 1	1	1 1	1 2				1	1			1	1	20
1				1	1	1		1 1	1			1			21
2 1	1		1		1		1		1	1				1	22
1 1	1 2		1		1 1										23
					1	1	1	1	1	1				1	24
1	3		1	2	1				2	1			2	1	25
1	2 1		1	2		1			2	1			2	1	26 27
															28
1	1 1		1	2						1					29
	1														30
															31
					1				2				2	1	32
2	1	2	1	4	8	3	7	21	35	52	49	16	14	8	33
1 1	1	2	1	1 3	5 3	3 3	3 4	9 12	12 23	27 25	24 25	6 10	6 8	2 6	34 35
															36
															37
															38
1 1	1	2	1	1 3	5 3	1	3 1	7 1	3 9	6 5	2 4	3		2 6	39
						2		2	9	21	22	6	6		40
							2	11	14	20	21	7	8		

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WEST VIRGINIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	1,616	40	36	24	10	7	117	43	35	138	209	160
2	Males.....	679	20	19	12	4	3	58	23	12	40	83	66
3	Females.....	937	20	17	12	6	4	59	20	23	98	126	94
4	1. Rheumatism..... { M. 27			1	1			2		1	1	2	1
	{ F. 13					1		1	1				
5	2. Scrofula and tuberc..... { M. 47		9	5	4	1	1	20	5	3	1	3	3
	{ F. 35		2	5	4	1		12	2		1	3	1
6	3. Leprosy..... { M.												
	{ F.												
7	4. Consumption..... { M. 448		6	7	4	2	1	20	8	7	37	75	60
	{ F. 695		8	7	5	4	3	27	9	17	91	121	90
8	5. Hydrocephalus..... { M. 12		2	3	2	1		8	3				
	{ F. 15		7	4	1			12	1				
9	6. Cancer..... { M. 55								3			1	
	{ F. 65												1
10	7. Tumor..... { M. 9		2					2					1
	{ F. 22		2					2	2	1	1		
11	8. Anemia..... { M. 4		1	1				2					
	{ F. 2								1				
12	9. Dropsy..... { M. 55				2		1	3	3	1	1	2	1
	{ F. 81								2	3	1		2
13	10. Diabetes..... { M. 17										2	2	
	{ F. 6								2	1			
14	11. Others of this group..... { M. 5			2	1		1	4	1				
	{ F. 3		1	1				2					
15	12. Others of this class..... { M.												
	{ F.												
16	II.—Diseases of the nervous system.....	703	166	57	28	14	10	275	27	16	17	25	13
17	Males.....	380	89	31	14	9	6	149	15	6	11	16	4
18	Females.....	323	77	26	14	5	4	126	12	10	6	9	9
19	1. Inflammation of the brain..... { M. 79		30	17	7	5	1	60	4	2	4	2	1
	{ F. 76		31	14	8	1	2	56	6	3	2	1	2
20	2. Apoplexy..... { M. 30										1	1	
	{ F. 23										1		1
21	3. Paralysis..... { M. 105				1			1		1		1	
	{ F. 95		1		2	1	1	5	1				
22	4. Tetanus and trismus nascentium..... { M. 5		2				1	3	1				
	{ F. 4		2					2					
23	5. Epilepsy..... { M. 17		1	1				2		1		4	1
	{ F. 9		1					1		1	1	2	2
24	6. Convulsions..... { M. 67		45	6	3	3	1	58	2	1	2	2	
	{ F. 47		29	3	3	3		38	1	2		3	1
25	7. Mental diseases..... { M. 4											1	
	{ F. 3												
26	8. Diseases of the brain..... { M. 41		5	5	2		2	14	2		2	5	1
	{ F. 34		8	6	1			15	2	1		2	2
27	9. Diseases of the spinal cord..... { M. 26		6	2	1	1	1	11	6		1		1
	{ F. 18		4	2			1	7	2	2	2		1
28	10. Others of this class..... { M. 6									1	1	1	
	{ F. 14		1	1				2		1			
29	III.—Diseases of the circulatory system.....	358	21	4				25	7	10	22	12	4
30	Males.....	188	12	2				14	2	5	9	7	1
31	Females.....	170	9	2				11	5	5	13	5	3
32	1. Angina pectoris..... { M. 6										1		
	{ F. 10												
33	2. Aneurism..... { M. 1												
	{ F. 1												
34	3. Diseases of the heart..... { M. 178		9	2				11	2	5	9	7	1
	{ F. 154		4	2				6	5	5	12	5	3
35	4. Others of this class..... { M. 3		3					3					
	{ F. 5		5					5					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WEST VIRGINIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	1,218	270	120	75	39	19	523	75	31	57	41	29
2	Males	670	154	64	38	24	14	294	36	13	29	29	10
3	Females	548	116	56	37	15	5	229	39	18	28	12	19
4	1. Croup	{ M. 109 F. 87	51	16	18	10	3	98	10	1			
5	2. Laryngitis	{ M. 2 F. 1			1			1	1				
6	3. Bronchitis	{ M. 68 F. 51	20	12	2	1	1	35	3	3	1	2	1
7	4. Pneumonia	{ M. 281 F. 219	47	23	14	9	8	101	13	7	18	19	7
8	5. Pleurisy	{ M. 14 F. 10					1	1	1		1	1	
9	6. Asthma	{ M. 15 F. 14		1		1	1	1					
10	7. Others of this class	{ M. 181 F. 166	36	12	3	4	2	57	9	5	9	7	2
11	V.—Diseases of the digestive system	275	49	24	7	4	2	86	15	4	8	9	6
12	Males	152	29	9	2	2	1	43	9	3	5	3	3
13	Females	123	20	15	5	2	1	43	6	1	3	6	3
14	1. Dentition	{ M. 3 F. 8	2	1				3					
15	2. Angina	{ M. 9 F. 5		3				3	2				
16	3. Diseases of the stomach	{ M. 47 F. 37	8	1	2			11	1	1	1	1	1
17	1. Obstruction of the bowels	{ M. 9 F. 6	2		1	1		3				1	
18	5. Hernia	{ M. 9 F. 3	3					3	1				
19	6. Other diseases of the bowels	{ M. 7 F. 6	2	1				3				1	
20	7. Jaundice	{ M. 7 F. 8	2					2	1		1	1	
21	8. Inflammation and abscess of the liver	{ M. 6 F. 4	2					2			2		
22	9. Other diseases of the liver	{ M. 16 F. 12	1	2	1			3	1				2
23	10. Peritonitis	{ M. 10 F. 11	1		1			1		2	2	1	2
24	11. Ascites	{ M. 5 F. 3							1				
25	12. Others of this class	{ M. 24 F. 20	6	1	2	1	1	9	3		1	1	
26	VI.—Diseases of the urinary system and male organs of generation.	187	6	5	2			13	2	1	4	2	3
27	Males	140	4	1	1			6			4	1	3
28	Females	47	2	4	1			7	2	1	1	1	
29	1. Bright's disease	{ M. 54 F. 22								1	4	1	2
30	2. Calculus, urinary	{ M. 8 F. 1											
31	3. Diseases of the kidney	{ M. 56 F. 16	3	1	1			5					1
32	4. Diseases of the bladder	{ M. 16 F. 6	1					1	1				
33	5. Others of this class	{ M. 6 F. 2	1					1					
34	VII.—Diseases of the female organs of generation.	39									3	3	2
35	1. Ovarian tumors	F. 4											
36	2. Ovarian diseases	F. 4											
37	3. Uterine tumors	F. 4										1	
38	4. Uterine diseases	F. 7									1	2	1
39	5. Others of this class	F. 24									2	2	1
40	VIII.—Affections connected with pregnancy	115									10	17	30
41	1. Abortion	F. 11										2	
42	2. Childbirth	F. 55									4	7	15
43	3. Puerperal septicaemia	F. 39									4	8	12
44	4. Extra-uterine pregnancy	F. 1											1
45	5. Others of this class	F. 9									2		2

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WEST VIRGINIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	69	14	9	10	4	2	39	5	5	3	3	5
2	Males.....	43	9	6	7	1	1	24	3	4	1	2	5
3	Females.....	26	5	3	3	3	1	15	2	1	2	1	
4	1. Diseases of the spine.....	{ M.. 37 F.. 25	9 5	6 3	7 3	1 3		23 15	3 2	2 1	1 1	2 1	4
5	2. Diseases of the bones.....	{ M.. 1 F..											1
6	3. Diseases of the hip joint.....	{ M.. 4 F..					1	1		2			
7	4. Others of this class.....	{ M.. 1 F.. 1									1		
8	X.—Diseases of the skin.....	20	3	4				7	1	1		2	
9	Males.....	11	1	2				3	1	1		1	
10	Females.....	9	2	2				4				1	
11	1. Abscess.....	{ M.. 5 F.. 7	1 2	1				2 2	1	1		1 1	
12	2. Carbuncle.....	{ M.. 3 F..											
13	3. Others of this class.....	{ M.. 3 F.. 2		1 2				1 2					
14	XI.—Diseases of the absorbent system.....	2										1	
15	Males.....												
16	Females.....	2										1	
17	1. Addison's disease.....	{ M.. F..											
18	2. Diseases of the spleen.....	{ M.. 1 F..											
19	3. Others of this class.....	{ M.. 1 F..										1	
20	XII.—Accidents and injuries.....	485	46	17	11	11	7	92	30	35	60	54	27
21	Males.....	374	27	11	6	9	2	55	18	24	52	47	21
22	Females.....	111	19	6	5	2	5	37	12	11	8	7	6
23	1. Burns and scalds.....	{ M.. 27 F.. 25	6 4	3	2	3	2	14 7	2 7	4 4	3	2	2
24	2. Drowned.....	{ M.. 48 F.. 17	1 1	1 2	3 2	2 1	1	8 6	6	4 1	7 2	8 1	4 2
25	3. Exposure and neglect.....	{ M.. 10 F.. 10	3 4	1		1		5 4			1 1		
26	4. Gunshot wounds.....	{ M.. 22 F.. 4				1	1	2	1	2 1	9	2	1
27	5. Homicide.....	{ M.. 21 F..							1	1	2	3	3
28	6. Infanticide.....	{ M.. F.. 2	2					2					
29	7. Injuries by machinery.....	{ M.. 2 F.. 1							1 1		1		
30	8. Railroad accidents.....	{ M.. 73 F.. 6		1 1	1			1 2	3	5	6 1	12	7
31	9. Suffocation.....	{ M.. 12 F.. 8	8 6	1		1		9 7			1		
32	10. Suicide by shooting.....	{ M.. 4 F.. 2										1	
33	11. Suicide by drowning.....	{ M.. 2 F..											
34	12. Suicide by poison.....	{ M.. F..											
35	13. Other suicides.....	{ M.. 7 F.. 2										1	2
36	14. Sunstroke.....	{ M.. 1 F..											
37	15. Surgical operations.....	{ M.. 3 F.. 1										2 1	
38	16. Wounds.....	{ M.. 5 F.. 1									1	1 1	
39	17. Other accidents and injuries.....	{ M.. 137 F.. 32	9 2	4 3	1 1	2	3	16 9	4 3	8 3	21 4	14 1	6

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WEST VIRGINIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
2	1		1	1		1		1	1					1	1
															2
2	1		1	1		1		1	1					1	3
															4
2	1		1	1		1			1						5
															6
								1							7
														1	8
	2		1	1	1	2	1			1					9
															10
	2		1	1	1	2	1			1					11
															12
	2		1	1		1	1	1							13
										1					14
															15
															16
															17
															18
							1								19
															20
28	33	22	21	24	11	7	3	9	9	5	2		1	12	21
25	28	18	17	21	10	5	2	7	8	4	2			10	22
3	5	4	4	3	1	2	1	2	1	1			1	2	23
1	1					2		1							24
4	2	1	1	1				1						2	25
	2	1	1												26
1	1			1					1	1					27
										1					28
	1	1			1					1					29
3	2	1		2	2		1								30
															31
8	8	7	6	4		1		2						3	32
		1	1											1	33
1															34
2		1		1										1	35
1								1							36
															37
			2	1	1	1			1						38
	1														39
			1		1									1	40
5	13	6	7	12	6	3	1	3	6	2	2			2	41
2	1	2	2	1			1	1	1				1		42

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WISCONSIN.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
786	687	552	509	599	720	909	1,015	1,035	853	596	316	111	53	234	1
385	330	284	311	349	407	494	589	605	483	356	172	61	21	145	2
401	357	268	258	250	313	415	426	430	370	240	144	50	32	89	3
22	16	18	19	24	35	31	38	39	37	33	16	3	1	34	4
7	6	9	6	10	24	18	16	27	18	20	7	1	1	20	5
15	10	9	13	14	11	13	22	12	19	13	9	2	1	14	6
86	56	46	46	30	47	57	46	55	31	20	11	2	1	27	7
38	33	21	26	15	21	31	22	35	20	11	5	1	1	13	8
48	23	25	20	15	26	26	24	20	11	9	6	1	1	14	9
															10
1	4	1			1	1								1	11
	2					1	1		1					1	12
1	1	1	1		1		1		1	1				3	13
4									1						14
	1									1					15
1		1				1									16
2		1													17
21	16	8	4	1	4	1	1	4	1		1	1		2	17
18	6	7	5	3	5	4		6	2		1			4	18
9	12	3	9	8	11	20	9	19	8	5	2			5	18
8	7	6	7	8	13	11	15	10	6	5	4	1		4	19
														1	19
1	2	2	4	2		1	2	2	1	1	1			1	20
6	1		3	3	2		1	1						1	20
	1	1	1	2	3	4		3	2	3				1	21
	1		1	2	2	5	2		1	2					21
5	3	3	7	2	1	3	7	4	3		1				22
6	3	7	4	1	4	3		2	1						22
	1	1					1	1	1	1				1	23
2		1									1				23
	1	1				1	1	2	2				1	2	24
		2				1	5	1		1					24
8	6	7	11	6	3	4	7	2	3	2					25
															26
6	4	7	11	5	3	4	7	1	2	2					26
2	2			1				1	1						27
															28
															29
4	3	7	8	3	1	4	5	1		1					29
1	1							1							30
															31
1	1		3	1	1				1						31
1	1			1	1										32
				1	1		2		1	1					32
									1						33
6	6	6	9	5	9	18	38	120	146	184	130	59	33	15	33
															34
6	2	4	4	4	6	5	19	62	61	98	64	34	13	10	34
	4	2	3	1	3	13	19	58	85	86	66	25	20	5	35
															36
															37
															38
															39
6	2	4	4	4	6	2	9	25	21	24	15	4	3	7	39
	4	2	5	1	3	8	11	21	25	20	17	3	5	4	40
															40
							3	10	37	40	49	30	10	3	40
							5	8	37	66	49	22	15	1	40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WISCONSIN—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.	3,280	109	49	26	13	17	214	42	68	203	316	315
2	Males	1,585	68	32	18	10	9	137	25	22	67	129	134
3	Females	1,695	41	17	8	3	8	77	17	46	136	187	181
4	1. Rheumatism	{ M. 70 F. 53	1		1			1	6	1	4	2	8
5	2. Scrofula and tuberc.	{ M. 31 F. 19	12	1	2	1	2	18	1	1	3	2	1
6	3. Leprosy	{ M. 1 F. 1											
7	4. Consumption	{ M. 974 F. 1,079	32	17	9	5	2	65	8	15	55	113	117
8	5. Hydrocephalus	{ M. 40 F. 24	14	11	5	3		33	3	2			
9	6. Cancer	{ M. 254 F. 304	1	1		1	2	5		1	1	3	3
10	7. Tumor	{ M. 37 F. 37	2	1	1		1	5		1	2	2	2
11	8. Anemia	{ M. 15 F. 15	6	1				7				1	2
12	9. Dropsy	{ M. 113 F. 131	1				1	2	3	1	1	1	1
13	10. Diabetes	{ M. 46 F. 30					1	1	3		1	6	3
14	11. Others of this group	{ M. 3 F. 3	2					2	1			1	
15	12. Others of this class	{ M. 1 F. 1											
16	II.—Diseases of the nervous system	2,003	654	129	67	33	21	904	61	28	45	30	28
17	Males	1,163	410	58	32	14	10	524	32	8	20	21	15
18	Females	840	244	71	35	19	11	380	29	20	25	9	13
19	1. Inflammation of the brain	{ M. 182 F. 158	62	20	14	8	3	108	16	1	6	9	5
20	2. Apoplexy	{ M. 178 F. 112	4		1	1		6	1	2	2	3	3
21	3. Paralysis	{ M. 210 F. 151	5	1	1	1		11	1		2	1	2
22	4. Tetanus and trismus nascentium	{ M. 15 F. 6	9					9	3	1		2	
23	5. Epilepsy	{ M. 32 F. 27	2	2		1	1	5		3	1	2	3
24	6. Convulsions	{ M. 361 F. 250	302	23	10	2	4	341	4	2	1		3
25	7. Mental diseases	{ M. 19 F. 14										1	1
26	8. Diseases of the brain	{ M. 109 F. 64	15	5	1		2	23	4	1	6	1	
27	9. Diseases of the spinal cord	{ M. 36 F. 29	10	7	2	1	1	21	3		1	1	
28	10. Others of this class	{ M. 21 F. 20	4	3		2		9	6	2	2		
29	III.—Diseases of the circulatory system	1,089	33	5	1	2	2	43	17	19	27	36	23
30	Males	590	17	2		1	1	21	9	9	11	14	12
31	Females	499	16	3	1	1	1	22	8	10	16	22	11
32	1. Angina pectoris	{ M. 15 F. 12							1			1	
33	2. Aneurism	{ M. 1 F. 4											
34	3. Diseases of the heart	{ M. 568 F. 475	13	2		1	1	17	8	9	11	14	12
35	4. Others of this class	{ M. 6 F. 8	4	3	1	1	1	21	8	10	16	20	11

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WISCONSIN—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
274	231	169	163	176	184	231	236	184	131	65	27	9	3	39	1
124	111	77	73	100	93	116	118	96	76	38	16	7		26	2
150	120	92	90	76	91	115	118	88	55	27	11	2	3	13	3
5	1	2	3	3	3	5	6	9	5	2	2	1		1	} 4
1	1	1	4	4	2	5	7	3	5	4					
	1				1			1	1						} 5
2	1		1						2						
						1									} 6
110	94	62	49	58	50	46	34	36	31	14	2			15	} 7
125	91	59	45	27	33	37	43	30	20	6	3		2	11	
	1	1													} 8
2	9	7	12	26	26	42	50	27	16	12	5	2		5	} 9
13	18	26	26	29	34	50	44	25	15	9	4	1		1	
1	1	4	1	2	3	5	4	2			1			1	} 10
4	1	4	2	4	9	2	3	1		1					
2				1		1	3				1			1	} 11
1	1			1					1						
	2		7	4	10	13	15	17	20	8	4	3		2	} 12
3	6	2	9	9	11	14	19	25	12	6	4	1	1		
4	2	1	1	6		2	5	4						2	} 13
1	1		3	2	2	7	2	4	3	1		1			
										1	1				} 14
						1									} 15
44	38	43	48	52	81	109	130	129	111	63	30	7	2	20	16
27	19	30	25	33	47	64	82	73	64	42	18	6		13	17
17	19	13	23	19	34	45	48	56	47	21	12	1	2	7	18
4	5	4	2	1	3	3	6	3	2	1	1			2	} 19
4	2	2	3	2		2	1	1			1			2	
7		2	5	12	13	25	24	29	22	14	4	2		2	} 20
2	2	2	7	7	6	16	14	19	16	12	2	1			
2	4	7	7	10	16	22	38	22	30	18	12	4		1	} 21
3	2	4	3	6	11	16	26	27	24	7	8		2	2	
															} 22
1	1														
2	3	2	2	1	6			2	3						} 23
			6	1	2	1	1								
	4	4	1			1		4						3	} 24
														1	
1	2		3	3	3	1	2	2		1					} 25
2	2		1		3	3									
10	4	9	4	6	3	9	9	5	5	4	1			5	} 26
1	2	3		1	7	4	5	5	5					1	
		1	1		1	3	1	3							} 27
1			1	2	2	1		1	1					1	
1	1	1			2		2	3	2	5					} 28
3	4	2	2		3	2		3	1	1					
36	38	39	52	74	89	113	151	129	98	52	21	6	3	23	29
20	16	14	27	46	52	54	89	79	58	24	14	5	1	15	30
16	22	25	25	28	37	59	62	50	40	23	7	1	2	8	31
	2	1	2		3	2	3	3							} 32
1			1		2	3	1		1						
				1											} 33
	1		1	1				1							
20	16	13	25	45	49	52	86	75	58	23	14	5	1	15	} 34
13	19	25	23	27	34	56	60	49	39	23	7	1	2	6	
								1		1					} 35
2					1		1							2	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WISCONSIN—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	3,037	499	234	120	86	64	1,003	119	64	89	104	100
2	Males	1,669	290	132	54	43	34	553	67	33	45	68	51
3	Females	1,368	209	102	66	43	30	450	52	31	44	36	49
4	1. Croup	{ M. 153 F. 119	{ 35 23	{ 27 18	{ 23 19	{ 20 16	{ 14 12	{ 119 88	{ 31 25	{ 3 3		{ 1 1	{ 1 1
5	2. Laryngitis	{ M. 7 F. 4	{ 1 1	{ 3 1	{ 1 1			{ 5 2	{ 2 2	{ 1 1			
6	3. Bronchitis	{ M. 187 F. 186	{ 64 47	{ 24 23	{ 4 12	{ 4 2	{ 5 4	{ 101 88	{ 3 4	{ 5 4	{ 1 3	{ 1 3	{ 5 4
7	4. Pneumonia	{ M. 878 F. 674	{ 117 83	{ 62 47	{ 20 28	{ 17 18	{ 11 7	{ 227 183	{ 26 14	{ 15 15	{ 33 33	{ 49 23	{ 31 27
8	5. Pleurisy	{ M. 24 F. 16	{ 2 3	{ 3 1				{ 5 4	{ 1 1			{ 2 1	{ 1 1
9	6. Asthma	{ M. 64 F. 41	{ 1 1	{ 1 1			{ 1 1	{ 2 1	{ 1 1				{ 1 1
10	7. Others of this class	{ M. 356 F. 328	{ 71 52	{ 12 13	{ 6 5	{ 2 7	{ 3 7	{ 94 84	{ 6 5	{ 9 8	{ 11 8	{ 16 9	{ 15 15
11	V.—Diseases of the digestive system	986	262	45	18	7	6	338	31	21	26	30	26
12	Males	536	160	25	10	3	2	200	10	11	11	21	10
13	Females	450	102	20	8	4	4	138	21	10	15	9	16
14	1. Dentition	{ M. 27 F. 19	{ 14 12	{ 11 6	{ 2 1			{ 27 19					
15	2. Angina	{ M. 25 F. 11	{ 4 2	{ 4 1	{ 3 1		{ 1 1	{ 11 4	{ 3 4	{ 1 2	{ 1 1	{ 2 1	
16	3. Diseases of the stomach	{ M. 87 F. 74	{ 11 5	{ 2 2	{ 1 1	{ 1 1		{ 15 9	{ 6 6	{ 2 2		{ 3 3	{ 2 1
17	4. Obstruction of the bowels	{ M. 26 F. 16	{ 5 1	{ 1 1				{ 5 2	{ 1 2		{ 1 2	{ 2 1	{ 2 1
18	5. Hernia	{ M. 26 F. 17	{ 3 2	{ 2 2		{ 1 1		{ 4 4	{ 1 1	{ 1 1	{ 1 1		
19	6. Other diseases of the bowels	{ M. 34 F. 22	{ 10 7	{ 2 2	{ 1 1	{ 1 1		{ 12 11	{ 1 3	{ 2 2		{ 5 5	
20	7. Jaundice	{ M. 13 F. 10	{ 5 1	{ 1 1				{ 5 2					{ 1 1
21	8. Inflammation and abscess of the liver	{ M. 28 F. 18	{ 3 3			{ 1 1		{ 3 1		{ 3 1		{ 1 1	{ 2 2
22	9. Other diseases of the liver	{ M. 71 F. 64	{ 3 2	{ 1 1				{ 4 2	{ 2 2		{ 1 1	{ 2 1	{ 4 4
23	10. Peritonitis	{ M. 47 F. 81	{ 3 5	{ 1 1	{ 4 4	{ 2 2	{ 1 1	{ 5 12	{ 2 5	{ 2 5	{ 4 6	{ 5 5	{ 2 9
24	11. Ascites	{ M. 12 F. 19			{ 1 1			{ 1 1			{ 1 1		
25	12. Others of this class	{ M. 140 F. 99	{ 99 66	{ 4 5	{ 3 3	{ 1 1	{ 1 1	{ 108 72	{ 1 1		{ 1 2		{ 4 4
26	VI.—Diseases of the urinary system and male organs of generation.	491	12	3	4	3	4	26	8	5	5	16	17
27	Males	349	9	2	2		3	16	4	4	2	6	11
28	Females	142	3	1	2	3	1	10	4	1	3	10	6
29	1. Bright's disease	{ M. 153 F. 71							{ 1 1	{ 3 1	{ 2 2	{ 3 4	{ 6 3
30	2. Calculus, urinary	{ M. 11 F. 1										{ 1 1	
31	3. Diseases of the kidney	{ M. 113 F. 54	{ 5 2	{ 2 1	{ 2 1	{ 3 3	{ 3 1	{ 12 8	{ 2 4	{ 1 1		{ 2 5	{ 4 3
32	4. Diseases of the bladder	{ M. 50 F. 4	{ 1 1					{ 1 1	{ 1 1				{ 1 1
33	5. Others of this class	{ M. 22 F. 12	{ 3 1		{ 1 1			{ 3 2				{ 1 1	
34	VII.—Diseases of the female organs of generation.	39								1	1	3	4
35	1. Ovarian tumors	F. 6											
36	2. Ovarian diseases	F. 1											
37	3. Uterine tumors	F. 6										1	
38	4. Uterine diseases	F. 9											3
39	5. Others of this class	F. 17								1	1	2	2
40	VIII.—Affections connected with pregnancy.	338									15	67	83
41	1. Abortion	F. 25										6	4
42	2. Childbirth	F. 200									12	34	50
43	3. Puerperal septicæmia	F. 96									2	22	25
44	4. Extra-uterine pregnancy	F. 1										1	
45	5. Others of this class	F. 16								1		4	4

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WISCONSIN—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25
1	IX.—Diseases of the bones and joints.....	56	8	4	1	2		15	3	6	3	5	
2	Males.....	26	4	1	1			6	2	1	1	1	
3	Females.....	30	4	3		2		9	1	5	2	4	
4	1. Diseases of the spine.....	{ M. 17 F. 22	4	1	1			6	1		1		
5	2. Diseases of the bones.....	{ M. 6 F. 2							1			1	
6	3. Diseases of the hip joint.....	{ M. 2 F. 6								1		3	
7	4. Others of this class.....	{ M. 1 F. }											
8	X.—Diseases of the skin.....	53	7	1		2		10	1	1	1	3	
9	Males.....	31	5			1		6	1		1	3	
10	Females.....	22	2	1		1		4		1			
11	1. Abscess.....	{ M. 14 F. 9	3	1		1		3	1		1	2	
12	2. Carbuncle.....	{ M. 7 F. 3	1					1				1	
13	3. Others of this class.....	{ M. 10 F. 10	1			1		2					
14	XI.—Diseases of the absorbent system.....	7											
15	Males.....	3											
16	Females.....	4											
17	1. Addison's disease.....	{ M. 1 F. 1											
18	2. Diseases of the spleen.....	{ M. 2 F. }											
19	3. Others of this class.....	{ M. 1 F. 3											
20	XII.—Accidents and injuries.....	1,065	56	20	24	17	16	133	48	51	75	98	
21	Males.....	860	31	11	15	5	9	71	32	44	69	85	
22	Females.....	205	25	9	9	12	7	62	16	7	6	13	
23	1. Burns and scalds.....	{ M. 26 F. 36	5	3	7	2	1	18		1		2	
24	2. Drowned.....	{ M. 127 F. 13	2	3	3	1		9	14	17	15	10	
25	3. Exposure and neglect.....	{ M. 13 F. 11	5					5					
26	4. Gunshot wounds.....	{ M. 37 F. 5	1			1		2	3	2	11	6	
27	5. Homicide.....	{ M. 17 F. 3									1	1	
28	6. Infanticide.....	{ M. 1 F. }											
29	7. Injuries by machinery.....	{ M. 9 F. }								1		2	
30	8. Railroad accidents.....	{ M. 104 F. 11		1			1	2	2	1	10	14	
31	9. Suffocation.....	{ M. 34 F. 14	11	1	1		1	14		1		1	
32	10. Suicide by shooting.....	{ M. 26 F. 2									2	5	
33	11. Suicide by drowning.....	{ M. 11 F. 4										2	
34	12. Suicide by poison.....	{ M. 14 F. 6									2	1	
35	13. Other suicides.....	{ M. 55 F. 7									1	1	
36	14. Sunstroke.....	{ M. 14 F. 3			1		1	2				1	
37	15. Surgical operations.....	{ M. 8 F. 7	1	1				2					
38	16. Wounds.....	{ M. 18 F. 1		2	1			3			3	4	
39	17. Other accidents and injuries.....	{ M. 347 F. 82	7	1	2	2	5	16	13	21	26	36	

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WISCONSIN—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
	3	2	2	2	3	5	2	1	1					1
	1	1	2	2	1	4	1	1	1					2
	2	1			2	1	1							3
	1	1			1	3	1	1	1					4
	1		2	1		1								5
	1					1								6
				1										7
1	2		1	6	2	2	5	5	5		3	1		8
1	2			2	1	2	2	4	4					9
			1	4	1		3	1	1		3	1		10
	2			1		1		1			2			11
1			1		1	1			1					12
				2					1					13
				1	1		1	3	3		1	1		14
														15
			1		1		2	1						16
							1							17
					1			1						18
														19
79	65	61	46	48	45	44	49	45	29	17	10	1	1	22
78	58	53	39	39	39	36	41	28	21	13	8	1	1	21
6	7	8	7	9	6	8	8	17	8	4	2			22
	1		1			1			2					23
	2	1			2		1	1			1			24
10	6	9	7	5	1	1	3	2		1				3
1				1				1						25
	1		1	1		1		2	1		1			26
2	3	2	1		1	1	1							27
1														28
2	2		2						1	1				29
			1											30
1	3	1	1											31
10	7	9	4	4	4	3	7	2	1			1		7
1				1		1	1	3	2					32
2		2					1	5	1	1	1			33
					1		4	1						34
5		1	3											35
1														36
1		1	1	3		1	1	1	1					37
														38
				4	2	1	3		2					39
			1					1						40
3	6	4	4	3	7	10	8	3	1					41
1	2		1	1	1		1							42
2	1					1	1	1		1				43
														44
1	2				1	2	1	1						45
			1											46
	1	1	1	1		1	1	1		1				47
33	25	23	13	18	22	13	12	12	11	8	6		1	8
2	2	6	2	5	3	7	3	7	3	4	1			39

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WYOMING.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
40	22	20	12	17	11	5	5	7	5	6	3		1	64	1
27	15	17	12	14	10	4	3	3	2	4	2		1	39	2
13	7	3		3	1	1	2	4	3	2	1			25	3
1	1			1										36	4
				1										21	5
1	1													15	6
9	2	2	2		3					1			1	3	7
5	2	2	2		2									2	8
4					1					1			1	1	9
															10
															11
1														1	12
2	1														13
															14
															15
1															16
															17
2		2	2		1									1	18
2					1										19
													1		20
															21
										1				1	22
1	1				1										23
															24
	2		1	1	1	1	1	1							25
	1		1	1	1	1	1	1							26
	1														27
															28
	1		1	1	1	1	1	1							29
															30
	1														31
															32
								1	4	2	1			1	33
								1	2	2				1	34
									2		1				35
															36
															37
															38
									1						39
								1	2	2					40
									1		1			1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WYOMING—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	1	1					1					
2	Males.....	1	1					1					
3	Females.....												
4	1. Diseases of the spine..... {M..	1	1					1					
	{F..												
5	2. Diseases of the bones..... {M..												
	{F..												
6	3. Diseases of the hip joint..... {M..												
	{F..												
7	4. Others of this class..... {M..												
	{F..												
8	X.—Diseases of the skin.....	2											
9	Males.....	1											
10	Females.....	1											
11	1. Abscess..... {M..	1											
	{F..	1											
12	2. Carbuncle..... {M..												
	{F..												
13	3. Others of this class..... {M..												
	{F..												
14	XI.—Diseases of the absorbent system.....												
15	Males.....												
16	Females.....												
17	1. Addison's disease..... {M..												
	{F..												
18	2. Diseases of the spleen..... {M..												
	{F..												
19	3. Others of this class..... {M..												
	{F..												
20	XII.—Accidents and injuries.....	81	3		1			4	2	4	5	12	15
21	Males.....	73	2		1			3	2	3	2	12	12
22	Females.....	9	1					1		1	3		3
23	1. Burns and scalds..... {M..												1
	{F..	2								1			
24	2. Drowned..... {M..	9			1			1	1			3	2
	{F..	1											1
25	3. Exposure and neglect..... {M..	1	1					1					
	{F..	1	1					1					
26	4. Gunshot wounds..... {M..	8							1			1	2
	{F..												
27	5. Homicide..... {M..	4											1
	{F..	1											
28	6. Infanticide..... {M..												
	{F..												
29	7. Injuries by machinery..... {M..												
	{F..												
30	8. Railroad accidents..... {M..	14										2	3
	{F..												
31	9. Suffocation..... {M..	1											
	{F..												
32	10. Suicide by shooting..... {M..	2									1		
	{F..												
33	11. Suicide by drowning..... {M..												
	{F..												
34	12. Suicide by poison..... {M..	3										1	
	{F..	1									1		
35	13. Other suicides..... {M..	2											
	{F..												
36	14. Sunstroke..... {M..												
	{F..												
37	15. Surgical operations..... {M..	1											
	{F..												
38	16. Wounds..... {M..												
	{F..												
39	17. Other accidents and injuries..... {M..	28	1					1		3	1	5	5
	{F..	2									2		

STATISTICS OF DEATHS.

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WYOMING—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
															1
															2
															3
															4
															5
															6
															7
			1	1											8
				1											9
		1													10
			1												11
		1													12
															13
															14
															15
															16
															17
															18
															19
	11	5	8	5	3	3				1				4	20
	11	5	7	5	2	3				1				4	21
			1												22
															23
	1			1											24
															25
	1	1												2	26
	1		2			1									27
															28
															29
	4	1	1	2	1										30
															31
			1												32
		1													33
	1		1												34
				1		1									35
															36
	1														37
															38
	2	2	3	1	1	1				1				2	39

TABLE 6.

NUMBER OF DEATHS IN EACH STATE GROUP IN CERTAIN REGISTRATION STATES FROM
EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF
AGE AND SEX, DURING THE CENSUS YEAR ENDED MAY 31, 1890.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CONNECTICUT—GROUP 1.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes.....	9,076	1,962	372	227	148	114	2,823	298	140	279	422	400
2	Males.....	4,784	1,142	191	109	70	53	1,565	180	60	142	230	199
3	Females.....	4,292	820	181	118	78	61	1,258	118	80	137	192	201
4	Unknown causes.....	68	23	2			1	26			2	3	2
5	Males.....	34	11	1				12			1	2	1
6	Females.....	34	12	1			1	14		1	1	1	1
7	I.—General diseases.												
8	General diseases—A.....	1,668	546	159	98	66	66	935	166	53	49	65	39
9	Males.....	883	315	73	46	24	31	489	101	20	27	32	18
10	Females.....	785	231	86	52	42	35	446	65	33	22	33	21
11	1. Smallpox.....	{ M. 6 F. 4	1				1	1	1		1	3	1
12	2. Measles.....	{ M. 16 F. 10	7	2	2		2	13	2		1		
13	3. Scarlet fever.....	{ M. 23 F. 37	1	2	6	5	4	14	9	4			1
14	4. Diphtheria.....	{ M. 169 F. 175	9	13	25	14	16	77	74	10	5		
15	5. Whooping cough.....	{ M. 44 F. 60	24	8	5		6	43	2	1			
16	6. Fever.....	{ M. 10 F. 18	2	6	4		1	3	1		2	2	2
17	8. Enteric fever.....	{ M. 100 F. 81	1	2	2			5	5	3	12	18	7
18	9. Diarrheal diseases.....	{ M. 203 F. 159	97	19	3	2	2	123	4	3	1	4	5
19	10. Cholera infantum.....	{ M. 197 F. 136	165	25	6			196	1	1	2	4	3
20	11. Malarial fever.....	{ M. 69 F. 78	3	4	1	2	1	7	5	3	5	5	5
21	12. Erysipelas.....	{ M. 15 F. 10	1	1				2			1		
22	13. Septicæmia.....	{ M. 11 F. 8	2	1				3		1	1	2	1
23	14. Venereal diseases.....	{ M. 4 F. 1	1					1					
24	15. Others of this group.....	{ M. 16 F. 8	1					1	1				
25	General diseases—B.....	135	55	1	6			62	2	1			2
26	Males.....	91	36	1	4			41	1				1
27	Females.....	44	19		2			21	1	1			1
28	1. Parasitic diseases.....	{ M. 1 F. 1			1			1					
29	2. Alcoholism.....	{ M. 39 F. 12							1				1
30	3. Lead poison.....	{ M. 1 F. 1											
31	4. Other poisons.....	{ M. 9 F. 3		1	2			3					
32	5. Inanition.....	{ M. 41 F. 28	36		1			37					
33	General diseases—C.....	1,156	738	8	2	1	2	751	1	1		3	1
34	Males.....	619	439	6	2	1	2	450	1			1	
35	Females.....	537	299	2				301		1		2	1
36	1. Premature birth.....	{ M. 81 F. 43	81					81					
37	2. Stillborn.....	{ M. 246 F. 177	246					246					
38	3. Malformation.....	{ M. 20 F. 15	18	1			1	19	1	1			
39	4. Debility and atrophy.....	{ M. 146 F. 124	94	6	2	1	1	104				1	1
40	5. Old age.....	{ M. 126 F. 178	66	1				67				2	

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CONNECTICUT—GROUP 1.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
335	367	331	359	372	403	440	468	443	423	387	207	92	37	50	1
188	200	174	191	198	195	228	257	216	213	183	92	29	14	30	2
147	167	157	168	174	208	212	211	227	210	204	115	63	23	20	3
3		2	2	4	2	5	4	1	4	2				6	4
1		1	1	4	1	2	1	1	3					3	5
2		1	1		1	3	3		1	2				3	6
35	40	31	31	22	36	33	26	24	32	28	12	3	2	6	7
20	20	15	15	8	23	21	17	13	20	14	5		1	4	8
15	20	16	16	14	13	12	9	11	12	14	7	3	1	2	9
			1												10
															11
	1														12
	1	1									1				13
1	3	1		1		1	1								14
															15
															16
1				1	1										17
1															18
13	12	5	3	4	3	4	3	1	1	1				1	19
4	7	6	6	3	5	1	1	2	1					1	20
2	1	5	6		3	9	5	6	11	10	3			2	21
5	1	1	2	7	5	7	3	6	8	6	5	2		1	22
															23
3	4	2	4	1	12		8	1	3	1					24
4	7	6	6	2	3	2	2	2	2	3		1		1	25
	1	1	1	1	1	3	1	2	1	1					26
															27
	1				3	4									28
1				2											29
															30
	1	1	1					3	4	2	1		1		31
							1	2	1	2	1		1		32
															33
12	7	8	8	5	9	4	4	6	1	1				3	34
10	6	5	5	5	5	2	4	4	1					1	35
2	1	3	3		4	2		2		1				2	36
															37
															38
10	5	4	5	5	2	1	2	2	1						39
2	1	3	3		1			1							40
					1										
	1	1			1	2	2	1							
					1	1		1		1				1	
3	3	2	5	3	4	9	26	38	60	39	63	46	24	4	
1			3		1	4	14	13	27	36	40	18	7	3	
2	3	2	2	3	3	5	12	25	33	53	43	28	17	1	
															36
															37
															38
1			3		1	4	8	3	6	5	5	1	1	3	
2	3	2	2	3	3	4	8	8	3	7	2	4	2	1	
						1	6	10	21	31	35	17	6		
							4	17	30	46	41	24	15		

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—1)	1,653	65	29	18	9	7	128	10	30	109	182	180
2	Males	812	35	18	10	5	1	69	5	11	46	95	89
3	Females	841	30	11	8	4	6	59	5	19	63	87	91
4	1. Rheumatism	{ M. 35 F. 28	1	1				2	1		1	1	1
5	2. Scrofula and tubercles	{ M. 12 F. 16	2	1	1		1	4	1	1	1	1	1
6	3. Leprosy	{ M. F.											
7	4. Consumption	{ M. 593 F. 529	11	4	5	2	1	23	1	9	43	90	85
8	5. Hydrocephalus	{ M. 42 F. 37	18	12	4	3		37	2				1
9	6. Cancer	{ M. 78 F. 162									1	1	1
10	7. Tumor	{ M. 8 F. 13	2					2					
11	8. Anæmia	{ M. 4 F. 6	2					2					
12	9. Dropsy	{ M. 18 F. 22								1	1	1	
13	10. Diabetes	{ M. 19 F. 24								1	1	2	2
14	11. Others of this group	{ M. 3 F. 4	1					1			1		
15	12. Others of this class	{ M. F.											
16	II.—Diseases of the nervous system	1,058	162	60	30	13	11	276	26	11	24	19	13
17	Males	518	92	23	12	7	4	138	17	3	11	8	8
18	Females	540	70	37	18	6	7	138	9	8	13	11	5
19	1. Inflammation of the brain	{ M. 81 F. 77	25	7	4	2		42	12	1	3	1	3
20	2. Apoplexy	{ M. 123 F. 152	1					1			1	3	
21	3. Paralysis	{ M. 88 F. 105	1	1			1	3			2	1	2
22	4. Tetanus and trismus nascentium	{ M. 6 F. 9	5					5				1	
23	5. Epilepsy	{ M. 21 F. 8		1				1		1	4	1	3
24	6. Convulsions	{ M. 73 F. 76	49	12	7	3		71			1		
25	7. Mental diseases	{ M. 18 F. 28										1	1
26	8. Diseases of the brain	{ M. 72 F. 46	8	2	1		1	12	3		3	3	1
27	9. Diseases of the spinal cord	{ M. 23 F. 12	2	1			1	4	2				1
28	10. Others of this class	{ M. 13 F. 27	1					1		1	3	2	
29	III.—Diseases of the circulatory system	592	28	1	2	1	1	33	8	11	12	12	14
30	Males	312	15	1	2			18	3	6	7	5	5
31	Females	280	13			1	1	15	5	5	5	7	9
32	1. Angina pectoris	{ M. 10 F. 12											1
33	2. Aneurism	{ M. 5 F.											1
34	3. Diseases of the heart	{ M. 283 F. 256	8		1			9	3	6	7	5	4
35	4. Others of this class	{ M. 14 F. 12	7	1	1			9	5	5	5	6	8

STATISTICS OF DEATHS.

TABLE C.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—GROUP 1—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
141	126	94	109	101	98	96	93	61	42	30	15	2	1	5	1
81 60	58 68	41 53	54 55	51 50	43 55	50 46	53 40	25 36	19 23	12 18	7 8	2	1	3 2	2 3
4 1	1 3	1 1	3 1	3 2	3	6 2	3	2 2	2 4	1 4	2 1				4
2	1	1	1		1	1	1	1							5
															6
74 55	51 52	34 40	46 25	35 18	27 26	19 18	23 18	15 11	11 7	3 4	1			3 1	7
1				1						1				1	8
1	3 8	3 9	3 27	10 24	10 24	16 20	14 13	6 15	3 8	5 5	2 6	1			9
1	1	1 2	1	2 1	1	1 2	1 1	1 2	1						10
	1						1 2	1 1		1					11
	2 1	1	1	1	6	5 2	2	1 2	1 2	1 3	2 1	1	1		12
2	1	1	1	3	1 4	2 2	8 5	1 3	2 1						13
				1	1					2					14
															15
18	28	32	33	51	60	75	87	85	82	80	31	18	3	6	16
13 5	11 17	12 20	16 17	26 25	27 33	40 35	48 39	40 45	39 43	41 39	9 22	6 12	2 1	3 3	17 18
2	3 1	1 3	2 1	3	1	2 1	2	1	3		1				19
2 1	1 3	3 4	6 5	10 12	9 13	14 16	25 22	12 16	14 23	18 16	4 10	2 5	2 1		20
1	3	1 4	3 5	4 6	7 6	6 13	14 3	18 9	12 15	15 16	1 10	3 6		1 2	21
															22
1	2 1	1	1	3	2	1		1 1							23
	1														24
1	1 4	3	3	2 2	7	2 2	2	2 2	1 2	4 1	2 1				25
6 3	1 2	2 4	3 1	3 3	4 5	7 1	7 1	5 11	6 3	4 3	1 1	1			26
	1 1	1 2	1	4 1	1	4 1	1 1	3		1				1	27
1	1 2	1 1		1 1	1	4 1	1 8	1 5		1		1		1	28
16	27	15	31	37	43	57	60	70	71	48	17	6	1	3	29
8 8	16 11	9 6	19 12	17 20	17 26	35 22	31 29	40 30	37 34	26 22	8 9	1 5	1	3	30 31
1			1 1	1 2	3	1	1 3	2 1	1 1	1	1				32
		1	1	1	1										33
8 7	16 11	8 6	16 11	15 17	13 26	35 21	30 26	37 27	35 33	24 20	7 9	1 5	1	3	34
			1	1				1 2	1	2 1					35

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	1,440	219	84	54	39	13	414	45	16	32	52	52
2	Males	773	124	47	24	22	9	226	26	6	20	38	30
3	Females	667	95	37	30	17	9	188	19	10	12	14	22
4	1. Croup	{ M. 48 F. 41	{ 5 3	{ 10 5	{ 4 12	{ 10 7	{ 4 3	{ 33 30	{ 12 10	{ 1 1		2	
5	2. Laryngitis	{ M. 6 F. 5	{ 2 1	{ 2 1		{ 1 2		{ 5 4	{ 1 1				
6	3. Bronchitis	{ M. 139 F. 168	{ 39 42	{ 12 12	{ 7 6	{ 2 3		{ 60 63	{ 3 3		{ 2 1	{ 2 1	{ 1 6
7	4. Pneumonia	{ M. 489 F. 352	{ 66 40	{ 18 17	{ 12 9	{ 8 5	{ 5 6	{ 109 77	{ 9 5	{ 5 8	{ 16 7	{ 30 9	{ 26 15
8	5. Pleurisy	{ M. 18 F. 11							{ 1 1		{ 1 1	{ 1 1	{ 1 1
9	6. Asthma	{ M. 10 F. 11										1	
10	7. Others of this class	{ M. 63 F. 79	{ 12 9	{ 5 3	{ 1 2	{ 1 1		{ 19 14	{ 1 2		{ 1 3	{ 3 2	{ 1 1
11	V.—Diseases of the digestive system	434	81	19	4	5	4	113	12	1	11	11	19
12	Males	214	51	15	2	1	3	72	7	1	6	4	7
13	Females	220	30	4	2	4	1	41	5	5	5	7	12
14	1. Dentition	{ M. 27 F. 16	{ 15 13	{ 12 2				{ 27 16					
15	2. Angina	{ M. 5 F. 6	{ 1 1			{ 1 1	{ 2 1	{ 4 2	{ 1 1			1	
16	3. Diseases of the stomach	{ M. 36 F. 52	{ 6 3	{ 1 1			{ 1 2	{ 7 6	{ 2 2		{ 1 1	{ 1 2	{ 1 1
17	4. Obstruction of the bowels	{ M. 17 F. 15	{ 5 1	{ 1 1				{ 6 2			2		3
18	5. Hernia	{ M. 7 F. 9	{ 2 2					{ 2 2					
19	6. Other diseases of the bowels	{ M. 6 F. 2	{ 2 2	{ 1 1				{ 3 2					
20	7. Jaundice	{ M. 6 F. 5	{ 5 1					{ 5 1					
21	8. Inflammation and abscess of the liver	{ M. 13 F. 16	{ 1 2					{ 1 2		1			1
22	9. Other diseases of the liver	{ M. 37 F. 28	{ 1 1					{ 1 1					1
23	10. Peritonitis	{ M. 27 F. 41	{ 2 1		1			{ 2 1	{ 1 3	1	3	2	3
24	11. Ascites	{ M. 7 F. 9											
25	12. Others of this class	{ M. 33 F. 25	{ 11 10		2		1	{ 14 11	3		1	1	
26	VI.—Diseases of the urinary system and male organs of generation.	300	4	1	2	1		8	3	1	8	16	18
27	Males	167	2		2			4	1		3	4	7
28	Females	133	2	1	2	1		4	2	1	5	12	11
29	1. Bright's disease	{ M. 80 F. 87							{ 1 2		{ 3 4	{ 3 7	{ 4 7
30	2. Calculus, urinary	{ M. 1 F. 1											
31	3. Diseases of the kidney	{ M. 40 F. 37	{ 1 2	1	2	1		{ 3 4		1	1	1	2
32	4. Diseases of the bladder	{ M. 21 F. 2	{ 1 1					{ 1 1					1
33	5. Others of this class	{ M. 26 F. 6											2
34	VII.—Diseases of the female organs of generation.	27									2	1	4
35	1. Ovarian tumors	F. 7											1
36	2. Ovarian diseases	F. 3									1		
37	3. Uterine tumors	F. 6											2
38	4. Uterine diseases	F. 6											1
39	5. Others of this class	F. 5									1	1	1
40	VIII.—Affections connected with pregnancy.	63									6	13	17
41	1. Abortion	F. 5									1	1	2
42	2. Childbirth	F. 13										2	3
43	3. Puerperal septicaemia	F. 31									3	9	7
44	4. Extra-uterine pregnancy	F. 6											1
45	5. Others of this class	F. 14									2	1	5

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—GROUP 1—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
40	69	73	69	70	82	77	85	72	82	60	28	15	2	5	1
23	49	52	40	41	44	31	41	31	34	24	10	4		3	2
17	20	21	29	29	38	46	44	41	48	36	18	11	2	2	3
															4
		1													5
3	6	7	5	7	5	4	6	9	7	5	5	2			6
4	5	2	4	7	7	7	15	9	10	17	6	3		1	6
19	25	38	32	27	36	22	26	18	20	15	3	2		1	7
12	12	16	20	17	26	29	21	23	26	14	9	4	1	1	7
	4	4		1		1		2	2						8
1	1	2		1		1	1		1						8
	1	1	1	1		1	2	2	2	1					9
	1	2	3	5	3	3	7		3	3	2			2	10
	1	4	4	4	5	6	5	8	10	5	3	4	1		10
19	15	21	24	26	30	32	27	25	16	20	9	1		2	11
5	7	9	10	13	10	15	15	11	7	10	4			1	12
14	8	12	14	13	20	17	12	14	9	10	5	1		1	13
															14
				1			1								15
2	2	1	2	2	1	1	5	2	2	2	1			1	16
1	4	4	6	1	6	4	1	4	4	4	3				16
		1			2			1			2				17
1		1		1	2	1	1	1	2	2					17
			1	1	1	1	1		1	1		1			18
				2	1	3	1								18
					1					1	1				19
						1									19
	1	1				1		1							20
			1	2	2	3	2	2							21
1		2	1	2	3	1	2	2							21
	2	3	5	5	2	6	4	4	1	3					22
1	1	1	4	1	3	4	4	5	1	1	2				22
	3	3	1			3	1	1			2				23
10	2	1	2	4	1	1	1	1							23
			1	1	1		1								24
															24
2		1		3	2	1	2		3	1					25
	1	2			3		1	2		3					25
11	11	22	19	21	19	30	39	28	22	12	8		2	2	26
3	5	10	10	11	12	17	24	19	17	10	8		1	1	27
8	6	12	9	10	7	13	15	9	5	2			1	1	28
1	1	8	6	7	5	6	10	11	8	2	2		1	1	29
6	6	9	6	6	4	8	10	8	4						29
															30
			1	3	2	7	6	1	4	2	3				31
1	3	3	3	3	2	4	3	1		2			1	1	31
			1		1	2	5	2	3	2	3				32
					1		1								32
1	1	1	2	1	4	2	3	5	2	4					33
1			1	1	1	1	1	1							33
		2	4	1	3	1	3	4	1						34
															34
			1	1	1	1	1	1	1						35
			1	1											36
1		1	2		1		1	1	1						37
		1			1			1	1						38
							1	1							39
9	11	6			1										40
															41
		1													42
8	4	3			1										43
	3	1													44
1	4	1													45

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	22	2		1			3	3	1		1	1
2	Males	8							1	1		1	1
3	Females	14	2		1			3	2				
4	1. Diseases of the spine.....	{ M. F.	3 9			1		3	1			1	
5	2. Diseases of the bones.....	{ M. F.	2 2										1
6	3. Diseases of the hip joint.....	{ M. F.	3 1						1 1	1			
7	4. Others of this class.....	{ M. F.	2										
8	X.—Diseases of the skin	19	5					5	1		1		
9	Males	11	5					5			1		
10	Females	8							1				
11	1. Abscess.....	{ M. F.	4 6	2				2	1				
12	2. Carbuncle.....	{ M. F.	4 1	1				1			1		
13	3. Others of this class.....	{ M. F.	3 1	2				2					
14	XI.—Diseases of the absorbent system	2											
15	Males	1											
16	Females	1											
17	1. Addison's disease.....	{ M. F.	1 1										
18	2. Diseases of the spleen.....	{ M. F.	1 1										
19	3. Others of this class.....	{ M. F.	1 1										
20	XII.—Accidents and injuries	439	34	8	10	13	4	69	21	14	23	44	38
21	Males	341	17	6	5	10	3	41	17	12	20	40	32
22	Females	98	17	2	5	3	1	28	4	2	3	4	6
23	1. Burns and scalds.....	{ M. F.	14 12	1 1	1 2	3 3	3	10 6					2 2
24	2. Drowned.....	{ M. F.	66 10	1 1	1 1	7		10 1	8 2	6 1	7	6 1	5 1
25	3. Exposure and neglect.....	{ M. F.	7 2	4 1		1		5 1					
26	4. Gunshot wounds.....	{ M. F.	11 1						2	1	3		1 1
27	5. Homicide.....	{ M. F.	1 1										1
28	6. Infanticide.....	{ M. F.	1 1										
29	7. Injuries by machinery.....	{ M. F.	3 1							1			
30	8. Railroad accidents.....	{ M. F.	81 7						1 1	1	6	22 1	10
31	9. Suffocation.....	{ M. F.	16 8	5 6	1	1		7 6			1	2	2
32	10. Suicide by shooting.....	{ M. F.	4									1	
33	11. Suicide by drowning.....	{ M. F.	1 1										
34	12. Suicide by poison.....	{ M. F.	8										2
35	13. Other suicides.....	{ M. F.	11 5										1 1
36	14. Sunstroke.....	{ M. F.	6 1		1			1					1
37	15. Surgical operations.....	{ M. F.	4 4	1	1			2				1	1
38	16. Wounds.....	{ M. F.	14 3		1			1	3		1	1	1
39	17. Other accidents and injuries.....	{ M. F.	94 43	5 9	1 1		2	6 13	3	3 1	2 2	6	8

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—GROUP 1—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
2		1	1	2	1		3	1		1				1	1
1			1	1	1		1	1		1				1	2
1							1	1							3
1					1		1	1						1	4
		1	1							1					5
				1											6
					1		1								7
			1	3		2		3	3						8
			1	3		2		2	3						9
			1	2		1		1	1						10
						1			2						11
							1								12
				1				1							13
					1			1							14
						1		1							15
								1							16
					1										17
															18
															19
25	30	22	22	26	14	19	11	24	7	16	4	1	2	7	20
22	28	20	18	21	12	11	8	16	6	9	1		2	5	21
3	2	2	4	5	2	8	3	8	1	7	3	1		2	22
			1	1	1										23
2	6	1	6	4		1	1	1						2	24
						2						1		1	25
						1		1		1					26
2		2													27
1															28
			2												29
6	13	4	3	4	3	3			1	1			1	2	30
	1	1	2	1	1									1	31
1		1		1	1			1	1						32
	1	1													33
1	1		2	1					1						34
	2	2	2	2	1			1							35
		1	1	1	1	1		1							36
	1	1								2					37
1			1				1	1	1						38
9	4	7	2	7	6	5	5	9	4	5	1		F	1	39
2	1			4		3	3	4		7	3				

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—GROUP 2.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
204	195	176	217	197	210	277	282	339	312	266	183	82	18	38	1
104	92	96	104	109	104	157	158	158	153	118	76	29	4	19	2
100	103	80	113	88	106	120	124	181	159	148	107	53	14	19	3
3	1	4	4	1		1	2	4				1		1	4
2		2	2	1		1	2	2						1	5
1	1	2	2					2				1			6
21	13	15	23	12	11	22	25	28	27	14	6	5	2	3	7
12	5	8	12	6	5	10	10	12	14	3	1	2	2	1	8
9	8	7	11	6	6	12	15	16	13	11	5	3		2	9
															10
		2													11
															12
		1	1					1							13
														1	14
										1				1	15
		1			1										16
4	1	6	3	3	1	4	2	5	1	1	1				17
3	3	2	5	3	1	3	2	5	1	1					17
2	1		8	2	2	2	6	4	7	2		1	1		18
6	1		4		2	4	7	5	11	7	3	3		1	18
															19
3		1		1	1	1		1				1			20
	2			3	1	4	2	3	1						20
			1					1	1						21
	1						1	3							21
3	3				1	1	1	1				2			22
	1	2			1		1	1							22
															23
			1			2		2	5				1		24
						1		1		2					24
5	4	5	4	4	4	2	2	2	2		1				25
4	2	3	3	3	1	2	1	1	2						26
1	2	2	1	1	3		1	1			1				27
															28
4	2	3	2	2		1	1	1							29
1	1	1	1	1	3										29
		1	1												30
	1			1	1				2						31
						1	1	1							31
														2	32
											1			1	32
3	2	3	5	3	4	9	16	28	45	93	75	47	10	7	33
1	1	2	2	3	2	7	9	10	20	38	28	13	1	4	34
2	1	1	3		2	2	7	18	25	55	47	34	9	3	35
															36
															37
															38
1	1	2	2	3	3	5	4	3	2	2	1			3	39
2	1	1	3		2	1	4	7	3	6	4			3	39
						2	5	7	18	36	27	13	1	1	40
						1	3	11	22	49	43	34	9		40

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	931	41	8	7	6	5	67	15	20	52	107	93
2	Males.....	439	23	4	5	4	3	39	10	11	17	51	42
3	Females.....	492	18	4	2	2	2	28	5	9	35	56	51
4	1 Rheumatism.....	{ M.. 19 F.. 16	1					1	2 1	1		1 3	
5	2. Scrofula and tabes.....	{ M.. 12 F.. 7	5 3			1	1	7 3	1		1		1
6	3. Leprosy.....	{ M.. F..											
7	4. Consumption.....	{ M.. 315 F.. 306	12 3	2 3	2 1	2	1	19 8	4 2	6 7	15 34	46 51	40 50
8	5. Hydrocephalus.....	{ M.. 13 F.. 14	4 7	2 1	2 1		1	9 10	2	1		1 1	
9	6. Cancer.....	{ M.. 41 F.. 97								1		1	
10	7. Tumor.....	{ M.. 2 F.. 11				1		1	1				
11	8. Anæmia.....	{ M.. 1 F.. 4				1		1					
12	9. Dropsy.....	{ M.. 21 F.. 27	1 2					1 2	1	1		1	1
13	10. Diabetes.....	{ M.. 13 F.. 4								2	1	1	1
14	11. Others of this group.....	{ M.. 2 F.. 6	1		1			2 1		1	1		
15	12. Others of this class.....	{ M.. F..											
16	II.—Diseases of the nervous system.....	630	90	34	17	11	4	156	23	7	7	9	13
17	Males.....	317	48	21	7	4	3	83	10	4	3	6	8
18	Females.....	313	42	13	10	7	1	73	13	3	4	3	5
19	1. Inflammation of the brain.....	{ M.. 39 F.. 45	16 13	6 7	1 3	1 4	1	24 28	8 8	2 1	1	2	1
20	2. Apoplexy.....	{ M.. 96 F.. 97	1 1				1	2 1				2 2	1
21	3. Paralysis.....	{ M.. 70 F.. 59		2	1			2 1	2		1	2	1
22	4. Tetanus and trismus nascentium.....	{ M.. 3 F..	2					2					
23	5. Epilepsy.....	{ M.. 7 F.. 8				1		1		1	1	2	1 1
24	6. Convulsions.....	{ M.. 43 F.. 42	24 24	7 6	4 4	1	2	38 34	2	1			1
25	7. Mental diseases.....	{ M.. 8 F.. 9											1
26	8. Diseases of the brain.....	{ M.. 35 F.. 36	4 3	4	1 1	1	2	10 6		1		1	3 1
27	9. Diseases of the spinal cord.....	{ M.. 16 F.. 8	1 1	2	1	1		4 3	1	1			1
28	10. Others of this class.....	{ M.. F.. 9											1
29	III.—Diseases of the circulatory system.....	374	21	4				25	5	6	6	7	15
30	Males.....	187	11	3				14	2	2	5	2	4
31	Females.....	187	10	1				11	3	4	1	5	11
32	1. Angina pectoris.....	{ M.. 5 F.. 11											
33	2. Aneurism.....	{ M.. 2 F.. 2											1
34	3. Diseases of the heart.....	{ M.. 167 F.. 164	2 3	2 1				4 4	2 3	2 4	5 1	2 5	4 10
35	4. Others of this class.....	{ M.. 13 F.. 10	9 7	1				10 7					

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—GROUP 2—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
84	75	52	51	50	43	62	38	51	29	17	15	4	2	4	1
42	30	26	22	26	23	32	23	19	10	8	6	1	2	1	2
42	45	26	29	24	20	30	15	32	19	9	9	3	2	3	3
	2	2	1	2	1	1	2	1	2	1					} 4
	1			1	1	1	1	4	1	1					
		1	1					1							} 5
	2														
															} 6
39	24	20	17	20	15	22	10	10	1	3	3			1	} 7
38	30	17	15	10	8	9	3	9	3	5	2	2	1	2	
	1													1	} 8
1	3	1	3	1	4	6	7	4	4	4	1	1			} 9
3	7	7	10	11	11	11	7	14	7	1	6		1		
		1					1	2		2					} 10
	2					2	1								
1						1									} 11
		1		2	2	2	2	2	3		2				
	1		2			5	3	2	8		1	1			} 12
2	1	2	1	1	1	1	1	1							
						1									} 13
	1		1					1							} 14
															} 15
8	11	21	23	24	29	39	55	67	55	44	26	5	3	5	16
2	4	11	9	8	14	21	30	31	29	24	15		1	4	17
6	7	10	14	16	15	18	25	36	26	20	11	5	2	1	18
		1				1		1		1					} 19
		2					2								
1	1	3	5	6	6	13	13	12	9	11	7		1	3	} 20
3	1	3	7	9	3	8	12	17	14	11	5	1			
		3	2	2	3	6	12	11	12	9	6		2		} 21
	2	3	3	2	6	3	5	14	5	5	5	3			
					1										} 22
	1		1	1	1						1				} 23
	1														
		1					1		1						} 24
	2			2				1						1	
						1		2	1	1	1		1		} 25
1		1	1	1	1	2									
		3			4	1	1	4	4	2					} 26
1	2	1	2	1	3	5	4	2	4	2	1				
			1	2			3	2	2	1				1	} 27
							2								
1	1	2						1	3						} 28
8	11	12	19	23	20	40	39	46	45	28	14	3		2	29
3	5	7	9	11	9	28	26	21	20	12	3	2		2	30
5	6	5	10	12	11	12	13	25	25	16	11	1		1	31
				1				1	1	1					} 32
1					2		2	1	2	3					
			1					1							} 33
								1							
3	5	7	8	10	8	28	24	19	19	10	3	2		2	} 34
4	6	5	9	12	9	11	11	23	23	13	10	1			
			1		1	1				2					} 35
											1				

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	8	1					1			1		
2	Males.....	4	1					1			1		
3	Females.....	4											
4	1. Diseases of the spine.....	{ M F	1					1					
5	2. Diseases of the bones.....	{ M F	3								1		
6	3. Diseases of the hip joint.....	{ M F											
7	4. Others of this class.....	{ M F	1										
8	X.—Diseases of the skin.....	9	3					3	1				
9	Males.....	5	2					2	1				
10	Females.....	4	1					1					
11	1. Abscess.....	{ M F	5	2				2	1				
12	2. Carbuncle.....	{ M F											
13	3. Others of this class.....	{ M F	1	1				1					
14	XI.—Diseases of the absorbent system.....	4										1	1
15	Males.....	3											1
16	Females.....	1										1	
17	1. Addison's disease.....	{ M F	2									1	1
18	2. Diseases of the spleen.....	{ M F											
19	3. Others of this class.....	{ M F	1										
20	XII.—Accidents and injuries.....	222	18	4	1	6	1	30	5	8	16	21	12
21	Males.....	171	11	1	1	2	1	16	2	6	13	21	10
22	Females.....	51	7	3		4		14	3	2	3		2
23	1. Burns and scalds.....	{ M F	1				1	1			1		
24	2. Drowned.....	{ M F	26		2			4	1	6	5	2	3
25	3. Exposure and neglect.....	{ M F	6	2				2			1		
26	4. Gunshot wounds.....	{ M F	6		1			1			2		
27	5. Homicide.....	{ M F											
28	6. Infanticide.....	{ M F											
29	7. Injuries by machinery.....	{ M F											
30	8. Railroad accidents.....	{ M F	40								3	9	2
31	9. Suffocation.....	{ M F	4	3				3					
32	10. Suicide by shooting.....	{ M F	6	5				5				1	
33	11. Suicide by drowning.....	{ M F	1								1		
34	12. Suicide by poison.....	{ M F	1										
35	13. Other suicides.....	{ M F	9										1
36	14. Sunstroke.....	{ M F	1										
37	15. Surgical operations.....	{ M F	3						1				1
38	16. Wounds.....	{ M F	3							1			1
39	17. Other accidents and injuries.....	{ M F	65	6	1	1	2	9			2	9	3
			20	2				3	2	1			

STATISTICS OF DEATHS.

443

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

CONNECTICUT—GROUP 2—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
2		1		1			1	1							1
		1		1			1	1							2
2				1											3
2				1											4
		1					1								5
															6
															7
	1	1		1		1		1							8
	1	1		1		1		1							9
	1	1		1		1		1							10
	1	1		1		1		1							11
															12
															13
						1		1							14
						1		1							15
						1		1							16
															17
															18
								1							19
14	21	12	11	10	10	9	9	5	13	8	4	1	1	2	20
14	21	11	8	8	9	6	7	5	8	8	1	1	1	1	21
		1	3	2	1	3	2		5	5	3				22
									1		1				23
2	2	1	2	1	1	1		1					1		24
	2		1						1						25
1		1				1									26
															27
															28
															29
7	7	2	2	2	2	1	1	1	3						30
			1			1									31
	2		1	2											32
				1											33
				1	1	4			1						34
			1	1					2	1	1				35
						1									36
		1						1							37
				1				1		1					38
4	8	7	1	3	2	2	4	4	1	3	1	1			39
			1	2	1	2	1	1	2	4	2				40

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—GROUP 1.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	34,418	8,394	1,663	838	520	430	11,845	1,109	572	1,025	1,524	1,612
2	Males	17,379	4,606	857	420	268	223	6,374	553	290	489	757	791
3	Females	17,039	3,788	806	418	252	207	5,471	556	282	536	767	821
4	Unknown causes	394	100	11	9	3	1	124	12	5	8	13	15
5	Males	195	55	6	4	3	1	69	8	2	3	6	4
6	Females	199	45	5	5			55	4	3	5	7	11
7	I.—General diseases.												
8	General diseases—A	5,810	2,308	554	321	236	230	3,658	537	191	159	182	152
9	Males	2,915	1,186	278	164	121	122	1,871	254	95	84	100	78
10	Females	2,895	1,122	276	157	115	117	1,787	283	96	75	82	74
11	1. Smallpox	1						1				1	
12	2. Measles	29	9	8	8		1	26	2	1			
13	3. Scarlet fever	58	6	6	8	7	10	37	10	4	4	1	
14	4. Diphtheria	688	39	77	95	97	95	403	204	53	13	5	5
15	5. Whooping cough	122	77	23	12	5	1	118	3	1			
16	6. Fever	3	1					1			1		
17	7. Cerebro-spinal fever	35	11	6	1			21	7	3	2		1
18	8. Enteric fever	365	7		2	2	4	13	10	21	52	82	53
19	9. Diarrheal diseases	697	308	51	18	6	5	388	17	5	9	9	9
20	10. Cholera infantum	804	674	104	19	4	3	804					
21	11. Malarial fever	31	1	1				2	1	1	1	4	5
22	12. Erysipelas	38	10					10	1			2	1
23	13. Septicæmia	63	7	2	1		1	11			5	4	4
24	14. Venereal diseases	29	17	1	1			19				5	1
25	15. Others of this group	87	5	2	2	1	1	11	7	2		2	1
26	General diseases—B	444	238	12	5	3	3	261	3		3	9	20
27	Males	269	137	7	3	2	1	150	2		1	4	15
28	Females	174	101	5	2	1	2	111	1		2	5	5
29	1. Parasitic diseases	2		1				1					
30	2. Alcoholism	32	1					1			1	3	14
31	3. Lead poison	5											
32	4. Other poisons	22		3	2	1		6	1			1	1
33	5. Inanition	148	136	4		1	1	142	1			1	
34	General diseases—C	4,768	3,250	74	10	13	4	3,351	13	3	8	8	8
35	Males	2,508	1,882	45	3	8	3	1,941	4	1	4	2	2
36	Females	2,260	1,368	29	7	5	1	1,410	9	2	4	6	6
37	1. Premature birth	269	269					269					
38	2. Stillborn	957	957					957					
39	3. Malformation	42	40				1	40	1		1		
40	4. Debility and atrophy	868	616	45	3	8	3	675	3	1	3	2	2
41	5. Old age	372	512	29	7	5		553	9	2	4	6	6

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—GROUP 1.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,422	1,393	1,331	1,330	1,412	1,375	1,521	1,614	1,573	1,448	1,181	706	245	85	95	1
709	695	672	685	729	696	739	798	778	705	500	268	75	18	58	2
713	698	659	645	683	679	782	816	795	743	681	438	170	67	37	3
17	14	15	10	19	15	19	25	31	15	15	8		1	13	4
6	10	8	5	8	8	7	12	12	8	7	3			9	5
11	4	7	5	11	7	12	13	19	7	8	5		1	4	6
117	84	80	69	73	80	76	65	77	83	69	42	8	6	2	7
67	47	39	30	42	40	35	26	28	30	31	14	3	1		8
50	37	41	39	31	40	41	39	49	33	28	28	5	5	2	9
1		1			1										10
1	1														11
2		2		1											12
2	2			1		1	1								13
1								1							14
1															
	1				1				2						15
51	27	19	11	7	7	3	4	1	2	1	1				16
18	15	14	10	3	4	5	5	2	2	3					17
3	9	4	9	21	18	17	8	15	12	14	7	1			18
13	10	17	19	13	22	28	22	32	38	19	19	3	4	1	19
1	1	5	1		2	2	2	1	1	1					20
	2	1	1	4			1	1	3	2	1				21
1	1	1	2	3	4	3	3	3	1	1	1	1			22
1		1	2	1	6	1	1	4	1	1	6	1			23
4	3	5	4	7	5	4	3	1	1	1	1				24
12	7	3	6	6	3		3	3	2	2	2				25
	1	1	1	1				1							
2	1	1	1												
3	4	2	3	2	4	6	5	5	13	13	4	2	1		26
		1		3	3	6	6	7	5	12	2	1	1		27
31	26	23	15	16	9	12	3	3	2	5					28
20	18	16	10	12	6	7	2	1	2	2					29
11	8	7	5	4	3	5	1	2		3					30
									1						
16	16	12	10	7	5	4		1	1	1					31
10	6	7	3	2	1	3				1					32
1	1	1		1	1										
3	1	3		3		1	2								33
1	1		1	2			1	1							34
				1	2	2				1					35
7	7	7	11	18	17	51	88	136	211	340	286	136	53	9	36
2	3	3	7	7	11	20	39	57	100	132	108	45	13	7	37
5	4	4	4	11	6	31	49	79	111	208	178	91	40	2	38
2	3	3	7	7	11	17	21	20	32	23	19	2	1	5	39
5	4	4	4	11	6	21	34	32	27	42	37	11	2	2	40
						3	18	28	68	109	89	43	12	2	39
						10	15	47	84	166	141	80	38		40

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	6,884	3,8	185	75	44	35	657	134	107	452	789	726
2	Males.....	3,190	180	105	38	27	17	367	65	36	184	379	334
3	Females.....	3,694	138	80	37	17	18	290	69	71	268	410	102
4	1. Rheumatism.....	{ M. 65 F. 62	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 3 4	{ 7 3	{ 4 1	{ 3 2	{ 2 1	
5	2. Scrofula and tabes.....	{ M. 54 F. 73	{ 17 23	{ 9 5	{ 5 3	{ 1 1	{ 1 2	{ 33 33	{ 2 7	{ 1 1	{ 3 3	{ 5 3	{ 5 3
6	3. Leprosy.....	{ M. F.											
7	4. Consumption.....	{ M. 2,288 F. 2,383	{ 63 35	{ 30 19	{ 8 14	{ 6 4	{ 5 6	{ 112 78	{ 33 27	{ 21 64	{ 171 246	{ 358 387	{ 317 378
8	5. Hydrocephalus.....	{ M. 223 F. 199	{ 85 71	{ 59 50	{ 22 16	{ 12 13	{ 11 9	{ 189 159	{ 15 27	{ 8 3	{ 2 1	{ 2 3	{ 3 2
9	6. Cancer.....	{ M. 335 F. 721	{ 1 1	{ 1 1				{ 2 1			{ 1 6	{ 2 2	{ 5 10
10	7. Tumor.....	{ M. 50 F. 77	{ 1 1	{ 1 1	{ 2 2	{ 1 1		{ 3 3	{ 2 1		{ 1 1	{ 6 2	{ 2 2
11	8. Anæmia.....	{ M. 40 F. 51	{ 6 2	{ 2 2	{ 1 1	{ 1 1		{ 9 3	{ 2 2		{ 1 2	{ 11 11	{ 3 3
12	9. Dropsy.....	{ M. 47 F. 57	{ 1 2	{ 1 1		{ 1 1		{ 2 3	{ 1 1		{ 2 2	{ 1 1	
13	10. Diabetes.....	{ M. 64 F. 51		{ 1 1				{ 1 1	{ 3 1	{ 2 2	{ 4 2	{ 2 2	{ 3 2
14	11. Others of this group.....	{ M. 22 F. 19	{ 6 3	{ 2 2	{ 1 1	{ 4 4		{ 13 5			{ 1 2		{ 1 2
15	12. Others of this class.....	{ M. 2 F. 1	{ 1 1					{ 1 1					
16	II.—Diseases of the nervous system.....	4,012	773	302	132	69	50	1,326	118	50	48	67	71
17	Males.....	2,062	429	154	60	32	33	708	56	30	27	36	41
18	Females.....	1,950	344	148	72	37	17	618	62	20	21	31	30
19	1. Inflammation of the brain.....	{ M. 425 F. 372	{ 162 124	{ 85 80	{ 29 33	{ 18 16	{ 17 6	{ 311 259	{ 29 39	{ 15 9	{ 8 9	{ 4 10	{ 5 5
20	2. Apoplexy.....	{ M. 488 F. 499	{ 4 4			{ 1 1		{ 4 5		{ 4 4	{ 3 1	{ 5 2	{ 6 6
21	3. Paralysis.....	{ M. 378 F. 368	{ 3 1	{ 1 4	{ 1 1		{ 1 4	{ 6 10	{ 6 2	{ 1 1	{ 3 1	{ 5 2	{ 9 5
22	4. Tetanus and trismus nascentium.....	{ M. 11 F. 4	{ 2 3					{ 2 3	{ 2 2	{ 2 2		{ 1 1	
23	5. Epilepsy.....	{ M. 51 F. 34	{ 1 1	{ 1 1	{ 1 1			{ 3 1	{ 3 3	{ 2 2	{ 6 4	{ 8 1	{ 6 2
24	6. Convulsions.....	{ M. 318 F. 306	{ 204 176	{ 53 51	{ 20 31	{ 11 10	{ 8 6	{ 296 274	{ 9 10	{ 1 2	{ 2 1		{ 4 4
25	7. Mental diseases.....	{ M. 50 F. 69									{ 1 1	{ 6 2	{ 2 1
26	8. Diseases of the brain.....	{ M. 259 F. 237	{ 43 30	{ 13 10	{ 8 6	{ 1 6	{ 7 4	{ 72 56	{ 6 6	{ 5 7	{ 5 4	{ 4 8	{ 10 5
27	9. Diseases of the spinal cord.....	{ M. 59 F. 27	{ 9 4	{ 1 3	{ 1 1	{ 2 1		{ 13 9	{ 1 1			{ 3 2	{ 2 1
28	10. Others of this class.....	{ M. 23 F. 54	{ 1 1					{ 1 1	{ 1 1			{ 2 2	{ 1 1
29	III.—Diseases of the circulatory system.....	2,791	159	11	8	2	3	183	43	50	62	69	84
30	Males.....	1,359	89	8	3	1	1	102	23	24	25	25	38
31	Females.....	1,432	70	3	5	1	2	81	20	26	37	44	46
32	1. Angina pectoris.....	{ M. 21 F. 24									{ 1 1	{ 2 2	
33	2. Aneurism.....	{ M. 21 F. 5											{ 1 1
34	3. Diseases of the heart.....	{ M. 1,263 F. 1,359	{ 55 41	{ 7 3	{ 3 5	{ 1 1	{ 1 2	{ 67 52	{ 23 20	{ 24 25	{ 24 36	{ 25 41	{ 37 44
35	4. Others of this class.....	{ M. 54 F. 44	{ 34 29	{ 1 1				{ 35 29		{ 1 1		{ 1 1	{ 2 2

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—GROUP 1—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
617	531	446	432	393	352	334	321	246	178	94	34	9	3	19	1
298 319	238 293	190 256	194 238	190 203	155 197	153 181	155 166	110 136	85 93	37 57	8 26	3 6	3 3	9 10	2 3
3 2	1 3	2 5	4 5	4 6	4 5	6 5	9 6	6 6	3 6	2 2	1	1 1			4
1 2	1 1	5	1 1	1 1	3 2	1 5	1	3	2						5
															6
279 281	205 229	162 175	158 141	131 84	99 76	84 65	72 58	46 36	26 24	7 19	2 8	2		5 5	7
1 1		2	1											2 1	8
5 19	14 49	12 56	22 66	36 85	38 92	44 32	53 77	43 77	37 49	15 26	4 14	1 3	3	1 3	9
2 5	4 2	6 7	2 7	5 12	3 9	4 4	3 8	2 5	1 4	6 2	1				10
5	3 4	1 1	5	4 6	3 2	3 3	2 1	5 2	4 1	1 1	1 1			1	11
2	3 2	3 2	2 8	5 5	3 4	2 9	5 6	6 2	7 5	3 4	2	1		1	12
4 3	7 3	4 3	4 4	2 4	2 7	8 6	9 9	2 4	5 2	2 1					13
1 1			1	1		1 2	2	1	1	1 2					14
				1					1						15
72	115	126	140	150	181	267	303	328	310	200	104	23	4	9	16
40 32	57 58	67 59	70 70	72 78	95 86	133 134	155 148	188 140	151 150	91 109	30 74	7 16	1 3	7 2	17 18
11 4	5 4	13 7	3 5	4 2	5 1	2 3	3 7	1 6	2 1	2	1 1			1	19
7 7	10 14	22 21	25 26	32 31	33 35	73 66	70 68	82 51	61 77	35 52	12 30	3 6		1	20
3 2	8 10	16 9	17 17	16 17	26 25	33 44	46 37	68 51	56 51	38 43	16 32	3 7	1	2 1	21
1			1				2								22
1 2	4 4	1 1	1	3 2	4 1	1 4	2 3	3 3	2 2	1 1					23
2	4 3	1	1 1		1 1	1			1	1	1			1	24
2 2	2 4	1 5	3 9	2 6	3 6	3	8	7 9	7 10	5 3	1	1	1	1	25
10 12	21 15	6 13	14 9	8 13	13 12	15 12	17 18	20 15	20 15	10 7	1 7	1 2	1 1	1	26
2	1	5 1	5 2	4 2	7 2	5 3	3 2	5 3	2 1					1	27
1 3	2 3	2 2	1	3 4	3 3	2	6 4	2 2	1 1	2	2			1	28
107	125	151	173	205	227	225	293	288	230	168	80	17	3	8	29
46 61	60 65	77 74	92 81	91 114	116 111	106 119	144 149	148 140	139 100	71 97	36 44	2 15	1 2	2 6	30 31
2 1	2 1	1	3 1	2 1		3 1	1 3	2 2	4 6		1 1				32
1 1	1	3 1	3	2	3		1	2	1	1					33
42 58	56 63	72 73	85 78	86 113	109 106	102 117	138 145	143 134	121 94	70 97	34 41	2 15	1 2	2 5	34
1 1	1 1	1	1 2	1	4 1	1	3	2 4	3	1	1			1	35

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—GROUP 1—Continued

CAUSE OF DEATH.		All ages	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	5,173	948	418	229	121	80	1,796	148	44	117	147	202
2	Males	2,579	486	202	115	57	37	897	78	20	56	80	127
3	Females	2,594	462	216	114	64	43	899	70	24	61	67	75
4	1. Croup	{ M.. 151 F.. 159	{ 25 17	{ 28 37	{ 34 35	{ 19 21	{ 13 22	{ 119 132	{ 25 24	{ 1 1	{ 1 1		
5	2. Laryngitis	{ M.. 20 F.. 13	{ 3 4	{ 5 1	{ 2 2	{ 5 1		{ 15 7	{ 1 1				{ 2 2
6	3. Bronchitis	{ M.. 603 F.. 701	{ 211 194	{ 65 70	{ 20 22	{ 13 17	{ 5 5	{ 314 308	{ 12 13	{ 3 1	{ 7 8	{ 8 16	{ 10 8
7	4. Pneumonia	{ M.. 1,521 F.. 1,446	{ 179 177	{ 95 90	{ 54 49	{ 18 23	{ 16 16	{ 362 364	{ 29 30	{ 12 19	{ 43 45	{ 64 49	{ 100 54
8	5. Pleurisy	{ M.. 48 F.. 42	{ 1 1	{ 1 2	{ 2 2			{ 4 3	{ 4 2	{ 1 1	{ 1 2	{ 2 2	{ 6 5
9	6. Asthma	{ M.. 22 F.. 30	{ 2 1		{ 1 1			{ 3 1			{ 1 1		
10	7. Others of this class	{ M.. 214 F.. 203	{ 65 68	{ 8 9	{ 2 4	{ 2 3	{ 3 3	{ 80 84	{ 7 1	{ 3 3	{ 4 4	{ 6 2	{ 9 6
11	V.—Diseases of the digestive system	1,303	172	57	17	9	4	259	25	31	57	49	70
12	Males	611	92	29	11	4	2	138	11	17	28	16	23
13	Females	692	80	28	6	5	2	121	14	14	29	33	47
14	1. Dentition	{ M.. 37 F.. 33	{ 16 17	{ 19 16	{ 2 1			{ 37 33					
15	2. Angina	{ M.. 14 F.. 5		{ 1 1	{ 4 4	{ 3 3	{ 1 1	{ 9 1	{ 1 1	{ 1 1			{ 1 1
16	3. Diseases of the stomach	{ M.. 110 F.. 140	{ 9 6	{ 1 1	{ 1 1	{ 1 1		{ 12 8	{ 4 4		{ 3 5	{ 1 5	{ 1 11
17	4. Obstruction of the bowels	{ M.. 46 F.. 42	{ 6 6	{ 2 2	{ 1 1			{ 9 6		{ 2 2	{ 1 1	{ 4 4	{ 2 2
18	5. Hernia	{ M.. 22 F.. 25	{ 1 3					{ 1 3					{ 3 3
19	6. Other diseases of the bowels	{ M.. 20 F.. 18	{ 9 5					{ 9 5					
20	7. Jaundice	{ M.. 26 F.. 31	{ 16 10					{ 16 10				{ 1 1	{ 1 3
21	8. Inflammation and abscess of the liver	{ M.. 32 F.. 35	{ 4 1					{ 4 1		{ 2 1	{ 3 1		{ 1 1
22	9. Other diseases of the liver	{ M.. 108 F.. 105	{ 2 2			{ 1 1		{ 3 3		{ 3 3	{ 3 3	{ 2 2	{ 2 6
23	10. Peritonitis	{ M.. 127 F.. 172	{ 6 6	{ 3 1	{ 2 4		{ 1 2	{ 12 13	{ 5 7	{ 11 8	{ 15 15	{ 7 25	{ 13 23
24	11. Ascites	{ M.. 3 F.. 8	{ 1 1			{ 1 1		{ 1 2					
25	12. Others of this class	{ M.. 66 F.. 78	{ 24 23	{ 3 9	{ 1 2	{ 2 2		{ 28 36	{ 1 1	{ 2 1	{ 3 5	{ 1 2	{ 3 2
26	VI.—Diseases of the urinary system and male organs of generation.	1,082	11	5	4	3	2	25	9	10	29	38	62
27	Males	613	7	3	2	1	1	14	3	3	17	16	28
28	Females	469	4	2	2	2	1	11	6	7	12	22	34
29	1. Bright's disease	{ M.. 291 F.. 237							{ 1 4	{ 1 2	{ 13 7	{ 9 9	{ 14 17
30	2. Calculus, urinary	{ M.. 6 F.. 1											
31	3. Diseases of the kidney	{ M.. 182 F.. 185	{ 4 4	{ 2 2	{ 2 2	{ 1 1	{ 1 1	{ 10 10	{ 2 2	{ 2 4	{ 3 3	{ 7 10	{ 11 14
32	4. Diseases of the bladder	{ M.. 82 F.. 15	{ 1 1	{ 1 1				{ 2 1			{ 1 1		{ 1 1
33	5. Others of this class	{ M.. 52 F.. 31	{ 2 1					{ 2 1		{ 1 1	{ 1 1	{ 3 3	{ 2 2
34	VII.—Diseases of the female organs of generation.	80			1			1			2	7	3
35	1. Ovarian tumors	F.. 18											
36	2. Ovarian diseases	F.. 7											
37	3. Uterine tumors	F.. 13											
38	4. Uterine diseases	F.. 5										1	
39	5. Others of this class	F.. 37			1			1			2	6	3
40	VIII.—Affections connected with pregnancy.	184									7	37	56
41	1. Abortion	F.. 13										3	4
42	2. Childbirth	F.. 71									2	15	25
43	3. Puerperal septicæmia	F.. 63									2	12	20
44	4. Extra-uterine pregnancy	F.. 3										1	
45	5. Others of this class	F.. 34									3	6	7

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—GROUP 1—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
197	207	222	214	272	261	256	263	247	240	178	93	41	13	15	1
109 88	128 79	126 96	129 85	151 121	123 138	124 132	113 150	94 153	93 147	71 107	36 57	12 29	2 11	10 5	2 3
	2	1		1						1				2	} 4
		1							1						} 5
	2					1	1								} 6
13 6	15 8	12 10	11 5	24 26	22 37	24 37	29 38	22 46	30 47	27 44	12 27	6 12	1 4	1	} 6
84 73	100 57	99 74	103 68	110 81	88 85	82 80	75 93	59 95	49 81	33 54	18 25	6 13	1 3	4 3	} 7
4 1	5 3	3 5	2 3	5 1	3 2	5 3	1	1 2	2 3	1		1	1	1	} 8
	1 2		1	6 3	3 5	2 5	2 3	1 1	3 4	1	2				} 9
8 8	5 7	10 5	13 8	6 9	7 8	11 6	7 14	11 9	8 12	10 7	6 3	3	3	3 1	} 10
50	59	73	92	85	84	97	97	65	53	23	18	2			11
23 36	30 29	37 26	42 50	41 44	40 44	45 52	47 50	36 29	20 33	9 19	8 10	2			12 13
															} 14
1					1					1					} 15
6 7	8 4	8 8	13 12	8 6	7 14	12 13	8 9	7 8	9 13	3 7	1 4		1		} 16
1	3 2	2 2	2 5	2 3	7 4	1 4	6 6	3 3	2 4		1				} 17
1		1 1	3 2	1 3	3	1 3	4 5	2 3	2 2		2 1				} 18
	1 3	1	1		3	5 2	2 2	2 1			1				} 19
			2 1	1 1	1	1 3	2	3 1	1 2		1 1				} 20
1 2	3 2	3	2 4	1 4	2 3	3 8	4 2	3	2 3		1				} 21
4 4	7 3	10 12	10 10	18 14	10 11	15 11	13 13	10 6	2 5	1 2	1 1	1			} 22
8 19	6 11	10 9	6 9	8 9	6 5	7 5	4 5	5 3	3 3	1 1	2				} 23
		1	1 2			2				1					} 24
1 2	2 2	2 3	3 4	2 3	4 3	6 1	4 6	4 1	1 2	3 3	1				} 25
49	61	67	69	88	78	116	95	115	93	55	18	3		2	26
17 32	18 43	30 37	35 34	47 41	46 32	70 46	64 31	83 32	69 24	35 20	15 3	2 1		1	27 28
9 13	10 26	15 18	24 23	26 26	24 14	41 26	31 17	39 15	21 10	8 8	4 1			1 1	} 29
			1				4	1		1					} 30
6 15	5 12	13 17	10 9	16 13	17 17	24 18	16 8	14 14	14 9	10 8	1 2	1			} 31
1	2		1	4 2	2 1	4	8 2	18 1	22 1	9 4	7	1 1			} 32
1 4	1 5	2 1	1	1	3	1 2	5 4	11 2	12 4	7	3				} 33
2	16	17	12	3	5	6	5		1						34
	7	3		1 1	3	3 1	1 1								35 36
		5 1	3	1	1	1 1			1						37 38
2	2 7	8	5				3								39
43	35	5	1												40
4 15 14 1 9	2 11 14 1 7	3	1												41 42 43 44 45

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	87	5	2	5	1	2	15	10	12	7	8	8
2	Males	54	3	1	3		2	9	7	5	5	7	5
3	Females	33	2	1	2	1		6	3	7	2	1	3
4	1. Diseases of the spine	{ M 30 F 17	3	1	3		2	8	2	2	2	6	3
5	2. Diseases of the bones	{ M 9 F 3			1			1	1	2			1
6	3. Diseases of the hip joint	{ M 11 F 11		1	1	1		1	4	1	3		1
7	4. Others of this class	{ M 4 F 2										1	
8	X.—Diseases of the skin	67	18	2				20	1	4		1	7
9	Males	33	11					11		4		1	3
10	Females	34	7	2				9	1				4
11	1. Abscess	{ M 20 F 18	5	2				5		4		1	2
12	2. Carbuncle	{ M 4 F 4											
13	3. Others of this class	{ M 9 F 12	6	3				6					1
14	XI.—Diseases of the absorbent system	7	1					1	1		1		1
15	Males	1									1		
16	Females	6	1					1	1				1
17	1. Addison's disease	{ M F 2											
18	2. Diseases of the spleen	{ M F 1							1				
19	3. Others of this class	{ M 1 F 3	1					1			1		1
20	XII.—Accidents and injuries	1,333	93	30	22	16	7	168	55	65	65	100	117
21	Males	990	49	19	14	12	3	97	42	58	54	85	93
22	Females	343	44	11	8	4	4	71	13	12	11	15	24
23	1. Burns and scalds	{ M 40 F 50	2	5	4	3	1	15	4	2	3	4	4
24	2. Drowned	{ M 184 F 23	2	3	3	3		11	18	27	16	29	10
25	3. Exposure and neglect	{ M 5 F 1	1					1		1			
26	4. Gunshot wounds	{ M 22 F 1				1		1	1	3	5	5	
27	5. Homicide	{ M 11 F 4	1					1		2	1	3	3
28	6. Infanticide	{ M F											
29	7. Injuries by machinery	{ M 4 F								1	1	1	
30	8. Railroad accidents	{ M 140 F 9							6	3	3	16	22
31	9. Suffocation	{ M 48 F 36	24	4	1	1	1	31		1		2	1
32	10. Suicide by shooting	{ M 32 F 1									1	2	2
33	11. Suicide by drowning	{ M 11 F 7									1	1	1
34	12. Suicide by poison	{ M 21 F 16									3	3	5
35	13. Other suicides	{ M 44 F 14									1	2	2
36	14. Sunstroke	{ M 7 F			1			1					2
37	15. Surgical operations	{ M 20 F 28		1	1			2	2		2	1	2
38	16. Wounds	{ M 22 F 6		1				1		1	1		3
39	17. Other accidents and injuries	{ M 379 F 147	19	6	5	4	1	35	11	14	21	18	39

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—GROUP 1—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
4	2	3	2	4	2	3	3	2	1		1				1
2	1	2	1	3	2	2	1	1	1						2
2	1	1	1	1	1	1	2	1			1				3
1	1	1	1	1	1			1							4
2	1			1	1		2	1			1				
1		1		1		2									5
				1											6
		1													
					1		1		1						7
			1			1									
2	2	2	5	4	3	4	4	3	2	1	1		1		8
1		1	2	2	3		3		1	1					9
1	2	1	3	2		4	1	3	1	1	1		1		10
1		1	2		2		1		1						11
1	1	1	2		2	1	1	1					1		
			1	2		1	1			1					12
								2			1				
			2	2	1	2	1								13
	1							1			1				
						1	1						1		14
						1	1					1			15
															16
						1						1			17
															18
							1								19
98	109	94	85	82	61	54	48	32	29	28	21	5	1	16	20
78	85	76	68	63	51	37	37	20	15	13	10	1		12	21
20	24	18	17	19	10	17	11	12	14	15	11	4	1	4	22
4		1	5	1	1	2	2	1		1					23
4	4	2	5	5	2	1			1						
11	10	12	9	11	8	6	2	1							24
	2	1	2	2	1		1		1					3	
			1			1					1			1	25
1			2	2	1	1									26
	1														
1	1	1													27
				1											28
															29
20	22	10	9	9	6	6	3	1	2						30
1	1		1	1	1	1	1								
		3	3	2		1	1	1							31
	2		1	1											
	5	5	6	2	2	3		2	1						32
1	1	1	4			1									33
			1	1	1	2								1	
5	1	1	2	1	1	1	3	1	1						34
1	1	1	1	1	1	1					1				
4	9	3	5	3	4	4	2	2			1				35
3	1	4	5	1	2	1								2	
		1			1		2								36
	2	1		1	1		2	3	1	2					37
2	4	5	2	3	1	1	2								
3	1	2	1		2		5	2							38
		1	1			1	1								
29	34	35	25	30	24	13	15	6	10	10	8	1		11	39
8	7	5	5	5	2	9	4	12	12	15	10	4	1		

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—GROUP 2.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
425	345	335	374	394	443	466	514	574	546	443	277	107	39	42	1
212 213	165 180	155 180	174 200	204 190	223 220	242 224	282 232	280 294	284 262	188 260	108 169	34 73	15 24	22 20	2
6	2	9	7	6	9	10	6	6	8		2	2		12	4
3 3 2	2	3 6	2 5	2 4	5 4	7 8	2 4	4 2	4 4		2	2			7 5
29	31	16	22	16	28	24	25	34	36	23	12	6	3	3	7
14 15	17 14	11 5	12 10	8 8	11 17	11 13	13 12	18 16	17 19	10 13	6 6	3 3	3	1 2	8 9
															10
															11
1	1		1												12
															13
1 1	3 1	1	1 1				1								14
										2					15
1 1			1 1				1	1							16
6 5	8 5	4 2	3 2	3 1	1 2	1	2 1	1 2	2 4	1					17
1 4	2 1	4 2	3 4	2 6	5 6	3 12	7 6	10 10	11 11	5 8	4 6	3	1	1	18
														1	19
3	2 1	1	1	1	3 1	2 1	2 2	3 1	1 1	2		1	1	1	20
1			1		1	1		1 1	1 1	2			1		21
1 2	2 5	2	1 1	3	5	2	1 1	1							22
															23
1			1		1	2		2 1	2 2	2 1	2	2	2		24
9	5	5	6	8	5	1	2	2		2				2	25
8 1	1 4	4 1	5 1	7 1	4 1	1	1 1	1 1		1 1				1 1	26 27
															28
6 1	1 2	3 1	2 1	6 1	3	1		1							29
															30
2	2	1	2								1				31
			1	1	1 1			1 1		1				1 1	32
5	3	2	4	4	9	9	17	42	58	115	96	61	22	2	33
3 2	1 2	2	2 2	2 2	2 7	1 8	7 10	17 25	28 30	46 69	43 53	21 40	8 14	2	34 35
															36
															37
															38
3 2	1 2	2	2 2	2 2	2 7	1 5	5 4	5 8	6 10	8 15	4 8	2 6	1 1	2	39
						3	6	12 17	22 20	38 54	39 45	19 34	7 13		40

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	1,907	70	45	12	12	11	150	29	52	136	225	196
2	Males.....	836	43	26	8	4	8	89	14	12	51	91	88
3	Females.....	1,071	27	19	4	8	3	61	15	40	85	134	108
4	1. Rheumatism.....	{ M. 22 F. 22				1		1	1	1	2	3	1
5	2. Scrofula and tubercles.....	{ M. 22 F. 14	6	3			3	12	3			2	
6	3. Leprosy.....	{ M. F.											
7	4. Consumption.....	{ M. 597 F. 713	10	10	2	1	1	24	6	7	46	85	84
8	5. Hydrocephalus.....	{ M. 50 F. 33	25	12	4	2	3	46	2				1
9	6. Cancer.....	{ M. 87 F. 166	1				1	2	1	1		2	3
10	7. Tumor.....	{ M. 9 F. 22	1		1			2			1		1
11	8. Anæmia.....	{ M. 10 F. 21		1				1	1			2	1
12	9. Dropsy.....	{ M. 16 F. 27				1		1	1	1			
13	10. Diabetes.....	{ M. 21 F. 19			1			1		3	2	1	
14	11. Others of this group.....	{ M. 2 F. 4		1				1					
15	12. Others of this class.....	{ M. F.											
16	II.—Diseases of the nervous system.....	1,370	260	90	31	20	14	415	23	24	18	26	21
17	Males.....	689	147	44	10	9	3	213	12	13	9	17	7
18	Females.....	681	113	46	21	11	11	202	11	11	9	9	14
19	1. Inflammation of the brain.....	{ M. 119 F. 122	44	21	6	5	1	77	7	8	3	3	1
20	2. Apoplexy.....	{ M. 141 F. 160	1	1	1			3			3	2	2
21	3. Paralysis.....	{ M. 133 F. 140	1	1				2			1	1	1
22	4. Tetanus and trismus nascentium.....	{ M. 3 F. 1						1		1			
23	5. Epilepsy.....	{ M. 25 F. 18								1		2	1
24	6. Convulsions.....	{ M. 120 F. 98	87	18	3	2	2	112	3	2		1	3
25	7. Mental diseases.....	{ M. 61 F. 49									1	3	1
26	8. Diseases of the brain.....	{ M. 66 F. 68	11	1				12	2			4	1
27	9. Diseases of the spinal cord.....	{ M. 18 F. 10	3	2		2		7		1	1	3	
28	10. Others of this class.....	{ M. 3 F. 15		1				1		1		1	
29	III.—Diseases of the circulatory system.....	772	50	2	4			56	8	12	15	20	14
30	Males.....	400	34	1	1			36	4	9	7	8	6
31	Females.....	372	16	1	3			20	4	3	8	12	8
32	1. Angina pectoris.....	{ M. 13 F. 8											
33	2. Aneurism.....	{ M. 1 F.											
34	3. Diseases of the heart.....	{ M. 373 F. 354	25	1	1			27	4	9	7	8	6
35	4. Others of this class.....	{ M. 13 F. 10	9					9				12	8

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—GROUP 2—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
166	121	127	101	105	105	100	87	89	63	30	16	3	2	4	1
81 85	54 67	49 78	35 66	53 52	52 53	41 59	40 47	40 49	26 37	11 19	4 12	1 2	1 1	3 1	2 3
1 3	1 3	1	4	1	1	2 3	4 1	1 1	2 2						4
1 2		1 1	1	1		1	2								5
															6
74 68	50 54	41 49	29 29	43 23	32 21	23 28	15 22	19 20	9 10	6 5	2 6			2 1	7
1	1										1				8
1 5	7	5 20	2 25	7 22	15 20	9 19	16 17	11 19	10 18	3 13	2 4	1 1	1 1		9
1	1		1	2	5	1 3	2	1 1	4		1				10
3		3	1 2	1 2	1 1	1 1	1 1	2	1 1						11
1	2	2	1	1	4	3 4	1 3	4 5	3 1	2 1					12
2 3		1 1	3	1	2 1	1 1	1 1	2 3	1 1						13
	1 1	1	2												14
															15
40	37	31	61	55	67	70	122	101	105	101	41	8	3	1	16
25 15	23 14	18 13	29 32	20 35	30 37	36 34	67 55	50 51	58 47	45 56	12 29	2 6	2 1	1	17 18
3 4	4 3	1 1	1	2 2	3	3	4	1	3	1 2	1				19
4 4	1 3	2 1	7 11	3 14	10 18	12 14	29 18	17 18	24 18	18 21	3 11		1		20
3 1	6 1	7 4	10 6	8 4	5 10	8 15	19 14	23 19	17 21	16 20	5 14	2	1 1	1	21
1					1										22
4 1	1 2	1 1	3 2	1 1	2 5	2	5	1	1 1	1 1	1				23
1 1			1 1	1	1										24
6 1	8	4 4	5 5	4 5	4 2	6 1	6 10	2 10	3 2	4 6	2 1	2 1			25
3 2	3 3	3 2	2 5	1 3	3	4 3	7 8	6 3	8 5	5 5	2 1				26
			1	1 1	1		1 1	1	1						27
1	2		1	4	2	1 1			1	1		1			28
20	21	31	32	40	69	77	85	96	82	62	19	7	1	5	29
8 12	8 13	15 16	12 20	25 15	32 37	42 35	51 34	48 48	46 36	33 29	6 13	2 5	1	2 3	30 31
1	1				2 1	2 1	6 2	1	2	2					32
							1								33
8 11	8 12	15 16	12 20	24 14	30 36	40 33	44 32	47 48	42 35	32 27	6 12	2 5	1	2 3	34
				1 1					2 1	1					35

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	1,744	286	137	93	59	34	609	64	13	31	44	55
2	Males	872	164	75	44	29	14	326	30	7	13	27	28
3	Females	872	122	62	49	30	20	283	34	6	18	17	27
4	1. Croup	{ M 100 F 80	{ 17 13 17 16	{ 20 16 25 15	{ 25 15 15 14	{ 15 14 8 8	{ 8 8 8 8	{ 85 66 85 66	{ 14 14 14 14	{ 1 1			
5	2. Laryngitis	{ M 4 F 4	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1				
6	3. Bronchitis	{ M 144 F 175	{ 45 34 45 34	{ 18 18 18 18	{ 4 10 4 10	{ 3 7 3 7	{ 2 3 2 3	{ 72 72 72 72	{ 1 3 1 3		{ 2 2 2 2		{ 4 4
7	4. Pneumonia	{ M 497 F 501	{ 72 60 72 60	{ 32 24 32 24	{ 12 17 12 17	{ 7 6 7 6	{ 4 6 4 6	{ 127 113 127 113	{ 12 15 12 15	{ 6 4 6 4	{ 7 13 7 13	{ 24 12 24 12	{ 20 21 20 21
8	5. Pleurisy	{ M 10 F 9							{ 1 1		{ 1 2 1 2		{ 1 1
9	6. Asthma	{ M 9 F 11	{ 1 1	{ 1 1				{ 2 1					{ 1 1
10	7. Others of this class	{ M 108 F 92	{ 29 13 29 13	{ 4 3 4 3	{ 3 6 3 6	{ 3 2 3 2	{ 3 3 3 3	{ 39 27 39 27	{ 1 2 1 2		{ 3 1 3 1	{ 3 3 3 3	{ 4 4 4 4
11	V.—Diseases of the digestive system	446	67	25	15	2	3	112	13	9	13	17	16
12	Males	208	35	12	6		2	55	7	2	11	7	9
13	Females	238	32	13	9	2	1	57	6	7	2	10	9
14	1. Dentition	{ M 22 F 21	{ 14 9 14 9	{ 7 10 7 10	{ 1 2 1 2			{ 22 21 22 21					
15	2. Angina	{ M 3 F 5	{ 2 2		{ 1 1 1 1			{ 2 4 2 4		{ 1 1			
16	3. Diseases of the stomach	{ M 32 F 35	{ 2 2	{ 2 2 2 2	{ 2 1 2 1		{ 1 1	{ 4 6 4 6	{ 2 1 2 1	{ 1 1		{ 2 2 2 2	{ 1 1
17	4. Obstruction of the bowels	{ M 10 F 12	{ 3 1					{ 3 1 3 1	{ 1 1			{ 1 1	{ 1 1
18	5. Hernia	{ M 7 F 10		{ 2 2				{ 2 2	{ 1 1				
19	6. Other diseases of the bowels	{ M 9 F 13	{ 2 4 2 4		{ 1 1			{ 2 5 2 5					{ 2 2
20	7. Jaundice	{ M 6 F 8	{ 2 4 2 4	{ 1 1				{ 3 4 3 4	{ 1 1			{ 1 1	
21	8. Inflammation and abscess of the liver	{ M 8 F 14	{ 1 1					{ 1 1		{ 1 1			
22	9. Other diseases of the liver	{ M 32 F 46		{ 1 1	{ 2 2			{ 3 1 3 1					{ 1 1
23	10. Peritonitis	{ M 53 F 52	{ 2 2 2 2	{ 2 4 2 4	{ 1 1 1 1		{ 2 2	{ 7 7 7 7	{ 1 4 1 4	{ 1 2 1 2	{ 10 2 10 2	{ 4 4 4 4	{ 5 7 5 7
24	11. Ascites	{ M 2 F 4		{ 1 1				{ 1 1					
25	12. Others of this class	{ M 24 F 18	{ 7 4 7 4	{ 1 1				{ 8 5 8 5	{ 2 2		{ 1 2 1 2	{ 1 1	
26	VI.—Diseases of the urinary system and male organs of generation.	352	7	1		4	2	14	3	10	10	8	16
27	Males	212	3	1		1	1	6	1	5	4	4	4
28	Females	140	4			3	1	8	2	5	6	4	12
29	1. Bright's disease	{ M 99 F 88								{ 3 4 3 4	{ 3 3 3 3	{ 2 4 2 4	{ 4 8 4 8
30	2. Calculus, urinary	{ M 2 F 3											
31	3. Diseases of the kidney	{ M 48 F 37	{ 2 4 2 4	{ 1 1		{ 1 3 1 3	{ 1 1 1 1	{ 5 8 5 8	{ 1 1 1 1	{ 2 1 2 1		{ 1 1	{ 3 3
32	4. Diseases of the bladder	{ M 36 F 3	{ 1 1					{ 1 1			{ 1 1		{ 1 1
33	5. Others of this class	{ M 27 F 9									{ 1 1		
34	VII.—Diseases of the female organs of generation.	28									{ 1 1	{ 3 3	{ 3 3
35	1. Ovarian tumors	F 3										{ 1 1	
36	2. Ovarian diseases	F 1											
37	3. Uterine tumors	F 7											
38	4. Uterine diseases	F 2											{ 1 1
39	5. Others of this class	F 15									{ 1 1	{ 2 2	{ 2 2
40	VIII.—Affections connected with pregnancy.	100									{ 5 5	{ 20 20	{ 23 23
41	1. Abortion	F 6										{ 1 1	{ 2 2
42	2. Childbirth	F 25										{ 1 1	{ 7 7
43	3. Puerperal septicaemia	F 44									{ 3 3	{ 12 12	{ 7 7
44	4. Extra-uterine pregnancy	F 1											
45	5. Others of this class	F 24									{ 1 1	{ 6 6	{ 7 7

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	21	2	2		1	1	6	4	2	3	1	
2	Males.....	11	1			1	1	3	3	1	2	1	
3	Females.....	10	1	2				3	1	1	1		
4	1. Diseases of the spine.....	{ M. 7 F. 7	1	2			1	2	3	1		1	
5	2. Diseases of the bones.....	{ M. 2 F. 1								1	1		
6	3. Diseases of the hip joint.....	{ M. 2 F. 1				1		1			1		
7	4. Others of this class.....	{ M. 1 F. 1							1		1		
8	X.—Diseases of the skin.....	19	2				1	3			1		1
9	Males.....	10	2				1	3					1
10	Females.....	9									1		
11	1. Abscess.....	{ M. 5 F. 4									1		1
12	2. Carbuncle.....	{ M. 1 F. 1											
13	3. Others of this class.....	{ M. 4 F. 5	2				1	3					
14	XI.—Diseases of the absorbent system.....	5					1	1			1		
15	Males.....	5					1	1			1		
16	Females.....												
17	1. Addison's disease.....	{ M. 1 F. 1											
18	2. Diseases of the spleen.....	{ M. 2 F. 1					1	1					
19	3. Others of this class.....	{ M. 3 F. 1									1		
20	XII.—Accidents and injuries.....	462	36	5	10	9	2	62	34	24	17	36	36
21	Males.....	336	19	2	6	2	1	30	24	21	13	29	34
22	Females.....	126	17	3	4	7	1	32	10	3	4	7	2
23	1. Burns and scalds.....	{ M. 13 F. 17			3	4		3	3				1
24	2. Drowned.....	{ M. 66 F. 17		1	3	1	1	5	11	11	5	5	8
25	3. Exposure and neglect.....	{ M. 6 F. 4	5					5					1
26	4. Gunshot wounds.....	{ M. 4 F. 1									2	1	
27	5. Homicide.....	{ M. 1 F. 1											
28	6. Infanticide.....	{ M. 1 F. 1											
29	7. Injuries by machinery.....	{ M. 2 F. 1										1	
30	8. Railroad accidents.....	{ M. 75 F. 2							4	2	3	10	15
31	9. Suffocation.....	{ M. 8 F. 13	6					6	1	1		1	
32	10. Suicide by shooting.....	{ M. 5 F. 1										1	
33	11. Suicide by drowning.....	{ M. 3 F. 2									2		
34	12. Suicide by poison.....	{ M. 3 F. 2									1		
35	13. Other suicides.....	{ M. 21 F. 4								1			1
36	14. Sunstroke.....	{ M. 1 F. 1											
37	15. Surgical operations.....	{ M. 3 F. 3		1				1					1
38	16. Wounds.....	{ M. 10 F. 1	1					1		1		3	
39	17. Other accidents and injuries.....	{ M. 117 F. 59	7	1		1		9	6	5	3	7	9
			4	2	2	1		9	1	2	1	2	

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

MASSACHUSETTS—GROUP 2—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
				1		1				2	1			1
				1		1				2	1			2
										2	1			3
										2	1			4
				1										5
						1								6
														7
2				2	3	1	1	4	1					8
1				2	1			2						9
1					2	1	1	2	1					10
1				1		1		2						11
1						1			1					12
					1									13
					2		1	2						14
		1		1					1					15
		1		1					1					16
														17
		1												18
				1					1					19
32	17	18	28	20	22	23	20	22	18	14	11	1	2	5
28	16	15	23	16	18	18	12	16	11	4	3			5
4	1	3	5	4	4	5	8	6	7	10	8	1	2	22
1				1		1		2		2				1
5	3	1	3	3	1	1			2	2				23
			1	3	2		1		1	1				1
							1							24
			1					1						25
								1						26
														27
		1												28
								1						29
7	5	2	10	3	5	4			5					30
							1							31
		1												32
	1					2		1						33
2					1									34
1				1				1						35
2	1	4	1	1	1	3	1	1	2	2	1	1		36
		1	1	1		1				1				37
1				1	1									38
1		2					1	1		1				39
10	6	6	8	7	7	8	9	7	4	1	2			3
2			2	2	1	3	6	5	4	8	8	1	2	3

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—GROUP 1.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
153	178	149	182	184	189	213	296	337	315	300	176	70	16	38	1
73	87	68	90	89	99	97	145	188	160	148	86	23	4	22	2
80	91	81	92	95	90	116	151	149	155	152	90	47	12	16	3
2	3	3	3	4	6	4	8	5	8	7		2		10	4
2	2	2	1	3	3	3	6	4	5	3		1		5	5
	1	1	2	1	3	1	2	1	3	4		1		5	6
12	15	18	19	18	11	11	18	17	14	14	14	2	1	3	7
4	8	12	8	11	7	3	7	7	8	5	9		1	2	8
8	7	6	11	7	4	8	11	10	6	9	5	2		1	9
															10
														1	11
															12
1	1	1	1					1							13
															14
		1									1				15
	1	1							2						16
3	3	2	2	2	1					1			1	1	17
1	1	1	2	4	1	1		3			1				18
3	2	4	1	3	2	1	5	3	5	2	4			1	19
							6	5	4	6	3	1			20
		1	3	4	1	1									21
		2		1	1	1			2						22
	1				1					2					23
1		1	1		2		1	2	1						24
1		3													25
1	3	1	4	1	3	1	1	2	2	2	1	1			26
1	2		2		3		1	2	2	2					27
	1	1	2	1		1					1	1			28
															29
1	2		1	1	1			1	1						30
		1													31
			1				1	1							32
					2				1	2					33
						1					1	1			34
1	2				4	2	7	15	46	77	69	37	11	2	35
1					4	1	3	9	23	35	33	11	2	1	36
						1	4	6	23	42	36	26	9	1	37
															38
															39
1	2				4	1	3	5	3	2	7	2		1	40
								1	1	10	3	4		1	
							1	4	20	33	26	9	2		
								5	16	32	33	22	9		

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	858	38	23	9	3	5	78	9	23	42	73	61
2	Males.....	355	17	10	1	2	2	32	4	5	18	27	22
3	Females.....	503	21	13	8	1	3	46	5	18	24	46	39
4	1. Rheumatism.....	{ M. 12 F. 8			1			1	1		2	1	2
5	2. Scrofula and tabes.....	{ M. 12 F. 11	4	2				4	2		1	1	
6	3. Leprosy.....	{ M. F.											
7	4. Consumption.....	{ M. 225 F. 292	4	4		1	2	11	2	2	18	24	18
8	5. Hydrocephalus.....	{ M. 10 F. 20	4	4	3	1	2	8	2				
9	6. Cancer.....	{ M. 45 F. 111						1				2	1
10	7. Tumor.....	{ M. 5 F. 13						1				1	
11	8. Anæmia.....	{ M. 13 F. 11	4	1				5		1		1	1
12	9. Dropsy.....	{ M. 20 F. 25		1		1		2					
13	10. Diabetes.....	{ M. 10 F. 8								2		1	
14	11. Others of this group.....	{ M. 3 F. 4	1		1			2					
15	12. Others of this class.....	{ M. F.											
16	II.—Diseases of the nervous system.....	617	62	30	14	6	5	117	16	9	4	6	14
17	Males.....	304	37	14	6	2	3	62	10	6	3	2	8
18	Females.....	313	25	16	8	4	2	55	6	3	1	4	6
19	1. Inflammation of the brain.....	{ M. 44 F. 44	11	8	4	1	2	26	5	3		1	1
20	2. Apoplexy.....	{ M. 76 F. 98	1					1		1	1	1	1
21	3. Paralysis.....	{ M. 59 F. 71		1			1	1		1		1	1
22	4. Tetanus and trismus nascentium.....	{ M. F.											
23	5. Epilepsy.....	{ M. 9 F. 7							2		1		2
24	6. Convulsions.....	{ M. 27 F. 23	17	5	1	1		24	1			1	1
25	7. Mental diseases.....	{ M. 9 F. 14											1
26	8. Diseases of the brain.....	{ M. 66 F. 45	7	1	1			9	3			1	2
27	9. Diseases of the spinal cord.....	{ M. 8 F. 2	1					1	1	1			
28	10. Others of this class.....	{ M. 6 F. 8	1					1			1		
29	III.—Diseases of the circulatory system.....	407	19				1	22	4	5	9	6	12
30	Males.....	213	8					8	4	2	5	4	4
31	Females.....	194	11	1	1		1	14		3	4	2	8
32	1. Angina pectoris.....	{ M. 12 F. 7								1	1		1
33	2. Aneurism.....	{ M. F.											
34	3. Diseases of the heart.....	{ M. 194 F. 180	4	1	1		1	4	4	1	4	4	4
35	4. Others of this class.....	{ M. 6 F. 7	4					4		3	4	2	7

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—GROUP 1—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
65	61	40	58	41	38	63	48	64	48	20	15	4		7	1
32	28	15	26	17	17	23	24	25	17	11	7	1		4	2
33	33	25	32	24	21	40	24	39	31	9	8	3		3	3
1			2	1	1					1	2			1	4
1	1								1	1					
2	1		1	1					1		1				5
			2												6
25	25	13	23	9	8	12	9	10	7	5	1	1		2	7
25	22	15	16	13	6	17	13	16	9	3	3			2	
						1								1	8
3	1	8	9	4	7	5	7	9	5	4	2				9
5	5			5	9	18	10	14	18	4	2				
1		1					2					3			10
1	2		2		1			1	1		1			1	
1		1				3				1					11
1	2		2												
1	1	1	1	1	1	2	3	5	4		1				12
5				5	2			1	2						
2	1			1	3	1		1	2		1				13
1				1											
1						1									14
															15
10	13	18	20	29	35	35	63	70	61	56	18	9	1	4	16
7	6	5	11	12	17	13	32	39	31	26	7	4		3	17
12	7	13	9	17	18	22	31	31	30	30	11	5	1	1	18
2	2				1	1		1	1						19
2	1	3	1	3				2	1						
1	1	1	5	7	3	3	17	12	11	6	4	2		2	20
2		3	3	5	12	10	15	10	11	12	5	4		1	
2	1		1		4	4	6	10	12	13	2	1			21
2	1	3	3	2	2	7	6	12	14	10	5		1	1	
															22
	1														
1			1			1		2	1						23
				1											
2		1						1	1						24
1	2	1	1		1			2	2	1					25
1		3	2		1					4					
1	2	3	2	5	7	3	6	9	4	6	1	1		1	26
1	1	1	1	4	2	3	7	5	3	3	1	1			
					1	1	1	2							27
1			1												
1			1	1		1		2	1		1				28
10	16	13	15	23	27	32	48	60	51	37	13	1		3	29
1	10	4	8	7	14	16	28	38	22	27	9	1		1	30
9	6	9	7	16	13	16	20	22	29	10	4			2	31
					4			1	1	2					32
					1			1	2					1	
															33
								1							
1	10	4	8	7	10	16	26	36	21	24	8	1		1	34
9	6	9	7	16	12	15	19	21	26	10	4			1	
										1	1				35

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	723	99	48	32	24	12	215	17	6	13	23	9
2	Males	357	49	20	11	10	7	97	11	2	4	13	2
3	Females	366	50	28	21	14	5	118	6	4	9	10	7
4	1. Croup	{ M. 41 F. 44	6	9	10	9	5	32	8	1		1	
5	2. Laryngitis	{ M. 3 F. 1	1	1				2	1				
6	3. Bronchitis	{ M. 56 F. 76	13	2	1	3	2	21				1	
7	4. Pneumonia	{ M. 208 F. 201	22	5	6	2	2	31	1	1	2	9	1
8	5. Pleurisy	{ M. 9 F. 5							1			1	
9	6. Asthma	{ M. 5 F. 1											
10	7. Others of this class	{ M. 35 F. 39	7	3	1			11			2	3	1
11	V.—Diseases of the digestive system	200	24	4	2		2	32	5	4	4	2	7
12	Males	90	11	2	1		2	16	2	1	1		4
13	Females	110	13	2	1			16	3	3	3	2	3
14	1. Dentition	{ M. 9 F. 5	6	1	1		1	9					
15	2. Angina	{ M. 1 F. 4		1				1					
16	3. Diseases of the stomach	{ M. 11 F. 34	1	1				1		1	1		1
17	4. Obstruction of the bowels	{ M. 3 F. 4											
18	5. Hernia	{ M. 5 F. 4											
19	6. Other diseases of the bowels	{ M. 3 F. 7		1				1					1
20	7. Jaundice	{ M. 1 F. 4		1				1					
21	8. Inflammation and abscess of the liver	{ M. 6 F. 7											
22	9. Other diseases of the liver	{ M. 25 F. 15		1				1					
23	10. Peritonitis	{ M. 16 F. 21	1	1				1	1	1	1	1	2
24	11. Ascites	{ M. 1 F. 1											
25	12. Others of this class	{ M. 10 F. 4	3				1	4	1			1	1
26	VI.—Diseases of the urinary system and male organs of generation	160	2					2	2		6	4	4
27	Males	97	1					1	1		1		2
28	Females	63	1					1	1		5	4	2
29	1. Bright's disease	{ M. 44 F. 40							1		3	3	2
30	2. Calculus, urinary	{ M. 1 F. 1											
31	3. Diseases of the kidney	{ M. 26 F. 17	1					1	1		1		1
32	4. Diseases of the bladder	{ M. 17 F. 3											
33	5. Others of this class	{ M. 10 F. 3									2	1	
34	VII.—Diseases of the female organs of generation	15									1	1	
35	1. Ovarian tumors	F. 6											
36	2. Ovarian diseases	F. 1									1		
37	3. Uterine tumors	F. 4											
38	4. Uterine diseases	F. 4											
39	5. Others of this class	F. 4										1	
40	VIII.—Affections connected with pregnancy	26									2	8	7
41	1. Abortion	F. 2										1	
42	2. Childbirth	F. 8										1	3
43	3. Puerperal septicaemia	F. 10									1	3	3
44	4. Extra-uterine pregnancy	F. 1											3
45	5. Others of this class	F. 6									1	3	1

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—GROUP 1—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
13	21	29	22	33	37	31	50	61	46	57	26	10	1	3	1
5	10	17	15	20	24	13	19	33	32	21	13	4		2	2
8	11	12	7	13	18	18	31	28	14	36	13	6	1	1	3
															4
															5
	1	1	1	2	4	1	1	4	9	6	4				6
		2	1	3	3	1	10	2	1	11	7	1			7
5	6	15	11	12	19	11	17	27	14	13	8	3		2	7
6	10	7	4	8	8	16	19	25	11	19	4	4	1	1	8
	1	1	1	2				1	2						9
		2		1	1					1					10
1	2	1	2	3		1	1	1	5	1	1	1			11
	1		2	1	2	1		1	2	6	2	1			12
10	15	7	12	7	9	10	23	16	16	7	8	2	1	3	13
7	7	5	2	2	3	8	8	12	5	1	4			2	14
3	8	2	10	5	6	2	15	4	11	6	4	2	1	1	15
															16
															17
1		2		3	2	1	2	2	2		2	1	1		18
2	2		2				4	2	4						19
			1			1					1			1	20
							2								21
															22
1				1	1	1	1	1	2		1				23
	1														24
															25
															26
															27
															28
															29
															30
															31
1	1	1	3	2	1			1	8		1		1		32
			3	1				7	2		1				33
															34
															35
															36
															37
															38
															39
															40
															41
															42
															43
															44
															45

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE (GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	9							1	1	1		1
2	Males.....	4											1
3	Females.....	5							1	1	1		
4	1. Diseases of the spine.....	{ M. 4 F. 3									1		1
5	2. Diseases of the bones.....	{ M. 1 F. 1											
6	3. Diseases of the hip joint.....	{ M. 1 F. 1							1				
7	4. Others of this class.....	{ M. 1 F. 1								1			
8	X.—Diseases of the skin.....	8	2					2					
9	Males.....	4											
10	Females.....	4	2					2					
11	1. Abscess.....	{ M. 1 F. 1	1					1					
12	2. Carbuncle.....	{ M. 1 F. 2	1					1					
13	3. Others of this class.....	{ M. 2 F. 1											
14	XI.—Diseases of the absorbent system.....	4											
15	Males.....	1											
16	Females.....	3											
17	1. Addison's disease.....	{ M. 1 F. 1											
18	2. Diseases of the spleen.....	{ M. 1 F. 1											
19	3. Others of this class.....	{ M. 1 F. 1											
20	XII.—Accidents and injuries.....	179	15	4	3	1	4	27	6	5	6	11	13
21	Males.....	121	9	3	2		4	18	5	4	5	6	11
22	Females.....	58	6	1	1	1		9	1	1	1	5	2
23	1. Burns and scalds.....	{ M. 5 F. 7		1			2	3					
24	2. Drowned.....	{ M. 15 F. 3		1	1			1	5	1	3	1	1
25	3. Exposure and neglect.....	{ M. 1 F. 1											
26	4. Gunshot wounds.....	{ M. 1 F. 1										1	
27	5. Homicide.....	{ M. 1 F. 1											
28	6. Infanticide.....	{ M. 1 F. 1											
29	7. Injuries by machinery.....	{ M. 1 F. 1											
30	8. Railroad accidents.....	{ M. 15 F. 4									1		3
31	9. Suffocation.....	{ M. 5 F. 3	4	1				5					
32	10. Suicide by shooting.....	{ M. 1 F. 1											1
33	11. Suicide by drowning.....	{ M. 1 F. 1											
34	12. Suicide by poison.....	{ M. 1 F. 2										1	
35	13. Other suicides.....	{ M. 14 F. 6								1			2
36	14. Sunstroke.....	{ M. 1 F. 1											
37	15. Surgical operations.....	{ M. 1 F. 1	1					1					
38	16. Wounds.....	{ M. 4 F. 3					1	1				1	1
39	17. Other accidents and injuries.....	{ M. 60 F. 26	5	1	1		1	8		2	2	3	5

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—GROUP 1—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1	1			1			2								1
1	1			1			2								2
1	1			1			2								3
	1			1											4
															5
															6
															7
			2	1	2		1								8
			1	1	1		1								9
			1	1	1										10
					1										11
			1	1											12
			1				1								13
				1		1		1		1					14
				1		1		1		1					15
						1									16
							1								17
				1											18
								1		1					19
9	13	9	10	12	4	11	7	5	9	8	10	1		3	20
9	8	6	8	8	3	8	4	4	5	5	2			2	21
	5	3	2	4	1	3	3	1	4	3	8	1		1	22
	1		1	1		1	1			1					23
		3			1			1							24
															25
															26
						1									27
			1												28
															29
1	5		1			1		1		1				2	30
	2														31
	1	1													32
			1												33
															34
1	1	1	1	1	1	2	1	2	1	1		1			35
															36
															37
				1	1				1						38
7	2	1	6	6	1	4	3	1	4	4	1				39
		2	1	1		1	1	1	3	2	7	1		1	

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—GROUP 2.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
67	70	67	65	77	107	141	155	198	192	171	94	42	9	34	1
34 33	34 36	27 40	33 32	33 44	51 56	77 64	85 70	106 92	88 104	88 83	46 48	15 27	3 6	19 15	2 3
3	3	3	1	2		2	2	5	5	4	4			4	4
1 2	3	3	1	2		2	1 1	3 2	2 3	4	1 3				5 6
9	5	9	9	4	3	11	13	11	6	8	4	2	1	6	7
5 4	2 3	4 5	4 5	2 2	3	6 5	10 3	5 6	3 3	3 5	3 1	1 1	1	2 4	8 9
															10
															11
						1									12
	1 1	2	1 1	1			1								13
															14
1															15
2															16
4	1 1	1 3	1 1	2	1	1 2	1			1				2	17
1		1	2 1	1	2	4 2	4 3	2 2	2 2	5	2 1		1		18
															19
1								1			1				20
						1	1					1			21
	1	1 1	1				2	1							22
			1												23
							1	2 3	1 1	2		1			24
				1				2	2						25
				1				1 1	2						26 27
															28
				1				1							29
															30
									2						31
								1							32
3				3		3	3	21	31	52	36	23	5	1	33
1 2				2 1		2 1	3	11 10	16 15	23 29	19 17	9 14	2 3	1	34 35
															36
															37
															38
1 2				2 1		2 1	1	4 5	3 3	4 5	3			1	39
							2	7 5	13 12	19 24	16 17	9 12	2 3		40

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases--D	327	9	6	3	1		19	4	9	17	23	31
2	Males	158	3	5	1	1		10	1	2	6	6	20
3	Females	209	6	1	2			9	3	7	11	17	11
4	1. Rheumatism	{ M. 7 F. 5									1		
5	2. Scrofula and tuberc.	{ M. 1 F. 6							1			1	
6	3. Leprosy	{ M. . F. .											
7	4. Consumption	{ M. 95 F. 117	2	1	1			4	1	2	5	5	19
8	5. Hydrocephalus	{ M. 5 F. 5	1	3		1		5					
9	6. Cancer	{ M. 27 F. 49											
10	7. Tumor	{ M. 4 F. 8											
11	8. Anæmia	{ M. 8 F. 5											
12	9. Dropsy	{ M. 8 F. 10								1			1
13	10. Diabetes	{ M. 3 F. 4		1				1					1
14	11. Others of this group	{ M. . F. .											
15	12. Others of this class	{ M. . F. .											
16	II.—Diseases of the nervous system	296	26	10	4	1	1	42	6	2	6	6	7
17	Males	143	13	5	1		1	20	5	1	6	1	6
18	Females	153	13	5	3	1		22	1	1	6	5	1
19	1. Inflammation of the brain	{ M. 16 F. 17	3	1	2	1		4	1	1	4		3
20	2. Apoplexy	{ M. 45 F. 42		1				1				1	1
21	3. Paralysis	{ M. 30 F. 40					1	1					1
22	4. Tetanus and trismus nascentium	{ M. . F. .											
23	5. Epilepsy	{ M. 3 F. 2								1		1	
24	6. Convulsions	{ M. 13 F. 9	7	2	1			10	1				1
25	7. Mental diseases	{ M. 3 F. 7										2	
26	8. Diseases of the brain	{ M. 24 F. 24	3	1				4	2		1		1
27	9. Diseases of the spinal cord	{ M. 3 F. 2							1				
28	10. Others of this class	{ M. 6 F. 10							1			1	
29	III.—Diseases of the circulatory system	233	18	1			1	20	3	2	2	4	5
30	Males	118	10	1				11	3	1	2		1
31	Females	115	8				1	9	1			4	4
32	1. Angina pectoris	{ M. 5 F. 5											
33	2. Aneurism	{ M. 1 F. 1											
34	3. Diseases of the heart	{ M. 107 F. 108	7	1			1	8	3	1	2	4	1
35	4. Others of this class	{ M. 5 F. 1	3					3					4

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—GROUP 2—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
23	20	22	16	23	25	30	30	35	20	12	4	1		3	1
9	5	5	6	12	12	15	16	21	5	4	2			1	2
14	15	17	10	11	13	15	14	14	15	8	2	1		2	3
						2	1	3							4
						1		2							
1		1					1			1	1				5
															6
7	4	3	6	6	8	6	5	5	4	4				1	7
11	12	16	5	1	3	3	3	5	5	2				1	
	1														8
1	1			1	3	6	6	6	1		2				9
1			3	6	10	7	6	5	5	4		1		1	
		1		2		1	1	1	3						10
				2	1			2							11
1	1			2			2	1							
			1			1	2	4							12
				2		3	1			1	1				
	1		2	1											13
															14
															15
6	9	4	12	12	25	18	28	34	32	26	14	2		5	16
3	5	2	5	4	8	10	14	17	17	9	4	2		4	17
3	4	2	7	8	17	8	14	17	15	17	10			1	18
	1		1	1	1	1	1	1							19
1	2		2	3	4	5	11	4	7	4		1			20
1		1	2	1	3	2	6	9	7	8	1				
1	1	1	3	4	5	3	1	5	5	5	2	1		1	21
						2	2	4	6	5	6	6			
															22
		1						1							23
															24
															25
1			1	1	1	1	1	1		2					
2	1		2	2	1	1	1	3	3		1	1		2	26
	1			2	5	2	3	2	2	1	2				
								1	1						27
	1			1	1										
			1	1	1	1	1	3	1		1	1			28
	1	1	1	1	1	1	1	1		1	1				
6	8	6	2	7	14	30	21	30	40	22	8		2	1	29
3	5	2		2	10	14	10	18	17	14	4			1	30
3	3	4	2	5	4	16	11	12	23	8	4		2		31
				1	1		2	1		1					32
2	1	1													
						1									33
									1						
1	4	2		1	9	13	10	18	15	14	4			1	34
3	3	3	2	5	4	14	10	12	22	7	4		2		
			2						2		4				35

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—GROUP 2—Continued.

CAUSE OF DEATH		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	2									1		
2	Males.....	1									1		
3	Females.....	1											
4	1. Diseases of the spine..... { M..	1									1		
	{ F..	1											
5	2. Diseases of the bones..... { M..												
	{ F..												
6	3. Diseases of the hip joint..... { M..												
	{ F..												
7	4. Others of this class..... { M..												
	{ F..												
8	X.—Diseases of the skin.....	4									1		
9	Males.....	3											
10	Females.....	1									1		
11	1. Abscess..... { M..	2									1		
	{ F..	1											
12	2. Carbuncle..... { M..												
	{ F..												
13	3. Others of this class..... { M..	1											
	{ F..												
14	XI.—Diseases of the absorbent system.....	2											
15	Males.....	2											
16	Females.....												
17	1. Addison's disease..... { M..												
	{ F..												
18	2. Diseases of the spleen..... { M..	1											
	{ F..												
19	3. Others of this class..... { M..	1											
	{ F..												
20	XII.—Accidents and injuries.....	115	3	1	2			6	3	7	8	13	4
21	Males.....	94	2	1	1			4	2	6	6	13	4
22	Females.....	21	1		1			2	1	1	2		
23	1. Burns and scalds..... { M..	2		1				1					
	{ F..	3			1			1	1				
24	2. Drowned..... { M..	11								1	3	3	
	{ F..	1									1		
25	3. Exposure and neglect..... { M..	2											
	{ F..												
26	4. Gunshot wounds..... { M..	4								1			
	{ F..												
27	5. Homicide..... { M..	4			1			1	1			1	
	{ F..	1											
28	6. Infanticide..... { M..												
	{ F..												
29	7. Injuries by machinery..... { M..	1											
	{ F..												
30	8. Railroad accidents..... { M..	21								1	1	6	2
	{ F..	1											
31	9. Suffocation..... { M..	1	1					1					
	{ F..												
32	10. Suicide by shooting..... { M..	4											
	{ F..												
33	11. Suicide by drowning..... { M..												
	{ F..												
34	12. Suicide by poison..... { M..	2											
	{ F..												
35	13. Other suicides..... { M..	4								1			1
	{ F..	2									1		
36	14. Sunstroke..... { M..												
	{ F..												
37	15. Surgical operations..... { M..												
	{ F..												
38	16. Wounds..... { M..	4								1			
	{ F..	1											
39	17. Other accidents and injuries..... { M..	36	1					1	1	2	2	3	1
	{ F..	10	1					1					

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW HAMPSHIRE—GROUP 2—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
							1								1
															2
							1								3
								1							4
															5
															6
															7
					1			1			1				8
					1			1			1				9
					1			1							10
						1		1							11
															12
												1			13
					1	1									14
					1	1									15
															16
							1								17
					1										18
															19
5	8	6	6	3	2	7	8	8	4	5	3	3		6	20
5	8	5	6	3	2	6	6	5	3	3	1	3		6	21
		1				1	2	3	1	2	2		3		22
1								1							23
1		1							1					1	24
										1	1				25
						1	1							1	26
						1									27
						1									28
															29
2	1	3		1					1					4	30
															31
	1			1		1			1						32
															33
	1								1						34
			1					1							35
															36
						7									37
1	1									1	1				38
	4	1	5	1	2	2	5	4	1	2	1		3		39
		1					1	1		1					

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—GROUP 1.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
931	940	830	898	899	854	915	884	822	786	550	295	81	32	63	1
515 416	504 436	447 383	519 379	470 429	472 382	510 405	463 421	437 385	389 397	230 320	119 176	19 62	13 19	40 23	2
7	9	4	3	8	4	12	8	11	8	4	4	2		6	4
0 1	3 6	3 1	3	5 3	1 3	8 4	4 4	6 5	4 4	2 2	3 1	2		4 2	5 6
104	69	63	73	58	60	55	52	47	49	49	21	5	1	4	7
58 46	34 35	35 28	34 39	29 29	29 31	31 24	29 23	27 20	28 21	25 24	11 10	1 4	1	1 3	8 9
	1		1												10
2															11
1	1														12
4	1	1				1	1		1						13
									1						14
1			1			1									15
1			1	1		3									16
37 19	16 16	16 9	14 16	7 6	8 7	8 4	5 3	5 2	1 2	2			1		17
9 11	9 9	8 12	10 14	10 16	15 11	8 11	15 12	13 14	11 6	12 17	5 8	2		1 2	18
														1	19
7 4	4 5	5 4	4 5	6 4	3 8	6 2	5 1	3 2	7 6	2 4	1 1	1 1			20
	1	1	2	1	1	3	1	1	4	3	1				21
2 3	1 1	2	1 2	3 1	1 2	1 1	1 1		1	1					22
1	2	1 1			1										23
1 1		2	1	1 1	1 1	2 3	3 4	6 1	5 2	6	4 1	1			24
8	19	15	16	5	5	4	9	2		3	2			1	25
7 1	15 4	10 5	14 4	4 1	3 2	1 3	8 1	2		2 1	2			1	26 27
															28
3	13 4	7 3	13 2	3 1	2	1	6								29
			1												30
3 1	2	3 2	1	1	1 2	1	2			1				1	31
1			1			2	1	2		1 1	2				32
2	4	4	2	3	4	9	25	47	92	96	97	36	13	3	33
	3 1	3 1	1 1	2 1	2 2	5 4	10 15	22 25	45 47	39 57	42 55	11 25	5 8	2 1	34 35
															36
															37
															38
2	3 1	3 1	1 1	2 1	2 2	2 3	4 7	10 8	14 18	2 14	6 10	2 2	1 1	1 1	39
						3	6	12	31	37	36	9	4	1	40
						1	8	17	29	43	45	23	7		

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	3,697	193	74	41	21	18	347	51	57	188	380	445
2	Males	1,847	101	46	20	12	10	189	25	22	66	188	220
3	Females	1,850	92	28	21	9	8	158	26	35	122	192	223
4	1. Rheumatism	{ M. 38 F. 42	1	1	1			3 2	1	4 2	1	1	4 2
5	2. Scrofula and tabs	{ M. 31 F. 31	9 13	1 1	2			12 16	1	3	1	3	2
6	3. Leprosy	{ M. F.											
7	4. Consumption	{ M. 1,381 F. 1,314	19 15	6 6	7 7	2 4	2 3	36 35	12 13	11 24	58 117	181 187	210 210
8	5. Hydrocephalus	{ M. 142 F. 113	64 57	36 19	9 14	8 2	5 3	122 95	9 10	3 2	2	1	1
9	6. Cancer	{ M. 144 F. 324	1					1			1	2	3 3
10	7. Tumor	{ M. 25 F. 26	1	1				2	1	1	1		1 1
11	8. Anæmia	{ M. 13 F. 18	4 2	1		1		5 3		1	1	2	1
12	9. Dropsy	{ M. 32 F. 44	2					2	1	5		1	2 1
13	10. Diabetes	{ M. 29 F. 34	1			1	1	3 1		1	3 1	1	2 3
14	11. Others of this group	{ M. 12 F. 3	2 1	1 1	1		2	6 3					
15	12. Others of this class	{ M. F.	1										
16	II.—Diseases of the nervous system	3,292	1,040	297	111	74	37	1,559	77	28	34	37	50
17	Males	1,746	594	159	50	35	14	852	39	15	18	22	29
18	Females	1,546	446	138	61	39	23	707	38	13	16	15	21
19	1. Inflammation of the brain	{ M. 424 F. 306	169 103	79 55	26 25	14 19	7 9	295 211	28 18	6 7	5 7	10 6	9 6
20	2. Apoplexy	{ M. 380 F. 337	5 8	2	1	2		7 11	1	1	3	4	5 2
21	3. Paralysis	{ M. 168 F. 206	4 2	1 1		2		7 3	1	3	1	1	5 1
22	4. Tetanus and trismus nascentium	{ M. 47 F. 24	36 24					36 24			2		
23	5. Epilepsy	{ M. 34 F. 27	1 1	2	1			4 1		4 1	4 1	2	4 1
24	6. Convulsions	{ M. 430 F. 405	317 274	55 55	18 26	11 13	6 11	407 379	5 10	4	1 2	2 1	1
25	7. Mental diseases	{ M. 16 F. 34										1	3
26	8. Diseases of the brain	{ M. 200 F. 156	53 30	22 21	5 8	5 6	1 2	86 67	6 2	1	1 4	2	2 3
27	9. Diseases of the spinal cord	{ M. 33 F. 28	8 4		1	1	1	9 11		1	1	2	1 1
28	10. Others of this class	{ M. 14 F. 23	1					1			1	1	1 4
29	III.—Diseases of the circulatory system	1,440	178	6	2	7	3	196	35	28	39	33	47
30	Males	711	96	3	1	5	3	108	17	11	17	17	21
31	Females	729	82	3	1	2		88	18	17	22	16	26
32	1. Angina pectoris	{ M. 26 F. 27											1
33	2. Aneurism	{ M. 10 F. 4											
34	3. Diseases of the heart	{ M. 614 F. 649	44 46	2 2	1 1	5 2	3	55 51	17 18	11 17	16 19	17 16	20 26
35	4. Others of this class	{ M. 61 F. 49	52 36	1				53 37			1 3		

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—GROUP 1—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
353	309	249	261	233	207	205	166	102	93	32	12		1	5	1
186	159	128	144	120	98	106	87	52	42	9	1			2	2
167	150	121	117	113	109	99	79	50	31	23	11		1	3	3
1	1	1	3	4	3	1	5	4	2						}
1		2	2	2	6	4	8	2		4	1				
2	1		2	1	1		1	2		1					}
1		4			3	1	2	1							
															}
175	151	115	122	87	66	74	40	23	17	2				1	}
146	124	83	69	52	48	43	23	11	16	7	2		1	3	
1			1	2											}
1			1	2	1										
1	2	11	5	20	18	24	28	14	14	4					}
12	20	25	40	46	39	42	33	25	26	4	5				
2	3		6	1	2	1	2	3	1						}
1	2	2	1	4	3	3	3	3			1				
	1		1		1					1					}
1	3		1	2		1		1		3	1				
2	1	4	2	3	3	2	9	4	7	1					}
			2	2	3	2	3	4	5	5	1				
4		1	4	2	2	1	2	1	1					1	}
2		1	1	3	6	3	7	3	2						
				1	2	3									}
								1							}
57	80	76	101	137	144	153	161	194	193	124	63	11	3	10	16
39	49	30	49	61	90	77	84	115	88	55	26	1	1	6	17
18	31	46	52	76	54	76	77	79	105	69	37	10	2	4	18
11	9	7	9	8	14	6	2	3			1			1	}
7	6	3	9	8	3	3	2	3		1	4			2	
10	18	13	25	26	38	44	42	64	45	24	8		1	3	}
4	7	21	26	35	28	43	41	42	41	16	14	2	1	1	
6	6	2	4	6	12	14	25	24	23	18	13	1			}
1	3	6	12	19	7	19	17	23	34	35	15	7			
1	2	1	2		1			1						1	}
4	6		1	3			2	2							}
1	2	5	1	1	2	1	4	1							
1	1		2		3		1	2						1	}
	4	1	1	1	1	1	2	1						1	
1	1			3	2	1	2	3	1	1					}
	2	3	1	1	4	1	3	2	5	4	4	1			
3	4	5	4	11	16	8	9	12	16	11	4				}
2	6	5	2	7	6	7	5	7	21	6	3		1	1	
2	2	1	1	4	2	3	1	3	1						}
1				3	3	1			1	1					
1		1	1		2	1		1	2	1					}
1	1	2	1	1		1	3		2	3	1				
41	69	61	84	99	103	122	124	133	105	78	29	7	4	3	29
21	27	30	37	51	54	64	64	63	59	32	11	3	2	2	30
20	42	31	47	48	49	58	60	70	46	46	18	4	2	1	31
1	2		1	2	3	2	8	4	2						}
		2	3	4	2	2	2	7	5	2					
	2		2	1					3						}
1	1		1	2			1								
19	23	30	34	46	49	62	56	57	54	30	11	3	2	2	}
18	40	28	42	44	49	56	56	62	39	43	18	4	2	1	
1				1	1			2							}
1	1	1	1				1	1	2	1					

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system . . .	3,854	778	407	219	144	82	1,630	180	47	72	109	147
2	Males	2,037	416	223	106	74	38	857	102	22	35	71	93
3	Females	1,817	362	184	113	70	44	773	78	25	37	38	54
4	1. Croup	{ M 194 F 169	{ 26 15	{ 45 28	{ 37 30	{ 24 29	{ 20 24	{ 152 126	{ 37 36	{ 4 3		{ 1 1	
5	2. Laryngitis	{ M 20 F 20	{ 3 7	{ 9 2	{ 1 4	{ 1 2		{ 14 15	{ 1 1	{ 1 1		{ 1 1	{ 1 1
6	3. Bronchitis	{ M 431 F 448	{ 168 146	{ 49 56	{ 22 23	{ 15 5	{ 4 3	{ 258 233	{ 8 9	{ 1 4	{ 2 4	{ 4 5	{ 9 7
7	4. Pneumonia	{ M 1,202 F 985	{ 175 157	{ 112 91	{ 45 48	{ 31 30	{ 12 16	{ 375 342	{ 52 25	{ 14 13	{ 27 26	{ 60 24	{ 71 42
8	5. Pleurisy	{ M 27 F 33	{ 2 2	{ 1 1		{ 1 1		{ 3 4		{ 1 2	{ 1 1	{ 2 4	{ 4 1
9	6. Asthma	{ M 19 F 25	{ 1 1					{ 1 1		{ 1 1			{ 2 1
10	7. Others of this class	{ M 144 F 137	{ 41 35	{ 8 6	{ 1 7	{ 2 4	{ 2 1	{ 54 53	{ 5 4	{ 2 1	{ 5 7	{ 3 4	{ 6 4
11	V.—Diseases of the digestive system	1,055	186	40	19	6	8	259	25	25	33	35	54
12	Males	519	114	21	10	4	6	155	14	17	17	12	16
13	Females	536	72	19	9	2	2	104	11	8	16	23	38
14	1. Dentition	{ M 20 F 17	{ 13 5	{ 7 11	{ 1 1			{ 20 17					
15	2. Angina	{ M 12 F 11	{ 3 3	{ 2 1	{ 3 3		{ 1 1	{ 9 7		{ 1 2			
16	3. Diseases of the stomach	{ M 104 F 128	{ 21 19	{ 5 3	{ 2 3	{ 2 1	{ 1 1	{ 31 26	{ 3 3	{ 1 1	{ 3 2	{ 4 4	{ 6 6
17	4. Obstruction of the bowels	{ M 34 F 32	{ 12 3	{ 1 1			{ 1 1	{ 14 4	{ 3 3	{ 1 1	{ 1 1	{ 1 1	{ 2 2
18	5. Hernia	{ M 21 F 12	{ 3 3		{ 1 1		{ 1 1	{ 5 3	{ 1 1				{ 2 1
19	6. Other diseases of the bowels	{ M 14 F 20	{ 4 3	{ 1 1				{ 5 3			{ 1 1	{ 1 1	{ 1 1
20	7. Jaundice	{ M 29 F 21	{ 24 13					{ 24 13		{ 1 1			
21	8. Inflammation and abscess of the liver	{ M 30 F 37			{ 1 1	{ 1 1		{ 1 1	{ 1 1	{ 2 1	{ 1 1		{ 2 2
22	9. Other diseases of the liver	{ M 107 F 80	{ 1 1	{ 1 1	{ 1 1	{ 1 1		{ 4 1		{ 1 1		{ 1 1	{ 1 3
23	10. Peritonitis	{ M 94 F 131	{ 6 6	{ 3 2	{ 1 1		{ 2 1	{ 12 10	{ 9 5	{ 11 3	{ 9 9	{ 6 17	{ 7 24
24	11. Ascites	{ M 8 F 8			{ 1 1			{ 1 1				{ 1 1	
25	12. Others of this class	{ M 46 F 39	{ 27 19	{ 2 1		{ 1 1	{ 1 1	{ 29 22	{ 1 1	{ 1 2	{ 1 1		{ 1 1
26	VI.—Diseases of the urinary system and male organs of generation	807	17	6	4	5	9	41	28	8	12	28	39
27	Males	476	8	4	1	3	6	22	12	5	6	12	15
28	Females	331	9	2	3	2	3	19	16	3	6	16	24
29	1. Bright's disease	{ M 226 F 153							{ 5 7	{ 3 1	{ 4 5	{ 7 5	{ 9 10
30	2. Calculus, urinary	{ M 3 F 1	{ 1 1					{ 1 1					
31	3. Diseases of the kidney	{ M 147 F 148	{ 7 7	{ 4 2	{ 1 3	{ 3 2	{ 6 3	{ 21 17	{ 6 6	{ 2 2	{ 2 1	{ 4 10	{ 5 8
32	4. Diseases of the bladder	{ M 57 F 5											{ 1 1
33	5. Others of this class	{ M 43 F 24	{ 1 1					{ 1 1	{ 1 3			{ 1 1	{ 1 5
34	VII.—Diseases of the female organs of generation	47										3	7
35	1. Ovarian tumors	F 11											1
36	2. Ovarian diseases	F 2											
37	3. Uterine tumors	F 8											
38	4. Uterine diseases	F 7											
39	5. Others of this class	F 19										{ 1 2	{ 3 3
40	VIII.—Affections connected with pregnancy	163									7	40	37
41	1. Abortion	F 13											2
42	2. Childbirth	F 39									1	7	7
43	3. Puerperal septicaemia	F 81									1	22	21
44	4. Extra-uterine pregnancy	F 1											
45	5. Others of this class	F 30									5	11	6

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—GROUP 1—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
141	155	156	155	147	159	168	149	145	127	97	45	18	7	5	1
76	89	90	109	82	87	92	62	60	53	34	15	2	4	2	2
65	66	66	46	65	72	76	87	85	74	63	30	11	3	3	3
				1			1		1						4
1	2					1			1						5
3	3	13	13	9	14	23	15	16	14	13	7	1	4	1	6
13	8	13	7	9	16	12	16	30	27	17	11	5	1	1	6
67	75	67	80	63	63	55	41	35	33	16	6	1		1	7
45	50	49	35	45	43	48	58	46	35	34	17	6	1	1	7
2	1	2	3		1	4	1		1	1					8
3	2		1	2	2	4	2	1	2						8
	2		3	4	1	1	2	1	1	1					9
			1	2	3	1	6	2	2	6	1				9
3	6	8	10	6	8	9	3	8	3	3	2				10
4	4	4	2	6	8	10	4	6	7	6	1		1	1	10
															11
50	53	58	63	82	71	72	70	40	35	20	6	2		2	11
25	19	22	29	35	40	43	33	18	16	6	1			1	12
25	34	36	34	47	31	20	37	22	19	14	5	2		1	13
															14
1						1	1								15
6	3	4	5	4	11	12	8	7	5		1				16
4	9	4	6	15	6	8	13	5	7	5	3			1	16
2			1	1	3	1	2	2							17
1	2	3	2	3	3	3	3	1	1	1	1				17
1			3		3	2	3	1							18
1		1	1	1	2	2	1		2	1					18
1	2	2	1	5	2	1	1		2						19
		1				1		1	1						20
			2			1	1	2		1	1				20
2	3	2	4	2	2	5	1	1		2					21
	2	6	3	6	4	2	6	3		1					21
1	7	13	8	21	14	11	12	4	5	3					22
4	6	11	12	10	6	7	5	6	5	2		1		1	22
11	4	2	6	6	3	5	3	2	1						23
14	12	6	7	5	6	3	3	4	1	2					23
				1	2	1	1		1						24
1	1	1	1		1		1		1						24
			1			4	5		2						25
	2	2	1		1	2	3	1	1	1					25
37	43	55	61	59	59	68	76	74	66	34	14	2	2	1	26
17	25	29	40	31	34	46	55	50	45	22	7	1	1	1	27
20	18	26	21	28	25	22	21	24	21	12	7	1	1		28
14	12	17	27	18	22	22	19	21	17	8					29
8	10	16	11	14	16	10	11	11	9	6	2		1		29
							2			1					30
3	10	9	10	8	12	10	17	14	8	4	2				31
9	8	9	9	13	7	10	8	10	12	4	4				31
			1	4	1	9	1	11	13	6	3	1	1		32
			1												32
3	3	3	2	1	1	5	9	4	7	3	2				33
		1	1	1	1	2	1	2		2	1				33
5	3	7	8	5	1	3	2			2				1	34
			3	1		2	2			2					35
1		2	1	1	1	1								1	36
		2	2												37
4	3	2	2	3											38
		2	2												39
32	24	9	2						1					1	40
5	3	2													41
9	12	3													42
17	14	3	2											1	43
															44
1	5	1							1						45

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	37	2	1	2	2		7	3	4	4	3	2
2	Males.....	24	2	1		2		5	2	1	2	3	2
3	Females.....	13			2			2	1	3	2		
4	1. Diseases of the spine.....	{ M. 13 F. 10	1			1		2	1	1	2	1	2
5	2. Diseases of the bones.....	{ M. 4 F. 2										2	
6	3. Diseases of the hip joint.....	{ M. 2 F. 1				1		1	1				
7	4. Others of this class.....	{ M. 5 F. 1	1	1				2					
8	X.—Diseases of the skin.....	43	12	1		1	3	17	2	2	3		
9	Males.....	21	5					5	2	2	2		
10	Females.....	22	7	1		1	3	12			1		
11	1. Abscess.....	{ M. 10 F. 11	4	1		1	2	4	1	2			
12	2. Carbuncle.....	{ M. 7 F. 2									1		
13	3. Others of this class.....	{ M. 4 F. 9	1	6				1	1		1		
14	XI.—Diseases of the absorbent system.....	5											1
15	Males.....	2											
16	Females.....	3											1
17	1. Addison's disease.....	{ M. 1 F. 1											1
18	2. Diseases of the spleen.....	{ M. 1 F. 1											
19	3. Others of this class.....	{ M. 1 F. 2											
20	XII.—Accidents and injuries.....	1,026	70	11	16	17	17	131	58	50	58	88	83
21	Males.....	843	43	5	11	9	16	84	49	40	51	82	69
22	Females.....	183	27	6	5	8	1	47	9	10	7	6	14
23	1. Burns and scalds.....	{ M. 31 F. 33	2	4	5	3	7	19	5		1	1	2
24	2. Drowned.....	{ M. 163 F. 17		1	1	2	5	8	22	15	13	14	11
25	3. Exposure and neglect.....	{ M. 12 F. 3	2					2					
26	4. Gunshot wounds.....	{ M. 28 F. 1							2	3	2	4	3
27	5. Homicide.....	{ M. 5 F. 4											1
28	6. Infanticide.....	{ M. 1 F. 1	1					1					
29	7. Injuries by machinery.....	{ M. 3 F. 1									1		
30	8. Railroad accidents.....	{ M. 287 F. 16			1	1		2	4	13	23	47	31
31	9. Suffocation.....	{ M. 30 F. 13	22		2			24			1	1	1
32	10. Suicide by shooting.....	{ M. 23 F. 2									2	1	1
33	11. Suicide by drowning.....	{ M. 1 F. 1										1	
34	12. Suicide by poison.....	{ M. 10 F. 9									1	1	3
35	13. Other suicides.....	{ M. 33 F. 8									2	1	1
36	14. Sunstroke.....	{ M. 6 F. 2	1					1	1				
37	15. Surgical operations.....	{ M. 3 F. 2										1	1
38	16. Wounds.....	{ M. 40 F. 5		1	1		1	2	4	2	1	3	2
39	17. Other accidents and injuries.....	{ M. 167 F. 69	18	1	2	2	3	26	11	7	5	10	13

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—GROUP 1—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
4	3	1	2	1	1	1	1	1							1
2	1	1	2	1	1	1		1							2
2	2														2
2		1			1										4
2			1	1											5
	2														6
															7
	1		1			1		1							7
1	2	3	4	2	1		2	1	2	1					8
1	1	1	3	2	1		1	1	1						9
	1	2	1	2			1		1	1					10
		1	2	1			1								11
1	1		1	2	1		1	1							12
	1								1	1					13
1		1				1				1					14
1		1				1				1					15
		1													16
		1													17
															18
1						1				1					19
88	88	68	61	60	35	42	40	25	15	9	2	3	1	21	20
77	79	64	54	49	32	35	26	21	8	4				19	21
11	9	4	7	11	3	7	14	4	7	5	2	3	1	2	22
						3									23
3	1		2	2	1	1							1		23
14	11	10	9	11	3	5	4	1						12	24
1	1			1			1	1						1	24
	1	2	3		1				1	1					25
2	4	2	1	1	2		1							1	26
2			1		1										27
					1	1									27
															28
2															29
32	35	27	20	14	8	10	8	6	2	1				4	30
		1		2			5								30
				1		1		1						1	31
4	5	2	1	4	1			1	1						32
1															32
	1														33
2		1	1					2							34
2	2		1	1											34
4	4	2	6	4	2	3	3	2							35
1	1	1		2		1			1						35
		1		1	1			1							36
				1						1					36
					1										37
2	2	3	4	2	3	4	1	2	3						38
				1			1								38
12	16	14	8	12	9	9	6	6	2	1					39
4	4	2	4	1	1	4	5	3	6	5	2	3			39

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—GROUP 2.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
217	246	208	249	268	261	279	320	315	338	234	122	61	20	39	1
122 95	123 123	115 93	144 105	140 128	138 123	145 134	162 158	169 146	160 178	118 116	52 70	18 43	8 12	23 16	2 3
1	3	2	1	2	1	3	2	5	5	1	1			1	4
1	1 2	2	1	2	1	2 1	1 1	4 1	2 3	1	1			1	5 6
15	9	18	13	11	20	16	20	15	15	13	12	3	1	2	7
10 5	5 4	11 7	8 5	4 7	11 9	5 11	9 11	4 11	6 9	7 6	4 8	3	1	2	8 9
					1										10
					1										11
															12
														1	13
														1	14
															15
1	2		1												16
3	3 1	5 1	3	2	2 1		1								17
2 2	1	4 5	1 3	1 5	6 4	3 5	8 7	3 9	2 6	2 5	1 5	3			18
															19
4 2		2	2 2		2	4		1	1	2	2		1		20
	1	1		1 2	1	1 1	2	1 1	2 1		1 1				21
	1					1				1					22
1															23
			1		1	1	1		2	2	2				24
	4	6	3	3	2	2		2		2	1			1	25
	4	5 1	2 1	3	2	1 1		2		2	1			1	26 27
															28
	4	5 1	2 1	2	2	1								1	29
															30
				1		1									31
								2		2	1				32
1	2		2	3	2	5	10	18	35	43	32	30	10	2	33
1	1 1		2	1 2	1 1	2 3	1 9	8 10	15 20	23 20	14 18	11 19	4 6	2	34 35
															36
															37
															38
1	1 1		2	1 2	1 1	2	1 5	4 3	7 4	6 6	4 2	2 2	1 1	2	39
						2	4	4 7	8 16	17 14	10 16	9 17	3 5		40

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	1,120	46	10	7	5	2	70	16	28	73	121	107
2	Males	536	26	4	3	2	2	37	7	9	30	60	54
3	Females	584	20	6	4	3		33	9	19	43	61	53
4	1. Rheumatism..... { M F	5 17							1	2	1		
5	2. Scrofula and tabes..... { M F	4 11	2 3	1	1			2 5		1		1	1
6	3. Leprosy												
7	4. Consumption	400 393	2 4		1 1	1 2		4 7	3 4	6 15	28 42	58 60	52 49
8	5. Hydrocephalus..... { M F	31 22	18 12	4 5	1		2	25 18	2 3	1	1		
9	6. Cancer	51 100										1	1 2
10	7. Tumor..... { M F	10 7			1			1		1			
11	8. Anæmia..... { M F	2 5	1		1			1 1	1	1			1
12	9. Dropsy..... { M F	16 17	1					1	1				1
13	10. Diabetes..... { M F	13 8				1		1			1		
14	11. Others of this group..... { M F	4 3	2 1					2 1	1				
15	12. Others of this class..... { M F	1			1			1					
16	II.—Diseases of the nervous system.....	987	227	60	25	10	5	327	19	13	11	11	19
17	Males.....	533	122	37	16	6	4	185	8	9	6	7	8
18	Females.....	454	105	23	9	4	1	142	11	4	5	4	11
19	1. Inflammation of the brain..... { M F	92 70	31 28	19 10	6 3	3 2	2	61 43	4 6	6 1	2 2	3 2	1 5
20	2. Apoplexy..... { M F	115 114			1	1		2 1					2
21	3. Paralysis..... { M F	103 90		1				1		1			1 1
22	4. Tetanus and trismus nascentium { M F	4 5	3 5					3 5	1				
23	5. Epilepsy..... { M F	18 5	1	1			1	3	1	1	2	3	2
24	6. Convulsions..... { M F	100 84	78 59	9 11	5 5	1 1	1	94 77	1 2				
25	7. Mental diseases..... { M F	17 19								1		1	2
26	8. Diseases of the brain..... { M F	63 48	9 11	6 2	4 1	1 1		20 15	2	1			1 3
27	9. Diseases of the spinal cord..... { M F	15 8		1				1 1			1		1
28	10. Others of this class..... { M F	6 11							2		2		
29	III.—Diseases of the circulatory system.....	480	36	2		1	1	40	7	9	7	9	9
30	Males.....	246	21	1		1		23	5	3	4	2	5
31	Females.....	234	15	1			1	17	2	6	3	7	4
32	1. Angina pectoris..... { M F	15 10							1			2	
33	2. Aneurism..... { M F	3 2											
34	3. Diseases of the heart..... { M F	211 212	5 6	1 1		1		7 8	5 1	3 6	4 3	2 5	5 4
35	4. Others of this class..... { M F	17 10	16 9					16 9					

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—GROUP 2—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
103	94	75	71	50	72	69	49	42	44	22	6	2		6	1
53 50	42 52	36 39	34 37	21 29	34 38	43 26	29 20	12 30	21 23	10 12	1 5	1 1		2 4	2 3
	1	1	1			1	2	3	1	1				1	4
1		1	1		1	1									5
															6
50 45	40 42	31 27	21 23	19 18	23 18	31 12	16 8	6 12	8 2	2 4				2 3	7
	1		1												8
4	6	4 8	6 9	1 8	6 16	7 9	9 8	4 12	5 9	5 5	1 3	1 1			9
1	1	1	2 1	1	2 1	1	1	1							10
	1					1									11
1	1	1	1 1	1 2	1		3	2	5 6	2 3					12
1		1	2 1		3 1	2 1	2	1	2 1						13
	1					1			1						14
															15
19	22	19	31	62	44	57	62	76	99	47	26	10	1	12	16
12 7	13 9	12 7	16 15	34 28	26 18	29 28	35 27	39 37	44 55	26 21	13 13	3 7	1	8 4	17 18
1 2	2	4	2 1	2 3	1 2		1	2	2	1					19
6 2	4 1	1 5	1 6	12 15	10 7	14 15	16 10	16 13	15 18	12 10	4 4	5		2	20
1	2 3	3 1	7 2	8 5	9 5	5 8	11 10	16 14	17 25	8 6	7 6	3 2	1	3	21
															22
	1	1		1				1 1	1					3	23
1 1			1	2				1		1				1	24
2 1	2 1	1	1 2	2 1	1 1	1 4	2	1 1	4 3	1					25
1	2 2	2	2 1	3 2	2 2	5 1	5 2	4 6	5 6	4 4	2 1			2 1	26
	1	1	1 2	2 1	3	3	2 2		1						27
1	1		1	2 1	1	1	1		1 1		2				28
8	17	17	23	31	32	43	54	66	52	32	13	5	3	3	29
4 4	7 10	12 5	12 11	11 20	13 19	21 22	28 26	42 24	29 23	13 19	8 5	1 4	1 2	2 1	30 31
	1	1	1 2		2	2 1	3	2 2	1 1	1	1			1	32
	1		2 1		1										33
4 4	7 8	11 5	9 8	11 20	10 19	19 20	25 26	39 22	28 22	12 19	7 5	1 4	1 2	1 1	34
						1		1							35

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	954	182	77	49	28	13	349	41	10	26	34	21
2	Males	493	105	34	23	13	8	183	14	3	16	21	13
3	Females	461	77	43	26	15	5	166	27	7	10	13	8
4	1. Croup	{ M. 39 F. 47	{ 4 6	{ 6 9	{ 10 10	{ 7 11	{ 3 1	{ 30 37	{ 9 10				
5	2. Laryngitis	{ M. 5 F. 2	{ 1 	{ 1 				{ 2 					
6	3. Bronchitis	{ M. 123 F. 122	{ 61 42	{ 9 15	{ 5 4	{ 2 1	{ 3 	{ 77 65	{ 2 	{ 1 1	{ 1 1	{ 1 1	{ 1 1
7	4. Pneumonia	{ M. 255 F. 232	{ 28 18	{ 17 19	{ 6 11	{ 4 2	{ 3 1	{ 58 51	{ 5 14	{ 2 5	{ 14 8	{ 18 10	{ 9 6
8	5. Pleurisy	{ M. 10 F. 7	{ 1 	{ 1 				{ 2 		{ 1 		{ 1 	
9	6. Asthma	{ M. 6 F. 2									{ 1 		
10	7. Others of this class	{ M. 55 F. 49	{ 10 11	{ 2 	{ 1 1		{ 2 	{ 14 13	{ 1 	{ 1 	{ 1 	{ 2 2	{ 3 1
11	V.—Diseases of the digestive system	291	49	8	1	3	1	62	8	7	9	15	12
12	Males	138	28	6	1	3	1	39	4	3	3	8	5
13	Females	153	21	2				23	4	4	6	7	7
14	1. Dentition	{ M. 10 F. 3	{ 7 2	{ 2 1	{ 1 			{ 10 3					
15	2. Angina	{ M. 3 F. 2	{ 1 		{ 1 			{ 2 	{ 1 		{ 1 		
16	3. Diseases of the stomach	{ M. 31 F. 33	{ 3 5	{ 2 1		{ 1 		{ 6 6	{ 1 2		{ 1 	{ 1 	{ 1 3
17	4. Obstruction of the bowels	{ M. 15 F. 12	{ 3 2				{ 1 	{ 4 2				{ 1 1	{ 1 1
18	5. Hernia	{ M. 6 F. 6	{ 1 					{ 1 					
19	6. Other diseases of the bowels	{ M. 4 F. 2	{ 1 1					{ 1 1					
20	7. Jaundice	{ M. 4 F. 1	{ 3 					{ 3 	{ 1 				
21	8. Inflammation and abscess of the liver	{ M. 7 F. 10											
22	9. Other diseases of the liver	{ M. 20 F. 20		{ 1 				{ 1 					
23	10. Peritonitis	{ M. 23 F. 40	{ 2 2			{ 1 		{ 3 2	{ 1 2	{ 3 2	{ 2 4	{ 5 6	{ 2 3
24	11. Ascites	{ M. 4 F. 4									{ 1 		
25	12. Others of this class	{ M. 15 F. 18	{ 7 9	{ 1 				{ 8 9				{ 1 	{ 1
26	VI.—Diseases of the urinary system and male organs of generation.	224	2	3	2		1	8	3	3	6	10	8
27	Males	134		1	2		1	4	1	1	3	4	4
28	Females	90	2	2				4	2	2	3	6	4
29	1. Bright's disease	{ M. 60 F. 49								{ 1 1	{ 2 1	{ 3 2	{ 3 1
30	2. Calculus, urinary	{ M. 1 F. 1											
31	3. Diseases of the kidney	{ M. 37 F. 28		{ 1 2	{ 2 		{ 1 	{ 4 3	{ 1 		{ 1 1	{ 1 1	{ 1 1
32	4. Diseases of the bladder	{ M. 18 F. 1											
33	5. Others of this class	{ M. 19 F. 12		{ 1 				{ 1 	{ 1 		{ 1 	{ 3 	{ 2
34	VII.—Diseases of the female organs of generation.	16											3
35	1. Ovarian tumors	F. 1											
36	2. Ovarian diseases	F. 5											
37	3. Uterine tumors	F. 3											
38	4. Uterine diseases	F. 7											1
39	5. Others of this class	F. 7											2
40	VIII.—Affections connected with pregnancy.	44									2	12	12
41	1. Abortion	F. 3											2
42	2. Childbirth	F. 11										1	2
43	3. Puerperal septicæmia	F. 17										8	3
44	4. Extra-uterine pregnancy	F. 13											
45	5. Others of this class	F. 13									1	3	5

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	12	1	1				2	3		1		
2	Males.....	9	1	1				2	3				
3	Females.....	3									1		
4	1. Diseases of the spine.....	{ M F	1	1				2	2				
5	2. Diseases of the bones.....	{ M F	1								1		
6	3. Diseases of the hip joint.....	{ M F	1						1				
7	4. Others of this class.....	{ M F	1										
8	X.—Diseases of the skin.....	18	6	1				7					3
9	Males.....	8	4					4					2
10	Females.....	10	2	1				3					1
11	1. Abscess.....	{ M F	1	1				2					2
12	2. Carbuncle.....	{ M F	1										1
13	3. Others of this class.....	{ M F	3	3				3					1
14	XI.—Diseases of the absorbent system.....	2											
15	Males.....	1											
16	Females.....	1											
17	1. Addison's disease.....	{ M F											
18	2. Diseases of the spleen.....	{ M F	1										
19	3. Others of this class.....	{ M F											
20	XII.—Accidents and injuries.....	310	13	5	9	8	4	39	11	11	19	35	25
21	Males.....	251	13	4	7	4	1	29	9	5	16	32	23
22	Females.....	59		1	2	4	3	10	2	6	3	3	2
23	1. Burns and scalds.....	{ M F		1	3			4			1		1
24	2. Drowned.....	{ M F	36		3	1	1	5	6	2	3	2	3
25	3. Exposure and neglect.....	{ M F	1										
26	4. Gunshot wounds.....	{ M F	2								2		
27	5. Homicide.....	{ M F	3										
28	6. Infanticide.....	{ M F											
29	7. Injuries by machinery.....	{ M F											
30	8. Railroad accidents.....	{ M F	65							1	7	13	11
31	9. Suffocation.....	{ M F	13	5	1			6		1	1	1	2
32	10. Suicide by shooting.....	{ M F	9									2	
33	11. Suicide by drowning.....	{ M F	1										
34	12. Suicide by poison.....	{ M F	1										
35	13. Other suicides.....	{ M F	16								1	1	
36	14. Sunstroke.....	{ M F	1										
37	15. Surgical operations.....	{ M F	1										
38	16. Wounds.....	{ M F	12							1	1	2	2
39	17. Other accidents and injuries.....	{ M F	83	8	2	1	3	14	3	2	2	11	6
		20			1			1	1	2			1

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW JERSEY—GROUP 2—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
	3		2		1									1
	2		1		1									2
	1		1											3
	2		1											4
			1											5
					1									6
														7
	1													8
	2	1		1			1		1	1		1		9
									1			1		10
	2	1		1			1			1				11
									1					12
											1			13
							2							14
							1							15
							1							16
														17
							1							18
							1							19
23	18	19	22	22	10	6	16	8	7	7	2	2	2	6
21	17	15	19	21	8	4	14	7	3	2	1		1	4
2	1	4	3	1	2	2	2	1	4	5	1	2	1	2
	1	1									1			23
3		3	2	1	2	1	3		1	1				24
		1											1	25
														26
	1		1		1		1							27
														28
														29
3	9	2	4	4	1	1	4	2	1					2
	1			3	1				1	1				31
1	2			2			1	1						32
1														33
				1										34
3		1	2	2		1	2	3	1					35
			1											36
				1										37
1		1												38
		3	3		1					1				38
							1							39
10	3	6	6	8	2	1	4	1	1		1			2
	1		1		1	1	1	1	2	4		2	1	39

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 1.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	72,467	21,824	4,838	2,185	1,437	933	31,217	2,004	911	1,503	2,825	3,554
2	Males	38,963	12,086	2,551	1,141	766	459	17,003	1,091	464	773	1,511	1,921
3	Females	33,504	9,738	2,287	1,044	671	474	14,214	1,003	447	730	1,314	1,633
4	Unknown causes	198	43	3	3	4	2	55	5	3	5	5	8
5	Males	123	18	3	1	4	2	28	4	1	3	4	4
6	Females	75	25	2	2	2	2	27	1	2	2	1	4
7	I.—General diseases.												
8	General diseases—A	13,656	6,003	1,955	915	663	462	10,018	954	197	207	272	265
9	Males	6,983	3,142	1,017	448	354	236	5,197	486	90	109	152	138
10	Females	6,673	2,861	938	467	329	226	4,821	468	107	98	120	127
11	1. Smallpox	{ M.. 10 F.. 1	2	1		1	1	5	1		1	1	
12	2. Measles	{ M.. 255 F.. 244	67	104	36	22	7	238	13			1	2
13	3. Scarlet fever	{ M.. 270 F.. 305	14	45	48	51	28	186	69	7	5		2
14	4. Diphtheria	{ M.. 1,359 F.. 1,290	93	267	247	213	173	993	301	32	13	3	2
15	5. Whooping cough	{ M.. 301 F.. 362	180	72	23	14	5	294	5			1	
16	6. Fever	{ M.. 2 F.. 5	1	2				3				1	
17	7. Cerebro-spinal fever	{ M.. 71 F.. 73	17	16	11	5	3	52	5	2	3	1	5
18	8. Enteric fever	{ M.. 374 F.. 253	1	3	4	2	19	14	14	20	48	85	57
19	9. Diarrheal diseases	{ M.. 2,278 F.. 2,194	1,432	274	37	21	7	1,771	47	13	13	24	33
20	10. Cholera infantum	{ M.. 1,442 F.. 1,365	1,193	220	20	5	3	1,441	1				
21	11. Malarial fever	{ M.. 269 F.. 268	17	11	15	12	4	59	21	10	17	23	19
22	12. Erysipelas	{ M.. 117 F.. 116	52	2	1	1		56	2	1	1	3	4
23	13. Septicæmia	{ M.. 64 F.. 53	8	1		1	2	12	5	3	5	4	4
24	14. Venereal diseases	{ M.. 105 F.. 72	60	1		1		62	1			2	9
25	15. Others of this group	{ M.. 66 F.. 72	7	2	5	3	1	13	2	2	3	3	1
26	General diseases—B	938	440	13	8	3	3	467	8	2	4	21	55
27	Males	621	245	6	5	1	1	258	6	2	3	12	39
28	Females	317	195	7	3	2	2	209	2	1	1	9	16
29	1. Parasitic diseases	{ M.. 4 F.. 1	1					1	3				
30	2. Alcoholism	{ M.. 314 F.. 30							2	2	1	10	37
31	3. Lead poison	{ M.. 9 F.. 1		1				1			1	1	
32	4. Other poisons	{ M.. 32 F.. 28	2	2	1	1	2	6			1	1	2
33	5. Inanition	{ M.. 262 F.. 207	243	4	4	1		252	1		1		
34	General diseases—C	9,906	8,157	184	45	15	8	8,409	21	7	12	18	13
35	Males	5,357	4,645	95	21	7	3	4,771	11	2	7	5	6
36	Females	4,549	3,512	89	24	8	5	3,638	10	5	5	13	7
37	1. Premature birth	{ M.. 671 F.. 508	671	1				671					
38	2. Stillborn	{ M.. 2,754 F.. 1,938	2,754					2,754					
39	3. Malformation	{ M.. 91 F.. 67	87	1	1		1	89					
40	4. Debility and atrophy	{ M.. 1,497 F.. 1,469	1,133	95	20	7	2	1,257	11	2	7	5	6
41	5. Old age	{ M.. 344 F.. 587	1,001	87	24	8	5	1,125	10	5	5	13	7

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 1.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
3,415	3,365	3,142	3,159	3,151	2,858	2,942	2,486	2,078	1,685	1,128	597	188	78	91	1
1,922 1,493	1,938 1,427	1,800 1,342	1,828 1,331	1,687 1,464	1,598 1,265	1,519 1,423	1,277 1,209	1,021 1,057	773 912	483 645	218 379	58 130	24 54	50 32	2 3
11	6	8	6	15	5	14	15	12	8	6	3	2	1	5	4
7 4	4 2	7 1	4 2	11 4	4 1	8 6	13 2	8 4	5 3	3 3	1 2	1 1	1	3 2	5 6
207	190	161	158	161	151	169	144	139	123	86	34	11	6	3	7
110 97	106 84	81 80	77 81	72 89	71 80	74 95	70 74	54 85	43 80	37 49	9 25	3 8	3 3	1 2	8 9
				2											10
		1													11
1 5	2	1							1						12
3 4	1 4	5 3	2 3	1 2	1	1	1		2		1				13
	1		1			1		1	1						14
	1		1	1											15
	2 1	1 2						1							16
40 29	34 17	20 15	13 10	10 9	10 5	5 6	5 2	1 2	2 2	3					17
30 21	35 25	32 32	30 47	29 47	38 47	36 61	41 48	37 51	28 63	24 37	5 19	1 5	2 3		18
														1	19
20 18	11 14	11 17	7 10	11 16	15 14	20 17	7 13	3 12	8 3	5 1	1	1		1	20
4 7	10 1	4 5	6 4	6 4	3 5	6 2	4 5	5 5	1 1	6	1	1	1		21
4 5	6 6	1 3	3 2	6 3	3 1	2	5	1 2	2			1			22
8 5	5 10	5 2	5 1	5 2	5 1		2	1 1							23
2	2 2	1	1 3	2 5	2 6	5 7	5 6	6 10	1 8	8 2	3 4	1 1			24
84	70	60	46	54	27	20	7	2	4	4	2			1	25
65 19	59 11	42 18	38 8	48 6	20 7	15 5	6 1	1 1	4	2 2				1	26
1											2				27
															28
59 14	53 10	40 14	33 8	40 5	19 6	11 2	4 1	1	1	1				1	29
3	1			3											30
2 2	5 1	1 4	4	5 1	1	3 1	1	1							31
3		1	1		1	2	1		3	1 2	2				32
15	15	24	17	19	34	86	126	195	251	294	228	76	39	7	33
6 9	7 8	12 12	6 11	8 11	15 19	45 41	42 84	74 121	92 159	123 171	80 148	27 49	12 27	6 1	34 35
															36
															37
														2	38
6 9	7 8	12 12	6 11	8 11	15 19	29 31	22 43	29 40	21 43	25 40	20 31	3 8	2 7	4 1	39
						16 20	20 41	45 81	71 116	98 131	60 117	24 41	10 20		40

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	12,251	705	324	144	71	40	1,284	132	159	569	1,227	1,475
2	Males	6,640	431	173	77	41	17	739	69	64	252	656	826
3	Females	5,611	274	151	67	30	23	545	63	95	317	571	649
4	1. Rheumatism	{ M. 137 F. 124	{ 2 3	{ 2 1	{ 2 2	{ 2 1	{ 1 1	{ 8 7	{ 6 4	{ 7 7	{ 6 4	{ 7 3	{ 6 7
5	2. Scrofula and tabes	{ M. 64 F. 58	{ 30 30	{ 13 7	{ 4 4	{ 1 1	{ 2 1	{ 49 42	{ 3 1	{ 1 1	{ 2 2	{ 2 1	{ 1 5
6	3. Leprosy	{ M. F.											
7	4. Consumption	{ M. 5,219 F. 3,947	{ 130 84	{ 51 60	{ 30 21	{ 12 15	{ 6 8	{ 229 188	{ 25 31	{ 43 76	{ 234 299	{ 627 555	{ 792 607
8	5. Hydrocephalus	{ M. 473 F. 320	{ 233 143	{ 103 75	{ 36 36	{ 25 13	{ 6 13	{ 403 280	{ 28 20	{ 8 7	{ 3 2	{ 1 1	{ 9 1
9	6. Cancer	{ M. 483 F. 941	{ 2 1	{ 1 1	{ 1 1			{ 4 1	{ 1 1		{ 2 2	{ 6 7	{ 6 17
10	7. Tumor	{ M. 72 F. 62	{ 3 1	{ 1 1		{ 1 1	{ 1 1	{ 6 4	{ 1 1	{ 2 1	{ 2 2	{ 5 1	{ 4 4
11	8. Anæmia	{ M. 27 F. 38	{ 11 4		{ 1 1			{ 12 5	{ 1 3		{ 3 4	{ 1 1	{ 1 5
12	9. Dropsy	{ M. 34 F. 27	{ 4 1				{ 1 1	{ 5 2		{ 1 1	{ 1 2	{ 3 2	{ 1 1
13	10. Diabetes	{ M. 87 F. 72	{ 1 2	{ 1 1				{ 2 2	{ 2 2	{ 2 2	{ 1 1	{ 2 2	{ 2 2
14	11. Others of this group	{ M. 42 F. 22	{ 15 6	{ 2 8	{ 3 3		{ 1 1	{ 21 14	{ 2 1			{ 3 1	{ 5 1
15	12. Others of this class	{ M. F.								{ 1 1			
16	II.—Diseases of the nervous system	6,982	1,997	646	240	129	94	3,106	179	108	82	114	126
17	Males	3,740	1,100	326	124	61	41	1,652	91	54	48	68	70
18	Females	3,242	897	320	116	68	53	1,454	88	54	34	46	56
19	1. Inflammation of the brain	{ M. 988 F. 904	{ 377 305	{ 200 196	{ 71 83	{ 36 48	{ 28 39	{ 712 671	{ 69 58	{ 29 37	{ 19 16	{ 20 12	{ 18 11
20	2. Apoplexy	{ M. 868 F. 829	{ 8 12	{ 2 4			{ 2 2	{ 10 18	{ 2 1	{ 1 1	{ 2 6	{ 8 6	{ 15 15
21	3. Paralysis	{ M. 298 F. 313	{ 5 4	{ 3 3	{ 2 1		{ 1 2	{ 11 10	{ 1 3		{ 3 1	{ 1 5	{ 3 6
22	4. Tetanus and trismus nascentium	{ M. 76 F. 34	{ 56 28	{ 1 1	{ 1 1			{ 58 28	{ 4 4	{ 4 3	{ 3 3		{ 2 1
23	5. Epilepsy	{ M. 87 F. 75	{ 8 8	{ 4 4	{ 3 3		{ 2 2	{ 17 10	{ 2 3	{ 4 3	{ 10 4	{ 12 10	{ 10 8
24	6. Convulsions	{ M. 654 F. 552	{ 503 421	{ 79 75	{ 31 21	{ 12 10	{ 5 9	{ 630 536	{ 7 6	{ 2 2	{ 1 1	{ 1 1	
25	7. Mental diseases	{ M. 106 F. 78									{ 1 2	{ 5 3	{ 6 5
26	8. Diseases of the brain	{ M. 512 F. 353	{ 134 107	{ 29 39	{ 14 8	{ 11 6	{ 4 2	{ 192 162	{ 3 12	{ 9 5	{ 6 2	{ 15 6	{ 14 10
27	9. Diseases of the spinal cord	{ M. 128 F. 74	{ 9 12	{ 7 3	{ 2 1	{ 2 2	{ 1 1	{ 21 19	{ 2 3	{ 5 1	{ 3 1	{ 6 1	{ 2 4
28	10. Others of this class	{ M. 23 F. 30		{ 1 1				{ 1 1	{ 1 2	{ 2 2	{ 1 1	{ 2 2	{ 1 1
29	III.—Diseases of the circulatory system	4,143	353	18	10	8	14	403	105	102	123	146	181
30	Males	2,176	201	11	6	4	8	230	40	40	67	69	91
31	Females	1,967	152	7	4	4	6	173	65	62	56	77	90
32	1. Angina pectoris	{ M. 59 F. 32										{ 2 2	{ 3 3
33	2. Aneurism	{ M. 59 F. 16									{ 1 1	{ 3 1	{ 4 1
34	3. Diseases of the heart	{ M. 1,867 F. 1,780	{ 40 39	{ 7 7	{ 5 2	{ 4 4	{ 8 6	{ 64 58	{ 39 65	{ 40 61	{ 67 55	{ 66 74	{ 87 86
35	4. Others of this class	{ M. 191 F. 139	{ 161 113	{ 4 1	{ 1 2			{ 166 115	{ 1 1			{ 1 1	

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 1—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,322	1,195	1,056	901	809	646	547	417	233	158	77	23	9	6	6	1
731 591	679 516	585 471	505 396	432 377	368 278	283 264	214 203	115 118	70 88	33 44	9 14	4 5	3 3	3 3	2 3
9 6	10 10	10 9	13 11	12 10	13 10	7 6	9 12	4 10	2 5	6 2	2		1		4
2 1	1 1		2	2	1 1	1	1								5
															6
686 535	630 430	530 332	425 242	322 203	244 129	187 104	125 96	56 50	41 36	13 22	4 8		3	3 2	7
5 1	7 3	3 1	2 1	2 1	1	1		1	1						8
14 43	22 62	20 113	45 124	69 135	81 115	70 129	60 84	39 49	20 34	13 16	2 6	2 2	2		9
7 3	5 4	5 7	5 9	7 8	10 5	2 6	6 2	3 2	1 1			1		1	10
1			3	2	2	3	2	1							11
	2	1	1	6	3	3	3	1							12
	1 2	1 1		6 4	4 5	5 3	2 3	2 1	3 3	1	1				13
4 2	2 2	6 5	11 5	12 10	10 9	10 11	6 6	11 4	3 7	2		1			14
3	1	1	1		2	2	3		1	1					15
			1		1										16
170	224	214	290	336	333	415	353	353	289	167	80	24	1	9	16
103 67	137 87	137 77	167 132	182 154	176 157	217 198	194 159	187 166	142 147	74 98	28 52	7 17	1	5 4	17 18
16 18	18 11	18 9	20 11	17 11	7 6	6 12	10 4	3 6	1 3	2 5	1			3 2	19
28 19	31 27	56 37	69 62	87 90	92 92	135 114	98 94	103 91	78 82	39 38	12 28	2 7		1	20
8 5	16 8	18 8	22 16	25 26	26 26	23 29	37 29	36 44	38 36	21 31	9 22	3 5	1	1	21
1	1	1	1		1	1	1								22
6 8	8 9	5 3	2 5	3 2	4 5	2 5	1 1	1 1		2				1	23
1 1	3	2 1	1 1	1	1	3	1 1	1		1					24
8 5	16 8	9 6	9 10	8 8	6 5	14 5	8 7	5 4	4 6	5 4	1	1			25
25 7	34 11	22 5	35 16	26 11	25 12	20 22	27 18	29 17	17 19	6 12	5 1	1 5		1	26
10 1	8 10	9 6	9 5	13 4	14 5	11 8	7 4	6 2	2						27
1 2	2 2	2 2	5	2 2	1 3	2 3	4 1	4	2 1		1				28
197	245	257	296	327	374	375	340	276	217	109	46	9	5	10	29
111 86	129 116	147 110	159 137	171 156	211 163	195 180	174 166	157 119	107 110	48 61	18 28	5 4	2 3	5 5	30 31
1 3	3	2 2	6 4	3 3	12 1	9 5	11 7	5	5 1	1 1	1				32
6	8 2	9 4	8 3	5	10 1	5		1 2	2						33
104 83	118 113	134 103	145 129	159 150	186 156	179 170	159 159	149 112	96 107	46 59	17 28	5 4	2 3	5 5	34
	1	1	1	4 3	3 5	2 5	4	2 5	6	1 1					35

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	14,087	3,254	1,486	711	412	229	6,092	418	127	228	432	589
2	Males	7,634	1,798	800	400	229	102	3,329	222	73	120	273	375
3	Females	6,403	1,456	686	311	183	127	2,763	196	54	108	159	214
4	1. Croup	{ M. 551 F. 420	{ 77 42	{ 135 107	{ 125 88	{ 84 65	{ 49 47	{ 470 349	{ 67 62	{ 7 4		{ 1 1	{ 2 1
5	2. Laryngitis	{ M. 48 F. 54	{ 13 12	{ 9 13	{ 7 7	{ 3 9		{ 32 44	{ 4 8	{ 1 1		{ 1 1	
6	3. Bronchitis	{ M. 1,774 F. 1,889	{ 730 656	{ 221 199	{ 79 68	{ 33 31	{ 11 18	{ 1,074 972	{ 27 21	{ 6 11	{ 11 14	{ 29 18	{ 32 30
7	4. Pneumonia	{ M. 4,594 F. 3,580	{ 763 598	{ 407 352	{ 180 141	{ 98 78	{ 36 37	{ 1,484 1,226	{ 111 97	{ 49 37	{ 96 86	{ 227 124	{ 311 167
8	5. Pleurisy	{ M. 169 F. 106	{ 12 11	{ 12 7	{ 7 2	{ 2 2		{ 35 21	{ 6 4	{ 3 1	{ 6 4	{ 9 6	{ 14 9
9	6. Asthma	{ M. 45 F. 43	{ 5 3					{ 5 3					
10	7. Others of this class	{ M. 453 F. 311	{ 198 134	{ 16 8	{ 2 5	{ 9 9	{ 4 1	{ 229 148	{ 7 4	{ 7 1	{ 6 4	{ 8 7	{ 17 5
11	V.—Diseases of the digestive system	2,828	537	130	32	28	19	746	65	58	62	94	153
12	Males	1,467	312	76	24	16	12	440	36	28	28	43	68
13	Females	1,361	225	54	8	12	7	306	29	30	34	51	85
14	1. Dentition	{ M. 122 F. 96	{ 77 67	{ 41 25	{ 4 3			{ 122 96					
15	2. Angina	{ M. 22 F. 16	{ 6 2	{ 3 3	{ 2 1	{ 3 3	{ 2 2	{ 14 11	{ 1 1	{ 2 1			{ 2 1
16	3. Diseases of the stomach	{ M. 304 F. 302	{ 69 44	{ 17 13	{ 5 3	{ 4 3	{ 4 3	{ 99 66	{ 6 9	{ 1 4	{ 3 9	{ 8 9	{ 11 16
17	4. Obstruction of the bowels	{ M. 93 F. 68	{ 28 7	{ 1 3	{ 3 3			{ 33 10	{ 2 3	{ 1 3	{ 4 3	{ 2 3	{ 5 2
18	5. Hernia	{ M. 65 F. 48	{ 12 12					{ 12 12	{ 1 1				{ 3 2
19	6. Other diseases of the bowels	{ M. 23 F. 13	{ 4 8	{ 2 2	{ 1 1			{ 8 8	{ 1 1		{ 1 1		{ 1 2
20	7. Jaundice	{ M. 41 F. 29	{ 27 17	{ 2 2				{ 30 17					{ 1 1
21	8. Inflammation and abscess of the liver	{ M. 69 F. 82	{ 2 3			{ 1 1		{ 2 4	{ 2 1			{ 3 1	{ 3 7
22	9. Other diseases of the liver	{ M. 348 F. 265	{ 2 4	{ 1 1		{ 2 1		{ 5 5	{ 3 2		{ 1 2	{ 6 6	{ 10 15
23	10. Peritonitis	{ M. 217 F. 295	{ 23 19	{ 5 5	{ 6 1	{ 4 1	{ 3 2	{ 41 27	{ 12 12	{ 17 21	{ 12 23	{ 18 28	{ 23 33
24	11. Ascites	{ M. 3 F. 7	{ 1 1					{ 1 1					{ 1 1
25	12. Others of this class	{ M. 160 F. 140	{ 62 53	{ 4 5	{ 3 1	{ 3 2	{ 2 2	{ 74 61	{ 8 4	{ 7 6	{ 7 1	{ 5 4	{ 9 6
26	VI.—Diseases of the urinary system and male organs of generation	3,894	77	26	26	29	17	175	63	30	52	144	257
27	Males	2,128	52	17	8	16	9	102	29	20	24	56	115
28	Females	1,766	25	9	18	13	8	73	34	10	28	88	142
29	1. Bright's disease	{ M. 1,079 F. 914							{ 6 13	{ 8 4	{ 15 10	{ 24 35	{ 52 75
30	2. Calculus, urinary	{ M. 9 F. 7	{ 3 1					{ 3 1			{ 1 1		
31	3. Diseases of the kidney	{ M. 857 F. 792	{ 40 19	{ 16 9	{ 7 17	{ 13 13	{ 9 8	{ 85 66	{ 23 20	{ 11 6	{ 8 17	{ 30 50	{ 58 64
32	4. Diseases of the bladder	{ M. 114 F. 29	{ 1 1		{ 1 1	{ 2 2		{ 4 4			{ 1 1	{ 1 1	{ 2 1
33	5. Others of this class	{ M. 69 F. 33	{ 8 5	{ 1 1		{ 1 1		{ 10 6	{ 1 1	{ 1 1		{ 1 7	{ 3 2
34	VII.—Diseases of the female organs of generation	170			1			1			1	9	25
35	1. Ovarian tumors	F. 52											4
36	2. Ovarian diseases	F. 9										1	2
37	3. Uterine tumors	F. 38											3
38	4. Uterine diseases	F. 8										1	4
39	5. Others of this class	F. 63			1			1			1	7	12
40	VIII.—Affections connected with pregnancy	539									24	122	161
41	1. Abortion	F. 46									3	6	10
42	2. Childbirth	F. 121									3	21	39
43	3. Puerperal septicaemia	F. 261									9	70	80
44	4. Extra-uterine pregnancy	F. 7									1	1	2
45	5. Others of this class	F. 104									9	24	32

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 1—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
606	608	578	653	650	622	624	543	461	376	246	114	41	11	18	1
379	389	348	393	333	340	287	241	204	165	103	38	8	2	12	2
227	219	230	260	317	282	337	302	257	211	143	76	33	9	6	3
	1	1				1		1		1				1	4
						1									
	2	1	3	2	1					1					5
25	29	40	38	59	68	65	72	72	64	37	19	5	1	1	6
31	18	46	43	66	83	111	104	109	98	61	33	17	2	1	1
313	332	275	316	249	246	182	142	104	83	52	13	2		7	7
183	183	163	196	231	174	197	170	124	99	72	30	15	2	4	7
17	11	8	13	10	8	10	6	5	3	2	1		1	1	8
6	11	5	4	3	7	5	8	3	3	3	3				
4	1	3	5	1	2	6	5	5	6	1	1				9
2		3	4	3	8	5	3	6	3	1					
20	13	20	18	12	15	23	16	17	9	9	4	1		2	10
5	7	13	13	14	10	18	17	15	7	6	10	1	5	1	1
134	168	177	201	198	192	189	131	119	74	37	18	6	4	2	11
65	76	95	114	91	92	95	73	64	38	11	10				12
69	92	82	87	107	100	94	58	55	36	26	8	6	4	2	13
															14
			1	1			1		1						15
									1						
11	10	19	24	19	24	11	18	22	11	4	3				16
17	15	15	22	23	18	31	9	17	11	11	2	4	2	1	16
4	8	8	5	6	3	5	3		2	1	1				17
3	3	5	1	9	5	3	4	8	4		1		1		17
3		3	7	5	4	7	6	9	2	2					18
	3	4	8	5	6	9	1	3	3	2	1		1		18
2		2	2	1	2	2									19
				1	2			1			1				19
	1	2	1	3	1	1	1	1		1	2				20
4	9	5	10	5	7	6	4	6	3						21
7	5	7	5	12	8	10	7	7	1						21
20	30	42	48	44	41	45	27	14	9	1	2				22
11	26	23	31	36	36	27	21	10	8	4	2				22
15	15	10	8	5	9	14	8	4	5	1					23
26	32	22	13	11	15	7	10	6	5	3				1	23
		1	1	1	1			1							24
											1				24
6	4	4	8	5	1	3	5	7	5	1	1				25
5	7	5	4	6	8	6	4	3	3	5	1	1			25
264	312	327	359	396	310	372	323	231	149	80	36	8	2	4	26
144	175	171	202	210	186	211	196	129	90	42	20	3		3	27
120	137	156	157	186	124	161	127	102	59	38	16	5	2	1	28
75	108	102	120	128	100	107	94	66	43	19	10			2	29
63	61	83	88	118	79	90	76	58	29	20	7	3	2		29
						1	3	1							30
						1	1	1							30
66	60	65	72	76	67	86	68	38	26	13	2	2		1	31
50	75	69	65	64	42	67	44	39	30	12	9	2		1	31
		2	3	3	15	9	21	19	19	9	5	1			32
1		1	1	1	1	2	4	3		5					32
2	7	2	7	3	4	8	10	5	2	1	3				33
7		3	4	2	1	1	2	1		1					33
26	25	18	17	16	13	9	4	3	2	1					34
4	8	6	6	6	5	6	2	2	2	1					35
1	2	1	1			1									35
4	3	1	7	8	7	2	2	1							36
1	1		1												37
19	11	10	2	2	1										38
															39
116	74	37	1	2	1				1						40
18	6	3													41
19	21	18													42
60	31	8	1						1						43
3	3														44
16	13	8		2											45

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 1—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
7	6	5	3	4	3	5	4	4		1				1
4	3	3	1	2	1	3	1			1				2
3	1	2	2	2	2	2	3	4						3
3	2	1	2	2	1									4
3	1	1	1	1	1	2	1	1		1				5
1														6
	1				1	1								7
4	1	4	9	7	3	5	4	7	3	4	3			8
3	1	3	5	3	3	3	1	3	2	1	2			9
1	1	2	2	1	1	2	1	3	1	1	1			10
1			3	1			2	3						11
2		1	2	1	2	1	2	1	1					12
			1	1	3	2		1						13
		1	1	1	1		1		1	1	2	2	1	13
1	1	3	5	3	2		1	1	1					14
	1	3	3	2	2		1							15
1		2	2	1	2			1	1					16
1	1	1	1	2			1							17
		1	1	1										18
					1			1	1					18
		1	1	1	1									19
		1	1	1	1									19
251	225	213	188	154	142	112	74	42	29	16	10	2	3	26
194	172	166	154	122	109	83	51	25	16	5	3		1	20
57	53	47	34	32	33	29	23	17	13	11	7	2	2	6
1	1	3	2	2	2	3	4	1	1					23
4	4	4	4	3	2			3						23
36	36	38	30	19	18	12	10	4	1					24
1	2	4		2	2	4	1	1						24
			2										1	25
2	2	2	1		2	1			1					26
			1		1									26
6	3	6	4	2	1	1								27
2		3		1			1							27
														28
2	2		1		1		1							29
														29
16	7	10	6	8	6	2	5	1	1	1				30
2				1	2									30
11	7	7	8	3	2	4	4	1	1					31
4		1	3	1	2	1	3				1			31
16	12	9	13	9	10	9	2	3						32
														32
	1	2	1		1									33
1			2											33
3	3	5	7	3	3	6	2							34
4	3	3	1	4	1	2		1	1					34
10	14	12	14	15	13	7	6	2	1					35
2	4	6	1	3	1	1	1	1					1	35
4	2	2	3	4	1	1			1					36
		1		1										36
5	6	5	3	2	7	4								37
19	21	11	9	6	2	1	3							37
4	2	2	2	1	1			1	1					38
1	1	1	1	2	1				1				1	38
78	74	63	57	54	44	36	20	12	9	4	3			39
17	18	13	12	10	20	16	10	11	11	11	5	2	1	39

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 2.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
122	137	89	106	121	157	172	213	205	215	172	124	48	13	34	1
39	57	44	51	49	76	93	107	107	117	77	61	24	6	20	2
83	80	45	55	72	81	79	106	98	98	95	63	24	7	14	3
1	3	2	1		1	3	4	3	4	3	2	2			4
1	1	2	1		1	3	2	2	3		1	2			5
	2						2	1	1	3	1				6
14	9	8	5	12	14	15	13	7	11	13	7	2		4	7
4	5	5	3	5	5	7	6	3	6	7	5	2		2	8
10	4	3	2	7	9	8	7	4	5	6	2			2	9
	1										1				10
															11
															12
				2											13
															14
						1									15
1		2						1							16
2	4	1	1	1		1			2					2	17
4		2		2		1		2							18
2	1	1	2	2	2	5	3	3	3	5	3			1	19
1				2	3	4	3	3	5	4	2				20
		1	1		1	1	1								21
1					1	1			1	1		1			22
3	2	1		3	2	1								1	23
	1														24
							1			1	1	1			25
															26
	1	1	2	1	1	1				1	1			1	27
															28
		1	2		1										29
															30
	1					1									31
			1			1				1	1			1	32
		2	2	1	2	7	13	27	36	56	52	28	6	2	33
		1	1	1	1	2	4	16	16	21	25	13	5	1	34
		1	1		1	5	9	11	20	35	27	15	1	1	35
															36
															37
															38
		1	1	1	1	4	7	8	6	2	7	1			39
		1	1		1	4	7	3	6	6	6	2			40
						1	4	8	10	19	18	12	5	1	40
						1	2	8	14	29	21	13	1	1	40

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	654	19	16	2	4	5	46	4	10	40	74	60
2	Males.....	281	11	11		1	2	25	2	3	13	36	28
3	Females.....	373	8	5	2	3	3	21	2	7	27	38	32
4	1. Rheumatism.....	{ M. 8 F. 5									1	2	1
5	2. Scrofula and tabes.....	{ M. 7 F. 5	1	1				2 1					
6	3. Leprosy.....	{ M. F.											
7	4. Consumption.....	{ M. 182 F. 243	6 4	4 4	2	2	2	12 14	1	2 5	12 26	34 37	25 32
8	5. Hydrocephalus.....	{ M. 12 F. 5	4 2	6		1		11 2	1 2	1			
9	6. Cancer.....	{ M. F.								1			1
10	7. Tumor.....	{ M. 8 F. 12									1		
11	8. Anæmia.....	{ M. 1 F. 7	1				1	2					
12	9. Dropsy.....	{ M. 19 F. 25	1					1				1	
13	10. Diabetes.....	{ M. 10 F. 6								1			1
14	11. Others of this group.....	{ M. 1 F. 1				1		1					
15	12. Others of this class.....	{ M. F.											
16	II.—Diseases of the nervous system.....	442	86	25	12	6	4	133	9	11	12	10	11
17	Males.....	217	41	15	5	2	3	66	5	6	5	5	5
18	Females.....	225	45	10	7	4	1	67	4	5	7	5	6
19	1. Inflammation of the brain.....	{ M. 42 F. 51	15 10	8 7	5 5		1	23 25	2 3	3 1	1 3	3 4	2
20	2. Apoplexy.....	{ M. 44 F. 46				1		1		1	1	1	1 1
21	3. Paralysis.....	{ M. 52 F. 52											
22	4. Tetanus and trismus nascentium.....	{ M. 3 F.	1					1			1		
23	5. Epilepsy.....	{ M. 7 F. 5	1	1				2	1 1				1
24	6. Convulsions.....	{ M. 21 F. 33	14 25	2 1	1	1	1	18 28			3		1
25	7. Mental diseases.....	{ M. 1 F. 1											1
26	8. Diseases of the brain.....	{ M. 36 F. 20	11 7	2 1	1			13 9	2	1	1	1	2 2
27	9. Diseases of the spinal cord.....	{ M. 7 F. 10		2			1 1	3 3		1 4	1 1	1	
28	10. Others of this class.....	{ M. 4 F. 7		1				1					
29	III.—Diseases of the circulatory system.....	286	8	1			2	11	1	6	4	9	11
30	Males.....	125	4	1				5		2	1	2	2
31	Females.....	161	4				2	6	1	4	3	7	9
32	1. Angina pectoris.....	{ M. 4 F. 4											1
33	2. Aneurism.....	{ M. F.											
34	3. Diseases of the heart.....	{ M. 115 F. 153	2 3				2	2 5	1	2 4	1 3	2 7	2 8
35	4. Others of this class.....	{ M. 5 F. 2	2 1	1				3 1					

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 2—Continued,

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
47	48	27	34	30	47	50	35	29	33	17	7	2	3	11	1
13	20	10	13	11	20	24	13	12	18	11	2	1	1	5	2
34	28	17	21	19	27	26	22	17	15	6	5	1	2	6	3
	1		1		1	1		1		3					4
	1		1	1	1	1	1		2		1				5
															6
10	19	7	10	5	11	10	6	5	6	1	2			4	7
32	19	12	13	8	8	11	10	4	4	3			1	4	7
															8
1	3	2	3	2	5	9	2	2	4	4		1		1	9
		1	1	1	3	2	6	10	8	1	3		1	1	9
3	1		1	1	1	1	2		1						10
	1				2	1			2						11
				1	3	2	1	4	5	3			1	1	12
1	3	2	1	1	3	5	2	1	1	2	1	1			12
		2	1	1	2	1	2	1	1					1	13
				1	1										14
							1								15
9	15	6	3	15	31	22	37	42	40	22	9	1		4	16
2	6	2	2	4	15	13	21	17	25	10	6			2	17
7	9	4	1	11	16	9	16	25	15	12	3	1		2	18
2					1					1					19
5	2	1		1		1	2							1	19
	1	1		1	5	4	7	6	11	3	1				20
	2	1		5	6	4	7	9	4	4	1			1	20
	2		2	2	5	7	9	8	10	2	4			1	21
	1	1	1	4	7	3	5	13	9	6	2	1			21
							1								22
							3								23
1	1						1								23
	1							1						1	24
	1														24
			1												25
	1				1	1	3	2	3	4	1				26
		1			2	1	1	2	1	2					26
						1									27
1								1							27
	1			1					1						28
	2			1	1	1	1		1						28
6	11	8	15	23	18	28	34	28	32	19	15	4	1	2	29
4	3	1	7	8	8	14	18	16	16	7	7	2		2	30
2	8	7	8	15	10	14	16	12	16	12	8	2	1		31
			1			1			2						32
1		1							1						32
					1										33
4	3	1	6	8	7	12	18	15	14	7	7	2		2	34
1	8	6	8	14	10	14	16	12	15	12	8	2	1		34
				1		1		1							35

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 2—Continued.

CAUSE OF DEATH		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	573	89	41	23	13	12	178	20	8	16	19	18
2	Males	287	49	23	14	7	4	97	10		11	8	12
3	Females	286	40	18	9	6	8	81	10	8	5	11	6
4	1. Croup	{ M.. 22 F.. 22	{ 2 1	{ 9 3	{ 5 5	{ 2 2	{ 2 4	{ 20 15	{ 2 3	{ 2	{ 1	{ 	{ 1
5	2. Laryngitis	{ M.. 3 F..	{ 	{ 1 	{ 1 	{ 	{ 	{ 2 	{ 1 	{ 	{ 	{ 	{
6	3. Bronchitis	{ M.. 50 F.. 60	{ 19 16	{ 3 4	{ 	{ 1 	{ 1	{ 23 21	{ 3 	{ 1	{ 	{ 1 1	{ 1 1
7	4. Pneumonia	{ M.. 158 F.. 154	{ 16 15	{ 9 9	{ 6 3	{ 2 3	{ 1 1	{ 34 31	{ 3 4	{ 4	{ 11 4	{ 8 6	{ 10 3
8	5. Pleurisy	{ M.. 4 F.. 3	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 	{ 	{
9	6. Asthma	{ M.. 4 F.. 4	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
10	7. Others of this class	{ M.. 46 F.. 43	{ 12 8	{ 1 2	{ 2 1	{ 2 1	{ 1 2	{ 18 14	{ 1 1	{ 1	{ 	{ 4 	{ 1 1
11	V.—Diseases of the digestive system	141	14	6		1	2	23	1	6	6	8	6
12	Males	68	9	2			1	12	1	4	1	1	2
13	Females	73	5	4		1	1	11		2	5	7	4
14	1. Dentition	{ M.. 2 F.. 4	{ 1	{ 2 3	{ 	{ 	{ 	{ 2 4	{ 	{ 	{ 	{ 	{
15	2. Angina	{ M.. 2 F..	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 1 	{ 	{ 	{
16	3. Diseases of the stomach	{ M.. 15 F.. 14	{ 	{ 1	{ 	{ 	{ 	{ 2 	{ 	{ 	{ 1 	{ 1 	{ 1
17	4. Obstruction of the bowels	{ M.. 4 F.. 5	{ 1 1	{ 	{ 	{ 	{ 	{ 1 1	{ 	{ 	{ 	{ 1 	{
18	5. Hernia	{ M.. 2 F.. 1	{ 1 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 	{ 	{ 	{
19	6. Other diseases of the bowels	{ M.. 1 F..	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
20	7. Jaundice	{ M.. 2 F.. 1	{ 2 1	{ 	{ 	{ 	{ 	{ 2 1	{ 	{ 	{ 	{ 	{
21	8. Inflammation and abscess of the liver	{ M.. 3 F.. 6	{ 1	{ 	{ 	{ 1 	{ 	{ 2 	{ 	{ 	{ 1 	{ 	{ 1
22	9. Other diseases of the liver	{ M.. 13 F.. 11	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 1 	{
23	10. Peritonitis	{ M.. 18 F.. 25	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 2	{ 2 2	{ 1 3	{ 1 4	{ 1 3
24	11. Ascites	{ M.. F.. 2	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
25	12. Others of this class	{ M.. 6 F.. 4	{ 5 1	{ 	{ 	{ 	{ 	{ 5 1	{ 	{ 	{ 	{ 	{
26	VI.—Diseases of the urinary system and male organs of generation	101		1				1	2		4	2	3
27	Males	74							1		3		2
28	Females	27		1				1	1		1	2	1
29	1. Bright's disease	{ M.. 30 F.. 15	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 1	{ 	{ 1 1	{ 	{
30	2. Calculus urinary	{ M.. 3 F..	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
31	3. Diseases of the kidney	{ M.. 19 F.. 10	{ 	{ 1 	{ 	{ 	{ 	{ 1 1	{ 1 	{ 	{ 1 	{ 2 	{ 1 1
32	4. Diseases of the bladder	{ M.. 19 F.. 1	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 1
33	5. Others of this class	{ M.. 3 F.. 1	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
34	VII.—Diseases of the female organs of generation	1											
35	1. Ovarian tumors	F..											
36	2. Ovarian diseases	F..											
37	3. Uterine tumors	F..											
38	4. Uterine diseases	F..											
39	5. Others of this class	F.. 1											
40	VIII.—Affections connected with pregnancy	25									2	5	4
41	1. Abortion	F.. 1											
42	2. Childbirth	F.. 12									1	4	1
43	3. Puerperal septicaemia	F.. 8										1	1
44	4. Extra-uterine pregnancy	F..											
45	5. Others of this class	F.. 4									1		2

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	8		1			1	2	1				
2	Males.....	4		1			1	2	1				
3	Females.....	4											
4	1. Diseases of the spine.....	{ M.. 3		1				1	1				
	{ F..												
5	2. Diseases of the bones.....	{ M.. 1					1	1					
	{ F.. 3												
6	3. Diseases of the hip joint.....	{ M..											
	{ F..												
7	4. Others of this class.....	{ M.. 1											
	{ F..												
8	X.—Diseases of the skin.....	10	3					3		1		1	
9	Males.....	6	3					3		1			
10	Females.....	4										1	
11	1. Abscess.....	{ M.. 2	1					1				1	
	{ F.. 4												
12	2. Carbuncle.....	{ M.. 1								1			
	{ F..												
13	3. Others of this class.....	{ M.. 3	2					2					
	{ F..												
14	XI.—Diseases of the absorbent system.....	2											
15	Males.....	2											
16	Females.....												
17	1. Addison's disease.....	{ M..											
	{ F..												
18	2. Diseases of the spleen.....	{ M.. 1											
	{ F..												
19	3. Others of this class.....	{ M.. 1											
	{ F..												
20	XII.—Accidents and injuries.....	141	9	2	1	2	1	15	9	7	10	11	11
21	Males.....	98	7		1	1	1	10	4	4	8	10	10
22	Females.....	43	2	2		1		5	5	3	2	1	1
23	1. Burns and scalds.....	{ M.. 2				1		1					
	{ F.. 9		1			1		2	3	1	1		
24	2. Drowned.....	{ M.. 19							4	2	3	1	1
	{ F.. 4		1					1	1	1	1		
25	3. Exposure and neglect.....	{ M.. 2	1					1					
	{ F..												
26	4. Gunshot wounds.....	{ M.. 2								1			
	{ F..												
27	5. Homicide.....	{ M.. 2											1
	{ F.. 1												
28	6. Infanticide.....	{ M..											
	{ F..												
29	7. Injuries by machinery.....	{ M..											
	{ F..												
30	8. Railroad accidents.....	{ M.. 13									1	1	2
	{ F..												
31	9. Suffocation.....	{ M.. 8	6					6					
	{ F.. 2		1					1					
32	10. Suicide by shooting.....	{ M.. 2											1
	{ F..												
33	11. Suicide by drowning.....	{ M..											
	{ F..												
34	12. Suicide by poison.....	{ M.. 1									1		
	{ F.. 1												
35	13. Other suicides.....	{ M.. 7									1	2	1
	{ F.. 2												
36	14. Sunstroke.....	{ M..											
	{ F..												
37	15. Surgical operations.....	{ M.. 2			1			1					
	{ F..												
38	16. Wounds.....	{ M.. 3											
	{ F.. 2												
39	17. Other accidents and injuries.....	{ M.. 35					1	1		1	3	6	4
	{ F.. 22		1					1	2	1			1

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 2—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
		1	1	1			2								1
		1													2
			1	1			2								3
		1													4
			1	1			1								5
								1							6
								1							7
							1	1	2						8
						1		1	1						9
						1	1	1	1						10
					1		1	1	1						11
															12
									1						13
1	1														14
1	1														15
															16
1															17
	1														18
		1													19
7	6	5	9	10	7	5	3	7	4	4	3	2	2	4	20
6	4	4	6	5	6	4	1	5	3	3	1			4	21
1	2	1	3	5	1	1	2	2	1	1	2	2	2		22
						1									23
1	2	1		2	1			1							24
					1										25
			1												26
					1			1							27
															28
															29
3			2	1				1						2	30
					1				1						31
1										1					32
															33
						1									34
			2	2				1							35
															36
										1					37
1						1		1							38
1	2	3	1	2	2	1	1	1	2	1	1			2	39
			3	2		1		2	1	1	1	2	2		

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 3.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
145	151	154	162	149	188	224	314	313	288	201	107	49	12	38	1
71 74	76 75	76 78	90 72	84 65	105 83	119 105	160 154	158 155	148 140	96 105	44 63	19 30	3 9	26 12	2 3
	1		1	2	1	3	2	5	2	2	1	1		2	4
	1		1	1	1	3		2	2	1		1		2	5
			1	1	1		2	3		1	1	1			6
19	15	12	8	10	15	16	15	14	15	11	5	2		4	7
9 10	6 9	6 6	4 4	7 3	8 7	9 7	10 5	6 8	10 5	6 5	2 3	2		2 2	8 9
															10
															11
															12
1	1	1												1	13
															14
					1					1				1	15
															16
6 3	1 2	3	2 2	2	1	1			1	1 1				1	17
1 2	1 3	2 2	1	2	4 5	4 2	5 2	4 5	6 5	2 2		1		1	18
															19
2	3 2	1 3	1	2 3	2	3 3	3 2	2	1			1			20
							1			1					21
1 1	1		1 1	1		1	1 1	1	2						22
															23
1 1	1				1 1	1 1	1	1 1		2 1	2 2	1			24
		4	2	4		2	1	1	2	1					25
		3 1	2	4		1 1	1	1	1 1	1					26 27
															28
		3	1				1								29
															30
		1		3				1							31
			1	1		1			1 1	1					32
3	3	1	5	3	4	10	16	40	42	56	33	23	11	3	33
2 1	1 2	1	3 2	2 1	3 1	3 7	10 6	19 21	19 23	29 27	14 19	11 12	3 8	2 1	34 35
															36
															37
															38
2 1	1 2	1	3 2	2 1	3 1	2 6	8 5	8 7	5 12	5 8	2 6	2 1		1	39
						1	2	11	14	24	12	9	3	2	40
						1	1	14	11	19	13	11	5		

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 3—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	767	25	11	2	2		40	5	12	37	62	70
2	Males.....	343	11	2	1	1		15	4	6	12	23	26
3	Females.....	424	14	9	1	1		25	1	6	25	39	44
4	1. Rheumatism.....	{ M. 13 F. 10							1	1	1		
5	2. Scrofula and tabes.....	{ M. 4 F. 5	1					1		1			
6	3. Leprosy.....	{ M. F.											
7	4. Consumption.....	{ M. 232 F. 283	3	1		1		5	2	3	11	23	23
8	5. Hydrocephalus.....	{ M. 9 F. 11	5	1	1			7					
9	6. Cancer.....	{ M. 44 F. 70											1
10	7. Tumor.....	{ M. 8 F. 9	1					1					
11	8. Anemia.....	{ M. 2 F. 7	1					1					1
12	9. Dropsy.....	{ M. 21 F. 22							1	1			
13	10. Diabetes.....	{ M. 9 F. 7										1	2
14	11. Others of this group.....	{ M. F.											1
15	12. Others of this class.....	{ M. F.											
16	II.—Diseases of the nervous system.....	585	82	37	13	12	4	148	17	7	11	5	16
17	Males.....	293	45	16	9	6	2	78	8	5	6	4	8
18	Females.....	292	37	21	4	6	2	70	9	2	5	1	8
19	1. Inflammation of the brain.....	{ M. 42 F. 20	6	6	2	3	1	18	6	3	2		3
20	2. Apoplexy.....	{ M. 62 F. 69									2	1	2
21	3. Paralysis.....	{ M. 55 F. 79			2	1		3					1
22	4. Tetanus and trismus nascentium.....	{ M. 2 F.	1					1	1				
23	5. Epilepsy.....	{ M. 7 F. 3	1	1				2					1
24	6. Convulsions.....	{ M. 46 F. 44	30	6	4	1		41		1	1		1
25	7. Mental diseases.....	{ M. 19 F. 6										1	2
26	8. Diseases of the brain.....	{ M. 48 F. 47	3	3	1	1		11		1	1	1	1
27	9. Diseases of the spinal cord.....	{ M. 9 F. 7	1				1	2	1			1	1
28	10. Others of this class.....	{ M. 3 F. 8		1				1	1		1		1
29	III.—Diseases of the circulatory system.....	370	18	1	1		1	21	9	12	5	9	7
30	Males.....	191	12	1	1			14	4	8	2	4	2
31	Females.....	179	6				1	7	5	4	3	5	5
32	1. Angina pectoris.....	{ M. 3 F. 2											
33	2. Aneurism.....	{ M. 5 F. 1								1			
34	3. Diseases of the heart.....	{ M. 177 F. 174	9	1	1			11	4	7	2	4	2
35	4. Others of this class.....	{ M. 6 F. 2	3				1	3	5	4	3	5	5

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 3—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
46	57	57	57	38	50	44	69	48	39	19	8	4		5	1.
20 26	21 36	25 32	33 24	22 16	21 29	22 22	34 35	21 27	19 20	9 10	5 3	1 3		4 1	2: 3:
1		1	1		1 1	2 1	1 1	2	2 2	1				1	4.
	1				1 1				1						5.
															6.
20 22	18 31	22 23	22 14	17 10	15 12	11 7	13 17	8 12	10 12	3 5	2 2	1 1		3	7.
							1	1							8.
1	2 2	1 8	6 5	3 4	3 11	6 13	9 13	6 7	4 2	1 2	1 1			1	9.
	1		1 1		3 3	1 1	3 1	2	1			1			10.
			2					1		2	1				11.
1	1 1	1 1	3 1	1	1 1	2	4 2	1 5	2 3	3 1	1	1			12.
1			1	1 1			3 1	1 2		1					13.
				1											14.
															15.
18	10	13	19	17	28	39	66	56	57	33	16	4		5	16.
12 6	5 5	7 6	10 9	8 9	16 12	18 21	27 39	29 27	30 27	12 21	7 9	1 3		2 3	17 18.
1 2	1	1	1 1	2	2 1	1	2			1				1	19.
1 1		2	1 1	2 5	6 8	8 6	11 11	12 14	10 9	3 6	5 2	2			20.
2		3 2	2 3	1	6 2	5 10	7 20	9 13	12 11	3 10	1 4	1 11		1	21.
															22.
1	1 1	1	1					1							23.
1	1		1						1		1			1	24.
2	1	1	4 1	2 2		1	1	3	3 1						25.
4 2	2 1	2	1 1	2	1 1	4 1	8 5	4	3 6	5 2	3			1 1	26.
		1		1	1				1	2					27.
1	1 1		1			1	1			1					28.
6	9	15	15	22	29	26	42	49	41	25	17	8	1	2	29.
3 3	9	6 9	8 7	10 12	16 13	18 8	15 27	26 23	22 19	14 11	5 12	5 3	1	2	30 31.
			1	1					1 1	1					32.
		1		1		1		1		1					33.
3 3	9	5 9	6 7	9 11	16 13	17 8	15 27	24 23	21 18	12 10	5 12	5 3	1	2	34.
			1					1		1					35.

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 3—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
18	22	23	19	27	28	57	49	57	61	35	23	6		6	1
11	14	13	9	13	15	28	21	27	30	15	8	1		5	2
7	8	10	10	14	13	29	28	30	31	20	15	5		1	3
														1	4
															5
															6
2		1	2		2	4	3	6	9	6	4				7
2	1	3	2	4	3	5	6	4	8	6	5	3			8
7	13	11	6	11	10	19	15	13	19	8	3	1		3	9
5	5	6	9	7	8	22	18	24	19	8	7	2			10
1				2		1	1	1							11
															12
															13
															14
															15
															16
															17
															18
															19
															20
															21
															22
															23
															24
															25
															26
13	6	6	12	5	10	10	22	11	*13	10		1		1	27
2	5	3	6	3	8	4	15	5	6	4					28
11	1	3	6	2	2	6	7	6	7	6		1		1	29
															30
															31
															32
															33
															34
															35
															36
															37
															38
															39
															40
															41
															42
															43
															44
															45

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 3—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	7			3			3					
2	Males	4			2			2					
3	Females	3			1			1					
4	1. Diseases of the spine	{ M. 2 F. 1			2			2					
5	2. Diseases of the bones	{ M. F.											
6	3. Diseases of the hip joint.....	{ M. 1 F. 1											
7	4. Others of this class	{ M. F.											
8	X. —Diseases of the skin	2									1	1	
9	Males	2									1	1	
10	Females												
11	1. Abscess	{ M. F. 2									1	1	
12	2. Carbuncle	{ M. F.											
13	3. Others of this class	{ M. F.											
14	XI.—Diseases of the absorbent system.....	3											
15	Males	3											
16	Females												
17	1. Addison's disease	{ M. F. 3											
18	2. Diseases of the spleen	{ M. F.											
19	3. Others of this class	{ M. F.											
20	XII.—Accidents and injuries	184	17	1	1	2	1	22	9	14	12	13	11
21	Males	142	9	1		1	1	12	6	11	12	13	10
22	Females	42	8		1	1		10	3	3			1
23	1. Burns and scalds	{ M. F. 5	2			1		3	2				
24	2. Drowned	{ M. 30 F. 6	1		1			2	4	3	8	4	1
25	3. Exposure and neglect	{ M. F. 2		1				1					
26	4. Gunshot wounds	{ M. 6 F. 2							1	2			
27	5. Homicide	{ M. F. 1											
28	6. Infanticide	{ M. F. 1	1					1					
29	7. Injuries by machinery.....	{ M. F.											
30	8. Railroad accidents.....	{ M. 43 F. 1					1	1	1	4	3	5	5
31	9. Suffocation	{ M. 7 F. 6	2			1		2				1	
32	10. Suicide by shooting	{ M. F.											
33	11. Suicide by drowning	{ M. F. 1											
34	12. Suicide by poison	{ M. F. 3											
35	13. Other suicides	{ M. 7 F. 1										1	
36	14. Sunstroke	{ M. F. 2											
37	15. Surgical operations	{ M. F. 2											
38	16. Wounds	{ M. F. 1											
39	17. Other accidents and injuries	{ M. 34 F. 18	5					5		2	1	2	4

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 3—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
															1
	1					2		1							2
						1		1							3
	1					1									4
															5
						1									6
	1							1							7
						1									8
															9
															10
															11
															12
															13
			2		1										14
		2			1										15
		2			1										16
		2			1										17
															18
															19
9	15	6	12	13	8	8	3	9	6	3	3			8	20
9	10	5	11	9	8	5	3	3	4	1	3			7	21
	5	1	1	4		3		6	2	2				1	22
1				1				1							23
1	2		1		2	1	2		1						24
						1								1	25
			1												26
			2		1										27
1															28
															29
															30
3	4	2	4	1	1	1	1	2	1					4	31
				1											32
			2	1					1						33
						1									34
1	2														35
															36
															37
															38
															39
															40
1	2	2	2	5	3				1	1	3				41
	4			2		1		4	1	2					42

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 4.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
587	517	506	523	527	627	686	873	808	824	641	370	151	48	72	1
322 265	288 259	264 242	279 244	269 258	326 301	379 307	440 433	427 381	420 404	344 297	172 198	63 88	14 34	42 30	2 3
6	6	4	8	4	10	8	17	14	11	5	4	2		4	4
4 2	3 3	2 2	5 3	1 3	5 5	4 4	11 6	5 9	4 7	4 1	4	2		2 2	5 6
66	58	32	34	33	47	48	68	57	65	31	26	7	4	9	7
41 25	27 31	16 16	17 17	13 20	23 24	20 23	30 38	35 22	34 31	16 15	14 12	1 6	2 2	4 5	8 9
	2		2												10
								1							11
									1						12
1	1 1	1	1			1									13
	2										1				14
							1	1							15
		1					1		1						16
3	3						2		1						17
20 10	10 12	5 7	8 5	3 7	4 3	5 1	7 2	5 1	2 2	2 2				1 1	18
5 4	9 8	6 2	3 6	7 10	12 12	8 22	10 19	19 12	21 21	12 11	9 8		2 1	1	19
															20
4 6	3 1	2 2	1 1	1 1	4 5	1 2	3 7	3 6	2 2	2	1			1	21
	2	2	1		1	1	2	1	1	1	1			1	22
1		1					1	2	3	1	1		2	1	23
1	2	2	2	1	1	2	4	1	2					1	24
2															25
	1		2	1	1	3	2	4	6	1	3	1			26
		1			1		6	4	2	2	2	1			27
6	8	8	9	10	8	6	4	2	4	1	3			3	28
4 2	6 2	5 3	7 2	10	7 1	6	3 1	2	2 2	1	2 1			2 1	29
															30
4 1	4 2	5 3	5 1	8	6 1	3	2	1							31
															32
	1		1	2		1	1		1					1	33
	1		1		1	2		1	1	2	2			2	34
4	3	1	5	6	14	21	46	102	150	228	161	78	31	6	35
1 3	2 1	1	5	2 4	8 6	8 13	23 23	40 62	77 73	118 110	79 82	32 46	9 22	2 4	36
															37
															38
			1												39
1 3	2 1	1	4	2 4	8 6	8 12	16 18	16 29	32 34	25 25	17 18	6 10	1 1	1 1	40
							7	24	45	93	62	26	8	1	
						1	5	33	39	85	64	36	21	3	

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 4—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	2,341	78	24	16	12	11	141	35	38	154	201	224
2	Males	1,054	47	10	6	5	8	76	16	11	46	84	99
3	Females	1,287	31	14	10	7	3	65	19	27	108	117	125
4	1. Rheumatism.....	{ M. 34 F. 30	1			1	1	1	1	1	2	1	2
5	2. Scrofula and tabes.....	{ M. 11 F. 26	5	2	1		1	7		3	3		1
6	3. Leprosy	{ M. F.											
7	4. Consumption	{ M. 709 F. 826	16	3	2	1	3	25	3	7	41	81	96
8	5. Hydrocephalus.....	{ M. 43 F. 23	21	5	2	4		32	9	2		1	1
9	6. Cancer	{ M. 149 F. 263					1	1	1		1	2	4
10	7. Tumor.....	{ M. 17 F. 17		1				1			1		2
11	8. Anæmia	{ M. 11 F. 8	3	1	1			5	1	1	1	1	2
12	9. Dropsy	{ M. 56 F. 59	1			1	1	2		2		3	2
13	10. Diabetes.....	{ M. 21 F. 25							2	1	1	2	1
14	11. Others of this group.....	{ M. 3 F. 10	1		2		1	2	1				1
15	12. Others of this class	{ M. F.											
16	II.—Diseases of the nervous system	1,876	499	122	45	26	18	710	57	16	25	33	20
17	Males	979	290	64	22	11	5	392	33	7	11	13	11
18	Females	897	209	58	23	15	13	318	24	9	14	20	9
19	1. Inflammation of the brain.....	{ M. 182 F. 157	62	27	15	7	4	115	20	2	5	4	2
20	2. Apoplexy	{ M. 185 F. 183	1	2		1		4	2	1		1	1
21	3. Paralysis	{ M. 184 F. 215	1	1		1	1	1	2	1	1	2	2
22	4. Tetanus and trismus nascentium.....	{ M. 7 F. 4	2					2	1	1	1		1
23	5. Epilepsy.....	{ M. 23 F. 21	3	2	1			5	1		3	4	2
24	6. Convulsions	{ M. 246 F. 177	197	27	5	2	1	232	3	1	1	1	
25	7. Mental diseases	{ M. 11 F. 16										1	
26	8. Diseases of the brain.....	{ M. 115 F. 88	24	5	1	1		31	4	2	3	2	2
27	9. Diseases of the spinal cord.....	{ M. 19 F. 29	3	1	1	2		5	2	1		1	
28	10. Others of this class.....	{ M. 7 F. 7										1	
29	III.—Diseases of the circulatory system.....	1,160	78	6	5	7	1	97	12	18	17	31	36
30	Males	615	50	4	1	5		60	6	9	6	17	15
31	Females	545	28	2	4	2	1	37	6	9	11	14	21
32	1. Angina pectoris	{ M. 15 F. 20							1				2
33	2. Aneurism	{ M. 4 F. 3										2	1
34	3. Diseases of the heart.....	{ M. 560 F. 496	25	3	1	5		34	6	9	6	15	15
35	4. Others of this class	{ M. 36 F. 26	25	1				26	5	9	11	13	19

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 4—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
214	183	163	142	123	150	134	150	107	96	45	24	6	3	8	1
96	88	79	70	53	66	65	70	57	43	21	8	2	3	4	2
118	95	84	72	70	84	69	80	50	53	24	16	4	3	4	3
4	2	2	4	2	2	1	2	6	3	2	2	1		1	4
	3			1	2	2	2	2	3	3					5
2	2	2			1	1	1	1							6
86	78	63	54	28	44	33	21	22	16	8	2			1	7
103	74	46	39	28	40	28	42	13	19	6	5	2	1	2	8
									1		1				9
4	3	9	12	16	11	23	33	17	12	5	1				10
7	11	30	20	30	37	29	26	22	20	11	8	1	2	2	11
2	3	2	1	1	1	1	2	2	1	4					12
	1	1	3		1	1	1	1		1					13
2	1	2	1	4	6	3	7	6	10	3	1	1		2	14
2	2	2	6	6	2	6	7	5	9	4	2	1			15
1	2	1	2	2	1	3	3	1	1	2	1	1			16
1				5	1	1	2	5	1		1				17
		3								1					18
															19
36	46	41	57	72	72	113	134	144	125	111	39	16	1	8	20
24	25	23	26	40	36	56	63	73	53	60	19	7		2	21
12	21	18	31	32	36	57	71	71	67	51	20	9	1	6	22
7	4	5	3	5	2	1	2	2	1	2				1	23
1	1	1	4	1	3		3								24
3	7	5	7	10	19	28	23	24	26	12	6	5		2	25
3	5	8	8	12	16	24	26	22	22	23	4	1		2	26
3	6	3	7	10	8	15	24	29	21	36	11	2		1	27
1	8	4	10	9	11	19	27	36	32	23	18	7	1	1	28
						1		1							29
2	2	2		1	1	1	4	2		2					30
1			2							1					31
	1	3	1	1	1		1	2	1	2				1	32
															33
2	2	2	1	1	1	2	1	3	1	1	1				34
5	3	3	6	12	2	8	5	10	8	7	2	1		1	35
	4	3	3	3	5	9	10	8	4	2	1	1			
4		2	1	1	1		1	2							
2	1		2	2		3	1	1							
1	2		1	1	1		1	1	1	1	1				
32	37	42	62	60	92	103	131	126	120	86	39	13	1	5	36
15	22	23	29	28	42	59	67	74	64	50	18	7		4	37
17	15	19	33	32	50	44	64	52	56	36	21	6	1	1	38
1			4	1	1	4	3	3	3						39
	1				2	2	1	2	3		1				40
															41
1							1	2							42
14	21	23	29	28	40	54	62	70	60	47	18	6		3	43
16	14	19	27	30	48	40	63	49	53	35	20	6	1	1	44
	1				1	1		1	1	3		1		1	45
			2	1		1		1		1					46

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 4—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	21	2		1		1	4	1	2	1	2	
2	Males	10					1	1		1		1	
3	Females	11	2		1			3	1	1		1	
4	1. Diseases of the spine..... { M. { F.	5 8				1		3	1	1		1	
5	2. Diseases of the bones..... { M. { F.	1 2					1	1					
6	3. Diseases of the hip joint..... { M. { F.	2								1		1	
7	4. Others of this class..... { M. { F.	2 1											
8	X.—Diseases of the skin.....	39	10	1				11	1				1
9	Males	19	7					7	1				1
10	Females	20	3	1				4					
11	1. Abscess..... { M. { F.	13 15	3	1				3 1	1				1
12	2. Carbuncle..... { M. { F.	2 1	1					1					
13	3. Others of this class..... { M. { F.	4 4	3					3 3					
14	XI.—Diseases of the absorbent system.....	14											1
15	Males	9											1
16	Females	5											
17	1. Addison's disease..... { M. { F.	5 4											
18	2. Diseases of the spleen..... { M. { F.	1 1											
19	3. Others of this class..... { M. { F.	3											1
20	XII.—Accidents and injuries.....	813	71	7	12	5	4	101	39	32	43	59	72
21	Males	646	49	4	6	2	3	64	27	25	42	49	60
22	Females	167	24	3	6	3	1	37	12	7	1	10	12
23	1. Burns and scalds..... { M. { F.	10 11	1	2	1	1	1	6 5		1			1
24	2. Drowned..... { M. { F.	116 13	1		3		2	6 3	11 3	9 1	13	15 2	9
25	3. Exposure and neglect..... { M. { F.	6 4	2					2 1				1	
26	4. Gunshot wounds..... { M. { F.	10								1	3		1
27	5. Homicide..... { M. { F.	5 4	1					1		1	2	1	1
28	6. Infanticide..... { M. { F.												
29	7. Injuries by machinery..... { M. { F.	1											
30	8. Railroad accidents..... { M. { F.	143 16					1	1	7 1	2 1	7	18 1	21 2
31	9. Suffocation..... { M. { F.	29 11	23 8	1	1			23 10	1			1	1
32	10. Suicide by shooting..... { M. { F.	11 1										2	2
33	11. Suicide by drowning..... { M. { F.	2										1	
34	12. Suicide by poison..... { M. { F.	12 7								1	1	3	3
35	13. Other suicides..... { M. { F.	39 11										1 1	3 1
36	14. Sunstroke..... { M. { F.	3									1	1	
37	15. Surgical operations..... { M. { F.	13 9	2					2	1 1				3
38	16. Wounds..... { M. { F.	21 4	1		1			2		3		1	3
39	17. Other accidents and injuries..... { M. { F.	205 76	21 10	2 1	2 1	1 1		26 13	7 3	9 3	15 1	9 1	13 7

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 4—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
		1		1	2	1	1	1	3		1				1
		1		1	1	1		1	1		1				2
															3
		1		1	1	1			1						4
															5
															6
								1	1			1			7
4	2	1	3	2	5	3	1	1	3					1	8
1	1	1	1	2	5	3	1	1	3					1	9
3	1	1	2	2	4	3	1	1	3						10
1			1												11
	1														12
														1	13
1	2	2	2	2	1		1	1	1						14
1	1	1	1	1	1			1	1						15
	1	1	1	1											16
1	1	1	1	1					1						17
															18
															19
					1			1							20
73	48	57	47	49	37	41	34	25	22	8	5	3	2	16	20
63	42	46	38	41	33	36	24	18	15	6	1	1		15	21
10	6	11	9	8	4	5	10	7	7	2	4	2	2	1	22
1		1													23
	1	1						1							24
9	5	10	5	5	3	6	2	3						5	25
1		1	1	1											26
3				1										1	27
1		1			1			2							28
															29
				1											30
22	21	13	11	9	4	7	4	2	4	1				10	31
1		1	1	1	2	2	3	1							32
1	1	1		1		2	1								33
															34
1	2		1	1		2	1								35
		1	1			1									36
1	2	3	4	8	6	5	2	3	3	1					37
			2	2		1									38
				1											39
1	1	2	1	1	1	2			1						40
1		4													41
2		2		3	5			1	1						42
								1							43
20	11	13	16	10	12	12	11	8	7	4	1	1			44
5	3	3	4	3	3	1	5	5	6	2	4	2	2		45

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 5.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,072	1,050	972	1,104	1,224	1,325	1,598	1,883	1,949	1,893	1,496	828	296	92	231	1
512	537	493	568	630	690	851	989	1,010	1,013	762	406	138	28	136	2
560	513	479	536	594	635	747	891	939	880	734	422	158	64	95	3
4	12	11	17	9	25	20	35	26	26	12	13	4	1	4	4
1	6	6	6	5	12	8	16	14	16	6	12	2	1	3	5
3	6	5	11	4	13	12	19	12	10	6	1	2	1	1	6
138	107	91	90	101	165	104	134	134	108	98	47	11	3	12	7
59	48	48	53	51	55	47	75	69	56	45	27	6	3	8	8
79	59	43	37	50	50	57	59	65	52	53	20	5	3	4	9
			1												10
1	2	1	1	1		1		1		1					11
		1	1	1	2		1		1						12
1				2						1	1				13
11	6	3	2			2		1		1	1				14
			1											1	15
2	1			1		3			1						16
		1	1		1			1		2					17
23	24	19	21	14	11	7	9	8	2	3	1	1		2	18
21	17	11	8	21	7	6	7	2	4	5				1	19
16	12	13	13	20	25	25	41	31	33	24	17	2		3	20
22	16	14	14	21	28	30	39	43	82	40	10	4	1	1	21
															22
15	5	4	10	5	4	4	10	8	2	4	1	1			23
7	4	7	4	3	9	8	4	6	9	2		1	1		24
1	2	4	2	2	1	2	6	6	2	3	1			1	25
3	3	1	2	2	1	1	3	1	3	3	1				26
	2	3	4	3	6	6	2	4	2	2				1	27
12	6	5	2	1	4	3	2	2			1				28
1	1	1	1				1	1							29
	2			2	5	3	6	8		8	7	2			30
			2	1		1	2	8		3	8		1		31
13	14	13	11	13	9	14	11	7	7	7	6	6	2	3	32
8	9	8	9	12	8	8	4	5	7	3	6	1	1	2	33
5	5	5	2	1	1	6	7	2		4		5	1	1	34
															35
4	7	7	6	10	4	4		1	3	1	1				36
2	3	2		1		1				1					37
								1							38
4	2	1	2	1	1	2	3		1					1	39
2	1	1					2			1					40
1	1	2	1	1	3	4	1	3	3	2	5	1	1	1	
					1	3	5	2		3		5	1	1	
18	10	13	31	19	34	60	102	193	*307	413	318	161	53	14	33
8	3	4	10	7	14	27	39	95	159	200	153	78	19	7	34
10	7	9	21	12	20	33	63	98	148	213	165	83	34	7	35
															36
															37
															38
8	3	4	10	7	14	21	33	36	58	43	26	11	2	4	39
10	7	9	21	12	20	24	39	40	56	42	31	14	1	2	40
						6	6	59	101	157	127	67	17	3	
						9	24	58	92	171	134	69	33	4	

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 5—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	4,884	113	46	31	20	15	225	42	70	262	463	453
2	Males.....	2,214	67	17	21	10	7	122	27	17	96	218	204
3	Females.....	2,670	46	29	10	10	8	103	15	53	166	245	249
4	1. Rheumatism.....	{ M. 78 F. 60	2		1		1	2 3	3	1 2	1 2	1 1	1 1
5	2. Scrofula and tabes.....	{ M. 27 F. 42	8 6	2 1	1 1	1 1		12 11	1		3	1	1 2
6	3. Leprosy.....	{ M. F.											
7	4. Consumption.....	{ M. 1,527 F. 1,686	28 18	8 16	11 4	2 8	1 3	50 49	14 10	12 42	89 151	200 233	193 232
8	5. Hydrocephalus.....	{ M. 50 F. 39	25 12	6 11	6 4	4 1	2 2	43 30	2 3		4	3 1	
9	6. Cancer.....	{ M. 279 F. 582	1		1		1	2 1			1	2 1	4 6
10	7. Tumor.....	{ M. 25 F. 49	1		1		1	2 1			1 2	4	
11	8. Anæmia.....	{ M. 21 F. 21	3					3		1	2	2	2
12	9. Dropsy.....	{ M. 121 F. 132	2 1	1		1		4 1	5 1	1 2	3	4 2	3
13	10. Diabetes.....	{ M. 73 F. 44					1	1	2	2	2	3	4
14	11. Others of this group.....	{ M. 13 F. 15	1 3		1	1	1	4 4			1	1	1
15	12. Others of this class.....	{ M. F.											
16	II.—Diseases of the nervous system.....	3,937	677	215	82	66	33	1,073	114	58	54	61	69
17	Males.....	2,053	399	108	35	35	16	593	57	30	21	25	40
18	Females.....	1,884	278	107	47	31	17	480	57	28	33	36	29
19	1. Inflammation of the brain.....	{ M. 354 F. 287	105 79	52 45	18 15	20 15	10 9	205 163	29 24	15 14	10 14	5 13	12 6
20	2. Apoplexy.....	{ M. 483 F. 497	5 5	1	1	2		7 8	1 3		2 3	2 1	4 2
21	3. Paralysis.....	{ M. 467 F. 464	4 2	1	1	2	1	6 5	2 5	5	3 2	4 5	5 4
22	4. Tetanus and trismus nascentium.....	{ M. 13 F. 7	5 4					5 4		1 1		1	1
23	5. Epilepsy.....	{ M. 48 F. 36	2 3	1		2	1	4 5	3	3	2	1	6
24	6. Convulsions.....	{ M. 323 F. 272	222 151	39 43	14 20	9 7	1 3	285 224	15 4	1 2	1 3	1 7	1 6
25	7. Mental diseases.....	{ M. 38 F. 35									1	2	2
26	8. Diseases of the brain.....	{ M. 260 F. 188	45 25	14 12	3 7	1 4	2 2	65 50	7 8	4 5	2 3	3 4	7 2
27	9. Diseases of the spinal cord.....	{ M. 46 F. 50	11 8	2 5		1 3	2 1	16 18	1 9	1 4	1 2	1 1	2
28	10. Others of this class.....	{ M. 21 F. 48	1				1	2	1	2	1	2	2
29	III.—Diseases of the circulatory system.....	2,580	102	7	6	6	4	125	27	32	41	48	65
30	Males.....	1,354	55	5	5	2	2	69	17	18	15	25	30
31	Females.....	1,226	47	2	1	4	2	56	10	14	26	23	35
32	1. Angina pectoris.....	{ M. 50 F. 28								1			1
33	2. Aneurism.....	{ M. 6 F. 4											1
34	3. Diseases of the heart.....	{ M. 1,266 F. 1,161	36 32	5 2	5 1	2 4	2 1	50 40	17 10	18 13	15 26	25 23	29 33
35	4. Others of this class.....	{ M. 32 F. 33	19 15				1	19 16					1

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 5—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
383	346	310	332	322	318	331	334	276	204	116	43	11	2	41	1
163	164	144	139	148	132	154	162	128	94	51	24	5	1	21	2
220	182	166	193	174	186	177	172	148	110	65	19	6	1	20	3
4	3	3	5	8	2	8	21	9	3	3					4
1	1	4	3	5	6	6	6	6	7	4	1	1			4
2	1	2	2	2	2	1	1	1		1					5
	1	1	2	8	2	1	3	5							6
142	139	123	106	101	73	82	74	51	36	16	7	1		18	7
196	141	99	92	79	87	67	73	57	49	12	5			12	7
1					1										8
1															8
8	12	9	17	21	35	36	41	37	29	12	12	2			9
13	27	46	72	64	71	75	65	60	33	28	10	4		5	9
1		1	2	1	2	3	3	1	3	1					10
2	4	8	10	1	5	6		4	3	3					10
1	2	2	2	2	1	1	3	2	2						11
1				1	1	1	4	2	1						11
1	5		3	6	7	15	8	21	15	14	5	2	1	1	12
3	7	8	7	12	5	13	15	14	15	17	2	1	1	3	12
6	2	2	1	5	8	8	10	6	6	4				2	13
1	1	1	5	4	8	7	4		2	1					13
		2	1	2	1	1	1								14
			2		1	1	2				1				14
															15
72	77	105	141	161	191	250	341	361	345	274	119	24	6	41	16
51	43	59	84	70	102	140	155	182	178	142	50	10	1	20	17
21	34	46	57	91	89	110	186	179	167	132	69	14	5	21	18
13	8	10	7	8	7	5	7	6	2	3	1			3	19
1	10	5	4		5	5	8	1	7	3	1			3	19
11	5	11	28	25	30	66	68	73	59	58	25	3	1	4	20
5	11	14	21	33	33	47	25	68	71	54	25	6		7	20
6	12	21	23	22	35	43	54	61	83	55	21	3		3	21
5	4	10	15	30	23	35	68	78	63	64	35	5	4	3	21
1	1			2			1								22
1		1													22
4	4	4	4		3	3	1	2	2					3	23
1	1	3	3	1	3	3		3	1	1					23
1	2	2	1		1	1	1	1	3	4				2	24
5	2	3	2	5	2		1	1	1	1				4	24
2	2	3	3		6		5	6	3	3	1			2	25
1	4	1	1	2	4	2	2	4	3	1	1			1	25
9	7	7	13	11	13	14	16	26	22	18	2	4		5	26
	2	8	5	12	8	14	19	17	15	3	6	3	1	3	26
1	1	1	4	2	5	3	1	4	2						27
			3	1	4	1	1	4		2					27
3	1		1		2	5	1	3	2	1					28
2		1	3	7	7	3	2	4	6	3	1				28
75	89	84	100	163	198	249	303	335	298	210	88	27	8	15	29
34	45	35	48	68	104	133	184	180	165	114	44	15	3	8	30
41	44	49	52	95	94	116	119	155	133	96	44	12	5	7	31
	1	1	2	8	7	4	8	6	9	2	1				32
1	2	1	1	3	2	3	3	5	3	1	1			1	32
		1		1		1		1	2						33
	1			1		1		1							33
34	44	33	46	58	96	127	175	170	153	110	42	14	3	7	34
38	41	48	49	91	89	111	114	148	128	95	41	12	5	6	34
				1	1	1	1	3	1	2	1	1		1	35
2			2	1	3	1	2	1	2		2				35

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 5—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	4,526	591	266	143	99	72	1,171	177	57	117	148	134
2	Males	2,378	331	145	75	55	33	644	86	18	56	91	82
3	Females	2,148	260	121	68	44	34	527	91	39	61	57	52
4	1. Croup	{ M. 192 F. 123	{ 24 19	{ 42 25	{ 32 22	{ 23 15	{ 19 9	{ 145 90	{ 37 33	{ 5 1	{ 1 2		
5	2. Laryngitis	{ M. 18 F. 5	{ 3 1	{ 1 1	{ 1 1	{ 1 1		{ 9 2	{ 3 1		{ 1 1		
6	3. Bronchitis	{ M. 407 F. 469	{ 111 96	{ 24 34	{ 4 17	{ 2 5	{ 4 6	{ 145 158	{ 5 14	{ 1 4	{ 5 9	{ 11 8	{ 4 4
7	4. Pneumonia	{ M. 1,443 F. 1,261	{ 143 106	{ 65 46	{ 34 26	{ 13 20	{ 10 16	{ 270 214	{ 34 35	{ 12 29	{ 45 41	{ 71 41	{ 68 38
8	5. Pleurisy	{ M. 26 F. 27	{ 2 2					{ 2 2	{ 2 1		{ 3 3	{ 1 1	
9	6. Asthma	{ M. 22 F. 18									{ 1 1		
10	7. Others of this class	{ M. 270 F. 240	{ 50 36	{ 13 15	{ 4 2	{ 3 4	{ 3 3	{ 73 61	{ 5 9		{ 5 4	{ 7 7	{ 10 9
11	V.—Diseases of the digestive system	1,302	138	34	13	8	8	201	35	36	33	57	63
12	Males	687	85	16	8	3	7	119	21	18	14	25	32
13	Females	615	53	18	5	5	1	82	14	18	19	32	31
14	1. Dentition	{ M. 17 F. 19	{ 10 9	{ 5 10				{ 16 19					
15	2. Angina	{ M. 11 F. 4	{ 1 1	{ 1 1				{ 3 3	{ 2 2	{ 2 1	{ 1 1		
16	3. Diseases of the stomach	{ M. 145 F. 149	{ 13 7	{ 3 2	{ 2 2	{ 2 2		{ 19 13	{ 2 6	{ 3 3		{ 2 8	{ 3 8
17	4. Obstruction of the bowels	{ M. 44 F. 36	{ 6 4		{ 2 1			{ 9 6	{ 4 1		{ 2 1		{ 1 1
18	5. Hernia	{ M. 25 F. 23	{ 3 3					{ 3 3				{ 1 1	{ 2 1
19	6. Other diseases of the bowels	{ M. 20 F. 16	{ 4 2	{ 2 1				{ 7 3	{ 1 1		{ 1 1		{ 1 1
20	7. Jaundice	{ M. 11 F. 15	{ 6 1					{ 6 1		{ 1 1			
21	8. Inflammation and abscess of the liver	{ M. 58 F. 33	{ 2 3					{ 2 3	{ 1 1		{ 1 1	{ 4 2	{ 6 1
22	9. Other diseases of the liver	{ M. 130 F. 92	{ 1 2					{ 2 2	{ 1 1			{ 1 1	{ 2 1
23	10. Peritonitis	{ M. 144 F. 164	{ 11 5		{ 3 2	{ 3 2	{ 1 1	{ 13 8	{ 8 6	{ 9 9	{ 9 15	{ 11 20	{ 12 18
24	11. Ascites	{ M. 7 F. 12											{ 1 1
25	12. Others of this class	{ M. 75 F. 52	{ 29 22	{ 5 4		{ 1 1		{ 34 27	{ 2 3	{ 3 3	{ 1 1	{ 3 1	{ 5 1
26	VI.—Diseases of the urinary system and male organs of generation.	1,013	15	5	7	3	3	33	14	9	20	34	37
27	Males	660	13	3	5	2	1	24	7	4	10	17	21
28	Females	353	2	2	2	1	2	9	7	5	10	17	16
29	1. Bright's disease	{ M. 295 F. 204							{ 3 2	{ 2 4	{ 5 8	{ 12 11	{ 15 10
30	2. Calculus, urinary	{ M. 4 F. 2											
31	3. Diseases of the kidney	{ M. 171 F. 111	{ 9 2	{ 2 2	{ 5 2	{ 2 1	{ 1 2	{ 19 9	{ 2 5		{ 5 1	{ 2 4	{ 5 4
32	4. Diseases of the bladder	{ M. 141 F. 17		{ 1 1				{ 1 1	{ 1 1			{ 2 1	{ 1 1
33	5. Others of this class	{ M. 49 F. 19	{ 4 1					{ 4 1	{ 1 1			{ 1 2	{ 1 1
34	VII.—Diseases of the female organs of generation.	60								1	3	4	5
35	1. Ovarian tumors	F. 3											
36	2. Ovarian diseases	F. 8									1	2	
37	3. Uterine tumors	F. 12											
38	4. Uterine diseases	F. 10									2	2	1
39	5. Others of this class	F. 22								1			4
40	VIII.—Affections connected with pregnancy.	169									14	35	41
41	1. Abortion	F. 8										2	2
42	2. Childbirth	F. 56										10	9
43	3. Puerperal septicæmia	F. 63									2	20	15
44	4. Extra-uterine pregnancy	F. 2										1	
45	5. Others of this class	F. 40									7	2	15

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 5—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
133	168	144	180	216	201	284	289	316	338	282	133	36	11	32	1
72	97	75	112	126	107	162	149	143	164	111	53	12		18	2
61	71	69	77	90	94	122	140	173	174	121	80	24	11	14	3
	1			1	1		1							1	4
			1			2	1	1							5
			1												6
9	5	10	6	25	19	28	21	29	27	35	18	2		2	7
5	6	4	11	16	12	26	33	44	39	32	32	5	3	4	8
54	82	57	92	89	70	104	99	91	103	59	22	8		13	9
46	53	49	55	66	68	81	90	111	109	72	36	15	5	7	10
1		1	3		3	4	3	2	3		1				11
3	1	5	1		1	1	1	2	4						12
1				1	2	6		5	3	2	2		1		13
		1			1	2	2	3	4		3				14
7	10	7	10	10	12	18	24	15	28	15	10	2		2	15
7	10	10	9	8	12	11	14	13	18	16	9	4	2	3	16
															17
59	64	67	61	74	80	119	119	91	83	29	10	3	1	8	18
															19
19	27	33	34	44	46	60	66	50	44	18	10	2		5	20
40	37	34	27	30	34	59	53	41	39	11	9	1	1	3	21
														1	22
				1		1				1					23
															24
1	2	4	9	11	12	15	16	17	17	7	2	1		1	25
10	8	2	9	13	8	10	12	10	19	4	5			2	26
															27
1	1	3	1	5	1	4	6	3	2	1	1			2	28
2	5	1	1	1	1	5	6	1	3	1				1	29
															30
															31
															32
															33
															34
															35
															36
															37
															38
															39
															40
															41
															42
															43
															44
															45

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 5—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	54	1	1	2	4	4	4	8	5	2	5	
2	Males	32	1	1	2	4	2	5	3	2	1	1	
3	Females.....	22					2	3	2	2		4	
4	1. Diseases of the spine..... { M..	21	1	1	2	4	2	5	1	1	1	1	
	{ F..	17					1	3	1	1		4	
5	2. Diseases of the bones..... { M..	6											
	{ F..	2									1		
6	3. Diseases of the hip joint..... { M..	4							2				
	{ F..	3						1	1				
7	4. Others of this class..... { M..	1											
	{ F..												
8	X.—Diseases of the skin.....	90	10	1				11	4	2	2	5	7
9	Males.....	56	5	1				6	2	2	1	2	3
10	Females.....	34	5					5	2	1	1	3	4
11	1. Abscess..... { M..	43	3					3	2	2	1	2	3
	{ F..	24	3					3	2	1	1	3	4
12	2. Carbuncle..... { M..	6						1					
	{ F..	6	1										
13	3. Others of this class..... { M..	7	2	1				3					
	{ F..	4	1					1					
14	XI.—Diseases of the absorbent system.....	14		1				1				2	
15	Males.....	6		1				1				1	
16	Females.....	8										1	
17	1. Addison's disease..... { M..	3											
	{ F..												
18	2. Diseases of the spleen..... { M..	3		1				1					
	{ F..	1											
19	3. Others of this class..... { M..	3										1	
	{ F..	4										1	
20	XII.—Accidents and injuries.....	1,352	78	20	19	10	14	141	49	53	90	100	96
21	Males.....	1,003	46	12	13	7	6	84	37	44	76	81	86
22	Females.....	349	32	8	6	3	8	57	12	9	14	19	10
23	1. Burns and scalds..... { M..	14		1	2	3	2	8	1	1			1
	{ F..	35		1	4	3	3	8	3				2
24	2. Drowned..... { M..	156	1	3	4	1	1	10	18	16	20	14	14
	{ F..	28			1		1	2	3	2	8		
25	3. Exposure and neglect..... { M..	9	3					3					1
	{ F..	7	1					1			1		
26	4. Gunshot wounds..... { M..	33				1		1		3	8	6	4
	{ F..	4							1		1		
27	5. Homicide..... { M..	3									1		1
	{ F..	1											
28	6. Infanticide..... { M..												
	{ F..												
29	7. Injuries by machinery..... { M..	1											
	{ F..												
30	8. Railroad accidents..... { M..	249		1	1	1	2	5	4	11	24	29	37
	{ F..	16							1				
31	9. Suffocation..... { M..	41	18	3				21		1		2	2
	{ F..	35	17	2		1	1	21		1		3	
32	10. Suicide by shooting..... { M..	12										1	2
	{ F..												
33	11. Suicide by drowning..... { M..	4									1		
	{ F..	4											
34	12. Suicide by poison..... { M..	11										3	
	{ F..	9										3	
35	13. Other suicides..... { M..	66								1	4	1	4
	{ F..	22										2	
36	14. Sunstroke..... { M..	6										2	
	{ F..												
37	15. Surgical operations..... { M..	13		1				1				1	1
	{ F..	5	1					1					1
38	16. Wounds..... { M..	23	1					1		1		1	
	{ F..	8										1	1
39	17. Other accidents and injuries..... { M..	362	23	3	6	1	1	34	14	10	19	21	19
	{ F..	175	13	5	1	2	3	24	4	6	3	10	6

STATISTICS OF DEATHS.

TABLE 6.—NUMBER OF DEATHS, BY REGISTRATION STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

NEW YORK—GROUP 5—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
3	6	3	2	2	1		2	4	1		1			1	1
	5	2	1	1	1		2	3			1			1	2
3	1	1	1	1				1	1						3
	2	2	1	1	1			1							4
2	1	1	1	1					1						
	1						2	1			1			1	5
								1							
	2														6
1								1							
															7
								1							
6	2	2	2	7	6	6	10	12	2	3	1				8
5	2		1	4	6	4	6	8	1	2	1				9
1		2	1	3	2	2	4	4	1	1					
	1		1	3	5	3	4	7		1					11
5		1	1	1	1	1	2	3	1						
1				1	1	1	1	1	1	1					12
				2	1	1	1	1		1					
	1							1		1	1				13
		1						1							
		2		1	3			3	1	1					14
				1	1			1	1						15
		2		2	2			2		1					
															16
		2			1										
					1			1							17
					1										
					1										18
					1										
				1					1						19
								2		1					
91	82	73	63	76	76	70	68	51	58	42	16	4	3	50	20
74	65	59	40	59	58	53	50	28	36	26	5	1	2	39	21
17	17	14	23	17	18	17	18	23	22	16	11	3	1	11	
	2	1	3	2	1	2	4	3			1		1		22
1		1			3										
6	9	5	2	8	8	8	6	2	3					7	23
		1	2	2	2	2	1	2	1					1	
		1						1							24
								3							
										2					25
								3		1					
2	2	2	1	2	1				1						26
				1										1	
															27
					1			1							
															28
															29
		1													
25	24	13	9	10	11	14	6	4	5	4				14	30
3	2			2	1	2		2	2					1	
	2	3	1	2				1	1				1	4	31
		2		2				1	1	1				3	
1	2		2				1	2	1						32
				1	1		1	1						1	33
				1				1							
2		2	1	2	1									1	34
1			3									1			
5	1	6	1	8	6	6	9	3	4	4				3	35
3	1	2	3	2	3	1	2		2					1	
2					1		1								36
	2	1	1	3	2			1							37
	2			1											
1	2	4	3	2	2	4		1						1	38
	1		1			2		1				1			
20	21	20	19	21	25	19	24	14	22	16	5	1		8	39
9	9	8	10	6	8	8	9	12	16	14	7	3	1	2	

TABLE 7.

NUMBER OF DEATHS IN ALABAMA FROM EACH SPECIFIED DISEASE AND CLASS OF
DISEASES, WITH DISTINCTION OF AGE, SEX, AND COLOR, DURING
THE CENSUS YEAR ENDED MAY 31, 1890.

TABLE 7.—NUMBER OF DEATHS IN ALABAMA, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	1,386	39	14	18	5	6	82	30	30	59	106	120
2	Males.....	564	19	5	6	3	3	36	18	14	19	38	42
3	Females.....	822	20	9	12	2	3	46	12	16	40	68	78
4	1. Rheumatism.....	{ M.. 27 F.. 16	2 1			1	2	5 1	1		2 2	1 1	2 1
5	2. Scrofula and tuberc.....	{ M.. 23 F.. 26	5 2	3 3	1	1	1	9 7	1 1	1	3	1	3
6	3. Leprosy.....	{ M. F.											
7	4. Consumption.....	{ M.. 320 F.. 512	4 5	1 2	2 4			7 11	2 3	4 8	11 32	33 59	36 67
8	5. Hydrocephalus.....	{ M.. 16 F.. 21	7 8		2 4		1	10 17	2		1 1	1	1
9	6. Cancer.....	{ M.. 63 F.. 131				1	1	1 2		1	1	3	1
10	7. Tumor.....	{ M.. 9 F.. 14			1			1			3	1	1
11	8. Anæmia.....	{ M.. 8 F.. 8	1 1		1			1 2	1 1	3			
12	9. Dropsy.....	{ M.. 79 F.. 91		1 1	2 1		1	3 5	8 7	5 6	1	4	1 5
13	10. Diabetes.....	{ M.. 13 F.. 2								1	1	1	1
14	11. Others of this group.....	{ M. F.							2				
15	12. Others of this class.....	{ M. F.	2 1						1				
16	II.—Diseases of the nervous system.....	879	175	70	32	24	7	308	35	31	29	22	25
17	Males.....	479	96	33	19	14	5	167	17	14	18	8	15
18	Females.....	400	79	37	13	10	2	141	18	17	11	14	10
19	1. Inflammation of the brain.....	{ M.. 89 F.. 85	22 28	12 15	9 5	8 4	2 1	53 53	8 6	1 8	9 1	3 6	5 2
20	2. Apoplexy.....	{ M.. 66 F.. 54		1	1	1		3			1 1	1	2
21	3. Paralysis.....	{ M.. 100 F.. 83	1	4	1		1	7 3		2	1 1	2	2 1
22	4. Tetanus and trismus nascentium.....	{ M.. 27 F.. 5	19 5	1				20 5	1	2	1	1	
23	5. Epilepsy.....	{ M.. 19 F.. 19	2 1	2				2 3	3	3	1 2	3	3
24	6. Convulsions.....	{ M.. 41 F.. 50	27 29	7	3	1		35 39	1 1		1 1	1 1	2
25	7. Mental diseases.....	{ M.. 9 F.. 16									1		1 2
26	8. Diseases of the brain.....	{ M.. 105 F.. 71	21 15	8 8	7 2	4 3	2 1	42 29	6 8	6 6	5 3	2 1	3 1
27	9. Diseases of the spinal cord.....	{ M.. 12 F.. 6	4 1	1 3	2	1		8 4	1				
28	10. Others of this class.....	{ M.. 11 F.. 11		1		1		2		1	1	1	
29	III.—Diseases of the circulatory system.....	417	31	9	2		5	41	6	15	11	11	7
30	Males.....	212	22	1	1		2	26	5	7	4	5	2
31	Females.....	205	9	2	1		3	15	1	8	7	6	5
32	1. Angina pectoris.....	{ M.. 4 F.. 4											
33	2. Aneurism.....	{ M.. 4 F.. 3											1 1
34	3. Diseases of the heart.....	{ M.. 183 F.. 186	4 3	1	1		2	7 8	5 1	7 8	4 7	5 6	1 3
35	4. Others of this class.....	{ M.. 21 F.. 12	18 6	1				19 7					1

STATISTICS OF DEATHS.

TABLE 7.—NUMBER OF DEATHS IN ALABAMA, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

WHITE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
124	126	101	99	105	82	87	81	57	40	27	12	2	1	15	11
48 76	45 81	31 70	36 63	45 60	43 39	31 56	35 46	33 24	24 16	15 12	4 8	1 1	1	6 9	12
1	1 2		1	1	1 1	3 2	4	3	1 1	1 2		1			13
2	2 4	1 2	1	1	2 2	1 2	2 1								14
															15
38 64	33 55	24 50	26 37	35 41	22 20	15 26	9 19	7 8	7 7	5 1	1			6 3	16
		2	1	1	1										17
1 4	2 9	1 14	5 21	4 11	10 9	5 19	9 12	9 9	6 4	6 5	1 2	1 1		4	18
	3 1		1 2	1 2		2 1	2								19
								1 1	1	1	1		1	1	20
4 5	3 10	3 4	2 1	4 5	8 5	5 6	9 11	9 6	9 4	3 3	2 3			1	21
2			1				1 1	4							22
1	1						1								23
1 1															24
19	23	20	29	41	35	49	58	56	40	24	16	3		7	25
12 7	9 14	19 10	17 12	17 24	21 14	29 20	26 32	37 19	22 18	16 8	12 4	1 2		2 5	26
1 3	2 3	3	2	1				1 1						2	27
1 2	1 2	6 1	3 5	2 11	7 5	12 4	15 8	6 2	4 4	5 3	2	1			28
1	2 3	6 3	5 4	9 3	5 4	11 13	6 11	20 14	8 13	8 5	7 3				29
			1											1	30
1	1 2		1	1 2	1 1	1	1		2		2				31
	2 1			1			1							3	32
	1	1 1	2 3	3 2	2 3	1	1 2	2	1	1					33
6 2	2	2 4	5 1	3 2	4 1	3 2	3 5	6 2	6 1	1		1 1		1	34
1	1			1			1 1								35
1		1		1 1	2	1	4	2	1	1	1 1				36
16	15	18	16	27	24	34	47	48	29	32	10			10	37
5 11	7 8	6 12	10 6	13 14	15 9	19 15	22 25	26 22	18 11	15 17	3 7			4 6	38
						3	3			1					39
	1	1		1											40
5 11	6 7	5 12	10 6	12 14	14 7	16 15	22 22	25 21	18 11	14 17	3 6			4 4	41
	1				1			1 1						2	42

TABLE 7.—NUMBER OF DEATHS IN ALABAMA, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	1,377	344	132	69	39	18	602	48	37	58	72	63
2	Males	748	199	75	38	21	9	342	25	23	28	42	34
3	Females	629	145	57	31	18	9	260	23	14	30	30	29
4	1. Croup	{ M. 140 F. 104	{ 82 50	{ 26 24	{ 11 10	{ 7 6	{ 5 6	{ 131 96	{ 6 4		{ 1 3		
5	2. Laryngitis	{ M. 3 F. 4	{ 1 1		{ 1 1		{ 1 2	{ 2 4		{ 1 1			
6	3. Bronchitis	{ M. 87 F. 86	{ 31 26	{ 15 2	{ 6 8	{ 2 2	{ 1 1	{ 55 30	{ 1 5	{ 1 1	{ 3 3	{ 1 2	{ 3 3
7	4. Pneumonia	{ M. 408 F. 324	{ 61 40	{ 28 23	{ 18 9	{ 9 5	{ 2 5	{ 118 77	{ 16 12	{ 18 9	{ 19 21	{ 34 22	{ 28 24
8	5. Pleurisy	{ M. 13 F. 16		{ 1 1				{ 1 1		{ 2 2	{ 1 1	{ 2 2	{ 1 1
9	6. Asthma	{ M. 5 F. 11											{ 1 1
10	7. Others of this class	{ M. 92 F. 84	{ 25 28	{ 5 7	{ 3 3	{ 2 3	{ 1 2	{ 36 43	{ 2 2	{ 4 2	{ 5 2	{ 7 4	{ 4 1
11	V.—Diseases of the digestive system	467	79	55	29	6	5	174	17	10	13	22	16
12	Males	243	43	30	18	2	2	95	10	6	5	13	6
13	Females	224	36	25	11	4	3	79	7	4	8	9	10
14	1. Dentition	{ M. 19 F. 15	{ 6 6	{ 11 8	{ 1 1			{ 18 15					
15	2. Angina	{ M. 16 F. 10	{ 5 1	{ 2 1	{ 4 1		{ 2 2	{ 13 7	{ 1 1				{ 1 1
16	3. Diseases of the stomach	{ M. 53 F. 59	{ 9 5	{ 7 9	{ 6 4		{ 1 1	{ 22 20	{ 4 4	{ 2 2		{ 1 4	{ 1 3
17	4. Obstruction of the bowels	{ M. 23 F. 11	{ 3 1	{ 4 1	{ 1 1			{ 7 3		{ 3 2		{ 3 3	
18	5. Hernia	{ M. 6 F. 4			{ 2 2			{ 2 2			{ 1 1		
19	6. Other diseases of the bowels	{ M. 17 F. 19	{ 1 6	{ 1 4	{ 3 1			{ 5 11	{ 1 1		{ 1 1	{ 2 2	{ 1 1
20	7. Jaundice	{ M. 16 F. 13	{ 6 8	{ 1 1	{ 1 1			{ 8 8	{ 1 1			{ 1 1	{ 1 1
21	8. Inflammation and abscess of the liver	{ M. 14 F. 12	{ 3 2					{ 3 2			{ 1 1	{ 2 2	{ 2 2
22	9. Other diseases of the liver	{ M. 32 F. 27	{ 5 1	{ 1 1	{ 2 1			{ 8 2	{ 1 1			{ 1 1	{ 1 1
23	10. Peritonitis	{ M. 12 F. 17		{ 1 1		{ 2 2		{ 3 1		{ 1 1	{ 1 1	{ 3 3	{ 2 2
24	11. Ascites	{ M. 6 F. 10		{ 1 1				{ 1 1	{ 1 1	{ 1 1			{ 1 2
25	12. Others of this class	{ M. 29 F. 27	{ 5 6	{ 2 1	{ 1 1			{ 8 7	{ 2 2		{ 1 1		{ 1 1
26	VI.—Diseases of the urinary system and male organs of generation.	196	3	2	1		1	7	2	4	5	8	10
27	Males	123		{ 1 1				{ 1 6	{ 2 4		{ 2 3	{ 3 5	{ 1 9
28	Females	73	{ 3 3		{ 1 1								
29	1. Bright's disease	{ M. 55 F. 36							{ 1 2		{ 1 1	{ 3 2	{ 1 8
30	2. Calculus, urinary	{ M. 14 F. 1							{ 1 1				{ 1 1
31	3. Diseases of the kidney	{ M. 27 F. 22		{ 1 1				{ 3 3		{ 1 1	{ 1 2	{ 1 1	
32	4. Diseases of the bladder	{ M. 13 F. 6		{ 1 2	{ 1 1			{ 1 3					
33	5. Others of this class	{ M. 14 F. 8											
34	VII.—Diseases of the female organs of generation.	45									{ 5 5	{ 2 2	{ 5 5
35	1. Ovarian tumors	F. 3											
36	2. Ovarian diseases	F. 1											
37	3. Uterine tumors	F. 3											
38	4. Uterine diseases	F. 13											
39	5. Others of this class	F. 25									{ 1 4	{ 2 2	{ 5 5
40	VIII.—Affections connected with pregnancy.	215								{ 1 1	{ 20 20	{ 40 40	{ 43 43
41	1. Abortion	F. 12											
42	2. Childbirth	F. 83											
43	3. Puerperal septicæmia	F. 97									{ 5 5	{ 17 17	{ 14 14
44	4. Extra-uterine pregnancy	F. 1								{ 1 1	{ 9 9	{ 18 18	{ 23 23
45	5. Others of this class	F. 23										{ 4 4	{ 3 3

TABLE 7.—NUMBER OF DEATHS IN ALABAMA, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	22	2	2		1		5	2			2	
2	Males	13	2			1		3	2			2	
3	Females	9		2				2					
4	1. Diseases of the spine..... { M. 11		2			1		3	2			1	
	{ F. 6			2				2					
5	2. Diseases of the bones..... { M. 1												
	{ F. 2												
6	3. Diseases of the hip joint..... { M. 1												
	{ F. 1												
7	4. Others of this class..... { M. 1											1	
	{ F. 1												
8	X.—Diseases of the skin.....	16	2	1				3		2			1
9	Males	10	2					2		2			
10	Females	6		1				1					1
11	1. Abscess..... { M. 7		1					1		2			
	{ F. 1												
12	2. Carbuncle..... { M. 2												
	{ F. 3												
13	3. Others of this class..... { M. 1		1					1					
	{ F. 2			1				1					1
14	XI.—Diseases of the absorbent system.....	5								2	1	2	
15	Males	3								2		1	
16	Females	2									1	1	
17	1. Addison's disease..... { M. 1									1			
	{ F. 1												
18	2. Diseases of the spleen..... { M. 1									1			
	{ F. 1										1		
19	3. Others of this class..... { M. 1											1	
	{ F. 1											1	
20	XII.—Accidents and injuries	503	32	17	13	4	8	74	29	21	37	63	54
21	Males	383	20	10	8	3	5	46	18	17	29	52	46
22	Females	120	12	7	5	1	3	28	11	4	8	11	8
23	1. Burns and scalds..... { M. 23		2	2	6	2	2	14	6				
	{ F. 24		2	2	2	1	1	8	5		1	2	
24	2. Drowned..... { M. 30			2			1	3	1	3	8	3	4
	{ F. 3			1			1	2					
25	3. Exposure and neglect..... { M. 4		2					2					1
	{ F. 4		1					1					1
26	4. Gunshot wounds..... { M. 43		1			1	1	3	1	2	4	7	2
	{ F. 7								2	1	1	1	1
27	5. Homicide..... { M. 38										1	5	7
	{ F. 2									1			
28	6. Infanticide..... { M. 1		1					1					
	{ F. 1												
29	7. Injuries by machinery..... { M. 9									1	1	3	1
	{ F. 1												
30	8. Railroad accidents..... { M. 58				1			1	1	3	4	11	14
	{ F. 5									1		1	1
31	9. Suffocation..... { M. 14		7	1	1			9	1			1	
	{ F. 12		5	2	1			8	1				
32	10. Suicide by shooting..... { M. 7											2	1
	{ F. 1												
33	11. Suicide by drowning..... { M. 3										1		1
	{ F. 1												
34	12. Suicide by poison..... { M. 7										1	2	2
	{ F. 7											2	
35	13. Other suicides..... { M. 6											1	1
	{ F. 3												
36	14. Sunstroke..... { M. 5										1		1
	{ F. 1												
37	15. Surgical operations..... { M. 1											1	
	{ F. 1												
38	16. Wounds..... { M. 11		1		1			1	1		2	2	
	{ F. 5				1			1	1		1		
39	17. Other accidents and injuries..... { M. 126		6	5			1	12	7	8	8	15	16
	{ F. 42		4	2	1		1	8	2	1	3	5	

STATISTICS OF DEATHS.

TABLE 7.—NUMBER OF DEATHS IN ALABAMA, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

WHITE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
	1	2	1	2	1	1	1	2	1				1		1
	1	2	1	1	1	1	1	1	1				1		2
	1	2	1				1	1	1				1		3
				1											4
					1	1									5
															6
				1											7
	1	1		1	1	2	3		1						8
	1	1		1	1	2	3		1						9
	1	1		1	1	1									10
						1	3		1						11
															12
															13
															14
															15
															16
															17
															18
															19
35	44	26	26	19	7	15	12	3	6	13	5	2	2	10	20
31	37	20	23	16	5	11	10	3	4	4	3	1		7	21
4	7	6	3	3	2	4	2		2	9	2	1	2	3	22
1		1								2			1		23
1						2				3					24
2	1	1	1	2			1								25
								1				1			26
6	3	5	4	2	1		1						1	2	27
3	13	1	2	3		1								2	28
	1														29
1	1			1											30
7	3	3	5	3		1	1	1							31
1	1	1		1										1	32
1	1		1												33
							1								34
		1	1	1	2	1				1					35
1	1	1	2	1										1	36
	1	1						1		1					37
		1													38
	1	2	1					1		1				1	39
9	11	4	7	4	2	8	5	1	3	1	3	1		1	40
2	3	3	1		1	1	1		2	5	1	1		2	41

STATISTICS OF DEATHS.

TABLE 7.—NUMBER OF DEATHS IN ALABAMA, BY AGE AND SEX AND SPECIFIED DISEASE.

COLORED.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
454	435	361	370	390	186	351	239	284	173	167	57	61	69	137	1
201	186	133	179	193	106	188	140	149	93	75	25	27	35	74	2
253	249	228	191	197	80	163	99	135	80	92	32	34	34	63	3
46	32	22	27	44	21	44	17	27	16	16	13	4	8	53	4
15	13	3	11	19	11	22	5	13	3	4	4	3	5	27	5
31	19	19	16	25	10	22	12	14	13	12	9	1	3	26	6
71	65	61	50	58	31	49	43	49	21	14	7	5	6	17	7
41	38	22	35	31	18	22	25	23	15	10	6	2	2	9	8
30	27	39	15	27	13	27	18	26	6	4	1	3	4	8	9
1	1	1	1	2	1	2	1	1						2	10
	1	2		1										1	11
															12
															13
															14
3	1	2	1	1	2	2	2	2	1		1		1	1	15
1	1	1		1				1						1	16
9	7	6	11	5	4	5	3	3	3	2		1		1	17
6	8	9	2	9	2	2	2	4						1	18
15	14	7	7	12	7	9	9	7	4	3	2		2	5	19
7	6	14	3	7	4	10	7	9	4	2			2	3	20
8	11	1	12	8	2	6	7	9	4	5	2	1	1	1	21
8	6	8	6	8	3	10	5	11	1	2	1	1	1	1	22
1	1	1	1	1	1	1	1	1	2		1			1	23
1	2	1	1	1	1	1	1	1	2					1	24
6	2	2	1	2	3	1	1	1	2						25
3	2	2	1	1	1	1	1	1	2						26
1	1	3	1	1	1	1	1	1				2			27
1	2	2	2	2	2	2	2	2						1	28
1	2	1	2	2	2	2	2	2						1	29
1	1	1	1	1	1	1	1	1						1	30
															31
															32
1	1	1	1	1	3	6	6	36	39	54	17	32	38	3	33
1	2	2	1	1	3	3	1	16	12	26	7	18	17	3	34
1	1	1	1	1	3	3	5	20	27	28	10	19	21	3	35
															36
															37
															38
1	2	2	1	1	3	3	1	8	3	10	1	1	4	2	39
								7	11	1	2	2	3		40
								8	9	16	6	12	13	1	
								13	16	27	8	17	18		

TABLE 7.—NUMBER OF DEATHS IN ALABAMA, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	1,904	38	33	24	25	21	141	54	86	212	280	202
2	Males.....	779	23	18	12	13	6	72	29	32	64	112	73
3	Females.....	1,125	15	15	12	12	15	69	25	54	148	168	129
4	1. Rheumatism.....	{ M.. 24 F.. 26	1	1		1		3	2	1	1	1	1
5	2. Scrofula and tuberc.....	{ M.. 42 F.. 48	6	4	3	1		14		5	5	4	3
6	3. Leprosy.....	{ M.. F..											
7	4. Consumption.....	{ M.. 529 F.. 802	8	6	1	3	2	20	15	16	58	95	64
8	5. Hydrocephalus.....	{ M.. 5 F.. 8	1	1		1		3		1		1	
9	6. Cancer.....	{ M.. 18 F.. 78			1		1	1			1	3	
10	7. Tumor.....	{ M.. 6 F.. 12	1				1	2	1			1	1
11	8. Anemia.....	{ M.. 7 F.. 2	4		1			5	1				
12	9. Dropsy.....	{ M.. 141 F.. 144	2	5	7	6	4	24	9	9	5	7	4
13	10. Diabetes.....	{ M.. 5 F.. 3	1					1					1
14	11. Others of this group.....	{ M.. 2 F.. 2		1				1	1				
15	12. Others of this class.....	{ M.. F..											
16	II.—Diseases of the nervous system.....	677	186	39	30	22	11	288	37	38	28	25	22
17	Males.....	340	93	22	15	9	4	143	21	22	10	14	9
18	Females.....	337	93	17	15	13	7	145	16	16	18	11	13
19	1. Inflammation of the brain.....	{ M.. 62 F.. 49	11	6	3	3	2	25	4	6	5	3	2
20	2. Apoplexy.....	{ M.. 27 F.. 37			1			1	1			1	3
21	3. Paralysis.....	{ M.. 47 F.. 41	1			1	1	2	2	1	1	1	1
22	4. Tetanus and trismus nascentium.....	{ M.. 34 F.. 30	30		1	2		30		2			
23	5. Epilepsy.....	{ M.. 12 F.. 11	1					1		2		3	1
24	6. Convulsions.....	{ M.. 93 F.. 97	45	12	5	6	1	69	7	4	2	3	1
25	7. Mental diseases.....	{ M.. 2 F.. 8											1
26	8. Diseases of the brain.....	{ M.. 55 F.. 57	5	4	6		1	16	7	7	2	2	3
27	9. Diseases of the spinal cord.....	{ M.. 4 F.. 2							1			2	
28	10. Others of this class.....	{ M.. 4 F.. 5											
29	III.—Diseases of the circulatory system.....	390	13	2		1	4	20	6	9	19	17	20
30	Males.....	175	10			1	1	12	4	7	6	7	6
31	Females.....	215	3	2			3	8	2	2	13	10	14
32	1. Angina pectoris.....	{ M.. 2 F.. 3											
33	2. Aneurism.....	{ M.. 2 F..											
34	3. Diseases of the heart.....	{ M.. 166 F.. 206	5	2		1	1	7	4	7	6	7	6
35	4. Others of this class.....	{ M.. 5 F.. 6	5					5				10	14

STATISTICS OF DEATHS.

TABLE 7.—NUMBER OF DEATHS IN ALABAMA, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

COLORED—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
143	152	118	118	103	48	69	47	49	23	22	6	3	9	19	1
50	56	42	46	40	26	35	28	29	17	9	2	3	6	8	2
93	96	76	72	63	22	34	19	20	6	13	4		3	11	3
1		2	1	2		1	1	3	2	1	1	1		1	4
	1		1	2		2	4	4	1	2					
3	3	2	1		1					1					5
1	3	2		1	1	1					1				
															6
44	46	37	37	29	16	10	14	8	7	1	1		1	6	7
83	76	48	44	32	12	13	8	5	4	4	1		1	5	
															8
2	2	1	1	1		2	2	1		1			1		9
2	10	10	12	13	2	12	3	4					1	1	
1		2		1	2	1	1	1						2	10
															11
													1		
6	5	2	5	8	7	11	10	16	7	5		2	4	1	12
	5	12	14	12	6	5	4	7	1	7	2			2	
	1		1	1		1			1						13
															14
				1										1	
															15
25	13	25	19	29	12	27	22	25	11	14	4	6	2	5	16
10	8	12	10	17	6	16	12	9	6	7	3	1	2	2	17
15	5	13	9	12	6	11	10	16	5	7	1	5		3	18
2	5	2	1	1	2	1		1					1		19
2	2	3		3						1	1			1	
1			3	4	1	4	3	2	2	2	1			1	20
3		4	2	4	3	1	3	4	2	3	1	1			
1	1	4	3	5	1	9	6	3	2	4	1	1		1	21
3		3	1	1	2	2	4	9	3	3		3			
1		1													22
	1														23
1		2	1	1	1	2			1					1	
1		1													24
3	2			1	1		4	1	1						
															25
	1	1	1	2		1		2							26
2		3	2	5	1	1	1	2	2				1		
2		1	4			1	2	1						1	
				1				1							27
															28
1								1		1					
2			1	1					1		1				29
20	17	30	31	37	17	38	27	32	21	14	4	4	2	5	
6	6	7	16	11	7	21	18	16	11	4	1	4	1	4	30
14	11	23	15	26	10	17	9	16	10	10	3		1	1	31
1				1	1				1						32
1				1											33
5	6	7	16	10	6	21	18	16	10	4	1	4	1	4	34
12	11	22	14	25	9	17	9	16	10	10	3		1	1	
1			1												35

TABLE 7.—NUMBER OF DEATHS IN ALABAMA, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system.....	1,295	279	99	56	31	22	487	57	33	97	97	74
2	Males.....	722	143	54	32	20	10	259	31	18	58	70	44
3	Females.....	573	136	45	24	11	12	228	26	15	39	27	30
4	1. Croup.....	{ M. 69 F. 55	{ 52 41	{ 5 6	{ 5 4	{ 3 1	{ 1 1	{ 66 52	{ 1 1			{ 1 1	
5	2. Laryngitis.....	{ M. 1 F. 1		{ 1 1				{ 1 1					{ 1 1
6	3. Bronchitis.....	{ M. 65 F. 63	{ 24 25	{ 13 11	{ 8 5	{ 3 3		{ 48 47	{ 2 2	{ 1 1	{ 1 1	{ 1 1	{ 1 1
7	4. Pneumonia.....	{ M. 486 F. 367	{ 49 53	{ 32 22	{ 16 13	{ 12 7	{ 8 7	{ 117 102	{ 21 20	{ 15 12	{ 50 34	{ 67 21	{ 37 25
8	5. Pleurisy.....	{ M. 15 F. 17							{ 1 1				{ 3 3
9	6. Asthma.....	{ M. 5 F. 6								{ 1 1			
10	7. Others of this class.....	{ M. 81 F. 64	{ 18 17	{ 4 5	{ 3 2	{ 2 2	{ 1 2	{ 28 26	{ 6 3	{ 1 1	{ 7 3	{ 1 5	{ 2 1
11	V.—Diseases of the digestive system.....	445	83	73	37	11	7	211	6	13	17	22	20
12	Males.....	251	48	36	24	6	6	120	3	7	7	12	8
13	Females.....	194	35	37	13	5	1	91	3	6	10	10	12
14	1. Dentition.....	{ M. 61 F. 62	{ 14 17	{ 29 31	{ 14 10	{ 1 3	{ 1 1	{ 59 61					
15	2. Angina.....	{ M. 10 F. 3	{ 2 1		{ 1 1	{ 1 1		{ 5 1			{ 1 1		{ 1 1
16	3. Diseases of the stomach.....	{ M. 21 F. 12	{ 3 1	{ 4 1	{ 2 1			{ 9 1			{ 2 2	{ 1 1	{ 1 1
17	4. Obstruction of the bowels.....	{ M. 22 F. 13	{ 1 1			{ 1 1		{ 2 1	{ 2 1	{ 2 2	{ 1 3	{ 3 1	{ 2 1
18	5. Hernia.....	{ M. 13 F. 1	{ 1 1					{ 1 1					{ 1 1
19	6. Other diseases of the bowels.....	{ M. 12 F. 9	{ 5 2	{ 1 1	{ 1 1	{ 1 1		{ 8 4				{ 1 1	{ 1 1
20	7. Jaundice.....	{ M. 3 F. 6	{ 2 2	{ 1 1			{ 1 1	{ 4 4					
21	8. Inflammation and abscess of the liver.....	{ M. 15 F. 6	{ 1 1					{ 1 1			{ 1 1	{ 1 1	
22	9. Other diseases of the liver.....	{ M. 19 F. 9	{ 1 2					{ 1 2	{ 1 1	{ 2 2		{ 2 1	{ 1 1
23	10. Peritonitis.....	{ M. 16 F. 32	{ 1 1		{ 2 2		{ 1 1	{ 3 1		{ 1 1	{ 1 4	{ 5 6	{ 6 6
24	11. Ascites.....	{ M. 17 F. 14	{ 1 1	{ 1 1	{ 1 1	{ 2 2	{ 1 1	{ 5 1	{ 1 1	{ 3 2	{ 1 1		
25	12. Others of this class.....	{ M. 42 F. 28	{ 17 10	{ 2 3	{ 3 2		{ 2 1	{ 24 16		{ 1 1	{ 3 3	{ 1 1	{ 2 3
26	VI.—Diseases of the urinary system and male organs of generation.....	141	4	3		1	1	9	2	5	2	11	2
27	Males.....	97	2			1		3		3	1	5	
28	Females.....	44	2	3			1	6	2	2	1	6	2
29	1. Bright's disease.....	{ M. 27 F. 23									{ 1 1	{ 2 3	{ 2 2
30	2. Calculus, urinary.....	{ M. 16 F. 1	{ 1 1					{ 1 1		{ 1 1			
31	3. Diseases of the kidney.....	{ M. 34 F. 15	{ 1 1	{ 3 3		{ 1 1		{ 2 4	{ 2 2	{ 2 2	{ 1 1	{ 2 3	
32	4. Diseases of the bladder.....	{ M. 11 F. 2	{ 1 1					{ 1 1					
33	5. Others of this class.....	{ M. 9 F. 3	{ 1 1					{ 1 1		{ 1 1		{ 1 1	
34	VII.—Diseases of the female organs of generation.....	70									5	5	5
35	1. Ovarian tumors.....	F. 6										{ 1 1	
36	2. Ovarian diseases.....	F. 3											{ 1 1
37	3. Uterine tumors.....	F. 4											
38	4. Uterine diseases.....	F. 30										{ 2 2	{ 4 4
39	5. Others of this class.....	F. 27									{ 5 5	{ 2 2	
40	VIII.—Affections connected with pregnancy.....	208								2	40	39	39
41	1. Abortion.....	F. 9										{ 3 3	{ 1 1
42	2. Childbirth.....	F. 102								{ 2 2	{ 21 21	{ 17 17	{ 17 17
43	3. Puerperal septicæmia.....	F. 77									{ 14 14	{ 14 14	{ 18 18
44	4. Extra-uterine pregnancy.....	F. 20											
45	5. Others of this class.....	F. 20									{ 5 5	{ 5 5	{ 3 3

TABLE 7.—NUMBER OF DEATHS IN ALABAMA, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	16	1					1	2		2	1	
2	Males.....	8							1		1		
3	Females.....	8	1					1	1		1	1	
4	1. Diseases of the spine..... {M.	3									1		
	{F.	4	1					1					
5	2. Diseases of the bones..... {M.	2							1				
	{F.	1										1	
6	3. Diseases of the hip joint..... {M.												
	{F.												
7	4. Others of this class..... {M.	3											
	{F.	3							1		1		
8	X.—Diseases of the skin.....	18	2	1	1			4		2	1	2	
9	Males.....	9	1	1	1			3					
10	Females.....	9	1					1		1	1	1	
11	1. Abscess..... {M.	6	1					1		1	1	1	
	{F.	5											
12	2. Carbuncle..... {M.	1											
	{F.												
13	3. Others of this class..... {M.	3		1	1			2					
	{F.	3	1					1		1		1	
14	XI.—Diseases of the absorbent system.....												
15	Males.....												
16	Females.....												
17	1. Addison's disease..... {M.												
	{F.												
18	2. Diseases of the spleen..... {M.												
	{F.												
19	3. Others of this class..... {M.												
	{F.												
20	XII.—Accidents and injuries.....	677	87	24	21	24	14	170	56	21	62	94	75
21	Males.....	471	42	11	13	13	5	84	22	12	51	84	66
22	Females.....	206	45	13	8	11	9	86	34	9	11	10	9
23	1. Burns and scalds..... {M.	54	5	7	9	6	3	30	10		2	3	2
	{F.	38	7	5	5	9	9	35	24	6	3	3	3
24	2. Drowned..... {M.	36				2		2		2	8	5	7
	{F.	4			1			1	1		1	1	
25	3. Exposure and neglect..... {M.	16	3	2				5				2	
	{F.	16	3	1		1		5	2	1	1		1
26	4. Gunshot wounds..... {M.	68				1		1	2	4	9	19	14
	{F.	6									4	2	
27	5. Homicide..... {M.	59			1			1			5	14	17
	{F.	9	1					1				2	4
28	6. Infanticide..... {M.	1	1					1					
	{F.												
29	7. Injuries by machinery..... {M.	1										1	
	{F.												
30	8. Railroad accidents..... {M.	54	1					1	2		7	15	6
	{F.	2											
31	9. Suffocation..... {M.	20	16	1				17	1				
	{F.	32	28	1	1			30	1				
32	10. Suicide by shooting..... {M.	1											1
	{F.	1											
33	11. Suicide by drowning..... {M.	2										1	1
	{F.												
34	12. Suicide by poison..... {M.	2							1				
	{F.	2									1		
35	13. Other suicides..... {M.	3									1		1
	{F.												
36	14. Sunstroke..... {M.	5									1	1	
	{F.	1											
37	15. Surgical operations..... {M.	3											
	{F.												
38	16. Wounds..... {M.	12									1	4	2
	{F.	7								1	1		
39	17. Other accidents and injuries..... {M.	140	16	1	3	4	2	26	5	6	17	19	16
	{F.	38	6	6	1	1		14	6	1	1	2	

STATISTICS OF DEATHS.

TABLE 7.—NUMBER OF DEATHS IN ALABAMA, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

COLORED—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1	1			2	1	2	1	2							1
1				1		1	1	2							2
	1			1	1	1									3
		1				1									4
1					1										5
															6
							1	2							7
1	2					3	1		1	1					8
1	1					1	1		1	1					9
	1					2	1								10
1	1					2				1					11
									1						12
						1									13
															14
															15
															16
															17
															18
															19
42	31	17	17	18	12	15	13	9	3	7	1	2	1	11	20
37	25	13	14	17	9	9	9	4	2	5		1	1	6	21
5	6	4	3	1	3	6	4	5	1	2	1	1		5	22
1	1		1			1	1			1		1			23
1	1	2			2	3		1		2	1	1			24
	3	1	1	4		2	1								25
1									1	1					26
	1		1	1		2									27
5	4	2		3	1	1	1								28
															29
7	5	1	2	2	3		1			1					30
															31
															32
															33
															34
															35
															36
															37
1			1	1											38
1	3							1							39
1	1														40
10	6	3	8	3	3	3	4	3	1	2			1	4	41
2	3		2			1	2	4							42

TABLE 8.

NUMBER OF DEATHS IN THE UNITED STATES REPORTED FROM REGISTRATION
SOURCES, BY AGE AND SEX, WITH SPECIFICATION OF CAUSE,
FOR THE CENSUS YEAR ENDED MAY 31, 1890.

STATISTICS OF DEATHS.

SEX, WITH SPECIFICATION OF CAUSE. FOR THE CENSUS YEAR ENDED MAY 31, 1890.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
17,381	16,956	15,391	15,905	15,883	15,357	16,868	17,178	16,024	14,248	10,672	5,981	2,146	831	2,127	1
9,400	9,344	8,575	9,002	8,708	8,410	9,047	8,973	8,176	7,096	4,884	2,526	780	256	1,229	2
7,981	7,612	6,816	6,903	7,175	6,947	7,821	8,205	7,848	7,152	5,788	3,455	1,366	575	898	3
150	170	174	170	194	177	218	225	218	188	104	58	25	8	265	4
90	101	104	105	114	94	123	127	118	92	52	33	12	4	147	5
60	69	70	65	80	83	95	98	100	91	52	25	13	4	118	6
1,781	1,520	1,229	1,160	1,079	1,104	1,154	1,164	1,044	910	662	351	97	44	206	7
974	824	678	638	570	570	552	580	503	435	294	157	33	16	97	8
807	696	551	522	509	534	602	584	541	475	368	194	64	28	109	9
		1	2	2										1	10
		3	1					3		2	1			4	11
2	4	6	7	3	3	1		1							12
11	9	6	7	3	3	1		1							13
6	3	2	2	1	3	2	1	1	1	2	2			7	13
10	5	2	2		2	2	1	1	1	1	1			4	14
20	18	22	6	7	7	4	5	3	3	2	2			1	15
35	33	16	17	10	3	10	4	3	2	1	1			4	16
	1	1	2			1	1	1	1					1	17
	3													7	18
7		2	6	1	6	5	4	3	2	1	1			1	19
6	6	3	2	2	2	8	1	1	2	6	1		1	2	20
10	9	8	10	6	7	4	2	2	2	2				2	21
15	12	7	7	4	3	1	6	2	6					1	22
565	363	238	184	124	95	75	73	51	32	16	3	2	1	19	23
288	214	160	130	110	88	58	56	41	36	19	3	1	1	16	24
146	191	185	230	232	261	270	303	274	237	158	91	8	8	28	25
188	197	188	207	228	260	354	339	329	310	253	134	41	14	31	26
														14	27
														14	28
120	109	103	81	82	84	78	71	43	48	28	8	6	2	9	29
92	98	82	65	69	87	92	73	68	48	21	14	5	3	15	30
16	39	32	32	30	28	34	33	27	24	14	7	2	2	2	31
21	19	20	20	24	22	17	28	23	25	24	13	4	3	4	32
41	46	44	41	52	41	40	38	17	18	8	3	1		4	33
104	67	43	42	29	38	20	25	24	7	7	3	1		8	34
29	27	29	19	20	6	2	7	8	3					3	35
26	24	16	10	6	4	3	2	2						2	36
12	14	9	24	13	32	39	44	71	67	63	41	14	3	1	37
11	9	7	12	24	22	35	49	44	37	37	25	11	5	5	38
296	291	308	269	235	158	133	102	70	55	46	26	11	5	69	39
212	212	223	210	189	117	92	63	42	36	23	13	3	1	41	40
84	79	85	59	46	41	41	39	28	19	23	13	8	4	28	
1		2	1			1			1						36
		1	1	1				1							37
164	172	192	169	146	86	60	35	17	11	5	2			7	38
51	53	60	39	28	20	14	7	2	1	1				2	39
10	9	4	5	10	3	1	1	1							40
	1	1	1												
32	25	21	27	26	16	14	15	4	4	3				6	
17	18	11	6	10	9	7	6	4	3	2				3	
5	6	4	8	7	12	16	12	20	20	15	11	3	1	28	
16	7	12	13	7	12	20	25	21	15	20	13	8	4	23	
117	107	112	167	187	265	602	984	1,821	2,565	3,263	2,455	1,177	521	118	
50	49	53	64	79	118	245	436	805	1,144	1,876	1,017	439	159	68	
67	58	59	103	108	147	357	548	1,016	1,421	1,887	1,438	738	362	50	
															36
															37
			1												38
														5	
														1	
50	49	53	64	79	118	190	293	387	428	340	220	64	30	49	
67	58	59	102	108	147	272	344	439	544	506	343	124	69	35	
															39
															40
						55	143	418	716	1,036	797	375	129	14	
						83	204	577	877	1,381	1,095	614	293	14	

TABLE 8.—NUMBER OF DEATHS REPORTED FROM REGISTRATION SOURCES, BY AGE AND

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	68,853	2,964	1,399	631	383	316	5,693	1,005	1,219	4,071	7,220	7,664
2	Males.....	34,142	1,718	733	331	208	161	3,151	486	421	1,581	3,508	3,832
3	Females.....	34,711	1,246	666	300	175	155	2,542	519	798	2,490	3,712	3,832
4	1. Rheumatism.....	{ M.. 821 F.. 766	{ 12 14	{ 8 6	{ 4 6	{ 7 4	{ 6 3	{ 37 33	{ 34 27	{ 30 46	{ 38 38	{ 38 30	{ 41 31
5	2. Scrofula and tabes.....	{ M.. 651 F.. 658	{ 201 183	{ 63 63	{ 33 31	{ 17 12	{ 22 13	{ 336 302	{ 40 37	{ 22 25	{ 20 30	{ 35 39	{ 36 38
6	3. Leprosy.....	{ M.. 3 F.. 3											
7	4. Consumption.....	{ M.. 25,119 F.. 23,117	{ 501 380	{ 242 250	{ 127 116	{ 67 83	{ 51 65	{ 988 894	{ 203 270	{ 267 626	{ 1,423 2,311	{ 3,319 3,488	{ 3,593 3,549
8	5. Hydrocephalus.....	{ M.. 1,724 F.. 1,309	{ 792 537	{ 372 292	{ 133 125	{ 84 60	{ 50 61	{ 1,431 1,075	{ 138 122	{ 32 27	{ 17 18	{ 18 16	{ 20 10
9	6. Cancer.....	{ M.. 3,255 F.. 6,155	{ 8 6	{ 2 6	{ 5 3	{ 3 1	{ 8 8	{ 26 16	{ 10 6	{ 2 5	{ 5 19	{ 21 43	{ 51 100
10	7. Tumor.....	{ M.. 459 F.. 568	{ 15 8	{ 4 4	{ 4 5	{ 7 2	{ 4 2	{ 34 25	{ 8 9	{ 10 8	{ 19 11	{ 20 16	{ 26 17
11	8. Anæmia.....	{ M.. 313 F.. 399	{ 83 58	{ 7 7	{ 4 6	{ 4 1	{ 2 1	{ 100 73	{ 8 15	{ 7 10	{ 10 22	{ 7 30	{ 7 28
12	9. Dropsy.....	{ M.. 945 F.. 1,089	{ 28 19	{ 14 12	{ 3 4	{ 9 5	{ 8 3	{ 62 43	{ 23 18	{ 17 25	{ 18 17	{ 22 27	{ 18 27
13	10. Diabetes.....	{ M.. 618 F.. 471	{ 5 2	{ 4 1	{ 3 1	{ 2 1	{ 3 2	{ 17 6	{ 14 6	{ 30 19	{ 25 14	{ 17 14	{ 28 26
14	11. Others of this group.....	{ M.. 225 F.. 172	{ 73 38	{ 17 21	{ 15 3	{ 8 6	{ 7 5	{ 120 73	{ 8 9	{ 3 7	{ 6 10	{ 11 9	{ 9 6
15	12. Others of this class.....	{ M.. 9 F.. 4	{ 1 1		{ 1 1			{ 2 2					{ 3 3
16	II.—Diseases of the nervous system.....	48,631	14,287	3,737	1,459	876	559	20,918	1,395	676	680	805	908
17	Males.....	25,958	8,072	1,921	728	437	292	11,450	726	353	354	418	489
18	Females.....	22,673	6,215	1,816	731	439	267	9,468	669	323	326	387	419
19	1. Inflammation of the brain.....	{ M.. 5,254 F.. 4,412	{ 1,965 1,492	{ 880 836	{ 330 351	{ 222 215	{ 157 132	{ 3,554 3,026	{ 414 348	{ 161 156	{ 127 116	{ 114 101	{ 120 91
20	2. Apoplexy.....	{ M.. 4,950 F.. 4,681	{ 63 58	{ 12 18	{ 7 12	{ 10 4	{ 4 6	{ 96 98	{ 7 16	{ 12 8	{ 32 22	{ 49 40	{ 79 55
21	3. Paralysis.....	{ M.. 3,416 F.. 3,504	{ 35 33	{ 19 23	{ 14 9	{ 9 11	{ 6 5	{ 83 81	{ 22 28	{ 17 13	{ 29 20	{ 35 29	{ 45 52
22	4. Tetanus and trismus nascentium.....	{ M.. 780 F.. 502	{ 607 439	{ 4 2	{ 2 1	{ 1 1	{ 1 1	{ 615 442	{ 26 7	{ 27 5	{ 14 4	{ 11 8	{ 15 5
23	5. Epilepsy.....	{ M.. 555 F.. 397	{ 19 23	{ 17 4	{ 8 4	{ 3 2	{ 5 2	{ 52 33	{ 17 23	{ 32 18	{ 47 29	{ 41 40	{ 57 26
24	6. Convulsions.....	{ M.. 5,994 F.. 5,056	{ 4,479 3,512	{ 715 672	{ 260 252	{ 134 132	{ 65 76	{ 5,653 4,644	{ 113 110	{ 26 30	{ 23 34	{ 14 33	{ 12 39
25	7. Mental diseases.....	{ M.. 542 F.. 511								{ 1 2	{ 5 8	{ 27 22	{ 28 35
26	8. Diseases of the brain.....	{ M.. 3,495 F.. 2,560	{ 774 558	{ 224 219	{ 84 84	{ 47 60	{ 42 33	{ 1,171 954	{ 90 76	{ 52 55	{ 51 51	{ 88 67	{ 110 75
27	9. Diseases of the spinal cord.....	{ M.. 719 F.. 521	{ 119 94	{ 44 39	{ 21 19	{ 11 15	{ 12 11	{ 207 178	{ 28 47	{ 20 23	{ 20 19	{ 30 23	{ 19 14
28	10. Others of this class.....	{ M.. 253 F.. 439	{ 11 6	{ 6 3	{ 2 2		{ 3 3	{ 19 12	{ 3 13	{ 5 8	{ 6 23	{ 9 27	{ 4 27
29	III.—Diseases of the circulatory system.....	26,387	1,933	111	71	56	38	2,229	485	539	629	776	926
30	Males.....	13,838	1,093	65	40	28	31	1,257	229	239	308	357	427
31	Females.....	12,549	840	46	31	28	27	972	256	300	321	419	499
32	1. Angina pectoris.....	{ M.. 385 F.. 292							{ 1 3	{ 2 3	{ 3 4	{ 2 13	{ 6 16
33	2. Aneurism.....	{ M.. 267 F.. 85							{ 1 1	{ 1 1	{ 3 4	{ 7 3	{ 14 3
34	3. Diseases of the heart.....	{ M.. 12,380 F.. 11,559	{ 465 373	{ 53 40	{ 36 27	{ 23 27	{ 30 26	{ 612 493	{ 226 252	{ 235 232	{ 299 310	{ 345 395	{ 405 473
35	4. Others of this class.....	{ M.. 806 F.. 613	{ 628 467	{ 12 6	{ 4 4		{ 1 1	{ 645 479	{ 2 4	{ 1 4	{ 3 3	{ 3 8	{ 2 7

STATISTICS OF DEATHS.

SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
6,683	5,890	4,985	4,640	4,197	3,687	3,525	3,083	2,199	1,541	784	316	85	33	333	1
3,444 3,239	3,069 2,821	2,508 2,477	2,389 2,251	2,122 2,075	1,868 1,819	1,761 1,764	1,551 1,532	1,052 1,147	725 816	334 450	120 196	31 54	10 23	179 154	2 3
44 32	58 41	44 35	57 56	64 44	61 58	62 62	73 77	62 60	33 48	27 30	10 10	2 3	1 2	5 3	4
20 23	20 24	20 30	23 25	16 15	22 18	10 16	13 12	7 13	7 2	4 1	2			1	5
	1 1				1 1		1								6
3,170 2,822	2,717 2,219	2,139 1,658	1,886 1,273	1,479 958	1,161 779	994 684	737 601	445 406	300 273	113 135	37 58	6 13	4 5	138 95	7
10 7	15 11	10 5	6 2	5 3	5 2	4 1	2 1	3 1	1 1	2	1 1			6 5	8
77 239	142 363	176 533	280 709	362 818	423 743	482 753	467 618	326 474	228 330	108 185	43 85	15 26	1 11	10 29	9
39 34	32 39	30 61	41 54	44 55	37 56	32 54	35 38	27 36	9 34	9 11	1 5	1 1		5 4	10
9 23	13 36	7 16	14 22	20 26	26 22	25 23	21 20	17 13	13 4	3 11	4 2	1		2	11
25 32	34 60	38 57	34 70	65 99	72 75	94 114	115 105	120 104	102 99	49 66	21 27	5 8	3 5	8 11	12
44 16	34 20	39 25	44 32	57 54	50 60	50 50	76 56	42 37	30 22	14 5	3 3	1 2		3 4	13
6 6	3 7	5 7	3 8	9 3	9 5	8 8	11 3	2 2	1 3	7 3	3	1	1	2	14
			1	1	1		1	1	1						15
1,012	1,244	1,284	1,647	1,948	2,057	2,587	2,883	2,888	2,595	1,802	806	206	39	251	16
591 421	715 529	722 562	896 751	1,013 995	1,114 943	1,397 1,190	1,502 1,381	1,519 1,369	1,308 1,287	857 945	320 486	61 145	13 26	140 111	17 18
115 78	108 79	109 62	88 69	80 51	71 45	58 37	41 49	30 40	21 19	19 23	9 5			15 17	19
127 97	151 117	205 200	312 273	391 411	448 414	668 556	683 637	630 558	535 533	333 375	125 183	22 54	9 7	27 27	20
63 48	109 77	134 98	175 158	217 217	266 228	325 356	423 409	432 517	467 493	329 402	139 230	28 68	2 15	21 20	21
9 6	12 8	8 5	12 1	7 2	7 5	8	6	1 2	1		1			2	22
48 31	58 40	32 26	29 24	26 10	26 21	21 20	20 15	22 14	12 10	6 7	2 2			7 2	23
13 26	24 17	11 12	12 14	13 21	10 8	10 5	6 14	9 11	7 6	6 5	2 2			30 25	24
34 26	46 37	41 35	46 58	36 47	36 46	43 29	48 53	54 41	46 48	34 31	7 13	3 5	1	7 3	25
134 66	164 94	133 84	162 99	179 112	170 115	193 131	206 148	219 138	184 145	117 76	32 40	8 15	2 3	24 16	26
38 14	26 28	34 16	46 31	48 21	64 28	46 31	30 19	37 15	18 9	5 6		1		3 1	27
10 29	17 32	15 24	14 24	16 37	16 33	25 25	34 37	26 33	18 23	8 20	4 10	2		4	28
1,036	1,271	1,374	1,653	1,868	2,052	2,339	2,594	2,474	2,055	1,233	542	130	41	141	29
541 495	686 585	748 626	898 755	968 900	1,093 959	1,269 1,070	1,412 1,182	1,309 1,165	1,081 974	619 614	245 297	61 69	15 26	76 65	30 31
11 14	18 12	13 10	30 19	33 18	55 27	48 30	60 37	40 33	36 35	10 13	7 3			5 2	32
15 5	32 12	36 13	41 10	29 8	30 3	21 6	14 5	10 4	11 3	2 1	2			1 1	33
511 469	629 556	688 609	820 717	894 866	994 917	1,189 1,020	1,319 1,134	1,239 1,107	1,014 928	588 589	235 286	59 69	15 26	64 60	34
4 7	7 5	6 3	7 9	12 8	14 12	11 14	19 6	20 21	20 8	19 11	3 6	2		6 2	35

TABLE 8.—NUMBER OF DEATHS REPORTED FROM REGISTRATION SOURCES, BY AGE AND

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system.....	64,935	13,114	6,318	3,324	1,982	1,254	25,992	2,480	728	1,348	2,067	2,350
2	Males.....	34,762	7,298	3,317	1,710	1,025	617	13,967	1,261	338	674	1,266	1,474
3	Females.....	30,173	5,816	3,001	1,614	957	637	12,025	1,219	390	674	801	906
4	1. Croup.....	{ M.. 2,926 F.. 2,506	{ 445 295	{ 627 547	{ 573 498	{ 413 367	{ 294 265	{ 2,352 1,972	{ 490 459	{ 37 26	{ 5 9	{ 10 6	{ 5 4
5	2. Laryngitis.....	{ M.. 287 F.. 245	{ 49 49	{ 60 38	{ 34 26	{ 37 30	{ 8 16	{ 188 159	{ 28 34	{ 5 6	{ 1 5	{ 5 2	{ 7 6
6	3. Bronchitis.....	{ M.. 7,207 F.. 7,425	{ 2,792 2,367	{ 864 858	{ 308 339	{ 148 143	{ 74 74	{ 4,186 3,781	{ 123 123	{ 31 63	{ 55 73	{ 91 100	{ 112 105
7	4. Pneumonia.....	{ M.. 20,196 F.. 16,556	{ 3,116 2,416	{ 1,597 1,412	{ 709 669	{ 376 380	{ 200 257	{ 5,998 5,134	{ 527 527	{ 218 252	{ 515 505	{ 1,028 582	{ 1,180 674
8	5. Pleurisy.....	{ M.. 606 F.. 407	{ 31 24	{ 19 12	{ 13 11	{ 4 1	{ 6 1	{ 73 49	{ 20 17	{ 9 8	{ 29 26	{ 29 17	{ 49 29
9	6. Asthma.....	{ M.. 526 F.. 478	{ 18 14	{ 4 2	{ 2 3	{ 1 1	{ 3 1	{ 28 20	{ 2 2	{ 3 1	{ 1 4	{ 3 7	{ 7 8
10	7. Others of this class.....	{ M.. 3,014 F.. 2,556	{ 847 651	{ 146 132	{ 71 68	{ 46 36	{ 32 23	{ 1,142 910	{ 71 57	{ 33 36	{ 68 52	{ 100 87	{ 114 80
11	V.—Diseases of the digestive system.....	17,904	3,329	1,008	241	144	104	4,826	426	358	502	686	916
12	Males.....	9,104	1,864	524	137	75	63	2,663	233	183	249	288	405
13	Females.....	8,790	1,465	484	104	69	41	2,163	193	175	253	398	511
14	1. Dentition.....	{ M.. 805 F.. 716	{ 447 386	{ 319 301	{ 30 23	{ 3 3	{ 3 1	{ 802 714					
15	2. Angina.....	{ M.. 181 F.. 142	{ 35 22	{ 20 11	{ 20 15	{ 18 10	{ 11 8	{ 104 66	{ 23 29	{ 12 16	{ 3 4	{ 2 3	{ 9 2
16	3. Diseases of the stomach.....	{ M.. 1,713 F.. 1,852	{ 304 251	{ 68 64	{ 29 28	{ 14 17	{ 0 13	{ 418 373	{ 39 56	{ 17 18	{ 26 39	{ 36 78	{ 57 98
17	4. Obstruction of the bowels.....	{ M.. 585 F.. 540	{ 121 63	{ 7 12	{ 13 3	{ 8 5	{ 6 3	{ 155 86	{ 26 11	{ 18 16	{ 22 13	{ 35 21	{ 33 25
18	5. Hernia.....	{ M.. 352 F.. 299	{ 45 13	{ 1 1			{ 1 1	{ 48 13	{ 6 1	{ 1 1	{ 3 2	{ 8 2	{ 15 3
19	6. Other diseases of the bowels.....	{ M.. 236 F.. 191	{ 68 56	{ 13 3	{ 4 1		{ 3 1	{ 88 64	{ 4 3	{ 4 2	{ 8 7	{ 8 5	{ 12 10
20	7. Jaundice.....	{ M.. 344 F.. 279	{ 200 127	{ 5 2	{ 2 1	{ 3 1	{ 1 1	{ 211 131	{ 4 2	{ 1 2	{ 2 3	{ 6 3	{ 8 9
21	8. Inflammation and abscess of the liver.....	{ M.. 624 F.. 474	{ 26 13	{ 3 3	{ 3 1			{ 34 20	{ 10 6	{ 8 3	{ 10 9	{ 20 11	{ 38 29
22	9. Other diseases of the liver.....	{ M.. 1,788 F.. 1,233	{ 25 21	{ 7 6	{ 5 1	{ 4 3	{ 2 2	{ 43 33	{ 7 2	{ 5 7	{ 15 10	{ 16 19	{ 47 43
23	10. Peritonitis.....	{ M.. 1,419 F.. 2,006	{ 99 79	{ 35 25	{ 20 15	{ 12 12	{ 18 8	{ 184 139	{ 77 62	{ 94 91	{ 128 140	{ 120 241	{ 140 272
24	11. Ascites.....	{ M.. 87 F.. 113	{ 5 3	{ 1 3	{ 2 1	{ 1 2		{ 9 7		{ 1 1		{ 5 2	{ 5 3
25	12. Others of this class.....	{ M.. 1,070 F.. 951	{ 489 431	{ 45 57	{ 14 15	{ 10 11	{ 9 3	{ 567 517	{ 37 20	{ 22 19	{ 32 23	{ 32 16	{ 41 22
26	VI.—Diseases of the urinary system and male organs of generation.....	13,903	245	85	97	74	75	576	253	145	263	495	740
27	Males.....	8,309	149	55	53	38	39	334	127	72	136	219	346
28	Females.....	5,594	96	30	44	36	36	242	126	73	127	276	394
29	1. Bright's disease.....	{ M.. 3,988 F.. 2,998							{ 43 46	{ 32 38	{ 82 75	{ 124 123	{ 178 203
30	2. Calculus, urinary.....	{ M.. 56 F.. 26	{ 4 3	{ 2 1		{ 1 1		{ 7 3	{ 1 1		{ 2 1		
31	3. Diseases of the kidney.....	{ M.. 2,639 F.. 2,111	{ 198 74	{ 45 29	{ 48 39	{ 31 33	{ 37 31	{ 209 206	{ 75 68	{ 33 33	{ 44 36	{ 80 122	{ 139 150
32	4. Diseases of the bladder.....	{ M.. 913 F.. 132	{ 6 4	{ 2 1	{ 1 1	{ 2 1	{ 2 1	{ 13 5	{ 2 1	{ 2 1	{ 3 3	{ 5 5	{ 9 10
33	5. Others of this class.....	{ M.. 713 F.. 327	{ 31 15	{ 6 1	{ 4 4	{ 4 3		{ 45 28	{ 6 12	{ 5 2	{ 5 12	{ 10 26	{ 20 31
34	VII.—Diseases of the female organs of generation.....	1,028			2			2	1	4	34	81	187
35	1. Ovarian tumors.....	F.. 247									3	7	18
36	2. Ovarian diseases.....	F.. 71							1	1	4	7	3
37	3. Uterine tumors.....	F.. 185										2	7
38	4. Uterine diseases.....	F.. 111									8	17	31
39	5. Others of this class.....	F.. 414			2			2		3	19	48	78
40	VIII.—Affections connected with pregnancy.....	3,011								1	203	692	772
41	1. Abortion.....	F.. 219								1	16	44	49
42	2. Childbirth.....	F.. 612									32	139	195
43	3. Puerperal septicemia.....	F.. 1,383									95	365	371
44	4. Extra-uterine pregnancy.....	F.. 34										8	9
45	5. Others of this class.....	F.. 563									60	136	148

STATISTICS OF DEATHS.

SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
2,365	2,512	2,420	2,670	2,754	2,721	2,998	3,021	2,813	2,441	1,695	894	292	92	252	1
1,420 945	1,556 956	1,471 949	1,630 1,040	1,553 1,201	1,478 1,243	1,552 1,446	1,413 1,608	1,234 1,529	1,105 1,336	728 967	331 563	93 199	24 68	144 108	2 3
2 3	3 2	2	1	2 3	1 1	1 2	2 3	2 1	5	2 3				9 7	4
4 7	7 8	6 2	8 2	5	8 2	4 4	4 3	3	2 2	1 1				1 2	5
105 104	119 99	156 116	175 142	247 220	226 261	268 339	299 416	331 444	291 393	215 323	112 211	35 71	9 19	19 19	6
1,123 721	1,247 728	1,139 688	1,225 753	1,099 810	1,018 800	980 907	883 943	716 845	609 752	390 501	154 256	48 98	10 26	89 54	7
44 24	46 27	31 33	39 17	38 20	45 20	53 23	28 32	27 23	29 22	8 10	4 7		1 1	4 1	8
17 6	22 15	17 21	38 30	55 46	49 54	76 52	60 71	59 57	48 42	29 19	8 13		5 3	4 3	9
125 80	112 77	120 89	144 96	107 102	131 105	170 114	137 140	146 159	126 120	83 105	53 76	10 27	4 17	18 22	10
858	988	960	1,063	1,086	1,088	1,165	1,102	828	599	323	154	37	9	70	11
382 476	440 498	506 454	553 510	564 522	583 505	653 512	552 550	411 417	297 302	129 194	72 82	10 27		31 39	12 13
														3 2	14
6 3	2 3	2 3	2 5	2 3	5	2 1	2 1	1 1	2 1	2 1					15
69 97	71 99	93 79	119 97	99 116	139 113	126 114	128 121	121 116	88 115	38 69	20 34	4 12	6	5 7	16
29 10	33 42	32 29	16 31	38 42	31 33	28 43	31 48	21 35	16 24	5 11	9 4	1 4	1	6 2	17
17 5	13 18	12 16	22 36	28 28	29 25	39 44	40 39	25 24	29 22	9 12	8 6		2	1	18
12 9	15 5	11 6	5 6	4 17	11 13	18 7	10 11	6 9	6 8	6 4	4			3 4	19
7 10	2 11	8 6	19 13	13 10	11 14	12 20	10 8	13 16	12 12	5 8	4 2	1 2		4	20
33 26	71 27	52 51	60 42	51 53	51 41	76 46	46 48	31 33	22 10	6 9	3 6	1 2		1 2	21
86 48	128 76	183 102	214 135	228 139	199 137	233 130	173 147	102 100	64 57	25 29	14 11	1 3		5 5	22
94 232	81 188	87 134	72 107	58 73	63 80	73 63	44 66	29 42	17 26	17 21	4 1	1 1		3 10	23
2 2	1 5	7 8	7 7	7 9	9 14	8 11	10 16	9 8	6 7	1 4				2	24
27 25	23 24	19 20	26 31	36 32	35 35	38 33	55 45	34 33	23 20	15 26	6 5	1 1		1 4	25
781	892	966	1,081	1,160	1,102	1,310	1,329	1,132	886	469	213	42	13	55	26
405 376	485 407	520 446	631 450	674 486	663 439	826 484	883 446	797 335	639 247	333 136	158 55	24 18	7 6	30 25	27 28
229 208	281 235	294 261	366 283	404 300	386 263	431 284	391 261	354 189	237 121	102 67	34 22	4 6	1 3	15 10	29
	1	1	1	3 2	3 4	7 4	16 2	9 3	4 1	3 1	1				30
148 135	155 145	178 160	196 138	197 164	183 144	234 164	252 143	180 111	140 100	78 46	39 26	6 3	4 3	9 9	31
4 2	13 2	16 9	22 10	28 9	50 12	90 10	144 17	169 14	174 9	100 12	55 1	11 2	2	1	32
24 31	36 24	31 14	47 18	42 11	41 16	64 22	80 23	85 18	84 16	50 10	30 5	3 2		5 6	33
114	146	119	110	77	55	53	37	18	15	13	4			8	34
18 7	34 7	26 6	24 13	28 6	19 2	31 3	19 2	6 2	7 2	5 1	1 2			1 2	35
8	24	24	37	25	24	14	9	2	3	2				2	36
12 69	13 68	7 56	10 26	2 16	3 7	2 3	2 7	2 3	2	1	1			1 3	37 38
612	486	176	38	2	4	1	2		2					20	40
61 181 273 6 88	34 170 196 8 78	12 64 57 2 41	2 15 14 1 6	2 2 1 2	2 1 1	2 1	2							9 9 9 2	41 42 43 44 45

TABLE 8.—NUMBER OF DEATHS REPORTED FROM REGISTRATION SOURCES, BY AGE AND

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	785	52	21	27	16	16	132	105	79	55	48	56
2	Males	462	30	11	14	12	12	79	61	44	35	34	37
3	Females	323	22	10	13	4	4	53	44	35	20	14	19
4	1. Diseases of the spine..... { M. 267	22	7	14	7	9	59	33	24	20	21	27	
	{ F. 191	17	7	10	2	2	38	27	19	10	9	10	
5	2. Diseases of the bones..... { M. 95	3	2	2	2	2	9	6	7	6	5	6	
	{ F. 47	2	2	2			6	3	2	2	2	6	
6	3. Diseases of the hip joint..... { M. 71	1	1	3	1	6	6	22	13	9	5	3	
	{ F. 55	2	1	2	2	8	8	11	13	7	3	3	
7	4. Others of this class..... { M. 29	4	1			5	5				3	1	
	{ F. 30	1				1	1	3	1	1			
8	X.—Diseases of the skin.....	846	210	32	10	9	8	209	21	15	18	28	39
9	Males	434	112	8	5	5	3	133	12	13	10	18	19
10	Females	412	98	24	5	4	5	136	9	2	8	10	20
11	1. Abscess..... { M. 246	52	5	3	2	1	63	10	11	4	15	16	
	{ F. 243	40	17	3	3	3	66	8	2	7	10	19	
12	2. Carbuncle..... { M. 71	3					3		1	4	2	2	
	{ F. 43	2	3				5					1	
13	3. Others of this class..... { M. 117	57	3	2	3	2	67	2	1	2	1	1	
	{ F. 126	56	4	2	1	2	65	1		1			
14	XI.—Diseases of the absorbent system.....	166	13	7	2	3	25	3	5	7	6	10	
15	Males	95	8	3	2	2	15	2	5	3	3	3	
16	Females	71	5	4	1	1	10	1	5	2	3	7	
17	1. Addison's disease..... { M. 33					1	1			1	1	1	
	{ F. 23								1		1	2	
18	2. Diseases of the spleen..... { M. 24	1	1		1		3	1		2			
	{ F. 15		1		1		2	1	1		1	1	
19	3. Others of this class..... { M. 38	7	2	2			11	1		3	2	2	
	{ F. 83	5	3				8		3	1	1	4	
20	XII.—Accidents and injuries.....	18,061	1,252	304	295	244	194	2,289	790	789	1,040	1,586	1,670
21	Males	13,831	710	182	182	138	115	1,327	584	636	861	1,306	1,387
22	Females.....	4,230	542	122	113	106	79	962	206	153	179	280	283
23	1. Burns and scalds..... { M. 456	25	69	66	49	33	242	37	8	18	18	25	
	{ F. 625	24	39	52	56	38	209	84	31	23	27	27	
24	2. Drowned..... { M. 2,275	17	25	30	23	20	115	223	262	228	233	197	
	{ F. 268	6	17	13	9	7	52	24	22	21	23	15	
25	3. Exposure and neglect..... { M. 113	38	2	2			42	1	3	2	1	3	
	{ F. 75	35	2	1	1	1	40	1	1	2	1	1	
26	4. Gunshot wounds..... { M. 443	1	1		3	3	8	13	35	76	66	58	
	{ F. 36			1			1	2	5	6	5	4	
27	5. Homicide..... { M. 299	4	1				5	2	4	24	53	63	
	{ F. 82	3	1				4	3	4	7	15	15	
28	6. Infanticide..... { M. 14	14					14						
	{ F. 14	14					14						
29	7. Injuries by machinery..... { M. 56							1	3	7	6	6	
	{ F. 3								3				
30	8. Railroad accidents..... { M. 2,564	2	2	6	3	6	19	58	102	174	393	372	
	{ F. 197			2		2	4	8	16	12	19	14	
31	9. Suffocation..... { M. 580	296	21	9	5	6	337	7	7	9	28	23	
	{ F. 408	251	11	5	9	2	278	7	5	13	16	9	
32	10. Suicide by shooting..... { M. 522									16	50	56	
	{ F. 31									3	7	12	
33	11. Suicide by drowning..... { M. 80									1	5	6	
	{ F. 42									6	6	3	
34	12. Suicide by poison..... { M. 281									5	22	29	
	{ F. 192								1	25	39	36	
35	13. Other suicides..... { M. 697								5	15	31	54	
	{ F. 182									7	18	13	
36	14. Sunstroke..... { M. 131	10	3	1		1	15	2		4	14	11	
	{ F. 29	7	2	1			10	1			4	1	
37	15. Surgical operations..... { M. 224	21	6	4			31	11	4	8	9	20	
	{ F. 336	6	2	2	1	1	12	7	5	8	31	52	
38	16. Wounds..... { M. 436	6	7	4	3	7	27	29	40	34	32	37	
	{ F. 129	7	8	5	3	1	24	11	11	3	8	11	
39	17. Other accidents and injuries..... { M. 4,060	276	46	59	52	39	472	200	163	240	345	427	
	{ F. 1,581	189	41	30	27	27	314	58	49	43	56	70	

STATISTICS OF DEATHS.

SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
44	47	30	31	35	24	24	25	23	13	6	4			4	1
23	29	19	18	17	17	13	11	10	7	3	2			3	2
21	18	11	13	18	7	11	14	13	6	3	2			1	3
14	12	13	10	6	10	4	4	4	4	2	2			2	4
18	11	6	9	8	3	5	6	3	4	2	2			1	
5	7	5	7	7	5	6	5	2	2	3	1			1	5
1	3	3	2	4	3	2	3	4	1						
3	5	1		3		1									6
1	2	2		1	1	1		1	1						
1	5		1	1	2	2	2	4	1		1				7
1	2		2	5		3	5	5		1					
43	34	30	47	50	53	48	40	43	36	16	12	1	1	2	8
25	16	12	27	24	26	22	20	25	16	8	6	1		1	9
18	18	18	20	26	27	26	20	18	20	8	6		1	1	10
18	10	9	15	11	14	14	9	18	5	3		1			
17	14	14	13	14	11	10	11	10	13	1	1		1	1	11
4	2	1	7	12	9	4	7	5	5	2	1				12
	1	1	2	8	6	9	4	3	2	1					
3	4	2	5	1	3	4	4	2	6	3	5			1	13
1	3	3	5	4	10	7	5	5	5	6	5				
7	13	16	10	14	12	8	8	10	8	3		1			14
5	10	11	5	3	7	4	4	5	7	1					15
2	3	5	5	6	5	4	4	5	1	2		1			16
1	6	5	3	5	3	1	3	1	2						17
1	3	3	2	3	2	2	1					1			
2	2	5	1	2	2	2	1	2	1						18
2	2	1	1	3	2	1	2	2	4	1					19
1		2	3	1	1	1	1	4		2					
1,482	1,395	1,208	1,149	997	798	703	579	443	344	253	146	42	25	333	20
1,233	1,152	1,000	938	813	662	538	419	296	204	127	52	12	7	272	21
244	243	208	211	184	136	165	160	147	140	126	94	20	18	61	22
22	9	18	11	9	9	6	6	8	1	6			1	2	23
31	27	27	23	23	14	17	19	16	10	7	6		3	1	
169	161	164	127	104	77	67	40	22	8	2	2		1	74	24
11	10	13	10	10	11	10	6	6	5	1	2	1		9	
6	6	6	10	3	2	5	5	4	2	4	1		2	5	25
	2		4	1	1	2	2	7	4	2	2			3	
52	37	22	19	16	16	7	6	1	2	1				8	26
3	3	2	1	1	1	1								1	
39	34	24	18	11	7	6	1	3		1				4	27
5	4	6	1	3	3	6	3			1				2	
															28
7	9	3	4	1	2	3	1	2						1	29
282	258	189	166	126	101	83	59	41	44	11	2	1	1	82	30
14	12	9	9	15	8	14	19	7	10	1	1			5	
20	19	21	19	20	11	10	14	8	5	3	1		1	17	31
7	7	7	6	7	5	8	5	6	5	2	1			14	
57	62	50	60	52	39	33	22	16	5	3				1	32
5	1		1	2											
9	7	7	12	9	5	6	3	1	5					4	33
3	2	2	6	4	3	4	1		2						
37	27	24	46	28	19	17	10	11	5					1	34
18	17	12	11	11	7	5	1	2	2	1	2			2	
52	66	75	69	83	66	51	49	36	17	10	4			14	35
18	17	23	18	20	12	9	9	4	8	2	1			3	
17	8	11	11	17	7	4	6		1	3					36
2	1	2		4	2	1			1						
20	24	14	12	19	17	11	5	10	4	4				1	37
42	53	44	33	22	8	6	10	2	1						
31	24	30	30	24	30	16	20	18	5	5	2			2	38
6	3	4	8	4	4	6	9	3	3	1	4		1	4	
418	401	342	324	291	254	213	172	115	100	74	40	11	2	56	39
79	84	57	80	58	57	76	76	94	89	108	75	28	13	17	

TABLE 9.

NUMBER OF DEATHS IN THE RURAL PORTION OF REGISTRATION STATES, BY AGE AND SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDED MAY 31, 1890.

TABLE 9.—DEATHS IN THE RURAL PORTION OF REGISTRATION STATES, BY AGE.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	73, 599	11, 742	2, 650	1, 355	904	682	17, 333	2, 164	1, 411	2, 236	2, 799	2, 766
2	Males	38, 029	6, 605	1, 391	682	440	349	9, 467	1, 118	675	1, 044	1, 421	1, 366
3	Females	35, 570	5, 137	1, 259	673	464	333	7, 866	1, 046	736	1, 192	1, 378	1, 400
4	Unknown causes.....	1, 353	371	40	21	14	18	464	35	14	18	28	20
5	Males	723	199	21	9	7	11	247	23	3	8	10	8
6	Females	630	172	19	12	7	7	217	12	11	10	18	12
7	I.—General diseases.												
	General diseases—A.....	11, 629	3, 400	995	538	415	335	5, 683	1, 064	531	504	475	332
8	Males	5, 983	1, 846	513	284	187	173	3, 003	523	233	248	276	158
9	Females.....	5, 646	1, 554	482	254	228	162	2, 680	541	298	256	199	174
10	1. Smallpox.....	{ M. 9 F. 3	2			1	1	4	1		1	3	
11	2. Measles.....	{ M. 155 F. 174	50	34	19	6	11	120	14	1	3	8	1
12	3. Scarlet fever.....	{ M. 172 F. 229	18	19	22	22	22	103	45	13	6	2	3
13	4. Diphtheria.....	{ M. 954 F. 980	49	62	93	90	88	382	323	133	59	25	8
14	5. Whooping cough.....	{ M. 227 F. 277	145	40	19	7	4	215	10			1	
15	6. Fever.....	{ M. 42 F. 42	5	3	3			11	1	1	5	6	4
16	7. Cerebro-spinal fever.....	{ M. 123 F. 111	40	10	7	4	4	65	16	7	9	5	1
17	8. Enteric fever.....	{ M. 386 F. 638	10	4	10	3	4	31	23	43	114	170	103
18	9. Diarrheal diseases.....	{ M. 1, 422 F. 1, 403	423	132	59	28	27	669	65	24	15	20	19
19	10. Cholera infantum.....	{ M. 1, 302 F. 1, 110	1, 041	188	42	18	7	1, 296					
20	11. Malarial fever.....	{ M. 287 F. 283	9	17	6	5	2	39	16	8	21	21	17
21	12. Erysipelas.....	{ M. 99 F. 103	23	1				24	2		6	2	1
22	13. Septicæmia.....	{ M. 150 F. 157	11	2	3	2	1	19	4	3	8	10	2
23	14. Venereal diseases.....	{ M. 22 F. 24	9	1				10	1			2	1
24	15. Others of this group.....	{ M. 183 F. 112	11		1	1	2	15	2		1	3	1
25	General diseases—B.....	782	375	19	12	10	7	423	4	4	4	10	15
26	Males	485	204	7	7	7	4	229	2	3	2	7	15
27	Females.....	297	171	12	5	3	3	194	2	1	2	3	
28	1. Parasitic diseases.....	{ M. 8 F. 5		2	1	2		5		1			
29	2. Alcoholism.....	{ M. 147 F. 22					1	1			1	3	10
30	3. Lead poison.....	{ M. 6 F. 1							1	1			1
31	4. Other poisons.....	{ M. 58 F. 40	7	2	2	2	1	14	1		1	4	3
32	5. Inanition.....	{ M. 266 F. 223	197	3	4	3	2	209		1			1
33	General diseases—C.....	8, 134	3, 319	84	27	12	9	3, 451	26	13	24	22	10
34	Males	4, 187	1, 943	53	15	10	7	2, 028	12	4	12	5	9
35	Females.....	3, 947	1, 376	31	12	2	2	1, 423	14	9	12	17	10
36	1. Premature birth.....	{ M. 402 F. 253	399	3				402					
37	2. Stillborn.....	{ M. 891 F. 615	891					891					
38	3. Malformation.....	{ M. 86 F. 77	81	1			1	83	1			1	
39	4. Debility and atrophy.....	{ M. 1, 314 F. 1, 266	572	50	14	10	6	652	11	4	12	4	9
40	5. Old age.....	{ M. 1, 494 F. 1, 746	438	28	12	2	2	482	12	9	11	17	10

STATISTICS OF DEATHS.

SEX, AND SPECIFIED CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
2,461	2,470	2,265	2,613	2,903	3,244	3,996	4,850	5,389	5,428	4,619	2,677	1,033	328	614	1
1,192 1,269	1,163 1,307	1,129 1,136	1,322 1,291	1,468 1,435	1,680 1,564	2,116 1,880	2,633 2,217	2,906 2,483	2,845 2,583	2,334 2,265	1,263 1,414	424 609	107 221	356 258	2. 3.
24	33	40	38	49	57	79	90	101	97	55	37	15	1	58	4.
11 13	12 21	27 13	18 20	28 21	31 26	48 31	54 36	56 45	52 45	28 27	23 14	7 8	1	29 29	5. 6.
267	203	192	198	196	238	254	321	303	319	275	157	50	17	50	7.
144 123	97 106	98 94	95 103	105 91	114 124	118 136	174 147	153 150	170 149	137 138	84 73	18 32	9 8	26 24	8. 9.
															10.
2	3 4	1 4	1 4					1 1		1	1				11.
1	2	1 1			2		1	1	1						12.
3 7	2 10	4 4	4 9	2 4	1	1 6	3 3	1	1	1	1			2 1	13.
	2					1			1					3	14.
4 2	2	1 2			1	1 3	1	1	2 1	1 3	1	1		1 1	15.
5 5	1 4	2 1	3 1	1	1 1	1	1	2 2	1 4	2				1	16.
79 36	46 31	36 30	30 20	33 27	27 26	22 19	26 17	18 16	14 15	11 8	2 2	1	1	6 5	17.
24 40	18 23	23 27	28 30	33 30	46 55	56 72	87 84	77 83	90 90	67 91	45 47	4 22	5 4	7 5	18.
														6 3	19.
21 10	13 8	13 11	14 14	13 9	15 17	11 11	20 17	15 19	12 13	11 6	4 1	2 1	1	1 1	20.
4	3 5	5 2	1 3	6 3	4 5	7 4	8 9	9 7	11 9	5 11	3 6	2 1	1	1	21.
4 14	5 10	10 9	12 10	10 8	11 12	10 7	14 3	9 6	8 2	6 5	2 3	1		2 3	22.
2 1	1 4	1 2		2		1	2	1 1						1	23.
2 1	5 1	1 1	2 1	5 4	7 4	8 10	13 12	20 13	30 14	32 14	25 13	8 7	3 2		24.
18	32	29	33	30	31	30	21	21	20	23	11	7	1	15	25.
15 3	19 13	19 10	26 7	30	21 10	22 8	15 6	15 6	14 6	10 13	8 3	2 5	1	10 5	26. 27.
									1						28.
15	13 7	15 3	19 4	21	13 3	11 1	7	4 1	5	2	1			3	29.
1			1		1										30.
1 1	1 6	2 4	3 1	5 4	4 3	3 2	7 2	3 2	3 2	1 2				2	31.
2		1 2	3 2	4 4	3 4	8 5	1 4	8 3	5 4	7 11	7 3	2 5	1	5 5	32.
29	29	28	47	36	53	116	188	439	701	1,182	988	522	190	31	33.
12 17	12 17	9 19	21 26	17 19	23 30	51 65	79 109	213 226	351 350	555 627	469 519	221 301	63 127	21 10	34. 35.
															36.
															37.
														1 1	38.
12 17	12 17	9 19	21 26	17 19	23 30	43 51	57 74	97 94	115 118	97 116	76 82	25 32	5 15	13 5	39.
						8	22	116	236	458	393	196	58	7	40.
						14	35	132	232	511	437	269	112	4	

TABLE 9.—DEATHS IN THE RURAL PORTION OF REGISTRATION STATES, BY AGE, SEX,

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	13,376	415	184	83	59	40	781	131	241	737	1,148	1,161
2	Males.....	6,033	219	103	37	35	18	412	61	88	261	520	535
3	Females.....	7,343	196	81	46	24	22	369	70	153	476	628	626
4	1. Rheumatism.....	{ M.. 176 F.. 189	2	1	1	1	1	4 5	4 5	8 7	6 9	6 4	3 4
5	2. Scrofula and tubercles.....	{ M.. 94 F.. 121	19 22	7 3	3 2	1	3	32 28	5 4	4 9	3 5	7 6	4 4
6	3. Leprosy.....	{ M.. F..											
7	4. Consumption.....	{ M.. 3,998 F.. 4,511	85 66	39 42	17 21	15 14	3 6	159 149	29 28	52 109	238 434	481 586	503 581
8	5. Hydrocephalus.....	{ M.. 199 F.. 191	93 79	48 33	12 19	12 6	7 10	172 147	10 19	4 6	1 6	1 3	3 2
9	6. Cancer.....	{ M.. 851 F.. 1,513	1 1		2		3	6 1		1 2		3 8	9 14
10	7. Tumor.....	{ M.. 92 F.. 176	2 4	1 2	1			4 6	1 2	1	4 2	5 2	2 1
11	8. Anemia.....	{ M.. 54 F.. 86	6 10	1 1	1	2	1	9 13	1 5	1 2	1 5	6	1 7
12	9. Dropsy.....	{ M.. 337 F.. 387	7 6	3		2 1	1 1	13 8	6 5	6 7	4 4	9 9	4 7
13	10. Diabetes.....	{ M.. 202 F.. 143	1 1	2		2	2	5 3	4 2	11 11	8 4	8 4	9 6
14	11. Others of this group.....	{ M.. 30 F.. 26	5 5	1	1	1	2	8 9	1		1		1
15	12. Others of this class.....	{ M.. F..											
16	II.—Diseases of the nervous system.....	9,874	1,347	496	209	116	69	2,237	229	119	330	151	160
17	Males.....	5,034	751	245	91	56	26	1,169	112	61	62	71	79
18	Females.....	4,840	596	251	118	60	43	1,068	117	58	68	80	81
19	1. Inflammation of the brain.....	{ M.. 644 F.. 611	192 171	119 95	33 47	26 28	13 18	383 359	56 50	24 20	21 23	15 18	17 16
20	2. Apoplexy.....	{ M.. 1,308 F.. 1,261	3 6	3	1	3	1	10 10	2 2	5 2	9 5	6 10	9 6
21	3. Paralysis.....	{ M.. 1,265 F.. 1,298	10 7	4 5	3 2	1 1	1 2	19 17	3 8	2 5	5 4	9 5	9 13
22	4. Tetanus and trismus nascentium.....	{ M.. 43 F.. 27	23 17					23 17	2 1	3 1	1	2	1 1
23	5. Epilepsy.....	{ M.. 141 F.. 109	4 5	1 1	2	1	1	9 8	3 6	8 2	12 11	6 9	20 8
24	6. Convulsions.....	{ M.. 611 F.. 603	405 317	71 107	39 47	17 18	6 10	538 499	18 23	4 5	1 8	4 11	2 6
25	7. Mental diseases.....	{ M.. 121 F.. 121									2	6	7 8
26	8. Diseases of the brain.....	{ M.. 677 F.. 543	95 58	37 31	8 15	5 8	3 8	148 120	19 13	9 10	8 7	13 12	8 15
27	9. Diseases of the spinal cord.....	{ M.. 147 F.. 122	16 13	9 9	5 6	3 3	2 3	35 34	8 11	6 11	4 3	6 3	5 1
28	10. Others of this class.....	{ M.. 77 F.. 145	3 2	1 1			1	4 4	1 4		1 5	3 6	1 7
29	III.—Diseases of the circulatory system.....	6,602	338	25	12	9	12	396	76	82	101	100	139
30	Males.....	3,505	196	18	6	4	6	230	46	45	40	42	55
31	Females.....	3,097	142	7	6	5	6	166	30	37	61	58	84
32	1. Angina pectoris.....	{ M.. 117 F.. 99							1 1	1		3	3
33	2. Aneurism.....	{ M.. 28 F.. 12								1			1
34	3. Diseases of the heart.....	{ M.. 3,239 F.. 2,906	123 93	14 6	6 6	4 5	5 6	152 116	45 29	43 36	40 59	42 54	55 78
35	4. Others of this class.....	{ M.. 121 F.. 80	73 49	4 1			1	78 50		1 1		1	2

STATISTICS OF DEATHS.

AND SPECIFIED CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
972	861	780	810	825	837	908	923	854	694	385	166	52	12	96	1
417 555	355 506	338 442	355 455	361 464	383 454	417 491	476 447	417 437	323 371	182 203	71 97	17 35	3 9	41 55	2 3
7 6	7 9	6 4	8 16	10 14	10 11	10 14	24 14	28 20	14 23	13 15	5 4	1 3		2 2	4
6 5	4 6	5 5	3 8	3 7	4 9	2 5	6 6	2 10	5 1	2 1		2			5
															6
360 489	304 399	284 298	280 235	234 201	228 181	226 197	211 200	173 169	127 131	56 57	25 25	3 5	1 3	29 34	7
1 1	1 2	1	1	2 1		1	1		1	1				2	8
17 27	19 52	19 99	41 140	64 170	95 185	124 202	148 157	121 163	94 134	55 77	23 46	9 18	1 4	2 9	9
5 7	4 8	6 14	6 17	8 19	4 24	7 16	10 10	14 15	3 19	6 6	1 4			1 3	10
1 4	2 8	2 2	2 6	3 3	4 3	4 3	9 5	5 5	6 2	1 6	2	1			11
2 10	6 17	3 12	4 24	21 30	22 24	32 41	37 34	56 40	57 53	33 37	12 14	4 5	1 2	5 4	12
16 6	8 4	12 5	10 7	13 18	13 16	9 12	27 19	17 13	15 7	12 1	3 2			2 1	13
2	1	1 2	2	3 1	3 1	2 1	3 2	2	1 1	4 2					14
															15
178	202	198	299	389	465	634	892	1,052	1,032	868	388	95	19	92	16
103 70	96 106	95 103	141 158	166 223	235 230	338 296	453 439	569 483	558 524	457 411	171 217	36 59	6 13	56 36	17 18
18 14	15 17	11 14	10 9	13 12	12 9	10 12	5 14	11 4	6 6	8 6	5 2			4 6	19
16 17	12 22	19 31	50 52	57 85	78 90	156 118	209 183	208 167	206 199	163 158	62 70	12 22	4 2	15 11	20
16 7	21 14	36 23	32 45	43 57	79 63	92 104	151 147	212 220	227 222	192 185	85 115	17 27	1 9	14 8	21
1 1	1	2		1	2 2	3	2	1	1					1	22
13 5	9 10	8 6	3 5	7 7	6 9	5 4	6 4	12 3	5 6	3 2	2 1			4 2	23
2 7	7 7	3 3	4 2	1 8	4 4	4 2	4 7	6 4	3 2	3 1	1			2 4	24
7 4	6 5	4 7	10 14	10 8	7 6	6 7	7 12	17 8	13 12	13 13	2 5	2 3		3 1	25
23 8	19 12	10 12	24 15	20 32	29 29	43 33	54 46	78 56	78 59	66 34	12 19	5 5	1 2	10 4	26
4	2 6	3 1	5 9	10 2	14 6	10 11	7 10	14 6	10 3	2 5				2	27
3 7	5 12	1 4	3 7	4 12	4 12	9 5	8 15	10 15	10 14	7 7	2 5			1	28
145	183	181	267	361	471	593	751	887	846	612	276	76	20	30	29
62 83	88 95	89 92	139 128	175 186	254 217	318 275	440 311	489 398	462 384	332 280	131 145	42 34	4 16	22 17	30 31
3 4	3 2	2 3	5 7	11 5	15 10	8 9	25 11	16 14	19 19	5 6	2 1			1 1	32
1	2	2 1	5	3 1	4	2	2 1	3 1	6 2		1				33
58 76	85 91	85 88	127 118	158 177	229 204	307 266	410 297	463 380	427 358	322 273	127 140	41 34	4 16	19 16	34
1 2			2 3	3 3	6 3	1	3 2	7 3	10 5	5 1	2 3	1		2	35

TABLE 9.—DEATHS IN THE RURAL PORTION OF REGISTRATION STATES, BY AGE, SEX,

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	11,155	1,475	623	338	194	140	2,770	336	126	276	301	296
2	Males	5,746	844	328	164	98	71	1,505	171	54	142	190	170
3	Females	5,409	631	295	174	96	69	1,265	165	72	134	111	126
4	1. Croup	{ M. 338 F. 311	{ 76 42	{ 67 54	{ 55 53	{ 38 46	{ 24 23	{ 260 218	{ 60 71	{ 8 9	{ 1 2	{ 1 2	{ 1 1
5	2. Laryngitis	{ M. 27 F. 26	{ 4 5	{ 4 2	{ 3 1	{ 1 4	{ 1 1	{ 12 13	{ 5 1	{ 1 1	{ 2 2		{ 1 1
6	3. Bronchitis	{ M. 997 F. 1,096	{ 254 200	{ 64 72	{ 25 34	{ 15 9	{ 10 7	{ 368 322	{ 18 17	{ 7 10	{ 14 11	{ 8 13	{ 16 14
7	4. Pneumonia	{ M. 3,469 F. 3,164	{ 359 271	{ 153 141	{ 71 67	{ 30 28	{ 30 33	{ 643 540	{ 64 62	{ 35 46	{ 110 96	{ 154 73	{ 126 88
8	5. Pleurisy	{ M. 83 F. 70	{ 2 2	{ 1 1		{ 1 1		{ 2 2	{ 4 1	{ 1 1	{ 3 8	{ 2 2	{ 4 6
9	6. Asthma	{ M. 74 F. 71	{ 5 1				{ 1 1	{ 6 1		{ 1 1		{ 1 1	{ 1 1
10	7. Others of this class	{ M. 758 F. 671	{ 146 110	{ 39 26	{ 10 19	{ 13 9	{ 6 5	{ 214 169	{ 20 14	{ 4 4	{ 14 12	{ 24 22	{ 21 16
11	V.—Diseases of the digestive system	3,388	412	111	42	26	23	614	85	93	113	113	133
12	Males	1,650	236	61	21	10	14	342	48	49	48	41	61
13	Females	1,733	176	50	21	16	9	272	37	44	65	72	72
14	1. Dentition	{ M. 86 F. 73	{ 51 39	{ 32 20	{ 3 4			{ 86 73					
15	2. Angina	{ M. 36 F. 29	{ 3 3	{ 2 1	{ 2 5	{ 2 2	{ 2 1	{ 11 12	{ 7 3	{ 7 7	{ 2 1		{ 1 1
16	3. Diseases of the stomach	{ M. 347 F. 409	{ 28 31	{ 7 9	{ 3 3	{ 1 4	{ 3 4	{ 42 51	{ 6 8	{ 6 1	{ 4 12	{ 8 14	{ 5 16
17	4. Obstruction of the bowels	{ M. 108 F. 99	{ 24 8	{ 1 2	{ 4 1		{ 2 1	{ 31 12	{ 3 1	{ 3 3	{ 5 2	{ 1 4	{ 4 4
18	5. Hernia	{ M. 70 F. 80	{ 7 3	{ 1 1				{ 8 3	{ 2 1		{ 1 1		{ 5 2
19	6. Other diseases of the bowels	{ M. 63 F. 49	{ 11 15	{ 4 1	{ 1 1			{ 15 17	{ 1 1	{ 1 1	{ 1 1	{ 4 1	{ 2 2
20	7. Jaundice	{ M. 45 F. 43	{ 25 14				{ 1 1	{ 25 15	{ 1 1	{ 1 1		{ 1 1	{ 1 1
21	8. Inflammation and abscess of the liver	{ M. 105 F. 98	{ 5 3		{ 1 1			{ 6 5	{ 1 1	{ 1 1	{ 3 2	{ 4 1	{ 5 4
22	9. Other diseases of the liver	{ M. 284 F. 277	{ 4 2	{ 4 2		{ 1 1	{ 1 1	{ 9 6	{ 2 4	{ 2 5	{ 2 5	{ 3 3	{ 3 2
23	10. Peritonitis	{ M. 298 F. 392	{ 14 10	{ 6 5	{ 5 5	{ 5 4	{ 3 1	{ 33 25	{ 17 21	{ 25 21	{ 28 36	{ 15 46	{ 23 41
24	11. Ascites	{ M. 21 F. 30	{ 1 1		{ 2 1			{ 3 1		{ 1 1	{ 2 2	{ 1 1	{ 2 2
25	12. Others of this class	{ M. 187 F. 154	{ 63 48	{ 4 2	{ 2 1	{ 1 1	{ 3 1	{ 73 52	{ 8 1	{ 2 5	{ 2 5	{ 4 2	{ 11 2
26	VI.—Diseases of the urinary system and male organs of generation.	2,741	30	15	11	3	8	67	33	23	56	70	73
27	Males	1,836	16	7	7	1	5	36	16	13	30	29	42
28	Females	905	14	8	4	2	3	31	17	10	26	41	36
29	1. Bright's disease	{ M. 857 F. 538							{ 5 12	{ 8 7	{ 18 21	{ 23 22	{ 24 18
30	2. Calculus, urinary	{ M. 13 F. 6	{ 1 1					{ 1 1					
31	3. Diseases of the kidney	{ M. 441 F. 281	{ 14 11	{ 5 8	{ 6 4	{ 1 2	{ 4 3	{ 30 28	{ 9 4	{ 5 3	{ 10 4	{ 4 10	{ 15 12
32	4. Diseases of the bladder	{ M. 357 F. 35	{ 1 1	{ 1 1			{ 1 1	{ 2 1			{ 1 2	{ 2 2	{ 3 2
33	5. Others of this class	{ M. 168 F. 45	{ 2 1	{ 1 1	{ 1 1			{ 4 1	{ 2 1	{ 1 1	{ 1 1	{ 7 7	{ 4 23
34	VII.—Diseases of the female organs of generation.	174								2	10	8	14
35	1. Ovarian tumors	F. 44									1	1	1
36	2. Ovarian diseases	F. 17									4	2	
37	3. Uterine tumors	F. 33											4
38	4. Uterine diseases	F. 15										1	4
39	5. Others of this class	F. 65								2	5	4	9
40	VIII.—Affections connected with pregnancy.	524									33	108	129
41	1. Abortion	F. 34									2	6	6
42	2. Childbirth	F. 225									11	34	50
43	3. Puerperal septicæmia	F. 172									11	52	50
44	4. Extra-uterine pregnancy	F. 1											
45	5. Others of this class	F. 92									9	16	23

STATISTICS OF DEATHS.

AND SPECIFIED CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over	Unknown.		
282	365	348	412	446	487	649	757	914	924	757	424	156	43	86	1	
142	201	186	227	250	253	351	374	455	432	349	173	56	13	52	2	
140	164	162	185	196	234	298	383	459	492	408	251	100	30	34	3	
				1			1			2				4	4	
							1	2		2				1	5	
	1	2	1													
	3	1	1		1	2										
7	17	20	19	36	29	41	58	88	87	91	53	13	4	3	6	
15	16	21	21	39	27	46	72	95	113	118	85	30	5	6		
116	154	142	166	184	186	248	253	280	249	198	86	34	6	35	7	
107	126	113	127	124	166	208	254	298	303	225	122	54	14	18		
4	2	3	7	4	3	11	6	8	14	4	1			1	8	
3	3	5	2	7	2	6	7	3	11	3			1			
1	1	1	2	5	2	7	4	13	11	13	3			3	9	
1	1	4	5	4	8	6	7	10	9	2	6		2			
14	26	18	32	21	33	44	51	64	69	41	30	9	3	6	10	
14	15	18	29	21	30	30	42	53	53	58	38	16	8	9		
116	143	123	145	178	209	276	312	250	249	136	64	14	5	12	11	
50	59	56	67	82	99	141	147	130	126	61	31	5		7	12	
66	84	67	78	96	110	135	165	120	123	75	33	9	5	5	13	
															14	
1		1			1	2		1		2					15	
1		1		1		1	1			1						
10	10	12	20	22	22	34	40	34	41	21	7	1		2	16	
17	22	13	17	19	20	26	38	36	53	22	16	3	4	1		
1	3	4	1	6	9	7	7	8	7	2	4			2	17	
2	8	2	5	6	9	12	12	5	7	4		1				
4			4	2	3	7	10	8	6	4	6				18	
4	6	3	6	7	5	14	11	8	5	3	3		1			
2	3	3	2	3	4	4	4	5	2	5	2				19	
	1	3	1	1	4	2	7	3	4	1			1			
2					2	1	2	4	7						20	
	1	1		1	2	4	1	5	5	2			1			
2	8	5	7	6	9	15	8	8	12	2	2	1			21	
3	4	10	5	12	7	8	13	8	6	5	2	1				
8	20	15	18	23	24	36	43	35	24	8	6	1		2	22	
3	6	13	19	26	34	36	42	33	23	13	7	1		1		
16	15	15	10	11	13	24	16	14	14	6	1	1		1	23	
31	30	15	18	14	21	15	22	9	12	9	4	1		1		
			1	1	2	1	4	1	3	1					24	
	1	1	2	3	4	6	5	3	2							
6		1	4	8	10	10	13	12	10	10	2	1		2	25	
3	5	5	6	6	4	11	13	10	6	15	1					
88	97	102	127	163	200	229	381	369	328	188	94	21	6	21	26	
44	52	54	75	93	116	150	275	286	262	155	79	14	4	11	27	
44	45	48	52	70	84	79	106	83	66	33	15	7	2	10	28	
29	28	35	40	63	77	82	129	127	96	39	18	2		5	29	
28	30	28	33	49	59	53	72	45	32	19	5	1		4		
		1			1	1	2	5	1	2					30	
		1			1	1	1	1								
10	16	11	19	20	21	34	63	62	44	33	20	4	2	4	31	
14	9	14	16	17	20	21	26	29	27	9	9	4	2	4		
2	4	2	2	7	6	23	60	68	85	52	28	7	2	1	32	
	1	4	1	3	4	2	3	4	3	2	1					
3	4	5	5	3	11	10	21	24	36	24	13	1		1	33	
2	5	1	2	1		2	4	4	4	3				2		
10	24	13	20	12	9	14	7	10	8	4		1		3	34	
2	4	5	3	4	4	6	4	3	2	3					35	
	2	2	2	1	1	1	1	1	2					1	36	
1	1	3	5	3	4	6	3	2		1				1	37	
	3	2	2	1	1	1	1	1	1						38	
7	14	6	8	5		1		2						1	39	
																40
105	83	37	17		2		2		2					6		
9	7	3	1												41	
56	43	18	0		1			2						4	42	
25	21	6	5						1					1	43	
		1													44	
15	12	9	5		1				1					1	45	

TABLE 9.—DEATHS IN THE RURAL PORTION OF REGISTRATION STATES, BY AGE, SEX,

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1 IX.—Diseases of the bones and joints	145	15	2	4		3	24	9	9	11	7	6
2 Males	73	7	2	1		2	12	6	2	7	4	5
3 Females	72	8		3		1	12	3	7	4	3	1
4 1. Diseases of the spine	{ M. 46 F. 56	7 8	1	1		1	10 11	4 2	2 5	6 3	3 3	3
5 2. Diseases of the bones	{ M. 16 F. 5					1	1					2 1
6 3. Diseases of the hip joint	{ M. 7 F. 6					1	1	2 1		1	1	
7 4. Others of this class	{ M. 4 F. 5		1				1		1	1		
8 X.—Diseases of the skin	164	24	3		1		28	4	2	3	7	9
9 Males	91	15			1		16	1	2	2	3	6
10 Females	73	9	3				12	3		1	4	3
11 1. Abscess	{ M. 55 F. 49	6 4	3				6 7	1 3	1	2 1	3 4	6 3
12 2. Carbuncle	{ M. 14 F. 10	1					1		1			
13 3. Others of this class	{ M. 22 F. 14	9 4			1		10 4					
14 XI.—Diseases of the absorbent system	39	1					1			1	2	1
15 Males	22									1	1	1
16 Females	17	1					1				1	
17 1. Addison's disease	{ M. 7 F. 7											1
18 2. Diseases of the spleen	{ M. 7 F. 4											
19 3. Others of this class	{ M. 8 F. 6		1				1			1	1	
20 XII.—Accidents and injuries	3,524	220	33	58	45	18	394	132	152	215	249	254
21 Males	2,661	129	33	40	24	12	238	97	118	181	222	222
22 Females	863	91	20	18	21	6	156	55	34	34	27	32
23 1. Burns and scalds	{ M. 56 F. 84	1 2	11 4	8 3	6 11	3 1	29 21	4 10	1 4	1 4	1	2 2
24 2. Drowned	{ M. 519 F. 88	3 3	6 6	17 7	10 4	5 2	41 22	47 7	53 10	66 12	60 3	41 6
25 3. Exposure and neglect	{ M. 38 F. 17	11 1	1			1	12 2		1	1		1 1
26 4. Gunshot wounds	{ M. 83 F. 4		1		1		2	3 1	11 1	20	5 1	8
27 5. Homicide	{ M. 20 F. 13			1			1	1	2	1	2 1	5 4
28 6. Infanticide	{ M. 1 F. 1	1 1					1 1					
29 7. Injuries by machinery	{ M. 10 F. }								1			
30 8. Railroad accidents	{ M. 519 F. 44			1 1		1	2 1	7 2	9 3	40	63 2	74 5
31 9. Suffocation	{ M. 101 F. 67	51 42	6	3	1 3	1	61 46			2	5 2	2 1
32 10. Suicide by shooting	{ M. 62 F. 4									2	5 1	7 1
33 11. Suicide by drowning	{ M. 15 F. 14									4		2
34 12. Suicide by poison	{ M. 32 F. 18									4	3 2	2
35 13. Other suicides	{ M. 182 F. 49								4	8 1	3 1	11 2
36 14. Sunstroke	{ M. 15 F. 1		1	1		1	3			1	1	1
37 15. Surgical operations	{ M. 19 F. 12		2	1			3 1	1 1			2	1
38 16. Wounds	{ M. 91 F. 34	1 1	1 2	2 2			4 5	4 2	3 2	1	8	6 2
39 17. Other accidents and injuries	{ M. 898 F. 413	61 40	4 8	6 5	6 2	2 2	79 57	30 12	35 12	39 7	66 12	59 8

STATISTICS OF DEATHS.

AND SPECIFIED CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
7	7	6	2	11	5	10	11	5	6	3	3			3	1
1	5	5		3	3	5	6	3	2	1	1			2	2
6	2	1	2	8	2	5	5	2	4	2	2			1	3
1	4	3		1	1	3	3	1	1	1				1	4
5	1	1	2	7	2	2	3	1	3	2	2			1	1
	1	2		1	1	1	3		1	1	1			1	5
				1		1	1		1						
1	1			2		1									6
						1									
					1			2							7
						1	1	1							
10	8	5	7	9	11	14	13	14	11	5	4				8
5	4	2	3	5	7	8	6	10	6	3	2				9
5	4	3	4	4	4	6	7	4	5	2	2				10
4	2	2	2	3	5	6	2	7	2	1					11
5	3	2	3	1	2	3	4	4	4						
	1			1	1	1	1	3	2	1					12
	1		1	3		3	1	1							
1	1			2	1	1			2	1	2				13
		1			2		2		1	2	2				
1	1	6	1	1	6	4	4	6	2	1			1		14
1		5		1	3	3	1	3	2						15
	1	1	1		3	1	3	3		1			1		16
		3		1	1	1	1	1							
	1	1	1		1	1	1						1		17
1		2			1	1	1	1							18
					2		2								
					2	1		1	2						19
								3		1					
214	199	172	190	197	163	186	177	164	139	125	62	24	14	102	20
135	163	146	155	152	138	146	133	107	85	64	20	6	4	79	21
20	36	26	35	45	25	40	44	57	54	61	42	18	10	23	22
4		2		1	2	4		2		2			1		23
1	3	3	3	6	2	4	6	5	5	1	3		1		
31	29	24	24	23	12	21	16	11	5		1			14	24
1		2		2	4	4	2	2	4	1	1		1	4	
2	2		5	1	1	1		2	1	4	1		2	1	25
			1				1	3	2	2	1			3	
4	5	3	4	4	4	4	3		1					2	26
														1	
2	1	1			3	2		1		1				1	27
					3	3	1								
2	1	1	2			1		2							29
57	54	39	29	18	25	22	14	11	15	5		1		34	30
5	4	1	4	2		5	2	3	2	1				2	
1	1	1	3	7	3	1	3	3	1	1			1	5	31
2	1	1		1		1	2	2	3					5	
3	10	4	8	6		4	4	5	1	2				1	32
1	1														
1	1	2	2	1		2	2		1					1	33
		1													
4	3	2	3	3	3	4	1	2	2					1	34
3	1		4	2							1				
9	7	11	16	17	21	18	18	14	9	4	3			9	35
3	3	5	5	9	5	2	5	1	3	2	1			1	
1		1	1	1	1	1	1			2					36
				1											
	1		1	4	2	1		1		2	2				37
	2	2		1		1	1	1							
5	4	8	8	6	9	5	7	8	2	2	1			1	38
	1		2	2	1	4	3	2	2		2		1	2	
59	44	48	49	60	52	55	64	45	45	39	14	5		11	39
11	20	10	14	18	11	14	21	38	33	54	33	18	7	3	

TABLE 10.

NUMBER OF DEATHS IN 271 REGISTRATION CITIES, BY AGE AND SEX, WITH SPECIFICATION
OF CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890.

STATISTICS OF DEATHS.

SPECIFIED CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
14,020	14,486	13,126	13,292	12,980	12,113	12,872	12,328	10,635	8,820	6,053	3,304	1,113	503	1,513	1
8,208 6,712	8,181 6,305	7,446 5,680	7,680 5,612	7,240 5,740	6,730 5,383	6,931 5,941	6,340 5,988	5,270 5,365	4,251 4,569	2,550 3,503	1,263 2,041	356 757	149 354	873 640	2 3
126	137	134	132	145	120	139	135	117	86	49	21	19	7	207	4
79 47	89 48	77 57	87 45	86 59	63 57	75 64	73 62	62 55	40 46	24 25	10 11	5 5	4 3	118 89	5 6
1,514	1,317	1,037	962	883	866	900	843	741	591	387	194	47	27	156	7
830 684	727 590	580 457	543 419	465 418	456 410	434 466	406 437	350 391	265 326	157 230	73 121	15 32	7 20	71 85	8 9
			2 1	2										1	10
2 9	1 5	2 2	3 3	3		1		2		1				4	11
6 9	3 3	1 1	2 2	1	1 2	1			1					2 4	12
17 28	16 23	18 12	2 8	5 6	7 2	3 4	2 1	3 2	2 2	1 1	1 1		1	5 3	13
	1 1	1	2				1	1 1	1					1 4	14
3 4	4	1 1	6 2	1 2	5 2	4 5	3	2 1	1	3			1	1	15
5 10	8 8	6 6	7 6	5 4	6 2	3 1	2 5		1 2					1 1	16
486 252	317 183	202 130	154 110	91 33	68 62	53 39	47 39	33 25	18 21	5 11	1 1	1 1	1	13 11	17
122 148	173 174	162 161	202 168	199 192	215 205	214 282	216 253	197 246	147 220	91 162	46 87	4 19	3 10	21 26	18
														8 11	19
99 82	96 90	90 71	67 51	69 60	69 70	67 81	51 56	28 49	36 35	17 15	4 13	4 4	2 2	8 14	20
16 17	36 14	27 18	31 17	24 21	24 17	27 13	25 19	18 16	13 16	9 13	4 7	3	2 2	2 3	21
37 90	41 57	34 34	29 32	42 21	30 26	30 13	24 22	8 18	10 5	2	1	1		2 5	22
27 25	26 20	28 14	19 8	18 6	6 4	1 2	5 2	7 2						3 1	23
10 10	9 8	8 6	22 11	8 20	25 18	31 25	31 37	51 31	37 23	31 23	16 12	6 4	3	1	24
278	259	279	236	205	127	103	81	40	35	23	15	4	4	54	25
197 81	193 66	204 75	184 52	159 46	96 31	70 33	48 33	27 22	22 13	13 10	5 10	1 3	4	31 23	26 27
1		1 1	1	1		1		1							28
151 51	154 46	177 57	150 35	125 28	73 17	49 13	28 7	13 1	6 1	3 1	1			4 2	29
9	9 1	4	4 1	10	2	1	1	1							30
31 16	24 12	19 7	24 5	21 10	12 6	11 5	8 4	1 2	1 1	2				4 3	31
5 14	6 7	3 10	5 11	3 7	9 8	8 15	11 21	12 18	15 11	8 9	4 10	1 3	4	23 18	32
88	78	84	120	151	212	486	796	1,382	1,864	2,081	1,467	655	331	87	33
38 50	37 41	44 40	43 77	62 39	95 117	194 292	357 439	592 790	793 1,071	821 1,260	548 919	218 437	96 235	47 40	34 35
															36
															37
			1											4	38
38 50	37 41	44 40	43 76	62 39	95 117	147 221	236 270	290 345	313 426	243 300	144 261	39 92	25 54	36 30	39
						47 71	121 169	302 445	480 645	578 870	404 658	179 345	71 181	7 10	40

TABLE 10.—DEATHS IN 271 REGISTRATION OFFICES, BY AGE, SEX, AND

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	55,477	2,549	1,215	548	324	276	4,912	874	978	3,334	6,072	6,503
2	Males	28,109	1,499	630	294	173	143	2,739	425	333	1,320	2,988	3,297
3	Females	27,368	1,050	585	254	151	133	2,173	449	645	2,014	3,084	3,206
4	1. Rheumatism	{ M. 645 F. 577	{ 12 12	{ 7 6	{ 3 4	{ 6 3	{ 5 3	{ 33 28	{ 30 22	{ 22 39	{ 32 29	{ 32 26	{ 38 27
5	2. Scrofula and tuberc.	{ M. 557 F. 537	{ 122 161	{ 56 60	{ 30 29	{ 17 11	{ 19 13	{ 304 274	{ 35 33	{ 18 16	{ 17 25	{ 28 33	{ 36 34
6	3. Leprosy	{ M. 3 F. 1											
7	4. Consumption	{ M. 21,121 F. 18,606	{ 416 314	{ 203 208	{ 110 95	{ 52 69	{ 48 59	{ 829 745	{ 174 242	{ 215 317	{ 1,190 1,877	{ 2,638 2,902	{ 3,090 2,968
8	5. Hydrocephalus	{ M. 1,525 F. 1,118	{ 699 458	{ 324 259	{ 121 106	{ 72 54	{ 43 51	{ 1,259 928	{ 128 103	{ 28 21	{ 16 12	{ 17 13	{ 17 8
9	6. Cancer	{ M. 2,404 F. 4,642	{ 7 5	{ 2 6	{ 3 3	{ 3 1	{ 5 2	{ 20 15	{ 10 6	{ 1 3	{ 5 14	{ 18 35	{ 42 86
10	7. Tumor	{ M. 367 F. 392	{ 13 4	{ 3 6	{ 3 5	{ 7 2	{ 4 2	{ 30 19	{ 7 7	{ 9 8	{ 15 9	{ 15 14	{ 24 16
11	8. Anæmia	{ M. 259 F. 313	{ 77 48	{ 6 6	{ 4 5	{ 2 1	{ 2 1	{ 91 60	{ 7 10	{ 6 8	{ 9 17	{ 7 24	{ 6 21
12	9. Dropsy	{ M. 608 F. 702	{ 21 13	{ 11 12	{ 3 4	{ 7 4	{ 7 2	{ 49 35	{ 17 13	{ 11 18	{ 14 13	{ 13 18	{ 14 20
13	10. Diabetes	{ M. 416 F. 328	{ 4 1	{ 2 1	{ 3 1		{ 3 1	{ 12 3	{ 10 4	{ 19 8	{ 17 10	{ 9 10	{ 19 20
14	11. Others of this group	{ M. 195 F. 146	{ 68 33	{ 16 21	{ 14 2	{ 7 5	{ 7 3	{ 112 64	{ 7 9	{ 3 7	{ 5 8	{ 11 9	{ 8 6
15	12. Others of this class	{ M. 9 F. 4	{ 1		{ 1			{ 2		{ 1			{ 3
16	II.—Diseases of the nervous system	38,757	12,940	3,241	1,250	760	490	18,681	1,166	557	550	654	748
17	Males	20,924	7,321	1,676	637	381	266	10,281	614	292	292	347	410
18	Females	17,833	5,619	1,565	613	379	224	8,400	552	265	258	307	338
19	1. Inflammation of the brain	{ M. 4,610 F. 3,801	{ 1,773 1,321	{ 761 741	{ 297 304	{ 196 187	{ 144 114	{ 3,171 2,667	{ 358 298	{ 137 136	{ 106 93	{ 99 83	{ 03 75
20	2. Apoplexy	{ M. 3,642 F. 3,420	{ 60 52	{ 9 16	{ 6 11	{ 7 4	{ 4 5	{ 86 88	{ 5 15	{ 7 6	{ 23 17	{ 43 30	{ 70 49
21	3. Paralysis	{ M. 2,151 F. 2,266	{ 25 26	{ 15 18	{ 11 7	{ 8 10	{ 5 3	{ 64 64	{ 19 20	{ 15 13	{ 24 16	{ 26 24	{ 36 39
22	4. Tetanus and trismus nascentium	{ M. 737 F. 475	{ 584 422	{ 4 2	{ 2	{ 1	{ 1	{ 592 425	{ 24 6	{ 24 4	{ 13 4	{ 9 8	{ 14 1
23	5. Epilepsy	{ M. 414 F. 288	{ 15 18	{ 16 3	{ 6	{ 2	{ 4	{ 43 25	{ 14 17	{ 24 16	{ 35 18	{ 35 31	{ 37 18
24	6. Convulsions	{ M. 7,383 F. 4,453	{ 4,074 3,195	{ 644 565	{ 221 205	{ 117 114	{ 59 66	{ 5,115 4,145	{ 95 87	{ 22 25	{ 22 26	{ 10 22	{ 10 33
25	7. Mental diseases	{ M. 421 F. 420							{ 1	{ 1	{ 5	{ 20	{ 21
26	8. Diseases of the brain	{ M. 2,818 F. 2,017	{ 679 500	{ 187 188	{ 76 69	{ 42 52	{ 39 25	{ 1,023 834	{ 77 63	{ 43 45	{ 43 44	{ 75 55	{ 102 60
27	9. Diseases of the spinal cord	{ M. 572 F. 399	{ 103 81	{ 35 30	{ 16 13	{ 8 12	{ 10 8	{ 172 144	{ 20 36	{ 14 12	{ 16 16	{ 24 17	{ 14 13
28	10. Others of this class	{ M. 176 F. 294	{ 8 4	{ 5 2	{ 2			{ 15 8	{ 2 9	{ 5 6	{ 5 18	{ 6 21	{ 3 20
29	III.—Diseases of the circulatory system	19,785	1,595	86	59	47	46	1,833	409	457	528	676	787
30	Males	10,333	897	47	34	24	25	1,027	183	194	268	315	372
31	Females	9,452	698	39	25	23	21	806	226	263	260	361	415
32	1. Angina pectoris	{ M. 268 F. 193								{ 1 3	{ 3 4	{ 2 10	{ 6 13
33	2. Aneurism	{ M. 239 F. 73							{ 1	{ 1	{ 3	{ 7	{ 14
34	3. Diseases of the heart	{ M. 9,141 F. 8,653	{ 342 280	{ 39 34	{ 30 21	{ 24 22	{ 25 20	{ 460 377	{ 181 223	{ 192 256	{ 259 251	{ 303 341	{ 350 395
35	4. Others of this class	{ M. 685 F. 533	{ 555 418	{ 8 5	{ 4 4	{ 1	{ 1	{ 567 429	{ 2	{ 1 3	{ 3 2	{ 3 7	{ 2 5

STATISTICS OF DEATHS:

575.

SPECIFIED CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
5,711	5,020	4,205	3,830	3,372	2,850	2,617	2,160	1,345	847	399	148	33	21	237	1
3,027 2,684	2,714 2,315	2,170 2,035	2,034 1,796	1,761 1,611	1,485 1,365	1,344 1,273	1,075 1,085	635 710	402 445	152 247	49 99	14 19	7 14	138 99	2: 3.
37 26	51 32	38 31	49 40	54 30	51 47	52 48	49 63	34 40	19 25	14 15	5 6	1	1 2	3 1	4.
14 23	16 18	15 25	20 17	13 8	18 9	8 11	7 6	4 3	2 1	2				1	5.
	1 1				1 1		1			1					6.
2,810 2,332	2,413 1,820	1,855 1,360	1,606 1,038	1,245 757	933 598	768 487	526 401	272 237	173 142	57 78	12 33	3 8	3 2	109 61	7.
9 6	14 9	10 4	5 2	3 2	5 2	3	1 1	3 1	1	1 1	1 1			6 3	8.
60 212	123 311	157 484	239 569	298 648	328 558	358 551	319 461	205 311	134 196	53 108	20 39	6 8	7	8 20	9.
34 27	28 31	24 47	35 37	36 36	33 32	25 38	25 23	13 21	6 15	3 5	1			4 1	10.
8 19	11 28	5 14	12 16	17 23	22 19	21 20	12 15	12 8	7 2	2 5	2 2			2 2	11.
23 22	28 43	35 45	30 46	44 69	50 51	62 73	78 71	64 64	45 46	16 29	9 13	1 3	2 3	3 7	12.
28 10	26 16	27 20	34 25	44 36	37 44	41 38	49 37	25 24	15 15	2 4	1	1		1 3	13.
4 6	3 6	4 5	3 6	6 2	6 4	6 7	8 1	2	2	3 1	3	1	1	2	14.
			1	1	1		1	1	1						15.
839	1,042	1,086	1,348	1,559	1,592	1,953	1,991	1,836	1,513	934	418	111	20	159	16.
488 351	619 423	627 459	755 598	847 712	879 713	1,059 894	1,049 942	950 886	750 793	400 534	149 269	25 86	7 13	84 75	17. 18.
97 64	93 62	98 48	78 60	67 39	59 36	48 25	36 35	19 36	15 13	11 17	4 3			11 11	19.
111 80	139 95	186 169	262 221	334 326	370 324	512 438	474 454	431 391	329 334	170 217	63 113	10 32	5 5	12 16	20.
47 41	88 63	98 75	143 113	174 160	187 165	233 252	277 262	270 297	240 271	137 217	54 115	11 41	1 6	7 12	21.
8 5	12 7	8 3	12 1	6 2	5 3	5	4	2			1			1	22.
85 26	49 30	24 20	26 19	19 9	20 12	16 16	14 10	10 11	7 4	3 5	1			3	23.
11 19	17 10	8 9	8 12	12 13	6 4	6 3	2 5	3 7	4 4	3 4	1 2			28 21	24.
27 22	40 32	37 28	36 44	26 39	29 40	37 22	41 41	37 33	33 36	21 18	5 8	1 2	1	4 2	25.
111 58	145 82	123 72	138 84	159 80	141 86	150 98	132 102	141 82	106 86	51 42	20 21	3 10	1 1	14 12	26.
34 14	24 22	31 15	41 22	38 19	50 22	36 20	23 9	23 9	8 6	3 1		1		1 1	27.
7 22	12 20	14 20	11 17	12 25	12 21	16 20	26 22	16 18	8 9	1 13	2 5			3	28.
891	1,083	1,193	1,386	1,507	1,581	1,746	1,843	1,587	1,209	621	266	54	21	102	29.
479 412	598 490	659 534	759 627	793 714	839 742	951 795	972 871	820 767	619 590	287 334	114 152	19 35	11 10	54 48	30. 31.
8 10	15 10	16 7	25 12	22 13	40 17	40 21	35 26	24 19	17 16	5 7	5 2			4 1	32.
15 4	32 10	34 12	36 10	26 7	26 3	19 6	12 4	7 3	5 1	2 1	1			1 1	33.
453 393	544 465	603 512	693 599	736 680	765 713	832 754	909 837	776 727	587 570	266 316	103 146	18 35	11 10	45 44	34.
3 5	7 5	6 3	5 6	9 5	9 9	10 14	16 4	13 18	10 3	14 10	1 3	1		4 2	35.

TABLE 10.—DEATHS IN 271 REGISTRATION CITIES, BY AGE, SEX, AND

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	53,780	11,639	5,695	2,986	1,788	1,114	23,222	2,144	602	1,072	1,766	2,084
2	Males	29,016	6,454	2,989	1,546	927	546	12,462	1,090	284	532	1,076	1,204
3	Females	24,764	5,185	2,706	1,440	861	568	10,760	1,054	318	540	690	780
4	1. Croup	{ M. 2,388 F. 2,195	{ 369 253	{ 560 493	{ 518 445	{ 375 321	{ 270 242	{ 2,092 1,754	{ 430 388	{ 29 17	{ 4 7	{ 9 4	{ 4 3
5	2. Laryngitis	{ M. 260 F. 219	{ 45 44	{ 56 36	{ 31 25	{ 36 26	{ 8 15	{ 176 146	{ 23 33	{ 5 5	{ 1 3	{ 5 2	{ 6 5
6	3. Bronchitis	{ M. 6,210 F. 6,329	{ 2,538 2,167	{ 800 786	{ 283 305	{ 133 134	{ 64 67	{ 3,818 3,459	{ 105 106	{ 26 51	{ 41 62	{ 83 87	{ 96 91
7	4. Pneumonia	{ M. 16,727 F. 13,392	{ 2,757 2,145	{ 1,444 1,271	{ 638 602	{ 346 352	{ 170 224	{ 5,355 4,594	{ 463 465	{ 183 206	{ 405 409	{ 874 509	{ 1,054 586
8	5. Pleurisy	{ M. 523 F. 337	{ 31 22	{ 18 12	{ 13 11	{ 3 1	{ 6 1	{ 71 47	{ 16 17	{ 9 7	{ 26 18	{ 27 17	{ 45 23
9	6. Asthma	{ M. 452 F. 407	{ 13 13	{ 4 2	{ 2 3	{ 1 1	{ 2 1	{ 22 19	{ 2 2	{ 3 1	{ 1 1	{ 2 6	{ 6 8
10	7. Others of this class	{ M. 2,256 F. 1,885	{ 701 541	{ 107 106	{ 61 49	{ 33 27	{ 26 18	{ 928 741	{ 51 43	{ 29 32	{ 54 40	{ 76 65	{ 93 64
11	V.—Diseases of the digestive system	14,611	2,917	897	199	118	81	4,212	341	265	389	573	783
12	Males	7,554	1,628	463	116	65	49	2,321	185	134	201	247	344
13	Females	7,057	1,289	434	83	53	32	1,891	156	131	188	326	439
14	1. Dentition	{ M. 719 F. 643	{ 396 347	{ 287 272	{ 27 19	{ 3 2	{ 3 1	{ 716 641					
15	2. Angina	{ M. 145 F. 113	{ 32 19	{ 18 10	{ 18 10	{ 16 8	{ 9 7	{ 93 51	{ 16 26	{ 5 9	{ 1 3	{ 2 3	{ 8 2
16	3. Diseases of the stomach	{ M. 1,366 F. 1,443	{ 276 220	{ 61 55	{ 20 25	{ 13 13	{ 6 9	{ 376 322	{ 33 48	{ 11 17	{ 22 27	{ 28 64	{ 52 77
17	4. Obstruction of the bowels	{ M. 477 F. 441	{ 97 55	{ 6 10	{ 9 2	{ 8 4	{ 4 3	{ 124 74	{ 23 10	{ 15 13	{ 17 11	{ 34 17	{ 29 21
18	5. Hernia	{ M. 282 F. 219	{ 38 10		{ 1		{ 1	{ 40 10	{ 4 1	{ 1 1	{ 2	{ 8 1	{ 10 3
19	6. Other diseases of the bowels	{ M. 173 F. 141	{ 57 41	{ 9 2	{ 4	{ 2	{ 3 2	{ 73 46	{ 3 2	{ 3 1	{ 7 7	{ 4 4	{ 10 8
20	7. Jaundice	{ M. 299 F. 237	{ 175 113	{ 5 3	{ 2 1	{ 3	{ 1	{ 186 117	{ 3 1	{ 1	{ 2 3	{ 5	{ 8 8
21	8. Inflammation and abscess of the liver	{ M. 519 F. 376	{ 21 10	{ 3 3	{ 3	{ 1	{ 2	{ 28 15	{ 9 5	{ 7 2	{ 7 7	{ 16 10	{ 33 25
22	9. Other diseases of the liver	{ M. 1,504 F. 956	{ 21 19	{ 3 4	{ 5 1	{ 4 2	{ 1 1	{ 34 27	{ 5 2	{ 3 3	{ 13 5	{ 13 16	{ 44 41
23	10. Peritonitis	{ M. 1,121 F. 1,608	{ 85 69	{ 29 20	{ 15 10	{ 7 8	{ 15 7	{ 151 114	{ 60 41	{ 69 70	{ 100 104	{ 105 195	{ 117 231
24	11. Ascites	{ M. 66 F. 83	{ 4 3	{ 1		{ 1	{ 1	{ 6 6			{ 3	{ 2	{ 3
25	12. Others of this class	{ M. 883 F. 797	{ 426 383	{ 41 55	{ 12 14	{ 9 11	{ 6 2	{ 494 465	{ 29 19	{ 20 14	{ 30 18	{ 28 14	{ 30 20
26	VI.—Diseases of the urinary system and male organs of generation.	11,162	215	70	86	71	67	509	220	122	207	425	662
27	Males	6,473	133	48	46	37	34	298	111	59	106	190	304
28	Females	4,689	82	22	40	34	33	211	109	63	101	235	358
29	1. Bright's disease	{ M. 3,131 F. 2,460							{ 38 34	{ 24 31	{ 64 54	{ 101 101	{ 154 185
30	2. Calculus, urinary	{ M. 43 F. 20	{ 4 2	{ 2		{ 1		{ 7 5	{ 1		{ 2		
31	3. Diseases of the kidney	{ M. 2,198 F. 1,830	{ 94 63	{ 40 21	{ 42 35	{ 30 31	{ 33 28	{ 239 178	{ 66 64	{ 28 31	{ 34 32	{ 76 112	{ 124 138
32	4. Diseases of the bladder	{ M. 556 F. 97	{ 6 3	{ 1	{ 1	{ 2	{ 1	{ 11 4	{ 2	{ 2	{ 2 3	{ 3 3	{ 6 8
33	5. Others of this class	{ M. 545 F. 282	{ 29 14	{ 5 1	{ 3 4	{ 4 3	{ 5	{ 41 27	{ 4 11	{ 5 1	{ 4 11	{ 10 19	{ 20 27
34	VII.—Diseases of the female organs of generation.	854			2			2	1	2	24	73	123
35	1. Ovarian tumors	F. 203									2	6	17
36	2. Ovarian diseases	F. 54										5	7
37	3. Uterine tumors	F. 152										2	3
38	4. Uterine diseases	F. 96										8	27
39	5. Others of this class	F. 349			2			2		1	14	44	69
40	VIII.—Affections connected with pregnancy.	2,487								1	170	584	643
41	1. Abortion	F. 185									1	14	43
42	2. Childbirth	F. 587										21	145
43	3. Puerperal septicemia	F. 1,211									84	313	321
44	4. Extra-uterine pregnancy	F. 33										8	9
45	5. Others of this class	F. 471									51	120	125

STATISTICS OF DEATHS.

577

SPECIFIED CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
2,083	2,147	2,072	2,258	2,308	2,234	2,349	2,264	1,899	1,517	938	470	136	49	166	1
1,278 805	1,355 792	1,285 787	1,405 855	1,303 1,005	1,225 1,009	1,201 1,148	1,039 1,225	829 1,070	673 844	379 559	158 312	37 99	11 38	92 74	2 3
2 3	3 2	2	1	2 2	1 1	1 2	1 2	2 1	2 2	1				5 6	4
4 7	6 5	4 1	7 1	5	8 1	4 2	3 3	1	2	1 1				1 2	5
98 89	102 83	136 95	156 121	211 181	197 234	227 293	241 344	243 349	204 280	124 210	59 126	22 41	5 14	16 13	6
1,007 614	1,092 602	997 575	1,059 629	915 689	832 634	732 699	630 689	436 547	360 449	192 276	68 134	14 44	4 12	54 36	7
40 21	44 24	28 28	32 15	34 13	42 18	42 17	22 25	19 20	15 11	4 7	3 7	1	1	3 1	8
16 5	21 14	16 17	36 25	50 42	47 46	69 46	56 64	46 47	37 33	16 17	5 7	2	3	1 3	9
111 66	86 62	102 71	112 67	86 81	98 75	126 89	86 98	82 106	57 67	42 47	23 38	1 11	1 9	12 13	10
742	795	837	918	908	879	889	790	578	350	187	90	23	4	58	11
332 410	381 414	450 387	486 432	482 426	484 395	512 377	405 385	281 297	171 179	68 119	41 49	5 18	4	24 34	12 13
														3 2	14
5 2	2 3	1 2	2 5	2 2	4		2	1	2 1						15
59 80	61 77	81 66	99 80	77 97	117 93	92 88	88 83	87 80	47 62	17 47	13 18	3 9	2	3 6	16
28 17	30 34	28 27	15 26	32 36	22 24	21 31	24 36	13 30	9 17	3 7	5 4	1 3	1	4 2	17
13 1	13 12	12 13	18 30	26 21	26 20	32 30	30 28	17 16	23 17	5 9	2 3	1	1	1	18
10 9	12 4	8 3	3 6	1 16	7 9	14 5	3 4	5 6	4 4	1 3	2			3 4	19
7 8	2 10	8 5	10 13	13 9	9 12	11 16	8 7	9 11	5 7	5 6	3 2	1 1		4	20
31 23	63 23	47 41	53 37	45 41	42 34	61 38	38 35	23 25	10 4	4 4	1 4	1		1 2	21
78 45	108 70	168 89	196 116	205 113	175 103	197 94	130 105	67 67	40 34	17 16	8 4	2		3 4	22
78 201	66 158	72 119	62 89	47 59	50 59	49 48	34 44	30 33	15 14	11 12	3 8	3 5		2 9	23
2 2	1 4	7 7	6 5	6 6	7 10	7 5	6 11	8 5	3 5	4	2			2	24
21 22	23 19	18 15	22 25	28 26	25 31	28 22	42 32	22 23	13 14	5 11	4 4	1		1 2	25
693	795	864	954	997	902	1,081	948	763	558	281	119	21	7	34	26
361 332	433 362	466 398	556 398	581 416	547 355	676 405	608 340	511 232	377 181	178 103	79 40	10 11	3 4	19 15	27 28
200 180	253 205	259 233	317 250	341 251	309 204	349 231	262 189	227 144	141 89	63 48	16 17	2 5	1 3	10 6	29
	1	1	1	3 2	2 3	6 3	14 1	4 2	3 1	1 1	1				30
138 121	139 136	167 146	177 123	177 147	162 124	200 143	189 117	118 82	96 37	40 37	19 17	2 4	2 1	5 5	31
2 2	9 1	14 5	20 9	21 6	44 8	67 8	84 14	101 10	89 6	48 10	27	4			32
21 29	32 19	26 13	42 16	39 10	30 16	54 20	59 19	61 14	48 12	26 7	17 5	2 2		4 4	33
104	122	101	90	65	46	39	30	8	7	9	3			5	34
16 7 7 12 62	30 5 23 10 54	21 4 21 5 50	21 11 32 8 18	24 6 22 2 11	15 1 20 3 7	25 3 8 1 2	15 2 6 7	3 1 2 1 1	5 1 1 1	2 1 1 5		2		1 1 1 1 2	35 36 37 38 39
507	403	139	21	2	2	1								14	40
52 128 248 6 73	27 127 175 8 66	9 46 51 1 32	1 9 9 1 1											5 8 44 1	41 42 43 44 45

TABLE 10.—DEATHS IN 271 REGISTRATION CITIES, BY AGE, SEX, AND

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	640	37	19	23	16	13	108	96	70	44	41	50
2	Males.....	389	23	9	13	12	10	67	55	42	28	30	32
3	Females.....	251	14	10	10	4	3	41	41	28	16	11	18
4	1. Diseases of the spine.....	{ M. 221 F. 135	15 9	6 7	13 7	7 2	8 2	49 27	29 25	22 14	14 7	18 6	24 10
5	2. Diseases of the bones.....	{ M. 79 F. 42	3 2	2 2	2 2	2 2	1 1	8 6	6 3	7 2	6 2	5 2	4 5
6	3. Diseases of the hip joint.....	{ M. 64 F. 49	1 2	1 1	3 1	3 2	1 1	6 7	20 10	13 12	8 7	4 3	3 3
7	4. Others of this class.....	{ M. 23 F. 25	4 1					4 1	3			3	1
8	X.—Diseases of the skin.....	682	186	29	10	8	8	241	17	13	15	21	30
9	Males.....	343	97	8	5	4	3	117	11	11	8	15	13
10	Females.....	339	89	21	5	4	5	124	6	2	7	6	17
11	1. Abscess.....	{ M. 191 F. 194	46 36	5 14	3 3	2 3	1 3	57 59	9 5	10 2	2 6	12 6	10 16
12	2. Carbuncle.....	{ M. 57 F. 33	3 1					3 4			4	2	2 1
13	3. Others of this class.....	{ M. 95 F. 112	48 52	3 4	2 2	2 1	2 2	57 61	2 1	1	2 1	1	1
14	XI.—Diseases of the absorbent system.....	127	12	7		2	3	24	3	5	6	4	9
15	Males.....	73	8	3		2	2	15	2		4	2	2
16	Females.....	54	4	4			1	9	1	5	2	2	7
17	1. Addison's disease.....	{ M. 26 F. 16					1	1		1	1	1	2
18	2. Diseases of the spleen.....	{ M. 17 F. 11	1 1	1 1			1	3 2	1 1		2		1 1
19	3. Others of this class.....	{ M. 30 F. 27	7 4	2 3		2		11 7	1	3	2 1	1	2 4
20	XII.—Accidents and injuries.....	14,537	1,032	251	237	199	176	1,895	658	637	825	1,337	1,416
21	Males.....	11,170	581	149	142	114	103	1,089	487	518	680	1,084	1,165
22	Females.....	3,367	451	102	95	85	73	806	171	119	145	253	251
23	1. Burns and scalds.....	{ M. 400 F. 541	24 22	58 35	58 49	43 45	30 37	213 188	33 74	7 27	17 19	17 27	23 25
24	2. Drowned.....	{ M. 1,756 F. 180	14 3	19 11	13 6	13 5	15 5	74 30	176 17	209 12	162 9	173 25	156 9
25	3. Exposure and neglect.....	{ M. 75 F. 58	27 34	1 2	2			30 38	1 1	2 1	1 1	1 1	2
26	4. Gunshot wounds.....	{ M. 360 F. 32	1		2	3		6 1	10 1	24 4	56 6	61 4	50 4
27	5. Homicide.....	{ M. 279 F. 69	4 3		1			4 4	1 3	4 2	23 7	51 14	58 11
28	6. Infanticide.....	{ M. 13 F. 13	13 13					13 13					
29	7. Injuries by machinery.....	{ M. 46 F. 3							1 3	2 3	7	6	6
30	8. Railroad accidents.....	{ M. 2,045 F. 133	2	2	5	3	5	17 3	51 6	93 13	134 12	330 17	298 9
31	9. Suffocation.....	{ M. 479 F. 341	245 209	15 11	6 5	4 6	6 1	276 232	7 7	7 5	7 13	23 14	21 8
32	10. Suicide by shooting.....	{ M. 460 F. 27									14 3	45 6	49 11
33	11. Suicide by drowning.....	{ M. 65 F. 28									1 2	5 6	4 3
34	12. Suicide by poison.....	{ M. 249 F. 174								1	5 21	19 37	27 36
35	13. Other suicides.....	{ M. 515 F. 133								1	7 6	28 17	43 11
36	14. Sunstroke.....	{ M. 116 F. 28	10 7	2 2				12 10	2 1		3	13 4	10 1
37	15. Surgical operations.....	{ M. 205 F. 324	21 5	4 2	3 2	1	1	28 11	10 6	4 5	8 8	9 20	19 52
38	16. Wounds.....	{ M. 345 F. 95	5 6	6 6	2 3	3 3	7 1	23 19	25 9	37 9	34 2	24 8	31 9
39	17. Other accidents and injuries.....	{ M. 3,762 F. 1,168	215 149	42 33	53 25	46 25	37 25	393 257	170 46	128 37	201 36	270 44	368 62

STATISTICS OF DEATHS.

SPECIFIED CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
37	40	24	29	24	19	14	14	18	7	3	1			1	1
22	24	14	18	14	14	8	5	7	5	2	1			1	2
15	16	10	11	10	5	6	9	11	2	1					3
13	8	10	10	6	9	1	1	3	3					1	4
13	10	5	7	1	1	3	3	2	1						
5	6	3	7	6	4	5	2	2	1	2					5
1	3	3	2	3	3	1	2	4							
3	5	1		1											6
	1	2		1	1			1	1						
1	5		1	1											7
1	2		2	5	1	2	2	4	1	1	1				
33	26	25	40	41	42	34	27	29	25	11	8	1	1	2	8
20	12	10	24	19	19	14	14	15	10	5	4	1		1	9
13	14	15	16	22	23	20	13	14	15	6	4		1	1	
14	8	7	13	8	9	8	7	11	3	2		1			11
12	11	12	10	13	9	7	7	6	9	1	1		1	1	
4	1	1	6	10	8	3	6	3	3	1	1				12
		1	1	5	6	6	3	2	2	1					
2	3	2	5	1	2	3	1	2	4	2	3			1	13
1	3	2	5	4	8	7	3	5	4	4	3				
6	12	10	9	13	6	4	4	4	6	2					14
4	10	6	5	7	4	1	3	2	5	1					15
2	2	4	4	6	2	3	1	2	1	1					
1	6	2	3	4	3				2						17
1	2	2	1	3	1	1	3								
1	2	3	1	2	1	1		1	1						18
2	2	1	1	3				1	2	1					19
1		2	3	1	1	1	1	1	1	1					
1,268	1,196	1,036	959	800	635	517	402	279	205	128	84	18	11	231	20
1,053	989	854	783	661	524	392	286	189	119	63	32	6	3	193	24
215	207	182	176	139	111	125	116	90	86	65	52	12	8	38	22
18	9	16	11	8	7	2	6	6	1	4				2	23
30	24	24	20	17	12	13	13	11	5	6	3		2	1	
138	132	140	163	81	65	46	24	11	3	2	1			60	24
10	10	11	10	8	7	6	4	4	1		1	1		5	
4	4	6	5	2	1	4	5	2	1					4	25
	2	3	3	1	1	2	1	4	2		1				
48	32	19	15	12	12	3	3	1	1	1				6	26
3	3	2	1	1	1	1									
37	33	24	18	11	4	4	1	2						4	27
5	4	5	1	3	3	3	2			1				1	
															28
5	8	2	2	1	2	2	1							1	29
225	204	150	137	108	76	61	45	30	29	6	2		1	48	30
9	8	8	5	13	8	9	17	4	8		1			3	
19	18	20	16	13	8	9	11	5	4	2	1			12	31
5	6	6	6	6	5	7	3	4	2	2	1			9	
54	52	46	52	46	39	29	18	11	4	1					32
4			1	2											
8	6	5	10	8	5	4	1	1	4					3	33
1	2	1	4	3	1	2			2						
33	24	22	43	25	16	13	9	9	3					1	34
15	16	12	7	9	7	5	1	2	2	1	1			1	
43	59	64	53	66	45	33	31	22	8	6	1			5	35
15	14	18	13	11	7	7	4	3	5					2	
16	8	10	10	16	6	3	5		1	1					36
2	1	2		3	1	1			1						
20	23	14	11	15	15	10	5	9	2	2				1	37
42	51	42	33	21	8	5	9	1	1						
26	20	22	22	18	21	11	13	10	3	3	1			1	38
6	2	4	6	2	3	2	6	1	1	1	2	1		2	
359	357	294	275	231	202	158	108	70	55	35	26	6	2	45	39
68	64	47	66	40	46	62	55	56	36	54	42	10	6	14	

TABLE 11.

NUMBER OF DEATHS IN 271 REGISTRATION CITIES, BY GRAND DIVISIONS, WITH
DISTINCTION OF AGE AND SEX AND SPECIFICATION OF CAUSE,
FOR THE CENSUS YEAR ENDED MAY 31, 1890.

DESCRIPTION OF GRAND DIVISIONS FOR WHICH THE FOLLOWING TABLES ARE PRESENTED.

GRAND DIVISION A is composed of the following states: Connecticut, Maine, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, and Vermont. The registration cities in this grand division are Bridgeport, Danbury, Hartford, Meriden, Middletown, New Haven, New London, Norwich, Rockville, Waterbury, and Willimantic, Connecticut; Lewiston, Maine; Adams, Amesbury, Andover, Arlington, Athol, Attleboro, Beverly, Blackstone, Boston, Brockton, Brookline, Cambridge, Chelsea, Chicopee, Clinton, Danvers, Dedham, Everett, Fall River, Fitchburg, Framingham, Gardner, Gloucester, Grafton, Haverhill, Holyoke, Hyde Park, Lawrence, Leominster, Lowell, Lynn, Malden, Marblehead, Marlboro, Medford, Melrose, Middleboro, Milford, Montague, Natick, New Bedford, Newburyport, Newton, North Adams, Northampton, North Attleboro, Palmer, Peabody, Pittsfield, Plymouth, Quincy, Revere, Rockland, Salem, Somerville, Southbridge, Spencer, Springfield, Stoneham, Taunton, Wakefield, Waltham, Ware, Watertown, Webster, Westboro, Westfield, Weymouth, Woburn, and Worcester, Massachusetts; Concord, Dover, Keene, Manchester, Nashua, and Portsmouth, New Hampshire; Atlantic city, Bayonne, Bordentown, Bridgeton, Burlington, Camden, Elizabeth, Gloucester, Harrison, Hoboken, Jersey city, Long Branch, Millville, Morristown, Newark, New Brunswick, Orange, Passaic, Paterson, Perth Amboy, Phillipsburg, Plainfield, Rahway, Salem, Trenton, and Union, New Jersey; Albany, Amsterdam, Auburn, Batavia, Binghamton, Brooklyn, Buffalo, Canandaigua, Cohoes, Corning, Cortland, Dunkirk, Edgewater, Elmira, Flushing, Geneva, Glens Falls, Gloversville, Greenbush, Hoosick Falls, Hornellsville, Hudson, Ithaca, Jamestown, Johnstown, Kingston, Lansingburg, Leroy, Little Falls, Lockport, Long Island city, Malone, Matteawan, Medina, Middletown, Mount Vernon, Newburg, New Rochelle, New York, Niagara Falls, Norwich, Nyack, Ogdensburg, Olean, Oneida, Oneonta, Oswego, Peekskill, Plattsburg, Port Jervis, Poughkeepsie, Rochester, Rome, Saratoga Springs, Schenectady, Seneca Falls, Singing, Syracuse, Tarrytown, Tonawanda, Troy, Utica, Watertown, West Troy, Whitehall, and Yonkers, New York; Allegheny, Altoona, Erie, Norristown, Philadelphia, Pittsburg, Reading, Scranton, Titusville, and York, Pennsylvania; Newport, Pawtucket, Providence, and Woonsocket, Rhode Island; Brattleboro, Burlington, and Rutland, Vermont.

GRAND DIVISION B is composed of the following states and territories: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, and Virginia. The registration cities in this grand division are Wilmington, Delaware; Washington (coextensive with the District of Columbia); Atlanta, Augusta, and Savannah, Georgia; Baltimore, Maryland; Raleigh, North Carolina; Charleston, South Carolina; Lynchburg, Petersburg, and Richmond, Virginia.

GRAND DIVISION C is composed of the following states: Alabama, Arkansas, Kentucky, Louisiana, Mississippi, Tennessee, and Texas. The registration cities in this grand division are Birmingham, Mobile, and Montgomery, Alabama; Fort Smith, Arkansas; Louisville and Paducah, Kentucky; New Orleans, Louisiana; Jackson, Mississippi; Chattanooga, Knoxville, Memphis, and Nashville, Tennessee; Cleburne, Dallas, Fort Worth, Galveston, and San Antonio, Texas.

GRAND DIVISION D is composed of the following states and territories: Arizona, Colorado, Idaho, Illinois, Indiana, Indian territory, Iowa, Kansas, Michigan, Minnesota, Missouri, Montana, Nebraska, Nevada, New Mexico, North Dakota, Ohio, Oklahoma, South Dakota, Utah, West Virginia, Wisconsin, and Wyoming. The registration cities in this grand division are Denver, Colorado; Aurora, Chicago, Galesburg, Jacksonville, Ottawa, Peoria, and Rockford, Illinois; Evansville, Fort Wayne, Indianapolis, Laporte, and Terre Haute, Indiana; Council Bluffs, Davenport, Dubuque, Keokuk, and Muscatine, Iowa; Detroit, Manistee, and Muskegon, Michigan; Minneapolis, St. Paul, and Stillwater, Minnesota; Kansas city and St. Louis, Missouri; Omaha, Nebraska; Chillicothe, Cincinnati, Cleveland, Columbus, Dayton, Hamilton, Portsmouth, Springfield, and Toledo, Ohio; Lacrosse and Milwaukee, Wisconsin.

GRAND DIVISION E is composed of the following states: California, Oregon, and Washington. The registration cities in this grand division are Alameda, Fresno, Los Angeles, Oakland, Sacramento, San Francisco, San Jose, and Stockton, California.

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	197,726	56,032	11,986	5,718	3,745	2,696	80,177	6,694	3,033	5,159	8,459	9,445
2	Males.....	103,844	31,072	6,262	2,896	1,956	1,331	43,570	3,391	1,497	2,529	4,420	4,914
3	Females.....	93,882	24,960	5,724	2,822	1,789	1,315	36,607	3,303	1,536	2,630	4,039	4,531
4	Unknown causes	1,276	386	31	17	16	12	462	29	19	19	32	48
5	Males.....	673	220	17	7	9	8	261	12	11	10	17	18
6	Females.....	603	166	14	10	7	4	201	17	8	9	15	30
7	I.—General diseases. General diseases—A	37,415	14,585	4,608	2,304	1,692	1,336	24,525	3,144	911	1,055	1,188	1,054
8	Males.....	19,110	7,689	2,378	1,133	890	684	12,774	1,494	414	529	645	582
9	Females.....	18,305	6,896	2,230	1,171	802	652	11,751	1,650	497	526	543	472
10	1. Smallpox	{ M. 14 F. 8	{ 1 1	{ 1 1				{ 2 3	{ 1 1		{ 1 1	{ 5 1	{ 1 1
11	2. Measles.....	{ M. 622 F. 595	{ 179 165	{ 217 205	{ 97 46	{ 44 27		{ 557 540	{ 40 28		{ 10 7	{ 4 4	{ 5 5
12	3. Scarlet fever.....	{ M. 713 F. 734	{ 46 55	{ 119 121	{ 119 141	{ 118 103	{ 85 87	{ 487 507	{ 169 167	{ 22 29	{ 18 8	{ 1 5	{ 6 4
13	4. Diphtheria.....	{ M. 3,642 F. 3,666	{ 211 171	{ 554 474	{ 606 582	{ 551 502	{ 464 427	{ 2,386 2,156	{ 969 1,142	{ 164 206	{ 42 52	{ 31 25	{ 17 13
14	5. Whooping cough.....	{ M. 793 F. 998	{ 495 512	{ 169 236	{ 61 123	{ 28 49	{ 18 30	{ 771 950	{ 17 34	{ 2 4		{ 2 2	
15	6. Fever.....	{ M. 20 F. 23	{ 5 6	{ 1 2	{ 2 2			{ 8 9	{ 1 1		{ 4 1	{ 1 2	{ 1 1
16	7. Cerebro-spinal fever.....	{ M. 264 F. 231	{ 76 53	{ 48 30	{ 23 20	{ 20 16	{ 8 12	{ 175 131	{ 29 27	{ 14 12	{ 16 12	{ 3 11	{ 11 12
17	8. Enteric fever.....	{ M. 2,238 F. 1,707	{ 14 15	{ 11 3	{ 17 16	{ 23 15	{ 17 18	{ 82 67	{ 92 96	{ 119 157	{ 337 319	{ 477 299	{ 369 236
18	9. Diarrheal diseases.....	{ M. 4,812 F. 4,783	{ 2,700 2,345	{ 559 475	{ 92 114	{ 51 39	{ 41 26	{ 3,443 2,999	{ 106 98	{ 47 53	{ 49 59	{ 52 88	{ 86 90
19	10. Cholera infantum.....	{ M. 4,450 F. 4,022	{ 3,677 3,305	{ 657 643	{ 75 53	{ 23 11	{ 13 5	{ 4,445 4,017					
20	11. Malarial fever.....	{ M. 583 F. 593	{ 33 30	{ 21 19	{ 22 14	{ 21 18	{ 7 8	{ 104 89	{ 42 38	{ 24 24	{ 30 47	{ 50 44	{ 51 42
21	12. Erysipelas.....	{ M. 265 F. 250	{ 85 96	{ 3 8	{ 4 2	{ 1 1		{ 93 110	{ 4 2	{ 1 1	{ 3 6	{ 8 4	{ 9 3
22	13. Septicemia.....	{ M. 245 F. 319	{ 30 29	{ 7 3	{ 6 5	{ 3 1	{ 9 4	{ 55 42	{ 11 9	{ 5 5	{ 14 7	{ 17 36	{ 13 56
23	14. Venereal diseases.....	{ M. 207 F. 160	{ 121 94	{ 7 6	{ 1 1	{ 1 1		{ 130 101	{ 1 1	{ 2 1		{ 5 5	{ 12 8
24	15. Others of this group.....	{ M. 242 F. 216	{ 16 19	{ 4 5	{ 8 3	{ 6 3	{ 2 3	{ 36 30	{ 12 7	{ 8 1	{ 5 3	{ 4 7	{ 2 6
25	General diseases—B	3,189	1,871	57	27	7	8	1,970	26	3	13	53	137
26	Males.....	1,943	1,026	32	15	3	2	1,078	17	2	4	29	97
27	Females.....	1,246	845	25	12	4	6	892	9	1	9	24	40
28	1. Parasitic diseases.....	{ M. 8 F. 5	{ 1 1	{ 1 1				{ 2 3	{ 4 1				{ 1 1
29	2. Alcoholism.....	{ M. 681 F. 206	{ 2 2					{ 2 2	{ 5 2	{ 2 2		{ 22 10	{ 37 31
30	3. Lead poison.....	{ M. 24 F. 3		{ 1 1				{ 1 1			{ 1 1	{ 1 1	{ 2 2
31	4. Other poisons.....	{ M. 115 F. 86	{ 6 7	{ 8 3	{ 6 5	{ 1 3	{ 1 3	{ 22 21	{ 2 2		{ 2 1	{ 5 11	{ 6 7
32	5. Inanition.....	{ M. 1,115 F. 946	{ 1,017 837	{ 24 20	{ 8 6	{ 2 1	{ 1 3	{ 1,052 867	{ 6 6		{ 1 3	{ 1 3	{ 2 1
33	General diseases—C	27,189	20,520	529	125	52	30	21,256	60	18	29	36	39
34	Males.....	14,345	11,624	273	53	25	13	11,988	25	7	12	17	14
35	Females.....	12,844	8,896	256	72	27	17	9,268	35	11	17	19	25
36	1. Premature birth.....	{ M. 1,608 F. 1,180	{ 1,606 1,180	{ 2 2				{ 1,608 1,180					
37	2. Stillborn.....	{ M. 6,569 F. 4,784	{ 6,569 4,784					{ 6,569 4,784					
38	3. Malformation.....	{ M. 252 F. 196	{ 247 186		{ 1 2		{ 1 1	{ 248 190	{ 1 2		{ 1 2		
39	4. Debility and atrophy.....	{ M. 4,544 F. 4,516	{ 3,202 2,746	{ 271 255	{ 53 70	{ 25 27	{ 12 16	{ 3,563 3,114	{ 24 33	{ 7 9	{ 11 17	{ 17 18	{ 14 25
40	5. Old age.....	{ M. 1,372 F. 2,168											

a For list of cities, see page 581.

STATISTICS OF DEATHS.

GRAND DIVISION A, BY AGE AND SEX AND SPECIFIED DISEASE. (a)

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
8,740	8,467	7,790	7,997	7,965	7,536	7,968	7,610	6,712	5,743	4,113	2,251	793	278	796	1
4,714 4,026	4,703 3,764	4,267 3,523	4,461 3,536	4,243 3,722	4,043 3,493	4,093 3,875	3,804 3,806	3,217 3,495	2,717 3,026	1,689 2,424	817 1,434	240 553	75 203	440 356	2 3
50	46	39	43	48	49	56	66	72	45	29	13	6	3	102	4
27 23	28 18	18 21	24 19	24 24	25 24	29 27	32 34	36 36	22 23	15 14	6 7	3 3	1 2	54 48	5 6
768	644	506	510	443	460	468	444	414	361	275	121	35	18	62	7
395 373	347 297	268 238	265 245	208 235	235 234	214 254	210 234	187 227	150 211	112 163	37 84	10 25	6 12	28 34	8 9
			2 1	2											10
		1								1					11
5	2		2	1		1									12
3 8	2 2	1	1	1	1 1				1					1 2	13
5 20	8 14	12 9	2 5	5 4	2 2	1 1	1 1	3 2	2 1		1 1			1 2	14
	1 1	1	2				1	1	1					1 2	15
4	1		2	1 1	1	3	1	1						1	16
5	4 4	3 5	2 1	1 3	2 2	3 1	1 4		1						17
240 143	187 104	112 66	85 70	45 47	35 31	26 18	20 20	13 10	7 8	4	1	1 1	1	6 5	18
63 80	85 80	73 88	95 105	87 112	115 117	96 165	116 137	111 148	84 152	66 117	24 62	2 14	3 7	9 12	19
														5 5	20
42 37	26 35	29 34	27 21	21 31	36 35	33 36	20 23	13 22	15 19	11 6	2 5	4 3	2 1	1 1	21
10 12	16 7	14 10	15 10	13 11	14 12	19 7	16 14	12 11	10 8	5 11	1 5		1 1	1 1	22
13 42	21 31	8 18	14 17	21 9	16 14	17 5	13 10	3 10	3 4			1		1 2	23
14 11	11 12	9 4	8 5	7 2	1 4	1 1	3 1	3 1							24
5 6	6 4	6 3	12 6	4 14	12 16	18 16	19 23	28 22	28 17	25 19	8 11	3 3	2	1	25
185	162	151	125	118	68	58	37	23	10	14	8	1	2	25	25
136 49	125 37	108 43	94 31	96 22	51 17	36 22	21 16	12 11	10	8 6	3 5	1	2	16 9	26 27
1						1									28
110 36	106 28	99 37	84 22	78 17	40 10	22 9	13 3	5	3	3 1				1	29
6	3 1	1	1 1	4	2	1	1	1							30
17 7	14 6	8 6	7 3	13 4	4 3	7 3	5 3		1					2 2	31
2 6	2 2		2 5	1 1	5 4	5 10	2 10	6 9	6	5 5	3 5	1	2	14 6	32
56	36	49	63	86	119	267	429	726	1,032	1,276	937	439	172	64	33
20 36	17 19	25 24	23 40	35 51	55 64	116 151	182 247	288 438	449 583	504 772	344 593	144 295	45 127	35 29	34 35
															36
															37
			1											2	38
20 36	17 19	25 24	23 39	35 51	55 64	83 108	111 149	125 172	156 193	124 216	82 140	18 51	7 18	27 20	39
						33 43	71 98	163 266	203 390	380 556	262 453	126 244	38 109	6 9	40

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	33,360	1,629	745	340	183	143	3,046	489	523	1,898	3,666	3,885
2	Males.....	16,756	965	391	183	90	72	1,710	252	176	778	1,831	1,960
3	Females.....	16,604	664	354	163	84	71	1,336	237	347	1,120	1,835	1,925
4	1. Rheumatism.....	{ M. 382 F. 340	{ 4 7	{ 4 2	{ 3 3	{ 4 2	{ 1 2	{ 16 16	{ 21 16	{ 17 19	{ 18 15	{ 19 7	{ 17 14
5	2. Scrofula and tabes.....	{ M. 264 F. 268	{ 105 96	{ 30 29	{ 11 17	{ 5 5	{ 6 8	{ 157 155	{ 17 17	{ 7 5	{ 5 14	{ 12 11	{ 15 16
6	3. Leprosy.....	{ M. F.											
7	4. Consumption.....	{ M. 12,708 F. 11,306	{ 263 195	{ 104 121	{ 61 54	{ 23 34	{ 25 27	{ 476 431	{ 98 110	{ 111 285	{ 710 1,048	{ 1,748 1,764	{ 1,865 1,924
8	5. Hydrocephalus.....	{ M. 1,088 F. 780	{ 499 321	{ 238 179	{ 90 79	{ 57 39	{ 28 32	{ 912 650	{ 84 79	{ 19 14	{ 11 3	{ 0 7	{ 14 4
9	6. Cancer.....	{ M. 1,358 F. 2,927	{ 4 2	{ 3 3	{ 1 1	{ 1 1	{ 2 2	{ 8 6	{ 4 2		{ 3 9	{ 12 12	{ 20 45
10	7. Tumor.....	{ M. 215 F. 228	{ 8 1	{ 3 1	{ 2 4	{ 3 2	{ 2 2	{ 18 8	{ 5 3	{ 4 4	{ 9 6	{ 12 5	{ 8 9
11	8. Anæmia.....	{ M. 136 F. 152	{ 36 17	{ 3 1	{ 2 2	{ 1 1		{ 42 20	{ 4 5	{ 2 3	{ 4 8	{ 3 14	{ 4 9
12	9. Dropsy.....	{ M. 243 F. 289	{ 9 8	{ 1 3	{ 1 1	{ 1 2	{ 2 2	{ 14 14	{ 8 3	{ 3 8	{ 5 7	{ 6 3	{ 1 7
13	10. Diabetes.....	{ M. 256 F. 229	{ 1 1	{ 2 2	{ 2 2		{ 1 1	{ 6 3	{ 8 5	{ 11 5	{ 12 7	{ 5 7	{ 10 13
14	11. Others of this group.....	{ M. 102 F. 81	{ 36 15	{ 6 15	{ 10 1	{ 4 4	{ 5 2	{ 61 33	{ 3 5	{ 1 4	{ 1 3	{ 5 5	{ 6 4
15	12. Others of this class.....	{ M. 4 F. 4	{ 1 1		{ 1 1			{ 2 2		{ 1 1			
16	II.—Diseases of the nervous system.....	22,600	6,539	1,970	762	445	297	10,014	667	308	296	344	401
17	Males.....	11,933	3,693	1,011	380	222	157	5,463	345	163	158	165	231
18	Females.....	10,667	2,846	959	383	223	140	4,551	322	145	138	149	170
19	1. Inflammation of the brain.....	{ M. 2,815 F. 2,364	{ 1,072 793	{ 486 479	{ 185 200	{ 119 116	{ 85 77	{ 1,947 1,665	{ 219 187	{ 84 85	{ 60 58	{ 58 45	{ 56 34
20	2. Apoplexy.....	{ M. 2,409 F. 2,468	{ 37 36	{ 5 10	{ 3 5	{ 5 2	{ 1 3	{ 51 56	{ 3 9	{ 5 3	{ 11 11	{ 24 13	{ 43 31
21	3. Paralysis.....	{ M. 1,240 F. 1,404	{ 16 16	{ 9 13	{ 4 4	{ 4 7	{ 4 2	{ 37 42	{ 9 8	{ 7 5	{ 11 6	{ 10 13	{ 24 20
22	4. Tetanus and trismus nascentium.....	{ M. 169 F. 83	{ 108 70	{ 1 1	{ 1 1	{ 1 1		{ 111 70	{ 9 9	{ 10 10	{ 6 1	{ 2 1	{ 4 2
23	5. Epilepsy.....	{ M. 254 F. 183	{ 10 12	{ 14 2	{ 4 4		{ 3 3	{ 31 18	{ 7 14	{ 13 8	{ 23 13	{ 25 19	{ 22 9
24	6. Convulsions.....	{ M. 2,743 F. 2,338	{ 2,000 1,594	{ 368 335	{ 130 127	{ 65 61	{ 38 44	{ 2,601 2,161	{ 54 44	{ 10 14	{ 12 14	{ 5 12	{ 3 18
25	7. Mental diseases.....	{ M. 313 F. 311								{ 1 3	{ 3 3	{ 15 11	{ 12 15
26	8. Diseases of the brain.....	{ M. 1,596 F. 1,153	{ 408 285	{ 111 102	{ 48 35	{ 23 31	{ 20 11	{ 610 464	{ 39 34	{ 22 24	{ 25 19	{ 39 21	{ 55 27
27	9. Diseases of the spinal cord.....	{ M. 308 F. 204	{ 41 39	{ 16 17	{ 5 8	{ 5 6	{ 6 3	{ 73 73	{ 4 20	{ 8 3	{ 6 5	{ 15 6	{ 9 7
28	10. Others of this class.....	{ M. 86 F. 159	{ 1 1	{ 1 1				{ 2 2	{ 1 6	{ 3 3	{ 1 8	{ 2 8	{ 3 7
29	III.—Diseases of the circulatory system.....	12,562	1,132	52	36	30	29	1,279	256	280	332	405	480
30	Males.....	6,328	621	28	19	16	17	701	114	122	172	189	217
31	Females.....	6,234	511	24	17	14	12	578	142	158	160	216	263
32	1. Angina pectoris.....	{ M. 174 F. 131									{ 2 1		{ 2 8
33	2. Aneurism.....	{ M. 119 F. 38									{ 3 1	{ 5 1	{ 7 2
34	3. Diseases of the heart.....	{ M. 5,558 F. 5,674	{ 220 198	{ 31 22	{ 17 14	{ 16 14	{ 17 11	{ 291 259	{ 113 141	{ 122 155	{ 166 156	{ 184 207	{ 208 256
35	4. Others of this class.....	{ M. 477 F. 391	{ 401 313	{ 7 2	{ 2 3		{ 1 1	{ 410 319	{ 1 2		{ 1 2		{ 3 3

STATISTICS OF DEATHS.

GRAND DIVISION A, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
3,412	3,000	2,520	2,322	2,017	1,741	1,601	1,307	846	562	265	98	23	12	127	1
1,786	1,595	1,271	1,204	1,046	885	794	634	367	250	92	27	10	8	65	2
1,626	1,405	1,249	1,118	971	856	807	673	459	312	173	71	13	9	62	3
22	26	22	32	32	31	29	35	18	10	12	4	1		1	4
15	23	21	25	20	30	27	30	25	20	9	6				4
4	7	6	8	5	8	6	3	3	1						5
11	5	11	4	6	5	7	4	1	1						5
															6
1,677	1,445	1,109	976	763	565	478	309	168	111	36	7	1	2	53	7
1,442	1,110	842	657	461	331	308	272	154	97	63	25	5	1	37	7
8	9	3	5	3	3	1	1	1	1		1			4	8
4	4	4	2	2	2		1	1	1					1	8
28	60	83	120	167	198	199	197	124	63	34	12	4		2	9
112	189	304	359	397	354	357	285	214	142	75	31	5	6	13	9
17	17	16	18	19	20	16	19	8	5	2		1		1	10
14	17	26	25	19	19	29	15	13	12	3	1				10
2	6	4	6	11	11	10	6	11	5	2	1			2	11
10	10	6	11	17	9	13	9	3	1	2	2				11
10	11	12	12	18	23	22	36	31	21	4	2	1		2	12
6	17	20	14	25	21	34	28	28	24	17	3	3	1	6	12
15	12	14	25	24	23	29	25	21	13	1		1		1	13
9	9	11	16	24	33	26	27	19	13	3				3	13
3	2	2	1	3	2	4	3	2		1		1			14
3	2	4	5	2	2	6	1		1	1	2				14
			1	1			1	1	-1						15
504	619	622	836	963	1,016	1,234	1,291	1,248	1,066	675	308	86	10	92	16
293	367	349	452	493	543	631	664	631	512	280	97	17	5	44	17
211	252	273	384	470	473	603	627	617	554	395	211	69	5	48	18
64	56	59	47	49	37	21	22	11	10	9	1			5	19
44	35	28	38	25	23	19	26	22	9	13	3			5	19
70	81	117	161	206	239	346	317	309	234	126	48	7		7	20
47	65	112	155	230	237	327	321	286	266	164	93	28	1	13	20
25	49	50	90	85	99	117	170	165	162	89	30	6	1	4	21
23	39	38	73	97	100	145	147	191	173	152	90	32	2	8	21
4	8	2	4	1	4	1	3								22
2	3		1		2		1	1							22
16	29	12	14	12	15	10	12	7	3	1				2	23
14	15	12	12	4	9	12	5	11	4	4					23
7	7	7	5	5	4	2	1	1	3	2				14	24
13	7	6	9	9	2		3	5	3	1	2			12	24
23	29	21	25	19	23	28	31	30	25	19	5	1		3	25
13	25	22	29	29	32	12	34	27	32	16	7	2	1	1	25
61	90	57	79	82	81	73	79	83	66	34	12	3		6	26
34	43	38	46	44	46	61	73	59	62	29	12	7	1	9	26
18	13	19	23	25	33	26	16	14	5					1	27
7	11	8	13	13	12	13	5	7		1					27
5	5	5	4	9	8	7	13	11	4		1			2	28
14	9	9	8	19	10	14	13	8	5	12	4				28
508	639	693	817	936	1,002	1,103	1,170	1,060	821	477	195	41	12	56	29
257	332	369	423	458	504	509	597	545	419	213	80	12	6	29	30
251	307	324	394	478	498	534	573	515	402	264	115	29	6	27	31
4	7	7	17	17	26	27	27	13	15	3	4			3	32
5	6	4	10	10	9	14	21	14	12	7	2			1	32
8	15	17	17	12	14	7	6	4	2	2					33
2	6	6	6	2	1	3	2	3	1		1			1	33
244	308	342	387	422	450	529	554	519	396	197	75	11	6	25	34
241	292	312	372	461	481	505	549	484	387	253	110	29	6	24	34
1	2	3	2	7	5	6	10	9	6	11	1	1		1	35
3	3	2	6	5	7	12	1	14	2	4	2			1	35

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	33,839	7,066	3,411	1,783	1,075	631	13,966	1,232	355	653	1,086	1,340
2	Males	17,929	3,907	1,807	923	557	296	7,490	642	176	312	658	818
3	Females	15,910	3,159	1,604	860	518	335	6,476	590	179	341	428	522
4	1. Croup	{ M 1,581 F 1,328	{ M 214 F 138	{ M 372 F 299	{ M 325 F 283	{ M 228 F 208	{ M 154 F 148	{ M 1,293 F 1,076	{ M 246 F 222	{ M 30 F 6	{ M 3 F 4	{ M 4 F 4	{ M 2 F 3
5	2. Laryngitis	{ M 149 F 133	{ M 28 F 30	{ M 30 F 22	{ M 19 F 18	{ M 23 F 16	{ M 2 F 5	{ M 102 F 91	{ M 14 F 17	{ M 1 F 4	{ M 1 F 2	{ M 3 F 2	{ M 2 F 3
6	3. Bronchitis	{ M 3,894 F 4,169	{ M 1,517 F 1,339	{ M 468 F 453	{ M 155 F 165	{ M 79 F 81	{ M 27 F 39	{ M 2,246 F 2,077	{ M 61 F 62	{ M 11 F 20	{ M 31 F 41	{ M 61 F 61	{ M 65 F 69
7	4. Pneumonia	{ M 10,597 F 8,795	{ M 1,693 F 1,305	{ M 866 F 769	{ M 380 F 359	{ M 207 F 201	{ M 95 F 133	{ M 3,241 F 2,767	{ M 287 F 254	{ M 117 F 120	{ M 241 F 257	{ M 537 F 318	{ M 666 F 390
8	5. Pleurisy	{ M 336 F 236	{ M 20 F 16	{ M 12 F 9	{ M 10 F 7	{ M 3 F 1	{ M 4 F 1	{ M 49 F 33	{ M 11 F 12	{ M 7 F 6	{ M 13 F 12	{ M 21 F 13	{ M 30 F 18
9	6. Asthma	{ M 174 F 160	{ M 9 F 5	{ M 1 F 1	{ M 1 F 1		{ M 1 F 6	{ M 12 F 6		{ M 2 F 1	{ M 1 F 4	{ M 1 F 1	{ M 3 F 1
10	7. Others of this class	{ M 1,255 F 1,089	{ M 426 F 326	{ M 58 F 51	{ M 33 F 25	{ M 17 F 12	{ M 13 F 9	{ M 547 F 426	{ M 23 F 22	{ M 18 F 14	{ M 22 F 25	{ M 31 F 26	{ M 50 F 38
11	V.—Diseases of the digestive system	8,046	1,402	372	103	64	45	1,986	182	154	216	320	422
12	Males	4,049	794	204	65	35	31	1,129	94	79	115	134	172
13	Females	3,997	608	168	38	29	14	857	88	75	101	186	250
14	1. Dentition	{ M 313 F 240	{ M 185 F 143	{ M 114 F 90	{ M 11 F 7		{ M 2 F 2	{ M 312 F 240					
15	2. Angina	{ M 78 F 54	{ M 17 F 7	{ M 10 F 7	{ M 11 F 6	{ M 12 F 6	{ M 6 F 4	{ M 56 F 30	{ M 7 F 9	{ M 2 F 3	{ M 1 F 3	{ M 1 F 2	{ M 2 F 1
16	3. Diseases of the stomach	{ M 750 F 843	{ M 131 F 107	{ M 32 F 26	{ M 11 F 12	{ M 8 F 7	{ M 4 F 4	{ M 186 F 156	{ M 19 F 28	{ M 3 F 10	{ M 13 F 13	{ M 16 F 41	{ M 26 F 48
17	4. Obstruction of the bowels	{ M 264 F 236	{ M 62 F 28	{ M 3 F 4	{ M 6 F 1	{ M 1 F 3	{ M 3 F 3	{ M 75 F 36	{ M 11 F 2	{ M 4 F 4	{ M 9 F 6	{ M 15 F 9	{ M 14 F 11
18	5. Hernia	{ M 158 F 140	{ M 23 F 7		{ M 1 F 1		{ M 1 F 1	{ M 25 F 7	{ M 2 F 1			{ M 5 F 1	{ M 6 F 3
19	6. Other diseases of the bowels	{ M 97 F 85	{ M 31 F 23	{ M 4 F 2			{ M 2 F 2	{ M 39 F 23	{ M 2 F 1	{ M 2 F 2	{ M 3 F 4	{ M 1 F 3	{ M 5 F 7
20	7. Jaundice	{ M 149 F 117	{ M 92 F 54	{ M 4 F 1		{ M 1 F 1	{ M 1 F 1	{ M 98 F 55			{ M 1 F 1	{ M 3 F 3	{ M 1 F 3
21	8. Inflammation and abscess of the liver	{ M 229 F 223	{ M 10 F 5	{ M 1 F 1	{ M 2 F 1	{ M 1 F 1		{ M 14 F 6	{ M 4 F 5	{ M 4 F 2	{ M 3 F 3	{ M 8 F 4	{ M 11 F 10
22	9. Other diseases of the liver	{ M 886 F 634	{ M 10 F 14		{ M 5 F 3	{ M 3 F 2	{ M 1 F 1	{ M 18 F 18	{ M 3 F 2	{ M 1 F 2	{ M 8 F 2	{ M 8 F 9	{ M 23 F 30
23	10. Peritonitis	{ M 679 F 966	{ M 52 F 46	{ M 16 F 11	{ M 10 F 6	{ M 5 F 2	{ M 10 F 5	{ M 93 F 70	{ M 29 F 31	{ M 50 F 43	{ M 64 F 63	{ M 61 F 107	{ M 69 F 125
24	11. Ascites	{ M 22 F 47	{ M 3 F 3		{ M 1 F 1	{ M 1 F 1		{ M 3 F 5	{ M 1 F 1		{ M 1 F 1		{ M 2 F 2
25	12. Others of this class	{ M 422 F 392	{ M 178 F 171	{ M 20 F 28	{ M 6 F 5	{ M 4 F 7	{ M 2 F 2	{ M 210 F 211	{ M 17 F 8	{ M 13 F 11	{ M 14 F 5	{ M 15 F 10	{ M 15 F 10
26	VI.—Diseases of the urinary system and male organs of generation.	7,690	142	47	54	47	40	330	132	70	137	283	471
27	Males	4,252	90	33	26	25	22	196	62	38	67	118	202
28	Females	3,438	52	14	28	22	18	134	70	32	70	165	269
29	1. Bright's disease	{ M 2,046 F 1,791							{ M 23 F 26	{ M 15 F 15	{ M 39 F 39	{ M 56 F 69	{ M 101 F 140
30	2. Calculus, urinary	{ M 28 F 13	{ M 4 F 1	{ M 1 F 1				{ M 5 F 1			{ M 1 F 1		
31	3. Diseases of the kidney	{ M 1,551 F 1,407	{ M 65 F 43	{ M 29 F 14	{ M 25 F 27	{ M 22 F 21	{ M 22 F 17	{ M 163 F 122	{ M 36 F 38	{ M 19 F 17	{ M 24 F 23	{ M 53 F 86	{ M 88 F 108
32	4. Diseases of the bladder	{ M 334 F 64	{ M 4 F 4	{ M 1 F 1	{ M 1 F 1	{ M 2 F 2		{ M 8 F 8	{ M 1 F 1	{ M 1 F 1	{ M 1 F 2	{ M 3 F 2	{ M 3 F 6
33	5. Others of this class	{ M 293 F 163	{ M 17 F 8	{ M 2 F 1	{ M 1 F 1	{ M 1 F 1	{ M 1 F 1	{ M 20 F 11	{ M 2 F 6	{ M 3 F 3	{ M 2 F 6	{ M 6 F 8	{ M 10 F 15
34	VII.—Diseases of the female organs of generation.	453			2			2			8	31	59
35	1. Ovarian tumors	F 120										1	10
36	2. Ovarian diseases	F 30										3	2
37	3. Uterine tumors	F 90											4
38	4. Uterine diseases	F 48										4	15
39	5. Others of this class	F 165			2			2			4	19	28
40	VIII.—Affections connected with pregnancy.	1,297									60	301	356
41	1. Abortion	F 98										5	30
42	2. Childbirth	F 317										5	88
43	3. Puerperal septicemia	F 592										26	154
44	4. Extra-uterine pregnancy	F 15											1
45	5. Others of this class	F 275									24	60	83

STATISTICS OF DEATHS.

GRAND DIVISION A, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,340	1,411	1,367	1,404	1,549	1,498	1,549	1,448	1,232	1,084	674	353	116	31	91	1
811 529	883 528	820 547	898 566	829 720	796 702	737 812	637 811	500 732	466 618	257 417	117 236	30 86	5 26	47 44	2 3
1	3 2	2		2 2	1	1 2	1	1 1	2	1				2 2	4
2 3	3 4	3 1	5	4	2 1	3 1	2 1	1	1	1				1	5
72 70	71 56	85 75	94 87	135 140	145 182	158 215	146 238	150 241	148 212	87 162	40 94	16 37	4 11	8 10	6
650 405	724 404	648 410	700 420	605 509	557 443	457 506	409 470	279 396	253 336	130 215	56 105	13 38	7	27 25	7
27 16	28 18	18 16	23 12	22 6	28 13	26 14	11 18	8 10	10 6	3 5	3 6	1	1	1	8
4 3	10 3	6 5	15 10	18 16	14 21	19 17	22 22	20 20	18 16	7 10	1 5			1	9
55 32	44 41	58 40	61 37	43 47	49 42	73 57	47 61	41 64	37 45	29 23	17 26	1 10	8	9 5	10
384	443	494	529	552	534	546	478	348	221	124	62	17	4	30	11
166 218	197 246	253 241	271 258	271 281	279 255	288 258	240 238	177 171	101 120	41 83	27 35	3 14	4	12 18	12 13
														1	14
2	1	1	1 1	2 2			2		2 1						15
33 37	27 41	49 37	51 54	46 66	68 61	55 62	55 44	57 48	28 43	8 32	8 11	1 7	2	1 2	16
14 9	15 17	14 17	8 14	17 22	15 14	10 15	19 22	7 16	6 12	2 3	4 4	1 1	1	4 1	17
6	3 7	5 6	13 19	11 16	21 11	19 21	14 17	14 8	10 12	2 5	2 3	1 1	1	1	18
7 1	5 3	6 3	2 2	11	5 7	11 4	1 4	4 4	3	1 2	2			1 3	19
2 3	5	2 2	7 5	7 7	4 5	5 9	4 6	5 4	3 3	3 6	2 2	1 1		2	20
9 13	27 14	20 25	18 18	21 27	23 27	24 27	20 19	13 19	5 4	4 3	1 3	1		1	21
40 31	66 51	95 67	119 76	126 75	100 71	113 66	81 73	48 39	27 22	10 12	5 3	2		2 3	22
44 108	41 92	48 70	36 54	28 43	27 43	34 40	21 28	18 21	9 10	6 8	1 5			5	23
2	1	3 2	2 4	1 3	5 5	3 4	2 7	2 1	2 4	2 3	1			1	24
9 14	13 14	11 11	14 11	12 9	11 19	14 10	23 18	14 11	9 6	5 9	2 3	1		1 1	25
464	539	593	675	714	616	734	657	542	398	294	89	15	6	21	26
231 233	284 255	290 303	375 300	391 323	365 251	438 296	411 246	334 208	257 141	120 84	54 35	7 8	2 4	10 11	27 28
123 121	164 134	159 177	218 177	224 195	202 150	227 165	177 135	155 118	101 69	42 35	12 15	2 4	1 3	5 4	29
	1	1	1	1 1	1 2	2 2	12 1	3 1	2 1	1	1				30
96 93	98 111	114 114	121 103	132 115	113 90	151 113	134 86	86 72	68 58	32 34	15 15	2 4	1 1	5 4	31
1 1	4	7 3	12 7	13 3	26 4	32 5	56 10	57 6	59 5	29 10	19	2			32
11 18	18 9	10 8	24 12	21 9	23 5	26 11	32 14	33 11	27 8	10 3	8 4	1		3	33
55	67	55	53	37	31	22	17	5	6	3	2				34
8 2 6 6 33	20 2 12 4 29	13 2 11 3 26	12 9 20 3 9	12 4 14 7	13 3 2	15 4 1	9 1 3 4	2 2 1 1	4 1 1	1 1	2				35 36 37 38 39
276	204	81	9	2	2									6	40
29 60 134 5 48	16 33 84 5 37	5 33 23 5	3 5		1 1									3 3	41 42 43 44 45

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	388	22	8	15	10	10	65	68	47	27	24	28
2	Males.....	228	14	2	9	7	8	40	37	26	18	20	18
3	Females.....	160	8	6	6	3	2	25	31	21	9	4	10
4	1. Diseases of the spine.....	{ M. 133 F. 88	{ 9 6	{ 1 4	{ 9 4	{ 4 1	{ 7 1	{ 30 16	{ 21 17	{ 11 11	{ 9 4	{ 13 3	{ 14 7
5	2. Diseases of the bones.....	{ M. 39 F. 24	{ 2 1	{ 1 1	{ 1 1	{ 1 1	{ 1 2	{ 4 2	{ 4 3	{ 5 2	{ 3 1	{ 2 1	{ 1 1
6	3. Diseases of the hip joint.....	{ M. 41 F. 29	{ 1 1	{ 1 1	{ 1 1	{ 2 2	{ 1 1	{ 4 6	{ 12 8	{ 10 8	{ 6 4	{ 3 4	{ 2 3
7	4. Others of this class.....	{ M. 15 F. 19	{ 2 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 3 3	{ 1 1	{ 1 1	{ 2 2	{ 1 1
8	X.—Diseases of the skin.....	408	116	15	4	5	4	144	12	9	10	13	15
9	Males.....	214	66	4	1	3	1	75	8	9	6	8	7
10	Females.....	194	50	11	3	2	3	69	4	4	4	5	8
11	1. Abscess.....	{ M. 120 F. 109	{ 33 18	{ 3 10	{ 2 2	{ 1 2	{ 3 3	{ 37 35	{ 6 3	{ 9 3	{ 2 3	{ 7 5	{ 5 8
12	2. Carbuncle.....	{ M. 33 F. 19	{ 3 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 3 2	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
13	3. Others of this class.....	{ M. 61 F. 66	{ 30 31	{ 1 1	{ 1 1	{ 2 2	{ 1 1	{ 35 32	{ 2 1	{ 2 1	{ 2 1	{ 1 1	{ 1 1
14	XI.—Diseases of the absorbent system.....	72	8	5	1	1	1	14	2	1	3	1	5
15	Males.....	41	5	2	1	1	1	8	1	1	2	1	2
16	Females.....	31	3	3	1	1	1	6	1	1	1	1	3
17	1. Addison's disease.....	{ M. 15 F. 13	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 2
18	2. Diseases of the spleen.....	{ M. 8 F. 4	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
19	3. Others of this class.....	{ M. 18 F. 14	{ 5 3	{ 1 3	{ 1 3	{ 1 3	{ 1 3	{ 6 6	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 1
20	XII.—Accidents and injuries.....	7,942	614	136	139	119	110	1,118	395	335	403	676	705
21	Males.....	6,043	358	80	82	68	69	657	288	274	346	559	576
22	Females.....	1,899	256	56	57	51	41	461	107	61	57	117	129
23	1. Burns and scalds.....	{ M. 217 F. 297	{ 10 9	{ 29 16	{ 29 30	{ 22 27	{ 23 21	{ 113 103	{ 21 51	{ 4 7	{ 8 5	{ 10 16	{ 14 13
24	2. Drowned.....	{ M. 1,030 F. 112	{ 10 1	{ 10 9	{ 9 4	{ 8 3	{ 14 1	{ 51 18	{ 117 14	{ 110 7	{ 84 4	{ 101 15	{ 82 5
25	3. Exposure and neglect.....	{ M. 30 F. 17	{ 13 11	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 14 11	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
26	4. Gunshot wounds.....	{ M. 109 F. 14	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 5 1	{ 8 1	{ 20 3	{ 19 3	{ 9 1
27	5. Homicide.....	{ M. 80 F. 32	{ 3 2	{ 2 2	{ 1 1	{ 1 1	{ 1 1	{ 3 3	{ 2 2	{ 3 1	{ 7 1	{ 18 3	{ 11 5
28	6. Infanticide.....	{ M. 2 F. 5	{ 2 3	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 5	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
29	7. Injuries by machinery.....	{ M. 26 F. 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 4 1	{ 3 1	{ 4 1
30	8. Railroad accidents.....	{ M. 1,135 F. 62	{ 1 1	{ 2 2	{ 2 2	{ 4 2	{ 9 2	{ 29 2	{ 52 5	{ 71 4	{ 197 3	{ 150 7	{ 705 5
31	9. Suffocation.....	{ M. 305 F. 213	{ 164 136	{ 8 8	{ 5 2	{ 3 2	{ 2 1	{ 182 149	{ 5 4	{ 4 2	{ 3 2	{ 13 9	{ 12 5
32	10. Suicide by shooting.....	{ M. 201 F. 6	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
33	11. Suicide by drowning.....	{ M. 22 F. 10	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
34	12. Suicide by poison.....	{ M. 111 F. 78	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
35	13. Other suicides.....	{ M. 290 F. 74	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
36	14. Sunstroke.....	{ M. 63 F. 9	{ 7 4	{ 2 1	{ 2 1	{ 2 1	{ 2 1	{ 9 5	{ 2 1	{ 2 1	{ 1 1	{ 1 1	{ 3 1
37	15. Surgical operations.....	{ M. 122 F. 175	{ 15 5	{ 2 1	{ 2 2	{ 1 1	{ 1 1	{ 19 9	{ 8 3	{ 4 2	{ 4 4	{ 5 17	{ 19 25
38	16. Wounds.....	{ M. 143 F. 38	{ 2 1	{ 2 4	{ 1 2	{ 1 2	{ 4 1	{ 16 7	{ 8 1	{ 11 4	{ 8 4	{ 10 3	{ 12 4
39	17. Other accidents and injuries.....	{ M. 2,157 F. 756	{ 132 82	{ 26 17	{ 33 15	{ 31 18	{ 22 16	{ 244 148	{ 92 26	{ 77 31	{ 116 20	{ 128 22	{ 207 39

STATISTICS OF DEATHS.

GRAND DIVISION A, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
19	22	12	17	13	9	7	12	12	3	1	1			1	1
10	10	8	8	8	6	5	4	5	2	1	1			1	2
9	12	4	9	5	3	2	8	7	1						3
5	4	6	5	5	5		1	2	2	1				1	4
9	8	1	5	1	1		2	2	1						5
4	2	2	2	2		3	2	2		1					6
	3	2	2	1	2		2	2							7
1	2			1											8
		1													9
	2		1		1	2	1	1	1						10
	1		2	3		2	4	3							11
20	8	16	28	28	20	19	15	24	10	9	5	1	1	1	8
14	3	7	15	12	11	8	8	12	3	3	3	1		1	9
6	5	9	13	16	9	11	7	12	7	6	2		1		10
10	2	4	8	4	5	5	5	9	5	1		1			11
6	3	7	9	9	2	3	4	5	1				1		12
3		1	4	7	4	2	2	1	2	1					13
		1	1	4	2	4	1	3		1					14
1	1	2	3	1	2	1	1	2	2	2	3			1	15
	2	1	3	3	5	4	2	4	2	4	2				16
5	3	6	7	10	4	1	2	2	4	2					17
3	3	4	4	6	2		1	1	3	1					18
2		2	3	4	2	1		1	1	1					19
1	2	2	2	4	2		1								20
1		2	1	2	1				1						21
1	1		1	2	1		1	1	1	1					22
1			2	1	1					1					23
604	624	586	499	449	558	303	237	158	120	85	59	13	7	118	24
505	512	477	405	366	286	228	163	102	73	42	21	3	2	98	25
120	112	109	94	83	72	75	74	56	47	43	38	10	5	20	26
10	4	10	4	7	2	1	4	2	1	1				1	27
17	15	12	15	12	9	5	7	5	1	3	1				28
87	69	80	60	51	46	30	18	8	2	1				33	29
4	6	9	7	2	5	5	4	3				1		3	30
1	1	4	3	1		1	1		1					2	31
						2		2	1						32
14	5	8	4	5	5	1	2	1	1					1	33
1	1	1	1	1	1	1	1								34
10	6	10	7	3	1	1	1								35
4	1	4	3	3	2	1	1								36
															37
4	2	1	2	1	1		1							1	38
															39
126	122	83	71	59	32	42	28	16	16	4			1	27	40
4	2	3	2	5	6	3	9	1	1						41
12	9	14	12	9	5	5	5	1	4	1				9	42
3	4	4	3	4	3	3	3	1	1	2	1			7	43
21	25	20	23	20	16	16	3	6	2						44
1				1											45
3	3	3	4	1	2	1	1	1	1					1	46
			3		1										47
16	9	10	15	10	5	8	5	2	1						48
7	6	6	4	5	1	3	1	1	1	1	1				49
25	38	33	25	30	27	19	17	10	6	4				2	50
7	8	13	6	10	4	5	1	2	1					1	51
8	3	5	4	9	4	1	3		1	1					52
		1		2	1										53
9	11	17	6	6	10	7	3	3	1	2				1	54
27	30	26	11	11	4	1	5								55
16	9	13	9	6	10	6	6	6	2	1				1	56
3	1	2	2	2	2		3	1	1	1	1				57
200	196	172	155	140	120	89	67	46	36	27	21	3	1	20	58
51	38	28	40	24	33	45	39	41	40	36	34	9	5	7	59

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes.....	28,474	8,900	1,981	812	423	314	12,430	844	526	909	1,353	1,212
2	Males.....	14,676	4,883	1,042	413	219	155	6,711	433	245	389	638	609
3	Females.....	13,798	4,017	939	400	204	159	5,719	411	281	520	715	603
4	Unknown causes.....	675	287	51	20	11	3	372	14	8	12	20	27
5	Males.....	368	148	26	9	3	1	187	8	7	7	15	16
6	Females.....	307	139	25	11	8	2	185	6	1	5	5	11
7	I.—General diseases.												
8	General diseases—A.....	5,692	2,054	798	294	135	118	3,399	318	166	197	289	178
9	Males.....	2,882	1,094	410	148	72	59	1,783	155	70	88	145	90
10	Females.....	2,810	960	388	146	63	59	1,616	163	96	109	144	88
11	1. Smallpox.....	{ M.. 157 F.. 157	{ 46 44	{ 56 52	{ 24 27	{ 10 12	{ 5 2	{ 141 137	{ 11 10	{ 2 1	{ 1 1	{ 1 1	{ 3
12	2. Measles.....	{ M.. 43 F.. 44	{ 1 3	{ 7 6	{ 10 8	{ 5 6	{ 6 9	{ 29 32	{ 11 9	{ 2 2	{ 1		
13	3. Scarlet fever.....	{ M.. 148 F.. 166	{ 6 4	{ 13 16	{ 19 20	{ 20 13	{ 21 17	{ 79 70	{ 50 61	{ 11 20	{ 1 3	{ 1 5	{ 2
14	4. Diphtheria.....	{ M.. 72 F.. 72	{ 41 35	{ 21 13	{ 6 11	{ 1 3	{ 1 3	{ 69 65	{ 3 7				
15	5. Whooping cough.....	{ M.. 13 F.. 16	{ 3 3	{ 1		{ 1 1	{ 1	{ 6 4	{ 1 2			{ 1 1	
16	6. Fever.....	{ M.. 40 F.. 29	{ 10 5	{ 10 4	{ 3 1	{ 1		{ 24 12	{ 1 7	{ 4 3	{ 4	{ 1 4	{ 2
17	7. Cerebro-spinal fever.....	{ M.. 367 F.. 316	{ 7 7	{ 4 2	{ 5 6	{ 3 3	{ 4 4	{ 23 22	{ 21 11	{ 29 38	{ 50 64	{ 93 62	{ 41 34
18	8. Enteric fever.....	{ M.. 981 F.. 989	{ 449 377	{ 146 141	{ 50 37	{ 20 14	{ 14 6	{ 679 575	{ 28 31	{ 12 9	{ 5 12	{ 18 36	{ 18 24
19	9. Diarrheal diseases.....	{ M.. 644 F.. 596	{ 482 440	{ 136 133	{ 19 21	{ 3	{ 3	{ 643 594					
20	10. Cholera infantum.....	{ M.. 252 F.. 292	{ 12 15	{ 12 14	{ 6 14	{ 7 11	{ 5 15	{ 42 69	{ 26 22	{ 9 20	{ 25 24	{ 18 25	{ 20 18
21	11. Malarial fever.....	{ M.. 29 F.. 26	{ 2 2		{ 1			{ 3 4	{ 1			{ 3	{ 3
22	12. Erysipelas.....	{ M.. 25 F.. 43	{ 1 2					{ 1 3	{ 1 1	{ 1 2	{ 1 2	{ 2 0	{ 3 1
23	13. Septicæmia.....	{ M.. 70 F.. 48	{ 30 21	{ 2 4	{ 3	{ 1		{ 36 25	{ 1 2		{ 3	{ 5 1	{ 3 4
24	14. Venereal diseases.....	{ M.. 41 F.. 16	{ 4 2	{ 2 2	{ 2			{ 8 4				{ 3	
25	15. Others of this group.....	{ M.. 41 F.. 16	{ 4 2	{ 2 2	{ 2			{ 8 4				{ 3	
26	General diseases—B.....	666	454	25	14	7	5	505	6	2	2	5	10
27	Males.....	386	249	13	7	5	3	277	3	1	2	3	8
28	Females.....	280	205	12	7	2	2	228	3	1		2	2
29	1. Parasitic diseases.....	{ M.. 9 F.. 8	{ 1 2	{ 3 1	{ 2 2	{ 2 2	{ 2 2	{ 8 7	{ 1 1				
30	2. Alcoholism.....	{ M.. 79 F.. 22				{ 1		{ 1			{ 1	{ 2 2	{ 5 2
31	3. Lead poison.....	{ M.. 4 F.. 4											
32	4. Other poisons.....	{ M.. 14 F.. 12	{ 1 2	{ 1 1			{ 1	{ 3 3				{ 1	{ 2
33	5. Inanition.....	{ M.. 280 F.. 238	{ 248 205	{ 12 8	{ 3 5	{ 2		{ 265 218	{ 2 2	{ 1 1	{ 1		{ 1
34	General diseases—C.....	4,341	3,287	110	32	5	6	3,440	14	2	5	6	3
35	Males.....	2,269	1,876	57	14	3	3	1,933	6	1	1	4	1
36	Females.....	2,072	1,411	53	18	2	3	1,487	8	1	4	2	2
37	1. Premature birth.....	{ M.. 246 F.. 193	{ 245 192	{ 1				{ 246 193					
38	2. Stillborn.....	{ M.. 1,215 F.. 863	{ 1,215 863					{ 1,215 863					
39	3. Malformation.....	{ M.. 31 F.. 15	{ 29 14	{ 1 1				{ 30 15	{ 1				
40	4. Debility and atrophy.....	{ M.. 643 F.. 738	{ 387 342	{ 55 51	{ 14 18	{ 3 2	{ 3 3	{ 462 416	{ 5 8	{ 1 1	{ 1 4	{ 4 2	{ 1 2
41	5. Old age.....	{ M.. 134 F.. 263											

a For list of cities, see page 583.

STATISTICS OF DEATHS.

593

GRAND DIVISION B, BY AGE AND SEX AND SPECIFIED DISEASE. (a)

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,153	1,103	1,066	1,080	1,031	911	1,054	1,042	933	766	482	302	100	66	111	1
581	542	558	598	587	484	566	522	453	354	185	107	29	15	70	2
572	561	508	482	444	427	488	520	480	412	297	195	71	51	41	3
20	17	22	17	25	13	23	19	17	10	6	3	1	1	28	4
13	11	9	9	15	8	11	12	11	5	2	1	1	1	21	5
7	6	13	8	10	5	12	7	6	5	4	2	1	1	7	6
116	123	112	94	111	88	120	111	102	68	36	37	5	4	18	7
51	56	60	53	67	42	62	48	50	28	7	17	3	4	7	8
65	67	52	41	44	46	58	63	52	40	20	20	2	4	11	9
1		1													10
2	1			1											11
1															12
2	1				2									1	13
2		1		1						1					14
1			1		1	1	1						1		15
1	2		1							3					16
1		1	1		1			1							17
28	14	17	11	9	8	10	7	4	1					1	17
21	13	13	7	9	9	6	4	4	2					1	1
6	12	18	18	20	18	26	26	31	20	5	10	1		1	18
16	28	20	19	21	22	32	39	40	25	20	16	2	1	1	1
															19
6	16	16	11	17	7	18	8	3	6	1				3	20
12	14	10	9	9	10	12	12	6	7	3	4		1	5	20
1	4	2	2	2	1	2	2	1		1	2			1	21
1	1	1	1	3	2	3	1	2	2	1			1	1	21
2	3	2	3	3	1	1		1							22
3	5	3	2	3	2	3	4	1	1					1	22
4	6	3	4	6				2							23
6	3	3	1												23
			2	1	3	4	4	8	1		5	2			24
		1	1		1	1	2	3	2	1					24
14	18	21	16	17	11	9	7	3	6	3	2	2	1	6	25
9	12	17	13	11	7	6	4	2	3	2		1		5	26
5	6	4	3	6	4	3	3	1	3	1	2	1	1	1	27
															28
8	8	17	13	7	3	6	3	1		1				3	29
3	4	3	1	1	1		2		1						29
	2			2											30
1	2			2						1					31
			1	4		2	1				1				31
	2	1	1	1	2	2	1	1	2	1		1		2	32
					1	2	1	1	1	1	2	1	1	1	32
5	9	6	11	13	12	40	48	123	178	175	133	72	44	2	33
3	4	1	4	4	7	13	22	53	64	63	33	20	11	1	34
2	5	5	7	9	5	27	26	70	114	112	100	52	33	1	35
															36
															37
															38
3	4	1	4	4	7	12	15	31	37	26	14	7	3	1	39
2	5	5	7	9	5	24	16	41	67	50	46	19	8	1	39
						1	7	22	27	37	19	13	8		40
						3	10	29	47	62	54	33	25		40

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	4,942	212	127	71	45	39	494	118	136	361	579	516
2	Males.....	2,340	122	71	39	21	21	274	51	49	141	257	254
3	Females.....	2,602	90	56	32	24	18	220	67	87	220	322	262
4	1. Rheumatism.....	{ M. 67	{ 2	{ 1	{	{ 1	{	{ 4	{ 2	{ 1	{ 3	{ 4	{ 4
	{ F. 79	{ 3	{ 2	{	{	{	{ 5	{ 3	{ 9	{ 5	{ 7	{ 4	{ 4
5	2. Scrofula and tubercles.....	{ M. 75	{ 21	{ 6	{ 6	{ 2	{ 7	{ 42	{ 7	{ 3	{ 2	{ 2	{ 3
	{ F. 79	{ 16	{ 10	{ 7	{ 2	{ 1	{ 36	{ 8	{ 6	{ 5	{ 4	{ 3	{ 3
6	3. Leprosy.....	{ M. 1	{	{	{	{	{	{	{	{	{	{	{
	{ F. 1	{	{	{	{	{	{	{	{	{	{	{	{
7	4. Consumption.....	{ M. 1,801	{ 36	{ 39	{ 17	{ 10	{ 9	{ 118	{ 25	{ 41	{ 129	{ 243	{ 237
	{ F. 1,846	{ 27	{ 21	{ 16	{ 15	{ 12	{ 91	{ 45	{ 62	{ 205	{ 299	{ 289	{ 289
8	5. Hydrocephalus.....	{ M. 85	{ 39	{ 13	{ 10	{ 3	{ 2	{ 67	{ 11	{ 1	{ 2	{ 1	{ 1
	{ F. 67	{ 29	{ 13	{ 8	{ 2	{ 4	{ 56	{ 4	{ 1	{ 3	{ 2	{ 1	{ 1
9	6. Cancer.....	{ M. 145	{ 1	{ 1	{	{ 1	{	{ 3	{ 1	{	{	{ 1	{ 3
	{ F. 358	{ 2	{	{	{ 1	{	{ 3	{ 1	{ 1	{	{ 6	{ 9	{ 9
10	7. Tumor.....	{ M. 19	{ 1	{	{	{	{	{ 1	{ 1	{	{	{ 1	{ 3
	{ F. 22	{	{	{	{	{	{	{ 1	{ 3	{	{	{ 1	{ 1
11	8. Anæmia.....	{ M. 20	{ 9	{	{ 1	{	{	{ 10	{	{	{ 1	{ 2	{
	{ F. 28	{ 5	{ 1	{ 1	{	{	{ 7	{ 1	{ 2	{ 1	{ 2	{ 1	{
12	9. Dropsy.....	{ M. 81	{ 1	{ 6	{ 2	{ 3	{ 3	{ 15	{ 4	{ 1	{ 3	{ 2	{ 3
	{ F. 88	{ 1	{ 6	{	{ 1	{ 1	{ 9	{ 3	{ 3	{ 1	{ 1	{ 1	{ 3
13	10. Diabetes.....	{ M. 21	{	{	{	{	{	{	{	{ 1	{	{	{ 1
	{ F. 16	{	{	{	{	{	{	{	{	{	{	{	{
14	11. Others of this group.....	{ M. 26	{ 12	{ 5	{ 3	{ 1	{	{ 21	{	{ 1	{	{ 2	{
	{ F. 18	{ 7	{ 3	{	{ 3	{	{ 13	{ 1	{	{	{	{	{
15	12. Others of this class.....	{ M. 1	{	{	{	{	{	{	{	{	{	{	{
	{ F. 1	{	{	{	{	{	{	{	{	{	{	{	{
16	II.—Diseases of the nervous system.....	3,294	1,121	197	88	57	34	1,497	76	47	50	48	63
17	Males.....	1,721	591	109	49	32	15	796	39	23	18	25	32
18	Females.....	1,573	530	88	39	25	19	701	37	24	32	23	31
19	1. Inflammation of the brain.....	{ M. 245	{ 90	{ 45	{ 19	{ 14	{ 5	{ 173	{ 15	{ 7	{ 7	{ 4	{ 5
	{ F. 224	{ 87	{ 42	{ 13	{ 12	{ 7	{ 161	{ 14	{ 8	{ 8	{ 4	{ 4	{ 6
20	2. Apoplexy.....	{ M. 298	{ 3	{ 1	{	{	{ 1	{ 5	{	{	{ 1	{ 2	{ 3
	{ F. 271	{ 3	{ 1	{ 1	{ 1	{	{ 6	{ 1	{	{ 2	{ 2	{ 2	{ 6
21	3. Paralysis.....	{ M. 217	{	{ 2	{ 1	{ 1	{ 1	{ 5	{ 1	{	{ 3	{ 6	{ 6
	{ F. 275	{ 1	{ 3	{	{	{	{ 4	{ 1	{ 3	{ 2	{	{ 3	{ 3
22	4. Tetanus and trismus nascentium.....	{ M. 145	{ 127	{ 1	{	{	{ 1	{ 129	{ 4	{ 2	{	{ 3	{ 1
	{ F. 116	{ 106	{	{	{	{	{ 107	{ 2	{	{ 2	{	{ 1	{ 1
23	5. Epilepsy.....	{ M. 34	{ 1	{	{	{ 1	{	{ 2	{	{	{ 2	{	{ 3
	{ F. 28	{ 1	{	{	{	{	{ 1	{ 2	{ 1	{ 2	{ 1	{ 3	{ 3
24	6. Convulsions.....	{ M. 419	{ 322	{ 44	{ 19	{ 13	{ 2	{ 400	{ 9	{ 3	{ 1	{	{ 1
	{ F. 379	{ 286	{ 27	{ 19	{ 10	{ 7	{ 349	{ 11	{ 2	{ 5	{ 2	{	{ 1
25	7. Mental diseases.....	{ M. 39	{	{	{	{	{	{	{ 1	{ 1	{ 1	{ 1	{ 3
	{ F. 34	{	{	{	{	{	{	{	{	{ 2	{ 4	{ 2	{ 2
26	8. Diseases of the brain.....	{ M. 274	{ 45	{ 14	{ 9	{ 3	{ 4	{ 75	{ 10	{ 4	{ 2	{ 3	{ 9
	{ F. 194	{ 42	{ 14	{ 5	{ 1	{ 3	{ 65	{ 4	{ 8	{ 6	{ 7	{ 7	{ 6
27	9. Diseases of the spinal cord.....	{ M. 34	{ 2	{ 1	{ 1	{	{ 1	{ 5	{	{ 1	{	{	{ 1
	{ F. 19	{ 4	{ 1	{ 1	{ 1	{	{ 7	{ 1	{	{ 1	{	{	{
28	10. Others of this class.....	{ M. 16	{ 1	{ 1	{	{	{	{ 2	{	{	{ 1	{ 1	{
	{ F. 33	{	{	{	{	{ 1	{ 1	{	{ 1	{ 2	{ 3	{ 3	{ 3
29	III.—Diseases of the circulatory system.....	1,485	85	8	7	1	5	106	38	23	38	52	55
30	Males.....	752	43	5	2		2	52	20	12	16	23	23
31	Females.....	733	42	3	5		3	54	18	11	22	29	32
32	1. Angina pectoris.....	{ M. 23	{	{	{	{	{	{	{	{	{ 1	{ 2	{ 1
	{ F. 24	{	{	{	{	{	{	{	{	{ 1	{ 3	{ 1	{ 1
33	2. Aneurism.....	{ M. 23	{	{	{	{	{	{	{ 1	{	{	{	{ 2
	{ F. 5	{	{	{	{	{	{	{	{	{	{	{	{
34	3. Diseases of the heart.....	{ M. 675	{ 20	{ 5	{ 2	{	{ 2	{ 29	{ 20	{ 12	{ 15	{ 20	{ 21
	{ F. 667	{ 16	{ 3	{ 5	{ 1	{ 3	{ 28	{ 17	{ 10	{ 22	{ 26	{ 31	{ 31
35	4. Others of this class.....	{ M. 31	{ 23	{	{	{	{	{ 23	{	{	{	{ 1	{
	{ F. 37	{ 26	{	{	{	{	{ 26	{	{	{	{	{	{

STATISTICS OF DEATHS.

GRAND DIVISION B, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
483	396	355	351	267	232	207	202	118	70	26	13	1	2	15	1
237	178	162	176	138	109	94	104	54	32	13	5		1	14	2
246	218	193	175	129	123	113	98	64	38	16	8	1	1	1	3
3	5	5	6	5	5	4	5	7	2				1	1	4
2	3		6	3	5	5	10	6	2	3			1		
3	2	2	5	1			2	1							5
3	3	3	4	1	1										
					1										6
220	156	132	140	108	82	58	61	24	18	4	2			10	7
213	173	141	110	70	68	49	36	22	16	5	2				
		1												1	8
5	10	7	16	14	13	21	22	14	9	3	2			1	9
20	23	37	39	44	42	45	41	28	14	4		1			
2		1	3	4	1		3	2		1				1	10
	2	2	2	3	1			1							
1	1	2	2		1	4	1			1					11
3			2			2			1	1					
4	3	11	3	2	5	6	10	8	3	1	1			1	12
	9	6	10	4	3	8	6	6	4	2	5				
3	2	2	1	4	3	1	3			1					13
1	1	1	2	4	1	1	2	1		1					
		1					1								14
	1	1							1		1				
															15
70	85	106	118	143	151	186	187	171	144	91	36	9	4	12	16
30	46	64	62	84	84	104	89	82	70	41	17	2		4	17
31	39	42	56	59	67	82	98	89	74	50	19	7	4	8	18
5	6	3	6	1	5	3	3	1	1					1	19
3	3	2	2	2	3	1	1	4	1						
9	12	19	22	42	31	42	34	32	26	14	4			3	20
6	10	16	22	24	24	25	42	31	24	19	5	2	1		
4	5	15	8	16	19	34	21	24	20	17	8	2		1	21
4	6	12	14	17	19	38	34	40	35	27	8	4	3	1	
1			1	2	1										22
		3						1							
3	5	2	4	1		3	1	1	1	1				1	23
5	5	1	1		1	2	1			1	1				
			2	1		1					1				24
			2	1		1								2	
3	3	4	3	1	3	5	3	4	4	1				1	25
1	1	5	5	2	2	2	4	2	3	1					
13	12	17	8	18	16	14	24	17	16	7	3			1	26
5	10	5	8	10	15	11	11	7	3	2	5	1			
1	2	3	5	2	7	1	1	3	1	1					27
1	2	1	1	1	1	1	1		2						
	1	1	3	2	2	1	2		1		1				28
3	2	2	1	2	3	1	4	4	1						
63	82	98	125	112	114	139	149	127	88	40	21	4	2	9	29
38	43	45	73	64	56	77	80	60	40	13	19	2	1	5	30
25	39	53	52	48	58	62	69	67	48	27	12	2	1	4	31
	4	1	1	1	1	2	3	6		1					32
2	1		2	2	4	3	1	2	2						
2	1	1	5	3	2	5	1	1							33
	2		1	1											
35	37	43	67	59	53	69	76	52	38	12	9	2	1	5	34
23	36	51	51	45	53	57	67	63	46	22	12	2	1	4	
1	1			1		1	1	2							35

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	3,604	865	431	224	181	73	1,724	162	52	79	122	111
2	Males	1,910	465	227	111	65	36	904	83	22	33	66	58
3	Females	1,784	400	204	113	66	37	820	79	30	46	56	53
4	1. Croup	{ M. 140 F. 116	{ 21 20	{ 28 26	{ 28 21	{ 21 16	{ 12 14	{ 110 97	{ 25 18	{ 3 —	{ — 1	{ — —	{ — —
5	2. Laryngitis	{ M. 11 F. 19	{ 1 6	{ 3 5	{ 2 —	{ 1 2	{ 1 1	{ 7 14	{ 1 —	{ — —	{ — 1	{ — —	{ — 1
6	3. Bronchitis	{ M. 386 F. 392	{ 162 133	{ 53 59	{ 24 31	{ 6 9	{ 9 5	{ 254 237	{ 7 7	{ 3 5	{ 1 3	{ 5 5	{ 4 4
7	4. Pneumonia	{ M. 1,078 F. 987	{ 216 183	{ 133 104	{ 53 57	{ 34 35	{ 13 17	{ 449 396	{ 37 49	{ 16 20	{ 20 37	{ 61 44	{ 45 41
8	5. Pleurisy	{ M. 26 F. 24	{ 1 2	{ — —	{ 1 1	{ — —	{ — —	{ 2 3	{ — 1	{ — —	{ 3 1	{ — —	{ 1 —
9	6. Asthma	{ M. 49 F. 47	{ 2 1	{ — —	{ — —	{ — —	{ 1 —	{ 3 1	{ — —	{ — —	{ — —	{ 2 —	{ 1 1
10	7. Others of this class	{ M. 220 F. 199	{ 62 55	{ 10 10	{ 3 3	{ 3 4	{ 1 —	{ 79 72	{ 13 3	{ — 5	{ 9 3	{ 5 5	{ 7 6
11	V.—Diseases of the digestive system	1,414	370	202	28	13	11	624	31	20	36	45	54
12	Males	716	201	105	11	8	4	329	22	8	17	18	26
13	Females	698	169	97	17	5	7	295	9	12	19	27	28
14	1. Dentition	{ M. 199 F. 169	{ 106 87	{ 83 75	{ 7 5	{ 3 1	{ 1 —	{ 199 169	{ — —	{ — —	{ — —	{ — —	{ — —
15	2. Angina	{ M. 6 F. 10	{ — 2	{ 1 1	{ — 1	{ — —	{ — 2	{ 2 6	{ 2 2	{ — —	{ — —	{ 1 —	{ — —
16	3. Diseases of the stomach	{ M. 119 F. 145	{ 24 17	{ 9 7	{ 1 7	{ 1 3	{ — 2	{ 35 36	{ 5 5	{ 3 4	{ 1 2	{ 2 8	{ 7 8
17	4. Obstruction of the bowels	{ M. 39 F. 52	{ 6 3	{ 1 1	{ — —	{ 1 —	{ — 1	{ 8 5	{ 5 1	{ 1 4	{ 3 3	{ 4 2	{ 2 4
18	5. Hernia	{ M. 26 F. 19	{ 4 —	{ — —	{ — —	{ — —	{ — —	{ 4 —	{ — —	{ — —	{ 1 —	{ 1 —	{ 1 —
19	6. Other diseases of the bowels	{ M. 17 F. 11	{ 4 4	{ 2 1	{ 1 —	{ — —	{ 1 —	{ 8 5	{ 1 —	{ 1 —	{ 2 —	{ — —	{ — —
20	7. Jaundice	{ M. 31 F. 26	{ 21 9	{ — —	{ — —	{ — —	{ — —	{ 21 9	{ — —	{ — —	{ — 1	{ — —	{ 2 1
21	8. Inflammation and abscess of the liver	{ M. 43 F. 21	{ 1 —	{ 1 1	{ — —	{ — —	{ — —	{ 2 1	{ 2 —	{ — —	{ 1 1	{ 1 1	{ 2 2
22	9. Other diseases of the liver	{ M. 92 F. 55	{ 2 1	{ 2 1	{ — 1	{ — —	{ — —	{ 4 3	{ — —	{ — —	{ 1 1	{ 1 1	{ 2 2
23	10. Peritonitis	{ M. 55 F. 91	{ — 2	{ 2 1	{ — 1	{ — 1	{ 1 —	{ 3 5	{ 4 —	{ 2 4	{ 7 9	{ 6 14	{ 6 9
24	11. Ascites	{ M. 11 F. 9	{ — —	{ — —	{ — —	{ — —	{ — 1	{ — 1	{ — —	{ — —	{ — —	{ 1 1	{ 1 —
25	12. Others of this class	{ M. 78 F. 90	{ 33 44	{ 4 9	{ 2 2	{ 3 —	{ 1 —	{ 43 55	{ 3 1	{ 1 —	{ 1 2	{ 1 —	{ 3 2
26	VI.—Diseases of the urinary system and male organs of generation.	768	14	4	9	4	—	36	11	12	17	29	30
27	Males	482	10	1	5	2	3	21	5	5	6	12	13
28	Females	286	4	3	4	2	2	15	6	7	11	17	17
29	1. Bright's disease	{ M. 253 F. 167	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ 1 1	{ 3 3	{ 4 5	{ 8 10	{ 7 9
30	2. Calculus, urinary	{ M. 1 F. 1	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
31	3. Diseases of the kidney	{ M. 123 F. 91	{ 7 2	{ 1 3	{ 4 4	{ 2 2	{ 3 2	{ 17 15	{ 4 5	{ 1 4	{ 1 3	{ 3 6	{ 5 7
32	4. Diseases of the bladder	{ M. 55 F. 6	{ 1 —	{ — —	{ — —	{ — —	{ — —	{ 1 —	{ — —	{ — —	{ 1 1	{ — —	{ — —
33	5. Others of this class	{ M. 50 F. 21	{ 2 2	{ — —	{ 1 —	{ — —	{ — —	{ 3 2	{ — —	{ 1 —	{ — 2	{ 1 1	{ 1 1
34	VII.—Diseases of the female organs of generation.	91	—	—	—	—	—	—	—	1	2	11	16
35	1. Ovarian tumors	F. 15	—	—	—	—	—	—	—	—	—	1	2
36	2. Ovarian diseases	F. 8	—	—	—	—	—	—	—	1	—	1	—
37	3. Uterine tumors	F. 13	—	—	—	—	—	—	—	—	—	—	1
38	4. Uterine diseases	F. 17	—	—	—	—	—	—	—	—	—	4	4
39	5. Others of this class	F. 38	—	—	—	—	—	—	—	—	2	5	9
40	VIII.—Affections connected with pregnancy.	228	—	—	—	—	—	—	—	1	30	60	38
41	1. Abortion	F. 33	—	—	—	—	—	—	—	1	2	10	3
42	2. Childbirth	F. 52	—	—	—	—	—	—	—	—	3	12	8
43	3. Puerperal septicæmia	F. 83	—	—	—	—	—	—	—	—	12	17	18
44	4. Extra-uterine pregnancy	F. 3	—	—	—	—	—	—	—	—	—	1	2
45	5. Others of this class	F. 57	—	—	—	—	—	—	—	—	13	20	7

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	LX.—Diseases of the bones and joints	55	3	1	1			5	6	1	7	2	4
2	Males	37	1	1	1			3	4	1	4	2	2
3	Females	18	2					2	2		3		2
4	1. Diseases of the spine..... { M { F	16 7	1 1	1	1			3 1	2 2		2 1	2	1
5	2. Diseases of the bones..... { M { F	12 7						1			1		1 2
6	3. Diseases of the hip joint..... { M { F	7 4							2	1	1		
7	4. Others of this class..... { M { F	2											
8	XI.—Diseases of the skin	60	14	2	1			17	1	2	2	1	3
9	Males	32	8	1	1			10	1	1	1	1	3
10	Females	28	6	1				7		1	1		2
11	1. Abscess..... { M { F	13 14	2 4		1			3 5	1	1	1	1	2 2
12	2. Carbuncle..... { M { F	6 3									1		1
13	3. Others of this class..... { M { F	13 11	6 2	1				7 2					
14	XII.—Diseases of the absorbent system.....	12									1	1	1
15	Males	7									1	1	
16	Females	5											1
17	1. Addison's disease..... { M { F	4 2										1	
18	2. Diseases of the spleen..... { M { F	1 1											
19	3. Others of this class..... { M { F	2 2									1		1
20	XII.—Accidents and injuries	1,057	134	25	23	14	15	211	49	53	70	83	101
21	Males	774	75	16	15	8	8	122	36	45	54	66	83
22	Females	283	59	9	8	6	7	89	13	8	16	17	18
23	1. Burns and scalds..... { M { F	34 61	3 1	6 4	8 3	4 4	3 5	24 17	2 7	4	2 6	3	1 4
24	2. Drowned..... { M { F	132 10	1	1		1		3	18	19	10	10	14 1
25	3. Exposure and neglect..... { M { F	18 27	7 16	1	1		1	9 19	1	1			
26	4. Gunshot wounds..... { M { F	46 4					1	1	1	6	9	7	5
27	5. Homicide..... { M { F	30 8									3 2	7 3	4
28	6. Infanticide..... { M { F	5 6	5 6					5 6					
29	7. Injuries by machinery..... { M { F												
30	8. Railroad accidents..... { M { F	121 8		1	2			3	4	3	11	22	25
31	9. Suffocation..... { M { F	40 29	28 18	1	1			30 20	1	1	1	1	1 1
32	10. Suicide by shooting..... { M { F	14 2									1	1	1
33	11. Suicide by drowning..... { M { F	3											
34	12. Suicide by poison..... { M { F	16 3										1	2
35	13. Other suicides..... { M { F	20 5								1		1	3
36	14. Sunstroke..... { M { F	9 2	2 1					2 1			1		1
37	15. Surgical operations..... { M { F	12 31	1					1	1	2		1	1 5
38	16. Wounds..... { M { F	48 7	1	2	1	1	1	5 2	1	6	10	2	5 1
39	17. Other accidents and injuries..... { M { F	226 80	27 17	4 4	3 1	2 1	3 1	39 24	9 2	8 1	6 4	14 2	21 5

STATISTICS OF DEATHS.

GRAND DIVISION B, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
2	6	5	5	2	4	2		3	1					1
2	5	2	5	2	2	1		1	1					2
1	1	3			2	1		2						3
	1	1	2		1			1						4
		2				1								5
1	2		3	1	1	1		2	1					6
					1									7
1	1	1			1									8
	1			1										9
	2	3	5	4	3	7	1		6		1			10
	2	1	4	2		2	1		3					11
		2	1	2	3	6			3		1			12
		1	2	1	1	1			1					13
		1		1	1	1	1		1					14
	2		1	1	1	1	1		2		1			15
	1		1	1					1					16
	2		1	1					1					17
	1													18
				1										19
74	76	61	68	52	35	27	24	23	19	14	5	1	2	9
61	64	54	49	40	28	17	16	16	7	4	3	1	2	8
13	12	7	19	12	7	10	8	7	12	10	2			1
1					1		1	1		1			2	23
5	2		3	1				3	1	2	1			24
7	14	13	8	7	3	3		1		1				1
2	1		1	2	2									25
1	1	1	2	1	1		1	2			1			26
8	4	2	2					1						27
5	6	1	3			1				1				28
	1				1									29
														30
10	12	8	5	5	3	1	2	3	2					2
1		1	1	1			1	1	1					31
1	1	1			1	1		1						32
2	4	2	1	1	2									33
			3											34
4	1	2		3	1		1	2						35
		4	4	3				2			1			1
		1	2						2					36
1		1	1	1		1			1					37
2	1	1	1	1	1	1		1						38
1	5	2	5	5	1	1		2						39
3	4	1	2	4	3	1		1						40
1		1				1								41
16	16	18	18	14	12	8	8	5	5	2	2	1		4
3	1	1	6	3	3	4	5	3	6	7				42

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	21,214	5,550	1,132	520	327	193	7,722	649	439	806	1,237	1,203
2	Males	11,710	3,108	580	276	159	108	4,231	317	225	423	709	674
3	Females	9,504	2,442	552	244	168	85	3,491	332	214	383	528	529
4	Unknown causes	619	203	33	21	15	7	279	27	16	19	27	26
5	Males	346	111	20	12	8	6	157	14	10	8	14	19
6	Females	273	92	13	9	7	1	122	13	6	11	13	7
7	I.—General diseases.												
8	General diseases—A	4,130	1,017	424	198	123	89	1,851	282	180	200	244	212
9	Males	2,289	578	212	114	62	54	1,020	121	70	108	159	126
10	Females	1,841	439	212	84	61	35	831	161	60	92	85	86
11	1. Smallpox	{ M. 95 F. 102	{ 26 21	{ 23 28	{ 15 12	{ 3 6	{ 5 1	{ 70 68	{ 9 16	{ 3 5	{ 7 4	{ 1 2	{ 1 3
12	2. Measles	{ M. 18 F. 30	{ 1 1	{ 2 5	{ 2 5	{ 6 5	{ 3 5	{ 13 21	{ 5 7	{ 1 1	{ 1 1		
13	3. Scarlet fever	{ M. 110 F. 123	{ 6 10	{ 10 11	{ 20 10	{ 15 15	{ 15 15	{ 66 61	{ 36 49	{ 2 4		{ 3 3	{ 1 1
14	4. Diphtheria	{ M. 31 F. 40	{ 18 20	{ 4 12	{ 6 1	{ 1 2		{ 29 36	{ 2 2				
15	5. Whooping cough	{ M. 19 F. 18	{ 3 4	{ 1 2	{ 1 1		{ 1 2	{ 6 9	{ 4 1	{ 1 1		{ 2 2	
16	6. Fever	{ M. 39 F. 36	{ 11 5	{ 6 5	{ 1 4	{ 2 2	{ 1 2	{ 21 18	{ 4 8	{ 3 4	{ 1 1	{ 3 1	{ 1 1
17	7. Cerebro-spinal fever	{ M. 311 F. 210	{ 3 3	{ 6 7	{ 11 4	{ 2 2	{ 10 1	{ 32 17	{ 11 24	{ 24 17	{ 45 35	{ 58 24	{ 47 21
18	8. Enteric fever	{ M. 828 F. 634	{ 239 176	{ 85 73	{ 31 24	{ 16 13	{ 8 3	{ 379 289	{ 20 24	{ 6 8	{ 13 10	{ 33 20	{ 43 21
19	9. Diarrheal diseases	{ M. 265 F. 203	{ 204 155	{ 51 41	{ 3 6	{ 3 1	{ 4 3	{ 265 203					
20	10. Cholera infantum	{ M. 438 F. 319	{ 53 27	{ 20 24	{ 19 13	{ 10 10	{ 7 6	{ 109 80	{ 26 24	{ 27 19	{ 37 32	{ 46 28	{ 25 24
21	11. Malarial fever	{ M. 21 F. 22	{ 4 3	{ 1 1	{ 2 2			{ 7 4			{ 2 1	{ 1 2	{ 1 2
22	12. Erysipelas	{ M. 55 F. 63	{ 1 7	{ 1 2	{ 1 2	{ 3 2	{ 2 1	{ 8 14	{ 2 3	{ 1 3	{ 1 3	{ 7 6	{ 5 10
23	13. Septicæmia	{ M. 36 F. 27	{ 8 7	{ 1 1	{ 2 1			{ 11 10	{ 1 1		{ 1 1	{ 5 2	{ 2 1
24	14. Venereal diseases	{ M. 23 F. 14	{ 2 1	{ 1 1		{ 1 1		{ 4 1	{ 1 2	{ 3 1	{ 1 1		{ 2 2
25	15. Others of this group	{ M. 23 F. 14	{ 2 1			{ 1 1		{ 4 1	{ 1 2	{ 3 1			{ 2 2
26	General diseases—B)	617	390	37	8	6	3	444	3	3	7	9	11
27	Males	361	224	22	3	2		251	2		4	2	5
28	Females	256	166	15	5	4	3	193	1	1	3	7	6
29	1. Parasitic diseases	{ M. 2 F. 4		{ 1 1				{ 1 3		{ 1 1			
30	2. Alcoholism	{ M. 59 F. 18										{ 1 1	{ 4 3
31	3. Lead poison	{ M. 4 F. 1										{ 1 1	
32	4. Other poisons	{ M. 34 F. 17	{ 4 2		{ 2 2			{ 6 3			{ 2 2	{ 1 3	{ 1 3
33	5. Inanition	{ M. 262 F. 216	{ 220 163	{ 21 14	{ 1 5	{ 2 3		{ 244 187	{ 2 1	{ 1 1	{ 2 1	{ 3 3	
34	General diseases—C)	2,998	2,054	47	17	9	2	2,129	12	3	4	7	5
35	Males	1,560	1,187	26	7	2		1,222	6		1	3	4
36	Females	1,438	867	21	10	7	2	907	6	3	3	4	1
37	1. Premature birth	{ M. 91 F. 74	{ 91 73					{ 91 74					
38	2. Stillborn	{ M. 852 F. 596	{ 852 596					{ 852 596					
39	3. Malformation	{ M. 10 F. 8	{ 9 8					{ 9 8					
40	4. Debility and atrophy	{ M. 502 F. 564	{ 235 190	{ 26 20	{ 7 10	{ 2 7		{ 270 229	{ 6 6	{ 3 3	{ 1 3	{ 3 4	{ 4 1
41	5. Old age	{ M. 105 F. 196											

a For list of cities, see page 583.

STATISTICS OF DEATHS.

GRAND DIVISION C, BY AGE AND SEX AND SPECIFIED DISEASE. (a)

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,019	1,093	915	937	965	757	833	755	563	484	314	138	62	71	252	21
571	655	534	575	582	452	476	400	272	237	140	49	25	19	144	22
448	488	381	362	383	305	357	355	291	247	174	89	37	52	108	3
21	24	20	29	24	12	21	10	5	11	7	1	2	1	37	4
17	14	7	16	15	7	11	4	3	3	5	1	1	1	20	5
4	10	13	13	9	5	10	6	2	8	2	1	1	1	17	6
131	187	133	132	131	114	98	91	70	49	16	14	2	2	41	77
64	111	79	90	84	63	52	48	36	25	8	6	1	1	18	8
67	76	54	42	47	51	46	43	34	24	8	8	1	2	23	9
1	1	2	1	1	1	1	1	1	1	1	1	1	1	2	10
1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	11
1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	12
1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	13
1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	14
1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	15
10	30	12	14	7	5	3	9	2	1	1	1	1	1	1	16
16	15	11	6	7	3	3	3	3	2	1	1	1	1	3	17
18	36	34	43	48	40	38	27	19	10	7	4	1	1	9	18
21	30	24	18	23	33	29	30	17	16	5	6	1	1	9	18
25	31	22	23	18	11	7	9	6	10	1	1	1	1	4	20
17	17	6	12	9	11	12	7	8	3	2	1	1	1	6	20
2	1	1	2	2	1	1	1	2	2	1	1	1	1	1	21
3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	21
5	6	5	2	3	2	1	1	3	3	1	1	1	1	1	22
8	4	3	3	1	3	1	1	3	3	1	1	1	1	1	22
3	4	4	2	2	1	1	1	1	1	1	1	1	1	1	23
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	23
1	1	1	2	1	1	1	1	2	1	1	1	1	1	1	24
1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	24
13	20	22	15	13	10	9	14	6	4	4	1	1	1	8	25
9	14	14	12	11	9	7	9	2	3	3	1	1	1	3	26
4	6	8	3	2	1	2	5	4	1	1	1	1	1	5	26
4	7	10	8	8	6	6	4	1	1	1	1	1	1	1	27
1	3	6	2	1	1	1	1	1	1	1	1	1	1	1	27
1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	28
3	5	3	4	1	3	1	2	1	1	1	1	1	1	1	29
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	29
1	2	2	1	1	1	1	3	1	3	2	1	1	1	2	30
1	1	1	1	1	1	1	3	4	1	1	1	1	1	4	30
6	15	9	13	23	31	70	85	119	163	137	67	38	55	5	33
2	7	5	5	12	11	25	42	44	64	49	24	16	16	2	34
4	8	4	10	11	20	45	43	75	99	88	43	22	39	3	35
2	7	5	5	12	11	22	35	31	34	28	11	6	8	1	36
4	8	4	10	11	20	38	31	43	57	39	24	9	17	3	36
3	7	5	5	12	11	22	35	31	34	28	11	6	8	1	37
7	8	4	10	11	20	38	31	43	57	39	24	9	17	3	37
3	7	5	5	12	11	22	35	31	34	28	11	6	8	1	38
7	8	4	10	11	20	38	31	43	57	39	24	9	17	3	38
3	7	5	5	12	11	22	35	31	34	28	11	6	8	1	39
7	8	4	10	11	20	38	31	43	57	39	24	9	17	3	39
3	7	5	5	12	11	22	35	31	34	28	11	6	8	1	40
7	8	4	10	11	20	38	31	43	57	39	24	9	17	3	40

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D	3,712	106	53	36	26	16	237	71	88	279	461	439
2	Males	1,884	61	31	20	13	8	133	32	27	113	214	216
3	Females	1,828	45	22	16	13	8	104	39	61	166	247	223
4	1. Rheumatism	{ M 31 F 27	1	1		1	1	4	1			1	4
5	2. Scrofula and tubercles	{ M 64 F 48	13	10	6	2		31	5	8	3	3	7
6	3. Leprosy	{ M 2 F 1											
7	4. Consumption	{ M 1,461 F 1,304	15	11	9	7	3	45	20	20	98	202	191
8	5. Hydrocephalus	{ M 43 F 39	19	8	3	2	2	34	2		1	2	
9	6. Cancer	{ M 132 F 259	1		1			2	1			3	6
10	7. Tumor	{ M 22 F 16										1	2
11	8. Anæmia	{ M 18 F 27	6					6	1	1	2		3
12	9. Dropsy	{ M 76 F 92	2	1		1	1	5	1	3	5	2	3
13	10. Diabetes	{ M 21 F 12	1					1		1	1	1	1
14	11. Others of this group	{ M 14 F 7	3	1	1		1	5	1		2	1	2
15	12. Others of this class	{ M F						3			1	1	1
16	II.—Diseases of the nervous system	2,482	947	162	75	59	27	1,270	83	52	59	58	57
17	Males	1,365	517	92	37	29	16	691	46	35	35	32	31
18	Females	1,117	430	70	38	30	11	579	37	17	24	26	26
19	1. Inflammation of the brain	{ M 276 F 201	82	42	15	17	10	166	25	12	14	13	9
20	2. Apoplexy	{ M 152 F 148	1	1				2			1	5	2
21	3. Paralysis	{ M 123 F 119	1	3	1			5	1	1	3	2	3
22	4. Tetanus and trismus nascentium	{ M 225 F 150	196	1				197	3	7	3	1	4
23	5. Epilepsy	{ M 18 F 18								2	1	1	3
24	6. Convulsions	{ M 262 F 243	184	28	17	6	2	237	5	3	3	2	3
25	7. Mental diseases	{ M 16 F 11									1		
26	8. Diseases of the brain	{ M 243 F 180	40	17	4	6	4	71	10	8	8	7	9
27	9. Diseases of the spinal cord	{ M 35 F 21	10		2	1		10	2	1	1	1	1
28	10. Others of this class	{ M 15 F 26	3	1				3	2	1	1	1	4
29	III.—Diseases of the circulatory system	1,214	54	1	2	2		59	20	13	27	35	51
30	Males	656	31		1	1		33	9	7	15	14	24
31	Females	558	23	1	1	1		26	11	6	12	21	27
32	1. Angina pectoris	{ M 11 F 9										2	
33	2. Aneurism	{ M 24 F 9										1	2
34	3. Diseases of the heart	{ M 592 F 519	7		1	1		9	9	6	15	14	21
35	4. Others of this class	{ M 29 F 21	24	1	1			24		1			1

STATISTICS OF DEATHS.

GRAND DIVISION C, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
370	341	275	263	255	168	164	121	57	40	28	3	5	3	44	1
198	186	153	144	132	91	86	58	20	24	12	1	2	1	32	2
172	155	122	119	123	77	78	63	28	16	16	2	3	2	12	3
2	2	3	1	2	2	1	2	1	2	2				1	4
2	1	2		1	2	3	4	1	3	3					
2	2	1	2	1	1		1			2					5
2		3	5	1	1		1								
					1		1			1					6
176	165	127	123	96	66	49	33	13	6	4		1		26	7
145	124	90	72	59	36	33	21	10	7	3		2		8	
	1	2				1				1				1	8
5	5	12	12	20	12	22	10	8	9	3		1		1	9
13	16	21	34	44	28	31	24	10	5	6	1	1	1	3	
6	2	1	1	3	2	1	1	1		1				1	10
2	2		2	3	1		1								
1	3	1		1		1	1								11
2	4			3	1	2	1								
2	4	5	5	5	6	9	7	5	6	1	1		1		12
6	6	5	5	11	7	8	9	6	4	1	1		1		
3	3	1	1	4	1	1	2	1	1						13
				1	1	1	2	1	1						
1						1								2	14
	1														
															15
62	81	86	94	111	74	94	102	64	57	39	15	6	1	17	16
38	53	44	60	60	46	53	57	27	27	15	5	2		8	17
24	28	42	34	51	28	41	45	37	30	24	10	4	1	9	
6	7	8	5	2	1	4		1		1				2	19
4	4	5	3	2	2	1	1	2	1	1				1	
6	11	10	16	13	18	16	27	6	9	6	2	2			20
7	5	8	8	20	10	17	23	17	10	10	5		1		
3	13	7	11	12	8	16	14	10	9	5	2			1	21
3	2	8	5	14	6	15	14	12	11	10	3	3		2	
2	2	2	3	1											22
	3			1	1						1				
3	3		1	3					1						23
	2	5	2	3			1								
3	2			1				1							24
1	1	1	1	1		1	1	1	1	1				3	
	3	2	2	4	2		1	1	1						25
	1	2	1	2	1	1	1	1	1						
10	9	11	16	20	15	15	14	7	6	3	1			3	26
7	7	11	9	6	3	4	3	4	5	3	1	1		3	
4	3	3	3	3	2				1						27
2	2		1	2	2	1			1						
1		1	3	1		2	1	1							28
	1	2	4	2	3	1	1	1	1						
69	66	75	108	121	102	130	119	102	57	30	11	2	3	14	29
40	33	36	67	66	59	75	63	54	30	19	4	1		7	30
29	33	39	41	55	43	55	56	48	27	11	7	1	3	7	
1			3	1	1	2	1	2		1					32
				1	2		3								
1	3	2	2	6	1	4	3							1	33
	1	1	1	1		1	2								
40	30	34	62	59	57	68	59	52	30	17	4	1		5	34
27	32	38	40	53	41	54	50	48	27	11	6	1	3	6	
						1				1				1	35
							1				1			1	

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	2,351	520	232	125	61	31	969	80	37	60	128	100
2	Males	1,321	270	118	56	27	15	486	42	11	33	97	67
3	Females	1,030	250	114	69	34	16	483	38	26	27	31	33
4	1. Croup	{ M 89 F 63	{ 27 21	{ 16 17	{ 16 8	{ 12 6	{ 7 2	{ 78 54	{ 6 7	{ 2	{ 	{ 3 	{
5	2. Laryngitis	{ M 14 F 5	{ 2 	{ 4 	{ 1	{ 	{ 	{ 6 1	{ 1	{ 	{ 	{ 1 	{
6	3. Bronchitis	{ M 259 F 220	{ 97 76	{ 37 30	{ 14 20	{ 5 7	{ 3 3	{ 156 196	{ 5 3	{ 1 4	{ 1 2	{ 8 2	{ 7 2
7	4. Pneumonia	{ M 763 F 597	{ 110 135	{ 57 61	{ 24 35	{ 9 19	{ 5 10	{ 205 260	{ 26 26	{ 8 18	{ 25 23	{ 72 22	{ 49 25
8	5. Pleurisy	{ M 37 F 14	{ 4 1	{ 1 	{ 1 	{ 	{ 	{ 6 1	{ 1 	{ 	{ 3 1	{ 2 1	{ 5
9	6. Asthma	{ M 36 F 43	{ 	{ 	{ 1 	{ 	{ 	{ 1 	{ 	{ 	{ 	{ 	{ 1 2
10	7. Others of this class	{ M 123 F 88	{ 30 17	{ 3 6	{ 1 4	{ 1 2	{ 1	{ 35 30	{ 3 1	{ 2 2	{ 4 1	{ 11 6	{ 5 4
11	V.—Diseases of the digestive system	1,053	190	114	16	10	4	334	15	23	29	47	56
12	Males	603	97	46	10	4	2	159	6	10	18	28	33
13	Females	450	93	68	6	6	2	175	9	13	11	19	23
14	1. Dentition	{ M 81 F 102	{ 33 41	{ 39 55	{ 7 	{ 1	{ 	{ 80 101	{ 	{ 	{ 	{ 	{
15	2. Angina	{ M 10 F 6	{ 3 2	{ 1	{ 1 	{ 1 	{ 	{ 5 3	{ 2	{ 1 	{ 	{ 1	{ 3
16	3. Diseases of the stomach	{ M 89 F 65	{ 18 15	{ 5 5	{ 	{ 1	{ 1 1	{ 24 22	{ 2 3	{ 1 2	{ 3 2	{ 4 1	{ 3 3
17	4. Obstruction of the bowels	{ M 48 F 39	{ 11 9	{ 2	{ 1 1	{ 1 1	{ 	{ 13 13	{ 1 	{ 4 4	{ 2 	{ 5 2	{ 1 1
18	5. Hernia	{ M 22 F 1	{ 3 	{ 	{ 	{ 	{ 	{ 3 	{ 	{ 	{ 	{ 	{ 2
19	6. Other diseases of the bowels	{ M 20 F 14	{ 5 4	{ 	{ 1 	{ 	{ 1 1	{ 6 6	{ 1	{ 	{ 	{ 1 	{ 1
20	7. Jaundice	{ M 17 F 17	{ 4 7	{ 	{ 	{ 	{ 	{ 4 7	{ 2 	{ 1	{ 2 1	{ 1 	{ 2
21	8. Inflammation and abscess of the liver	{ M 95 F 41	{ 3 1	{ 2	{ 	{ 1 	{ 	{ 3 4	{ 	{ 1 	{ 2 	{ 3 1	{ 7 5
22	9. Other diseases of the liver	{ M 113 F 49	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 1	{ 	{ 1 	{ 7 2
23	10. Peritonitis	{ M 56 F 74	{ 2 2	{ 1 1	{ 	{ 1 	{ 	{ 4 3	{ 1 1	{ 2 4	{ 5 5	{ 9 10	{ 6 11
24	11. Ascites	{ M 10 F 7	{ 1 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 	{ 1	{ 	{ 1
25	12. Others of this class	{ M 42 F 35	{ 14 12	{ 1 2	{ 1	{ 1 1	{ 	{ 16 16	{ 2	{ 1 1	{ 3 2	{ 4 3	{ 1
26	VI.—Diseases of the urinary system and male organs of generation.	564	6	7	6	3	4	26	11	7	11	33	33
27	Males	350	2	4	4	2	2	14	8	1	7	21	18
28	Females	214	4	3	2	1	2	12	3	6	4	12	15
29	1. Bright's disease	{ M 221 F 151	{ 	{ 	{ 	{ 	{ 	{ 	{ 4 	{ 5	{ 5 3	{ 16 7	{ 14 15
30	2. Calculus, urinary	{ M 5 F 1	{ 1	{ 1 	{ 	{ 1 	{ 	{ 2 1	{ 	{ 	{ 	{ 	{
31	3. Diseases of the kidney	{ M 58 F 38	{ 1 1	{ 2 3	{ 3 2	{ 	{ 1 2	{ 7 8	{ 4 2	{ 1 1	{ 1 1	{ 3 3	{ 3
32	4. Diseases of the bladder	{ M 19 F 8	{ 1	{ 	{ 	{ 	{ 1 	{ 1 	{ 	{ 	{ 	{ 	{
33	5. Others of this class	{ M 47 F 16	{ 1 1	{ 1 	{ 1 	{ 1 1	{ 	{ 4 2	{ 1	{ 	{ 1 	{ 2 2	{ 1
34	VII.—Diseases of the female organs of generation.	61								1	4	6	14
35	1. Ovarian tumors	F 10											
36	2. Ovarian diseases	F 1											
37	3. Uterine tumors	F 4											
38	4. Uterine diseases	F 9									1	1	2
39	5. Others of this class	F 37								1	3	5	12
40	VIII.—Affections connected with pregnancy	164									15	38	45
41	1. Abortion	F 6									2	3	1
42	2. Childbirth	F 39									1	6	12
43	3. Puerperal septicemia	F 85									8	18	26
44	4. Extra-uterine pregnancy	F 3											1
45	5. Others of this class	F 31									4	13	5

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	36	4	1		1	1	7	3	3	1	4	3
2	Males	20	2	1		1	1	5	1	2	1	3	1
3	Females	16	2					2	2	1		1	2
4	1. Diseases of the spine	{ M. 7 F. 7	1			1		2	1	1		1	1
5	2. Diseases of the bones	{ M. 8 F. 4	1	1				2		1	1	1	1
6	3. Diseases of the hip joint	{ M. 3 F. 3					1	1		1		1	
7	4. Others of this class	{ M. 2 F. 2										1	
8	X.—Diseases of the skin	28	6	2	2			10		1		2	2
9	Males	17	2		1			3		1		2	1
10	Females	21	4	2	1			7				1	1
11	1. Abscess	{ M. 12 F. 7	1		1			2				1	1
12	2. Carbuncle	{ M. 1 F. 3		1				1				1	1
13	3. Others of this class	{ M. 4 F. 9	1	1	1			5		1			
14	XI.—Diseases of the absorbent system	3							1				
15	Males	1							1				
16	Females	2											
17	1. Addison's disease	{ M. 1 F. 1							1				
18	2. Diseases of the spleen	{ M. 1 F. 1							1				
19	3. Others of this class	{ M. 1 F. 2											
20	XII.—Accidents and injuries	1,172	53	19	14	12	9	107	41	62	91	138	149
21	Males	937	26	8	11	8	4	57	29	50	80	120	129
22	Females	235	27	11	3	4	5	50	12	12	11	18	20
23	1. Burns and scalds	{ M. 33 F. 44	2	6	7	4		19	1		1	1	3
24	2. Drowned	{ M. 111 F. 11			1	1		2	7	19	17	10	18
25	3. Exposure and neglect	{ M. 8 F. 5	4	1				4	1		1		
26	4. Gunshot wounds	{ M. 95 F. 5	1					1		4	11	15	22
27	5. Homicide	{ M. 56 F. 6							1		1	14	15
28	6. Infanticide	{ M. 1 F. 1									1	1	3
29	7. Injuries by machinery	{ M. 2 F. 1									1		
30	8. Railroad accidents	{ M. 148 F. 9				1		1	1	1	8	27	23
31	9. Suffocation	{ M. 11 F. 19	6	2	1			6	1			1	1
32	10. Suicide by shooting	{ M. 31 F. 3									1	3	2
33	11. Suicide by drowning	{ M. 6 F. 1										1	1
34	12. Suicide by poison	{ M. 18 F. 18									1	2	5
35	13. Other suicides	{ M. 17 F. 6									1	1	1
36	14. Sunstroke	{ M. 18 F. 7										1	2
37	15. Surgical operations	{ M. 9 F. 7	1					1				2	1
38	16. Wounds	{ M. 62 F. 25	1	1		1	2	3	11	15	9	3	5
39	17. Other accidents and injuries	{ M. 312 F. 69	11	2	3	2	2	20	6	11	30	41	30

STATISTICS OF DEATHS.

GRAND DIVISION C, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
2	3	1	2	3		3			1						1
1	2	1	1	1					1						2
1	1		1	2		3									3
		1							1						4
			1	1		2									4
1			1	1		1									5
1	1			1											6
	1			1											7
	1			1											7
2			2	2	7	4	4				1			1	8
1			2	1	3	3									9
1			1	1	4	1	4				1			1	10
1			1	1	3	2	1	1			1				11
				1	2			2							12
1			1		2	1	1								13
		1				1									14
		1				1									15
															16
															17
															18
		1				1									19
113	101	80	55	63	36	24	34	16	16	7	8	1	1	29	20
95	84	65	44	54	30	22	24	11	10	4	3	1		25	21
18	17	15	11	9	6	2	10	5	6	3	5		1	4	22
1	1	1	1		2	1				1				1	23
6		5	1		1	1	2		2	1	1				23
6	8	9	1	5	3	2			1					3	24
1	1								1		1			1	24
	2														25
18	8	3	7		1					1				4	26
2	1														26
4	10	4		3			1							3	27
							1								27
															28
1															29
24	12	13	4	9	5	2	3		3		1			6	30
	1	1	1	1			2							1	30
			1	1			1	1							31
			1	1					1						31
3	4	4	1	1	4	2	3	1	1	1					32
			1	2	1										33
			1	1											33
1	2	2	5	3	1		1								34
1	4	1	1												34
2	2	3	1	3	2	1	1	1							35
2				1											35
3	2	2	2	6											36
2	1	1	1	1											36
1	1		1	2				1							37
1			1	1											37
1	1	2	2	2		1	4	2			1				38
2		1	1			1	2	1			1				38
30	31	21	18	18	11	13	10	6	5	1	1			8	39
1	9	3	4	4	4	1	2	4	2	2	2		1	2	39

VITAL AND SOCIAL STATISTICS.

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
All causes.....	77,681	25,301	5,244	2,407	1,720	1,409	36,081	3,380	1,461	2,146	3,427	3,840
Males.....	42,323	14,269	2,676	1,269	886	711	19,811	1,695	682	1,011	1,729	2,031
Females.....	35,356	11,032	2,568	1,138	834	698	16,270	1,685	779	1,135	1,698	1,809
Unknown causes.....	733	238	27	19	8	10	302	19	11	19	23	21
Males.....	401	123	12	6	4	6	151	13	6	7	12	13
Females.....	332	115	15	13	4	4	151	6	5	12	11	8
I.—General diseases.												
General diseases—A.....	16,988	5,791	2,122	1,018	849	756	10,536	1,827	555	508	712	569
Males.....	8,762	3,065	1,070	520	425	359	5,439	876	236	237	378	302
Females.....	8,226	2,726	1,052	498	424	397	5,097	951	319	266	334	267
1. Smallpox.....	{ M. 1 F. 2	1					1					
2. Measles.....	{ M. 279 F. 282	65 67	102 87	43 49	22 20	10 12	242 235	28 29	4 3	1 6	1 2	3 1
3. Scarlet fever.....	{ M. 322 F. 347	21 16	53 51	51 58	47 62	42 46	214 233	86 90	8 8	2 4	3 5	2 3
4. Diphtheria.....	{ M. 1,828 F. 1,974	96 87	199 205	266 254	274 266	248 276	1,083 1,088	588 648	93 160	26 26	10 24	1 6
5. Whooping cough.....	{ M. 240 F. 299	130 156	68 74	26 29	5 17	1 6	230 282	6 13	3 4			
6. Fever.....	{ M. 9 F. 15	3 4				1	4 5			3	1	1
7. Cerebro-spinal fever.....	{ M. 188 F. 157	60 50	37 25	16 8	7 10	11 7	131 100	25 22	7 13	8 8		1 1
8. Enteric fever.....	{ M. 1,315 F. 902	26 15	11 17	15 9	10 8	15 16	77 65	55 55	78 68	147 149	277 183	212 138
9. Diarrheal diseases.....	{ M. 2,288 F. 2,004	1,339 1,044	306 314	63 52	28 23	15 21	1,751 1,454	51 53	14 26	23 23	35 40	35 42
10. Cholera infantum.....	{ M. 1,509 F. 1,437	1,182 1,157	282 245	28 22	13 6	2 3	1,507 1,433					
11. Malarial fever.....	{ M. 323 F. 345	36 16	7 18	7 10	10 7	4 3	64 54	22 29	19 27	23 34	22 29	30 29
12. Erysipelas.....	{ M. 129 F. 99	39 48	2 4	1 2	1 1	1 1	44 56	4			6 3	3 3
13. Septicæmia.....	{ M. 174 F. 223	21 20	1 3	4 4	2 3	10 5	38 35	10 8	8 8	6 10	11 37	10 32
14. Venereal diseases.....	{ M. 86 F. 74	42 37	1 3			1	44 40			1 1	1 6	5 9
15. Others of this group.....	{ M. 71 F. 66	4 9	1 5		4 1		9 17	2 2	2	1	2 1	2
General diseases—B.....	1,903	1,331	63	17	11	5	1,427	8	4	6	25	50
Males.....	1,128	739	34	12	7	1	793	3	1	1	9	43
Females.....	775	592	29	5	4	4	634	5	3	5	16	7
1. Parasitic diseases.....	{ M. 2 F. 3	1					1					
2. Alcoholism.....	{ M. 224 F. 55		1				1				5 4	22 3
3. Lead poison.....	{ M. 22 F. 1										2 1	7
4. Other poisons.....	{ M. 71 F. 35	2 3	9 3	1 1	1	1	13 8	2 3	1 4	1 4	2 6	12 2
5. Inanition.....	{ M. 809 F. 681	736 589	24 26	11 4	6 4	1 3	778 626	1 2	3	1	5	2 2
General diseases—C.....	11,431	8,986	142	35	9	10	9,182	18	8	9	11	18
Males.....	6,261	5,178	72	19	4	8	5,281	7	1	4	8	5
Females.....	5,170	3,808	70	16	5	2	3,901	11	7	5	3	13
1. Premature birth.....	{ M. 473 F. 360	473 360	1				473 360					
2. Stillborn.....	{ M. 3,595 F. 2,485	3,595 2,485					3,595 2,485					
3. Malformation.....	{ M. 93 F. 71	90 69	1 1				91 70	1 1				
4. Debility and atrophy.....	{ M. 1,583 F. 1,557	1,021 894	70 69	19 16	4 5	8 2	1,122 986	6 10	1 7	4 5	8 3	5 13
5. Old age.....	{ M. 517 F. 697											

a For list of cities, see page 583.

STATISTICS OF DEATHS.

GRAND DIVISION D, BY AGE AND SEX AND SPECIFIED DISEASE. (a)

*30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
3,323	3,143	2,709	2,693	2,430	2,369	2,424	2,481	2,093	1,609	1,001	550	141	81	299	1
1,872 1,451	1,788 1,355	1,020 1,089	1,026 1,067	1,436 994	1,387 982	1,395 1,029	1,325 1,156	1,106 987	818 791	460 541	261 289	54 87	38 43	180 119	2 3
30	35	32	27	32	40	33	31	21	13	4	3	1	2	34	4
17 13	23 12	22 10	22 5	19 13	20 20	20 13	17 14	11 10	5 8		2 1	1	2	16 16	5 6
471	320	248	193	170	172	184	176	136	101	55	19	5	3	33	7
300 171	182 138	145 103	115 78	89 81	104 68	92 92	90 86	64 72	55 46	23 27	11 8	1 4	1 2	17 16	8 9
		1												1	10
	1													1	11
2	1		1											1	12
2	1	1	1			1								2	12
10 6	4 7	5 1	3	1	3	2 1	1			1			1	1 1	13
								1							14
			1		2	1	1								15
4 4	3 2	1 1	3 2	1 1	2		1							1	16
197 68	88 45	53 37	42 22	27 18	17 16	11 9	9 10	13 9	7 6	1 1		1		4 2	17
33 30	37 35	31 26	39 24	30 34	37 29	49 50	42 43	31 40	29 25	12 19	7 3	3	1	2 4	18
														2 4	19
26 16	21 23	17 19	6 8	11 10	15 12	8 17	13 13	6 11	5 6	4 4	1 2			2	20
6 2	14 3	8 5	11 4	5 5	7 3	6 3	6 4	1 2	3 4	3			1	1	21
14 34	8 15	16 0	5 9	12 7	9 5	9 4	10 5	1 4	4	1 1	1			1	22
4 6	4 4	11 1	3 1	2 3	4		2	2 1						3	23
4 3	1 2	2 2	4 3	1 2	3 1	5 7	5 11	9 5	7 3	6 2	2 1	1 1			24
53	50	69	65	46	29	20	14	13	9	2	4	1		8	25
37 16	36 14	50 13	52 13	24 12	21 8	14 6	9 5	9 4	3 6		2 2		1	5 3	26 27
		1	1	1				1							28
24 5	29 11	43 7	35 10	26 5	17 5	8 3	6 1	6			1			1 1	29
2	2	3	3	3											30
9 5	2 2	7 1	10	5 2	2 1	3 1	1							1	31
2 6	3 1	3 4	3 3	4	2 2	3 2	2 4	3 3	3 6		1 2	1		3 2	32
19	15	17	28	24	43	88	210	372	451	444	308	96	56	14	33
12 7	8 7	11 6	9 19	10 14	17 26	27 61	97 113	182 190	197 254	181 263	139 169	34 62	23 33	8 6	34 35
															36
															37
														1	38
12 7	8 7	11 6	9 19	10 14	17 26	22 46	64 66	89 86	80 98	58 83	37 46	8 13	6 11	6 5	39
						5	33	93	117	123	102	26	17	1	40

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	11, 119	540	268	88	62	70	1, 028	172	204	685	1, 150	1, 384
2	Males.....	5, 584	319	125	47	35	36	562	77	67	250	540	668
3	Females.....	5, 535	221	143	41	27	34	466	95	137	435	610	716
4	1. Rheumatism.....	{ M.. 139 F.. 119	5	2		1	3	8	5	4	10	8	11
5	2. Scrofula and tabes.....	{ M.. 136 F.. 127	40	8	6	7	4	65	6	3	7	10	10
6	3. Leprosy.....	{ M.. 1 F..											
7	4. Consumption.....	{ M.. 3, 921 F.. 3, 625	91	45	19	11	9	175	26	37	218	504	609
8	5. Hydrocephalus.....	{ M.. 280 F.. 216	131	60	18	8	10	227	27	6	2	5	1
9	6. Cancer.....	{ M.. 606 F.. 938	1	1	1	1	2	6	3		1	2	12
10	7. Tumor.....	{ M.. 101 F.. 115	4	5	1	4	2	11	1	5	3	3	11
11	8. Anæmia.....	{ M.. 76 F.. 91	23	3	1	1	2	30		2	2	1	2
12	9. Dropsy.....	{ M.. 175 F.. 212	6	3	2	2	1	12	4	2	1	2	4
13	10. Diabetes.....	{ M.. 100 F.. 56	2		1		2	5	2	7	4	3	7
14	11. Others of this group.....	{ M.. 46 F.. 36	16	5		1	1	28	3	1	2	2	
15	12. Others of this class.....	{ M.. 3 F..											1
16	II.—Diseases of the nervous system.....	9, 228	4, 058	826	295	180	118	5, 477	289	137	124	173	192
17	Males.....	5, 237	2, 365	426	159	90	70	3, 110	157	66	70	85	97
18	Females.....	3, 991	1, 693	400	136	90	48	2, 367	132	71	54	88	95
19	1. Inflammation of the brain.....	{ M.. 1, 138 F.. 899	489	166	72	41	39	807	81	33	23	22	29
20	2. Apoplexy.....	{ M.. 623 F.. 437	17	2	3	2	2	26	2	1	10	12	22
21	3. Paralysis.....	{ M.. 460 F.. 393	6	1	5	3		15	8	5	5	7	4
22	4. Tetanus and trismus nascentium.....	{ M.. 187 F.. 117	147	1	1			149	8	4	2	3	4
23	5. Epilepsy.....	{ M.. 91 F.. 50	4	2	2	1	1	10	7	5	5	7	7
24	6. Convulsions.....	{ M.. 1, 828 F.. 1, 385	1, 472	190	50	31	15	1, 758	22	5	5	3	2
25	7. Mental diseases.....	{ M.. 51 F.. 59									1	4	5
26	8. Diseases of the brain.....	{ M.. 634 F.. 444	178	45	15	9	10	257	17	9	8	17	23
27	9. Diseases of the spinal cord.....	{ M.. 175 F.. 136	49	16	10	3	3	81	11	4	9	8	1
28	10. Others of this class.....	{ M.. 50 F.. 71	3	3	1		1	7	1		2	2	5
29	III.—Diseases of the circulatory system.....	3, 674	287	24	14	12	10	347	88	127	116	156	174
30	Males.....	2, 031	180	14	12	6	5	217	36	47	55	75	92
31	Females.....	1, 643	107	10	2	6	5	130	52	80	61	81	82
32	1. Angina pectoris.....	{ M.. 47 F.. 24							1	1	3		2
33	2. Aneurism.....	{ M.. 46 F.. 14								1	1	2	3
34	3. Diseases of the heart.....	{ M.. 1, 811 F.. 1, 528	85	13	10	6	5	119	36	46	54	71	86
35	4. Others of this class.....	{ M.. 127 F.. 77	95	1	2			98	51	77	1	2	2

STATISTICS OF DEATHS.

GRAND DIVISION D, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,127	1,042	828	739	660	564	517	453	269	151	64	31	3	4	44	1
585 542	570 472	434 394	406 333	332 328	300 264	278 239	227 226	134 135	84 67	32 32	13 18	1 2	2 2	22 22	2 3
9 6	13 5	5 7	7 9	12 6	11 8	15 13	6 17	8 8	5 3		1			1	4
4 5	3 8	5 7	5 3	6	8 2	2 3	1 1	2	1						5
	1														6
527 452	480 350	358 243	282 171	200 135	157 95	135 87	103 68	50 44	31 15	9 7	2 6	1 1	1 1	16 14	7
1 2	4 4	2			2	1		2						2	8
18 58	41 65	47 99	76 121	76 140	78 114	81 97	69 97	47 50	29 32	12 15	5 7	1		3 4	9
7 8	9 10	6 15	13 7	7 11	8 11	6 6	5 10	4 6	1 3					1 1	10
4 4	2 11	5	4 3	4 2	10 8	6 2	5 4	1 3	2	2	1			1	11
9 5	7 11	3 13	10 15	14 26	15 18	24 21	21 26	19 20	14 13	9 8	4 4		1	1	12
6	9 6	7 5	8 3	10 6	8 6	7 9	14 3	2 2	1 1		1				13
	1 2	1	1 1	3 2	2 2	1 1	3			2			1		14
					1			1							15
172	213	238	253	278	287	349	336	299	215	103	49	6	5	33	16
104 68	125 88	143 90	146 107	170 108	169 118	204 145	194 142	170 129	123 92	47 56	25 24	2 4	2 3	23 10	17 18
19 11	19 18	24 11	15 16	12 10	13 7	15 4	11 7	5 7	3 2	1 3	3			3 4	19
22 15	24 12	34 28	50 30	62 41	67 39	75 56	70 52	64 52	52 29	18 22	7 9	1 1	1 2	3	20
13 8	18 12	21 12	24 19	48 23	49 32	49 48	61 58	60 47	43 48	17 21	11 13	1 2	1	1 1	21
1 1	2 1	3	4	2 1		4	1								22
12 6	10 7	8 2	6 4	3 2	4 2	1 2	1 1	2 2	2 1	1					23
1 2	8 1	1 2	1	4 2	2 2	3 1	3 3	1 2	1	1				10 4	24
1 7	5 5	10 4	6 9	2 4	1 5	3 6	6 2	2 3	3	1	1			1	25
25 11	30 19	34 18	31 18	29 19	25 19	41 19	30 12	27 12	16 8	6 8	4 1		1	4	26
9 2	5 5	6 6	8 7	6 4	6 8	8 5	5 3	6 2	1 3	1		1		1	27
1 5	4 8	7 7	1 4	2 2	2 4	5 4	9 4	3 4	2 2	1 1		1		1	28
206	238	247	260	262	281	273	332	234	210	61	34	6	3	19	29
112 94	144 94	151 96	142 118	154 108	159 122	165 108	184 148	118 116	111 99	33 28	18 16	4 2	3	11 8	30 31
3 2	2 3	6 1	2 2	2	11 2	7 2	4 1	3 3	2 1		1			1	32
3 1	8	10 5	7 2	3	4 1	2 1	2	2	2	1					33
105 89	131 89	134 90	131 114	149 108	141 118	154 105	174 147	111 111	105 97	32 26	17 16	4 2	3	8 8	34
1 2	3 2	1	2		3 1	2	6	2 2	2 1	1 1				2	35

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	12,243	2,876	1,486	790	481	350	5,983	612	141	249	378	453
2	Males	6,837	1,642	764	421	254	183	3,264	298	68	136	223	309
3	Females	5,406	1,234	722	369	227	167	2,719	314	73	113	155	144
4	1. Croup	{ M. 720 F. 631	{ 97 62	{ 134 142	{ 138 124	{ 105 86	{ 89 71	{ 563 485	{ 146 127	{ 6 9	{ 1 1	{ 2 1	{ 2 1
5	2. Laryngitis	{ M. 70 F. 54	{ 12 5	{ 19 9	{ 8 6	{ 10 7	{ 4 8	{ 53 35	{ 6 12	{ 4 1		{ 1 1	{ 3 1
6	3. Bronchitis	{ M. 1,518 F. 1,405	{ 704 572	{ 222 223	{ 87 85	{ 37 34	{ 25 20	{ 1,075 934	{ 28 31	{ 10 11	{ 8 13	{ 13 17	{ 17 12
7	4. Pneumonia	{ M. 3,696 F. 2,667	{ 651 462	{ 348 305	{ 163 136	{ 89 90	{ 53 60	{ 1,304 1,053	{ 101 123	{ 37 43	{ 104 84	{ 179 109	{ 257 110
8	5. Pleurisy	{ M. 96 F. 57	{ 6 3	{ 5 3	{ 1 1			{ 14 10	{ 4 3	{ 2 1	{ 7 4	{ 3 3	{ 4 5
9	6. Asthma	{ M. 151 F. 139	{ 2 7	{ 3 1	{ 1 1	{ 1 1		{ 7 10	{ 1 1	{ 1 1			{ 3 1
10	7. Others of this class	{ M. 580 F. 453	{ 170 123	{ 33 39	{ 23 14	{ 12 9	{ 10 7	{ 248 192	{ 12 17	{ 8 8	{ 17 10	{ 25 26	{ 26 13
11	V.—Diseases of the digestive system	3,567	869	188	50	31	17	1,155	107	64	92	143	222
12	Males	1,894	469	98	28	18	11	644	58	35	44	62	100
13	Females	1,673	380	90	22	13	6	511	49	29	48	81	122
14	1. Dentition	{ M. 114 F. 121	{ 64 71	{ 47 46	{ 2 3			{ 113 120					
15	2. Angina	{ M. 48 F. 40	{ 11 6	{ 6 1	{ 6 3	{ 3 2	{ 2 1	{ 28 13	{ 7 13	{ 2 6			{ 3 1
16	3. Diseases of the stomach	{ M. 375 F. 349	{ 94 71	{ 13 15	{ 7 6	{ 4 2	{ 1 1	{ 119 95	{ 7 12	{ 4 1	{ 5 9	{ 6 14	{ 14 16
17	4. Obstruction of the bowels	{ M. 114 F. 99	{ 15 14	{ 2 3	{ 2 2	{ 5 1		{ 25 18	{ 5 6	{ 5 1	{ 2 1	{ 9 4	{ 11 5
18	5. Hernia	{ M. 62 F. 53	{ 5 3					{ 5 3	{ 2 1			{ 2 1	{ 1 1
19	6. Other diseases of the bowels	{ M. 36 F. 25	{ 16 8	{ 2 1		{ 1 1		{ 18 10		{ 1 1	{ 2 2	{ 2 2	{ 4 1
20	7. Jaundice	{ M. 83 F. 63	{ 48 34	{ 1 1	{ 2 1	{ 2 2		{ 53 36				{ 1 1	{ 2 3
21	8. Inflammation and abscess of the liver	{ M. 123 F. 74	{ 5 4	{ 1 1	{ 1 1			{ 7 4	{ 3 4	{ 2 2	{ 1 2	{ 4 2	{ 10 8
22	9. Other diseases of the liver	{ M. 381 F. 163	{ 9 4	{ 1 1		{ 1 1		{ 12 5	{ 2 2	{ 2 2	{ 3 1	{ 4 4	{ 11 6
23	10. Peritonitis	{ M. 272 F. 407	{ 27 17	{ 9 6	{ 4 3	{ 1 5	{ 3 1	{ 44 32	{ 23 9	{ 14 18	{ 20 24	{ 25 55	{ 31 75
24	11. Ascites	{ M. 17 F. 15		{ 1 1		{ 1 1		{ 2 1			{ 1 1	{ 1 1	{ 2 1
25	12. Others of this class	{ M. 319 F. 264	{ 195 148	{ 15 16	{ 4 6	{ 1 3	{ 3 2	{ 218 175	{ 9 8	{ 5 2	{ 11 8	{ 8 1	{ 11 7
26	VI.—Diseases of the urinary system and male organs of generation.	1,756	48	12	13	17	16	106	59	26	37	71	109
27	Males	1,096	26	10	9	8	7	60	32	10	24	34	53
28	Females	660	22	2	4	9	9	46	27	16	13	37	50
29	1. Bright's disease	{ M. 449 F. 302							{ 10 6	{ 6 7	{ 16 5	{ 19 14	{ 26 18
30	2. Calculus, urinary	{ M. 6 F. 4									{ 1 1		
31	3. Diseases of the kidney	{ M. 402 F. 265	{ 18 17	{ 8 1	{ 8 8	{ 6 8	{ 7 5	{ 47 31	{ 19 17	{ 4 8	{ 6 4	{ 14 16	{ 26 21
32	4. Diseases of the bladder	{ M. 115 F. 17		{ 2 1	{ 1 1			{ 3 3	{ 1 1			{ 1 1	{ 2 1
33	5. Others of this class	{ M. 124 F. 72	{ 8 3	{ 2 1	{ 1 3	{ 2 1	{ 4 4	{ 13 12	{ 2 4	{ 1 1	{ 3 3	{ 1 6	{ 5 10
34	VII.—Diseases of the female organs of generation.	224							1		9	24	31
35	1. Ovarian tumors	F. 50									2	3	5
36	2. Ovarian diseases	F. 12							1			1	1
37	3. Uterine tumors	F. 41										2	1
38	4. Uterine diseases	F. 20									2	3	6
39	5. Others of this class	F. 101									5	15	18
40	VIII.—Affections connected with pregnancy.	740									58	170	188
41	1. Abortion	F. 41									2	11	3
42	2. Childbirth	F. 165									11	24	34
43	3. Puerperal septicæmia	F. 424									37	105	113
44	4. Extra-uterine pregnancy	F. 12										3	5
45	5. Others of this class	F. 98									8	27	28

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	147	6	9	7	5	2	29	17	16	9	11	14
2	Males	92	4	5	3	4	1	17	11	10	5	5	10
3	Females	55	2	4	4	1	1	12	6	6	4	6	4
4	1. Diseases of the spine	{ M. 59	2	4	3	2	1	12	4	8	3	2	8
	{ F. 32	1	3	3	1	1	9	4	3	2	3	2	2
5	2. Diseases of the bones	{ M. 17		1		1		2	1	1	1	2	1
	{ F. 6			1	1			2				1	1
6	3. Diseases of the hip joint	{ M. 11				1		1	6	1	1	1	1
	{ F. 13	1						1	2	3	2	2	1
7	4. Others of this class	{ M. 5	2					2					
	{ F. 4												
8	X.—Diseases of the skin	162	47	10	3	3	3	66	4	1	3	4	6
9	Males	72	20	3	2	1	1	27			1	3	2
10	Females	90	27	7	1	2	2	39	2	1	2	1	4
11	1. Abscess	{ M. 42	9	2	1	1		13	2		2	3	2
	{ F. 59	11	3	1	1		16	2	1	2	1	4	4
12	2. Carbuncle	{ M. 14		1				1			1		
	{ F. 5												
13	3. Others of this class	{ M. 16	11	1	1		1	14					
	{ F. 26	16	3		1	2	22						
14	XI.—Diseases of the absorbent system	37	4	2		2	2	10		4	2	2	3
15	Males	21	3	1		2	1	7			1	1	
16	Females	16	1	1			1	3		4	1	1	3
17	1. Addison's disease	{ M. 4					1	1					
	{ F. 1												
18	2. Diseases of the spleen	{ M. 7	1					1			1		
	{ F. 6			1			1	2		1		1	1
19	3. Others of this class	{ M. 10	2	1		2		5				1	
	{ F. 9	1					1	1	3	1			2
20	XII.—Accidents and injuries	3,729	220	65	58	50	40	433	159	163	225	374	406
21	Males	2,909	116	42	31	28	22	239	125	135	176	294	331
22	Females	820	104	23	27	22	18	194	34	28	49	80	75
23	1. Burns and scalds	{ M. 161	8	15	12	13	4	52	9	3	5	6	4
	{ F. 122	9	8	15	12	7	51	11	9	6	4	6	6
24	2. Drowned	{ M. 383	3	8	3	3	1	18	29	57	44	39	34
	{ F. 32	2	2	1		3	8	2	2	3	5	3	3
25	3. Exposure and neglect	{ M. 17	3					3		1			1
	{ F. 7	3					3						
26	4. Gunshot wounds	{ M. 83				1	2	3	4	5	14	17	11
	{ F. 6								2	2	1	1	2
27	5. Homicide	{ M. 87	1					1		1	11	9	25
	{ F. 20	1						1	1	1	2	5	3
28	6. Infanticide	{ M. 5	5					5					
	{ F. 2	2	2					2					
29	7. Injuries by machinery	{ M. 16								1	2	3	2
	{ F. 7												
30	8. Railroad accidents	{ M. 589	2		1		1	4	16	31	42	79	86
	{ F. 66				1			1	1	8	8	4	3
31	9. Suffocation	{ M. 104	43	6		1	4	54	1	2	2	7	4
	{ F. 71	41	1		4		46	2	1	5	4	4	2
32	10. Suicide by shooting	{ M. 164									1	19	23
	{ F. 11										1	1	4
33	11. Suicide by drowning	{ M. 31										1	4
	{ F. 16											5	2
34	12. Suicide by poison	{ M. 86										8	9
	{ F. 62										10	13	12
35	13. Other suicides	{ M. 158									1	10	11
	{ F. 37										1	6	4
36	14. Sunstroke	{ M. 24	1					1			1	2	4
	{ F. 9	2	1	1				4	1			2	
37	15. Surgical operations	{ M. 54	4	2	1			7	1		4	1	5
	{ F. 104		1				1	2	1	1	4	10	19
38	16. Wounds	{ M. 76	1	2	1			4	3	4	6	9	9
	{ F. 24	5	1		1	1		8	2	1	3	3	2
39	17. Other accidents and injuries ..	{ M. 931	45	9	13	10	10	87	62	30	43	84	99
	{ F. 281	39	9	9	5	6	6	68	13	3	8	17	13

STATISTICS OF DEATHS.

GRAND DIVISION D, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
14	5	6	5	5	6	1	2	3	2	2					1
9	4	3	4	3	6	1	1	1	1	1					2
5	1	3	1	2			1	2	1	1					3
8	3	2	3	1	3	1			1						4
4	1	2	1				1								
	1	1	1	2	3					1					5
		1		1											
								1	1						6
								1							
1				1			1	1							7
1								1		1					
11	15	6	5	6	12	3	6	5	6	2	1				8
5	6	2	3	3	5	1	4	3	2	2	1				9
6	9	4	2	3	7	2	2	2	4	2					
3	6	2	2	1	1	1	1	2	1	2					11
6	8	4	1	3	4	2	2	1	2						
1			1	2	4		3	1			1				12
					3				1						
1			1						1						13
	1		1					1	1						
1	4	3	1	1	1	1	2		2						14
1	3	2			1	1	2		2						15
	1	1	1	1											
	1						2		1						17
	2	1			1	1									18
1	1	1	1						1						19
		1	1												
318	335	254	271	190	162	131	92	76	45	21	11	3	1	59	20
271	274	214	226	163	141	104	68	55	27	12	5	1	1	47	21
47	61	40	45	27	21	27	24	21	18	9	6	2		12	
5	3	4	5	1	2	5	1	2	1	1				1	23
2	6	6	4	4	2		4	3							
28	35	24	26	15	8	9	2	1			1			13	24
2	1	1	1	2				1						1	
1		1	2			3	2		1					2	25
			1			1	1	2							
5	8	5		4	4	2								1	26
11	7	5	8	4	2			2						1	27
1	2	1	1			2									
															28
	4	1			1	2									29
62	57	43	52	30	31	14	11	10	7	1	1			12	30
5	5	3	2	5	2	4	5	3	4		1			2	
6	4	4	3	2	1	2	5	3		1	1			3	31
1	2	1	1	1	1	2		2							
15	15	18	20	20	12	7	10	3	1						32
3			1	1											
5	2	1	2	6	1	3	1		4					1	33
1	2	1	1	1		1			2						
10	10	5	17	9	7	3	1	5	2					1	34
5	5	4	2	2	5	1		1	1						
13	17	22	17	15	15	11	10	11	2	2				1	35
5	5	2	4	2	2	1	3	1	2					1	
4	3	2	3		2	1	1								36
					1	1									
6	6	3	2	5	4	2	2	5	1						37
13	16	12	15	3	3	2	1	1	1						
5	5	6	6	4	6	3	1	1	1	2				1	38
	1		3			1						1		1	
95	98	70	63	48	48	42	21	12	8	5	2	1	1	12	39
9	16	9	12	8	5	7	9	7	7	9	5	1	1	5	

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes.....	10,431	2,178	384	158	122	106	2,948	269	153	304	534	628
2	Males.....	6,426	1,146	193	86	60	56	1,541	134	76	139	321	418
3	Females.....	4,005	1,032	191	72	62	50	1,407	135	77	165	213	210
4	Unknown causes.....	171	37	2	1	1		41	1	2	1	8	5
5	Males.....	135	22	2	1			25		2		6	5
6	Females.....	36	15			1		16	1		1	2	
7	I.—General diseases.												
	General diseases—A.....	1,218	389	94	41	46	41	611	93	39	53	80	67
8	Males.....	666	183	48	24	19	22	302	42	17	27	51	53
9	Females.....	562	200	46	17	27	19	309	51	22	26	29	17
10	1. Smallpox.....	{ M. 1 F. 1			1			1					
11	2. Measles.....	{ M. 17 F. 27	3 12	6 5	1 4	1 4	2	13 25	2	1			
12	3. Scarlet fever.....	{ M. 16 F. 14		1 1	1 1	5 4	2 1	9 8	5 5		1 1		
13	4. Diphtheria.....	{ M. 99 F. 96	8 1	14 15	13 6	9 14	12 14	56 50	26 30	9 9	2 4	1	2 1
14	5. Whooping cough.....	{ M. 18 F. 31	12 25	6 3		2		18 30	1				
15	6. Fever.....	{ M. 4 F. 4											1
16	7. Cerebro-spinal fever.....	{ M. 10 F. 13	4 6	2				6 6	1 1	1 1		1 1	
17	8. Enteric fever.....	{ M. 162 F. 95	3 1	3		3 1	3 2	12 5	4 9	5 11	19 14	41 14	27 7
18	9. Diarrheal diseases.....	{ M. 173 F. 140	97 85	8 8	8 2		2	115 96	1 3		2 1		6 5
19	10. Cholera infantum.....	{ M. 57 F. 64	50 54	6		1		57 64					
20	11. Malarial fever.....	{ M. 30 F. 28	3 1	1 2			1	5 7	2		1 1	6 3	4 1
21	12. Erysipelas.....	{ M. 15 F. 7	1 3	1				2 3			1 1		2
22	13. Septicæmia.....	{ M. 33 F. 30	2 1	1			1	2 3			1 2	2 5	6 3
23	14. Venereal diseases.....	{ M. 16 F. 12	6 10	1	1			7 11	1		1		1
24	15. Others of this group.....	{ M. 16 F. 4								1			1
25	General diseases—B.....	504	351	12	5	1	2	371	5		4	8	10
26	Males.....	269	179	3	2	1	1	186	3		1	6	5
27	Females.....	235	172	9	3		1	185	2		3	2	5
28	1. Parasitic diseases.....	{ M. 1 F. 1											
29	2. Alcoholism.....	{ M. 55 F. 19		1				1			1	1	3
30	3. Lead poison.....	{ M. 1 F. 1											
31	4. Other poisons.....	{ M. 16 F. 10	1	1	1			1 2	2		1	4 1	1 1
32	5. Inanition.....	{ M. 198 F. 205	179 171	2 8	2 2	1 1	1 1	185 182	1 2		2	2	1 1
33	General diseases—C.....	862	608	5	2	1	1	617	1	3	3	1	
34	Males.....	443	316	4				320		1	1		
35	Females.....	419	292	1	2	1	1	297	1	2	2	1	
36	1. Premature birth.....	{ M. 41 F. 27	41					41 27					
37	2. Stillborn.....	{ M. 237 F. 211	237 211					237 211					
38	3. Malformation.....	{ M. 1 F. 4	1					1 4					
39	4. Debility and atrophy.....	{ M. 103 F. 107	37 50	4 1	2	1	1	41 55	1	1 2	1 2	1	
40	5. Old age.....	{ M. 61 F. 70											

a For list of cities, see page 583.

STATISTICS OF DEATHS.

GRAND DIVISION E, BY AGE AND SEX AND SPECIFIED DISEASE. (a)

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
685	680	646	585	589	540	593	440	334	218	143	63	17	7	55	1
470	498	467	420	392	364	401	289	222	125	76	29	8	2	39	2
215	187	179	165	197	176	192	151	112	93	67	34	9	5	16	3
5	15	21	16	16	6	6	9	2	7	3	1			6	4
5	13	21	16	13	3	4	8	1	5	2	1			5	5
	2			3	3	2	1	1	2	1				1	6
28	43	38	33	28	23	30	21	19	12	5	3			2	7
20	31	28	20	17	12	14	10	13	7	2	2			1	8
8	12	10	13	11	11	16	11	6	5	3	1			1	9
								1							10
															11
1															12
	2	1													13
	1					1									14
1		1	1												15
				3					1						16
11	18	8	2	3	3	3	2	1	2					1	17
4	6	3	5	2	3	3	2	3	3						18
2	3	6	7	5	5	5	5	5	4	1					19
1	1	3	2	2	4	6	6	1	2	1					20
	2	6		2		1	1								21
	1	2	1	1	2	4	1	2				1			22
	1	1	1	1	1			2							23
3	3	3	5	3	2	2	2			1					24
3	2	1	1	4	2	1	2							1	25
2	1	1	2	1	1										26
	1		2	1	1	3	2	4							27
	1		1	1	1	1	1			1					28
13	9	16	15	11	9	7	9	4	6					7	29
6	6	9	13	7	8	7	5	2	3					2	30
7	3	7	2	4	1		4	2	3					5	31
															32
5	4	8	10	6	7	7	2		2						33
4		4		4	1			1							34
															35
							1								36
1	1	1	3		1			1							37
1	3		1												38
2	1	3	1	1			3	1	1					2	39
							3	1	3					3	40
2	3	3	3	5	7	21	24	42	40	49	22	10	4	2	
1	1	2	2	1	5	13	14	25	19	24	8	4	1	1	34
1	2	1	1	4	2	8	10	17	21	25	14	6	3	1	35
															36
															37
															38
1	1	2	2	1	5	8	11	14	6	7			1	1	39
1	2	1	1	4	2	5	8	3	11	2	5			1	40
							5	3	13	17	8	4			
							3	11	13	17	8	4			
							2	14	10	23	9	6	3		

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
I.—General diseases—Continued.													
1	General diseases—D.....	2,344	62	22	7	8	8	107	24	27	111	216	270
2	Males.....	1,545	32	12	5	5	6	60	13	14	38	146	199
3	Females.....	799	30	10	2	3	2	47	11	13	73	70	80
4	1. Rheumatism.....	{ M. 26 F. 12	1	1				1	1		1		2
5	2. Scrofula and tabes.....	{ M. 18 F. 15	3	2	1	1	2	9		2		1	1
6	3. Leprosy.....	{ M. 1 F. 1											
7	4. Consumption.....	{ M. 1,230 F. 525	11	4	4	1	2	22	5	6	35	141	188
8	5. Hydrocephalus.....	{ M. 29 F. 16	11	5	1	2	1	19	4	2			1
9	6. Cancer.....	{ M. 163 F. 163		1			1	1	1	1	1	4	3
10	7. Tumor.....	{ M. 10 F. 11									1		1
11	8. Anæmia.....	{ M. 9 F. 15	3		1			3	2	1		1	
12	9. Dropsy.....	{ M. 33 F. 22	3					3		2		1	3
13	10. Diabetes.....	{ M. 18 F. 15											1
14	11. Others of this group.....	{ M. 7 F. 4	1			1		2				2	
15	12. Others of this class.....	{ M. 2 F. 1											2
16	II.—Diseases of the nervous system.....	1,153	275	86	29	19	14	423	51	13	21	31	35
17	Males.....	668	155	38	12	8	8	221	27	5	11	10	19
18	Females.....	485	120	48	17	11	6	202	24	8	10	21	16
19	1. Inflammation of the brain.....	{ M. 136 F. 113	40	22	6	5	5	78	18	1	2	2	4
20	2. Apoplexy.....	{ M. 160 F. 96	2	2	1			2		1		1	2
21	3. Paralysis.....	{ M. 111 F. 75	2					2			2	1	2
22	4. Tetanus and trismus nascentium.....	{ M. 11 F. 9	6					6		1	2	4	1
23	5. Epilepsy.....	{ M. 17 F. 9	1					1		1	4	2	2
24	6. Convulsions.....	{ M. 131 F. 108	96	14	5	2	2	119	5	1	1	2	3
25	7. Mental diseases.....	{ M. 2 F. 5											1
26	8. Diseases of the brain.....	{ M. 71 F. 46	8	2	1	1	2	10	1	1	1	4	6
27	9. Diseases of the spinal cord.....	{ M. 20 F. 19	1	2		1	1	3	3	1	4	2	2
28	10. Others of this class.....	{ M. 9 F. 5			1			1		1		1	1
29	III.—Diseases of the circulatory system.....	850	37	1		2	2	42	7	14	15	28	27
30	Males.....	566	22			1	1	24	4	6	10	14	16
31	Females.....	284	15	1		1	1	18	3	8	5	14	11
32	1. Angina pectoris.....	{ M. 13 F. 5											2
33	2. Aneurism.....	{ M. 27 F. 7									1		
34	3. Diseases of the heart.....	{ M. 505 F. 265	10	1		1	1	12	3	6	9	14	14
35	4. Others of this class.....	{ M. 21 F. 7	12					12	1		1		9

STATISTICS OF DEATHS.

GRAND DIVISION E, BY AGE AND SEX AND SPECIFIED DISEASE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
319	250	227	155	173	145	128	77	55	24	16	3	1		7
221	185	150	104	113	100	92	52	31	12	6	3	1		5
98	65	77	51	60	45	36	25	24	12	10				2
1	5	3	3	3	2	3	1							
1		1			2		2							
1	2	1			1									
2		1	1			1								
210	167	129	85	78	63	48	20	17	7	4	1			4
81	54	44	28	32	18	10	4	7	7					2
	1	2												
4	7	8	15	21	27	35	21	12	4	1				1
9	8	23	16	23	20	21	14	9	3	8	1	1		
2				3	2	2								
3		4	1					1		1				
				1	1									
	2	1		1		1		2						
2	3	4		5	1	1	4	1	1	1	1			
1		1	2	3	2	2	2	4	1	1				
		3	3	2	3	3	5	1						
		2	3	1	3	1	3	1	1					
			1		1		1							
1														
31	44	34	47	64	64	90	75	54	31	26	10	4		5
14	28	22	35	40	37	67	45	40	18	17	5	2		5
17	16	12	12	24	27	23	30	14	13	9	5	2		
3	5	4	5	3	3	5		1	1					1
2	2	2	1		1			1						
4	11	6	13	11	15	33	26	20	8	6	2			2
5	3	5	6	11	14	13	16	5	5	2	1	1		
2	3	5	10	13	12	17	11	11	6	9	3	2		
3	4	5	2	9	8	6	9	7	4	7	1			
		1												
2														
1	2	2	1		1	2								
1	1	1					2							
				1			1							2
	1													
1				2		1			1					
2	4	4	4	10	4	7	5	7	2	1				
1	3	3	3	1	3	3	3		3		2	1		
2	1		2	2	2	1	1			1				
2	2		1	1										
	2					1	1	1	1					
								1			1			
45	63	80	76	76	82	101	73	64	33	13	5	1	1	4
32	46	58	54	51	61	65	48	43	19	9	3		1	2
13	17	22	22	25	21	36	25	21	14	4	2	1		2
1	2	2	2	1	1	2								
						2			1					
2	5	4	5	2	5	1	2		1					
1	1		3	1	1	1								
29	38	50	46	47	55	62	46	42	18	8	3		1	2
13	16	21	22	22	20	33	24	21	13	4	2	1		2
	1	2	1	1				1		1				
		1					1							

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	1,653	312	135	64	40	29	580	58	17	31	52	80
2	Males	1,019	170	73	35	24	16	318	25	7	18	32	52
3	Females	634	142	62	29	16	13	262	33	10	13	20	28
4	1. Croup	{ M. 58 F. 57	10 12	10 9	11 9	9 5	8 7	48 42	7 14		1 1		
5	2. Laryngitis	{ M. 10 F. 8	2 3		2	2	2	8 5	1 2				1
6	3. Bronchitis	{ M. 213 F. 143	58 47	20 21	3 4	6 3		87 75	4 3	1 2		1 2	3 4
7	4. Pneumonia	{ M. 593 F. 346	87 60	40 32	18 15	7 7	4	156 118	12 13	5 5	15 8	25 16	37 20
8	5. Pleurisy	{ M. 25 F. 6							1			1	5
9	6. Asthma	{ M. 42 F. 18			1			1	1			1	1
10	7. Others of this class	{ M. 78 F. 56	13 20	3	1		2	19 21		1 3	2 1	4 2	5 3
11	V.—Diseases of the digestive system	531	86	21	2		4	113	6	4	16	18	29
12	Males	292	47	13	2		1	60	5	2	7	5	13
13	Females	239	39	11			3	53	1	2	9	13	16
14	1. Dentition	{ M. 12 F. 11	8 5	4 6				12 11					
15	2. Angina	{ M. 3 F. 3	1 2	1				2 2					
16	3. Diseases of the stomach	{ M. 33 F. 41	9 10	2	1		1	12 13			1		2 2
17	4. Obstruction of the bowels	{ M. 12 F. 15	3 1				1	3 2	1 1	1	1	1	1
18	5. Hernia	{ M. 14 F. 6	3					3		1	1		
19	6. Other diseases of the bowels	{ M. 3 F. 6	1 2	1				2 2			1	1	
20	7. Jaundice	{ M. 19 F. 14	10 9	1				10 10	1				1 1
21	8. Inflammation and abscess of the liver	{ M. 29 F. 17	2					2			1	2	3
22	9. Other diseases of the liver	{ M. 80 F. 35		1				1			1	1	1 1
23	10. Peritonitis	{ M. 59 F. 70	4 2	1 1	1		1	7 4	3	1 1	4 3	4 9	5 11
24	11. Ascites	{ M. 6 F. 5											
25	12. Others of this class	{ M. 22 F. 16	6 8	1				7 8			1 1		1
26	VI.—Diseases of the urinary system and male organs of generation.	384	5		4		2	11	7	7	5	9	19
27	Males	293	5		2			7	4	5	2	5	12
28	Females	91			2		2	4	3	2	3	4	7
29	1. Bright's disease	{ M. 162 F. 49							1	1	2	2	6 3
30	2. Calculus, urinary	{ M. 3 F. 1							1				
31	3. Diseases of the kidney	{ M. 64 F. 29	3		2		2	5 4	3 2	3 1	2 1	3 1	2 2
32	4. Diseases of the bladder	{ M. 33 F. 2	1					1		1			1 1
33	5. Others of this class	{ M. 31 F. 10	1					1		1		2	3 1
34	VII.—Diseases of the female organs of generation.	25									1	1	3
35	1. Ovarian tumors	F. 8										1	
36	2. Ovarian diseases	F. 3											
37	3. Uterine tumors	F. 4											1
38	4. Uterine diseases	F. 2									1		
39	5. Others of this class	F. 8											2
40	VIII.—Affections connected with pregnancy.	58									7	15	16
41	1. Abortion	F. 7											1
42	2. Childbirth	F. 14									3	1	1
43	3. Puerperal septicæmia	F. 27									1	2	8
44	4. Extra-uterine pregnancy	F. 2									1	11	10
45	5. Others of this class	F. 10									2	1	2

TABLE 11.—NUMBER OF DEATHS IN THE REGISTRATION CITIES IN

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints.....	14	2					2	2	3			1
2	Males.....	12	2					2	2	3			1
3	Females.....	2											
4	1. Diseases of the spine.....	{ M. 6 F. 1	2					2	1	2			1
5	2. Diseases of the bones.....	{ M. 3 F. 1							1				
6	3. Diseases of the hip joint.....	{ M. 2 F. 1								1			
7	4. Others of this class.....	{ M. 1 F. 1											
8	X.—Diseases of the skin.....	14	3				1	4				1	2
9	Males.....	8	1				1	2				1	
10	Females.....	6	2					2					2
11	1. Abscess.....	{ M. 4 F. 5	1				1	2					2
12	2. Carbuncle.....	{ M. 3 F. 1										1	
13	3. Others of this class.....	{ M. 1 F. 1											
14	XI.—Diseases of the absorbent system.....	3											
15	Males.....	3											
16	Females.....												
17	1. Addison's disease.....	{ M. 3 F. 1											
18	2. Diseases of the spleen.....	{ M. 3 F. 1											
19	3. Others of this class.....	{ M. 1 F. 1											
20	XII.—Accidents and injuries.....	637	11	6	3	4	2	26	14	24	36	66	55
21	Males.....	507	6	3	3	2		14	9	14	24	45	46
22	Females.....	180	5	3		2	2	12	5	10	12	21	9
23	1. Burns and scalds.....	{ M. 15 F. 17	1	2	2			5			1	1	1
24	2. Drowned.....	{ M. 100 F. 15					1	1	5	4	7	13	8
25	3. Exposure and neglect.....	{ M. 2 F. 2	1					1		1			
26	4. Gunshot wounds.....	{ M. 27 F. 3								1	2	3	1
27	5. Homicide.....	{ M. 26 F. 3									1	3	3
28	6. Infanticide.....	{ M. 1 F. 1	1					1					
29	7. Injuries by machinery.....	{ M. 2 F. 2								2			
30	8. Railroad accidents.....	{ M. 52 F. 8							1	6	2	5	9
31	9. Suffocation.....	{ M. 19 F. 9	4					4			1	1	3
32	10. Suicide by shooting.....	{ M. 50 F. 5									3	4	4
33	11. Suicide by drowning.....	{ M. 3 F. 1										2	3
34	12. Suicide by poison.....	{ M. 18 F. 13									3	3	1
35	13. Other suicides.....	{ M. 30 F. 11									2	2	4
36	14. Sunstroke.....	{ M. 2 F. 1										1	
37	15. Surgical operations.....	{ M. 8 F. 7							1				2
38	16. Wounds.....	{ M. 16 F. 1				1		1	2	1	1		1
39	17. Other accidents and injuries.....	{ M. 136 F. 32		1	1	1		3	1	2	6	12	11

STATISTICS OF DEATHS.

GRAND DIVISION E, BY AGE AND SEX AND SPECIFIED DISEASE—Continued,

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.
	4			1		1								1
	3					1								2
	1			1										3
	1													4
	1					1								5
	1			1										6
	1													7
	1					1	1		3					8
	1			1			1		2					9
				1		1			1					10
							1		1					11
	1					1			1					12
									1					13
									1					14
	2				1									15
	2				1									16
	2				1									17
														18
														19
69	60	55	66	46	44	32	15	6	5	1	1			16
61	55	44	59	38	39	21	15	5	2	1				15
8	5	11	7	8	5	11		1	3		1			1
1	1	1	1		2	2		1						23
10	6	14	8	3	5	2	4	1						10
1	1	1	1	4	5	1								24
							1							25
3	7	1	2	3	2									26
	1	1												26
7	4	4		1	1	2								27
														28
	2													29
3	1	3	5	5	5	2	1	1	1	1				1
				1	2	1			2					30
	4	1		2	2	1								31
		1			1									31
10	4	2	7	4	5	4	2	1						32
														33
	1			1	1									33
														34
2	2	3	5	5	2	2	1							1
2	1	1			1	1								34
3	2	2	6	6	1	2	1							1
1	1	2	1		1	1								35
							1							36
														36
2	4		1	1										37
		1		1	1	1								37
1	1		3	2	2		2							38
														38
18	16	13	21	11	11	6	2	1	1					1
4		4	4	1	1	5		1	1		1			39

TABLE 12.

NUMBER OF DEATHS IN THE CHINESE POPULATION OF THE UNITED STATES, BY AGE AND SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDED MAY 31, 1890.

STATISTICS OF DEATHS.

AGE AND SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDED MAY 31, 1890.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
171	192	175	91	88	41	22	21	6	5	2				29	1
167 4	179 13	168 7	89 2	85 3	40 1	22	19 2	6	5	2				25 4	2 3
12	10	11	14	13	6	2	8	1	1					11	4
12	10	11	13 1	12 1	6	2	8	1	1					10 1	5 6
9	11	10	10	7	2	3	1								7
9	10 1	10	10	7	2	3	1								8 9
															} 10
															} 11
															} 12
	1				1										} 13
															} 14
1		2	2												} 15
	1														} 16
2	3	2	1	1											} 17
3	1 1	4	2												} 18
															} 19
	2	1	3	2		3	1								} 20
	1														} 21
1		1	1	2	1										} 22
1			1	2											} 23
1	1														} 24
2	4	2		1	1										25
2	3 1	2		1	1										26 27
															} 28
					1										} 29
															} 30
2	2 1	2		1											} 31
	1														} 32
1		1	1	1	2	7	5	2	2					1	33
1		1	1	1	2	7	4 1	2	2					1	34 35
															} 36
															} 37
															} 38
1		1	1	1	2	5	2 1							1	} 39
						2	2	2	2						} 40

TABLE 13.

NUMBER OF REPORTED DEATHS IN THE INDIAN POPULATION OF THE UNITED STATES,
BY AGE AND SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS
YEAR ENDED MAY 31, 1890.

STATISTICS OF DEATHS.

637

BY AGE AND SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDED MAY 31, 1890.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
148	91	104	61	83	53	85	57	61	41	43	16	15	16	176	1
82	48	55	31	45	34	49	28	31	22	24	5	7	7	83	2
66	43	49	30	38	19	36	29	30	19	19	11	8	9	93	3
10	14	15	8	14	14	15	9	9	5	7	2	2	1	86	4
9	7	7	3	5	5	9	3	5	2	4	2	1	1	43	5
1	7	8	5	9	9	6	6	4	3	3	2	1	1	43	6
14	7	16	4	13	6	8	7	2	2	2	2			7	7
5	4	5	2	6	4	3	4	2	2		1			3	8
9	3	11	2	7	2	5	3	2		2	1			4	9
		1			1										10
				1											11
															12
			1	1											13
1						1					1				14
															15
1	1	1	2	1	1		1								16
1	1														17
		1	1	2	1		1							1	18
3			1	1	1	1	1	1	2					1	19
1															20
3		1		1							1			1	21
1			1	1	1		1			1					22
		1	1	2		1		1						2	23
		2	2	2	2	1	1	1						1	24
		1													25
1			1												26
1															27
															28
			1												29
															30
															31
1															32
			1		2	3	4	9	7	15	2	7	11	12	33
					1									2	34
		1			1	3	4	3	3	9		3	5	10	35
										6	2	4	6		36
															37
															38
															39
					1			1		2	1	1		2	40
					1			3		1				1	
								3	3	7		3	3	2	
						3	4	3	2	5	1	4	5	9	

STATISTICS OF DEATHS.

AGE AND SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
10	11	12	19	15	5	22	6	10	7	2	3	3	1	14	1
9	6	9	10	8	4	12	2	3	5	1	1	3	1	9	2
10	5	8	9	7	1	10	4	7	2	1	2	3	1	5	3
															4
														1	5
2		3	2	1	1	1				1				1	6
2			2		1	1	1		1		1			1	7
6	6	6	5	6	2	10	1		2			1	1	4	8
6	1	2	3	3		6	3	3	1					2	9
					1	1									10
1								1	1						11
1															12
1	4	1	3	1	1	2	1	2	2	1	1	2		5	13
2	3	4	1	3	6	4		2	1	3				3	14
															15
2	2	3	1	3	5	2		2	1	3				3	16
	1	1			1	1									17
											1				18
	1														19
1				1				1							20
															21
		1	1		2					1					22
															23
		1	1		2										24
1						1									25
															26
1	1						2	1	1	3	1			1	27
1															28
	1						2	1	1	2	1			1	29
															30
															31
1							1	1	1	1					32
															33
											1				34
															35
															36
															37
															38
															39
5	4	1													40
1															41
3	2	1												2	42
1	2													3	43
															44
															45

TABLE 13.—NUMBER OF REPORTED DEATHS IN THE INDIAN POPULATION OF THE UNITED STATES, BY

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	3	1					1					
2	Males.....	1											
3	Females.....	2	1					1					
4	1. Diseases of the spine..... { M. { F.	1 1	1					1					
5	2. Diseases of the bones..... { M. { F.												
6	3. Diseases of the hip joint..... { M. { F.	1											
7	4. Others of this class..... { M. { F.												
8	X.—Diseases of the skin	5								1			
9	Males.....	5								1			
10	Females.....												
11	1. Abscess..... { M. { F.	2											
12	2. Carbuncle..... { M. { F.	1											
13	3. Others of this class..... { M. { F.	2								1			
14	XI.—Diseases of the absorbent system.....												
15	Males.....												
16	Females.....												
17	1. Addison's disease..... { M. { F.												
18	2. Diseases of the spleen..... { M. { F.												
19	3. Others of this class..... { M. { F.												
20	XII.—Accidents and injuries	133	11	2	2	2	3	20	8	6	6	18	11
21	Males.....	105	5	2	2	1	2	12	7	4	6	15	11
22	Females.....	28	6			1	1	8	1	2		3	
23	1. Burns and scalds..... { M. { F.	3 2		1	1		1	3 1					
24	2. Drowned..... { M. { F.	15 2			1			1 1	3 1	3	2		2
25	3. Exposure and neglect..... { M. { F.	6 2	3 2	1			1	5 2					
26	4. Gunshot wounds..... { M. { F.	20 2					1	1			1	5 1	3
27	5. Homicide..... { M. { F.	15 3								1	1	1	1
28	6. Infanticide..... { M. { F.												
29	7. Injuries by machinery..... { M. { F.												
30	8. Railroad accidents..... { M. { F.	5	1					1					
31	9. Suffocation..... { M. { F.	1	1					1					
32	10. Suicide by shooting..... { M. { F.	7 1										2 1	2
33	11. Suicide by drowning..... { M. { F.												
34	12. Suicide by poison..... { M. { F.	1											
35	13. Other suicides..... { M. { F.	3 5											1
36	14. Sunstroke..... { M. { F.												
37	15. Surgical operations..... { M. { F.	1											
38	16. Wounds..... { M. { F.	8 2							2			2	
39	17. Other accidents and injuries..... { M. { F.	21 7	1 3			1		2 3	2	1 1	2	5 1	2

TABLE 14.

NUMBER OF DEATHS IN THE UNITED STATES, BY AGE AND SEX, WITH DISTINCTION OF
COLOR, NATIVITY, AND PARENTAL NATIVITY, AND SPECIFICATION OF
CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890.

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—A—Continued.															
3. Scarlet fever	5,969	545	3,836	1,444	326	175	72	31	18	15	11	10	3	1	27
White	5,828	522	3,759	1,412	314	169	70	29	15	14	10	8	3		25
Native born.....	5,500	512	3,624	1,326	280	145	48	17	11	11	9	7	3		19
Both parents native.....	{ M. 1,338 F. 1,372	{ 141 122	{ 896 827	{ 302 379	{ 72 87	{ 31 38	{ 12 14	{ 2 7	{ 5 3	{ 5 3	{ 3 3	{ 3 4	{ 1 2		{ 6 5
One or both parents foreign.....	{ M. 850 F. 868	{ 82 84	{ 528 592	{ 183 194	{ 41 45	{ 23 22	{ 3 10	{ 3 2	{ 1 2						{ 1 2
Foreign born.....	{ M. 113 F. 136	{ 1 3	{ 47 47	{ 32 38	{ 11 14	{ 6 14	{ 6 13	{ 5 5	{ 3 1	{ 1 1					{ 2 1
Colored	141	23	77	32	12	6	2	2	3	1	1	2		1	2
Males.....	79	15	42	19	4	5	2	1	1	1	1				2
Females.....	62	8	35	13	8	1		1	2					1	
4. Diphtheria.....	27,815	1,506	14,267	8,983	2,631	1,198	268	155	83	64	41	27	10	1	87
White	26,887	1,423	13,835	8,694	2,527	1,146	255	146	77	56	39	22	8	1	81
Native born.....	25,164	1,380	13,240	8,087	2,309	1,008	205	111	54	39	25	14	4		68
Both parents native.....	{ M. 5,480 F. 5,834	{ 321 281	{ 2,891 2,683	{ 1,741 2,032	{ 487 675	{ 227 289	{ 43 74	{ 30 31	{ 20 15	{ 6 13	{ 10 8	{ 6 3	{ 3 3		{ 16 11
One or both parents foreign.....	{ M. 4,650 F. 4,738	{ 270 241	{ 2,679 2,498	{ 1,383 1,566	{ 359 450	{ 186 163	{ 17 33	{ 11 11	{ 3 4	{ 5 3	{ 1 1	{ 2 1			{ 4 9
Foreign born.....	{ M. 601 F. 660	{ 11 8	{ 195 210	{ 214 229	{ 76 89	{ 51 58	{ 16 26	{ 18 14	{ 5 16	{ 10 7	{ 8 5	{ 3 3	{ 2 2		{ 3 1
Colored	928	83	482	289	104	52	13	9	6	8	2	5	2		6
Males.....	432	44	217	126	48	20	4	4	3	2	2	1			5
Females.....	496	39	215	163	56	32	9	5	3	6		4	2		1
5. Whooping cough.....	8,432	4,507	7,774	426	88	45	12	15	6	10	8	5	1		42
White	7,054	3,908	6,566	310	63	32	10	12	5	7	7	5	1		36
Native born.....	6,816	3,819	6,372	286	61	30	10	8	4	7	5	4	1		28
Both parents native.....	{ M. 1,827 F. 2,201	{ 1,091 1,145	{ 1,714 2,028	{ 71 110	{ 15 29	{ 14 12	{ 4 3	{ 1 4	{ 2 1	{ 5 5	{ 3 1	{ 1 1			{ 2 7
One or both parents foreign.....	{ M. 819 F. 1,012	{ 511 551	{ 786 958	{ 25 42	{ 4 6		{ 1 1								{ 3 2
Foreign born.....	{ M. 53 F. 61	{ 18 15	{ 42 49	{ 7 9					{ 2 1						
Colored	1,378	599	1,208	116	25	13	2	3	1	3	1				6
Males.....	633	273	561	51	11	4		2		1	1				2
Females.....	745	326	647	65	14	9	2	1	1	2					4
6. Fever.....	2,962	624	1,323	232	168	363	223	156	120	129	122	68	23	5	30
White	1,778	367	761	122	89	218	147	100	80	94	83	49	16	1	18
Native born.....	1,597	361	742	119	82	194	121	84	58	70	66	38	12	1	10
Both parents native.....	{ M. 594 F. 629	{ 138 127	{ 296 271	{ 46 40	{ 24 38	{ 71 80	{ 42 46	{ 25 43	{ 21 24	{ 25 34	{ 25 30	{ 13 17	{ 2 5	{ 1 1	{ 3 1
One or both parents foreign.....	{ M. 110 F. 88	{ 50 25	{ 82 50	{ 7 13	{ 9 4	{ 7 6	{ 3 7	{ 3 5							{ 1 1
Foreign born.....	{ M. 78 F. 62	{ 2 2	{ 11 4	{ 1 2	{ 2 3	{ 14 7	{ 12 12	{ 4 7	{ 12 8	{ 11 7	{ 4 7	{ 3 4	{ 2 1		{ 2 1
Colored	1,184	257	562	110	79	145	76	56	40	35	39	19	7	4	12
Males.....	585	133	292	63	34	67	30	27	17	10	24	9	5		7
Females.....	599	124	270	47	45	78	46	29	23	25	15	10	2	4	5
7. Cerebro-spinal fever.....	3,333	789	1,862	416	239	361	159	98	63	40	34	16	1	1	23
White	3,028	734	1,731	384	223	302	143	90	54	36	30	15	1	1	18
Native born.....	2,796	720	1,669	359	201	277	113	62	45	25	18	12	1	1	13
Both parents native.....	{ M. 807 F. 748	{ 221 138	{ 487 409	{ 105 99	{ 59 64	{ 87 78	{ 30 41	{ 12 22	{ 9 10	{ 6 12	{ 8 6	{ 2 5			{ 1 2
One or both parents foreign.....	{ M. 290 F. 273	{ 99 88	{ 195 185	{ 38 37	{ 15 18	{ 26 19	{ 9 8	{ 5 2							{ 1 1
Foreign born.....	{ M. 80 F. 69	{ 1 3	{ 13 10	{ 6 9	{ 5 5	{ 6 10	{ 14 13	{ 13 12	{ 8 1	{ 8 3	{ 5 5	{ 1 1			{ 1 5
Colored	305	55	131	32	36	59	16	8	9	4	4	1			5
Males.....	166	34	78	11	18	36	7	5	7	3	1				5
Females.....	139	21	53	21	18	23	9	3	2	1	3	1			5

STATISTICS OF DEATHS.

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—A—Continued.															
8. Enteric fever.....	27,058	557	2,225	1,584	2,120	8,652	5,313	2,784	1,685	1,158	850	364	67	5	251
White.....	23,567	462	1,772	1,274	1,726	7,584	4,849	2,498	1,467	1,048	754	328	55	4	208
Native born.....	18,393	453	1,702	1,161	1,553	6,066	3,461	1,747	995	731	555	255	43	3	121
Both parents native.....	M. 6,015 F. 5,061	153 157	504 560	347 347	445 482	1,885 1,591	1,194 770	626 476	306 326	290 224	189 172	87 78	15 11	2 1	35 23
One or both parents foreign.....	M. 1,512 F. 1,303	41 33	139 126	104 114	140 178	627 522	336 232	94 69	36 34	13 6	15 8	2 8	2 3	2 3	4 3
Foreign born.....	M. 2,737 F. 1,688	3 1	23 17	39 44	60 76	783 519	826 407	431 227	246 169	161 116	103 72	35 28	7 4	1	23 8
Colored.....	3,491	95	453	310	394	1,068	464	286	213	110	96	36	12	1	43
Males.....	1,839	49	251	151	165	552	267	145	132	63	54	25	8		26
Females.....	1,652	46	202	159	229	516	197	141	86	47	42	11	4	1	17
9. Diarrheal diseases.....	74,711	36,356	55,347	2,168	996	1,915	1,849	1,795	2,053	2,494	2,854	2,099	593	68	480
White.....	66,618	33,597	49,826	1,796	846	1,549	1,551	1,508	1,783	2,259	2,570	1,957	527	43	409
Native born.....	59,767	32,692	48,110	1,675	775	1,322	1,168	959	1,048	1,224	1,519	1,281	391	24	271
Both parents native.....	M. 15,249 F. 13,233	6,951 5,727	11,752 9,717	579 525	277 223	401 345	254 364	241 297	332 319	392 366	483 468	369 413	109 138	2 12	58 46
One or both parents foreign.....	M. 8,498 F. 7,676	6,082 5,378	7,864 6,995	143 144	71 74	145 142	97 110	46 51	41 41	27 20	18 34	20 44	10 9		16 12
Foreign born.....	M. 2,680 F. 2,540	197 197	415 378	39 33	26 23	86 94	175 152	271 206	368 309	467 476	498 450	264 325	48 68	7 9	16 17
Colored.....	8,093	2,759	5,327	372	150	366	298	287	270	235	284	142	66	25	71
Males.....	4,241	1,414	2,865	197	81	211	158	145	159	122	160	70	33	6	34
Females.....	3,852	1,345	2,662	175	69	155	140	142	111	113	124	72	33	19	37
10. Malarial fever.....	18,594	1,525	4,729	1,754	1,270	3,042	2,034	1,593	1,156	1,116	982	570	142	22	204
White.....	13,029	1,060	3,033	1,185	812	2,002	1,543	1,247	838	880	765	457	107	11	149
Native born.....	10,927	1,030	2,912	1,116	761	1,732	1,251	929	584	561	540	337	77	8	99
Both parents native.....	M. 3,564 F. 3,344	332 331	995 933	385 355	243 241	532 528	381 345	311 254	187 190	168 195	186 168	116 95	20 26	1 3	19 11
One or both parents foreign.....	M. 580 F. 589	69 74	180 188	71 67	54 42	120 115	73 78	34 48	15 17	12 16	8 7	8 7	3 1		2 3
Foreign born.....	M. 872 F. 686	5 5	19 23	16 18	10 17	101 64	137 85	145 100	137 79	141 138	92 104	58 40	9 13	2	5 5
Colored.....	5,565	465	1,696	569	458	1,040	491	346	318	236	197	113	35	11	55
Males.....	2,848	250	879	283	201	502	254	186	182	128	114	67	22	4	26
Females.....	2,717	215	817	286	257	538	237	160	136	108	83	46	13	7	29
11. Erysipelas.....	2,663	693	887	67	45	164	182	228	236	278	272	217	54	10	23
White.....	2,486	663	829	61	40	150	167	212	221	263	262	207	47	8	19
Native born.....	1,962	648	807	60	37	127	129	130	128	165	173	155	41	4	6
Both parents native.....	M. 577 F. 569	175 154	214 224	21 23	17 7	42 39	26 36	35 35	41 42	57 54	62 49	48 42	13 18	1	
One or both parents foreign.....	M. 144 F. 166	85 95	96 112	2 5	1 4	9 8	17 12	6 9	6 4	3 3	2 1	4 7	1 1		
Foreign born.....	M. 260 F. 190	2 2	4 4	1 2	1 2	9 13	20 13	51 22	52 37	58 34	43 32	18 24	3 3	2 2	2 4
Colored.....	177	30	58	6	5	14	15	16	15	15	10	10	7	2	4
Males.....	114	19	37	6	3	9	9	12	10	11	6	3	5	2	1
Females.....	63	11	21		2	5	6	4	5	4	4	7	2		3
12. Septicæmia.....	3,748	340	587	146	112	540	687	462	383	334	284	140	25		48
White.....	3,425	328	561	140	99	409	623	420	352	310	263	128	23		37
Native born.....	2,640	321	544	132	83	379	481	291	229	190	176	98	14		23
Both parents native.....	M. 736 F. 722	87 61	150 111	47 25	30 16	88 126	68 166	55 117	85 50	78 43	76 44	52 18	5 1		2 5
One or both parents foreign.....	M. 196 F. 223	41 43	69 68	21 8	13 10	31 36	21 66	7 17	16 11	4 4	6 2	5 2			1 1
Foreign born.....	M. 357 F. 306	1 4	5 4	2 6	2 6	33 40	48 70	52 63	53 47	58 38	43 27	18 6	3 3	2 2	2 2
Colored.....	323	12	26	6	13	71	64	42	31	24	21	12	2		11
Males.....	156	5	13	4	9	31	27	13	19	14	13	6	1		4
Females.....	167	7	13	2	4	40	37	29	12	10	8	4	1		7

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—A—Continued.															
13. Venereal diseases.....Continued.....	1,619	524	609	24	9	153	251	234	148	77	63	21	2	28
White.....	1,045	423	463	12	7	60	147	135	99	48	39	16	1	18
Native born.....	806	403	437	10	7	46	90	88	50	33	24	10	11
Both parents native.....	M.. 145	56	59	10	16	11	15	16	9	6	3
F.. 114	47	53	1	2	10	12	18	12	3	2	1
One or both parents foreign.....	M.. 100	68	74	3	11	8	1	1	2
F.. 71	51	54	1	4	8	3	1
Foreign born.....	M.. 112	1	2	31	21	30	9	12	5	1
F.. 53	1	2	8	9	19	7	3	2	1	1	1
Colored.....	574	101	146	12	2	93	104	99	49	29	24	5	1	10
Males.....	340	60	86	4	1	41	63	58	33	22	20	3	1	8
Females.....	234	41	60	8	1	52	41	41	16	7	4	2	2
14. Others of this group.....	2,292	223	408	119	71	134	127	112	142	205	354	368	158	16	18
White.....	1,960	185	344	87	57	111	114	92	121	189	331	351	135	12	16
Native born.....	1,428	182	334	73	54	92	88	58	63	105	179	259	106	8	9
Both parents native.....	M.. 487	42	36	22	15	33	24	22	22	44	69	106	39	2	3
F.. 361	51	90	22	11	24	29	14	16	26	41	62	24	2
One or both parents foreign.....	M.. 122	39	58	8	8	12	8	5	2	3	6	6	5	1
F.. 92	24	36	11	7	9	10	3	1	5	3	4	3
Foreign born.....	M.. 252	5	1	10	11	23	23	40	73	45	15	2	4
F.. 208	3	6	6	9	10	31	38	64	31	9	1
Colored.....	272	38	64	32	14	23	13	20	21	16	23	17	23	4	2
Males.....	155	21	33	18	9	17	6	11	10	10	16	12	13
Females.....	117	17	31	14	5	6	7	9	11	6	7	5	10	4	2
General diseases—B.....	11,894	6,079	7,203	236	64	315	790	1,001	864	592	402	206	55	8	158
White.....	10,374	5,429	6,122	154	51	250	741	920	809	554	370	190	52	4	148
Native born.....	8,434	5,327	5,984	142	48	197	507	488	378	246	196	118	41	2	87
Both parents native.....	M.. 1,731	782	969	50	13	49	109	141	155	97	76	41	10	21
F.. 1,115	649	812	43	15	44	28	44	21	29	33	25	11	1	9
One or both parents foreign.....	M.. 1,042	669	732	11	8	23	134	75	30	16	5	5	1	2
F.. 678	530	584	5	2	13	35	21	9	3	1	2	2	1	
Foreign born.....	M.. 1,164	13	20	3	1	25	142	283	306	208	112	42	6	11
F.. 364	13	23	2	17	44	81	71	60	39	21	3	1	2
Colored.....	1,520	650	1,081	82	13	65	49	72	55	38	32	16	3	4	10
Males.....	819	333	552	43	9	31	29	46	44	28	20	12	5
Females.....	701	317	529	39	4	34	20	26	11	10	12	4	3	4	5
1. Parasitic diseases.....	731	71	561	120	10	8	6	9	6	3	3	2	1	2
White.....	340	27	245	54	7	6	5	8	5	2	3	2	1	2
Native born.....	306	27	236	50	6	3	2	3	2	2	1	1
Both parents native.....	M.. 118	11	91	18	4	1	1	1
F.. 127	10	101	20	1	2	1	2
One or both parents foreign.....	M.. 9	2	7	1	1
F.. 15	3	12	2	1
Foreign born.....	M.. 11	1	2	1	1	3	1	1
F.. 11	1	2	2	2	2	1	1	1
Colored.....	391	44	316	66	3	2	1	1	1	1
Males.....	208	24	166	37	2	1	1	1
Females.....	183	20	150	29	1	1	1	1
2. Alcoholism.....	2,657	2	10	10	7	90	528	733	633	378	177	37	5	49
White.....	2,500	2	8	7	4	80	510	689	592	355	167	35	5	48
Native born.....	1,253	2	8	6	4	56	346	329	242	146	70	21	3	22
Both parents native.....	M.. 445	1	2	1	5	76	102	118	64	42	13	2	9
F.. 30	3	6	11	4	2	4
One or both parents foreign.....	M.. 240	1	3	3	3	15	114	66	23	10	2	1
F.. 54	1	5	28	13	6	1
Foreign born.....	M.. 865	1	14	107	242	254	156	72	12	1	6
F.. 192	5	34	60	51	28	11	2	1
Colored.....	157	2	3	3	10	18	44	41	23	10	2	1
Males.....	127	2	1	3	7	12	33	37	20	9	2	1
Females.....	30	2	3	6	11	4	3	1

STATISTICS OF DEATHS.

655

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—D—Continued.															
11. Others of this group.....	639	154	305	38	18	55	36	37	40	46	32	19	5	1	7
White.....	561	136	247	33	17	51	33	37	38	45	31	18	5	1	5
Native born.....	455	133	236	30	16	40	24	28	17	22	20	14	5		3
Both parents native.....	M. 112 F. 98	30 12	55 36	9 8	2 4	3 9	9 3	6 13	5 6	7 6	10 5	5 6	1 2		
One or both parents foreign.....	M. 55 F. 54	27 20	43 34	2 2	1 2	2 7	3 7	2 7	2 1	1 1	1 5	1 1			1
Foreign born.....	M. 49 F. 37	2 1	3 2	1 1	1 1	4 6	4 3	5 4	12 8	13 9	5 2	1 1		1	
Colored.....	78	18	58	5	1	4	3		2	1	1	1			2
Males.....	45	10	32	2	1	4	3				1	1			1
Females.....	33	8	26	3					2	1					1
12. Others of this class.....	50	2	12	4	2	1	7	5	8	3	6	1			1
White.....	44	2	11	1	1	1	7	5	7	3	6	1			1
Native born.....	30	2	11	1	1	1	4	3	4	1	4				
Both parents native.....	M. 15 F. 9	1 1	4 5	1 1	1		1 1	2 1	4 1	1 2					
One or both parents foreign.....	M. 2 F. 1		1 1			1					2				
Foreign born.....	M. 12 F. 1						3 2	2 3		2 1	1 1				
Colored.....	6		1	3	1				1						
Males.....	2		1		1										
Females.....	4			3					1						
II.—Diseases of the nervous system.....															
	89,974	22,688	35,138	3,340	1,888	3,833	3,798	4,677	6,324	8,515	11,104	8,477	1,985	128	767
White.....	81,469	20,096	31,250	2,876	1,586	3,239	3,365	4,201	5,734	7,962	10,508	8,115	1,871	98	664
Native born.....	65,709	19,751	30,473	2,673	1,442	2,765	2,571	2,799	3,406	4,726	6,954	6,010	1,413	72	405
Both parents native.....	M. 17,440 F. 15,605	4,317 3,223	6,915 5,702	733 719	406 402	725 708	558 595	706 701	940 962	1,545 1,365	2,403 2,032	2,011 1,802	382 527	18 25	98 65
One or both parents foreign.....	M. 7,061 F. 5,819	3,463 2,536	5,021 4,029	341 302	172 176	352 297	298 246	206 182	129 129	146 118	170 143	169 140	37 35	5 4	15 18
Foreign born.....	M. 7,607 F. 5,968	78 51	197 178	64 75	59 54	198 170	396 276	749 489	1,203 937	1,679 1,297	1,809 1,391	983 854	209 196	13 11	48 40
Colored.....	8,505	2,592	3,888	464	302	594	433	476	590	553	596	362	114	30	103
Males.....	4,430	1,397	2,078	255	157	320	223	236	277	282	292	178	53	13	61
Females.....	4,075	1,195	1,810	209	145	274	205	240	313	271	304	184	61	17	42
1. Inflammation of the brain.....															
	17,775	5,876	11,488	1,549	745	1,149	743	641	510	392	266	155	27	3	107
White.....	16,243	5,556	10,719	1,364	634	952	657	581	462	359	250	146	24	1	94
Native born.....	14,686	5,457	10,418	1,262	565	801	493	385	258	201	140	85	15	1	62
Both parents native.....	M. 3,822 F. 3,309	1,406 1,063	2,663 2,242	337 306	157 153	210 198	123 119	112 89	80 59	54 59	41 44	22 26	4 4		14 10
One or both parents foreign.....	M. 2,166 F. 1,818	922 666	1,671 1,393	189 162	68 77	118 92	55 44	35 33	15 6	6 5	3 3	1 1			1 1
Foreign born.....	M. 730 F. 495	21 16	74 79	37 38	27 25	64 44	87 61	110 59	120 69	103 44	59 46	33 24	6 2		8 4
Colored.....	1,532	320	769	185	111	197	86	60	48	33	16	9	3	2	13
Males.....	845	180	421	106	59	115	43	32	26	16	9	4	3	2	9
Females.....	687	140	348	79	52	82	43	28	22	17	7	5			4
2. Apoplexy.....															
	14,999	180	305	53	50	305	584	1,015	2,055	3,143	3,942	2,765	608	35	139
White.....	14,132	165	280	46	44	276	524	904	1,896	2,980	3,772	2,677	576	30	127
Native born.....	8,739	162	272	43	39	223	391	564	1,026	1,596	2,248	1,858	395	22	62
Both parents native.....	M. 2,723 F. 2,369	47 25	81 46	8 8	9 8	64 52	87 73	146 138	276 282	542 417	776 642	615 529	97 159	10 5	17 10
One or both parents foreign.....	M. 404 F. 348	20 14	35 28	7 7	8 6	37 20	59 40	47 45	42 49	49 48	52 49	55 42	12 8	1 2	4 4
Foreign born.....	M. 2,655 F. 2,247	1 2	2 2	1 1	2 1	19 27	78 41	178 133	425 386	705 591	768 621	381 352	82 81	4 2	11 9
Colored.....	867	15	25	7	6	29	60	111	159	163	170	88	32	5	12
Males.....	403	9	14	2	1	13	29	48	71	76	84	43	13	1	8
Females.....	464	6	11	5	5	16	31	63	88	87	86	45	19	4	4

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
II.—Diseases of the nervous system—Cont'd.															
3. Paralysis	16,570	168	451	131	111	284	480	870	1,640	2,783	4,514	4,033	1,062	69	142
White	15,317	152	394	112	92	240	425	777	1,448	2,571	4,235	3,843	999	54	127
Native born	11,218	147	375	103	85	198	330	550	947	1,694	3,047	2,980	798	42	69
Both parents native	{ M. 3,579	40	99	29	28	50	76	161	280	542	1,074	991	221	5	23
	{ F. 3,553	33	113	35	23	49	81	149	302	565	965	840	294	18	13
One or both parents foreign	{ M. 451	23	48	9	13	31	43	29	33	56	80	53	21	4	1
	{ F. 394	21	46	14	8	24	36	28	41	32	63	78	23	1	1
Foreign born	{ M. 1,931	2	4	1	4	20	49	120	237	413	568	395	91	6	8
	{ F. 1,628	2	2	5	2	13	28	78	219	370	468	338	86	0	13
Colored	1,253	16	57	19	19	44	55	93	192	212	279	190	63	15	15
Males	594	10	30	6	8	26	32	47	90	109	122	85	26	6	7
Females	659	6	27	13	11	18	23	46	102	103	157	105	37	9	8
4. Tetanus and trismus nascentium	2,019	1,493	1,544	72	78	80	67	64	41	40	18	5	2	8	
White	1,380	971	1,003	58	58	63	55	50	34	36	15	2	1	5	
Native born	1,245	958	988	51	51	52	38	29	13	12	5	2	1	3	
Both parents native	{ M. 247	163	175	16	13	18	9	5	4	3	3	2	1	1	
	{ F. 137	94	100	11	6	4	5	4	2	3	2	1	1	1	
One or both parents foreign	{ M. 160	115	120	8	12	10	3	4	2	2	1	1	1	1	
	{ F. 107	87	91	3	3	2	5	3	1	1	1	1	1	1	
Foreign born	{ M. 82	3	3	4	6	6	11	14	14	15	8	8	1	1	
	{ F. 35	2	4	1	1	4	3	7	7	8	1	1	1	1	
Colored	639	522	541	14	20	17	12	14	7	4	3	3	1	3	
Males	354	281	289	10	14	12	10	8	5	3	3	3	1	3	
Females	281	241	252	4	6	5	2	6	2	1	3	1	1	1	
5. Epilepsy	2,367	137	258	109	144	469	377	339	210	191	143	69	10	2	46
White	2,064	113	210	94	121	409	336	301	184	171	130	63	8	37	
Native born	1,631	110	203	89	118	365	277	218	105	107	75	44	8	23	
Both parents native	{ M. 469	38	66	22	35	130	64	47	23	33	27	11	4	7	
	{ F. 379	34	54	34	24	68	64	50	23	28	12	17	3	2	
One or both parents foreign	{ M. 154	16	38	9	12	35	29	18	4	4	3	1	1	2	
	{ F. 130	11	20	10	13	42	22	11	4	4	2	1	1	2	
Foreign born	{ M. 215	1	3	2	1	17	23	40	47	36	31	11	1	4	
	{ F. 139	1	3	1	1	15	19	23	26	23	21	5	1	2	
Colored	303	24	48	15	23	60	41	38	26	20	13	6	2	9	
Males	175	15	32	13	15	30	26	23	11	8	6	3	1	8	
Females	128	9	16	2	8	30	15	15	15	12	7	3	2	1	
6. Convulsions	16,598	11,571	15,009	406	441	275	187	150	101	74	78	50	11	1	115
White	14,355	10,119	13,080	321	100	207	154	125	89	62	68	44	10	95	
Native born	13,824	9,948	12,790	302	85	185	117	91	54	44	44	28	7	77	
Both parents native	{ M. 2,380	1,711	2,178	54	14	35	14	24	9	12	16	9	3	12	
	{ F. 2,022	1,291	1,744	61	27	53	37	26	23	10	15	10	1	15	
One or both parents foreign	{ M. 2,632	2,028	2,532	49	14	13	9	8	1	1	1	1	1	7	
	{ F. 2,101	1,506	2,006	38	6	26	10	3	3	1	2	1	1	6	
Foreign born	{ M. 167	41	79	3	4	6	11	14	13	10	10	9	1	2	
	{ F. 109	24	63	10	9	12	22	16	13	5	10	4	1	4	
Colored	2,243	1,452	1,929	85	41	68	33	25	12	12	10	6	1	20	
Males	1,154	771	1,016	40	19	29	17	9	3	4	3	4	1	9	
Females	1,089	681	913	45	22	39	16	16	9	8	7	2	1	11	
7. Mental diseases	1,913	2	2	2	8	114	246	308	329	273	325	232	41	1	34
White	1,720	2	2	2	6	90	210	273	295	251	302	220	41	1	29
Native born	1,621	2	2	2	4	61	152	158	171	124	173	137	24	15	
Both parents native	{ M. 195	1	1	1	1	9	15	22	29	25	47	39	6	2	
	{ F. 219	1	1	1	1	17	31	28	37	30	31	36	8	1	
One or both parents foreign	{ M. 38	1	1	1	1	8	14	9	1	3	2	1	1	1	
	{ F. 48	1	1	1	1	7	18	9	7	4	1	1	1	1	
Foreign born	{ M. 287	1	1	1	1	14	22	46	53	54	53	35	8	2	
	{ F. 311	1	1	1	1	9	30	50	58	57	59	37	7	2	
Colored	193	2	2	2	2	24	36	35	34	22	23	12	1	5	
Males	107	2	2	2	2	10	20	18	17	15	17	6	1	4	
Females	86	2	2	2	2	14	16	17	17	7	6	6	1	1	

STATISTICS OF DEATHS.

657

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
II.—Diseases of the nervous system—Cont'd.															
8. Diseases of the brain.....	12,322	2,525	4,508	632	351	696	749	879	992	1,097	1,258	850	172	14	124
White.....	11,151	2,318	4,081	520	292	571	665	805	898	1,027	1,197	821	163	11	100
Native born.....	9,085	2,276	3,981	483	273	501	503	525	547	612	831	635	128	6	60
Both parents native.....	M.. 2,761	667	1,171	163	89	124	115	134	158	225	288	239	39	2	14
F.. 2,204	495	973	143	76	130	96	118	130	142	194	151	39	2	10	
One or both parents foreign.....	M.. 751	276	434	42	25	57	62	42	22	17	22	23	4	1	
F.. 560	173	320	36	29	47	41	23	13	15	15	14	3	1	3	
Foreign born.....	M.. 1,137	9	26	11	5	33	85	172	222	244	215	94	18	3	9
F.. 625	6	17	9	9	26	46	81	96	141	113	67	14	2	4	
Colored.....	1,171	207	427	112	59	125	84	74	94	70	61	29	9	3	24
Males.....	630	111	222	66	27	69	47	42	44	41	36	16	6	3	11
Females.....	541	96	205	46	32	56	37	32	50	29	25	13	3	13	
9. Diseases of the spinal cord.....	3,396	686	1,461	335	199	279	176	194	224	259	171	62	4	32	
White.....	3,217	653	1,380	310	189	261	169	182	216	255	164	57	4	30	
Native born.....	2,763	645	1,346	296	175	230	130	117	131	164	105	46	3	20	
Both parents native.....	M.. 896	225	444	96	53	68	26	30	45	66	46	19	1	2	
F.. 809	179	410	97	64	67	34	26	33	39	27	9	1	1	2	
One or both parents foreign.....	M.. 252	59	132	25	16	31	19	7	10	6	3	1	1	2	
F.. 218	54	115	36	22	15	9	18	3	4	1	1	1	1	1	
Foreign born.....	M.. 255	6	4	6	14	23	41	49	63	41	6	6	2	2	
F.. 130	1	7	6	6	9	10	19	31	23	14	4	4	1	1	
Colored.....	179	33	81	25	10	18	7	12	8	4	7	5	2	2	
Males.....	101	18	46	11	8	11	6	6	6	1	6	4	2	2	
Females.....	78	15	35	14	2	7	7	6	2	3	1	1	1	1	
10. Others of this class.....	2,015	52	114	51	61	182	189	217	222	263	389	256	48	3	20
White.....	1,893	49	103	49	50	170	170	203	212	250	375	242	45	1	20
Native born.....	1,497	48	100	42	47	149	140	162	154	172	286	195	34	1	15
Both parents native.....	M.. 363	20	38	8	7	17	24	25	36	43	85	66	7	1	6
F.. 604	9	20	24	20	70	55	73	71	72	109	76	18	1	3	
One or both parents foreign.....	M.. 53	4	11	3	3	12	5	7	2	3	4	4	1	1	
F.. 95	4	10	2	12	22	21	9	3	5	7	7	3	1	1	
Foreign born.....	M.. 148	1	1	2	5	7	14	18	18	36	41	19	3	1	
F.. 189	1	4	4	11	16	23	32	35	38	38	23	5	5	1	
Colored.....	125	3	11	2	11	12	19	14	10	13	14	14	3	2	
Males.....	63	2	8	1	6	5	4	3	4	9	9	10	3	1	
Females.....	62	1	3	1	5	7	15	11	6	4	5	4	1	1	
II.—Diseases of the circulatory system.....	48,757	3,038	3,694	893	996	2,307	3,312	4,584	6,281	8,113	9,928	6,278	1,256	96	519
White.....	44,102	2,912	3,477	819	906	2,452	2,852	3,860	5,430	7,420	9,264	5,949	1,178	61	434
Native born.....	29,831	2,888	3,433	763	828	2,025	2,025	2,324	3,022	4,114	5,897	4,239	875	34	252
Both parents native.....	M.. 8,916	732	897	183	179	376	328	517	914	1,459	2,239	1,496	257	8	63
F.. 7,949	574	704	185	191	460	523	702	944	1,164	1,566	1,179	270	11	50	
One or both parents foreign.....	M.. 2,146	449	523	110	131	319	273	188	140	149	158	116	30	2	7
F.. 1,880	307	364	126	136	349	271	186	120	95	117	81	23	1	11	
Foreign born.....	M.. 6,971	6	12	13	19	152	374	789	1,205	1,679	1,709	841	126	10	42
F.. 5,904	5	10	24	46	214	344	618	618	1,026	1,401	1,367	667	134	15	38
Colored.....	4,655	126	217	74	90	355	460	724	851	693	664	329	78	35	85
Males.....	2,217	80	123	42	41	149	197	316	397	340	340	160	45	16	51
Females.....	2,438	46	94	32	49	206	263	408	454	353	324	169	33	19	34
1. Angina pectoris.....	1,255			13	15	46	84	109	174	293	314	176	16	13	
White.....	1,196			13	13	38	77	96	166	282	308	173	17	13	
Native born.....	867			13	12	31	64	67	111	192	222	138	14	3	
Both parents native.....	M.. 298			6	5	4	7	18	37	70	94	52	5		
F.. 234				3	4	9	22	21	33	49	50	40	3		
One or both parents foreign.....	M.. 45			2	2	3	4	2	9	10	11	4	1		
F.. 31				1	1	4	13	1	4	1	5	1	1		
Foreign born.....	M.. 170			1	1	8	20	27	44	46	17	3	3	4	
F.. 117				1	5	2	7	7	22	33	29	16	2	3	
Colored.....	59				2	8	7	13	8	11	6	3	1		
Males.....	26				4	4	2	5	5	5	2	3			
Females.....	33				2	4	5	8	3	6	4	1			

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
III.—Diseases of the circulatory system—Continued.															
2. Aneurism	551			2	2	29	59	119	136	98	62	30	5	1	8
White	487			2	2	24	48	103	119	93	56	28	4		8
Native born	256			2	1	18	31	32	61	46	36	20	3		6
Both parents native	M. 74 F. 47			1	1	2	3	5	26	13	14	9	1		1
One or both parents foreign	M. 22 F. 11			1		2	7	2	7	10	11	3	1		1
Foreign born	M. 158 F. 51				1	2	10	47	41	40	11	6	1		1
Colored	64					5	11	16	17	5	6	2	1	1	
Males	38					2	7	11	11	3	2		1	1	
Females	26					3	4	5	6	2	4	2			
3. Diseases of the heart	44,959	1,550	2,157	872	969	2,705	3,135	4,324	5,920	7,650	9,452	5,989	1,212	95	479
White	40,507	1,482	1,998	798	881	2,365	2,697	3,631	5,099	6,975	8,803	5,668	1,126	61	395
Native born	26,966	1,465	1,964	742	807	1,954	1,907	2,211	2,827	3,836	5,588	4,024	842	34	230
Both parents native	M. 8,130 F. 7,368	420	570	174	173	363	315	493	846	1,364	2,111	1,411	245	8	57
One or both parents foreign	M. 1,834 F. 1,638	214	281	108	131	311	262	183	129	134	146	111	29	2	7
Foreign born	M. 6,565 F. 5,667	3	8	13	18	140	356	716	1,125	1,583	1,624	805	120	10	38
Colored	4,452	77	159	74	88	340	438	693	821	675	640	321	70	34	84
Males	2,116	52	94	42	41	142	186	300	379	331	335	155	44	15	51
Females	2,336	25	65	32	47	197	252	393	442	344	314	166	32	19	33
4. Others of this class	1,992	1,479	1,337	6	10	27	34	32	51	72	100	83	21		19
White	1,912	1,430	1,479	6	10	25	30	30	46	70	97	80	21		18
Native born	1,742	1,423	1,469	6	8	22	23	14	23	40	51	57	16		13
Both parents native	M. 414 F. 300	312	327	2		7	3	1	5	12	20	24	7		6
One or both parents foreign	M. 245 F. 200	230	236	1	3	5	8	3	9	11	13	8	1		2
Foreign born	M. 78 F. 69	235	242			2			1	1	1	1	3		1
Colored	80	49	58			2	4	2	5	2	3	3			1
Males	37	28	29				2	2	2	1	1	2			1
Females	43	21	29			2	2	2	3	1	2	1			1
IV.—Diseases of the respiratory system															
White	138,361	26,494	51,584	5,951	2,620	10,082	10,213	10,311	10,728	11,455	12,546	8,978	2,565	242	1,086
Native born	93,376	22,363	42,938	4,766	1,836	6,797	6,453	5,533	5,010	5,278	6,601	5,679	1,797	139	540
Both parents native	M. 26,225 F. 23,187	6,020	10,978	1,225	515	2,107	1,626	1,653	1,720	1,809	2,151	1,775	510	25	131
One or both parents foreign	M. 11,650 F. 9,737	4,635	8,994	1,187	538	1,610	1,471	1,471	1,407	1,600	2,157	1,947	648	57	100
Foreign born	M. 13,890 F. 10,750	3,908	7,445	738	229	944	988	474	247	167	166	168	56	3	25
Colored	17,257	3,647	7,135	819	618	2,056	1,418	1,340	1,231	918	855	491	154	57	165
Males	9,531	1,567	3,770	406	279	1,177	816	793	747	575	502	281	64	22	96
Females	7,726	1,680	3,356	413	339	879	602	547	484	343	353	210	90	35	75
I. Croup															
White	13,862	4,087	11,446	1,692	152	79	34	17	9	15	15	29	2		81
Native born	12,635	3,332	10,298	1,942	146	72	29	17	8	12	13	19	2		77
Native born	12,682	3,270	9,928	1,818	137	65	23	12	5	7	7	18	1		61
Both parents native	M. 3,496 F. 2,946	1,301	2,974	439	35	16	6	2	2	3	1	5			15
One or both parents foreign	M. 1,806 F. 1,515	1,019	2,438	432	29	15	2	4	3	3	1	7			12
Foreign born	M. 174 F. 172	359	1,515	308	24	6	4	3	1	1	1	1			1
Colored	1,227	755	1,148	50	6	7	5		1	3	2	1			4
Males	644	397	665	24	2	4	2		1	1	1	1			1
Females	583	358	543	26	4	3	3			2	1				3

STATISTICS OF DEATHS.

659

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
IV.—Diseases of the respiratory system—Continued.															
2. Laryngitis.....	725	129	454	88	22	18	34	29	18	28	18	11	1	4
White.....	688	122	433	87	22	18	32	26	16	26	16	9	1	2
Native born.....	626	120	411	81	22	17	26	22	10	18	12	5	1	1
Both parents native.....	{ M.. 104 F.. 86	{ 15 24	{ 58 57	{ 12 11	{ 4 5	{ 3 1	{ 4 2	{ 4 4	{ 2 2	{ 9 3	{ 5 1	{ 3 1	{	{	{
One or both parents foreign.....	{ M.. 100 F.. 99	{ 25 22	{ 75 75	{ 11 17	{ 1 3	{ 2 2	{ 4 3	{ 4 3	{ 2	{	{	{	{	{	{
Foreign born.....	{ M.. 36 F.. 11	{ 1 1	{ 12 3	{ 2 1	{	{	{ 3	{ 1	{ 6	{ 7	{ 2	{ 1	{ 2	{	{
Colored.....	37	7	21	1	2	3	2	2	2	2	2
Males.....	16	3	8	1	1	2	2	1	1
Females.....	21	4	13	1	1	1	1	2
3. Bronchitis.....	21,422	6,924	11,054	496	207	632	720	807	1,150	1,578	2,164	1,848	618	44	100
White.....	19,330	6,226	9,663	426	163	543	644	713	1,035	1,507	2,096	1,802	599	40	99
Native born.....	14,587	6,099	9,351	392	144	452	456	409	413	519	925	1,045	404	26	51
Both parents native.....	{ M.. 3,101 F.. 3,081	{ 1,131 931	{ 1,761 1,488	{ 95 98	{ 27 34	{ 87 98	{ 85 103	{ 104 112	{ 127 115	{ 155 165	{ 268 307	{ 291 396	{ 89 154	{ 3 10	{ 9 4
One or both parents foreign.....	{ M.. 2,241 F.. 2,085	{ 1,273 1,058	{ 1,867 1,680	{ 63 59	{ 20 34	{ 70 98	{ 80 75	{ 43 37	{ 21 16	{ 14 18	{ 21 23	{ 32 25	{ 8 16	{ 2 2	{ 2 2
Foreign born.....	{ M.. 2,050 F.. 2,272	{ 36 18	{ 101 92	{ 8 20	{ 6 10	{ 38 37	{ 73 87	{ 159 136	{ 310 285	{ 448 502	{ 508 614	{ 314 370	{ 70 101	{ 6 6	{ 9 12
Colored.....	2,092	698	1,391	70	44	80	76	94	115	66	68	46	19	4	10
Males.....	1,082	383	723	29	16	40	41	61	73	32	37	22	4	2	2
Females.....	1,010	315	668	41	28	49	35	33	42	34	31	24	15	2	8
4. Pneumonia.....	76,496	10,439	21,180	2,538	1,689	7,525	7,674	7,666	7,461	7,279	7,104	4,537	1,106	99	638
White.....	66,060	8,968	17,868	2,027	1,260	5,930	6,576	6,683	6,628	6,646	6,562	4,246	1,035	68	531
Native born.....	48,903	8,724	17,184	1,855	1,147	4,985	4,736	4,030	3,511	3,472	3,895	2,942	791	49	306
Both parents native.....	{ M.. 14,015 F.. 11,909	{ 2,197 1,630	{ 4,234 3,401	{ 467 453	{ 326 337	{ 1,605 1,135	{ 1,244 985	{ 1,224 996	{ 1,221 938	{ 1,182 1,022	{ 1,266 1,283	{ 924 991	{ 234 294	{ 12 15	{ 76 59
One or both parents foreign.....	{ M.. 5,879 F.. 4,681	{ 1,646 1,278	{ 3,128 2,585	{ 293 280	{ 138 155	{ 709 512	{ 760 484	{ 351 264	{ 177 136	{ 116 77	{ 95 82	{ 76 76	{ 24 21	{ 2 1	{ 10 7
Foreign born.....	{ M.. 8,925 F.. 6,321	{ 54 36	{ 204 171	{ 65 61	{ 44 42	{ 454 335	{ 1,075 565	{ 1,573 851	{ 1,780 1,112	{ 1,697 1,289	{ 1,308 1,133	{ 563 597	{ 91 115	{ 7 8	{ 64 42
Colored.....	10,436	1,471	3,312	511	429	1,595	1,098	983	833	633	542	291	71	31	107
Males.....	5,936	762	1,725	253	202	961	652	601	520	408	333	171	31	12	64
Females.....	4,500	709	1,587	258	227	634	446	382	313	225	209	120	37	19	43
5. Pleurisy.....	2,135	82	193	83	44	217	244	237	254	287	311	196	44	7	18
White.....	1,730	69	158	72	34	178	205	189	199	246	271	169	38	5	16
Native born.....	1,200	68	155	67	32	143	141	102	102	127	171	120	30	4	6
Both parents native.....	{ M.. 368 F.. 292	{ 12 8	{ 32 18	{ 26 14	{ 11 9	{ 38 25	{ 28 26	{ 30 22	{ 40 32	{ 45 29	{ 61 55	{ 45 45	{ 9 13	{ 1 3	{ 1
One or both parents foreign.....	{ M.. 138 F.. 102	{ 18 11	{ 47 22	{ 5 12	{ 4 4	{ 31 20	{ 26 19	{ 9 11	{ 3 3	{ 6 5	{ 2 2	{ 3 2	{	{	{
Foreign born.....	{ M.. 344 F.. 199	{	{ 1	{ 3 2	{ 1 1	{ 21 11	{ 43 17	{ 52 33	{ 59 34	{ 79 36	{ 55 40	{ 24 19	{ 4 3	{ 1	{ 2 2
Colored.....	355	13	35	11	10	39	39	48	55	41	40	27	6	2	2
Males.....	194	6	18	7	6	18	15	21	28	29	26	22	2	2
Females.....	161	7	17	4	4	21	24	27	27	12	14	5	4
6. Asthma.....	2,438	65	129	18	10	37	79	145	337	521	678	372	84	9	19
White.....	2,078	53	93	13	5	27	54	106	278	460	620	337	66	5	14
Native born.....	917	52	92	13	5	18	37	60	104	153	230	155	40	5	5
Both parents native.....	{ M.. 275 F.. 267	{ 15 10	{ 27 25	{ 5 4	{ 1 2	{ 5 3	{ 7 11	{ 15 25	{ 32 25	{ 54 43	{ 66 75	{ 53 41	{ 9 13	{ 3	{ 1
One or both parents foreign.....	{ M.. 51 F.. 54	{ 10 8	{ 13 14	{	{	{	{	{	{	{	{	{	{	{	{
Foreign born.....	{ M.. 669 F.. 441	{ 1	{ 1	{	{	{	{	{	{	{	{	{	{	{	{
Colored.....	360	12	36	5	5	10	25	39	59	61	58	35	18	4	5
Males.....	181	7	22	3	2	1	15	18	33	34	29	15	8	1
Females.....	179	5	14	2	3	9	10	21	26	27	29	20	10	4	4

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
IV.—Diseases of the respiratory system—Continued.															
7. Others of this class	21,283	4,768	7,128	736	496	1,574	1,428	1,410	1,499	1,752	2,256	1,994	710	83	217
White	18,533	4,077	5,936	565	372	1,258	1,255	1,237	1,333	1,640	2,113	1,905	670	67	182
Native born	15,061	4,021	5,817	540	349	1,117	1,034	898	874	982	1,361	1,594	530	55	110
Both parents native	M. 4,866 F. 4,903	1,349 1,013	1,892 1,567	179 175	111 122	353 333	252 342	274 312	293 292	361 335	454 435	454 467	169 174	9 26	30 23
One or both parents foreign	M. 1,975 F. 1,201	577 437	800 644	58 64	40 38	124 137	109 92	58 57	38 28	40 36	50 53	20 24	1 2	1 4	8 4
Foreign born	M. 1,692 F. 1,334	10 7	26 30	7 9	7 11	70 45	104 82	133 114	243 181	354 260	378 312	238 210	62 62	5 7	10 11
Colored	2,750	691	1,192	171	124	316	173	173	166	112	143	89	40	16	35
Males	1,478	409	678	89	51	153	90	90	90	70	75	50	16	8	18
Females	1,272	282	514	82	73	163	83	83	76	42	68	39	24	8	17
V.—Diseases of the digestive system	39,466	7,477	11,961	1,308	958	2,700	3,312	3,511	3,987	4,454	4,275	2,204	439	23	334
White	34,755	6,356	9,715	1,149	839	2,353	2,975	3,123	3,644	4,161	4,027	2,065	414	16	274
Native born	25,652	6,239	9,445	1,065	777	1,957	2,125	1,919	1,901	2,191	2,386	1,408	307	12	159
Both parents native	M. 7,277 F. 6,815	1,622 1,210	2,561 2,086	336 312	240 199	502 526	439 577	504 559	561 562	722 682	795 738	478 459	102 94	2 3	35 18
One or both parents foreign	M. 2,663 F. 2,158	1,153 849	1,622 1,171	121 102	91 76	220 222	200 230	116 133	91 82	80 35	62 54	33 37	9 11	3 5	6 5
Foreign born	M. 4,404 F. 3,680	25 25	65 62	29 23	24 17	138 192	343 390	598 497	875 748	1,084 774	852 657	330 252	41 48	4	25 16
Colored	4,711	1,121	2,246	159	119	347	337	388	343	293	248	139	25	7	60
Males	2,573	640	1,213	80	64	170	156	215	206	186	150	79	15	5	34
Females	2,138	481	1,033	79	55	177	181	173	137	107	98	60	10	2	26
1. Dentition	3,180	1,538	3,170												10
White	2,127	1,143	2,122												5
Native born	2,070	1,119	2,066												4
Both parents native	M. 473 F. 428	232 194	472 428												1
One or both parents foreign	M. 372 F. 301	212 192	371 301												1
Foreign born	M. 14 F. 16	5 8	13 16												1
Colored	1,053	395	1,048												5
Males	538	216	535												3
Females	515	179	513												2
2. Angina	1,457	248	719	265	94	89	64	45	53	48	39	21	6	1	18
White	1,263	198	618	243	84	79	49	33	46	43	31	21	6		10
Native born	1,132	195	590	223	78	75	38	23	30	34	18	13	5		5
Both parents native	M. 374 F. 336	74 42	201 156	76 80	18 22	23 23	11 13	10 8	10 8	11 6	7 5	4 4	3		1
One or both parents foreign	M. 130 F. 84	23 23	80 51	17 17	5 7	13 6	7 1	2	1	1	3	4			1
Foreign born	M. 49 F. 32	1 1	4 7	4 5	1 2	5 3	5 3	5 2	9 4	5 2	9 3	4 1	1		1
Colored	194	50	101	22	10	10	15	12	7	5	8			1	3
Males	163	28	53	10	5	7	9	4	4	3	6				2
Females	91	22	48	12	5	3	6	8	3	2	2			1	1
3. Diseases of the stomach	8,080	1,082	1,859	282	136	515	671	722	857	1,048	1,136	647	136	9	62
White	7,579	1,010	1,720	258	121	468	620	656	812	1,001	1,100	626	133	8	56
Native born	5,581	991	1,609	251	114	408	497	424	457	517	663	450	94	6	31
Both parents native	M. 1,572 F. 1,738	287 186	507 405	82 86	37 37	75 151	89 177	97 154	138 153	170 168	207 209	143 148	22 40	1 2	5 8
One or both parents foreign	M. 406 F. 339	127 111	109 168	17 29	10 8	36 51	42 53	30 23	20 15	22 17	11 14	17 14	3		5
Foreign born	M. 957 F. 815	1 3	7 12	1 1	3 1	16 31	57 47	108 98	169 160	261 194	248 170	80 73	12 22	2	4
Colored	501	72	139	24	15	47	51	66	45	47	36	21	3	1	6
Males	256	40	79	13	10	23	15	34	24	24	22	8	1		3
Females	245	32	60	11	5	24	36	32	21	23	14	13	2	1	3

STATISTICS OF DEATHS.

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
V.—Diseases of the digestive system—Cont'd.															
4. Obstruction of the bowels.....	2,203	306	430	103	106	211	214	234	225	262	248	112	29	1	28
White.....	2,019	290	403	93	95	184	191	206	211	241	232	110	27	1	25
Native born.....	1,466	252	386	87	84	159	136	120	120	144	133	66	17		14
Both parents native.....	M. 438	78	107	22	37	53	32	35	36	50	40	20	2		4
F. 310	43	63	15	14	19	25	28	35	41	39	26	4			1
One or both parents foreign.....	M. 150	50	66	12	6	27	18	8	1	4	5	2			1
F. 92	24	31	10	7	12	7	10	6	3	3		2			1
Foreign born.....	M. 266	2	6	4	8	9	36	46	44	47	37	20	6		3
F. 220	1	1		1	9	14	33	41	42	53	20	3	1		2
Colored.....	184	16	27	10	11	27	23	28	14	21	16	2	2		3
Males.....	121	13	19	4	7	18	17	19	9	11	12	1	1		3
Females.....	63	3	8	6	4	9	6	9	5	10	4	1	1		
5. Hernia.....	1,482	141	165	15	6	53	95	140	213	289	272	171	40	2	21
White.....	1,309	121	138	13	5	46	82	120	184	262	251	157	34	2	15
Native born.....	790	117	132	12	4	39	57	73	86	133	136	83	29	1	5
Both parents native.....	M. 274	41	47	6	1	18	19	18	23	37	53	34	16		2
F. 165	15	15		1	2	9	15	22	43	38	17	3			1
One or both parents foreign.....	M. 74	30	32	2		5	14	2	4	4	7	2			2
F. 42	9	12			5	2	9	6	2	2	2				1
Foreign born.....	M. 259	1	1		1	6	15	18	40	70	63	42	1		2
F. 207	1	1		1	1	5	19	53	53	41	27	4	1		1
Colored.....	173	20	27	2	1	7	13	20	29	27	21	14	6		6
Males.....	157	18	25	2	1	6	12	18	26	23	19	14	6		5
Females.....	16	2	2			1	1	2	3	4	2				1
6. Other diseases of the bowels.....	1,989	577	865	63	39	138	130	119	135	144	162	135	30	4	25
White.....	1,650	481	685	44	31	112	111	102	112	135	150	121	29	1	17
Native born.....	1,421	473	672	42	29	102	88	86	77	87	107	91	27	1	12
Both parents native.....	M. 489	155	228	19	9	29	29	35	23	29	40	35	11		2
F. 419	122	191	8	13	34	22	25	32	30	30	27	5	1		1
One or both parents foreign.....	M. 142	75	98	5	3	11	8	4	1	6	1	3	1		1
F. 97	57	70	4	2	7	4	1	3	1	3	1	1			1
Foreign born.....	M. 117	1	2	1	7	10	11	13	33	26	13	10	1		1
F. 71	4	6			3	9	3	13	13	9	16	10	1		1
Colored.....	339	96	180	19	8	26	19	17	23	9	12	14	1	3	8
Males.....	182	55	103	9	2	12	9	5	11	8	9	7	1	3	3
Females.....	157	41	77	10	6	14	10	12	12	1	3	7			5
7. Jaundice.....	1,698	632	706	70	68	95	101	109	115	154	155	97	15		13
White.....	1,548	565	626	64	66	85	87	103	106	145	148	91	15		12
Native born.....	1,305	558	618	59	65	73	68	76	71	91	97	65	12		10
Both parents native.....	M. 448	162	187	24	34	38	18	31	20	32	33	21	6		4
F. 337	115	130	27	25	20	27	15	14	29	30	17	3			1
One or both parents foreign.....	M. 101	82	89	1	2	1	1	1	4	1	2	2			1
F. 65	38	41	3	3	3	2	3	2	2	2	3	3			1
Foreign born.....	M. 105	1	1	1	5	7	13	17	21	30	7	2			1
F. 92				1	1	6	10	14	29	17	14				
Colored.....	150	67	80	6	2	10	14	6	9	9	7	6			1
Males.....	77	41	45	2		5	8	4	4	4	3	1			1
Females.....	73	26	35	4	2	5	6	2	5	5	4	5			
8. Inflammation and abscess of the liver.....	2,242	89	150	38	39	152	251	345	382	401	337	112	17		18
White.....	2,050	79	135	33	34	124	227	314	343	381	322	105	16		16
Native born.....	1,286	74	130	30	32	105	163	180	183	189	183	70	9		12
Both parents native.....	M. 382	28	45	10	11	32	36	58	39	67	52	26	2		4
F. 344	11	30	8	5	24	40	42	53	46	65	26	5			1
One or both parents foreign.....	M. 97	11	16	2	6	19	14	12	14	6	6	2			1
F. 72	5	12	3	2	6	17	12	6	6	4	6	4			1
Foreign born.....	M. 417	3	3	1	1	12	30	79	88	104	74	23	2		1
F. 280			2		4	23	42	64	80	80	51	10	4		1
Colored.....	192	10	15	5	5	28	24	31	39	20	15	7	1		2
Males.....	126	6	9	4	3	15	14	21	28	16	10	5	1		2
Females.....	66	4	6	1	2	13	10	10	11	4	5	2			

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
V.—Diseases of the digestive system—Cont'd.															
9. Other diseases of the liver	5,520	223	388	51	54	179	392	758	1,087	1,171	967	378	47	2	46
White	5,127	200	336	43	40	150	362	690	1,026	1,110	927	355	45	2	41
Native born	2,941	199	332	40	36	126	253	370	448	513	523	242	35	2	21
Both parents native	M.. 952	75	121	12	13	45	58	106	154	167	176	81	10	2	7
	F.. 837	69	116	12	12	35	52	79	105	165	162	84	11		4
One or both parents foreign	M.. 204	15	30	6	3	11	38	41	30	25	17	3			
	F.. 136	15	21	2	4	13	24	28	19	5	14	5	1		
Foreign born	M.. 1,229	1	2	1	1	11	48	186	331	369	206	65	3		7
	F.. 830			1	2	11	48	122	226	205	168	39	4		4
Colored	393	23	52	8	14	29	30	68	61	61	40	23	2		5
Males	228	11	30	5	4	16	13	44	40	40	20	12			4
Females	165	12	22	3	10	13	17	24	21	21	20	11	2		1
10. Peritonitis	4,995	241	477	242	290	950	1,038	669	448	372	292	142	30		45
White	4,610	224	443	226	275	854	959	606	417	352	277	134	29		38
Native born	3,155	220	412	200	253	661	619	359	197	178	157	83	18		18
Both parents native	M.. 594	46	88	46	56	118	74	58	41	40	45	24	3		1
	F.. 795	35	67	54	45	166	169	106	58	56	42	23	9		
One or both parents foreign	M.. 311	45	80	33	45	78	47	11	4	9	3		1		
	F.. 403	42	72	23	37	107	99	35	18	6	1	3	1		1
Foreign born	M.. 530	2	11	10	8	56	100	88	83	52	28	4			2
	F.. 743	1	9	10	6	110	201	138	110	76	58	18	4		3
Colored	385	17	34	16	15	96	79	63	31	20	15	8	1		7
Males	162	10	17	11	7	33	23	27	14	14	7	5	1		3
Females	223	7	17	5	8	63	56	36	17	6	8	3			4
11. Ascites	806	23	75	23	25	53	52	89	93	138	142	81	21	1	13
White	551	20	44	12	11	22	31	50	69	108	110	68	18	1	7
Native born	356	20	42	11	11	17	21	34	30	63	66	44	12	1	4
Both parents native	M.. 122	5	15	6	8	7	7	7	9	21	23	14	5		
	F.. 115	7	10	2	2	7	5	15	10	24	21	15	4		
One or both parents foreign	M.. 19	3	6	2	1	2		1	3		2	1			
	F.. 16	1	4			1	3	2		2	1	3			
Foreign born	M.. 77		1	1		2	2	7	17	15	22	7	1		2
	F.. 95					2	6	8	19	28	15	12	4		1
Colored	255	3	31	11	14	31	21	39	24	30	32	13	3		6
Males	133	2	20	5	9	13	12	14	13	19	15	7	3		3
Females	122	1	11	6	5	18	9	25	11	11	17	6			3
12. Others of this class	5,814	2,377	2,957	156	101	265	304	281	379	427	525	308	68	3	40
White	4,922	2,025	2,445	120	77	229	256	243	318	388	479	277	62	1	32
Native born	4,149	1,991	2,396	110	71	192	185	174	202	242	303	201	49	1	23
Both parents native	M.. 1,159	439	543	33	16	64	66	49	68	98	119	76	22		5
	F.. 991	371	475	20	13	45	38	72	72	74	97	72	10		3
One or both parents foreign	M.. 637	480	555	25	11	16	20	4	9	3	6	3	2	1	2
	F.. 461	332	388	11	9	11	17	11	6	2	3	2			1
Foreign born	M.. 384	8	15	4	1	13	33	37	59	76	95	41	9		1
	F.. 279	6	10	3	4	17	28	22	44	56	65	28	2		
Colored	892	352	512	36	24	36	48	38	61	44	46	31	6	2	3
Males	490	200	278	15	16	22	24	25	33	24	27	19	1	2	4
Females	402	152	234	21	8	14	24	13	28	20	19	12	5		4
VI.—Diseases of the urinary system and male organs of generation.	23,652	429	981	412	311	1,324	2,219	2,069	3,283	4,046	4,746	2,884	539	32	206
White	21,852	403	894	375	275	1,193	2,032	2,424	2,994	3,739	4,470	2,748	509	23	176
Native born	13,972	398	865	345	248	989	1,447	1,444	1,463	1,965	2,815	1,905	376	15	95
Both parents native	M.. 5,199	113	224	93	71	220	244	330	502	838	1,392	999	204	10	22
	F.. 2,411	63	160	63	59	224	263	301	328	313	404	231	49	1	10
One or both parents foreign	M.. 1,286	86	164	44	40	148	271	177	97	82	118	113	24	2	6
	F.. 906	45	119	50	28	135	261	140	49	37	38	20	6		3
Foreign born	M.. 4,534	1	9	13	11	84	284	408	847	1,032	1,082	552	87	4	29
	F.. 2,693	1	8	9	9	94	249	410	596	629	453	193	29	2	12
Colored	1,800	26	87	37	36	131	187	245	289	307	276	136	30	9	30
Males	1,222	12	50	25	16	70	103	144	185	230	233	112	24	7	21
Females	578	14	37	12	20	61	82	101	104	77	43	24	6	2	9

STATISTICS OF DEATHS.

663

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
VI.—Diseases of the urinary system and male organs of generation—Cont'd.															
1. Bright's disease.....	11,637			151	156	703	1,220	1,557	1,960	2,312	2,233	1,089	142	9	105
White.....	10,779			140	141	634	1,114	1,414	1,797	2,150	2,120	1,040	130	6	93
Native born.....	6,774			129	128	550	806	871	909	1,159	1,345	729	89	3	56
Both parents native.....	M 2,436 F 1,307			35 23	39 33	124 130	150 146	202 184	320 218	520 204	621 233	356 112	51 16	2	16 8
One or both parents foreign.....	M 614 F 421			17 20	17 19	88 77	150 137	102 81	58 32	54 21	56 19	54 9	7 1	1	3 2
Foreign born.....	M 2,222 F 1,464			7 3	6 5	37 35	142 138	270 230	489 343	568 358	473 250	103 83	25 12	1 2	11 5
Colored.....	858			11	15	69	106	143	163	162	113	49	12	3	12
Males.....	538			9	5	34	59	81	96	113	89	33	9	2	8
Females.....	320			2	10	35	47	62	67	49	24	16	3	1	4
2. Calculus, urinary.....	522	17	28	11	4	13	16	23	47	84	158	117	14	2	5
White.....	395	14	20	7	2	12	11	17	29	63	121	97	12	1	3
Native born.....	288	14	20	7	2	12	11	11	21	38	84	71	10		1
Both parents native.....	M 173 F 31	6	9	4	1	5	5	4	13	22	55	48	6		1
One or both parents foreign.....	M 22 F 4	3	4			1	5	3	1	6	8	5			
Foreign born.....	M 77 F 17	2	2	1					3	5	16	30	19	2	1
Colored.....	127	3	8	4	2	1	5	6	18	21	37	20	2	1	2
Males.....	119	3	8	2	1	1	5	5	18	18	37	20	1	1	2
Females.....	8			2	1			1		3			1		
3. Diseases of the kidney.....	7,820	313	800	208	119	484	773	860	986	1,133	1,350	842	197	13	55
White.....	7,268	301	737	190	105	435	713	792	906	1,059	1,285	802	188	8	48
Native born.....	4,610	296	712	173	92	343	488	421	393	497	774	544	144	7	22
Both parents native.....	M 1,546 F 845	85 49	183 139	45 25	25 21	72 74	66 83	86 84	124 89	213 129	379 129	274 86	73 26	4 1	4 4
One or both parents foreign.....	M 498 F 414	59 37	130 107	26 27	19 8	52 67	106 99	57 51	25 15	16 14	33 26	6 6	5		2 1
Foreign born.....	M 1,430 F 1,030	1 1	9 8	7 5	5 4	39 46	121 90	189 162	266 224	304 228	308 166	147 82	23 12	1	11 3
Colored.....	552	12	63	18	14	49	60	68	80	74	65	40	9	5	7
Males.....	349	6	36	12	7	23	29	39	50	54	47	32	7	4	4
Females.....	203	6	27	6	7	21	31	29	30	20	18	8	2	1	3
4. Diseases of the bladder.....	1,951	30	47	5	6	36	60	73	127	291	653	527	109	5	12
White.....	1,820	27	43	5	4	32	55	61	116	261	613	513	103	3	9
Native born.....	1,217	27	40	4	4	26	41	41	67	148	403	349	83	4	7
Both parents native.....	M 635 F 86	6 4	11 6	2 2		10 5	13 11	16 9	19 11	77 9	233 13	196 16	51 4	3	4
One or both parents foreign.....	M 87 F 18	10 1	13 1		2	1 3	6 5	2 5	11 1	7 1	15 4	19 3	9 3	1	1
Foreign born.....	M 474 F 66			1		2 3	7 3	10 7	37 8	90 16	175 16	132 13	19		1
Colored.....	131	3	4		2	4	5	12	11	30	40	14	6		3
Males.....	113		1		2	2	3	9	7	28	40	14	6		3
Females.....	18	3	3		2	2	2	3	4	2					
5. Others of this class.....	1,722	69	106	37	26	88	150	156	163	226	352	309	77	3	29
White.....	1,590	61	94	33	23	80	139	140	146	206	331	296	76	3	23
Native born.....	1,083	61	93	32	22	58	101	100	73	123	209	212	50	1	9
Both parents native.....	M 409 F 142	16 9	21 13	7 13	6 5	9 14	10 18	20 21	26 9	56 3	104 21	125 12	23 3	1	1 3
One or both parents foreign.....	M 65 F 49	14 5	17 9	1 2	2 1	3 8	9 20	9 5	2 1	3 1	8 1	9 1	2		
Foreign born.....	M 331 F 116			2 1		6 10	14 18	5 8	10 19	54 20	96 18	61 14	18 5	1	5 3
Colored.....	132	8	12	4	3	8	11	16	17	20	21	13	1		6
Males.....	103	3	5	2	3	5	9	10	14	17	20	13	1		4
Females.....	29	5	7	2	3	3	2	6	3	3	1				2

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
VII.—Diseases of the female organs of generation.	2,895	3	9	2	41	410	605	690	558	301	170	64	10		35
White	2,324	3	8	2	34	293	490	572	447	242	143	54	10		29
Native born	1,791	3	8	2	33	255	390	434	329	175	97	41	7		20
Both parents native	1,102	3	5	1	26	146	223	256	224	124	58	27	5		7
One or both parents foreign	199		3		3	39	60	45	23	12	7	3	1		3
Foreign born	456				1	30	88	116	109	61	37	10	2		2
Colored	571		1		7	117	115	118	111	59	27	10			6
1. Ovarian tumors	494		1	1	2	25	77	110	93	93	65	21	3		3
White	457		1	1	2	23	68	105	87	86	58	20	3		3
Native born	327		1	1	2	20	52	84	54	57	37	14	3		2
Both parents native	190			1	1	14	31	44	34	35	18	9	3		1
One or both parents foreign	42		1			1	7	13	7	6	5	1			1
Foreign born	112					2	14	17	31	27	17	4			
Colored	37					2	9	5	6	7	7	1			
2. Ovarian diseases	150			1	3	20	28	31	32	14	12	4	2		3
White	132			1	3	19	23	26	26	14	12	4	2		2
Native born	109			1	3	19	20	19	17	13	11	3	1		2
Both parents native	63				2	13	9	11	9	10	5	3			1
One or both parents foreign	9					3	4	2	1	1	1	1			
Foreign born	20						1	7	8	1	1	1			
Colored	18					1	5	5	6						1
3. Uterine tumors	338					8	40	89	104	63	24	8			2
White	293					7	33	74	90	59	20	8			2
Native born	216					6	27	56	64	40	14	8			1
Both parents native	131					3	12	33	40	27	10	5			1
One or both parents foreign	27					2	6	8	6	3	2	2			
Foreign born	70					1	6	14	26	17	6				
Colored	45					1	7	15	14	4	4				
4. Uterine diseases	621				4	105	150	147	97	63	31	13	1		10
White	400				3	63	101	94	63	35	23	10	1		7
Native born	327				3	54	80	73	55	31	18	6	1		6
Both parents native	214				2	28	49	49	41	24	16	3			2
One or both parents foreign	34				1	5	18	5	2	2	1	1			1
Foreign born	62					7	20	18	7	4	3	3			
Colored	221				1	42	49	53	34	28	8	3			3
5. Others of this class	1,292	3	8		32	252	310	313	232	68	38	18	4		17
White	1,042	3	7		26	181	265	273	181	48	30	12	4		15
Native born	812	3	7		25	156	211	202	139	34	17	10	2		9
Both parents native	504	3	5		21	88	122	119	100	28	9	7	2		3
One or both parents foreign	87		2		2	28	25	17	10	1	1	1			1
Foreign born	192				1	20	47	60	37	12	10	2	1		2
Colored	250		1		6	71	45	40	51	20	8	6			2
VIII.—Affections connected with pregnancy.	11,257				23	3,557	4,578	2,620	243	19	8	5			204
White	9,372				4	2,792	3,970	2,232	178	17	6	4			169
Native born	6,835				2	2,230	2,879	1,484	109	16	2	4			109
Both parents native	3,963				1	1,281	1,597	949	75	14	2	2			42
One or both parents foreign	1,202					418	569	199	12						4
Foreign born	2,195				2	463	966	671	63	1	4				25
Colored	1,885				19	765	608	388	65	2	2	1			35

STATISTICS OF DEATHS.

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
VIII.—Affections connected with pregnancy—Continued.															
1. Abortion.....	838				1	234	363	210	14	1					15
White.....	718					193	316	182	11	1					15
Native born.....	567					167	250	131	10	1					8
Both parents native.....	308					87	126	81	9	1					4
One or both parents foreign.....	90					27	48	14	1						4
Foreign born.....	114					19	55	38							2
Colored.....	120				1	41	47	28	3						
2. Childbirth.....	5,295				9	1,570	2,094	1,370	136	10	6				100
White.....	4,209					1,145	1,738	1,135	97	9	5				80
Native born.....	3,095					957	1,279	742	54	9	2				52
Both parents native.....	1,961					607	795	494	36	8	2				19
One or both parents foreign.....	552					139	252	101	6						4
Foreign born.....	981					151	411	362	41		3				13
Colored.....	1,086				9	425	356	235	39	1	1				20
3. Puerperal septicæmia.....	3,863				7	1,280	1,629	791	70	7	2	4			73
White.....	3,360				3	1,071	1,475	689	52	6	1	3			60
Native born.....	2,357				1	794	1,034	443	36	5		3			41
Both parents native.....	1,302					487	535	284	24	5		1			16
One or both parents foreign.....	404					139	199	61	5						8
Foreign born.....	873				2	236	390	221	14	1	1				
Colored.....	503				4	209	154	102	18	1	1	1			13
4. Extra-uterine pregnancy.....	48					11	22	14	1						
White.....	41					10	19	11	1						
Native born.....	30					6	14	9	1						
Both parents native.....	13					3	4	6							
One or both parents foreign.....	10					2	5	3							
Foreign born.....	10					3	5	2							
Colored.....	7					1	3	3							
5. Others of this class.....	1,213				6	462	470	235	22	1		1			16
White.....	1,044				1	373	422	215	17	1		1			14
Native born.....	786				1	306	302	159	8	1		1			8
Both parents native.....	379				1	147	137	84	6			1			3
One or both parents foreign.....	146					61	65	20							
Foreign born.....	217					54	105	48	8						2
Colored.....	169				5	89	48	20	5						2
IX.—Diseases of the bones and joints.....															
White.....	2,802	487	942	277	209	337	234	181	193	171	161	64	11	2	20
Native born.....	2,213	457	866	245	165	257	157	114	118	108	113	51	7	2	10
Both parents native.....	851	219	393	94	57	72	48	42	34	45	40	21	2		3
M.....	679	154	300	60	39	75	40	28	38	38	43	14	3		1
F.....	182	31	54	30	21	41	15	5	10	1	3	1	1		
One or both parents foreign.....	148	20	45	29	22	21	14	6	6	1	3	1			
M.....	187	2	5	3	7	21	29	30	29	33	20	6	2		2
F.....	110		1	6	9	9	13	18	19	12	19	3			1
Foreign born.....															
Colored.....	253	26	67	23	26	46	29	14	22	12	8	4	2		
Males.....	149	12	39	9	16	29	17	9	15	5	7	2	1		
Females.....	104	14	28	14	10	17	12	5	7	7	1	2	1		

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
IX.—Diseases of the bones and joints—Cont'd.															
1. Diseases of the spine.....	2,107	464	879	200	135	220	169	119	125	102	97	41	6	2	12
White.....	1,940	440	820	181	118	194	158	110	111	95	94	40	5	2	12
Native born.....	1,746	436	811	176	106	175	123	74	85	68	76	37	5	2	8
Both parents native.....	M.. 697	216	378	60	35	55	35	29	22	26	30	15			3
F.. 581	149	289	48	33	59	37	18	29	26	27	11	3		1	
One or both parents foreign.....	M.. 124	27	49	19	8	22	10	4	7	1	2	1			
F.. 101	20	39	19	12	12	10	3	3	1	1	1				
Foreign born.....	M.. 103	2	5	2	4	12	20	18	14	17	9	2			
F.. 64		1	3	7	5	9	14	9	5	9	1			1	
Colored.....	167	24	59	19	17	26	11	9	14	7	3	1	1		
Males.....	101	12	36	7	11	20	7	6	10	2	2				
Females.....	66	12	23	12	6	6	4	3	4	5	1	1	1		
2. Diseases of the bones.....	272	8	22	15	21	36	26	32	34	33	31	12	4		6
White.....	243	7	21	14	17	30	17	31	30	33	30	11	3		6
Native born.....	168	7	21	12	15	25	8	23	13	18	21	8	2		2
Both parents native.....	M.. 58	1	5	8	7	9	3	5	3	7	6	3	2		
F.. 38	1	4		2	3	1	7	4	6	9	2				
One or both parents foreign.....	M.. 14			3	3	7		1							
F.. 12		2		1	2	1	3	2		1					
Foreign born.....	M.. 53			2	2	3	7	6	11	12	6	3	1		
F.. 16			2			2	1	5	3	3				2	
Colored.....	29	1	1	1	4	6	9	1	4		1	1	1		
Males.....	19			1	3	2	5	1	4		1	1	1		
Females.....	10	1	1		1	4	4								
3. Diseases of the hip joint.....	254	5	22	53	44	60	25	19	10	13	5	3			
White.....	232	4	20	52	40	55	19	17	9	13	5	2			
Native born.....	203	4	20	50	36	46	16	13	6	11	3	2			
Both parents native.....	M.. 57		6	14	9	4	6	6	4	6	2				
F.. 36	1	3	10	4	11	1	3		3		1				
One or both parents foreign.....	M.. 34	1	2	8	10	10	4		1						
F.. 27		4		7	7	5	2		1						
Foreign born.....	M.. 15			1	1	5	1	3	2	1	1				
F.. 12			1	2	4	2	1		1	1					
Colored.....	22	1	2	1	4	5	6	2	1			1			
Males.....	10		1	1	2	2	3		1						
Females.....	12	1	1		2	3	3	2				1			
4. Others of this class.....	169	10	19	9	9	21	14	11	24	23	28	8	1		2
White.....	134	10	14	7	8	12	11	9	21	18	24	7	1		2
Native born.....	96	10	14	7	8	11	10	4	14	11	13	4			
Both parents native.....	M.. 39	2	4	3	6	4	4	2	5	6	2	3			
F.. 24	3	4	2		2	1		5	3	7					
One or both parents foreign.....	M.. 10	3	3			2	1		3	1					
F.. 8			2	2	2	1			1	1					
Foreign born.....	M.. 16					1	1	3	2	3	4	1	1		
F.. 18							2	5	3	6	2				
Colored.....	35		5	2	1	9	3	2	3	5	4	1			
Males.....	19		2			5	2	2		3	4	1			
Females.....	16		3	2	1	4	1		3	2					
X.—Diseases of the skin.....	1,993	426	599	51	52	150	181	162	206	215	202	118	35	3	19
White.....	1,729	382	524	40	40	125	161	137	178	191	180	108	29	1	15
Native born.....	1,336	376	510	35	39	104	116	89	117	121	113	65	19	1	7
Both parents native.....	M.. 434	109	147	9	17	31	34	29	42	50	47	20	6		2
F.. 321	80	118	13	6	28	24	27	26	28	27	15	7		2	
One or both parents foreign.....	M.. 135	59	71	4	6	19	15	7	4	2	3	2		2	
F.. 114	48	63	1	4	8	10	4	12	5	2	4	1			
Foreign born.....	M.. 178	3	6	2		11	24	18	34	35	27	18	2		1
F.. 164		3	2	1	8	15	25	26	29	29	19	6		1	
Colored.....	264	44	75	11	12	25	20	25	28	24	22	10	6	2	4
Males.....	139	22	41	5	7	16	13	11	17	7	13	4	2		3
Females.....	125	22	34	6	5	9	7	14	11	17	9	6	4	2	1

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
XI.—Diseases of the absorbent system—Continued.															
2. Diseases of the spleen	155	8	29	8	7	9	19	18	20	23	18	3			1
White	142	7	25	6	5	8	17	17	20	22	18	3			1
Native born	119	7	24	5	5	7	15	13	16	17	14	2			1
Both parents native	M. 39 F. 35	4 1	10 4	3	1	6	6 3	8 1	2 7	6 5	2 6	1 1			1
One or both parents foreign	M. 10 F. 6	2 2	3 2				2 1	1	1 2	1 1	3 3	1			
Foreign born	M. 14 F. 7		1	1		1	1	3	2 2	3 2	3	1			
Colored	13	1	4	2	2	1	2	1		1					
Males	4			1	1		1	1							
Females	9	1	4	1	1	1	1			1					
3. Others of this class	158	18	28	2	7	15	15	16	29	17	18	8	1	1	1
White	146	17	27	2	6	14	12	16	26	15	18	8	1		1
Native born	108	17	27	2	6	10	7	12	17	8	14	4	1		
Both parents native	M. 31 F. 24	1	3	1	1	3	3 4	3 1	7 2	3 4	5 4	2 1			
One or both parents foreign	M. 11 F. 12	6	7 7		1	2		2	1 2	2	1 1	3			
Foreign born	M. 18 F. 15					2 1	2 3	1	6 3	2 3	3	1			
Colored	12	1	1		1	1	3		3	2				1	
Males	6		1		1	1	1		1	1					
Females	6						2		2	1				1	
XII.—Accidents and injuries															
White	45,149	3,384	7,101	2,389	2,338	7,573	7,192	5,638	4,476	3,156	2,288	1,423	460	65	1,050
Native born	25,705	2,343	5,052	1,722	1,683	4,885	3,864	2,607	1,848	1,336	1,140	872	316	38	342
Both parents native	M. 10,108 F. 3,471	693 535	1,587 1,141	574 319	682 189	2,171 396	1,467 263	1,123 212	878 178	646 167	511 190	288 238	79 126	6 15	96 37
One or both parents foreign	M. 3,775 F. 1,175	304 235	760 512	350 140	391 80	981 164	705 124	292 64	212 23	121 12	67 18	49 21	26 7	14 1	3 9
Foreign born	M. 8,438 F. 1,785	11 9	75 63	108 44	162 53	942 142	1,645 239	1,632 264	1,632 294	1,172 262	636 225	239 138	49 44	5 5	161 12
Colored	6,716	969	1,803	473	390	1,288	986	639	409	221	177	114	34	17	165
Males	4,787	511	958	246	274	1,070	854	534	331	174	131	69	16	8	122
Females	1,929	458	845	227	116	218	132	105	78	47	46	45	18	9	43
1. Burns and scalds	3,850	266	1,883	581	186	280	228	179	124	122	108	87	27	11	34
White	2,744	179	1,330	362	130	201	190	144	106	99	81	63	14	3	21
Native born	2,278	174	1,260	334	116	159	127	81	41	44	43	47	11	2	13
Both parents native	M. 556 F. 745	54 47	391 324	44 151	11 62	28 59	30 37	18 26	10 15	7 17	9 10	6 24	1 9		1 2
One or both parents foreign	M. 233 F. 247	21 13	170 136	18 50	5 16	16 18	14 12	2 8	3 2	3	3	1	1		1
Foreign born	M. 161 F. 223	1 1	22 28	6 13	3 9	18 17	26 25	21 33	21 38	21 27	11 22	7 6	1	1	4
Colored	1,106	87	553	219	56	79	38	35	18	23	27	24	13	8	13
Males	454	40	280	69	9	24	13	13	5	10	13	6	4	1	7
Females	652	47	273	150	47	55	25	22	13	13	14	18	9	7	6
2. Drowned	5,104	60	587	510	611	1,135	764	564	394	247	135	30	8	1	148
White	4,416	55	507	455	512	948	638	490	344	228	128	24	6	1	135
Native born	2,839	45	471	393	437	716	349	181	108	79	61	9	2	1	32
Both parents native	M. 1,173 F. 242	13 10	176 85	144 31	170 28	326 43	135 22	76 9	54 7	40 5	29 6	3 2	1 1		10 2
One or both parents foreign	M. 613 F. 107	9 2	107 37	107 31	124 10	154 23	67 4	35 2	8 2	5 2	3 1	1			2
Foreign born	M. 978 F. 114	1 1	9 5	48 6	58 11	176 7	190 20	162 17	150 16	103 18	41 12	10 2	2		29
Colored	688	5	50	55	99	187	126	74	50	19	7	6	2		13
Males	616	4	38	42	82	177	119	70	44	18	7	5	1		13
Females	72	1	12	13	17	10	7	4	6	1	1	1			

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1.	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
XII.—Accidents and injuries—Continued.															
8. Railroad accidents.....	5,756	13	78	150	250	1,387	1,389	930	592	395	260	130	16	3	176
White.....	5,310	10	72	135	231	1,250	1,280	857	555	379	246	123	15	2	165
Native born.....	3,193	10	61	120	193	987	816	426	219	147	114	67	9	1	33
Both parents native.....	1,367	2	20	51	60	442	333	180	107	75	53	31	4	1	19
One or both parents foreign.....	625	4	12	8	7	23	18	11	11	12	9	6	1		
Foreign born.....	43	1	11	33	69	249	162	68	16	7	7	3			
M.....	1,406		6	7	5	8	8	4	2	2	1		4	1	28
F.....	130		7	9	22	166	295	300	256	183	94	41	4	2	2
Colored.....	446	3	6	15	19	137	109	73	37	16	14	7	1	1	11
Males.....	409	3	5	12	17	132	105	64	31	15	10	6	1		11
Females.....	37		1	3	2	5	4	9	6	1	4	1		1	
9. Suffocation.....	2,124	1,269	1,458	55	34	121	103	86	84	46	44	25	7	1	60
White.....	1,658	910	1,064	45	31	112	93	75	78	42	41	23	5	1	48
Native born.....	1,375	891	1,033	39	23	65	47	34	42	18	21	12	1		40
Both parents native.....	418	259	305	12	5	28	10	10	20	8	7	1			12
One or both parents foreign.....	253	175	207	6	3	3	9	3	5	2	4	3			8
Foreign born.....	186	122	141	10	5	9	13	5			1				2
M.....	144	104	123	4		7	3	1	1				1		4
F.....	164	2	5	1	4	27	35	28	23	13	15	7	3	1	2
Colored.....	466	359	394	10	3	9	10	11	6	4	3	2	2		12
Males.....	219	170	184	5	2	2	6	8	3	3		1			5
Females.....	247	189	210	5	1	7	4	3	3	1	3	1	2		7
10. Suicide by shooting.....	1,066			1	7	215	240	186	193	121	70	16			17
White.....	1,035			1	5	203	231	183	190	121	70	16			15
Native born.....	585			1	4	155	147	98	76	45	40	11			3
Both parents native.....	271			1	1	78	44	58	38	22	20	7			2
One or both parents foreign.....	25				1	11	8	3	2						
Foreign born.....	88				1	28	33	9	11	3	3				
M.....	10					4	5	1	1						
F.....	365					34	62	68	101	66	28	4			2
Colored.....	31				2	12	9	3	3						2
Males.....	28				2	11	7	3	3						2
Females.....	3					1	2								
11. Suicide by drowning.....	224				2	29	40	36	50	31	17	10	1		3
White.....	217				2	27	38	35	49	30	17	10	1		3
Native born.....	109				1	21	23	19	25	11	4	4			1
Both parents native.....	31					4	4	5	7	5	3	2			1
One or both parents foreign.....	30				1	5	8	3	7	5	1	1			
Foreign born.....	9					3	1	2	2						
M.....	10					2	5	1	1			1			
F.....	69				1	3	9	10	19	12	7	5	1		2
Colored.....	7					2	2	1	1	1					
Males.....	4					2	1	1							
Females.....	3						1		1	1					
12. Suicide by poison.....	853			1	4	173	193	145	160	93	54	18	2		15
White.....	829				4	161	185	143	157	92	54	18	2		13
Native born.....	470				4	123	114	66	72	45	28	11	2		5
Both parents native.....	115					11	24	18	25	19	10	5			3
One or both parents foreign.....	93				2	47	18	12	6	4	2	1	1		
Foreign born.....	28					5	11	4	4	3		1			
M.....	30				1	14	9	2	3						1
F.....	208					8	39	41	61	35	18	5			1
Colored.....	29			1		12	8	2	3	1					2
Males.....	11			1		3	3		3	1					
Females.....	18					9	5	2	2						2

STATISTICS OF DEATHS.

671

TABLE 14.—DEATHS IN THE UNITED STATES, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
XII.—Accidents and injuries—Continued.															
13. Other suicides	1,784			2	14	166	269	346	367	301	182	68	11		58
White	1,735			1	13	159	253	339	361	300	179	66	11		53
Native born	920			1	10	111	154	166	180	146	84	49	7		21
Both parents native	M 397 F 109				6	38	60	63	68	78	52	20	3		9
One or both parents foreign	M 84 F 27			1	2	17	28	12	14	7	2	1	1		1
Foreign born	M 596 F 106				2	28	71	122	139	119	81	20	4		10
Colored	49			1	1	7	16	7	6	1	3	2			5
Males	34			1		4	13	7	2	1	3				3
Females	15				1	3	3		4			2			2
14. Sunstroke	475	30	56	15	11	69	76	59	65	52	37	23	5	1	6
White	389	25	51	13	9	55	61	51	54	43	28	17	3		4
Native born	218	22	43	12	9	33	28	16	23	23	17	11	1		2
Both parents native	M 89 F 27	3	8	1	6	14	6	6	14	12	13	7	1		1
One or both parents foreign	M 42 F 12	7	12	3	1	11	7	3	1	2	3	1			1
Foreign born	M 126 F 21	1	6	4	1	1	1	25	24	15	9	3	1		1
Colored	86	1	5	2	2	14	15	8	11	9	9	6	2	1	2
Males	61	1	2		2	8	14	6	8	6	8	3	2	1	1
Females	25		3	2		6	1	2	3	3	1	3			1
15. Surgical operations	865	46	70	23	18	96	189	192	123	88	41	19			6
White	802	46	69	22	17	87	170	177	116	82	41	16			5
Native born	518	46	67	21	13	60	112	107	57	44	24	11			2
Both parents native	M 102 F 105	5	9	8	3	15	13	18	10	13	7	6			
One or both parents foreign	M 65 F 46	20	27	4	6	6	13	3	5	1					
Foreign born	M 113 F 128	3	7	1	1	4	9	20	20	22	27	8	4		1
Colored	63		1	1	1	9	19	15	7	6		3			1
Males	32					6	9	7	5	4		1			
Females	31		1	1	1	3	10	8	2	2		2			1
16. Wounds	1,176	47	125	81	90	198	157	123	128	109	85	38	13	2	27
White	985	41	112	68	80	145	129	103	114	90	76	37	13	1	17
Native born	711	41	108	59	73	120	89	61	61	50	44	25	11	1	9
Both parents native	M 282 F 64	13	39	26	22	49	22	27	31	27	22	11	3		3
One or both parents foreign	M 87 F 24	3	11	7	12	19	13	10	2	4	4	3	5		1
Foreign born	M 197 F 35	3	5	4	18	30	33	40	32	20	10	1	1		1
Colored	191	6	13	13	10	53	28	20	14	19	9	1		1	10
Males	146	4	9	8	7	46	22	14	13	13	7			1	6
Females	45	2	4	5	3	7	6	6	1	6	2	1			4
17. Other accidents and injuries	16,048	1,146	2,153	785	800	2,263	2,341	2,004	1,727	1,298	1,099	881	342	40	315
White	14,304	863	1,704	684	683	1,967	2,129	1,836	1,564	1,229	1,027	833	335	35	278
Native born	9,388	818	1,641	623	591	1,493	1,241	959	699	559	578	581	261	30	124
Both parents native	M 3,709 F 1,393	269	525	232	274	675	478	414	341	273	237	167	61	4	28
One or both parents foreign	M 1,349 F 391	203	371	91	61	114	80	77	70	77	130	188	106	14	14
Foreign born	M 3,514 F 750	98	242	146	130	326	258	110	44	27	25	19	11	1	9
Colored	1,744	283	449	101	117	206	212	168	163	69	72	48	7	5	37
Males	1,313	168	260	69	90	249	184	142	131	56	57	37	5	4	29
Females	431	115	189	32	27	47	28	26	32	13	15	11	2	1	8

TABLE 15.

NUMBER OF DEATHS IN EACH OF FIVE GEOGRAPHICAL DIVISIONS, BY AGE AND SEX,
WITH DISTINCTION OF COLOR, NATIVITY, AND PARENTAL NATIVITY, AND SPECI-
FICATION OF CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890.

STATISTICS OF DEATHS.

675

TABLE 17.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890. (a)

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
All causes	316, 675	74, 850	100, 673	10, 772	5, 538	22, 542	26, 791	24, 004	24, 769	26, 637	30, 070	24, 720	8, 269	722	2, 078
White	309, 818	72, 092	106, 954	10, 531	5, 333	21, 879	26, 147	23, 436	24, 222	26, 244	29, 717	24, 483	8, 167	686	2, 019
Native born	231, 894	71, 613	103, 825	9, 649	4, 699	16, 996	17, 704	12, 859	11, 489	12, 869	17, 566	16, 925	5, 825	427	1, 061
Both parents native	M. 54, 791 F. 51, 887	14, 286 11, 000	20, 701 16, 919	2, 167 2, 168	1, 031 1, 154	3, 288 3, 493	3, 041 3, 613	3, 020 3, 301	3, 455 3, 500	4, 424 4, 066	6, 188 5, 562	5, 570 5, 564	1, 596 2, 179	74 190	236 188
One or both parents foreign	M. 39, 922 F. 34, 361	18, 315 14, 471	25, 936 21, 520	1, 906 1, 790	860 828	3, 505 3, 343	3, 887 3, 242	1, 703 1, 534	746 682	476 405	384 392	344 416	99 139	11 13	65 57
Foreign born	M. 37, 708 F. 33, 451	327 287	982 941	371 363	268 286	2, 293 2, 162	4, 209 3, 592	5, 627 4, 343	6, 698 5, 434	6, 818 5, 962	5, 909 5, 445	3, 329 3, 405	865 1, 188	95 147	244 183
Colored	6, 857	1, 867	2, 719	241	205	663	644	658	547	393	353	237	102	36	59
Males	3, 578	1, 004	1, 418	125	98	345	339	369	303	203	189	101	40	11	37
Females	3, 279	863	1, 301	116	107	318	305	289	244	190	164	136	62	25	22
Unknown causes	4, 202	1, 290	1, 580	92	47	153	209	240	254	351	527	380	120	6	243
White	4, 128	1, 269	1, 550	88	47	149	202	235	250	345	521	379	119	0	237
Native born	3, 063	1, 176	1, 422	77	44	105	136	153	152	203	345	263	79	5	79
Both parents native	M. 930 F. 843	340 253	408 312	23 19	6 12	24 30	22 54	41 61	56 58	79 63	132 109	93 78	32 25	1	13 22
One or both parents foreign	M. 387 F. 300	233 179	285 213	16 9	8 6	16 16	17 17	12 8	6 3	4 7	6 8	5 8	2	1	10 4
Foreign born	M. 432 F. 402	37 34	46 47	3 0	1 2	16 19	27 28	36 30	45 40	59 67	81 74	57 39	22 8	4	39 42
Colored	74	21	30	4	4	7	5	4	6	6	1	1	6
Males	38	9	15	2	1	4	3	2	2	4	5
Females	36	12	15	2	3	3	2	2	4	2	1	1	1
I.—General diseases:															
General diseases—A	58, 418	20, 262	34, 909	5, 284	1, 905	4, 137	2, 959	1, 913	1, 613	1, 727	1, 803	1, 490	445	39	185
White	57, 434	19, 875	34, 328	5, 209	1, 859	4, 054	2, 889	1, 873	1, 582	1, 709	1, 782	1, 488	441	37	183
Native born	49, 650	19, 299	32, 979	4, 818	1, 658	3, 093	1, 942	1, 108	813	823	992	972	318	22	112
Both parents native	M. 10, 703 F. 9, 996	3, 601 3, 045	6, 304 5, 652	1, 099 1, 179	390 477	791 698	439 429	316 291	242 240	305 266	348 306	337 322	100 108	5 10	26 18
One or both parents foreign	M. 10, 326 F. 9, 745	5, 006 4, 494	8, 227 7, 588	879 954	234 268	476 412	300 274	100 103	49 54	21 24	16 23	10 30	7 7	7 8
Foreign born	M. 3, 436 F. 3, 303	129 133	406 421	149 173	68 94	489 395	526 366	401 326	375 362	398 438	352 384	209 251	38 71	8 7	17 15
Colored	984	387	581	75	46	83	70	40	31	18	21	11	4	2	2
Males	490	186	289	36	19	40	36	22	15	9	14	6	2	1	1
Females	494	201	292	39	27	43	34	18	16	9	7	5	2	1	1
1. Smallpox	35	4	9	3	15	2	6
White	34	4	9	3	14	2	6
Native born	25	4	9	3	10	3
Both parents native	M. 4 F. 4	1 1	1	1 3	1
One or both parents foreign	M. 2 F. 3	1 1	1 2	1	1
Foreign born	M. 7 F. 2	4	1	2
Colored	1	1
Males
Females	1	1
2 Measles	1, 925	504	1, 611	139	34	74	27	17	10	6	2	2	1	2
White	1, 901	501	1, 590	138	33	74	27	17	10	6	2	1	1	2
Native born	1, 738	458	1, 460	126	29	68	22	15	8	5	2	1	1	1
Both parents native	M. 348 F. 335	94 62	276 240	35 28	10 11	17 27	5 12	2 9	1 5	1 3	1
One or both parents foreign	M. 880 F. 393	102 116	353 351	21 28	2 2	3 8	1
Foreign born	M. 47 F. 53	8 5	30 41	7 2	2 2	1 4	3 2	2	1 1	1
Colored	24	3	21	1	1	1
Males	13	2	11	1	1
Females	11	1	10	1

a A description of grand division A is given on page 583.

STATISTICS OF DEATHS.

677

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known
I.—General diseases—Continued.															
General diseases—A—Continued.															
8. Enteric fever	7,111	76	301	305	468	2,500	1,638	795	468	282	203	97	14	3	37
White	6,555	74	295	291	452	2,449	1,603	785	453	278	199	97	14	3	36
Native born	4,975	71	278	252	392	1,806	1,062	483	271	181	141	75	10	3	21
Both parents native	M.. 1,356 F.. 1,117	14 20	70 64	56 58	81 103	474 378	278 181	157 117	72 90	75 59	52 39	28 20	5 2	2 1	6 5
One or both parents foreign	M.. 608 F.. 503	11 12	45 42	32 44	56 59	282 194	178 109	50 33	15 16	5 2	3 2	3 2	1 2		1
Foreign born	M.. 1,118 F.. 728	2 5	10 5	17 18	22 34	358 244	332 176	178 108	103 68	46 41	34 22	11 10	3 1		4 1
Colored	156	2	6	14	16	51	35	10	15	4	4				1
Males	83	1	3	9	4	27	22	5	8	2	3				
Females	73	1	3	5	12	24	13	5	7	2	1				1
9. Diarrheal diseases	26,624	16,372	20,979	398	179	398	482	480	612	839	994	886	268	20	84
White	26,190	16,068	20,607	394	175	390	471	472	605	833	988	881	267	19	88
Native born	23,038	15,624	19,884	359	145	295	301	225	242	321	487	523	188	10	58
Both parents native	M.. 4,509 F.. 4,040	2,852 2,368	3,690 3,115	93 91	31 23	61 51	40 70	53 71	73 103	108 168	145 189	153 71	50 5	1 5	11 10
One or both parents foreign	M.. 5,381 F.. 4,895	4,147 3,658	5,140 4,590	56 53	25 30	49 65	53 65	22 22	13 17	4 9	6 15	5 21	4 4		4 4
Foreign born	M.. 1,232 F.. 1,452	103 115	207 205	15 17	10 14	32 55	80 80	122 115	165 189	207 279	229 241	134 192	20 52	4 5	7 8
Colored	434	304	372	4	4	8	11	8	7	6	6	5	1	1	1
Males	217	146	186	3	3	3	4	3	2	4	5	2	1	1	1
Females	217	158	186	1	1	5	7	5	5	2	1	3	1		
10. Malarial fever	1,986	100	306	126	79	301	270	195	170	220	172	113	21	4	9
White	1,934	96	291	119	75	297	262	191	167	217	168	113	21	4	9
Native born	1,381	96	287	109	67	232	173	125	92	103	96	76	13	2	6
Both parents native	M.. 408 F.. 343	22 21	68 61	32 25	9 18	60 58	49 41	35 28	32 19	37 35	45 26	31 26	6 3	2 2	4 1
One or both parents foreign	M.. 187 F.. 232	17 26	63 67	19 20	20 15	38 49	25 35	11 23	5 7	5 2	1 2	1 2			1
Foreign born	M.. 253 F.. 257	2 2	2 2	3 7	2 5	31 25	51 34	29 33	31 37	58 50	21 46	21 12	2 5	2	1
Colored	52	4	15	7	4	4	8	4	3	3	4				
Males	29	2	10	2	3	1	4	4	2	2	1				
Females	23	2	5	5	1	3	4	1	1	1	3				
11. Erysipelas	848	260	291	12	4	43	45	73	73	92	101	84	22	3	5
White	834	257	288	12	4	42	41	70	73	92	101	82	21	3	5
Native born	604	248	277	11	4	30	28	36	33	45	62	58	18	1	1
Both parents native	M.. 141 F.. 155	48 44	51 55	5 1		8 6	7 8	10 11	13 14	15 22	20 18	17 9	3 3		
One or both parents foreign	M.. 87 F.. 90	53 62	61 68	2 1	1	6 3	7 10	4 3	2 1	2 1	1 1	1 1			
Foreign born	M.. 112 F.. 99			1		5 7	8 5	24 10	21 19	28 17	16 21	6 13	1 2	1 1	1 3
Colored	14	3	3			1	4	3				2	1		
Males	9	2	2			1	2	1				2	1		
Females	5	1	1				2	2							
12. Septicæmia	1,092	98	161	35	29	141	192	134	123	115	91	49	11		11
White	1,069	96	159	34	28	137	185	130	121	115	89	49	11		11
Native born	798	93	153	31	20	100	142	86	79	70	67	39	5		6
Both parents native	M.. 215 F.. 199	21 9	33 20	5 6	6 5	20 28	19 45	22 24	27 17	31 21	30 19	19 13	2 1		1
One or both parents foreign	M.. 65 F.. 84	13 21	26 26	9 1	1 4	12 15	8 21		8 10		1 5				1
Foreign born	M.. 119 F.. 120		1	1	3	18 17	12 28	19 21	21 18	26 17	10 8	4 3	4 2		1
Colored	23	2	2	1	1	4	7	4	2		2				
Males	8				1	2	1	2	1		1				
Females	15	2	2	1	2	2	6	2	1		1				

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—A—Continued.															
13. Venereal diseases.....	466	246	265	3	3	21	55	53	34	13	14	2			3
White.....	432	234	251	3	3	16	51	45	32	13	13	2			3
Native born.....	344	225	240	3	3	8	32	24	14	9	8	2			1
Both parents native.....	M.. 50	28	29				8	2	4	3	2	2			
F.. 45	25	29			1	3	5	1	5	1					
One or both parents foreign.....	M.. 78	59	64			1	7	3	1	1					
F.. 59	43	45		1		3	7	2		1					
Foreign born.....	M.. 42					1	14	8	14	1	4				
F.. 29		1				6	3	12	3	2	1				1
Colored.....	34	12	14			5	4	8	2		1				
Males.....	20	6	8			2	3	5	1		1				
Females.....	14	6	6			3	1	3	1						
14. Others of this group.....	925	61	110	28	16	33	30	30	49	104	181	233	100	9	2
White.....	903	58	105	28	16	31	30	29	48	99	178	231	98	8	2
Native born.....	637	57	102	22	15	22	21	20	24	53	98	176	78	6	
Both parents native.....	M.. 230	12	21	9	3	6	4	11	6	26	42	79	30	2	
F.. 145	15	22	2	2	4	6	4	7	13	20	46	21	2		
One or both parents foreign.....	M.. 68	19	32	5	5	5	4	4	1	3	3	4	2		
F.. 35	6	12	3	4	4	4	4	1	2	2	1	2			
Foreign born.....	M.. 120			2	1	4	4	6	12	21	33	28	7	1	1
F.. 121		2		4		4	5	3	12	23	40	19	8	1	
Colored.....	22	3	5			2		1	1	5	3	2	2	1	
Males.....	10	1	2			2			1	1	2	1	1		
Females.....	12	2	3					1		4	1	1	1	1	
General diseases—B.....	4,278	2,367	2,538	37	9	90	369	400	334	219	119	83	29	3	48
White.....	4,161	2,280	2,442	35	9	89	367	392	332	216	117	82	29	3	48
Native born.....	3,340	2,257	2,414	27	9	63	236	192	129	92	64	52	25	1	36
Both parents native.....	M.. 678	388	424	8	3	11	36	50	54	33	24	22	6		7
F.. 448	309	337	6	2	12	11	20	9	15	10	14	8			4
One or both parents foreign.....	M.. 659	431	458	6	2	14	101	47	21	7	1	1			1
F.. 450	355	379	1	1	8	28	18	8	2	1	1	2			1
Foreign born.....	M.. 517	4	5	3		10	84	134	145	80	32	19	2		3
F.. 195	2	5	2		11	32	44	40	35	16	8	1	1		
Colored.....	117	87	96	2		1	2	8	2	3	2	1			
Males.....	66	48	51	1		1	2	7	2	1		1			
Females.....	51	39	45	1				1		2	2				
1. Parasitic diseases.....	37	2	23	7	1		3	1		1		1			
White.....	35	2	21	7	1		3	1		1		1			
Native born.....	28	2	20	4	1		1	1				1			
Both parents native.....	M.. 7		5		1							1			
F.. 5		4					1								
One or both parents foreign.....	M.. 4	1	3	1											
F.. 4		1	5												
Foreign born.....	M.. 5		1	2			1			1					
F.. 1							1								
Colored.....	2		2												
Males.....	1		1												
Females.....	1		1												
2. Alcoholism.....	1,138	2	3	7	2	40	295	328	265	129	43	17	1		
White.....	1,124	2	3	6	2	40	294	321	263	126	43	17	1		
Native born.....	539	2	3	5	2	25	190	145	98	45	16	9			
Both parents native.....	M.. 152			1		6	28	37	40	20	12	7			
F.. 17						2	2	8	3	1	1				
One or both parents foreign.....	M.. 177	1	2	3	2	9	93	44	17	5	1	1			
F.. 49						3	26	13	6						
Foreign born.....	M.. 404			1		7	69	121	123	55	20	7	1		
F.. 127						5	27	36	33	20	5	1			
Colored.....	14			1			1	7	2	3					
Males.....	11			1			1	6	2	1					
Females.....	3							1	2	2					

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—C—Continued.															
2. Stillborn	13,481	13,481	13,481												
White.....	13,133	13,133	13,133												
Native born.....	13,133	13,133	13,133												
Both parents native.....	{ M. 2,520	2,520	2,520												
	{ F. 1,748	1,748	1,748												
One or both parents foreign.....	{ M. 4,712	3,712	3,712												
	{ F. 2,587	2,587	2,587												
Foreign born.....	{ M. 2,587														
	{ F. 2,587														
Colored.....	348	348	348												
Males.....	193	193	193												
Females.....	155	155	155												
3. Malformation.....	678	651	661	6	2	4			1						4
White.....	668	643	651	6	2	4			1						4
Native born.....	660	639	644	6	2	4									4
Both parents native.....	{ M. 168	163	165			1									2
	{ F. 133	128	130	2	1										
One or both parents foreign.....	{ M. 139	136	136	2		1									
	{ F. 114	109	110	2	1	1									
Foreign born.....	{ M. 2		2												
	{ F. 2		1						1						
Colored.....	10	8	10												
Males.....	5	4	5												
Females.....	5	4	5												
4. Debility and atrophy.....	12,573	7,386	8,275	83	32	109	150	152	240	482	981	1,352	581	54	82
White.....	12,266	7,196	8,039	81	31	107	148	149	232	473	970	1,336	570	49	81
Native born.....	10,210	7,035	7,836	75	28	80	95	99	108	184	458	820	339	28	60
Both parents native.....	{ M. 1,857	1,249	1,363	15	4	10	11	15	18	34	115	193	64	4	11
	{ F. 1,814	1,019	1,148	18	6	13	24	29	30	44	142	272	100	11	7
One or both parents foreign.....	{ M. 1,966	1,678	1,870	11	3	16	9	7	4	7	6	12	9		12
	{ F. 1,668	1,382	1,533	16	10	16	19	10	7	8	9	28	9		3
Foreign born.....	{ M. 802	22	40	5	1	9	20	27	50	124	218	203	91	7	7
	{ F. 982	25	39	1	1	16	31	20	64	140	262	263	121	12	3
Colored.....	307	190	236	2	1	2	2	3	8	9	11	16	11	5	1
Males.....	146	95	116		1			3	2	3	5	7	6	2	1
Females.....	161	95	120	2		2	2		6	6	6	9	5	3	
5. Old age.....	7,824									107	1,006	3,498	2,811	366	36
White.....	7,718									102	990	3,465	2,776	349	36
Native born.....	4,637									35	392	2,137	1,873	204	16
Both parents native.....	{ M. 1,233									11	103	591	492	34	2
	{ F. 1,642									7	128	712	699	94	2
One or both parents foreign.....	{ M. 84										10	39	30	4	1
	{ F. 129									3	14	59	45	7	1
Foreign born.....	{ M. 1,173									28	227	528	331	52	7
	{ F. 1,598									38	354	668	467	86	5
Colored.....	106									5	16	33	35	17	
Males.....	34										7	11	11	5	
Females.....	72									5	9	22	24	12	
General diseases—D.....	54,911	2,265	4,255	706	903	8,635	10,559	8,175	6,982	6,094	5,073	2,655	485	30	359
White.....	53,343	2,197	4,075	647	811	8,297	10,264	7,939	6,819	6,003	5,016	2,620	481	26	345
Native born.....	35,864	2,151	3,907	573	702	6,613	7,352	4,564	3,352	3,171	3,142	1,910	365	14	199
Both parents native.....	{ M. 7,479	488	863	102	112	927	1,090	885	828	943	992	591	112	1	33
	{ F. 9,691	353	673	123	217	1,414	1,478	1,311	1,216	1,180	1,159	712	138	10	53
One or both parents foreign.....	{ M. 5,446	580	1,013	122	79	1,428	1,732	640	213	111	66	32	3		7
	{ F. 5,357	410	800	117	175	1,657	1,509	609	227	127	73	48	4		11
Foreign born.....	{ M. 8,531	8	52	36	30	712	1,368	1,705	1,800	1,461	965	329	27	6	40
	{ F. 7,881	13	52	23	71	863	1,376	1,541	1,537	1,253	779	291	65	6	24
Colored.....	1,568	68	180	59	92	332	295	236	163	91	57	35	4	4	14
Males.....	863	37	98	28	41	172	169	140	93	52	39	20	1	1	9
Females.....	705	31	82	31	51	166	126	96	70	39	18	15	3	3	5

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over	Un- known.
I.—General diseases—Continued.															
General diseases—D—Continued.															
12. Others of this class	8	1	2		1				2		2	1			
White	8	1	2		1				2		2	1			
Native born	4	1	2		1						1				
Both parents native	M 1 F 2		1		1						1				
One or both parents foreign	M 1 F 1	1	1												
Foreign born	M 3 F 1								2			1			
Colored															
Males															
Females															
II.—Diseases of the nervous system	37,967	8,781	13,672	1,009	510	1,120	1,400	1,874	2,862	3,942	5,512	4,683	1,089	42	252
White	37,227	8,550	13,325	981	500	1,090	1,371	1,834	2,803	3,882	5,443	4,638	1,076	41	243
Native born	29,209	8,425	13,037	903	443	886	1,008	1,121	1,530	2,175	3,605	3,497	828	30	146
Both parents native	M 7,405 F 6,869	1,708 1,265	2,613 2,136	186 194	100 96	173 184	212 180	296 261	428 454	717 692	1,247 1,147	1,176 1,141	206 350	10 12	41 22
One or both parents foreign	M 4,037 F 3,465	2,022 1,520	2,986 2,482	173 154	89 78	181 144	180 142	125 117	77 81	66 74	67 81	74 75	15 27	1 2	3 8
Foreign born	M 3,829 F 3,423	42 25	101 87	32 36	29 23	96 81	196 140	394 276	619 577	850 764	886 795	500 501	102 119	6 3	18 21
Colored	740	231	347	28	10	30	29	40	59	60	69	45	13	1	9
Males	369	125	182	16	5	22	17	21	24	26	30	15	5		6
Females	371	106	165	12	5	8	12	19	35	34	39	30	8	1	3
1. Inflammation of the brain	7,019	2,395	4,710	561	236	343	289	249	222	158	132	81	10		28
White	6,892	2,354	4,633	547	231	336	284	243	217	156	130	80	10		25
Native born	6,173	2,320	4,521	502	200	263	202	141	109	89	74	51	8		13
Both parents native	M 1,338 F 1,148	495 358	944 781	114 97	47 37	44 49	50 39	38 28	36 27	24 32	23 29	13 18	2 2		3 5
One or both parents foreign	M 1,390 F 1,185	600 438	1,102 936	107 92	42 42	65 51	39 31	19 22	10 4	4 3	1 2	1 1			
Foreign born	M 363 F 282	12 11	39 42	19 22	14 13	35 29	46 35	67 31	63 41	43 22	43 29	24 15	13 1		1 3
Colored	127	41	77	14	5	7	5	6	5	2	2	1			3
Males	73	20	41	10	1	5	3	4	3	1	2	1			2
Females	54	21	36	4	4	2	2	2	2	1					1
2. Apoplexy	8,709	91	144	21	18	105	257	493	1,111	1,807	2,379	1,863	421	22	69
White	8,570	88	139	21	18	102	246	479	1,088	1,777	2,349	1,845	416	21	69
Native born	5,260	86	136	21	17	76	180	265	537	918	1,431	1,326	301	15	37
Both parents native	M 1,677 F 1,582	19 18	34 27	3 5	3 2	19 17	36 28	63 63	151 164	321 263	509 457	451 415	69 132	9 4	9 5
One or both parents foreign	M 234 F 242	11 10	16 20	4 2	4 4	20 10	38 33	34 36	30 33	25 36	24 30	31 26	8 8		3
Foreign born	M 1,547 F 1,520		1		1	9	43	108	245	415	438	226	50	4	7
Colored	139	3	5			3	11	14	23	30	30	17	5	1	
Males	54	2	3			2	6	6	5	11	14	4	3		
Females	85	1	2			1	5	8	18	19	16	13	2	1	
3. Paralysis	6,674	58	140	33	25	85	167	323	627	1,002	1,831	1,871	510	15	45
White	6,584	57	137	33	25	83	165	318	613	986	1,808	1,855	502	15	44
Native born	4,774	55	132	30	21	65	131	216	368	605	1,306	1,456	410	12	22
Both parents native	M 1,485 F 1,600	14 9	30 26	7 6	5 9	14 18	26 29	78 47	117 106	173 231	445 445	477 498	102 174		11 4
One or both parents foreign	M 194 F 197	11 10	28 25	5 8	3 3	13 9	24 17	16 15	18 22	18 14	30 31	30 37	7 16		1
Foreign born	M 805 F 806	1 1	2 2		4	12	20	50	105	171	234	170	32	2	3
Colored	90	1	3			2	2	5	14	16	23	16	8		1
Males	26	1	2			2	2	3	4	6	7	8	2		
Females	54		1					2	10	10	16	8	6		1

VITAL AND SOCIAL STATISTICS.

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
II.—Diseases of the nervous system—Cont'd.															
4. Tetanus and trismus nascentium.....	349	223	229	16	16	18	17	17	9	15	9	1			2
White.....	337	215	221	16	16	18	16	14	9	15	9	1			2
Native born.....	292	213	219	13	14	17	10	6	4	3	3	1			2
Both parents native.....	76	45	47	7	3	6	4	2	2	1	3				1
One or both parents foreign.....	35	27	28	1	1	1	2	1	1		1				1
Foreign born.....	85	64	66	2	6	8	1	1	1						1
M.....	51	46	46	1	1	1	2	1	1						
F.....	32	1	1	2	2	1	4	6	4	8	5				
M.....	10						2	2	1	3	1				
F.....															
Colored.....	12	8	8				1	3							
Males.....	9	7	7				1	1							
Females.....	3	1	1					2							
5. Epilepsy.....	822	43	87	35	35	145	129	120	72	79	76	30	5		9
White.....	805	43	83	33	35	140	127	120	70	79	74	30	5		9
Native born.....	602	41	79	30	34	121	102	81	42	42	43	20	5		3
Both parents native.....	165	12	21	9	13	32	29	17	8	14	15	3	3		1
One or both parents foreign.....	114	12	17	11	2	18	13	21	10	9	6	10	2		
Foreign born.....	81	7	21	1	5	22	12	9	4	4	3				
M.....	70	8	10	7	6	23	11	6	2	4	1				
F.....	102	1	2	2	1	6	10	21	17	21	15	6			1
M.....	72		1			8	9	14	8	14	14	3			1
F.....															
Colored.....	17		4	2		5	2		2		2				
Males.....	11		3	1		3	1		2		1				
Females.....	6		1	1		2	1				1				
6. Convulsions.....	7,088	4,861	6,515	155	44	80	66	51	46	26	38	25	5		37
White.....	6,875	4,713	6,319	148	41	80	65	49	46	26	38	24	5		34
Native born.....	6,645	4,650	6,198	138	36	71	47	35	26	17	26	15	4		32
Both parents native.....	1,196	868	1,120	18	4	6	5	12	3	5	9	7	2		5
One or both parents foreign.....	1,001	642	892	27	11	17	10	7	12	6	9	5			5
Foreign born.....	1,485	1,125	1,439	27	8	3	6	2	2	2	2	4			4
M.....	1,245	864	1,193	20	3	15	4	2	2	2	2	4			4
F.....	88	22	43	3	1	2	4	7	8	7	4	4			2
M.....	82	9	27	5	4	4	13	7	9	1	6	3	1		2
F.....															
Colored.....	213	148	196	7	3		1	2			1				3
Males.....	103	73	92	5	2		1	1							3
Females.....	110	75	104	2	1		1	1			1				
7. Mental diseases.....	1,023				1	53	100	143	176	144	195	169	30	1	11
White.....	1,005				1	49	98	141	173	141	193	167	30	1	11
Native born.....	587				1	32	67	76	101	69	110	108	19		4
Both parents native.....	130					3	11	11	18	17	32	31	6		1
One or both parents foreign.....	130					6	10	18	24	20	17	30	5		
Foreign born.....	24				1	6	9	5	1	2					
M.....	30					5	10	5	5	4		1			
F.....	179					8	13	31	32	33	34	21	5		2
M.....	158					6	16	30	36	30	43	30	5	1	1
F.....															
Colored.....	18					4	2	2	3	3	2	2			
Males.....	13					3	1	2	2	3	2				
Females.....	5					1	1		1		2				
8. Diseases of the brain.....	4,669	956	1,541	118	81	178	262	334	402	484	624	511	90	4	40
White.....	4,566	929	1,491	116	80	170	258	327	390	479	618	505	90	4	38
Native born.....	3,637	911	1,458	108	72	144	188	203	224	292	443	409	69	3	24
Both parents native.....	991	207	327	19	17	30	34	56	62	111	152	155	20	1	7
One or both parents foreign.....	833	159	278	23	18	33	30	43	61	80	118	119	26	1	3
Foreign born.....	443	183	277	22	13	28	40	28	9	8	8	10			
M.....	340	124	212	16	12	21	23	14	9	9	11	9	2	1	1
F.....	525	6	12	5	3	16	38	78	104	104	99	51	12		3
M.....	312	3	10	2	5	8	23	41	51	68	63	33	7	1	
F.....															
Colored.....	103	27	50	2	1	8	4	7	12	5	6	6			2
Males.....	61	20	31		1	6	3	4	8	2	3	2			1
Females.....	42	7	19	2		2	1	3	4	3	3	4			1

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
II.—Diseases of the nervous system—Cont'd.															
9. Diseases of the spinal cord.....	951	142	283	54	41	63	56	73	111	139	90	35			6
White.....	940	139	279	52	41	63	56	72	111	137	89	34			6
Native born.....	731	137	271	50	36	53	35	43	62	86	60	31			4
Both parents native.....	M 231 F 193	42 37	79 78	7 17	8 11	16 8	9 4	10 8	21 16	38 25	28 19	15 7			
One or both parents foreign.....	M 81 F 72	20 18	35 37	5 7	5 4	13 4	8 3	5 12	4 3	4 2	1 2				1
Foreign born.....	M 137 F 60	2 1	2 4	3 2	7 1	14 3	20 5	33 8	35 13	20 14	2 9	1			1
Colored.....	11	3	4	2				1		2	1	1			
Males.....	5	2	3							1	1				
Females.....	6	1	1	2				1		1		1			
10. Others of this class.....	663	12	23	16	13	50	57	71	86	88	138	98	18		5
White.....	653	12	23	15	12	49	56	71	86	86	135	97	18		5
Native born.....	508	12	23	11	12	44	46	55	57	54	109	80	12		5
Both parents native.....	M 116 F 233	6 3	11 5	2 7		3 5	8 23	9 15	10 25	13 33	31 47	24 38	2 9		3
One or both parents foreign.....	M 20 F 33	1 2	2 3		2 4	3 5	4 8	6 4	1 1	2 2	4 4	1 1			
Foreign born.....	M 54 F 81			1 3	4 5	8 6	4 9	4 19	8 17	13 11	13 8	7 8	2 3		
Colored.....	10			1	1	1	1			2	3	1			
Males.....	4				1	1				2					
Females.....	6			1			1			3	1				
III.—Diseases of the circulatory system.....	22,387	1,644	1,893	368	401	1,090	1,404	1,905	2,747	3,671	4,666	3,351	706	35	150
White.....	21,906	1,621	1,859	366	396	1,069	1,351	1,815	2,656	3,599	4,601	3,317	697	33	147
Native born.....	14,393	1,604	1,836	333	359	840	922	900	1,351	1,846	2,875	2,413	520	21	87
Both parents native.....	M 4,213 F 3,822	378 298	443 341	65 75	53 63	107 152	127 213	242 265	413 432	674 546	1,065 826	852 704	145 184	3 10	24 12
One or both parents foreign.....	M 1,265 F 1,121	306 218	354 245	66 67	85 84	189 209	180 175	117 105	78 70	73 49	71 62	43 40	10 8	1 2	3 7
Foreign born.....	M 3,512 F 3,463	5 3	7 4	10 13	12 22	98 115	192 200	421 372	606 631	839 831	831 776	412 387	65 89	2 10	17 13
Colored.....	481	23	34	2	5	21	53	90	91	72	65	34	9	2	3
Males.....	243	15	18	2	1	12	27	54	48	31	31	10	5	2	2
Females.....	238	8	16		4	9	26	36	43	41	34	24	4		1
1. Angina pectoris.....	637			4	3	11	31	44	99	147	173	107	11		7
White.....	629			4	3	11	31	40	99	143	173	107	11		7
Native born.....	440			4	3	7	25	24	62	94	125	85	9		2
Both parents native.....	M 164 F 124				2	1	1	8	26	40	55	29	2		
One or both parents foreign.....	M 26 F 19			1	1	2	4	2	5	8	5	2			
Foreign born.....	M 102 F 71					4	2	12	20	25	27	9	2		3
Colored.....	8							4		4					2
Males.....	4							2		2					
Females.....	4							2		2					
2. Aneurism.....	219				1	11	23	52	51	34	28	15	2		2
White.....	202				1	11	21	47	42	33	28	15	2		2
Native born.....	99				1	8	12	12	21	14	19	10	1		1
Both parents native.....	M 40 F 15				1	1	1	3	12	5	10	7			
One or both parents foreign.....	M 16 F 8					3	6	2	2	4	6	1	1		
Foreign born.....	M 70 F 26					2	2	2	1	1	4	3			1
Colored.....	17						2	5	9	1					
Males.....	12						2	3	7						
Females.....	5							2	2	1					

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
III.—Diseases of the circulatory system—Continued.															
3. Diseases of the heart.....	20,376	752	978	362	392	1,059	1,337	1,798	2,563	3,448	4,410	3,178	681	35	135
White.....	19,939	742	957	360	387	1,038	1,280	1,718	2,483	3,382	4,346	3,145	672	33	132
Native born.....	12,810	729	940	327	351	817	875	951	1,252	1,716	2,701	2,279	500	21	80
Both parents native.....	M. 3,761	191	251	63	50	104	123	231	372	620	985	799	198	3	22
F. 3,517	167	208	73	62	145	202	254	407	515	783	666	180	10	12	
One or both parents foreign.....	M. 1,037	128	169	66	85	185	170	113	66	63	65	41	10	1	3
F. 941	79	104	66	82	203	162	102	66	45	57	40	8		6	
Foreign born.....	M. 3,299	2	3	10	12	96	184	382	585	788	787	393	63	2	14
F. 3,326	3	4	13	21	109	193	356	604	801	747	372	86	10	10	
Colored.....	437	10	21	2	5	21	51	80	80	66	64	33	9	2	3
Males.....	216	7	10	2	1	12	25	49	40	29	30	9	5	2	2
Females.....	221	3	11		4	9	26	31	40	37	34	24	4		1
4. Others of this class.....	1,155	892	915	2	5	9	13	11	34	42	55	51	12		6
White.....	1,136	879	902	2	5	9	13	10	32	41	54	50	12		6
Native born.....	1,044	875	896	2	4	8	10	3	16	22	30	39	10		4
Both parents native.....	M. 248	187	192	2		1	2		3	9	15	17	5		2
F. 167	131	133		1	4	4		7	5	5	7	1			
One or both parents foreign.....	M. 186	178	185			1	1		1	2	1				1
F. 133	139	141		1	2	3		1	7	2	13	7			
Foreign born.....	M. 41	3	4			1	3	1	7	1	13	7			
F. 40				1	1	1	3	8	12	10	2	2			
Colored.....	19	13	13					1	2	1	1	1			
Males.....	11	8	8						1		1	1			
Females.....	8	5	5					1	1	1					
IV.—Diseases of the respiratory system.....															
White.....	52,394	9,627	19,122	1,938	615	2,813	3,658	3,896	4,374	4,827	5,295	4,196	1,319	91	250
Native born.....	36,936	9,086	17,804	1,749	528	2,141	2,358	1,850	1,786	1,964	2,782	2,805	981	66	122
Both parents native.....	M. 8,762	1,850	3,517	397	90	458	424	514	644	672	909	849	253	9	26
F. 8,269	1,400	2,892	373	139	371	401	378	402	648	1,035	1,074	412	31	23	
One or both parents foreign.....	M. 7,065	2,490	4,664	369	108	533	674	312	132	75	52	66	10		10
F. 5,810	1,997	4,000	310	104	417	412	218	108	59	61	84	25	2	7	
Foreign born.....	M. 7,159	61	246	61	28	308	716	1,148	1,386	1,417	1,120	569	113	7	31
F. 6,208	40	232	61	27	239	449	731	1,049	1,319	1,224	656	171	14	36	
Colored.....	1,193	312	618	44	27	83	74	100	79	56	52	37	15	1	7
Males.....	641	184	322	22	14	56	42	54	54	31	28	16	3		5
Females.....	552	128	296	22	13	33	32	46	25	25	24	21	12	1	2
1. Croup.....	4,345	590	3,412	786	59	27	11	8	5	4	7	10			16
White.....	4,313	585	3,391	778	58	25	11	8	5	4	7	10			16
Native born.....	4,069	571	3,221	731	53	23	9	3	2	1	4	10			12
Both parents native.....	M. 813	131	624	171	9	3					1	1			4
F. 705	79	503	174	14	5			1	1	1	5				1
One or both parents foreign.....	M. 1,006	167	843	137	14	3	3	2				1			3
F. 838	109	705	113	7	7	5		1							
Foreign born.....	M. 101	7	67	21	4		1	4		2	1				
F. 88	1	66	14	1	2	1	1	1	1	1	1				
Colored.....	32	5	21	8	1	2									
Males.....	19	3	10	6	1	2									
Females.....	13	2	11	2											
2. Laryngitis.....	350	70	227	37	7	11	12	18	11	11	8	7			1
White.....	344	69	223	37	7	11	12	17	11	11	8	7			
Native born.....	319	68	214	36	7	11	10	14	6	9	7	5			
Both parents native.....	M. 48	6	28	3	1		2	3	2	3	3	3			
F. 46	15	30	2		1	2	4	1	3	1					
One or both parents foreign.....	M. 69	20	55	8		2	2		2						
F. 68	17	55	10	1	2										
Foreign born.....	M. 20	1	8				1	2	5	2	1	1			
F. 4			1				1	1	1	1	1				
Colored.....	6	1	4					1							1
Males.....	3	1	3												
Females.....	3		1					1							

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
IV.—Diseases of the respiratory system—Continued.															
3. Bronchitis.....	10,762	3,489	5,298	174	65	263	350	382	506	890	1,172	1,104	409	26	33
White.....	10,469	3,373	5,072	168	61	257	345	376	588	883	1,158	1,100	404	26	31
Native born.....	7,560	3,314	4,935	153	54	207	229	163	177	227	468	632	285	16	14
Both parents native.....	M.. 1,548	605	892	29	6	29	37	43	52	67	136	182	69	3	3
F.. 1,656	532	792	38	9	29	38	32	55	77	180	267	125	6	2	
One or both parents foreign.....	M.. 1,616	949	1,373	38	10	52	63	29	12	5	10	18	3	2	
F.. 1,510	798	1,245	30	18	65	55	25	14	10	16	19	11	1	1	
Foreign born.....	M.. 1,234	19	49	3	1	23	46	111	199	290	283	187	35	3	
F.. 1,531	13	49	12	5	25	63	99	235	353	394	342	71	5	8	
Colored.....	293	116	226	6	4	6	5	6	8	7	14	4	5	2	
Males.....	134	61	106	3	2	4	2	4	3	1	7	1	5	1	
Females.....	159	55	120	3	2	2	3	2	5	6	7	3	5	1	
4. Pneumonia.....	30,181	4,166	8,323	777	404	2,142	2,834	3,004	3,185	3,164	3,193	2,326	643	34	152
White.....	29,467	4,016	8,025	753	391	2,076	2,777	2,922	3,123	3,122	3,164	2,297	634	34	149
Native born.....	20,257	3,883	7,686	682	349	1,616	1,796	1,406	1,330	1,378	1,805	1,624	485	25	75
Both parents native.....	M.. 4,957	792	1,539	140	61	346	324	399	485	477	569	477	122	4	14
F.. 4,619	548	1,233	126	90	270	283	271	357	446	386	623	208	9	17	
One or both parents foreign.....	M.. 3,682	1,091	1,992	164	70	425	545	243	100	62	38	35	6	2	
F.. 2,866	847	1,686	136	71	290	310	159	82	42	37	42	7	1	3	
Foreign born.....	M.. 4,802	30	112	32	18	241	590	908	1,017	897	636	273	55	2	
F.. 3,841	23	102	29	20	185	346	550	720	806	647	334	73	6	23	
Colored.....	714	150	298	24	13	66	57	82	62	42	29	29	9	3	
Males.....	407	91	161	11	6	40	37	46	45	23	19	13	3	3	
Females.....	307	59	137	13	7	26	20	36	17	19	10	16	6	3	
5. Pleurisy.....	818	40	92	31	15	81	115	99	90	114	90	72	14	2	3
White.....	802	39	90	30	13	77	113	96	89	113	90	72	14	2	3
Native born.....	482	38	88	26	12	57	73	41	33	53	44	45	9	1	
Both parents native.....	M.. 120	6	16	9	2	10	11	8	12	18	18	14	2	1	
F.. 103	4	9	6	3	8	9	7	10	14	14	19	3	1		
One or both parents foreign.....	M.. 97	15	38	5	4	17	19	7	2	3	2	2	1		
F.. 64	7	14	6	3	14	16	8	1	2	2	2	2	1		
Foreign born.....	M.. 193	1	3	1	13	25	34	39	39	20	16	2	1		
F.. 111	1	1	1	6	11	21	16	19	19	24	7	3	2		
Colored.....	16	1	2	1	2	4	2	3	1	1	1	1	1		
Males.....	7	1	1	1	2	1	1	1	1	1	1	1	1		
Females.....	9	1	1	1	2	1	2	1	1	1	1	1	1		
6. Asthma.....	687	20	30	3	4	13	16	38	100	144	184	126	21	2	6
White.....	674	19	29	3	3	13	15	38	96	144	180	124	21	2	6
Native born.....	280	19	29	3	3	8	10	17	20	45	57	63	13	2	1
Both parents native.....	M.. 86	5	8	1	1	1	3	4	11	15	17	24	2	1	
F.. 77	1	2	1	2	1	1	3	7	13	24	17	5	1		
One or both parents foreign.....	M.. 23	7	9	1	1	4	4	3	3	1	1	1	1		
F.. 25	4	7	3	3	3	1	3	2	3	1	3	2	1		
Foreign born.....	M.. 233	1	2	2	4	13	37	58	78	36	3	3	2		
F.. 148	1	1	1	3	1	7	28	37	43	24	5	5	2		
Colored.....	13	1	1	1	1	1	1	4	4	4	2	2	2		
Males.....	7	1	1	1	1	1	1	3	3	1	1	1	1		
Females.....	6	1	1	1	1	1	1	1	1	1	1	1	1		
7. Others of this class.....	5,251	1,252	1,740	130	61	276	320	347	387	500	641	551	232	27	39
White.....	5,132	1,214	1,674	125	55	271	311	339	383	494	636	549	231	26	38
Native born.....	3,969	1,193	1,631	118	50	219	231	206	209	251	397	426	189	22	20
Both parents native.....	M.. 1,190	305	410	44	11	69	47	57	82	92	165	148	58	2	5
F.. 1,063	221	323	26	19	57	68	60	61	94	124	143	71	14	3	
One or both parents foreign.....	M.. 512	281	354	17	10	32	38	27	13	5	3	9	1	3	
F.. 439	215	288	15	4	36	25	23	8	2	10	20	5	1		
Foreign born.....	M.. 576	4	10	2	4	29	49	76	88	129	110	56	18	1	
F.. 485	3	14	4	1	18	26	52	79	103	115	48	19	3		
Colored.....	119	38	66	5	6	5	9	8	4	6	5	2	1	1	
Males.....	64	26	40	2	3	2	2	3	3	6	1	1	1		
Females.....	55	12	26	3	3	3	7	5	1	4	1	1	1		

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
V.—Diseases of the digestive system.....	13,192	2,117	3,045	308	278	367	1,176	1,317	1,579	1,784	1,663	906	187	11	71
White.....	12,966	2,064	2,968	300	274	345	1,159	1,281	1,564	1,766	1,649	897	183	10	70
Native born.....	8,732	2,034	2,893	269	250	655	757	683	684	806	929	626	135	7	38
Both parents native.....	{ M. 2,200 F. 2,269	{ 452 329	{ 642 504	{ 61 68	{ 54 56	{ 141 162	{ 135 203	{ 156 183	{ 197 209	{ 251 281	{ 304 324	{ 207 229	{ 45 48	{ 1	{ 7 1
One or both parents foreign.....	{ M. 1,275 F. 1,059	{ 508 380	{ 737 584	{ 52 34	{ 55 45	{ 106 124	{ 130 131	{ 73 82	{ 49 50	{ 41 15	{ 18 23	{ 9 15	{ 2 4	{ 2	{ 1 2
Foreign born.....	{ M. 1,970 F. 1,995	{ 7 7	{ 26 17	{ 12 14	{ 12 8	{ 60 112	{ 154 221	{ 285 279	{ 411 437	{ 495 440	{ 369 310	{ 129 120	{ 14 27	{ 3	{ 3 7
Colored.....	226	53	77	8	4	22	17	36	15	18	14	9	4	1	1
Males.....	113	32	39	5	3	8	6	16	9	11	7	6	3
Females.....	113	21	38	3	1	14	11	20	6	7	7	3	1	1	1
1. Dentition.....	805	467	804												1
White.....	780	455	779												1
Native born.....	758	444	757												1
Both parents native.....	{ M. 147 F. 121	{ 84 58	{ 147 121												
One or both parents foreign.....	{ M. 223 F. 174	{ 132 113	{ 223 174												
Foreign born.....	{ M. 8 F. 6	{ 3 4	{ 8 6												
Colored.....	25	12	25												
Males.....	12	10	12												
Females.....	13	2	13												
2. Angina.....	241	41	128	28	20	18	11	6	9	7	6	8			
White.....	241	41	128	28	20	18	11	6	9	7	6	8			
Native born.....	213	40	123	23	18	16	9	5	5	6	3	5			
Both parents native.....	{ M. 55 F. 45	{ 11 5	{ 28 16	{ 6 6	{ 5 7	{ 4 6	{ 3 3	{ 1 3	{ 2 2	{ 2 1	{ 2 1	{ 2 1			
One or both parents foreign.....	{ M. 47 F. 28	{ 12 8	{ 38 24	{ 2 1	{ 1 1	{ 1 2	{ 3 2								
Foreign born.....	{ M. 12 F. 12	{ 1 2	{ 3 2	{ 1 2	{ 1 1	{ 2 2		{ 2 1	{ 2 2	{ 1 1	{ 1 1	{ 1 1			
Colored.....															
Males.....															
Females.....															
3. Diseases of the stomach.....	2,749	338	507	73	24	152	228	239	337	402	420	287	62	6	12
White.....	2,702	332	497	71	24	149	225	227	334	397	418	283	60	5	12
Native born.....	1,784	327	484	67	21	117	170	120	154	172	229	201	40	4	5
Both parents native.....	{ M. 440 F. 532	{ 79 54	{ 113 90	{ 14 16	{ 5 4	{ 15 38	{ 23 61	{ 28 34	{ 48 52	{ 56 57	{ 72 82	{ 59 76	{ 6 21	{ 1	{ 1 1
One or both parents foreign.....	{ M. 210 F. 210	{ 65 60	{ 101 93	{ 11 15	{ 2 6	{ 14 28	{ 27 27	{ 22 15	{ 12 8	{ 13 5	{ 13 6	{ 3 6	{ 4 1	{ 1	{ 1
Foreign born.....	{ M. 418 F. 432	{ 2 1	{ 2 2	{ 1 1	{ 2 1	{ 8 20	{ 23 27	{ 44 54	{ 77 95	{ 114 104	{ 108 74	{ 34 40	{ 5 13	{ 1	{ 1
Colored.....	47	6	10	2		3	3	12	3	5	2	4	2	1	
Males.....	24	3	4	1		1	1	6		4	2	4	1		
Females.....	23	3	6	1		2	2	6	3	1			1	1	
4. Obstruction of the bowels.....	823	139	175	22	17	61	66	89	90	105	112	55	19	1	11
White.....	807	135	169	22	17	60	64	88	90	102	110	55	18	1	11
Native born.....	556	132	164	22	16	51	40	50	46	53	61	31	13		9
Both parents native.....	{ M. 147 F. 135	{ 35 17	{ 42 23	{ 4 3	{ 5 3	{ 13 8	{ 11 7	{ 12 13	{ 13 19	{ 18 20	{ 17 18	{ 7 17	{ 2 3	{ 3	{ 1
One or both parents foreign.....	{ M. 83 F. 53	{ 39 17	{ 50 21	{ 6 1	{ 2 4	{ 15 4	{ 4 5	{ 2 7	{ 2 5	{ 1 1	{ 1 2	{ 1 2	{ 1 2	{ 1	{ 1
Foreign born.....	{ M. 122 F. 113	{ 1 1	{ 1 1		{ 1 5	{ 2 5	{ 15 7	{ 20 17	{ 21 20	{ 23 24	{ 21 27	{ 13 10	{ 4 1	{ 1	{ 1
Colored.....	16	4	6			1	2	1		3	2		1		
Males.....	9	4	5			1				1	1		1		
Females.....	7		1				2	1		2	1				

STATISTICS OF DEATHS.

689

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
V.—Diseases of the digestive system—Cont'd.															
5. Hernia.....	559	53	58	5	1	12	33	37	88	121	116	64	15	2	7
White.....	548	50	55	4	1	12	33	36	86	121	112	64	15	2	7
Native born.....	315	50	55	4	1	7	26	20	36	54	57	41	12	1	1
Both parents native.....	M 98 F 76	15 3	18 3		1	5	5 5	1 9	10 9	15 18	24 19	14 11	6 1		
One or both parents foreign.....	M 42 F 17	18 6	19 6	1	1	1	13 1	1 3	1 4	1 3	2 2	1			
Foreign born.....	M 103 F 112				4	4	4 2	6 6	14 34	37 29	28 22	8 14	1 2	1	1
Colored.....	11	3	3	1				1	2		4				
Males.....	9	3	3	1					2		3				
Females.....	2							1			1				
6. Other diseases of the bowels.....	385	109	129	6	5	21	31	29	27	48	46	30	8		5
White.....	382	107	127	6	5	21	31	29	27	48	46	30	8		4
Native born.....	302	105	125	5	4	19	26	23	16	23	29	24	8		1
Both parents native.....	M 90 F 80	26 23	33 26	1	1	4	9 8	7 6	7 6	5 9	10 10	9 8	4 2		
One or both parents foreign.....	M 38 F 20	22 14	27 14	2	2	2	2 1	1	2						
Foreign born.....	M 39 F 32	1	1	1	1	1	2 3	5 2	3 8	16 5	9 8	2 3			1
Colored.....	3	2	2												1
Males.....	1	1	1												
Females.....	2	1	1												1
7. Jaundice.....	433	217	229	4	3	7	13	12	31	42	45	35	10		2
White.....	425	210	222	4	3	7	12	12	31	42	45	35	10		2
Native born.....	346	209	221	4	3	5	6	7	15	21	27	26	9		2
Both parents native.....	M 87 F 83	46 35	49 37	2	1	3	1 3		1 4	7 9	10 9	8 10	5 3		
One or both parents foreign.....	M 66 F 33	61 26	64 27		1	1	1 2		1 2						
Foreign born.....	M 33 F 40	1	1	1	1	1	2 4	2 3	2 8	10 11	8 8	2 5	1 1		
Colored.....	8	7	7				1								
Males.....	4	4	4												
Females.....	4	3	3				1								
8. Inflammation and abscess of the liver.....	732	26	37	14	10	33	65	118	128	145	122	46	11		3
White.....	728	26	37	13	10	32	64	118	128	145	122	45	11		3
Native born.....	415	25	36	11	10	27	41	62	60	63	67	30	5		3
Both parents native.....	M 109 F 124	3 4	5 7	3 3	2 2	6 7	9 13	15 13	11 4	27 9	15 31	12 8	2 2		1
One or both parents foreign.....	M 41 F 36	8 3	9 5	1 2	3 3	4 3	7 8	7 8	6 3	1 2	2 3	1 2	1 2		
Foreign born.....	M 157 F 145	1	1	1	1	4	10 12	32 20	33 35	40 42	26 25	9 5	1 4		
Colored.....	4			1	1	1						1			
Males.....	3			1	1	1									
Females.....	1											1			
9. Other diseases of the liver.....	2,382	49	78	9	9	48	151	353	531	535	452	173	29		14
White.....	2,358	48	75	9	8	47	151	344	525	532	452	172	29		14
Native born.....	1,194	48	74	7	6	34	96	149	199	232	245	122	23		7
Both parents native.....	M 304 F 331	15 14	20 22		1 2	11 9	16 17	41 17	71 46	68 84	85 80	42 44	8 7		1
One or both parents foreign.....	M 109 F 81	4 7	12 10	2	1	3	25 19	26 21	20 11	13 1	6 7	1 3			
Foreign born.....	M 624 F 503			1	1	5	25 27	105 88	177 143	174 123	106 89	29 18	1 3		1 2
Colored.....	24	1	3		1	1		9	6	3		1			
Males.....	15		1			1		5	5	2		1			
Females.....	9	1	2		1			4	1	1					

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
V.—Diseases of the digestive system—Cont'd.															
10. Peritonitis	2,495	125	232	106	155	442	485	345	233	234	160	78	14		11
White	2,437	122	228	102	153	427	476	333	231	230	157	76	13		11
Native born	1,632	122	215	89	141	327	285	193	104	115	98	49	9		7
Both parents native	{ M. 334 F. 454	{ 19 20	{ 44 39	{ 22 31	{ 29 30	{ 63 79	{ 40 79	{ 38 64	{ 21 35	{ 28 44	{ 30 32	{ 16 10	{ 2 5		1
One or both parents foreign	{ M. 219 F. 253	{ 35 32	{ 61 45	{ 13 10	{ 36 25	{ 55 71	{ 35 58	{ 9 20	{ 2 14	{ 7 5	{ 1 1	{ 3 1			1
Foreign born	{ M. 298 F. 442	{ 6 4	{ 5 4	{ 5 7	{ 7 3	{ 29 62	{ 58 120	{ 54 74	{ 52 66	{ 47 61	{ 25 30	{ 15 11	{ 2		2
Colored	58	3	4	4	2	15	9	12	2	4	3	2	1		
Males	23	3	3	2	2	4	3	4	1	2	1		1		
Females	35	1	1	2		11	6	8	1	2	2	2			
11. Ascites	146	7	12	1	1	7	7	9	20	35	31	18	3	1	1
White	139	7	11	1		6	7	9	19	31	29	18	3	1	1
Native born	82	7	11	1		5	3	6	5	16	18	14	2	1	
Both parents native	{ M. 17 F. 27	{ 2 2	{ 2 2			2 3		1 2		5 7	2 9	6 1	1 1		
One or both parents foreign	{ M. 7 F. 5	{ 1 1	{ 2 3					1 2		7 4	1 5	1 2			
Foreign born	{ M. 20 F. 34					1	2	1	7	14	5	2	1		1
Colored	7		1		1	1			1	1	2				
Males	3		1		1				1	1					
Females	4					1			1	2					
12. Others of this class	1,442	546	656	40	33	66	86	80	85	110	153	112	16	1	4
White	1,419	531	640	40	33	66	85	79	84	103	152	111	16	1	4
Native born	1,135	525	628	36	30	47	55	49	44	51	95	83	14	1	2
Both parents native	{ M. 312 F. 261	{ 119 94	{ 149 118	{ 9 4	{ 4 4	{ 15 8	{ 18 7	{ 12 18	{ 12 12	{ 20 16	{ 37 34	{ 32 37	{ 9 3		
One or both parents foreign	{ M. 190 F. 149	{ 111 93	{ 131 112	{ 14 4	{ 8 7	{ 10 5	{ 14 9	{ 4 7	{ 6 3	{ 1 1	{ 1 1	{ 1 1			
Foreign born	{ M. 136 F. 124	{ 2 1	{ 5 1	{ 2 2	{ 1 2	{ 6 10	{ 12 17	{ 15 13	{ 18 19	{ 20 27	{ 32 21	{ 15 11	{ 1 1		
Colored	23	15	16				1	1	1	2	1	1			
Males	10	4	5				1	1	1	1	1				
Females	13	11	11						1	1	1				
VI.—Diseases of the urinary system and male organs of generation.	11,783	181	427	174	106	598	1,177	1,440	1,806	1,979	2,315	1,398	279	16	68
White	11,517	178	417	169	102	579	1,149	1,402	1,741	1,938	2,282	1,385	274	14	65
Native born	6,838	173	402	153	84	455	790	765	734	911	1,356	951	194	8	35
Both parents native	{ M. 2,434 F. 1,295	{ 44 23	{ 100 64	{ 30 29	{ 26 16	{ 72 103	{ 105 127	{ 142 167	{ 248 187	{ 398 186	{ 689 225	{ 505 155	{ 105 30	{ 4 1	{ 10 5
One or both parents foreign	{ M. 791 F. 679	{ 49 34	{ 98 86	{ 27 40	{ 20 13	{ 92 101	{ 197 214	{ 141 116	{ 67 37	{ 49 27	{ 49 23	{ 42 16	{ 6 5	{ 1 1	{ 2 1
Foreign born	{ M. 2,488 F. 1,930	{ 1 1	{ 7 3	{ 8 6	{ 10 8	{ 51 62	{ 169 170	{ 308 303	{ 520 455	{ 555 430	{ 545 335	{ 261 126	{ 44 24	{ 3 2	{ 7 6
Colored	266	3	10	5	4	19	28	38	65	41	33	13	5	2	3
Males	142	2	8	4	1	7	9	18	34	27	20	8	4		2
Females	124	1	2	1	3	12	19	20	31	14	13	5	1	2	1
1. Bright's disease	5,939			71	56	323	634	831	1,093	1,141	1,142	539	72	5	32
White	5,788			67	53	310	610	809	1,057	1,112	1,124	534	69	4	30
Native born	3,355			62	42	260	425	458	478	541	669	361	40	2	17
Both parents native	{ M. 1,118 F. 758			11 14	12 10	44 68	68 69	91 101	166 138	230 124	296 139	169 83	23 9	2	6 3
One or both parents foreign	{ M. 376 F. 307			7 18	10 6	54 50	108 109	85 64	41 23	28 15	24 11	18 9	1		1 1
Foreign born	{ M. 1,254 F. 1,052			3 1	6 5	24 21	90 94	167 168	296 261	302 247	249 185	98 57	16 2		3 1
Colored	151			4	3	13	15	22	36	29	18	5	3	1	2
Males	84			3	1	5	5	12	20	19	12	3	2		2
Females	67			1	2	8	10	10	16	10	6	2	1	1	

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
VI.—Diseases of the urinary system and male organs of generation—Cont'd.															
2. Calculus, urinary.....	105	6	7			1	1	5	7	16	40	25	1	1	1
White.....	104	6	7			1	1	5	6	16	40	25	1	1	1
Native born.....	69	6	7			1	1	3	3	9	26	17	1		1
Both parents native.....	M. 46 F. 7	1	2				1	1	1	2	5	21	14		1
One or both parents foreign.....	M. 7 F. 6	2	2			1					1	2	1		
Foreign born.....	M. 25 F. 8							1	2	3	11	7		1	
Colored.....	1								1						
Males.....	1								1						
Females.....															
3. Diseases of the kidney.....	4,079	139	368	91	45	230	455	512	572	618	653	400	105	6	24
White.....	3,988	138	360	91	44	225	445	500	549	606	643	393	104	5	23
Native born.....	2,315	133	346	81	37	166	303	250	191	245	343	264	75	4	10
Both parents native.....	M. 705 F. 427	33	81	18	13	24	30	41	59	103	179	123	33	1	
One or both parents foreign.....	M. 20 F. 37	20	60	11	6	27	45	38	51	65	54	16	1		1
Foreign born.....	M. 332 F. 320	37	82	20	7	34	81	48	20	13	15	9	2		1
Colored.....	91	1	8		1	5	10	12	23	12	10	7	1	1	1
Males.....	42	1	7			2	3	4	10	8	3	4	1		
Females.....	49		1		1	3	7	8	13	4	7	3		1	1
4. Diseases of the bladder.....	914	8	15	1	1	13	21	27	54	112	313	287	65	2	3
White.....	902	8	15	1	1	13	18	25	52	112	309	287	64	2	3
Native born.....	618	8	15	1	1	7	14	13	29	62	217	200	54	2	3
Both parents native.....	M. 361 F. 44	2	6	1		3	5	4	7	32	138	126	35	1	3
One or both parents foreign.....	M. 1 F. 36	1	1			2	4	3	6	6	8	11	3		
Foreign born.....	M. 12 F. 229	2	5		1	1	1	1	5	5	5	8	3	1	
Colored.....	12					2	2	7	18	41	78	72	9		
Males.....	8					3	1	4	5	8	10	6			
Females.....	4														
5. Others of this class.....	746	28	37	11	4	31	66	65	80	92	167	147	36	2	8
White.....	735	26	35	10	4	30	66	63	77	92	166	146	36	2	8
Native born.....	481	26	34	9	4	21	47	41	33	54	101	109	24		4
Both parents native.....	M. 204 F. 59	8	11		1	1	2	5	14	28	55	73	14		
One or both parents foreign.....	M. 2 F. 41	2	3	4		6	8	10	4	2	12	7	2		1
Foreign born.....	M. 38 F. 157	8	9		2	2	7	7	1	3	3	6	1		
Colored.....	11	2	2	1		3	6	15	5	1	1	1	1		
Males.....	7	1	1	1		3	6	15	5	1	1	1	1		
Females.....	4	1	1			6	10	5	14	10	15	10	3		2
VII.—Diseases of the female organs of generation.															
White.....	746		2		4	69	166	190	147	91	42	27	3		5
Native born.....	726		2		4	66	160	185	144	89	42	26	3		5
Both parents native.....	495				4	56	111	128	90	51	29	18	2		4
One or both parents foreign.....	298		1		4	25	61	76	66	31	20	11	1		2
Foreign born.....	85		1			13	30	24	8	4	4	1	1		
Colored.....	20					9	47	54	52	38	13	6	1		

STATISTICS OF DEATHS.

693

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
VIII.—Affections connected with pregnancy—Continued.															
2. Childbirth	829					187	374	238	15	3	2				10
White	815					186	368	233	14	3	2				9
Native born	524					134	252	126	5	3					4
Both parents native	300					75	145	73	3	2					2
One or both parents foreign	147					44	71	32							
Foreign born	265					44	106	101	8		2				4
Colored	14					1	6	5	1						1
3. Puerperal septicæmia	877				1	287	411	157	14	1		1			5
White	864				1	280	407	155	14	1		1			5
Native born	479					169	221	74	9	1		1			4
Both parents native	229					78	104	38	6	1					2
One or both parents foreign	167					61	78	26	2						
Foreign born	370				1	105	181	78	5						
Colored	13					7	4	2							
4. Extra-uterine pregnancy	16					4	6	6							
White	16					4	6	6							
Native born	12					2	5	5							
Both parents native	6					1	2	3							
One or both parents foreign	6					1	3	2							
Foreign born	4					2	1	1							
Colored															
5. Others of this class	428					127	197	88	10	1		1			4
White	421					122	195	88	10	1		1			4
Native born	300					105	129	59	3	1		1			2
Both parents native	134					44	53	33	2			1			1
One or both parents foreign	98					38	47	13				1			
Foreign born	114					16	63	28	7						
Colored	7					5	2								
IX.—Diseases of the bones and joints.....															
White	688	62	140	98	66	82	73	54	57	42	60	18	5	1	5
Native born	541	59	135	90	53	69	43	31	33	26	39	15	3	1	3
Both parents native	150	23	49	21	9	12	9	14	6	13	10	5	1		1
One or both parents foreign	123	10	24	15	13	18	9	6	10	9	17	5	2		
Foreign born	86	7	18	21	13	22	7	1	4						
Males	70	7	18	18	12	5	7	5	4		1				
Females	82	2	3	1	5	8	16	14	12	11	7	2	2		1
Foreign born	57		1	5	5	2	11	7	7	3	14	1			1
Colored	13	1	1	2	3	3	1	1	2						
Males	9			2	2	3	1		1						
Females	4	1	1	1	1			1	1						
1. Diseases of the spine.....															
White	462	55	117	61	38	53	52	34	37	20	33	11	2	1	3
Native born	454	54	116	60	36	52	52	33	35	20	33	11	2	1	3
Native born	369	52	112	57	29	44	31	18	26	13	24	10	2	1	2
Both parents native	105	23	43	14	4	9	5	9	4	5	8	3			1
One or both parents foreign	89	10	22	8	9	13	8	2	7	5	9	4	2		
Foreign born	53	5	15	13	6	11	4	1	3						
Males	44	7	13	12	5	3	6	2	3						
Females	49	2	3	1	3	6	11	8	5	5	1				
Foreign born	35		1	2	4	2	8	6	2	1	8	1			1
Colored	8	1	1	1	2	1		1	2						
Males	4			1	1	1			1						
Females	4	1	1	1	1			1	1						

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
IX.—Diseases of the bones and joints—Cont'd.															
2. Diseases of the bones	91	2	8	7	7	7	10	13	9	10	12	4	2		2
White	88	2	8	7	6	6	9	13	9	10	12	4	2		2
Native born	54	2	8	5	5	6	2	9	2	5	7	3	1		1
Both parents native	M. 20 F. 13		3	1	2	1	2	4		3	2	1	1		
One or both parents foreign	M. 7 F. 6		1	3	1	3									
Foreign born	M. 25 F. 9		1	1	1		5	4	1	5	4	3	1		1
Colored	3				1	1	1								
Males	3				1	1	1								
Females															
3. Diseases of the hip joint	94	2	11	27	20	18	8	4	3	3					
White	93	2	11	26	20	18	8	4	3	3					
Native born	85	2	11	25	18	16	7	4	1	3					
Both parents native	M. 18 F. 16		2	6	3	2	1	1	1	2					
One or both parents foreign	M. 21 F. 15		1	5	6	6	3			1					
Foreign born	M. 4 F. 3		4	4	5	1	1		1						
Colored	1			1											
Males	1			1											
Females															
4. Others of this class	54	3	4	3	1	4	3	3	8	9	15	3	1		
White	53	3	4	3	1	3	3	3	8	9	15	3	1		
Native born	33	3	4	3	1	3	3		4	5	8	2			
Both parents native	M. 7 F. 10		1				1		1	3		1			
One or both parents foreign	M. 5 F. 5	2	2	1		2			2	1	5				
Foreign born	M. 10 F. 10			2	1	1			1	2	1	3	1		
Colored	1					1									
Males	1					1									
Females															
X.—Diseases of the skin.....	680	160	199	20	13	40	63	46	84	76	76	45	13	1	4
White	666	158	196	20	12	40	60	43	83	76	74	45	12	1	4
Native born	487	155	192	18	12	28	41	26	51	42	41	23	9	1	3
Both parents native	M. 143 F. 97	37	41	5	5	7	11	7	20	17	17	7	4		2
One or both parents foreign	M. 79 F. 61	43	51	2	4	6	8	3	2	1	1		2		1
Foreign born	M. 77 F. 86	30	38	1		3	3	3	8	1	1	3			
Colored	14	2	3		1		3	3	1		2		1		
Males	4				1		2				1				
Females	10	2	3				1	3	1		1		1		
1. Abscess	394	65	92	15	12	33	54	33	47	38	48	17	2	1	2
White	385	64	90	15	11	33	51	32	47	38	46	17	2	1	2
Native born	285	64	89	13	11	25	35	19	31	24	25	9	1	1	2
Both parents native	M. 82 F. 56	15	16	3	5	5	8	5	12	10	12	3	1		2
One or both parents foreign	M. 46 F. 32	9	16	3	1	7	6	3	4	6	6	4			
Foreign born	M. 40 F. 52	20	23	1	4	6	7	2	1	1	1				
Colored	9	1	2		1		3	1			2				
Males	4				1		2				1				
Females	5	1	2				1	1			1				

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued..

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
XI.—Diseases of the absorbent system—Continued.															
3. Others of this class	55	9	13	1		5	5	3	7	8	7	6			
White	54	9	13	1		5	4	3	7	8	7	6			
Native born	35	9	13	1		3		3	5	3	5	2			
Both parents native	M.. 10					2		1	2	2	2	1			
F.. 5								1		1	2	1			
One or both parents foreign	M.. 3	2	2			1									
F.. 8	4	6						1	1						
Foreign born	M.. 9					1		2	1	1	1	3			
F.. 7								2	1	2	1	1			
Colored	1							1							
Males	1							1							
Females															
XII.—Accidents and injuries.....															
	14,378	954	1,826	647	645	2,087	2,340	1,941	1,625	1,217	915	617	196	27	295
White	14,117	909	1,766	637	633	2,047	2,301	1,895	1,602	1,205	910	616	196	26	283
Native born	8,659	875	1,661	557	522	1,469	1,246	840	642	523	504	417	153	19	106
Both parents native	M.. 3,032	191	390	155	179	552	419	336	296	271	229	140	31	3	31
F.. 1,108	151	276	58	51	95	86	83	74	77	90	125	71	10	12	
One or both parents foreign	M.. 1,725	183	394	160	160	424	352	121	47	21	21	11	5	2	7
F.. 561	134	266	67	30	64	62	34	13	4	5	8	3	1	4	
Foreign born	M.. 3,076	6	38	50	72	427	730	744	706	484	253	100	14	4	54
F.. 889	3	29	21	24	58	132	129	146	134	111	75	22	3	5	
Colored	261	45	60	10	12	40	39	46	23	12	5	1		1	12
Males	176	29	37	7	10	29	23	31	19	10	3	1			6
Females	85	16	23	3	2	11	16	15	4	2	2			1	6
1. Burns and scalds	853	28	345	111	25	68	79	57	55	36	39	24	5	2	7
White	826	27	334	108	25	67	76	53	53	36	37	24	5	1	7
Native born	620	24	304	96	20	43	43	31	19	17	21	17	4		5
Both parents native	M.. 123	3	69	10	2	10	12	7	2	4	6	1			
F.. 147	3	57	21	8	8	7	7	8	6	10	11	3		1	
One or both parents foreign	M.. 99	5	64	9	1	8	10	1	3		1	1		1	
F.. 109	7	59	25	3	9	5	5	1			1			1	
Foreign born	M.. 70		11	3	1	10	17	6	8	6	4	1		1	
F.. 116	1	12	7	4	12	14	16	25	12	9	4	1		2	
Colored	27	1	11	3		1	3	4	2		2			1	
Males	12	1	8			1		2	1						
Females	15		3	3			3	2	1		2			1	
2. Drowned	2,038	27	177	215	227	392	299	239	187	138	81	16	3	1	63
White	2,000	27	177	211	221	383	291	235	182	137	81	16	3	1	62
Native born	1,160	20	157	181	182	262	141	73	54	45	41	7	1	1	15
Both parents native	M.. 451	6	49	59	69	107	56	31	30	23	18	3			6
F.. 77		19	10	11	12	8	2	3	3	4	2	1	1	1	
One or both parents foreign	M.. 303	4	45	61	64	74	34	17	3	2	2				1
F.. 53	2	18	14	6	11	2	2								
Foreign born	M.. 519		4	24	31	101	90	81	83	62	23	6			14
F.. 65		4	4	5	2	10	10	12	8	11	7	2			
Colored	38			4	6	9	8	4	5	1					1
Males	35			4	5	8	8	3	5	1					1
Females	3				1	1		1							
3. Exposure and neglect	149	58	69	2	1	4	7	8	14	8	11	13	4	2	6
White	145	57	68	2	1	4	7	6	14	8	11	13	4	2	5
Native born	105	52	63	2	1	4	5	4	5	3	3	10	1	2	2
Both parents native	M.. 31	17	21		1		1	2	2	2	2	2	1	1	
F.. 21	7	9	1		2		1	2	2	2	2	3			
One or both parents foreign	M.. 12	6	8			1	1	1						1	
F.. 10	7	9	1												
Foreign born	M.. 14	1	1				1	2	4	2	3	1			
F.. 11								1	1	2	5	2			
Colored	4	1	1					2							1
Males	3	1	1					1							1
Females	1							1							

STATISTICS OF DEATHS.

697

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
XII.—Accidents and injuries—Continued.															
4. Gunshot wounds.....	286	1	9	13	26	100	49	23	24	18	11	3			4
White.....	276	1	9	11	25	98	47	27	24	17	11	3			4
Native born.....	216	1	9	10	22	82	34	15	16	12	10	3			3
Both parents native.....	M 118 F 10	1	6	3	10	44	19	10	9	9	7	1			
One or both parents foreign.....	M 33 F 2		1	1	2	6	19	5			1				
Foreign born.....	M 42 F 6			1	2	12	6	10	6	3	1				1
Colored.....	10			2	1	2	2	2		1					
Males.....	7			2	1	2	1	1							
Females.....	3						1	1		1					
5. Homicide.....	199	5	7	3	8	44	51	32	24	19	6	3			2
White.....	186	5	7	3	8	40	47	31	22	19	6	3			
Native born.....	108	5	7	1	5	29	24	14	9	11	5	3			
Both parents native.....	M 38 F 16				2	12	3	6	6	4	3	2			
One or both parents foreign.....	M 26 F 7	1	1	1	1	8	11	3	1			1			
Foreign born.....	M 51 F 20			1	1	10	15	12	9	3	4	1			
Colored.....	13					4	4	1	2						2
Males.....	9					4	2	1	2						
Females.....	4						2								2
6. Infanticide.....	9	9	9												
White.....	8	8	8												
Native born.....	8	8	8												
Both parents native.....	M 1 F 1	1	1												
One or both parents foreign.....	M 1 F 1	1	1												
Foreign born.....	M 1 F 1														
Colored.....	1	1	1												
Males.....	1	1	1												
Females.....															
7. Injuries by machinery.....	71			1	4	15	19	9	9	7	4	1			2
White.....	71			1	4	15	19	9	9	7	4	1			2
Native born.....	43			1	2	11	10	4	6	5	3	1			
Both parents native.....	M 29 F 1					8	8	2	3	5	2	1			
One or both parents foreign.....	M 8 F 1			1	1	3	1	1			1				
Foreign born.....	M 22 F 1				1	4	8	3	2	2	1				1
Colored.....															
Males.....															
Females.....															
8. Railroad accidents.....	2,292	1	25	54	87	532	537	394	247	175	105	58	2	2	74
White.....	2,270	1	25	54	85	527	533	389	244	174	105	58	2	2	72
Native born.....	1,241	1	18	47	65	406	291	171	90	66	39	35	2	1	10
Both parents native.....	M 494 F 41	1	5	17	16	152	104	78	44	35	19	16	2	1	5
One or both parents foreign.....	M 312 F 18		2	3	3	5	10	4	5	5	2	3			
Foreign born.....	M 717 F 57		4	16	28	136	82	30	8	4	3	1			
Both parents native.....	M 4 F 5		4	3	2	4	2	1	1						
One or both parents foreign.....	M 18 F 1		5	3	15	88	165	158	123	80	40	19	1		12
Foreign born.....	M 57 F 2		2	2	2	3	10	5	6	13	10	2			2
Colored.....	22				2	5	4	5	3	1					2
Males.....	18				2	4	4	3	2	1					2
Females.....	4					1	2	2	1						

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION A, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
XII.—Accidents and injuries—Continued.															
14. Sunstroke.....	103	11	18	3	1	14	15	12	19	13	5	6	1		1
White.....	107	11	18	3	1	14	15	12	18	13	5	6	1		1
Native born.....	51	8	14	2	1	4	6	2	3	10	4	4			1
Both parents native.....	M. 20 F. 8	1 1	2 3	1		1	1		2	6	4	3			1
One or both parents foreign.....	M. 16 F. 2	3 1	5 1	1		3	4		1	1		1			
Foreign born.....	M. 44 F. 3					9	9	8	11	3	1	2	1		
Colored.....	1								1						
Males.....	1								1						
Females.....															
15. Surgical operations.....	373	27	38	14	7	33	83	96	45	31	16	8			2
White.....	362	27	38	14	7	31	79	91	45	31	16	8			2
Native born.....	232	27	37	14	6	20	47	55	23	13	10	6			1
Both parents native.....	M. 47 F. 63	1 5	3 6	4		1	6	15	6	5	3	4			
One or both parents foreign.....	M. 41 F. 33	16 2	20 5	4	5	3	7	1	1		1	1			
Foreign born.....	M. 53 F. 69		1		1	2	11	9	9	16	3	2			
Colored.....	11					2	4	5							
Males.....	1					2	4	4							
Females.....	10														
16. Wounds.....	364	6	31	19	28	44	53	40	43	42	36	16	6	1	5
White.....	358	6	31	18	28	43	52	39	42	42	36	16	6	1	4
Native born.....	242	6	30	15	25	34	34	19	20	25	21	11	6	1	1
Both parents native.....	M. 103 F. 22	1 1	8 7	7	10	17	10	8	12	12	12	5	1		1
One or both parents foreign.....	M. 35 F. 13	1 1	4 4	4	6	7	9	4	4	4	1	1	3		
Foreign born.....	M. 78 F. 20		1	2	1	6	16	14	16	12	7	3			
Colored.....	6			1		1	1	1	1						1
Males.....	4			1		1		1	1						1
Females.....	2						1								
17. Other accidents and injuries.....	5,521	360	621	201	216	629	851	739	634	504	458	407	165	18	78
White.....	5,435	334	590	201	213	620	843	726	626	497	455	406	165	18	75
Native born.....	3,288	327	565	178	181	434	447	328	236	198	261	280	131	14	35
Both parents native.....	M. 1,118 F. 509	89 68	142 97	52	65	154	148	125	107	102	106	84	24	1	8
One or both parents foreign.....	M. 631 F. 186	63 42	144 86	57	47	136	146	49	19	6	10	9	4	1	3
Foreign born.....	M. 1,370 F. 399	3 1	11 9	15	18	149	314	334	312	215	117	52	11	1	21
Colored.....	86	26	31		3	9	8	13	8	7	3	1			3
Males.....	60	16	17		2	7	6	11	6	6	3	1			1
Females.....	26	10	14		1	2	2	2	2	1					2

VITAL AND SOCIAL STATISTICS.

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890. (a)

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
All causes	109,528	23,976	40,451	4,613	3,424	11,537	9,425	8,370	7,432	7,189	8,027	5,651	1,850	379	1,180
White	60,241	12,785	21,323	2,336	1,514	5,060	5,015	4,549	4,268	4,773	5,511	3,967	1,208	117	600
Native born	54,537	12,645	20,930	2,255	1,458	4,768	4,521	3,972	3,495	3,751	4,525	3,323	1,022	102	415
Both parents native	M. 20,192 F. 18,961	4,436 3,558	7,762 6,480	849 910	626 569	1,789 1,815	1,485 1,680	1,276 1,635	1,252 1,317	1,490 1,330	1,845 1,526	1,287 1,161	377 375	33 38	121 115
One or both parents foreign	M. 854 F. 733	237 182	338 235	27 32	20 18	95 96	113 86	63 46	48 36	46 27	40 35	45 48	16 16	1 3	2 5
Foreign born	M. 2,259 F. 1,608	11 12	41 37	14 9	7 7	91 65	213 95	238 156	391 234	494 343	436 346	257 220	58 83	4 6	15 7
Colored	49,287	11,191	19,128	2,277	1,910	6,477	4,410	3,821	3,164	2,416	2,516	1,684	642	262	580
Males	24,627	6,005	10,142	1,112	855	2,893	1,926	1,704	1,615	1,344	1,404	918	311	92	311
Females	24,660	5,186	8,986	1,165	1,055	3,584	2,484	2,117	1,549	1,072	1,112	766	331	170	269
Unknown causes	7,384	3,035	4,143	255	166	415	345	299	347	322	406	285	117	21	263
White	2,921	1,220	1,563	87	61	120	108	102	144	175	224	159	57	5	116
Native born	2,775	1,205	1,542	82	60	118	102	92	130	155	207	146	53	5	83
Both parents native	M. 1,289 F. 1,151	611 481	786 622	41 36	28 27	48 52	30 51	28 51	61 52	63 65	92 77	52 68	21 21	2 2	28 27
One or both parents foreign	M. 19 F. 34	12 18	14 21												
Foreign born	M. 31 F. 22														
Colored	4,463	1,815	2,580	168	105	295	237	197	203	147	182	126	60	16	147
Males	2,239	948	1,353	88	57	118	97	79	99	81	93	69	27	5	73
Females	2,224	867	1,227	80	48	177	140	118	104	66	89	57	33	11	74
I.—General diseases:															
General diseases—A	26,298	5,922	13,584	1,965	1,251	2,829	1,691	1,215	893	910	951	599	185	26	199
White	15,970	3,700	8,335	1,156	672	1,573	1,054	769	525	599	623	422	114	9	119
Native born	15,043	3,643	8,137	1,122	649	1,474	960	686	458	485	514	368	98	8	84
Both parents native	M. 5,883 F. 5,502	1,264 1,078	3,149 2,759	419 493	274 274	628 563	411 354	271 275	160 196	186 188	204 191	126 149	31 41	2 2	22 17
One or both parents foreign	M. 192 F. 194	67 49	110 103	11 14	8 10	21 26	15 13	9 5	5 6	5 3	3 2	3 9	1 2		1 1
Foreign born	M. 292 F. 205	5 4	17 17	6 6	1 3	37 16	39 20	39 16	34 20	47 43	43 39	22 19	4 4		3 2
Colored	10,328	2,222	5,249	809	379	1,256	637	446	368	311	328	177	71	17	80
Males	5,170	1,130	2,704	401	238	582	307	221	191	169	189	91	39	4	34
Females	5,158	1,092	2,545	408	341	674	330	225	177	142	139	86	32	13	46
1. Smallpox	1							1							
White	1							1							
Native born	1							1							
Both parents native	M. 1 F. 1							1							
One or both parents foreign	M. 1 F. 1														
Foreign born	M. 1 F. 1														
Colored															
Males															
Females															
2. Measles	1,464	272	901	143	83	160	68	51	19	18	8	8	2		3
White	896	170	559	77	36	92	45	43	12	14	8	7	1		2
Native born	877	170	551	74	35	90	44	42	12	12	8	7	1		1
Both parents native	M. 293 F. 309	56 47	176 154	24 29	17 15	43 36	18 20	9 29	2 7	2 8	1 5	1 5			
One or both parents foreign	M. 5 F. 7	1 1	3 5	2 1											
Foreign born	M. 4 F. 2		1 1	2 1											
Colored	568	102	342	66	47	68	23	8	7	4		1	1		1
Males	273	51	169	31	21	34	8	5	3	2					1
Females	295	51	173	35	26	34	15	3	4	2		1	1		1

a A description of grand division B is given on page 583.

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—A—Continued.															
3. Scarlet fever.....	246	27	153	59	13	7	3	2	2	2	1	3			1
White.....	179	17	122	40	6	4	3	1		1	1	1			
Native born.....	174	17	119	39	5	4	3	1		1	1	1			
Both parents native.....	M. 40 F. 60	6 5	32 35	3 18	1 2	1 1	1 2	1		1	1	1			
One or both parents foreign.....	M. 2 F. 6	1 1	2 5			1									
Foreign born.....	M. 2 F. 1	1	1	1	1										
Colored.....	67	10	31	19	7	3		1	2	1		2			1
Males.....	35	8	16	11	1	3		1		1		1			1
Females.....	32	2	15	8	6				2			1			
4. Diphtheria.....	1,645	125	827	484	168	98	23	9	8	8	3	6	1		10
White.....	1,289	81	655	390	125	71	17	7	5	5	2	2			10
Native born.....	1,258	79	640	383	121	68	16	6	5	5	2	2			10
Both parents native.....	M. 472 F. 552	35 32	258 254	137 181	40 64	25 34	3 9	2 4	1 2	2 3	1	1			2 1
One or both parents foreign.....	M. 15 F. 22	1 1	9 12	4 5	1 1	1 2	1								1
Foreign born.....	M. 2 F. 4	1 1	1 2	1	1			1							
Colored.....	356	44	172	94	43	27	6	2	3	3	1	4	1		
Males.....	168	27	92	35	19	10	3		1	1	1	1			
Females.....	193	17	80	59	24	17	3	2	2	2		3	1		
5. Whooping cough.....	352	389	762	58	17	6	1		1	2	2				3
White.....	416	191	382	21	8	1			1	1	1				1
Native born.....	414	191	380	21	8	1			1	1	1				1
Both parents native.....	M. 155 F. 166	84 61	141 155	7 7	5 2	1			1	1					
One or both parents foreign.....	M. 7 F. 7	4 3	7 6												
Foreign born.....	M. 2 F. 2	1 1	2												
Colored.....	436	198	380	37	9	5	1			1	1				2
Males.....	204	85	182	14	5	1				1	1				1
Females.....	232	113	198	23	4	4	1			1					1
6. Fever.....	810.	145	359	72	59	105	61	32	29	27	29	22	8	2	5
White.....	261	42	102	23	19	35	15	18	12	11	11	11	3		1
Native born.....	256	42	102	23	18	35	15	18	11	10	10	11	3		
Both parents native.....	M. 119 F. 120	23 17	53 44	9 13	7 9	15 18	10 5	5 11	4 6	4 6	6 3	6 4	1		
One or both parents foreign.....	M. 3 F. 2	1	2			1									
Foreign born.....	M. 2 F. 2								1						1
Colored.....	549	103	257	49	40	70	46	14	17	16	18	11	5	2	4
Males.....	259	49	130	27	15	28	19	6	6	7	11	5	3		2
Females.....	290	54	127	22	25	42	27	8	11	9	7	6	2	2	2
7. Cerebro-spinal fever.....	274	46	183	39	25	40	15	6	5	4	4	2		1	
White.....	184	35	102	26	16	18	7	4	3	3	3	1		1	
Native born.....	179	33	99	26	16	18	7	4	3	2	2	1		1	
Both parents native.....	M. 72 F. 60	17 11	40 35	7 16	5 4	9 3	5 1	1 1	1	2	1			1	
One or both parents foreign.....	M. 3 F. 2	1	1	1	1	1									
Foreign born.....	M. 1 F. 1									1					
Colored.....	90	11	31	13	9	22	8	2	2	1	1	1			
Males.....	43	6	16	2	5	13	3	1	2	1					
Females.....	47	5	15	11	4	9	5	1			1	1			

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—A—Continued.															
8. Enteric fever.....	4,210	108	474	260	385	1,300	729	427	220	176	127	63	8	1	40
White.....	2,610	61	239	126	198	808	515	292	143	128	89	46	3		23
Native born.....	2,417	59	233	121	188	751	468	269	134	110	80	43	3		17
Both parents native.....	1,089	23	99	58	75	328	241	131	48	51	33	14	3		8
One or both parents foreign.....	901	26	114	48	82	272	140	90	56	44	35	19			1
Foreign born.....	37	1	2	2	5	11	8	5	2		1	1			
Foreign born.....	39	1	2	3	2	17	8	2	1		1	3			
Foreign born.....	62				1	18	18	6	4	8	5	1			1
Foreign born.....	41				1	1	10	11	5	4	5	3	1		
Colored.....	1,600	47	235	134	187	492	214	135	77	48	38	17	5	1	17
Males.....	810	23	134	72	76	233	121	64	36	28	20	12	4		10
Females.....	790	24	101	62	111	259	93	71	41	20	18	5	1	1	7
9. Diarrheal diseases.....	12,112	4,409	8,773	471	208	369	298	271	306	376	505	321	111	15	88
White.....	7,918	2,908	5,683	280	139	228	202	166	201	282	347	245	76	6	63
Native born.....	7,475	2,869	5,538	273	137	211	182	143	174	222	280	208	63	5	39
Both parents native.....	2,864	958	2,163	111	71	82	61	42	58	77	106	63	20		10
One or both parents foreign.....	2,540	803	1,779	117	48	80	79	59	72	81	105	92	26	2	9
Foreign born.....	96	55	79			4	2		3	5		1	1		1
Foreign born.....	88	41	67	1	3	1	1	2	4	1	1	5	2		
Foreign born.....	115	3	8			7	9	11	14	26	23	14	3		
Foreign born.....	108	3	13	2		4	4	7	9	24	26	14	4		1
Colored.....	4,194	1,501	3,090	191	69	141	96	105	105	94	158	76	35	9	25
Males.....	2,141	768	1,589	105	33	66	38	52	61	44	85	38	17	2	11
Females.....	2,053	733	1,501	86	36	75	58	53	44	50	73	38	18	7	14
10. Malarial fever.....	3,531	236	930	338	257	611	354	286	200	204	174	108	29	5	35
White.....	1,591	108	352	157	106	248	183	167	91	97	96	61	19	1	13
Native born.....	1,441	105	340	148	103	221	166	142	75	78	78	53	16	1	10
Both parents native.....	572	39	139	57	42	102	57	61	28	28	31	20	4	1	2
One or both parents foreign.....	591	40	134	59	44	88	70	58	37	30	35	22	10		4
Foreign born.....	19	2	4	3	1	3	5	3							
Foreign born.....	17	1	5	3	3	3	2				1				
Foreign born.....	69	2	4	3		10	11	14	8	6	7	4	1		1
Foreign born.....	34	1	1	1		1	3	3	4	10	7	3			1
Colored.....	1,940	128	578	181	151	363	171	119	109	107	78	47	10	4	22
Males.....	947	65	298	89	52	165	80	65	53	59	47	25	6	1	7
Females.....	993	63	280	92	99	198	91	54	56	48	31	22	4	3	15
11. Erysipelas.....	268	42	77	5	7	18	19	19	28	28	29	23	10	2	3
White.....	205	37	59	4	5	13	14	14	22	19	27	20	6	1	1
Native born.....	185	37	58	4	5	13	11	13	17	16	21	19	6	1	1
Both parents native.....	69	11	22	3	3	6	3	8	6	3	8	8	2		
One or both parents foreign.....	71	19	29		1	6	5	4	8	7	5	4	2		
Foreign born.....	1	1	1												
Foreign born.....	10														
Foreign born.....	7														
Colored.....	63	5	18	1	2	5	5	5	6	9	2	3	4	1	2
Males.....	35	2	8	1	1	3	3	5	3	6	1	3	3	1	
Females.....	28	3	10		1	2	2		3	3	1		1		2
12. Septicæmia.....	317	21	35	9	18	58	46	44	28	33	24	14	1		7
White.....	211	17	26	6	9	38	30	27	20	23	18	11			3
Native born.....	189	17	26	5	9	37	27	23	17	17	17	8			3
Both parents native.....	72	5	11	2	6	12	5	7	8	10	7	4			
One or both parents foreign.....	74	9	12	2	1	20	17	9	5	5		1			2
Foreign born.....	3				1		1		1						
Foreign born.....	8							2	2	2		2			
Foreign born.....	4						1		2	2	1				
Colored.....	106	4	9	3	9	20	16	17	8	10	6	3	1		4
Males.....	45	3	5	3	6	7	5	3	6	6	3	1			
Females.....	61	1	4		3	13	11	14	2	4	3	2	1		4

STATISTICS OF DEATHS.

703

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—A—Continued.															
13. Venereal diseases.....	323	79	101	7	1	37	56	53	31	14	16	5			2
White.....	86	24	25	2	1	8	11	18	7	4	7	3			
Native born.....	71	21	22	1	1	7	9	15	4	4	5	3			
Both parents native.....	M. 17 F. 18	3 4	3 4			3 2		3 5		3 2	3 1	2			
One or both parents foreign.....	M. 1 F. 1					1									
Foreign born.....	M. 7 F. 1					1		3	2		2				
Colored.....	237	55	76	5		29	45	35	24	10	9	2			2
Males.....	140	35	49	2		11	25	18	16	8	8	1			2
Females.....	97	20	27	3		18	20	17	8	2	1	1			
14. Others of this group.....	245	23	59	20	10	20	18	14	16	18	29	24	15		2
White.....	123	9	29	4	4	9	12	11	8	11	13	14	6		2
Native born.....	106	9	29	4	3	8	12	9	5	7	9	12	6		2
Both parents native.....	M. 48 F. 31	4 4	12 10	1 3	2 1	5 2	7 4	1 4	3 1	3 2	5 2	7 1	2 1		
One or both parents foreign.....	M. 1 F. 3							1 1							
Foreign born.....	M. 8 F. 3					1		2	1	2	2	1			
Colored.....	122	14	30	16	6	11	6	3	8	7	16	10	9		
Males.....	75	8	16	9	4	8	2	1	4	6	12	7	6		
Females.....	47	6	14	7	2	3	4	2	4	1	4	3	3		
General diseases—B.....	1,451	618	911	59	11	45	77	96	35	62	47	28	8	2	20
White.....	813	339	427	19	5	25	63	79	70	48	37	18	6		16
Native born.....	730	335	419	18	4	24	55	66	58	32	28	13	5		8
Both parents native.....	M. 235 F. 123	53 49	86 80	5 8	2 2	8 7	30 4	29 8	34 4	18 3	14 9	5 2	2 1		2
One or both parents foreign.....	M. 13 F. 11	5 9	7 10				1 1	2 4	1			1			
Foreign born.....	M. 35 F. 13		2			1	4 1	4 5	8 1	9 3	7	2	1		
Colored.....	638	279	484	40	6	20	14	17	15	14	10	10	2	2	4
Males.....	340	151	250	22	5	7	10	12	11	8	6	7			2
Females.....	298	128	234	18	1	13	4	5	4	6	4	3	2	2	2
1. Parasitic diseases.....	286	25	232	45	2	2			1		2		1		1
White.....	82	6	66	11	1						2		1		1
Native born.....	76	6	63	11							1		1		
Both parents native.....	M. 29 F. 36	1 5	24 31	4 4							1		1		
One or both parents foreign.....	M. 1 F. 1		1												
Foreign born.....	M. 1 F. 1										1				
Colored.....	204	19	166	34	1	2			1						
Males.....	107	12	84	21	1	1									
Females.....	97	7	82	13		1			1						
2. Alcoholism.....	272		2	2	4	13	52	68	57	33	27	4	1		9
White.....	223				1	9	45	56	46	28	25	3	1		9
Native born.....	169				1	9	37	44	35	19	17	3	1		3
Both parents native.....	M. 107 F. 5				1	4	21	25	23	12	11	2	1		2
One or both parents foreign.....	M. 5 F. 1					1	2	2	1		2				
Foreign born.....	M. 26 F. 7						4 1	4 5	7 1	5	6				
Colored.....	49		2	2	3	4	7	12	11	5	2	1			
Males.....	40		2		3	2	6	9	10	5	2	1			
Females.....	9			2		2	1	3	1						

STATISTICS OF DEATHS.

705

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—C—Continued.															
2. Stillborn	3,963	3,963	3,963												
White	2,008	2,008	2,008												
Native born	2,008	2,008	2,008												
Both parents native	M. 678 F. 481	M. 678 F. 481	M. 678 F. 481												
One or both parents foreign	M. 37 F. 25	M. 37 F. 25	M. 37 F. 25												
Foreign born	M. . F. .	M. . F. .	M. . F. .												
Colored	1,955	1,955	1,955												
Males	1,113	1,113	1,113												
Females	842	842	842												
3. Malformation	197	110	127	7	1						1				1
White	94	82	86	5	1						1				1
Native born	92	82	85	5	1										1
Both parents native	M. 37 F. 19	M. 30 F. 17	M. 32 F. 18	4 1	1										
One or both parents foreign	M. 3 F. .	M. 3 F. .	M. 3 F. .												
Foreign born	M. . F. 1	M. . F. 1	M. . F. 1								1				
Colored	43	28	41	2											
Males	22	15	21	1											
Females	21	13	20	1											
4. Debility and atrophy	2,796	1,577	1,784	18	7	24	16	31	45	112	203	351	156	28	21
White	1,630	905	985	6	1	10	10	15	26	66	137	242	110	10	12
Native born	1,450	900	978	6	1	8	9	13	19	42	102	175	80	7	10
Both parents native	M. 429 F. 364	M. 280 F. 211	M. 292 F. 231	1 2	1	2	3	3	5	17	33	55	12	2	6
One or both parents foreign	M. 30 F. 24	M. 22 F. 7	M. 22 F. 10			2	2	4	2	2	2	4	2		
Foreign born	M. 66 F. 82	M. 1 F. 1	M. 1 F. 1			2	1	1	1	10	18	27	6		1
Colored	1,166	672	799	12	6	14	6	16	19	46	66	109	46	18	9
Males	598	369	434	4	5	5	4	4	10	19	31	50	19	6	7
Females	568	303	365	8	1	9	2	12	9	27	35	59	27	12	2
5. Old age	1,676									28	260	729	475	160	24
White	923									17	136	431	290	37	12
Native born	718									14	103	337	226	32	6
Both parents native	M. 223 F. 292	M. 87 F. 80	M. 205 F. 158	50 59	59 74	317 513	406 570	324 605	313 480	301 404	342 356	193 213	39 37	4 3	9 22
One or both parents foreign	M. 10 F. 9	M. 10 F. 9	M. 10 F. 9			2	2	4	11	11	4	8	1		1
Foreign born	M. 73 F. 97	M. 9 F. 97	M. 9 F. 97			37	35	18	11	9	6	5	2	1	1
Colored	753									11	124	298	185	123	12
Males	333									4	59	144	83	38	5
Females	420									7	65	154	102	85	7
General diseases—D	20,037	571	1,616	552	729	3,868	3,447	2,855	2,329	1,776	1,603	825	190	33	214
White	9,594	293	584	149	177	1,304	1,660	1,420	1,306	1,165	1,063	562	107	11	86
Native born	8,422	291	571	142	168	1,227	1,502	1,253	1,082	925	896	496	95	9	56
Both parents native	M. 2,562 F. 3,438	M. 87 F. 80	M. 205 F. 158	50 59	59 74	317 513	406 570	324 605	313 480	301 404	342 356	193 213	39 37	4 3	9 22
One or both parents foreign	M. 137 F. 138	M. 6 F. 7	M. 12 F. 9	2 3	2 2	29 37	43 35	17 18	11 11	11 9	4 6	8 5	1 2		
Foreign born	M. 492 F. 343	M. 2 F. 1	M. 2 F. 1			23 21	80 26	66 56	105 77	110 84	80 58	18 17	5 2	1 1	1 60
Colored	10,443	278	1,032	403	552	2,564	1,787	1,435	1,023	611	540	263	83	22	128
Males	4,590	154	547	177	209	1,039	688	552	495	318	296	147	43	11	68
Females	5,853	124	485	226	343	1,525	1,099	883	528	293	244	116	40	11	60

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I. General diseases—Continued.															
General diseases—D—Continued.															
1. Rheumatism	820	9	32	23	32	67	42	50	73	86	111	71	21	3	9
White	365	7	21	19	22	33	25	31	37	46	67	48	13		3
Native born	326	7	21	19	21	32	21	30	31	35	59	42	13		2
Both parents native	123	3	8	9	9	16	5	10	9	11	21	20	5		1
One or both parents foreign	129	4	10	6	9	8	6	13	12	15	26	16	7		1
Foreign born	7					3	1		1		1	1			
Foreign born	3					1		1			1				
Foreign born	17				1		4			5	2	3			1
Foreign born	14								4	3	5	2			
Colored	255	2	11	4	10	34	17	19	36	40	44	23	8	3	6
Males	134	1	7	4	4	13	3	14	21	21	26	11	4	2	4
Females	121	1	4		6	21	14	5	15	19	18	12	4	1	2
2. Scrofula and tubercles	793	105	282	85	66	94	64	70	59	22	29	12	5		5
White	261	45	89	11	8	21	26	30	35	17	14	8	2		
Native born	244	44	87	10	8	20	24	28	31	14	12	8	2		
Both parents native	106	11	38	3	5	10	8	9	15	8	4	5	1		
One or both parents foreign	86	12	21	5	2	6	14	15	10	5	5	2	1		
Foreign born	3	2	2						1						
Foreign born	7						1		3	1	2				
Foreign born	2						1			1					
Colored	532	60	193	74	58	73	38	40	24	5	15	4	3		5
Males	244	25	97	30	22	34	15	14	15	2	10	2	2		1
Females	288	35	96	44	36	39	23	26	9	3	5	2	1		4
3. Leprosy	3				1	1					1				
White	1										1				
Native born	1										1				
Both parents native															
One or both parents foreign															
Foreign born	1									1					
Foreign born															
Colored	2				1	1									
Males	2				1	1									
Females															
4. Consumption	13,524	232	669	250	481	3,401	3,003	2,167	1,523	921	660	249	41	8	151
White	6,028	100	183	36	66	1,118	1,447	1,071	842	582	428	167	25	1	62
Native born	5,285	100	182	36	60	1,050	1,307	941	692	460	352	142	22	1	40
Both parents native	1,507	37	72	9	10	245	354	251	213	162	130	44	10		7
One or both parents foreign	2,150	35	57	17	33	437	476	430	291	185	198	64	5	1	16
Foreign born	104	2	5		2	25	40	16	8	6	1	1			
Foreign born	98	2	3	3	1	34	31	14	7	3	7	1			
Foreign born	351					21	69	58	81	67	46	9			
Foreign born	188		1		1	18	24	40	43	37	17	6	1		
Colored	7,496	132	486	214	415	2,283	1,556	1,096	681	339	232	82	16	7	89
Males	3,273	75	241	86	149	910	628	454	370	189	135	49	9	4	49
Females	4,223	57	245	128	266	1,373	928	642	311	150	97	33	7	3	40
5. Hydrocephalus	306	132	240	24	7	13	5	5	4	2	2	3			1
White	197	97	162	13	3	6	2	3	2	2	2	1			1
Native born	183	96	153	11	2	6	2	2	2	1	2	1			1
Both parents native	38	25	32	2		1			2		1				
One or both parents foreign	37	22	35		1										
Foreign born	5	2	3					1				1			
Foreign born	2	2	2												
Foreign born	2		2												
Colored	109	35	78	11	4	7	3	2	2			2			
Males	72	22	52	8	2	3	2	1	2			2			
Females	37	13	26	3	2	4	1	1							

STATISTICS OF DEATHS.

707

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—D—Continued.															
6. Cancer	1,701	4	18	10	5	29	98	257	345	378	340	166	37	3	15
White	1,300	3	13	6	2	19	53	163	263	313	285	143	29	2	9
Native born.....	1,060	3	13	6	2	17	48	137	208	235	234	128	24	2	6
Both parents native.....	M. 261		4	2	1	5	10	24	35	45	73	50	9	2	1
F. 514			3	3	1	11	23	80	112	121	92	56	11		1
One or both parents foreign.....	M. 7									2	1	4			
F. 13			1				1	3	1	2	3	2			
Foreign born.....	M. 77					1	3	5	18	24	22	2	2		
F. 112						1	1	14	26	40	25	5			
Colored.....	401	1	5	4	3	10	45	94	82	65	55	23	8	1	6
Males.....	81	1	2	2	1	5	9	12	12	15	11	6	2	1	3
Females.....	320		3	2	2	5	36	82	70	50	44	17	6		3
7. Tumor.....	266	5	15	9	9	26	36	36	49	43	23	15	2	1	2
White.....	169	4	8	8	6	11	24	20	30	34	19	9			
Native born.....	146	4	8	7	6	10	19	18	26	29	15	8			
Both parents native.....	M. 51	3	5	2	1	5	8	3	10	9	7	1			
F. 68	1	3	3	3	4	7	13	11	16	4	4				
One or both parents foreign.....	M. 2									1	1				
F. 3										1	1				
Foreign born.....	M. 10					1	3	1	1	3	1				
F. 6								1	2	1	2				
Colored.....	97	1	7	1	3	15	12	16	19	9	4	6	2	1	2
Males.....	29		4	1		8	2	2	5	2	1	3			1
Females.....	68	1	3		3	7	10	14	14	7	3	3	2	1	1
8. Anæmia.....	102	23	32	5	7	18	11	6	6	8	3	3	1	1	1
White.....	71	14	18	3	6	13	10	3	4	7	2	3	1	1	
Native born.....	63	14	18	3	6	11	8	3	4	6	1	2	1		
Both parents native.....	M. 9	3	3	2		3	5						1		
F. 25	1	5	1	3	3	5	4	3	1	2	1				
One or both parents foreign.....	M. 2					1	1								
F. 3					1		1					1			
Foreign born.....	M. 1									1					
F. 2						1						1			
Colored.....	31	9	14	2	1	5	1	3	2	1	1				1
Males.....	12	4	6			1		1	1	1	1				1
Females.....	19	5	8	2	1	4	1	2	1						
9. Dropsy.....	2,467	33	261	136	105	201	174	241	239	291	399	294	80	17	29
White.....	1,019	7	57	45	51	68	62	80	67	148	215	175	34	7	10
Native born.....	942	7	57	42	50	66	62	77	63	132	193	158	30	6	6
Both parents native.....	M. 397	4	36	20	27	26	17	20	19	59	92	67	11	2	1
F. 428	3	16	19	18	34	37	46	38	57	75	71	12	2	3	
One or both parents foreign.....	M. 8		2					1	1	3					
F. 10						2	1		1	1	2	1	1		
Foreign born.....	M. 22								1	7	6	4	3	1	
F. 16						1		1	2	1	8	2	1		
Colored.....	1,448	26	204	91	54	133	112	161	172	143	184	119	46	10	19
Males.....	700	18	118	46	28	61	27	52	67	83	108	71	26	4	9
Females.....	748	8	86	45	26	72	85	109	105	60	76	48	20	6	10
10. Diabetes.....	161	2	6	4	12	15	13	18	26	20	33	11	2		1
White.....	127		3	4	11	13	10	14	22	12	28	7	2		1
Native born.....	120		3	4	11	13	10	12	22	9	26	7	2		1
Both parents native.....	M. 57		1		5	6	4	5	9	5	14	6	2		
F. 34			2	3	4	7	2	2	4	2	7				1
One or both parents foreign.....	M. 1														
F. 4									1	1					
Foreign born.....	M. 4									2	1				
F. 2										1	1				
Colored.....	34	2	3		1	2	3	4	4	8	5	4			
Males.....	22	2	2			2	2	2	2	5	4	3			
Females.....	12		1		1		1	2	2	3	1	1			

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—D—Continued.															
11. Others of this group.....	86	26	57	5	3	3	1	4	5	4	2	1	1		
White.....	51	16	27	4	2	2	1	4	4	3	2	1	1		
Native born.....	47	16	26	4	2	2	1	4	3	3	1		1		
Both parents native.....	{ M 10 F 13	{ 1 2	{ 3 6	{ 1 2	{ 1 1		{ 1 1	{ 2 2	{ 1 1	{ 2 1			1		
One or both parents foreign.....	{ M 2 F 1	{ 2 1	{ 2 1												
Foreign born.....	{ M 1 F 1	{ 1 1	{ 1 1						1			1			
Colored.....	35	10	30	1	1	1			1	1					
Males.....	19	6	17		1	1									
Females.....	16	4	13	1					1	1					
12. Others of this class.....	8		4	1	1			1			1				
White.....	5		3					1			1				
Native born.....	5		3					1			1				
Both parents native.....	{ M 3 F 2		3								1				
One or both parents foreign.....	{ M F							1			1				
Foreign born.....	{ M F														
Colored.....	3		1	1	1										
Males.....	2		1		1										
Females.....	1			1											
II.—Diseases of the nervous system.....															
White.....	9,649	2,220	3,431	354	252	526	425	568	749	980	1,207	831	216	24	86
Native born.....	5,367	1,111	1,841	194	123	269	206	296	392	563	740	553	145	8	37
Both parents native.....	{ M 1,861 F 1,598	{ 307 266	{ 561 490	{ 64 86	{ 53 44	{ 110 91	{ 64 62	{ 94 91	{ 134 128	{ 214 158	{ 304 215	{ 222 160	{ 47 80	{ 5 2	{ 14 8
One or both parents foreign.....	{ M 115 F 72	{ 26 25	{ 37 33	{ 3 2	{ 2 1	{ 7 7	{ 10 4	{ 11 4	{ 12 3	{ 14 2	{ 10 7	{ 7 6	{ 2 6		2
Foreign born.....	{ M 281 F 189	{ 3 1	{ 6 1	{ 1 1	{ 2 1	{ 6 3	{ 9 7	{ 23 10	{ 40 23	{ 72 48	{ 70 53	{ 47 35	{ 4 5	{ 1 1	1
Colored.....	3,593	1,088	1,550	150	120	241	185	215	277	276	305	174	55	14	31
Males.....	1,868	580	815	80	56	134	105	104	125	144	151	103	26	5	20
Females.....	1,725	508	735	70	64	107	80	111	152	132	154	71	29	9	11
1. Inflammation of the brain.....	1,680	470	1,000	156	94	167	74	58	45	44	26	6	4	1	5
White.....	1,157	373	740	101	57	86	39	45	25	26	18	5	2		4
Native born.....	1,109	369	738	96	52	79	36	41	21	21	15	5	2		3
Both parents native.....	{ M 378 F 368	{ 105 113	{ 226 238	{ 29 46	{ 25 16	{ 42 24	{ 15 9	{ 18 14	{ 6 8	{ 5 8	{ 7 4	{ 2 1	{ 2 1		1
One or both parents foreign.....	{ M 23 F 12	{ 8 7	{ 13 10	{ 2 2	{ 1 1	{ 2 3		2							
Foreign born.....	{ M 15 F 5			1	1	3	1	2	2	3	2				
Colored.....	523	97	251	55	37	81	35	13	20	18	8	1	2	1	1
Males.....	274	56	130	26	16	52	17	7	11	7	4		2	1	1
Females.....	249	41	121	29	21	29	18	6	9	11	4	1			
2. Apoplexy.....	1,289	11	24	6	5	40	53	138	223	265	236	184	38	2	15
White.....	898	8	17	3	3	25	33	82	141	195	211	150	25	1	11
Native born.....	679	8	17	3	3	24	32	68	108	144	140	111	23	1	5
Both parents native.....	{ M 229 F 163	{ 3 3	{ 6 7	{ 2 1	{ 2 1	{ 8 9	{ 8 11	{ 18 20	{ 35 24	{ 54 28	{ 51 31	{ 35 22	{ 8 9		2
One or both parents foreign.....	{ M 28 F 11					2	3	6	2	7	3	5			
Foreign born.....	{ M 103 F 69					1	1	7	15	27	32	20	1		
Colored.....	391	3	7	3	2	15	20	56	82	70	85	34	12	1	4
Males.....	192	3	4	1		7	10	24	40	37	42	23	3		1
Females.....	199		3	2	2	8	10	32	42	33	43	11	9	1	3

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
II.—Diseases of the nervous system—Cont'd.															
3. Paralysis.....	2,316	20	63	18	25	42	64	131	253	424	626	497	138	17	18
White.....	1,657	10	33	9	16	23	33	83	154	311	471	394	179	9	12
Native born.....	1,466	10	33	9	16	22	27	67	141	268	419	350	97	7	10
Both parents native.....	{ M 601	3	10	4	5	9	10	24	49	115	185	154	31	5	5
One or both parents foreign.....	{ F 538	5	15	5	7	6	11	23	61	95	145	119	42	5	4
Foreign born.....	{ M 15					1	2	1	2	3	3	1	2		
	{ F 7					2	1	1	1	1	1	2			
	{ M 71					1	2	7	6	18	18	15	3	1	
	{ F 68						1	3	5	16	19	20	3	1	
Colored.....	659	10	30	9	9	19	31	48	99	113	155	103	29	8	6
Males.....	314	6	17	3	5	13	19	22	42	56	84	53	13	2	5
Females.....	345	4	13	6	4	6	12	26	57	57	91	50	16	6	1
4. Tetanus and trismus nascentium.....	403	323	333	14	11	13	8	8	6	6	1	1			2
White.....	138	103	105	7	4	7	5	3	2	4	1				
Native born.....	133	103	105	7	4	5	3	2	2	4	1				
Both parents native.....	{ M 43	27	29	4	3	2	2	1		2					
One or both parents foreign.....	{ F 20	15	15	2	1				1	1					
Foreign born.....	{ M 10	8	8							1					
	{ F 5	5	5												
	{ M 2						1	1							
	{ F 2						1								
Colored.....	265	220	228	7	7	6	3	5	4	2		1			2
Males.....	141	110	112	5	5	6	2	3	4	1		1			2
Females.....	124	110	116	2	2		1	2		1					
5. Epilepsy.....	310	21	43	15	18	58	49	42	21	23	17	12	2	1	9
White.....	175	9	19	8	12	30	33	25	10	12	11	8			7
Native born.....	155	9	19	8	12	28	25	21	9	8	11	7			7
Both parents native.....	{ M 59	5	13	1	3	12	8	7	1	3	7	3			1
One or both parents foreign.....	{ F 53	4	5	5	5	10	7	7	3	4	2	3			2
Foreign born.....	{ M 2				1			1			1				2
	{ F 5							1							
	{ M 2									2					
	{ F 3							1		1		1			
Colored.....	135	12	24	7	6	28	16	17	11	11	6	4	2	1	2
Males.....	80	7	16	7	5	13	10	12	5	4	3	3			2
Females.....	55	5	8		1	15	6	5	6	7	3	1	2	1	
6. Convulsions.....	1,686	1,113	1,450	55	25	43	30	20	13	15	11	5	4	1	14
White.....	708	452	607	22	4	15	14	10	6	10	7	4	3		6
Native born.....	686	440	592	22	4	15	13	9	5	10	7	3	2		4
Both parents native.....	{ M 160	91	133	9	2	5	2	3	2	1	2				1
One or both parents foreign.....	{ F 138	73	105	5	1	6	7	4	1	1	4	2	1		1
Foreign born.....	{ M 11	6	10			1									
	{ F 16	13	16												
	{ M 4	1	2							1		1			
	{ F 4														
Colored.....	978	661	843	33	21	28	16	10	7	5	4	1	1	1	8
Males.....	511	359	451	15	10	12	11	2	1	3	2		1		3
Females.....	467	302	392	18	11	16	5	8	6	2	2	1		1	5
7. Mental diseases.....	257			1	2	26	42	39	41	36	45	18	1		6
White.....	137			1	1	10	14	20	23	22	33	9	1		3
Native born.....	89			1	1	9	12	11	13	16	20	5	1		
Both parents native.....	{ M 20														
One or both parents foreign.....	{ F 14														
Foreign born.....	{ M 2														
	{ F 15														
	{ M 5														
	{ F 5														
Colored.....	120				1	16	28	19	18	14	12	9			3
Males.....	69					6	16	11	9	8	11	6			2
Females.....	51				1	10	12	8	9	6	1	3			1

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
II.—Diseases of the nervous system—Cont'd.															
8. Diseases of the brain.....	1,302	227	432	71	50	95	80	95	110	124	132	74	24	2	13
White.....	881	148	283	41	24	57	50	61	82	88	108	62	17		6
Native born.....	774	143	271	36	22	55	41	57	67	62	90	50	17		6
Both parents native.....	299	61	118	11	8	22	15	15	32	22	32	17	5		2
One or both parents foreign.....	204	45	81	17	10	17	8	15	15	11	16	8	5		1
Foreign born.....	22	4	5	1			2	1	6	3	3	1			
M.....	8		2	1	1	1	1	1	1		1				
F.....	54	2	4				3	4	8	14	13	7			
M.....	28	1	1	1			1		6	11	2	2			
F.....							4								
Colored.....	421	79	149	30	26	38	30	34	28	36	24	12	7	2	5
Males.....	227	36	72	20	9	19	20	19	9	23	16	9	5	2	4
Females.....	194	43	77	10	17	19	10	15	19	13	8	3	2		1
9. Diseases of the spinal cord.....	188	30	71	15	14	16	11	13	16	13	9	6	1		3
White.....	147	25	58	10	8	11	9	9	13	13	8	4	1		3
Native born.....	128	25	56	10	7	11	7	5	12	10	6	2	1		1
Both parents native.....	49	9	21	4	5	6	1	1	5	4	1				1
One or both parents foreign.....	40	8	22	4		3	3	1	3	1	2		1		
M.....	2														
F.....	11					1	1	3	1	3	2	1			
M.....	3				1			1							1
F.....															
Colored.....	41	5	13	5	6	5	2	4	3		1	2			
Males.....	25	2	9	2	4	4		2	1		1	2			
Females.....	16	3	4	3	2	1	2	2	2						
10. Others of this class.....	218	5	15	3	8	26	14	24	21	30	44	28	4		1
White.....	158	4	10	2	3	21	10	15	16	23	34	21	2		1
Native born.....	148	4	10	2	2	21	10	15	14	20	31	20	2		1
Both parents native.....	43	3	5			1	2	3	3	5	13	9	1		1
One or both parents foreign.....	60		2	1	2	13	4	7	9	9	7	5	1		
M.....	2		1								1				
F.....	4				2	1						1			
M.....	4				1				1	2					
F.....	6							1	1	3	1				
Colored.....	60	1	5	1	5	5	4	9	5	7	10	7	2		
Males.....	35	1	4	1	2	2		2	3	5	8	6	2		
Females.....	25		1		3	3	4	7	2	2	2	1			
III.—Diseases of the circulatory system.....	5,023	193	283	80	81	325	375	535	718	835	1,027	568	108	20	68
White.....	3,177	148	200	50	46	162	197	255	387	555	767	435	79	8	36
Native born.....	2,691	148	196	49	44	153	168	222	319	435	632	372	68	6	27
Both parents native.....	1,061	34	48	22	19	57	48	61	126	200	289	148	34	3	6
One or both parents foreign.....	873	37	54	11	16	45	64	93	110	142	194	116	21		7
M.....	54	3	4	1	1	8	9	3	8	7	7	6			
F.....	32	3	5	1	1	2	5	4	5	2	2	3	1	1	
M.....	200		1			1	11	12	32	53	58	25	4	1	2
F.....	167		1		1	2	8	13	26	46	43	22	5		
Colored.....	1,846	45	83	30	35	163	178	280	331	280	260	133	29	12	32
Males.....	848	28	47	14	15	63	68	109	163	134	126	69	16	3	21
Females.....	998	17	36	16	20	100	110	171	168	146	134	64	13	9	11
1. Angina pectoris.....	102				4	9	8	13	8	25	23	10	2		
White.....	78				2	4	6	8	7	20	21	8	2		
Native born.....	61				2	4	5	7	6	14	16	5	2		
Both parents native.....	26				2			2	2	8	9	2	1		
One or both parents foreign.....	10					1	1	1	1	3	3	2	1		
M.....	4								2		1	1			
F.....	2					1	1								
M.....	6							1			3	2			
F.....	9								1	6	1	1			
Colored.....	24				2	5	2	5	1	5	2	2			
Males.....	10					3		2	1	2		2			
Females.....	14				2	2	2	3		3	2				

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
III.—Diseases of the circulatory system—Continued.															
2. Aneurism.....	55			1		2	5	7	14	16	4	3	1		2
White.....	36			1			3	1	10	14	3	2			2
Native born.....	25			1			2	1	7	9	1	2			2
Both parents native.....	7								4	2		1			
One or both parents foreign.....	6			1			1		1	2		1			
Foreign born.....	8						1		2	4	1				
Colored.....	19					2	2	6	4	2	1	1	1		
Males.....	11					1	2	3	2	2			1		
Females.....	8					1		3	2		1	1			
3. Diseases of the heart.....	4,765	125	210	79	77	312	358	514	694	788	995	547	105	23	66
White.....	2,986	92	142	49	44	157	187	245	370	516	739	418	77	8	34
Native born.....	2,535	92	138	48	42	148	160	213	306	411	612	360	66	6	25
Both parents native.....	1,017	26	39	22	17	57	47	59	120	190	280	144	33	3	6
One or both parents foreign.....	848	30	47	10	16	44	62	92	108	137	192	113	20		7
Foreign born.....	49	2	3	1	1	8	9	3	6	7	6	5			
Colored.....	1,779	33	68	30	33	155	171	269	324	272	256	129	28	12	32
Males.....	818	23	42	14	15	59	64	104	159	129	126	67	15	3	21
Females.....	961	10	26	16	18	96	107	165	165	143	136	62	13	9	11
4. Others of this class.....	101	68	73			2	4	1	2	6	5	8			
White.....	77	56	58			1	1	1		5	4	7			
Native born.....	70	56	58			1	1	1		1	3	5			
Both parents native.....	11	8	9									1			
One or both parents foreign.....	9	7	7									2			
Foreign born.....	1	1	1												
Colored.....	24	12	15			1	3		2	1	1	1			
Males.....	9	5	5				2		1	1					
Females.....	15	7	10			1	1		1		1	1			
IV. Diseases of the respiratory system.....															
White.....	8,093	1,549	3,019	365	170	606	555	546	548	635	826	567	177	20	59
Native born.....	7,318	1,530	2,951	355	166	577	516	492	428	493	658	464	156	20	42
Both parents native.....	2,842	613	1,108	129	69	278	211	193	173	186	224	187	57	8	19
One or both parents foreign.....	2,526	480	919	118	73	195	166	189	161	183	264	174	59	10	15
Foreign born.....	102	28	50	6	2	5	13	6	2	2	5	4	7		
Colored.....	6,967	1,482	2,934	358	231	811	512	534	470	376	395	212	66	23	45
Males.....	3,788	801	1,567	182	103	434	270	290	259	248	244	126	31	10	24
Females.....	3,179	681	1,367	176	128	377	242	244	211	128	151	86	35	13	21
1. Croup.....	1,614	717	1,426	146	14	5	4	3	2	2	1	4	1		6
White.....	1,130	453	972	125	11	4	2	3	1	1		4	1		6
Native born.....	1,099	450	950	120	10	3	2	3	1	1		4	1		4
Both parents native.....	457	227	409	34	5	2	1	1		1		2			2
One or both parents foreign.....	394	195	350	35	4	1		1	1						2
Foreign born.....	16	4	12	4											
Colored.....	484	264	454	21	3	1	2		1	1	1				
Males.....	251	131	238	9	1		1		1		1				
Females.....	233	133	216	12	2	1	1			1					

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
IV.—Diseases of the respiratory system—Continued.															
2. Laryngitis.....	49	10	31	4		2	3		2	4	3				
White.....	37	6	24	4		2	2		1	3	1				
Native born.....	35	6	23	4		2	1		1	3	1				
Both parents native.....	6		1			1				3	1				
One or both parents foreign.....	10	3	8	1					1						
Foreign born.....	1		1				1								
M.....	1														
F.....	1														
Colored.....	12	4	7				1		1	1	2				
Males.....	4	1	2						1		1				
Females.....	8	3	5				1			1	1				
3. Bronchitis.....	1,724	529	947	46	25	54	52	82	90	97	174	113	34	3	7
White.....	971	252	422	23	13	25	26	51	63	72	146	97	26	2	5
Native born.....	820	246	408	22	13	24	24	46	44	48	94	70	23	2	2
Both parents native.....	264	75	126	7	3	5	6	18	18	20	27	27	6		1
One or both parents foreign.....	234	41	79	8	7	12	10	19	14	18	39	18	8	1	1
Foreign born.....	16	6	9		1		2	1	1			1	1		
M.....	13	4	9	1		1				1		1			
F.....	67	1	3					3	14	11	25	10	1		
M.....	55		3				1	2	5	10	22	11	1		
F.....															
Colored.....	753	277	525	23	12	29	26	31	27	25	28	16	8	1	2
Males.....	382	148	271	9		10	18	18	18	13	18	6	1		
Females.....	371	129	254	14	12	19	8	13	9	12	10	10	7	1	2
4. Pneumonia.....	8,400	1,175	2,530	383	274	1,081	815	761	663	615	690	397	105	21	65
White.....	4,295	563	1,170	154	105	472	432	381	353	377	452	277	82	7	33
Native born.....	3,868	553	1,142	151	103	450	405	341	283	292	371	225	72	7	26
Both parents native.....	1,504	198	392	62	42	229	178	136	111	104	122	83	28	3	14
One or both parents foreign.....	1,297	149	328	53	44	144	118	122	112	104	149	86	27	3	7
Foreign born.....	41	10	17	2		3	8	3	1	1	2	1	3		
M.....	51	8	17	1	1	8	6	5	1	1	5	5	1		
F.....	179	1	4		1	5	13	21	34	45	35	18	3		
M.....	122	1	4			4	4	14	17	28	28	18	5		
F.....															
Colored.....	4,105	612	1,360	229	169	609	383	380	310	238	238	120	23	14	32
Males.....	2,276	322	710	112	80	346	203	218	174	167	154	75	14	6	17
Females.....	1,829	290	650	117	89	263	180	162	136	71	84	45	9	8	15
5. Pleurisy.....	382	11	29	17	9	34	21	36	47	45	76	49	16	1	2
White.....	188	3	9	10	7	12	7	10	16	29	45	31	11	1	
Native born.....	173	3	9	10	7	11	7	8	13	25	41	30	11	1	
Both parents native.....	81	1	3	7	5	4	2	3	7	11	18	16	5		
One or both parents foreign.....	65	1	3	2	2	4	4	3	3	10	17	12	4	1	
Foreign born.....	2											1	2		
M.....	1											1			
F.....	9											1			
M.....	5							2		3	4	1			
F.....															
Colored.....	194	8	20	7	2	22	14	26	31	16	31	18	5		2
Males.....	109	4	11	5		9	3	11	18	12	21	15	2		2
Females.....	85	4	9	2	2	13	11	15	13	4	10	3	3		
6. Asthma.....	333	12	30	4	1	6	17	28	49	76	68	32	18	2	2
White.....	138	5	5	1		1	3	9	20	37	41	14	6		1
Native born.....	101	5	5	1		1	2	9	14	27	30	7	4		1
Both parents native.....	36	2	2			1		2	7	8	11	3	2		
One or both parents foreign.....	39	2	2	1			2	5	4	12	9	2	1		1
Foreign born.....	1							1							
M.....	1														
F.....	16									4	3	4	1		
M.....	16									2	7	6	1		
F.....															
Colored.....	195	7	25	3	1	5	14	19	29	39	27	18	12	2	1
Males.....	96	5	18	3				4	12	22	13	8	6		
Females.....	99	2	7		1	5	4	15	17	17	14	10	6	2	1

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
IV.—Diseases of the respiratory system—Continued.															
7. Others of this class	2,558	577	960	123	78	235	155	170	165	172	209	184	69	16	22
White	1,334	267	417	48	34	90	83	92	94	116	141	144	51	10	14
Native born	1,222	267	414	47	33	86	75	85	72	97	121	128	45	10	9
Both parents native	{ M. 494	110	175	19	14	36	24	33	30	39	45	56	16	5	2
	{ F. 487	89	149	18	16	34	32	39	26	39	50	56	19	5	4
One or both parents foreign	{ M. 26	8	12	1	1	2	3	1	1	1	3	2	1		
	{ F. 16	7	7	1							3	2	2		
Foreign born	{ M. 54					1	4	5	15	12	9	6	1		1
	{ F. 28		1			1			4	6	7	5	3		1
Colored	1,224	310	543	75	44	145	72	78	71	56	68	40	18	6	8
Males	670	190	317	44	22	69	35	39	35	34	36	22	8	4	5
Females	554	120	226	31	22	76	37	39	36	22	32	18	10	2	3
V.—Diseases of the digestive system															
White	2,971	612	1,074	99	68	150	223	234	262	297	341	163	33	2	25
Native born	2,653	603	1,054	95	65	139	208	204	199	231	268	139	31	2	18
Both parents native	{ M. 1,015	225	404	37	27	47	66	74	66	99	113	58	17	1	6
	{ F. 896	183	350	33	20	53	70	72	71	82	84	49	7	1	4
One or both parents foreign	{ M. 43	16	23	1	1	3	3	6	2	1	3				
	{ F. 30	10	13	1			4	1	4	1	2	3	1		
Foreign born	{ M. 133		2	1		3	9	16	28	34	32	8			
	{ F. 97	1	2		1	5	3	8	23	15	33	6	1		
Colored	2,195	567	1,202	67	55	139	125	151	140	109	114	59	11	4	19
Males	1,180	321	643	34	31	66	55	82	83	64	70	28	6	4	14
Females	1,015	246	559	33	24	73	70	69	57	45	44	31	5		5
1. Dentition	1,024	436	1,023												1
White	388	192	388												
Native born	382	189	382												
Both parents native	{ M. 123	47	123												
	{ F. 117	53	117												
One or both parents foreign	{ M. 8	5	8												
	{ F. 7	5	7												
Foreign born	{ M. 1		1												
	{ F. 1														
Colored	636	244	635												1
Males	331	138	330												1
Females	305	106	305												
2. Angina	199	31	101	33	18	8	11	10	6	5	3	1	2		1
White	129	16	66	25	11	5	5	6	5	3		1	2		
Native born	126	16	64	24	11	5	5	6	5	3		1	2		
Both parents native	{ M. 43	3	22	6	2	2	3	4		2			2		
	{ F. 55	7	26	13	6	3	2		4			1			
One or both parents foreign	{ M. 3	1	1					2							
	{ F. 7														
Foreign born	{ M. 1														
	{ F. 1														
Colored	70	15	35	8	7	3	6	4	1	2	3				1
Males	35	7	17	5	5	2	1		1	1	2				1
Females	35	8	18	3	2	1	5	4		1	1				
3. Diseases of the stomach	735	97	181	32	17	60	74	74	67	77	97	47	4		5
White	537	68	125	21	10	34	55	51	51	60	84	37	4		5
Native born	464	67	122	21	9	31	51	44	42	45	59	32	3		5
Both parents native	{ M. 153	30	50	11	4	5	12	9	11	17	20	11	2		2
	{ F. 165	12	33	5	2	17	19	20	15	18	22	11	1		1
One or both parents foreign	{ M. 7	2	3			2		1		1					
	{ F. 5	2	2				1				2				
Foreign born	{ M. 31		1			1	3	4	3	9	8	2			
	{ F. 29					2	1	2	4	4	14	1	1		
Colored	198	29	56	11	7	26	19	23	16	17	13	10			
Males	101	17	32	6	5	13	6	11	10	8	8	2			
Females	97	12	24	5	2	13	13	12	6	9	5	8			

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
V.—Diseases of the digestive system—Cont'd.															
4. Obstruction of the bowels	242	24	43	14	15	24	27	24	21	30	31	8	1		4
White.....	179	20	33	12	12	15	21	16	15	23	23	7			2
Native born.....	161	19	31	12	12	14	21	14	11	17	21	6			2
Both parents native.....	{ M. 52 F. 45	{ 8 3	{ 11 8	{ 3 2	{ 4 4	{ 6 2	{ 6 7	{ 3 6	{ 2 3	{ 5 7	{ 8 6	{ 4 6			
One or both parents foreign.....	{ M. 4 F. 1			{ 1 1			{ 2 1								
Foreign born.....	{ M. 6 F. 8		{ 1			{ 1		{ 2		{ 2	{ 2	{ 1			
Colored.....	63	4	10	2	3	9	6	8	6	7	8	1	1		2
Males.....	40	3	6	1	1	6	4	7	4	3	6				2
Females.....	23	1	4	1	2	3	2	1	2	4	2	1	1		
5. Hernia	153	11	16	1	1	6	11	19	22	20	29	17	7		4
White.....	85	7	9	1		4	5	7	8	10	23	12	4		2
Native born.....	65	7	9	1		4	5	5	5	5	18	9	4		
Both parents native.....	{ M. 34 F. 9	{ 5 1	{ 6 1	{ 1		{ 3	{ 3	{ 2		{ 2	{ 10	{ 4	{ 3		
One or both parents foreign.....	{ M. 1 F. 2						{ 1	{ 1		{ 1	{ 2	{ 3			
Foreign born.....	{ M. 6 F. 11								{ 1	{ 2	{ 3	{ 3	{ 1		
Colored.....	68	4	7		1	2	6	12	14	10	6	5	3		2
Males.....	62	3	6		1	2	5	11	12	9	6	5	3		2
Females.....	6	1	1				1	1	2	1					
6. Other diseases of the bowels	403	108	214	16	8	23	18	16	25	22	20	27	6	3	5
White.....	216	57	107	7	3	7	9	10	14	16	16	19	5	1	2
Native born.....	206	56	105	7	3	7	9	10	12	14	14	18	5	1	1
Both parents native.....	{ M. 93 F. 82	{ 24 25	{ 46 47	{ 3 2	{ 2 1	{ 3 2	{ 6	{ 7	{ 5	{ 5	{ 7	{ 7	{ 2		
One or both parents foreign.....	{ M. 2 F. 2	{ 1 1	{ 2 1										{ 1		
Foreign born.....	{ M. 1 F. 2		{ 1						{ 1						
Colored.....	187	51	107	9	5	16	9	6	11	6	4	8	1	2	3
Males.....	105	28	59	5	1	9	3	3	5	5	4	4	1	2	2
Females.....	84	23	48	4	4	7	6	3	6	1		4	1	2	1
7. Jaundice	208	87	98	3	3	9	12	9	18	20	20	13	1		2
White.....	140	57	60	1	1	4	6	7	14	16	19	9	1		2
Native born.....	123	56	59	1	1	3	5	6	13	11	14	7	1		2
Both parents native.....	{ M. 48 F. 42	{ 20 17	{ 21 19	{ 1	{ 1		{ 2	{ 1	{ 5	{ 6	{ 5	{ 3	{ 1		
One or both parents foreign.....	{ M. 3 F. 1	{ 3	{ 3												
Foreign born.....	{ M. 8 F. 4							{ 1	{ 1	{ 2	{ 4	{ 1			
Colored.....	68	30	38	2	2	5	6	2	4	4	1	4			
Males.....	30	18	22			2	2	2	1	1					
Females.....	38	12	16	2	2	3	4		3	3	1	4			
8. Inflammation and abscess of the liver	197	10	19	4	4	14	25	34	33	25	29	10			
White.....	132	6	11	1	3	2	20	24	17	21	24	9			
Native born.....	110	6	11	1	3	2	15	20	13	15	22	8			
Both parents native.....	{ M. 51 F. 29	{ 4	{ 6		{ 2	{ 1	{ 6	{ 12	{ 3	{ 7	{ 10	{ 4			
One or both parents foreign.....	{ M. 3 F. 1		{ 1					{ 6		{ 2	{ 2	{ 1			
Foreign born.....	{ M. 13 F. 4								{ 1	{ 3	{ 2	{ 1			
Colored.....	65	4	8	3	1	12	5	10	16	4	5	1			
Males.....	42	2	5	2	1	6	5	4	11	2	5	1			
Females.....	23	2	3	1		6		6	5	2					

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
V.—Diseases of the digestive system—Cont'd.															
9. Other diseases of the liver	519	38	72	6	10	25	31	63	89	85	89	41	3	1	4
White	378	30	50	3	5	17	22	42	70	68	67	28	2	1	1
Native born	303	30	49	3	5	16	22	37	41	54	49	22	2	1	2
Both parents native	{ M. 129 F. 98	{ 16 12	{ 24 20	{ 1 1	{ 1 3	{ 7 6	{ 9 6	{ 13 10	{ 19 10	{ 24 19	{ 18 15	{ 10 7		1	
One or both parents foreign	{ M. 4 F. 3				1			2				1			
Foreign born	{ M. 40 F. 19					1		3	2	9	10	3			
Colored	141	8	22	3	5	8	9	21	19	17	22	13	1		1
Males	76	3	13	3	2	4	4	14	12	8	10	5			1
Females	65	5	9		3	4	5	7	7	9	12	8	1		
10. Peritonitis	303	7	26	15	14	52	61	43	30	25	20	6	4		7
White	192	5	17	11	9	29	38	24	20	16	15	5	4		4
Native born	154	5	16	9	8	24	34	19	12	10	10	5	4		3
Both parents native	{ M. 36 F. 41	{ 2 2	{ 7 5	{ 4 3	{ 3 1	{ 4 5	{ 3 10	{ 4 5	{ 3 3	{ 4 3	{ 3 1	{ 3 3		2	
One or both parents foreign	{ M. 2 F. 3					1		3			1				
Foreign born	{ M. 14 F. 12			1			3	1	5	4	1				
Colored	111	2	9	4	5	23	23	19	10	9	5	1			3
Males	37		2	3	2	4	7	5	4	7		1			2
Females	74	2	7	1	3	19	16	14	6	2	5				1
11. Ascites	197	2	18	6	12	15	18	31	18	21	36	15	5		2
White	70	2	6	2	5	1	4	9	5	6	18	10	4		
Native born	63	2	6	2	5	1	4	9	4	5	16	8	3		
Both parents native	{ M. 32 F. 28	{ 2 2	{ 5 1	{ 1 1	{ 4 1		1	4	3	1	2	10	4	2	
One or both parents foreign	{ M. 1 F. 3									1		4	1		
Foreign born	{ M. 3 F. 1								1	1	1				
Colored	127		12	4	7	14	14	22	13	15	18	5	1		2
Males	71		7	1	5	7	8	9	7	11	10	4	1		1
Females	56		5	3	2	7	6	13	6	4	8	1			1
12. Others of this class	986	328	465	36	21	53	60	62	73	76	81	37	11	2	9
White	525	152	202	15	9	32	38	38	43	58	52	26	7		5
Native born	496	150	200	14	8	32	37	34	41	52	45	23	7		3
Both parents native	{ M. 221 F. 185	{ 64 51	{ 83 71	{ 6 6	{ 4 2	{ 16 15	{ 16 14	{ 16 12	{ 17 20	{ 25 20	{ 22 14	{ 11 8	{ 4 1		1
One or both parents foreign	{ M. 6 F. 4	{ 4 3	{ 5 3					1							2
Foreign born	{ M. 11 F. 7				1			1	2	2	4	1			
Colored	461	176	263	21	12	21	22	24	30	18	29	11	4	2	4
Males	252	102	144	8	8	11	10	16	16	9	19	6	1	2	2
Females	209	74	119	13	4	10	12	8	14	9	10	5	3		2
VI.—Diseases of the urinary system and male organs of generation.	2,104	38	98	28	31	146	162	253	271	399	388	252	49	3	24
White	1,435	26	66	14	15	88	99	176	179	276	284	192	36		10
Native born	1,175	26	66	14	15	83	87	150	140	194	237	149	32		8
Both parents native	{ M. 554 F. 217	{ 10 5	{ 24 18	{ 6 2	{ 5 6	{ 25 28	{ 17 23	{ 50 36	{ 55 33	{ 119 25	{ 129 85	{ 102 10	{ 20 2		2
One or both parents foreign	{ M. 24 F. 10		{ 2 1			{ 3 2	{ 6 1	{ 3 3	{ 2 1	{ 2 3	{ 4 24	{ 2 27	{ 2 3		1
Foreign born	{ M. 144 F. 64					{ 2 1	{ 5 5	{ 12 7	{ 21 10	{ 50 23	{ 24 10	{ 27 8	{ 3 1		
Colored	669	12	32	14	16	58	63	77	92	123	104	60	13	3	14
Males	449	7	18	9	7	31	31	42	58	92	86	51	12	3	9
Females	220	5	14	5	9	27	32	35	34	31	18	9	1		5

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
VI.—Diseases of the urinary system and male organs of generation—Cont'd.															
1. Bright's disease.....	1,054			8	16	78	96	148	166	236	185	89	18		14
White.....	742			4	10	49	60	103	114	173	142	65	15		7
Native born.....	599			4	10	45	52	85	93	118	118	55	13		6
Both parents native.....	{ M. 262			3	3	10	9	28	36	74	58	31	9		1
One or both parents foreign.....	{ F. 113				5	14	14	17	21	16	18	6	1		1
Foreign born.....	{ M. 15					3	4	2	2	1	2				
Foreign born.....	{ F. 77					1	3	7	13	35	13	4	1		
Foreign born.....	{ F. 39					1	3	5	5	14	8	3			
Colored.....	312			4	6	29	36	45	52	63	43	24	3		7
Males.....	194			4	2	12	16	24	32	48	31	18	3		4
Females.....	118				4	17	20	21	20	15	12	6			3
2. Calculus, urinary.....	124	4	8	4	1	3	6	3	10	19	31	34	3	1	1
White.....	87	2	4	1		2	3	1	3	11	17	22	3		
Native born.....	64	2	4	1		2	3	1	3	11	16	20	3		
Both parents native.....	{ M. 52	1	2	1		2	2	1	2	9	11	19	3		
One or both parents foreign.....	{ F. 6	1	2				1		1	1	1				
Foreign born.....	{ M. 1														
Foreign born.....	{ F. 1														
Colored.....	57	2	4	3	1	1	3	2	7	8	14	12		1	1
Males.....	52	2	4	1	1	1	3	2	7	5	14	12		1	1
Females.....	5			2						3					
3. Diseases of the kidney.....	588	22	74	15	11	50	48	71	71	80	93	57	12	2	4
White.....	387	15	51	8	4	26	28	49	46	54	70	42	7		2
Native born.....	325	15	51	8	4	25	26	42	32	38	59	32	7		1
Both parents native.....	{ M. 138	4	15	2	2	9	5	15	11	20	32	22	5		
One or both parents foreign.....	{ F. 73	2	14	1	1	10	5	10	8	7	13	3	1		
Foreign born.....	{ M. 6		2				2	1			1				
Foreign born.....	{ F. 4		1			1	1	4	7	2	4	5			
Foreign born.....	{ M. 31					1	1	4	7	9	4	5			
Foreign born.....	{ F. 18						1	2	4	6	2	3			
Colored.....	201	7	23	7	7	24	20	22	25	26	23	15	5	2	2
Males.....	119	3	11	4	3	15	8	12	15	15	17	12	4	2	1
Females.....	82	4	12	3	4	9	12	10	10	11	6	3	1		1
4. Diseases of the bladder.....	175	3	3		1	8	2	8	15	38	46	43	9		2
White.....	123	3	3			6	2	6	11	20	31	39	5		
Native born.....	91	3	3			6	2	6	7	14	24	25	4		
Both parents native.....	{ M. 57	3	3			3	1	3	4	8	16	18	1		
One or both parents foreign.....	{ F. 10					1	1	3	3		2		2		
Foreign born.....	{ M. 2														
Foreign born.....	{ F. 22								1	3	4	13	1		
Foreign born.....	{ F. 3								1	1	1	1			
Colored.....	52				1	2		2	4	18	15	4	4		2
Males.....	47					1		1	2	18	15	4	4		2
Females.....	5				1	1		1	2						
5. Others of this class.....	163	9	13	1	2	7	10	23	9	26	33	29	7		3
White.....	116	6	8	1	1	5	6	17	5	18	24	24	6		1
Native born.....	96	6	8	1	1	5	4	16	5	13	20	17	5		1
Both parents native.....	{ M. 45	2	4			1	1	3	2	8	12	12	2		1
One or both parents foreign.....	{ F. 15	2	2	1		1	2	6	1	1	1				
Foreign born.....	{ M. 2														
Foreign born.....	{ F. 14						1	1		3	3	5	1		
Foreign born.....	{ F. 4						1			2		1			
Colored.....	47	3	5		1	2	4	6	4	8	9	5	1		2
Males.....	37	2	3		1	2	4	3	2	6	9	5	1		1
Females.....	10	1	2					3	2	2					1

STATISTICS OF DEATHS.

717

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
VII.—Diseases of the female organs of generation.....	434	1	1		9	73	89	92	81	43	33	6	2	5
White.....	215	1	1		6	25	48	48	39	22	21	1	2	2
Native born.....	194	1	1		6	23	41	43	37	21	17	1	2	2
Both parents native.....	136	1	1		5	18	25	28	29	20	9		1	1
One or both parents foreign.....	2									1			1	1
Foreign born.....	12					1	4	3	2		2			1
Colored.....	219				3	48	41	44	42	21	12	5		3
1. Ovarian tumors.....	49				1	3	10	5	9	8	10	2		1
White.....	38				1	2	7	4	8	6	8	1		1
Native born.....	35				1	2	6	4	7	5	8	1		1
Both parents native.....	22				1	2	3	3	5	4	4	1		1
One or both parents foreign.....	1									1				1
Foreign born.....	1								1					1
Colored.....	11					1	3	1	1	2	2	1		1
2. Ovarian diseases.....	18				1	1	3	3	4	1	3			1
White.....	12				1		3	2	2	1	3			1
Native born.....	10				1		2	2	1	1	3			1
Both parents native.....	5						1	1	1	1	2			1
One or both parents foreign.....	1													1
Foreign born.....	1								1					1
Colored.....	4					1		1	2					1
3. Uterine tumors.....	32						6	9	6	7	4			1
White.....	16						2	4	3	5	2			1
Native born.....	14						2	3	3	5	1			1
Both parents native.....	10							3	1	5	1			1
One or both parents foreign.....	2													1
Foreign born.....	2							1			1			1
Colored.....	16						4	5	3	2	2			1
4. Uterine diseases.....	152				1	31	28	39	22	15	10	2	1	3
White.....	63				1	9	13	16	10	8	4		1	1
Native born.....	58				1	9	11	15	10	8	2		1	1
Both parents native.....	48				1	6	8	14	10	8	1		1	1
One or both parents foreign.....	1												1	1
Foreign born.....	4						2	1			1			1
Colored.....	89					22	15	23	12	7	6	2		2
5. Others of this class.....	185	1	1		6	38	42	36	40	12	6	2	1	1
White.....	86	1	1		3	14	23	22	16	2	4		1	1
Native born.....	77	1	1		3	12	20	19	16	2	3		1	1
Both parents native.....	65	1	1		3	10	13	7	13	2	1		1	1
One or both parents foreign.....	25												1	1
Foreign born.....	4					1	2	1						1
Colored.....	99				3	24	19	14	24	10	2	2		1
VIII.—Affections connected with pregnancy.....	1,710				11	597	633	385	49	7		1		27
White.....	888					262	359	221	24	6				16
Native born.....	820					247	333	201	22	6				11
Both parents native.....	650					201	258	139	20	6				6
One or both parents foreign.....	25					9	14	2						1
Foreign born.....	32					6	12	11	2					1
Colored.....	822				11	335	274	164	25	1		1		11

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
VIII.—Affections connected with pregnancy—Continued.															
1. Abortion.....	108				1	31	45	29	1						1
White.....	61					15	27	17	1						1
Native born.....	54					14	25	13	1						1
Both parents native.....	31					8	12	9	1						1
One or both parents foreign.....	2						2	2							
Foreign born.....	5					1	2	2							
Colored.....	47				1	16	18	12							
2. Childbirth.....	1,008				4	348	370	231	34	5					16
White.....	499					145	195	126	19	4					10
Native born.....	470					142	183	118	17	4					6
Both parents native.....	411					127	161	100	15	4					4
One or both parents foreign.....	8					4	3	1	4						
Foreign born.....	14						5	6	2						1
Colored.....	509				4	203	175	105	15	1					6
3. Puerperal septicaemia.....	428				3	142	171	91	11	2		1			7
White.....	246					68	115	54	4	2					3
Native born.....	223					62	105	47	4	2					3
Both parents native.....	170					51	72	40	4	2					1
One or both parents foreign.....	12					3	9	1							
Foreign born.....	9					2	4	3							
Colored.....	182				3	74	56	37	7			1			4
4. Extra-uterine pregnancy.....	5					1	3	1							
White.....	3					1	1	1							
Native born.....	3					1	1	1							
Both parents native.....	2						1	1							
One or both parents foreign.....															
Foreign born.....															
Colored.....	2						2								
5. Others of this class.....	161				3	75	44	33	3						3
White.....	79					33	21	23							2
Native born.....	70					28	19	22							1
Both parents native.....	36					15	12	9							
One or both parents foreign.....	3					2	1	1							
Foreign born.....	4					3	1								
Colored.....	82				3	42	23	10	3						1
IX.—Diseases of the bones and joints.....															
White.....	213	30	78	23	21	38	29	24	25	27	14	14	2		4
Native born.....	196	26	60	14	14	21	16	18	12	15	11	12	1		2
Both parents native.....	88	9	27	7	11	7	7	8	4	7	4	6			
One or both parents foreign.....	67	15	29	3	1	5	6	3	4	7	5	3	1		
Foreign born.....	3					1	1		1			1			
Foreign born.....	3						1								
Foreign born.....	8						1	1	3	2	1				
Foreign born.....	5							1	1	3					
Colored.....	86	4	18	9	7	16	12	4	9	6	2	2	1		
Males.....	48	3	13	2	3	9	6	3	6	2	2	2			
Females.....	38	1	5	7	4	7	6	1	3	4			1		

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
IX.—Diseases of the bones and joints—Cont'd															
1. Diseases of the spine	206	28	71	19	11	23	17	13	15	15	9	8	2		3
White	156	25	58	11	8	13	13	11	10	12	8	8	1		3
Native born	147	25	58	11	8	12	12	10	8	10	7	8	1		2
Both parents native	{ M 62 F 57	9 14	26 28	6 3	6 1	2 4	4 6	5 2	2 2	4 5	3 3	4 2	1		
One or both parents foreign	{ M 3 F 3				1	1	1	1	1			1			
Foreign born	{ M 3 F 3						1	1	1	1	1				
Colored	50	3	13	8	3	10	4	2	5	3	1		1		
Males	31	3	11	2	2	6	3	2	3	1	1				
Females	19		2	6	1	4	1		2	2			1		
2. Diseases of the bones	33	1	1		3	3	5	3	6	4	4	3			1
White	22				2	2	1	2	4	4	4	2			1
Native born	16				2	2	1	2	2	1	4	2			
Both parents native	{ M 6 F 5				2	2				1	1	1			
One or both parents foreign	{ M 3 F 3														
Foreign born	{ M 4 F 1							2	2	2					
Colored	11	1	1		1	1	4	1	2			1			
Males	5						1	1	2			1			
Females	6	1	1		1	1	3								
3. Diseases of the hip joint	28		2	3	4	7	3	6	1	2					
White	20		1	3	2	6	1	5		2					
Native born	18		1	3	2	6	1	4		1					
Both parents native	{ M 8 F 3		1	1	1	2	1	2		1					
One or both parents foreign	{ M 1 F 1							1		1					
Foreign born	{ M 1 F 1														
Colored	8		1		2	1	2	1	1						
Males	5		1		1	1	1		1						
Females	3				1		1	1							
4. Others of this class	32	1	4	1	3	5	4	2	3	6	1	3			
White	15	1	1		2	1	2	2	2	3		2			
Native born	15	1	1		2	1	2	2	2	3		2			
Both parents native	{ M 12 F 2		1		2	1	2	1	2	1					
One or both parents foreign	{ M 1 F 1														
Foreign born	{ M 1 F 1														
Colored	17		3	1	1	4	2		1	3	1	1			
Males	7		1			2	1			1	1	1			
Females	10		2	1	1	2	1		1	2					
X.—Diseases of the skin	255	60	96	12	7	15	14	13	24	29	20	19	5	1	
White	135	36	54	4	1	5	6	7	12	20	11	13	2		
Native born	121	36	53	4	1	5	4	5	9	16	10	12	2		
Both parents native	{ M 56 F 37	16 9	22 17	2 2		2 1	3 1	1 2	3 5	9 3	5 3	7 3	2		
One or both parents foreign	{ M 2 F 2	1 1	1 1							1					
Foreign born	{ M 3 F 5						1	2	1	3					
Colored	120	24	42	8	6	10	8	6	12	9	9	6	3	1	
Males	69	13	25	4	4	5	7	3	8	3	7	3			
Females	51	11	17	4	2	5	1	3	4	6	2	3	3	1	

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
XI.—Diseases of the absorbent system—Continued.															
2. Diseases of the spleen	12		1			1	3		2	2	3				
White	9						2		2	2	3				
Native born	8						2		2	1	3				
Both parents native	{ M. 3 F. 4						1		1		1				
One or both parents foreign	{ M. 1 F. 1										1				
Foreign born	{ M. 1 F. 1									1					
Colored	3		1			1	1								
Males															
Females	3		1			1	1								
3. Others of this class	13					3	1	1	5	1	1	1			
White	8					2		1	3		1	1			
Native born	7					2		1	3			1			
Both parents native	{ M. 3 F. 1								2			1			
One or both parents foreign	{ M. 1 F. 1					1									
Foreign born	{ M. 1 F. 1										1				
Colored	5					1	1		2	1					
Males	1					1									
Females	4						1		2	1					
XII.—Accidents and injuries															
	5,258	638	1,313	371	323	924	701	535	386	230	187	141	50	12	76
White	2,581	211	482	164	145	420	372	300	250	165	122	92	33	5	31
Native born	2,249	206	473	155	141	398	310	227	185	123	99	85	28	5	20
Both parents native	{ M. 1,216 F. 434	{ 84 68	{ 204 156	{ 62 56	{ 77 27	{ 260 42	{ 181 32	{ 140 19	{ 115 21	{ 63 21	{ 58 20	{ 26 28	{ 16 8	{ 2 1	{ 7 3
One or both parents foreign	{ M. 58 F. 17	{ 3 2	{ 8 4	{ 5 2	{ 4 1	{ 17 3	{ 10 1	{ 4 1	{ 4 2	{ 4 2	{ 4 2	{ 1 1	{ 1 2	{ 1 2	{ 1 5
Foreign born	{ M. 169 F. 43	{ 1 1	{ 2 1	{ 6 2	{ 2 2	{ 10 2	{ 34 3	{ 33 5	{ 37 13	{ 25 8	{ 11 6	{ 2 2	{ 2 1		
Colored	2,677	427	831	207	178	504	329	235	136	74	65	49	17	7	45
Males	1,821	224	443	94	122	398	278	203	107	58	44	28	9	3	24
Females	856	203	388	113	56	106	51	32	29	16	21	21	8	4	11
1. Burns and scalds	860	66	434	167	50	62	35	23	17	15	21	19	6	4	7
White	325	24	168	56	20	16	20	12	7	8	7	8	2		1
Native born	310	24	167	54	19	16	17	11	4	6	5	8	2		1
Both parents native	{ M. 88 F. 155	{ 7 14	{ 61 70	{ 9 34	{ 2 14	{ 1 11	{ 2 10	{ 2 8	{ 3 3	{ 2 2	{ 3 2	{ 3 2	{ 3 2		
One or both parents foreign	{ M. 2 F. 7	{ 1 2	{ 1 2	{ 1 1	{ 1 1	{ 2 2	{ 1 1								
Foreign born	{ M. 3 F. 4			{ 1 1			{ 1 1	{ 1 1		{ 2 1					
Colored	535	42	266	111	30	46	15	11	10	7	14	11	4	4	6
Males	214	19	137	34	3	12	4	5	1	3	7	3	1		4
Females	321	23	129	77	27	34	11	6	9	4	7	8	3	4	2
2. Drowned	522	4	47	57	70	116	89	70	37	19	5	3			9
White	292	2	29	38	28	58	47	42	26	15	4	1			4
Native born	223	2	29	34	28	53	30	24	11	8	3				3
Both parents native	{ M. 135 F. 36	{ 1 7	{ 20 7	{ 14 6	{ 17 5	{ 34 8	{ 16 6	{ 17 1	{ 9 1	{ 5 2	{ 2 2				{ 1 1
One or both parents foreign	{ M. 6 F. 6			{ 2 2		{ 3 3	{ 1 1								
Foreign born	{ M. 33 F. 5			{ 4 4		{ 3 3	{ 9 1	{ 6 1	{ 8 1	{ 2 2	{ 1 1	{ 1 2			
Colored	230	2	18	19	42	58	42	28	11	4	1	2			5
Males	202	1	11	11	35	57	40	27	10	3	1	2			5
Females	28	1	7	8	7	1	2	1	1	1					

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
XII.—Accidents and injuries—Continued.															
8. Railroad accidents	458		8	11	18	141	114	75	35	24	17	6	2		7
White	264		7	4	12	72	70	42	22	18	9	3	1		4
Native born	221		7	4	12	67	58	33	13	13	9	2	1		2
Both parents native	{ M. 128		2	3	6	46	36	16	8	6	4	1			
One or both parents foreign	{ F. 13		2		1	1	2	2		3	2				
Foreign born	{ M. 10		2		2	4	1	1							
Foreign born	{ F. 1								1						
Foreign born	{ M. 18					1	4	4	5	2		1			1
Foreign born	{ F. 4					1		1	1	1					
Colored	194		1	7	6	69	44	33	13	6	8	3	1		3
Males	184		1	6	5	67	43	32	11	6	7	2	1		3
Females	10			1	1	2	1	1	2		1	1			
9. Suffocation	302	215	247	11	3	7	8	7	3	5	3	1	1		6
White	118	76	91	5	1	3	3	5	3	3		1			3
Native born	110	74	89	5	1	3	2	3	2	1		1			3
Both parents native	{ M. 55	37	47	3		1	1	1	1						1
One or both parents foreign	{ F. 25	17	20	2		1	1								1
Foreign born	{ M. 1							1							
Foreign born	{ F. 1	1	1												
Foreign born	{ M. 5						1	2	1	1					
Foreign born	{ F. 1									1					
Colored	184	139	156	6	2	4	5	2		2	3		1		3
Males	87	65	74	3	2	1	3	1		1					2
Females	97	74	82	3		3	2	1		1	3		1		1
10. Suicide by shooting	49				2	11	10	12	7	6	1				
White	43					10	8	12	6	6	1				
Native born	35					9	7	9	4	5	1				
Both parents native	{ M. 24					7	3	6	4	3	1				
One or both parents foreign	{ F. 1					1									
Foreign born	{ M. 3						1	1		1					
Foreign born	{ F. 7							2	2	1					
Colored	6				2	1	2		1						
Males	6				2	1	2		1						
Females															
11. Suicide by drowning	7						1		5	1					
White	5						1		4						
Native born	3						1		2						
Both parents native	{ M. 1						1								
One or both parents foreign	{ F. 1								1						
Foreign born	{ M. 1								1						
Foreign born	{ F. 2								2						
Colored	2								1	1					
Males															
Females	2								1	1					
12. Suicide by poison	44					7	10	6	9	4	6	1			1
White	41					5	10	5	9	4	6	1			1
Native born	31					5	6	5	5	3	6	1			
Both parents native	{ M. 16					3	4	1	2	2	3	1			
One or both parents foreign	{ F. 3					1		1	1						
Foreign born	{ M. 2						1		1						
Foreign born	{ F. 5						3		1	1					
Colored	3					2		1							
Males	1					1									
Females	2					1		1							

VITAL AND SOCIAL STATISTICS.

TABLE 15.—DEATHS IN GRAND DIVISION B, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSES OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
XII.—Accidents and injuries—Continued.															
13. Other suicides	78				2	11	11	17	17	8	7	2	2		1
White	66				1	9	8	14	17	8	6		2		1
Native born	50					9	8	10	12	5	5		1		
Both parents native	{ M 27 F 8						5	5	5	3	4				
One or both parents foreign	{ M 1 F 1						2	1	2	2					
Foreign born	{ M 11 F 3				1			1	3	3	2	1		1	
Colored	12				1	2	3	3			1	2			
Males	8					1	3	3			1				
Females	4				1	1						2			
14. Sunstroke	62	5	8		3	12	8	4	10	4	6	4	2		1
White	27	4	4		3	5	3	2	5	1	2	1			1
Native born	26	4	4		3	5	3	2	4	1	2	1			1
Both parents native	{ M 16 F 2	1	1		2	4	1	1	3		2	1			1
One or both parents foreign	{ M 2 F 1	1	1		1	1									
Foreign born	{ M 1 F 1								1						
Colored	35	1	4			7	5	2	5	3	4	3	2		
Males	24	1	2			2	5	1	4	3	4	1	2		
Females	11		2			5	1	1	1			2			
15. Surgical operations	73	1	2	2	3	11	15	13	15	7	4	1			
White	50	1	2	1	2	5	10	9	12	5	4				
Native born	34	1	2	1	1	5	7	6	5	4	3				
Both parents native	{ M 11 F 4						3		1	3	1				
One or both parents foreign	{ M 1 F 1		1				1	1	1						
Foreign born	{ M 3 F 7						1		1	1					
Colored	23			1	1	6	5	4	3	2		1			
Males	14					6	3	2	1	2					
Females	9			1	1		2	2	2			1			
16. Wounds	141	4	14	7	10	26	19	17	16	17	8	3	1		3
White	74	2	11	4	6	9	7	11	8	10	3	3	1		1
Native born	70	2	11	4	5	9	6	10	8	9	3	3	1		1
Both parents native	{ M 32 F 7		4	3	1	3	1	7	3	7	1	2			
One or both parents foreign	{ M 2 F 1	1	2	1			1	1	1	1		1			
Foreign born	{ M 1 F 3				1			1	1	1					
Colored	67	2	3	3	4	17	12	6	8	7	5				2
Males	58	2	2	1	4	16	11	4	8	7	3				2
Females	9		1	2		1	1	2		2					
17. Other accidents and injuries	1,512	178	309	81	100	228	173	152	150	88	80	88	30	8	25
White	815	66	121	46	44	106	93	85	91	64	63	64	25	5	8
Native born	714	64	117	43	44	98	79	67	76	51	47	60	21	5	6
Both parents native	{ M 393 F 137	23	50	22	30	71	46	48	44	26	26	25	14	2	2
One or both parents foreign	{ M 15 F 4	19	34	12	3	10	5	4	14	9	14	12	5	1	1
Foreign born	{ M 60 F 15	1	2	2		3	2	1	1	3	2	1		1	1
Colored	697	112	188	35	56	122	80	67	59	24	17	24	5	3	17
Males	512	68	111	25	42	96	65	58	49	17	13	18	3	3	12
Females	185	44	77	10	14	26	15	9	10	7	4	6	2		5

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—A—Continued.															
3. Scarlet fever	302	51	204	60	17	6	4	1	1	1	3			1	4
White	264	44	180	54	15	4	3		1	1	2				4
Native born	256	43	173	53	15	4	3		1	1	2				4
Both parents native	{ M. 109	21	81	16	7	1	2				1				1
One or both parents foreign	{ F. 88	17	55	21	6	2	1		1	1					1
Foreign born	{ M. 3		1	1											1
Foreign born	{ F. 4		2	2											1
Foreign born	{ M. 3		3												
Foreign born	{ F. 1	1	1												
Colored	38	7	24	6	2	2	1	1			1			1	
Males	26	5	18	3	2	1	1				1				
Females	12	2	6	3		1		1						1	
4. Diphtheria	1,298	126	772	377	66	31	8	11	5	8	3	2	1		14
White	1,068	106	664	297	47	23	4	6	5	6	3	1	1		11
Native born	1,022	103	642	285	45	20	4	6	5	6	2				7
Both parents native	{ M. 323	44	223	76	13	2	3	2	2	1	1				
One or both parents foreign	{ F. 350	31	217	101	14	12			3		1				2
Foreign born	{ M. 41	3	20	12	5	1		1		2					
Foreign born	{ F. 40	4	24	10	5	1									1
Foreign born	{ M. 11	1	5	2		1					1		1		1
Foreign born	{ F. 10		2	6		2									
Colored	230	20	108	80	19	8	4	5		2		1			3
Males	97	9	45	35	8	4	1	2							2
Females	133	11	63	45	11	4	3	3		2		1			1
5. Whooping cough	1,744	863	1,560	110	23	15	5	3	1	6	2	1			13
White	1,124	579	1,012	61	15	11	4			4	2	1			14
Native born	1,067	558	967	55	14	10	4			4	1	1			11
Both parents native	{ M. 411	220	377	18	3	8	2				1				2
One or both parents foreign	{ F. 487	254	442	28	9	2	2			2					2
Foreign born	{ M. 14	5	11	2	1										
Foreign born	{ F. 19	12	17	2											
Foreign born	{ M. 4	2	3	1											
Foreign born	{ F. 1	1	1												
Colored	620	284	548	49	8	4	1	3	1	2					4
Males	285	136	252	24	4	1		2		1					1
Females	335	148	296	25	4	3	1	1	1	1					3
6. Fever	1,271	295	612	113	72	135	87	64	41	44	52	23	10	2	16
White	691	151	324	54	35	73	62	29	23	26	32	16	8		9
Native born	646	150	321	54	33	69	54	26	17	20	28	13	5		6
Both parents native	{ M. 237	58	136	23	8	25	15	4	4	7	9	3	1		2
One or both parents foreign	{ F. 277	64	134	17	17	26	26	14	8	10	15	7	2		1
Foreign born	{ M. 20	12	17	1	2										
Foreign born	{ F. 17	4	9	3	2			2							
Foreign born	{ M. 14				1	1	1	1	3	2	1	1	2		
Foreign born	{ F. 11					1	5		2		2		1		
Colored	580	144	288	59	37	62	25	35	18	18	20	7	2	2	7
Males	289	78	149	35	17	31	7	17	9	2	12	4	2		4
Females	291	66	139	24	20	31	18	18	9	16	8	3		2	3
7. Cerebro-spinal fever	757	135	360	94	77	115	36	22	22	8	6	2	1		14
White	605	111	299	81	50	82	30	18	16	5	3	2	1		9
Native born	569	107	285	78	55	77	29	15	15	5	1	1	1		7
Both parents native	{ M. 215	47	113	28	18	35	13	2	3	1	1				1
One or both parents foreign	{ F. 178	26	90	24	22	20	9	6	4	3					
Foreign born	{ M. 10	5	7	1		2									
Foreign born	{ F. 6	3	5		1										
Foreign born	{ M. 5		1					2	1		1				
Foreign born	{ F. 3	2	2									1			
Colored	152	24	61	13	18	33	6	4	6	3	3				5
Males	91	16	40	6	10	22	3	2	5	2	1				
Females	61	8	21	7	8	11	3	2	1	1	2				5

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—A—Continued.															
8. Enteric fever.....	5,459	166	663	394	402	1,580	846	536	361	236	208	84	22		67
White.....	4,005	128	477	257	299	1,137	665	430	261	184	166	66	15		48
Native born.....	3,691	128	466	249	285	1,071	614	384	216	160	145	55	13		33
Both parents native.....	M. 1,414	60	292	85	110	392	257	151	83	61	42	20	5		6
	F. 1,232	53	179	94	114	360	190	111	70	39	45	16	5		9
One or both parents foreign.....	M. 62		5	4	4	26	12	4	2	1	2	1			
	F. 56	2	11	4	5	23	7	1	1	1	1	1			
Foreign born.....	M. 95		2		2	12	23	23	13	9	6	4			1
	F. 54		2	1	2	13	7	5	12	5	4	1	1		1
Colored.....	1,454	38	186	137	163	443	181	106	100	52	42	18	7		19
Males.....	776	22	100	58	69	247	100	54	67	30	24	12	4		11
Females.....	678	16	86	79	94	196	81	52	33	22	18	6	3		8
9. Diarrheal diseases.....	12,144	3,368	7,541	637	248	521	491	529	519	546	541	319	92	14	146
White.....	9,240	2,646	5,864	481	187	329	328	374	376	426	432	269	64	3	107
Native born.....	8,465	2,564	5,660	449	179	301	286	292	286	314	345	221	57	3	72
Both parents native.....	M. 3,045	871	2,154	191	80	114	68	83	81	76	104	62	14		18
	F. 2,602	662	1,694	177	62	105	101	85	97	91	99	56	19	1	15
One or both parents foreign.....	M. 136	63	112	3	2	5	2	6	1	2	1	2			
	F. 128	63	98	4		5	1	3	3	4	3	5	2		
Foreign born.....	M. 241	13	19	4		7	18	33	56	47	40	12	4		1
	F. 135	3	6	4	1	6	7	15	18	40	22	13	1		2
Colored.....	2,904	722	1,677	156	61	192	163	155	143	120	109	50	28	11	39
Males.....	1,589	379	895	73	38	129	99	79	86	66	62	23	14	3	18
Females.....	1,315	343	782	78	23	64	64	76	57	54	47	27	14	8	21
10. Malarial fever.....	8,670	810	2,500	918	668	1,444	887	713	498	356	345	167	47	10	117
White.....	5,353	500	1,462	560	378	820	607	511	304	243	241	109	27	3	83
Native born.....	4,769	484	1,389	529	359	757	532	418	236	188	194	83	22	3	59
Both parents native.....	M. 1,613	166	491	192	127	254	175	142	74	49	68	30	4		7
	F. 1,425	155	453	159	117	223	129	108	78	70	55	14	8	1	5
One or both parents foreign.....	M. 109	25	46	16	4	19	11	5	4	2	1				1
	F. 88	17	40	13	7	10	9	4		2	1	2			
Foreign born.....	M. 188	2	7	2	2	18	22	39	42	23	21	11	1		
	F. 108	2	14	7	4	8	12	12	11	16	17	4			3
Colored.....	3,317	310	1,038	358	290	624	280	202	194	113	104	58	20	7	29
Males.....	1,735	166	535	180	140	315	155	104	119	60	58	37	12	3	17
Females.....	1,582	144	503	178	150	309	125	98	75	53	46	21	8	4	12
11. Erysipelas.....	515	136	186	24	15	43	39	50	34	42	39	30	6	1	6
White.....	437	119	156	19	12	37	34	45	27	38	33	26	5	1	4
Native born.....	399	114	148	19	12	37	33	37	20	35	27	24	5	1	1
Both parents native.....	M. 145	55	65	6	7	15	7	11	4	13	7	7	2	1	
	F. 137	31	49	11	1	12	12	13	9	13	7	8	2		
One or both parents foreign.....	M. 2	2	2												
	F. 4	1	3												
Foreign born.....	M. 13							3	5	2	2	1			
	F. 7	2	2					2	1	1	1				
Colored.....	78	17	30	5	3	6	5	5	7	4	6	4	1		2
Males.....	55	11	22	5	2	4	3	4	6	3	4	1			1
Females.....	23	6	8		1	2	2	1	1	1	2	3	1		1
12. Septicæmia.....	567	35	79	27	11	110	117	88	41	38	29	19	2		6
White.....	431	30	67	25	10	79	86	73	30	30	18	10	1		2
Native born.....	378	30	65	25	10	72	74	63	24	23	12	8	1		1
Both parents native.....	M. 87	9	19	11	2	10	8	9	10	9	5	4			
	F. 137	6	18	5	4	36	32	28	4	4	4	2			
One or both parents foreign.....	M. 12	3	3		2	3	2		1		1				
	F. 13	3	3	1		2	6	1							
Foreign born.....	M. 17		1				2	2	2	4	4	2			
	F. 10					2	3	3		2					
Colored.....	136	5	12	2	1	31	31	15	11	8	11	9	1		4
Males.....	73	2	7	1		17	16	6	4	4	8	7	1		2
Females.....	63	3	5	1	1	14	15	9	7	4	3	2			2

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—A—Continued.															
13. Venereal diseases	328	47	69	7		51	56	60	33	18	14	7	1		12
White	117	24	33	2		5	18	19	18	6	6	4			6
Native born	87	21	26	1		4	15	13	11	4	6	3			4
Both parents native	{ M. 26 F. 11	{ 7 1	{ 8 1			{ 2 1	{ 4 2	{ 2 3	{ 4 2	{ 2 1	{ 1 1	{ 2 1			{ 1 1
One or both parents foreign	{ M. 1 F. 1														
Foreign born	{ M. 7 F. 5			1			1	2	1	2		1			
Colored	211	23	36	5		46	38	41	15	12	8	3	1		6
Males	133	13	20	1		24	27	25	13	10	6	2	1		4
Females	78	10	16	4		22	11	16	2	2	2	1			2
14. Others of this group	322	42	84	35	21	34	32	28	29	11	19	14	8	3	4
White	219	25	60	20	16	25	26	15	18	7	16	11	2		3
Native born	191	24	57	18	16	24	23	12	13	6	11	7	2		2
Both parents native	{ M. 66 F. 60	{ 7 11	{ 23 20	5	6	9	3	5	4	2	5	3			1
One or both parents foreign	{ M. 6 F. 7	{ 1 1	{ 2 2		1	1	2								
Foreign born	{ M. 6 F. 7			3		2	1	3	1	2			1		
Colored	103	17	24	15	5	9	6	13	11	4	3	3	6	3	1
Males	53	10	12	9	2	6	3	7	5	3	2	2	2		
Females	50	7	12	6	3	3	3	6	6	1	1	1	4	3	1
General diseases—B	1,811	742	1,120	84	17	79	84	134	106	71	57	23	4	1	31
White	1,207	535	716	46	11	43	60	109	81	56	39	18	3		25
Native born	1,029	518	689	43	10	40	46	71	47	29	22	16	2		14
Both parents native	{ M. 265 F. 174	{ 74 64	{ 137 123	18	3	14	14	24	20	14	10	8	1		2
One or both parents foreign	{ M. 23 F. 6	{ 10 5	{ 13 5	17	3	10	5	6	3	4	4				2
Foreign born	{ M. 91 F. 21	{ 2 3	{ 3 7			2	6	23	27	15	10	1	1		3
Colored	604	207	404	38	6	36	24	25	25	15	18	5	1	1	6
Males	329	99	206	20	4	20	12	12	21	14	13	4			3
Females	275	108	198	18	2	16	12	13	4	1	5	1	1	1	3
1. Parasitic diseases	310	33	241	57	4	1	1	3	1	1					1
White	128	8	96	25	2	1		2	1						1
Native born	122	8	93	24	2	1		1	1						
Both parents native	{ M. 50 F. 56	{ 4 3	{ 39 43	10	1	1									
One or both parents foreign	{ M. 1 F. 1			11											
Foreign born	{ M. 1 F. 1		1					1							
Colored	182	25	145	32	2		1	1		1					
Males	98	12	79	16	1		1			1					
Females	84	13	66	16	1			1							
2. Alcoholism	274			1		10	33	83	66	44	24	2	1		10
White	211			1		6	27	70	48	32	16	1	1		9
Native born	126			1		4	21	42	25	19	8	1	1		4
Both parents native	{ M. 64 F. 3			1		3	8	15	17	11	6	1	1		1
One or both parents foreign	{ M. 1 F. 1							1	2						
Foreign born	{ M. 58 F. 6					2	5	16	17	10	6				2
Colored	63					4	6	13	18	12	8	1			1
Males	54					4	4	9	17	11	7	1			1
Females	9						2	4	1	1	1				

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—C—Continued.															
2. Stillborn	4,803	4,803	4,803												
White	2,998	2,998	2,998												
Native born	2,998	2,998	2,998												
Both parents native	{ M. 1,136 F. 782	{ M. 1,136 F. 782	{ M. 1,136 F. 782												
One or both parents foreign	{ M. 57 F. 40	{ M. 57 F. 40	{ M. 57 F. 40												
Foreign born	{ M. F.														
Colored	1,805	1,805	1,805												
Males	1,041	1,041	1,041												
Females	764	764	764												
3. Malformation	166	135	154	4	1	2									5
White	123	104	112	4	1	1									5
Native born	116	99	107	4	1	1									3
Both parents native	{ M. 42 F. 37	{ M. 35 F. 30	{ M. 39 F. 33	1	1	1									2
One or both parents foreign	{ M. 3 F. 1	{ M. 2 F. 1	{ M. 3 F. 1												
Foreign born	{ M. F.														
Colored	43	31	42			1									
Males	19	15	18			1									
Females	24	16	24												
4. Debility and atrophy	2,795	1,519	1,642	18	8	27	37	45	79	143	258	349	111	43	35
White	1,869	1,091	1,158	12	3	12	18	34	44	79	170	243	64	8	24
Native born	1,579	1,080	1,144	11	2	10	15	27	26	34	77	170	39	8	16
Both parents native	{ M. 488 F. 401	{ M. 398 F. 292	{ M. 410 F. 303	2	1	4	4	2	5	17	30	7	2	4	4
One or both parents foreign	{ M. 25 F. 15	{ M. 20 F. 13	{ M. 20 F. 13	2			2	3	5	5	21	41	12	3	2
Foreign born	{ M. 107 F. 122	{ M. 1 F. 1	{ M. 2 F. 2				2	1	7	18	41	25	11		1
Colored	926	428	484	6	5	15	19	11	35	64	88	106	47	35	11
Males	450	235	262	3	1	6	10	10	16	22	45	45	19	13	7
Females	467	193	222	3	4	9	9	1	19	42	43	61	28	22	4
5. Old age	1,793									43	287	727	494	213	29
White	1,026									17	163	477	294	58	17
Native born	762									13	111	353	232	42	11
Both parents native	{ M. 216 F. 233									3	24	106	73	8	2
One or both parents foreign	{ M. 7 F. 7									2	2	3	2		3
Foreign born	{ M. 85 F. 94									1	18	43	19	4	1
Colored	767									26	124	250	200	155	12
Males	300									13	46	101	79	57	4
Females	467									13	78	149	121	98	8
General diseases—D	22,534	609	1,594	548	690	4,455	4,238	3,352	2,778	2,028	1,513	729	145	42	422
White	13,568	378	835	218	262	2,153	2,861	2,195	1,834	1,441	1,093	536	87	9	244
Native born	11,730	365	797	212	248	2,006	2,413	1,922	1,469	1,092	867	466	76	7	155
Both parents native	{ M. 3,314 F. 4,475	{ M. 127 F. 109	{ M. 302 F. 249	85	102	508	619	475	379	340	290	163	21		30
One or both parents foreign	{ M. 147 F. 158	{ M. 11 F. 4	{ M. 15 F. 7	3	2	24	43	19	9	11	7	12	1		43
Foreign born	{ M. 658 F. 449	{ M. 3 F. 1	{ M. 7 F. 3	1	1	28	39	22	15	15	7	6	1		1
Colored	8,966	231	759	330	428	2,302	1,577	1,157	944	587	420	193	58	33	178
Males	3,923	140	403	145	159	898	647	472	427	292	231	113	29	15	92
Females	5,043	91	356	185	269	1,404	930	685	517	295	189	80	29	18	86

STATISTICS OF DEATHS.

731

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—D—Continued.															
1. Rheumatism	706	13	30	24	38	76	56	68	76	92	131	69	21	9	16
White	487	11	24	17	26	46	37	51	45	66	88	43	16	1	7
Native born	399	9	21	17	26	40	35	46	38	50	69	39	12	1	5
Both parents native	M. 165 F. 113	3 2	9 5	9 5	16 4	13 17	13 12	19 12	20 8	20 14	30 17	12 12	3 6	1	1
One or both parents foreign	M. 5 F. 28	1	1	1	2	1	1	1	1	1	1	1	1	1	
Foreign born	M. 25 F. 14					1	2	3	5	11	5	4	1		
Colored	239	2	6	7	12	30	19	17	31	26	43	26	5	8	9
Males	127	1	3	4	4	13	13	6	18	13	25	15	5	2	6
Females	112	1	3	3	8	17	6	11	13	13	18	11	6	3	3
2. Scrofula and tabes	1,073	119	364	102	94	155	95	84	65	52	26	23	5		8
White	586	78	193	41	36	62	57	56	48	37	24	20	2		5
Native born	554	77	190	41	34	60	54	55	41	34	21	20	2		2
Both parents native	M. 232 F. 202	36 25	89 65	22 10	17 13	28 21	16 28	17 25	15 15	9 14	7 6	10 4	1 1		1
One or both parents foreign	M. 7 F. 2	1	2				1	1				3	1		
Foreign born	M. 5 F. 3		1				1		1	1	2	1			
Colored	487	41	166	61	58	93	38	28	17	15	2	3	3		3
Males	237	31	89	20	27	47	22	11	8	5		3	2		3
Females	250	10	77	41	31	46	16	17	9	10	2	1	1		
3. Leprosy	5								2	1	1	1			
White	3								1	1	1				
Native born	1								1						
Both parents native	M. 1 F. 1								1						
One or both parents foreign	M. 1 F. 1														
Foreign born	M. 2 F. 1									1	1				
Colored	2								1			1			
Males															
Females	2								1			1			
4. Consumption	15,555	235	594	231	422	3,885	3,673	2,620	1,826	1,086	642	237	37	8	294
White	9,193	129	268	60	119	1,865	2,318	1,727	1,212	779	473	176	19	3	174
Native born	8,044	124	254	57	112	1,737	2,106	1,514	991	598	387	154	19	2	113
Both parents native	M. 2,129 F. 3,220	46 45	92 101	18 27	31 50	419 782	541 847	363 640	257 371	187 196	130 118	60 45	8 6	2	23 35
One or both parents foreign	M. 101 F. 114	5 2	7 2	1 1	1	23 34	36 36	13 18	6 8	9 8	2 4	2 2			1 1
Foreign born	M. 421 F. 235	2 1	3 1	1	1	27 28	64 38	86 44	107 44	79 51	34 22	11 3	1		8 3
Colored	6,362	106	326	171	303	2,020	1,355	893	614	307	169	61	18	5	120
Males	2,743	58	167	82	99	762	558	391	310	174	97	31	9		61
Females	3,619	48	159	89	204	1,258	797	502	304	133	72	30	9	3	59
5. Hydrocephalus	339	140	261	23	6	18	9	8	2	4	2	1			5
White	258	103	197	18	3	16	7	7	2	3	1				4
Native born	242	98	187	18	3	15	6	6	2	2	1				2
Both parents native	M. 70 F. 49	27 19	56 33	4 7	2 1	6 2			1	1					1
One or both parents foreign	M. 3 F. 3		1	1			1								
Foreign born	M. 4 F. 1	2 1	3 1					1		1					
Colored	81	37	64	5	3	2	2	1		1	1	1			1
Males	49	22	40	2	3	2		1			1				
Females	32	15	24	3			2			1		1			1

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—D—Continued.															
6. Cancer	1,841	7	26	6	6	52	137	240	435	404	292	158	39	6	40
White	1,431	6	17	3	5	29	88	163	335	338	250	142	31	2	28
Native born	1,107	6	17	3	4	28	78	133	247	243	194	117	26	2	15
Both parents native	{ M. 254	1	6	1	3	4	18	20	38	61	62	37	4
One or both parents foreign	{ F. 441	3	7	1	1	13	35	65	127	84	54	39	8	1	6
Foreign born	{ M. 12	1	1	1	1	3	1	2	2	1
Foreign born	{ F. 17	1	3	4	5	1	1	1
Foreign born	{ M. 111	1	1	4	15	26	34	20	9	2	1
Foreign born	{ F. 132	2	10	41	41	27	4	2	3
Colored	410	1	9	3	1	23	49	77	100	66	42	16	8	4	12
Males	87	1	4	1	12	10	12	15	8	12	9	1	2	1
Females	323	5	2	1	11	39	65	85	58	30	7	7	2	11
7. Tumor	262	15	28	7	7	31	32	38	44	35	21	14	1	6
White	185	12	21	3	6	22	23	29	34	19	12	12	1	3
Native born	152	12	21	3	5	18	20	23	28	12	8	11	1	2
Both parents native	{ M. 37	4	6	1	2	5	5	8	6	2	2
One or both parents foreign	{ F. 63	7	11	1	8	9	11	7	2	3
Foreign born	{ M. 3	1	1	1
Foreign born	{ F. 11	2	2	2	4	3
Foreign born	{ F. 12	1	3	2	2	2	3	1
Colored	77	3	5	4	1	9	9	9	10	16	9	2	3
Males	28	1	1	1	1	5	2	1	4	6	6	1
Females	49	2	4	3	4	7	8	6	10	3	2	2
8. Anæmia	112	25	34	6	6	12	14	12	7	6	6	3	1	2	3
White	78	12	17	4	6	10	12	8	5	3	5	3	1	1	3
Native born	63	12	16	4	5	10	10	5	3	3	3	1	1	2
Both parents native	{ M. 12	1	4	1	4	1	1	1
One or both parents foreign	{ F. 15	2	2	1	1	4	4	2	1
Foreign born	{ M. 1	1
Foreign born	{ F. 8	1	1	1	2	1	2	1
Foreign born	{ F. 7	1	1	2	2
Colored	34	13	17	2	2	2	4	2	3	1	1
Males	18	8	10	2	1	1	2	1	1
Females	16	5	7	1	1	2	1	2	1	1
9. Dropsy	2,366	38	221	135	100	197	189	256	292	320	354	204	39	16	43
White	1,145	14	67	61	50	80	94	133	130	170	203	125	15	1	16
Native born	974	14	66	58	48	77	84	119	101	134	153	108	13	1	12
Both parents native	{ M. 331	6	34	25	22	24	17	38	34	48	47	34	3	5
One or both parents foreign	{ F. 343	4	18	22	15	34	36	52	39	44	49	30	3	1
Foreign born	{ M. 13	2	2	1	1	3	1	1	1	1	3
Foreign born	{ F. 12	1	1	2	1	1	2	2	1	1
Foreign born	{ M. 56	5	4	11	7	23	6
Foreign born	{ F. 42	1	2	10	10	13	6
Colored	1,221	24	154	74	50	117	95	123	162	150	151	79	24	15	27
Males	600	15	83	32	25	51	35	44	69	83	88	51	12	9	18
Females	621	9	71	42	25	66	60	79	93	67	63	28	12	6	9
10. Diabetes	187	2	8	3	10	21	22	19	25	24	30	18	2	1	4
White	156	1	5	3	10	18	16	14	20	21	29	14	2	1	3
Native born	136	1	5	3	10	16	14	14	16	16	25	14	2	1
Both parents native	{ M. 65	1	3	1	5	9	6	5	7	9	11	8	1
One or both parents foreign	{ F. 14	1	1	2	4	3	1	1	1
Foreign born	{ M. 2	1	1
Foreign born	{ F. 9	1	3	3	1
Foreign born	{ F. 2	1	1
Colored	31	1	3	3	6	5	5	3	1	4	1
Males	22	1	2	2	4	4	2	2	1	4	1
Females	9	1	1	2	1	3	1

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases.—Continued.															
General diseases—D.—Continued.															
11. Others of this group	73	15	26	8	1	8	8	5	3	3	7	1			3
White	54	12	17	7	1	5	6	5	2	3	6	1			1
Native born	46	12	16	7	1	5	3	5	1	2	5				1
Both parents native	{ M. 14 F. 10	2	3	2			2	2		2	3				
One or both parents foreign	{ M. 1 F. 1	1	1	1		1			1		1				
Foreign born	{ M. 3 F. 1	3					2			1					
Colored	19	3	9	1		3	2		1		1				2
Males	12	2	4	1		3	2				1				1
Females	7	1	5						1						1
12. Others of this class	15		4	3			3	2	1	1	1				
White	12		4	1			3	2		1	1				
Native born	12		4	1			3	2		1	1				
Both parents native	{ M. 4 F. 5		4	1			1	2		1					
One or both parents foreign	{ M. 1 F. 1														
Foreign born	{ M. 1 F. 1														
Colored	3			2					1						
Males															
Females	3			2					1						
II.—Diseases of the nervous system															
White	8,298	1,983	3,447	538	322	556	410	488	538	599	711	446	114	19	119
Native born	7,394	1,930	3,327	509	309	515	368	399	404	435	565	369	98	10	86
Both parents native	{ M. 2,413 F. 2,069	632	1,124	191	120	174	95	107	108	143	193	118	23	2	15
One or both parents foreign	{ M. 175 F. 106	75	102	9	7	13	6	7	2	4	10	12	3		11
Foreign born	{ M. 330 F. 199	3	7	4	3	10	15	38	70	86	57	34	4		2
Colored	3,326	1,031	1,592	224	143	269	172	173	205	164	176	112	37	9	50
Males	1,741	554	868	129	81	137	79	83	101	81	87	44	19	6	26
Females	1,585	477	724	95	62	132	93	90	104	83	89	68	18	3	24
1. Inflammation of the brain	2,796	751	1,588	293	167	289	138	121	80	48	23	16	2	1	30
White	2,105	614	1,255	210	109	165	99	88	61	38	18	9	1		22
Native born	1,966	597	1,204	198	105	177	92	73	52	29	13	5	1		17
Both parents native	{ M. 768 F. 623	253	490	77	40	68	31	23	20	10	3	2			4
One or both parents foreign	{ M. 32 F. 20	10	21	64	42	57	26	25	10	9	2	2	1		1
Foreign born	{ M. 21 F. 16	7	12	6	1	1	2	2	4	5	2	2			
Colored	691	137	333	83	58	94	39	33	19	10	5	7	1	1	8
Males	398	80	198	50	36	51	18	16	9	7	2	3	1	1	6
Females	293	57	135	33	22	43	21	17	10	3	3	4			2
2. Apoplexy	1,031	16	29	6	7	46	68	106	174	206	233	107	34	2	13
White	774	8	19	2	6	37	47	73	130	163	190	78	21	1	7
Native born	570	8	19	2	6	34	40	61	92	99	131	64	16	1	5
Both parents native	{ M. 176 F. 134	5	10			16	6	22	21	41	38	17	3		2
One or both parents foreign	{ M. 15 F. 5	1	4	2	2	4	17	11	27	18	32	13	3		1
Foreign born	{ M. 96 F. 68				1	2	1	2		1	4	3	1		1
Colored	257	8	10	4	1	9	21	33	44	43	43	29	13	1	6
Males	109	3	5	1		2	8	12	18	17	22	13	6		5
Females	148	5	5	3	1	7	13	21	26	26	21	16	7	1	1

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
II.—Diseases of the nervous system—Cont'd.															
3. Paralysis.....	1,636	18	78	20	18	43	56	107	183	288	406	317	80	12	28
White.....	1,261	13	60	13	12	25	43	79	125	224	326	262	61	8	23
Native born.....	1,052	13	54	13	11	25	38	61	96	179	276	220	54	8	17
Both parents native.....	{ M. 341	6	15	5	9	6	12	13	30	57	101	74	15	2	2
	{ F. 305	3	23	5	1	9	6	15	30	61	75	59	13	4	4
One or both parents foreign.....	{ M. 16						2	1	1	2	3	6	1		
	{ F. 8		1				2		1	1	2	1			
Foreign born.....	{ M. 76						2	13	8	16	19	15	3		
	{ F. 59						1	2	14	14	12	12	3		1
Colored.....	375	5	18	7	6	18	13	28	58	64	80	55	19	4	5
Males.....	184	3	7	3	2	8	7	16	35	36	40	17	9	3	1
Females.....	191	2	11	4	4	10	6	12	23	28	40	38	10	1	4
4. Tetanus and trismus nascentium.....	718	583	603	15	24	23	14	17	8	3	4	2	2		3
White.....	388	309	319	9	13	15	9	11	5	2	1	1	1		2
Native born.....	366	302	312	8	11	13	8	7	3	1		1	1		1
Both parents native.....	{ M. 64	48	52	1	4	5	1		1						
	{ F. 40	31	32	3		2	1			1					
One or both parents foreign.....	{ M. 22	19	20	1				1							
	{ F. 14	11	13		1										
Foreign born.....	{ M. 10	2	2		1	1	1	2	1	1	1				
	{ F. 3							2	1						
Colored.....	330	274	284	6	11	8	5	6	3	1	3	1	1		1
Males.....	190	154	160	4	8	4	5	4	1	1		1	1		1
Females.....	140	120	124	2	3	4		2	2		3				
5. Epilepsy.....	399	28	46	16	41	81	63	61	37	18	15	6	2		13
White.....	271	18	30	10	26	57	44	42	25	11	11	5	2		8
Native born.....	247	18	30	10	25	54	41	37	18	11	9	3	2		7
Both parents native.....	{ M. 76	9	14	2	12	18	8	9	3	2	3		1		4
	{ F. 69	7	11	6	5	18	13	9	2	3	2				
One or both parents foreign.....	{ M. 2				1		1								
	{ F. 4		1	1		2									
Foreign born.....	{ M. 10	2	2				2	1	4		2	1			
	{ F. 2								2						
Colored.....	128	10	16	6	15	24	19	19	12	7	4	1			5
Males.....	70	7	11	5	9	13	11	9	4	2	2				4
Females.....	58	3	5	1	6	11	8	10	8	5	2	1			1
6. Convulsions.....	1,693	1,028	1,400	72	32	62	32	25	14	16	6	7	1		26
White.....	865	528	705	36	16	31	18	15	9	9	1	6	1		18
Native born.....	809	505	673	34	13	30	16	13	6	7	1	4			12
Both parents native.....	{ M. 188	105	144	12	2	12	4	4	1	4		2			3
	{ F. 171	97	132	8	6	7	5	6	4						3
One or both parents foreign.....	{ M. 43	37	42	1											
	{ F. 22	17	19	3											
Foreign born.....	{ M. 11	1	2				1	1	2		2	1			2
	{ F. 8	2	3	1	2	1			1						
Colored.....	828	500	695	36	16	31	14	10	5	7	5	1			8
Males.....	421	256	366	18	7	14	5	4	2	1	1	1			2
Females.....	407	244	329	18	9	17	9	6	3	6	4				6
7. Mental diseases.....	141				1	8	13	32	29	19	21	6	2		10
White.....	97					5	9	19	19	16	14	5	2		8
Native born.....	81					5	9	17	14	13	12	3	1		7
Both parents native.....	{ M. 12						1	1	1	2	3	2			
	{ F. 11						2	2	1	1	3	2			
One or both parents foreign.....	{ M. 6														
	{ F. 5														
Foreign born.....	{ M. 6								2	2	1	1			
	{ F. 5							1	1		1	1			1
Colored.....	44				1	3	4	13	10	3	7	1			2
Males.....	18					1	1	5	4	2	3				2
Females.....	26				1	2	3	8	6	1	4	1			

STATISTICS OF DEATHS.

735

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
II.—Diseases of the nervous system—Cont'd.															
8. Diseases of the brain.....	2,434	480	1,045	268	127	204	143	136	159	122	121	57	14	2	36
White.....	1,880	308	851	198	97	134	101	114	111	97	96	47	12	1	21
Native born.....	1,705	395	836	185	96	125	88	89	80	64	75	41	11	1	14
Both parents native.....	M 597 F 493	163 100	324 251	73 67	40 27	30 42	24 28	24 23	16 24	17 13	33 11	14 3	2 1	1	2
One or both parents foreign.....	M 35 F 23	7 5	16 8	4 2	2 5	6 3	1 1	1 1	1 1	1	2 7	3 3	1		1
Foreign born.....	M 81 F 28	1 1	2 1	3 2	1	3 1	4 3	11 6	22 4	25 4	25 6	25			1
Colored.....	554	82	194	70	30	70	42	22	48	25	25	10	2	1	15
Males.....	293	45	102	42	16	38	20	13	25	13	13	4	1	1	5
Females.....	261	37	92	28	14	32	22	9	23	12	12	6	1		10
9. Diseases of the spinal cord.....	470	99	225	61	39	40	22	32	20	12	10	4			5
White.....	398	84	187	49	38	33	19	27	18	12	7	3			5
Native born.....	374	81	180	48	37	32	18	22	14	10	7	3			3
Both parents native.....	M 130 F 138	39 26	68 68	18 24	12 19	11 9	2 6	7 5	5 3	4 3	3 1				
One or both parents foreign.....	M 8 F 9	2 5	3 5	3 2	3 1	2									
Foreign born.....	M 6 F 4		1				1	2	2	1					
Colored.....	72	15	38	12	1	7	3	5	2		3	1			
Males.....	37	6	16	6	1	5	2	3	2		3	1			
Females.....	35	9	22	6		2	3	2							
10. Others of this class.....	306	11	25	11	9	29	33	24	39	31	48	36	14	2	5
White.....	259	11	21	11	5	24	21	20	35	27	47	30	13		5
Native born.....	224	11	19	11	5	20	18	19	29	22	41	25	12		3
Both parents native.....	M 61 F 85	4 2	7 4	3 5	1 4	7 10	6 6	4 9	9 8	6 8	9 15	7 10	2 6		
One or both parents foreign.....	M 2 F 1					1	1								
Foreign born.....	M 13 F 6					2 1	2 1		3 1	3 1	2 1	3 1			
Colored.....	47		4		4	5	12	4	4	4	1	6	1	2	
Males.....	21		3		2	1	4	1	1	2	1	4	1	1	
Females.....	26		1		2	4	8	3	3	2		2		1	
III.—Diseases of the circulatory system.															
White.....	3,409	183	238	69	79	222	240	320	431	583	709	399	63	2	54
Native born.....	2,734	182	235	68	74	209	209	258	309	415	545	319	52	2	39
Both parents native.....	M 872 F 763	63 31	90 50	26 24	29 23	66 67	36 75	54 95	93 94	138 117	199 118	120 75	12 15	1	8
One or both parents foreign.....	M 56 F 34	4 2	4 2	2 1	1	7 5	4 4	5 6	6 1	4 4	10 4	10 3	4 1		1
Foreign born.....	M 300 F 201		1		1	2 2	8 9	30 17	64 28	91 52	67 57	35 26	2 6		2
Colored.....	1,777	39	71	27	33	141	164	254	328	265	280	128	31	16	39
Males.....	815	27	43	16	18	59	64	86	135	129	155	64	17	7	22
Females.....	962	12	28	11	15	82	100	168	193	136	125	64	14	9	17
1. Angina pectoris.....															
White.....	66				2	9	5	8	14	19	19	8			1
Native born.....	56				2	5	3	5	8	13	12	7			1
Both parents native.....	M 16 F 15					1	2		2	6	3	2			
One or both parents foreign.....	M 1 F 1				1		1	4	1	3	3	2			
Foreign born.....	M 2 F 3								1	1					
Colored.....	19					3	2	3	5	2	3	1			
Males.....	8					1			3	1	2	1			
Females.....	11					2	2	3	2	1	1				

VITAL AND SOCIAL STATISTICS.

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
III.—Diseases of the circulatory system—Continued.															
2. Aneurism.....	75					6	14	11	19	12	9		1	1	2
White.....	57					4	9	8	17	10	6		1		2
Native born.....	35					3	8	4	11	2	4		1		2
Both parents native.....	{ M. 5 F. 8					1	5		3		1				
One or both parents foreign.....	{ M. 1 F. 14												1		
Foreign born.....	{ M. 14 F. 5						1	1	5	6	1				
Colored.....	18					2	5	3	2	2	3			1	
Males.....	9						2	3	1	1	1			1	
Females.....	9					2	3		1	1	2				
3. Diseases of the heart.....	4,864	109	184	96	108	344	381	552	722	814	955	513	92	17	86
White.....	3,154	88	136	69	75	209	225	305	402	553	682	387	61	2	48
Native born.....	2,517	87	134	68	70	198	195	248	288	399	524	307	50	2	34
Both parents native.....	{ M. 809 F. 726	34	56	26	29	63	34	54	87	131	193	115	12	1	8
One or both parents foreign.....	{ M. 54 F. 33	3	3	2	1	5	4	5	6	4	9	10	4		1
Foreign born.....	{ M. 282 F. 193	2	2	1		7	4	6	1	4	4	3	2		1
Colored.....	1,710	21	48	27	33	135	156	247	320	261	273	126	31	15	38
Males.....	785	15	31	16	18	58	62	83	131	127	152	62	17	6	22
Females.....	925	6	17	11	15	77	94	164	189	134	121	64	14	9	16
4. Others of this class.....	162	113	125		2	4	4	3	4	3	6	6	1		4
White.....	132	95	102		2	3	3	2	3	3	5	5	1		3
Native born.....	126	95	101		2	3	3	1	2	1	5	5	1		2
Both parents native.....	{ M. 42 F. 14	29	34			1	1		1	1	2	3			1
One or both parents foreign.....	{ M. 1 F. 1	1	1												
Foreign born.....	{ M. 2 F. 2									2					
Colored.....	30	18	23			1	1	1	1		1	1			1
Males.....	13	12	12									1			
Females.....	17	6	11			1	1	1	1		1				1
IV.—Diseases of the respiratory system.....															
White.....	14,097	2,912	5,148	576	345	1,435	1,236	1,329	1,043	1,030	982	636	132	18	177
Native born.....	12,821	2,854	5,003	549	336	1,366	1,136	1,160	874	817	802	520	119	14	125
Both parents native.....	{ M. 4,921 F. 4,100	1,229	2,088	209	147	582	404	390	303	294	263	169	42	4	26
One or both parents foreign.....	{ M. 232 F. 163	63	1,111	213	122	415	353	359	233	214	235	152	38	4	22
Foreign born.....	{ M. 446 F. 242	2	13	3	4	21	30	70	81	95	68	49	2	1	9
Colored.....	6,842	1,439	2,620	309	268	966	642	495	501	369	319	190	56	27	80
Males.....	3,852	773	1,401	152	129	586	380	293	305	230	190	111	22	10	43
Females.....	2,990	666	1,219	157	139	380	262	202	196	139	129	79	34	17	37
1. Croup.....	2,777	1,594	2,539	164	14	18	8	2	1	6	2	1			22
White.....	2,154	1,155	1,950	147	12	14	5	2	1	4	1				18
Native born.....	2,094	1,137	1,899	140	12	14	5	2	1	4	1				16
Both parents native.....	{ M. 946 F. 823	570	876	52	6	4	2			2					4
One or both parents foreign.....	{ M. 30 F. 22	11	24	6	4	5	2	1	1	1					4
Foreign born.....	{ M. 3 F. 4	6	20	1	1										1
Colored.....	623	439	589	17	2	4	3			2	1	1			4
Males.....	332	240	317	7		2	1			1		1			3
Females.....	291	199	272	10	2	2	2			1	1				1

STATISTICS OF DEATHS.

737

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un- known.
IV.—Diseases of the respiratory system—Continued.															
2. Laryngitis	74	9	43	11	2	2	4	3		4	1	2	1		1
White	62	8	37	10	2	2	3	2		3	1		1		1
Native born	53	8	32	8	2	2	2	2		2	1		1		1
Both parents native	15	2	10	2		1	1			1					
One or both parents foreign	9	2	6	2	1										
Foreign born	2	1	1	1						1					
Colored	12	1	6	1			1	1		1		2			
Males	7	1	3	1			1	1		1					
Females	5		3									2			
3. Bronchitis	2,115	618	1,116	79	36	115	106	96	109	126	149	140	23	2	18
White	1,492	410	719	55	21	73	79	78	73	105	134	120	19	1	15
Native born	1,324	395	692	53	21	69	73	72	58	79	90	93	15	1	8
Both parents native	424	132	243	20	10	26	19	14	18	25	23	23	2		1
One or both parents foreign	401	107	191	17	5	22	26	27	21	27	25	33	6		1
Foreign born	22	9	13	1		1	1	1	1	2	2	1			
Males	19	7	10	3		1	3	1	1	1	1	1			
Females	51	2	2	1		1	2	4	4	11	17	8	1		1
Colored	623	208	397	24	15	42	27	18	36	21	15	20	4	1	3
Males	332	119	224	8	7	20	12	10	18	10	8	12	2	1	
Females	291	89	173	16	8	22	15	8	18	11	7	8	2		3
4. Pneumonia	12,185	1,367	2,863	460	431	1,906	1,468	1,429	1,133	978	810	432	83	20	162
White	7,841	842	1,678	262	245	1,132	944	1,037	771	703	587	319	49	7	107
Native born	7,031	822	1,626	248	236	1,078	861	889	658	562	492	264	43	3	71
Both parents native	2,655	313	639	86	103	465	320	302	235	199	173	95	21	2	15
One or both parents foreign	2,060	242	501	101	81	322	258	261	164	135	145	68	12		12
Foreign born	141	34	59	9	1	27	17	5	7	2	3	8	2		1
Males	97	18	33	10	6	13	9	7	6	7	3	3			
Females	291	2	7	2	4	14	24	56	59	59	35	22	1	1	7
Colored	4,344	525	1,185	198	186	784	524	392	362	275	223	113	34	13	55
Males	2,541	262	618	105	95	498	323	241	231	174	136	65	16	5	34
Females	1,803	263	567	93	91	286	201	151	131	101	87	48	18	8	21
5. Pleurisy	323	11	24	12	10	43	37	39	45	36	41	22	5	4	5
White	205	7	14	9	6	30	23	25	23	16	33	15	4	2	5
Native born	178	7	14	9	6	28	21	20	15	12	32	13	4	2	2
Both parents native	65		3	5	2	11	8	9	5	4	10	6	1	1	
One or both parents foreign	44	1	2	3	2	6	4	6	5	1	8	3	3	1	
Foreign born	3					1					2				
Colored	118	4	10	3	4	13	14	14	22	20	8	7	1	2	
Males	65	1	5	2	3	7	5	8	10	14	4	7			
Females	53	3	5	1	1	6	9	6	12	6	4		1	2	
6. Asthma	273	9	18	4	3	4	11	20	36	55	63	40	12	3	4
White	178	6	13	2		1	7	12	24	39	41	30	7	1	1
Native born	124	6	13	2		1	6	10	14	19	28	23	6	1	1
Both parents native	37	4	8	1			1	3	2	8	5	7	2		
One or both parents foreign	40	1	2	1		1	2	6	4	4	12	5	2	1	
Foreign born	2		1								1	1			
Colored	95	3	5	2	3	3	4	8	12	16	22	10	5	2	3
Males	36	1	1		1		1	2	6	8	11	5	1		
Females	59	2	4	2	2	3	3	6	6	8	11	5	4	2	3

VITAL AND SOCIAL STATISTICS.

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
IV.—Diseases of the respiratory system—Continued.															
7. Others of this class	3,192	743	1,165	155	117	303	244	245	220	194	235	189	64	16	45
White	2,165	484	737	91	59	183	175	183	151	160	185	152	52	7	30
Native born	2,017	479	727	89	59	174	168	165	128	139	158	127	50	7	26
Both parents native	{ M 779 F 723	{ M 208 F 180	{ M 309 F 287	{ M 43 F 35	{ M 26 F 29	{ M 75 F 59	{ M 53 F 61	{ M 62 F 58	{ M 43 F 38	{ M 55 F 46	{ M 52 F 45	{ M 38 F 43	{ M 16 F 15	{ M 1 F 2	{ M 6 F 5
One or both parents foreign	{ M 32 F 19	{ M 9 F 4	{ M 14 F 10	{ M 2 F 1	{ M 1 F 3	{ M 3 F 5	{ M 2 F 3	{ M 1 F 2	{ M 3 F 1	{ M 2 F 2	{ M 1 F 1	{ M 1 F 2	{ M 2 F 1	{ M 2 F 1	{ M 2 F 1
Foreign born	{ M 60 F 26	{ M 1 F 1	{ M 1 F 1	{ M 1 F 1	{ M 1 F 1	{ M 5 F 1	{ M 1 F 4	{ M 5 F 4	{ M 11 F 6	{ M 12 F 3	{ M 10 F 6	{ M 14 F 4	{ M 1 F 1	{ M 1 F 1	{ M 1 F 1
Colored	1,027	259	428	64	58	120	69	62	69	34	50	37	12	9	15
Males	530	149	233	29	23	59	37	31	40	22	31	21	3	4	6
Females	488	110	195	35	35	61	32	31	29	12	19	16	9	5	9
V.—Diseases of the digestive system	6,547	1,181	2,294	314	241	546	550	592	611	563	444	248	57	1	79
White	4,686	772	1,471	254	190	390	406	462	455	430	338	187	50		47
Native born	4,068	753	1,419	239	184	364	350	369	328	328	262	150	43		32
Both parents native	{ M 1,456 F 1,259	{ M 298 F 228	{ M 572 F 461	{ M 104 F 95	{ M 76 F 62	{ M 126 F 116	{ M 102 F 99	{ M 117 F 108	{ M 103 F 93	{ M 100 F 96	{ M 90 F 70	{ M 50 F 42	{ M 11 F 16	{ M 1 F 2	{ M 5 F 1
One or both parents foreign	{ M 82 F 69	{ M 21 F 23	{ M 38 F 31	{ M 4 F 7	{ M 3 F 2	{ M 10 F 8	{ M 4 F 5	{ M 7 F 3	{ M 3 F 2	{ M 6 F 4	{ M 2 F 5	{ M 2 F 2	{ M 3 F 2	{ M 2 F 2	{ M 2 F 2
Foreign born	{ M 268 F 119	{ M 2 F 2	{ M 6 F 5	{ M 2 F 1	{ M 1 F 1	{ M 5 F 4	{ M 13 F 12	{ M 50 F 16	{ M 66 F 33	{ M 82 F 19	{ M 38 F 19	{ M 20 F 6	{ M 2 F 2	{ M 2 F 2	{ M 3 F 2
Colored	1,861	409	823	60	51	156	144	137	156	127	106	61	7	1	32
Males	1,027	227	446	28	28	80	68	70	90	89	64	40	6		18
Females	834	182	377	32	23	76	76	67	66	38	42	21	1	1	14
1. Dentition	671	260	666												5
White	309	137	307												2
Native born	300	134	298												2
Both parents native	{ M 100 F 85	{ M 43 F 33	{ M 99 F 85												1
One or both parents foreign	{ M 14 F 9	{ M 5 F 7	{ M 14 F 9												
Foreign born	{ M 1 F 2	{ M 1 F 1	{ M 1 F 2												
Colored	362	123	359												3
Males	179	59	177												2
Females	183	64	182												1
2. Angina	342	69	179	53	9	23	18	11	11	12	12	5	3	1	5
White	233	40	119	42	6	16	11	6	6	9	7	5	3		3
Native born	210	40	113	38	6	15	10	2	5	8	7	3	3		
Both parents native	{ M 86 F 71	{ M 21 F 14	{ M 48 F 41	{ M 18 F 14	{ M 2 F 1	{ M 6 F 4	{ M 2 F 4		{ M 3 F 2	{ M 3 F 4	{ M 1 F 1	{ M 1 F 1	{ M 1 F 1		
One or both parents foreign	{ M 5 F 4	{ M 5 F 3	{ M 1 F 3	{ M 1 F 1	{ M 2 F 1	{ M 1 F 1	{ M 1 F 1								
Foreign born	{ M 3 F 2	{ M 1 F 1	{ M 1 F 2	{ M 1 F 1	{ M 1 F 1	{ M 1 F 1	{ M 2 F 1								
Colored	109	29	60	11	3	7	7	5	5	3	5			1	2
Males	58	16	31	4		5	7	2	2	2	4				1
Females	51	13	29	7	3	2		3	3	1	1			1	1
3. Diseases of the stomach	1,303	175	421	89	53	98	108	117	128	116	104	45	12		12
White	1,118	151	369	82	45	83	91	97	107	102	81	39	12		7
Native born	999	148	355	81	44	78	83	81	83	81	68	31	12		5
Both parents native	{ M 355 F 357	{ M 63 F 43	{ M 160 F 116	{ M 30 F 40	{ M 15 F 23	{ M 21 F 32	{ M 21 F 30	{ M 24 F 32	{ M 24 F 29	{ M 23 F 25	{ M 25 F 18	{ M 11 F 6	{ M 1 F 6		
One or both parents foreign	{ M 11 F 17	{ M 3 F 5	{ M 3 F 5	{ M 3 F 4		{ M 2 F 5	{ M 2 F 5		{ M 1 F 1	{ M 2 F 1	{ M 1 F 1	{ M 2 F 3	{ M 2 F 3		
Foreign born	{ M 42 F 23	{ M 2 F 1	{ M 2 F 1			{ M 2 F 1	{ M 1 F 3		{ M 14 F 6	{ M 8 F 5	{ M 7 F 3	{ M 3 F 3			
Colored	185	24	52	7	8	15	17	20	21	14	20	6			5
Males	95	13	32	3	5	8	4	10	12	5	11	2			3
Females	90	11	20	4	3	7	13	10	9	9	9	4			2

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
V.—Diseases of the digestive system—Cont'd.															
4. Obstruction of the bowels.....	333	36	60	21	30	42	29	40	36	32	24	12	3	4
White.....	248	31	52	14	22	26	19	25	31	22	19	12	3	3
Native born.....	203	30	50	12	19	23	16	17	23	18	11	10	2	2
Both parents native.....	69	4	11	5	9	11	8	6	7	5	4	2	1	
One or both parents foreign.....	38	5	9	3	2	2	2	3	5	5	3	3	1	1
Foreign born.....	2	1	1
Males.....	15	1	1	1	1	5	4	1
Females.....	12	1	2	2	5	1	1
Colored.....	85	5	8	7	8	16	10	15	5	10	5	1
Males.....	56	3	5	3	6	10	9	8	3	6	5	1
Females.....	29	2	3	4	2	6	1	7	2	4
5. Hernia.....	166	13	20	2	10	9	20	24	31	20	20	6	4
White.....	89	4	8	1	6	5	15	12	17	10	11	3	1
Native born.....	68	2	4	1	6	5	13	8	15	8	4	3	1
Both parents native.....	21	1	1	4	2	2	2	3	3	1	2
One or both parents foreign.....	14	4	2	5	2	1
Foreign born.....	1	1
Males.....	11	1	1	2	7
Females.....	2	2
Colored.....	77	9	12	1	4	4	5	12	14	10	9	3	3
Males.....	71	8	11	1	3	4	5	11	13	9	9	3	2
Females.....	6	1	1	1	1	1	1	1
6. Other diseases of the bowels.....	477	120	194	22	14	40	34	43	41	21	27	31	4	6
White.....	352	83	136	12	11	33	25	35	30	18	20	25	4	3
Native born.....	317	81	133	12	11	33	22	31	20	15	15	19	3	3
Both parents native.....	125	34	55	7	4	8	11	14	7	4	4	9	2
One or both parents foreign.....	113	31	56	3	6	17	4	7	6	5	3	5	1
Foreign born.....	8	3	4	1	1	1
Males.....	3	2	2
Females.....	16	1	2	1	3	2	3	4	3
Colored.....	125	37	58	10	3	7	9	8	11	3	7	6	3
Males.....	67	21	35	4	1	3	6	1	5	3	5	3	1
Females.....	58	16	23	6	2	4	3	7	6	2	3	2
7. Jaundice.....	518	107	135	52	60	67	53	53	27	34	22	8	1	6
White.....	457	85	109	48	60	62	47	51	23	29	16	6	1	5
Native born.....	417	84	108	44	59	57	39	43	20	24	14	5	4
Both parents native.....	194	39	54	17	32	30	15	24	7	8	5	1	1
One or both parents foreign.....	127	22	28	22	22	16	16	6	5	7	4	1
Foreign born.....	2	1	1	2	2	1
Males.....	7
Females.....	14	1	1	1	1	1	2	5	2	2	1
Colored.....	61	22	26	4	5	6	2	4	5	6	2	1
Males.....	34	14	14	2	3	5	2	3	3	1	1
Females.....	27	8	12	2	2	1	2	2	2	3	1
8. Inflammation and abscess of the liver.....	494	23	41	8	10	41	60	84	91	78	58	12	4	7
White.....	390	17	34	8	6	28	44	68	72	64	49	9	3	5
Native born.....	286	16	33	8	5	26	38	46	47	41	31	7	2	2
Both parents native.....	94	9	13	4	1	11	11	15	12	16	9	1	1
One or both parents foreign.....	69	5	13	3	8	4	9	9	8	4	2
Foreign born.....	9	1	2	3	2	1
Males.....	6	1	2	1
Females.....	65	1	1	1	3	14	16	16	11	2	1
Colored.....	104	6	7	4	13	16	16	19	14	9	3	1	2
Males.....	69	4	4	2	7	7	13	15	12	5	3	1
Females.....	35	2	3	2	6	9	3	4	2	4	2

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
V.—Diseases of the digestive system—Cont'd.															
9. Other diseases of the liver.....	697	50	97	15	18	37	69	103	122	118	70	37	3	8
White.....	532	41	78	12	12	22	51	79	94	92	56	29	2	5
Native born.....	418	41	78	12	12	22	39	63	61	58	45	25	2	1
Both parents native.....	{ M. 141 F. 135	{ 18 18	{ 35 34	{ 5 6	{ 4 4	{ 11 5	{ 8 9	{ 20 19	{ 20 14	{ 15 23	{ 15 15	{ 8 6			
One or both parents foreign.....	{ M. 6 F. 4				2	3		2		1	1				
Foreign born.....	{ M. 65 F. 26						5	8	21	23	4	2			2
Foreign born.....	{ M. 4 F. 26						3	3	8	6	5				1
Colored.....	165	9	19	3	6	15	18	24	28	26	14	8	1	3
Males.....	94	4	9	2	1	8	7	14	16	21	7	6			3
Females.....	71	5	10	1	5	7	11	10	12	5	7	2	1		
10. Peritonitis.....	413	17	39	15	14	109	100	50	32	18	17	11	2	6
White.....	261	8	23	13	11	63	69	29	17	13	11	7	2	3
Native born.....	213	8	20	11	11	54	56	24	11	7	9	5	2	3
Both parents native.....	{ M. 32 F. 55	{ 3 3	{ 4 2	{ 4 2	{ 2 1	{ 11 16	{ 5 22	{ 2 6	{ 1 5		{ 2 1	{ 1 1	{ 1 1		
One or both parents foreign.....	{ M. 4 F. 6				1			1			1		1		
Foreign born.....	{ M. 14 F. 15		1			2	1	3	2	4	1	1	1		
Foreign born.....	{ M. 15 F. 15					1	6	1	4		1	1			
Colored.....	152	9	16	2	3	46	31	21	15	5	6	4		3
Males.....	67	6	10	1	2	18	6	10	6	5	5	3			1
Females.....	85	3	6	1	1	28	25	11	9		1	1			2
11. Ascites.....	192	4	25	9	9	17	12	26	22	31	20	11	5	5
White.....	90	2	8	4	3	3	7	13	14	19	10	4	3	2
Native born.....	80	2	8	4	3	3	6	10	13	17	8	4	2	2
Both parents native.....	{ M. 32 F. 21		5	3	3	1	4	1	5	7	2	1			
One or both parents foreign.....	{ M. 1 F. 1	1	1	1		2		5	4	3	1	3	2		
Foreign born.....	{ M. 3 F. 5							1	1	1	1		1		
Foreign born.....	{ M. 3 F. 5							1	1	1	1		1		
Colored.....	102	2	17	5	6	14	5	13	8	12	10	7	2	3
Males.....	47	1	11	3	3	5	2	2	4	6	4	3	2	2
Females.....	55	1	6	2	3	9	3	11	4	6	6	4			1
12. Others of this class.....	941	307	417	28	24	62	58	52	77	72	70	56	14	11
White.....	607	173	228	18	14	48	37	44	49	51	56	40	14	8
Native born.....	557	167	219	16	14	47	36	39	40	44	46	37	12	7
Both parents native.....	{ M. 207 F. 174	{ 64 56	{ 87 76	{ 10 2	{ 4 4	{ 12 14	{ 15 8	{ 9 17	{ 15 14	{ 17 12	{ 18 12	{ 14 11	{ 5 3		1
One or both parents foreign.....	{ M. 19 F. 10	{ 13 9	{ 15 9	{ 2 1		1	1								1
Foreign born.....	{ M. 19 F. 3		1					2	4	3	6	1	1		
Foreign born.....	{ M. 19 F. 3								2	4	3	6	1		
Colored.....	334	134	189	10	10	14	21	8	28	21	14	16		3
Males.....	190	78	107	5	8	10	11	5	14	13	6	10			1
Females.....	144	56	82	5	2	4	10	3	14	8	8	6			2
VI.—Diseases of the urinary system and male organs of generation.	2,247	46	122	68	64	165	202	251	296	377	402	223	36	2	39
White.....	1,628	37	86	56	52	118	152	173	199	269	289	177	29	1	27
Native born.....	1,334	37	82	55	50	111	134	144	142	196	230	146	28	1	15
Both parents native.....	{ M. 506 F. 225	{ 15 10	{ 30 21	{ 29 13	{ 18 20	{ 33 30	{ 37 28	{ 45 19	{ 46 21	{ 81 20	{ 103 30	{ 68 16	{ 15 3	1	
One or both parents foreign.....	{ M. 36 F. 9	{ 4 4	{ 6 6	{ 1 1		1	2	4	2	2	8	8	2		4
Foreign born.....	{ M. 189 F. 54				2			1	2	1	2	18	1		5
Foreign born.....	{ M. 189 F. 54					3	9	15	40	46	32	18	1		3
Foreign born.....	{ M. 189 F. 54					1	3	9	6	14	13	5			
Colored.....	619	9	36	12	12	47	50	78	97	108	113	46	7	1	12
Males.....	445	3	21	7	7	28	30	44	61	87	104	39	6	1	10
Females.....	174	6	15	5	5	19	20	34	36	21	9	7	1		2

STATISTICS OF DEATHS.

741

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
VI.—Diseases of the urinary system and male organs of generation—Cont'd.															
1. Bright's disease.....	1,041			14	24	81	134	144	176	199	163	83	10		13
White.....	773			12	21	57	103	105	118	151	122	67	6		11
Native born.....	609			12	21	56	89	90	76	105	91	57	5		7
Both parents native.....	M. 207 F. 90			5	8	13	25	20	22	42	40	29	3		2
One or both parents foreign.....	M. 13 F. 5			2	8	13	14	15	9	8	12	6	1		
Foreign born.....	M. 98 F. 35					1	6	9	33	28	16	4	1		2
Colored.....	268			2	3	24	31	39	58	48	41	16	4		2
Males.....	166			1	1	16	17	17	29	33	36	10	4		2
Females.....	102			1	2	8	14	22	29	15	5	6			
2. Calculus, urinary.....	124	4	9	3	3	3	4	6	14	18	39	19	4		2
White.....	62	3	5	2	2	3	2	2	7	6	19	11	2		1
Native born.....	54	3	5	2	2	3	2	2	6	4	17	9	2		
Both parents native.....	M. 27 F. 4	2	3	2	1	2		1	3	1	10	3	1		
One or both parents foreign.....	M. 2 F. 2					1	1				2				
Foreign born.....	M. 7 F. 7								1	2	1	2			1
Colored.....	62	1	4	1	1		2	4	7	12	20	8	2		1
Males.....	59	1	4	1			2	3	7	12	20	8	1		1
Females.....	3				1			1					1		
3. Diseases of the kidney.....	658	28	86	33	20	53	38	70	74	91	107	61	12	2	11
White.....	473	24	61	26	15	36	27	43	51	62	83	50	11	1	7
Native born.....	407	24	59	25	14	35	24	32	41	47	70	44	11	1	4
Both parents native.....	M. 170 F. 96	10	24	14	5	10	7	13	18	18	34	20	6	1	1
One or both parents foreign.....	M. 13 F. 4	2	2	1		1	1	2	1		2	3	2		
Foreign born.....	M. 36 F. 12			2			1	5	5	3	10	9	3		2
Colored.....	185	4	25	7	5	17	11	27	23	29	24	11	1	1	4
Males.....	135	2	15	4	4	9	7	18	17	25	21	10	1	1	3
Females.....	50	2	10	3	1	8	4	9	6	4	3	1			1
4. Diseases of the bladder.....	170	6	11	1	1	3	4	6	13	30	58	33	8		2
White.....	123	4	8	1		2	3	3	9	22	40	26	8		1
Native born.....	100	4	6	1		2	3	3	8	18	30	20	8		1
Both parents native.....	M. 43 F. 8			1		2	1	2	2	12	10	9	4		
One or both parents foreign.....	M. 4 F. 1	1	2				2			1	2	1			
Foreign born.....	M. 11 F. 4									3	4	4			
Colored.....	47	2	3		1	1	1	3	4	8	18	7			1
Males.....	40		1				1	2	3	7	18	7			1
Females.....	7	2	2		1	1		1	1	1					
5. Others of this class.....	254	8	16	17	16	25	22	25	19	39	35	27	2		11
White.....	197	6	12	15	14	20	17	20	14	28	25	23	2		7
Native born.....	164	6	12	15	13	15	16	17	11	22	22	16	2		3
Both parents native.....	M. 59 F. 27	3	3	7	4	6	4	9	1	8	9	7	1		1
One or both parents foreign.....	M. 4 F. 1	1	3		5	4	3	1	1	1	2	1			
Foreign born.....	M. 17 F. 3					1		1	3	3	2	5			2
Colored.....	57	2	4	2	2	5	5	5	5	11	10	4			4
Males.....	45		1	1	2	3	3	4	5	10	9	4			3
Females.....	12	2	3	1	2	2	2	1	1	1	1				1

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
VII.—Diseases of the female organs of generation.	687		1		8	124	127	160	122	66	37	12			10
White	374				5	66	66	101	61	36	22	9			8
Native born	346				5	64	63	88	61	30	19	9			7
Both parents native	234				5	46	42	53	47	24	11	5			1
One or both parents foreign	4							2		1					1
Foreign born	13					1	2	3		4	1				
Colored	293		1		3	58	61	59	61	30	15	3			2
1. Ovarian tumors	50					4	5	14	6	11	10				
White	33					3	3	12	3	7	5				
Native born	28					3	3	11	3	4	4				
Both parents native	19					3	3	6	2	3	2				
One or both parents foreign	2									2					
Foreign born	2														
Colored	17					1	2	2	3	4	5				
2. Ovarian diseases	25					1	7	7	4	2	3				1
White	13					1	3	3		2	3				1
Native born	12					1	2	3		2	3				1
Both parents native	6					1	1	2		2					
One or both parents foreign															
Foreign born															
Colored	12						4	4	4						
3. Uterine tumors	35					1	4	15	9	3	2	1			
White	18					1	2	10	1	3		1			
Native born	15					1	2	8	1	2		1			
Both parents native	12					1	2	7	1	1					
One or both parents foreign	1									1					
Foreign born	1									1					
Colored	17						2	5	8		2				
4. Uterine diseases	217				1	31	41	57	41	26	11	4			5
White	97					14	11	27	20	9	9	3			4
Native born	90					14	10	23	20	9	8	3			3
Both parents native	59					12	6	11	13	7	8	2			1
One or both parents foreign	1														
Foreign born	4						1	2			1				
Colored	120				1	17	30	30	21	17	2	1			1
5. Others of this class	340		1		7	87	70	67	62	24	11	7			4
White	213				5	47	47	49	37	15	5	5			3
Native born	201				5	45	46	43	37	13	4	5			3
Both parents native	138				5	29	30	27	31	11	1	3			1
One or both parents foreign	2							2							
Foreign born	6					1	1	3		1					
Colored	127		1		2	40	23	18	25	9	6	2			1
VIII.—Affections connected with pregnancy.	2,652				9	938	966	603	61	4	3	2			66
White	1,762				2	574	686	419	26	3	1	2			49
Native born	1,594				2	531	618	377	22	3		2			39
Both parents native	1,049				1	352	387	274	17	3		1			14
One or both parents foreign	64					22	33	8							1
Foreign born	92					20	43	23	3		1				2
Colored	890				7	364	280	184	35	1	2				17

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF LEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
VIII.—Affections connected with pregnancy—Continued.															
1. Abortion.....	132					61	69	44	5						3
White.....	130						42	49	3						3
Native born.....	118						42	44	3						2
Both parents native.....	73						26	29	3						1
One or both parents foreign.....	6						3	2	1						
Foreign born.....	2							2							
Colored.....	52						19	20	2						
2. Childbirth.....	1,327				5	460	469	332	29	1					30
White.....	829						264	313	8	1					20
Native born.....	759						246	284	6	1					18
Both parents native.....	539						176	195	5	1					6
One or both parents foreign.....	45						15	22	7						1
Foreign born.....	46						11	22	1						
Colored.....	498				5	196	156	109	21		1				10
3. Puerperal septicæmia.....	934				1	324	353	194	24	3	2	2			31
White.....	667				1	213	270	140	13	2	1	2			25
Native born.....	600				1	198	243	125	11	2		2			18
Both parents native.....	379					130	143	90	7	2		1			6
One or both parents foreign.....	12					4	8								
Foreign born.....	35					5	14	11	2		1				2
Colored.....	267					111	83	54	11	1	1				6
4. Extra-uterine pregnancy.....	6					1	3	2							
White.....	2							2							
Native born.....	1							1							
Both parents native.....															
One or both parents foreign.....															
Foreign born.....	1							1							
Colored.....	4					1	1	2							
5. Others of this class.....	203				3	92	72	31	3						2
White.....	134				1	55	52	23	2						1
Native born.....	116				1	45	46	21	2						1
Both parents native.....	58				1	20	20	14	2						1
One or both parents foreign.....	1						1								
Foreign born.....	8					4	4								
Colored.....	69				2	37	20	8	1						1
IX.—Diseases of the bones and joints.....															
White.....	430	142	248	41	30	60	30	24	29	23	30	10	1	1	4
Native born.....	415	129	220	32	19	38	20	15	18	17	23	8	1	1	3
Both parents native.....	204	68	114	19	11	16	8	7	6	7	12	3			1
One or both parents foreign.....	144	53	90	10	4	13	5	3	6	5	6	1			1
Foreign born.....	4			1		2					1				
Foreign born.....	2					2									
Foreign born.....	8					2		4	2						
Foreign born.....	2			1							1				
Colored.....	101	12	27	8	11	18	10	5	9	6	5	2			
Males.....	60	7	15	4	9	10	6	3	6	3	4				
Females.....	41	5	12	4	2	8	4	2	3	3	1	2			

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
IX.—Diseases of the bones and joints—Continued.															
1. Diseases of the spine	429	134	232	33	21	36	20	19	18	15	21	8	1	1	4
White	365	122	207	27	13	28	17	17	13	11	19	7	1	1	4
Native born	357	121	206	26	13	26	17	14	13	11	19	7	1	1	3
Both parents native	186	66	111	15	8	12	8	7	4	6	11	3			1
One or both parents foreign	128	50	85	8	4	10	4	3	5	2	5	1			1
Foreign born	2			1		1						1			
Foreign born	4					1		3							
Foreign born	1			1											
Colored	64	12	25	6	8	8	3	2	5	4	2	1			
Males	39	7	14	3	7	7	1	1	4	1	1				
Females	25	5	11	3	1	1	2	1	1	3	1	1			
2. Diseases of the bones	40	4	5	4	5	11	5		5	4	1				
White	29	4	5	3	3	8	2		3	4	1				
Native born	26	4	5	3	3	6	2		2	4	1				
Both parents native	8			3	1	3			1						
One or both parents foreign	5	1	1			1	1			2					
Foreign born	1					1									
Foreign born	2					1			1						
Colored	11			1	2	3	3		2						
Males	8			1	2	1	2		2						
Females	3					2	1								
3. Diseases of the hip joint	25	1	3	1	2	8	3	2	1	2	1	2			
White	15	1	3	1	1	4		1	1	2	1	1			
Native born	14	1	3	1	1	4			1	2	1	1			
Both parents native	2									1	1				
One or both parents foreign	6	1	2	1		2				1					
Foreign born	1							1							
Colored	10				1	4	3	1				1			
Males	3					1	2								
Females	7				1	3	1	1				1			
4. Others of this class	37	3	8	3	2	5	2	3	5	2	7				
White	21	3	6	2	2	2	1	1	3		4				
Native born	18	3	6	2	2	2	1	1	2		2				
Both parents native	8	2	3	1	2	1			1						
One or both parents foreign	5	1	2	1					1		1				
Foreign born	1										1				
Colored	16		2	1		3	1	2	2	2	3				
Males	10		1			1	1	2		2	3				
Females	6		1	1		2			2						
X.—Diseases of the skin	319	56	93	6	11	20	33	23	30	43	29	10	5	1	9
White	217	43	69	4	7	9	26	19	19	30	19	7	3		5
Native born	189	43	68	3	7	8	24	17	17	21	15	7	1		1
Both parents native	77	19	28		5	4	9	7	7	9	7	1			
One or both parents foreign	48	14	22	2		3	7	4	3	3	4				
Foreign born	4	2	2							1	1				1
Colored	102	13	24	2	4	11	7	10	11	13	10	3	2	1	4
Males	48	6	12	1	1	8	4	3	6	3	5		2		3
Females	54	7	12	1	3	3	3	7	5	10	5	3	1		1

TABLE 13.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
XI.—Diseases of the absorbent system—Continued.															
2. Diseases of the spleen	37	3	10	4	4	3	7	3	2	4					
White	27	2	7	2	2	3	6	2	2	3					
Native born	27	2	7	2	2	3	6	2	2	3					
Both parents native	{ M. 12	1	3	1	1		5	1		1					
One or both parents foreign	{ F. 8	1	2		1	3		1		1					
Foreign born	{ M. 1						1								
Colored	10	1	3	2	2		1	1		1					
Males	4			1	1			1							
Females	6	1	3	1	1		1	1		1					
3. Others of this class	23	1	2	1	1	2	1	5	5	1	3			1	1
White	19		1	1	1	2		5	4	1	3				1
Native born	16		1	1	1	2		5	3		3				
Both parents native	{ M. 7		1	1	1	1		1	1		1				
One or both parents foreign	{ F. 4					1		2	1		1				
Foreign born	{ M. 1									1					
Colored	4	1	1				1		1					1	
Males	2	1	1						1						
Females	2						1							1	
XII.—Accidents and injuries	7,797	750	1,561	466	435	1,549	1,292	853	589	346	255	157	63	14	217
White	4,666	317	758	246	266	929	793	565	404	240	169	104	49	5	138
Native born	3,853	310	733	234	254	835	659	430	246	160	106	85	38	5	68
Both parents native	{ M. 1,883	140	336	103	123	482	318	215	124	78	46	29	10	1	18
One or both parents foreign	{ F. 573	83	197	58	42	84	48	34	26	13	23	18	17		13
Foreign born	{ M. 148	10	29	13	12	41	29	14	5	1	2	1	1		
Colored	393	2	17	4	2	11	4	1	1	2	2	2	2		1
Males	66	1	4	1	4	32	72	57	105	58	33	11	3		13
Females			1		3	6	7	11	11	6	11	2	2		6
Colored	3,131	433	803	220	169	620	499	288	185	106	86	53	14	9	79
Males	2,282	229	422	115	118	540	447	240	153	82	65	31	5	5	59
Females	849	204	381	105	51	80	52	48	32	24	21	22	9	4	20
1. Burns and scalds	950	79	484	164	55	67	50	33	13	26	14	21	9	4	10
White	452	38	230	67	29	40	32	14	8	11	6	9	2	1	3
Native born	417	37	220	65	28	38	29	9	5	5	4	9	1	1	3
Both parents native	{ M. 133	15	96	14	2	5	9	2	2	1		1			1
One or both parents foreign	{ F. 167	9	61	35	19	23	12	5	3	2	3	3	1		
Foreign born	{ M. 13	1	11	2											
Colored	498	41	254	97	26	27	18	19	5	15	8	12	7	3	7
Males	202	18	120	29	6	10	8	6	2	7	5	3	2	1	3
Females	296	23	134	68	20	17	10	13	3	8	3	9	5	2	4
2. Drowned	716	6	78	53	85	199	123	73	44	26	11	8	2		14
White	363	5	51	30	42	97	58	36	17	16	5	4			7
Native born	292	5	48	30	40	87	43	21	8	7	4	1			3
Both parents native	{ M. 159		23	18	19	49	29	12	2	3	3				1
One or both parents foreign	{ F. 27	4	13	1	2	6	1	2	2						
Foreign born	{ M. 13		1	4	1	6	2								
Colored	353	1	27	23	43	102	65	37	27	10	6	4	2		7
Males	314	1	22	19	34	94	60	35	23	10	6	3	1		7
Females	39		5	4	9	8	5	2	4		1	1			

TABLE 15.—DEATHS IN GRAND DIVISION C, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
XII.—Accidents and injuries—Continued.															
8. Railroad accidents	605	2	6	12	23	180	179	79	47	28	17	10	1	1	22
White	427		3	6	17	130	128	49	35	22	12	7	1		17
Native born	315		3	6	16	117	97	28	19	13	7	5			4
Both parents native	{ M 171		1	5	10	75	42	12	11	8	2	4			1
One or both parents foreign	{ F 15		1		1	4	7				3	1			
Foreign born	{ M 44					2	9	7	11	7	4	1	1		2
	{ F 2								1		1				
Colored	178	2	3	6	6	50	51	30	12	6	5	3		1	5
Males	161	2	3	4	6	48	49	25	11	5	2	3			5
Females	17			2		2	2	5	1	1	3			1	
9. Suffocation	399	293	332	11	5	8	10	4	10	2	3	2	1		11
White	171	105	129	8	4	7	7	2	6	1	3				4
Native born	158	103	126	6	4	5	5	2	4	1	2				3
Both parents native	{ M 73	50	58	1	3	5	2	1	1		1				1
One or both parents foreign	{ F 39	25	35	1		1	1		1	1					
Foreign born	{ M 5	3	4		1										
	{ F 1		1												
Colored	228	188	203	3	1	1	3	2	4	1		2	1		7
Males	103	88	90	2		1	2	2	2	1		1			2
Females	125	100	113	1	1		1		2			1	1		5
10. Suicide by shooting	106				2	28	22	19	10	12	8	3			2
White	95				2	24	19	18	8	12	8	3			1
Native born	63				2	19	15	13	3	6	3	2			
Both parents native	{ M 29					12	6	7	1	2		1			
One or both parents foreign	{ F 2					1	1								
Foreign born	{ M 6				1	2	1	1			1				
	{ F 1					1									
Colored	11					4	3	1	2						1
Males	9					4	1	1	2						1
Females	2						2								
11. Suicide by drowning	22					5	4	3	6	1	1				2
White	18					3	2	3	6	1	1				2
Native born	13					3	2	3	5						
Both parents native	{ M 4							1	3						
One or both parents foreign	{ F 2					1	1								
Foreign born	{ M 3					1	1	1							
	{ F 2								1	1					
Colored	4					2	2								
Males	3					2	1								
Females	1						1								
12. Suicide by poison	110			1	1	26	20	22	21	8	4	2			5
White	98				1	21	17	21	21	7	4	2			4
Native born	63				1	17	15	12	7	5	3	2			1
Both parents native	{ M 16					1	3	3	2	4	1	1			1
One or both parents foreign	{ F 18				1	10	6	1							
Foreign born	{ M 1					1			1						
	{ F 1														
Colored	12			1		5	3	1		1					1
Males	3			1			1			1					
Females	9					5	2	1							1

VITAL AND SOCIAL STATISTICS.

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890. (a)

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
All causes	285,323	65,077	101,733	14,044	7,893	25,887	25,623	21,036	19,587	21,166	23,532	16,304	4,786	502	3,230
White	273,907	62,940	97,775	13,386	7,355	24,319	24,493	20,100	18,855	20,583	23,082	16,004	4,671	424	2,950
Native born	212,479	61,907	95,100	12,356	6,585	20,076	17,632	12,500	10,559	10,840	12,583	9,556	2,872	234	1,586
Both parents native	{ M. 54,351 F. 50,950	{ 14,623 11,368	{ 22,962 19,032	{ 3,079 3,035	{ 1,713 1,682	{ 4,823 5,675	{ 3,660 4,777	{ 2,954 3,733	{ 3,045 3,124	{ 3,554 3,061	{ 4,298 3,271	{ 3,057 2,458	{ 805 744	{ 47 64	{ 354 294
One or both parents foreign	{ M. 25,291 F. 22,346	{ 9,549 7,389	{ 14,570 11,878	{ 1,990 1,880	{ 1,036 1,042	{ 2,628 2,715	{ 1,872 2,104	{ 883 928	{ 550 438	{ 450 308	{ 523 362	{ 479 344	{ 173 153	{ 24 8	{ 113 76
Foreign born	{ M. 30,713 F. 22,437	{ 235 194	{ 754 719	{ 380 359	{ 297 311	{ 1,798 1,671	{ 3,255 2,588	{ 3,859 2,825	{ 4,620 2,873	{ 5,463 3,539	{ 5,723 3,974	{ 3,276 2,589	{ 881 740	{ 83 88	{ 324 161
Colored	11,326	2,137	3,958	658	538	1,568	1,130	936	732	583	450	300	115	78	280
Males	5,883	1,160	2,065	328	228	751	585	498	431	333	247	172	59	31	155
Females	5,443	977	1,893	330	310	817	545	438	301	250	203	128	56	47	125
Unknown causes	10,589	4,437	5,535	291	164	460	446	490	521	672	781	524	158	23	524
White	9,646	4,207	5,083	219	129	401	405	444	488	622	750	510	153	17	425
Native born	7,682	4,133	4,948	198	119	320	275	236	288	301	394	288	89	10	216
Both parents native	{ M. 2,153 F. 2,013	{ 1,221 999	{ 1,430 1,227	{ 51 55	{ 31 40	{ 55 118	{ 61 84	{ 44 62	{ 73 98	{ 90 82	{ 127 99	{ 102 79	{ 23 14	{ 6 5	{ 60 46
One or both parents foreign	{ M. 1,223 F. 942	{ 847 617	{ 994 731	{ 39 30	{ 19 12	{ 35 52	{ 22 33	{ 19 21	{ 18 10	{ 13 7	{ 21 9	{ 14 10	{ 5 9	{ 2 2	{ 24 18
Foreign born	{ M. 770 F. 668	{ 15 17	{ 29 35	{ 6 3	{ 3 2	{ 30 28	{ 45 51	{ 85 82	{ 86 84	{ 152 121	{ 181 138	{ 107 85	{ 30 25	{ 2 3	{ 14 11
Colored	943	230	452	72	35	50	41	46	33	50	31	14	5	6	59
Males	472	129	233	34	17	26	22	10	21	22	15	7	2	3	51
Females	471	101	219	38	18	33	19	27	12	28	16	7	3	3	48
I.—General diseases.															
General diseases—A	64,382	16,574	33,964	7,068	3,334	5,801	3,835	2,396	1,917	1,878	1,759	1,111	256	32	451
White	62,495	16,187	33,048	7,451	3,222	5,583	3,721	2,301	1,850	1,836	1,718	1,090	243	27	405
Native born	54,634	15,785	31,873	6,897	2,899	4,563	2,590	1,479	1,144	1,060	981	705	170	11	262
Both parents native	{ M. 13,632 F. 12,877	{ 3,575 3,099	{ 7,656 6,902	{ 1,602 1,733	{ 687 787	{ 1,231 1,205	{ 689 650	{ 382 449	{ 370 321	{ 370 303	{ 322 267	{ 211 170	{ 50 42	{ 2 4	{ 60 44
One or both parents foreign	{ M. 7,455 F. 7,266	{ 2,330 2,139	{ 4,713 4,429	{ 1,109 1,225	{ 456 524	{ 646 573	{ 250 265	{ 92 99	{ 52 49	{ 36 27	{ 35 25	{ 13 31	{ 5 5	{ 2 2	{ 22 20
Foreign born	{ M. 3,622 F. 2,753	{ 95 90	{ 346 340	{ 202 196	{ 127 133	{ 477 371	{ 669 371	{ 428 297	{ 374 255	{ 411 290	{ 389 285	{ 180 167	{ 41 26	{ 5 7	{ 33 15
Colored	1,887	387	916	217	112	218	114	95	67	42	41	21	13	5	26
Males	986	197	458	111	60	107	58	55	41	25	28	14	9	1	19
Females	901	190	458	106	52	111	56	40	26	17	13	7	4	4	7
1. Smallpox	261	43	166	53	17	10	5	5	1	2	1				1
White	222	41	147	41	13	9	5	3	1	1	1				1
Native born	217	40	145	40	13	9	5	2	1	1	1				
Both parents native	{ M. 101 F. 82	{ 15 19	{ 61 64	{ 22 12	{ 7 4	{ 6 2	{ 2 2		{ 1 1		{ 1 1				
One or both parents foreign	{ M. 14 F. 14	{ 2 2	{ 6 11	{ 4 2	{ 2 2		{ 1 1								
Foreign born	{ M. 382 F. 57	{ 72 2	{ 268 28	{ 52 8	{ 17 4	{ 30 4	{ 11 6	{ 3 3	{ 1 2			{ 1 1			
Colored	39	2	19	12	4	1		2		1					
Males	20	1	8	8	2	1				1					
Females	19	1	11	4	2			2							
2. Measles	3,160	698	2,068	350	144	288	123	100	38	21	9	8			20
White	3,027	680	1,989	323	134	278	119	98	37	21	9	8			11
Native born	2,854	670	1,905	303	126	258	105	86	36	16	7	6			6
Both parents native	{ M. 819 F. 882	{ 233 187	{ 578 522	{ 87 90	{ 38 45	{ 66 95	{ 21 41	{ 17 49	{ 5 23	{ 4 8	{ 3 3	{ 3 2			{ 4 4
One or both parents foreign	{ M. 382 F. 382	{ 86 72	{ 276 268	{ 43 52	{ 16 17	{ 35 30	{ 10 11	{ 1 3		{ 1 1					
Foreign born	{ M. 57 F. 65	{ 2 2	{ 28 32	{ 8 6	{ 4 2	{ 9 9	{ 4 6	{ 3 7		{ 2 2	{ 1 1	{ 1 1			
Colored	133	18	79	27	10	10	4	2	1						
Males	69	8	41	13	8	5		2							
Females	64	10	38	14	2	5	4		1						

a A description of grand division D is given on page 583.

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I. General diseases—Continued.															
General diseases—A—Continued.															
3. Scarlet fever.....	2,965	272	1,883	753	153	93	26	14	11	5	5	4	2	16	
White.....	2,940	267	1,866	750	152	92	25	14	10	5	5	4	2	15	
Native born.....	2,777	261	1,806	702	130	83	18	7	7	3	4	4	2	11	
Both parents native.....	M 673 F 693	77 57	466 349	152 215	35 34	13 24	2 4	1 3	4 2	1 1	1 3	2 2	2	2 4	
One or both parents foreign.....	M 436 F 423	50 32	238 274	100 100	24 25	13 15	1 6							1 1	
Foreign born.....	M 58 F 61	1 1	20 20	19 17	7 9	3 5	2 3	3 3	2 1	1 1				1 1	
Colored.....	25	5	17	3	1	1	1		1					1	
Males.....	12	1	5	2	1	1	1		1					1	
Females.....	13	4	12	1											
4. Diphtheria.....	13,020	669	6,226	4,449	1,425	613	121	57	26	26	13	10	4	1	49
White.....	12,795	656	6,125	4,374	1,396	602	120	57	24	24	13	10	3	1	46
Native born.....	11,908	640	5,865	4,041	1,261	522	89	41	16	16	6	7	2	40	
Both parents native.....	M 2,368 F 2,536	136 130	1,202 1,117	803 910	216 324	94 132	15 27	8 9	7 3	3 5	4 1	3 1	1	12 8	
One or both parents foreign.....	M 2,230 F 2,388	119 120	1,103 1,087	729 853	246 306	128 102	8 22	6 7	1 2	3 2	1 2	2	2	3 7	
Foreign born.....	M 320 F 348	6 3	84 98	118 123	52 56	28 38	11 15	11 3	3 4	6 2	4 3	1 2	1	2 1	
Colored.....	225	13	101	75	29	11	1		2	2			1	3	
Males.....	115	4	52	39	16	3			2					3	
Females.....	110	9	49	36	13	8	1			2			1		
5. Whooping cough.....	2,949	1,623	2,721	157	29	17	5	5	1	1	2	1		10	
White.....	2,735	1,554	2,538	133	25	14	5	5	1	1	2	1		10	
Native born.....	2,660	1,528	2,470	124	24	13	5	3	1	1	1	1		8	
Both parents native.....	M 780 F 930	476 490	717 848	29 55	6 11	4 8	2 1	2	1	1	1	1		3	
One or both parents foreign.....	M 246 F 304	150 189	233 287	10 12	2	2		1						1 2	
Foreign born.....	M 16 F 24	4 7	12 17	2 6				1		1					
Colored.....	214	69	183	24	4	3									
Males.....	95	30	83	11		1									
Females.....	119	39	100	13	4	2									
6. Fever.....	655	142	279	37	39	86	43	42	41	43	31	12	3	1	6
White.....	611	135	266	35	28	73	40	38	38	42	30	12	3	1	5
Native born.....	540	131	260	33	25	65	34	29	27	30	23	7	3	1	3
Both parents native.....	M 189 F 192	45 43	89 83	13 8	8 10	23 30	13 9	12 13	10 10	11 13	6 11	2 3	2	1	
One or both parents foreign.....	M 68 F 43	26 11	51 26	5 6	6	1	3	2	1	1	1		1	1	
Foreign born.....	M 31 F 30	2 1	4 1	1 1	1 2	5 2	2 4	3 4	6 4	7 4	2 4	2 4			
Colored.....	44	7	13	2	2	13	3	5	3	1	1			1	
Males.....	29	5	11	1	2	8	2	2		1	1			1	
Females.....	15	2	2	1		5	1	3	3						
7. Cerebro-spinal fever.....	1,323	359	794	172	98	112	56	40	19	12	11	2		7	
White.....	1,279	346	767	167	92	110	54	39	18	12	11	2		7	
Native born.....	1,183	339	739	154	82	103	43	28	12	8	6	2		6	
Both parents native.....	M 813 F 306	95 62	207 171	38 35	26 26	23 36	6 18	7 8	3 2	1 4	2 1	1		2	
One or both parents foreign.....	M 114 F 118	35 45	69 79	23 19	5 7	9 8	3 3	1	1					1	
Foreign born.....	M 32 F 26	1 1	5 5	2 4	3	2	1	6	5	2	3	2			
Colored.....	44	13	27	5	6	2	2	11	11						
Males.....	23	5	17	2	1	1	1	11							
Females.....	21	4	10	3	5	1	1	1	11						

VITAL AND SOCIAL STATISTICS.

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1900—Continued.

Table with columns: CAUSE OF DEATH, All ages, Under 1, Total under 5, 5 to 10, 10 to 15, 15 to 25, 25 to 35, 35 to 45, 45 to 55, 55 to 65, 65 to 75, 75 to 85, 85 to 95, 95 and over, Un-known. Rows include categories like 8. Enteric fever, 9. Diarrheal diseases, 10. Malarial fever, 11. Erysipelas, 12. Septicæmia, further divided by race and sex.

STATISTICS OF DEATHS.

753

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—A—Continued.															
13. Venereal diseases	441	133	152	4	2	42	74	63	42	28	16	7	1		10
White	368	123	134	4	2	30	61	48	38	23	12	7	1		8
Native born	272	121	132	4	2	26	30	34	19	14	4	2			5
Both parents native	M 51 F 40	18 17	19 19			5 4	3 3	4 9	7 3	8 1	3	1			2
One or both parents foreign	M 20 F 12	9 8	10 9			2 1	3 1	5 1							
Foreign born	M 49 F 18	1 1	1			1 1	15 5	4 5	11 3	6 1	6 1	5	1		1
Colored	73	10	18			12	13	15	4	5	4				2
Males	38	5	8			4	6	10		4	4				2
Females	35	5	10			8	7	5	4	1					
14. Others of this group	695	94	152	35	20	44	44	37	44	61	116	95	34	4	9
White	674	90	147	34	18	44	43	35	43	61	115	93	29	4	8
Native born	474	89	143	28	17	36	30	16	21	36	57	63	20	2	5
Both parents native	M 131 F 122	19 20	30 37	7 10	4 4	13 7	10 9	4 7	9 5	12 11	16 16	17 14	7 2		2
One or both parents foreign	M 46 F 43	19 17	24 23	3 4	2 1	6 3	1 5	1 6	1 8	2 12	3 31	2 15	3 6		1
Foreign born	M 103 F 73		1	2		2	3	6	13	11	22	12	1		2
Colored	21	4	5	1	2		1	2	1		1	2	5		1
Males	13	2	3		2		1	2				2	3		
Females	8	2	2	1					1		1		2		1
General diseases—B	3,591	1,947	2,195	47	25	82	217	295	278	187	145	60	12	2	46
White	3,459	1,878	2,107	45	24	76	212	283	268	182	143	60	12	1	46
Native born	2,784	1,832	2,047	45	23	60	150	135	124	69	66	33	8	1	23
Both parents native	M 505 F 335	245 208	298 248	18 10	5 7	14 15	28 8	32 10	44 7	25 6	24 10	6 9	1 1		10 3
One or both parents foreign	M 316 F 190	204 144	232 170	4 4	5 1	6 5	26 5	21 3	7 1	8 1	3 1	3			1
Foreign born	M 415 F 104	6 5	10 7		1	8 4	40 5	101 20	100 22	83 18	49 16	16 9	2 1		5 2
Colored	132	69	88	2	1	6	5	12	10	5	2				1
Males	65	33	43			2	2	6	7	4	1				
Females	67	36	45	2	1	4	3	6	3	1	1				1
1. Parasitic diseases	92	10	61	11	3	5	1	4	4	1	1	1			
White	89	10	58	11	3	5	1	4	4	1	1	1			
Native born	74	10	56	11	3	2			1		1				
Both parents native	M 28 F 29	6 2	22 22	4 5	2		1				1				
One or both parents foreign	M 3 F 9	1 1	3 6		1										
Foreign born	M 4 F 9					1 2	1 1	2 2	1 2	1 1		1			
Colored	3		3												
Males	2		2												
Females	1		1												
2. Alcoholism	768		4		1	23	123	198	196	124	66	11	2		20
White	744		4		1	21	120	189	188	122	66	11	2		20
Native born	346		4		1	15	88	81	76	42	23	6	1		9
Both parents native	M 100 F 7		1			2	18	21	32	16	11	3			5
One or both parents foreign	M 29 F 4		1		1	5	2	3	4	4	1				
Foreign born	M 289 F 38		1			2	1	76	83	65	31	4			4
Colored	24					2	3	9	8	2					1
Males	16					1	1	6	6	2					
Females	8					1	2	3	2						

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—C—Continued.															
2. Stillborn.....	11,183	11,183	11,183												
White.....	10,801	10,801	10,801												
Native born.....	10,801	10,801	10,801												
Both parents native.....	{ M. 2,485 F. 1,654	{ M. 2,485 F. 1,654	{ M. 2,485 F. 1,654												
One or both parents foreign.....	{ M. 1,486 F. 996	{ M. 1,486 F. 996	{ M. 1,486 F. 996												
Foreign born.....	{ M. F.	{ M. F.	{ M. F.												
Colored.....	382	382	382												
Males.....	226	226	226												
Females.....	156	156	156												
3. Malformation.....	533	500	517	6	1	3	2	1							3
White.....	517	486	501	6	1	3	2	1							3
Native born.....	509	479	493	6	1	3	2	1							3
Both parents native.....	{ M. 125 F. 108	{ M. 114 F. 102	{ M. 120 F. 103	2	1	1									1
One or both parents foreign.....	{ M. 80 F. 50	{ M. 56 F. 47	{ M. 58 F. 49	1		1	2	1							
Foreign born.....	{ M. F.	{ M. F.	{ M. F.	1		1									
Colored.....	16	14	16												
Males.....	8	6	8												
Females.....	8	8	8												
4. Debility and atrophy.....	6,946	4,130	4,407	32	18	45	79	80	114	237	625	874	337	34	64
White.....	6,737	4,022	4,276	31	18	41	77	75	108	226	605	865	335	26	59
Native born.....	5,345	3,969	4,211	26	17	31	46	41	48	79	231	410	153	12	40
Both parents native.....	{ M. 1,104 F. 915	{ M. 826 F. 638	{ M. 859 F. 676	2	4	3	10	3	5	18	48	112	31	2	7
One or both parents foreign.....	{ M. 790 F. 639	{ M. 605 F. 552	{ M. 740 F. 583	5	3	4	6	7	13	22	43	85	43	2	8
Foreign born.....	{ M. 628 F. 598	{ M. 12 F. 7	{ M. 14 F. 15	7	4	7	5	3	2	4	6	10	4		6
Colored.....	200	108	131	1		4	2	5	6	11	20	14	2	8	5
Males.....	109	60	73			1	1				9	7		4	2
Females.....	100	48	58	1		3	1	5	5	6	11	7	2	4	3
5. Old age.....	4,974									64	778	2,325	1,530	228	49
White.....	4,826									61	762	2,270	1,496	197	40
Native born.....	2,222									18	240	1,027	811	100	17
Both parents native.....	{ M. 505 F. 644									3	48	239	196	16	3
One or both parents foreign.....	{ M. 120 F. 123									5	75	310	215	34	5
Foreign born.....	{ M. 1,151 F. 1,250									1	13	57	49	1	1
Colored.....	148									3	16	55	34	31	9
Males.....	63									1	6	29	13	9	5
Females.....	85									2	10	26	21	22	4
General diseases—D.....	48,070	1,662	3,333	751	1,072	8,420	9,107	6,730	5,673	5,258	4,648	2,054	395	34	595
White.....	45,024	1,568	3,012	618	859	7,597	8,584	6,363	5,425	5,083	4,542	2,002	380	27	532
Native born.....	31,861	1,530	2,904	563	771	6,508	6,623	4,216	3,189	2,770	2,509	1,253	249	17	289
Both parents native.....	{ M. 7,421 F. 10,070	{ M. 410 F. 309	{ M. 771 F. 644	159	166	1,226	1,269	929	771	791	808	407	72	5	47
One or both parents foreign.....	{ M. 2,659 F. 3,153	{ M. 210 F. 182	{ M. 395 F. 318	155	245	2,207	2,028	1,395	1,171	946	765	325	69	3	57
Foreign born.....	{ M. 6,324 F. 5,343	{ M. 12 F. 10	{ M. 33 F. 30	69	84	1,022	861	291	163	94	84	63	12	1	14
Colored.....	3,046	94	321	133	213	823	523	367	248	175	106	52	15	7	63
Males.....	1,455	47	149	57	74	367	246	188	132	106	55	32	13	2	34
Females.....	1,591	47	172	76	139	456	277	179	116	69	51	20	2	5	29

STATISTICS OF DEATHS.

757

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—D—Continued.															
6. Cancer.....	6,366	29	66	26	21	73	338	831	1,354	1,519	1,360	578	121	13	66
White.....	6,253	29	66	25	19	71	324	807	1,323	1,502	1,350	572	119	11	64
Native born.....	3,556	29	64	22	17	55	217	473	725	750	760	354	79	8	32
Both parents native.....	{ M. 827	7	14	7	8	17	35	74	105	191	247	99	24	2	4
	{ F. 1,273	8	16	5	9	12	75	200	347	263	233	87	24	2	6
One or both parents foreign.....	{ M. 164	5	13	1	3	8	20	17	22	22	37	17	4		
	{ F. 220	5	11	4	2	5	22	48	49	35	17	20	6		
Foreign born.....	{ M. 1,255		1	1		1	34	120	256	368	313	112	19		10
	{ F. 1,250		1	1	1	12	57	188	289	341	244	88	17	1	10
Colored.....	113			1	2	2	14	24	31	17	10	6	2	2	2
Males.....	27						4	8	6	5	2	1	1		
Females.....	86			1	2	2	10	16	25	12	8	5	1	2	2
7. Tumor.....	971	42	87	23	25	62	111	135	164	160	129	53	6	1	15
White.....	935	40	85	22	25	58	108	130	153	154	126	52	6	1	15
Native born.....	608	40	82	21	23	43	78	70	90	88	68	31	5	1	8
Both parents native.....	{ M. 134	12	23	5	5	11	14	13	16	18	15	10	2	1	1
	{ F. 211	13	22	8	5	12	21	28	43	37	25	7	1		2
One or both parents foreign.....	{ M. 48	6	10	2	5	9	10	1	3	3	3	1			1
	{ F. 54	4	13	3	4	2	13	9	4	2	1	3			1
Foreign born.....	{ M. 131		1		2	5	15	22	25	29	24	6	1		1
	{ F. 162			1		7	12	35	30	33	29	14			1
Colored.....	36	2	2	1		4	3	5	11	6	3	1			
Males.....	12	1	1			1	1		4	4		1			
Females.....	24	1	1	1		3	2	5	7	2	3				
8. Anæmia.....	371	68	90	7	14	41	39	33	32	51	34	18	6	1	5
White.....	361	62	84	6	14	41	39	30	32	51	34	18	6	1	5
Native born.....	269	60	82	6	13	34	31	21	24	24	18	11	2	1	2
Both parents native.....	{ M. 44	14	18	2	2	1	1	2	5	6	3	4			
	{ F. 72	7	11	3	5	12	8	9	11	6	6	1			
One or both parents foreign.....	{ M. 14	6	8			2	4								
	{ F. 25	9	11		2	6	4	1			1				
Foreign born.....	{ M. 39					2	3		3	18	7	3	3		3
	{ F. 42					4	4	8	5	9	8	3	1		3
Colored.....	10	6	6	1				3							
Males.....	5	5	5												
Females.....	5	1	1	1				3							
9. Dropsy.....	3,007	35	112	64	69	131	141	233	336	547	742	462	120	7	43
White.....	2,868	35	102	62	62	124	130	212	315	525	727	453	115	5	36
Native born.....	1,698	34	90	59	55	106	89	145	157	270	361	263	74	1	19
Both parents native.....	{ M. 443	10	30	20	18	21	20	29	31	64	116	77	20	1	2
	{ F. 509	4	26	19	14	45	34	56	55	104	121	73	18		4
One or both parents foreign.....	{ M. 94	6	14	8	4	11	2	8	5	10	8	16	6		2
	{ F. 118	3	8	5	10	14	9	15	10	10	19	12	6		2
Foreign born.....	{ M. 522		2	3	1	4	20	23	70	115	166	97	18		3
	{ F. 571				6	13	15	37	77	126	183	88	19	4	3
Colored.....	139		10	2	7	7	11	21	21	22	15	9	5	2	7
Males.....	64		4	2	5	1	4	4	8	12	8	7	5	1	3
Females.....	75		6	2	2	6	7	17	13	10	7	2	1	1	4
10. Diabetes.....	940	5	32	49	61	112	73	111	112	147	147	77	7		12
White.....	931	5	32	48	61	112	73	110	109	145	147	76	6		12
Native born.....	709	5	31	46	55	97	59	86	63	101	100	59	4		8
Both parents native.....	{ M. 291	1	8	21	17	40	21	33	18	41	52	34	3		3
	{ F. 141	1	8	14	13	18	9	17	22	22	14	3	1		3
One or both parents foreign.....	{ M. 81	1	8	3	11	18	14	6	5	6	3	6			1
	{ F. 41		2	3	8	13	5	8	1	1					1
Foreign born.....	{ M. 128			3	12	10	8	28	20	33	12	1			1
	{ F. 64			1	2	3	12	10	22	11	3				1
Colored.....	9			1				1	3	2		1	1		
Males.....	5							1	1	1		1	1		
Females.....	4			1					2	1					

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—D—Continued.															
11. Others of this group	196	49	97	14	9	21	6	13	11	10	6	4	1	1	3
White	185	46	88	13	9	21	6	13	11	10	6	3	1	1	3
Native born	151	43	83	11	8	20	3	10	4	5	3	1	1		2
Both parents native	{ M. 37	13	23	4	3	3	1	1	1	1	2				
One or both parents foreign	{ F. 50	4	15	2	1	5		3		2					
Foreign born	{ M. 13	6	10	1	1	4	1	1							1
Foreign born	{ F. 16	5	10	1											
Foreign born	{ M. 15	2	2	1	1	1	2	1	2	3	3	1		1	
Foreign born	{ F. 13	1	1						5	2					
Colored	11	3	9	1								1			
Males	4		3									1			
Females	7	3	6	1											
12. Others of this class	16	1	2			1	2	2	5	2	2				
White	16	1	2			1	2	2	5	2	2				
Native born	9	1	2			1	1		4		1				
Both parents native	{ M. 7	1	1				1		4		1				
One or both parents foreign	{ F. 2		1			1									
Foreign born	{ M. 2														
Foreign born	{ F. 7						1	2	1	2	1				
Colored															
Males															
Females															
II.—Diseases of the nervous system															
White	28,471	8,251	12,281	1,121	613	1,238	1,254	1,418	1,748	2,519	3,219	2,282	506	43	229
Native born	27,686	8,020	11,897	1,067	585	1,187	1,213	1,375	1,704	2,477	3,177	2,252	497	37	218
Both parents native	22,220	7,880	11,590	989	525	999	908	906	991	1,407	1,905	1,525	331	24	120
One or both parents foreign	{ M. 5,511	1,616	2,518	280	128	256	179	199	259	450	623	487	102	6	24
Foreign born	{ F. 4,886	1,216	2,083	246	145	256	232	237	266	384	517	401	93	3	23
Foreign born	{ M. 2,621	1,296	1,824	149	67	144	99	60	36	59	80	74	15	4	10
Foreign born	{ F. 2,090	923	1,406	123	82	131	93	57	39	37	50	56	8	2	C
Foreign born	{ M. 2,752	28	78	24	22	75	144	242	389	575	710	370	92	6	25
Foreign born	{ F. 1,959	20	72	23	27	73	107	168	264	396	459	280	60	7	13
Colored	785	231	384	54	28	51	41	43	44	42	42	30	9	6	11
Males	414	132	205	24	14	27	24	24	24	22	21	16	3	2	8
Females	371	99	179	30	14	24	17	19	20	20	21	14	6	4	3
1. Inflammation of the brain															
White	5,840	2,140	3,929	487	235	324	223	191	149	127	82	50	11	1	40
Native born	5,671	2,099	3,826	461	224	310	216	183	145	124	81	50	11	1	39
Both parents native	5,079	2,057	3,710	424	196	261	151	119	72	55	37	23	4	1	26
One or both parents foreign	{ M. 1,281	536	964	112	45	52	29	30	18	14	8	5			4
Foreign born	{ F. 1,123	411	802	95	56	64	44	20	14	10	8	5	1		4
Foreign born	{ M. 684	294	507	73	24	46	12	12	3	1	3	2			1
Foreign born	{ F. 575	205	418	57	31	40	13	11	2	1	1				1
Foreign born	{ M. 294	8	30	14	13	23	33	32	44	47	30	17	5		6
Foreign born	{ F. 176	4	29	15	12	13	22	20	23	17	14	8	2		1
Colored	178	41	103	26	11	14	7	8	4	3	1				1
Males	93	23	50	15	6	7	5	5	3	1	1				
Females	85	18	53	11	5	7	2	3	1	2					1
2. Apoplexy															
White	3,533	57	98	19	19	107	184	239	477	736	927	576	108	9	34
Native born	3,467	56	95	19	16	105	178	233	467	723	917	569	106	7	32
Both parents native	2,029	55	92	16	12	83	126	150	263	379	497	341	52	5	17
One or both parents foreign	{ M. 617	19	30	3	4	20	35	39	66	118	171	110	16	1	4
Foreign born	{ F. 472	3	7		3	21	15	41	65	103	120	77	15	1	4
Foreign born	{ M. 122	8	17	3	2	12	17	5	10	16	21	15	3	1	
Foreign born	{ F. 87	3	7	4	2	8	6	8	13	10	14	14			1
Foreign born	{ M. 771	1	1	1	1	7	25	45	114	190	239	118	28		3
Foreign born	{ F. 526		1	1	1	12	18	31	78	125	150	85	20	2	2
Colored	66	1	3		3	2	6	6	10	13	10	7	2	2	2
Males	39	1	2		1	2	4	4	8	6	5	3	1	1	2
Females	27		1		2		2	2	2	7	5	4	1	1	

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
II.—Diseases of the nervous system—Cont'd.															
3. Paralysis.....	5,511	64	158	59	40	102	173	279	517	965	1,543	1,283	322	25	45
White.....	5,395	64	152	56	36	97	167	268	501	948	1,523	1,267	315	22	43
Native born.....	3,693	61	144	50	34	77	127	190	315	585	995	914	230	15	17
Both parents native.....	M. 1,081 F. 1,081	17 15	45 45	13 19	9 6	20 16	27 34	45 62	82 103	187 173	323 294	280 261	70 65	3 2	4 1
One or both parents foreign.....	M. 218 F. 172	11 9	19 18	4 6	10 2	16 13	15 17	11 12	30 17	44 28	45 36	45 7	9 1	3 1
Foreign born.....	M. 864 F. 638	1 1	2	1 3	1 2	7 7	20 12	41 28	99 68	178 141	277 207	182 133	49 30	3 4	5 3
Colored.....	116	6	3	4	5	6	11	16	17	20	16	7	3	2
Males.....	52	4	1	3	2	6	6	9	10	7	2	1	1
Females.....	64	2	3	3	2	4	5	10	8	10	9	5	2	1
4. Tetanus and trismus nascentium.....	519	354	369	25	21	20	25	20	17	16	4	1	1
White.....	488	334	348	24	20	17	22	20	17	15	4	1
Native born.....	435	330	342	22	20	13	15	14	4	4	1
Both parents native.....	M. 62 F. 41	41 21	45 25	4 5	3 4	5 1	2 2	2 3	1	1
One or both parents foreign.....	M. 39 F. 37	22 25	24 27	5 2	5 2	1 1	2 3	2 2
Foreign born.....	M. 31 F. 17	1 1	1 3	1 1	3 1	5 2	4 5	8 5	6 5	2	1
Colored.....	31	20	21	1	1	3	3	1	1
Males.....	17	10	10	1	2	2	1	1
Females.....	14	10	11	1	1	1
5. Epilepsy.....	761	41	78	41	45	171	125	106	66	60	32	21	1	1	14
White.....	739	39	74	41	43	168	121	104	65	59	31	20	1	12
Native born.....	576	38	71	39	42	151	100	75	28	40	11	14	1	4
Both parents native.....	M. 162 F. 136	11 10	17 20	10 11	6 10	66 26	19 30	14 13	8 8	14 11	2 2	5 4	1 1	1
One or both parents foreign.....	M. 65 F. 49	9 3	17 9	7 2	4 7	13 17	16 9	7 4	1
Foreign born.....	M. 85 F. 56	1 1	1 2	1 1	9 6	10 8	13 8	21 16	10 7	14 5	4 1	3 1
Colored.....	22	2	4	2	3	4	2	1	1	1	1	1	2
Males.....	13	1	2	1	1	4	2	1	2
Females.....	9	1	2	1	2	1	1	1	1
6. Convulsions.....	5,776	4,337	5,329	112	38	84	52	53	25	16	21	13	1	32
White.....	5,561	4,200	5,141	103	37	76	50	50	25	16	20	10	1	32
Native born.....	5,356	4,130	5,026	98	30	66	38	33	16	9	9	6	1	24
Both parents.....	M. 798 F. 681	621 458	747 588	14 21	5 9	12 23	3 14	5 9	3 5	2 2	4 2	1	2 5
One or both parents foreign.....	M. 1,062 F. 802	835 601	1,011 762	21 15	6 3	9 11	3 6	6 1	1	1	6 2
Foreign born.....	M. 62 F. 72	16 12	31 29	3 4	3 3	4 6	4 7	6 9	5 3	3 4	5 4	2 1
Colored.....	215	137	188	9	1	8	2	3	1	3
Males.....	114	79	103	2	3	1	2	3
Females.....	101	58	85	7	1	5	1	1	1
7. Mental diseases.....	446	1	4	21	33	36	74	68	59	36	8	6
White.....	436	1	4	20	31	35	71	67	57	36	8	6
Native born.....	241	1	2	13	38	52	38	24	28	18	3	4
Both parents native.....	M. 33 F. 61	1	2	5	6	8	3	6	4	1
One or both parents foreign.....	M. 12 F. 16	2	5	4	1	8	6	2
Foreign born.....	M. 78 F. 93	1	3	3	9	12	13	14	10	3	1
Colored.....	10	1	2	1	3	1	2
Males.....	6	2	2	1	1
Females.....	4	1	1	1	1

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un. known.
II.—Diseases of the nervous system—Cont'd.															
8. Diseases of the brain	3,636	836	1,435	165	88	199	233	283	279	335	344	197	41	6	31
White	3,549	818	1,403	156	86	190	225	274	273	331	339	196	41	6	29
Native born	2,803	803	1,385	147	79	159	167	161	161	183	201	132	30	2	15
Both parents native	{ M. 859 F. 656	{ 235 189	{ 396 354	{ 57 34	{ 23 20	{ 40 36	{ 40 28	{ 38 36	{ 47 30	{ 75 38	{ 66 48	{ 53 21	{ 12 7	{ 1 3	{ 5 4
One or both parents foreign	{ M. 242 F. 176	{ 78 42	{ 182 91	{ 15 17	{ 9 10	{ 23 19	{ 19 15	{ 10 7	{ 6 2	{ 6 5	{ 8 4	{ 9 4	{ 3 1	{ 1 1	{ 4 5
Foreign born	{ M. 408 F. 232	{ 1 1	{ 8 5	{ 3 3	{ 1 3	{ 11 16	{ 31 15	{ 67 32	{ 70 29	{ 89 50	{ 87 40	{ 27 30	{ 6 5	{ 3 1	{ 5 3
Colored	87	18	32	9	2	9	8	9	6	4	5	1			2
Males	44	9	16	3	1	6	4	4	2	3	3	1			1
Females	43	9	16	6	1	3	4	5	4	1	2				1
9. Diseases of the spinal cord	1,654	398	835	192	95	139	74	69	72	85	58	15	3		17
White	1,602	388	810	186	92	134	73	67	69	83	56	14	3		15
Native born	1,420	385	793	175	85	117	62	42	42	53	29	9	2		11
Both parents native	{ M. 459 F. 415	{ 129 105	{ 260 233	{ 64 50	{ 26 30	{ 33 42	{ 14 20	{ 11 12	{ 13 11	{ 18 10	{ 14 4	{ 4 1	{ 1 1	{ 1 1	{ 1 2
One or both parents foreign	{ M. 151 F. 121	{ 36 33	{ 90 67	{ 19 19	{ 6 17	{ 15 8	{ 10 4	{ 2 3	{ 4 2	{ 2 2	{ 2 1	{ 2 1	{ 2 1	{ 2 1	{ 1 1
Foreign born	{ M. 88 F. 58	{ 4 2	{ 4 2	{ 4 4	{ 3 4	{ 7 4	{ 4 5	{ 15 9	{ 10 15	{ 20 7	{ 18 5	{ 2 3	{ 2 3	{ 1 1	{ 1 1
Colored	52	10	25	6	3	5	1	2	3	2	2	1			2
Males	33	8	17	3	3	2		1	3		1	1			2
Females	19	2	8	3		3	1	1		2	1				
10. Others of this class	786	24	50	20	28	71	82	92	72	111	149	90	11	1	9
White	778	22	48	20	27	70	80	91	71	111	149	90	11	1	9
Native born	589	21	47	17	25	59	64	70	52	75	97	68	8	1	6
Both parents native	{ M. 139 F. 220	{ 7 4	{ 15 9	{ 3 11	{ 6 7	{ 6 22	{ 8 30	{ 9 32	{ 13 21	{ 19 29	{ 29 31	{ 26 23	{ 2 2	{ 1 2	{ 2 3
One or both parents foreign	{ M. 26 F. 55	{ 3 2	{ 7 7	{ 2 1	{ 1 8	{ 7 12	{ 7 12	{ 1 5	{ 1 2	{ 3 3	{ 2 3	{ 2 2	{ 2 2	{ 2 2	{ 1 1
Foreign	{ M. 71 F. 91	{ 1 1	{ 1 1	{ 1 1	{ 1 5	{ 2 8	{ 3 13	{ 7 13	{ 5 10	{ 18 15	{ 24 23	{ 8 13	{ 1 1	{ 1 1	{ 1 1
Colored	8	2	2		1	1	2	1	1						
Males	3	1	1		1	1									
Females	5	1	1				2	1	1						
III.—Diseases of the circulatory system															
14,542	921	1,137	325	376	940	1,000	1,341	1,778	2,412	2,969	1,721	332	19		192
White	14,081	902	1,110	310	359	914	947	1,271	1,698	2,352	2,911	1,689	323	15	182
Native born	9,221	896	1,096	292	326	754	654	771	940	1,284	1,711	1,071	224	4	94
Both parents native	{ M. 2,623 F. 2,391	{ 253 199	{ 311 247	{ 68 70	{ 72 86	{ 134 189	{ 112 158	{ 151 240	{ 257 294	{ 421 347	{ 648 418	{ 360 274	{ 65 47	{ 1 1	{ 24 20
One or both parents foreign	{ M. 714 F. 660	{ 126 77	{ 151 102	{ 38 54	{ 41 48	{ 111 125	{ 73 81	{ 58 68	{ 47 44	{ 59 39	{ 63 48	{ 54 35	{ 15 13	{ 1 1	{ 3 21
Foreign born	{ M. 2,517 F. 1,847	{ 1 2	{ 4 4	{ 2 9	{ 7 21	{ 47 85	{ 139 115	{ 254 183	{ 414 289	{ 566 416	{ 661 448	{ 343 220	{ 54 30	{ 5 5	{ 21 22
Colored	461	19	27	15	17	26	53	70	80	60	58	32	9	4	10
Males	239	10	15	10	7	13	26	37	37	34	28	15	7	4	6
Females	222	9	12	5	10	13	27	33	43	26	30	17	2		4
1. Angina pectoris	390			9	5	17	32	39	47	93	94	45	5		4
White	384			9	5	17	30	39	45	93	93	45	4		4
Native born	282			9	4	15	25	28	33	64	66	35	3		
Both parents native	{ M. 86 F. 77			{ 6 1	{ 2 2	{ 2 5	{ 4 11	{ 7 7	{ 6 12	{ 16 20	{ 26 14	{ 16 5	{ 2 1		
One or both parents foreign	{ M. 13 F. 9			{ 2 2		{ 3 3	{ 1 1	{ 2 2	{ 2 2	{ 3 1	{ 3 1	{ 1 1			
Foreign born	{ M. 52 F. 32				{ 1 1		{ 3 3	{ 6 6	{ 4 6	{ 17 7	{ 14 10	{ 6 4	{ 1 1		{ 1 1
Colored	6						2		2		1		1		
Males	2						1		1						
Females	4						1		1		1		1		

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
IV.—Diseases of the respiratory system—															
Continued.															
2. Laryngitis	223	30	134	31	13	3	12	8	5	9	5	2			1
White	218	30	131	31	13	3	12	7	4	9	5	2			1
Native born	192	29	124	28	13	2	10	6	3	4	2				
Both parents native	{ M. 33 F. 20	{ 6 4	{ 17 13	{ 7 5	{ 3 2	{ 1	{ 1 2	{ 1 3		{ 2 2	{ 1				
One or both parents foreign	{ M. 23 F. 25	{ 4 3	{ 13 14	{ 2 7	{ 3		{ 2 3	{ 3 1		{ 3 1					
Foreign born	{ M. 13 F. 5	{ 4 1	{ 4 2	{ 1			{ 1 1	{ 1 1	{ 1	{ 4 1	{ 1				
Colored	5		3					1	1						
Males	2							1	1						
Females	3		3												
3. Bronchitis	6,267	2,123	3,444	183	76	180	190	202	292	420	607	467	145	12	49
White	5,922	2,035	3,215	166	63	170	175	188	273	412	598	462	144	10	46
Native born	4,543	1,980	3,087	153	51	139	121	120	120	157	245	239	79	6	26
Both parents native	{ M. 825 F. 762	{ 301 242	{ 479 406	{ 37 34	{ 8 12	{ 23 34	{ 23 27	{ 29 32	{ 35 25	{ 42 42	{ 77 54	{ 57 78	{ 12 15	{ 3 3	{ 3 3
One or both parents foreign	{ M. 558 F. 519	{ 294 235	{ 448 396	{ 23 25	{ 8 15	{ 16 30	{ 15 16	{ 12 10	{ 7 2	{ 9 7	{ 6 6	{ 11 5	{ 3 5	{ 1 1	{ 1 1
Foreign born	{ M. 631 F. 581	{ 15 5	{ 45 37	{ 5 6	{ 5 5	{ 12 8	{ 21 21	{ 35 28	{ 79 62	{ 124 114	{ 161 171	{ 104 102	{ 33 23	{ 3 1	{ 4 3
Colored	345	88	229	17	13	10	15	14	19	8	9	5	1	2	3
Males	168	50	114	9	7	6	6	5	9	4	4	2		1	1
Females	177	38	115	8	6	4	9	9	10	4	5	3	1	1	2
4. Pneumonia	23,737	3,476	6,971	843	528	2,203	2,332	2,247	2,266	2,252	2,262	1,309	263	23	238
White	22,596	3,298	6,515	788	477	2,082	2,227	2,142	2,182	2,184	2,216	1,282	258	19	224
Native born	16,538	3,220	6,269	714	421	1,712	1,555	1,301	1,163	1,133	1,168	785	180	14	123
Both parents native	{ M. 4,694 F. 3,785	{ 856 671	{ 1,596 1,294	{ 166 163	{ 114 114	{ 534 388	{ 409 308	{ 375 329	{ 380 288	{ 373 322	{ 393 299	{ 261 209	{ 60 45	{ 3 3	{ 30 23
One or both parents foreign	{ M. 1,916 F. 1,571	{ 517 382	{ 1,006 809	{ 113 122	{ 64 64	{ 237 186	{ 185 151	{ 94 90	{ 68 45	{ 46 26	{ 50 37	{ 31 24	{ 13 13	{ 2 4	{ 7 4
Foreign born	{ M. 3,252 F. 2,050	{ 21 9	{ 76 55	{ 27 29	{ 20 19	{ 176 127	{ 397 190	{ 510 247	{ 596 320	{ 600 377	{ 545 412	{ 236 219	{ 31 37	{ 4 1	{ 34 17
Colored	1,141	178	456	55	51	121	105	105	84	68	46	27	5	4	14
Males	617	87	233	22	15	68	63	73	56	38	22	17	1	1	8
Females	524	91	223	33	36	53	42	32	28	30	24	10	4	3	6
5. Pleurisy	557	20	47	21	9	56	60	57	67	83	93	48	9		7
White	535	20	44	21	7	56	54	53	66	80	92	46	9		7
Native born	340	20	43	20	6	45	37	30	39	35	46	30	6		3
Both parents native	{ M. 98 F. 77	{ 5 2	{ 10 4	{ 6 3	{ 2 2	{ 13 7	{ 7 9	{ 10 5	{ 16 13	{ 12 4	{ 12 16	{ 9 10	{ 1 3		{ 1 1
One or both parents foreign	{ M. 35 F. 33	{ 3 4	{ 8 8			{ 13 6	{ 7 3	{ 2 2	{ 1 2	{ 3 1	{ 3 3	{ 2 2			
Foreign born	{ M. 106 F. 75					{ 6 5	{ 12 5	{ 11 10	{ 12 14	{ 27 16	{ 30 13	{ 4 10	{ 2 1		{ 2 1
Colored	22		3		2		6	4	1	3	1	2			
Males	10		1		2		3	1		2	1				
Females	12		2				3	3	1	1		2			
6. Asthma	1,033	23	49	6	2	13	29	43	131	217	335	167	33	2	6
White	1,003	22	44	6	2	11	27	43	125	212	331	163	32	2	5
Native born	383	21	43	6	2	7	19	21	44	56	105	59	17	2	2
Both parents native	{ M. 109 F. 107	{ 4 6	{ 9 19	{ 3 1	{ 1	{ 3 1	{ 3 6	{ 6 6	{ 11 8	{ 21 14	{ 30 29	{ 18 17	{ 3 5		{ 1 1
One or both parents foreign	{ M. 25 F. 25	{ 3 3	{ 4 5				{ 1 4	{ 2 3	{ 3 3	{ 2 2	{ 5 6	{ 4 3			
Foreign born	{ M. 361 F. 241	{ 1 1	{ 1 1				{ 2 1	{ 4 2	{ 6 15	{ 51 26	{ 96 60	{ 131 91	{ 61 40	{ 8 5	{ 1 1
Colored	30	1	5			2	2		6	5	4	4	1		1
Males	17		2			1	1		4	3	3	1	1		1
Females	13	1	3			1	1		2	2	1	3			

STATISTICS OF DEATHS.

763

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
IV.—Diseases of the respiratory system—Continued.															
7. Others of this class	9,843	2,118	3,145	310	228	730	677	601	686	851	1,124	1,038	333	23	97
White	9,492	2,036	2,994	287	212	688	654	583	667	835	1,106	1,030	324	23	89
Native born	7,544	2,007	2,934	272	195	617	531	419	445	478	657	695	236	15	50
Both parents native	M.. 2,333	710	969	72	59	171	123	116	138	170	215	207	76	1	16
	F.. 2,267	510	788	90	56	175	177	150	163	156	207	222	68	4	11
One or both parents foreign	M.. 782	272	410	36	28	85	62	28	21	20	32	38	16	1	5
	F.. 706	206	331	47	31	96	64	31	19	19	21	29	16	2	4
Foreign born	M.. 943	6	14	5	3	31	49	88	122	189	238	153	43	4	4
	F.. 767	4	13	5	10	24	55	53	87	144	180	150	37	4	5
Colored	351	82	151	23	16	42	23	18	19	16	18	8	9		8
Males	189	43	86	13	3	21	16	10	10	8	7	6	5		4
Females	162	39	65	10	13	21	7	8	9	8	11	2	4		4
V.—Diseases of the digestive system.															
White	13,460	2,823	4,094	497	298	923	1,118	1,085	1,248	1,546	1,598	786	143	4	120
Native born	9,566	2,681	3,847	443	262	741	737	614	641	772	875	471	96	3	64
Both parents native	M.. 2,500	625	914	130	80	179	126	152	186	255	276	158	28	1	15
	F.. 2,301	444	735	115	55	186	197	186	183	220	253	135	23	1	12
One or both parents foreign	M.. 1,209	587	790	62	31	97	66	27	34	31	37	21	5	1	5
	F.. 961	415	568	54	28	88	88	46	25	15	24	16	6		3
Foreign born	M.. 1,830	15	30	14	10	67	149	216	315	443	382	184	23		17
	F.. 1,319	14	37	7	7	66	138	171	225	263	272	111	15		7
Colored	357	87	131	21	9	23	43	45	23	32	12	8	3	1	6
Males	202	57	81	11	2	11	21	29	16	17	9	3		1	1
Females	155	30	50	10	7	12	22	16	7	15	3	5	3		5
1. Dentition															
White	627	344	624												3
Native born	598	329	596												2
Both parents native	M.. 99	55	99												1
	F.. 97	45	97												1
One or both parents foreign	M.. 118	66	117												1
	F.. 103	60	103												1
Foreign born	M.. 5	2	4												1
	F.. 7	3	7												1
Colored	29	15	28												1
Males	15	8	15												1
Females	14	7	13												1
2. Angina															
White	656	101	293	147	45	39	22	16	24	19	17	7	1		6
Native born	621	95	287	144	45	39	20	13	23	19	17	7	1		6
Both parents native	M.. 186	39	102	44	9	11	3	4	5	5	2	1			4
	F.. 161	15	70	47	17	10	4	5	2	3	1	1			1
One or both parents foreign	M.. 72	10	38	14	2	11	3		1		2				1
	F.. 51	15	23	15	6	4	1								2
Foreign born	M.. 30		1	2		1	3	2	7	2	7	3	1		1
	F.. 16		4	2	1		3	1	1	2	2				1
Colored	15	6	6	3			2	3	1						1
Males	10	5	5	1			1	2	1						1
Females	5	1	1	2			1	1							1
3. Diseases of the stomach															
White	3,093	432	699	87	41	197	246	269	305	414	490	259	53	2	31
Native born	3,034	422	682	83	41	195	236	260	300	405	489	258	52	2	31
Both parents native	M.. 599	108	176	27	13	32	32	36	53	67	88	60	12		3
	F.. 660	72	159	25	7	63	66	64	54	66	83	54	12	1	6
One or both parents foreign	M.. 170	57	88	6	8	16	15	5	7	6	7	11			1
	F.. 150	43	64	9	2	23	19	7	6	8	8	8	2		1
Foreign born	M.. 434	1	2		1	7	29	47	69	120	108	41	5		5
	F.. 305	2	10			7	16	35	50	72	77	28	6		4
Colored	59	10	17	4		2	10	9	5	9	1	1	1		
Males	30	5	9	3		1	3	5	2	6	1				
Females	29	5	8	1		1	7	4	3	3		1	1		

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
V.—Diseases of the digestive system—Con.															
4. Obstruction of the bowels	742	100	141	43	39	76	85	75	72	89	72	35	6		9
White	727	97	138	43	39	76	81	71	70	88	71	35	6		9
Native born	507	94	120	39	33	64	54	37	39	52	38	18	2		1
Both parents native	{ M. 164 F. 88	{ 31 16	{ 43 21	{ 10 7	{ 18 4	{ 21 7	{ 7 8	{ 13 6	{ 13 8	{ 21 9	{ 11 12	{ 7 6			
One or both parents foreign	{ M. 57 F. 35	{ 10 7	{ 14 9	{ 4 7	{ 4 3	{ 11 8	{ 12 2	{ 4 3	{ 4 1	{ 3 2	{ 3 2				
Foreign born	{ M. 115 F. 79	{ 1 3	{ 3 4	{ 4 1	{ 5 4	{ 5 4	{ 20 7	{ 18 13	{ 16 15	{ 20 13	{ 13 15	{ 7 8	{ 2 1		2
Colored	15	3	3				4	4	2	1	1				
Males	12	3	3				3	4	1	1					
Females	3						1	1			1				
5. Hernia	559	59	66	7	3	23	39	56	68	110	103	67	12		5
White	544	55	61	7	3	22	36	55	67	108	102	67	12		4
Native born	318	53	59	6	2	20	18	31	32	57	52	29	10		2
Both parents native	{ M. 114 F. 65	{ 18 11	{ 19 11	{ 4 1	{ 1 2	{ 5 2	{ 9 3	{ 13 1	{ 11 10	{ 15 18	{ 16 13	{ 15 5	{ 5 2		1
One or both parents foreign	{ M. 28 F. 21	{ 12 3	{ 13 6	{ 1 1		{ 4 4		{ 1 6	{ 1 1	{ 1 1	{ 5 1	{ 1 1			
Foreign born	{ M. 128 F. 74	{ 1 1	{ 1 1	{ 1 1		{ 2 2	{ 11 3	{ 11 10	{ 21 12	{ 28 19	{ 29 15	{ 23 11	{ 2 2		1
Colored	15	4	5			1	3	1	1	2	1				1
Males	13	4	5			1	3	1	1		1				1
Females	2									2					
6. Other diseases of the bowels	676	225	310	19	11	45	46	27	39	52	61	45	12	1	8
White	654	219	298	19	11	42	45	24	38	52	61	45	12		7
Native born	562	216	292	18	10	37	31	21	28	35	43	29	11		7
Both parents native	{ M. 176 F. 134	{ 69 38	{ 92 56	{ 8 3	{ 2 1	{ 14 9	{ 3 10	{ 7 8	{ 4 14	{ 15 10	{ 17 12	{ 9 6	{ 3 1		2
One or both parents foreign	{ M. 91 F. 70	{ 48 39	{ 63 51	{ 3 3	{ 1 2	{ 7 5	{ 10 3	{ 2 3	{ 2 3	{ 2 1	{ 2 1	{ 3 1	{ 1 1		1
Foreign born	{ M. 56 F. 26	{ 1 2	{ 1 2	{ 1 1		{ 4 1	{ 7 5	{ 2 1	{ 5 2	{ 14 3	{ 13 5	{ 8 6	{ 1 1		
Colored	22	6	12			3	1	3	1					1	1
Males	11	5	8					1	1					1	
Females	11	1	4			3	1	2							1
7. Jaundice	493	200	221	9	2	12	21	33	37	52	65	35	3		3
White	482	192	213	9	2	12	21	31	36	52	65	35	3		3
Native born	386	188	208	8	2	8	17	20	23	32	41	23	2		2
Both parents native	{ M. 117 F. 83	{ 55 40	{ 61 45	{ 4 3		{ 5 2		{ 6 7	{ 7 1	{ 11 10	{ 13 10	{ 9 2			1
One or both parents foreign	{ M. 29 F. 22	{ 17 10	{ 20 12	{ 1 3	{ 1 2	{ 7 5	{ 1 3	{ 1 2	{ 1 3	{ 2 2	{ 1 2	{ 1 1	{ 2 2		
Foreign born	{ M. 45 F. 39	{ 1 3	{ 1 3			{ 3 3	{ 2 1	{ 4 6	{ 6 5	{ 6 14	{ 17 7	{ 5 6	{ 1 1		
Colored	11	8	8					2	1						
Males	8	5	5					2	1						
Females	3	3	3												
8. Inflammation and abscess of the liver	726	26	48	11	15	60	87	94	115	131	119	41	1		4
White	714	26	48	11	15	58	85	91	112	130	119	40	1		4
Native born	435	25	47	10	14	47	61	47	56	65	60	24	1		3
Both parents native	{ M. 119 F. 115	{ 11 2	{ 20 7	{ 3 2	{ 5 3	{ 14 9	{ 9 14	{ 14 13	{ 11 19	{ 16 19	{ 17 19	{ 9 9	{ 1 1		1
One or both parents foreign	{ M. 41 F. 28	{ 2 1	{ 5 5	{ 1 1	{ 3 2	{ 14 1	{ 4 9	{ 2 3	{ 5 1	{ 3 3	{ 3 2	{ 1 1	{ 2 2		
Foreign born	{ M. 153 F. 97					{ 6 3	{ 10 9	{ 25 12	{ 31 22	{ 38 25	{ 32 20	{ 10 5			
Colored	12					2	2	3	3	1		1			
Males	7					1	1	2	2	1					
Females	5					1	1	1	1			1			

STATISTICS OF DEATHS.

765

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
V.—Diseases of the digestive system—Con.															
9. Other diseases of the liver	1,730	85	135	20	16	66	124	212	299	387	323	118	12	1	17
White	1,682	80	127	18	14	62	122	204	296	374	319	117	12	1	16
Native born	955	79	125	17	12	52	85	114	136	156	168	70	8	1	11
Both parents native	M. 301 F. 288	26 25	41 40	5 2	6 3	16 14	22 20	32 31	41 35	56 38	55 51	27 20	2 3	1	4 4
One or both parents foreign	M. 81 F. 47	11 7	16 10	4 2	1	5	12	11	10	11	9	2	1		
Foreign born	M. 432 F. 254	1	2		1	5	15	81	98	142	77	27	2		3 1
Colored	48	5	8	2	2	4	2	8	3	13	4	1			1
Males	29	4	7		1	2	1	5	2	8	3				1
Females	19	1	1	2	1	2	1	3	1	5	1	1			
10. Peritonitis	1,601	85	167	98	102	313	341	202	133	86	90	45	9		15
White	1,550	82	163	92	97	304	327	196	131	84	89	44	9		14
Native born	1,051	78	149	83	88	230	214	109	65	43	39	23	3		5
Both parents native	M. 187 F. 235	22 13	33 21	16 17	21 13	39 62	23 55	14 30	16 15	8 9	10 9	7 3	1		
One or both parents foreign	M. 81 F. 132	8 8	16 25	19 10	8 11	22 30	11 37	1 13	2 4	2 1	2	1			
Foreign born	M. 183 F. 239	2 1	5 4	4 3	1 3	25 40	32 65	26 54	22 34	26 11	25 19	12 5	4 1		1
Colored	51	3	4	6	5	9	14	6	2	2	1	1			1
Males	25	1	1	5	1	5	6	4	1		1	1			
Females	26	2	3	1	4	4	8	2	1	2					1
11. Ascites	246	10	20	7	2	13	14	19	24	50	50	34	8		5
White	231	9	19	5	2	11	13	17	22	49	48	33	8		4
Native born	122	9	17	4	2	7	8	8	5	25	23	16	5		2
Both parents native	M. 39 F. 39	3 4	5 6	2 1	1 1	3 2	3 1	2 2	3 1	7 12	9 7	2 7	2		
One or both parents foreign	M. 8 F. 9	2 1	4 1	1		2	2	2	1	1	1	1			
Foreign born	M. 46 F. 50	1	1	1		2	1	4	7	9	12	6	1		2
Colored	15	1	1	2		2	1	2	2	1	2	1			1
Males	8	1	1	1		1	1	1	2		1	1			
Females	7			1		1		1		1	1	1			1
12. Others of this class	2,331	1,156	1,370	49	22	79	93	82	132	156	208	100	26		14
White	2,266	1,130	1,331	45	20	79	89	78	130	153	206	97	24		14
Native born	1,885	1,111	1,306	43	18	62	52	50	72	89	110	57	16		10
Both parents native	M. 399 F. 356	188 163	223 202	7 8	4 2	19 7	15 9	11 24	22 24	34 26	38 36	19 15	4 3		3
One or both parents foreign	M. 433 F. 293	34 22	34 25	9 7	3 2	4 6	4 8	4 3	3 3	3 1	5 2	2 1	2		2
Foreign born	M. 293 F. 133	6 6	9 9	2 1		7 7	19 10	16 8	33 19	38 23	49 40	22 15	7 1		1
Colored	65	26	39	4	2		4	4	2	3	2	3	2		
Males	34	16	22	1			2	2	2	1	2	2			
Females	31	10	17	3	2		2	2		2	1	2			
VI.—Diseases of the urinary system and male organs of generation.	6,815	156	318	129	103	387	601	604	803	1,138	1,517	966	171	11	67
White	6,636	154	310	123	99	382	574	584	775	1,105	1,494	950	166	8	66
Native born	4,280	154	300	112	93	318	393	347	407	591	915	638	119	6	35
Both parents native	M. 1,629 F. 648	44 25	69 57	25 17	22 17	90 62	78 80	87 74	146 84	267 77	448 112	318 50	64 14	5	10 4
One or both parents foreign	M. 417 F. 197	33 11	56 29	16 8	19 15	50 49	64 44	29 16	23 10	28 7	53 13	60 3	14 1	1	4 2
Foreign born	M. 1,544 F. 576	2 5	2 5	6 2	1	28	90 64	130 79	228 108	335 140	444 88	225 54	38 5	1	16 2
Colored	179	2	8	6	4	5	27	20	28	33	23	16	5	3	1
Males	124		3	5	1	2	18	9	25	23	20	13	2	3	
Females	55	2	5	1	3	3	9	11	3	10	3	3	3		1

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
VI.—Diseases of the urinary system and male organs of generation—Cont'd.															
1. Bright's disease.....	3,218			53	59	211	303	355	452	649	689	362	41	4	40
White.....	3,142			52	56	208	295	344	441	629	679	358	39	2	39
Native born.....	2,050			48	55	179	217	219	235	357	435	250	30	1	24
Both parents native.....	813			14	16	57	44	61	91	161	218	126	16		9
One or both parents foreign.....	331			6	10	33	46	49	49	52	63	17	5		1
Foreign born.....	199			10	7	29	36	20	11	22	25	30	6	1	2
Males.....	99			2	13	27	25	12	7	5	7				1
Females.....	686			3		11	38	66	121	174	179	78	7	1	8
Foreign born.....	293			1		13	31	44	63	75	44	19	2		1
Colored.....	76			1	3	3	8	11	11	20	10	4	2	2	1
Males.....	47			1	1	1	7	3	9	12	9	2			
Females.....	29				2	2	1	8	2	8	1	2	2	2	1
2. Calculus, urinary.....	155	3	4	2		6	5	6	16	27	45	37	6		1
White.....	148	3	4	2		6	5	6	13	26	42	37	6		1
Native born.....	92	3	4	2		6	5	3	9	13	23	23	4		
Both parents native.....	43	2	2			1	3		6	6	13	10	2		
One or both parents foreign.....	14						2		2	2	4	4			
Foreign born.....	12	1	2			3	2		1	2		4			
Males.....	2			1								1			
Females.....	41							1	2	9	17	10	2		1
Foreign born.....	8							2	1	2	1	1			1
Colored.....	7								3	1	3				
Males.....	7								3	1	3				
Females.....															
3. Diseases of the kidney.....	2,317	121	261	63	39	139	218	184	246	304	464	314	68	3	14
White.....	2,250	121	255	59	38	137	201	179	237	297	457	308	66	2	14
Native born.....	1,457	121	246	53	33	108	127	88	119	145	276	202	51	2	7
Both parents native.....	511	38	62	11	5	29	22	17	35	64	126	109	29	2	2
One or both parents foreign.....	239	18	47	8	7	24	23	17	30	15	35	21	7		1
Foreign born.....	142	20	42	5	11	17	22	6	4	2	14	14	4		1
Males.....	79	11	26	5	2	17	12	4	2	2	6	1	1		1
Females.....	504		2	2	1	15	43	54	73	95	131	73	11		4
Foreign born.....	224		5	1	1	12	24	29	38	51	37	25	1		
Colored.....	67		6	4	1	2	17	5	9	7	7	6	2	1	
Males.....	46		3	4		1	9	3	8	6	5	5	1	1	
Females.....	21		3		1	1	8	2	1	1	2	1	1		
4. Diseases of the bladder.....	624	12	17	3	2	9	28	25	41	99	215	152	25	3	5
White.....	611	11	16	3	2	9	28	24	40	95	213	149	24	3	5
Native born.....	371	11	15	2	2	9	20	16	21	46	123	96	16	2	3
Both parents native.....	162	1	2			2	5	6	5	24	63	41	11	2	1
One or both parents foreign.....	24	2	3	2		2	4	3	2	2	1	4	1		1
Foreign born.....	44	7	7		1	3	5	1	6	2	9	9	3		1
Males.....	6					3	2				1	1			
Females.....	188			1		3	3	3	16	39	78	39	8		1
Foreign born.....	22						2	3	2	6	3	6			
Colored.....	13	1	1						1	1	4	2	3	1	
Males.....	11								1	1	3	2	3	1	
Females.....	2	1	1							1	1				
5. Others of this class.....	501	20	36	8	3	22	47	34	48	59	104	101	31	1	7
White.....	485	19	35	7	3	22	45	31	44	58	103	98	31	1	7
Native born.....	310	19	35	7	3	16	30	21	23	30	58	67	18	1	1
Both parents native.....	100	3	3		1	1	4	3	9	12	28	32	6	1	1
One or both parents foreign.....	40	5	7	1		3	5	3	3	6	6	4	1		1
Foreign born.....	20	5	5	1		1	1	2	1		5	3	1		
Males.....	11		3			2	5		1						
Females.....	125					2	6	6	16	18	39	25	10		3
Foreign born.....	29					3	7	1	4	6	3	3	2		
Colored.....	16	1	1	1			2	3	4	1	1	3			
Males.....	13						2	2	4	1	1	3			
Females.....	3	1	1	1				1							

STATISTICS OF DEATHS.

767

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95 and over.	Un-known.
VII.—Diseases of the female organs of generation.	978	2	5	2	18	137	208	234	185	97	56	18	3	15
White	940	2	5	2	17	129	202	224	180	91	56	17	3	14
Native born	712	2	5	2	16	107	167	168	124	70	31	12	3	7
Both parents native	419	2	3	1	11	54	94	98	77	46	18	10	3	4
One or both parents foreign	102		2		2	26	29	17	13	6	3	2		2
Foreign born	190				1	18	30	47	49	18	21	4		2
Colored	38				1	8	6	10	5	6		1		1
1. Ovarian tumors	192		1	1	1	14	31	42	35	32	25	6	2	2
White	188		1	1	1	14	29	41	34	32	25	6	2	2
Native born	140		1	1	1	12	25	33	21	27	12	4	2	1
Both parents native	83					8	17	17	15	16	4	3	2	
One or both parents foreign	20		1			1	3	5	2	3	3	1		1
Foreign born	39					2	3	6	12	5	10	1		
Colored	4						2	1	1					
2. Ovarian diseases	47			1		8	12	10	6	5	4			1
White	45			1		8	11	10	6	5	4			
Native born	37			1		8	10	6	5	4	3			
Both parents native	18					5	5	3	2	2	1			
One or both parents foreign	5					3	1	1	1	1				
Foreign born	8						1	4	1	1	1			
Colored	2						1							1
3. Uterine tumors	112					6	12	30	36	20	6	2		
White	105						5	11	27	35	19	6	2	
Native born	80					4	10	21	25	15	3	2		
Both parents native	45					1	6	10	14	9	3	2		
One or both parents foreign	11					2	3	3	2	1				
Foreign born	22					1	1	5	10	2	3			
Colored	7					1	1	3	1	1				
4. Uterine diseases	158					26	49	32	23	14	9	3		2
White	151					25	48	32	22	10	9	3		2
Native born	116					19	39	22	17	9	7	1		2
Both parents native	76					8	27	14	12	6	6	1		2
One or both parents foreign	13					1	8	3	3	1				
Foreign born	30					5	8	9	4	1	1	2		
Colored	7					1	1		1	4				
5. Others of this class	469	2	4		17	83	104	120	85	26	12	7	1	10
White	451	2	4		16	77	103	114	83	25	12	6	1	10
Native born	339	2	4		15	64	83	86	56	15	6	5	1	4
Both parents native	197	2	3		11	32	39	54	34	13	4	4	1	2
One or both parents foreign	53		1		2	19	14	5	9	1		1		1
Foreign born	91				1	10	17	23	22	9	6	1		2
Colored	18				1	6	1	6	2	1		1		
VIII.—Affections connected with pregnancy	4,346				2	1,306	1,799	1,064	90	3	3			79
White	4,223				1	1,256	1,766	1,033	86	3	3			75
Native born	2,847					960	1,200	590	47	2	2			46
Both parents native	1,485					497	594	346	27	2	2			17
One or both parents foreign	636					225	295	103	10					3
Foreign born	1,216				1	249	502	408	37	1	1			16
Colored	123				1	50	33	31	4					4

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
VIII.—Affections connected with pregnancy—Continued.															
1. Abortion.....	357					95	151	94	7	1					9
White.....	342					90	147	89	6	1					9
Native born.....	260					75	120	62	6	1					5
Both parents native.....	147					41	56	42	5	1					2
One or both parents foreign.....	43					12	24	6	1						
Foreign born.....	55					10	21	23							1
Colored.....	15					5	4	5	1						
2. Childbirth.....	2,010					542	825	548	56	1	3				35
White.....	1,952					518	809	533	54	1	3				34
Native born.....	1,270					412	526	283	25	1	2				21
Both parents native.....	679					219	275	162	13	1	2				7
One or both parents foreign.....	340					123	151	57	6						3
Foreign born.....	624					89	260	237	29		1				8
Colored.....	58					24	16	15	2						1
3. Puerperal septicaemia.....	1,564				2	504	665	342	21	1					29
White.....	1,525				1	488	655	333	21	1					26
Native born.....	1,013					348	445	192	12						16
Both parents native.....	512					172	212	114	7						7
One or both parents foreign.....	206					68	101	34	3						
Foreign born.....	447				1	120	185	127	7	1					6
Colored.....	39				1	16	10	9							
4. Extra-uterine pregnancy.....	20					5	9	5	1						
White.....	19					5	9	4	1						
Native born.....	13					3	6	3	1						
Both parents native.....	5					2	1	2							
One or both parents foreign.....	4					1	2	1							
Foreign born.....	5					1	3	1							
Colored.....	1							1							
5. Others of this class.....	395					160	149	75	5						6
White.....	385					155	146	74	4						6
Native born.....	282					122	103	50	3						4
Both parents native.....	142					63	50	26	2						1
One or both parents foreign.....	43					21	17	5							
Foreign born.....	85					29	34	20	1						1
Colored.....	10					5	3	1	1						
IX.—Diseases of the bones and joints.....															
White.....	1,210	246	465	107	80	155	94	71	78	75	56	21	3		5
Native born.....	1,018	236	442	101	69	127	74	45	53	48	39	16	2		2
Both parents native.....	396	117	201	43	25	37	21	12	18	17	13	7	1		1
One or both parents foreign.....	330	73	153	30	19	38	20	15	18	17	15	5			
Foreign born.....	83	23	35	9	5	15	6	4	5	1	2		1		
Males.....	72	13	27	10	9	15	6	1	1	1	2				
Females.....	81		2	2	1	11	10	9	11	18	12	4			1
Foreign born.....	43				3	7	2	10	10	6	4	1			
Colored.....	50	9	20	4	5	9	5	3	2		1		1		
Males.....	30	2	10	1	2	7	4	2	2		1		1		
Females.....	20	7	10	3	3	2	1	1							

STATISTICS OF DEATHS.

769

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
IX.—Diseases of the bones and joints—Con.															
1. Diseases of the spine	975	240	448	84	58	106	76	49	53	50	34	14	1	2
White.....	932	232	429	80	54	99	72	46	51	50	34	14	1	2
Native born.....	847	231	426	79	51	91	61	29	37	33	26	12	1	1
Both parents native.....	M. 338 F. 296	116 72	196 150	33 28	17 18	32 31	16 19	8 10	12 15	10 14	8 10	5 4	1
One or both parents foreign.....	M. 63 F. 52	21 13	33 26	6 6	1 6	8 8	5 3	3 1	3 7	1 1	2 1
Foreign born.....	M. 49 F. 24	2	1	5	7	7	7	11	7	2
Colored.....	43	8	19	4	4	7	4	3	2
Males.....	25	2	10	1	1	6	3	2	2
Females.....	18	6	9	3	3	1	1	1
2. Diseases of the bones	100	1	8	3	6	15	5	15	13	13	13	5	2	2
White.....	96	1	8	3	6	14	4	15	13	13	12	5	1	2
Native born.....	69	1	8	3	5	11	3	12	7	7	8	3	1	1
Both parents native.....	M. 22 F. 15	1	2	3	2	3	1	1	2	3	2	2	1
One or both parents foreign.....	M. 6 F. 6	1	2	3	1
Foreign born.....	M. 19 F. 5	1	2	1	1	3	5	3	2	1
Colored.....	4	1	1	1	1
Males.....	3	1	1
Females.....	1
3. Diseases of the hip joint	93	2	6	18	13	27	9	5	4	6	4	1
White.....	91	1	5	18	12	27	9	5	4	6	4	1
Native born.....	73	1	5	17	10	20	7	3	3	5	2	1
Both parents native.....	M. 24 F. 9	3	5	4	3	2	3	3	1
One or both parents foreign.....	M. 11 F. 11	1	1	2	2	4	1
Foreign born.....	M. 9 F. 8	1	1	4	1	1	1	1	1
Colored.....	2	1	1	1
Males.....	1	1
Females.....	1	1	1
4. Others of this class	42	3	3	2	3	7	4	2	8	6	5	1	1
White.....	41	3	3	2	3	6	4	2	8	6	5	1	1
Native born.....	29	3	3	2	3	5	3	1	6	3	3
Both parents native.....	M. 12 F. 7	1	1	2	2	2	1	1	1	1	2
One or both parents foreign.....	M. 3 F. 3	1	1	1	1	1
Foreign born.....	M. 4 F. 6	1	1	1	2	1	1	1
Colored.....	1	1
Males.....	1	1
Females.....
X.—Diseases of the skin															
White.....	690	142	199	13	19	70	67	70	60	63	71	40	12	6
Native born.....	509	136	187	10	18	61	43	39	38	39	43	21	7	3
Both parents native.....	M. 152 F. 135	36 31	54 44	2 5	7 5	17 16	10 9	14 15	12 10	15 8	16 11	5 5	2
One or both parents foreign.....	M. 45 F. 45	13 15	14 22	2	1	13	7	2	2	1	2	1
Foreign born.....	M. 81 F. 62	1	4	1	1	3	14	12	8	14	12	10	2	1
Colored.....	22	3	4	1	3	2	5	3	2	1	1
Males.....	12	1	2	2	4	2	1	1
Females.....	10	2	2	1	1	2	1	1	1	1

TABLE 15.—DEATHS IN GRAND DIVISION D, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
XII.—Accidents and injuries—Continued.															
13. Othersuicides.....	770				4	71	115	148	151	143	81	26	3		28
White.....	756				4	70	109	147	150	143	79	26	3		25
Native born.....	354				4	49	62	74	64	53	25	12			11
Both parents native.....	146				2	15	22	26	26	29	15	7			4
One or both parents foreign.....	38				1	9	8	7	8	5					
Foreign born.....	312				1	8	13	7	6	2	1	2			1
Colored.....	14						1	6	1		2				3
Males.....	8					1		3	1		2				1
Females.....	6							3		1					2
14. Sunstroke.....	187	11	22	7	5	24	29	22	22	29	16	8	2		1
White.....	183	11	21	7	4	24	29	22	21	28	16	8	2		1
Native born.....	98	8	18	7	4	15	11	5	13	11	8	5	1		
Both parents native.....	39	1	3		3	5	3	3	9	5	5	2	1		
One or both parents foreign.....	23	2	5	2	1	7	3		1	3	1				
Foreign born.....	61	3	5	3			1	13	7	12	6	1			1
Colored.....	4		1		1					1	1				
Males.....	2				1				1						
Females.....	2		1							1					
15. Surgical operations.....	316	12	21	5	7	40	69	67	42	37	18	8			2
White.....	309	12	21	5	7	40	67	65	42	36	18	7			1
Native born.....	191	12	21	4	5	25	47	34	22	20	8	4			1
Both parents native.....	29	3	5	3	2	7	1	2	2	4	2	1			
One or both parents foreign.....	30	3	4	1	1	5	6	6	3	5					
Foreign.....	19	3	5	1	1	1	6	2		4					
Colored.....	7						2	2		1		1			1
Males.....	3						1	1				1			
Females.....	4						1	1		1					1
16. Wounds.....	368	23	49	23	18	66	50	39	40	32	23	15	3		10
White.....	342	21	47	21	18	58	45	39	38	28	23	15	3		7
Native born.....	231	21	44	16	16	46	30	24	18	10	12	8	2		5
Both parents native.....	84	7	17	9	6	12	6	10	8	4	6	4			2
One or both parents foreign.....	23	7	10	1	4	4	1	2		2	2	2	1		
Foreign born.....	39	2	6	2	4	11	8	5	1		1		1		
Colored.....	26	2	2	2		8	5		2	4					3
Males.....	19			2		6	4		2	2					3
Females.....	7	2	2			2	1			2					
17. Other accidents and injuries.....	5,916	365	744	325	305	887	865	745	620	480	406	294	102	9	134
White.....	5,763	340	706	316	297	858	850	733	598	478	398	289	102	9	129
Native born.....	3,685	335	679	290	251	630	477	382	260	197	204	178	74	8	55
Both parents native.....	1,445	106	215	101	116	273	179	168	136	97	78	55	14		13
One or both parents foreign.....	501	80	166	43	20	49	29	28	16	30	40	49	24	4	3
Foreign born.....	599	28	77	75	71	165	94	49	19	17	12	8	6		6
Colored.....	153	25	38	9	8	29	15	12	22	2	8	5			5
Males.....	115	10	15	8	7	25	14	10	16	2	8	5			5
Females.....	38	15	23	1	1	4	1	2	6						

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION E, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890. (a)

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
All causes	23,244	3,958	5,901	871	614	2,236	2,823	2,621	2,341	2,458	1,838	884	215	30	412
White	21,589	3,848	5,704	823	551	2,074	2,491	2,249	2,139	2,346	1,772	856	204	25	355
Native born	14,314	3,748	5,463	740	487	1,578	1,540	1,008	863	1,032	886	457	116	10	134
Both parents native	{ M. 2,435 F. 1,941	497 442	820 705	156 136	81 98	259 242	227 215	160 140	155 121	224 100	212 95	94 61	22 14	4 3	21 11
One or both parents foreign	{ M. 1,245 F. 1,052	417 341	612 526	85 99	67 83	171 151	124 92	59 36	37 28	36 14	34 7	11 9	5 4	5 4	4 5
Foreign born	{ M. 4,224 F. 1,960	10 13	51 53	30 22	20 16	256 144	560 248	813 293	808 357	819 373	565 246	222 139	36 44	5 10	37 15
Colored	1,655	110	197	48	63	162	332	372	202	112	66	28	11	5	57
Males	1,234	55	98	31	31	97	288	328	168	86	44	18	6	4	35
Females	421	55	99	17	32	65	44	44	34	26	22	10	5	1	22
Unknown causes	739	200	232	18	12	44	55	75	77	72	54	33	8	1	58
White	590	194	221	13	5	28	38	53	48	61	43	30	7	43
Native born	367	173	195	12	4	17	19	21	21	26	22	16	3	11
Both parents native	{ M. 72 F. 67	36 38	41 42	3 1	1 1	2 4	1 5	3 1	4 1	4 4	4 3	2 2	1 1	3 3
One or both parents foreign	{ M. 47 F. 35	32 23	37 26	1 5	2	3	1 2	1	1	1
Foreign born	{ M. 100 F. 34	2	3	7	11 4	20 6	17 2	13 10	12 4	11 3	1 2	5 2
Colored	149	6	11	5	7	16	17	22	29	11	11	3	1	1	15
Males	119	5	7	4	4	9	15	21	24	10	10	2	1	12
Females	30	1	4	1	3	7	2	1	5	1	1	1	1	3
I.—General diseases:															
General diseases A	3,660	921	1,626	353	212	446	314	212	161	141	102	46	6	1	40
White	3,484	886	1,561	347	202	433	291	192	144	129	97	44	4	1	39
Native born	2,778	851	1,468	312	183	306	183	94	72	64	47	23	3	1	22
Both parents native	{ M. 508 F. 468	112 128	245 235	68 69	27 43	60 45	45 29	21 20	13 9	13 9	6 6	9 1	1 2
One or both parents foreign	{ M. 275 F. 326	117 92	179 178	29 51	17 36	27 36	13 9	2 6	4 5	1 1	1 1	2 3
Foreign born	{ M. 360 F. 177	2 7	21 18	14 9	5 5	71 32	63 25	43 18	35 21	26 28	12 15	12 6	1	4
Colored	176	35	65	6	10	13	23	20	17	12	5	2	2	1
Males	116	19	38	3	6	6	19	16	15	6	3	1	2	1
Females	60	16	27	3	4	7	4	4	2	6	2	1	
1. Smallpox	5	1	1	2	1
White	4	1	2	1
Native born	4	1	2	1
Both parents native	{ M. 1 F. 1	1
One or both parents foreign	{ M. 1 F. 1	1
Foreign born	{ M. 1 F. 1
Colored	1	1
Males
Females	1	1
2. Measles	148	43	103	14	7	8	5	4	2	3	1	1
White	147	43	102	14	7	8	5	4	2	3	1	1
Native born	133	41	93	13	4	8	5	3	2	3	1	1
Both parents native	{ M. 31 F. 27	11 5	20 13	4 2	2 1	3 2	1 3	1 1
One or both parents foreign	{ M. 9 F. 15	1 4	6 11	3 1
Foreign born	{ M. 4 F. 7	2 4	1	3	1
Colored	1	1
Males
Females	1	1

a A description of grand division E is given on page 583.

TABLE 15.—DEATHS IN GRAND DIVISION E, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I. General diseases—Continued.															
General diseases—C—Continued.															
2. Stillborn	672	672	672												
White	661	661	661												
Native born	661	661	661												
Both parents native	{ M. 78 F. 65	{ 78 65	{ 78 65												
One or both parents foreign	{ M. 58 F. 49	{ 58 49	{ 58 49												
Foreign born	{ M. F.														
Colored	11	11	11												
Males	7	7	7												
Females	4	4	4												
3. Malformation	21	18	19	1											1
White	21	18	19	1											1
Native born	20	18	18	1											1
Both parents native	{ M. 5 F. 6	{ 5 6	{ 5 6												
One or both parents foreign	{ M. 1 F. 1		{ 1 1	1											
Foreign born	{ M. F.		{ 1 1												
Colored															
Males															
Females															
4. Debility and atrophy	426	171	183	2	3	8	7	13	18	40	71	60	11	4	6
White	407	167	179	2	3	8	6	12	16	33	68	60	11	3	6
Native born	277	157	168	1	3	6	4	6	3	15	34	25	5	2	5
Both parents native	{ M. 41 F. 35	{ 25 27	{ 25 28					1	1	1	5	6	1	2	
One or both parents foreign	{ M. 23 F. 11	{ 20 10	{ 22 11	1						1	4	1	1		
Foreign born	{ M. 63 F. 55	{ 1 2	{ 1 3			1	1	4	5	6	26	16	2	1	
Colored	19	4	4				1	1	2	7	3			1	
Males	14														
Females	5	4	4				1	1	2	7	2			1	
5. Old age	324									12	64	148	75	15	10
White	302									9	59	144	72	14	4
Native born	145									5	25	74	37	4	
Both parents native	{ M. 26 F. 23										5	14	6	1	
One or both parents foreign	{ M. 1 F. 5										6	10	5	2	
Foreign born	{ M. 65 F. 73									1	14	32	16	2	
Colored	22									3	5	4	3	1	6
Males	13									2	4	4	1	1	1
Females	9									1	1	2	2		5
General diseases—D	4,881	115	242	68	195	756	1,120	869	628	584	334	92	21	1	61
White	4,347	112	222	54	73	681	958	737	587	567	315	86	17		50
Native born	2,569	107	207	48	59	545	627	333	248	261	161	48	11		21
Both parents native	{ M. 411 F. 374	{ 17 9	{ 46 21	{ 10 7	{ 11 16	{ 73 88	{ 83 77	{ 49 51	{ 39 49	{ 52 30	{ 36 25	{ 9 8	{ 1 1		{ 2 2
One or both parents foreign	{ M. 201 F. 152	{ 9 16	{ 18 22	{ 8 4	{ 6 9	{ 70 48	{ 54 41	{ 17 7	{ 10 12	{ 10 4	{ 5 3	{ 2 1	{ 1 1		{ 1 1
Foreign born	{ M. 1,078 F. 499	{ 2 1	{ 2 5	{ 2 1	{ 3 5	{ 74 43	{ 200 92	{ 256 111	{ 211 106	{ 203 79	{ 96 41	{ 21 12	{ 3 1		{ 7 3
Colored	534	3	20	14	32	75	162	132	41	17	19	6	4	1	11
Males	402	2	12	10	12	47	145	105	29	14	14	4	2	1	7
Females	132	1	8	4	20	28	17	27	12	3	5	2	2		4

VITAL AND SOCIAL STATISTICS.

TABLE 15.—DEATHS IN GRAND DIVISION E, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—D—Continued.															
6. Cancer.....	614	1	5	2	2	15	31	87	137	179	114	26	6		10
White.....	604	1	5	2	2	14	30	84	136	177	113	26	5		10
Native born.....	278	1	5	2	1	11	16	32	50	82	60	12	3		4
Both parents native.....	{ M. 40			2			2	3	5	13	13	2			
{ F. 61	1	1				2	1	11	18	11	12	3			2
One or both parents foreign.....	{ M. 10					1	1		2	3	2	1			
{ F. 10						1	3	1	1	2	2				
Foreign born.....	{ M. 148			1		1	4	15	36	55	29	5	1		1
{ F. 146						1	7	33	43	34	19	6	1		2
Colored.....	10					1	1	3	1	2	1		1		
Males.....	4														
Females.....	6					1	1	2	1	2	1		1		
7. Tumor.....	62	1	3	4		4	10	12	8	14	3	4			
White.....	57	1	3	3		4	8	11	8	13	3	4			
Native born.....	32	1	2	3		3	5	7	1	5	3	3			
Both parents native.....	{ M. 2									1		1			
{ F. 9	1	2			1	1	2			2	1				
One or both parents foreign.....	{ M. 4			2			1	1							
{ F. 1							1	1							
Foreign born.....	{ M. 14						1	2	1	6					
{ F. 8		1				1	2	1	1	2					
Colored.....	5			1			2	1		1					
Males.....	4			1			2			1					
Females.....	1							1							
8. Anæmia.....	53	9	10	2	2	6	1	5	4	4	11	5	2	1	
White.....	40	9	10	2	2	6	1	4	4	3	5	3			
Native born.....	28	9	10	2		6		2	2		4	2			
Both parents native.....	{ M. 3	1	1						1			1			
{ F. 2						1		1							
One or both parents foreign.....	{ M. 2	1	1	1											
{ F. 2															
Foreign born.....	{ M. 4								1	2		1			
{ F. 6							1	2	1	1	1				
Colored.....	13							1		1	6	2	2	1	
Males.....	8														
Females.....	5							1		1	4	1	1	1	
9. Dropsy.....	188	4	7	2	7	7	11	21	29	41	37	18	7		1
White.....	165	4	7	2	6	6	7	16	22	40	34	18	6		1
Native born.....	95	4	7	2	6	5	6	6	10	23	18	9	3		
Both parents native.....	{ M. 21	1	1	1	1	1	1	1	2	7	5	2			
{ F. 16			1	1	2	1	1	1	3	2	3	2			
One or both parents foreign.....	{ M. 8			1		2		2	1	2					
{ F. 3			1		1	1		1		2					
Foreign born.....	{ M. 44					1		9	6	10	10	7	1		
{ F. 18							1	5	7	7	4	1			
Colored.....	23				1	1	4	5	7	1	3		1		
Males.....	19				1	1	4	4	6	1	1		1		
Females.....	4							1	1		2				
10. Diabetes.....	81		3	1	3	7	6	7	14	17	18	3			2
White.....	80		3	1	3	7	6	6	14	17	18	3			2
Native born.....	55		3	1	3	7	2	5	8	12	11	3			
Both parents native.....	{ M. 8		2			1	1	1	2	1		1			
{ F. 6					1	1		2	2	2					
One or both parents foreign.....	{ M. 7		1			4			1		1				
{ F. 2					1	1									
Foreign born.....	{ M. 15						3	1	2	3	5				1
{ F. 7								4	4	2	1				
Colored.....	1							1							
Males.....	1														
Females.....	1							1							

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION E, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
I.—General diseases—Continued.															
General diseases—D—Continued.															
11. Others of this group	20	2	4	1		6	1		5	2	1				
White	20	2	4	1		6	1		5	2	1				
Native born	13	2	4	1		5	1		2						
Both parents native	1								1						
One or both parents foreign	1					1									
Foreign born	5	1	1				1		3	2					
Colored															
Males															
Females															
12. Others of this class	3						2								1
White	3						2								1
Native born															
Both parents native															
One or both parents foreign															
Foreign born	2						2								
Colored															
Males															
Females															
II.—Diseases of the nervous system	2,263	422	715	94	48	124	137	156	222	311	279	123	23		31
White	2,202	411	700	86	47	121	131	151	217	300	275	122	23		29
Native born	1,519	405	678	78	42	96	81	77	89	146	139	66	11		16
Both parents native	230	54	99	12	5	12	8	10	11	21	36	8	4		4
One or both parents foreign	183	39	84	9	11	17	11	8	5	12	13	12			1
Foreign born	113	44	72	7	7	7	3	3	2	3	3	2	2		2
Both parents native	86	28	49	8	7	9	4	2	2	2	1	2			
One or both parents foreign	415	2	5	3	3	11	32	52	85	96	86	32	7		3
Foreign born	198	1	10	1	1	9	13	17	36	45	40	19	5		2
Colored	61	11	15	8	1	3	6	5	5	11	4	1			2
Males	38	6	8	6	1		3	4	3	9	3				1
Females	23	5	7	2		3	3	1	2	2	1	1			1
1. Inflammation of the brain	431	120	261	52	13	26	19	22	14	15	3	2			4
White	418	116	256	45	13	25	19	22	14	15	3	2			4
Native born	359	114	245	42	12	21	12	11	4	7	1	1			3
Both parents native	57	17	39	5		4	3	3		1					2
One or both parents foreign	47	11	33	4	2	4	1	2			1				
Foreign born	37	10	28	4	1	3			1						
Both parents native	26	9	17	5	3	1									
One or both parents foreign	35	1	4	2		2	5	7	7	5	1	1			1
Foreign born	16		5			1	2	3	3	1	1				
Colored	13	4	5	7		1									
Males	7	1	2	5											
Females	6	3	3	2		1									
2. Apoplexy	437	5	10	1	1	7	22	39	70	129	107	36	7		8
White	423	5	10	1	1	7	20	37	70	122	105	35	7		8
Native born	201	5	8	1	1	6	13	20	26	56	49	16	3		2
Both parents native	29	1	1			1	2	4	3	8	7	2	1		
One or both parents foreign	18		1			1	2	3	2	5	2	2			
Foreign born	5	1	2		1	1					1				
Both parents native	3		1	1		1									
One or both parents foreign	138						7	12	29	40	36	10	3		1
Foreign born	64		1					4	12	20	17	8	1		1
Colored	14						2	2		7	2	1			
Males	9						1	2		5	1				
Females	5						1			2	1	1			

STATISTICS OF DEATHS.

785

TABLE 15.—DEATHS IN GRAND DIVISION E, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
II.—Diseases of the nervous system—Cont'd.															
8. Diseases of the brain	281	26	55	10	5	20	31	31	42	32	37	11	3		4
White	275	25	53	9	5	20	31	29	42	32	36	11	3		4
Native born	167	24	51	7	4	18	19	15	15	11	22	3	1		1
Both parents native	M 21 F 18	1 2	6 9	3 2	1 1	2 2	2 1	1 1	1 1		5 1				
One or both parents foreign	M 9 F 13	4 2	4 7		1 1	3 1	2 1	1 1	1 1						
Foreign born	M 69 F 25			1 1	1	2 1	9 1	12 2	18 6	12 8	9 2	6 2	2		1
Colored	6	1	2	1				2			1				
Males	5	1	1	1				2			1				
Females	1		1												
9. Diseases of the spinal cord	133	17	47	13	10	21	13	7	5	10	4	2			1
White	130	17	46	13	10	20	12	7	5	10	4	2			1
Native born	110	17	46	13	10	17	8	5	1	5	3	1			1
Both parents native	M 27 F 23	6 3	16 9	3 2	2 4	2 5		1	1	2		1	1		
One or both parents foreign	M 10 F 14	1 3	4 6	1 2	2	1	1	2	2		1				
Foreign born	M 13 F 5					2	3	1	3	4	1	1			
Colored	3		1			1	1								
Males	1		1												
Females	2					1	1								
10. Others of this class	42		1	1	3	6	3	6	4	3	10	4	1		
White	42		1	1	3	6	3	6	4	3	10	4	1		
Native born	28		1	1	3	5	2	3	2	1	8	2			
Both parents native	M 4 F 6				2	2			1		3				
One or both parents foreign	M 3 F 2		1	1		1	2				2				
Foreign born	M 6 F 5					1	1	1	1	1	2	1			
Colored															
Males															
Females															
XII.—Diseases of the circulatory system.															
White	1,619	58	72	24	26	89	129	229	279	347	277	111	16	4	16
Native born	792	58	70	21	25	69	72	83	103	134	134	64	11	1	5
Both parents native	M 147 F 99	4 9	5 12	2 5	6 3	12 7	5 13	9 9	25 14	26 10	38 10	16 10	1 3	1	1
One or both parents foreign	M 57 F 33	10 7	10 3	3 3	3 3	6 6	7 6	5 3	6 3	6 1	7 1	3 1	1		
Foreign born	M 442 F 226			1 2	1 1	4 10	24 12	72 33	89 52	130 56	92 43	26 12	1 4	2	1
Colored	90		2			4	12	30	21	16	1	2		1	1
Males	72					2	12	30	14	12		2			
Females	18		2			2			7	4	1			1	1
1. Angina pectoris.															
White	41				1		8	5	6	9	5	6			1
Native born	28				1		6	3	2	7	3	6			
Both parents native	M 6 F 8							1	1		1	3			
One or both parents foreign	M 1 F 1				1		3		1	1	1	1			
Foreign born	M 8 F 2						1	1	2	1	2				1
Colored	2						1	1							
Males	2						1	1							
Females															

STATISTICS OF DEATHS.

787

TABLE 15.—DEATHS IN GRAND DIVISION E, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
IV.—Diseases of the respiratory system—Continued.															
2. Laryngitis	29	10	19	5			3				1				1
White	27	9	18	5			3				1				
Native born.....	27	9	18	5			3				1				
Both parents native.....	{ M. 2	1	2												
One or both parents foreign.....	{ F. 1			1											
Foreign born.....	{ M. 6	1	6												
Foreign born.....	{ F. 4	2	4												
Colored.....	2	1	1												1
Males.....															
Females.....	2	1	1												1
3. Bronchitis	554	165	249	14	5	20	22	45	63	40	62	24	7	1	2
White	476	156	235	14	5	18	19	20	38	35	60	23	6	1	2
Native born.....	340	154	229	11	5	13	9	8	14	8	28	11	2	1	1
Both parents native.....	{ M. 40	18	21	2		4			4	1	5	2			1
One or both parents foreign.....	{ F. 31	9	20	1	1	1	2	2		1	3				
Foreign born.....	{ M. 29	15	24	1	1						3				
Foreign born.....	{ F. 24	14	20		1	1	1	1							
Foreign born.....	{ M. 67	1	2			2	4	6	14	12	22	5			
Foreign born.....	{ F. 50		1	1		2	2	5	7	12	10	6	4		
Colored.....	78	9	14			2	3	25	25	5	2	1	1		
Males.....	66	5	8				3	24	25	4		1	1		
Females.....	12	4	6			2		1		1	2				
4. Pneumonia	1,992	255	493	75	52	183	225	225	214	270	149	73	12	1	21
White	1,861	249	480	70	42	168	196	201	199	260	143	71	12	1	18
Native born.....	1,209	246	461	60	38	129	119	93	77	107	59	44	11		11
Both parents native.....	{ M. 205	38	68	13	6	31	13	12	10	29	9	8	3		3
One or both parents foreign.....	{ F. 148	20	45	10	8	11	18	13	17	15	4	5	2		
Foreign born.....	{ M. 99	34	54	5	3	17	5	6	1	5	2	1			
Foreign born.....	{ F. 96	23	40	11	13	16	8	3	2	2					
Foreign born.....	{ M. 401	5	4	1	1	18	51	78	74	96	57	14	1		2
Foreign born.....	{ F. 176		4	3	1	14	17	21	37	44	24	10		1	
Colored.....	132	6	13	5	10	15	29	24	15	10	6	2			3
Males.....	95		3	3	6	9	26	23	14	6	2	1			2
Females.....	37	6	10	2	4	6	3	1	1	4	4	1			1
5. Pleurisy	55		1	2	1	3	11	6	5	9	11	5			1
White	50		1	2	1	3	8	5	5	8	11	5			1
Native born.....	27		1	2	1	2	3	3	2	2	8	2			1
Both parents native.....	{ M. 4			1							3				
One or both parents foreign.....	{ F. 3							1	1			1			
Foreign born.....	{ M. 1		1		1										
Foreign born.....	{ F. 19					1	4	2	2	6	3	1			
Foreign born.....	{ F. 4						1	1	1			2			
Colored.....	5						3	1		1					
Males.....	3						3								
Females.....	2							1		1					
6. Asthma	112	1	2	1		1	6	16	21	29	28	7			1
White	85	1	2	1		1	2	4	13	28	27	6			1
Native born.....	29	1	2	1		1		3	3	6	10	3			
Both parents native.....	{ M. 7								1	2	3	1			
One or both parents foreign.....	{ F. 4								2		1				
Foreign born.....	{ M. 1							1							
Foreign born.....	{ F. 37						1	1	5	16	13	1			1
Foreign born.....	{ F. 17						1	1	5	4	4	2			
Colored.....	27						4	12	8	1	1	1			
Males.....	25						3	12	8	1	1				
Females.....	2						1					1			

VITAL AND SOCIAL STATISTICS.

TABLE 15.—DEATHS IN GRAND DIVISION E, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
IV.—Diseases of the respiratory system—															
Continued.															
7. Others of this class	439	78	118	18	12	30	32	47	41	35	47	32	12	1	14
White	410	76	114	14	12	26	32	40	38	35	45	30	12	1	11
Native born	309	75	111	14	12	21	29	23	20	17	28	18	10	1	5
Both parents native	{ M. 70 F. 63	{ 16 13	{ 29 20	{ 1 6	{ 1 2	{ 2 3	{ 5 4	{ 6 5	{ 5 4	{ 5 4	{ 7 9	{ 5 3	{ 3 1	{ 1	{ 1
One or both parents foreign	{ M. 23 F. 21	{ 7 5	{ 10 8	{ 3 1	{ 3	{ 5	{ 4	{ 1	{ 1	{ 1	{ 1	{ 2	{ 9	{ 2	{ 1
Foreign born	{ M. 59 F. 28	{ 1	{ 1	{ 1	{ 1	{ 4	{ 1	{ 9	{ 12	{ 12	{ 11	{ 4	{ 3	{ 2	{ 2
Colored	29	2	4	4	4	7	3	2	2	3
Males	16	1	2	1	2	7	2	2
Females	13	1	2	3	2	1	2	2	1
V.—Diseases of the digestive system.....															
White	1,029	172	239	20	18	68	112	106	138	148	113	40	8	1	18
Native born	633	168	232	19	16	58	73	49	49	54	52	22	2	7
Both parents native	{ M. 106 F. 90	{ 22 26	{ 29 36	{ 4 1	{ 3 6	{ 9 9	{ 10 8	{ 5 10	{ 9 6	{ 17 3	{ 12 7	{ 5 4	{ 1	{	{ 2
One or both parents foreign	{ M. 54 F. 39	{ 21 21	{ 34 25	{ 2 6	{ 1 1	{ 4 2	{ 4 2	{ 3 1	{ 3 1	{ 3	{ 1	{	{	{	{
Foreign born	{ M. 203 F. 150	{ 1 1	{ 1 1	{ 1	{ 1	{ 3	{ 18	{ 31	{ 55	{ 50	{ 31	{ 9	{ 2	{ 3	{ 1
Colored	72	5	13	3	7	8	19	9	7	2	2	2
Males	51	3	4	2	5	6	18	8	5	2	1
Females	21	2	9	1	2	2	1	1	2	2	1
1. Dentition	53	31	53
White	52	30	52
Native born	51	30	51
Both parents native	{ M. 4 F. 8	{ 3 5	{ 4 8
One or both parents foreign	{ M. 9 F. 8	{ 4 7	{ 9 8
Foreign born	{ M. F.	{	{
Colored	1	1	1
Males	1	1	1
Females
2. Angina	39	6	18	4	2	1	2	2	3	5	1	1
White	39	6	18	4	2	1	2	2	3	5	1	1
Native born	29	5	15	4	1	1	1	1	2	3	1
Both parents native	{ M. 4 F. 4	{ 1	{ 3 1	{ 2	{ 1
One or both parents foreign	{ M. 3 F. 1	{	{ 2 1	{ 1
Foreign born	{ M. 1 F. 4	{ 2	{ 1
Colored
Males
Females
3. Diseases of the stomach	200	40	51	1	1	8	15	23	20	39	25	9	5	1	2
White	188	37	47	1	1	7	13	21	20	37	25	9	5	1	1
Native born	122	37	47	1	1	6	9	11	9	15	14	8	1
Both parents native	{ M. 25 F. 24	{ 7 5	{ 8 7
One or both parents foreign	{ M. 8 F. 7	{ 3 3	{ 4 4	{ 1	{	{	{	{	{	{	{	{	{	{	{
Foreign born	{ M. 32 F. 26	{	{
Colored	12	3	4	1	2	2	2	1
Males	6	2	2	1	2	1
Females	6	1	2	1	1	1	1

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION E, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
V.—Diseases of the digestive system—Cont'd.															
4. Obstruction of the bowels	63	7	11	3	5	8	7	6	6	6	9	2			
White	58	7	11	2	5	7	6	6	5	6	9	1			
Native born	39	7	11	2	4	7	5	2	1	4	2	1			
Both parents native	6				1	2		1	1	1					
One or both parents foreign	4	2	2		1		1				1				
Foreign born	2	1	1	1				1							
Males	8				1		1	1	3	1	1				
Females	8							2	1	1	4				
Colored	5			1		1	1		1			1			
Males	4					1	1		1			1			
Females	1			1											
5. Hernia	45	5	5		1	2	3	8	11	7	4	3			1
White	43	5	5		1	2	3	7	11	6	4	3			1
Native born	24	5	5		1	2	3	4	5	2	1				1
Both parents native	7	3	3			1				2					1
One or both parents foreign	1						1		1		1				
Males	2														
Females	11							1	3	2	2	3			
Foreign born	8							2	3	2	1				
Males															
Females															
Colored	2							1		1					
Males	2							1		1					
Females															
6. Other diseases of the bowels	48	15	18		1	9	1	4	3	1	8	2			1
White	46	15	17		1	9	1	4	3	1	7	2			1
Native born	34	15	17		1	6		2	1		6	1			
Both parents native	5	2	2								2	1			
One or both parents foreign	10	5	6		1	2		1							
Males	3	1	2			1									
Females	2	2	2												
Foreign born	5	2	2			2		1	2		1	1			
Males	5					1	1			1	1	1			
Females															
Colored	2		1								1				
Males															
Females	2		1								1				
7. Jaundice	46	21	23	2			2	2	2	6	3	6			
White	44	21	22	2			1	2	2	6	3	6			
Native born	33	21	22	2			1			3	1	4			
Both parents native	2	2	2												
One or both parents foreign	2	1	1									1			
Males	1	1	1												
Females	2	1	1	1											
Foreign born	5	1	1					1	2	1	1	2			
Males	5							1		2	1	2			
Females	6														
Colored	2		1												
Males	1														
Females	1		1												
8. Inflammation and abscess of the liver...	93	4	5	1		4	14	15	15	22	9	3	1		4
White	86	4	5			4	14	13	14	21	8	2	1		4
Native born	40	2	3			3	8	5	7	5	3	1	1		4
Both parents native	9	1	1				1	2	2	1	1				1
One or both parents foreign	7	1	1				3	1	1			1			
Males	3	1	1				1		1						
Females	1														
Foreign born	29	1	1			1	5	5	6	7	3	1			
Males	14							3	1	8	2				
Females															
Colored	7			1				2	1	1	1	1			
Males	5			1				2		1		1			
Females	2								1		1				

VITAL AND SOCIAL STATISTICS.

TABLE 15.—DEATHS IN GRAND DIVISION E, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
V.—Diseases of the digestive system—Cont'd.															
9. Other diseases of the liver.....	192	1	6	1	1	3	17	27	46	46	33	9			3
White.....	177	1	6	1	1	2	16	21	41	44	33	9			3
Native born.....	71	1	6	1	1	2	11	7	11	13	16	3			
Both parents native.....	{ M. 17 F. 5		1	1		1	3		3	4	3	1			
One or both parents foreign.....	{ M. 4 F. 1	1	2				1		2	1	1				
Foreign born.....	{ M. 68 F. 28		1				3	9	21	21	9	4			1
Colored.....	15					1	1	6	5	2					
Males.....	14					1	1	6	5	1					
Females.....	1														
10. Peri onitis.....	183	7	13	8	5	34	51	29	20	9	5	2	1		6
White.....	170	7	12	8	5	31	49	24	18	9	5	2	1		6
Native born.....	105	7	12	8	5	26	30	14	5	3	1	1			
Both parents native.....	{ M. 10 F. 5				1	1	3								
One or both parents foreign.....	{ M. 5 F. 9	2	3	1			1								
Foreign born.....	{ M. 21 F. 35	2	2	3	1	2	1	7	4	7	2	4	1		1
Colored.....	13		1			3	2	5	2						
Males.....	10		1			2	1	4	2						
Females.....	3					1	1	1							
11. Ascites.....	25				1	1	1	4	9	1	5	3			
White.....	21				1	1		2	9		5	3			
Native born.....	9				1	1		1	3		1	2			
Both parents native.....	{ M. 2 F. 1					1						1			
One or both parents foreign.....	{ M. 3 F. 1				1				2				1		
Foreign born.....	{ M. 5 F. 6							1	2	3	3	1	1		
Colored.....	4						1	2		1					
Males.....	4						1	2		1					
Females.....															
12. Others of this class.....	114	40	49	3	1	5	7	5	12	13	13	3	1		2
White.....	105	39	44	2	1	4	7	4	12	13	13	3	1		1
Native born.....	76	38	43	1	1	4	5	2	5	6	7	1			1
Both parents native.....	{ M. 20 F. 15	4	7	1		2	2	1	1	2	4				
One or both parents foreign.....	{ M. 9 F. 5	7	8		1	1		1	2	1	1	1			
Foreign born.....	{ M. 15 F. 12	5	5					1	2	3	4	1			
Colored.....	9	1	5	1		1		1							1
Males.....	4			1		1		1							1
Females.....	5	1	5												
VI.—Diseases of the urinary system and male organs of generation.	703	8	16	13	7	28	77	121	107	153	124	45	4		8
White.....	636	8	15	13	7	26	58	89	100	151	121	44	4		8
Native born.....	345	8	15	11	6	22	37	38	40	73	77	21	3		2
Both parents native.....	{ M. 76 F. 26		1	3			7	6	7	23	23	6			
One or both parents foreign.....	{ M. 18 F. 11		2		1	2	5	5	3	5	2	4	1		1
Foreign born.....	{ M. 189 F. 69		3			4	1	3	38	46	37	21	1		1
Colored.....	67		1			2	19	32	7	2	3	1			
Males.....	62					2	17	31	7	1	3	1			
Females.....	5		1				2	1		1					

TABLE 15.—DEATHS IN GRAND DIVISION E, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY, 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
VII.—Diseases of the female organs of generation.	70				2	7	15	14	23	4	2	1	2		
White	69				2	7	14	14	23	4	2	1	2		
Native born	44				2	5	8	7	17	3	1	1			
Both parents native	15				1	3	1	1	5	3		1			
One or both parents foreign	6				1		1	2	2						
Foreign born	21					1	5	7	6	1			1		
Colored	1						1								
1. Ovarian tumors	16					1	2	3	7	2	1				
White	16					1	2	3	7	2	1				
Native born	8							1	5	1	1				
Both parents native	2								1	1					
One or both parents foreign	1								1						
Foreign born	7						2	2	2	1					
Colored															
2. Ovarian diseases	8				1	1	1	2	2				1		
White	8				1	1	1	2	2				1		
Native born	8				1	1	1	2	2				1		
Both parents native	3				1				1				1		
One or both parents foreign															
Foreign born															
Colored															
3. Uterine tumors	10						4	1	5						
White	10						4	1	5						
Native born	7						3	1	3						
Both parents native	1								1						
One or both parents foreign	1						1								
Foreign born	3						1		2						
Colored															
4. Uterine diseases	8				1	2		2	3						
White	8				1	2		2	3						
Native born	6				1	2		1	2						
Both parents native	2					1			1						
One or both parents foreign	2				1	1									
Foreign born	2							1	1						
Colored															
5. Others of this class	28					3	8	6	6	2	1		2		
White	27					3	7	6	6	2	1		2		
Native born	15					2	4	2	5	2					
Both parents native	7					2	1	1	1	2					
One or both parents foreign	2							1	1						
Foreign born	9					1	2	4	1				1		
Colored	1						1								
VIII.—Affections connected with pregnancy.	237					76	106	40	3						12
White	227					74	102	38	3						10
Native born	153					57	68	24	1						3
Both parents native	58					22	28	8							
One or both parents foreign	24					9	9	6							
Foreign born	58					14	31	11	1						1
Colored	10					2	4	2							2

TABLE 15.—DEATHS IN GRAND DIVISION E, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
XI.—Diseases of the absorbent system—Con.															
2. Diseases of the spleen	4			1						1	1	1			
White	4			1						1	1	1			
Native born	3			1						1		1			
Both parents native	M 1											1			
One or both parents foreign	F 1														
Foreign born	M 1										1				
F 1															
Colored															
Males															
Females															
3. Others of this class	2								1	1					
White	2								1	1					
Native born															
Both parents native	M														
One or both parents foreign	F														
Foreign born	M 2								1	1					
F 2															
Colored															
Males															
Females															
XII.—Accidents and injuries	1,997	56	149	81	87	315	388	334	258	192	74	24	8		87
White	1,873	55	146	78	85	299	353	306	242	184	72	23	8		77
Native born	1,003	54	136	69	70	212	176	111	80	80	38	12	6		13
Both parents native	M 265	10	36	23	18	51	44	28	23	22	13	2	2		3
One or both parents foreign	F 88	10	24	10	3	22	12	3	4	3	2	3	1		1
Foreign born	M 150	8	25	14	20	31	27	17	5	5	5		1		
F 47	8	15	4	6	12	6				3		1			
Foreign born	M 591		5	3	6	56	129	155	126	73	21	6	1		10
F 79			2	2	7	15	13	15	16	16	6	2	1		
Colored	124	1	3	3	2	16	35	28	16	8	2	1			10
Males	105	1	1	2	1	13	32	25	13	8	2				8
Females	19		2	1	1	3	3	3	3			1			2
1. Burns and scalds	104	6	37	9	4	17	9	7	3	11	3	1			3
White	102	6	36	9	4	17	9	7	3	11	3				3
Native born	70	6	34	6	2	12	5	3	1	6	1				
Both parents native	M 16	1	12	1		1	1	1							
One or both parents foreign	F 16		5	3		4	1		1	2					
Foreign born	M 5	1	3			1					1				
F 8	2	5	1		1					1					
Foreign born	M 15		2	1	1	1	1	4	2	2	1				
F 5					2	1	1		1	1	1				
Colored	2		1									1			
Males															
Females	2		1										1		
2. Drowned	326	4	31	25	21	63	58	49	29	19	8	2			21
White	314	4	31	23	20	60	57	47	27	18	8	2			21
Native born	172	4	28	20	18	45	29	14	6	5	5				2
Both parents native	M 47	3	13	5	4	10	5	5	1	2	1				1
One or both parents foreign	F 16		5	5	1	3	2								
Foreign born	M 32		5	2	5	7	7	3	1	1	1				
F 11			2	1	1	5	2								
Foreign born	M 97		2	1	1	12	24	26	16	10	2	1			2
F 8					1	1	1		4	2					
Colored	12			2	1	3	1	2	2	1					
Males	10			1	1	3	1	2	1	1					
Females	2			1					1						

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN GRAND DIVISION E, BY AGE, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND CAUSE, DURING THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Total under 5	5 to 10	10 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	75 to 85	85 to 95	95 and over.	Un-known.
XII.—Accidents and injuries—Continued.															
13. Other suicides.....	97			1	2	11	18	21	21	13	2	1			7
White.....	87			1	2	11	14	20	18	13	2	1			5
Native born.....	31			1	1	6	5	5	7	6					
Both parents native.....	8					1	1	2	2	2					
One or both parents foreign.....	4			1	1					2					
Foreign born.....	34				1	4	7	7	9	3	2	1			
Males.....	8					1	1	3	1	2					
Females.....	2														
Colored.....	10							4	1	3					2
Males.....	8							4	1						2
Females.....	2								2						
14. Sunstroke.....	11	1	1			3	3	2			2				
White.....	10	1	1			2	3	2			2				
Native born.....	3	1	1			1					1				
Both parents native.....	1					1									
One or both parents foreign.....	1	1	1								1				
Foreign born.....	6					1	2	2			1				
Males.....	1														
Females.....	1					1									
Colored.....	1					1									
Males.....	1					1									
Females.....	1														
15. Surgical operations.....	35	1	3	1		2	9	8	6	6					
White.....	32	1	3	1		2	8	6	6	6					
Native born.....	19	1	2	1		2	5	6		3					
Both parents native.....	2					1		1							
One or both parents foreign.....	2	1	1			1	1			1					
Foreign born.....	6						2		3	1					
Males.....	3								2	1					
Females.....	3														
Colored.....	3							1	2						
Males.....	3							1	2						
Females.....	1														
16. Wounds.....	47	1	3	4	5	5	7	9	7	4	3				
White.....	42	1	3	3	5	5	6	6	7	4	3				
Native born.....	25	1	3	3	5	3	2	3	4	1	1				
Both parents native.....	8		1	1	2	2			2						
One or both parents foreign.....	2	1	1					1							
Foreign born.....	3		1	1	1			1							
Males.....	1		1												
Females.....	13					1	2	3	2	3	2				
Colored.....	5			1				1	3						
Males.....	3			1					2						
Females.....	2							1							
17. Other accidents and injuries.....	673	17	38	31	25	87	124	108	109	78	30	12	3		28
White.....	643	16	37	31	25	84	114	101	105	74	30	12	3		27
Native born.....	320	16	36	28	17	58	50	30	36	33	16	10	2		4
Both parents native.....	84	2	4	10	4	14	17	5	10	10	7	1	1		1
One or both parents foreign.....	25	3	8	1	2	4	3	1	1	1	1	3			
Foreign born.....	54	3	9	8	7	10	7	6	4	3	3	1			
Males.....	15	2	2	2	2	3	3	2	2	2	2	1			
Females.....	216		1	3	18	43	60	57	25	5	5	1			4
Males.....	35			2	1	6	4	7	8	5	1	1			
Females.....															
Colored.....	30	1	1			3	10	7	4	4					1
Males.....	28	1	1			3	10	6	4	4					1
Females.....	2							1							

TABLE 16.

NUMBER OF DEATHS IN THE UNITED STATES AND IN EACH GRAND GROUP, FROM
CERTAIN SPECIFIED DISEASES AND CLASSES OF DISEASES, WITH DISTINCTION
OF MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES,
DURING THE CENSUS YEAR ENDED MAY 31, 1890.

VITAL AND SOCIAL STATISTICS.

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF THE UNITED STATES.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 Grand total	46,266	40,624	39,681	35,741	43,053	38,108	39,849	35,520	42,886	38,358
2 Under 5.....	13,796	11,102	12,857	10,523	14,345	11,638	13,380	11,092	15,471	12,564
3 60 and over	10,170	9,635	8,941	7,981	9,807	8,333	9,190	7,835	9,233	8,013
4 Unknown.....	432	325	416	315	437	328	359	305	452	301
5 Unknown causes—all ages.....	1,412	1,235	1,416	1,266	1,559	1,405	1,450	1,354	1,773	1,602
6 Under 5.....	724	585	784	633	831	661	755	672	983	797
7 60 and over	257	239	250	195	291	236	269	230	309	271
8 Unknown.....	63	42	46	49	64	57	40	39	78	56
9 I.—General diseases: General diseases—A—all ages.....	5,770	5,385	5,502	5,189	6,198	5,822	6,205	5,670	8,013	7,663
10 Under 5.....	2,613	2,395	2,518	2,358	2,903	2,760	3,027	2,639	4,374	3,936
11 60 and over	479	383	458	360	526	409	548	480	684	625
12 Unknown.....	32	26	34	23	30	30	41	30	60	50
13 1. Measles—all ages.....	311	315	455	483	746	779	801	818	855	900
14 Under 5.....	206	209	304	280	491	451	534	499	625	584
15 60 and over	3	5	10	13	10	9	10	13	11	18
16 Unknown.....	2	1	1	2	2	5	2	2	2	4
17 2. Scarlet fever—all ages.....	283	272	260	260	278	301	285	253	273	281
18 Under 5.....	200	159	173	177	184	185	179	174	187	154
19 60 and over	1	1	1	1	1	3	1	1	1	5
20 Unknown.....	1	1	2	1	1	1	1	1	1	1
21 3. Diphtheria—all ages.....	1,328	1,423	1,156	1,178	1,052	1,155	971	987	971	1,002
22 Under 5.....	714	679	638	556	580	605	562	489	519	495
23 60 and over	6	3	7	4	6	8	5	8	7	6
24 Unknown.....	3	1	4	2	1	3	2	3	4	2
25 4. Whooping cough—all ages.....	348	402	357	456	422	483	327	389	378	435
26 Under 5.....	324	362	327	414	393	434	308	343	347	389
27 60 and over	2	2	1	1	2	2	2	1	2	2
28 Unknown.....	1	3	1	1	1	2	3	2	2	3
29 5. Cerebro-spinal fever—all ages.....	160	120	128	139	202	159	183	160	176	186
30 Under 5.....	87	59	79	69	104	81	104	69	100	88
31 60 and over	1	3	1	2	5	6	2	5	5	6
32 Unknown.....	1	1	1	2	1	1	1	1	1	1
33 6. Enteric fever—all ages.....	1,015	799	1,006	748	990	715	845	650	929	832
34 Under 5.....	70	61	75	66	84	60	65	54	113	88
35 60 and over	74	48	82	47	87	51	68	61	77	68
36 Unknown.....	10	5	10	3	2	1	8	7	6	6
37 7. Diarrheal diseases—all ages.....	1,219	1,033	1,132	976	1,336	1,132	1,523	1,244	2,936	2,632
38 Under 5.....	714	589	657	542	757	649	930	727	2,063	1,756
39 60 and over	182	152	154	142	178	156	183	182	294	296
40 Unknown.....	7	5	8	7	12	6	10	8	34	20
41 8. Malarial fever—all ages.....	517	469	451	449	520	494	590	525	739	737
42 Under 5.....	119	116	101	111	121	123	147	107	212	190
43 60 and over	85	59	58	62	80	71	107	78	108	97
44 Unknown.....	1	7	5	4	7	4	5	3	6	9
45 General diseases—B—all ages.....	680	389	518	292	568	354	546	352	633	417
46 Under 5.....	301	249	287	206	279	260	249	237	325	291
47 60 and over	64	28	45	19	64	28	65	24	56	29
48 Unknown.....	10	6	4	3	11	2	10	3	7	4
49 1. Inanition—all ages.....	293	260	279	196	273	253	242	232	287	272
50 Under 5.....	270	223	255	171	241	220	209	200	251	236
51 60 and over	13	15	13	13	18	18	21	14	19	21
52 Unknown.....	5	3	1	1	5	2	3	2	3	3

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES.

THE UNITED STATES.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
33,183	29,243	38,575	34,365	38,973	34,853	35,622	31,505	34,030	30,051	31,002	26,940	33,270	29,187	7,940	6,696	1
13,503	11,415	18,506	15,841	17,292	14,776	14,284	12,108	11,495	9,747	9,904	8,191	10,482	8,825	2,483	1,912	2
6,294	5,208	6,265	5,537	6,726	5,889	6,490	5,575	7,097	6,177	6,894	5,734	7,229	6,283	1,558	1,134	3
381	272	388	327	381	315	382	289	327	267	326	231	335	240	722	551	4
1,221	1,132	1,345	1,178	1,463	1,326	1,423	1,328	1,268	1,120	1,043	964	1,145	976	1,573	1,309	5
662	580	768	653	876	716	786	719	692	566	532	454	605	481	597	446	6
176	187	202	139	199	181	196	157	193	178	182	182	204	160	211	177	7
54	37	43	46	39	46	59	54	53	46	41	43	49	46	289	195	8
8,303	7,590	13,378	12,188	13,230	12,258	10,737	9,797	8,112	7,283	5,866	5,500	5,290	5,053	1,458	1,330	9
5,310	4,702	9,495	8,410	8,169	7,403	5,610	5,076	3,362	3,076	2,367	2,215	2,186	2,062	620	561	10
536	475	793	808	908	979	828	800	655	629	489	493	421	347	119	108	11
46	46	90	65	89	76	80	57	62	48	37	40	36	30	85	64	12
421	335	246	245	161	192	119	124	98	88	123	114	171	180	88	79	13
307	228	175	183	114	140	85	80	65	47	84	67	130	117	47	44	14
2	3	1	2	1	1	2	1	3	1	2	2	1	2	1	1	15
2		2		1	1		1	1			1	1	1	4	4	16
262	318	188	187	210	187	173	198	219	207	225	234	232	285	48	41	17
162	201	128	112	143	120	114	122	145	128	143	147	166	174	37	22	18
2	1	1	1	3	1	1	1	4	2	2	4	1	2	2	1	19
2						2	1	2				1	2	2	1	20
829	831	676	682	877	922	1,118	1,296	1,560	1,602	1,455	1,590	1,377	1,507	144	186	21
442	414	386	348	449	451	592	564	812	754	809	763	755	730	74	87	22
1	6	2	2	3	2	1	2	2	5	5	5	8	10			23
2	1	4	1	1	2	6	2	10	8	7	5	3	4	1	5	24
322	352	348	430	371	466	312	364	206	286	168	231	215	251	47	66	25
306	328	331	401	351	444	295	348	190	259	152	212	201	223	39	53	26
1	2	2		1	2	1			3		2			3	5	27
1	2	2	2						2	2	1		4			28
140	133	133	125	123	114	118	100	97	103	136	114	133	106	24	21	29
88	64	91	81	87	68	70	64	62	63	74	66	67	58	11	8	30
1	3	1	3	6	3	4	3	2	2	1	3	4	1			31
1		1		1		1		2	2		3	3	1	2	2	32
756	609	1,038	900	1,734	1,399	2,047	1,567	2,007	1,482	1,316	1,150	1,147	925	248	204	33
78	60	100	93	130	113	154	151	121	114	108	88	60	72	24	23	34
56	44	74	57	121	100	115	83	121	98	87	65	71	59	11	15	35
6	5	13	5	23	12	22	10	17	9	16	11	10	5	16	13	36
4,407	3,905	9,312	8,273	7,934	7,211	4,869	4,433	2,258	2,020	1,205	1,000	972	866	470	413	37
3,571	3,109	7,875	6,769	6,369	5,528	3,751	3,285	1,544	1,319	701	603	544	468	276	251	38
283	253	487	607	547	669	437	484	270	297	187	155	163	137	52	49	39
23	22	41	43	45	34	32	26	10	12	8	6	6	6	33	16	40
621	620	856	864	1,267	1,191	1,407	1,279	1,122	1,033	723	605	574	496	244	201	41
186	168	242	264	341	348	384	305	248	261	154	130	122	114	67	48	42
71	88	102	86	129	116	143	142	134	140	94	80	64	68	27	26	43
4	7	13	6	16	15	10	14	16	10	1	5	9	4	11	12	44
558	377	702	510	680	479	706	432	577	357	494	281	570	305	72	45	45
309	268	472	403	410	379	411	346	304	249	240	189	296	204	17	22	46
44	34	47	21	68	17	52	23	49	26	56	22	55	24	9	5	47
14	1	7	9	5	9	12	1	7	7	5	3	7	1	6	4	48
297	265	453	411	387	364	389	331	298	245	233	201	295	205	14	20	49
266	226	424	375	357	334	364	297	276	212	209	176	274	180	11	12	50
11	22	13	12	16	12	11	19	11	14	10	15	11	11		3	51
4	1	5	7	3	5	4	1	4	4	3	2	1	1	2	3	52

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF
THE UNITED STATES—Continued.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
I.—General diseases—Continued.										
1 General diseases—C—all ages.....	3,902	3,549	3,570	3,211	3,880	3,315	3,847	3,299	4,171	3,442
2 Under 5.....	2,800	2,024	2,573	1,978	2,864	2,111	2,744	2,077	3,160	2,260
3 60 and over.....	1,013	1,395	909	1,139	936	1,114	1,007	1,107	953	1,093
4 Unknown.....	11	20	12	10	13	17	12	15	9	10
5 1. Debility and atrophy—all ages.....	1,082	1,074	921	933	1,049	945	998	972	1,062	925
6 Under 5.....	670	522	576	482	674	517	613	551	719	564
7 60 and over.....	331	429	264	363	302	349	298	315	288	279
8 Unknown.....	6	14	7	4	10	8	6	7	7	4
9 2. Old age—all ages.....	628	968	647	781	640	774	715	800	667	820
10 60 and over.....	682	965	642	776	637	766	709	792	665	814
11 Unknown.....	6	3	5	5	3	8	6	8	2	6
12 General diseases—D—all ages.....	7,401	7,822	6,506	6,928	7,066	7,599	6,793	7,408	7,070	8,129
13 Under 5.....	476	419	478	399	577	468	571	501	632	507
14 60 and over.....	1,453	1,388	1,282	1,233	1,416	1,290	1,395	1,328	1,495	1,503
15 Unknown.....	81	80	79	62	81	58	59	53	72	66
16 1. Consumption—all ages.....	5,411	5,561	4,696	4,900	5,026	5,280	4,837	5,043	4,745	5,352
17 Under 5.....	156	165	165	170	214	200	229	230	251	207
18 60 and over.....	695	579	591	526	674	544	630	508	609	559
19 Unknown.....	57	58	66	43	58	44	39	38	47	42
20 II.—Diseases of the nervous system—all ages.....	4,599	3,679	4,083	3,388	4,543	3,790	4,402	3,852	4,728	4,086
21 Under 5.....	1,746	1,329	1,589	1,202	1,788	1,341	1,717	1,415	1,833	1,484
22 60 and over.....	1,396	1,154	1,254	1,076	1,328	1,220	1,349	1,177	1,448	1,295
23 Unknown.....	41	28	40	26	34	34	39	30	30	22
24 III.—Diseases of the respiratory system—all ages.....	13,817	11,522	10,641	9,200	10,283	8,508	7,813	6,681	6,285	5,197
25 Under 5.....	4,030	3,258	3,591	2,914	3,853	3,106	3,030	2,654	2,679	2,200
26 60 and over.....	2,761	3,155	2,350	2,406	2,291	2,217	1,787	1,644	1,304	1,187
27 Unknown.....	89	61	96	87	81	50	52	56	54	21
28 IV.—Affections connected with pregnancy—all ages.....		1,080		1,079		1,216		1,061		1,187
29 V.—Accidents and injuries—all ages.....	2,659	859	2,345	821	2,926	1,015	2,950	901	3,693	1,109
30 Under 5.....	295	254	339	272	388	293	426	259	452	339
31 60 and over.....	341	158	298	138	362	167	335	170	395	184
32 Unknown.....	47	13	60	15	69	16	53	16	79	12
33 1. Burns and scalds—all ages.....	144	208	123	235	188	257	170	200	132	185
34 Under 5.....	88	78	89	100	105	86	105	74	80	82
35 60 and over.....	11	26	7	22	18	28	14	16	6	22
36 Unknown.....	1		1	4	3	3	2	1		
37 2. Drowned—all ages.....	198	33	215	37	277	47	352	50	617	125
38 Under 5.....	7	10	16	8	22	11	51	19	58	32
39 60 and over.....	11	4	26	4	21	3	21	5	23	12
40 Unknown.....	6		5	2	19	1	7	3	18	2
41 3. Exposure and neglect—all ages.....	52	55	58	37	75	70	41	43	60	43
42 Under 5.....	25	30	34	27	31	41	26	28	35	32
43 60 and over.....	13	7	6	2	12	12	5	7	8	2
44 Unknown.....	1	1		1	1	2	1	2		
45 4. Gunshot wounds—all ages.....	204	20	175	19	176	17	196	11	210	27
46 Under 5.....	7	2	3	4	5	2	1	1	3	2
47 60 and over.....	2		10		7		9	1	7	
48 Unknown.....			3		4		2		4	
49 5. Homicide—all ages.....	109	16	96	18	133	18	142	14	196	30
50 Under 20.....	18		9	5	17	7	16	4	21	13
51 60 and over.....	6	1	6	2	7		11	1	10	4
52 Unknown.....	3	2	3	1	3		8	1	2	

STATISTICS OF DEATHS.

805

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

THE UNITED STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
3,571	3,004	3,899	3,383	4,010	3,593	3,801	3,260	3,567	3,271	3,312	2,763	3,483	3,101	684	512	1
2,754	2,043	3,072	2,334	3,086	2,353	2,925	2,184	2,609	2,082	2,436	1,760	2,536	1,938	492	312	2
706	874	746	955	822	1,104	790	968	872	1,066	802	928	864	1,068	152	175	3
27	11	18	10	16	23	12	10	13	13	12	10	16	12	23	15	4
1,046	976	1,356	1,287	1,480	1,364	1,259	1,196	1,052	985	897	756	858	872	146	105	5
732	623	1,043	868	1,107	897	925	802	709	583	521	432	521	470	85	55	6
216	277	240	302	275	341	252	285	266	287	250	257	264	311	28	35	7
14	3	11	5	14	14	8	6	7	7	7	4	6	8	16	5	8
500	604	507	658	552	771	542	677	613	785	557	676	607	762	131	149	9
490	596	503	653	550	763	538	673	606	779	552	671	600	757	124	140	10
10	8	4	5	2	8	4	4	7	6	5	5	7	5	7	9	11
5,215	5,911	4,935	5,845	5,113	5,931	4,859	5,741	5,057	5,675	4,720	5,265	5,394	5,832	1,022	1,196	12
480	391	588	436	538	408	479	432	397	356	366	300	364	330	79	68	13
1,080	1,015	987	1,009	1,079	1,016	1,032	1,042	1,108	1,061	1,075	994	1,130	1,050	246	184	14
63	62	60	71	65	57	67	59	46	48	51	47	39	54	77	94	15
3,467	3,852	3,326	3,751	3,286	3,901	3,182	3,736	3,359	3,717	3,180	3,462	3,733	3,919	677	800	16
175	152	215	145	166	168	142	152	124	131	124	110	119	140	28	38	17
410	369	409	325	387	351	393	360	436	365	441	356	496	392	111	73	18
47	38	41	51	48	33	51	36	33	29	39	31	23	33	49	65	19
3,658	3,159	4,030	3,644	3,987	3,369	3,632	3,080	3,588	2,989	3,314	2,743	3,510	3,079	590	452	20
1,569	1,398	1,907	1,706	1,762	1,475	1,546	1,261	1,274	1,061	1,158	918	1,252	1,116	176	115	21
995	826	981	890	1,019	897	974	896	1,143	929	1,096	913	1,083	956	165	125	22
32	22	39	33	40	20	21	24	25	25	34	21	26	18	37	26	23
2,977	2,495	2,233	1,840	2,455	2,004	2,861	2,286	4,142	3,585	4,717	4,020	6,002	4,958	1,088	801	24
1,270	1,183	1,019	903	1,118	971	1,266	1,099	1,786	1,453	1,856	1,608	2,238	1,936	320	243	25
582	440	393	277	435	353	513	398	795	774	886	929	1,128	1,116	239	159	26
27	23	19	13	18	11	15	18	19	22	37	24	36	33	69	55	27
	789		724		780		771		726		772		855		217	28
2,852	787	3,083	828	2,920	789	2,620	754	2,625	828	2,632	754	2,783	813	631	167	29
293	199	276	228	320	205	299	220	313	240	297	241	316	229	60	48	30
293	140	289	146	307	134	307	127	338	148	306	133	303	163	66	20	31
66	9	66	14	69	17	69	21	52	13	68	6	84	11	80	25	32
87	107	74	125	100	118	112	125	160	191	173	212	149	195	40	40	33
42	38	38	51	70	43	67	48	107	80	103	103	84	84	25	13	34
5	9	1	5	5	12	4	10	6	18	10	18	7	17	3	3	35
		3			1	3	2	1	1		1		1	4	2	36
653	98	694	93	507	55	308	42	174	19	196	34	182	19	69	10	37
58	19	47	20	45	16	31	14	24	3	11	8	18	1	4	4	38
26	4	12	3	27	3	20	2	13		17	4	20	2	4		39
11		17	3	7		12	3	4		8	1	9		7		40
30	28	30	20	42	19	31	23	37	29	45	20	46	39	9	14	41
15	13	20	11	27	11	17	15	18	21	22	9	22	17	3	7	42
8	6	2	2	6	2	5	6	8	1	9	3	6	8	1	1	43
	1		2	2	2	1				1	1	3	3	3	2	44
158	13	165	15	168	17	154	24	206	9	221	13	255	20	48	11	45
4		4	4	2	1	5	1	8	1	7	1	3	2		2	46
8		10		6		8		9	2	7	1	5	2	4	1	47
8		6		4		4		5	1	5		7		9	3	48
130	25	140	23	143	18	131	20	111	22	133	15	173	25	67	5	49
12	9	17	6	14	3	15	9	14	6	15	4	26	7	9	1	50
6	3	9	4	8	2	8	1	5	1	10	1	8	1	2		51
7		5		3		5	1		4					17	2	52

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

THE UNITED STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
17		13		22	4	20		33		25	1	29	1	5		1
2		2		2		1		1		2		4		1		2
1						1				2		2				3
338	35	396	39	447	48	398	39	438	33	451	25	497	31	95	7	4
3	5	4	4	5	1	9		4		3		4	1	1		6
35	6	44	12	42	13	42	14	39	7	37	7	36	8	6		7
12	1	10		18	2	11		16	2	18		15	1	15	2	8
68	7	76	4	76	3	77	1	71	2	82	4	73	9	12	1	9
2	1	2	2	10		2		4		6		4	1	1		10
8		8		9		12		13		8		5	2	3		11
		1		2		1		3		2		1		1		12
15	6	13	9	16	9	5	4	7	5	7	9	8	5	3	1	13
1	2		1					1	1							14
1	1	1	2	2	1	2	1	1	1	1	1		1			15
1		2		1										1	1	16
42	31	46	25	29	27	41	33	38	24	47	25	36	22	3	11	17
13	5	6	2	2		11	2	6	3	9	3	10	2			18
	1					1		1	1			2				19
																20
127	28	124	22	111	28	115	22	110	26	107	28	100	22	32	5	21
34	5	17	5	23	3	32	2	29	6	27	1	18	8	6		22
3		4	1	5		3	1	2		3		2	1	7		23
																24
49	10	157	45	69	19	17	7	9	3	5	3	4		5	2	25
7	1	16	14	6	7		2									26
8	5	26	4	11	3	3		4		2	1			2		27
		1	1	1										1		28

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 1.—NORTH ATLANTIC COAST.

MONTH AND SEX—continued.

June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
2,365	2,183	3,070	2,768	3,041	2,809	2,554	2,547	2,380	2,400	2,157	2,117	2,406	2,401	242	208	1
800	687	1,549	1,252	1,359	1,129	1,042	886	738	701	636	538	658	586	54	56	2
594	580	594	595	642	689	562	687	640	708	580	641	680	754	84	67	3
12	13	18	9	13	14	18	18	18	12	15	11	20	11	19	10	4
46	42	61	63	52	63	48	37	42	35	39	25	45	39	21	23	5
24	24	37	36	26	27	21	9	13	12	16	8	14	12	10	9	6
9	6	15	9	10	20	7	8	13	8	11	3	12	8	3	7	7
2	3	3	1	4	8	9	10	4	4	5	7	5	10	4	1	8
410	365	1,058	933	991	924	670	651	413	416	281	302	281	255	22	20	9
276	218	867	715	700	624	427	411	198	209	112	136	123	113	11	11	10
26	32	51	74	84	100	47	65	29	44	23	28	23	25	1	1	11
1		3	1	1	2	2	1	1	1			1		1		12
21	5	10	15	6	5	3	4	2	4	3	2	9	8	1		13
18	5	7	14	6	4	3	4	2	3	2	2	8	6	1		14
1																15
6	4	9	7	8	7	7	8	7	11	3	18	9	8		1	17
6	3	7	6	5	2	4	4	5	8	1	13	6	6		1	18
																19
																20
90	102	69	71	99	71	90	90	110	113	93	101	111	107	3	9	21
50	43	41	42	58	44	50	47	61	58	49	58	59	57	1	6	22
		1		1												23
																24
28	26	34	31	34	36	29	24	10	23	10	18	14	15	2	2	25
28	23	32	31	32	35	29	28	10	23	9	17	13	14	2	2	26
																27
																28
5	9	3	3	6	6	10	5	5	5	4	4	7			1	29
3	5	2	1	2	4	4	4	4	4	3	3	2				30
		1									1					31
																32
34	21	42	50	103	64	106	78	104	70	76	56	44	33	5	1	33
3	5	2	3	3	1	7	3	2	1	4	1	1	1	1		34
		3	2	7	5	4	4	4	5	1	2	2	2			35
						2								1		36
189	157	842	728	683	685	366	308	124	147	63	63	48	48	8	4	37
163	132	768	616	586	530	316	317	98	105	39	36	28	23	6	2	38
8	17	30	66	58	76	25	48	11	28	12	14	8	13	1	1	39
		2	1	1	2			1	1			1				40
9	11	19	12	26	23	18	22	17	16	7	12	8	11	1		41
4	1	1	1	2	3	4	3		1		1					42
1	3	3	1	7	6	2	4	3	1	4	1	2	2			43
		1					1									44
34	16	44	25	40	33	50	31	32	26	35	20	39	15	1	2	45
18	8	24	17	27	25	28	23	16	17	15	11	20	7		1	46
5		3	1	3		5	5	4	1	4	2	1	2	1	1	47
			1					1	2							48
18	8	22	21	28	24	28	28	19	18	16	12	19	8		1	49
15	6	22	17	26	24	27	23	16	16	15	11	18	7		1	50
2			1				4	1		1	1	1	1			51
			1					1	2							52

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 2.—MIDDLE ATLANTIC COAST.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	Grand total.....	7,407	6,656	5,125	4,486	5,787	4,962	5,367	4,757	5,470	4,695
2	Under 5.....	2,406	1,925	1,943	1,639	2,318	1,817	2,183	1,870	2,325	1,936
3	60 and over.....	1,230	1,504	901	880	1,045	1,073	960	917	940	852
4	Unknown.....	23	16	12	7	20	5	15	13	16	7
5	Unknown causes—all ages.....	66	62	46	35	67	49	53	55	86	60
6	Under 5.....	28	26	23	14	29	17	27	23	52	29
7	60 and over.....	15	18	7	7	14	10	12	16	16	14
8	Unknown.....	3	1	2		2			1	1	2
9	I.—General diseases:										
	General diseases—A—all ages.....	650	648	641	565	685	650	655	609	845	780
10	Under 5.....	388	358	356	351	425	404	411	368	592	515
11	60 and over.....	28	39	46	31	59	42	45	47	61	51
12	Unknown.....		2	1	1	1	1			3	
13	1. Measles—all ages.....	33	41	42	60	91	81	95	96	110	88
14	Under 5.....	29	39	38	57	83	69	91	87	94	78
15	60 and over.....										
16	Unknown.....										
17	2. Scarlet fever—all ages.....	41	44	47	43	46	49	34	42	26	37
18	Under 5.....	34	31	28	31	35	34	20	28	21	23
19	60 and over.....										
20	Unknown.....										
21	3. Diphtheria—all ages.....	196	191	189	166	174	182	162	163	158	162
22	Under 5.....	148	119	123	108	128	125	122	110	117	109
23	60 and over.....					1	1			1	1
24	Unknown.....			1							
25	4. Whooping cough—all ages.....	52	54	38	49	40	48	33	35	33	45
26	Under 5.....	50	48	33	48	39	47	33	30	32	44
27	60 and over.....			1					1		
28	Unknown.....										
29	5. Cerebro-spinal fever—all ages.....	15	11	12	13	11	19	21	13	23	16
30	Under 5.....	7	8	9	9	6	13	16	5	18	6
31	60 and over.....	1								1	1
32	Unknown.....										
33	6. Enteric fever—all ages.....	96	73	81	53	70	53	71	42	61	34
34	Under 5.....	3	2	4	3	8	5	2		12	1
35	60 and over.....	2	1	8	6	9	4	2	5	3	2
36	Unknown.....		1							1	
37	7. Diarrheal diseases—all ages.....	118	142	134	109	143	115	143	119	327	296
38	Under 5.....	85	88	89	74	96	76	94	77	261	225
39	60 and over.....	12	20	16	13	21	17	15	16	29	24
40	Unknown.....			1						2	
41	8. Malarial fever—all ages.....	48	47	34	30	36	36	39	35	42	60
42	Under 5.....	11	11	7	6	8	7	8	6	15	15
43	60 and over.....	4	9	7	5	5	7	16	7	10	13
44	Unknown.....		1			1					
45	General diseases—B—all ages.....	132	69	78	34	80	51	101	57	87	77
46	Under 5.....	46	39	47	30	45	39	44	34	46	58
47	60 and over.....	10	6	3		4	1	8		5	6
48	Unknown.....					1		2	1	1	
49	1. Inanition—all ages.....	47	38	50	28	45	40	45	34	45	63
50	Under 5.....	45	35	46	27	44	39	40	31	43	57
51	60 and over.....	1	2	1		1	1	5		1	5
52	Unknown.....								1		

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 2.—MIDDLE ATLANTIC COAST—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
828	669	861	811	889	761	812	685	719	649	666	559	766	625	15	14	1
730	546	780	655	785	624	723	549	632	500	578	418	663	461	8	6	2
81	109	76	144	84	120	83	132	76	124	80	134	87	145	7	7	3
3	1		1	1				1				1	1			4
254	236	347	359	344	346	284	292	218	203	140	137	165	166	5	3	5
207	180	315	291	296	281	256	240	177	143	101	91	119	98	2		6
33	43	27	57	28	48	22	49	30	35	31	37	30	49	3	2	7
				1				1				1	1			8
49	67	49	88	56	72	61	83	46	89	49	97	57	96	4	5	9
48	66	49	87	56	72	61	83	46	89	49	97	57	96	4	5	10
1	1		1													11
808	767	851	829	828	849	764	760	807	796	755	710	1,001	843	31	22	12
108	78	119	91	112	63	90	87	88	61	73	61	89	56	1	1	13
113	115	113	135	102	111	110	103	120	139	102	104	129	123	12	8	14
1	1	1	4	1		1	2		1	1	2		1	2		15
596	508	650	544	606	589	590	508	597	567	613	490	766	589	19	15	16
32	23	36	28	34	15	28	23	28	22	26	17	26	19		1	17
54	38	67	49	50	43	64	41	56	63	66	39	68	59	6	2	18
1			3			1	1		1	1	2			1		19
639	548	681	599	602	510	515	411	549	453	496	410	544	509	17	12	20
329	295	360	309	311	240	224	198	216	168	180	150	203	202	2	1	21
138	123	127	150	140	138	119	109	163	138	141	138	143	140	10	5	22
	1	5	2	2	1			2	2	3		2	1	1		23
525	421	442	360	457	365	496	424	700	615	727	671	1,175	940	25	22	24
275	251	239	185	240	200	248	238	346	274	326	296	480	394	5	2	25
73	60	55	60	61	49	66	60	99	152	98	155	192	208	8	7	26
2		1		1		1	1				1	1	1		2	27
	76		61		77		74		73		63		79		5	28
330	95	360	81	380	82	299	91	281	106	298	78	298	87	8	2	29
39	28	28	30	45	15	35	21	32	31	39	22	33	26			30
29	17	35	17	32	17	25	15	31	12	34	11	34	12	1		31
2		2		2		4	1	5		5		5	3	2	1	32
7	7	2	7	9	8	6	8	15	10	18	19	16	17	1		33
4	4	1	5	7	2	3	2	12	5	12	6	9	7			34
					2					1	1	1	2	1		35
																36
94	6	118	7	128	8	69	5	35	2	40	2	27	2	5		37
1		4	1	8	1	4	1	1				1				38
7	2	4	1	7		6		2		4	1	1				39
		1		1		2	1			5		2		2		40
3	3	1	2	3	1	4	5	1	1	5	2	6	5			41
3	2		2	2		2	3	1	1	5	2	1	2			42
												1	1			43
																44
8	2	7	2	5		6	1	16		21		10	1		1	45
			1					1								46
1		1						1								47
						1										48
6	2	6	1	7	2	10	1	3	5	12	3	4	5			49
2		1		2				1	3		1		2			50
			1							1			1			51
																52

STATISTICS OF DEATHS.

823

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 3.—SOUTH ATLANTIC COAST—Continued.

MONTH AND SEX—continued.

June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
63	46	44	46	53	43	40	43	46	38	34	34	38	33	9	12	1
50	31	34	28	40	23	30	28	29	30	23	25	30	19	4	7	2
11	14	9	15	12	19	9	14	17	8	9	8	8	14	4	5	3
							1									4
27	13	21	20	24	17	11	14	13	8	16	9	5	9	1	1	5
20	10	19	14	18	11	8	9	7	6	11	6	4	3			1
5	2	1	3	5	5	2	4	6	2	3	2	1	6			7
							1									8
6	12	8	12	7	14	7	10	11	6	6	6	7	8	4	5	9
6	12	8	12	7	14	7	10	11	6	6	6	7	8	4	5	10
																11
94	106	98	103	81	123	85	107	90	104	80	101	100	107	32	32	12
4	13	11	7	7	3	12	11	7	4	10	9	4	6	3	2	13
22	16	10	15	14	17	18	16	15	15	17	12	20	25	2	2	14
1	1		1		1				1		2	1	1	2	1	15
60	68	64	69	58	82	51	65	60	69	40	70	69	69	22	19	16
1	5	3	4	3	2	2	3		1	2	8	2	5		1	17
8	6	3	7	8	4	8	6	3	7	3	3	11	7	2		18
1	1		1		1						2	1	1	2		19
42	35	48	44	51	39	53	46	55	62	37	33	49	39	9	4	20
15	8	11	15	22	16	18	25	18	22	8	9	22	19	2	1	21
6	9	14	9	9	10	12	10	17	13	15	8	12	9	1		22
		1		1	1				1		1					23
43	43	32	25	40	27	40	27	47	39	38	54	64	59	19	15	24
11	13	9	7	15	10	13	7	21	22	14	18	16	18	5	5	25
7	8	8	6	10	8	8	3	12	4	4	11	15	15	4	1	26
2	1										1	1	1	1		27
	30		22		17		28		17		23		15		2	28
46	15	46	18	29	12	35	9	39	14	46	17	50	20	12	8	29
8	6	8	5	3	5	9	6	9	7	6	10	9	7		3	30
4	2	3	2	1	1	4	1	6	1	3	3	3	2	2		31
1		2		2		2		2		1	1	2		2	1	32
5	4	2	3	1	2	4	3	5	4	5	6	8	7	1	3	33
3	2	2	1	1	2		2	4	3	3	5	4	2			34
						1	1						2			35
						1		1			1			1		36
5		4	1	8	1	3		5	2	7	1	4	1	2		37
				1		1		2	1							38
						1										39
												1		1		40
2	4	2	1		2	2	2	1	1	2	2	4	2	1	2	41
1	2	2			1	1	1	1	1	2	2	4			1	42
1																43
																44
3		2		1	1	2		5		7		11	2	2		45
																46
		1						1		1				1		47
																48
1		3	1	5		5		1	3	6	1	9		2	1	49
			1	1		1			1	2		1				50
		1		1					1	1	1	1				51
				1								1			1	52

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 4.—GULF COAST—Continued.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
I.—General diseases—Continued.										
General diseases—C—all ages	93	87	104	87	80	90	80	103	126	110
Under 5	65	47	83	59	52	48	51	58	92	71
60 and over	25	36	20	23	25	38	25	33	28	34
Unknown							1		2	
1. Debility and atrophy—all ages	37	40	42	39	31	42	31	44	59	51
Under 5	15	14	29	21	14	15	14	16	35	28
60 and over	19	22	12	13	14	23	13	16	18	18
Unknown							1		2	
2. Old age—all ages	6	14	8	10	11	15	12	17	10	16
60 and over	6	14	8	10	11	15	12	17	10	16
Unknown										
General diseases—D—all ages	145	91	114	92	144	135	137	140	134	146
Under 5	10	7	8	4	8	6	8	10	8	8
60 and over	22	13	15	16	28	21	18	13	25	27
Unknown	3			1	2	1	1	2		2
1. Consumption—all ages	102	58	87	69	93	77	109	86	95	89
Under 5	1	2	1	1	1	1	4	4	3	4
60 and over	9	7	7	6	9	6	9	6	10	9
Unknown	3			1	1	1	1	1		1
II.—Diseases of the nervous system—all ages	88	76	84	57	114	64	80	70	106	72
Under 5	46	33	34	28	39	23	36	32	44	32
60 and over	13	13	19	7	25	24	18	14	18	19
Unknown	2									
III.—Diseases of the respiratory system—all ages	137	105	139	98	165	125	116	94	100	85
Under 5	39	40	56	37	52	41	43	47	38	45
60 and over	18	18	21	19	27	24	15	20	14	6
Unknown	2	2	1		1	1	1		1	
IV.—Affections connected with pregnancy—all ages		29		22		30		28		45
V.—Accidents and injuries—all ages	59	20	69	20	70	26	69	27	110	26
Under 5	6	12	10	9	11	8	10	8	11	5
60 and over	6	2	5	5	8		5	3	8	1
Unknown	1		2			1	3	1	2	1
1. Burns and scalds—all ages	3	7	4	9	7	10	5	4	4	5
Under 5	3	3	4	5	6	3	2	1	4	
60 and over		1			1					
Unknown										
2. Drowned—all ages	2		13		8	4	12	1	33	1
Under 5							2		2	
60 and over			1					1	1	
Unknown										
3. Exposure and neglect—all ages	2	4		1	1	2		2	2	
Under 5	2	3		1	1	2		1	2	
60 and over										
Unknown										
4. Gunshot wounds—all ages	16		7		9		8	2	11	3
Under 5			1							
60 and over										
Unknown							1		1	
5. Homicide—all ages	7		4		5		3	1	9	1
Under 20			1				1		2	
60 and over										
Unknown							1	1		

VITAL AND SOCIAL STATISTICS.

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 5.—NORTHEASTERN HILLS AND PLATEAUS.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	Grand total.....	1,618	1,666	1,267	1,259	1,208	1,130	1,258	1,307	1,193	1,275
2	Under 5.....	351	312	283	239	293	223	306	278	308	257
3	60 and over.....	559	617	501	508	453	391	475	481	423	432
4	Unknown.....	8	11	8	5	12	11	19	18	13	7
5	Unknown causes—all ages.....	37	25	24	25	18	25	36	28	27	31
6	Under 5.....	19	10	10	11	8	10	14	12	13	9
7	60 and over.....	8	5	10	4	6	5	11	6	8	7
8	Unknown.....		1		1		1	2	1	2	1
9	I.—General diseases:										
	General diseases—A—all ages.....	133	158	115	124	136	110	122	137	146	147
10	Under 5.....	53	65	57	46	55	42	50	57	57	49
11	60 and over.....	19	14	6	15	19	13	17	20	15	19
12	Unknown.....		1			1	1			1	1
13	1. Measles—all ages.....	3	3	3	4	6	6	5	7	11	9
14	Under 5.....	1		3	2	6	3	2	2	8	6
15	60 and over.....									1	
16	Unknown.....										
17	2. Scarlet fever—all ages.....	13	10	6	5	7	6	3	9	10	9
18	Under 5.....	7	6	4	5	3	3	2	6	4	3
19	60 and over.....										1
20	Unknown.....										
21	3. Diphtheria—all ages.....	36	59	44	53	46	32	35	34	52	53
22	Under 5.....	17	19	23	17	17	12	17	16	18	15
23	60 and over.....		1								1
24	Unknown.....						1				
25	4. Whooping cough—all ages.....	9	22	8	11	11	6	7	6	5	3
26	Under 5.....	9	21	7	11	10	6	6	5	5	2
27	60 and over.....										
28	Unknown.....		1								
29	5. Cerebro-spinal fever—all ages.....	5	7	7	2	2	3	2	5	6	8
30	Under 5.....	3	3	5	1	1	1	2	2	3	4
31	60 and over.....										2
32	Unknown.....										
33	6. Enteric fever—all ages.....	27	20	12	13	24	11	23	13	8	13
34	Under 5.....		2	1	2	2	1	2			
35	60 and over.....	4	3	1	1	4	2	2	4	1	1
36	Unknown.....										
37	7. Diarrheal diseases—all ages.....	24	22	19	20	26	21	34	34	25	30
38	Under 5.....	15	12	10	8	13	13	17	21	17	16
39	60 and over.....	4	5	3	7	7	5	8	7	1	7
40	Unknown.....					1					1
41	8. Malarial fever—all ages.....	1		4	3	3	5	3	5	4	7
42	Under 5.....			1					1		2
43	60 and over.....				1	1	1	2	1	3	1
44	Unknown.....										
45	General diseases—B—all ages.....	13	17	9	5	11	6	15	11	13	7
46	Under 5.....	3	7	3	2	4	2	7	7	6	4
47	60 and over.....	1	1	1	1	2	2	2	2	1	1
48	Unknown.....	1	1					2	1		
49	I. Inanition—all ages.....	3	9	3	3	5	3	9	7	8	4
50	Under 5.....	2	7	3	2	4	2	6	6	6	4
51	60 and over.....	1	1			1	1			2	
52	Unknown.....		1					2	1		

STATISTICS OF DEATHS.

833

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 5.—NORTHEASTERN HILLS AND PLATEAUS.

MONTH AND SEX—continued.

June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1,178	1,109	1,377	1,313	1,368	1,289	1,340	1,294	1,273	1,163	1,045	1,044	1,110	1,157	108	118
329	288	545	449	554	431	480	445	357	273	286	213	287	258	34	29
394	363	383	392	376	377	405	356	407	390	378	372	407	407	26	27
11	12	15	11	8	10	11	9	10	7	7	7	8	3	10	13
22	34	32	23	33	28	30	39	29	19	13	21	23	25	34	31
9	10	18	9	17	12	14	22	17	8	5	8	11	9	11	12
5	8	9	7	11	6	6	7	7	5	6	8	3	6	2	3
	2	2	1	1	1	2					1		2	7	6
186	188	429	354	448	385	406	388	275	235	153	156	144	164	9	9
106	101	299	244	310	236	228	228	111	93	53	52	69	58	3	3
23	20	32	40	48	42	40	43	21	39	16	12	15	15	1	1
		5	1	2	4	1	2			1	2	1		1	2
11	8	4	4	1	2	1	1	3	2	4	4	1	3		
9	6	3	4	1	1	1	1	2	2	4	3		2		
4	4	3	4	1	3	3	4	5	7	9	9	4	15		
4	3	3	3	1	2	2	4	5	7	4	7	2	7		
36	46	33	35	27	25	48	39	54	52	44	48	52	67	1	2
15	19	14	25	12	11	16	18	23	21	18	14	32	22	1	1
				1			1		1			1			
5	6	4	10	17	11	11	14	4	14	3	7	10	6		
5	6	4	10	17	11	11	14	4	13	2	7	9	6		
										1					
2	4	3	4	5	8	5	5	3	4	6	5	4	5	1	
1	3	2	4	3	3	5	3	3	3	2	3	2	3		
				1	1						1				
20	17	33	22	38	40	69	57	92	55	44	47	27	27	1	2
1	1	2	3	2	2	1	3	3	2	4	2		1		
6	3	2	2	3	4	7	5	3	8	4	1	1	4		
		1				1			2		2				1
83	78	327	255	328	267	238	248	85	72	26	23	27	25	4	4
66	60	269	192	271	201	189	185	64	39	15	14	21	14	2	2
10	8	24	32	32	30	25	32	12	22	5	6	4	5		1
		2	1	1	3		1							1	
6	8	11	7	11	11	13	7	7	11	6	1	5	4		
1	1	1	1												
1	4	1	3	3	1	2	4	1	3	1			1		
		1								2		2	3		
18	8	13	11	22	8	15	19	13	10	11	8	11	4	2	1
8	4	5	6	12	6	6	16	5	4	3	4	6	3	2	
1	2	1	1		1	1	2		1	3	2				
						1		2							
9	5	6	7	13	8	7	17	6	6	3	4	7	3	2	
8	4	5	7	12	6	5	15	5	4	3	3	6	3	2	
	1				1				1		1				
1						1		1							

VITAL AND SOCIAL STATISTICS.

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 6.—CENTRAL APPALACHIAN REGION.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	Grand total	1,957	1,806	1,625	1,449	1,829	1,569	1,627	1,437	1,700	1,398
2	Under 5.....	519	435	467	334	552	440	505	357	509	390
3	60 and over.....	533	550	496	453	517	471	483	461	473	415
4	Unknown.....	14	16	19	14	25	8	17	15	22	12
5	Unknown causes—all ages	41	35	41	19	52	29	41	27	47	41
6	Under 5.....	15	13	13	8	35	9	15	9	19	14
7	60 and over.....	16	11	14	7	9	11	13	11	15	15
8	Unknown.....	4		3		2		4	1	4	1
9	I.—General diseases: General diseases—A—all ages	229	226	211	207	264	221	228	225	220	191
10	Under 5.....	93	105	95	89	125	108	119	90	104	93
11	60 and over.....	14	14	19	13	21	14	12	25	20	21
12	Unknown.....	1		1	1	1		1	2	2	2
13	1. Measles—all ages	3	3	7	8	18	17	20	17	16	12
14	Under 5.....	2	1	5	7	13	12	19	14	13	11
15	60 and over.....									1	
16	Unknown.....										
17	2. Scarlet fever—all ages.....	15	16	14	16	18	17	17	12	10	17
18	Under 5.....	9	12	7	10	12	13	10	9	7	9
19	60 and over.....			1		1					
20	Unknown.....										
21	3. Diphtheria—all ages.....	80	98	75	67	69	55	66	60	56	52
22	Under 5.....	33	44	41	24	36	24	30	19	24	24
23	60 and over.....									1	
24	Unknown.....									2	
25	4. Whooping cough—all ages.....	16	15	16	12	18	17	14	22	16	9
26	Under 5.....	13	15	16	10	18	15	14	20	14	7
27	60 and over.....										
28	Unknown.....	1									
29	5. Cerebro-spinal fever—all ages.....	7	7	5	1	14	6	5	4	7	3
30	Under 5.....	3	4	3		8	3	3	2	2	2
31	60 and over.....						1			1	
32	Unknown.....										
33	6. Enteric fever—all ages.....	43	24	38	35	53	29	33	29	27	19
34	Under 5.....	3	2	1	3	2		2		3	2
35	60 and over.....	1	1	3	1	4	1		1	1	1
36	Unknown.....								1		2
37	7. Diarrheal diseases—all ages.....	44	38	30	45	44	49	48	46	58	54
38	Under 5.....	24	19	16	25	31	32	36	23	40	35
39	60 and over.....	7	6	6	8	7	6	2	14	7	9
40	Unknown.....								1		
41	8. Malarial fever—all ages.....	4	7	5	3	7	8	10	15	4	7
42	Under 5.....	1	3	1	1	1	1	1	1	1	3
43	60 and over.....			1	1	1	4	3	2	1	
44	Unknown.....							1			
45	General diseases—B—all ages.....	20	8	14	6	23	14	17	12	18	8
46	Under 5.....	8	5	7	4	13	8	6	7	11	4
47	60 and over.....	3	2	1	1	2	2	2	4	3	1
48	Unknown.....					3					
49	1. Inanition—all ages.....	7	5	7	2	15	9	5	9	9	5
50	Under 5.....	6	5	5	1	12	6	5	6	8	4
51	60 and over.....	1		1	1		2		3	1	1
52	Unknown.....					3					

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 6.—CENTRAL APPALACHIAN REGION.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,211	1,001	1,519	1,298	1,609	1,393	1,373	1,192	1,289	1,134	1,289	1,057	1,338	1,178	291	238	1
409	335	732	595	727	579	544	426	341	311	339	283	355	334	79	70	2
311	243	331	257	344	297	314	297	353	300	385	298	345	320	65	49	3
19	13	25	17	28	17	19	13	17	17	22	9	27	14	39	36	4
30	26	31	38	36	34	43	30	20	28	30	24	28	25	59	28	5
11	9	15	20	22	16	24	12	9	15	13	7	13	7	14	7	6
11	9	11	5	12	8	5	8	8	6	10	7	6	7	14	6	7
	1		2	1	2	4	1	1	4	1	1	4	1	17	11	8
252	213	538	477	567	540	394	391	297	265	230	245	205	230	55	41	9
162	132	409	356	384	338	238	211	115	105	98	97	73	99	24	27	10
21	7	39	30	49	50	37	44	25	21	19	19	14	14	3	2	11
3	3	4	2	6	3	1	2	4	3	1	5	3	2	5		12
12	9	5	6	7	9	1	3	1	4	1	1	1	7	4	3	13
10	9	3	6	5	7	1	3	1	3	1	1	1	5	2	3	14
														1		15
																16
14	17	8	8	15	16	8	16	14	11	9	10	18	19	3	1	17
7	11	5	5	12	11	5	9	9	6	8	5	14	12	1	1	18
1				1												19
1																20
29	43	29	28	51	57	53	74	104	105	101	101	66	87	12	13	21
12	22	14	11	23	18	26	29	45	43	48	44	30	43	6	7	22
1							1	1	1	1	2		1			23
								1	1	1						24
18	15	10	15	11	24	18	14	5	13	9	9	7	14	3	1	25
18	14	9	15	8	21	17	13	5	11	8	7	6	13	2	1	26
					1											27
												1				28
3	4	5	4	7	5	4	3	2	2	4	5	2	6	1	1	29
1	1	4	3	6	4	4	3	1	1	2	4	1	3	1		30
												1				31
																32
21	18	25	31	58	54	60	54	71	47	39	42	58	46	12	4	33
1	1	1	6	1	3	1	1	2	1	2		3	1	1	1	34
1		1	2	8	3	5	6	3	2			3	2			35
				2	1	1	1	1	1			2		1		36
131	85	429	358	393	351	208	205	74	59	33	47	29	30	14	18	37
108	70	369	304	323	268	171	151	45	37	20	33	15	18	9	14	38
7	1	31	24	30	40	23	30	12	12	8	7	4	6	1	2	39
1	3	3	1	4	1		1				1	1	1	2		40
4	9	11	9	13	7	25	15	9	11	15	13	11	10	4		41
1		1	1	4		7	1	3	1	5	1	2	2	2		42
	1	2	2	4		4	6	2	2	3	4	3	2	1		43
								1	1							44
13	15	12	12	24	15	20	13	12	6	11	9	20	13	2	2	45
3	12	12	12	14	13	9	12	2	5	5	6	10	8	2		46
	2			5		2		2			1	3	3			47
					1	1				1					2	48
3	12	12	11	17	14	8	11	4	6	6	6	12	9	1	2	49
3	10	12	11	14	12	8	11	2	5	5	6	10	7	1		50
	1			3				1		1		1	2			51
					1					1					2	52

VITAL AND SOCIAL STATISTICS.

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 7.—REGION OF THE LAKES.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	Grand total.....	4,288	3,611	3,277	2,917	3,599	3,114	3,274	2,654	3,437	2,802
2	Under 5.....	1,599	1,265	1,315	1,065	1,477	1,178	1,313	982	1,363	1,077
3	60 and over.....	829	805	666	625	746	624	690	592	686	572
4	Unknown.....	13	11	18	10	23	12	18	13	23	7
5	Unknown causes—all ages.....	53	36	42	46	57	52	52	36	72	45
6	Under 5.....	27	14	11	20	22	26	28	20	29	22
7	60 and over.....	11	6	13	12	10	9	13	7	23	11
8	Unknown.....			2		2	2	1		2	2
9	I. General diseases:										
	General diseases—A—all ages.....	591	521	518	537	525	517	493	403	478	485
10	Under 5.....	309	279	257	237	269	261	266	214	252	243
11	60 and over.....	39	31	30	33	38	30	38	24	39	33
12	Unknown.....	4		1	2	2	1	1	1		1
13	1. Measles—all ages.....	29	33	21	29	33	43	35	38	52	51
14	Under 5.....	24	30	16	21	28	28	29	26	48	37
15	60 and over.....										
16	Unknown.....	2									
17	2. Scarlet fever—all ages.....	33	36	32	28	36	40	23	30	25	28
18	Under 5.....	25	18	21	16	24	30	11	19	18	16
19	60 and over.....					1			1		
20	Unknown.....										
21	3. Diphtheria—all ages.....	174	186	130	152	137	155	124	120	102	123
22	Under 5.....	94	95	76	69	83	83	73	59	53	65
23	60 and over.....	2			1					1	
24	Unknown.....										
25	4. Whooping cough—all ages.....	24	36	25	27	15	24	18	24	18	16
26	Under 5.....	21	33	23	24	15	24	17	22	18	16
27	60 and over.....		1								
28	Unknown.....										
29	5. Cerebro-spinal fever—all ages.....	9	9	12	7	24	18	21	13	24	14
30	Under 5.....	6	8	9	4	14	9	12	7	16	8
31	60 and over.....					1	2		2		
32	Unknown.....				1						
33	6. Enteric fever—all ages.....	93	58	111	102	98	73	66	29	76	78
34	Under 5.....	3	6	5	3	5	9	6	1	7	7
35	60 and over.....	3	5	5	4	9	1	6	1	7	4
36	Unknown.....	2		1	1			1			
37	7. Diarrheal diseases—all ages.....	175	105	132	125	120	104	134	85	119	115
38	Under 5.....	125	72	96	84	82	64	97	63	75	79
39	60 and over.....	17	11	12	11	13	15	10	9	19	13
40	Unknown.....										
41	8. Malarial fever—all ages.....	15	18	18	21	12	20	17	24	27	23
42	Under 5.....	1	6	4	3	2	5	6	2	4	3
43	60 and over.....	1	4	1	6	2	4	6	6	7	5
44	Unknown.....										
45	General diseases—B—all ages.....	91	65	68	46	69	41	56	41	81	39
46	Under 5.....	68	54	50	40	46	36	31	36	52	35
47	60 and over.....	2	1		2	3	1	5	3	5	1
48	Unknown.....					1		1			
49	1. Inanition—all ages.....	67	54	49	43	46	37	33	38	53	36
50	Under 5.....	66	52	48	39	45	36	31	36	51	35
51	60 and over.....	1	1		2				2	1	1
52	Unknown.....							1			

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued

GRAND GROUP 7.—REGION OF THE LAKES.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
2,416	1,991	3,240	2,837	3,597	3,071	3,308	2,725	2,859	2,565	2,655	2,230	2,868	2,480	278	218	1
1,003	816	1,803	1,612	1,935	1,630	1,580	1,369	1,123	983	1,039	805	1,105	918	94	59	2
440	340	417	364	547	479	545	425	562	520	515	436	540	461	47	43	3
14	11	21	8	23	11	18	6	14	9	13	7	22	11	27	18	4
46	39	51	36	66	40	50	51	56	34	45	44	52	45	52	36	5
28	19	28	18	43	15	28	32	27	14	20	14	20	25	18	12	6
8	9	11	3	10	12	9	6	15	10	11	13	10	6	13	9	7
	1	1		2		2				1	2	2	2	9	5	8
400	380	1,112	1,104	1,375	1,163	1,072	955	605	574	472	477	467	466	51	44	9
237	224	916	899	1,064	890	716	661	290	293	222	211	214	206	26	23	10
17	19	32	29	61	57	71	58	29	38	25	17	31	22	1	1	11
		4	1	5	4	5	3	2	3	2	1		2	2		12
24	16	14	11	7	13	6	4	3	4	11	11	20	17	3	3	13
23	12	13	10	6	10	5	4	3	2	9	7	14	12	1		14
										1						15
																16
30	28	20	24	23	16	20	19	21	20	27	13	27	36	2	2	17
21	21	14	12	16	11	14	13	15	13	17	8	22	16	1	1	18
				1		1			1				1			19
																20
106	100	73	77	87	95	115	135	154	159	161	209	171	195	18	15	21
49	56	35	41	51	46	64	69	84	85	87	106	85	92	12	9	22
								1					1			23
													1			24
20	20	25	24	33	45	33	35	12	16	8	18	17	23	1	-1	25
20	20	25	24	32	42	32	35	11	15	8	17	16	23	1	1	26
						1										27
																28
11	5	18	16	9	10	8	8	12	10	11	14	9	14			29
9	2	13	11	6	6	5	5	6	6	9	8	8	8			30
				1												31
									1							32
35	34	51	46	114	76	144	93	145	104	94	89	84	61	5	3	33
3		3	5	5	5	5	8	8	7	5			5	1		34
2	2		1	4	6	7	3	8	7	7	3	4	2			35
			1	2	2					2						36
131	126	860	857	1,045	858	673	584	197	183	103	77	80	64	13	16	37
103	102	802	782	934	756	581	510	163	144	73	53	51	38	6	11	33
9	9	18	24	45	46	41	38	11	16	5	10	9	8		1	39
		3		2	2	4	1							2		40
13	18	13	20	27	21	37	37	33	43	29	20	18	28	4	2	41
1	1		4	5	8	5	3	2	11	7	3	6	4	1	1	42
2	4	0	1	5	2	7	6	1	6	4	1	5	5			43
							2	2								44
50	31	70	57	89	60	72	43	81	38	63	30	69	53	4		45
30	26	56	52	61	51	52	38	49	29	37	26	46	35			46
8	2	3	2	6	2	3	1	4	3	5	2	2	2	1		47
				1	1					1		2	1			48
33	27	59	53	64	53	52	40	51	30	38	27	47	37			49
29	26	56	51	59	49	51	38	47	26	37	25	45	32			50
2	1	1	1	3	1		1	2	3	1	2	1	1			51
				1								1	1			52

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 7.—REGION OF THE LAKES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
2		2		3		1				1		3	1			1
		1										1				2
																3
																4
43	7	46	8	58	12	60	6	63	6	66	5	58	9	7		5
	1	1										1				6
4	1	1	4	7	2	2	4	2	6	4	1	5	1			7
				2					1	1		3		3		8
6		13		10		7		9		6	1	7				9
2		3		1		1		1				1				10
				1												11
																12
2		2	2	4	1						1	2				13
		1	1	1												14
																15
																16
7	5	8	4	1	4	7	3	2	4	7	2	2	4	1		17
						1		2		2		1				18
																19
																20
22	1	11	3	13	5	19	2	13	3	13	5	19		4		21
8		1	2	4	1	5	1	6	1	5		5		2		22
												1		1		23
																24
4		8	4	6	3	3	1	1			1					25
		1	2		1		1									26
1				1		1					1					27
																28

VITAL AND SOCIAL STATISTICS.

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 8.—INTERIOR PLATEAUS AND TABLE-LANDS.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	Grand total	5,360	4,895	4,362	4,101	4,761	4,360	4,776	4,220	4,989	4,534
2	Under 5	1,402	1,118	1,237	1,063	1,479	1,173	1,519	1,265	1,781	1,425
3	60 and over	1,440	1,504	1,213	1,203	1,307	1,222	1,299	1,142	1,255	1,175
4	Unknown	60	39	55	33	46	39	29	27	47	27
5	Unknown causes—all ages	146	126	126	119	133	123	123	122	170	167
6	Under 5	60	46	67	48	68	63	63	71	87	90
7	60 and over	35	40	23	26	32	22	30	20	43	30
8	Unknown	9		1	3	2	4	2	1	7	1
9	I.—General diseases: General diseases—A—all ages	612	555	527	509	629	564	707	567	985	961
10	Under 5	253	220	225	229	277	247	342	247	538	516
11	60 and over	62	50	43	50	58	49	71	69	90	87
12	Unknown	1	3	6	2	4		4	2	6	4
13	1. Measles—all ages	28	29	43	43	66	79	91	66	81	107
14	Under 5	23	26	29	27	47	60	62	42	62	64
15	60 and over				1	2	2		1		1
16	Unknown										
17	2. Scarlet fever—all ages	33	24	16	32	30	35	31	33	37	31
18	Under 5	22	11	12	23	20	20	28	21	19	20
19	60 and over		1				1				
20	Unknown										
21	3. Diphtheria—all ages	152	141	106	130	96	122	85	90	102	86
22	Under 5	84	76	57	66	49	54	54	41	48	46
23	60 and over			2			1	1	2	1	1
24	Unknown										
25	4. Whooping cough—all ages	28	40	26	42	41	45	42	37	49	49
26	Under 5	27	38	26	40	40	35	40	31	47	41
27	60 and over	1					1		1		1
28	Unknown										
29	5. Cerebro-spinal fever—all ages	12	7	5	7	20	14	18	12	19	19
30	Under 5	8	2	4	3	8	8	12	4	12	10
31	60 and over				1	3					1
32	Unknown										
33	6. Enteric fever—all ages	148	125	150	85	126	87	131	84	143	125
34	Under 5	5	4	6	3	4	3	2	6	8	14
35	60 and over	7	9	12	7	7	6	10	3	8	12
36	Unknown		1	2	1			1		1	1
37	7. Diarrheal diseases—all ages	120	110	114	99	156	105	194	152	443	410
38	Under 5	66	46	73	48	95	51	122	89	321	290
39	60 and over	24	27	15	24	16	21	24	32	45	42
40	Unknown		2	3		1		2		5	1
41	8. Malarial fever—all ages	34	26	24	20	41	31	37	28	42	54
42	Under 5	5	5	3	6	6	4	5	3	10	10
43	60 and over	13	4	4	4	13	4	8	9	8	10
44	Unknown			1	1	1			1		1
45	General diseases—B—all ages	86	60	75	34	77	48	52	50	74	53
46	Under 5	44	41	44	24	30	34	25	38	36	32
47	60 and over	10	5	10	2	15	10	10	6	9	7
48	Unknown	4	1			1	1			1	
49	1. Inanition—all ages	47	47	47	25	41	41	31	39	40	31
50	Under 5	40	39	40	21	35	29	25	30	29	26
51	60 and over	3	3	4	2	5	9	6	5	7	5
52	Unknown	3					1			1	

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 8.—INTERIOR PLATEAUS AND TABLE LANDS—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
2		2		3		1		2			1	3			1
															2
															3
1												1			4
45	6	61	2	46	5	47	7	61	4	60		68	2	10	5
1	3	1	1			2									6
6		7		5	1	6	2	10		5		6		1	7
3	1			1	1	1		2		4		4		2	8
4	1	5		4		6		4		8		2	1		9
						2				1		1			10
										1					11
															12
1		1	2	1	2				1	2					13
1									1						14
				1						1					15
															16
8	5	5	2	1	3	3	1	3	1		2	3	1		17
															18
3	1		1										1		19
															20
15	4	15	3	14	2	15	2	19	1	9	6	8	5		21
															22
4	1	4		3		6		5		4		1	3		23
1		1		2				1							24
2		10	1	4	1	2		2							25
															26
		3	1	1											27
				1				2							28

VITAL AND SOCIAL STATISTICS.

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF
GRAND GROUP 9.—SOUTH CENTRAL APPALACHIAN REGION.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	Grand total	1,580	1,445	1,822	1,777	2,140	1,977	1,951	1,792	2,500	2,569
2	Under 5	552	476	686	535	767	618	675	571	1,091	938
3	60 and over	315	242	328	330	436	359	402	339	430	417
4	Unknown	20	20	29	22	38	25	21	27	43	23
5	Unknown causes—all ages	108	98	105	131	157	131	137	123	161	166
6	Under 5	61	60	69	79	97	75	73	74	110	88
7	60 and over	20	17	16	19	27	18	23	16	10	28
8	Unknown	3	2	3	4	5	3	3	8	9	4
9	I.—General diseases: General diseases—A—all ages	287	243	316	287	367	338	412	357	719	740
10	Under 5	112	94	136	116	161	150	184	168	428	398
11	60 and over	32	20	22	24	31	24	32	25	58	54
12	Unknown	4	2	4	3	4	4	6	2	8	9
13	1. Measles—all ages	27	25	48	48	86	86	81	87	92	109
14	Under 5	13	14	30	25	45	42	50	52	60	59
15	60 and over	2	1	3	4	2	1	1	3	2	2
16	Unknown				1						1
17	2. Scarlet fever—all ages	5	1	7	3	5	8	4	2	4	3
18	Under 5	3		7	3	2	3	2	2	2	2
19	60 and over										
20	Unknown										
21	3. Diphtheria—all ages	25	31	23	26	16	23	10	16	7	22
22	Under 5	13	15	15	12	8	15	7	8	3	13
23	60 and over	1									
24	Unknown	1		1							1
25	4. Whooping cough—all ages	20	20	31	32	38	40	33	37	27	42
26	Under 5	19	18	25	29	33	36	29	31	23	37
27	60 and over					1				1	
28	Unknown						1	1			1
29	5. Cerebro-spinal fever—all ages	14	7	10	13	11	7	13	9	10	13
30	Under 5	8	2	7	6	6	4	8	3	2	8
31	60 and over									2	
32	Unknown									2	
33	6. Enteric fever—all ages	61	56	81	67	75	53	87	50	102	91
34	Under 5	4	8	9	9	3	5	6	4	13	11
35	60 and over	5	3	3	5	12	4	4	2	11	5
36	Unknown	2	1	1		1	1	1	1	1	1
37	7. Diarrheal diseases—all ages	75	40	67	40	78	58	108	94	410	370
38	Under 5	37	21	36	21	46	36	61	54	305	242
39	60 and over	13	5	8	6	7	8	17	10	30	36
40	Unknown	1		1	1	2	1	1	1	7	4
41	8. Malarial fever—all ages	30	21	18	29	23	19	33	26	28	44
42	Under 5	5	3	3	5	5	1	11	3	2	11
43	60 and over	4	3	3	3	2	2	6	5	7	5
44	Unknown				1	1					1
45	General diseases—B—all ages	13	12	15	14	17	10	14	12	29	26
46	Under 5	6	8	8	6	7	7	11	8	17	20
47	60 and over	1	1	1	1	1			2	1	1
48	Unknown	1			1	2					
49	1. Inanition—all ages	6	7	4	4	4	2	7	7	7	11
50	Under 5	5	5	4	3	3	2	7	6	7	9
51	60 and over		1		1						1
52	Unknown					1					

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 9.—SOUTH CENTRAL APPALACHIAN REGION.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,641	1,584	1,645	1,621	1,732	1,547	1,520	1,430	1,503	1,299	1,276	1,150	1,342	1,162	586	482	1
754	640	786	707	708	612	665	522	583	457	483	370	474	380	209	186	2
254	232	238	214	235	220	197	177	277	208	229	166	261	185	91	77	3
35	23	22	28	31	13	28	17	19	13	18	8	20	17	65	41	4
138	106	112	97	107	108	110	113	104	74	81	79	86	83	150	112	5
90	66	79	56	75	64	75	68	57	38	45	41	58	40	58	48	6
13	13	7	8	10	18	7	11	16	17	17	9	9	12	17	14	7
11	5	6	5	5	3	5	3	4	3	6	2	23	15	8
547	530	654	616	676	528	527	490	428	369	272	277	245	218	105	92	9
337	314	388	372	305	258	241	194	185	153	110	95	98	81	38	44	10
46	42	41	47	33	38	39	37	33	31	30	21	25	17	10	8	11
3	4	4	8	8	3	6	3	1	2	3	2	4	3	14	8	12
24	33	6	8	9	13	21	6	6	6	10	11	18	10	8	8	13
17	17	5	4	3	11	13	3	4	3	8	4	17	6	5	3	14
1	1	2	1	2	2	2	15
.....	16
5	6	4	1	3	6	5	7	4	9	3	6	2	3	3	1	17
3	4	4	1	2	5	4	1	2	4	1	3	2	3	1	18
.....	19
.....	20
9	6	10	15	31	36	61	82	76	78	39	58	30	31	5	11	21
4	3	7	8	12	17	36	36	44	36	24	24	17	12	2	7	22
.....	1	1	1	1	23
.....	24
13	22	19	29	12	15	17	26	22	20	11	18	13	24	8	7	25
13	19	19	27	12	14	17	25	17	17	10	17	12	19	6	6	26
.....	1	27
.....	1	28
16	17	8	9	6	7	8	5	3	4	8	8	9	9	3	2	29
10	9	5	8	3	3	2	3	2	1	4	7	6	7	1	30
.....	1	2	31
1	1	1	2	1	32
75	59	106	85	182	108	142	115	115	85	72	74	68	58	24	14	33
8	10	12	11	16	11	17	8	6	6	6	6	4	4	2	34
4	8	8	7	9	6	10	6	7	11	10	5	4	8	2	35
.....	4	2	3	1	1	2	2	1	36
347	323	407	384	329	259	192	167	133	93	67	52	55	44	32	31	37
264	237	305	290	230	176	126	102	88	62	42	23	25	25	17	19	38
32	26	22	34	15	23	16	24	16	11	9	9	12	4	4	4	39
1	2	2	6	4	1	3	1	1	3	3	1	40
35	26	51	55	61	53	52	50	37	43	29	15	21	23	9	9	41
9	7	17	12	15	12	13	11	7	13	3	5	3	5	2	2	42
5	5	3	5	5	5	5	4	5	4	3	2	4	2	43
.....	1	1	1	1	2	1	1	44
20	15	16	24	26	24	18	11	15	15	15	5	13	11	3	2	45
11	14	10	18	14	16	9	9	10	12	7	2	7	10	2	46
2	1	3	3	2	1	1	1	3	3	1	47
2	1	1	1	1	48
11	10	6	15	13	15	9	7	9	10	6	2	4	8	1	49
10	9	6	13	9	10	7	6	9	9	4	1	4	7	1	50
.....	2	2	2	2	1	1	2	1	51
.....	52

VITAL AND SOCIAL STATISTICS.

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 9.—SOUTH CENTRAL APPALACHIAN REGION—Continued.

CAUSE OF DEATH AND AGE	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
I.—General diseases—Continued.										
1 General diseases—C—all ages	136	133	141	116	186	126	152	137	202	168
2 Under 5	112	101	111	77	147	95	117	90	172	118
3 60 and over	19	29	24	36	37	24	30	44	28	42
4 Unknown		1	2	1		3	1	1	1	1
5 1. Debility and atrophy—all ages	29	30	32	24	42	43	36	37	43	45
6 Under 5	23	22	20	13	36	32	25	24	37	31
7 60 and over	1	6	8	8	4	5	6	10	3	6
8 Unknown			1	1		2	1	1	2	1
9 2 Old age—all ages	18	23	16	28	33	20	24	35	25	37
10 60 and over	18	23	16	28	33	19	24	34	25	36
11 Unknown						1		1		1
12 General diseases—D—all ages	250	369	268	403	348	453	358	415	408	588
13 Under 5	12	19	31	25	25	22	28	22	42	25
14 60 and over	59	63	51	63	71	78	82	60	109	91
15 Unknown	5	6	2	6	7	5	4	6	4	3
16 1. Consumption—all ages	163	253	175	298	245	312	226	306	239	397
17 Under 5	2	5	8	13	10	9	10	11	14	7
18 60 and over	22	20	16	24	36	28	32	21	41	38
19 Unknown	2	6	2	3	6	3	3	5	2	3
20 II.—Diseases of the nervous system—all ages	126	101	185	133	176	146	154	124	192	205
21 Under 5	49	34	70	42	53	43	60	35	76	93
22 60 and over	39	27	58	35	63	52	46	45	56	54
23 Unknown	2	2	1		3	1	1	2	2	1
24 III.—Diseases of the respiratory system—all ages	357	257	483	431	515	454	366	332	346	287
25 Under 5	161	120	202	153	210	177	136	125	173	132
26 60 and over	57	32	63	102	105	107	94	78	50	48
27 Unknown	2	3	7	4	8	3		4	9	2
28 IV.—Affections connected with pregnancy—all ages		46		58		66		52		73
29 V.—Accidents and injuries—all ages	146	43	124	41	160	60	145	42	180	61
30 Under 5	16	14	26	8	35	19	24	12	20	25
31 60 and over	12	6	12	6	11	9	10	3	16	8
32 Unknown	2	1	5	1	4	1	1		4	
33 1. Burns and scalds—all ages	6	22	8	17	20	21	7	13	11	10
34 Under 5	4	9	7	3	16	6	3	3	6	6
35 60 and over		1	1	1	2	1	1		1	1
36 Unknown										
37 2. Drowned—all ages	7		15	1	14	3	20	3	22	8
38 Under 5			1	1	1	1	7		3	2
39 60 and over			1		1				1	
40 Unknown			1		2					
41 3. Exposure and neglect—all ages	5	9	4	1	7	8	5	4	6	4
42 Under 5	2	2	2	1	3	1	5	2	3	1
43 60 and over	3	1	1		1	4				
44 Unknown										
45 4. Gunshot wounds—all ages	16		15	2	12	2	17		18	1
46 Under 5										1
47 60 and over			1						1	
48 Unknown			2							
49 5. Homicide—all ages	11		15	2	23	2	16	1	24	5
50 Under 20	1		4		4	1	1	1	2	1
51 60 and over										
52 Unknown	1				1					

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 10.—OHIO VALLEY.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	Grand total.....	1,895	1,561	1,883	1,611	2,052	1,902	1,880	1,642	1,831	1,667
2	Under 5.....	596	428	600	505	623	575	587	521	630	511
3	60 and over.....	431	344	473	334	511	435	498	339	446	351
4	Unknown.....	18	11	27	11	21	19	23	13	16	12
5	Unknown causes—all ages.....	36	43	65	53	69	49	43	50	52	52
6	Under 5.....	15	15	30	31	33	21	15	22	25	28
7	60 and over.....	10	12	18	9	13	6	14	10	14	9
8	Unknown.....		1	5		4	2	1	1	3	2
9	I.—General diseases:										
	General diseases—A—all ages.....	267	226	271	257	279	309	291	249	339	313
10	Under 5.....	138	88	131	124	124	156	128	132	176	160
11	60 and over.....	20	19	27	17	24	24	36	14	40	25
12	Unknown.....	2	1	2			1	7		2	1
13	1. Measles—all ages.....	22	14	33	29	43	60	38	52	48	55
14	Under 5.....	15	7	26	17	32	37	26	30	37	37
15	60 and over.....						1	2	2		
16	Unknown.....										
17	2. Scarlet fever—all ages.....	10	5	6	6	8	6	10	1	8	6
18	Under 5.....	7	2	4	2	4	4	5		7	5
19	60 and over.....										
20	Unknown.....										
21	3. Diphtheria—all ages.....	54	58	46	50	35	46	38	37	40	42
22	Under 5.....	26	23	20	27	15	33	20	23	21	20
23	60 and over.....						3	2			
24	Unknown.....										
25	4. Whooping cough—all ages.....	26	35	40	48	34	49	23	29	28	32
26	Under 5.....	23	30	37	44	29	42	22	27	23	26
27	60 and over.....										
28	Unknown.....									1	1
29	5. Cerebro-spinal fever—all ages.....	10	7	8	10	11	13	20	14	13	13
30	Under 5.....	7	5	7	4	7	6	10	8	7	7
31	60 and over.....							1			
32	Unknown.....							1			
33	6. Enteric fever—all ages.....	46	45	57	46	63	51	51	35	53	49
34	Under 5.....	3		6	4	5	5	2	5	3	2
35	60 and over.....	4	2	4	1	1		4	1	6	4
36	Unknown.....			1				3		1	
37	7. Diarrheal diseases—all ages.....	59	32	44	29	41	42	59	41	99	82
38	Under 5.....	40	14	21	14	18	21	30	25	65	54
39	60 and over.....	8	8	13	7	10	10	8	7	17	15
40	Unknown.....		1					1			
41	8. Malarial fever—all ages.....	14	11	16	11	13	11	17	13	19	12
42	Under 5.....	8	2	5	3	7	2	3	3	3	2
43	60 and over.....		2	2	3	2	3	6	1	6	1
44	Unknown.....	1		1							
45	General diseases—B—all ages.....	38	12	27	20	28	31	24	19	40	31
46	Under 5.....	22	8	18	14	16	29	10	17	24	22
47	60 and over.....	4	1	3	1	4		2	1	1	1
48	Unknown.....					1		1			1
49	1. Inanition—all ages.....	22	10	20	12	17	25	9	15	23	22
50	Under 5.....	21	8	18	12	16	25	8	14	22	19
51	60 and over.....	1		2				1	1		
52	Unknown.....					1					1

STATISTICS OF DEATHS.

863

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 10.—OHIO VALLEY.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,491	1,317	1,659	1,448	1,507	1,394	1,441	1,264	1,426	1,259	1,280	1,203	1,347	1,204	370	292	1
607	504	751	616	584	534	476	425	487	377	388	367	469	343	114	94	2
295	232	325	235	341	241	318	251	322	256	332	260	299	268	80	57	3
23	21	18	23	14	10	7	20	8	12	14	14	14	4	30	16	4
57	38	51	44	49	42	51	43	35	39	37	38	52	31	58	44	5
32	19	25	22	18	24	21	16	18	20	14	18	18	17	16	17	6
9	7	10	7	16	5	13	12	5	6	12	4	19	7	12	10	7
4	1	1	3				3		3		1	1		14	6	8
324	279	506	417	442	467	396	351	379	294	253	273	201	193	75	59	9
208	170	326	274	260	237	182	158	157	106	106	115	98	71	30	24	10
20	21	48	31	38	49	30	35	37	25	22	22	16	22	7	3	11
3	3	3	4	1	1		4	1	2	3	2	2		3		12
40	30	25	28	11	16	6	10	6	2	7	6	15	6	6	2	13
27	23	21	23	9	12	4	4	3		4	3	11	5	5	2	14
	1											1				15
																16
4	7	4	7	6	7	12	8	14	7	15	13	8	10	3		17
2	2	2	4	4	5	9	5	10	3	8	11	4	5	3		18
										1						19
																20
27	35	24	29	43	50	82	55	110	91	88	98	57	56	5	4	21
23	20	11	15	25	25	41	24	55	40	52	46	38	28	4	2	22
1	1	1						1	1			1	1			23
1									1							24
14	14	16	22	20	21	11	16	11	13	5	9	14	10	3	8	25
11	13	15	20	20	20	11	16	10	12	5	6	13	10	2	8	26
1			1													27
																28
10	10	8	14	6	4	4	7	2	5	8	8	4	2	5	2	29
8	3	5	9	5	2	3	5	2	3	6	5	2	1	1	1	30
		1														31
																32
30	31	52	32	61	75	74	57	87	66	55	65	43	45	19	20	33
3	1	7	3	4	6	3	4	12	4	4	8	3	5	1	1	34
2	4	6	2	7	7	3	3	6	5	3	7	1	3	2	2	35
1		2	1	1			1			2	2	1		1		36
154	127	336	251	247	247	150	140	99	68	39	48	34	36	20	16	37
128	103	262	193	175	157	92	88	52	37	16	27	20	12	12	9	38
5	8	29	28	26	36	18	21	20	12	9	9	5	10	3		39
2		2	2	1	1		2		1							40
13	11	19	19	29	25	39	38	21	25	18	12	9	7	9	3	41
5	1	2	4	11	5	15	7	4	4	7	3	1	1	1		42
3	4	4		4	1	4	4	4	4	2	3	2	1	1		43
	1							1						1		44
43	30	50	38	35	29	33	23	36	25	23	11	34	20	2	5	45
29	26	42	36	23	27	20	20	29	23	15	6	17	13	1	1	46
1	2	2	1	5		2	1	3	1	4	1	6	4	1	1	47
		1														48
30	30	39	36	23	26	20	21	26	22	13	8	19	16	1	2	49
29	26	37	36	22	26	20	19	25	22	13	5	16	12	1	1	50
	2	1		1			1	1			1	2	2			51
		1														52

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF
GRAND GROUP 10—OHIO VALLEY—Continued.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
I.—General diseases—Continued.										
1 General diseases—C—all ages	156	123	154	129	154	157	191	133	186	143
2 Under 5.....	101	68	118	84	119	84	144	83	138	93
3 60 and over.....	52	49	33	42	33	08	43	46	44	43
4 Unknown.....	1	1	1	2		1	1	2	1	
5 1. Debility and atrophy—all ages.....	39	34	38	26	34	43	33	35	41	37
6 Under 5.....	18	14	22	13	23	17	16	14	21	23
7 60 and over.....	19	15	13	11	9	22	14	17	17	7
8 Unknown.....			1	1				2		
9 2. Old age—all ages.....	34	33	20	32	24	48	30	29	28	36
10 60 and over.....	33	33	20	31	24	47	29	29	27	36
11 Unknown.....	1		1		1	1	1		1	
12 General diseases—D—all ages	369	400	367	349	416	395	364	431	334	448
13 Under 5.....	34	27	26	22	32	20	28	49	35	22
14 60 and over.....	60	62	77	48	101	62	76	67	72	86
15 Unknown.....	7	5	3	3	6	4	3	1	1	5
16 1. Consumption—all ages.....	278	299	279	259	280	305	271	315	244	310
17 Under 5.....	18	12	10	11	10	13	9	22	13	11
18 60 and over.....	25	31	45	20	47	35	41	31	38	33
19 Unknown.....	4	4	3	2	4	3	1	1	1	3
20 II.—Diseases of the nervous system—all ages	204	170	191	155	213	168	241	183	239	188
21 Under 5.....	84	60	90	62	92	66	95	73	101	76
22 60 and over.....	54	45	54	37	55	46	76	44	69	64
23 Unknown.....	1	1	2	2		3	1	3		1
24 III.—Diseases of the respiratory system—all ages	438	345	409	391	440	425	331	284	221	178
25 Under 5.....	154	125	148	142	160	144	125	113	77	66
26 60 and over.....	101	97	133	104	117	137	94	76	66	39
27 Unknown.....	3	1	7	2	2				3	
28 IV.—Affections connected with pregnancy—all ages		39		44		51		39		46
29 V.—Accidents and injuries—all ages	129	35	95	25	161	68	123	40	151	36
30 Under 5.....	20	18	10	8	14	23	15	12	19	9
31 60 and over.....	17	8	22	8	14	5	22	7	19	7
32 Unknown.....	3		2	1	6	2	1	2	2	
33 1. Burns and scalds—all ages.....	17	14	3	6	17	14	5	9	7	5
34 Under 5.....	7	6	2	4	6	5	4	4	5	1
35 60 and over.....	1	3	1		2	3		2		
36 Unknown.....										
37 2. Drowned—all ages.....	22		11		13	3	9	3	22	
38 Under 5.....							2	1	2	
39 60 and over.....	1		1				1		1	
40 Unknown.....								1		
41 3. Exposure and neglect—all ages.....	2	4	1	2	3	5	2		2	3
42 Under 5.....	1	3	1	1	1	5	2		1	2
43 60 and over.....		1							1	
44 Unknown.....				1						
45 4. Gunshot wounds—all ages.....	6		6	1	3	1	7	1	6	1
46 Under 5.....										
47 60 and over.....							1			
48 Unknown.....									1	
49 5. Homicide—all ages.....	3		2		2		7		10	
50 Under 5.....	1				1					
51 60 and over.....			1							
52 Unknown.....							1			

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 10—OHIO VALLEY—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Ma.le.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
137	113	140	140	150	144	128	124	136	132	132	107	152	124	39	35	1
115	74	110	95	113	80	103	84	101	81	95	63	119	82	26	20	2
21	36	25	40	30	57	23	35	30	47	31	43	32	40	10	15	3
		1	1	1	2			2		2		1		2		4
46	33	38	42	41	42	29	29	26	27	27	23	23	28	9	6	5
33	16	24	22	21	21	19	14	16	10	11	10	14	12	6	2	6
12	14	10	15	14	15	8	10	7	13	11	12	9	14		4	7
			1		1					1				2		8
9	22	15	26	17	43	15	25	25	34	21	31	24	26	10	11	9
9	22	15	25	16	42	15	25	23	34	20	31	23	26	10	11	10
			1	1	1			2		1		1				11
259	321	231	306	234	278	232	303	206	296	217	263	241	314	47	54	12
25	24	22	22	20	25	10	22	16	21	8	15	20	21	4	5	13
59	47	58	53	61	29	48	51	55	52	62	46	52	49	13	7	14
1	11	5	7	3	2	4	8	3	2	3	3	3	3	3	3	15
173	227	152	206	142	202	165	217	134	212	150	178	161	220	30	36	16
11	11	12	11	8	14	2	12	3	11	1	6	5	13		2	17
19	21	23	13	25	11	22	24	20	20	25	22	27	16	5	2	18
1	8	3	6	1	1	2	6	2	2	3	2	2	2	2	1	19
173	160	223	166	176	118	164	119	156	112	148	134	156	118	28	21	20
89	84	117	78	71	58	61	48	55	42	54	57	61	46	13	9	21
43	37	50	35	51	29	62	35	44	30	44	38	42	41	4	6	22
2	1	1		2	1		2		2		3	2		1	1	23
155	141	102	87	100	78	106	81	156	132	175	173	202	184	52	35	24
64	65	51	44	37	42	40	33	71	57	68	61	95	68	16	14	25
36	21	25	13	21	16	28	20	36	26	49	44	41	51	14	5	26
3	2	1	1	1				1	1	1	2			2	3	27
	30		30		39		24		23		19		31		7	28
109	34	131	41	104	20	98	21	99	31	92	32	91	35	25	8	29
17	8	12	11	9	8	3	1	12	7	8	11	12	6	3	1	30
7	10	13	7	12	4	16	7	12	5	13	7	9	12	3	1	31
5		3		3		1		1	2	4		2		1		32
2	4	2	3		6		4	9	7	6	9	7	7	2	3	33
2			2		4			7	2	4	5	5		2		34
	1	1			1				1	1	2					35
																36
22	2	34	13	18	1	4	1	3		5	4	2		2	1	37
3		2	3	2			1	1			2	1			1	38
	1							1				1				39
		2														40
				1				1	1	1		2	1			41
				1				1	1	1		1				42
																43
																44
9		7		4		6		8		10		11	1	4		45
				1												46
1						1								1		47
																48
4	1	4	1	6		2		2	2	2	1	5		1		49
		1	1	1						1	1	1				50
	1	1		1		1				1						51
1										1						52

STATISTICS OF DEATHS.

869

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 11.—SOUTH INTERIOR PLATEAUS AND TABLE-LANDS.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,731	1,873	1,826	1,870	1,981	2,056	1,922	1,925	1,800	1,711	1,368	1,301	1,522	1,459	855	798	1
775	893	799	709	839	752	797	704	690	569	467	406	501	445	306	242	2
265	257	270	248	299	273	263	256	312	257	258	221	286	249	154	116	3
24	17	14	22	26	37	32	31	16	20	11	18	13	16	61	49	4
134	182	163	172	204	225	173	173	177	160	111	118	123	127	188	186	5
89	87	91	97	126	121	98	97	109	63	63	51	79	75	76	67	6
17	22	15	21	15	20	21	12	15	17	18	22	14	20	26	23	7
4	3	2	3	4	8	4	6	3	5	3	3	4	5	29	27	8
596	599	683	645	760	756	706	652	540	469	347	286	265	266	187	180	9
355	300	373	323	358	343	330	262	215	197	131	118	101	102	81	75	10
14	59	57	54	55	68	47	60	59	51	32	27	29	28	17	23	11
8	3	4	4	14	12	7	7	7	8	1	5	1	1	7	6	12
33	36	24	20	24	27	20	22	10	11	11	9	20	22	20	20	13
21	22	16	13	15	18	12	12	5	5	8	4	11	14	8	11	14
				1	1			1					1		2	15
1	1	2	1	2	3	4	1	2		1		1	1	2		16
1	1	2	1	1	2	3		2		1			1	2		17
							1									18
																19
																20
3	5	9	11	16	20	40	40	25	32	16	23	8	8	9	9	21
2	3	8	8	10	14	30	29	13	23	11	17	4	5	6	4	22
								2		1	1		1			23
																24
15	12	16	10	18	25	20	17	16	23	20	15	9	15	3	6	25
14	11	15	17	13	24	19	15	16	20	19	12	8	13	3	5	26
									1							27
																28
5	2	6	3	7	7	4	3	1	1	5	3	8		1	1	29
4		6	1	6	4	2		1	1		1	1		1	1	30
				1												31
																32
76	83	102	117	146	119	131	152	108	96	72	64	53	59	28	28	33
17	11	16	18	23	16	19	24	9	11	12	9	9	6	7	3	34
7	3	5	6	6	10	8	11	10	7	8	2	9	5	2	2	35
1		2	1	3	1	2	1		3		1	1		1	2	36
341	308	350	304	307	299	211	186	150	134	95	71	65	60	54	65	37
250	203	250	213	217	185	162	112	106	87	53	41	37	31	33	36	38
28	37	31	32	27	34	16	22	18	22	12	12	10	5	5	11	39
5	2		2	6	3	3	1	2	2		2			1	3	40
78	106	114	120	193	191	227	187	182	144	92	80	66	66	52	36	41
26	32	40	36	48	54	66	54	45	37	18	25	17	18	13	13	42
5	12	13	10	16	18	15	19	24	19	11	10	7	14	8	6	43
2	1	1		4	6	1	4	2	3				1	4	1	44
26	21	26	18	31	17	37	23	12	12	25	12	19	8	12	7	45
12	14	19	15	15	15	19	18	5	7	9	8	7	5	3	4	46
1	3	2		6		2		1	1	3	1	2		1		47
1		1												2		48
6	6	12	12	7	6	11	9	5	7	12	7	3	2	2	1	49
4	4	12	10	6	5	9	6	4	6	8	6	3	2	1		50
1	1			1				1	1		1			1		51
																52

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF
GRAND GROUP 11.—SOUTH INTERIOR PLATEAUS AND TABLE LANDS—Continued.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	I.—General diseases—Continued.										
	General diseases—C—all ages	121	125	143	121	162	149	160	142	229	186
2	Under 5	84	95	111	82	129	106	125	99	183	126
3	60 and over	32	25	29	35	31	40	32	41	39	57
4	Unknown			1	3	1	1				1
5	1. Debility and atrophy—all ages	20	28	15	19	30	39	34	30	39	30
6	Under 5	13	14	11	13	21	26	21	18	26	20
7	60 and over	3	10	2	5	7	10	11	10	7	8
8	Unknown					1	1				
9	2. Old age—all ages	29	15	25	32	27	30	21	31	32	50
10	60 and over	29	15	24	30	27	30	21	31	32	49
11	Unknown			1	2						1
12	General diseases—D—all ages	249	314	256	353	360	460	317	435	375	594
13	Under 5	23	13	21	17	35	34	23	31	29	30
14	60 and over	57	48	42	48	68	52	65	60	75	82
15	Unknown	3	5	6	4	6	8	3	2	5	8
16	1. Consumption—all ages	146	222	175	241	252	317	208	295	231	403
17	Under 5	2	9	12	8	18	14	9	12	9	16
18	60 and over	23	22	16	14	29	17	26	17	27	31
19	Unknown	3	5	5	3	5	7	3	1	2	6
20	II.—Diseases of the nervous system—all ages	158	125	159	116	167	126	146	172	227	212
21	Under 5	46	37	44	32	54	38	45	51	85	76
22	60 and over	58	38	41	38	53	32	52	42	64	61
23	Unknown	2	2		2	3	4	1	1	1	2
24	III.—Diseases of the respiratory system—all ages	445	358	496	447	570	475	427	354	333	318
25	Under 5	162	122	169	154	205	180	151	134	144	121
26	60 and over	56	59	74	73	96	73	83	54	55	67
27	Unknown	3	3	3	1	1	3	3	1	1	1
28	IV.—Affections connected with pregnancy—all ages		74		83		109		81		141
29	V.—Accidents and injuries—all ages	164	74	141	81	157	99	167	67	210	87
30	Under 5	32	27	52	40	52	40	48	35	60	48
31	60 and over	15	9	12	5	20	10	19	7	18	6
32	Unknown	1	2	4	1	3	1	4	1	2	
33	1. Burns and scalds—all ages	22	22	21	40	24	47	29	24	11	33
34	Under 5	11	8	16	18	7	17	21	11	8	20
35	60 and over	3	4	1	2	2	4	3	1		3
36	Unknown	1									
37	2. Drowned—all ages	6		7	1	7	3	11	2	21	3
38	Under 5	1		2		2	1				2
39	60 and over	1				1		2		2	
40	Unknown										
41	3. Exposure and neglect—all ages	5	11	7	5	8	13	3	6	16	5
42	Under 5	3	4	6	5	5	8	3	5	15	4
43	60 and over		1				3			1	
44	Unknown		1								
45	4. Gunshot wounds—all ages	36	4	16	1	17	1	24	1	20	3
46	Under 5	1							1		
47	60 and over					2				1	
48	Unknown					2					
49	5. Homicide—all ages	20	2	11	1	12		12	1	20	3
50	Under 20	4			1	3		4		5	2
51	60 and over	1		2		3		1		2	
52	Unknown			1				1			

STATISTICS OF DEATHS.

871

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 11.—SOUTH INTERIOR PLATEAUS AND TABLE LANDS—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
115	116	106	96	135	97	136	127	124	106	98	102	117	102	70	46	1
04	76	81	65	100	61	106	84	93	68	75	75	88	64	53	33	2
18	36	23	31	34	32	26	39	29	36	20	25	26	35	15	10	3
2	1				3	1						1	1	2	2	4
26	24	28	19	37	21	34	30	24	17	24	18	19	19	7	7	5
20	11	16	11	29	11	21	17	16	7	17	12	11	12	4	3	6
4	10	9	8	7	7	9	9	6	9	4	4	6	4	1	2	7
1		1			2	1							1	2	1	8
15	25	14	23	27	26	17	30	23	27	16	21	20	31	14	9	9
14	25	14	23	27	25	17	30	23	27	16	21	20	31	14	8	10
1					1									1	1	11
244	380	234	342	223	340	235	322	226	293	189	262	221	283	115	131	12
18	24	29	21	30	16	24	30	25	22	17	12	20	17	13	10	13
55	48	51	40	50	58	46	48	47	49	45	44	49	41	26	14	14
2	3	3	6	3	3	8	3	1	3	1	7		2	8	7	15
151	258	153	221	119	216	144	198	139	178	110	157	141	187	73	88	16
8	12	13	7	6	4	7	9	9	1	3	2	5	7	4	3	17
17	17	25	17	14	20	12	13	13	15	10	14	13	13	11	6	18
2	2	3	3	3	2	5	1		2	1	2			5	7	19
127	126	154	145	141	129	160	144	144	136	125	95	112	129	51	40	20
41	48	53	52	52	43	67	59	50	42	31	25	29	33	14	8	21
34	28	39	27	32	31	27	26	32	25	39	28	29	35	13	7	22
1	1		3		1		2	1		2	2	3		4		23
178	139	137	106	131	115	152	141	190	184	212	167	317	254	104	87	24
85	69	69	51	61	58	75	71	94	89	80	66	107	92	33	28	25
26	19	15	13	22	14	21	18	32	20	50	27	57	39	16	14	26
3	2	2	1		1		4	1	3	2		3	4	4	1	27
	75		76		87		76		80		55		83		28	28
114	57	119	40	129	59	117	54	148	67	119	58	175	68	48	20	29
23	26	22	12	21	20	26	20	33	28	34	26	26	31	19	8	30
5	5	12	8	14	10	8	4	15	7	13	8	12	8	2	2	31
1		1		3	4	4	4	1		1		1	1	3	3	32
10	15	7	12	2	12	11	19	26	29	23	32	10	30	12	8	33
6	7	5	3	2	5	8	7	15	11	18	16	6	11	9	5	34
			1		1		2		2		3		2			35
						1	1							1		36
15	1	17	3	12	1	5		2		3	2	2		4		37
2		2	1	2	1	1		1			2			1		38
		1		2						1						39
																40
1	5	3	1	5	3	1	5	6	7	2	1	5	5	3	1	41
1	4	2	1	3	2		4	1	3	1	1	2	3	3		42
				2	1	1	1	5				1	1			43
														1	1	44
12	1	16	2	11	3	21	3	19		13		30	3	5		45
2		1						2		1						46
1				1		1		1		1				1		47
																48
10	1	14		18	4	14	2	15	1	15	1	39	1	6	1	49
		1		2	1	3	2	1				6		2		50
		1			1			2		2		2		1		51
										1					1	52

STATISTICS OF DEATHS.

873

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 11.—SOUTH INTERIOR PLATEAUS AND TABLE-LANDS—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
					1		3		10		1		9			1
																2
							1				1		1			3
																4
9	3	11		9			7		10		17	1	15		2	5
							2									6
		1									3	1				7
																8
		2		4			3						2			9
				1												10
							1									11
																12
	1			1												13
																14
																15
																16
1	1			1		1	1		1	2						17
							1			1						18
																19
																20
	1	1	1	1	1	4		2	1	1		2	1			21
							1									22
							1						1			23
																24
4		8	2	6	1	2			1		1				1	25
1																26
1		2	2	2												27
														1		28

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 12.—MISSISSIPPI RIVER BELT, SOUTH—Continued.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	I.—General diseases—Continued.										
	General diseases—C—all ages.....	29	23	42	22	39	27	33	33	24	39
2	Under 5.....	22	12	30	15	29	15	21	17	18	26
3	60 and over.....	6	8	9	6	8	10	11	14	6	13
4	Unknown.....		1		1						
5	1. Debility and atrophy—all ages.....	6	10	11	6	10	8	7	7	3	12
6	Under 5.....	5	3	4	3	5	3	3		2	5
7	60 and over.....		4	4	3	3	3	3	5	1	7
8	Unknown.....		1								
9	2. Old age—all ages.....	6	4	5	4	5	7	8	9	5	6
10	60 and over.....	6	4	5	3	5	7	8	9	5	6
11	Unknown.....				1						
12	General diseases—D—all ages.....	96	67	80	93	98	90	92	85	115	130
13	Under 5.....	2	4	6	6	10	3	9	6	6	11
14	60 and over.....	18	10	9	14	14	13	17	10	16	14
15	Unknown.....	4	2	3	1	2	1	3	1	2	2
16	1. Consumption—all ages.....	68	51	65	65	67	67	65	61	81	84
17	Under 5.....		2	2	3	4	2	5	3	2	5
18	60 and over.....	7	4	4	7	6	7	6	3	5	5
19	Unknown.....	2	2	1		1	1	2	1	2	
20	II. Diseases of the nervous system—all ages.....	34	23	37	26	49	35	33	27	44	46
21	Under 5.....	15	10	17	7	19	15	10	13	17	26
22	60 and over.....	4	4	5	7	11	5	5	4	11	6
23	Unknown.....	1		1				1			2
24	III. Diseases of the respiratory system—all ages.....	155	85	158	147	172	135	116	77	74	65
25	Under 5.....	34	24	35	34	40	31	32	27	23	17
26	60 and over.....	18	6	22	15	18	21	15	8	7	8
27	Unknown.....	3	1	6	3	3	1		1	1	
28	IV. Affections connected with pregnancy—all ages.....		16		32		23		33		25
29	V. Accidents and injuries—all ages.....	66	26	42	17	77	24	98	18	88	23
30	Under 5.....	9	5	9	4	11	7	15	3	8	8
31	60 and over.....	4	5	5	2	6	1	5	4	6	
32	Unknown.....	3		1		6	1	6			2
33	1. Burns and scalds—all ages.....	3	10	3	6	3	8	4	3	2	
34	Under 5.....	2	3	2	2	2	1	2	1	1	
35	60 and over.....		1		1	1	1				
36	Unknown.....						1				
37	2. Drowned—all ages.....	2	2	2	1	28	2	37	6	32	4
38	Under 5.....	1				1		6		1	
39	60 and over.....					3		1		1	
40	Unknown.....	1				4		3			
41	3. Exposure and neglect—all ages.....	1	1	3		4	1	6	3	3	4
42	Under 5.....	1	1	2		2	1	4	1	1	3
43	60 and over.....								2		
44	Unknown.....										
45	4. Gunshot wounds—all ages.....	11	1	8	3	7		17		11	2
46	Under 5.....				1						
47	60 and over.....			2						1	
48	Unknown.....					1		1			1
49	5. Homicide—all ages.....	5		4		8	2	11		11	1
50	Under 20.....										
51	60 and over.....			2		1		3		1	1
52	Unknown.....	1						1			

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 13.—MISSISSIPPI RIVER BELT, NORTH.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1,256	1,129	1,485	1,210	1,468	1,183	1,379	1,084	1,336	1,159	1,325	1,057	1,279	1,089	250	196
530	475	768	618	690	543	566	452	468	424	460	342	426	350	75	44
204	162	196	162	227	189	244	180	245	216	283	187	276	184	54	36
11	7	12	4	10	12	18	12	11	10	10	4	7	4	21	16
20	22	43	24	39	36	41	35	29	36	30	21	37	28	28	32
10	12	27	15	29	22	22	19	19	15	10	11	14	13	12	7
5	3	5	1	2	7	8	3	5	11	3	3	12	4	2	5
2		2				2	3	1	2	2	1	1	1	7	4
305	296	489	430	478	415	407	329	351	320	272	246	209	242	37	43
189	182	371	300	278	222	206	180	136	142	117	104	77	96	21	14
15	18	18	16	34	37	37	23	24	23	23	14	13	13	2	6
	4	4	1	3	3	2	2	3	1		1	2	1	1	2
24	25	9	13	5	8	4	5	6	2	4	3	2	3	4	1
16	18	6	10	3	4	3	3	4		1	2	1	2	3	
13	23	12	9	10	12	10	5	18	17	19	18	16	18	3	3
8	15	7	5	7	8	3	4	9	14	13	14	12	14	2	2
						1								1	
49	40	37	42	41	37	57	48	103	87	80	88	78	91	5	4
27	19	19	22	14	15	26	20	51	41	51	50	38	39	2	
	1								1			1	1		1
												2	1		
7	10	11	10	9	10	4	10	11	9	6	9		4	1	2
7	9	10	8	8	10	4	10	10	8	5	7		3	1	2
4	7	8	8	7	4	5	2	4	1	10	3	7	5		1
2	3	7	5	4	2	4	1	2	1	7	1	5	2		1
								1							
22	14	27	20	47	46	60	51	77	53	53	42	44	42	4	4
2	1	5	1	3	2	6	4	1	6	2	2	3	6	1	
			1	4	3	6	3	4	3	2	2		3		
	1	1					1	2							
139	135	348	279	287	245	184	135	76	89	42	34	26	34	15	13
113	111	304	238	223	169	133	100	48	58	27	18	13	15	10	6
10	8	14	8	20	26	22	12	12	8	8	6	6	3	1	2
		2	1		1	1		1			1		1		
20	27	21	22	53	38	68	61	45	46	33	28	27	23	4	11
6	4	7	7	9	8	25	12	8	10	5	4	3	7	2	1
1	6	2	3	5	7	5	8	6	9	4	2	4	3		3
	2	1		3	1		1								
29	24	33	25	29	24	31	25	36	17	22	13	26	12	3	
21	20	25	23	24	20	28	22	24	14	10	9	17	6	2	
2	1	1		1				3	2	3	1	1			
22	21	26	24	23	19	27	22	22	12	10	10	15	7	1	
20	19	24	23	23	19	26	21	22	12	9	9	15	6	1	
1	1	1								1					

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF
GRAND GROUP 14.—SOUTHWEST CENTRAL REGION—Continued.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
I.—General diseases—Continued.										
1 General diseases—C—all ages.....	115	97	136	103	134	104	138	98	148	114
2 Under 5.....	99	66	112	76	109	81	103	76	121	88
3 60 and over.....	15	26	22	25	23	19	32	19	23	22
4 Unknown.....				1	1			1		1
5 1. Debility and atrophy—all ages.....	29	25	24	22	35	24	37	27	42	29
6 Under 5.....	23	13	19	16	25	16	24	24	31	19
7 60 and over.....	6	7	3	4	8	4	11		7	7
8 Unknown.....				1	1			1		
9 2. Old age—all ages.....	9	19	19	21	15	15	21	19	16	16
10 60 and over.....	9	19	19	21	15	15	21	19	16	15
11 Unknown.....										1
12 General diseases—D—all ages.....	256	285	281	312	318	313	258	289	331	330
13 Under 5.....	24	15	23	15	26	23	16	18	34	11
14 60 and over.....	45	38	41	33	54	32	41	40	73	49
15 Unknown.....	5	6	7	2	7	5	4	5	6	4
16 1. Consumption—all ages.....	165	198	184	230	216	224	177	199	204	225
17 Under 5.....	8	4	5	5	7	12	7	9	14	3
18 60 and over.....	19	11	16	17	24	17	17	18	23	17
19 Unknown.....	4	5	6	2	4	3	3	4	5	2
20 II.—Diseases of the nervous system—all ages.....	159	116	176	115	186	144	164	160	197	146
21 Under 5.....	61	43	76	44	79	57	65	62	84	59
22 60 and over.....	25	14	29	15	28	16	32	19	28	25
23 Unknown.....	2		5	2	1	1	3	2	4	1
24 III.—Diseases of the respiratory system—all ages.....	677	439	825	698	742	544	432	359	302	240
25 Under 5.....	217	147	230	209	218	182	130	128	106	91
26 60 and over.....	76	43	107	110	122	89	81	43	37	35
27 Unknown.....	7	5	17	9	7	7	6	10	4	3
28 IV.—Affections connected with pregnancy—all ages.....		98		113		120		95		81
29 V.—Accidents and injuries—all ages.....	166	50	131	38	163	62	188	38	213	68
30 Under 5.....	33	15	37	18	31	21	26	15	30	29
31 60 and over.....	15	8	8		12	8	17	2	9	5
32 Unknown.....	4	1	4		4	2	4	1	4	1
33 1. Burns and scalds—all ages.....	12	20	14	15	13	20	9	14	9	11
34 Under 5.....	10	6	11	9	8	6	5	7	6	5
35 60 and over.....	1	3				3	1			
36 Unknown.....					1		1			
37 2. Drowned—all ages.....	7	3	9	1	11	4	23	1	34	4
38 Under 5.....		3	5	1	3	3	2		4	1
39 60 and over.....			1		1		3		1	1
40 Unknown.....										
41 3. Exposure and neglect—all ages.....	3	2	5	2	2	5	1	2	1	4
42 Under 5.....	1		4	2	2	2	1	1	1	4
43 60 and over.....		1								
44 Unknown.....								1		
45 4. Gunshot wounds—all ages.....	23		20		22	1	31		31	3
46 Under 5.....	1								1	
47 60 and over.....	1		1				2			
48 Unknown.....			1						2	
49 5. Homicide—all ages.....	14	4	7	3	17	1	21		21	3
50 Under 20.....	4			1	1	1	1		1	3
51 60 and over.....	1	1			2		3		2	
52 Unknown.....							1			

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 14.—SOUTHWEST CENTRAL REGION—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
117	66	185	92	127	109	134	94	120	82	112	66	113	87	67	51	1
97	53	112	74	103	81	115	71	102	53	86	50	89	61	56	39	2
17	11	19	16	21	23	13	21	18	20	26	15	21	24	8	9	3
1			1	1	1	3	1		1		1	2		2	1	4
25	19	37	23	31	30	39	19	24	20	35	17	40	16	20	10	5
18	16	26	16	22	19	28	11	18	8	29	14	32	7	16	7	6
5	1	7	6	6	6	6	6	6	3	6	3	7	7	1	1	7
				1	1	2	1		1					2		8
13	10	12	10	15	17	8	15	12	17	20	13	14	17	7	9	9
12	10	12	10	15	17	7	15	12	17	20	12	14	17	7	8	10
1				1		1					1			1	1	11
196	234	187	189	191	183	186	218	207	182	179	205	212	218	79	114	12
19	11	22	10	25	13	17	16	21	16	18	11	19	14	3	5	13
34	31	40	31	45	26	45	29	28	21	25	27	24	23	20	14	14
4	3	3	1	4	1	4	5	4	2	3	6	1	3	4	14	15
123	166	106	132	114	117	97	150	129	117	113	145	137	148	53	78	16
6	6	4	3	7	3	5	5	4	1	4	2	5	5		2	17
16	14	20	18	9	8	14	12	11	6	9	9	11	8	8	8	18
3	2		1	3	1	3	2	2	1	2	6	1	2	3	10	19
136	108	190	168	192	195	194	153	184	138	152	89	132	127	67	57	20
61	48	90	93	99	106	107	69	70	68	65	37	51	50	30	15	21
17	16	33	15	14	17	19	17	29	12	19	15	23	16	5	15	22
2	1	5	4	1	2		4	2	2	2		1	2	5	4	23
137	120	92	79	144	117	167	162	270	209	357	253	369	306	132	90	24
63	51	46	50	70	60	85	74	115	91	117	96	108	105	37	35	25
14	9	11	6	14	9	10	11	40	20	58	34	52	42	17	9	26
	2	1	2		2	1	4	2	2	4	5	5	1	11	4	27
	60		48		90		79		73		91		89		43	28
127	41	126	45	158	40	123	47	129	35	135	46	174	43	65	26	29
17	15	21	16	30	17	24	22	27	13	18	22	28	16	5	12	30
6	6	10	1	6	3	9	4	7	2	10	2	8	3	4	2	31
2		2	1	6	1	2	1	3	1	5		4	2	7	2	32
5	17	6	11	8	8	9	12	11	11	12	24	8	13	2	6	33
4	7	5	1	6	4	8	6	8	3	8	12	5	7		2	34
	2						1	1		1	1		1		1	35
									1							36
18	6	21	1	10		4		3		2	1	5		4	1	37
3	3			2		1		2		1		2			1	38
		1												1		39
																40
2		4	4	3	2	2		1	1			3	1	1	1	41
2		4	3	3	1	2		1	1			3				42
					1								1	1		43
																44
23	1	17	2	16	1	16		21		23	1	35	3	5	2	45
1			2					2					2		2	46
1		1								2			2		1	47
																48
20	1	15	3	20		14	1	12	2	18	1	30	2	8	1	49
2	1	4	2	2			1	2		1		7	1	1	1	50
1				1		2						1		1		51
1						1				1				1		52

VITAL AND SOCIAL STATISTICS.

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 15.—CENTRAL REGION.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	Grand total.....	2,570	2,381	2,679	2,694	2,912	2,739	2,555	2,489	2,835	2,679
2	Under 5.....	723	580	783	673	851	705	738	631	873	686
3	60 and over.....	672	565	716	626	798	640	693	572	776	641
4	Unknown.....	45	29	25	42	37	39	37	30	40	33
5	Unknown causes—all ages.....	85	75	97	95	102	107	90	91	101	91
6	Under 5.....	42	37	49	45	56	45	45	43	60	37
7	60 and over.....	21	15	20	16	18	28	24	16	23	19
8	Unknown.....	5	2	3	10	4	10	3	5	9
9	I.—General diseases:										
	General diseases—A—all ages.....	322	312	349	374	421	423	401	334	466	422
10	Under 5.....	134	119	133	170	195	185	174	136	236	179
11	60 and over.....	40	34	40	26	46	33	45	29	60	41
12	Unknown.....	2	2	2	3	4	8	3	5	3
13	1. Measles—all ages.....	21	23	31	43	41	53	64	68	70	61
14	Under 5.....	10	12	19	22	20	29	36	34	47	34
15	60 and over.....	1	1	1	2	1	2
16	Unknown.....	1	1
17	2. Scarlet fever—all ages.....	20	19	24	26	31	28	26	17	22	22
18	Under 5.....	15	11	18	20	22	16	15	11	16	9
19	60 and over.....	1
20	Unknown.....
21	3. Diphtheria—all ages.....	37	35	37	56	45	46	32	27	24	33
22	Under 5.....	12	17	17	21	26	18	24	10	12	10
23	60 and over.....	1	1	1
24	Unknown.....	1	1	1
25	4. Whooping cough—all ages.....	40	28	32	55	51	58	23	32	41	37
26	Under 5.....	39	24	30	49	49	54	20	30	41	36
27	60 and over.....	1
28	Unknown.....	1
29	5. Cerebro-spinal fever—all ages.....	20	16	13	17	22	16	18	11	8	20
30	Under 5.....	14	4	9	9	10	8	10	7	5	7
31	60 and over.....
32	Unknown.....	1
33	6. Enteric fever—all ages.....	64	59	91	54	72	75	67	62	65	65
34	Under 5.....	3	3	6	7	9	4	5	4	7	6
35	60 and over.....	4	4	12	2	6	6	8	4	6	5
36	Unknown.....	1	1	1	2
37	7. Diarrheal diseases—all ages.....	48	66	60	55	80	70	81	50	141	109
38	Under 5.....	25	30	24	28	38	35	42	27	86	60
39	60 and over.....	12	15	10	11	14	11	15	10	28	18
40	Unknown.....	1	3	2	3	1	2
41	8. Malarial fever—all ages.....	25	21	22	27	26	26	34	25	38	34
42	Under 5.....	5	5	4	9	7	9	6	6	9	11
43	60 and over.....	6	3	6	6	9	6	9	4	7	8
44	Unknown.....	1	1
45	General diseases—B—all ages.....	37	15	34	22	33	15	34	22	39	28
46	Under 5.....	14	12	19	13	12	7	12	17	16	18
47	60 and over.....	3	1	5	2	6	5	8	1	10	1
48	Unknown.....	1	1	1	3	1	2	1
49	1. Inanition—all ages.....	14	14	23	16	12	9	14	14	16	21
50	Under 5.....	13	12	19	11	9	5	10	13	10	16
51	60 and over.....	1	1	2	2	3	2	3	1	3	1
52	Unknown.....	1	1	1	1

STATISTICS OF DEATHS.

893

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 15.—CENTRAL REGION.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,826	1,715	2,185	2,009	2,425	2,296	2,122	2,122	2,075	1,888	1,813	1,689	1,900	1,705	760	628	1
595	527	946	791	920	834	721	681	599	488	508	404	550	444	234	161	2
458	335	408	347	539	417	481	385	543	406	472	364	474	388	181	118	3
26	20	44	35	37	22	37	28	34	25	26	27	26	29	52	40	4
74	84	92	71	95	83	76	102	68	75	68	67	84	62	120	78	5
42	41	50	39	58	44	46	53	37	38	37	29	49	29	47	25	6
12	15	16	11	17	14	14	16	13	9	10	17	13	12	18	9	7
4	2	4	6	4	2	5	4	5	5	3	5	6	4	25	9	8
376	355	785	620	856	845	683	693	563	513	372	330	325	301	137	117	9
212	205	485	400	454	473	285	307	177	164	119	103	113	117	49	43	10
31	23	59	48	90	73	71	66	62	63	40	30	28	22	19	12	11
3	1	19	4	11	6	11	5	6	4	5	2	3	5	6	7	12
19	13	10	15	3	6	5	11	13	10	14	7	12	15	6	10	13
11	6	5	9	2	4	3	6	7	3	9	2	5	8	3	6	14
	1												1			15
													1			16
19	14	13	12	18	11	11	12	12	17	17	15	16	17	3	8	17
11	8	8	6	17	9	9	7	7	9	11	11	11	14	3	3	18
	1								2						1	19
																20
26	25	16	14	36	36	73	73	71	62	55	68	46	60	5	7	21
11	16	9	6	16	20	33	34	31	25	33	30	24	32	2	5	22
								1	1							23
																24
19	30	35	39	27	43	28	41	16	17	14	20	14	12	5	8	25
19	27	31	37	26	41	24	34	15	15	12	18	14	10	4	6	26
		1														27
		1	1		1								1		1	28
11	17	9	10	12	15	11	11	10	14	14	6	18	16	2	1	29
6	10	6	6	9	6	8	7	8	10	6	3	10	9	1		30
					1				1							31
																32
48	40	76	48	162	164	192	171	217	166	127	107	105	79	26	23	33
1	1	1	2	11	11	12	14	15	10	8	6	4	5	4	2	34
6	3	11	4	24	13	15	10	20	11	9	7	9	6		2	35
1		1		2	2	5	1	2		5			1	1	3	36
175	151	520	406	485	466	268	274	128	119	63	50	50	41	45	33	37
139	122	407	317	348	358	177	183	80	68	29	25	29	23	22	15	38
14	8	34	29	47	47	36	35	17	24	17	6	6	8	9	6	39
2		10	1	8	1	5	3	1	1		1	1	1	4		40
30	32	42	45	75	65	65	66	61	71	36	30	34	30	27	15	41
4	9	10	14	16	14	9	10	9	17	6	1	10	7	4	3	42
7	8	3	8	14	6	15	12	16	17	6	8	2	3	5	3	43
		1	1	1	1	1							1		1	44
18	15	38	34	32	33	25	27	31	16	26	12	19	7	8	4	45
13	10	25	25	17	26	11	22	17	9	11	7	8	3	1	1	46
1	3	4	1	4	1	4	3	4	3	6	2	2	3	1	1	47
2					1	2		1	2		1					48
13	11	21	24	15	27	15	21	19	11	10	7	8	3	1	2	49
11	7	21	22	14	25	11	19	16	9	8	5	8	2	1	1	50
	3			1	1	1	2	1	1	2	2		1		1	51
1						2		1	1							52

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF
GRAND GROUP 15.—CENTRAL REGION—Continued.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
I.—General diseases—Continued.										
1 General diseases—C—all ages.....	186	167	217	191	213	177	202	187	218	214
2 Under 5.....	136	102	155	119	138	108	133	110	144	135
3 60 and over.....	48	61	60	68	74	65	64	69	73	78
4 Unknown.....		1			1	2	2	2		
5 1. Debility and atrophy—all ages.....	45	38	49	57	44	30	43	48	59	41
6 Under 5.....	28	25	32	33	24	14	27	32	35	26
7 60 and over.....	15	9	15	20	19	13	11	9	23	14
8 Unknown.....		1			1	1	2	1		
9 2. Old age—all ages.....	33	52	45	48	55	52	53	61	50	64
10 60 and over.....	33	52	45	48	55	52	53	60	50	64
11 Unknown.....								1		
12 General diseases—D—all ages.....	496	628	490	628	559	718	507	673	574	732
13 Under 5.....	20	30	24	25	28	39	47	37	53	36
14 60 and over.....	115	105	139	112	128	125	119	109	139	144
15 Unknown.....	12	14	7	9	7	7	6	5	9	7
16 1. Consumption—all ages.....	362	448	317	468	406	529	368	487	399	516
17 Under 5.....	9	16	8	15	9	17	23	19	25	11
18 60 and over.....	59	37	58	54	59	57	60	42	65	55
19 Unknown.....	8	10	7	5	4	5	5	3	8	5
20 II.—Diseases of the nervous system—all ages.....	282	242	230	252	310	296	295	281	367	310
21 Under 5.....	108	78	106	69	103	89	109	91	130	96
22 60 and over.....	91	94	68	86	112	86	94	86	126	99
23 Unknown.....	9	3	3	2	9	4	8	5	3	3
24 III.—Diseases of the respiratory system—all ages.....	632	502	711	701	660	542	465	427	386	297
25 Under 5.....	202	164	229	182	227	170	145	131	148	107
26 60 and over.....	152	134	174	194	206	169	131	131	97	86
27 Unknown.....	6	2	3	11	6	6	3	5	3	
28 IV.—Affections connected with pregnancy—all ages.....		77		77		89		70		78
29 V.—Accidents and injuries—all ages.....	141	61	170	61	233	67	172	62	232	87
30 Under 5.....	14	13	27	20	31	22	23	18	26	22
31 60 and over.....	15	9	25	12	31	10	23	15	39	19
32 Unknown.....	3	4	2	5	2		3	1	5	3
33 1. Burns and scalds—all ages.....	9	10	11	20	17	14	15	15	10	7
34 Under 5.....	6	2	6	8	12	5	10	8	5	3
35 60 and over.....		2	1	2		2	1	2		1
36 Unknown.....				2						
37 2. Drowned—all ages.....	6	2	8	4	19	2	13	4	26	4
38 Under 5.....		1			3		4	2	1	3
39 60 and over.....			1	1	1		1	1		1
40 Unknown.....				2	1				1	
41 3. Exposure and neglect—all ages.....	1	4	5	1	4	2	2	1	2	2
42 Under 5.....		2	4	1		2	1			2
43 60 and over.....	1	1	1				1		2	
44 Unknown.....					1					
45 4. Gunshot wounds—all ages.....	16	1	17		21		7		20	1
46 Under 5.....	1				1					
47 60 and over.....			2		1				2	
48 Unknown.....					1					
49 5. Homicide—all ages.....	7	2	7		11	2	14		9	
50 Under 20.....			1		2	1	2			
51 60 and over.....							2		1	
52 Unknown.....	1	1					1			

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 15.—CENTRAL REGION—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
2		1		1				1		1						1
																2
																3
																4
19	4	37	4	35	2	29	2	27	2	39	2	47	2	12	1	5
		3	1	3	1	4		2		3		1	1	1		6
		1		1		3		1				1		1	1	7
																8
4	2	5		3		4		5		9		4		1		9
1	1	1								1						10
1		1						1						1		11
																12
1				3	1			1			1		1	1		13
																14
1													1			15
																16
4	4	2	5	4	3	5		2	1	1	1	4	3			17
																18
1	1	2		1		1		1								19
									1							20
8	3	10	1	5	2	8	1	9	2	4	1	4	1	4	1	21
																22
3		1						5					1	2		23
1														1		24
2	2	9	5	1	1	2		1						1		25
																26
1			3		1									1		27
	1															28

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 16.—PRAIRIES—Continued.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	I.—General diseases—Continued.										
	General diseases—C—all ages	275	216	211	192	263	198	232	198	285	209
2	Under 5	203	123	144	117	183	123	154	121	210	134
3	60 and over	66	90	61	72	73	67	73	74	71	73
4	Unknown	2			1	1	2	1		1	
5	1. Debility and atrophy—all ages	67	62	59	38	69	51	55	48	62	39
6	Under 5	45	39	34	26	43	32	39	32	45	28
7	60 and over	18	20	19	10	22	13	12	14	14	9
8	Unknown						1				
9	2. Old age—all ages	50	70	42	62	52	54	61	60	58	64
10	60 and over	48	70	42	62	51	54	61	60	57	64
11	Unknown	2				1				1	
12	General diseases D—all ages	535	641	509	611	521	690	539	640	550	708
13	Under 5	44	25	28	27	34	27	37	28	43	22
14	60 and over	125	122	107	116	125	118	135	130	136	141
15	Unknown	8	12	9	7	4	3	6	7	8	10
16	1. Consumption—all ages	349	448	346	443	357	495	368	432	343	477
17	Under 5	16	13	11	13	12	12	17	13	26	11
18	60 and over	55	59	35	46	60	54	55	53	49	51
19	Unknown	7	6	7	4	4	3	4	5	7	7
20	II.—Diseases of the nervous system—all ages	327	244	325	237	351	281	313	281	348	327
21	Under 5	111	78	103	90	137	106	114	92	112	95
22	60 and over	120	74	110	66	96	86	103	86	124	101
23	Unknown	2	4	2	5	2	1	2	1	6	1
24	III.—Diseases of the respiratory system—all ages	1,178	1,022	1,220	1,067	1,056	945	691	585	461	390
25	Under 5	386	276	389	322	384	305	265	238	175	137
26	60 and over	272	277	322	279	280	221	162	139	137	109
27	Unknown	11	8	13	14	13	9	6	2	3	4
28	IV.—Affections connected with pregnancy—all ages		129		129		123		110		118
29	V.—Accidents and injuries—all ages	221	59	201	63	220	69	256	67	350	102
30	Under 5	27	22	25	20	29	19	30	22	45	35
31	60 and over	43	8	27	15	38	14	35	13	42	19
32	Unknown	4	1	7	1	7	2	8		4	
33	1. Burns and scalds—all ages	9	12	6	11	8	10	16	14	13	14
34	Under 5	8	5	6	4	3	6	12	7	10	6
35	60 and over	1	1		3	1					3
36	Unknown				1		1	1			
37	2. Drowned—all ages	17	5	13	4	12	6	16	1	37	15
38	Under 5		1	2		3	1	4	1	10	5
39	60 and over	1		1	1	2					
40	Unknown					1				1	
41	3. Exposure and neglect—all ages	4	4	1	1	6	5	2	2	1	2
42	Under 5	4	3			3	2				2
43	60 and over				1	2	1		1		
44	Unknown										
45	4. Gunshot wounds—all ages	17	1	12	8	15	1	17	1	24	3
46	Under 5	1	1		2					1	
47	60 and over					1		1			
48	Unknown										
49	5. Homicide—all ages	1	1	4	1	7	1	10	1	12	
50	Under 20	1			1			1		1	
51	60 and over			1				1		1	
52	Unknown					1					

VITAL AND SOCIAL STATISTICS.

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 16.—PRAIRIES—Continued.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	V.—Accidents and injuries—Continued.										
	6. Injuries by machinery—all ages	1				2		2	1	3	
2	Under 5										
3	60 and over										
4	Unknown										
5	7. Railroad accidents—all ages	39	1	39		37	2	38	9	57	2
6	Under 5					1			2	2	
7	60 and over	6		1		4		5	2	7	
8	Unknown			4						1	
9	8. Suicide by shooting—all ages	5	2	5	3	11	1	7	1	15	2
10	Under 20				1			1		4	1
11	60 and over	1	1	1				4		3	
12	Unknown		1								
13	9. Suicide by drowning—all ages					1	2	3	3	2	2
14	Under 20										
15	60 and over					1		1		1	1
16	Unknown										
17	10. Suicide by poisoning—all ages	3	1	1	2	2	1	3	1	4	2
18	Under 5										
19	60 and over			1		2				2	
20	Unknown										
21	11. Other suicides—all ages	12		15	2	15	2	21	6	13	2
22	Under 5										
23	60 and over	3		3		5		5	1	5	
24	Unknown			1				1			
25	12. Sunstroke—all ages	2						1	1	3	
26	Under 5										
27	60 and over	2									
28	Unknown										

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 17.—MISSOURI RIVER BELT.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	Grand total.....	756	680	741	645	699	676	625	524	647	524
2	Under 5.....	261	235	284	228	284	253	232	174	251	192
3	60 and over.....	118	98	114	95	114	113	106	62	98	71
4	Unknown.....	11	9	3	9	8	8	10	10	10	4
5	Unknown causes—all ages.....	30	29	42	32	31	35	32	28	41	26
6	Under 5.....	18	15	25	18	21	14	19	15	18	14
7	60 and over.....	4	4	4	4	2	2	5	5	5	1
8	Unknown.....	1	1	2	2	1	2	1	2	2	1
9	I.—General diseases:										
	General diseases—A—all ages.....	116	116	112	121	121	129	118	117	110	96
10	Under 5.....	68	51	61	57	72	68	51	51	69	53
11	60 and over.....	3	4	10	5	8	10	5	5	7	3
12	Unknown.....	1	1	1	1	1	1	1	1	3	3
13	1. Measles—all ages.....	8	9	22	15	30	26	23	29	18	16
14	Under 5.....	6	5	19	7	25	14	13	14	14	13
15	60 and over.....								1	1	
16	Unknown.....										
17	2. Scarlet fever—all ages.....	6	9	2	5	3	5	5	3	7	3
18	Under 5.....	3	5	2	4	3	3	3	1	6	2
19	60 and over.....										
20	Unknown.....		1					1			
21	3. Diphtheria—all ages.....	44	35	20	31	19	34	28	35	21	16
22	Under 5.....	32	15	13	15	11	21	13	17	16	6
23	60 and over.....					1					
24	Unknown.....										
25	4. Whooping cough—all ages.....	16	19	17	18	12	14	5	9	8	14
26	Under 5.....	14	16	16	14	12	13	4	3	7	13
27	60 and over.....										
28	Unknown.....										
29	5. Cerebro-spinal fever—all ages.....		4	1	6	2	1	3	2	2	10
30	Under 5.....		3		4	2		2	2	1	5
31	60 and over.....				1						
32	Unknown.....										
33	6. Enteric fever—all ages.....	15	10	14	15	22	12	16	4	5	6
34	Under 5.....	1	1	1	2	5	4	1		1	1
35	60 and over.....		1			1	1	2			
36	Unknown.....	1			1						
37	7. Diarrheal diseases—all ages.....	11	11	17	15	17	18	19	15	25	14
38	Under 5.....	7	4	8	7	9	11	13	12	18	11
39	60 and over.....	1		2	1	2	2		1		
40	Unknown.....			1		1				1	
41	8. Malarial fever—all ages.....	9	10	6	8	5	5	8	9	9	8
42	Under 5.....	2		1	1	2	1	1	2	4	1
43	60 and over.....	1	1	1	1		3	3		1	1
44	Unknown.....									1	
45	General diseases—B—all ages.....	12	7	7	5	6	7	8	4	11	1
46	Under 5.....	3	5	2	2	3	5	3	2	6	1
47	60 and over.....	1				3		3		1	
48	Unknown.....						1				
49	1. Inanition—all ages.....	3	6	2	3	2	5	4	3	6	1
50	Under 5.....	3	5	2	2	1	4	2	2	5	1
51	60 and over.....					1		2			
52	Unknown.....						1				

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 17.—MISSOURI RIVER BELT.

MONTH AND SEX—continued.

June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
539	436	541	446	557	510	482	383	516	411	475	400	479	416	142	136	1
248	200	279	234	251	226	202	159	190	160	180	143	171	151	53	41	2
68	41	57	31	61	54	72	35	76	43	90	61	78	53	17	24	3
8	5	4	1	4	7	2	6	3	2	6	4	5	7	14	11	4
39	22	30	27	36	33	19	24	37	22	23	18	26	26	27	33	5
28	14	15	19	24	24	12	16	24	16	12	11	17	10	15	10	6
1	2	3	2	3	2	3	3	3	2	4	3	2	4	5	6	7
	3			1	2		1					1			2	8
158	138	208	180	201	189	157	140	136	118	108	100	98	105	26	17	9
110	91	150	122	114	106	78	66	53	46	46	43	44	42	15	8	10
8	6	12	4	15	12	17	8	7	7	6	6	4	1			11
1	1	1								1		1	1	1		12
15	10	9	7	2	5	3	5	1	3	1	1		2	2	3	13
9	5	4	5	2	4	3	1	1	1					1	2	14
																15
																16
6	7	3	1	4	3	4	9	3	5	3	5	2	8	1		17
3	6	1	1	3	1	2	6	2	3	2	1	1	5	1		18
																19
																20
14	25	7	15	20	11	22	22	24	39	44	49	38	44	5	1	21
8	13	5	4	11	5	11	10	10	16	28	27	20	22	3		22
	1															23
																24
8	11	6	10	7	16	5	5	2	6	4	4	5	8	1	1	25
8	11	5	8	7	16	5	5	2	6	3	4	4	5		1	26
		1											1			27
																28
1	3	5	2	1	3	1	2	5	1	2	3	4	2	1	1	29
	2	4	1	1	3	1	1	4			1	2		1		30
																31
																32
13	7	9	13	32	30	42	23	46	21	25	11	17	16	3	3	33
2	1		2	2	2	5	1	4	2	3		1	1		1	34
1	1	1		4	2	5	3	1		1						35
																36
87	65	145	109	111	92	50	45	36	16	14	14	18	10	10	5	37
74	50	124	94	86	70	41	34	25	10	7	9	12	8	8	3	38
3	4	4	2	7	7	4	3	3	3	4	1	2	1			39
1	1									1				1		40
5	3	12	17	16	18	21	21	10	17	11	6	8	9	1	2	41
2	1	3	5	1	2	7	5	1	4			3			1	42
2		2	2	1	2	4	2	2	1	1	2					43
												1				44
8	4	9	11	7	8	14	5	12	7	6	2	12	3		2	45
3	2	5	9	3	2	10	5	7	4	3	1	3	2		2	46
		3		1						1		3				47
					1						1					48
3	2	7	9	3	3	10	5	7	7	3	2	5	2		2	49
2	2	5	9	3	2	10	5	6	4	2	1	3	2		2	50
		2									1	1				51
											1					52

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 18.—WESTERN PLAINS—Continued.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	I.—General diseases—Continued.										
	General diseases—C—all ages	26	35	37	24	33	25	30	30	46	40
2	Under 5.....	21	27	33	19	25	20	24	25	42	36
3	60 and over.....	3	6	4	5	7	5	5	4	3	3
4	Unknown.....		1								
5	1. Debility and atrophy—all ages.....	7	17	13	7	6	8	9	11	9	10
6	Under 5.....	5	11	11	6	5	6	7	9	8	9
7	60 and over.....		4	2	1		2	1	1		
8	Unknown.....		1								
9	2. Old age—all ages.....	3	2	2	4	7	3	4	3	3	3
10	60 and over.....	3	2	2	4	7	3	4	3	3	3
11	Unknown.....										
12	General diseases—D—all ages.....	82	66	72	50	84	54	71	61	66	49
13	Under 5.....	1	7	6	7	9		4	7	4	5
14	60 and over.....	8	6	10	5	5	8	10	6	9	2
15	Unknown.....	2	2	3	4	1	1	1	2	3	
16	1. Consumption—all ages.....	66	46	60	31	63	43	52	43	46	29
17	Under 5.....		1	4	?	3		3	2	2	
18	60 and over.....	2	3	6		4	6	7	2	3	
19	Unknown.....		2	3	4			1	2	2	
20	II.—Diseases of the nervous system—all ages.....	33	21	37	24	34	27	39	37	42	32
21	Under 5.....	13	11	11	13	13	15	18	18	15	15
22	60 and over.....	6	2	9	6	6	5	7	4	13	5
23	Unknown.....			3				1	1	1	1
24	III.—Diseases of the respiratory system—all ages.....	185	129	137	94	149	107	86	80	73	58
25	Under 5.....	55	41	52	38	63	56	37	41	38	32
26	60 and over.....	15	18	13	12	19	15	18	10	10	7
27	Unknown.....	1		1					1		
28	IV.—Affections connected with pregnancy—all ages.....		23		15		19		23		31
29	V.—Accidents and injuries—all ages.....	39	9	38	10	44	12	61	18	93	21
30	Under 5.....	1	3	7	3	5	5	5	6	10	7
31	60 and over.....	3	1	5	2			4	2	1	2
32	Unknown.....	2		3			1	3	1	8	
33	1. Burns and scalds—all ages.....		2	1	1	1	1		5	4	5
34	Under 5.....										
35	60 and over.....		1	1	1		1		2	1	4
36	Unknown.....										
37	2. Drowned—all ages.....	1		3		2	1		1	12	3
38	Under 5.....			1		1	1		1	4	2
39	60 and over.....			1							
40	Unknown.....			1							
41	3. Exposure and neglect—all ages.....		1	2			2	2		3	
42	Under 5.....		1	2			1	1		1	
43	60 and over.....										
44	Unknown.....						1				
45	4. Gunshot wounds—all ages.....	4	2	9		5	1	10		7	1
46	Under 5.....		1				1	1			
47	60 and over.....			1							
48	Unknown.....										
49	5. Homicide—all ages.....	6		3		4	1	3		12	2
50	Under 20.....	2								1	1
51	60 and over.....									1	
52	Unknown.....			1				2		1	

STATISTICS OF DEATHS.

913

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 18.—WESTERN PLAINS—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
19	22	33	23	22	17	32	23	23	19	23	31	32	24	13	4	1
18	21	30	18	20	15	25	21	18	17	23	23	26	18	10	4	2
	1	3	5	2	2	5	2	4	1		6	4	6	1		3
						1			1							4
5	10	9	5	3	6	13	10	9	4	7	9	9	8	5	1	5
4	10	8	5	3	6	9	10	8	3	7	6	6	7	2	1	6
		1				2					1	1	1	1		7
						1			1							8
	1	2	5	2	2	3	2	4	1		5	3	5			9
	1	2	5	2	2	3	2	4	1		5	3	5			10
																11
46	41	45	36	48	57	35	23	49	41	43	39	49	39	24	18	12
5	2	7	3	3	3	2	1	1	1	4	2	1	1	4	1	13
6	8	6	3	3	7	5	2	10	7	3	6	2	9			14
		3	1	1	3	3				1	2			3		15
30	28	29	20	31	35	29	17	30	29	31	32	41	24	19	12	16
2	1	1	1				1		1		2			3	1	17
3	4	2	1		1	3		4	2	1	3	1	2			18
		3		1	2	3					1			3		19
22	18	34	27	31	30	21	26	28	20	25	21	23	16	13	6	20
9	10	12	19	15	20	9	11	10	10	10	13	10	7	4	3	21
5		4	4	4	1	5	7	2	1	8	1	4	1	4	1	22
								1					1			23
36	27	18	17	24	14	30	18	37	24	45	48	74	44	29	24	24
14	13	6	10	9	6	8	9	14	12	17	27	27	19	14	12	25
5	3	6	1	5	1	3	3	2	1	3	4	7	9	4		26
1				2								1		1	1	27
	17		7		11		14		6		11		26		9	28
52	15	58	19	43	15	50	12	40	10	47	5	39	7	32	4	29
7	6	4	6	5	3	4	5	4	6	5	1	3	2	1		30
5		2	1	1	3	1				1	2	2				31
2		2		1	1	2				4				14	3	32
2	3	1	3	1	5	3	2	1	1	5	1	1	1			33
1	2		2	1		1		1		3	1					34
	1				2											35
																36
8	2	9	4	2			1	2		1			1			37
2		1	2				1						1			38
1		1														39
																40
								1	2							41
								1	2							42
																43
																44
4		5		4		4	1	7	1	6		6		3	2	45
										1						46
1						1								2	1	48
2		8	1	4		7		2		1		2		13		49
1		1				4						1				50
		1		1		1										51
														11		52

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 19.—HEAVILY TIMBERED REGION OF THE NORTHWEST.

MONTH AND SEX—continued.

June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
531	440	526	449	788	736	756	649	703	581	595	499	620	519	205	155	1
164	116	167	145	369	358	311	272	208	169	150	116	131	122	63	36	2
156	95	139	105	171	109	167	121	180	147	178	118	192	127	38	34	3
5	3	6	4	8	6	12	7	8	1	5	5	5	3	20	13	4
28	18	26	17	52	35	35	42	26	27	26	18	19	29	37	24	5
17	9	20	8	39	22	22	29	16	20	18	11	13	16	10	7	6
7	6	4	4	9	5	8	4	3	5	4	3	5	4	5	4	7
		1	1		1	1	1						1	10	5	8
101	85	120	109	286	299	307	237	209	186	129	136	108	99	42	28	9
47	37	74	76	220	216	184	152	83	75	40	44	31	32	21	11	10
12	4	6	4	12	19	27	12	20	22	10	7	15	8	3	3	11
1		1		3	1	3	2			1	1	1	1	1		12
8	8	8	3	4	8	3	4	4	1	5	4	6	6	3	1	13
5	5	7	2	3	5	3	2	3	1	5	3	5	3	1		14
							1									15
																16
5	7	4	3	6	9	4	8	11	4	4	6	5	6	3	2	17
3	3	2	2	6	5	2	6	8	2	2	1	3	2	2		18
											1					19
																20
17	18	14	12	21	15	30	24	50	50	39	43	33	21	8	5	21
4	6	6	4	11	4	13	5	24	25	14	12	10	7	5	2	22
	1											1				23
																24
2	5	4	7	4	7	5	9	7	5	2	5	3	2	1		25
2	5	4	6	4	6	5	8	7	5	2	5	3	2	1		26
																27
																28
2	6	1	5		3	6	2	1	3	2	3	3	3	1		29
2	3		3		2	5	1	1	3	2	2	1	2	1		30
			1													31
																32
13	8	12	7	17	26	55	25	55	46	37	32	29	27	6	4	33
1				1	3	4	2	3	2		3	2				34
2			1	1	6	4		3	4	2	1	3	2			35
				1		2				1						36
35	15	64	63	220	214	178	140	54	52	24	14	20	19	14	14	37
24	11	50	56	187	186	146	121	34	35	14	13	5	9	11	9	38
3		5	1	8	10	17	8	10	9	4		9	2	1	2	39
1		1		2	1	1						1	1	1		40
8	6	6	3	10	7	17	10	12	20	7	13	3	5			41
1	2	2	1	3	1	3	5	1	2	1	2					42
2		1		3	2	3	2	2	8	2	2	1	2			43
							1									44
7	1	2	3	4	5	7	4	7	2	6	3	8		2		45
3		1	3	2	5	3	1	3		2	3	2				46
1	1	1				1	1	1		1		1		1		47
																48
1	1	1	1	1	4	3	2	3	1	2	2	3		2		49
		1	1	1	4	2	1	2		2	2	2				50
	1															51
						1								1		52

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 19.—HEAVILY TIMBERED REGION OF THE NORTHWEST—Continued.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
I.—General diseases—Continued.										
1 General diseases—C—all ages	61	51	53	51	59	44	57	43	63	63
2 Under 5.....	32	29	29	25	35	23	29	26	41	31
3 60 and over	29	22	23	26	23	20	25	17	22	28
4 Unknown.....						1				1
5 1. Debility and atrophy—all ages	19	17	12	9	21	9	22	9	19	15
6 Under 5.....	10	9	6	3	12	4	9	8	15	9
7 60 and over	9	8	5	6	8	5	10	1	4	3
8 Unknown.....										
9 2. Old age—all ages.....	20	14	18	20	15	16	15	16	18	26
10 60 and over	20	14	18	20	15	15	15	16	18	25
11 Unknown.....						1				1
12 General diseases—D—all ages	133	153	131	151	136	155	156	194	138	179
13 Under 5.....	5	13	4	9	10	12	13	9	12	11
14 60 and over	38	39	39	23	42	39	39	48	46	51
15 Unknown.....	2	1	3	1		1	1	1	1	
16 1. Consumption—all ages.....	89	103	86	106	84	104	116	127	85	115
17 Under 5.....	4	3	2	2	4	7	11	6	7	5
18 60 and over	15	20	11	11	20	16	22	13	18	19
19 Unknown.....	2		3					1	1	
20 II.—Diseases of the nervous system—all ages	65	75	68	60	70	72	87	73	93	65
21 Under 5.....	22	20	22	18	25	19	22	18	29	10
22 60 and over	25	27	29	19	19	21	34	32	33	23
23 Unknown.....			1		1	2	2		3	1
24 III.—Diseases of the respiratory system—all ages	273	214	242	206	188	154	150	124	133	107
25 Under 5.....	75	51	65	62	57	45	46	31	52	36
26 60 and over	67	71	83	50	53	49	43	48	32	38
27 Unknown.....	4		1	2	3		2	1	1	1
28 IV.—Affections connected with pregnancy—all ages		27		40		30		40		31
29 V.—Accidents and injuries—all ages	53	13	48	16	74	17	70	31	88	28
30 Under 5.....	5	1	4	5	5	6	11	8	13	10
31 60 and over	10	3	6	4	18	2	11	7	9	5
32 Unknown.....	1		2		3		2	1	3	
33 1. Burns and scalds—all ages.....	7	2	4	4		2	7	4	3	6
34 Under 5.....	3		4	2			4	1	3	2
35 60 and over							2			1
36 Unknown.....										
37 2. Drowned—all ages.....	3				3		8	1	15	6
38 Under 5.....							2			3
39 60 and over									1	
40 Unknown.....									2	
41 3. Exposure and neglect—all ages	1	2	1	2	1	3	3	3	2	
42 Under 5.....						3	1	2		
43 60 and over		1		1			1		1	
44 Unknown.....							1	1		
45 4. Gunshot wounds—all ages	1		2		3		2	1	4	
46 Under 5.....										
47 60 and over					1		1			
48 Unknown.....										
49 5. Homicide—all ages.....	2	1	1		1		1	2	2	
50 Under 20.....	1							2		
51 60 and over										
52 Unknown.....					1					

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 20.—CORDILLERAN REGION—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
37	23	25	15	36	37	46	31	39	29	37	24	34	28	14	6	1
23	14	13	8	21	22	23	10	24	15	20	15	17	12	9	5	2
12	7	10	6	12	12	20	19	14	12	17	7	16	15	4	1	3
	1	1		1							1		1			4
14	4	9	6	17	15	24	11	12	9	10	5	8	5	7	1	5
8		5	2	9	7	10	6	7	5	3	3	3	2	4	1	6
4	3	2	3	5	5	11	3	5	2	7		4	2	2		7
		1		1							1		1			8
8	5	8	3	7	7	9	16	9	10	10	7	12	13	2	1	9
8	4	8	3	7	7	9	16	9	10	10	7	12	13	2	1	10
	1															11
77	63	56	51	71	54	76	51	82	50	92	51	104	67	25	25	12
4	5	3	4	4	6	5	3	3	3	3	2	5	1			13
16	3	12	8	9	8	10	6	20	8	14	15	13	12	6	7	14
3	1	2	6	4	1	6	1		3	1		1	3	2	2	15
46	38	38	27	52	31	50	33	51	31	63	31	72	47	23	15	16
1	2			1	2	1	3	1	2	1	1	3	1			17
6		5	2	5	3	6	1	7	4	5	5	5	1	6	2	18
3		2	5	4	1	6	1		1			1	1	2	1	19
38	21	51	32	57	34	43	24	48	22	55	19	54	34	22	5	20
15	12	22	18	25	16	13	9	12	3	18	1	21	15	5	2	21
8	6	12	3	9	4	10	4	14	7	12	4	12	7	8		22
3				1					1	1	1		1	1	2	23
56	30	63	20	60	30	69	48	83	41	115	64	122	73	43	18	24
9	10	20	9	20	13	13	26	20	12	25	27	34	27	9	2	25
10	4	9	1	5		15	4	13	5	13	15	21	7	7	1	26
1				1		1	1	2		1	1	1	2	6	3	27
																28
	19		20		25		23		17		17		32		3	28
119	16	115	25	100	18	91	20	90	17	89	15	92	10	44	8	29
10	6	5	4	2	3	1	3	10	3	4		8	1	2	1	30
9		13	2	5	4	14	1	6	1	3	5	9		4	1	31
8		6		6		2	1	3	1	3		17		8	4	32
4	1	1	6		5	6	5	8	4	2	2	2	1			33
																34
1	1		1		1		1		2		2		1			35
											1					36
17	3	17	2	7	3	11	4	3		4	1	6	2	3	2	37
6	1	2			1		1	2				2		2		38
		1				1		1								39
		2													2	40
																41
1	1	3		1	1	2		3		1		3		3	3	41
																42
		1		1	1	1		1				1		1	1	43
														2	1	44
7	1	10		11	1	10	2	9	1	7	1	6		5	1	45
																46
1		1						1		1		1		2	1	47
		1								1		1				48
15	3	15	1	5		4	1	8		9	2	7	2	4		49
																50
1	2	2								2		1				51
2		2						1				1		2		52

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

GRAND GROUP 21.—PACIFIC COAST.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
734	441	738	473	742	465	733	506	827	474	827	540	830	522	132	84	1
192	168	166	166	194	174	208	177	208	159	182	171	167	155	27	22	2
119	63	128	60	113	80	114	69	122	73	154	91	168	99	27	13	3
17	6	13	11	13	4	11	4	8	7	7	4	9	4	16	9	4
19	9	18	12	23	5	10	8	14	10	18	8	19	10	34	23	5
6	6	5	7	14	1	5	4	7	5	6	3	5	4	6	5	6
2	2	3	3	1	1	1	2	3	2	3	3	5	3	7	2	7
		2	1			1		1	2					6	4	8
123	98	121	104	123	87	146	116	172	109	133	108	99	93	14	14	9
68	55	60	58	69	46	68	67	79	52	49	46	33	37	5	7	10
3	3	10	6	1	4	4	7	5	6	9	6	8	3	1	2	11
1	2	2	1			2	1	2		1	6	2	3	1		12
3	3	2		1	4			1				1	4			13
2	2	2			4			1	1	1		1	4			14
																15
																16
3	3	3	6	5	2	2	5	6	3	5	3	1		1		17
	3	2	2	1		1	3	3	1	2	1			1		18
																19
																20
19	16	17	14	19	20	26	21	21	16	24	31	21	27	5	4	21
10	5	7	5	11	8	11	6	11	6	9	13	10	9	2	3	22
	1	2			1			1								23
																24
6	8	5	11	5	2	3	4	4	1	2	5	2	3			25
5	7	5	11	5	2	3	4	4	1	1	5	2	3			26
1										1						27
																28
4	3	2	2	2	1	2	4	2	5	3	2	2	4		1	29
3	2	1		1		1	4	1	5	2	1	2	1		1	30
																31
																32
25	18	21	16	26	13	44	20	54	29	41	26	31	23	3	4	33
3		2	1	5	1	7	3	3	3	6	2		1			34
1	2	1				1	2	2	1	1	1					35
	1		1			1	1					1				36
46	41	53	41	52	33	50	50	66	36	37	26	29	21	3	3	37
42	35	39	36	42	27	41	42	52	30	24	20	17	15	2	2	38
1		6	3	1	3	1	3	1	2	6	2	5	3		1	39
	1					1						1				40
7	2	4	7	5	1	8	5	7	7	7	6		3		1	41
1			1	2		1	2	2	2				2		1	42
			2			2	1	1	2	1						43
																44
32	21	34	24	28	30	27	17	27	22	31	23	30	19	3		45
20	15	18	15	18	24	14	16	18	17	19	19	22	16	1		46
4	4	3		1	2	1		1		2		3				47
1		1	2								1			1		48
23	18	19	18	19	25	15	15	18	16	20	21	22	18	1		49
19	14	18	15	18	24	14	15	18	15	19	19	22	16	1		50
1	4				1	1										51
1		1	2								1					52

TABLE 16.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF GRAND GROUP 21.—PACIFIC COAST—Continued.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
I.—General diseases—Continued.										
1 General diseases—C—all ages.....	65	54	53	55	54	44	56	52	60	58
2 Under 5.....	37	28	35	31	34	29	26	35	40	35
3 60 and over.....	24	23	15	20	17	14	30	15	17	13
4 Unknown.....	1			1				1	1	3
5 1. Debility and atrophy—all ages.....	19	15	10	17	12	8	9	13	17	14
6 Under 5.....	3	3	1	8	3	2	4	5	5	6
7 60 and over.....	13	9	6	6	6	5	5	7	9	5
8 Unknown.....									1	1
9 2. Old age—all ages.....	12	14	9	15	11	9	25	9	8	15
10 60 and over.....	11	14	9	14	11	9	25	8	8	13
11 Unknown.....	1			1				1		2
12 General diseases—D—all ages.....	274	131	246	147	242	164	205	120	205	125
13 Under 5.....	10	11	10	10	9	5	10	6	15	8
14 60 and over.....	40	16	31	22	34	22	25	14	30	18
15 Unknown.....	2	3			2	3	2		1	1
16 1. Consumption—all ages.....	220	99	194	107	203	110	158	84	154	83
17 Under 5.....	4	5	3	2	4	2	3	3	8	3
18 60 and over.....	22	5	15	12	21	12	10	3	8	7
19 Unknown.....	1	2			2	2				
20 II.—Diseases of the nervous system—all ages.....	107	48	88	63	96	79	89	72	99	72
21 Under 5.....	23	16	26	19	29	40	29	26	29	18
22 60 and over.....	48	12	29	18	23	14	29	8	39	19
23 Unknown.....	2	1	3							
24 III.—Diseases of the respiratory system—all ages.....	276	200	214	126	217	149	169	110	146	111
25 Under 5.....	51	51	51	40	77	66	67	54	75	58
26 60 and over.....	57	43	44	23	40	26	32	20	26	17
27 Unknown.....		2	3	2	1		2	2	3	1
28 IV.—Affections connected with pregnancy—all ages.....		17		16		13		17		18
29 V.—Accidents and injuries—all ages.....	76	16	94	19	99	20	88	18	124	32
30 Under 5.....	3	1	1	3	9	3	3	4	9	2
31 60 and over.....	5	2	4	2	11	1	7	3	14	6
32 Unknown.....	5		6	1	5	1	1		2	
33 1. Burns and scalds—all ages.....	1	1		1	4	1	3	2	4	1
34 Under 5.....	1				2		1	1	2	
35 60 and over.....									1	
36 Unknown.....					2	1				
37 2. Drowned—all ages.....	15	3	19	2	23	1	12	1	30	12
38 Under 5.....				1	4	1		1	1	1
39 60 and over.....	1	1	1						5	1
40 Unknown.....	2		2		3				1	
41 3. Exposure and neglect—all ages.....	1	1		1	4	2	1	1	2	1
42 Under 5.....	1	1		1	1	1		1		
43 60 and over.....					2		1			
44 Unknown.....										
45 4. Gunshot wounds—all ages.....	5	1	11		2		4		7	2
46 Under 5.....									1	
47 60 and over.....							1			
48 Unknown.....										
49 5. Homicide—all ages.....	3	1	3	2	3	1			8	
50 Under 20.....					1					
51 60 and over.....										
52 Unknown.....			1	1						

TABLE 17.

**NUMBER OF DEATHS IN REGISTRATION CITIES IN THE UNITED STATES FROM CERTAIN
SPECIFIED DISEASES AND CLASSES OF DISEASES, WITH DISTINCTION OF
MONTH OF DEATH, COLOR, SEX, AND CERTAIN GROUPS OF AGES,
DURING THE CENSUS YEAR ENDED MAY 31, 1890.**

TABLE 17.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF
TOTAL REGISTRATION CITIES.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	Grand total	19,924	17,522	13,749	12,278	15,519	13,382	14,295	12,298	14,649	12,480
2	Under 5.....	6,512	5,312	5,324	4,413	6,139	4,947	5,855	4,806	6,125	4,947
3	60 and over.....	3,880	3,911	2,258	2,438	2,610	2,645	2,361	2,411	2,360	2,270
4	Unknown.....	83	64	77	44	77	51	55	61	70	38
5	Unknown causes—all ages	194	151	137	108	161	131	152	119	147	102
6	Under 5.....	64	55	49	48	66	59	61	66	62	41
7	60 and over.....	35	37	28	25	28	26	25	19	30	21
8	Unknown.....	12	2	9	5	8	4	4	4	10	2
9	I.—General diseases: General diseases—A—all ages	1,987	1,932	1,775	1,729	1,917	1,782	1,862	1,624	2,121	1,970
10	Under 5.....	1,048	983	925	903	1,036	1,000	1,082	904	1,286	1,153
11	60 and over.....	112	126	88	108	141	107	109	128	145	125
12	Unknown.....	2	4	4	4	4	2	3	4	8	9
13	1. Measles—all ages	77	103	94	109	183	189	218	189	236	211
14	Under 5.....	71	94	87	94	154	159	189	157	203	183
15	60 and over.....					3	1				
16	Unknown.....							1		1	
17	2. Scarlet fever—all ages.....	112	102	87	101	105	105	86	92	80	93
18	Under 5.....	83	66	58	73	74	77	51	62	53	60
19	60 and over.....										
20	Unknown.....										
21	3. Diphtheria—all ages	544	575	484	496	440	471	442	415	410	408
22	Under 5.....	365	327	310	291	289	296	308	263	258	246
23	60 and over.....	2	2			1			2	3	2
24	Unknown.....			1							
25	4. Whooping cough—all ages.....	115	151	99	132	115	129	77	100	83	106
26	Under 5.....	109	139	95	129	111	121	74	92	81	96
27	60 and over.....						1		1		
28	Unknown.....								1		1
29	5. Cerebro-spinal fever—all ages.....	45	37	39	35	62	47	60	44	74	58
30	Under 5.....	30	21	28	20	36	28	42	18	48	29
31	60 and over.....	1			1	1		1	1	1	1
32	Unknown.....						1			1	
33	6. Enteric fever—all ages.....	357	257	333	243	278	207	250	150	227	186
34	Under 5.....	9	13	16	13	18	16	11	7	16	13
35	60 and over.....	15	10	7	11	17	6	9	9	15	8
36	Unknown.....		1	1	1			1	1	2	
37	7. Diarrheal diseases—all ages.....	442	405	403	374	429	372	457	367	738	636
38	Under 5.....	302	246	257	214	279	223	319	230	562	457
39	60 and over.....	42	56	44	53	50	52	47	53	59	59
40	Unknown.....		1	1	1		1	1		4	8
41	8. Malarial fever—all ages.....	124	116	77	91	95	82	88	78	98	117
42	Under 5.....	30	26	17	17	20	19	28	11	26	24
43	60 and over.....	15	17	10	19	18	16	16	23	18	21
44	Unknown.....		2	1		1					1
45	General diseases—B—all ages.....	416	280	293	168	290	212	288	199	303	227
46	Under 5.....	217	195	191	128	172	162	156	144	190	166
47	60 and over.....	26	17	13	8	15	9	15	10	13	13
48	Unknown.....	3	3			2	2	2	1	2	1
49	1. Inanition—all ages.....	224	210	195	139	201	177	166	157	194	181
50	Under 5.....	211	188	184	125	170	158	153	139	182	164
51	60 and over.....	7	8	5	7	5	8	8	6	5	10
52	Unknown.....	3	2			2	2	1	1	2	1

STATISTICS OF DEATHS.

937

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES.

TOTAL REGISTRATION CITIES.

MONTH AND SEX—continued.

June.		July.		August.		September.		October.		November.		December.		Unknown.			
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.		
14,144	12,278	17,640	15,722	15,410	13,662	13,675	11,817	13,348	11,925	12,454	10,850	13,981	12,183	193	148	1	
6,887	5,896	9,946	8,600	7,673	6,608	6,247	5,294	5,204	4,395	4,711	3,907	5,173	4,311	68	58	2	
1,873	1,852	1,999	2,212	1,986	2,057	1,826	1,851	2,089	2,325	2,079	2,111	2,264	2,410	27	25	3	
75	49	76	53	82	67	76	50	56	46	64	45	63	61	19	11	4	
181	136	199	167	130	142	154	126	149	123	127	99	155	121	37	26	5	
89	72	86	89	62	70	57	48	73	42	42	36	60	41	10	8	6	
20	22	30	21	20	20	17	20	16	20	15	18	23	19	6	3	7	
8	6	7	5	9	14	17	15	10	7	9	11	9	11	6	3	8	
3,389	3,204	6,265	5,893	4,729	4,457	3,404	3,158	2,488	2,312	1,867	1,813	1,888	1,844	22	26	9	
2,561	2,316	5,059	4,569	3,293	3,043	2,053	1,911	1,163	1,100	880	842	919	866	13	14	10	
131	162	244	344	226	296	182	216	137	190	109	96	101	122	2	3	11	
5	10	9	9	12	15	8	5	6	7	6	7	4	6		3	12	
126	102	82	103	40	45	16	17	7	9	31	32	59	49	1	5	13	
110	89	70	95	36	41	16	14	6	7	27	27	53	41	1	4	14	
1		1															15
133	157	86	82	80	60	67	62	98	92	88	101	90	112		1	17	
94	111	60	54	57	47	46	40	55	61	54	72	67	77		1	18	
1				1		1			1	1	2		1				19
																	20
440	453	341	311	392	412	469	486	645	664	612	651	604	677	4	6	21	
276	259	225	183	225	235	286	258	371	333	372	350	382	381	3	3	22	
1	1	1		1				2	1	1	1	1	3		3	23	
								2	1	1			2			24	
121	119	116	161	143	162	96	115	56	98	50	70	82	97	1		25	
118	115	115	153	139	158	94	112	55	92	47	65	78	91	1		26	
	1				1				1	1						27	
																28	
43	41	42	48	32	33	31	32	37	25	36	33	40	33			29	
32	22	31	27	24	20	17	23	22	16	22	23	25	20			30	
			2			1		1		1	1	1	1			31	
																32	
198	157	302	263	543	398	599	391	546	360	381	314	378	300	1	4	33	
14	7	20	19	24	16	31	22	29	20	29	16	9	14			34	
11	11	7	11	16	18	19	18	17	17	16	8	9	11			35	
	1			2	3	5				2	2				2	36	
2,060	1,907	4,992	4,622	3,182	3,005	1,748	1,723	765	751	406	353	378	349	7	8	37	
1,835	1,654	4,466	3,961	2,716	2,440	1,466	1,367	565	510	270	225	239	192	5	5	38	
75	99	182	298	167	234	90	154	72	106	41	54	48	60	1	3	39	
3	5	6	7	8	7	3	3	1	2	1		1	2			40	
118	131	145	171	202	183	230	205	200	184	125	124	121	95	3		41	
31	23	24	37	33	46	51	36	24	33	14	14	23	13	3		42	
19	23	20	16	19	25	18	22	18	40	25	15	13	18			43	
1	3	1			2		2	2	3		1	2				44	
342	235	455	340	371	279	371	258	340	207	276	189	340	195	2	3	45	
225	179	330	287	258	226	264	219	209	153	158	136	213	135	2	2	46	
15	14	16	7	18	6	14	10	14	13	14	11	13	9		1	47	
8		3	7	3	3	1	1	3	3	3	1	1	1			48	
236	192	342	307	266	235	262	227	217	165	161	148	218	145	2	3	49	
216	175	325	283	254	222	258	212	206	148	153	134	210	130	2	2	50	
6	11	7	6	4	5	1	7	4	8	2	7	5	7		1	51	
4		3	7	3	1		1	3	1	2	1		1			52	

TABLE 17.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF TOTAL REGISTRATION CITIES—Continued.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
I.—General diseases—Continued.										
1 General diseases—C—all ages.....	2, 120	1, 953	1, 806	1, 660	2, 034	1, 758	1, 942	1, 670	2, 046	1, 709
2 Under 5.....	1, 682	1, 218	1, 471	1, 155	1, 686	1, 244	1, 574	1, 211	1, 715	1, 247
3 60 and over.....	391	655	304	461	311	475	330	402	304	420
4 Unknown.....	3	8	4		4		2	4	2	1
5 1. Debility and atrophy—all ages.....	603	634	463	506	542	512	495	533	500	500
6 Under 5.....	390	313	326	273	379	296	339	320	350	318
7 60 and over.....	167	243	109	189	127	178	120	158	124	140
8 Unknown.....	3	6	1		3		1	2	1	1
9 2. Old age—all ages.....	224	411	198	272	184	297	211	245	180	280
10 60 and over.....	224	411	195	272	184	297	210	244	180	280
11 Unknown.....			3				1	1		
12 General diseases—D—all ages.....	3, 339	3, 123	2, 453	2, 253	2, 675	2, 443	2, 422	2, 273	2, 509	2, 402
13 Under 5.....	218	192	223	167	277	192	244	192	269	214
14 60 and over.....	438	438	299	322	357	320	317	335	320	348
15 Unknown.....	12	9	13	9	16	8	12	9	7	8
16 1. Consumption—all ages.....	2, 671	2, 335	1, 935	1, 577	2, 002	1, 687	1, 860	1, 539	1, 834	1, 556
17 Under 5.....	64	67	67	53	86	68	86	86	89	79
18 60 and over.....	230	200	170	130	176	129	158	109	166	113
19 Unknown.....	10	6	13	7	12	6	9	7	4	4
20 II.—Diseases of the nervous system—all ages.....	2, 148	1, 700	1, 645	1, 467	1, 904	1, 580	1, 838	1, 548	1, 847	1, 540
21 Under 5.....	1, 004	760	805	652	933	711	918	724	879	715
22 60 and over.....	493	424	368	372	400	425	392	383	414	379
23 Unknown.....	9	7	10	3	5	8	6	12	5	4
24 III.—Diseases of the respiratory system—all ages.....	6, 339	5, 519	3, 048	2, 649	3, 379	2, 767	2, 858	2, 488	2, 404	2, 003
25 Under 5.....	1, 868	1, 585	1, 330	1, 077	1, 550	1, 249	1, 403	1, 272	1, 267	1, 056
26 60 and over.....	997	1, 461	481	588	487	625	443	494	333	366
27 Unknown.....	20	14	13	16	10	5	10	10	7	3
28 IV.—Affections connected with pregnancy—all ages.....		254		222		283		206		237
29 V.—Accidents and injuries—all ages.....	881	303	700	238	876	320	885	259	1, 007	291
30 Under 5.....	67	76	71	73	87	76	119	50	109	62
31 60 and over.....	99	46	92	30	103	49	78	55	92	44
32 Unknown.....	9	6	17	3	19	3	9	3	19	1
33 1. Burns and scalds—all ages.....	29	58	15	51	40	49	31	39	26	29
34 Under 5.....	18	24	10	19	20	20	17	8	16	13
35 60 and over.....	2	4		5	4	3	1	7	1	3
36 Unknown.....					1					
37 2. Drowned—all ages.....	84	14	74	11	76	12	103	10	201	29
38 Under 5.....	2	2	1	3		2	5	2	14	5
39 60 and over.....	8	2	10	1	6	1	4	3	11	4
40 Unknown.....	2		3		5	1	2	1	10	
41 3. Exposure and neglect—all ages.....	8	4	12	6	8	10	3	5	6	4
42 Under 5.....	1	3	6	6	1	8	1	3	2	2
43 60 and over.....	3				1	2		2	1	
44 Unknown.....	1				1					
45 4. Gunshot wounds—all ages.....	30	4	33	1	27	3	20		29	2
46 Under 5.....	1		2							
47 60 and over.....			1				1		1	
48 Unknown.....			2		1				1	
49 5. Homicide—all ages.....	13	4	17	3	16	6	25	3	36	7
50 Under 20.....	2				2	3	2		5	2
51 60 and over.....	1						1		1	2
52 Unknown.....		1			1		1			

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

TOTAL REGISTRATION CITIES—Continued.

MONTH AND SEX—continued.

June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
2,101	1,782	2,418	2,133	2,322	2,090	2,204	1,875	2,010	1,933	1,898	1,596	1,944	1,760	33	24
1,791	1,362	2,102	1,608	1,974	1,569	1,880	1,441	1,667	1,388	1,574	1,149	1,619	1,248	29	20
251	374	276	466	294	445	284	385	292	475	289	406	291	475	2	4
9	2	8	4	6	10	1	1	3	5	2	2	3	3		
631	644	914	907	943	894	761	768	613	620	453	461	447	496	6	4
482	434	766	673	760	645	616	577	446	390	306	276	294	283	4	2
93	185	113	177	130	176	105	146	116	162	112	145	121	178	2	7
6	2	4	3	6	7	1	1	3	3	2	1	1	1		8
160	209	160	290	167	273	179	239	176	315	177	262	171	299	2	2
158	209	160	289	167	270	179	239	176	313	177	261	170	297	2	2
2			1		3				2		1	1	2		10
															11
2,121	2,126	2,106	2,211	2,093	2,143	1,979	2,060	2,109	2,143	1,972	1,963	2,307	2,213	24	15
230	173	298	238	246	162	213	199	184	155	167	148	170	141		
261	302	270	315	263	292	272	289	283	314	277	295	309	319	3	3
12	9	10	10	18	7	12	10	7	6	7	2	8	11	4	1
1,548	1,400	1,538	1,420	1,494	1,449	1,439	1,366	1,551	1,446	1,470	1,299	1,701	1,522	18	10
68	57	95	70	61	55	59	60	55	54	54	45	45	51		
115	105	131	85	120	90	122	108	135	107	136	89	155	121		2
9	3	8	9	14	3	8	5	7	3	5	1	7	7	3	19
1,714	1,518	1,937	1,789	1,693	1,478	1,508	1,307	1,577	1,265	1,488	1,259	1,611	1,373	14	9
910	823	1,103	973	878	739	788	630	705	521	653	525	720	624	5	3
325	310	303	369	314	346	285	318	387	355	353	362	351	341	4	2
4	5	8	5	9	7	5	7	5	5	11	5	4	7	3	23
1,281	1,082	1,007	857	1,070	831	1,191	953	1,785	1,592	1,941	1,754	2,681	2,254	32	15
617	627	499	441	506	431	567	505	847	710	890	816	1,112	984	6	7
201	158	150	118	149	135	162	146	264	349	269	309	386	482	5	4
4	4	3	2	4		3	3	4	1	6	7	4	9	4	27
	191		178		179		188		168		177		198		6
1,022	253	1,160	291	1,009	260	930	275	888	316	870	269	926	289	16	3
100	56	83	78	98	50	88	69	84	80	96	59	87	76		1
79	44	73	53	93	43	89	44	100	55	90	40	97	51		31
20	2	18	3	15	4	22	2	11	4	13	3	19	4		32
22	23	26	40	38	41	34	32	42	57	46	56	50	63	1	3
8	7	9	17	22	10	19	8	22	22	26	17	26	22		1
	2	1	1	2	4	2	2	2	5	2	9	2	8		34
		1					2						1		35
															36
264	22	326	26	251	16	135	19	89	7	76	9	71	5	6	37
14	5	13	3	11	2	7	5	3		2	1	2			38
7	2	6	2	11		7	1	4		4	1	9			39
8		8	2	4		6		2		6	1	3		1	40
8	4	1	2	2	1	7	8	3	4	10	3	7	7		41
4	3	1	1	1		2	5	1	3	6	1	4	3		42
3	1		1			2	1			2	1		2		43
						1						1			44
22	2	37	7	22	1	17	5	37		38	3	48	4		45
			1									1			46
		2		1				2				1	1		47
1												1			48
26	7	27	6	25	7	26	6	21	10	25	5	21	5	1	49
4	1	3		3	1	4	2	2	3	3	2	2	2		50
1	1	1	2					1		1		1			51
								1				1			52

STATISTICS OF DEATHS.

941

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

TOTAL REGISTRATION CITIES—Continued.

MONTH AND SEX—continued

June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
3		2		4	2	4		2		5	1	6			1
										1		1			2
1															3
															4
157	12	164	12	184	25	169	20	160	12	109	12	195	18	2	5
3	1	2		2		3						1			6
14	3	13	4	15	5	17	6	13	5	15	1	12	4		7
5		3		8	1	5		3		2		7	1	1	8
30	1	35	1	37	1	32		34	2	39	3	34	3		9
				4		2		2		1		1	1		10
4		5		5		1		7		3		4			11
															12
8	1	7	4	9	4	4	1	3	1	2	3	3	2	1	13
1	1	1	2	1	1	2									14
		1													15
															16
25	18	30	16	14	12	20	18	19	16	25	14	18	13		17
															18
6	3	3	2			4	2	4	1	4	1	4	1		19
															20
47	7	54	9	44	10	51	7	42	7	31	15	44	8	1	21
															22
9		6	2	9	2	12	1	11	2	8		6	4		23
1		1				2		1							24
18	2	63	19	18	5	3	1	2		1	1				25
															26
4	1	7	6	1	2		1								27
		3	1	2	1			2		1					28

VITAL AND SOCIAL STATISTICS.

TABLE 17.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF WHITE IN REGISTRATION CITIES.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	Grand total	18,353	16,210	12,551	11,211	14,108	12,095	13,040	11,151	13,226	11,233
2	Under 5.....	5,963	4,798	4,841	4,012	5,600	4,456	5,339	4,334	5,447	4,432
3	60 and over	3,193	3,729	2,135	2,309	2,458	2,479	2,234	2,258	2,212	2,109
4	Unknown.....	67	57	66	39	67	43	50	55	55	33
5	Unknown causes—all ages.....	130	116	89	73	102	96	109	85	107	68
6	Under 5.....	39	34	26	26	43	39	42	41	43	27
7	60 and over	32	35	27	22	19	22	21	16	26	16
8	Unknown.....	4	1	8	4	6	2	4	3	5	1
9	I.—General diseases: General diseases—A—all ages.....	1,869	1,815	1,647	1,628	1,766	1,629	1,698	1,513	1,914	1,769
10	Under 5.....	1,000	937	880	867	976	937	994	853	1,151	1,034
11	60 and over	98	115	78	98	123	100	101	121	131	111
12	Unknown.....	1	4	3	4	3	1	3	3	8	7
13	1. Measles—all ages.....	72	101	93	104	163	166	200	172	212	196
14	Under 5.....	68	93	86	90	139	142	171	145	182	171
15	60 and over					3	1				
16	Unknown.....							1		1	
17	2. Scarlet fever—all ages.....	111	101	87	100	105	103	86	91	80	92.
18	Under 5.....	83	65	58	72	74	75	51	61	53	60
19	60 and over										
20	Unknown.....										
21	3. Diphtheria—all ages.....	540	566	477	490	430	459	437	412	405	404
22	Under 5.....	363	320	309	290	283	294	303	262	256	245
23	60 and over	2	2			1		2	2	3	2
24	Unknown.....			1							
25	4. Whooping cough—all ages.....	106	144	89	125	110	120	70	95	71	87
26	Under 5.....	102	132	86	123	106	114	67	88	69	80
27	60 and over						1		1		1
28	Unknown.....							1	1		
29	5. Cerebro-spinal fever—all ages.....	42	36	32	31	56	44	56	39	71	51
30	Under 5.....	29	20	23	19	33	26	40	17	45	25
31	60 and over	1			1	1	1		1	1	1
32	Unknown.....									1	
33	6. Enteric fever—all ages.....	343	238	305	227	250	180	219	134	212	166
34	Under 5.....	8	12	13	12	16	14	9	6	14	11
35	60 and over	14	9	7	10	14	5	9	8	15	8
36	Unknown.....		1	1	1			1	1	2	
37	7. Diarrheal diseases—all ages.....	407	376	365	342	387	338	404	334	631	542
38	Under 5.....	285	235	237	201	256	201	280	207	479	383
39	60 and over	36	52	36	48	41	50	43	52	52	50
40	Unknown.....		1	1	1		1	1		4	6
41	8. Malarial fever—all ages.....	103	88	64	73	76	61	67	65	76	98
42	Under 5.....	25	17	14	12	17	14	20	6	20	20
43	60 and over	12	15	9	15	16	14	13	22	15	20
44	Unknown.....		2								
45	General diseases—B—all ages.....	387	256	267	147	268	190	266	178	274	198
46	Under 5.....	195	173	168	114	157	144	143	129	165	144
47	60 and over	23	17	13	7	14	8	15	9	12	10
48	Unknown.....	3	3			2	2	2		2	
49	1. Inanition—all ages.....	208	189	175	123	165	160	154	141	170	154
50	Under 5.....	181	167	164	112	155	143	142	127	159	142
51	60 and over	6	8	5	6	4	8	8	5	5	8
52	Unknown.....	3	2			2	2	1		2	

STATISTICS OF DEATHS.

943

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

WHITE IN REGISTRATION CITIES.

MONTH AND SEX—continued.

June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
12,788	11,076	16,215	14,354	14,169	12,499	12,516	10,748	12,182	10,842	11,416	9,861	12,826	11,164	165	129	1
6,239	5,286	9,244	7,929	7,074	6,075	5,711	4,852	4,744	3,973	4,279	3,562	4,735	3,903	62	50	2
1,751	1,725	1,865	2,047	1,866	1,919	1,728	1,720	1,967	2,163	1,957	1,960	2,143	2,271	24	24	3
65	42	71	48	71	59	68	46	51	40	59	37	53	55	12	7	4
126	103	154	111	103	111	102	87	98	79	85	65	110	91	31	20	5
63	53	68	56	44	49	32	27	42	19	22	18	38	24	10	6	6
17	18	24	15	16	18	14	15	14	17	13	15	21	16	5	2	7
4	4	6	3	9	13	15	13	7	7	8	10	7	11	4	1	8
3,096	2,877	5,857	5,510	4,405	4,154	3,160	2,918	2,291	2,136	1,752	1,690	1,760	1,747	20	23	9
2,365	2,089	4,776	4,307	3,086	2,865	1,933	1,806	1,085	1,030	834	808	871	820	13	12	10
109	144	222	326	212	275	150	185	123	163	98	82	95	117	1	3	11
4	9	9	8	10	12	8	5	4	6	6	4	3	6	2	2	12
119	95	76	99	39	41	16	16	6	8	31	30	54	45	1	5	13
104	84	65	91	35	37	16	14	5	6	27	26	48	38	1	2	14
1		1														15
																16
133	154	84	82	76	68	66	61	98	92	86	100	90	111		1	17
94	109	59	54	56	46	45	39	55	61	53	71	67	76		1	18
1				1		1			1	1	2		1			19
																20
435	437	333	301	374	393	454	468	629	644	601	636	591	662	4	6	21
276	249	221	178	219	232	280	252	363	329	366	344	375	375	3	3	22
1	1	1						2	1	1	1		3	2		23
								1		1			2			24
116	106	105	143	130	153	91	107	52	94	48	65	77	90	1		25
113	102	104	136	126	150	89	105	51	88	45	62	74	84	1		26
	1					1			1	1						27
																28
40	38	40	46	30	30	31	32	31	21	32	31	34	31			29
31	21	30	25	23	18	17	23	19	13	22	22	22	19			30
			2			1		1		1	1					31
																32
175	142	268	232	504	366	567	350	518	335	358	288	350	281	1	3	33
14	7	17	13	19	14	28	19	26	18	26	15	8	13			34
10	9	5	11	14	17	19	13	16	16	16	8	9	11			35
	1			2	2	5				2	1				1	36
1,852	1,684	4,707	4,361	2,991	2,834	1,629	1,621	689	684	369	312	345	320	5	8	37
1,662	1,469	4,227	3,749	2,559	2,305	1,382	1,299	519	472	246	208	221	173	5	5	38
63	89	169	282	160	220	84	145	65	95	35	45	46	57		3	39
3	4	6	7	7	7	3	3	1	2	1		1	2			40
94	105	114	128	155	143	178	151	158	146	108	102	97	82	3		41
24	18	15	26	14	33	39	19	15	19	11	13	21	7	3		42
17	21	16	16	16	21	15	18	14	35	23	12	12	18			43
	3	1			1		2	2	2			1				44
304	213	421	302	352	256	347	234	310	176	249	170	314	174	2	3	45
192	161	300	254	241	205	243	200	183	130	136	123	195	116	2	2	46
14	12	15	7	16	6	13	10	14	9	13	8	12	8		1	47
7		3	7	3	3	1	1	3	2	3	1	1	1			48
202	172	311	273	249	215	240	207	192	138	140	132	199	125	2	3	49
184	158	296	250	238	202	227	193	181	125	133	122	192	111	2	2	50
5	9	6	6	3	5		7	4	5	2	4	4	6		1	51
3		3	6	3	1		1	3	1	2	1		1			52

TABLE 17.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF
WHITE IN REGISTRATION CITIES—Continued.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
I.—General diseases—Continued.										
1 General diseases—C—all ages	1,925	1,792	1,652	1,504	1,865	1,582	1,771	1,484	1,813	1,531
2 Under 5.....	1,522	1,116	1,330	1,032	1,542	1,122	1,438	1,076	1,517	1,118
3 60 and over	363	607	292	433	288	424	300	360	278	376
4 Unknown.....	3	8	4		3		2	4	2	1
5 1. Debility and atrophy—all ages.....	548	575	426	463	504	458	462	475	444	439
6 Under 5.....	359	288	297	244	355	267	319	288	319	283
7 60 and over	150	220	102	180	114	156	111	141	108	119
8 Unknown.....	3	6	1		3		1	2	1	1
9 2. Old age—all ages.....	213	387	193	252	174	268	190	220	170	257
10 60 and over	213	387	190	252	174	268	189	219	170	257
11 Unknown.....			3				1	1		
12 General diseases—D—all ages	3,019	2,847	2,194	2,010	2,378	2,145	2,156	2,000	2,212	2,112
13 Under 5.....	192	164	198	142	237	163	213	163	220	188
14 60 and over	407	421	272	306	342	302	302	312	310	332
15 Unknown.....	8	9	13	9	15	6	10	9	5	8
16 1. Consumption—all ages	2,402	2,114	1,719	1,396	1,750	1,457	1,631	1,330	1,604	1,334
17 Under 5.....	53	54	56	45	64	55	69	68	64	63
18 60 and over	214	192	150	121	165	118	149	97	153	108
19 Unknown.....	7	6	13	7	11	4	7	7	2	4
20 II.—Diseases of the nervous system—all ages.....	2,006	1,568	1,540	1,350	1,766	1,449	1,710	1,422	1,689	1,404
21 Under 5.....	925	679	738	591	861	645	837	664	787	653
22 60 and over	469	404	355	351	382	404	377	357	393	351
23 Unknown.....	8	6	10	2	3	7	6	12	4	3
24 III.—Diseases of the respiratory system—all ages.....	5,901	5,178	2,774	2,407	3,061	2,511	2,622	2,287	2,227	1,839
25 Under 5.....	1,700	1,421	1,201	973	1,398	1,116	1,285	1,149	1,163	960
26 60 and over	949	1,421	456	562	464	601	424	477	320	352
27 Unknown.....	19	12	9	14	9	5	9	10	6	3
28 IV.—Affections connected with pregnancy—all ages		238		206		263		190		219
29 V.—Accidents and injuries—all ages	797	263	635	220	803	282	805	220	938	273
30 Under 5.....	57	61	58	67	75	62	103	43	102	57
31 60 and over	97	43	89	28	98	46	76	51	90	43
32 Unknown.....	9	4	12	2	18	3	8	2	16	1
33 1. Burns and scalds—all ages.....	27	47	11	49	35	40	28	30	23	25
34 Under 5.....	16	21	6	19	17	17	15	7	14	13
35 60 and over	2	2		4	4	2	1	6	1	2
36 Unknown.....					1					
37 2. Drowned—all ages.....	67	14	69	11	73	12	96	9	191	26
38 Under 5.....	2	2	1	3		2	5	2	13	5
39 60 and over	8	2	10	1	6	1	4	2	11	4
40 Unknown.....	2		3		5	1	2	1	10	
41 3. Exposure and neglect—all ages.....	5	1	9	4	6	2	1	4	3	3
42 Under 5.....			5	4		2	1	2	1	1
43 60 and over	3				1			2	1	
44 Unknown.....	1				1					
45 4. Gunshot wounds—all ages.....	20	3	26		20	2	17		19	2
46 Under 5.....	1		1							
47 60 and over			1				1		1	
48 Unknown.....					1					
49 5. Homicide—all ages.....	11	2	12	2	12	6	19	3	27	7
50 Under 20.....	1				2	3	2		3	2
51 60 and over	1							1	1	2
52 Unknown.....							1			

STATISTICS OF DEATHS.

DISEASES, WITH MONTH OF DEATH, SEX, AND CERTAIN GROUPS OF AGES—Continued.

WHITE IN REGISTRATION CITIES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,886	1,613	2,212	1,915	2,097	1,905	2,003	1,707	1,842	1,751	1,722	1,441	1,787	1,603	27	20	1
1,601	1,225	1,922	1,457	1,774	1,427	1,705	1,320	1,527	1,256	1,423	1,038	1,492	1,135	24	16	2
234	346	255	406	275	407	263	346	267	431	268	369	268	434	2	4	3
9	2	7	4	6	10	1	1	3	4	2	1	3	3			4
501	581	840	807	872	835	704	705	565	563	399	411	412	447	3	4	5
426	392	707	614	708	608	575	541	414	359	271	254	280	259	2	2	6
87	148	102	143	117	159	94	127	109	142	97	124	107	156		2	7
6	2	4	3	6	7	1	1	3	2	2		1	1			8
149	198	150	264	161	252	169	219	164	291	171	246	162	280	2	2	9
147	198	150	263	161	249	169	219	164	289	171	245	161	278	2	2	10
2			1		3				2		1	1	2			11
1,877	1,871	1,855	1,980	1,883	1,901	1,768	1,827	1,846	1,914	1,763	1,739	2,049	1,976	19	13	12
212	149	269	210	226	145	188	173	159	140	142	125	146	123			13
241	282	251	303	249	270	261	270	264	294	259	272	286	295	3	3	14
10	8	8	10	16	7	9	9	7	6	6	2	7	11	1	1	15
1,339	1,199	1,322	1,235	1,327	1,258	1,266	1,180	1,333	1,271	1,307	1,133	1,545	1,337	14	9	16
60	42	80	54	51	44	48	41	41	47	46	34	34	38			17
104	95	120	83	114	81	115	98	123	101	126	83	137	108		2	18
8	3	6	9	12	3	6	4	7	3	4	1	6	7	1		19
1,585	1,385	1,801	1,641	1,573	1,369	1,386	1,185	1,454	1,150	1,359	1,149	1,508	1,256	13	9	20
835	737	1,026	893	820	675	689	553	635	462	586	473	661	566	5	3	21
307	295	291	352	302	330	276	300	371	331	331	341	336	317	4	2	22
4	4	7	4	6	5	5	7	5	4	9	4	3	6	2		23
1,161	996	918	783	993	752	1,103	886	1,652	1,475	1,795	1,619	2,468	2,077	28	15	24
562	571	458	405	478	384	526	467	782	641	825	746	1,004	876	6	7	25
191	150	137	110	140	125	155	145	255	336	257	353	373	473	4	4	26
4	4	3	1	4		3	3	4	1	6	5	3	6	3		27
	176		163		163		164		152		160		185		4	28
935	241	1,090	261	942	241	867	252	836	293	816	240	856	254	13	2	29
86	49	74	67	91	45	79	61	76	72	79	50	79	58		1	30
77	43	75	49	87	42	86	44	96	51	88	35	95	44			31
19	2	18	3	13	4	20	2	11	3	12	3	17	4	2		32
22	21	23	37	36	40	33	31	38	52	38	48	47	53	1	2	33
8	6	7	15	22	10	18	7	20	20	20	18	26	21		1	34
	2	1	1	2	4	2	2	1	3	2	6	1	3			35
		1										1	1			36
237	22	310	26	237	16	127	17	87	7	73	7	62	5	5		37
13	5	13	3	11	2	7	4	3		2		2				38
7	2	6	2	10		7	1	4		4	1	8				39
7		8	2	4		5		2		6	1	3		1		40
4	3	1	2	2		6	5	3	2	8	2	5	4			41
1	2	1	1	1		2	4	1	2	4		2	1			42
3	1		1			2	1			2	1	1	2			43
												1				44
18	2	31	5	17	1	13	4	32		32	2	32	2			45
			1					2								46
1		2		1				2				1	1			47
												1				48
22	7	19	5	19	5	22	4	17	8	17	3	12	4	1		49
3	1	2		3		4	1	1	2	2	2	2	2			50
1	1	1	1					1	1	1	1	1	1			51
								1				1				52

TABLE 17.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF COLORED IN REGISTRATION CITIES.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 Grand total.....	1,571	1,312	1,198	1,067	1,411	1,287	1,255	1,147	1,423	1,247
2 Under 5.....	549	514	483	401	539	401	516	472	678	515
3 60 and over.....	187	182	121	129	152	166	127	153	148	161
4 Unknown.....	16	7	11	5	10	8	5	6	15	5
5 Unknown causes—all ages.....	64	35	48	35	59	35	43	34	40	34
6 Under 5.....	25	21	23	22	23	20	19	25	19	14
7 60 and over.....	3	2	1	3	9	4	4	3	4	5
8 Unknown.....	8	1	1	1	2	2	1	1	5	1
9 I.—General diseases: General diseases—A—all ages.....	118	117	128	101	151	153	164	111	207	201
10 Under 5.....	39	46	45	36	60	63	86	51	135	119
11 60 and over.....	14	11	10	10	18	7	8	7	14	14
12 Unknown.....	1	1	1	1	1	1	1	1	2	2
13 1. Measles—all ages.....	5	2	1	5	20	23	18	17	24	15
14 Under 5.....	3	1	1	4	15	16	18	12	21	12
15 60 and over.....										
16 Unknown.....										
17 2. Scarlet fever—all ages.....	1	1		1		2		1		1
18 Under 5.....		1		1		2		1		
19 60 and over.....										
20 Unknown.....										
21 3. Diphtheria—all ages.....	4	9	7	6	10	12	5	3	5	4
22 Under 5.....	2	7	1	1	6	2	5	1	2	1
23 60 and over.....										
24 Unknown.....										
25 4. Whooping cough—all ages.....	9	7	10	7	5	9	7	5	12	19
26 Under 5.....	7	7	9	6	5	7	7	4	12	16
27 60 and over.....										
28 Unknown.....										
29 5. Cerebro-spinal fever—all ages.....	3	1	7	4	6	3	4	5	3	7
30 Under 5.....	1	1	5	1	3	2	2	1	3	4
31 60 and over.....										
32 Unknown.....						1				
33 6. Enteric fever—all ages.....	14	19	28	16	28	27	31	16	15	20
34 Under 5.....	1	1	3	1	2	2	2	1	2	2
35 60 and over.....	1	1		1	3	1		1		
36 Unknown.....										
37 7. Diarrheal diseases—all ages.....	35	29	38	32	42	34	53	33	107	94
38 Under 5.....	17	11	20	13	23	22	39	23	83	74
39 60 and over.....	6	4	8	5	9	2	4	1	7	9
40 Unknown.....										2
41 8. Malarial fever—all ages.....	21	28	13	18	19	21	21	13	22	19
42 Under 5.....	5	9	3	5	3	5	8	5	6	4
43 60 and over.....	3	2	1	4	2	2	3	1	3	1
44 Unknown.....			1		1					1
45 General diseases—B—all ages.....	29	24	26	21	22	22	22	21	29	29
46 Under 5.....	22	22	23	14	15	18	13	15	25	22
47 60 and over.....	3		1	1	1	1		1	1	3
48 Unknown.....								1		1
49 1. Inanition—all ages.....	21	21	20	16	16	17	12	16	24	27
50 Under 5.....	20	21	20	13	15	15	11	12	23	22
51 60 and over.....	1		1	1	1			1	1	2
52 Unknown.....								1		1

VITAL AND SOCIAL STATISTICS.

TABLE 17.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF COLORED IN REGISTRATION CITIES—Continued.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	I.—General diseases—Continued.										
	General diseases—C—all ages.....	195	161	154	156	169	176	171	186	233	178
2	Under 5.....	160	102	141	122	144	122	136	135	198	129
3	60 and over.....	28	48	12	29	23	51	30	42	26	44
4	Unknown.....					1					
5	1. Debility and atrophy—all ages.....	55	59	37	43	38	54	33	58	56	61
6	Under 5.....	31	25	29	29	24	29	20	32	31	35
7	60 and over.....	17	23	7	9	13	22	9	17	16	21
8	Unknown.....										
9	2. Old age—all ages.....	11	24	5	20	10	29	21	25	10	23
10	60 and over.....	11	24	5	20	10	29	21	25	10	23
11	Unknown.....										
12	General diseases—D—all ages.....	320	276	259	243	297	298	266	273	297	290
13	Under 5.....	26	28	25	25	40	29	31	29	49	26
14	60 and over.....	31	17	27	16	15	18	15	23	19	16
15	Unknown.....	4				1	2	2		2	
16	1. Consumption—all ages.....	269	221	216	181	252	230	229	209	230	222
17	Under 5.....	11	13	11	8	22	13	17	18	25	14
18	60 and over.....	16	8	20	9	11	11	9	12	13	5
19	Unknown.....	3				1	2	2		2	
20	II.—Diseases of the nervous system—all ages.....	142	132	105	117	138	131	128	126	158	136
21	Under 5.....	79	81	67	61	72	66	81	60	92	62
22	60 and over.....	24	20	13	21	18	21	15	26	21	28
23	Unknown.....	1	1		1	2	1			1	1
24	III.—Diseases of the respiratory system—all ages.....	438	341	274	242	318	256	236	201	177	164
25	Under 5.....	168	164	129	104	152	133	118	123	104	96
26	60 and over.....	48	40	25	26	23	24	19	17	13	14
27	Unknown.....	1	2	4	2	1		1		1	
28	IV.—Affections connected with pregnancy—all ages.....		16		16		20		16		18
29	V.—Accidents and injuries—all ages.....	84	40	65	18	73	38	80	29	69	18
30	Under 5.....	10	15	13	6	12	14	16	7	7	5
31	60 and over.....	2	3	3	2	5	3	2	4	2	1
32	Unknown.....		2	5	1	1		1	1	3	
33	1. Burns and scalds—all ages.....	2	11	4	2	5	9	3	9	3	4
34	Under 5.....	2	3	4		3	3	2	1	2	
35	60 and over.....		2		1		1		1		1
36	Unknown.....										
37	2. Drowned—all ages.....	17		5		3		7	1	10	3
38	Under 5.....								1	1	
39	60 and over.....										
40	Unknown.....										
41	3. Exposure and neglect—all ages.....	3	3	3	2	2	3	2	1	3	1
42	Under 5.....	1	3	1	2	1	6		1	1	1
43	60 and over.....						2				
44	Unknown.....										
45	4. Gunshot wounds—all ages.....	10	1	7	1	7	1	3		10	
46	Under 5.....			1							
47	60 and over.....										
48	Unknown.....			2						1	
49	5. Homicide—all ages.....	2	2	5	1	4		6		9	
50	Under 20.....	1								2	
51	60 and over.....										
52	Unknown.....		1			1					

TABLE 18.

NUMBER OF DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE GROUPS, AND
REGISTRATION CITIES, DURING THE CENSUS YEAR ENDED MAY 31, 1890.

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	Aggregate deaths in the United States.	ALABAMA.							ARIZONA.	ARKANSAS.			
		Total.	Group 1.	Mobile.	Group 2.	Birmingham.	Group 3.	Montgomery.	Total.	Total.	Group 1.	Group 2.	Fort Smith.
1 Total.....	875,521	20,898	280	1,051	6,473	1,124	11,660	310	654	14,391	2,433	11,684	274
2 Abortion.....	838	21			10	1	10		2	31	5	26	
3 Abscess.....	1,083	19			4	1	14		25	4	21		
4 Abscess, lumbar and psoas.....	164	9		1	1	1	6		4	1	3		
5 Abscess, pharyngeal.....	45	2					2						
6 Absorbent system, disease of.....	90	1					1		1		1		
7 Accidents and injuries, not specified.....	7,491	147	3	2	41	7	93	1	5	95	13	80	2
8 Addison's disease.....	99	1			1								
9 Alcoholism.....	2,657	34	1	3	4	5	21		8	24	8	16	
10 Anemia.....	1,102	25		1	12		12		1	7	1	6	
11 Aneurism.....	551	9		1		2	5	1		4		4	
12 Angina.....	1,457	39		3	15		21		1	4	10	37	
13 Angina pectoris.....	1,255	13		2	1	1	8	1	1	5		5	
14 Aphthae.....	856	24			4		20			23	4	19	
15 Apoplexy.....	14,999	184		16	43	11	108	6	4	68	7	57	
16 Ascites.....	806	47		3	14		30		1	13	4	9	
17 Asthma.....	2,438	27		1	9		16	1	3	14	2	11	
18 Atrophy.....	244	3					3						
19 Bladder, disease of.....	1,951	32		2	14	1	15		2	13	1	10	
20 Bladder, rupture of.....	30	1					1			1		1	
21 Bones, disease of.....	272	6				1	4			4	1	3	
22 Bowels, disease of.....	1,989	57	1	1	15	3	35	2		56	4	52	
23 Bowels, obstruction of.....	2,203	69	3	4	25	4	33	2	3	26	1	24	
24 Brain, disease of.....	12,064	283	1	27	89	8	135	3	5	303	42	253	
25 Brain, inflammation of.....	6,777	97	4	3	50	2	37	1	3	177	23	154	
26 Bright's disease.....	11,637	141	4	38	39	3	51	6		78	9	66	
27 Bronchitis.....	21,422	301	1	14	98	28	163	2	8	187	17	162	
28 Burns and scalds.....	3,850	189	6	4	36	4	138	1	4	91	19	71	
29 Calculus, biliary.....	255	4					3			1		1	
30 Calculus, urinary.....	522	32			10		22			14	3	11	
31 Cancer, not specified.....	4,870	74		5	22	2	43	2	1	41	5	32	
32 Cancer of abdomen.....	923	14		3	3	1	6	1		4	1	3	
33 Cancer of bladder.....	124												
34 Cancer of brain.....	51												
35 Cancer of breast.....	1,714	34		3	12	1	16	2		16	2	14	
36 Cancer of eye.....	72	2					2						
37 Cancer of genitals.....	47	2					2						
38 Cancer of head, face, and neck.....	1,206	32	1	3	9		19			11		11	
39 Cancer of larynx.....	46									1		1	
40 Cancer of liver.....	1,293	12		3	2	1	6			5		5	
41 Cancer of lower extremities.....	87	1			1								
42 Cancer of lungs.....	79												
43 Cancer of mouth, tongue, and throat.....	642	18		1	6	2	9			4		4	
44 Cancer of ovaries.....	49									2		2	
45 Cancer of penis.....	10												
46 Cancer of rectum.....	414	6					5	1	2	2		2	
47 Cancer of stomach.....	4,307	18		2	6	1	7	2	5	23	1	22	
48 Cancer of testicle.....	10												
49 Cancer of upper extremities.....	82												
50 Cancer of uterus.....	2,510	77		4	31	1	39	2	1	26	4	22	
51 Carbuncle.....	274	6		2	1		3			6	2	4	
52 Catalepsy.....	38									1		1	
53 Chicken pox.....	50	2					2			1		1	
54 Childbirth.....	5,295	185	1	2	42	2	136	2	8	160	32	128	
55 Cholera infantum.....	27,510	352	4	10	163	22	151	2	6	224	14	207	
56 Cholera morbus.....	1,903	37	1	2	15	3	16		1	16	1	15	
57 Chorea.....	156	3			1		2			2	1	1	
58 Circulatory system, disease of.....	299	6			2		4		1	3		3	
59 Colic.....	1,665	38			15	2	21		1	24	8	15	
60 Constipation.....	110									8	2	6	
61 Consumption.....	102,199	2,163	48	133	800	129	1,016	37	77	1,209	205	972	
62 Convulsions.....	16,598	281	2	25	92	16	141	5	1	132	34	94	
63 Croup.....	13,862	368	3	2	180	8	175		10	356	37	313	
64 Cyanosis.....	1,454	33		1	24	1	5	2		4		4	
65 Debility.....	25,292	312	6	60	95	17	128	6	4	149	16	130	
66 Dentition.....	3,180	157		11	23	15	97	11	1	98	7	29	
67 Diabetes.....	2,407	22		3	7		12		1	15	2	13	
68 Diarrhea.....	10,754	280	2	8	96	43	124	7	5	146	17	123	
69 Digestive system, disease of.....	2,427	50	2	1	18		29			43	4	39	
70 Diphtheria.....	27,815	80		4	30	3	42	1	16	64	12	50	
71 Dirt eating.....													
72 Dropsy.....	10,070	455	11	11	116	9	300	8	4	267	57	206	
73 Drowning.....	5,104	73	8	12	16		34	3	2	82	37	44	
74 Dysentery.....	19,117	997	17	41	300	79	555	4	17	455	51	393	
75 Ear, disease of.....	258	5			2		2	1		5		5	
76 Electricity.....	28	1				1							
77 Elephantiasis.....	19												
78 Embolism.....	239	5			1	1	3						
79 Enteritis.....	15,427	403	7	13	139	14	225	5	13	335	50	276	
80 Epilepsy.....	2,367	61	1	2	23	1	54			44	4	39	
81 Erysipelas.....	2,663	55		3	25	3	23	1	1	49	4	44	
82 Esophagus, obstruction and stricture of.....	69	2			1		1						

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES.

CALIFORNIA.											COLORADO.				
Total.	Group 1.	Fresno.	Sacramento.	Stockton.	Group 2.	Alameda.	Los Angeles.	Oakland.	San Francisco.	San Jose.	Total.	Group 1.	Denver.	Group 2.	
17,739	3,342	117	443	146	3,966	261	1,008	915	7,060	481	5,471	1,164	2,584	1,723	1
19	7		1		5		2		4		6	4	1	1	2
19	5				5		1	1	6	1	6		1	5	3
6	2				3		1				1	1			4
											1		1		5
															6
261	72	2	5		90		5	5	77	5	81	27	35	19	7
5					2	1		1	1		1				8
173	65	2	7		44	2	3	3	53	4	44	5	23	16	9
36	10		1		2		2	2	18	1	5	1	3	1	10
53	14				5	1		4	28	1	4	1		3	11
22	8				8			1	4	1	15	2	8	5	12
32	4				10	2	3	1	10	2	8	4	3	1	13
7	1				3			1	1	1	5	1	3	1	14
381	46	2	10	3	79	7	16	34	172	12	39	10	21	8	15
20	4				5	1	1		9		3	1	1	1	16
98	19		1	1	19	1	1	4	50	2	15	3	10	2	17
1					1										18
59	11		2		13	1	7	1	23	1	10	1	8	1	19
1									1						20
5			2		1			1	1		1		1		21
32	11			1	12	1		3	4		13	1	4	8	22
47	9		1	1	11	1	2	3	17	2	10		7	3	23
219	62	1	4	3	45		13	4	81	6	55	7	27	21	24
78	23	1			15	1	7	7	23	1	38	13	11	14	25
318	51	2	5	1	56	2	13	11	175	2	59	11	28	20	26
484	49	1	8	3	79	9	27	24	272	12	91	14	54	23	27
70	19		4	1	19		6	4	17		23	7	10	6	28
8	4				1			1	1	1	2	1	1		29
11	2				5	1			3		1			1	30
136	23	3	4	6	29	2	4	17	48		12		8	2	31
20	2				5		1		12		4	2		2	32
5	3		1		1							2			33
35	6				5	1	2	4	16	1	1		1		34
1						1					6		4	2	35
															36
27	3		1		8		1	2	9	3	1			1	37
															38
2	1								1						39
57	3		1		9	1	5	2	35	1	4		3	1	40
															41
4						1			3						42
17	2				4		2	1	8		1			1	43
															44
															45
13			1				2		9	1	3	1	1	1	46
134	23	1	1		41	2	2	6	55	3	13	3	6	4	47
															48
1								1							49
69	18				9	3	4	4	29	2	13	1	5	7	50
9	4				1	1	1		2		3	2		1	51
															52
1									1						53
69	19				36		5		8	1	43	20	1	22	54
219	36		3		62	4	17	16	68	13	175	34	101	40	55
16	8				4				4		4	1	1	2	56
1				1							1	1			57
5			1		1				3		4	1	1	2	58
7	4				2				1		1			1	59
4						1		3							60
2,899	464	24	49	25	680	45	261	125	1,131	95	490	115	257	118	61
298	22	2	5	4	37	6	17	27	174	4	88	13	45	30	62
199	24	1	6	2	60	4	17	5	78	2	88	16	45	27	63
22					5		3	3	10	1	14	3	9	2	64
344	67	3	10	6	67	8	11	12	158	2	121	8	94	19	65
41	6	3			12	1	2	1	16		8	4	1	3	66
62	12		3		17	1	2	8	17	2	10	2	4	4	67
94	22	2			16	1	17	3	30	1	47	13	19	15	68
37	6		2		11		2	3	11	2	17	6	8	3	69
339	58		7	1	36	1	63	20	98	5	294	68	145	81	70
															71
134	41		2	3	38	3	4	2	40	1	30	8	7	14	72
204	39	1	11	1	50	13	2	4	78	5	26	4	8	15	73
102	28		1	1	22	1	20	4	23	2	83	10	58	15	74
8			1		3		1		3		1			1	75
															76
1			1		1										77
7									5		1			1	78
332	47	4	3	5	84	4	26	16	137	6	85	20	38	27	79
61	16			1	19	1	2		19		4	1	3		80
35	5	1	4	1	8	2	1	1	13		25	5	14	6	81
3									3		1		1		82

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE.

CAUSE OF DEATH	Aggregate deaths in the United States.	ALABAMA.							ARIZONA.	ARKANSAS.				
		Total.	Group 1.	Mobile.	Group 2.	Birmingham.	Group 3.	Montgomery.	Total.	Total.	Group 1.	Group 2.	Fort Smith.	
83 Execution	74	8		1	1	4	2			9			9	
84 Explosion	473	21		2	5	10	4			13	2	10	1	
85 Exposure and neglect	996	34			7	1	26			4	9	13	1	
86 Extra-uterine pregnancy	48													
87 Falling bodies	868	25	3		9		13			19	5	14		
88 Falls	3,114	79	1	3	17	5	52	1		4	8	30	2	
89 Female organs of generation, disease of	1,075	43	1	2	9	1	30			4	13	28		
90 Fever, not specified	2,962	168	1	6	40	2	119			10	119	38	81	
91 Fever, cerebro-spinal	3,333	104	1	1	55	12	34	1			63	6	55	2
92 Fever, enteric	27,058	874	11	16	361	69	408	9		15	590	63	522	5
93 Fever, malarial	18,594	1,030	17	69	262	25	652	5		32	1,527	325	1,180	22
94 Fever, scarlet	5,969	23			8	3	11	1		11	25	4	20	1
95 Fever, typhus	299	7			5		2			1	14	3	11	
96 Fever, yellow	16													
97 Fractures	1,010	6		1	1	1	3			10			9	1
98 Frozen	94	2	1		1									
99 Gangrene	1,257	11	1	3	3		4			10			10	
100 Gastritis	2,866	39		1	18	1	19			2	22	3	19	
101 General disease, not specified	50	3			2		1			4	4	4	4	
102 Goiter	49	1					1			1			1	
103 Goiter, exophthalmic	74									1			1	
104 Gout	49													
105 Gunshot wounds	2,552	124		5	42	6	70	1		6	85	22	60	3
106 Hemorrhage	1,776	29		1	7	4	17			1	23	6	15	2
107 Hemorrhage, uterine	217	9		1	5		3				8	2	6	
108 Heart, disease of	44,959	741	11	79	153	24	455	19		24	322	51	267	4
109 Hernia	1,482	23			3		19	1			9	3	5	1
110 Hip joint, disease of	254										4		4	
111 Homicide	1,953	108		1	36	29	42			11	46	11	35	
112 Hydrocephalus	4,338	50	1	6	18	4	21				28	2	26	
113 Hydrophobia	143	7			1		6				4		3	1
114 Inanition	6,995	152	2	2	65	4	76	3		3	26	4	22	
115 Infanticide	43	2					2				1		1	
116 Injuries by machinery	275	11			6	1	4				6	3	3	
117 Jaundice	1,698	38			16	2	20				26	1	25	
118 Joints, disease of	169	8			3		5				5	1	3	1
119 Kidneys, disease of	7,820	98	2	9	31	3	52	1		1	50	6	42	2
120 La grippe	12,957	196		1	73	4	115	3		21	356	64	289	3
121 Laryngitis	725	9			3		6				6		5	1
122 Lead poison	109	1		1						1	2		2	1
123 Leprosy	15													
124 Leucocythæmia	155	2					2							
125 Lightning	336	15		1	3		11				4	1	3	
126 Liver, disease of	5,520	87	2	6	28	4	45	2		2	72	13	58	1
127 Liver, inflammation and abscess of	2,242	47		2	12	4	28	1		6	44	4	40	
128 Lost at sea	9													
129 Lungs, disease of	7,310	117	1	6	40	7	63			3	84	11	72	1
130 Lymphatics, disease of	19													
131 Male organs of generation, disease of	14	1					1				1	1		
132 Malformations	1,535	27			9		17	1			18	3	15	
133 Malignant pustule	16													
134 Measles	9,256	496	8	4	153	30	296	5		14	87	23	63	1
135 Meningitis	10,998	188	1	4	77		103	3		6	115	14	97	4
136 Mental disease	1,913	35			2	1	32			2	5	1	4	
137 Mining accidents	745	12			10		2			2	2		2	
138 Mumps	157	7			2		5				3		3	
139 Nervous system, disease of	1,747	28	1	1	10	1	15				27	1	26	
140 Noma	115	2				1	1				6	1	5	
141 Obesity	5										1			
142 Old age	16,591	287	2	5	64	1	202	13		12	97	19	73	5
143 Ovaries, disease of	150	4					4				3		3	
144 Paralysis	16,570	271	3	23	75	12	156	2		3	120	7	110	3
145 Parasites	24	1					1				1		1	
146 Peritonitis	4,995	77		7	23	9	38			1	34	4	29	1
147 Phlebitis	105	2			1		1			1	3		3	
148 Phlegmasia dolens	39	1					1				2		2	
149 Pleurisy	2,135	61		1	22	1	37			1	24	2	22	
150 Pneumonia	76,496	1,585	16	31	548	93	877	20		86	1,591	279	1,285	27
151 Poisons, not specified	1,402	33	1	2	8		21	1		2	45	10	33	2
152 Pregnancy, diseases connected with	359	7			7		7				6	2	4	
153 Premature birth	7,636	156	2	21	35	8	83	7		4	96	5	91	
154 Puerperal convulsions	734	34		2	15		17				9	1	7	1
155 Puerperal mania	86													
156 Puerperal septicæmia	3,863	174	1	4	58	4	106	1		4	135	21	111	3
157 Purpura	234	5			3		2				2		2	
158 Railroad accidents	5,756	119	4	6	39	32	35	3		5	32	5	25	2
159 Respiratory system, disease of	1,016	8		2	4		2				2		2	
160 Rheumatism	4,508	93	3	2	35	4	47	2		3	79	13	65	1
161 Rickets	201	2			1		1							
162 Roseola	35	2					2				5		5	

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

CALIFORNIA.											COLORADO.			
Total.	Group 1.	Fresno.	Sacramento.	Stockton.	Group 2.	Alameda.	Los Angeles.	Oakland.	San Francisco.	San Jose.	Total.	Group 1.	Denver.	Group 2.
1									1		3	1		2
23	4				4			8	7		6		1	5
48	19		3		25		1				7	3	1	3
14	9				4					1	15	6		9
75	21		3		30		1		18	2	15	3	5	7
19	4		2		8				5		4	2		2
24	11	4			9						19	10		9
51	12		1	1	16	1		7	11	2	29	5	12	12
479	108	5	19	1	114	4	34	16	166	12	418	93	232	93
153	77	5			18	4	10	8	28	3	38	26	4	8
55	8		1		17	2	1	5	20	1	69	24	17	28
7	4				1				2					
1							1							
25	5				7	1	1	2	8	1	11	2	5	4
6	4				2						8	4	3	1
23	2				6		1		13	1	5		3	2
55	6	3	5	1	5		1	4	80		15	3	11	1
3	1					1		1						
1	1													
1	1													
85	26	1	4		29		2	2	17	4	47	12	13	22
34	10				13		1	1	9		21	2	15	4
1									1		5	1	1	3
1,230	213	5	29	9	247	25	49	64	550	39	239	40	137	62
33	10				3	1	3	1	14	1	10	3	2	5
12	3				7				2		2	1	1	
79	32	1	1		18		5	2	20		15	4	1	10
87	16		1	2	26	2	13	5	21	1	22	5	14	3
1	1										2	1	1	1
451	17	5	2	3	31	7	29	33	316	8	47	6	29	12
1									1		1			
9	3				2	1		2	1		3		1	2
42	1				8		1	1	31		7		6	1
3	2							1						
146	28		6	2	25	2	13	8	59	3	29	4	16	9
99	47	1			40	2	5	2	2		80	19	10	51
23	2			1	3		2	7	7		3	2	1	1
2	1		1								2		1	
1									1					
7	3				1				2	1				
2					1				1		5	3	1	1
172	25		1	5	32		13		80	5	28	4	14	10
72	14		4		12		6	11	28	3	12	3	3	6
164	24		4	6	30	4		6	85	5	37	7	13	17
											1		1	
12	3				4				4	1	1	1	5	2
1		1									8			
76	12		1		20		2	8	33		66	11	44	11
258	19	2	9	5	30	4	24	20	137	8	58	6	41	11
26	8				11	1	1		4	1	5	1	3	1
48	39				7				1	1	37	1		36
											2	1		1
32	4				15	3	3		6	1	7	2	2	3
1					1						1			1
269	62		12	6	76	3	8	17	84	1	35	7	23	5
5	1		1		1			1	1		1		1	
362	80		8	1	96	8	14	10	129	16	53	14	23	16
164	20		3	3	15	2	4	12	103	2	50	4	34	12
1	1													
1					1									
43	6	1	1	1	6	1	2		22	3	11		7	4
1,531	285	4	35	14	307	21	53	80	684	48	686	114	305	267
59	24	2	2		9	1	6	4	9		33	10	16	7
3					1				1	1	5		5	
113	22	4	2	1	23		1		60		58	10	32	11
9	1		1		1		4		2		5	1	3	1
1								1						
36	5		2	1	4		4		15	3	47	3	23	16
7	2					1	1		3		2	1		1
112	80	2	7		22	2	6	28	14	1	79	29	31	19
13					1	1		1	8		5		5	
80	18		1	1	24		6	5	24	1	18	4	4	10
3							1		2					

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE

CAUSE OF DEATH.	Aggregate deaths in the United States.	ALABAMA.						ARIZONA.	ARKANSAS.				
		Total.	Group 1.	Mobile.	Group 2.	Birmingham.	Group 3.	Montgomery.	Total.	Group 1.	Group 2.	Fort Smith.	
163 Scrofula.....	2,352	97		4	40	3	50		66	14	49	3	
164 Septicæmia.....	3,748	89		5	22	10	49	3	64	6	57	1	
165 Skin diseases.....	612	9			1	1	6	1	13	2	11		
166 Smallpox.....	398								1		1		
167 Spinal cord, disease of.....	3,396	24		1	13		9	1	86	5	80	1	
168 Spine, disease of.....	1,943	15			9		6		65	4	61		
169 Spleen, disease of.....	155	2			1		1		3		3		
170 Stillborn.....	34,102	1,015	3	108	217	72	580	35	308	51	253	4	
171 Stomach, disease of.....	5,214	106	1	2	44	5	52	2	170	11	157	2	
172 Suffocation.....	2,124	78	1		18		59		39	11	27	1	
173 Suicide by cutting throat.....	252	3			1		2		1			1	
174 Suicide by drowning.....	224	5			2		3		1	1			
175 Suicide by shooting.....	1,066	9		2	2	1	3	1	4		4		
176 Suicide by hanging.....	796	2			2				2		2		
177 Suicide by poison.....	858	18	1	1	3	7	6		4	2	8		
178 Suicide, not specified.....	736	7			1	2	4		6	2	11	1	
179 Sunstroke.....	475	12			4		8		7	5	5		
180 Surgical operations.....	865	5			2		3		1	9	1	8	
181 Tabes mesenterica.....	1,769	42	1		15	7	19		14		13	1	
182 Tetanus.....	747	26	1	6	6	1	12		10	1	7	2	
183 Trismus nascentium.....	1,272	70	1	50	2	1	16		5		5		
184 Tumor.....	2,448	41	1	1	21	2	16		19	4	15		
185 Tumor, ovarian.....	494	9			3	1	5		2		2		
186 Typhlitis.....	387	6		1	3		2		3		3		
187 Unknown.....	34,286	2,179	29	16	518	109	1,483	24	50	1,610	387	1,209	14
188 Uremia.....	942	17		3	7	1	5	1	4		4		
189 Urethra, stricture of.....	82	1					1		4	2	2		
190 Urinary organs, disease of.....	325	4			2		2		4		4		
191 Urinary system and male organs of generation, disease of.....	359	11		2	1		8		34	7	27		
192 Uterus, disease of.....	621	43			5	1	37		21	1	20		
193 Uterus, tumor of.....	338	7		2			4	1					
194 Venereal disease.....	1,619	66	2	4	13	4	43		10	8	27	6	
195 Vomiting in pregnancy.....	34	2				1	1		1		1		
196 Whooping cough.....	8,432	182	1	2	77	5	95	2	1	116	13	103	
197 Worms.....	707	52	2		17		33		1	48	12	35	1
198 Wounds.....	1,176	35		4	9	2	19	1	3	16	14	2	

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

CALIFORNIA.											COLORADO.			
Total.	Group 1.	Fresno.	Sacramento.	Stockton.	Group 2.	Alameda.	Los Angeles.	Oakland.	San Francisco.	San Jose.	Total.	Group 1.	Denver.	Group 2.
17	2				7	2		3	3		5	1	2	2
103	20		4	2	20		7	6	41	3	29	4	17	8
8	4				3				1		4	3	1	1
2	1						1				3	1		2
79	22	1	2	2	18	2	2	2	25	3	35	16	8	11
16	7				3		1		5		5	3	1	1
1	1										1		1	
578	59	2	12		71	1	2	54	345	32	173	15	130	28
101	26		1		45	1	2	5	17	4	21	8	6	7
47	8				11			3	25		3	2	1	
13	3		1		2				7					
7	1				3		1		2					
85	9		4		21	1	1	2	40	2	15	3	8	4
22	3				8		2		9		3			1
55	9		6	1	15		5	2	16	1	16	6	5	5
48	17	2	1	1	9			1	15	2	6		4	2
11	6	1			2				1		1		1	
25	2			1	8		2		12		5	1	1	3
39	8	1			6	1		4	16	3	5	2	1	2
20	2				6		3	3	6		5	1	2	2
9	1		2				2		3	1	1		1	
46	10		3		15		1	2	14	1	15	5	4	6
14	1				5		1	2	5		4		2	2
5					1		1		3		7	2	3	2
498	154	7	59		173	3	6	8	59	29	240	76	21	143
39	3		2		2			3	28	1	2	1	1	
1					1						1			1
1	1										1		1	
12	1		1		4	1			4	1	1			1
7					5						3		1	2
8	1			1	3		1	1	1		3		3	
46	10				8		5	5	17	1	7	1	4	2
											1		1	
117	24			3	44	1	11	8	25	1	38	9	16	13
3	2				1									
31	8		1		6	1	3	4	5	3	6		4	2

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH		CONNECTICUT.										
		Total.	Group 1.	Bridgeport.	Danbury.	Meriden.	Middletown.	New Haven.	New London.	Norwich.	Waterbury.	Group 2.
1	Total	14,470	3,973	1,004	342	456	335	1,720	283	374	539	3,683
2	Abortion	6	1	1				2			1	1
3	Abscess	18	3	2		1	1	2	1			4
4	Abscess, lumbar and psoas	2	2									
5	Abscess, pharyngeal											
6	Absorbent system, disease of											
7	Accidents and injuries, not specified	110	32	7	1	4	5	7	2	2	5	28
8	Addison's disease	5	2									2
9	Alcoholism	83	18	4	4	4	2	16			3	12
10	Anæmia	15	4	1			1	3	1			3
11	Aneurism	9	2		2			1				3
12	Angina	15	1	6				2	1		1	4
13	Angina pectoris	38	8	3	1			5	1	3	1	12
14	Aphthæ	11	2	2		1		1			2	1
15	Apoplexy	468	147	19	12	8	18	43	7	7	14	133
16	Ascites	7	3					2				2
17	Asthma	38	10	1	1	2	1	3	1		2	9
18	Atrophy	6	2						1			3
19	Bladder, disease of	44	12	1	3			5		1	1	16
20	Bladder, rupture of											
21	Bones, disease of	7	2				2					2
22	Bowels, disease of	10	4			1		2	1			1
23	Bowels, obstruction of	46	14	5	2	2		3		2	4	13
24	Brain, disease of	182	54	13	7	2	6	21	1	2	5	48
25	Brain, inflammation of	35	14	2		1		2			1	11
26	Bright's disease	290	84	11	3	10	6	28	5	13	7	84
27	Bronchitis	477	106	37	15	13	5	74	7	18	32	114
28	Burns and scalds	33	8	4	3	4		4	2		1	6
29	Calculus, biliary	3	2					1				1
30	Calculus, urinary	2										
31	Cancer, not specified	91	33		3	1		5	2	4	1	31
32	Cancer of abdomen	28	9	2	2	1	1	2	1	4		5
33	Cancer of bladder	4	2								1	1
34	Cancer of brain	5	3		1							1
35	Cancer of breast	37	13	1			2	5	1	2		12
36	Cancer of eye											
37	Cancer of genitals	1	1									
38	Cancer of head, face, and neck	25	7	2			2	3			2	5
39	Cancer of larynx											
40	Cancer of liver	32	12	3		4	1	1			2	8
41	Cancer of lower extremities	1										1
42	Cancer of lungs	2							1			1
43	Cancer of mouth, tongue, and throat	13	3	2				1		1		4
44	Cancer of ovaries	1										1
45	Cancer of penis											
46	Cancer of rectum	8	5			1		1				1
47	Cancer of stomach	75	25	6	1	4	2	7	1	1		22
48	Cancer of testicle											
49	Cancer of upper extremities	1										1
50	Cancer of uterus	54	14	1		1	3	10	2	3	2	12
51	Carbuncle	5	2	1				2				
52	Catalepsy	2	1									1
53	Chicken pox	2										1
54	Childbirth	29	5		2	3		2			1	10
55	Cholera infantum	528	120	38	16	20	8	55	13	12	42	130
56	Cholera morbus	32	7	1	1	1		2			2	7
57	Chorea	4	3					1				
58	Circulatory system, disease of	13	2	1			1	3				2
59	Colic	8	5			1						2
60	Constipation	1						1				
61	Consumption	1,743	483	114	39	55	51	222	24	65	69	414
62	Convulsions	231	46	20	7	9	2	32	9	7	17	52
63	Croup	143	33	12	4	9		22	2	1	6	40
64	Cyanosis	32	10	2				3		1		7
65	Debility	438	114	31	4	12	8	42	9	25	22	109
66	Dentition	61	18	5		3	1	7	1	1	7	10
67	Diabetes	60	20	6	1		2	9	2	1	2	14
68	Diarrhea	194	43	9	4	3	2	28	5	4	11	57
69	Digestive system, disease of	45	16	2	1	1		8	2	3	1	10
70	Diphtheria	574	111	48	13	47	1	86	13	3	22	137
71	Dirt eating											
72	Dropsy	88	20	4	4	1		3	5	2	1	41
73	Drowning	111	48	13	2		3	6	2	5	2	27
74	Dysentery	219	54	15	1	6	8	23	3	1	17	74
75	Ear, disease of	7	2			2	1	2				
76	Electricity	1										
77	Elephantiasis											
78	Embolism	4		2		1						1
79	Enteritis	175	43	15	6	3	7	21	2	8	6	49
80	Epilepsy	44	8	4		2	7	10		2	1	10
81	Erysipelas	34	8	3		3		5			1	4
82	Esophagus, obstruction and stricture of	3						1		1		1

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

CONNECTICUT—continued.			DELAWARE.		DISTRICT OF COLUMBIA.	FLORIDA.	GEORGIA.						IDAHO.	
Hartford.	Rockville.	Willimantic.	Total.	Wilmington.	Total.	Total.	Total.	Group 1.	Savannah.	Group 2.	Atlanta.	Group 3.	Augusta.	Total.
1,357	188	191	3,107	1,277	5,955	4,145	21,174	1,555	1,540	4,098	1,628	11,440	913	731
			2		7	7	21	2	2	5	1	11		1
4			1		4	4	17		1	2	4	9	1	3
					1	2	2			2				4
						1	1					1		5
							2			1		1		6
13	3	1	14	5	18	42	144	15	12	14	4	94	5	13
1					3		4	2						8
17	1	2	4	1	29	20	38	3	5	8	2	19	1	9
1	1		4	1	3	4	26	3	6	2	12	3		10
1					13	4	10	1		5	3	1		11
4			15	1	4	8	46	5		12		23	1	12
			4	3	6	8	16	3	1	4	2	6		13
	1	1	5	5	5	16	51	2		4	2	35	2	14
45	7	8	54	19	127	29	190	13	19	27	20	98	13	3
			2		1	8	74	4	8	20	2	40		16
8			7	3	12	16	61	4	16	13	3	25		17
														18
4	1		7	1	20	6	19	3	2	5	2	6	1	19
							1		1					20
1			1	1	3	2	1			1				21
1			4		3	21	85	9	4	13	2	55		22
	1		9	5	19	13	40	5	3	10	1	20	1	23
19	1	3	35	20	114	71	330	21	40	41	41	160	27	6
3		1	36	11	8	24	152	10	5	45	17	74	1	24
29	3	7	54	24	61	31	136	9	31	18	17	50	11	25
49	3	4	63	45	180	36	231	7	29	66	33	81	15	26
1			11	5	15	44	202	19	7	30	9	137		27
														28
1			1			1	3				1	2		29
7	1	3	31	18	1	8	24		1		7	16		30
1			1		5	15	89	1	4	16	10	55	3	31
					2	1	9		2	2	1	4		32
														33
					2	2								34
1			1		12	5	35	4	1	7	2	21		35
														36
4			1		1	8	1							37
							30		1	12	1	16		38
					1									39
1			2	2	10	3	7		1	1		4	1	40
														41
					2		2		2			1		42
2			1	1	2	4	17	2	1	5		9		43
														44
					1									45
			1	1	2		2	1		1				46
5		1	8		20	7	35		5	12	1	16	1	47
														48
					1	2	1					1		49
4	1	1	6	1	32	17	63	3	4	10	5	39	2	50
					2	1	9			3		6		51
														52
1														53
6			14		11	79	236	31	1	26	3	173	2	54
32	18	20	153	57	222	98	559	34	34	116	118	223	34	55
10	1		2		1	5	43	2	1	17	3	17	8	56
														57
			1		2		1			1				58
			4			17	67	3	3	18	1	41	1	59
			3			3	5	1	1			3	1	60
156	30	21	476	172	327	377	2,155	123	209	450	223	1,038	112	40
25	6	2	64	44	111	54	276	13	50	23	52	101	37	61
12	2		80	33	47	40	401	12	6	138	18	225	2	62
9			6	4	7		4			1	1	2		63
														64
			1											65
50	4	8	199	107	368	89	281	18	41	43	19	117	43	12
6		2	4	1	61	38	290	33	32	46	2	176	1	66
3			6	3	7	2	34	1	7	7	2	21	2	67
12	13	3	23	5	129	61	281	22	30	60	23	126	20	68
1			5	1	18	19	62	5	4	16	1	34	2	69
89	4		88	8	145	14	152	29	5	18	6	88	6	70
														71
1	2	1	34		15	117	594	60	33	111	34	345	11	72
6		2	18	6	24	30	72	11	8	15	7	35	2	73
12	1	4	66	18	135	163	1,116	92	41	228	52	674	29	74
					2		2		1	1				75
														76
														77
														78
14	1		40	24	105	70	354	19	37	43	63	169	23	79
4		1	5	2	21	7	67	2	13	7	4	49		80
5				1	7	20	58	5	3	12	1	33	1	81
					2		1					1		82

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

CONNECTICUT—continued.			DELAWARE.		DISTRICT OF COLUMBIA.	FLORIDA.	GEORGIA.						IDAHO.	
Hartford.	Rockville.	Willimantic.	Total.	Wilmington.	Total.	Total.	Total.	Group 1.	Savannah.	Group 2.	Atlanta.	Group 3.	Augusta.	Total.
						1	1	2				1		87
1			3		1	3	11	2				6		84
			1	1		9	17	2	5	3	1	44	1	85
					1					14		1		86
						10	27	4		5		15		87
1			7	2	3	13	67	8	5	9	2	41	2	88
1			3	1	2	14	36	4		6	1	24	1	89
		1	1			58	226	27	13	36	1	144	5	90
						21	8	4	3	15	2	11		91
7	1		12	7	21	163	1,000	55	22	230	47	623	23	92
32	2		102	43	200	287	937	120	91	76	21	582	47	93
12	1		28	11	98	10	8			2		6		94
5			18	8	18									95
	3		1				4	3		7		6		96
	1						7	5	4	4	2	9	1	97
3							1							98
1														99
3			5	3	13	3	9	1		2	2	3	1	100
5	1		10	6	34	6	68	7	10	7	15	20	9	101
							5			1		4		102
1							2					2		103
1					1		1			1				104
1			4		10	39	152	29	10	19	5	66	3	105
														106
4			12	9	12	17	45	1	10	6	5	19	4	107
					3	1	9	1		1	1	6		108
69	9	14	204	111	277	181	795	64	55	171	69	383	53	109
4		1	4	2	13	6	24	4	1	6		13		110
					3		1			1				111
10	3	1	2	1	9	21	92	22	1	12	1	53	3	112
1			6		34	8	25	4	2	7		12		113
						2	16			3		13		114
														115
3			47	40	101	10	79	2	10	5	40	12	10	116
					9		2					2		117
							2			4		11		118
					14	13	48	5	4	15	6	18		119
		2	7	2	1	6	1					1		120
7			26	10	62	15	79	3	5	18	4	46	3	121
29	4	2	22		8	58	164	18	8	27		103	8	122
1			1		5		2			1	1			123
							2						2	124
1							1			1		1		125
														126
7	3	4	16	7	32	19	106	2	7	5	1	16		127
8	1	1	3	2	10	11	31	2	4	23	5	60	2	128
										4	5	16		129
7		1	16	7	92	32	151	4	32	36	12	52	15	130
					2									131
														132
2	1		6	2	9	5	21	2	3	5	1	10		133
														134
5	2		31	17	6	68	440	19	2	114	34	269	2	135
27	2	1	68	55	69	23	171	9	14	54	24	61	9	136
3	1		4	2	39		54		2	4		47	1	137
							1			1				138
						5	3			1		2		139
1		1	2		5	12	36	2	3	5	4	21	1	140
					2		1					1		141
66	9	8	42	2	38	47	281	21	42	45	21	149	3	142
							1			1				143
19	4	3	94	36	85	49	477	22	23	118	32	266	16	144
														145
14		5	22	8	25	12	67	5	7	9	14	25	7	146
					1									147
					1									148
														149
3	1		7	2	8	23	96	20	4	23	2	46	1	150
122	11	16	268	121	484	251	1,738	110	70	310	113	1,063	72	151
			4		5	22	49	5	2	8	4	30		152
					2	1	5	3	1			1		153
14	4	4	33	23	102	14	147	5	2	34	9	77	20	154
														155
1			3	2	4	2	22		4	1	2	14	1	156
					4									157
2	1	1	7		16	20	139	11	8	33	8	77	2	158
1			1	1	4		4		1	1		2		159
17		3	35	20	26	14	106	15	16	23	8	40	4	160
2			5	1	5	1	7	2	1	2		2		161
10	1	1	3		36	14	121	9	6	28	8	69	1	162
					9	2	3				1	2		163

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.		CONNECTICUT.										
		Total.	Group 1.	Bridgeport.	Danbury.	Meriden.	Middletown.	New Haven.	New London.	Norwich.	Waterbury.	Group 2.
163	Scrofula	20	7					3				5
164	Septicæmia	40	12		1			2		4		14
165	Skln diseases	5	2					1			1	2
166	Smallpox	12				10						2
167	Spinal cord, disease of	59	20	5	2	2		9	1	1	1	20
168	Spine, disease of	14	6	1		1		1	1			1
169	Spleen, disease of											
170	Stillborn	697	134	64	19	19	19	101	11	19	37	111
171	Stomach, disease of	44	9	3		3		4	2	2	1	13
172	Suffocation	34	12		1	3	1	4			3	9
173	Suicide by cutting throat	4		2								2
174	Suicide by drowning	3	2									1
175	Suicide by shooting	10	2	1				1				4
176	Suicide by hanging	14	3	1	1	1		1		2		4
177	Suicide by poison	10	2					5				1
178	Suicide, not specified	9	3		1						2	4
179	Sunstroke	8	6	1								1
180	Surgical operations	12	4	2	1			1				
181	Tabes mesenterica	27	11	2				4		1		4
182	Tetanus	8	3			1				1		2
183	Trismus nascentium	10		1			1	7			1	
184	Tumor	34	9	4		1		6		1		7
185	Tumor, ovarian	14	2				1	3	1			5
186	Typhlitis	8	1	1		1					2	3
187	Unknown	108	45	3	4	3	1	4	2	1	5	26
188	Uræmia	22	7	1		1		1	1	1		4
189	Urethra, stricture of	1	1									
190	Urinary organs, disease of	13	6	1			2	2				2
191	Urinary system and male organs of generation, disease of	11	6	1				1				1
192	Uterus, disease of	6	2				1	3				
193	Uterus, tumor of	11	3	3								1
194	Veneral disease	6	3				1	1				
195	Vomiting in pregnancy											
196	Whooping cough	140	42	13	1	1	2	31	2		12	14
197	Worms	2	1					1				
198	Wounds	22	10		1	1		4			1	4

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

CONNECTICUT—continued.			DELAWARE.		DISTRICT OF COLUMBIA.	FLORIDA.	GEORGIA.						IDAHO.	
Hartford.	Rockville.	Willimantic.	Total.	Wilmington.	Total.	Total.	Total.	Group 1.	Savannah.	Group 2.	Atlanta.	Group 3.	Augusta.	Total.
5			2	2	19	4	91	4	6	26	5	46	4	5 163
5			11	3	14	20	88	5	5	21	12	40	5	2 164
1	1	1			6	4	24	4	5	7		12	1	165
4			2	1	14		15	2		9		3		166
3			2		2	5	44	2	1	18	1	20	2	2 168
					1	1	2			1		1		169
58	8	7	34		506	88	750	45	17	121	145	338	84	12 170
3		4	16	2	21	23	97	8	11	27	5	41	5	5 171
	1		9	6	19	15	97	1	1	13	8	70	4	1 172
							1	1		1				173
			3		7		4	6		1	1	4		1 174
			5		5		4	2				2		2 175
1	2		3	1	4	6	12					2		1 176
1			1		4	6	19	1	1	3	1	5	1	2 177
			2		2	5	8	1	1	1		5		2 178
3		1	1	2	2	7	10	1		4		5		179
			2		2	2	7	1	1		1	4		1 180
3	1	1	2		10	8	31	2	4	11		14		181
1			6	2	9	19	37	1	6	3	5	8	11	182
			1		49	14	25		16	1	3	2	3	183
6			7	1	7	19	47	2	2	13	1	29		2 184
1		1	3		3	2	11	1	2	3		5		185
			1	1	7	2	3		1			1	1	186
8	2	4	113	21	12	337	1,692	105	161	309	51	1,032	34	46 187
5		1	5	4	3	1	16	2	3	1	6	3	1	1 188
					1		4			2		2		189
					4	1	2			1		1		190
2					2	4	10		1	4	2	3		191
			3		3	7	50	7	3	8	2	30		192
3		1	1	2	1	1	5	1		2		2		193
1			2	1	27	19	65	5	6	9	5	38	2	1 194
			1		1	1	2			1		1		195
22			10	6	30	50	89	5	3	28	7	45	1	7 196
					3	25	66	5	6	13		42		197
1			4	1	13	8	27	5	3	4	6	9		1 198

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	ILLINOIS.											INDIANA.		
	Total.	Group 1.	Chi-ago.	Group 2.	Group 3.	Aurora.	Gales-burg.	Jack-son-ville.	Ottawa.	Peoria.	Rock-ford.	Total.	Group 1.	La-porte.
1 Total.....	53,123	1,462	23,162	6,863	19,492	400	249	147	161	740	447	24,180	790	108
2 Abortion.....	46	1	11	5	28					1		37	2	1
3 Abscess.....	83	3	28	9	37	1	1			2	2	25		
4 Abscess, lumbar and psoas.....	12		8	1	3							10		
5 Abscess, pharyngeal.....	1		1											
6 Absorbent system, disease of.....	7		3	1	3							2		
7 Accidents and injuries, not specified.....	433	13	36	87	215	4	9			12	5	200	11	2
8 Addison's disease.....	1				1							3		
9 Alcoholism.....	187	19	95	17	54		1				1	46	2	
10 Anæmia.....	66		43	6	14	1	1				1	39		
11 Anæmism.....	32		24		6						2	6		
12 Angina.....	89	3	23	18	44		1					64	1	
13 Angina pectoris.....	63	5	20	13	23						2	35	1	
14 Aphtha.....	50	1	25	8	14					2		37		
15 Apoplexy.....	680	32	301	79	237	7	3	5	2	6	8	328	9	3
16 Ascites.....	29	1	9	5	13	1						22	2	
17 Asthma.....	226	14	96	33	78	2				3		75	4	1
18 Atrophy.....	31	1	23	3	2	1					1	3		
19 Bladder, disease of.....	94	5	25	19	39	1			2	1	2	51	6	1
20 Bladder, rupture of.....	4		4											
21 Bones, disease of.....	17		4	4	9							8		
22 Bowels, disease of.....	89	3	13	18	53		1			1		77	4	
23 Bowels, obstruction of.....	132	2	60	16	49	1	1	1	1	1	1	57	1	
24 Brain, disease of.....	683	18	239	106	282	6	8		4	16	4	412	5	3
25 Brain, inflammation of.....	453	8	82	76	262	5	1		1	16	2	401	14	
26 Bright's disease.....	578	13	218	66	246	7	1	4	12	11	11	285	7	
27 Bronchitis.....	1,762	42	1,194	166	322	5	8	3	3	8	11	423	9	3
28 Burns and scalds.....	139	5	47	27	55	1		1		2	1	112	4	
29 Calculus, biliary.....	15		1	4	8							20		
30 Calculus, urinary.....	23		4	6	13					1	1	22	2	
31 Cancer, not specified.....	207	11	29	31	118	3	2		2	8	2	133	6	
32 Cancer of abdomen.....	61		32	3	22	1	1				2	23		
33 Cancer of bladder.....	11	2	4		5							2	1	
34 Cancer of brain.....	1		1									2		
35 Cancer of breast.....	87	4	25	11	40		1	1		1	4	53	3	
36 Cancer of eye.....	9	1	3		5							1		
37 Cancer of genitals.....	5		1	1	2	1						1		
38 Cancer of head, face, and neck.....	74	3	19	15	34	1						53	2	
39 Cancer of larynx.....	6		6									2		
40 Cancer of liver.....	73	1	38	9	23						2	33	2	
41 Cancer of lower extremities.....	11		3	1	7							2		
42 Cancer of lungs.....	6		5		1							4		
43 Cancer of mouth, tongue, and throat.....	40	1	18	7	14							10	1	
44 Cancer of ovaries.....	4		2	1	1							1		
45 Cancer of penis.....	2	1	1											
46 Cancer of rectum.....	30		15	3	12							9	2	1
47 Cancer of stomach.....	313	10	121	39	131	2			1	6	3	140	9	5
48 Cancer of testicle.....														
49 Cancer of upper extremities.....	6		2	1	3							2		
50 Cancer of uterus.....	136	5	63	14	45			1			2	74	3	2
51 Carbuncle.....	13		2	5	4	1					1	12		
52 Catalepsy.....	3		1	1	1									
53 Chicken pox.....	2				2							1		
54 Childbirth.....	258	5	42	43	157	1			1		1	153	8	
55 Cholera infantum.....	1,838	20	1,124	113	505	22	2	8	3	30	11	734	31	2
56 Cholera morbus.....	104	1	61	9	31					2		88		
57 Chorea.....	12	1	1	4	6							12		
58 Circulatory system, disease of.....	12	1	5	2	4							10		
59 Colic.....	137	10	65	19	39					4		19	4	1
60 Constipation.....	7	1	3	2								2		
61 Consumption.....	5,698	247	1,935	762	2,513	39	31	24	25	83	39	3,504	75	17
62 Convulsions.....	1,608	11	1,190	136	217	11	4	1	6	22	10	285	9	1
63 Croup.....	957	13	421	138	351	5	9			13	7	305	20	1
64 Cyanosis.....	54	1	21	7	24					1		27		
65 Debility.....	986	35	467	115	323	8	3	4	6	13	12	455	15	1
66 Dentition.....	144	1	75	13	51			1		3		31	1	
67 Diabetes.....	137	2	35	21	71	2	1	2		1	2	102	2	
68 Diarrhea.....	605	29	270	86	203	2	2	1	1	4	7	241	7	3
69 Digestive system, disease of.....	128	2	50	13	61		1		1			88	6	
70 Diphtheria.....	2,604	77	1,124	252	1,023	33	9	3	5	13	65	594	98	
71 Dirt eating.....														
72 Dropsy.....	439	11	87	95	222	2	1	3		17	1	304	15	
73 Drowning.....	297	9	133	48	92	5	1		4	3	2	100	8	1
74 Dysentery.....	923	25	376	205	301	5	2	5	1	2	1	422	4	
75 Ear, disease of.....	17		7	2	7					1		3		
76 Electricity.....												2		
77 Elephantiasis.....	1				1									
78 Embolism.....	15		6		8						1	5		
79 Enteritis.....	1,500	19	966	103	369	7	3	2	1	28	2	388	7	3
80 Epilepsy.....	124	16	30	23	54	1						77	3	
81 Erysipelas.....	153	5	54	22	67	2				3		107	5	1
82 Esophagus, obstruction and stricture of.....	3		2	1								3		

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

INDIANA—continued.						INDIAN TERRITORY.	IOWA.									
Group 2.	Evansville.	Group 3.	Fort Wayne.	Indianapolis.	Terre Haute.	Total.	Total.	Group 1.	Davenport.	Dubuque.	Keokuk.	Muscataine.	Group 2.	Group 3.	Council Bluffs.	
4,416	845	14,971	531	1,987	523	146	17,539	2,235	461	424	209	191	12,080	1,586	353	1
5	4	26	1	1	1	1	35	5			1		25	3	1	2
4	1	14	1	4	1	1	32	3					28	1		3
		8					7	1			1		5			4
1				1			2	1		1						5
34	7	122	4	11	9	1	229	32	4	3	1	2	152	31	4	7
		2		1			2	2					2			8
10	2	28		3	1		26	3					20	3		9
4	4	22		8	1		29	3	1		2		22	1		10
1		5					9	9					9			11
8	1	44	3	5	2		36	4					27	5		12
5	1	25		2	2		37	3		1		2	25	5		13
9	3	23			2		17	2			1	2	13	1	1	14
54	7	205	4	37	9		248	39	9	13	2	3	164	16	2	15
3		14		2	1		10	1					9			16
22	3	34	5	6	1	1	49	5	6	1		1	30	5	1	17
	1	1		1			2	1					1	1		18
12	1	26	1	3	1		61	9	2	5	1	2	39	3		19
							1	6					1			20
18	2	6		2	2		7	2					4	1		21
14	7	55	1	4	1	3	44	5	1				34	4		22
		29					60	7	2		1	2	40	8		23
58	21	232	6	55	12		211	30	2	12	4	2	137	18	6	24
74	12	258	14	24	5	1	202	25	4	3	2	1	148	15	3	25
45	3	205	11	11	3		248	29	10	4	4		182	14	5	26
69	37	228	17	50	10	2	317	48	12	9	5	9	203	24	7	27
20	11	68	2	6	1		70	11		1		2	44	9	3	28
3		13	1	1	1		12	2					10			29
6		13	1	1	1		3	1					6	1		30
15	4	88	3	11	6		122	17	2	4		2	86	9	1	31
3	1	18	1				18	6	2				8	2		32
		1					2						2			33
8	1	1		1			2						2			34
		41		1			42	7	2	2	1		28	1	1	35
		1		1			4						4			36
11		35	1	3	1	1	36	3	1	1			28	3		37
																38
1		1					1									39
6	1	22		2			30	6		3	2	2	17			40
1		1					1		1							41
		4		1			3		1				2			42
1	1	6			1		17	2	2				11	1	1	43
				1												44
24	3	6					7	1					6			45
		81	7	4	7		153	30	4	6	2		98	9	4	46
																47
8	3	2					4	1	1				2			48
5	1	42	3	9	4	1	48	8		2	1	2	31	4		49
		6					1		1				1			50
							1									51
																52
31	2	1					1	1								53
97	5	110		2		1	114	14		1		1	83	14	1	54
10		508	29	55	7	9	418	41	8		7	3	299	47	8	55
		22	1	3		2	53	10		5			35	6	1	56
2		7			3		11						10	1		57
6		6		1	9		9	3					5			58
4		10					47	10	2	2	1		26	4	3	59
2							1						1			60
658	97	2,210	64	299	84	22	1,839	244	33	61	43	19	1,270	139	30	61
55	17	130	32	38	3	1	229	35	10	24	3	4	129	19	4	62
58	15	180	14	16	2	4	352	30	11	11	6	2	209	63	20	63
1	2	16		6	2		19	2					15	2		64
59	27	245	35	62	11		303	46	14	4	7	7	201	22	2	65
9	1	17		3			28	4		1			17	6		66
20		74	1	4	1		85	6	2	1	2	3	63	4	4	67
52	15	138	4	16	6	2	127	17	5	3			89	12	1	68
11	1	63		2	5		62	16		1		1	37	6	1	69
77	62	294	2	59	7	1	1,210	152	78	10	9	3	733	168	57	70
57	5	198	8	17	4		214	35	6	1	2		147	20	3	71
20	2	59	2	8			77	9	7	2	2	1	47	7	2	72
128	47	198	2	39	4	2	157	14	1	9	4	1	117	8	3	73
																74
		2	1				10				2		8			75
		1		1			1						1			76
																77
		3	1	1			7				1		6			78
58	22	239	18	33	8		397	29	1	7	6	2	310	35	7	79
15	1	54		3	1		54	7	1	1	1	2	35	7	1	80
16	2	72	1	7	3		61	8	1	1	1		40	7	3	81
		2			1		2			1			1			82

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	ILLINOIS.											INDIANA.		
	Total.	Group 1.	Chi-cago	Group 2.	Group 3.	Aurora.	Gales-burg.	Jack-son-ville.	Ottawa.	Peoria.	Rock-ford.	Total.	Group 1.	La-porte.
163 Scrofula.....	85	3	14	24	41		1				2	64		
164 Septicæmia.....	268	5	106	42	103	3	2		1	4	2	162	4	1
165 Skin diseases.....	30	4	10	6	10							19		
166 Smallpox.....	4	1	1	1			1							
167 Spinal cord, disease of.....	242	2	87	36	104	4	1		1	2	5	143	9	1
168 Spine, disease of.....	134	1	12	24	93					3	1	120	4	
169 Spleen, disease of.....	9	1	3		3	1			1			10		
170 Stillborn.....	2,910	11	2,205	141	446	20	13		3	52	19	884	17	4
171 Stomach, disease of.....	424	2	102	62	244	1	3	1	2	7		296	7	1
172 Suffocation.....	122	5	54	7	45	5	1		1	1	3	50	3	
173 Suicide by cutting throat.....	28		16	1	10	1						7		1
174 Suicide by drowning.....	16		7	1	3		2				2	7		
175 Suicide by shooting.....	115		69	14	27	3			1		2	33	1	
176 Suicide by hanging.....	70	3	39	6	20					2		31	1	
177 Suicide by poison.....	78	1	45	4	25	1			2			38	1	1
178 Suicide, not specified.....	49		10	10	22	1			2	4		35	2	
179 Sunstroke.....	49	4	11	7	26			1				7	1	
180 Surgical operations.....	96	1	71	8	11		3			1	1	17		
181 Tabes mesenterica.....	100	4	54	10	28		1	1			2	79	5	1
182 Tetanus.....	53	1	16	12	21					3		28	1	
183 Trismus nascentium.....	47	1	26	9	9	1				1		6		
184 Tumor.....	180	6	70	25	71	1	1		1	4	1	91	4	1
185 Tumor, ovarian.....	35		8	6	19		1	1				21		
186 Typhlitis.....	25	2	16	1	6							9		
187 Unknown.....	1,219	73	67	287	742	7	3	2	8	23	7	800	20	1
188 Uræmia.....	66	3	51	1	8				2		1	28		
189 Urethra, stricture of.....	5			3	1				1			5		
190 Urinary organs, disease of.....	19		4	4	11							5		
191 Urinary system and male organs of generation, disease of.....	12		7	1	4							11		
192 Uterus, disease of.....	25		4	6	15							19		
193 Uterus, tumor of.....	27		18	1	8							10		
194 Venereal disease.....	81	19	31	2	23		3	1		2		43	2	2
195 Vomiting in pregnancy.....	1		1											
196 Whooping cough.....	359	3	147	53	137	4	1			12	2	310	3	
197 Worms.....	9			5	4							3		
198 Wounds.....	48		20	10	15	1		2				31	2	

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

INDIANA—continued.						INDIAN TERRITORY.	IOWA.									
Group 2.	Evansville.	Group 3.	Fort Wayne.	Indianapolis.	Terre Haute.	Total.	Total.	Group 1.	Davenport.	Dubuque.	Keokuk.	Muscataine.	Group 2.	Group 3.	Council Bluffs.	
15	1	42		6		3	25	1	1	1	2		17	3	163	
13	5	122	3	9	5		115	7	1	1	1	1	93	11	164	
4	2	11		2			11	1					10		165	
							3						3		166	
36	6	78		9	4		86	8	1	4	1	2	59	11	167	
26	2	84	2	2		2	66	8				1	50	6	168	
2	1	5		1	1		6	1					5		169	
119	68	467	11	161	37	1	415	42	19	31		11	251	45	170	
63	1	198	4	12	10	2	171	20	3		2	2	129	15	171	
6	3	32		2	4		42	7	1	1			26	6	172	
1		5					6						6		173	
4		3					4			1			3		174	
4	1	21	1	4	1		25	1	1	1		1	17	3	175	
3		24	1	2			21	4					15	1	176	
3	3	18		10	2		17	5	1	1	1		9		177	
7	4	12	3	3	4		30	3	4				18	2	178	
1		5					21	2	1	2			13	2	179	
4		8		5			20	3		1		1	13	2	180	
22	5	35		9	2		33	3	1				25	4	181	
5	2	14	1	5			9	3					6		182	
2	1	3					6	4	1				1		183	
19	2	50	2	3	1		55	5		3			44	3	184	
4		15		2			12	1			1		9	1	185	
2	3	1		2	1		9	1					6	2	186	
195	3	528	1	32	20	14	624	90	12	4		1	446	60	11	187
5	4	15		4			17	6			1		9	1		188
1	4	4														189
		5					18	2	1				10			190
		9		2			4	1		1			2			191
8		11					9	1	1				5	2		192
1	1	7		1			6	1					4	1		193
8	2	20		9			19	3					12	3	1	194
							1						1			195
76	4	208	7	11	1	1	185	21	3			1	133	26	1	196
1		2					4						3	1		197
9	1	17		1	1		36	4		3		1	26	2		198

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE

CAUSE OF DEATH.	KANSAS.			KENTUCKY.						
	Total.	Group 1.	Group 2.	Total.	Group 1.	Group 2.	Louisville.	Paducah.	Group 3.	Group 4.
83 Execution.....				3			2			1
84 Explosion.....	2	2		13	3		1			8
85 Exposure and neglect.....	19	18	1	34	8	6	2		1	18
86 Extra-uterine pregnancy.....	2	2		1			1			
87 Falling bodies.....	10	7	3	98	5	2	74			17
88 Falls.....	43	36	7	76	13	15	7		3	36
89 Female organs of generation, disease of.....	29	27	2	45	8	10	6	2		21
90 Fever, not specified.....	24	19	5	178	95	16			1	66
91 Fever, cerebro-spinal.....	63	54	9	171	17	36	90	1	2	95
92 Fever, enteric.....	375	312	63	1,046	213	173	122	8	20	510
93 Fever, malarial.....	400	353	47	514	93	86	23	11	20	281
94 Fever, scarlet.....	105	84	21	107	7	29	21	4	2	44
95 Fever, typhus.....	5	5		22	6	3				13
96 Fever, yellow.....				2		1				1
97 Fractures.....	12	10	2	20		4	6			10
98 Frozen.....	1	1		1						1
99 Gangrene.....	9	8	1	13	1	3	1			8
100 Gastritis.....	16	14	2	33	5	5	9	1	2	11
101 General disease, not specified.....	3		3	1						1
102 Goiter.....				2	1		1			
103 Goiter, exophthalmic.....				2			1			1
104 Gout.....				2		1				1
105 Gunshot wounds.....	58	50	8	140	43	16	15	1	1	64
106 Hemorrhage.....	25	21	4	45	7	7	10	2		19
107 Hemorrhage, uterine.....	4	4		3	1	1				1
108 Heart, disease of.....	526	450	76	936	81	188	205	6	14	442
109 Hernia.....	37	32	5	31	3	4	2		3	19
110 Hip joint, disease of.....	5	2	3	9	1				1	7
111 Homicide.....	34	25	9	88	29	13	3		3	40
112 Hydrocephalus.....	31	22	9	101	6	21	25		4	45
113 Hydrophobia.....	3	3		5		2				3
114 Inanition.....	36	31	5	299	7	16	217	7		52
115 Infanticide.....										
116 Injuries by machinery.....				3		1				2
117 Jaundice.....	27	25	2	35	3	10	5		1	16
118 Joints, disease of.....	3	3		6	2	1				3
119 Kidneys, disease of.....	99	82	17	142	16	22	30		2	72
120 La grippe.....	483	396	87	392	119	73	3		8	189
121 Laryngitis.....	6	6		12	1	1	7			3
122 Lead poison.....	3	3		2		1				1
123 Leprosy.....										
124 Leucocythæmia.....	3	3		3			1	1		1
125 Lightning.....	21	17	4	2						2
126 Liver, disease of.....	65	59	6	126	18	23	26		3	56
127 Liver, inflammation and abscess of.....	35	28	7	59	2	12	12	3		30
128 Lost at sea.....										
129 Lungs, disease of.....	113	92	21	174	16	30	18	4	6	100
130 Lymphatics, disease of.....				1		1				
131 Male organs of generation, disease of.....										
132 Malformations.....	50	24	6	30	5	7	3		1	14
133 Malignant pustule.....										
134 Measles.....	207	196	11	513	112	131	13		9	248
135 Meningitis.....	62	57	5	255	9	37	104	10	3	92
136 Mental disease.....	16	12	4	29	2	14	4			9
137 Mining accidents.....	10	10		7	5					1
138 Mumps.....	3	3		4		1	1			2
139 Nervous system, disease of.....	31	25	6	50	9	10	2		1	28
140 Noma.....	2	2		1						1
141 Obesity.....										
142 Old age.....	100	90	10	413	27	72	123	4	3	184
143 Ovaries, disease of.....	5	3	2	5	1	1				3
144 Paralysis.....	219	180	39	365	43	71	56	1	5	189
145 Parasites.....										
146 Peritonitis.....	44	40	4	80	3	11	30	3	3	30
147 Phlebitis.....	1	1		3	1	1				1
148 Phlegmasia dolens.....				2	1		1			
149 Pleurisy.....	16	14	2	46	11	6	9			20
150 Pneumonia.....	918	835	113	1,924	195	365	281	18	75	990
151 Poisons, not specified.....	24	18	6	52	10	11	9	2	1	19
152 Pregnancy, diseases connected with.....	4	4		11	2	3	1			5
153 Premature birth.....	108	87	21	115	30	18		6	3	58
154 Puerperal convulsions.....	15	14	1	7	1	1	3			2
155 Puerperal mania.....	1			4		1	1			2
156 Puerperal septicæmia.....	66	49	17	118	21	18	21	1	2	55
157 Purpura.....	3	3		4			3			1
158 Railroad accidents.....	86	77	9	127	6	32	31		2	56
159 Respiratory system, disease of.....	4	4		1		3	4			2
160 Rheumatism.....	64	55	9	129	16	18	6	1	3	85
161 Rickets.....	2	1	1	7		2	2			3
162 Roseola.....				2						2

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

LOUISIANA.					MAINE.				MARYLAND.				
Total.	Group 1.	New Orleans.	Group 2.	Group 3.	Total.	Group 1.	Lewiston.	Group 2.	Total.	Group 1.	Baltimore.	Group 2.	
6	4		2						3	3			83
20	8		4						35	9			84
25	12		4		9	3	1	5	3	1			85
									3				86
4			1	3	13	10		3	7	3			87
31	11		6	14	50	31	3	16	71	21	3		88
32	6	12	5	9	6	2		4	21	4	16		89
219	132	5	23	59	16	9	2	5	15	10	4		90
37	5	19	5	8	22	12		10	41	15	19	7	91
319	168	45	29	77	305	139	5	161	517	230	202	85	92
1,204	363	282	157	392	32	22		10	221	88	122	11	93
16	9	2	3	2	36	16		20	91	20	59	12	94
12	8			4	4	4			3	2		1	95
1		1											96
16	2	11	2	1	24	15		9	25	2	19	4	97
					1	1			1				98
13	4	6		3	31	23	2	6	17	7	7	3	99
37	5	29		3	38	31		7	71	6	61	4	100
													101
1		1							1		1		102
													103
2	1	1			1	1			1		1		104
153	49	24	22	58	16	7		9	32	19	10	3	105
21	6	8	4	3	14	11	1	2	30	10	16	4	106
14	2	5	1	6	1	1			9	3	6		107
787	155	444	66	122	787	536	30	221	813	286	429	98	108
22	5	9	4	4	22	11		11	36	9	24	3	109
3	1	2			5	2		3	10	2	7	1	110
98	32	16	25	40	2	1			25	7	16	2	111
32	8	16	2	6	72	54	2	16	125	21	95	9	112
5	3	2											113
99	7	81	1	10	13	11		2	285	24	258	3	114
													115
1	1				4	1		3	2			2	116
14	4	4		6	14	10		4	23	3	16	4	117
4	1	3			2	2			2		1	1	118
56	17	14	6	19	140	102	5	33	141	41	85	15	119
145	65		27	53	292	152	18	122	153	106	18	29	120
8		7		1					22	3	19		121
4	1	3							3	1	2		122
4	1	3											123
3		1	1	1	2	1		1	1	1			124
3	2			1	2	1		1	5	2		3	125
121	27	73	5	16	68	44	1	23	81	15	60	6	126
103	26	56	5	16	17	12		5	21	5	14	2	127
					9	9							128
92	17	50	5	20	88	60	4	24	124	36	73	15	129
													130
													131
9	4	2	1	2	9	4		5	31	1	26	1	132
									1	4	1		133
239	71	33	37	98	14	7		7	272	40	231	1	134
129	18	89	5	17	48	30		18	193	14	169	10	135
25	5	15	4	1	65	50	2	13	19	7	9	3	136
									8			8	137
3			1	2	1	1							138
17	3	6	1	7	53	33	2	18	35	13	19	3	139
2		1		1	8	7			2		2		140
													141
222	74	67	31	50	401	252	14	135	355	140	181	34	142
4	1	1		2	1			1	3	2	1		143
134	25	77	10	22	373	236	11	126	398	160	178	60	144
48	6	28	4	10	43	26	2	15	1	1	51	4	145
1		1			1			1	77	22	1		146
1			1						1		1		147
													148
63	29	26	5	3	21	9	1	11	38	14	22	2	149
1,213	332	342	175	364	958	636	23	299	1,453	444	878	131	150
39	16	4	1	18	9	8		1	20	5	12	3	151
5	3			2	10	6		4	17	5	12		152
97	8	89		20	16	10		6	242	18	215	9	153
20	4	10	2	4	3	3			16	5	10	1	154
					1	1			1				155
83	20	23	5	35	18	12		6	34	9	22	3	156
					1	1			7		7		157
20	12		4	4	31	16	1	14	66	17	28	21	158
5	1	2	1	1	6	4		2	25	6	16	3	159
59	22	16	7	14	64	36	2	26	109	30	69	10	160
4	2	1			2	1		1			11		161
3	3								13				162

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	KANSAS.			KENTUCKY.						
	Total.	Group 1.	Group 2.	Total.	Group 1.	Group 2.	Louisville.	Paducah.	Group 3.	Group 4.
163 Scrofula.....	31	28	3	169	30	24	4		2	109
164 Septicæmia.....	86	74	12	93	5	18	21	2	6	41
165 Skin diseases.....	7	7		16	4	3				9
166 Smallpox.....	4	4		1		1				
167 Spinal cord, disease of.....	81	76	5	158	22	28	16	1	2	89
168 Spine, disease of.....	51	44	7	152	38	19	1			94
169 Spleen, disease of.....	6	6		4		1				3
170 Stillborn.....	390	317	73	858	115	123	277	11	8	324
171 Stomach, disease of.....	122	111	11	159	17	43	14			85
172 Suffocation.....	33	27	6	38	9	6	8	1	1	13
173 Suicide by cutting throat.....	3	2	1	4		1	1			2
174 Suicide by drowning.....	7	7		6		2	1	1		2
175 Suicide by shooting.....	23	21	2	15		5	3			7
176 Suicide by hanging.....	18	13	5	15	2	1	3			9
177 Suicide by poison.....	8	6	2	10	2		1			7
178 Suicide, not specified.....	16	14	2	15		4	1			10
179 Sunstroke.....	6	5	1	9	2	1				6
180 Surgical operations.....	10	9	1	12		4	1			7
181 Tabes mesenterica.....	17	13	4	91	5	18	8		1	59
182 Tetanus.....	5	4	1	20		4	7	1		8
183 Trismus nascentium.....	4	4		44		2	31	1	1	9
184 Tumor.....	47	40	7	48	4	11	9			24
185 Tumor, ovarian.....	5	5		8	1		1			6
186 Typhlitis.....	4	3	1	5			1		1	3
187 Unknown.....	500	432	68	1,208	305	192	15	15	31	650
188 Uræmia.....	3	3		24		5	12	2	1	4
189 Urethra, stricture of.....				2						2
190 Urinary organs, disease of.....	5	4	1	6		2	1		1	2
191 Urinary system and male organs of generation, disease of.....	3	3		13	1	2	1			9
192 Uterus, disease of.....	7	6	1	17	5	3				9
193 Uterus, tumor of.....	5	4	1	6				1		5
194 Venereal disease.....	14	12	2	57	6	9	13		1	28
195 Vomiting in pregnancy.....										
196 Whooping cough.....	207	183	24	539	134	99	12	8	10	276
197 Worms.....	6	3	3	28	8	3			1	16
198 Wounds.....	22	20	2	27	2	6	8		1	10

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

LOUISIANA.					MAINE.				MARYLAND.					
Total.	Group 1.	New Orleans.	Group 2.	Group 3.	Total.	Group 1.	Lewiston.	Group 2.	Total.	Group 1.	Baltimore.	Group 2.		
19		5		10	31	18		13	40	13	21		6	163
53	4	29	4	16	52	38		14	34	19	10		5	164
10	1	5		4	4	3	1		20	6	11		3	165
3	2			1					1	1				166
39	5	24	3	7	35	29		6	37	10	24		3	167
12		4		4	21	16	1	4	24	8	7		9	168
2			1	1	2	2		2	2	2				169
720	68	519	37	96	70	38	7	25	910	67	808		35	170
53	15	9	2	27	51	23	2	26	71	25	33		13	171
38	12	4	6	16	4	4			36	9	24		3	172
1		2			2	1		1	4	2	2			173
2		2			4	2		2						174
26	6	19	1		7	7			10	2	7		1	175
6		6			10	9		1	8	2	6			176
13	3	7	3		10	7		3	14	1	12		1	177
9	1	2		2	11	7		4	1	1				178
27	5	16	5	1	4	3		1	13	3	8		2	179
20	3	8	2	7	12	7		5	30	3	27			180
22	3	14	1	4	26	16	1	9	34	13	19		2	181
80	69	4	3	4	6	4		2	10	5	4		1	182
219	14	188	6	13					36		34		2	183
20	6	8	2	4	49	23	2	24	51	21	23		7	184
8	2	5	1		11	6		5	9	1	5		3	185
2		2			1	1			2		2			186
981	397	1	151	432	573	237	143	193	471	387	27		57	187
7	1	6			6	6			13	2	8		3	188
7		7							3	1	2			189
1			1		11	8		3	7	1	5		1	190
5	1	1	2	1	9	6	1	2	12		9		3	191
24	13	2	4	5	3	2		1	9	3	3		3	192
4	2		1	1	4	2		2	10	3	7			193
36	4	22		10	10	8		2	47	17	27		3	194
1	1													195
128	46	6	25	51	96	61	11	24	139	42	52		45	196
41	24	1	3	13	3	2		1	7	6	1			197
76	6	63	2	5	7	5	1	1	29	4	20		5	198

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

	CAUSE OF DEATH.	MASSACHUSETTS.										
		Total.	Group 1.	Amesbury.	Andover.	Arlington.	Attleboro.	Beverly.	Boston.	Brockton.	Brookline.	Cambridge.
1	Total	45,112	5,416	124	104	110	127	167	11,117	427	133	1,393
2	Abortion	19	3						6			1
3	Abscess	47	4						15	1		2
4	Abscess, lumbar and psoas	6							2			
5	Abscess, pharyngeal	2	1									
6	Absorbent system, disease of	2	1						1			
7	Accidents and injuries, not specified	324	37	1		1	4		69	1	3	6
8	Addison's disease	2	1						1			
9	Alcoholism	163	11						81	2		4
10	Anæmia	122	22		1				22	1		3
11	Aneurism	27	3						16			1
12	Angina	27	4						3			
13	Angina pectoris	66	15						9			
14	Aphthæ	14	2						2			
15	Apoplexy	1,288	205	1	3	1	1	8	316	15	2	28
16	Ascites	17	2						4			
17	Asthma	72	9						17	3		2
18	Atrophy	10	3						3			1
19	Bladder, disease of	136	25						21	3		5
20	Bladder, rupture of											
21	Bones, disease of	15	3						4	1		
22	Bowels, disease of	60	6		1				10	3		3
23	Bowels, obstruction of	110	9	1					25	1	1	2
24	Brain, disease of	614	98	2	4		1	2	96	7	3	19
25	Brain, inflammation of	164	11			1	2		26	3		4
26	Bright's disease	715	107	6	2	2	2	5	146	1	5	22
27	Bronchitis	1,623	159	5	5	1	4	4	472	20	4	61
28	Burns and scalds	120	10			1	1	1	34	2		5
29	Calculus, biliary	14	5						5			
30	Calculus, urinary	12	1						4			1
31	Cancer, not specified	497	94	2	1		2		56	2	1	10
32	Cancer of abdomen	76	9			1			29			6
33	Cancer of bladder	22	3		1				7			1
34	Cancer of brain	2	1									
35	Cancer of breast	95	15						35	1		
36	Cancer of eye	1										
37	Cancer of genitals	3		1								
38	Cancer of head, face, and neck	54	9	1					13	1		1
39	Cancer of larynx											
40	Cancer of liver	109	11				1	1	35	1	1	5
41	Cancer of lower extremities	4	2				1		1			
42	Cancer of lungs	7							7			
43	Cancer of mouth, tongue, and throat	36	5						9			1
44	Cancer of ovaries	5							4			
45	Cancer of penis											
46	Cancer of rectum	39	8						11			3
47	Cancer of stomach	240	52					1	55	2	2	8
48	Cancer of testicle	1										
49	Cancer of upper extremities	3	1									
50	Cancer of uterus	145	19	1	1	2		1	52	5	1	10
51	Carbuncle	9							3	1		
52	Catalepsy											
53	Chicken pox	1							1			
54	Childbirth	96	20		1			1	20	1		2
55	Cholera infantum	2,076	131	7		2	9	4	452	22	6	66
56	Cholera morbus	108	8						23		2	6
57	Chorea	3	1						1			
58	Circulatory system, disease of	22	1						6			2
59	Colic	17	5						1	1		
60	Constipation	3										
61	Consumption	5,981	774	16	15	19	14	22	1,685	66	15	178
62	Convulsions	842	68	6		1	5	5	122	3	2	27
63	Croup	490	31			4	1	1	95	4	1	7
64	Cyanosis	75	7					1	21	1		2
65	Debility	2,114	142	1	9	8	4	7	500	14	5	54
66	Dentition	113	11						23	1		2
67	Diabetes	155	34		1		1		26			5
68	Diarrhœa	575	47	2		3	1	1	223	1	1	29
69	Digestive system, disease of	100	15						27	3		2
70	Diphtheria	1,722	127	8	2	5	1	1	543	36	3	89
71	Dirt eating											
72	Dropsy	147	45	1			1	2	13			
73	Drowning	290	57		1	2	2		36	1		8
74	Dysentery	461	53			1	2	4	88	2		14
75	Ear, disease of	16	3						10	1		1
76	Electricity	2										
77	Elephantiasis	2							2			
78	Embolism	24	7					1	3		1	2
79	Enteritis	511	34	4			3	1	107	2	5	25
80	Epilepsy	128	16		1		2		21			1
81	Erysipelas	95	19						27	1		2
82	Esophagus, obstruction and stricture of	6	3						1			

STATISTICS OF DEATHS.

981

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

MASSACHUSETTS—continued.															
Chelsea.	Danvers.	Dedham.	Everett.	Fall River.	Framingham.	Gloucester.	Haverhill.	Hyde Park.	Lawrence.	Lowell.	Lynn.	Malden.	Marblehead.	Marlboro.	
601	199	126	186	1,848	146	325	406	176	1,297	2,122	1,005	295	150	305	
1															2
2															3
															4
															5
															6
															7
2	1	1		9	1	3			6	10	20	1	3	3	8
2		1	1	5	1		1		1	7	1				9
1	1		1	2		1	2		8	8	1		1	1	10
															11
1		1		1					1		1				12
									2						13
	1			4			1		2			1		1	14
				3											15
15	10	2	13	19	8	8	17	6	23	42	27	5		7	16
1		1		6			1	1	1	1	1				17
															18
2				4			1	1	3	3	1				19
															20
				1							2				21
2				7			1		5	10	3				22
3	2	1		2							2				23
															24
7	16	4	3	12	2	4	4	2	12	40	13	5	4	6	25
2				3				2	6	11	1	1			26
6	2	2	1	24	4	7	3	5	10	25	19	13	4	2	27
25	10		8	82	8	6	8	5	25	120	24	10	4	6	28
				3			1		10	3	3	2			29
				1											30
				1											31
9	2	1	4	8	1	3	6	3	10	31	20	4	3	1	32
1				1			1	1	4	3	3	1			33
															34
2				2			4		1		1	1	1		35
															36
															37
2				2	2	1			1		1		1		38
															39
3			1	1	2	1	1		1	1	1				40
															41
1				5			1		1		1				42
															43
															44
				1											45
5	1		1	2		1	1	2	3	5	1	1		1	46
															47
															48
4				3		1	2	1	2		2	1			49
	1			1											50
															51
															52
															53
1				3		3	1		1	1	1	3			54
10	4			172	6	12	11	9	100	209	37	14	4	23	55
1	1	1	9	5	2				6	6	1			11	56
															57
				1					1						58
											1				59
				1											60
71	26	18	22	207	17	54	67	29	116	236	168	34	19	35	61
5	3	4	6	90		6	6	3	29	68	23	1	6	5	62
3		1	2	18			3	1	36	30	7			6	63
	1		2	1		1				4	3	2	1	2	64
38	13	6	13	172	7	11	19	13	90	171	47	15	7	8	65
				7			5		9	2		1		2	66
1	1			10	1		2		3		3		2	1	67
8	2	1	5	14	5	6	3		5	20	11	4		2	68
8			1	5	1		1		1	1					69
20	1	4	9	10	3	1	17	17	155	82	21	11	7	23	70
															71
1		1		11	1		1	1	5	4	2	2			72
3		2		22		6	7	3	9	7	4	1			73
18	2		5	18		2	4	1	14	11	7	2	2		74
															75
															76
															77
1									2		1				78
															79
5	4	1	1	37	2	2	5	1	27	26	11	4		4	80
2	2	1	1	4	1		2	1	2	5	1	1	1		81
3	4		1	3		1	1		1	2	1	2		1	82

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE

CAUSE OF DEATH.	MASSACHUSETTS.										
	Total.	Group 1.	Amesbury.	Andover.	Arlington.	Attleboro.	Beverly.	Boston.	Brockton.	Brookline.	Cambridge.
163 Scrofula	73	5						12	1		1
164 Septicæmia	189	29					1	24	2		
165 Skin diseases	28							7			
166 Smallpox	2							2			
167 Spinal cord, disease of	114	18		1			2	27	4		2
168 Spine, disease of	55	8						21			
169 Spleen, disease of	3										
170 Stillborn	2,010	85		3	7	7	9	604	13	10	94
171 Stomach, disease of	154	35		1		1		43	1	1	4
172 Suffocation	105	12						37		1	3
173 Suicide by cutting throat	14	5						2			
174 Suicide by drowning	23	5						6			
175 Suicide by shooting	39	6		1				14		1	
176 Suicide by hanging	37	4		1				2			
177 Suicide by poison	42	3						21		1	1
178 Suicide, not specified	32	8						9			
179 Sunstroke	7	2						2			
180 Surgical operations	54	6						38			
181 Tabes mesenterica	90	14						29	1		1
182 Tetanus	15	1						5			1
183 Trismus nascentium	4							2			
184 Tumor	158	33		1			1	42			3
185 Tumor, ovarian	21	2						7			
186 Typhlitis	30	4						13			2
187 Unknown	571	103	5	2	2	4	1	47	3	1	22
188 Uræmia	71	8					2	11	2		4
189 Urethra, stricture of	2	1									
190 Urinary organs, disease of	26	7						5	1		
191 Urinary system and male organs of generation, disease of	20	2			1			2	1		
192 Uterus, disease of	7										1
193 Uterus, tumor of	20	2	1			1		5			
194 Venereal disease	64	5					1	39	2		2
195 Vomiting in pregnancy	3							2			
196 Whooping cough	365	31	1			1		112	1	3	7
197 Worms	4	2						1			
198 Wounds	39	5						6			

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

MASSACHUSETTS—continued.														
Chelsea.	Danvers.	Dedham.	Everett.	Fall River.	Frammingham.	Gloucester.	Haverhill.	Hyde Park.	Lawrence.	Lowell.	Lynn.	Malden.	Marblehead.	Marlboro.
1				1			4		4	7	4			163
1		1	1	10	2	4	4		12	8	12			164
				3					1		2		2	165
1	1				2		3			4	4			166
			1	1			2					1		167
										1				168
38	2	3	7	122	6	21	10	10	56	112	61	8	8	169
2		2		4	1	1	2		1	5	4			170
3	1		1	2					1	1	3			171
														172
									1					173
							1	1	3	1				174
	2			2	1		1		1	1				175
			1						2		1			176
1		1		1			1		1	1				177
											1			178
						2						1		179
1	1			6		1	2		1	5	1	2		180
										1				181
										1				182
6	1			3		3	2		1	6	2	1		183
				1					1		4			184
														185
22	2	3	2	15	2	6	7		16	7	27	5	3	186
1			1	3		1			1	7	1			187
														188
3											1			189
				1			1					1		190
				1										191
									1			1		192
						1	1							193
			1							3	1			194
														195
2			2	37		5	5		9	8	12	1	3	196
										1				197
	1			4					1	2	2			198

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH	MASSACHUSETTS—continued.										
	Medford.	Melrose.	Middle- boro.	Natick.	New Bedford.	New- buryport.	Newton.	North At- tleboro.	Peabody.	Plym- outh.	Quincy.
163 Scrofula.....					1			1			3
164 Septicæmia.....				4	6	2	2			1	
165 Skin diseases.....					1						
166 Smallpox.....											
167 Spinal cord, disease of.....	1		1			1	2	1			1
168 Spine, disease of.....									2		
169 Spleen, disease of.....											
170 Stillborn.....	7	4	3	13	60	11	15	2	3	5	29
171 Stomach, disease of.....					1		1		3		
172 Suffocation.....		1			3		3		1		
173 Suicide by cutting throat.....					2						
174 Suicide by drowning.....					1				1		
175 Suicide by shooting.....					2		2	1			
176 Suicide by hanging.....		1			1	1					
177 Suicide by poison.....					1		2				
178 Suicide, not specified.....	1			1							
179 Sunstroke.....							1				
180 Surgical operations.....											
181 Tabes mesenterica.....		1		1			1		1	1	
182 Tetanus.....									1		
183 Trismus nascentium.....							1				1
184 Tumor.....	1	1	2	1	2	1	1			2	1
185 Tumor, ovarian.....		1									
186 Typhlitis.....		1					1			1	
187 Unknown.....	8		2	1	14	8	3	1	6	9	2
188 Uræmia.....		1			3		2				1
189 Urethra, stricture of.....											
190 Urinary organs, disease of.....											
191 Urinary system and male organs of genera- tion, disease of.....	1										
192 Uterus, disease of.....				1							
193 Uterus, tumor of.....							1				
194 Venereal disease.....											
195 Vomiting in pregnancy.....											
196 Whooping cough.....	3	1		1	12		2			1	
197 Worms.....											
198 Wounds.....							1	1	1		

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

MASSACHUSETTS—continued.															
Revere.	Rock-land.	Salem.	Somer-ville.	Stone-ham.	Taunton.	Wake-field.	Waltham.	Water-town.	Wey-mouth.	Woburn.	Group 2.	Adams.	Athol.	Black-stone.	Chicopee.
	1	2	2	1	2	1	2		2		6				163
		6			2		2				18		2	1	164
										1	2				165
	1	3	3								9	1			166
															167
			1								8				168
															169
2	2	35	48	5	19	5	15	5	7	4	99	8	3	5	170
	2		2		3		1		1		16		2		171
		1	4		1				3	2	3				172
											2				173
									1		2				174
					1			1			2				175
					2		2		2		5	1			176
		1				1					3				177
											5				178
	1		1							1					179
											1				180
		1													181
			1								8				182
											4				183
			1		3		1	1		1	16	1	1		184
					2			1			2				185
							1	1			1				186
1		2	12	1	3	1			5	2	85	4	1		187
			3	1	1						6	1			188
															189
											7				190
							1				5				191
		1		1							1				192
			1								2				193
			1	1			1		1	1					194
															195
		3	4	3	2		3	4	1		16	3	2	1	196
															197
			1	1					1		4				198

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	MASSACHUSETTS—continued.										
	Clinton.	Fitch- burg.	Gardner.	Grafton.	Holyoke.	Leo- minster.	Milford.	Monta- gue.	North Adams.	North- ampton.	Palmer.
1 Total.....	91	395	172	69	848	114	142	69	343	259	67
2 Abortion.....		1			2		1				
3 Abscess.....					3				1		
4 Abscess, lumbar and psoas.....											
5 Abscess, pharyngeal.....											
6 Absorbent system, disease of.....											
7 Accidents and injuries, not specified.....	1	5		1	8		1		1	1	
8 Addison's disease.....											
9 Alcoholism.....		1		1	1		1	1	1		
10 Anæmia.....	2	3	2		3					1	
11 Aneurism.....											
12 Angina.....					1						
13 Angina pectoris.....					1				1		
14 Aphthæ.....										1	
15 Apoplexy.....	2	2	5	5	16	6	8	2	6	12	3
16 Ascites.....		1			1						1
17 Asthma.....		1	1	1	2				1	1	
18 Atrophy.....											
19 Bladder, disease of.....		3							1	1	
20 Bladder, rupture of.....											
21 Bones, disease of.....							1	1			
22 Bowels, disease of.....		1									
23 Bowels, obstruction of.....		1	1		1				1		
24 Brain, disease of.....	2	5		1	8	2			3	9	
25 Brain, inflammation of.....		1	1	1	11	3	1		2	1	1
26 Bright's disease.....		9	5	1	13	1	3	1	5	3	3
27 Bronchitis.....	2	13	2		42	4	2	6	4	6	1
28 Burns and scalds.....		2							2	1	1
29 Calculus, biliary.....											
30 Calculus, urinary.....											
31 Cancer, not specified.....		8	1		3	2	2	3	4	3	1
32 Cancer of abdomen.....		1				1				1	
33 Cancer of bladder.....										1	
34 Cancer of brain.....											
35 Cancer of breast.....				1							
36 Cancer of eye.....											
37 Cancer of genitals.....					1						
38 Cancer of head, face, and neck.....		1	1						1		1
39 Cancer of larynx.....											
40 Cancer of liver.....	1	1	1	1					2	3	
41 Cancer of lower extremities.....											
42 Cancer of lungs.....											
43 Cancer of mouth, tongue, and throat.....					1		1				
44 Cancer of ovaries.....											
45 Cancer of penis.....											
46 Cancer of rectum.....											
47 Cancer of stomach.....	1	2			3		1		1		
48 Cancer of testicle.....											
49 Cancer of upper extremities.....											
50 Cancer of uterus.....			1		1		1				
51 Carbuncle.....											
52 Cataplexy.....											
53 Chicken pox.....											
54 Childbirth.....				2				1			
55 Cholera infantum.....	4	16	12	1	61	2	3	8	14	8	3
56 Cholera morbus.....		1			6						1
57 Chorea.....								1			
58 Circulatory system, disease of.....		1							1		
59 Colic.....							1			1	
60 Constipation.....											
61 Consumption.....	11	65	25	7	92	12	26	10	32	38	11
62 Convulsions.....	8	5	13		26		3	1	9	1	2
63 Croup.....		5	4	3	25			1	6	6	1
64 Cyanosis.....		1	1		1				1		
65 Debility.....	5	28	3		78	4	5	3	7	12	1
66 Dentition.....					5			1			
67 Diabetes.....		2		1	1					2	1
68 Diarrhœa.....	1	2	2		14	1	1	1	3	4	2
69 Digestive system, disease of.....		2	1		5				1		
70 Diphtheria.....	3	4	12	2	22		1	1	5	18	1
71 Dirt eating.....											
72 Dropsy.....	1	1		1	1				2		
73 Drowning.....	1	4			8				1	2	1
74 Dysentery.....		2			4			1	2	4	
75 Ear, disease of.....											
76 Electricity.....											
77 Elephantiasis.....											
78 Embolism.....											
79 Enteritis.....		6	2		28	1	1	1	5	2	1
80 Epilepsy.....						1				2	
81 Erysipelas.....		2	1		1						
82 Esophagus, obstruction and stricture of.....									1		

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	MASSACHUSETTS—continued.										
	Clinton.	Fitchburg.	Gardner.	Grafton.	Holyoke.	Ieo-minster.	Milford.	Montague.	North Adams.	Northampton.	Palmer.
163 Scrofula	1	1			2				1	1	
164 Septicæmia		1	1		6	1	2		1		
165 Skin diseases						1				1	
166 Smallpox											
167 Spinal cord, disease of		1			1				2	1	
168 Spine, disease of					4						1
169 Spleen, disease of											
170 Stillborn	5	25	3		34	9	2		16	6	
171 Stomach, disease of		1		2					1		
172 Suffocation		3	1		2				2	1	
173 Suicide by cutting throat											
174 Suicide by drowning						1			1		
175 Suicide by shooting											
176 Suicide by hanging		1								1	
177 Suicide by poison									1	1	
178 Suicide, not specified										2	
179 Sunstroke											
180 Surgical operations	3								1		
181 Tabes mesenterica					2		1		1		
182 Tetanus											
183 Trismus nascentium											
184 Tumor		3			1						
185 Tumor, ovarian					1						
186 Typhlitis					1			1		1	
187 Unknown	2	1	2	4	14	4	5	1	13	2	7
188 Uræmia	1	1	1				1		2		
189 Urethra, stricture of										1	
190 Urinary organs, disease of									1		
191 Urinary system and male organs of generation, disease of					1				1		
192 Uterus, disease of											
193 Uterus, tumor of			1		1		1				
194 Venereal disease					1						1
195 Vomiting in pregnancy											
196 Whooping cough		3		3	16	5			9	1	
197 Worms											
198 Wounds		1					1		1		

STATISTICS OF DEATHS:

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

MASSACHUSETTS—continued.									MICHIGAN.					
Pitts- field.	Spencer.	Spring- field.	South- bridge.	Ware.	Webster.	Westboro.	Westfield.	Wor- cester.	Total.	Group 1.	Detroit.	Manistee.	Muske- gon.	Group 2.
		3			1	1		3	36	7	11	1	1	16
	2	6	1				1	3	175	71	24	2	3	75
		2					1	1	15	5	3			7
									1					1
4		4					1	3	180	58	7	1	18	96
									1					
				1			1	1	32	35	2		3	42
				3			1	4	4	1				3
4		51	8	1	4	3	1	94	898	260	354	16	27	241
		4		1	1			3	177	63	20	1	2	91
				1			1	4	52	22	5	1	2	22
		2							13	6	1		2	4
						1			4	2	1			1
1						1		3	32	13	5			14
						1		2	38	17	7			14
			1						31	10	2			19
								2	26	10				16
									17	10	2			5
								1	22	12	3			7
				1				3	69	30	1		1	37
									10	1	1		1	7
									11	2	9			
2		2						4	95	36	11			48
		1						1	29	7	5			17
									11	2	2			7
3	2	4	1	1	6	1	6	7	920	514	28	9	26	343
		2					1	1	22	6	6			10
					1				4	1				3
									10	5				5
		1		1					7	1	2			4
		1						1	12	5	3			4
									9	2	3			4
							1	1	34	12	6			16
									2		1			1
5	1	7		1				10	178	71	26		1	80
									7	4				3
		1						3	29	10	1			18

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	MINNESOTA.							MISSISSIPPI.				
	Total.	Group 1.	Minneapolis.	St. Paul.	Still-water.	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Jackson.	Group 3.
83 Execution.....	1	1						5		4		1
84 Explosion.....	7	1		2			1	2		2		
85 Exposure and neglect.....	15	5		1		3	5	32		15	2	15
86 Extra-uterine pregnancy.....	3		3									
87 Falling bodies.....	15	4		3		5	3	20		14		6
88 Falls.....	44	10	5	7		14	8	55	1	41	1	12
89 Female organs of generation, disease of.....	16	2	2	2		8	2	32	3	21		8
90 Fever, not specified.....	17	3		1		4	9	159		83	1	75
91 Fever, cerebro-spinal.....	68	10	19	15	1	16	7	29		20	1	8
92 Fever, enteric.....	489	66	94	92	3	144	90	521	16	410	2	93
93 Fever, malarial.....	30	11	2	2		10	5	1,273	42	725	13	493
94 Fever, scarlet.....	282	55	32	34	3	122	36	15	1	4		10
95 Fever, typhus.....	10	1				6	3	7		7		
96 Fever, yellow.....	1							1				
97 Fractures.....	16	1	6	2		6	1	10		7		3
98 Frozen.....	1							1				
99 Gangrene.....	12	3	2			6	1	6	1	2		3
100 Gastritis.....	35	4	5	7		12	7	13	1	10		2
101 General disease, not specified.....												
102 Goiter.....	1						1					
103 Goiter, exophthalmic.....	1			1				1		1		
104 Gout.....								1		1		
105 Gunshot wounds.....	39	7	4			19	9	108	4	50	1	53
106 Hemorrhage.....	25	5	1	4	2	10	3	30	1	18		11
107 Hemorrhage, uterine.....	1	1						3		3		
108 Heart, disease of.....	644	125	98	95	2	245	79	553	28	358	10	157
109 Hernia.....	17	3	1			10	3	18	1	12		5
110 Hip joint, disease of.....	4	1	1			1	1	2		1		1
111 Homicide.....	21	4		2		10	5	106	3	44	1	58
112 Hydrocephalus.....	89	16	14	25	3	23	8	14		8		5
113 Hydrophobia.....	4	2	1				1	5		3		2
114 Inanition.....	119	11	12	76		13	7	16		7		9
115 Infanticide.....												
116 Injuries by machinery.....	4					4		4		4		
117 Jaundice.....	20	4	1	4		7	4	25	1	20		4
118 Joints, disease of.....								1		1		
119 Kidneys, disease of.....	124	21	23	19	1	49	11	70	2	36	1	31
120 La grippe.....	320	81	1			181	57	319	1	233	4	81
121 Laryngitis.....	4	2		2				8	2	6		
122 Lead poison.....	1		1					2		2		
123 Leprosy.....	2		1			1						
124 Leucocythæmia.....	5		5									
125 Lightning.....	18	4				10	4	8	1	7		
126 Liver, disease of.....	92	19	20	2	2	38	11	49	3	28	1	17
127 Liver, inflammation and abscess of.....	45	13	2	7	1	16	6	29	1	20	1	7
128 Lost at sea.....												
129 Lungs, disease of.....	114	21	9	13		52	19	49	1	34	4	10
130 Lymphatics, disease of.....								1		1		
131 Male organs of generation, disease of.....								1				1
132 Malformations.....	20	5	4	2		9		12	1	10		1
133 Malignant pustule.....												
134 Measles.....	158	37	18	14		72	17	450	4	331	10	105
135 Meningitis.....	153	20	8	70	5	20	30	95	4	60		31
136 Mental disease.....	22	3	1	2		14	2	15	1	13		1
137 Mining accidents.....	7						7					
138 Mumps.....	4	3				1		6		4		2
139 Nervous system, disease of.....	25	9	1	1		9	5	37	5	19	2	11
140 Noma.....	5	1				3	1	1		1		
141 Obesity.....												
142 Old age.....	335	91	33	28		147	36	220	13	141	3	63
143 Ovaries, disease of.....	1	1						1		1		
144 Paralysis.....	170	53	12	12	1	71	21	162	6	135	1	20
145 Parasites.....	6			1		5						
146 Peritonitis.....	135	10	40	30	1	33	12	22	1	17	1	3
147 Phlebitis.....	1					1		1		1		
148 Phlegmasia dolens.....												
149 Pleurisy.....	32	7	4	1	1	14	5	41	2	20		19
150 Pneumonia.....	1,240	246	205	150	12	467	151	1,447	28	1,016	14	380
151 Poisons, not specified.....	17	3	2	2		8	2	30		17	1	12
152 Pregnancy, diseases connected with.....	4		1			1	2	1		1		
153 Premature birth.....	129	25	57	4		32	11	53		40		13
154 Puerperal convulsions.....	12	2	3	2		2	3	20		19		1
155 Puerperal mania.....	4	1	1			1	1	1		1		
156 Puerperal septicæmia.....	114	19	32	18	3	31	11	93	11	65		17
157 Purpura.....	3			2		1		1		1		
158 Railroad accidents.....	79	15	8	16	1	26	13	51	1	29	1	20
159 Respiratory system, disease of.....	18		12	5		1						
160 Rheumatism.....	97	21	8	5		50	11	83	4	49	1	29
161 Rickets.....	1			1				4		4		
162 Roseola.....	1	1						1		1		

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	MINNESOTA.							MISSISSIPPI.				
	Total.	Group 1.	Minneapolis.	St. Paul.	Still-water.	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Jackson.	Group 3.
163 Scrofula.....	19	5		1		8	5	70	2	57		11
164 Septicæmia.....	99	18	21	15		35	10	41	2	29	2	8
165 Skin diseases.....	10	4				6		11		6	1	4
166 Smallpox.....								2				2
167 Spinal cord, disease of.....	106	34	22	7	2	34	7	19	1	15		3
168 Spine, disease of.....	30	7	3	1	1	13	5	24	1	20		3
169 Spleen, disease of.....	2			1		1		4		2		2
170 Stillborn.....	724	73	209	259	12	128	48	350	2	250	8	90
171 Stomach, disease of.....	71	10	6	6		35	14	104	2	87	2	13
172 Suffocation.....	31	5	6	6	1	8	5	68		49		19
173 Suicide by cutting throat.....	7	3			2	1	1	2	1	1		
174 Suicide by drowning.....	6	1		3		1	1	1		1		
175 Suicide by shooting.....	25	3	5	2		11	4	6		5		1
176 Suicide by hanging.....	28	5	3	2		16	2	3		1		2
177 Suicide by poison.....	24	5	6	4		5	4	1				1
178 Suicide, not specified.....	16	3	2	3		5	3	8		5	1	2
179 Sunstroke.....	9	5	1	1		2		9		6		3
180 Surgical operations.....	27	3	9	10		4	1	5	1	3		1
181 Tabes mesenterica.....	38	5	11	5		16	1	22	1	20		1
182 Tetanus.....	4	1	1			1	1	11	2	4	1	4
183 Trismus nascentium.....	9	1	4	1		3		18	1	12		5
184 Tumor.....	46	12	4	6		17	7	37	1	28		8
185 Tumor, ovarian.....	10	2		3		3	2	5		5		
186 Typhlitis.....	7	1	1	2	1	2		2		1	1	
187 Unknown.....	827	215	4	10	6	378	214	1,426	16	986	7	417
188 Uræmia.....	13	3	1	5		3	1	8		1		2
189 Urethra, stricture of.....								1		1		
190 Urinary organs, disease of.....	5	1				4		3		3		
191 Urinary system and male organs of generation, disease of.....	4	1		1		1	1	32		11		21
192 Uterus, disease of.....	8	1		1		3	3	41	1	28		12
193 Uterus, tumor of.....	5	2	2			1		7		7		
194 Venereal disease.....	26	1	13	6		4	2	35		21		14
195 Vomiting in pregnancy.....								1		1		
196 Whooping cough.....	77	11	11	7		32	16	275		204	3	68
197 Worms.....	4	1				2	1	63	2	47		14
198 Wounds.....	13	2	2	4		3	2	23		14		9

STATISTICS OF DEATHS.

1003

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

MISSOURI.							MONTANA.			NEBRASKA.				
Total.	Group 1.	St. Louis.	Group 2.	Group 3.	Group 4.	Kansas city.	Total.	Group 1.	Group 2.	Total.	Group 1.	Group 2.	Omaha.	Group 3.
103	13	14	30	20	22	4	20	9	11	14	6	6	2	163
134	16	11	37	16	28	26	5	5	5	58	32	9	9	8
32	2	7	11	3	5	4	1	1	1	5	4			1
4			3			1				5	5			166
233	25	28	106	26	33	15	15	1	14	51	28	9	2	12
90	11	6	42	14	14	3	3		3	18	11	4		3
6	1	1	3		1					3	3			169
1,705	78	794	256	178	142	257	11	3	8	270	143	18	72	37
243	35	29	74	45	45	15	4	4	4	66	41	13	5	7
65	6	11	17	9	10	12	3	2	1	21	13		5	3
13		2	2		6	3				3		1		2
14		10	1	3						3	3			174
65	5	26	10	10	9	5	9	1	8	17	10	1	3	3
28		11	8	4	5		3	2	1	20	11	5	2	2
54	3	29	9	3	4	6	2		2	13	6	2	1	4
30	2	2	8	5	9	4	1		1	12	5	2	1	4
19	5		6	1	4	3	1		1	5	2	1	2	179
37	3	17	2	4	3	8	2		2	15	9		3	3
54	10	17	10	5	5	7	1		1	12	4	1	4	3
26	4	9	5	1	2	5				6	4		1	1
174	8	156	2		3	5					4			183
89	8	20	15	17	21	3	2		2	33	17	6	6	4
26	1	12	3	2	4	4	1		1	3	1		1	1
28	1	20	2		3	2				1				1
1,060	189	21	416	160	181	93	86	42	44	433	219	95	108	66
54	1	41	3	2		7				4	1		3	187
2			1		1									188
10	2	2	2		4					4	4			189
10	3	4	1		1	1	1		1	4	4			190
10	3	4	1		1	1	1		1	2	2			191
25	3	4	8	3	7					6	1	1	1	3
10		5	3	3	2					3	1		2	193
61	3	29	6	2	11	10	6	3	3	10	3	2	4	1
2		1	1											194
410	45	27	159	47	83	49	2		2	120	62	10	11	37
14	1		8	2	3					3	2			1
68	8	29	11	5	11	4	3		3	13	8	1	3	1

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

NEW JERSEY.																
Total.	Group 1.	Atlantic city.	Bayonne.	Bordentown.	Bridgeton.	Burlington.	Camden.	Elizabeth.	Gloucester city.	Harrison.	Hoboken.	Jersey city.	Long Branch.	Millville.	Newark.	New Brunswick.
30,344	6,957	351	419	98	205	170	1,424	786	144	258	1,223	4,484	114	193	5,280	359
16	3	2					2					2		1	2	
33	1		1				3	1		1	3	6	1		4	
7	3										1	1				
2								1				1				
122	21	1	2		3		8	2		1	3	16			12	1
2												1			1	
93	16	5		1			2		1	1	4	21	4		11	
38	10	1					3	1				5		2	4	
19	6							1				4			2	
28	7				1							10			5	
78	26		2		1		4	2			2	11			3	
27	6	1			1		2				1	3		1	7	1
946	254	14	3	11	11	1	33	24	7	10	23	103		1	177	12
20	6		1				4					2			2	
52	16						3	1				5	2		6	1
19	4	1					1					2			2	
81	33						3	4		1		7			5	4
1															1	
8								1	1	1				1		
40	11	1			1	1	4	3			2	4			6	
93	26		1		2	2	2	2		1	3	11		1	12	2
464	126	4	4	4	8	6	52	8	3	2	12	50		6	54	3
111	43	2	1		2	4	15	1			4	4			10	1
438	125	8	5	2	2	2	21	14	2	1	23	70	1		12	10
1,124	232	8	22	1	2	3	25	34	7	8	53	136	4	1	287	14
81	22				1		6		1		2	18			11	
5	3						1									
4	3						1									
124	39	1	1		2		7	2	1			11		1	12	2
40	10	1					1				1	4			6	
6							2					1				
3	1											2				
63	17	2		1		3	2	2		1	2	7			12	1
2								1				1				
1												1				
31	12		1	1							1	2		1	3	1
54	15		1				1				2	12			7	
1											1					
4	1											1				
25	8											4	1		4	
6	2						1					1				
20	8						1	2		1					2	1
132	51		1		1		7	2			9	17			12	1
1																
5	3										2					
101	23	1			1	1	8	2	2		2	15	1		16	3
10	3										1				3	1
1																
1															1	
50	10	2				1	3	1	2	1	2	4			9	1
1,194	259	14	21	1	8	3	60	47	4	14	53	132	5	6	191	13
53	3		2				3			1	3	7			13	
8	3						1								1	
12	1							1				4			2	1
15	6						1					2			1	
2															1	
3,388	817	27	24	9	27	25	153	75	17	22	138	443	5	34	594	33
1,019	208	11	31		3	5	40	27	5	12	36	146	1	4	250	9
449	64	2	2	1	1	1	50	20	6	4	33	67	1	10	60	8
114	24	2	3		3	2	2	4		2	2	12		8	19	1
1,178	214	19	19		6	7	67	35	10	17	53	173	5	7	209	12
50	20	2				1	3				1	6		1	1	
84	29	2					1	2		1	4	7			13	2
279	74	5	4		1		13	2		1	18	19	1	1	41	3
60	16	1	1				2				4	4			10	
1,087	179	3	3	6		3	25	16	5	3	98	245	7	6	254	16
109	40	2	1		2		5	1	2	1	1	8	2	1	6	
227	59	5	5		1	6	17	1	10	2	5	32	7		22	4
401	104	13	11		6	1	14	1	4	6	8	53	2	7	63	3
3											1					
1																
11	4		1				2					2	1		1	
595	102	3	10	2	7	1	22	11	1	2	38	113	1	2	152	5
84	30	2	1	1			3	2			3	6		1	8	
80	16		1				6				2	12		1	9	

VITAL AND SOCIAL STATISTICS.

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE.

CAUSE OF DEATH.	NEVADA.	NEW HAMPSHIRE.								
	Total.	Total.	Group 1.	Concord.	Dover.	Manchester.	Nashua.	Portsmouth.	Group 2.	Keene.
163 Scrofula	2	12	4	1			1	1	5	
164 Septicæmia		40	18	2	2	6			12	
165 Skin diseases	3	3	1			1			1	
166 Smallpox										
167 Spinal cord, disease of	3	15	8			2			5	
168 Spine, disease of	2	8	4			1		1	2	
169 Spleen, disease of	2	2			1				1	
170 Stillborn	4	218	64	15		76	16	2	39	6
171 Stomach, disease of	6	36	13	2		4		1	16	
172 Suffocation		9	4			2	2		1	
173 Suicide by cutting throat		2	1						1	
174 Suicide by drowning		1				1				
175 Suicide by shooting	2	5	1						4	
176 Suicide by hanging	1	9	5				1		3	
177 Suicide by poison	2	5	2			1			2	
178 Suicide, not specified	3	15	9	1	1	2			2	
179 Sunstroke										
180 Surgical operations		1					1			
181 Tabes mesenterica	1	18	12			1		3	2	
182 Tetanus		1	1							
183 Trismus nascentium										
184 Tumor	1	30	12	1		3	1	1	12	
185 Tumor, ovarian		7	5	1					1	
186 Typhlitis		1	1							
187 Unknown	47	212	68	2	8	59	6	12	54	3
188 Uræmia	1	9	3			1	1	1	3	
189 Urethra, stricture of										
190 Urinary organs, disease of		7	4			1			2	
191 Urinary system and male organs of generation, disease of		2	1				1			
192 Uterus, disease of	1									
193 Uterus, tumor of		5	2			1		1	1	
194 Venereal disease	2	8	5		1		1		1	
195 Vomiting in pregnancy		3	1						2	
196 Whooping cough	1	37	18	1		5	5		8	
197 Worms										
198 Wounds	2	12	1	5		1			5	

STATISTICS OF DEATHS.

1009

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

NEW JERSEY.

Total.	Group 1.	Atlantic city.	Bayonne.	Borden-town.	Bridge-ton.	Burling-ton.	Cam-den.	Eliza-beth.	Glou-cest-er city.	Har-rison.	Hoboken.	Jersey city.	Long Branch.	Millville.	New-ark.	New Brun-swick.	
24	4			1		1	2	1		1		1	1	3		2	163
49	6		1			1	3	1				13			10		164
17	3	2					1					3			3		165
1					1												166
84	21	2					1	1	2		2	12	1	1	12	2	167
24	5						1	1				2			7		168
2																	169
1,889	376	24	33	3	19	7	95	66	9	19	94	306	11	14	297	16	170
131	25	1	3	1			9	2		1	4	34	2	1	20		171
61	16							1		1	2	10			7	1	172
6	1										1	1			2		173
3	1																174
34	9		1					3		1	4	3			1		175
28	11	1			1						1	1			5		176
20	5				1						3	3			5		177
26	10							1	1			1			1	1	178
10		1					1			1		1			3		179
8							2				1	1					180
53	13						7				1	8		1	8	3	181
15	3										1	5			3		182
65	21		1				2	2			3	12			16		183
68	13	3					3	1			1	4	2	1	19		184
11	3											4			4		185
9	3							1			1	1			1		186
182	48	1	1	1	2		2	1		2	8	32	4	1	31		187
73	24	3	1		2		3	1			1	4			8	2	188
3												1					189
11	3						1					3					190
11	1			1			1					1					191
10	1										1	3			2		192
13	4						1				1				2		193
30	5	1	1				1	2			2	8			5		194
																	195
376	99	5	17	2	2		12	3		16	7	53	1	7	53	5	196
1																	197
60	23			1		1	1	2			1	6			7	1	198

STATISTICS OF DEATHS.

1011

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

NEW MEXICO.			NEW YORK.															
Total.	Group 1.	Group 2.	Total.	Group 1.	Brooklyn.	Edge-water.	Flush-ing.	Long Is-land city.	Mount Vernon.	New Rochelle.	New York.	Nyack.	Peekskill.	Sing-sing.	Tarry-town.	Yonk-ers.		
2,773	889	1,884	123,117	5,960	20,593	320	177	688	206	150	48,378	59	128	122	53	573	1	
4	1	3	62	3	1				1		41						2	
			170	6	18				2		40		1				3	
			19	1	3				1		7						4	
			7		1			1			4						5	
1		1	15		1						5						6	
24	7	17	736	46	75	4	3	7	2	4	146		1		1	2	7	
			26	2	4						5						8	
6		6	529	13	44	1				2	332					2	9	
			143	6	18						39					2	10	
1		1	99	6	10						58					1	11	
68		58	63	3	16						18					1	12	
5	10	5	217	16	24						49	1			1	1	13	
			82	3	14						44					1	14	
12	2	10	3,266	176	491	5	7	14	9	3	961	3	3	4	2	19	15	
8	1	7	41	2	2						5	1					16	
5	3	2	158	7	26			1	1		53						17	
			58	2	7				2		10						18	
3		3	383	21	40	2		3			65			1		2	19	
1		1	3								2	1					20	
			43	1	1						26						21	
9	4	5	101	7	9						17	1	2				22	
2		2	295	8	43		1			1	102				1	5	23	
6	2	4	1,604	111	323	3	9	1	4	4	340			4	2	10	24	
11	2	9	250	13	39	1		1	1		18						25	
8		8	2,825	162	489	6	7	13	1	4	1,291	1	5	2	2	10	26	
34	4	30	5,319	217	1,079	15	4	28	20	8	2,254		3	14	1	20	27	
8	5	3	230	6	42			2			91						28	
			36		1						18						29	
			29		2						14						30	
7	3	4	704	53	10	3	4	2		2	24			2			31	
1		1	166	4	19		1				68	1		1			32	
			21	2	4						10						33	
			11	2	2						1						34	
3		3	300	8	54	2	1	1		1	95					1	35	
			1														36	
			10								7						37	
3	2	1	142	8	20	1	1		1		50					1	38	
			9								8						39	
1		1	273	7	46	2	1	2	1		116					2	40	
1		1	17		4						9						41	
			24		4						10						42	
			99	9	13			1			47						43	
			12		2						7						44	
			5		3						1						45	
			109	6	18	1	1	1		1	44						46	
2	1	1	573	26	80		1	2			201		4	1	1	1	47	
			2		1						1						48	
			10		2						3						49	
2	1	1	419	10	78	1		1			171		1	1		2	50	
			34	1	2						15						51	
			3								1						52	
			7		1						3						53	
43	16	27	231	12	32	1				1	75						54	
16	6	10	4,744	236	866	22	5	25	14	7	1,603	3	3		2	21	55	
8	1	7	330	19	41	1		2			90					1	56	
			17		2						6						57	
4	1	3	57	1	6					1	25						58	
13	6	7	37	1	2						10						59	
			3		1						2						60	
111	40	71	14,854	674	2,325	35	25	67	24	10	5,871	8	12	23	4	88	61	
9	3	6	2,368	157	435	11	5	32	4	2	542		3	6	4	5	62	
10	1	18	1,568	60	346	2		18	2	2	533	1	2	2		3	63	
			354	12	146				1		106						3	64
42	18	24	4,940	471	1,045	30	5	50	18	12	1,264	2	17	6	2	22	65	
5	2	3	807	14	128	2	1				70		1			2	66	
			354	14	25	1					116			1			2	67
18	7	11	1,890	78	312		1	9	2		943	3	3			15	68	
3	2	1	245	8	41		1				60		1	1		2	69	
773	308	465	4,085	184	1,020	6	1	71	17	3	1,337				4	6	70	
			516	30	15	1		3			11		1				71	
37	15	22	802	85	99	6	1	13		2	218	1		2		3	72	
7	2	5	1,940	104	286	2	16	25	20		707		2	1		13	73	
14	4	10															74	
			63		6						48						75	
			12								9						76	
			3														77	
			61	7							19					1	78	
27	12	15	2,443	83	385	4		21	17	2	1,224	2	8			32	79	
4	3	1	312	24	26		1	2	1		107			1			80	
4		4	367	9	64	1					155		1	1		2	81	
			9	1	1						2						82	

VITAL AND SOCIAL STATISTICS.

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.		NEW JERSEY—continued.											
		Orange.	Perth Amboy.	Plain- field.	Rahway.	Salem	Town of Union.	Group 2.	Morris- town.	Passaic.	Pater- son.	Phillips- burg.	Tren- ton.
163	Scrofula							3		1	3		
164	Septicæmia	1						5			4	1	3
165	Skin diseases							4			1		
166	Smallpox												
167	Spinal cord, disease of			2	1		1	14	1	1	5	1	1
168	Spine, disease of	2						2			3	1	
169	Spleen, disease of							2					
170	Stillborn	33	8	13	1	20	26	171	4	22	123	14	65
171	Stomach, disease of	1			1	3		15	1	1	5		1
172	Suffocation		1	1	1	1		6	3		7	1	1
173	Suicide by cutting throat						1						
174	Suicide by drowning							1					1
175	Suicide by shooting		1					6			2		1
176	Suicide by hanging							5	1		3		
177	Suicide by poison	2											1
178	Suicide, not specified	1						4			2		4
179	Sunstroke						1	1					1
180	Surgical operations			1				2			1		
181	Tabes mesenterica	1		1	2			6			2		
182	Tetanus									1			
183	Trismus nascentium	2						4			4		
184	Tumor	3		1				9		2	5		1
185	Tumor, ovarian												
186	Typhlitis							2					
187	Unknown	3	4	2	1	1		21	1	1	6	3	5
188	Uræmia	1	1	1				10		5	4		2
189	Urethra, stricture of							1			1		
190	Urinary organs, disease of	1		1				1					1
191	Urinary system and male organs of generation, disease of					1		4			1		1
192	Uterus, disease of							2					1
193	Uterus, tumor of							4		1			
194	Veneral disease							1			1		3
195	Vomiting in pregnancy												
196	Whooping cough	16	6	2	5	2	3	27			22	5	6
197	Worms							1					
198	Wounds		1		1			9			6		

STATISTICS OF DEATHS.

1015

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

NEW MEXICO.			NEW YORK.													
Total.	Group 1.	Group 2.	Total.	Group 1.	Brooklyn.	Edge-water.	Flush-ing.	Long Is-land-city.	Mount Vernon.	New Rochelle.	New York.	Nyack.	Peekskill.	Sing-sing.	Tarry-town.	Yonk-ers.
4	1	3	81	3	10						14					163
4	1	3	319	22	60			4			27		2	1		164
3	1	2	60		5						35					165
231	60	171	16	8							3					166
4		4	379	18	83	3		2	1		94					167
2	1	1	107	1	11						44					168
			12	2	3											169
7	2	5	5,280	23	1,333		2	1	2		3,302		1	2		26
16	6	10	416	22	68		1	3	2		77					170
3		3	334	23	32	2		3	1	1	130					171
																3
			41	1	6						15					173
			19	3	2						3					174
2		2	138	6	29	1					76					175
			136	6	18	1		1			46	1				176
2	1	1	124	3	16						60					1
1	1		114	6	7			1			27					177
			49		9						28		1			178
			217		3						169					179
																1
			168	5	12			2			73		1	1		181
2	1	1	69	3	24	2	1				16					182
			77	4	14					1	42					3
1		1	279	18	29	1	1	1			80	1				3
1	1		72	3	13						35					1
			95	1	11	1					65					186
176	44	132	797	138	20	3	2	2	1	10	15	3	1	1		2
			138	7	27				1		28					187
			6	1	1						1					188
1		1	42	1	1						17					1
																190
			32		2						12					191
1		1	26	1	1						6					192
			57	1	12						25					193
3	1	2	215	4	25			1			145					2
1		1	7								4					195
17	5	12	1,082	31	168		1	5	2	2	449				2	3
			11								4					197
5		5	108	7	9	1		2			23				1	2

STATISTICS OF DEATHS.

1017

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

NEW YORK—continued.																	
Batavia.	Buffalo.	Dunkirk.	James-town.	Leroy.	Lockport.	Medina.	Niagara Falls.	Os-wego.	Roches-ter.	Tona-wanda.	Water-town.	Group 5.	Al-bany.	Am-ster-dam.	Au-burn.	Bing-ham-ton.	
113	5,087	88	207	29	183	83	71	346	2,323	132	267	14,705	2,421	336	572	599	
	1								2			4	2				2
	6		3					2	2			35	3	1			3
												2					4
	1											1					5
												5					6
2	26	3		2	5	1	2	4	26	2	5	168	19		4	5	7
	2								6			1					8
	43				1	1			6			31	11			1	9
1	5	1	1						4		2	29	2	1			10
	6											7	1				11
	4											9				1	12
1	7		1						5			45	2		1		13
	2											5					14
3	95		5	2	4	2	5	12	50	2	10	568	59	14	28	24	15
	3											15	1				16
	8			1					1			29	4				17
	9											6					18
	4		1		1	1		2	5		1	113	10		5	2	19
									1			5					20
1	4				1	1			5			24	3				21
	14	1	5					1	5			47	5	1	2	2	22
3	54	2	5		7	1	1	4	25	2	4	244	46	3	3	3	24
	9	1	1						3	1	1	62	3		3		25
1	59	2		2	2	2		2	40	1		261	58	5	9	3	26
	189		1		10	2		8	117	6	3	396	101	10	23	18	27
	11		1		1				5	1		26	8	2	2	1	28
	2							1	1			9			1		29
	2							1	1			5					30
1	5	3	4		5	2		9	17		5	225	9	5	3	9	31
	11		1					1	2			25	3		2		32
	1								1			1					33
			1														
	1								8		1	49	7	2	4	2	34
	8											1					35
												1					36
	11	1						1	1			15	1				37
																	38
	12		1						3	1		1	11	2	2	1	39
												31					40
																	41
	1				1				1			4	1		1		42
	2								1			12			1		43
																	44
	1																45
	2								2								46
	35	2	1					1	7			13	3	1	2	3	47
												83	10				48
																	49
1	28	2			1				6		1	46	7		2	2	50
	2											8					51
												2					52
	1														1		53
	7	1							3				2		1		54
5	307	2	9		7	1	2	10	152	8	15	381	47	23	16	28	55
	17							1	3			43	5			7	56
																	57
	8		1									5	2				58
	1											6	1	1			59
												9				1	60
12	476	10	33	2	27	10	9	36	286	12	35	1,526	304	54	86	69	61
	182	3	5		3	2	1	18	98	7	6	207	76	16	15	10	62
1	102	2	2	1		1		1	39		5	65	68	7	3	3	63
	25								9		1	16	2			3	64
	264		5	1	6	1	3	15	121	5	7	514	130	9	24	26	65
	26								2			19	2			1	66
	9	1							7		1	79	5	3	2	2	67
1	106	1	3	1				4	19	2	2	126	34		2	2	68
	13	2	1						1	3	1	33	13	1	3	1	69
11	118	1	2	4				1	22		10	308	100	34	33	3	70
	1		3	1				4	11	3	2	184	8	2	2	1	72
	44	1	1		1	3		9	18	8	3	92	13	2	1	4	73
	70				3	1	1	3	45	1	2	214	19	1	5	7	74
																	75
	2								2			1					76
	1																77
	1											1					78
	1								3			13	2				
1	97		5			1	1	6	25	1	2	174	19	1	5	4	79
	16					1			4		1	50	4		1	6	80
	9					1		2	3		3	46	6	1	3		81
												1		1			82

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

NEW YORK—continued.																	
Batavia.	Buffalo.	Dunkirk.	James-town.	Leroy.	Lockport.	Medina.	Niagara Falls.	Oswego.	Rochester.	Tona-wanda.	Water-town.	Group 5.	Al-bany.	Am-ster-dam.	Au-burn.	Bing-ham-ton.	
																	83
	5						1					2					84
	2						1		1		1	11					85
													1				86
	6								2			11					87
1	24		2			1		1	4			33	3	1			88
	3		1						1			10	1		1		89
	6											14	1		1		90
	64						1		6	2		39	14		5	1	91
5	80		2	13	1		4	4	53	17	5	315	67	6	6	39	92
5	24			1			2	2	1		3	109	16		5	9	93
	28					2	2	1	1	3		109	42	2	6	1	94
												2					95
	7							1	3		1	27	5			1	96
																	97
1	9		1						4		1	53	3		2	2	98
	18		3		2			8	13	1		86	16	3		5	99
												1					100
																	101
																	102
												1					103
	1					1		1	2			19	3			4	104
																	105
	15	1					1	1	10			80	13	1	10	3	106
				1				1	2			3					107
14	210	2	9	1	18	5	3	36	163	7	24	1,481	163	18	25	30	108
	3								3			36	2	1	1		109
	1											1					110
	5											3					111
	39	1	1		1	1		2	9	1		38	11	3	1	2	112
																	113
1	110		2				6	6	18	1	4	93	11	2	3	6	114
																	115
												1					116
	6							1	3		1	12	2				117
	2																118
2	43		6		2	1	1	2	25			152	35	3	6	3	119
2	2	3	1	1				3	1		1	105	5	1	1		120
	9										1	7	5		1	1	121
																	122
																	123
	5											5	1				124
																	125
2	30		5		3		3	4	23	1	2	122	4		2	5	126
	15						1		5			49	5	1	1	3	127
1	46		5	2	1	2	1	5	7	4	3	190	33	5	11	4	128
																	129
																	130
	13					1	1	1	2	6	1	28	3			5	131
																	132
	14	7					3		28			54	6		27	3	133
3	96	1	1	1	2	4	2	16	87	3	6	164	78	13	15	8	134
	13								2		1	34	4	1		19	135
																	136
												2					137
																	138
	2								2		3	38	5		1	2	139
	1																140
																	141
8	59	1	6	2	11	2	1	23	32	4	17	767	62	6	14	28	142
	1								1	1		5	1				143
																	144
5	61	2	6	1	7	6	4	13	44	1	7	596	36	7	12	19	145
	1																146
	39	1	2	1				4	37	1	4	165	23	2	6	3	147
												1					148
																	149
3	11							1	5			26	8		3	2	150
	409	9	28	1	14	6	6	24	248	6	25	1,402	251	27	60	65	151
	1		1		1			3	2			19	4	1		2	152
	1								1			5	1				153
	137		2			2			37		2	125	14	4	3	5	154
	7		1						2			14	1				155
	1											1	1				156
1	18	2		1	2		1		5	1	3	34	8		1	3	157
	1								1			4					158
1	77	1	2		3	1		3	27	2	1	141	20	5	2	6	159
	15											11	2				160
	20	1			2			1	8			80	4	2	2	5	161
	2											1	1				162

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE.

CAUSE OF DEATH.	NEW YORK—continued.											
	Group 2.	Glens Falls.	Little Falls.	Malone.	Ogdensburg.	Plattsburg.	Group 3.	Kingston.	Middletown.	Newburg.	Port Jervis.	Group 4.
163 Scrofula	5						5					6
164 Septicæmia	15	1	1	2			13	3	1		1	23
165 Skin diseases	2			1								4
166 Smallpox												
167 Spinal cord, disease of	13	1	1	1	1		12		1	2	1	19
168 Spine, disease of	3						2	1				9
169 Spleen, disease of	1											2
170 Stillborn	23	2			2	2	6	1	1		2	45
171 Stomach, disease of	9	2		1			11	1	1	1		37
172 Suffocation	6	1			1	2	9	3		1		11
173 Suicide by cutting throat	1											2
174 Suicide by drowning							1					
175 Suicide by shooting	2											10
176 Suicide by hanging	2					1	1					15
177 Suicide by poison	2						1	1	1			7
178 Suicide, not specified	2		1		2		5	1		1		6
179 Sunstroke	1						1	1				2
180 Surgical operations	2						1		1			2
181 Tabes mesenterica	6				1		1	1		1	1	9
182 Tetanus	1	1							1			3
183 Trismus nascentium			1							1		2
184 Tumor	13	2		1	4		15	1		1		18
185 Tumor, ovarian							2					4
186 Typhlitis								1	1			3
187 Unknown	64	1	2		2	7	26	3	2	1	1	106
188 Uremia	1						4	1				10
189 Urethra, stricture of												1
190 Urinary organs, disease of							1					4
191 Urinary system and male organs of generation, disease of	3						1					5
192 Uterus, disease of							1		1			2
193 Uterus, tumor of							3					1
194 Venereal disease	2						2					2
195 Vomiting in pregnancy												
196 Whooping cough	28	3			11		16	1		1		45
197 Worms							2					2
198 Wounds	4		1				2					13

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

NEW YORK—continued.																
Batavia.	Buffalo.	Dunkirk.	James-town.	Leroy.	Lockport.	Medina.	Niagara Falls.	Os-wego.	Roches-ter.	Tona-wanda.	Water-town.	Group 5.	Al-bany.	Am-ster-dam.	Au-burn.	Bing-ham-ton.
	6				1				2		1	14	4			163
1	8		1		2				12		2	64	11	4	3	164
	1								1		1	5				165
	3											1				166
	11	1	4		2			1	7	3		56	2	1	4	167
	1						1		1			13	5		1	168
												3	1			169
	388		1		1			1	4	4		64		1		170
	22				2			3	7		2	96	13		3	171
	25								3	1		42	5	2	1	172
1	2		1									8	2	1		173
	2											7				174
	2											9	1	1		175
	6		1						4		1	26			2	176
	7		2						3			12			1	177
	1				1		2		7			30	1		2	178
	1											2				179
	14		1					2	3			12				180
	9					1			1		1	26	4			181
	2				1				1			6	4	1		182
	2											3	2			183
	9					1		1	5			41	4			184
	5								1			4	1	1		185
	2								2			3	1			186
1	26	5			1	1		4	9		1	236	6	2	3	187
	8		1						4			25	5		1	188
	1											1				189
	2								1			9	1			190
	1											6				191
	4											4				192
	3											8	1			193
	10										1	10	2	1	2	194
												1				195
1	69	1			3	5		1	11	1	9	74	55		9	196
	1											2				197
	6				1	1		1	3			19	2	1		198

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

NEW YORK—continued.																	
Johns-town.	Lansing-burg.	Mattea-wan.	Ner-wich.	Olean.	Oneida.	One-onta.	Pough-keepsie.	Rome.	Saratoga Springs.	Schenecc-tady.	Seneca Falls.	Syracuse.	Troy.	Utica.	West Troy.	White-hall.	
																	83
								1					1	2			84
												1					85
																	86
		1					1						3				87
								1					2				88
				1								1					89
																	90
		1	1	1													91
2	3	1	6	4	1	2	2	2	6	6	1	18	8	7	6	1	92
	1	2	4	1	2	1	6	6	4	4	4	21	3	5	1		93
				1			4	1	4	2	5	24	21	11	1		94
																	95
		1	1					1		4	1	1	1		3		96
																	97
				1				2		2	1	9	3	1			98
3	1	1		1			1	2	1	2		4	3	8	2		99
																	100
																	101
																	102
																	103
								1		2		4	1				104
2	1	2	2		1		3	1	2	1		8	9	8	2	1	105
8	12	4	11	10	7	7	47	17	22	25	10	120	118	63	13	5	106
				1				1				2		1	1		107
												3	1				108
		1			1		1					1	6	7	6	1	109
																	110
	2	2		2	1	1	2	1			2	31	6	17	1		111
																	112
				1	1							3	4				113
																	114
																	115
																	116
																	117
																	118
3	2	2				1	3			2	1	16	20	8	7	1	119
1		1				1	1	4	1	2		3	7	1	1		120
1								1		1						2	121
																	122
																	123
																	124
																	125
	2	1					5	5		2		8	7	6	4		126
	1				1	1	1	2	2		1	7	3	2	1		127
2	3	1		1	1		7	4	1	9	3	12	22	10	1	1	128
																	129
																	130
																	131
																	132
																	133
																	134
																	135
7	6			2		1	9	9	2	12		53	35	28	16		136
							2	2		1		1	2	8	1		137
																	138
																	139
																	140
																	141
6	7	2	3	3	3	9	18	5	7	15	5	54	26	34	3	1	142
														2			143
																	144
5	8	5	2	3	2		19	9	4	18	2	39	32	36	4	2	145
1	3	2	2		4	1	7	1	3	5	1	10	15	21			146
																	147
																	148
																	149
1																	150
12	27	7	12	5	9	11	33	24	23	35	13	3	6	91	42	6	151
	1			1								6	3	1			152
												1	2	1			153
2						5	6	2	2	5	3	36	13	16	4	1	154
																	155
																	156
																	157
																	158
																	159
																	160
																	161
																	162

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH		NEW YORK—continued.											
		Canan- daigua.	Cohoes.	Corn- ing.	Cortland.	Elmira.	Geneva.	Glovers- ville.	Green- bush.	Hoosick Falls.	Hornells- ville.	Hud- son.	Ithaca.
163	Scrofula.....		1						1				
164	Septicæmia.....		2		1		1	1	2				
165	Skin diseases.....					1					1		
166	Smallpox.....		1										
167	Spinal cord, disease of.....				1	1	2		1		2		
168	Spine, disease of.....					2						1	
169	Spleen, disease of.....												
170	Stillborn.....		3		2	5	1	1			1		
171	Stomach, disease of.....		2	1	1	3	2				1		1
172	Suffocation.....		1		1	3	1			1			
173	Suicide by cutting throat.....												
174	Suicide by drowning.....												
175	Suicide by shooting.....												
176	Suicide by hanging.....												
177	Suicide by poison.....					2		1					
178	Suicide, not specified.....	1											1
179	Sunstroke.....												
180	Surgical operations.....					1							
181	Tabes mesenterica.....			1	2							1	1
182	Tetanus.....										1		
183	Triamus nascentium.....								1				
184	Tumor.....	1		1		1		1			1	1	1
185	Tumor, ovarian.....					1							
186	Typhlitis.....				1				1				
187	Unknown.....	1	7		1	1	1	1			4		4
188	Uremia.....						1		1		1		1
189	Urethra, stricture of.....												
190	Urinary organs, disease of.....												
191	Urinary system and male organs of genera- tion, disease of.....												
192	Uterus, disease of.....				1			1					
193	Uterus, tumor of.....												
194	Veneral disease.....		1										
195	Vomiting in pregnancy.....												1
196	Whooping cough.....	2	7	1	1	13		1					
197	Worms.....												
198	Wounds.....					1							

STATISTICS OF DEATHS.

1027

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

NEW YORK—continued.																
Johns-town.	Lansing-burg.	Mattea-wan.	Nor-wich.	Olean.	Oneida.	One-onta.	Pough-keepsie.	Rome.	Saratoga Springs.	Schenec-tady.	Seneca Falls.	Syracuse.	Troy.	Utica.	West Troy.	White-hall.
		1					2				1	2	2			
1		1			2		2	2		4		3	5	4		1
								1					1			
1	1	1					1	1		3	1	6	4	1	1	
1	1						1					3	3	1		
	4		1		2	1			1		3	4	3	1	3	
	1				1		1	1	1			6	6	2		
	1							2	1	2	2	3	4			
		1														
								1						1		
												1		3		
						1							2	1		
1			1	1								3	1	1		
								1					3			
									1			2	1	1		
										1		1	4			
												1	1			
														1		
1						1	2	1				5	3	5		
	1												1			1
1		1		1	3	1	3	1	4	2		30	10	5		1
									1	3		1	2	1	1	
										1	1		1			1
										1			1			
	1					1		1					1			
			1											2		
				1				1		1			2			
													1			
	1	1	1							1	1	5	21	9	1	1
1			1					1				2	2			

163:
164:
165:
166:
167:
168:
169:
170:
171:
172:
173:
174:
175:
176:
177:
178:
179:
180:
181:
182:
183:
184:
185:
186:
187:
188:
189:
190:
191:
192:
193:
194:
195:
196:
197:
198:

STATISTICS OF DEATHS.

1029

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

OHIO—continued.											OKLAHOMA.	OREGON.			
Cleveland.	Toledo.	Group 2.	Chillicothe.	Cincinnati.	Dayton.	Hamilton.	Portsmouth.	Group 3.	Columbus.	Springfield.	Total.	Total.	Group 1.	Group 2.	
5,736	1,656	11,870	198	6,640	998	317	193	16,821	1,336	632	462	2,687	713	1,974	1
3	2	14		3				25		1		6	3	3	2
11	2	16	2	10				26				3		3	3
1		4		1				4	1						4
2												1	1		5
		2		1				5							6
73	10	97	1	44	6	2	1	174	10	3	6	52	20	32	7
15	2	1		1				4				2		2	8
10		31	1	30	6	2		51	4	2		15	1	14	9
		11		13	6	1		16	1						10
4		8		8				10							11
2	5	12		13				26				6	2	4	12
4	3	21		6				44				7	1	6	13
	2	11		7	2			12	1			2	1	1	14
61	26	176	5	127	20	4	1	298	23	13	4	32	7	25	15
17	2	10		5				19			2	3		3	16
	2	58		41	4			65	6	4		4		4	17
		2		2	2			5							18
6		29		15				55	4	1		6	1	5	19
1	1	4		2				13		1					20
6	1	31		7				37	3	1		2		2	21
11	4	35	1	17	6	3		43	4	1		8	5	3	22
												9	1	8	23
104	32	149	2	89	13	7	10	206	21	7	3	34	7	27	24
69	13	186	3	22	2	8	4	230	4	1	9	24	8	16	25
44	17	174	5	76	7	4		290	20	27	4	38	11	27	26
183	53	143	6	278	21	4	2	209	33	11		30	11	19	27
7	7	60		15	4	3	1	62	5	3	4	19	2	17	28
3	2	6		3	1			9				1		1	29
		14						18				2	1		30
18	2	67	1	13	9	2	2	127	7	10	1	17	3	14	31
9	1	11	2	5		3		28	3			7	3	4	32
	1	4		1				1		1				4	33
11		26	1	17	1	1		1		1					34
		1						48	1			2	1	1	35
1	1							4							36
4	5	32		6	1			42		2		6	1	5	37
		3		2											
10	4	16		13	2	2		30	3						39
1		4						6							40
		1		1				1	1	1					41
3	2	15		8	1	1		22	1			1		1	42
		2						1							44
2		8		4		1		6				1		1	45
40	6	81		41	10		1	137	9	4	1	13	3	10	46
		1		3				6							49
10	11	27	1	22	3	3		44	6	2		7	1	6	50
1		3		4				5				1		1	51
		5						3							52
		1		1											
17	2	59		17				95	4	4	9	21	10	11	53
241	42	264	6	96	27	14	6	611	51	34	13	59	19	40	54
9	3	21	1	14	1	1	1	35	2		1	5	2	3	55
		3		3				12	1	1					57
1		5		3				2							58
86	3	15		4				21	1			3	1	2	59
		2						4				2	1	1	60
415	144	1,840	32	832	152	46	42	2,152	195	108	26	339	79	260	61
340	64	140	6	217	30	3	2	193	50	13	1	22	4	18	62
121	61	132	2	86	23	9		220	9	5	3	62	12	50	63
7	7	15		13	1			18	2	3		1	1		64
308	29	239	7	181	34	15	2	292	41	5	2	38	4	34	65
24	1	13		38	1			9	1	1	3	3		3	66
9	2	51	1	21	1	1		83	1	2	1	10	1	9	67
89	23	124	3	89	14	1	3	138	11	9	6	16	5	11	68
12	3	41		18	6			58	8	1		9		9	69
264	177	364	5	403	46	31		353	58	22	9	97	10	87	70
23	13	167	2	40	9			256	12	4	7	32	9	23	71
17	21	38		24	6	4		53	6	2	4	68	15	53	72
101	10	181	1	103	4	2	1	158	10	2	12	14	4	10	73
		4		4	1			2							75
1		6				1		1							76
95	32	135	2	116	11	6	2	260	19	7	10	55	26	29	79
12	4	35	2	12	1	1		56	5	1	2	8	6	2	80
12	6	39	1	24	4	2		63	6	3		9	1	8	81
1		8		1				2	1						82

STATISTICS OF DEATHS.

1031

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

OHIO—continued.											OKLAHOMA.	OREGON.			
Cleve-land.	Toledo.	Group 2.	Chilli-cothe.	Cincin-nati.	Dayton.	Hamil-ton.	Ports-mouth.	Group 3.	Colum-bus.	Spring-field.	Total.	Total.	Group 1.	Group 2.	
		2		1	1			10				1			83
		9						10	4			2			84
1				1				9	1			7	1	6	85
															86
	1	6						25			3	9	4	5	87
2	5	51		23				49	1	3	2	13	5	8	88
9	6	23		3	2			14	1	1		4		4	89
1		13		1				19			5	6	3	3	90
	6	65	1	34	9	1		102	8	6	4	29	12	17	91
164	29	367	5	151	15	5		672	38	16	10	152	43	109	92
41	18	100	2	29	10	4		213	13	5	29	33	14	19	93
56	5	56	4	23	2	1	2	195	10	3	3	20	4	16	94
1		4						6							95
1	1	11		15	1			1							96
								31	3			6	1	5	97
												1		1	98
6	2	32		6	5			34			4			4	99
16	9	20		59	4		1	27	9	3	4			2	100
				1				1							101
		2		1											102
	1	1		4				3		1					103
4	1	1		1				1							104
		29	1	3	1			43	3	1	12	22	7	15	105
															106
11	4	10		8	2			45	4	1		6	3	3	106
1	1	2		1	1			2		2					107
233	84	755	13	274	56	6	16	1,084	86	31	11	147	33	114	108
6	3	27	3	11				36	2	2		8		8	109
	2	4		1				4	1			2	2		110
3		16	1	8				8	1		7	13	5	8	111
11	2	47		58	6	4	2	44	10	4		8	2	6	112
		1		1	1										113
96	29	69		134	17	7	4	82	6	10	3	8	1	7	114
								1	1						115
2		6		3				6				3		3	116
	2	21		13	3			34	1			4	3	1	117
	1							6							118
39	13	130	2	72	5	1	3	168	11	5	2	18	2	16	119
4	6	228	1	2	2	3		519	7	2	19	94	28	66	120
7	7	3		10	1	2		3	3			1		1	121
1		2		5				1							122
															123
		1					1	1	1						124
															125
44	9	69		54	4	4	3	9							126
7	3	25	1	17	2	3		110	10	4	2	13	5	8	126
								36	3			13	1	12	127
84	27	162	6	54	15	2	4	214	18	4	3	9	4	5	128
1								2							129
															130
4	3	15		21	7	1	1	30		4		6	2	4	131
															132
142	4	189	1	109	10		2	146	34		1	25	8	17	133
															134
48	29	105		183	22	9	2	85	23	11		23	8	14	135
22	14	23		7				21	2			7		7	136
		26						7				2	2		137
1		4						3							138
															139
7	4	39	2	7	3		1	66	3	4		4		4	139
1		3						1							140
															141
181	1	230	5	59	27	7	4	455	38	21	1	32	4	28	142
1		1		1				1	1			3	1	2	143
															144
90	24	416	1	84	19	1	6	636	19	6	2	38	11	27	144
															145
25	23	46	2	59	9	1		89	23	4		2		2	146
		3	1	3				3				1	1		147
		1													148
															149
17	2	27	1	7	1			40	3	1		5		5	149
492	102	895	11	624	70	23	7	1,074	86	38	30	228	65	163	150
2	4	20		5	3			27	3		1	5		5	151
1	1	7		1	1			4		2		3		3	152
40	16	66	1	131	11	2	1	86	15	9	2	15	4	11	153
															154
1	1	11	1	3	1			12	1		1	4	2	2	154
								3							155
19	4	53		19	3	1		82	2		4	15	5	10	156
2		4		5	1			3							157
															158
37	21	95	4	43	6	5	4	209	18	2		24	13	11	158
7	4	8		17				10				1			159
17	7	84		43	3		1	108	10	2	1	18	4	14	160
		2		3	2			3	1						161
								1							162

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	NORTH CAROLINA.					NORTH DAKOTA.				OHIO.	
	Total.	Group 1.	Group 2.	Raleigh.	Group 3.	Total.	Group 1.	Group 2.	Group 3.	Total.	Group 1.
163 Scrofula	113	15	70		28	4	4			109	3
164 Septicæmia	44	5	27	3	9	8	8			286	15
165 Skin diseases	26	7	9	1	9					38	6
166 Smallpox										2	
167 Spinal cord, disease of	39	15	15	1	8	14	13	1		297	17
168 Spine, disease of	34	7	13		14	7	6		1	175	7
169 Spleen, disease of						1	1			18	4
170 Stillborn	419	106	207	1	105	20	20			1,997	61
171 Stomach, disease of	65	5	34	2	24	11	11			439	17
172 Suffocation	46	15	24	1	6	3	1	2		101	5
173 Suicide by cutting throat	2	1		1		1	1			17	1
174 Suicide by drowning	2		2							21	
175 Suicide by shooting	6	1	2	1	2	1	1			73	8
176 Suicide by hanging	7	1	6			2	2			45	4
177 Suicide by poison	7	1	6			3	3			46	1
178 Suicide, not specified	6	2	2		2	3	1	2		41	8
179 Sunstroke	4	2	2							23	3
180 Surgical operations	10	1	6		3	5	4		1	35	2
181 Tabes mesenterica	71	32	30	4	5	2	2			124	14
182 Tetanus	5	3	2			2	2			30	
183 Trismus nascentium	13	9	1	1	2					38	3
184 Tumor	31	11	17		3	2	2			196	19
185 Tumor, ovarian	8	2	4	1	1					34	2
186 Typhlitis	5	3	2							22	2
187 Unknown	1,741	600	843	59	239	174	163	9	2	1,291	123
188 Uræmia	5	1	2	2						53	4
189 Urethra, stricture of	4	1	1		2					2	
190 Urinary organs, disease of	5	3	2							25	
191 Urinary system and male organs of generation, disease of	6	2	2		2					9	1
192 Uterus, disease of	24	7	14		3	1	1			20	
193 Uterus, tumor of	5	3	1	1						23	3
194 Venereal disease	39	6	21	2	10	2		2		86	2
195 Vomiting in pregnancy	1		1							1	
196 Whooping cough	139	22	79	1	37	16	16			555	37
197 Worms	63	22	28		13					12	
198 Wounds	12	4	3		5	1	1			60	4

STATISTICS OF DEATHS.

1033

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

OHIO—continued.											OKLAHOMA.	OREGON.			
Cleveland.	Toledo.	Group 2.	Chillicothe.	Cincinnati.	Dayton.	Hamilton.	Portsmouth.	Group 3.	Columbus.	Springfield.	Total.	Total.	Group 1.	Group 2.	
4		53		7	3			39				11	1	10	163
49	10	47	3	19	11			122	7	3	6	20	6	14	164
5	1	9		3				14							165
								2				2		2	166
11	3	76		24	8			144	5	7	6	20	8	12	167
9	2	76	1	3		1		73	3		2	9	5	4	168
1		2						9		1		2	1	1	169
454	119	346	14	406	78	6	19	417	39	43	6	44	15	29	170
31	5	148	2	24	4	1	2	193	7	5	4	20	7	13	171
3	6	17		15	1	2	1	45	6		2	1		1	172
		3		2				8	2	1					173
1	3	4		4	1			6	2			1		1	174
6	1	12		15		4		24	2	1		13	2	11	175
5	6	13		3				13	1		1	4	2	2	176
4		7		8				19	4	3		3	2	1	177
6		13		3				10	1			1		1	178
1		5		1	1			10	1	1					179
10		4		6				9	3	1		8	4	4	180
12	3	34	1	18	6	1		31	4			9	2	7	181
4		13		4	1	4		11		2					182
5	7	2		12				7	2			1		1	183
17	6	51		23				72	4	3	2	12	1	11	184
3	2	5		3				17	2			2		2	185
3	1	1		4	1			7	1	2		1	1		186
17	13	464		71	16	8	2	524	31	22	124	109	25	84	187
9	4	11		11	1	1		10	2			1		1	188
		1		1							1				189
		9		3				13							190
1		4		1				2				1	1		191
2	1	8		1				8				1		1	192
1		9		3	2			5				1		1	193
3	1	20		22	3	1		31	3			11		11	194
								1							195
71	22	157	4	63	3	4		190	3	1	3	17	6	11	196
		7						5				1		1	197
6	5	24	1	6				13	1		1	6	3	3	198

STATISTICS OF DEATHS.

1035

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

PENNSYLVANIA—continued.			RHODE ISLAND.					SOUTH CAROLINA.					
Reading.	Titusville.	York.	Total.	Newport.	Pawtucket.	Providence.	Woonsocket.	Total.	Group 1.	Charleston.	Group 2.	Group 3.	
912	78	303	7,559	375	665	2,955	517	15,495	3,765	2,266	339	9,125	I
		1	3					19	5	3	2	9	2
			9		1	2		27	13	2		12	3
								3		1	1	4	4
			2			1		1				1	5
													6
9		1	43	1	6	20	2	98	27	9	3	59	7
2		3	36	1	2	18	2	1				1	8
	1		19	1	1	9		27	1	6	1	19	9
								13	3	5		5	10
1			10	2	2	4		5	2				11
1		3	13	1	1	3		31	9		1	21	12
		1	18			10		7	2			4	13
		1	7		1	1		45	13	3		29	14
43	1	6	208	14	17	91	6	139	27	50	4	58	15
5		1	9			3		35	11	1		23	16
			18	1	1	5	1	37	14	3	1	19	17
			1										18
3		1	28	3	5	7	1	25	3	5		17	19
			2			1							20
			3			2		6	1	5			21
4			4			3		32	23	2	2	55	22
4	1		21		1	6	1	18	2	4		12	23
13	2	6	83	7	9	25	4	148	32	29	1	86	24
12		1	26	1	2	2	4	112	32	4	2	74	25
18	3	5	136	11	3	69	6	101	13	30	3	55	26
9		8	363	18	53	148	22	205	34	57	2	112	27
1		8	11			5	1	180	48	8	5	119	28
1			4			3		1	1				29
1			4			4		20	3		4	13	30
3	4	4	61	5	3	19	5	48	4	6	1	37	31
2			14			7		1				1	32
													33
			16	1	1	7	1	25	4	2	2	17	34
			2			2		1					35
1			6		2	3		11	4			1	36
													37
5			22		3	10	2	1	1	1		2	38
			1			1		4	1			2	39
			6		1	1	1	2				2	40
						1		6	1			5	41
			1			1							42
						1							43
			4			1							44
						1							45
10		3	32	4	4	12		1		1			46
								23	6	5		12	47
			1					2			1		48
4		1	27	2	2	15		46	7	7	1	30	49
			2			1		9	2	3	1	3	50
			1			1							51
													52
2	1		27	1	3	6	4	1					53
58	6	24	413	15	31	109	97	161	50	3	2	106	54
1	3	3	26	1	1	13	2	334	59	78	17	180	55
								22	7	4		11	56
			1										57
1	1		3		1	1		5		1		4	58
			8			3		56	20		2	34	59
								3		2		1	60
101	11	24	921	39	73	401	77	2,112	485	325	40	1,263	61
40	2	2	172	7	11	63	15	236	54	46		136	62
16		8	80		4	24	6	170	21	2	19	128	63
3			7	1	1	3		2		2			64
51	3	7	322	37	36	65	39	367	65	150	6	146	65
1		2	39		4	16	4	212	52	60	2	98	66
3	1	1	32	1	4	9	3	13		2		11	67
7	1	6	103	4	19	31	6	248	80	57	6	105	68
2		2	27	2		17	1	68	20	7		41	69
10		24	203	4	21	100	18	161	24	1	6	130	70
													71
22	2	2	38		5	6	8	476	188	17	12	259	72
8		1	56	3	2	12	5	52	28	7	1	16	73
11		1	83	7	2	30	4	822	188	95	15	524	74
													75
1			2			2		7	1	2		4	76
			1			1							77
1			1			1							78
		1	3	1		2							
21		4	89	4	5	37		183	26	65	2	90	79
4		1	19	2		7	1	48	4	8		36	80
1		1	18		1	7		30	3	3	1	23	81
			1			1		1	1				82

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH	PENNSYLVANIA.									
	Total.	Group 1.	Altoona.	Scranton.	Group 2.	Allegheny.	Erie.	Norris-town.	Philadel-phia.	Pittsburg.
83 Execution	8	3			2				3	
84 Explosion	88	38			31	2			5	11
85 Exposure and neglect	45	20		1	19				3	1
86 Extra-uterine pregnancy	3					1				2
87 Falling bodies	54	29	1		18	2	1		1	2
88 Falls	283	70	2	3	84	4	5	2	71	32
89 Female organs of generation, disease of	44	13			11	3			12	4
90 Fever, not specified	50	24			24				2	
91 Fever, cerebro-spinal	199	81			47	14	1	1	28	26
92 Fever, enteric	2,836	715	15	24	736	192	32	12	770	304
93 Fever, malarial	328	111	4	1	114	5	8	2	60	16
94 Fever, scarlet	776	246	10	13	206	19	7		187	71
95 Fever, typhus	20	7	1		6	2			4	
96 Fever, yellow	1				1					
97 Fractures	117	39	1	3	44	3		1	11	13
98 Frozen	2	2								
99 Gangrene	156	51	1	1	49	2		1	42	6
100 Gastritis	249	41	2	4	38	12	3		113	34
101 General disease, not specified										
102 Goiter	4				2	1			1	
103 Goiter, exophthalmic	9	3			2				1	2
104 Gout	6	1			1				3	1
105 Gunshot wounds	90	38	1	1	26	5		2	11	4
106 Hemorrhage	154	43	4	3	34	1		5	48	14
107 Hemorrhage, uterine	13	3			8				2	
108 Heart, disease of	4,443	1,192	25	77	1,143	86	31	45	1,588	175
109 Hernia	154	50			41	4		1	42	11
110 Hip joint, disease of	14	4			2				6	1
111 Homicide	73	28			25	1	3		15	1
112 Hydrocephalus	319	59	4	4	44	11	5	5	143	35
113 Hydrophobia	6	2			1				2	1
114 Inanition	912	85	10	15	64	34	13		621	66
115 Infanticide	1								1	
116 Injuries by machinery	35	17			13			1		4
117 Jaundice	127	29	2	4	41	4	2		31	11
118 Joints, disease of	13	4			5				2	2
119 Kidneys, disease of	661	146	2	15	134	9		6	299	40
120 La grippe	832	464		1	340	1	2	1	11	4
121 Laryngitis	97	10		3	6	5			59	11
122 Lead poison	13	4	1		4				3	1
123 Leprosy										
124 Leucocythæmia	11	3			4	1			2	1
125 Lightning	13	9		1	3					
126 Liver, disease of	496	121	5	9	100	11	3	1	189	51
127 Liver, inflammation and abscess of	154	27	1	8	34	6			65	11
128 Lost at sea										
129 Lungs, disease of	731	177	8	10	151	15	15	5	302	46
130 Lymphatics, disease of	1								1	
131 Male organs of generation, disease of	2				1	1				
132 Malformations	124	33		1	29	1			35	23
133 Malignant pustule										
134 Measles	676	161	2	11	218	22	18	5	108	130
135 Meningitis	881	96	11	48	81	53	6	4	486	85
136 Mental disease	158	41		1	55			16	40	4
137 Mining accidents	305	262		13	28					2
138 Mumps	11	3			4	1			3	
139 Nervous system, disease of	173	64	1	1	69	8			20	6
140 Noma	2								1	1
141 Obesity										
142 Old age	1,322	344	8	23	353	37	16	8	469	44
143 Ovaries, disease of	11	5		1	1				1	2
144 Paralysis	1,702	614	3	17	549	21	17	19	384	44
145 Parasites	1									1
146 Peritonitis	416	64	5	13	69	9	9	3	209	30
147 Phlebitis	9	4			2					2
148 Phlegmasia dolens	1				1					
149 Pleurisy	155	34		9	41	4	1		57	5
150 Pneumonia	6,535	1,853	46	227	1,515	219	41	28	1,959	584
151 Poisons, not specified	79	28		4	18				22	5
152 Pregnancy, diseases connected with	25	6	1	1	7	1			1	2
153 Premature birth	496	88	6	19	92	6	6	4	169	96
154 Puerperal convulsions	60	19		2	10	4			20	2
155 Puerperal mania	9	5			1				1	2
156 Puerperal septicæmia	177	56	4	9	46	1	3		29	27
157 Purpura	22	3			4	1			11	2
158 Railroad accidents	807	315	19	23	202	16	11	7	108	90
159 Respiratory system, disease of	79	7	2	1	6	1			38	9
160 Rheumatism	343	152	3	8	101	7	4		43	21
161 Rickets										
162 Roseola	7	1			2				3	

STATISTICS OF DEATHS.

1037

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

PENNSYLVANIA—continued.			RHODE ISLAND.					SOUTH CAROLINA.					
Reading.	Titusville.	York.	Total.	Newport.	Pawtucket.	Providence.	Woon-socket.	Total.	Group 1.	Charleston.	Group 2.	Group 3.	
			1					1				1	83
	1		5				1	74	37	1	1	35	84
					2								85
						1							86
			1					14	5				9
	3		32			4		42	16	3	2		21
	1	4	3			23		18	3	1			9
			11			3		272	123	3	2		144
													90
	1		14		1		5	85	8	4			23
	29	1	150	7	7	53	8	551	76	54	22		399
	6		59	2	4	38		740	281	52	14		393
	13	2	85		3	12	3	21	4		1		16
													91
			1					13	2				92
													93
	1	1	7	1			1	10		2			94
								6	2				95
													96
													97
													98
	3		19		3	8	1	22	1	10			99
	1	1	41	3	7	15	2	29	3	9	1		100
													101
								1		1			102
													103
	1		2				2						104
	2		3				1	60	11	6			105
													106
	1	1	22	1		5	1	52	24	4			107
								3		1			108
	52	3	455	23	36	192	14	660	153	110	12		380
	4	1	18	1	3	10		20	5	3	1		109
													110
	1		1				1	3					111
	6	2	71	2	3	37	4	89	21	2			112
								29	5	7	2		113
								6	1				114
	2		40	5	6	19		50	5	15			115
		2											116
			1				1	12	5		1		117
	2	1	8		1	4		29	7	7			118
			1				1	10	4				119
	4	2	87	4	5	41	4	65	13	20	2		120
													121
	5	3	32		1		8	268	69	1	7		122
	1	2	6				3	4		2			123
			1							1			124
							1	1		2	1		125
								3					126
								8	2				127
	3	3	71	8	11	34	2	64	16	14	1		128
	2		9		1	2	1	47	7	24			129
													130
	2		52		3	13	5	90	16	33	2		131
													132
													133
	2		20			10	2	24	6	3	1		134
			2			1							135
		1	119		17	42	1	145	32	3			136
													137
	9	2	120	6	20	54	8	66	5	6	2		138
	1		47		3	14		56	5	5			139
													140
			1		1			5	2				141
	3		11		3	2		31	14	6	1		142
		1	3			2							143
													144
													145
	15	3	217	22	19	63	8	207	53	53	6		146
	1							5	1	3			147
													148
	19	3	115	5	4	23	8	252	62	34	5		149
													150
	4	1	56	4	6	22	4	26	3	10			151
			1					3		3			152
								2					153
													154
	3		20		9	7		83	41	2			155
	45	18	574	24	58	244	21	1,164	266	55	24		819
	2		7			2	1	22	2	1	1		156
	4		3			2	1	7	1	1			157
	9	1	69	2	3	39	2	94	9	28	5		158
													159
	1		5			2		17	5	5			160
								3					161
	1	1	18			9	2	71	15	12			162
			4			1		4					163
													164
	14	1	30		5	15		50	16	10	1		165
			4			2		4	1	1			166
	1	2	55	4	4	28	3	84	37	6	3		167
		1	5			5		6		2			168

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	PENNSYLVANIA.									
	Total.	Group 1.	Altoona.	Scranton.	Group 2.	Allegheny.	Erie.	Norris-town.	Philadel-phia.	Pittsburg.
163 Scrofula.....	113	40	2		31		1	1	26	10
164 Septicæmia.....	347	88	2	12	89	7	1	2	132	11
165 Skin diseases.....	49	14		1	14		1		10	7
166 Smallpox.....	3									2
167 Spinal cord, disease of.....	219	68	1	6	68	6	6	1	51	11
168 Spine, disease of.....	157	70		4	48	1	3		25	5
169 Spleen, disease of.....	15	3			8				2	
170 Stillborn.....	2,918	295	47	69	285	209	67	9	1,447	402
171 Stomach, disease of.....	365	131	1	6	121	7	3	1	77	13
172 Suffocation.....	191	32	1	3	39	3	8	2	84	17
173 Suicide by cutting throat.....	24	7			5	1			7	3
174 Suicide by drowning.....	21	9			9	1			1	1
175 Suicide by shooting.....	68	16			16	4	1		22	6
176 Suicide by hanging.....	92	16			24	9		2	33	1
177 Suicide by poison.....	55	13			11	4	1		23	3
178 Suicide, not specified.....	35	10	1		12			1	9	1
179 Sunstroke.....	27	9		1	7	1			6	3
180 Surgical operations.....	64	20			13	2	2		23	3
181 Tabes mesenterica.....	144	23		4	32	2	4	1	57	19
182 Tetanus.....	42	10			8	1	2		17	2
183 Trismus nascentium.....	32				8	2			20	2
184 Tumor.....	210	73		1	62	3	1	2	56	8
185 Tumor, ovarian.....	37	5			10	2			13	6
186 Typhlitis.....	35	10		3	7	1			11	1
187 Unknown.....	1,448	719	12	25	516	2	22	4	105	16
188 Uremia.....	144	11		4	11	2	3	1	107	3
189 Urethra, stricture of.....	6	2			1		1			2
190 Urinary organs, disease of.....	24	7			13				1	3
191 Urinary system and male organs of genera-tion, disease of.....	16	6			1		1		7	1
192 Uterus, disease of.....	34	12			9		1		8	3
193 Uterus, tumor of.....	33	10			12	1			7	2
194 Venereal disease.....	117	18	1	1	26	5			52	13
195 Vomiting in pregnancy.....	1				1					
196 Whooping cough.....	517	209	1	8	146	16	15	2	98	17
197 Worms.....	9	5			3				1	
198 Wounds.....	91	30		4	25	1	1	1	20	5

STATISTICS OF DEATHS.

1039

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

PENNSYLVANIA—continued.			RHODE ISLAND.					SOUTH CAROLINA.					
Reading.	Titusville.	York.	Total.	Newport.	Pawtucket.	Providence.	Woonsocket.	Total.	Group 1.	Charleston.	Group 2.	Group 3.	
		2	12	2		5	1	113	11	22	3	77	163
3			13			6		50	11	7	1	31	164
		2	11		1	4	2	13	4	2		7	165
1			18			8	1	20	7	8	1	4	166
		1	9			6		20	3	1		16	168
1								2	1			1	169
65	1	9	325	23	20	164	24	478	63	195	13	207	170
2	1	2	27	1		13	1	61	16	12	5	28	171
2			11	1		6		38	6	2		30	172
	1		3		1	1		1				1	173
		2	6			3							174
1		1	6		3	2		5	1			4	175
6			5			1							176
			4										177
1			4	2		1		7	1	3		3	178
			3	1		1		17	4	2		11	179
1			4			4		7	2	3		2	180
		1	17			11		27	3	8		16	181
1		1	3			1		7		4		3	182
			2					107	16	86		5	183
		1	25	2	1	7		42	6	4	1	31	184
3			7			5		4				4	185
1			5			3		4	2	1		1	186
2													
17	7	3	142	6	29	24	8	965	299	11	19	636	187
1		1	6		2	1	1	6	3			3	188
			1			1		6	1	4		1	189
			5			3		5		4		1	190
			6			6		9		3		6	191
		1						25	8	1	1	15	192
		1	4			4		5	1	2		2	193
1			12		1	9		63	4	25	2	32	194
													195
1	4		102	4	10	42	8	96	27	7	1	61	196
			1					59	29	5		25	197
3		1	17	3		4	1	24	5	8	1	10	198

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	SOUTH DAKOTA.				TENNESSEE.						
	Total.	Group 1.	Group 2.	Group 3.	Total.	Group 1.	Chattanooga.	Knoxville.	Group 2.	Group 3.	Memphis.
1 Total	3,448	1,841	987	620	23,854	7,035	811	850	3,942	2,114	1,697
2 Abortion	6	5		1	36	14			11	3	3
3 Abscess	3	3			31	7	2		3	3	3
4 Abscess, lumbar and psoas					6	3					
5 Abscess, pharyngeal					4	1			2	1	
6 Absorbent system, disease of					5	1			1		
7 Accidents and injuries, not specified	46	29	9	8	172	40	7	3	31	21	15
8 Addison's disease	2	2			2	2					
9 Alcoholism	6	4	1	1	29	4	4	1	6	1	5
10 Anæmia	4	2	2		11	1	1		2	1	1
11 Aneurism					9	2	1	1	1		3
12 Angina	8	5	1	2	56	23	2		9	8	1
13 Angina pectoris	2	1	1		8	3		2	1		1
14 Aphthæ					27	9	2	1	5	1	
15 Apoplexy	20	14	5	1	113	37	7	5	14	7	7
16 Ascites	2	2			26	6			5	3	4
17 Asthma	16	13	1	2	36	3	1	3	6	4	11
18 Atrophy	2	1	1								
19 Bladder, disease of					26	4		1	5	1	5
20 Bladder, rupture of					1						
21 Bones, disease of					9	1			1	2	2
22 Bowels, disease of	11	10		1	91	32	5	2	16	10	2
23 Bowels, obstruction of	8	6	1	1	44	12		1	6	2	4
24 Brain, disease of	14	13		1	342	60	10	7	63	51	35
25 Brain, inflammation of	24	17	3	4	284	99	1	11	44	21	8
26 Bright's disease	31	23	4	4	97	25	3	2	10	6	9
27 Bronchitis	60	31	19	10	385	118	20	21	49	34	19
28 Burns and scalds	15	9	4	2	139	32	2	8	28	16	5
29 Calculus, biliary					7	2			1	1	1
30 Calculus, urinary					26	8	1		5	3	1
31 Cancer, not specified	16	11	3	2	104	28	2		15	10	14
32 Cancer of abdomen	1	1			9	2			1		
33 Cancer of bladder											
34 Cancer of brain											
35 Cancer of breast	5	4		1	30	13			4	1	
36 Cancer of eye					2	2					
37 Cancer of genitals											
38 Cancer of head, face, and neck	5	4	1		39	17	1		7	2	
39 Cancer of larynx											
40 Cancer of liver	3	2		1	8	3	1		1		
41 Cancer of lower extremities					1						
42 Cancer of lungs											
43 Cancer of mouth, tongue, and throat	1		1		8	4		1	1	1	
44 Cancer of ovaries											
45 Cancer of penis											
46 Cancer of rectum	1			1	1						
47 Cancer of stomach	14	9	4	1	37	12		3	4	1	
48 Cancer of testicle											
49 Cancer of upper extremities	1	1			1						
50 Cancer of uterus	5	3	1	1	62	13		5	12	4	2
51 Carbuncle					6	2			2	1	
52 Catalepsy	1	1			2	1					1
53 Chicken pox					2	1			1		
54 Childbirth	52	34	14	4	182	51	3	1	30	34	6
55 Cholera infantum	125	91	22	12	410	110	31	23	55	33	28
56 Cholera morbus	4	2	2		46	17	2	2	5	3	
57 Chorea					4	1		1			
58 Circulatory system, disease of					1						
59 Colic	35	19	15	1	37	11	1		3	3	2
60 Constipation	1		1		3	1			2		
61 Consumption	371	150	155	66	3,637	1,024	121	100	567	259	243
62 Convulsions	55	35	18	2	333	43	14	25	48	19	56
63 Croup	35	14	15	6	598	299	16	8	79	39	11
64 Cyanosis	2	1		1	22	4		5	5	1	
65 Debility	45	24	19	2	411	105	11	11	57	34	54
66 Dentition	15	9	2	4	123	17	4	1	19	11	15
67 Diabetes	8	4	3	1	45	15		2	5	2	4
68 Diarrhea	44	29	11	4	312	124	17	18	28	20	35
69 Digestive system, disease of	13	7	3	3	79	31	5	1	14	8	4
70 Diphtheria	229	126	33	70	169	56	4	3	41	5	22
71 Dirt eating											
72 Dropsy	22	13	8	1	399	122	8	5	70	49	24
73 Drowning	14	10	3	1	87	24	5	1	7	15	8
74 Dysentery	28	21	3	4	1,026	382	30	29	178	70	76
75 Ear, disease of	2		2		4	2			1		
76 Electricity					1		1				
77 Elephantiasis											
78 Embolism					1						
79 Enteritis	66	42	19	5	349	65	28	9	72	38	23
80 Epilepsy	6	2	4		67	21			9	9	1
81 Erysipelas	8	3	2	3	94	39		1	18	6	4
82 Esophagus, obstruction and stricture of	1	1			1	1					

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

TENNESSEE—cont'd.		TEXAS.									UTAH.	VERMONT.			
Group 4.	Nashville.	Total.	Group 1.	Galveston.	Group 2.	Cleburne.	Dallas.	Fort Worth.	San Antonio.	Group 3.	Total.	Total.	Brattleboro.	Burlington.	Rutland.
6,029	1,376	26,478	1,486	715	21,108	62	702	440	940	1,025	2,156	5,425	125	263	164
8		43	3		36		2			2	4				
11	2	31	2	1	28						8				
2	1	5			5										
3		3	1		2						1				
47	8	306	17	5	246		5	5	9	19	36	57	3		
5	3	58	3	2	33	1	7	1	5	6	4	2			
5		16	1	1	10		1		3	3	1	6	1		
	1	14		2	7			1	3	1		1			
12	1	83	6		67		2		1	7	10	2			
	1	21	1		17		1		2		1	7	1		
7	2	17	1		15		1				3	1			1
29	7	159	10	11	108		6		13	5	15	132	6	3	2
7	1	33	2		30			1			3	3			1
6	2	52	3	1	40		2		2	4	10	10			
		3			3										
9	1	32	2		28		1		1		1	17	1	2	
1															
1	2	12			10			1	1		1	1			
23	1	98	6	3	85		1		2		2	13			
8	10	65	1	6	45			1	7	5	7	7	1	1	1
85	31	660	29	14	554	4	17	12	15	15	16	70	4		2
85	15	215	15	7	166		8	7	1	11	30	24	1		1
29	15	157	11	8	108		7	4	12	7	23	110	4	5	6
94	30	365	7	11	300	1	17	7	13	9	23	73	1	10	4
41	7	170	6	1	140		6	6	4	7	7	6			
1	1	10			9				1			3			
8		16	1		15						3	1			
32	3	85	1	6	66		3	1	5	3	8	126	1	1	3
4	2	12	1		9				2			4	1		
		1							1						
10	2	28	3	2	21				2		3	8		1	
		2			1					1		1			
9	3	33	2	1	25			1	4		3	5			
3		13		1	9				3		2	1			
1	2	2			2							13			
		2			1				1			1			
1		18		1	15				1	1	1	4			
	1	5			2		1		2			3			
15	2	66	3	7	52		2		2		5	43	3	2	
1		46	4		32		2	2	3	3	3	1			
21	5	10			8			1		1		3			
1												1			
54	3	314	32	5	256		1	2	1	17	44	34	1		
103	27	505	25	5	397		19	8	28	23	52	174	1	17	1
14	3	29	2	1	24					2	5	12			
	2	5			5						1	2	1		
1		8			8						2	2			
15	2	77	11		60		1	1	1	3	3	4		1	
		4			4							1			
1,104	219	2,059	105	97	1,471	4	79	60	146	97	68	661	14	32	23
67	61	287	28	27	191	1	11	5	16	8	48	52		5	3
130	16	463	8	3	403	1	6	6	6	30	80	53		2	
7		18	2	2	8	1	6		4	1	1	4		1	
	2	5			5						1	2			
1		8			8						2	2			
15	2	77	11		60		1	1	1	3	3	4		1	
		4			4							1			
86	53	423	30	19	307	4	11	10	25	17	80	101	1	10	6
30	26	97	5		73		9	2	2	6	22	7			1
15	2	32	4		23			1	1	2	6	34		1	
55	15	250	5	10	187		18	6	17	7	34	18		2	
13	3	69	5	1	59		1	6	2	1	7	21		1	1
34	4	165	5	3	121		1	3	6	26	212	224	4	6	2
101	26	342	33	4	290		3	4	6	2	33	89	1	1	2
22	5	102	12	5	68		1	1	6	9	18	35	2	2	1
207	54	844	33	11	718	2	17	13	28	22	4	60		7	2
1		12			11					1	1	1		1	
	1	6			5				1			4			
83	31	806	36	12	688	1	23	10	12	24	64	67		7	5
26	1	72	4	1	61				3	3	2	18			1
24	2	136	2	2	121	1	4	2	2	2	5	19	1		
		1	1												

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	SOUTH DAKOTA.				TENNESSEE.						
	Total.	Group 1.	Group 2.	Group 3.	Total.	Group 1.	Chattanooga.	Knoxville.	Group 2.	Group 3.	Memphis.
83 Execution					2				1		1
84 Explosion	2	2			20	7				4	1
85 Exposure and neglect	4	3	1		48	14			10	4	7
86 Extra-uterine pregnancy					4	1	1		1		1
87 Falling bodies		1		1	43	16		2	7	7	
88 Falls	6	3	3		80	25		2	13	9	6
89 Female organs of generation, disease of	3		3		59	23	3	1	10	5	5
90 Fever, not specified	5	4	1		181	106	1	1	19	16	1
91 Fever, cerebro-spinal	10	5	2	3	135	60	3	1	19	12	
92 Fever, enteric	138	98	23	17	1,083	386	30	35	181	76	33
93 Fever, malarial	19	10	3	6	1,020	191	20	8	233	200	125
94 Fever, scarlet	50	37	9	4	71	27			9	3	3
95 Fever, typhus	4	4			13	3			3	1	2
96 Fever, yellow					1						1
97 Fractures	1			1	18	7			2		2
98 Frozen	4	4			2	2					
99 Gangrene	2		2		11	4	1	2			3
100 Gastritis	8	3	4	1	52	18	6	3	5	1	8
101 General disease, not specified					4				1		
102 Goiter					2				1	1	
103 Goiter, exophthalmic											
104 Gout	2		2		1						
105 Gunshot wounds	14	3	6	5	91	28	8	3	8	10	11
106 Hemorrhage	11	4	6	1	27	8	3	1	3		7
107 Hemorrhage, uterine	3		2	1	8	1			1		1
108 Heart, disease of	120	81	22	17	808	235	28	34	114	50	56
109 Hernia	4	2	2		22	9			3	2	1
110 Hip joint, disease of	1	1			6				2	1	2
111 Homicide	6	1	1	4	115	45	2		15	15	4
112 Hydrocephalus	4	2		2	52	19	6	3	4	4	5
113 Hydrophobia	1	1			5	3					
114 Inanition	2	1		1	123	13	8	19	8	3	37
115 Infanticide					1	1					
116 Injuries by machinery					9	5	1		2		
117 Jaundice					46	17	2		9	1	1
118 Joints, disease of					6	3			1		
119 Kidneys, disease of	24	16	4	4	80	32	4		12	13	5
120 La grippe	129	84	30	15	313	92		2	68	32	1
121 Laryngitis	2	1		1	8	3			1		1
122 Lead poison					1						
123 Leprosy											
124 Leucocythæmia					3	1					1
125 Lightning	7	3	1	3	6				1	1	
126 Liver, disease of	16	8	7	1	110	44	2	1	13	2	19
127 Liver, inflammation and abscess of	3	2	1		72	17	3	5	6	3	16
128 Lost at sea											
129 Lungs, disease of	30	25	3	2	206	82	11	9	36	10	8
130 Lymphatics, disease of											
131 Male organs of generation, disease of											
132 Malformations	1		1		33	12		2	7	4	
133 Malignant pustule											
134 Measles	57	25	3	29	306	119	12	51	48	26	7
135 Meningitis	15	5	2	8	328	80	25	32	38	17	30
136 Mental disease					22	4		1	2		3
137 Mining accidents	7			7	9	9					
138 Mumps	3	3			2				1		1
139 Nervous system, disease of	2	1		1	72	21	2	2	8	6	1
140 Noma					7	3		1	1		
141 Obesity											
142 Old age	27	15	9	3	308	95	5	3	24	17	20
143 Ovaries, disease of					7	4				1	
144 Paralysis	42	27	13	2	352	118	6	4	60	25	12
145 Parasites											
146 Peritonitis	23	10	3	10	66	12	4	2	9	8	10
147 Phlebitis					7	1			1	1	
148 Phlegmasia dolens											
149 Pleurisy					45	15		3	3	4	2
150 Pneumonia	319	191	72	56	1,892	403	57	63	407	256	115
151 Poisons, not specified	1		1		58	10	5	2	2	8	6
152 Pregnancy, diseases connected with	1	1		1	6	3			2	1	
153 Premature birth	20	15	4	1	127	41	7	5	23	6	7
154 Puerperal convulsions	3	3			20	3	1		5	2	1
155 Puerperal mania					1						
156 Puerperal septicæmia	17	9	4	4	123	33	3	6	33	15	4
157 Purpura					3	1					1
158 Railroad accidents	4	3	1		131	39	7	13	13	9	24
159 Respiratory system, disease of	1		1		13	3	2	1	1	1	1
160 Rheumatism	22	13	3	6	153	72	3	1	29	6	4
161 Rickets					2		2				
162 Roseola					1						

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	SOUTH DAKOTA.				TENNESSEE.						
	Total.	Group 1.	Group 2.	Group 3.	Total.	Group 1.	Chattanooga.	Knoxville.	Group 2.	Group 3.	Memphis.
163 Scrofula	32	2	11	19	262	94	2	10	37	14	7
164 Septicæmia	25	7	4	4	88	16	5	4	18	9	2
165 Skin diseases					23	14			3		1
166 Smallpox					1				1		
167 Spinal cord, disease of	14	8	2	4	59	34	1	1	5	1	3
168 Spine, disease of	6	4	2		92	44			16	4	2
169 Spleen, disease of					3				1	1	
170 Stillborn	56	34	12	10	794	254	75	91	100	42	64
171 Stomach, disease of	16	10	5	1	179	47	6	3	31	18	7
172 Suffocation	6	4	1	1	61	15	2	3	11	2	3
173 Suicide by cutting throat					1						
174 Suicide by drowning	3	1	2		3		2				
175 Suicide by shooting	11	3	5	3	13	2	1		2	1	1
176 Suicide by hanging	4	2	2		8	2	1		1		
177 Suicide by poison	3	2	1		17	2	1	6	2		1
178 Suicide, not specified	3	2	1		11	2			1	3	
179 Sunstroke	1	1			15	3			3	1	4
180 Surgical operations	2	2			5	1			1		
181 Tabes mesenterica	6	4	2		100	39	5	5	13	3	3
182 Tetanus					29	2	1		3		5
183 Trismus nascentium	3	2	1		29	3		1	3	2	7
184 Tumor	3	2	1		41	17		2	6	2	5
185 Tumor, ovarian					7	1					
186 Typhlitis	1			1	5	1	1		1		1
187 Unknown	420	112	211	97	1,685	460	39	64	340	186	171
188 Uræmia	1	1			19		2	1	4		1
189 Urethra, stricture of					4	1					
190 Urinary organs, disease of	2	1	1		6	2				1	1
191 Urinary system and male organs of generation, disease of					7				3	1	1
192 Uterus, disease of	4	3		1	34	12		1	6	3	2
193 Uterus, tumor of	1	1			7	1			1	3	
194 Venereal disease	4	1	1	2	58	18	1	4	5	5	3
195 Vomiting in pregnancy											
196 Whooping cough	104	29	51	24	244	63	4	6	69	33	1
197 Worms					51	16	1		15	3	
198 Wounds	1			1	36	7	2		6	4	2

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	VIRGINIA.							WASHINGTON.		
	Total.	Group 1.	Group 2.	Lynch-burg.	Peters-burg.	Richmond.	Group 3.	Total.	Group 1.	Group 2.
1 Total.....	23,232	4,185	7,586	567	759	2,411	7,724	2,818	1,203	1,615
2 Abortion.....	15	5		2	2	1	5	4	2	2
3 Abscess.....	15		5	2		1	7	5	2	3
4 Abscess, lumbar and psoas.....	3			1			1			
5 Abscess, pharyngeal.....								1		1
6 Absorbent system, disease of.....										
7 Accidents and injuries, not specified.....	114	20	43	6	2	9	34	42	26	16
8 Addison's disease.....										
9 Alcoholism.....	53	13	19			3	13	17	6	11
10 Anæmia.....	12	2	6				2	17	1	16
11 Aneurism.....	10	2	4			4		3	1	2
12 Angina.....	39	9	20			2	8	11	3	8
13 Angina pectoris.....	20		7		1	3	4	2	1	1
14 Aphthæ.....	47	12	15		2	8	10	3	1	2
15 Apoplexy.....	270	63	79	6	20	51	51	24	7	17
16 Ascites.....	27	8	10		3		6	2	1	1
17 Asthma.....	90	10	32		3	19	17	10	5	5
18 Atrophy.....	1		1							
19 Bladder, disease of.....	42	8	12		1	6	15	3	2	1
20 Bladder, rupture of.....										
21 Bones, disease of.....	9	3	1	1		2	2	1	1	
22 Bowels, disease of.....	56	8	28		1	2	17	8	1	7
23 Bowels, obstruction of.....	51	3	18	4	5	9	12	7	4	3
24 Brain, disease of.....	226	40	58	5	15	36	72	19	6	13
25 Brain, inflammation of.....	234	31	99	1	1	7	95	31	17	14
26 Bright's disease.....	197	33	46	10	13	16	79	29	7	22
27 Bronchitis.....	313	52	85	25	4	46	101	40	17	23
28 Burns and scalds.....	200	32	76	1	9	13	69	15	7	8
29 Calculus, biliary.....	2	2							2	
30 Calculus, urinary.....	25	5	10				10	1		1
31 Cancer, not specified.....	118	26	39	2	5	7	39	10	3	7
32 Cancer of abdomen.....	17	2	2		1	3	9	3		3
33 Cancer of bladder.....										
34 Cancer of brain.....	1		1							
35 Cancer of breast.....	41	5	14	1	1	5	15	3	1	2
36 Cancer of eye.....	2	1					1			
37 Cancer of genitals.....	1	1								
38 Cancer of head, face, and neck.....	30	7	9		1		13	2		2
39 Cancer of larynx.....										
40 Cancer of liver.....	13	1	1			6	5	2	2	
41 Cancer of lower extremities.....	2		1			1				
42 Cancer of lungs.....	1						1			
43 Cancer of mouth, tongue, and throat.....	9	2	1		2	1	3	2		2
44 Cancer of ovaries.....										
45 Cancer of penis.....										
46 Cancer of rectum.....	1						1			
47 Cancer of stomach.....	61	13	19	1	1	7	20	11	4	7
48 Cancer of testicle.....										
49 Cancer of upper extremities.....	1		1							
50 Cancer of uterus.....	50	8	12	2	4	5	19	6	5	1
51 Carbuncle.....	9	1	4				4			
52 Catalepsy.....	1						1			
53 Chicken pox.....	2	1	1							
54 Childbirth.....	226	72	84		3	10	57	31	13	18
55 Cholera infantum.....	572	169	129	12	19	61	182	94	43	51
56 Cholera morbus.....	47	11	9	1	2	5	19	6	5	1
57 Chorea.....	2						2			
58 Circulatory system, disease of.....	2		1				1	1	1	
59 Colic.....	56	9	27		2	3	15	10	3	7
60 Constipation.....	3		2				1			
61 Consumption.....	3,050	569	1,100	76	113	262	930	314	128	186
62 Convulsions.....	369	50	121	19	17	94	68	35	13	22
63 Croup.....	293	39	66	2	2	11	173	61	24	37
64 Cyanosis.....	7	1	3				1		1	
65 Debility.....	524	73	128	14	27	109	173	43	25	18
66 Dentition.....	181	34	57	5	8	52	25	9	6	3
67 Diabetes.....	41	2	8	3			27	9	3	6
68 Diarrhea.....	372	91	126	9	19	55	72	26	9	17
69 Digestive system, disease of.....	73	23	24		1	5	20	7	5	2
70 Diphtheria.....	488	58	109	2	2	23	294	129	24	105
71 Dirt eating.....										
72 Dropsy.....	558	120	204	2	7	18	207	22	10	12
73 Drowning.....	129	48	31		9	9	32	54	10	44
74 Dysentery.....	1,034	173	378	17	17	68	381	28	12	16
75 Ear, disease of.....	3		2		1			1		1
76 Electricity.....								1	1	
77 Elephantiasis.....	1	1								
78 Embolism.....	3	1	1							
79 Enteritis.....	172	12	53	8	6	35	58	45	24	21
80 Epilepsy.....	63	12	19	3	2	3	24	6	1	5
81 Erysipelas.....	47	4	16	2	2	2	21	4	1	3
82 Esophagus, obstruction and stricture of.....	2	1				1				

TABLE 18.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	VIRGINIA.							WASHINGTON.		
	Total.	Group 1.	Group 2.	Lynch-burg.	Peters-burg.	Richmond.	Group 3.	Total.	Group 1.	Group 2.
83 Execution										
84 Explosion	20	2	9		2		7	15	2	13
85 Exposure and neglect	68	17	31		1	1	18	2		2
86 Extra-uterine pregnancy								1	1	
87 Falling bodies	21	4	6		1	1	9	7	1	6
88 Falls	79	14	32	1	1	2	29	13	3	10
89 Female organs of generation, disease of	21	4	7			4	6	4	2	2
90 Fever, not specified	102	18	31		3		50	8	3	5
91 Fever, cerebro-spinal	61	8	15	3	1	8	26	25	16	9
92 Fever, enteric	757	121	195	14	16	50	361	232	110	122
93 Fever, malarial	616	178	259	5	37	54	83	62	45	17
94 Fever, scarlet	46	5	19	1		1	20	55	30	25
95 Fever, typhus	7	2	2				3	1	1	
96 Fever, yellow										
97 Fractures	19	2	9			2	6	4	1	3
98 Frozen	5	1	2				2	1	1	
99 Gangrene	28	7	5		3	5	8			
100 Gastritis	44	9	11	3		10	11	5	2	3
101 General disease, not specified	2	1	1							
102 Goiter										
103 Goiter, exophthalmic										
104 Gout	1		1							
105 Gunshot wounds	73	15	32		1	5	20	29	11	18
106 Hemorrhage	32	7	12			5	8	6	3	3
107 Hemorrhage, uterine	5	2	1			1	1			
108 Heart, disease of	1,054	186	318	26	45	143	336	108	40	68
109 Hernia	26	8	11			2	5	4	1	3
110 Hip joint, disease of	7		1			1	5			
111 Homicide	65	10	9			4	42	10	3	7
112 Hydrocephalus	42	5	10	3	2	6	16	8	7	1
113 Hydrophobia	2	2								
114 Inanition	85	13	15	10	5	26	16	15	4	11
115 Infanticide	2					2				
116 Injuries by machinery	2		2					4		4
117 Jaundice	42	2	13		1	4	22			
118 Joints, disease of	8		3				5	1		1
119 Kidneys, disease of	117	19	28	3	7	10	40	14	7	7
120 La grippe	575	104	235	1	2	3	230	41	8	33
121 Laryngitis	10	1	2			3	4	5	2	3
122 Lead poison										
123 Leprosy	1						1			
124 Leucocythemia	1						1			
125 Lightning	10	2	6			1	1			
126 Liver, disease of	121	20	38		1	17	45	7	1	6
127 Liver, inflammation and abscess of	45	14	11			4	16	8	7	1
128 Lost at sea										
129 Lungs, disease of	186	16	47	3	13	50	57	18	14	4
130 Lymphatics, disease of	1		1					1		1
131 Male organs of generation, disease of										
132 Malformations	24	5	6			2	11	3	2	1
133 Malignant pustule										
134 Measles	344	3	124	7		12	198	47	11	36
135 Meningitis	156	12	30	6	9	22	77	18	9	9
136 Mental disease	32	12	10		3	1	6	13	1	12
137 Mining accidents	12		4				8	2		2
138 Mumps	6		2				4	1		1
139 Nervous system, disease of	48	8	14	1	3	3	19	5	3	2
140 Noma										
141 Obesity										
142 Old age	447	87	187	1	4	51	117	23	5	18
143 Ovaries, disease of	5			2		2	1			
144 Paralysis	577	108	190	8	28	40	203	33	11	22
145 Parasites										
146 Peritonitis	50	10	6	3	5	14	12	17	6	11
147 Phlebitis	3		1			1	1			
148 Phlegmasia dolens	1						1			
149 Pleurisy	65	13	28		4	3	17	7	1	6
150 Pneumonia	1,710	261	645	34	37	164	569	234	106	128
151 Poisons, not specified	24	5	10		1		8	12	5	7
152 Pregnancy, diseases connected with	8	2	1			1	4	4		4
153 Premature birth	96	12	14		6	31	33	13	3	10
154 Puerperal convulsions	21	3	7		2	4	5	1	1	
155 Puerperal mania								1		1
156 Puerperal septicæmia	60	9	12		3	9	27	9	2	7
157 Purpura	1					1				
158 Railroad accidents	123	18	41	2	2	11	49	23	11	12
159 Respiratory system, disease of	3		1		2					
160 Rheumatism	150	20	29	4	2	13	73	21	13	8
161 Rickets	11		4	3			4	1		1
162 Roscola	4						4	1	1	

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

WEST VIRGINIA.			WISCONSIN.						WYOMING.				
Total.	Group 1.	Group 2.	Total.	Group 1.	Milwaukee.	Group 2.	Lacrosse.	Group 3.	Group 4.	Total.	Group 1.	Group 2.	
1	1		4		1			2	1	1		83	
16	6	10	24		1			3	7	2		84	
20	12	8	1	11		2			1			85	
1		1										86	
21	11	10	36	6	4	2		6	18	1		87	
35	14	21	76	15	9	8	1	28	15	1		88	
23	10	13	13		3	2	1	3	4			89	
38	20	18	19			5		4	10	5		90	
38	22	16	74	16	15	4	4	15	20	2	1	91	
429	168	261	352	50	61	28	6	96	111	27	3	24	92
72	28	44	76	9	2	5		37	23	1		1	93
33	17	16	216	63	24	31		56	42	16		16	94
7	4	3	5	2	2	1							95
4	1	3	22	2	1	3		12	4	4	2	2	96
2			2	1	1	1				3		3	97
7	3	4	20	4	5			7	4				99
11	5	6	46	4	18	5	1	17	1	1			100
			1	1					1				101
													102
1		1	2	1	1								103
26	18	8	42	1	4	4		17	16	8	2	6	104
18	11	7	35	5	6	2	1	11	6	1	1		106
1		1	4	1		6		1	1				107
332	152	180	1,043	159	182	84	16	428	174	8	2	6	108
12	5	7	43	8	8	4	1	19	3				109
4	4		8	1	1	1	2	3					110
21	15	6	20	2	2	2		6	10	5		5	111
27	15	12	64	6	23	4	3	16	12				112
													113
14	7	7	78	5	45	2	1	13	12	1		1	114
2		2											115
3	3		9			1		1	7				116
15	7	8	23	1	10	3	1	7	1				117
2	1	1	1					1					118
72	33	39	167	16	35	22	2	63	29	2		2	119
279	186	93	525	72	5	74		225	149	11		11	120
3	1	2	11	1	4			6	1				121
			1			1		1					122
			1		1								123
			1										124
2		2	3			1		2		3		3	125
28	9	19	135	25	21	18	2	52	17				126
10	4	6	46	5	9	8	1	13	10				127
66	21	45	154	24	17	18	2	53	40	4	1	3	128
			1					1					129
			1					5					130
			1					1					131
10	7	3	21	3	4	1		5	8				132
			1					1					133
109	32	77	128	18	4	27		19	60	2	1	1	134
38	19	19	161	15	94	2	3	28	19	1			135
7	4	3	33	6	8	2		15	2				136
15	12	3	26			1		4	21	6		6	137
6	1	5	4					4					138
18	8	10	44	9	3	4	1	17	10	3	3		139
			1						1				140
152	83	69	519	131	73	54	3	173	85	8	3	5	141
			1				1						142
													143
200	113	87	361	68	37	34	2	171	49	2	1	1	144
21	10	11	128	24	41	5	8	32	18	5	2	3	145
2	1	1	3	1			1		1				146
													147
													148
24	9	15	40	5	12	3	1	17	2	1	1		149
500	261	239	1,552	168	292	146	18	633	295	45	12	33	150
7	3	4	21		4	2		8	7	1		1	151
4	1	3	2					1	1				152
58	25	33	121	15	65	3	1	19	18	5		5	153
5	3	2	10	2				5	3	1		1	154
			4		1			1					155
39	21	18	96	9	28	5		21	33	5	1	4	156
3	1	2	2					2					157
79	47	32	115	13	29	5	1	37	30	14		14	158
2	2		5		1	1		2	1			2	159
40	21	19	123	26	9	12		51	25	3	1	2	160
4	2	2	1	1									161
			1			1							162

TABLE 16.—NUMBER OF DEATHS FROM EACH REPORTED CAUSE,

CAUSE OF DEATH.	VIRGINIA.							WASHINGTON.		
	Total.	Group 1.	Group 2.	Lynchburg.	Petersburg.	Richmond.	Group 3.	Total.	Group 1.	Group 2.
163 Scrofula.....	176	19	85	5	2	4	61	7	5	2
164 Septicæmia.....	56	4	24	1		8	19	14	6	8
165 Skin diseases.....	22	4	6	1	2		9	3		3
166 Smallpox.....								1		1
167 Spinal cord, disease of.....	47	2	11			5	29	34	23	11
168 Spine, disease of.....	60	8	14	1	1	3	33	4	2	2
169 Spleen, disease of.....	4		2		1		1	1	1	
170 Stillborn.....	778	115	159	42	42	238	182	50	33	17
171 Stomach, disease of.....	105	4	37		3	12	49	15	5	10
172 Suffocation.....	42	8	13			4	17	6	2	4
173 Suicide by cutting throat.....	4	1				1	2			
174 Suicide by drowning.....	2	1				1	1	1	1	
175 Suicide by shooting.....	10	3	4				3	10	4	6
176 Suicide by hanging.....	4		1				3	3	1	2
177 Suicide by poison.....	1		1					4	2	2
178 Suicide, not specified.....	7	1	1	1		2	2	6	2	4
179 Sunstroke.....	10	4	4				2	2		
180 Surgical operations.....	13	2	2			7	2	2	1	1
181 Tabes mesenterica.....	52	5	19	3	2	14	9	2	2	
182 Tetanus.....	27	14	8		1	4				
183 Trismus nascentium.....	38	9	7		2	18	2			
184 Tumor.....	62	16	25	1	1	1	18	4	1	3
185 Tumor, ovarian.....	9	1		1		3	4			
186 Typhlitis.....	2		2					1		1
187 Unknown.....	2,053	462	699	104	83	112	593	132	84	48
188 Uræmia.....	12		4	1	1	4	2	2	1	1
189 Urethra, stricture of.....										
190 Urinary organs, disease of.....	9	1	4				4	1		1
191 Urinary system and male organs of generation, disease of.....	7		3			1	3			
192 Uterus, disease of.....	31	9	13		1	2	6			
193 Uterus, tumor of.....	4	1				1	2	1	1	
194 Venereal disease.....	61	6	16	10		13	16	4	4	
195 Vomiting in pregnancy.....										
196 Whooping cough.....	299	39	106	5	2	30	117	22	6	16
197 Worms.....	62	14	27		2		19	2		2
198 Wounds.....	24	5	6			4	9	10	2	8

STATISTICS OF DEATHS.

BY STATES, STATE GROUPS, AND REGISTRATION CITIES—Continued.

WEST VIRGINIA.			WISCONSIN.							WYOMING.			
Total.	Group 1.	Group 2.	Total.	Group 1.	Milwaukee.	Group 2.	Lacrosse.	Group 3.	Group 4.	Total.	Group 1.	Group 2.	
62	34	28	15	4	3	1	2	5	3	3	163
29	17	18	128	19	20	12	2	50	25	3	1	2	164
5	3	2	20	3	2	1	9	5	165
44	10	34	1	1	166
61	20	41	65	9	8	4	5	27	12	6	4	2	167
1	1	1	38	3	3	5	17	10	1	1	168
278	150	128	2	1	1	169
73	29	44	372	77	103.	26	4	101	61	7	7	170
20	12	8	115	19	7	13	37	19	3	2	1	171
1	1	48	9	14	2	21	2	1	1	172
2	1	11	2	1	1	4	3	1	1	173
6	3	3	15	1	9	1	2	2	174
2	1	1	28	3	7	2	11	5	2	1	1	175
6	1	36	9	6	2	16	3	1	1	176
6	1	5	20	2	9	3	3	3	4	4	177
1	1	15	2	3	2	6	2	178
4	3	1	17	2	2	1	10	2	179
20	11	9	15	2	4	5	4	1	1	180
8	3	5	35	3	13	3	1	10	5	181
1	1	11	1	3	3	4	182
31	14	17	10	8	1	1	183
4	2	2	74	12	13	10	21	18	184
2	6	3	3	185
511	271	240	9	2	5	1	1	186
2	1	1	801	167	22	80	3	284	245	54	1	53	187
2	1	1	17	1	6	2	2	3	3	1	1	188
3	1	2	1	1	1	1	189
1	9	1	6	2	190
7	3	4	6	1	2	2	1	1	1	191
4	3	1	9	1	1	2	2	3	192
11	4	7	6	1	2	3	193
238	117	121	18	1	4	8	5	1	1	194
10	3	7	195
6	5	1	106	12	19	9	7	20	39	196
.....	1	1	197
.....	19	2	4	1	6	6	198