



Client	NCHS
Project Name	RANDS NSFG
Project Number	8935
Survey length (median)	20-minute survey
Population	18+ General Population
Pretest	N=100
Main	N=2,200 (2,000 Web; 200 Phone)
MODE	Phone and Web
Language	English
Sample Source	AmeriSpeak only (1)
Incentive	5,000 AmeriPoints
Survey description	Health 2022
Eligibility Rate	100%

Standard demographic preloads:

<u>Var Name</u>	<u>Include on Preload Testing-page?</u>	<u>Var Type</u>	<u>Var length</u>	<u>Variable Label</u>
S_AGE	Y	Numeric	5	Age
S_GENDER	Y	String	8	Gender
S_RACETH	Y	Numeric	8	Race/ethnicity
S_EDUC	N	Numeric	6	Education
S_EDUC5	Y	Numeric	4	5-level education
S_MARITAL	Y	Numeric	9	Marital Status
S_EMPLOY	Y	Numeric	8	Current employment status
S_INCOME	N	Numeric	8	Household income
S_HHINC_4	N	Numeric	4	4-level income
S_HHINC_9	N	Numeric	4	9-level income
S_STATE	Y	String	7	State
S_METRO	N	Numeric	7	Metropolitan area flag
S_INTERNET	N	Numeric	10	Household internet access
S_HOUSING	N	Numeric	9	Home ownership
S_HOME_TYPE	N	Numeric	11	Building type of panelist's residence
S_PHONESERV	N	Numeric	11	Telephone service for the household
S_HHSIZE	N	Numeric	8	Household size (including children)
S_HH01	N	Numeric	6	Number of HH members age 0-1
S_HH25	N	Numeric	6	Number of HH members age 2-5
S_HH612	N	Numeric	7	Number of HH members age 6-12
S_HH1317	N	Numeric	8	Number of HH members age 13-17
S_HH18OV	N	Numeric	8	Number of HH members age 18+
S_file_date	N	Date	11	
S_GENFRACE	N	Numeric	8	GenF custom race

These populated as a pre-load when the panelists get sampled into the survey

Standard sample preloads

<u>Variable Name</u>	<u>Include on Preload Testing-only page?</u>	<u>Variable Type</u>	<u>Variable Label</u>
Username	N	Numeric	Analogous to Member_PIN
P_Batch	N	Numeric	Batch Number (if only one assignment, then everyone will be 1)
Dialmode	N	Numeric	CATI Dialmode (predictive, preview, etc)
P_LCS	N	Numeric	Life cycle stage, 0=released but not touched
Y_FCELLP	N	String	
Surveylength	N	Numeric	Estimated length of survey
Incentwcomma	N	String	Study specific
P_Hold01	N	Numeric	Prevents dialing cases without phone numbers
PANEL_TYPE	Y	Numeric	1 AmeriSpeak 2 Next Generation

			3 GenF Extended (not in use) 4 AmeriSpeak Teen Panel 11 UTUS Converted 20 Lucid 21 SSI 50 Household 13-17 51 Household < 13 52 Household Adult
--	--	--	---

Custom survey-specific preloads

<u>Variable Name</u>	<u>Program in VCC?</u>	<u>Include on Preload Testing-only page?</u>	<u>Variable Type</u>	<u>Variable Label</u>
P_REL	Yes	Yes	Numeric	1. Get RELRSD 2. Get NEW_REL1
P_HELPEXP	Yes	Yes	Numeric	1. Get hover text/CATI instructions 2. Get displayed
P_CONT	Yes	Yes	Numeric	1. Get SP set of questions at section 3 2. Get MP set of questions at section 3
P_PROBE	Yes	Yes	Numeric	1. Get PROBE_SEXED1 2. Get PROBE_SEXED2
P_DISCR	Yes	Yes	Numeric	1. Get Closed Discrimination Reasons Question 2. Get Open-ended Discrimination Reasons Question
P_FORMEXP	Yes	Yes	Numeric	Custom Preload: Sex Education Format Experiment 1. See Grouped-Format Questions 2. See Interleafed-Format Questions
S_BASEWEIGHT	No	Yes	Numeric	
S_INVPROB	No	Yes	Numeric	
S_INVPROB_WEB	No	Yes	Numeric	
S_VSTRAT	No	Yes	Numeric	
S_VSTRAT_SAMP	No	Yes	Numeric	
S_VPSU	No	Yes	Numeric	
S_NRFU	No	Yes	Numeric	
P_RCRTYR	No	Yes	Numeric	Panel Recruitment Year 2014 2015 2016 2017 2018 2019 2020 2021 2022

This survey will use the following RND_xx variables:

Note, these are randomized in the script (NOT preloads)

<u>RND_xx</u>	<u>Associated survey Qs</u>
RND_00	PROBE_EDS
RND_01	
RND_02	

RND_03	
RND_04	
RND_05	
RND_06	

PHONE SCRIPTS

[CATI - OUTBOUND]

INTRO

Hello, my name is \$I. I'm calling from AmeriSpeak by NORC. May I please speak with [FIRSTNAME]?

[IF RESPONDENT IS AVAILABLE]

Thank you for your continued participation in AmeriSpeak. I am calling to let you know that your next survey is available. The survey takes approximately [SURVEYLENGTH] minutes to complete. If you complete the survey, you will receive [INCENTWCOMMA] AmeriPoints for your time. We will keep all of your answers confidential. Shall we proceed?

Great. As always, for quality assurance purposes, this call may be recorded or monitored.

[CATI-INBOUND]

INTRO

Thank you for calling AmeriSpeak by NORC. My name is \$I. How are you today?

And are you calling to take your next survey?

I just need to confirm that I'm speaking with [FIRSTNAME] [LASTNAME]. Is that you?

Great. This survey takes approximately [SURVEYLENGTH] minutes to complete over the phone and you will receive [INCENTWCOMMA] AmeriPoints for your time. We will keep all of your answers confidential.

As always, for quality assurance purposes, this call may be recorded or monitored.

Shall we proceed?

[CATI-CALLBACK]

CBINTRO

Hello, my name is \$I. I'm calling from AmeriSpeak by NORC. We previously spoke with [FIRSTNAME] about completing an AmeriSpeak survey. Is [FIRSTNAME] available?

[IF RESPONDENT IS AVAILABLE]

Hello, my name is \$I, calling from AmeriSpeak by NORC. We previously spoke with you about completing an AmeriSpeak survey. Are you available now to continue?

As always, for quality assurance purposes, this call may be recorded or monitored.

[DISPLAY THIS AM LANGUAGE IF SurveyAccessEnd-CALLDATE>1 DAY]

[CATI-MISSED OUTBOUND, ANSWERING MACHINE]

AM1

Thank you for your continued participation in AmeriSpeak. I'm calling to let you know that you have a survey waiting for you and we want you to call us back to complete it. This survey is being conducted in partnership with the CDC on the COVID-19 pandemic and people's health and experiences with it. The survey will take approximately [SURVEYLENGTH] minutes and you will receive [INCENTWCOMMA] AmeriPoints for your time. Call us toll-free at 888-326-9424 and enter your PIN number, [MEMBER_PIN], to complete your survey and receive rewards. Thank you.

[DISPLAY THIS AM LANGUAGE IF SurveyAccessEnd-CALLDATE>1 DAY]
[CATI-ANSWERING MACHINE MISSED APPOINTMENT CALLBACK]

AMHARD

Hello, this message is for [FIRSTNAME] and I'm calling from AmeriSpeak from NORC. When we spoke previously, you requested that we call you back <at this time>. I'm sorry that we've missed you. We'll try to contact you again soon but please feel free to return our call any time at 888-326-9424 and enter your PIN number, [MEMBER_PIN], to complete your survey and receive rewards. Thank you.

[DISPLAY THIS AM LANGUAGE IF SurveyAccessEnd-CALLDATE>1 DAY]
[CATI-ANSWERING MACHINE MISSED CALLBACK]

AMSOFT

Hello, this message is for [FIRSTNAME]. I am calling from AmeriSpeak from NORC. We are calling you back to complete your AmeriSpeak survey. Remember, you will receive rewards for completing this survey. I'm sorry that we've missed you. We'll try to contact you again soon but please feel free to return our call any time at 888-326-9424 and enter your PIN number, [MEMBER_PIN], to complete this survey. Thank you.

[DISPLAY THIS AM LANGUAGE IF SurveyAccessEnd-CALLDATE=1 DAY]
[CATI-NEARING END OF FIELD, ANSWERING MACHINE]

AMEND

Hello, this message is for [FIRSTNAME]. I'm calling from AmeriSpeak from NORC to let you know that a survey will be ending tomorrow. We'd love to hear from you so please call us toll-free at 888-326-9424 and enter your PIN number, [MEMBER_PIN], to complete your survey and receive rewards. Thank you.

Please include the following options for all questions in CATI:

77 DON'T KNOW

99 REFUSED

Please code refusals in CAWI:

98 IMPLICIT REFUSAL, WEB SKIP

Do not code 77 Don't Know/99 Refused options in CAWI unless written in item response options

Text shown in green includes researcher notes and should not be included in the programming.

[START OF SURVEY]

CREATE DATA-ONLY VARIABLE: QUAL

1=Qualified Complete

2=Not Qualified

3=In progress

AT START OF SURVEY COMPUTE QUAL=3 "IN PROGRESS"

CREATE MODE_START

1=CATI

2=CAWI

NCHS RANDS NSFG v10

Date: July 21, 2022

[SHOW IF MODE_PREF=CATI and MODE_JS=CAWI]

[SEE LAST YEAR RANDS WEB-PHONE SURVEY – CHRIS IMPLEMENTED THIS]

[DISPLAY]

[REMOVE 'CONTINUE' BUTTON ON SCREEN, AUTO-DIRECT BACK TO PORTAL AFTER 10 SECONDS]

[DISPLAY_CATI_INTRO]

Thank you for starting your new AmeriSpeak survey! We really want you to complete on the phone. In order to complete this survey and receive your [INCENTWCOMMA] AmeriPoints, please give us a call at 888-326-9424 to complete this survey.

[SHOW ALL] [DISPLAY – WINTRO_1]

[CAWI] Thank you for agreeing to participate in our new AmeriSpeak survey!

[ALL] This survey is about different health-related topics and issues.

[CAWI] To thank you for sharing your opinions, we will give you a reward of [INCENTWCOMMA] AmeriPoints after completing the survey. As always, your answers are confidential.

[CAWI] Please use the "Continue" and "Previous" buttons to navigate between the questions within the questionnaire. Do not use your browser buttons.

[DISPLAY]
CONFID_DISPLAY.

Some of the content of the questions in the survey are sensitive in nature. This research is covered by a Certificate of Confidentiality from the National Institutes of Health. The Certificate of Confidentiality (CoC) protects your privacy by prohibiting disclosure of identifiable, sensitive research information to anyone not connected to the research. This means that the researchers cannot release or use information that may identify you in any action or suit unless you say it is okay. An example would be a court subpoena.

The Certificate does not stop reporting what federal, state or local laws require. Some examples are laws that require reporting of child or elder abuse and threats to harm yourself or others. CIPSEA, explained on the next screen, does protect from this reporting and covers this research. Neither protect from any physical harm to yourself or others that may result from this survey. If at any point you do not feel safe while completing the survey, you can stop the survey and complete it at a later time that is better. There will also be resources available throughout the survey should you feel you need talk with anyone.

[DISPLAY]
[SHOW IF CAWI]
WEBINTRO



[SPACE]

The National Center for Health Statistics, part of the Centers for Disease Control and Prevention, is conducting a study and we need your help. We are interested in your health and wellness, and will be asking you a series of questions about your health history, behaviors, and opinions. This should take about 20 minutes or less to complete. Participation in this survey is completely voluntary, and you may skip any question(s) you do not want to answer and may quit the survey at any time. You will not receive any monetary reward or incentive from the government for participating in this survey. The information being collected is for research purposes only, and will assist NCHS and CDC in their ongoing efforts to track the health of the American public. Your data will be held confidential, will be used for statistical purposes only, and will not be disclosed or released to other persons without your consent in accordance with Section 308(d) of the Public Health Service Act [42 U.S.C. 242m(d)] and the Confidential Information and Statistical Efficiency Act (Title III of the Foundations for Evidence-Based Policymaking Act of 2018, Pub. L. No. 115-435, 132 Stat. 5529, § 302).

[SPACE]

If you have any questions about this study, please call the office of the Ethics Review Board at the National Center for Health Statistics, toll-free at 1-800-223-8118. Please leave a brief message with your name and phone number. Say that you are calling about Protocol #2016-16-54. Your call will be returned as soon as possible.

[SPACE]

[REDUCE TEXT SIZE SLIGHTLY; TEXT BELOW BORED BY THIN BLACK BOX/OUTLINE]

Notice - CDC estimates the average public reporting burden for this collection of information as 20 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road, MS D-74, Atlanta, GA 30333; ATTN: PRA (0902-0222).

Assurance of confidentiality - We take your privacy very seriously. All information that relates to or describes identifiable characteristics of individuals, a practice, or an establishment will be used only for statistical purposes. NCHS staff, contractors, and agents will not disclose or release responses in identifiable form without the consent of the individual or establishment in accordance with section 308(d) of the Public Health Service Act (42 U.S.C. 242m) and the Confidential Information Protection and Statistical Efficiency Act (Title III of the Foundations for Evidence-Based Policymaking Act of 2018 (Pub. L. No. 115-435, 132 Stat. 5529 § 302)). In accordance with CIPSEA, every NCHS employee, contractor, and agent has taken an oath and is subject to a jail term of up to five years, a fine of up to \$250,000, or both if he or she willfully discloses ANY identifiable information about you.

Click the "Continue" button below to begin. <remove unbold>

[DISPLAY]

[SHOW IF CATI]

PHONEINTRO.

- <unbold>We are asking for your help as we construct a health survey on behalf of the National Center for Health Statistics, part of the Centers for Disease Control and Prevention.
- Phone call takes on average 20 minutes to complete.
- All information which would permit identification of an individual, a practice, or an establishment will be held confidential, and will be used for statistical purposes only by NCHS staff and agents and will not be disclosed or released to other persons without your consent. If you have any questions about your rights as a participant in this research study, call NCHS' Confidentiality Officer at (888) 642-1459.
- Participation is voluntary, but will assist greatly in helping further our nation's understanding of health and how we ask the public about public health issues. <remove unbold>

[SPACE]

[REDUCE TEXT SIZE SLIGHTLY; TEXT BELOW BORED BY THIN BLACK BOX/OUTLINE]

The CDC estimates the average public reporting burden for this collection of information as 20 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing

and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. If you have comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, they can be sent to the CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0902-0222).

We take your privacy very seriously. All information that relates to or describes identifiable characteristics of individuals, a practice, or an establishment will be used only for statistical purposes. NCHS staff, contractors, and agents will not disclose or release responses in identifiable form without the consent of the individual or establishment in accordance with section 308(d) of the Public Health Service Act (42 U.S.C. 242m) and the Confidential Information Protection and Statistical Efficiency Act (Title III of the Foundations for Evidence-Based Policymaking Act of 2018 (Pub. L. No. 115-435, 132 Stat. 5529 § 302)). In accordance with CIPSEA, every NCHS employee, contractor, and agent has taken an oath and is subject to a jail term of up to five years, a fine of up to \$250,000, or both if he or she willfully discloses ANY identifiable information about you.

SECTION 1: RELIGION

PROGRAMMING: CREATE "TM_START_SECRET"; CREATE "DATE_START_SECRET"
 CAPTURE TIME IN TM_START_SECRET
 CAPTURE DATE IN DATE_START_SECRET

[SHOW IF P_REL = 1]

[MP]

RELRSO.

In what religion were you raised, if any?

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] **SELECT ALL THAT APPLY**

[SPACE]

CAWI: ? [INSERT HOVER TEXT RELRSO_HT OVER THE QUESTION MARK: This question asks about the religion in which you were raised, which may be different than your current religion.]

CATI: **READ IF NEEDED: THIS QUESTION ASKS ABOUT THE RELIGION IN WHICH YOU WERE RAISED, WHICH MAY BE DIFFERENT THAN YOUR CURRENT RELIGION.**

RESPONSE OPTIONS:

1. None [SP]
2. Catholic
3. Jewish
4. Southern Baptist
5. Baptist
6. Methodist or African Methodist

7. Lutheran
8. Presbyterian
9. Episcopal or Anglican
10. Church of Jesus Christ of Latter Day Saints [CAWI:(LDS/Mormon); CATI:, also known as LDS/Mormon]
11. Other religion

[SHOW IF RELRSD =11]

[MP]

RELRS1.

In what religion were you raised?

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] **SELECT ALL THAT APPLY**

[SPACE]

CAWI: ? [INSERT HOVER TEXT RELRSD_HT OVER THE QUESTION MARK: This question asks about the religion in which you were raised, which may be different than your current religion.]

CATI: **READ IF NEEDED: THIS QUESTION ASKS ABOUT THE RELIGION IN WHICH YOU WERE RAISED, WHICH MAY BE DIFFERENT THAN YOUR CURRENT RELIGION.**

RESPONSE OPTIONS:

12. Assemblies of God
13. Church of Nazarene
14. The Church of God
15. The Church of God [CAWI: (Cleveland, TN); CATI: based in Cleveland, TN]
16. The Church of God in Christ
17. 7th Day Adventist
18. United Pentecostal Church
19. Pentecostal Assemblies
20. Jehovah's Witness
21. Christian, another denomination not listed
22. Christian, no specific denomination
23. Unitarian-Universalist
24. Greek Orthodox
25. Other Orthodox
26. Muslim
27. Buddhist
28. Hindu
29. Other, specify [TEXTBOX]

[SHOW IF P_REL = 2]

[MP]

NEW_REL1

In what religion were you raised, if any?

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] **SELECT ALL THAT APPLY**

[SPACE]

CAWI: ? [INSERT HOVER TEXT RELRSD_HT OVER THE QUESTION MARK: This question asks about the religion in which you were raised, which may be different than your current religion.]

CATI: READ IF NEEDED: THIS QUESTION ASKS ABOUT THE RELIGION IN WHICH YOU WERE RAISED, WHICH MAY BE DIFFERENT THAN YOUR CURRENT RELIGION.

CAWI RESPONSE OPTIONS:

1. Protestant (for example: Christian-no denomination, Baptist, Methodist, Lutheran, Presbyterian, Pentecostal, Episcopalian, and others)? [INSERT HOVER TEXT NEW_REL1_HT (see below) OVER THIS QUESTION MARK]
2. Catholic
3. Church of Jesus Christ of Latter Day Saints (LDS/Mormon)
4. Jewish (Judaism)
5. Muslim (Islam)
6. Buddhist
7. Hindu
8. Other religion, please specify [TEXTBOX]
9. No religion (agnostic, atheist) [SP]

CATI RESPONSE OPTIONS:

1. Protestant, for example, Christian-no denomination, Baptist, Methodist, Lutheran, Presbyterian, Pentecostal, Episcopalian, and others **READ IF NEEDED: Protestant denominations include: Assemblies of God, Baptist, Christian - another denomination, Christian - no specific denomination, Church of Nazarene, Congregational Church of Christ, United Church of Christ, The Church of God, The Church of God based in Cleveland, TN, The Church of God in Christ, Disciples of Christ , Episcopal or Anglican, Holiness, Lutheran, Methodist or African Methodist, Pentecostal Assemblies, Presbyterian, Reformed, Southern Baptist, United Pentecostal Church , 7th Day Adventist**
2. Catholic
3. Church of Jesus Christ of Latter Day Saints, also known as LDS/Mormon
4. Jewish, that is, Judaism
5. Muslim, that is, Islam
6. Buddhist
7. Hindu
8. Other religion, please specify [TEXTBOX]
9. No religion, that is, agnostic, atheist [SP]

NEW_REL1_HT:

Protestant denominations include:

Assemblies of God

Baptist

Christian, another denomination

Christian, no specific denomination

Church of Nazarene

Congregational Church of Christ

United Church of Christ

The Church of God

The Church of God (Cleveland, TN)
 The Church of God in Christ
 Disciples of Christ
 Episcopal or Anglican
 Holiness
 Lutheran
 Methodist or African Methodist
 Pentecostal Assemblies
 Presbyterian
 Reformed
 Southern Baptist
 United Pentecostal Church
 7th Day Adventist

[SP]

ATTND14.

When you were 14, about how often did you usually attend religious services?

[SPACE]

[IF P_HELPEXP = 1:

CAWI: ? [INSERT HOVER TEXT ATTND14_HT OVER THIS QUESTION MARK: Religious services mean official worship services, but not other non-worship types of meetings or church-related events.]

CATI: READ IF NEEDED: Religious services mean official worship services, but not other non-worship types of meetings or church-related events.]

[IF P_HELPEXP = 2:

Religious services mean official worship services, but not other non-worship types of meetings or church-related events.]

RESPONSE OPTIONS:

1. More than once a week
 2. Once a week
 3. 2-3 times a month
 4. Once a month [CAWI: (about 12 times a year); CATI: , or about 12 times a year]
 5. 3-11 times a year
 6. Once or twice a year
 7. Never
-

[MP]

PROBE_ATTEND14.

In the previous question, which of the following, if any, were you thinking about when asked if you attended religious services when you were 14?

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] SELECT ALL THAT APPLY

RESPONSE OPTIONS, RANDOMIZE:

1. Worship services presided over by an ordained member of the clergy
2. Worship services presided over by members of the congregation

3. Study groups focused on religious texts, such as Bible or Torah studies
4. Community or recreational events sponsored by your congregation
5. Going to your house of worship to pray individually
6. Volunteer outings sponsored by your congregation
7. Musical events, such as performances by a choir or cantor
8. Something else, please specify [TEXTBOX][ANCHOR]

[SHOW IF P_REL=1]

[SP]

RELNOW.

What religion are you now, if any?

RESPONSE OPTIONS:

1. None
2. Catholic
3. Jewish
4. Southern Baptist
5. Baptist
6. Methodist or African Methodist
7. Lutheran
8. Presbyterian
9. Episcopal or Anglican
10. Church of Jesus Christ of Latter Day Saints [CAWI:(LDS/Mormon); CATI:, also known as LDS/Mormon]
11. Other

[SHOW IF RELNOW =11]

[SP]

RELNOW1.

What religion are you now, if any?

RESPONSE OPTIONS:

12. Assemblies of God
13. Church of Nazarene
14. The Church of God
15. [CAWI: The Church of God (Cleveland, TN); CATI: The Church of God based in Cleveland, TN]
16. The Church of God in Christ
17. 7th Day Adventist
18. United Pentecostal Church
19. Pentecostal Assemblies
20. Jehovah's Witness
21. Christian, another denomination not listed
22. Christian, no specific denomination
23. Unitarian-Universalist
24. Greek Orthodox
25. Other Orthodox
26. Muslim

- 27. Buddhist
- 28. Hindu
- 29. Other, specify [TEXTBOX]

[SHOW IF P_REL = 2]

[SP]

NEW_REL3

What religion are you now, if any?

CAWI RESPONSE OPTIONS:

1. Protestant (for example: Christian-no denomination, Baptist, Methodist, Lutheran, Presbyterian, Pentecostal, Episcopalian, and others)? [INSERT HOVER TEXT NEW_REL1_HT (see below) OVER THIS QUESTION MARK]
2. Catholic
3. Church of Jesus Christ of Latter Day Saints (LDS/Mormon)
4. Jewish (Judaism)
5. Muslim (Islam)
6. Buddhist
7. Hindu
8. Other religion, please specify [TEXTBOX]
9. No religion (agnostic, atheist)

CATI RESPONSE OPTIONS:

1. Protestant, for example, Christian-no denomination, Baptist, Methodist, Lutheran, Presbyterian, Pentecostal, Episcopalian, and others **READ IF NEEDED: Protestant denominations include: Assemblies of God, Baptist, Christian - another denomination, Christian - no specific denomination, Church of Nazarene, Congregational Church of Christ, United Church of Christ, The Church of God, The Church of God based in Cleveland, TN, The Church of God in Christ, Disciples of Christ , Episcopal or Anglican, Holiness, Lutheran, Methodist or African Methodist, Pentecostal Assemblies, Presbyterian, Reformed, Southern Baptist, United Pentecostal Church , 7th Day Adventist**
2. Catholic
3. Church of Jesus Christ of Latter Day Saints, also known as LDS/Mormon
4. Jewish, that is, Judaism
5. Muslim, that is, Islam
6. Buddhist
7. Hindu
8. Other religion, please specify [TEXTBOX]
9. No religion, that is, agnostic, atheist

NEW_REL1_HT:

Protestant denominations include:

Assemblies of God

Baptist

Christian, another denomination

Christian, no specific denomination

Church of Nazarene

Congregational Church of Christ

United Church of Christ
 The Church of God
 The Church of God (Cleveland, TN)
 The Church of God in Christ
 Disciples of Christ
 Episcopal or Anglican
 Holiness
 Lutheran
 Methodist or African Methodist
 Pentecostal Assemblies
 Presbyterian
 Reformed
 Southern Baptist
 United Pentecostal Church
 7th Day Adventist

[SHOW IF (RELNOW = 2, 4-10) OR (RELNOW = 11 AND RELNOW1 = 12-25, 29) OR (NEW_REL3 = 1, 2, 3, 8)]

[SP]

FUNDAM.

Which of these do you consider yourself to be, if any?

RESPONSE OPTIONS:

1. A born again Christian
 2. A charismatic
 3. An evangelical
 4. A fundamentalist
 5. None of the above
-

[SHOW IF RELNOW = 2-11, 77, 98, 99 or NEW_REL3 = 1-8, 77, 98, 99]

[SP]

RELDLIFE.

Currently, how important is religion in your daily life? [CATI: Would you say it is very important, somewhat important, or not important?]

[SPACE]

[IF P_HELPEXP = 1:

CAWI: ? [INSERT HOVER TEXT RELDLIFE_HT OVER THIS QUESTION MARK: Religion refers to personal religious beliefs, not necessarily to a specific organized religion.]

CATI: READ IF NEEDED: Religion refers to personal religious beliefs, not necessarily to a specific organized religion.]

[IF P_HELPEXP = 2:

Religion refers to personal religious beliefs, not necessarily to a specific organized religion.]

CAWI RESPONSE OPTIONS:

1. Very important
2. Somewhat important
3. Not important

CATI RESPONSE OPTIONS:

1. VERY IMPORTANT
2. SOMEWHAT IMPORTANT
3. NOT IMPORTANT

[SHOW IF RELNOW = 2-11, 77, 98, 99 or NEW_REL3 = 1-8, 77, 98, 99]

[SP]

PROBE_RELDLIFE.

In the previous question about the importance of religion in your life, [CAWI: which of the following] were you mainly thinking about [CATI: your personal, spiritual beliefs, an organized religion, or something else]?

CAWI RESPONSE OPTIONS:

1. Your personal spiritual beliefs
2. An organized religion
3. Something else, please specify [TEXTBOX]

CATI RESPONSE OPTIONS:

1. YOUR PERSONAL SPIRITUAL BELIEFS
2. AN ORGANIZED RELIGION
3. SOMETHING ELSE, PLEASE SPECIFY [TEXTBOX]

[SP]

ATTNDNOW.

About how often do you attend religious services?

[SPACE]

[IF P_HELPEXP = 1:

CAWI: ? [INSERT HOVER TEXT ATTNDNOW_HT OVER THIS QUESTION MARK: Religious services mean an official worship service, but not other church group meetings or church-related events.]

CATI: READ IF NEEDED: Religious services mean an official worship service, but not other church group meetings or church-related events.]

[IF P_HELPEXP = 2:

Religious services mean an official worship service, but not other church group meetings or church-related events.]

RESPONSE OPTIONS:

1. More than once a week
2. Once a week
3. 2-3 times a month
4. Once a month [CAWI: (about 12 times a year); CATI: , or about 12 times a year]
5. 3-11 times a year
6. Once or twice a year
7. Never

[MP]

PROBE_ATTENDNOW

In the previous question, which of the following, if any, were you thinking about when asked if you currently attend religious services?

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] SELECT ALL THAT APPLY

RESPONSE OPTIONS, RANDOMIZE:

1. Worship services presided over by an ordained member of the clergy
 2. Worship services presided over by members of the congregation
 3. Study groups focused on religious texts, such as Bible or Torah studies
 4. Community or recreational events sponsored by your congregation
 5. Going to your house of worship to pray individually
 6. Volunteer outings sponsored by your congregation
 7. Musical events, such as performances by a choir or cantor
 8. Something else, please specify [TEXTBOX][ANCHOR]
-

PROGRAMMING: CREATE "TM_END_SECREL"; CREATE "DATE_END_SECREL"

CAPTURE TIME IN TM_END_SECREL

CAPTURE DATE IN DATE_END_SECREL

SECTION 2: General Health and Calibration Variables

[COPY FROM ATEST SID 2765]

[SP; PROMPT TWICE IF REFUSED]

PHSTAT.

Would you say your <u>health in general</u> is excellent, very good, good, fair, or poor?

CAWI RESPONSE OPTIONS:

1. Excellent
2. Very good
3. Good
4. Fair
5. Poor

CATI RESPONSE OPTIONS:

1. EXCELLENT
 2. VERY GOOD
 3. GOOD
 4. FAIR
 5. POOR
-

[SHOW IF PHSTAT=1,2,3,4,5]

[MP]

PROBE_SRH.

When you said your health in general was [INSERT RESPONSE FROM PHSTAT; IF CAWI, MAKE FIRST LETTER LOWERCASE; IF CATI, PIPE IN WHOLE TEXT IN LOWER CASE], which of the following, if any, were you thinking about?

[SPACE]

[CAWI - REMOVE BOLD] <i>Select all that apply. </i>

[CATI] SELECT ALL THAT APPLY; IF RESPONDENT SAYS 'NONE' OF THESE, SELECT 'SOMETHING ELSE, PLEASE SPECIFY' AND LEAVE NOTE IN THE TEXTBOX

RESPONSE OPTIONS:

1. Your diet and nutrition
2. Your exercise habits
3. Your smoking or drinking habits
4. Your health problems or conditions
5. Your lack of health problems or conditions
6. The amount of pain that you have
7. Your ability to do daily activities without assistance
8. The amount of sleep you get
9. Your mental or emotional health
10. The Coronavirus or COVID-19 pandemic
11. Something else, please specify: [TEXTBOX]

[SP]

VISIT12MO.

In the past 12 months, that is, since [FILL IN THE CURRENT MONTH, FOR EXAMPLE, IF R TAKES THIS SURVEY AT 3/25/2022, IT SHOULD BE "March"] 2021, did you have any visits to a doctor or health care provider?

[SPACE]

Please [CAWI: select; CATI: say] yes, even if the visit was conducted via telephone or video.

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SP]

USUALCAR.

Is there a place that you usually go to when you are sick or need advice about health?

CAWI RESPONSE OPTIONS:

1. Yes

2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SP]

CURRCOV.

Are you currently covered by any kind of health insurance or some other kind of health care plan?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[COPY FROM ATEST SID 2765]

[GRID SP]

CHRONSERIES.

[CAWI] The next few questions are about medical conditions you may have been told you had.

[SPACE]

Have you <u>ever</u> been told by a doctor or other health professional that you had...

[CATI] Now I'm going to ask you about certain medical conditions.

[SPACE]

Have you <u>ever</u> been told by a doctor or other health professional that you had...

[CATI] **READ AS NECESSARY** Have you ever been told by a doctor or other health professional that you had...

GRID ITEMS, RANDOMIZE:

- HYPEV. Hypertension, also called high blood pressure?
- CHLEV. High cholesterol?
- CHDEV. Coronary heart disease?
- ASEV. Asthma?
- COPDEV. Chronic Obstructive Pulmonary Disease, C.O.P.D., emphysema, or chronic bronchitis?
- CANEV. Cancer or a malignancy of any kind?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES

2. NO

[SP]

PREDIB.

Has a doctor or other health professional <u>ever</u> told you that you had prediabetes or borderline diabetes?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[[SP]

DIBEV.

[SHOW IF (PREDIB= 1)] Not including prediabetes, has a doctor or other health professional <u>ever</u> told you that you had diabetes?

[SHOW IF (PREDIB=2,77,98,99)] Has a doctor or other health professional <u>ever</u> told you that you had diabetes?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SP]

SEX1_NEW.

The next [IF S_GENDER = 1 question is IF S_GENDER = 2, few questions are] about your sexual experiences.

[SPACE]

At any time in your life, have you ever had sexual intercourse with a [IF S_GENDER= 1 female; IF S_GENDER = 2 male], that is, made love, had sex, or gone all the way?

[SPACE]

Please do not count oral sex, anal sex, or other forms of sexual activity that do not involve vaginal penetration.

CAWI RESPONSE OPTIONS:

1. Yes

2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF S_GENDER = 2]

[SP]

GIVORALM.

Have you ever performed oral sex on a male? That is, have you ever stimulated his penis with your mouth?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

SECTION 3: Contraceptive Methods

[SHOW IF S_GENDER=2]

[DISPLAY]

CONTRACEPTIONINTRO.

The next questions are about methods that some people use to prevent pregnancy or to prevent sexually transmitted disease. For each method, please indicate if you have ever used it for any reason, even if only once.

[SPACE]

[CAWI – DESKTOP/LAPTOP] There are terms in the following questions that have some additional text available to help explain what they are. If you are interested in that additional information, please hover over the terms in [blue](#) text to see it.

[CAWI – MOBILE] There are terms in the following questions that have some additional text available to help explain what they are. If you are interested in that additional information, please tap on the terms in [blue](#) text to see it.

[CATI] There are terms in the following questions that have some additional information available to help explain what they are. If you are interested in that additional information, please ask me, and I will provide it to you.

[SHOW IF P_CONT = 1 and S_GENDER=2]

[SP]

PILL.

Have you ever used birth control pills?

[SPACE]

CAWI: [INSERT HOVER TEXT PILL_HT OVER "PILLS": Also called the pill or oral contraceptives. A series of pills taken daily. Pills are used to help women avoid getting pregnant. They can also be used to regulate menstrual periods, help relieve pain from cramps, or to treat acne. There are two types of pills, combination pills that contain the hormones estrogen and progestin and progestin-only pills.]

CATI: READ IF NEEDED: Also called the pill or oral contraceptives. A series of pills taken daily. Pills are used to help women avoid getting pregnant. They can also be used to regulate menstrual periods, help relieve pain from cramps, or to treat acne. There are two types of pills, combination pills that contain the hormones estrogen and progestin and progestin-only pills.

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF P_CONT = 1 and S_GENDER=2 and SEX1_NEW = 1]

[SP]

CONDOM.

Have you ever had sex with a partner who used a condom?

[SPACE]

CAWI: [INSERT HOVER TEXT CONDOM_HT OVER "CONDOM": Latex or rubber covering placed tightly over the penis during sex. These form a barrier between the penis and the woman's vagina. Used to prevent pregnancy and to protect against sexually transmitted infections, such as herpes and HIV.]

CATI: READ IF NEEDED: Latex or rubber covering placed tightly over the penis during sex. These form a barrier between the penis and the woman's vagina. Used to prevent pregnancy and to protect against sexually transmitted infections, such as herpes and HIV.

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF P_CONT = 1 and S_GENDER=2 and SEX1_NEW = 1]

[SP]

VASECTMY.

Have you ever had sex with a partner who had a vasectomy?

[SPACE]

CAWI: [INSERT HOVER TEXT VASECTMY_HT OVER "VASECTOMY": Also known as male sterilization, is an operation that causes male sterility by cutting or removing part of the male sperm duct (vas deferens) so that sperm can no longer pass through.]

CATI: READ IF NEEDED: Also known as male sterilization, is an operation that causes male sterility by cutting or removing part of the male sperm duct (vas deferens) so that sperm can no longer pass through.

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF P_CONT = 1 and S_GENDER=2]

[SP]

DEPOPROV.

Have you ever used Depo-Provera, an injectable (or shot) given once every three months?

[SPACE]

CAWI: [INSERT HOVER TEXT DEPOPROV_HT OVER "DEPO-PROVERA": A shot or injection of a hormone (progestin) or hormones (estrogen and progestin) that is given every 3 months to prevent pregnancy. Also known as Depo.

[SPACE]

A shot given every month is called Lunelle and will be asked about in another question.]

CATI: READ IF NEEDED: A shot or injection of a hormone (progestin) or hormones (estrogen and progestin) that is given every 3 months to prevent pregnancy. Also known as Depo.

[SPACE]

A shot given every month is called Lunelle and will be asked about in another question.

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF P_CONT = 1 and S_GENDER=2 and SEX1_NEW = 1]

[SP]

WIDRAWAL.

Have you ever had sex with a partner who used withdrawal or "pulling out"?

[SPACE]

CAWI: [INSERT HOVER TEXT WIDRAWAL_HT OVER "WITHDRAWAL": The man removes his penis from a woman's vagina before he ejaculates.]

CATI: READ IF NEEDED: The man removes his penis from a woman's vagina before he ejaculates.

CAWI RESPONSE OPTIONS:

1. Yes

2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF P_CONT = 1 and S_GENDER=2 and SEX1_NEW = 1]

[SP]

RHYTHM.

Have you ever used the calendar rhythm method to prevent pregnancy? With this method, a woman counts the days in her menstrual cycle to identify which days she can get pregnant, or "unsafe" days. This can include using an app for this method.

[SPACE]

CAWI: [INSERT HOVER TEXT RHYTHM_HT OVER "RHYTHM": A woman's fertile period is determined by counting the days from the start of her period that month. The woman then abstains from sexual intercourse during her fertile period or uses another method of birth control.

[SPACE]

Count as "yes" anything you did that involved counting days and avoiding sexual intercourse or using a method during what you thought was your fertile window.

[SPACE]

If you have only used this method to <u>get</u> pregnant, select "No".]

CATI: READ IF NEEDED: A woman's fertile period is determined by counting the days from the start of her period that month. The woman then abstains from sexual intercourse during her fertile period or uses another method of birth control.

[SPACE]

Count as "yes" anything you did that involved counting days and avoiding sexual intercourse or using a method during what you thought was your fertile window.

[SPACE]

If you have only used this method to <u>get</u> pregnant, select "No".

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF P_CONT = 1 and S_GENDER=2 and SEX1_NEW = 1]

[SP]

SDAYCBDS.

Have you ever used the "Standard Days Method" or "CycleBeads" to prevent pregnancy? These methods identify days 8 to 19 of the cycle as days a woman can get pregnant, or "unsafe" days. This can include using an app for these methods.

[SPACE]

CAWI: [INSERT HOVER TEXT SDAYCBDS_HT OVER "CYCLEBEADS": A woman's fertile period is determined by counting the days from the first day of her menstrual cycle. Days 8 through 19 are the fertile period and the woman either abstains from sexual intercourse or uses another method of birth control during that time.

[SPACE]

CycleBeads are used as a visual tool to help keep track of the fertile window.]

CATI: READ IF NEEDED: A woman's fertile period is determined by counting the days from the first day of her menstrual cycle. Days 8 through 19 are the fertile period and the woman either abstains from sexual intercourse or uses another method of birth control during that time.

[SPACE]

CycleBeads are used as a visual tool to help keep track of the fertile window.

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF P_CONT = 1 and S_GENDER=2 and SEX1_NEW = 1]

[SP]

TEMPSAFE.

Have you ever used "safe period by temperature" or "cervical mucus test" to prevent pregnancy? Some names for these methods are the Two Day Method, the Billings Ovulation Method and the Symptothermal Method.

[SPACE]

CAWI: [INSERT HOVER TEXT TEMPSAFE_HT OVER "'SAFE PERIOD BY TEMPERATURE' OR 'CERVICAL MUCUS TEST'": A woman's fertile period is determined by using a thermometer to check her temperature and by looking at the consistency of her cervical mucus. The woman then abstains from sexual intercourse or uses birth control during her fertile period.

[SPACE]

If you have only used this method to <u>get</u> pregnant, select "No".]

CATI: READ IF NEEDED: A woman's fertile period is determined by using a thermometer to check her temperature and by looking at the consistency of her cervical mucus. The woman then abstains from sexual intercourse or uses birth control during her fertile period.

[SPACE]

If you have only used this method to <u>get</u> pregnant, select "No".

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF P_CONT = 1 and S_GENDER=2 and SEX1_NEW = 1]

[SP]

NATCYCA.

Have you ever used the Natural Cycles app to prevent pregnancy?

[SPACE]

CAWI: [INSERT HOVER TEXT NATCYCA_HT OVER "NATURAL CYCLES": This is an app where you enter information about your temperature and menstrual cycles. The app gives you a fertility status each day. The app can be used to prevent or plan a pregnancy. Please enter yes if you have used the app to prevent a pregnancy. If you have only used the app to help you <u>get</u> pregnant please select "No".]

CATI: READ IF NEEDED: This is an app where you enter information about your temperature and menstrual cycles. The app gives you a fertility status each day. The app can be used to prevent or plan a pregnancy. Please enter yes if you have used the app to prevent a pregnancy. If you have only used the app to help you <u>get</u> pregnant please select "No".

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF P_CONT = 1 and S_GENDER=2]

[SP]

PATCH.

Have you ever used the contraceptive patch (or Ortho-Evra or Xulane)?

[SPACE]

CAWI: [INSERT HOVER TEXT PATCH_HT OVER "PATCH": A patch containing hormones similar to birth control pills that is worn on the upper arm, torso, abdomen, or the buttocks to prevent pregnancy and is changed weekly.]

CATI: READ IF NEEDED: A patch containing hormones similar to birth control pills that is worn on the upper arm, torso, abdomen, or the buttocks to prevent pregnancy and is changed weekly.

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF P_CONT = 1 and S_GENDER=2]

[SP]

RING.

Have you ever used the vaginal contraceptive ring (or “NuvaRing”, “Annovera”, or “EluRyng”)?

[SPACE]

CAWI: [INSERT HOVER TEXT RING_HT OVER “RING”: A clear, flexible ring that is inserted into the vagina. Hormones that prevent pregnancy are continuously released into the body.]

CATI: READ IF NEEDED: A clear, flexible ring that is inserted into the vagina. Hormones that prevent pregnancy are continuously released into the body.

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF P_CONT = 1 and S_GENDER=2 and SEX1_NEW = 1]

[SP]

MORNPIII.

Have you ever used emergency contraception pills? Some examples of names for this are: "Plan B", "Preven", "Ella", "Next Choice" and "Morning after" pills.

[SPACE]

CAWI: [INSERT HOVER TEXT MORNPIII_HT OVER “EMERGENCY CONTRACEPTION PILLS”: One pill or a series of pills containing a high dose of combined oral contraceptives, taken after sexual intercourse has occurred.]

CATI: READ IF NEEDED: One pill or a series of pills containing a high dose of combined oral contraceptives, taken after sexual intercourse has occurred.

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF P_CONT = 1 and S_GENDER=2]

[SP]

IMPLANT.

Have you ever used a hormonal implant (such as Norplant, Implanon, or Nexplanon)?

[SPACE]

CAWI: [INSERT HOVER TEXT IMPLANT_HT OVER “IMPLANT”: Small matchstick-like rod(s) inserted under the skin of a woman’s arm, by a medical provider. Protects against pregnancy for up to five years, or until removed.]

CATI: READ IF NEEDED: Small matchstick-like rod(s) inserted under the skin of a woman's arm, by a medical provider. Protects against pregnancy for up to five years, or until removed.

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF P_CONT = 1 and S_GENDER=2]

[SP]

IUD.

Have you ever used an IUD (intrauterine device) such as Copper-T, Paraguard, Mirena, Skyla, Liletta, or Kyleena?

[SPACE]

CAWI: [INSERT HOVER TEXT IUD_HT OVER "IUD": An IUD or intrauterine device is a plastic or copper and plastic device inserted by a medical provider into the uterus to prevent pregnancy.]

CATI: READ IF NEEDED: An IUD or intrauterine device is a plastic or copper and plastic device inserted by a medical provider into the uterus to prevent pregnancy.

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF P_CONT = 1 and S_GENDER=2]

[MP]

OTHRMETH.

Which, if any, of these additional methods listed have you ever used? Please **[CAWI: check the box;**

CATI: say so] even if you have only used it once.

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] SELECT ALL THAT APPLY

RESPONSE OPTIONS:

1. Vaginal Contraceptive Film **[CAWI: INSERT HOVER TEXT PILL_HT OVER "VAGINAL CONTRACEPTIVE FILM":** A thin film that is inserted into the vagina before sex. The film dissolves and releases spermicide.] **[CATI: READ IF NEEDED: A thin film that is inserted into the vagina before sex. The film dissolves and releases spermicide.]**
2. Diaphragm **[INSERT HOVER TEXT PILL_HT OVER "DIAPHRAGM":** (with or without jelly or cream) A latex rubber or silicone device inserted into the vagina to cover the cervix to block the entry of

- sperm into the uterus during sex. Used with spermicidal jelly or cream.] [CATI: READ IF NEEDED: (with or without jelly or cream) A latex rubber or silicone device inserted into the vagina to cover the cervix to block the entry of sperm into the uterus during sex. Used with spermicidal jelly or cream.]
3. Female condom, internal condom [INSERT HOVER TEXT PILL_HT OVER "FEMALE CONDOM": Also called an internal condom, it is a loose-fitting pouch with a ring on each end, inserted into the vagina to block the entry of sperm into the uterus. Used to prevent pregnancy and to protect against sexually transmitted diseases.] [CATI: READ IF NEEDED: Also called an internal condom, it is a loose-fitting pouch with a ring on each end, inserted into the vagina to block the entry of sperm into the uterus. Used to prevent pregnancy and to protect against sexually transmitted diseases.]
 4. Foam [INSERT HOVER TEXT PILL_HT OVER "FOAM": A spermicidal foam inserted in the vagina before sex to prevent pregnancy or to help protect against disease.] [CATI: READ IF NEEDED: A spermicidal foam inserted in the vagina before sex to prevent pregnancy or to help protect against disease.]
 5. Jelly or cream [INSERT HOVER TEXT PILL_HT OVER "JELLY": A spermicidal gel or cream used in the vagina during sex to prevent pregnancy or to help protect against disease.] [CATI: READ IF NEEDED: A spermicidal gel or cream used in the vagina during sex to prevent pregnancy or to help protect against disease.]
 6. Cervical cap [INSERT HOVER TEXT PILL_HT OVER "CERVICAL CAP": A small latex rubber or silicone device inserted in the vagina and placed over the cervix before sex to block the entry of sperm into the uterus. May be used with or without spermicide.] [CATI: READ IF NEEDED: A small latex rubber or silicone device inserted in the vagina and placed over the cervix before sex to block the entry of sperm into the uterus. May be used with or without spermicide.]
 7. Suppository, insert [INSERT HOVER TEXT PILL_HT OVER "SUPPOSITORY": A tablet, capsule, or solid substance that dissolves in the vagina to produce a spermicidal foam or cream. It is inserted prior to sex to prevent pregnancy.] [CATI: READ IF NEEDED: A tablet, capsule, or solid substance that dissolves in the vagina to produce a spermicidal foam or cream. It is inserted prior to sex to prevent pregnancy.]
 8. Today sponge [INSERT HOVER TEXT PILL_HT OVER "TODAY SPONGE": The brand name of a vaginal contraceptive, this disposable foam sponge is inserted in the vagina before sex and covers the cervix. It is a disposable, soft sponge that contains a spermicide that foams when moistened with water.] [CATI: READ IF NEEDED: The brand name of a vaginal contraceptive, this disposable foam sponge is inserted in the vagina before sex and covers the cervix. It is a disposable, soft sponge that contains a spermicide that foams when moistened with water.]
 9. Phexxi Gel [INSERT HOVER TEXT PILL_HT OVER "PHEXXI": This is a prescription vaginal gel used to prevent pregnancy. It comes in pre-filled applicators and is used before each act of sexual intercourse.] [CATI: READ IF NEEDED: This is a prescription vaginal gel used to prevent pregnancy. It comes in pre-filled applicators and is used before each act of sexual intercourse.]
 10. Lunelle (once-a-month shot) [INSERT HOVER TEXT PILL_HT OVER "LUNELLE": A shot or injection of hormones (progestin and estrogen, the same hormones found in oral contraceptives), that is given <u>monthly</u>, to prevent pregnancy. The only difference between Lunelle and Depo-Provera is the time between the shots. Lunelle is given monthly, and Depo-Provera is given every three months.] [CATI: READ IF NEEDED: A shot or injection of hormones (progestin and estrogen, the same hormones found in oral contraceptives), that is given <u>monthly</u>, to prevent pregnancy. The only difference between Lunelle and Depo-Provera is the time between the shots. Lunelle is given monthly, and Depo-Provera is given every three months.]

11. Other method, please specify [TEXTBOX] [INSERT HOVER TEXT PILL_HT OVER "OTHER METHOD": Methods that are used to prevent pregnancy or to protect against sexually transmitted disease, or for any other reason, should be recorded here.] [CATI: READ IF NEEDED: Methods that are used to prevent pregnancy or to protect against sexually transmitted disease, or for any other reason, should be recorded here.]

[SHOW IF P_CONT = 2 and S_GENDER = 2 and SEX1_NEW=1,2,77,98,99 and MODE_JS=CAWI]

[MP]

CONT_SEX_NOSEX_WEB.

A list of methods that some people use to prevent pregnancy or to prevent sexually transmitted disease is shown below. Please indicate if you have ever used the method for any reason, even if you have only used it once.

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] SELECT ALL THAT APPLY

CAWI RESPONSE OPTIONS:

1. Birth control pills [INSERT HOVER TEXT PILL_HT OVER "PILLS": Also called the pill or oral contraceptives. A series of pills taken daily. Pills are used to help women avoid getting pregnant. They can also be used to regulate menstrual periods, help relieve pain from cramps, or to treat acne. There are two types of pills, combination pills that contain the hormones estrogen and progestin and progestin-only pills.]
2. [SHOW IF SEX1_NEW=1] Condoms (male partner's) [INSERT HOVER TEXT CONDOM_HT OVER "CONDOM": Latex or rubber covering placed tightly over the penis during sex. These form a barrier between the penis and the woman's vagina. Used to prevent pregnancy and to protect against sexually transmitted infections, such as herpes and HIV.]
3. [SHOW IF SEX1_NEW=1] Partner's vasectomy [INSERT HOVER TEXT VASECTMY_HT OVER "VASECTOMY": Also known as male sterilization, is an operation that causes male sterility by cutting or removing part of the male sperm duct (vas deferens) so that sperm can no longer pass through.]
4. Depo-Provera injectables (shot every 3 months) [INSERT HOVER TEXT DEPOPROV_HT OVER "DEPO-PROVERA": A shot or injection of a hormone (progestin) or hormones (estrogen and progestin) that is given every 3 months to prevent pregnancy. Also known as Depo.]
5. [SHOW IF SEX1_NEW=1] Withdrawal, pulling out [INSERT HOVER TEXT WIDRAWAL_HT OVER "WITHDRAWAL": The man removes his penis from a woman's vagina before he ejaculates.]
6. [SHOW IF SEX1_NEW=1] Calendar rhythm method to prevent pregnancy [INSERT HOVER TEXT RHYTHM_HT OVER "RHYTHM": With this method, a woman counts the days in her menstrual cycle to identify which days she can get pregnant, or "unsafe" days. This can include using an app for this method.

[SPACE]

A woman's fertile period is determined by counting the days from the start of her period that month. The woman then abstains from sexual intercourse during her fertile period or uses another method of birth control.

[SPACE]

Select this option if you did anything that involved counting days and avoiding sexual intercourse or using a method during what you thought was your fertile window.

[SPACE]

- If you have only used this method to get pregnant, please do not select this option.]
7. [SHOW IF SEX1_NEW=1] Standard Days or CycleBeads method to prevent pregnancy [INSERT HOVER TEXT SDAYCBDS_HT OVER "CYCLEBEADS": These methods identify days 8 to 19 of the cycle as days a woman can get pregnant, or "unsafe" days. This can include using an app for these methods. A woman's fertile period is determined by counting the days from the first day of her menstrual cycle. Days 8 through 19 are the fertile period and the woman either abstains from sexual intercourse or uses another method of birth control during that time.
[SPACE]
CycleBeads are used as a visual tool to help keep track of the fertile window.]
 8. [SHOW IF SEX1_NEW=1] "Safe period by temperature" or "cervical mucus test" to prevent pregnancy (for example: Two Day Method, Billings Ovulation Method, Symptothermal Method) [INSERT HOVER TEXT TEMPSAFE_HT OVER "TEMPERATURE OR CERVICAL MUCUS TEST": A woman's fertile period is determined by using a thermometer to check her temperature and by looking at the consistency of her cervical mucus. The woman then abstains from sexual intercourse or uses birth control during her fertile period.
[SPACE]
If you have only used this method to get pregnant, please do not select this option.]
 9. [SHOW IF SEX1_NEW=1] Natural Cycles app to prevent pregnancy [INSERT HOVER TEXT NATCYCA_HT OVER "NATURAL CYCLES": This is an app where you enter information about your temperature and menstrual cycles. The app gives you a fertility status each day. The app can be used to prevent or plan a pregnancy. Please enter yes if you have used the app to prevent a pregnancy. If you have only used the app to help you get pregnant, please do not select this option.]
 10. Contraceptive patch (Ortho-Evra or Xulane) [INSERT HOVER TEXT PATCH_HT OVER "PATCH": A patch containing hormones similar to birth control pills that is worn on the upper arm, torso, abdomen, or the buttocks to prevent pregnancy and is changed weekly.]
 11. Vaginal contraceptive ring (NuvaRing, Annovera, or EluRyng) [INSERT HOVER TEXT RING_HT OVER "RING": A clear, flexible ring that is inserted into the vagina. Hormones that prevent pregnancy are continuously released into the body.]
 12. [SHOW IF SEX1_NEW=1] Emergency contraception pills (for example: Plan B, Preven, Ella, Next Choice "Morning after" pills) [INSERT HOVER TEXT MORNPIII_HT OVER "EMERGENCY CONTRACEPTION PILLS": One pill or a series of pills containing a high dose of combined oral contraceptives, taken after sexual intercourse has occurred.]
 13. Hormonal implant (Norplant, Implanon, or Nexplanon) [INSERT HOVER TEXT IMPLANT_HT OVER "IMPLANT": Small matchstick-like rod(s) inserted under the skin of a woman's arm, by a medical provider. Protects against pregnancy for up to five years, or until removed.]
 14. IUD (intrauterine device), (for example, Copper-T, Paragard, Mirena, Skyla, Liletta, Kyleena) [INSERT HOVER TEXT IUD_HT OVER "IUD": An IUD or intrauterine device is a plastic or copper and plastic device inserted by a medical provider into the uterus to prevent pregnancy.]
 15. [SHOW IF SEX1_NEW=1] Vaginal Contraceptive Film [INSERT HOVER TEXT PIII_HT OVER "VAGINAL CONTRACEPTIVE FILM": A thin film that is inserted into the vagina before sex. The film dissolves and releases spermicide.]
 16. [SHOW IF SEX1_NEW=1] Diaphragm [INSERT HOVER TEXT PIII_HT OVER "DIAPHRAGM": (with or without jelly or cream) A latex rubber or silicone device inserted into the vagina to cover the cervix to block the entry of sperm into the uterus during sex. Used with spermicidal jelly or cream.]
 17. [SHOW IF SEX1_NEW=1] Female condom, internal condom [INSERT HOVER TEXT PIII_HT OVER "FEMALE CONDOM": Also called an internal condom, it is a loose-fitting pouch with a ring on

each end, inserted into the vagina to block the entry of sperm into the uterus. Used to prevent pregnancy and to protect against sexually transmitted diseases.]

18. [SHOW IF SEX1_NEW=1] Foam [INSERT HOVER TEXT PILL_HT OVER "FOAM": A spermicidal foam inserted in the vagina before sex to prevent pregnancy or to help protect against disease.]
19. [SHOW IF SEX1_NEW=1] Jelly or cream [INSERT HOVER TEXT PILL_HT OVER "JELLY": A spermicidal gel or cream used in the vagina during sex to prevent pregnancy or to help protect against disease.]
20. [SHOW IF SEX1_NEW=1] Cervical cap [INSERT HOVER TEXT PILL_HT OVER "CERVICAL CAP": A small latex rubber or silicone device inserted in the vagina and placed over the cervix before sex to block the entry of sperm into the uterus. May be used with or without spermicide.]
21. [SHOW IF SEX1_NEW=1] Suppository, insert [INSERT HOVER TEXT PILL_HT OVER "SUPPOSITORY": A tablet, capsule, or solid substance that dissolves in the vagina to produce a spermicidal foam or cream. It is inserted prior to sex to prevent pregnancy.]
22. [SHOW IF SEX1_NEW=1] Today sponge [INSERT HOVER TEXT PILL_HT OVER "TODAY SPONGE": The brand name of a vaginal contraceptive, this disposable foam sponge is inserted in the vagina before sex and covers the cervix. It is a disposable, soft sponge that contains a spermicide that foams when moistened with water.]
23. [SHOW IF SEX1_NEW=1] Phexxi Gel [INSERT HOVER TEXT PILL_HT OVER "PHEXXI": This is a prescription vaginal gel used to prevent pregnancy. It comes in pre-filled applicators and is used before each act of sexual intercourse.]
24. Lunelle (once-a-month shot) [INSERT HOVER TEXT PILL_HT OVER "LUNELLE": A shot or injection of hormones (progestin and estrogen, the same hormones found in oral contraceptives), that is given monthly, to prevent pregnancy. The only difference between Lunelle and Depo-Provera is the time between the shots. Lunelle is given monthly, and Depo-Provera is given every three months.]
25. Other method, please specify [TEXTBOX] [INSERT HOVER TEXT PILL_HT OVER "OTHER METHOD": Methods that are used to prevent pregnancy or to protect against sexually transmitted disease, or for any other reason, should be recorded here.]

[SHOW IF P_CONT = 2 and S_GENDER = 2 and SEX1_NEW=1,2,77,98,99 and MODE_JS=CATI]

[GRID SP; 5,5,5,5,5]

CONT_SEX_NOSEX_PHONE.

Next, I will read a list of methods that some people use to prevent pregnancy or to prevent sexually transmitted disease. Please tell me if you have ever used the method for any reason, even if you have only used it once.

GRID ITEMS:

- A. Birth control pills **READ IF NEEDED: Also called the pill or oral contraceptives. A series of pills taken daily. Pills are used to help women avoid getting pregnant. They can also be used to regulate menstrual periods, help relieve pain from cramps, or to treat acne. There are two types of pills, combination pills that contain the hormones estrogen and progestin and progestin-only pills.**
- B. [SHOW IF SEX1_NEW=1] Condoms (male partner's) **READ IF NEEDED: Latex or rubber covering placed tightly over the penis during sex. These form a barrier between the penis and the woman's vagina. Used to prevent pregnancy and to protect against sexually transmitted infections, such as herpes and HIV.**

- C. [SHOW IF SEX1_NEW=1] Partner's vasectomy READ IF NEEDED: Also known as male sterilization, is an operation that causes male sterility by cutting or removing part of the male sperm duct (vas deferens) so that sperm can no longer pass through.
- D. Depo-Provera injectables (shot every 3 months) READ IF NEEDED: A shot or injection of a hormone (progestin) or hormones (estrogen and progestin) that is given every 3 months to prevent pregnancy. Also known as Depo.
[SPACE]
A shot given every month is called Lunelle and will be asked about in another question.
- E. [SHOW IF SEX1_NEW=1] Withdrawal, pulling out READ IF NEEDED: The man removes his penis from a woman's vagina before he ejaculates.
- F. [SHOW IF SEX1_NEW=1] Calendar rhythm method to prevent pregnancy READ IF NEEDED: A woman's fertile period is determined by counting the days from the start of her period that month. The woman then abstains from sexual intercourse during her fertile period or uses another method of birth control.
[SPACE]
Count as "yes" anything you did that involved counting days and avoiding sexual intercourse or using a method during what you thought was your fertile window.
[SPACE]
If you have only used this method to <u>get</u> pregnant, please say "No".
- G. [SHOW IF SEX1_NEW=1] Standard Days or CycleBeads method to prevent pregnancy READ IF NEEDED: A woman's fertile period is determined by counting the days from the first day of her menstrual cycle. Days 8 through 19 are the fertile period and the woman either abstains from sexual intercourse or uses another method of birth control during that time.
[SPACE]
CycleBeads are used as a visual tool to help keep track of the fertile window.
- H. [SHOW IF SEX1_NEW=1] Safe period by temperature or cervical mucus test to prevent pregnancy (for example: Two Day Method, Billings Ovulation Method, Symptothermal Method) READ IF NEEDED: A woman's fertile period is determined by using a thermometer to check her temperature and by looking at the consistency of her cervical mucus. The woman then abstains from sexual intercourse or uses birth control during her fertile period.
[SPACE]
If you have only used this method to <u>get</u> pregnant, please say "No".
- I. [SHOW IF SEX1_NEW=1] Natural Cycles app to prevent pregnancy READ IF NEEDED: This is an app where you enter information about your temperature and menstrual cycles. The app gives you a fertility status each day. The app can be used to prevent or plan a pregnancy. Please enter yes if you have used the app to prevent a pregnancy. If you have only used the app to help you <u>get</u> pregnant please say "No".
- J. Contraceptive patch (Ortho-Evra or Xulane) READ IF NEEDED: A patch containing hormones similar to birth control pills that is worn on the upper arm, torso, abdomen, or the buttocks to prevent pregnancy and is changed weekly.
- K. Vaginal contraceptive ring (NuvaRing, Annovera, or EluRyng) READ IF NEEDED: A clear, flexible ring that is inserted into the vagina. Hormones that prevent pregnancy are continuously released into the body.
- L. [SHOW IF SEX1_NEW=1] Emergency contraception pills (for example: Plan B, Preven, Ella, Next Choice "Morning after" pills) READ IF NEEDED: One pill or a series of pills containing a high dose of combined oral contraceptives, taken after sexual intercourse has occurred.

- M. Hormonal implant (Norplant, Implanon, or Nexplanon) **READ IF NEEDED: Small matchstick-like rod(s) inserted under the skin of a woman's arm, by a medical provider. Protects against pregnancy for up to five years, or until removed.**
- N. IUD (intrauterine device), (for example, Copper-T, Paragard, Mirena, Skyla, Liletta, Kyleena) **READ IF NEEDED: An IUD or intrauterine device is a plastic or copper and plastic device inserted by a medical provider into the uterus to prevent pregnancy.**
- O. [SHOW IF SEX1_NEW=1] Vaginal Contraceptive Film **READ IF NEEDED: A thin film that is inserted into the vagina before sex. The film dissolves and releases spermicide.**
- P. [SHOW IF SEX1_NEW=1] Diaphragm **READ IF NEEDED: (with or without jelly or cream) A latex rubber or silicone device inserted into the vagina to cover the cervix to block the entry of sperm into the uterus during sex. Used with spermicidal jelly or cream.**
- Q. [SHOW IF SEX1_NEW=1] Female condom, internal condom **READ IF NEEDED: Also called an internal condom, it is a loose-fitting pouch with a ring on each end, inserted into the vagina to block the entry of sperm into the uterus. Used to prevent pregnancy and to protect against sexually transmitted diseases.**
- R. [SHOW IF SEX1_NEW=1] Foam **READ IF NEEDED: A spermicidal foam inserted in the vagina before sex to prevent pregnancy or to help protect against disease.**
- S. [SHOW IF SEX1_NEW=1] Jelly or cream **READ IF NEEDED: A spermicidal gel or cream used in the vagina during sex to prevent pregnancy or to help protect against disease.**
- T. [SHOW IF SEX1_NEW=1] Cervical cap **READ IF NEEDED: A small latex rubber or silicone device inserted in the vagina and placed over the cervix before sex to block the entry of sperm into the uterus. May be used with or without spermicide.**
- U. [SHOW IF SEX1_NEW=1] Suppository, insert **READ IF NEEDED: A tablet, capsule, or solid substance that dissolves in the vagina to produce a spermicidal foam or cream. It is inserted prior to sex to prevent pregnancy.**
- V. [SHOW IF SEX1_NEW=1] Today sponge [READ IF NEEDED: The brand name of a vaginal contraceptive, this disposable foam sponge is inserted in the vagina before sex and covers the cervix. It is a disposable, soft sponge that contains a spermicide that foams when moistened with water.]
- W. [SHOW IF SEX1_NEW=1] Phexxi Gel **READ IF NEEDED: This is a prescription vaginal gel used to prevent pregnancy. It comes in pre-filled applicators and is used before each act of sexual intercourse.**
- X. Lunelle (once-a-month shot) **READ IF NEEDED: A shot or injection of hormones (progesterin and estrogen, the same hormones found in oral contraceptives), that is given <u>monthly</u>, to prevent pregnancy. The only difference between Lunelle and Depo-Provera is the time between the shots. Lunelle is given monthly, and Depo-Provera is given every three months.]**
- Y. Other method, please specify [TEXTBOX] **READ IF NEEDED: Methods that are used to prevent pregnancy or to protect against sexually transmitted disease, or for any other reason, should be recorded here.**

RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF MODE_JS=CATI AND S_GENDER=2]

[SP]

HELPTXTUSE.

DO NOT READ THIS QUESTION OUT LOUD TO THE RESPONDENT

[SPACE]

PLEASE INDICATE BELOW IF THE RESPONDENT USED ANY OF THE HELP TEXT FOR THE PREVIOUS BIRTH CONTROL PREVENTION STRATEGIES; DO NOT READ ALOUD

RESPONSE OPTIONS:

1. YES
2. NO

SECTION 4: Male Use of Health Services

[SHOW IF S_GENDER = 1 and VISIT12MO = 1]

[MP]

SVC12MO.

Which of the following, if any, did you receive in the past 12 months?

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] SELECT ALL THAT APPLY

RESPONSE OPTIONS:

1. [CAWI: A testicular exam (had your testicles examined); CATI: A testicular exam in which you had your testicles examined]
2. Testing for sexually transmitted disease
3. Treatment for sexually transmitted disease
4. Information or advice about your partner using female methods of birth control
5. [CAWI: Information or advice about you getting a vasectomy (surgically sterilized); CATI: Information or advice about you getting a vasectomy, that is, surgically sterilized]
6. Information or advice about HIV or AIDS
7. Information or advice about other sexually transmitted diseases, such as gonorrhea, chlamydia, syphilis, or herpes
8. Information or advice about using condoms to prevent pregnancy
9. Information or advice about using condoms to prevent STDs
10. None of the these [SP]

[SHOW IF S_GENDER = 1 and SVC12MO = 1-9]

[MP]

PLACEVIS.

What place or places did you go for these service(s)?

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] SELECT ALL THAT APPLY

CAWI RESPONSE OPTIONS:

1. Private doctor's office or HMO

2. Community health clinic, public health clinic
3. Family planning or Planned Parenthood clinic
4. Employer or company clinic
5. School or school-based clinic
6. Hospital outpatient clinic or medical center, including VA
7. Hospital emergency room
8. In-store health clinic (like CVS, Target, or Walmart)
9. Urgent care center, urgi-care, or walk-in facility
10. Some other place, please specify [TEXTBOX]

CATI RESPONSE OPTIONS:

1. Private doctor's office or HMO
2. Community health clinic, public health clinic
3. Family planning or Planned Parenthood clinic
4. Employer or company clinic
5. School or school-based clinic
6. Hospital outpatient clinic or medical center, including VA
7. Hospital emergency room
8. In-store health clinic, such as CVS, Target, or Walmart
9. Urgent care center, urgi-care, or walk-in facility
10. Some other place, please specify [TEXTBOX]

SECTION 5: Cervical Cancer

[SHOW IF S_GENDER = 2]

[SP]

HPVHEARD.

There are two different kinds of tests to check for cervical cancer. You may know of the Pap test or Pap smear but the newer one is called the HPV or Human Papillomavirus test. These are routine tests for women in which a doctor or other health professional takes a sample from the cervix with a swab or brush and sends it to the lab. Have you ever heard of the HPV test?

[SPACE]

The HPV test is not the same as the HPV vaccine.

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF S_GENDER = 2]

[SP]

CERVICWHEN_A.

When did you have your <u>most recent</u> test to check for cervical cancer?

CAWI RESPONSE OPTIONS:

1. Within the past year (anytime less than 12 months ago)
2. Within the past 2 years (1 year but less than 2 years ago)
3. Within the past 3 years (2 years but less than 3 years ago)
4. Within the past 5 years (3 years but less than 5 years ago)
5. Within the past 10 years (5 years but less than 10 years ago)
6. 10 years ago or more
7. Have never had a test to check for cervical cancer

CATI RESPONSE OPTIONS:

1. Anytime less than 12 months ago
2. 1 year but less than 2 years ago
3. 2 years but less than 3 years ago
4. 3 years but less than 5 years ago
5. 5 years but less than 10 years ago
6. 10 years ago or more
7. Have never had a test to check for cervical cancer

[SHOW IF S_GENDER = 2 and CERVICWHEN_A = 1-4]

[SP]

TELLCERVIC.

At your most recent cervical cancer test, did a doctor or other health professional tell you which type of test(s) you received?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF S_GENDER = 2 and CERVICWHEN_A = 1-4]

[SP]

PAPTEST.

At your most recent cervical cancer screening, did you have a Pap test?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES

2. NO

[SHOW IF S_GENDER = 2 and HPVHEARD = 1]

[SP]

HPVTEST.

At your most recent cervical cancer screening, did you have an HPV test?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF S_GENDER = 2 and CERVICWHEN_A = 1-4]

[SP]

CERVIC_FU.

In the <u>past 5</u> years, did any of your cervical cancer screening tests require follow-up to check for cancer or precancerous cells?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF S_GENDER = 2]

[SP]

SELF_TEST.

In the future, you may have the option to use a simple kit to test for HPV infection yourself. To use, you insert a swab about an inch into your vagina and rotate it for 30 seconds. It is easy to use the kit correctly and the results are accurate. If available, would you prefer this option rather than having the test done by a doctor or nurse?

RESPONSE OPTIONS:

1. Yes
 2. No
 3. Have no preference
-

[SHOW IF S_GENDER = 2 and SELF_TEST = 1, 3]

[SP]

SELF_TEST2

Would you prefer to do this test at home or in a doctor's office?

RESPONSE OPTIONS:

1. Home
2. Doctor's office
3. Have no preference

SECTION 6: Sex Education

[SHOW IF P_FORMEXP=1]

[SP]

SEXED1.

Now [IF CAWI: we're; IF CATI: I'm] interested in knowing about formal sex education you may have had. Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about how to say no to sex?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF P_PROBE = 1 AND P_FORMEXP=1]

[SP]

PROBE_SEXED1.

When answering the previous question, what kind of instruction on how to say no to sex were you thinking about?

RESPONSE OPTIONS:

1. Delaying or abstaining from having sex
2. How to let your partner know you do not consent to sex
3. Something else, please specify [TEXTBOX]

[SHOW IF P_PROBE = 2 AND P_FORMEXP=1]

[TEXTBOX]

PROBE_SEXED2.

What kind of instruction on how to say no to sex were you thinking about in the previous question?

[MEDIUM TEXTBOX]

[SHOW IF SEXED1 = 1]

[MP]

SEXED2.

Where did you receive that formal instruction about how to say no to sex?

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] **SELECT ALL THAT APPLY**

RESPONSE OPTIONS:

1. School
2. Church
3. A community center
4. Some other place, please specify [TEXTBOX]

[SHOW IF SEXED1 = 1]

[DROPDOWN]

SEXED3.

What grade were you in when you first received instruction on how to say no to sex?

DROPDOWN LIST:

1. 1st grade
2. 2nd grade
3. 3rd grade
4. 4th grade
5. 5th grade
6. 6th grade
7. 7th grade
8. 8th grade
9. 9th grade
10. 10th grade
11. 11th grade
12. 12th grade
13. 1st year of college
14. 2nd year of college
15. 3rd year of college
16. 4th year of college
17. Not in school when received instruction

[SHOW IF SEXED1 = 1 AND SEX1_NEW=1]

[SP]

SEXED4.

Did you receive instruction about how to say no to sex before or after the first time you had sex?

CAWI RESPONSE OPTIONS:

1. Before
2. After

CATI RESPONSE OPTIONS:

1. BEFORE
 2. AFTER
-

[SHOW IF P_FORMEXP=1]

[SP]

SEXED5.

Before you were 18, did you ever have any formal instruction at school, church, community center or some other place about methods of birth control?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF SEXED5 = 1]

[MP]

SEXED6.

Where did you receive that formal instruction about methods of birth control?

[SPACE]

[CAWI - REMOVE BOLD] *Please select all that apply.*[CATI] **SELECT ALL THAT APPLY**

RESPONSE OPTIONS:

1. School
 2. Church
 3. A community center
 4. Some other place, please specify [TEXTBOX]
-

[SHOW IF SEXED5 = 1]

[DROPDOWN]

SEXED7.

What grade were you in when you first received instruction on methods of birth control?

DROPDOWN LIST:

1. 1st grade
2. 2nd grade

3. 3rd grade
 4. 4th grade
 5. 5th grade
 6. 6th grade
 7. 7th grade
 8. 8th grade
 9. 9th grade
 10. 10th grade
 11. 11th grade
 12. 12th grade
 13. 1st year of college
 14. 2nd year of college
 15. 3rd year of college
 16. 4th year of college
 17. Not in school when received instruction
-

[SHOW IF SEXED5 = 1 and SEX1_NEW=1]

[SP]

SEXED8.

Did you receive instruction about methods of birth control before or after the first time you had sex?

CAWI RESPONSE OPTIONS:

1. Before
2. After

CATI RESPONSE OPTIONS:

1. BEFORE
 2. AFTER
-

[SHOW IF P_FORMEXP=1]

[SP]

SEDWHBC.

Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about where to get birth control?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF SEDWHBC= 1]

[MP]

SEDWHBCLC.

Where did you receive that formal instruction about where to get birth control?

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] SELECT ALL THAT APPLY

RESPONSE OPTIONS:

1. School
 2. Church
 3. A community center
 4. Some other place, please specify [TEXTBOX]
-

[SHOW IF SEDWHBC = 1]

[DROPDOWN]

SEDWHBCG.

What grade were you in when you first received instruction on where to get birth control?

DROPDOWN LIST:

1. 1st grade
 2. 2nd grade
 3. 3rd grade
 4. 4th grade
 5. 5th grade
 6. 6th grade
 7. 7th grade
 8. 8th grade
 9. 9th grade
 10. 10th grade
 11. 11th grade
 12. 12th grade
 13. 1st year of college
 14. 2nd year of college
 15. 3rd year of college
 16. 4th year of college
 17. Not in school when received instruction
-

[SHOW IF SEDWHBC = 1 and SEX1_NEW=1]

[SP]

SEDWHBCSX.

Did you receive instruction about where to get birth control before or after the first time you had sex?

CAWI RESPONSE OPTIONS:

1. Before
2. After

CATI RESPONSE OPTIONS:

1. BEFORE
 2. AFTER
-

[SHOW IF P_FORMEXP=1]

[SP]

SEDCOND.

Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about how to use a condom?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF SEDCOND= 1]

[MP]

SEDCONDL.

Where did you receive that formal instruction about how to use a condom?

[SPACE]

[CAWI - REMOVE BOLD] *Please select all that apply.*[CATI] **SELECT ALL THAT APPLY**

RESPONSE OPTIONS:

1. School
 2. Church
 3. A community center
 4. Some other place, please specify [TEXTBOX]
-

[SHOW IF SEDCOND= 1]

[DROPDOWN]

SEDCONDG.

What grade were you in when you first received instruction on how to use a condom?

DROPDOWN LIST:

1. 1st grade
2. 2nd grade
3. 3rd grade
4. 4th grade
5. 5th grade
6. 6th grade

7. 7th grade
 8. 8th grade
 9. 9th grade
 10. 10th grade
 11. 11th grade
 12. 12th grade
 13. 1st year of college
 14. 2nd year of college
 15. 3rd year of college
 16. 4th year of college
 17. Not in school when received instruction
-

[SHOW IF SEDCOND= 1 and SEX1_NEW=1]

[SP]

SEDCONDSX.

Did you receive instruction about how to use a condom before or after the first time you had sex?

CAWI RESPONSE OPTIONS:

1. Before
2. After

CATI RESPONSE OPTIONS:

1. BEFORE
 2. AFTER
-

[SHOW IF P_FORMEXP=1]

[SP]

SEDSTD.

Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about sexually transmitted diseases?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF SEDSTD = 1]

[MP]

SEDSTDLC.

Where did you receive that formal instruction about sexually transmitted diseases?

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] SELECT ALL THAT APPLY

RESPONSE OPTIONS:

1. School
 2. Church
 3. A community center
 4. Some other place, please specify [TEXTBOX]
-

[SHOW IF SEDSTD = 1]

[DROPDOWN]

SEDSTDG.

What grade were you in when you first received instruction on sexually transmitted diseases?

DROPDOWN LIST:

1. 1st grade
 2. 2nd grade
 3. 3rd grade
 4. 4th grade
 5. 5th grade
 6. 6th grade
 7. 7th grade
 8. 8th grade
 9. 9th grade
 10. 10th grade
 11. 11th grade
 12. 12th grade
 13. 1st year of college
 14. 2nd year of college
 15. 3rd year of college
 16. 4th year of college
 17. Not in school when received instruction
-

[SHOW IF SEDSTD = 1 and SEX1_NEW=1]

[SP]

SEDSTDSX.

Did you receive instruction about sexually transmitted diseases before or after the first time you had sex?

CAWI RESPONSE OPTIONS:

1. Before
2. After

CATI RESPONSE OPTIONS:

1. BEFORE
2. AFTER

[SHOW IF P_FORMEXP=1]

[SP]

SEDHIV.

Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about how to prevent HIV/AIDS?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF SEDHIV = 1]

[MP]

SEDHIVLC.

Where did you receive that formal instruction about how to prevent HIV/AIDS?

[SPACE]

[CAWI - REMOVE BOLD] *Please select all that apply.*

[CATI] **SELECT ALL THAT APPLY**

RESPONSE OPTIONS:

1. School
 2. Church
 3. A community center
 4. Some other place, please specify [TEXTBOX]
-

[SHOW IF SEDHIV = 1]

[DROPDOWN]

SEDHIVG.

What grade were you in when you first received instruction on how to prevent HIV/AIDS?

DROPDOWN LIST:

1. 1st grade
2. 2nd grade
3. 3rd grade
4. 4th grade
5. 5th grade
6. 6th grade
7. 7th grade
8. 8th grade
9. 9th grade

10. 10th grade
 11. 11th grade
 12. 12th grade
 13. 1st year of college
 14. 2nd year of college
 15. 3rd year of college
 16. 4th year of college
 17. Not in school when received instruction
-

[SHOW IF SEDHIV = 1 and SEX1_NEW=1]

[SP]

SEDSHIVSX.

Did you receive instruction about how to prevent HIV/AIDS before or after the first time you had sex?

CAWI RESPONSE OPTIONS:

1. Before
2. After

CATI RESPONSE OPTIONS:

1. BEFORE
 2. AFTER
-

[SHOW IF P_FORMEXP=1]

[SP]

SEDABST.

Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about waiting until marriage to have sex?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF SEDABST = 1]

[MP]

SEDABSTLC.

Where did you receive that formal instruction about waiting until marriage to have sex?

[SPACE]

[CAWI - REMOVE BOLD] *Please select all that apply.*

[CATI] **SELECT ALL THAT APPLY**

RESPONSE OPTIONS:

1. School
 2. Church
 3. A community center
 4. Some other place, please specify [TEXTBOX]
-

[SHOW IF SEDABST = 1]

[DROPDOWN]

SEDABSTG.

What grade were you in when you first received instruction on waiting until marriage to have sex?

DROPDOWN LIST:

1. 1st grade
 2. 2nd grade
 3. 3rd grade
 4. 4th grade
 5. 5th grade
 6. 6th grade
 7. 7th grade
 8. 8th grade
 9. 9th grade
 10. 10th grade
 11. 11th grade
 12. 12th grade
 13. 1st year of college
 14. 2nd year of college
 15. 3rd year of college
 16. 4th year of college
 17. Not in school when received instruction
-

[SHOW IF SEDABST = 1 and SEX1_NEW=1]

[SP]

SEDABSTSX.

Did you receive instruction about waiting until marriage to have sex before or after the first time you had sex?

CAWI RESPONSE OPTIONS:

1. Before
2. After

CATI RESPONSE OPTIONS:

1. BEFORE
 2. AFTER
-

[SHOW IF P_FORMEXP=2]

[SP]

SEXED1_INT.

Now [IF CAWI: we're; IF CATI: I'm] interested in knowing about formal sex education you may have had. Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about how to say no to sex?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF P_PROBE = 1 AND P_FORMEXP=2]

[SP]

PROBE_SEXED1_INT.

When answering the previous question, what kind of instruction on how to say no to sex were you thinking about?

RESPONSE OPTIONS:

1. Delaying or abstaining from having sex
2. How to let your partner know you do not consent to sex
3. Something else, please specify [TEXTBOX]

[SHOW IF P_PROBE = 2 AND P_FORMEXP=2]

[TEXTBOX]

PROBE_SEXED2_INT.

What kind of instruction on how to say no to sex were you thinking about in the previous question?

[MEDIUM TEXTBOX]

[SHOW IF P_FORMEXP=2]

[SP]

SEXED5_INT.

Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about methods of birth control?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF P_FORMEXP=2]

[SP]

SEDWHBC_INT.

Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about where to get birth control?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF P_FORMEXP=2]

[SP]

SEDCOND_INT.

Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about how to use a condom?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF P_FORMEXP=2]

[SP]

SEDSTD_INT.

Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about sexually transmitted diseases?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF P_FORMEXP=2]

[SP]

SEDHIV_INT.

Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about how to prevent HIV/AIDS?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF P_FORMEXP=2]

[SP]

SEDABST_INT.

Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about waiting until marriage to have sex?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF SEXED1_INT = 1]

[MP]

SEXED2_INT.

Where did you receive that formal instruction about how to say no to sex?

[SPACE]

[CAWI - REMOVE BOLD] *Please select all that apply.*

[CATI] **SELECT ALL THAT APPLY**

RESPONSE OPTIONS:

1. School
 2. Church
 3. A community center
 4. Some other place, please specify [TEXTBOX]
-

[SHOW IF SEXED1_INT = 1]

[DROPDOWN]

SEXED3_INT.

What grade were you in when you first received instruction on how to say no to sex?

DROPDOWN LIST:

1. 1st grade
 2. 2nd grade
 3. 3rd grade
 4. 4th grade
 5. 5th grade
 6. 6th grade
 7. 7th grade
 8. 8th grade
 9. 9th grade
 10. 10th grade
 11. 11th grade
 12. 12th grade
 13. 1st year of college
 14. 2nd year of college
 15. 3rd year of college
 16. 4th year of college
 17. Not in school when received instruction
-

[SHOW IF SEXED1_INT = 1 AND SEX1_NEW=1]

[SP]

SEXED4_INT.

Did you receive instruction about how to say no to sex before or after the first time you had sex?

CAWI RESPONSE OPTIONS:

1. Before
2. After

CATI RESPONSE OPTIONS:

1. BEFORE
 2. AFTER
-

[SHOW IF SEXED5_INT = 1]

[MP]

SEXED6_INT.

Where did you receive that formal instruction about methods of birth control?

[SPACE]

[CAWI - REMOVE BOLD] *Please select all that apply.*

[CATI] **SELECT ALL THAT APPLY**

RESPONSE OPTIONS:

1. School
 2. Church
 3. A community center
 4. Some other place, please specify [TEXTBOX]
-

[SHOW IF SEXED5_INT = 1]

[DROPDOWN]

SEXED7_INT.

What grade were you in when you first received instruction on methods of birth control?

DROPDOWN LIST:

1. 1st grade
 2. 2nd grade
 3. 3rd grade
 4. 4th grade
 5. 5th grade
 6. 6th grade
 7. 7th grade
 8. 8th grade
 9. 9th grade
 10. 10th grade
 11. 11th grade
 12. 12th grade
 13. 1st year of college
 14. 2nd year of college
 15. 3rd year of college
 16. 4th year of college
 17. Not in school when received instruction
-

[SHOW IF SEXED5_INT = 1 and SEX1_NEW=1]

[SP]

SEXED8_INT.

Did you receive instruction about methods of birth control before or after the first time you had sex?

CAWI RESPONSE OPTIONS:

1. Before
2. After

CATI RESPONSE OPTIONS:

1. BEFORE
 2. AFTER
-

[SHOW IF SEDWHBC_INT = 1]

[MP]

SEDWHBCLC_INT.

Where did you receive that formal instruction about where to get birth control?

[SPACE]

[CAWI - REMOVE BOLD] *Please select all that apply.*

[CATI] **SELECT ALL THAT APPLY**

RESPONSE OPTIONS:

1. School
 2. Church
 3. A community center
 4. Some other place, please specify [TEXTBOX]
-

[SHOW IF SEDWHBC_INT = 1]

[DROPDOWN]

SEDWHBCG_INT.

What grade were you in when you first received instruction on where to get birth control?

DROPDOWN LIST:

1. 1st grade
 2. 2nd grade
 3. 3rd grade
 4. 4th grade
 5. 5th grade
 6. 6th grade
 7. 7th grade
 8. 8th grade
 9. 9th grade
 10. 10th grade
 11. 11th grade
 12. 12th grade
 13. 1st year of college
 14. 2nd year of college
 15. 3rd year of college
 16. 4th year of college
 17. Not in school when received instruction
-

[SHOW IF SEDWHBC_INT = 1 and SEX1_NEW=1]

[SP]

SEDWHBCSX_INT.

Did you receive instruction about where to get birth control before or after the first time you had sex?

CAWI RESPONSE OPTIONS:

1. Before

2. After

CATI RESPONSE OPTIONS:

1. BEFORE
 2. AFTER
-

[SHOW IF SEDCOND_INT = 1]

[MP]

SEDCONDLI_INT.

Where did you receive that formal instruction about how to use a condom?

[SPACE]

[CAWI - REMOVE BOLD] *Please select all that apply.*

[CATI] **SELECT ALL THAT APPLY**

RESPONSE OPTIONS:

1. School
 2. Church
 3. A community center
 4. Some other place, please specify [TEXTBOX]
-

[SHOW IF SEDCOND_INT = 1]

[DROPDOWN]

SEDCONDG_INT.

What grade were you in when you first received instruction on how to use a condom?

DROPDOWN LIST:

1. 1st grade
 2. 2nd grade
 3. 3rd grade
 4. 4th grade
 5. 5th grade
 6. 6th grade
 7. 7th grade
 8. 8th grade
 9. 9th grade
 10. 10th grade
 11. 11th grade
 12. 12th grade
 13. 1st year of college
 14. 2nd year of college
 15. 3rd year of college
 16. 4th year of college
 17. Not in school when received instruction
-

[SHOW IF SEDCOND_INT = 1 and SEX1_NEW=1]

[SP]

SEDCONDSX_INT.

Did you receive instruction about how to use a condom before or after the first time you had sex?

CAWI RESPONSE OPTIONS:

1. Before
2. After

CATI RESPONSE OPTIONS:

1. BEFORE
2. AFTER

[SHOW IF SEDSTD_INT = 1]

[MP]

SEDSTDL_C_INT.

Where did you receive that formal instruction about sexually transmitted diseases?

[SPACE]

[CAWI - REMOVE BOLD] *Please select all that apply.*

[CATI] **SELECT ALL THAT APPLY**

RESPONSE OPTIONS:

1. School
2. Church
3. A community center
4. Some other place, please specify [TEXTBOX]

[SHOW IF SEDSTD_INT = 1]

[DROPDOWN]

SEDSTDG_INT.

What grade were you in when you first received instruction on sexually transmitted diseases?

DROPDOWN LIST:

1. 1st grade
2. 2nd grade
3. 3rd grade
4. 4th grade
5. 5th grade
6. 6th grade
7. 7th grade
8. 8th grade
9. 9th grade
10. 10th grade
11. 11th grade
12. 12th grade

13. 1st year of college
 14. 2nd year of college
 15. 3rd year of college
 16. 4th year of college
 17. Not in school when received instruction
-

[SHOW IF SEDSTD_INT = 1 and SEX1_NEW=1]

[SP]

SEDSTDSX_INT.

Did you receive instruction about sexually transmitted diseases before or after the first time you had sex?

CAWI RESPONSE OPTIONS:

1. Before
2. After

CATI RESPONSE OPTIONS:

1. BEFORE
 2. AFTER
-

[SHOW IF SEDHIV_INT = 1]

[MP]

SEDHIVLC_INT.

Where did you receive that formal instruction about how to prevent HIV/AIDS?

[SPACE]

[CAWI - REMOVE BOLD] *<i> Please select all that apply. </i>*

[CATI] **SELECT ALL THAT APPLY**

RESPONSE OPTIONS:

1. School
 2. Church
 3. A community center
 4. Some other place, please specify [TEXTBOX]
-

[SHOW IF SEDHIV_INT = 1]

[DROPDOWN]

SEDHIVG_INT.

What grade were you in when you first received instruction on how to prevent HIV/AIDS?

DROPDOWN LIST:

1. 1st grade
2. 2nd grade
3. 3rd grade
4. 4th grade

5. 5th grade
 6. 6th grade
 7. 7th grade
 8. 8th grade
 9. 9th grade
 10. 10th grade
 11. 11th grade
 12. 12th grade
 13. 1st year of college
 14. 2nd year of college
 15. 3rd year of college
 16. 4th year of college
 17. Not in school when received instruction
-

[SHOW IF SEDHIV_INT = 1 and SEX1_NEW=1]

[SP]

SEDSHIVSX_INT.

Did you receive instruction about how to prevent HIV/AIDS before or after the first time you had sex?

CAWI RESPONSE OPTIONS:

1. Before
2. After

CATI RESPONSE OPTIONS:

1. BEFORE
 2. AFTER
-

[SHOW IF SEDABST_INT = 1]

[MP]

SEDABSTLC_INT.

Where did you receive that formal instruction about waiting until marriage to have sex?

[SPACE]

[CAWI - REMOVE BOLD] *Please select all that apply.*

[CATI] **SELECT ALL THAT APPLY**

RESPONSE OPTIONS:

1. School
 2. Church
 3. A community center
 4. Some other place, please specify [TEXTBOX]
-

[SHOW IF SEDABST_INT = 1]

[DROPDOWN]

SEDABSTG_INT.

What grade were you in when you first received instruction on waiting until marriage to have sex?

DROPDOWN LIST:

1. 1st grade
 2. 2nd grade
 3. 3rd grade
 4. 4th grade
 5. 5th grade
 6. 6th grade
 7. 7th grade
 8. 8th grade
 9. 9th grade
 10. 10th grade
 11. 11th grade
 12. 12th grade
 13. 1st year of college
 14. 2nd year of college
 15. 3rd year of college
 16. 4th year of college
 17. Not in school when received instruction
-

[SHOW IF SEDABST_INT = 1 and SEX1_NEW=1]

[SP]

SEDABSTSX_INT.

Did you receive instruction about waiting until marriage to have sex before or after the first time you had sex?

CAWI RESPONSE OPTIONS:

1. Before
2. After

CATI RESPONSE OPTIONS:

1. BEFORE
 2. AFTER
-

SECTION 7: Gender Identity, Sexual Identity, and Calibration Variables

[SP]

SMK100.

In your entire life, have you smoked at least 100 cigarettes?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SP]

SMOKE12.

During the last 12 months, that is since [FILL IN THE CURRENT MONTH, FOR EXAMPLE, IF R TAKES THIS SURVEY AT 3/25/2022, IT SHOULD BE "March"] 2021, how many cigarettes did you smoke a day, on average?

RESPONSE OPTIONS:

1. None
 2. About one cigarette a day or less
 3. Just a few cigarettes a day, between 2 to 4 cigarettes
 4. About half a pack a day, between 5 to 14 cigarettes
 5. About a pack a day, between 15 to 24 cigarettes
 6. More than a pack a day, 25 or more cigarettes
-

[SHOW IF MODE_JS = CATI]

[SP]

ACCSINT.

Do you have access to the Internet?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

IF MODE_JS = CAWI, AUTO-PUNCH ACCSSINT = 1

[SHOW IF ACCSSINT = 1]

[SP]

ACCSHOM.

Do you have access to the Internet from your home?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF ACCSSINT = 1]

[GRID SP]

HITLOOK_COMM_TEST.

During the past 12 months, have you used the Internet for any of the following reasons?

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] SELECT ALL THAT APPLY

GRID SP:

- A. To look for health or medical information
- B. To communicate with a doctor or doctor's office
- C. To look up test results

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF ACCSSINT = 1]

[MP]

PROBE_HITTEST.

When answering the previous question, which of the following types of test results were you thinking about using the internet to look up?

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] SELECT ALL THAT APPLY

RESPONSE OPTIONS:

1. Tests administered by a doctor, nurse, or other healthcare practitioner
 2. Tests administered by a medical laboratory
 3. Tests administered by a teacher or professor
 4. Self-administered medical tests
 5. College entrance or other standardized educational tests
 6. Self-administered personality or aptitude tests
 7. Some other type of test, please specify [TEXTBOX]
-

[SP]

CEVOLUN1.

During the past 12 months, did you spend any time volunteering for any organization or association?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SHOW IF CEVOLUN1 = 2, 77, 98, 99]

[SP]

CEVOLUN2.

Some people don't think of activities they do infrequently or for children's schools or youth organizations as volunteer activities. During the past 12 months, have you done any of these types of activities?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SP]

CEVOTELC.

Did you vote in the last local elections, such as for mayor, councilmembers, or school board?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SP]

DOLASTWK1.

Last week, what were you doing? [CATI: Were you working, on leave from work, looking for work, taking care of house or family, going to school, or something else?]

CAWI RESPONSE OPTIONS:

1. Working
2. On Leave from work
3. Not working and looking for work
4. Taking care of house or family
5. In school
6. Something else, please specify [TEXTBOX]

CATI RESPONSE OPTIONS:

1. WORKING
2. ON LEAVE FROM WORK
3. NOT WORKING AND LOOKING FOR WORK
4. TAKING CARE OF HOUSE OR FAMILY
5. IN SCHOOL
6. SOMETHING ELSE, PLEASE SPECIFY [TEXTBOX]

CREATE DOV_RWRKST:

```
IF DOLASTWK1 = 1,2    DOV_RWRKST = 1
ELSE    DOV_RWRKST = 0
```

[GRID 4,4 SP]

EDS8.

In your day-to-day life how often have any of the following things happened to you?

GRID ITEMS, RANDOMIZE AND RECORD:

- ED8A. You are treated with less courtesy or respect than other people
- ED8B. You receive poorer service than other people at restaurants or stores
- ED8C. People act as if they think you are not smart
- ED8D. People act as if they are afraid of you
- ED8E. You are threatened or harassed
- ED8F. People act like they think they are better than you
- ED8G. People act as if they think you are dishonest
- ED8H. You are called names or insulted

RESPONSE OPTIONS:

1. Almost everyday
2. At least once a week
3. A few times a month
4. A few times a year
5. Less than once a year
6. Never

CREATE DOV_EDS:

```
IF ANY OF EDS8A TO EDS8H = 1-4    DOV_EDS=1
ELSE    DOV_EDS=0
```

CREATE PROBE_EDS_FILL:

- IF RND_00 = 1 PROBE_EDS_FILL = you are treated with less courtesy or respect than other people
 - IF RND_00 = 2 PROBE_EDS_FILL = you receive poorer service than other people at restaurants or stores
 - IF RND_00 = 3 PROBE_EDS_FILL = people act as if they think you are not smart
 - IF RND_00 = 4 PROBE_EDS_FILL = people act as if they are afraid of you
 - IF RND_00 = 5 PROBE_EDS_FILL = you are threatened or harassed
 - IF RND_00 = 6 PROBE_EDS_FILL = people act like they think they are better than you
 - IF RND_00 = 7 PROBE_EDS_FILL = people act as if they think you are dishonest
 - IF RND_00 = 8 PROBE_EDS_FILL = you are called names or insulted
-

[SHOW IF P_DISCR=1 AND DOV_EDS=1]

[SP]

EDS8_FU.

What do you think the main reason is for these experiences?

RESPONSE OPTIONS:

1. Your Ancestry or National Origins
 2. Your Gender
 3. Your Race
 4. Your Age
 5. Your Religion
 6. Your Height
 7. Your Weight
 8. Some other Aspect of Your Physical Appearance
 9. Your Sexual Orientation
 10. Your Education or Income Level
-

[SHOW IF P_DISCR=2 AND DOV_EDS=1]

[TEXTBOX]

EDS8_FU_OPEN.

What do you think the main reason is for these experiences?

[LARGE TEXTBOX]

[TEXTBOX]

PROBE_EDS.

When we asked you how often [PROBE_EDS_FILL], what were you thinking about?

[LARGE TEXTBOX]

[SP]

PROBE_DISCRIM.

When answering the previous few questions about your experiences and how you have been treated, which of the following, if any, were you mainly thinking about?

CAWI RESPONSE OPTIONS:

1. Racism or discrimination based on your race and ethnicity
2. Negative social interactions, such as receiving poor service at stores or dealing with rude people
3. Social inequalities based on things like age, gender, and education
4. Something else, please specify [TEXTBOX]

CATI RESPONSE OPTIONS:

1. Racism or discrimination based on your race and ethnicity
2. Negative social interactions, such as receiving poor service at stores or dealing with rude people
3. Social inequalities based on things like age, gender, and education
4. Something else, please specify [TEXTBOX]

[SP]

MARSTAT1.

The next questions are about marriage and cohabitation. Are you now married, living with a partner together as an unmarried couple, or neither?

CAWI RESPONSE OPTIONS:

1. Married
2. Living with a partner together as an unmarried couple
3. Neither

CATI RESPONSE OPTIONS:

1. MARRIED
2. LIVING WITH A PARTNER TOGETHER AS AN UNMARRIED COUPLE
3. NEITHER

[SHOW IF MARSTAT1=1,2]

[SP]

MARSTAT2.

Is your [IF MARSTAT1=1, INSERT 'spouse'; IF MARSTAT1=2, INSERT 'cohabiting partner'] male or female?

CAWI RESPONSE OPTIONS:

1. Male
2. Female

CATI RESPONSE OPTIONS:

1. MALE
2. FEMALE

[SHOW IF MARSTAT1=2,3]

[SP]

MARSTAT3.

What is your current legal marital status?

RESPONSE OPTIONS:

1. Married
2. Widowed
3. Divorced
4. Separated
5. Never married

[SHOW IF MARSTAT1 = 1]

[SP]

EVCOHAB1.

Not including the person you married, have you ever lived together with any other [IF S_GENDER= 1 female IF S_GENDER = 2, male] sexual partner?

[SPACE]

By living together, we mean having a sexual relationship while sharing the same usual residence. Do not count 'dating' or 'sleeping over' as living together.

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

[SHOW IF MARSTAT3 = 5, 77, 98, 99]

[SP]

EVCOHAB2.

Have you ever lived together with a [IF S_GENDER= 1 female IF S_GENDER = 2 male] sexual partner?

[SPACE]

By living together, we mean having a sexual relationship while sharing the same usual residence. Do not count 'dating' or 'sleeping over' as living together.

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
2. NO

CREATE DOV_EVRCOHAB:

IF MARSTAT1 = 2 OR EVCOHAB1 = 1 OR EVCOHAB2 = 1 DOV_EVRCOHAB = 1

ELSE DOV_EVRCOHAB = 0.

[RECORD TIME ON SCREEN]

[SP]

SAAB.

What sex were you assigned at birth, on your original birth certificate?

[CATI] If you are unsure or don't know, you may say "Don't know".

RESPONSE OPTIONS:

1. Male
 2. Female
-

[RECORD TIME ON SCREEN]

[SP]

GENDER_ID.

What is your current gender?

[SPACE]

[CAWI - REMOVE BOLD] <i> Mark only one. </i>

[CATI] **MARK ONLY ONE**

CAWI RESPONSE OPTIONS:

1. Female
2. Male
3. Transgender
4. [S_RACETH=6]Two-Spirit
5. I use a different term, please specify: [TEXTBOX]

CATI RESPONSE OPTIONS:

1. Female
 2. Male
 3. Transgender
 4. [S_RACETH=6]Two-Spirit
 5. You use a different term, please specify: [TEXTBOX]
-

PROGRAMMING: CREATE DOV_GENDERMISMATCH; DISPLAY IN TESTING

IF SAAB=GENDER_ID (I.E., 1/MALE IN EACH OR 2/FEMALE IN EACH) DOV_GENDERMISMATCH=0

IF SAAB NE GENDER_ID, DOV_GENDERMISMATCH=1.

CREATE GENDER_CONFIRM_TEXT: CONCATENATE TEXT CORRESPONDING TO GENDER_ID

IF GENDER_ID = 1 TEXT TO BE CONCATENATED IS: Female

IF GENDER_ID = 2 TEXT TO BE CONCATENATED IS: Male

IF GENDER_ID = 3 TEXT TO BE CONCATENATED IS: Transgender

IF GENDER_ID = 4 TEXT TO BE CONCATENATED IS: Two-Spirit

IF GENDER_ID = 5 TEXT TO BE CONCETANATES IS: some other gender

[SHOW IF SAAB=1,2 AND GENDER_ID=1,2,3,4,5]

[RECORD TIME ON SCREEN]

[SP]

GENDER_CONFIRM.

Just to confirm, you were assigned [INSERT VALUE TEXT FROM SAAB, MAKE FIRST LETTER LOWERCASE] at birth and now describe yourself as [INSERT VALUE TEXT FROM GENDER_ID, MAKE FIRST LETTER LOWERCASE; IF GENDER_ID=5, INSERT 'some other gender']. Is that correct?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[COPY FROM ATEST SID 2765]

[SHOW IF GENDER_CONFIRM=2]

[RECORD TIME ON SCREEN]

[SP]

SAAB_RE.

What sex were you assigned at birth, on your original birth certificate?

RESPONSE OPTIONS:

1. Male
 2. Female
-

[COPY FROM ATEST SID 2765]

[SHOW IF GENDER_CONFIRM=2]

[RECORD TIME ON SCREEN]

[SP]

GENDER_ID_RE.

What is your current gender?

[SPACE]

[CAWI - REMOVE BOLD] <i> Mark only one. </i>

[CATI] **MARK ONLY ONE**

CAWI RESPONSE OPTIONS:

1. Female
2. Male
3. Transgender
4. [**S_RACETH=6**]Two-Spirit

- I use a different term, please specify: [TEXTBOX]

CATI RESPONSE OPTIONS:

- Female
- Male
- Transgender
- [S_RACETH=6]Two-Spirit
- You use a different term, please specify: [TEXTBOX]

PROGRAMMING: CREATE DOV_REASKSWITCH – FLAG FOR MISMATCH BETWEEN ORIGINAL SAAB OR GENDER_ID REASK VARIABLES

IF SAAB_RE NOT EQUAL SAAB, DOV_REASKSWITCH=1 'YES, SWITCH'

IF GENDER_ID_RE NOT EQUAL GENDER_ID, DOV_REASKSWITCH=1 'YES, SWITCH'

ELSE, DOV_REASKSWITCH=0 'NO SWITCH/NO REASK'

[COPY FROM ATEST SID 2765]

[SHOW IF SAAB=98,99]

[MP]

PROBE_SAAB_REF.

You didn't answer what sex you were assigned at birth, on your original birth certificate? Can you tell us why?

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] **SELECT ALL THAT APPLY**

CAWI RESPONSE OPTIONS:

- I don't understand what the question is asking
- I've never seen my birth certificate
- I don't want to answer this question
- This was a mistake, I meant to say: [TEXTBOX]
- Other, specify: [TEXTBOX]

CATI RESPONSE OPTIONS:

- You don't understand what the question is asking
- You've never seen your birth certificate
- You don't want to answer this question
- This was a mistake, you meant to say: [TEXTBOX]
- Other, specify: [TEXTBOX]

IF GENDER_CONFIRM = 1 PROBE_GENDERID_TEXT = GENDER_CONFIRM_TEXT

IF GENDER_CONFIRM = 2:

IF GENDER_ID_RE = 1 TEXT TO BE CONCATENATED IS: Female

IF GENDER_ID_RE = 2 TEXT TO BE CONCATENATED IS: Male

IF GENDER_ID_RE = 3 TEXT TO BE CONCATENATED IS: Transgender
IF GENDER_ID_RE = 4 TEXT TO BE CONCATENATED IS: Two-Spirit
IF GENDER_ID_RE = 5 TEXT TO BE CONCETANATES IS: some other gender

[SHOW IF GENDER_ID = 1,2,3,4,5 OR GENDER_ID_RE = 1,2,3,4,5]

[RECORD TIME ON SCREEN]

[TEXTBOX]

PROBE_GENDERID.

Please list some things that you associate with being [PROBE_GENDERID_TEXT]?

[LARGE TEXTBOX]

[SP]

SEXID.

Which of the following best represents how you think of yourself?

CAWI RESPONSE OPTIONS:

1. Lesbian or gay
2. Straight, this is not lesbian or gay
3. Bisexual
4. Something else
77. I don't know

CATI RESPONSE OPTIONS:

1. Lesbian or Gay
 2. Straight, this is not lesbian or gay
 3. Bisexual
 4. Something else
 77. You don't know
-

[SHOW IF SEXID = 4]

[SP]

PROBE_SEXID.

What do you mean by "something else"?

RESPONSE OPTIONS:

1. You are not straight, but identify with another label such as queer, trisexual, omnisexual, polysexual, or pansexual
 2. You are asexual or on the asexual spectrum (including, but not limited to, demisexual and greysexual)
 3. You have not figured out or are in the process of figuring out your sexuality
 4. You do not use labels to identify yourself
 5. Something else, please explain [TEXTBOX]
-

[MP]

PROBE_SEXBEHEV.

During your life, with whom have you had consensual sexual contact?

[SPACE]

[CAWI - REMOVE BOLD] <i> Please select all that apply. </i>

[CATI] SELECT ALL THAT APPLY

CAWI RESPONSE OPTIONS:

1. I have never had sexual contact [SP]
2. Women
3. Men
4. Non-binary people

CATI RESPONSE OPTIONS:

1. You have never had sexual contact [SP]
 2. Women
 3. Men
 4. Non-binary people
-

[SP]

RACEDESCRIM.

Before you were 18, how often did you feel that you were treated badly or unfairly because of your <u>race or ethnicity</u>?

RESPONSE OPTIONS:

1. Never
 2. Rarely
 3. Sometimes
 4. Often
 5. Always
-

[SP]

GENDESCRIM

Before you were 18, how often did you feel that you were treated badly or unfairly because of your <u>gender identity or sexual orientation</u>?

CAWI RESPONSE OPTIONS:

1. Never
 2. Rarely
 3. Sometimes
 4. Often
 5. Always
-

[SP]

BRNOUT

Were you born outside of the United States?

CAWI RESPONSE OPTIONS:

1. Yes
2. No

CATI RESPONSE OPTIONS:

1. YES
 2. NO
-

[SP]

PROBE_MODE.

If you had the option, would you rather answer a survey such as this one [RANDOMIZE THESE TEXTS, KEEP THE SAME ORDER AS RESPONSE OPTION LIST: on the internet, in an in-person interview, on a phone interview, or with a paper copy that you would mail back]?

RESPONSE OPTIONS, RANDOMIZE, SAME ORDER AS THE TEXT IN QUESTION STEM:

1. Internet
 2. In-person
 3. Phone
 4. Paper
-

SECTION CLOSE: Burden and Close

PROGRAMMING: CREATE TM_START_SECCLOSE; CREATE DATE_START_SECCLOSE
CAPTURE TIME IN TM_START_SECCLOSE
CAPTURE DATE IN DATE_START_SECCLOSE

[SP]

BURDEN1.

How burdensome was it to complete this survey?

RESPONSE OPTIONS:

1. Not at all burdensome
 2. A little burdensome
 3. Moderately burdensome
 4. Very burdensome
 5. Extremely burdensome
-

[SP]

BURDEN2.

How difficult was it to answer the questions?

RESPONSE OPTIONS:

1. Not at all difficult
2. A little difficult
3. Moderately difficult
4. Very difficult
5. Extremely difficult

PROGRAMMING: CREATE TM_END_SECCLOSE; CREATE "DATE_END_SECCLOSE
CAPTURE TIME IN TM_END_SECCLOSE
CAPTURE DATE IN DATE_END_SECCLOSE

RE-COMPUTE QUAL=1 "COMPLETE"

SET CO_DATE, CO_TIME, CO_TIMER VALUES HERE

CREATE MODE_END

1=CATI

2=CAWI

SCRIPTING NOTES: PUT QFINAL1, QFINAL2, QFINAL3 in the same screen.

[SINGLE CHOICE]

QFINAL1.

Thank you for your time today. To help us improve the experience of AmeriSpeak members like yourself, please give us feedback on this survey.

[RED TEXT – CAWI ONLY] If you do not have any feedback for us today, please click "Continue" through to the end of the survey so we can make sure your opinions are counted and for you to receive your AmeriPoints reward.

Please rate this survey overall from 1 to 7 where 1 is Poor and 7 is Excellent.

Poor						Excellent
1	2	3	4	5	6	7

[SINGLE CHOICE – CAWI ONLY]

QFINAL2.

Did you experience any technical issues in completing this survey?

1. Yes – please tell us more in the next question
2. No

[TEXT BOX] [CATI version needs “no” option]
QFINAL3.

Do you have any general comments or feedback on this survey you would like to share? If you would like a response from us, please email support@AmeriSpeak.org or call (888) 326-9424.

[DISPLAY]
END.

[CATI version]

Those are all the questions we have. We will add [INCENTWCOMMA] AmeriPoints to your AmeriPoints balance for completing the survey. If you have any questions at all for us, you can email us at support@AmeriSpeak.org or call us toll-free at **888-326-9424**. Let me repeat that again: email us at support@AmeriSpeak.org or call us at **888-326-9424**. Thank you for participating in our new AmeriSpeak survey!

[CAWI version]

Those are all the questions we have. We will add [INCENTWCOMMA] AmeriPoints to your AmeriPoints balance for completing the survey. If you have any questions at all for us, you can email us at support@AmeriSpeak.org or call us toll-free at **888-326-9424**. Thank you for participating in our new AmeriSpeak survey!

You can close your browser window now if you wish or click Continue below to be redirected to the AmeriSpeak member website.

APPENDIX A: Help Screens

Help screens:

RELRSDD, RELRSDD1, NEW_REL1:

This question asks about the religion in which you were raised, which may be different than your current religion.

NEW_REL1, Protestant response option:

Protestant denominations include:

- Assemblies of God
- Baptist
- Christian, another denomination not listed
- Christian, no specific denomination
- Church of Nazarene
- Congregational or United Church of Christ
- The Church of God
- The Church of God (Cleveland, TN)
- The Church of God in Christ
- Disciples of Christ
- Episcopal or Anglican
- Holiness
- Lutheran
- Methodist or African Methodist
- Pentecostal Assemblies
- Presbyterian
- Reformed
- Southern Baptist
- United Pentecostal Church
- 7th Day Adventist

ATTND14:

Religious services mean official worship services, but not other non-worship types of meetings or church-related events.

NEW_REL3, Protestant response option:

Protestant denominations include:

- Assemblies of God
- Baptist
- Christian, another denomination not listed
- Christian, no specific denomination
- Church of Nazarene
- Congregational or United Church of Christ
- The Church of God
- The Church of God (Cleveland, TN)

The Church of God in Christ
Disciples of Christ
Episcopal or Anglican
Holiness
Lutheran
Methodist or African Methodist
Pentecostal Assemblies
Presbyterian
Reformed
Southern Baptist
United Pentecostal Church
7th Day Adventist

RELDLIFE:

Religion refers to personal religious beliefs, not necessarily to a specific organized religion.

ATTNDNOW:

Religious services mean an official worship service, but not other church group meetings or church-related events.

EA-1 PILL:

Also called the pill or oral contraceptives. A series of pills taken daily. Pills are used to help women avoid getting pregnant. They can also be used to regulate menstrual periods, help relieve pain from cramps, or to treat acne. There are two types of pills, combination pills that contain the hormones estrogen and progestin and progestin-only pills.

EA-2 CONDOM:

Latex or rubber covering placed tightly over the penis during sex. These form a barrier between the penis and the woman's vagina. Used to prevent pregnancy and to protect against sexually transmitted infections, such as herpes and HIV.

EA-3 VASECTMY:

Also known as male sterilization, is an operation that causes male sterility by cutting or removing part of the male sperm duct (vas deferens) so that sperm can no longer pass through.

EA-4 DEPOPROV:

A shot or injection of a hormone (progestin) or hormones (estrogen and progestin) that is given every 3 months to prevent pregnancy. Also known as Depo.

A shot given every month is called Lunelle and will be asked about in another question.

EA-6 WIDRAWAL:

The man removes his penis from a woman's vagina before he ejaculates.

EA-7a RHYTHM:

[For select all that apply series, the following paragraph should display, as well as the rest of the text following it]

With this method, a woman counts the days in her menstrual cycle to identify which days she can get pregnant, or "unsafe" days. This can include using an app for this method.

[For yes/no series, only the following paragraphs should display]

A woman's fertile period is determined by counting the days from the start of her period that month. The woman then abstains from sexual intercourse during her fertile period or uses another method of birth control.

Count as "yes" anything you did that involved counting days and avoiding sexual intercourse or using a method during what you thought was your fertile window.

If you have only used this method to get pregnant, select "No."

EA - 7b SDAYCBDS:

[For select all that apply series, the following paragraph should display, as well as the rest of the text following it]

These methods identify days 8 to 19 of the cycle as days a woman can get pregnant, or "unsafe" days. This can include using an app for these methods.

[For yes/no series, only the following paragraphs should display]

A woman's fertile period is determined by counting the days from the first day of her menstrual cycle. Days 8 through 19 are the fertile period and the

woman either abstains from sexual intercourse or uses another method of birth control during that time.

CycleBeads are used as a visual tool to help keep track of the fertile window.

EA-8 TEMPSAFE:

A woman's fertile period is determined by using a thermometer to check her temperature and by looking at the consistency of her cervical mucus. The woman then abstains from sexual intercourse or uses birth control during her fertile period.

If you have only used this method to get pregnant, select "No."

EA-8b NATCYCA:

This is an app where you enter information about your temperature and menstrual cycles. The app gives you a fertility status each day. The app can be used to prevent or plan a pregnancy. Please enter yes if you have used the app to prevent a pregnancy. If you have only used the app to help you get pregnant please select [no].

EA-9 PATCH:

A patch containing hormones similar to birth control pills that is worn on the upper arm, torso, abdomen, or the buttocks to prevent pregnancy and is changed weekly.

EA-10 RING:

A clear, flexible ring that is inserted into the vagina. Hormones that prevent pregnancy are continuously released into the body.

EA-11 MORNPIII:

One pill or a series of pills containing a high dose of combined oral contraceptives, taken after sexual intercourse has occurred.

EA-13c IMPLANT:

Small matchstick-like rod(s) inserted under the skin of a woman's arm, by a medical provider. Protects against pregnancy for up to five years, or until removed.

EA-13d IUD:

An IUD or intrauterine device is a plastic or copper and plastic device inserted by a medical provider into the uterus to prevent pregnancy.

EA-14 OTHRMETH:

Vaginal contraceptive film: A thin film that is inserted into the vagina before sex. The film dissolves and releases spermicide.

Diaphragm: (with or without jelly or cream) A latex rubber or silicone device inserted into the vagina to cover the cervix to block the entry of sperm into the uterus during sex. Used with spermicidal jelly or cream.

Female condoms: Also called an internal condom, it is a loose-fitting pouch with a ring on each end, inserted into the vagina to block the entry of sperm into the uterus. Used to prevent pregnancy and to protect against sexually transmitted diseases.

Foam: A spermicidal foam inserted in the vagina before sex to prevent pregnancy or to help protect against disease.

Jelly or cream (other than with a diaphragm): A spermicidal gel or cream used in the vagina during sex to prevent pregnancy or to help protect against disease.

Cervical cap: A small latex rubber or silicone device inserted in the vagina and placed over the cervix before sex to block the entry of sperm into the uterus. May be used with or without spermicide.

Suppository or an insert: A tablet, capsule, or solid substance that dissolves in the vagina to produce a spermicidal foam or cream. It is inserted prior to sex to prevent pregnancy.

Today sponge: The brand name of a vaginal contraceptive, this disposable foam sponge is inserted in the vagina before sex and covers the cervix. It is a disposable, soft sponge that contains a spermicide that foams when moistened with water.

Phexxi: This is a prescription vaginal gel used to prevent pregnancy. It comes in pre-filled applicators and is used before each act of sexual intercourse.

Lunelle injectable (monthly shot): A shot or injection of hormones (progestin and estrogen, the same hormones found in oral contraceptives), that is given monthly, to prevent pregnancy. The only difference between Lunelle and Depo-Provera is the time between the shots. Lunelle is given monthly, and Depo-Provera is given every three months.

Other methods: Methods that are used to prevent pregnancy or to protect against sexually transmitted disease, or for any other reason, should be recorded here.