

**TABLE 2. Asthma Indicators by Onset (Child or Adult) among adults with current asthma in Utah: BRFSS 2002.**

Indicator	Total			Child Onset			Adult Onset			P*
	n	%	se	n	%	se	n	%	se	
<b>Medication Status (30 days)</b>	<b>322</b>			<b>132</b>			<b>190</b>			<b>0.12 **</b>
No Medication	107	37.8	3.7	49	43.9	6.2	58	32.3	4.2	<b>&lt;0.01 ***</b>
Any Medication	215	62.2	3.7	83	56.1	6.2	132	67.7	4.2	
Less than once a week	41	10.5	2.1	19	10.9	3.1	22	10.1	2.7	
$\geq 1$ time a week, but not daily	67	19.2	3.0	32	25.3	5.3	35	13.7	2.8	
Once every day	55	18.5	2.6	18	11.3	3.2	37	25.1	3.9	
Two or more times every day	52	14.0	2.4	14	8.6	3.2	38	18.8	3.5	
<b>Attack</b>	<b>320</b>			<b>132</b>			<b>188</b>			<b>0.37 **</b>
Did not have attack	157	51.7	3.7	64	55.2	5.9	93	48.5	4.4	
Had attack	163	48.3	3.7	68	44.8	5.9	95	51.5	4.4	
<b>Emergency Department Visits</b>	<b>322</b>			<b>132</b>			<b>190</b>			<b>0.09 **</b>
No visit	289	92.0	1.9	125	95.3	2.7	164	89.0	2.7	<b>0.03 ***</b>
Any visit	33	8.0	1.9	7	4.7	2.7	26	11.0	2.7	
One visit	21	4.9	1.6	6	4.4	2.7	15	5.4	1.9	
Two or more visits	12	3.1	1.1	1	0.3	0.2	11	5.6	2.0	
<b>Urgent Doctor Visits</b>	<b>321</b>			<b>132</b>			<b>189</b>			<b>0.57 **</b>
No visit	258	80.1	3.1	111	81.9	5.3	147	78.4	3.7	<b>0.39 ***</b>
Any visit	63	19.9	3.1	21	18.1	5.3	42	21.6	3.7	
One visit	35	12.4	2.7	14	13.3	4.8	21	11.7	2.9	
Two or more visits	28	7.5	1.9	7	4.8	2.7	21	9.9	2.7	
<b>Routine Doctor Visits</b>	<b>319</b>			<b>132</b>			<b>187</b>			<b>0.09 **</b>
No visits	159	47.7	3.7	72	54.3	6.2	87	41.7	4.3	<b>0.21 ***</b>
Any visit	160	52.3	3.7	60	45.7	6.2	100	58.3	4.3	
One visit	97	34.6	3.6	38	30.3	5.8	59	38.5	4.2	
Two visits	36	9.5	2.0	11	6.6	2.3	25	12.2	3.0	
Three or more visits	27	8.2	2.1	11	8.8	3.6	16	7.6	2.4	
<b>Activity Limitation</b>	<b>285</b>			<b>118</b>			<b>167</b>			<b>0.10 **</b>
No days	222	82.8	2.8	95	87.4	3.8	127	78.6	3.8	<b>0.06 ***</b>
Any days	63	17.2	2.8	23	12.6	3.8	40	21.4	3.8	
1-10 days	48	13.4	2.5	20	11.7	3.8	28	15.0	3.2	
> 10 days	15	3.8	1.3	3	0.9	0.6	12	6.4	2.3	
<b>Days with Symptoms</b>	<b>317</b>			<b>132</b>			<b>185</b>			<b>0.94 **</b>
No days	75	24.0	3.1	33	23.8	4.8	42	24.2	3.8	<b>0.34 ***</b>
Any days	242	76.0	3.1	99	76.2	4.8	143	75.8	3.8	
< once a week	74	27.4	3.7	34	32.9	6.3	40	22.3	3.9	
once, or more, a week	117	35.0	3.5	46	33.5	5.6	71	36.3	4.2	
every day	51	13.6	2.3	19	9.8	4.0	32	17.2	2.7	
<b>Days with Sleep Disturbance</b>	<b>319</b>			<b>132</b>			<b>187</b>			<b>0.77 **</b>
No days	208	72.1	3.1	89	73.1	4.9	119	71.2	3.9	<b>0.03 ***</b>
Any days	111	27.9	3.1	43	26.9	4.9	68	28.8	3.9	
1-2 days	53	14.9	2.5	26	19.0	4.4	27	11.1	2.5	
3-10 days	45	9.5	1.8	14	7.3	2.4	31	11.5	2.7	
> 10 days	13	3.5	1.2	3	0.6	0.5	10	6.2	2.2	

\* P: Wald chi-square test for the general association between each Indicator and Onset (Child or Adult).

\*\* chi-square for 2 category Indicator.

\*\*\* chi-square for 3 to 5 category Indicator.