



# Percentages of HIV/AIDS Cases and Population among Adolescents 13 to 19 Years of Age, by Race/Ethnicity Diagnosed in 2007—34 States



American Indian/Alaska Native  
 Asian<sup>†</sup>  
 Black/African American

Hispanic/Latino<sup>§</sup>  
 Native Hawaiian/Other Pacific Islander  
 White



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays.



\*Includes 10 persons of unknown race or multiple races.

†Includes Asian and Pacific Islander legacy cases.

§Hispanics/Latinos can be of any race.



# Percentages of HIV/AIDS Cases and Population among Young Adults 20 to 24 Years of Age, by Race/Ethnicity Diagnosed in 2007—34 States



American Indian/Alaska Native  
 Asian<sup>†</sup>  
 Black/African American

Hispanic/Latino<sup>§</sup>  
 Native Hawaiian/Other Pacific Islander  
 White



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays.


\*Includes 41 persons of unknown race or multiple races.

†Includes Asian and Pacific Islander legacy cases.

§Hispanics/Latinos can be of any race.



# Percentages of HIV/AIDS Cases among Adults and Adolescents, by Sex and Age Group Diagnosed in 2007—34 States



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data based on person's age at diagnosis. Data have been adjusted for reporting delays.



# Estimated Numbers of HIV/AIDS Cases among Male Adolescents and Young Adults, by Transmission Category 2004–2007—34 States

Transmission category	13–19 years		20–24 years	
	N	%	N	%
Male-to-male sexual contact	3,171	87	10,226	83
Injection drug use	122	3	558	5
Male-to-male sexual contact and injection drug use	130	4	551	4
High-risk heterosexual contact*	221	6	910	7
Other/not identified <sup>†</sup>	7	<1	19	<1
<b>Total</b>	<b>3,651</b>		<b>12,264</b>	

Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays and missing risk-factor information.

\*Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

<sup>†</sup>Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.



# Estimated Numbers of HIV/AIDS Cases among Female Adolescents and Young Adults, by Transmission Category 2004–2007—34 States

Transmission category	13–19 years		20–24 years	
	N	%	N	%
Injection drug use	219	11	555	13
High-risk heterosexual contact*	1,694	88	3,846	87
Other/not identified†	7	<1	16	<1
<b>Total</b>	<b>1,920</b>		<b>4,417</b>	

Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays and missing risk-factor information.


\*Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

†Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.



# Estimated Numbers of HIV/AIDS Cases among Adolescents 13 to 19 Years of Age, 2007—34 States

N=1,744




Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays. Data based on person's age at diagnosis.



# Estimated Numbers of Adolescents 13 to 19 Years of Age Living with HIV/AIDS, 2007—34 States

N=6,559




Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays. Data based on age as of December 31, 2007.



# Reported AIDS Cases among Adolescents 13 to 19 Years of Age, by Sex, 1985–2007—United States and Dependent Areas

N=7,200




Note. Data based on person's age at diagnosis.



# Reported AIDS Cases among Young Adults 20 to 24 Years of Age, by Sex, 1985–2007—United States and Dependent Areas

N=38,483



Note. Data based on person's age at diagnosis.















