## Data Brief 284: Unmarried Men's Contraceptive Use at Recent Sexual Intercourse: United States, 2011-2015

Data table for Figure 1. Percentage using any and selected contraceptive methods at last sexual intercourse among unmarried men aged 15–44 who had intercourse in the last 3 months: United States, 2002, 2006–2010, and 2011–2015

Year	Any contraceptive method	Any male contraceptive method	Male condom	Withdrawal	Vasectomy
	Percent (standard error)				
2002	80.2 (1.35)	52.2 (1.57)	44.5 (1.49)	9.8 (0.84)	1.0 (0.24)
2006–2010	83.7 (1.03)	57.8 (1.31)	45.8 (1.25)	14.5 (0.95)	1.7 (0.43)
2011–2015	81.7 (1.10)	59.3 (1.39)	45.2 (1.35)	18.8 (1.30)	1.4 (0.26)

NOTES: Any contraceptive method includes all methods used by men and their female partners. Any male contraceptive method includes male condoms, withdrawal, and vasectomy. Percentages for any male contraceptive method, male condom, withdrawal, and vasectomy reflect use either alone or in combination with another method.

SOURCE: NCHS, National Survey of Family Growth, 2002, 2006–2010, and 2011–2015.

Data Brief 284: Unmarried Men's Contraceptive Use at Recent Sexual Intercourse: United States, 2011–2015

Data table for Figure 2. Percentage using any method of contraception at last sexual intercourse among unmarried men aged 15–44 who had intercourse in the last 3 months, by selected characteristics: United States, 2011–2015

Characteristic	Percent (standard error)
Age group (years)	
15–19	94.9 (1.17)
20–24	84.1 (1.93)
25–34	80.5 (1.60)
35–44	72.4 (2.77)
Marital or cohabiting status	
Cohabiting	70.5 (2.08)
Formerly married, not cohabiting	80.0 (2.62)
Never married, not cohabiting	89.3 (1.10)
Hispanic origin and race	
Hispanic	78.5 (2.26)
Non-Hispanic white, single race	84.5 (1.49)
Non-Hispanic black, single race	79.5 (2.04)

NOTES: Any method of contraception includes all methods used by men and their female partners. See Definitions on Hispanic origin and race for more details on single and multiple-race coding.

SOURCE: NCHS, National Survey of Family Growth, 2011–2015.

## Data Brief 284: Unmarried Men's Contraceptive Use at Recent Sexual Intercourse: United States, 2011–2015

Data table for Figure 3. Percentage using any male method of contraception at last sexual intercourse among unmarried men aged 15–44 who had intercourse in the last 3 months, by selected characteristics: United States, 2011–2015

Characteristic	Percent (standard error)
Age group (years)	
15–19	86.6 (1.87)
20–24	69.9 (2.29)
25–34	52.2 (2.10)
35–44	41.1 (2.76)
Marital or cohabiting status	
Cohabiting	35.9 (2.12)
Formerly married, not cohabiting	55.3 (3.26)
Never married, not cohabiting	75.1 (1.47)
Hispanic origin and race	
Hispanic	54.8 (2.87)
Non-Hispanic white, single race	59.6 (1.82)
Non-Hispanic black, single race	65.0 (2.49)

NOTES: Any male method of contraception includes male condoms, withdrawal, and vasectomy. Percentages reflect use either alone or in combination with another method. See Definitions on Hispanic origin and race for more details on single and multiple-race coding.

SOURCE: NCHS, National Survey of Family Growth, 2011-2015.

Data Brief 284: Unmarried Men's Contraceptive Use at Recent Sexual Intercourse: United States, 2011–2015

Data table for Figure 4. Percentage using a male condom at last sexual intercourse among unmarried men aged 15–44 who had intercourse in the last 3 months, by selected characteristics: United States, 2011–2015

Characteristic	Percent (standard error)
Age group (years)	
15–19	75.5 (2.15)
20–24	56.1 (2.35)
25–34	37.6 (2.21)
35–44	25.8 (2.28)
Marital or cohabiting status	
Cohabiting	23.5 (1.95)
Formerly married, not cohabiting	35.2 (2.62)
Never married, not cohabiting	60.8 (1.54)
Hispanic origin and race	
Hispanic	42.1 (2.64)
Non-Hispanic white, single race	44.2 (1.77)
Non-Hispanic black, single race	54.3 (2.47)

NOTES: Percentages reflect use either alone or in combination with another method. See Definitions on Hispanic origin and race for more details on single and multiple-race coding.

SOURCE: NCHS, National Survey of Family Growth, 2011–2015.

Data Brief 284: Unmarried Men's Contraceptive Use at Recent Sexual Intercourse: United States, 2011–2015

Data table for Figure 5. Percentage using withdrawal at last sexual intercourse among unmarried men aged 15–44 who had intercourse in the last 3 months, by selected characteristics: United States, 2011–2015

Characteristic	Percent (standard error)
Age group (years)	
15–19	26.2 (2.55)
20–24	21.6 (2.17)
25–34	18.0 (1.73)
35–44	12.2 (1.88)
Marital or cohabiting status	
Cohabiting	13.0 (1.64)
Formerly married, not cohabiting	16.3 (2.37)
Never married, not cohabiting	23.0 (1.65)
Hispanic origin and race	
Hispanic	17.5 (1.98)
Non-Hispanic white, single race	19.2 (1.63)
Non-Hispanic black, single race	18.9 (2.44)

NOTES: Percentages reflect use either alone or in combination with another method. See Definitions on Hispanic origin and race for more details on single and multiple-race coding.

SOURCE: NCHS, National Survey of Family Growth, 2011–2015.