

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Abscess ... 682.9  
  genital organ or tract NEC  
    female 616.9  
      puerperal, postpartum, childbirth **670.8**  
    peritoneum, peritoneal (perforated) (ruptured) 567.22  
      puerperal, postpartum, childbirth **670.8**  
Abstinence symptoms or syndrome  
  **neonatal 779.5**  
Acataphasia **784.59**  
Admission (encounter)  
  for  
    adjustment (of)  
      device, unspecified type V53.90  
        abdominal **V53.59**  
        **gastrointestinal NEC V53.59**  
        **intestinal V53.50**  
        **gastric lap band V53.51**  
        **gastrointestinal appliance and device NEC V53.59**  
        intestinal appliance **and or** device **NEC V53.50**  
    aftercare (see also Aftercare) V58.9  
      chemotherapy **(oral) (intravenous)** V58.11  
  antineoplastic  
    chemotherapy **(oral) (intravenous)** V58.11  
  chemotherapy, **(oral) (intravenous)**, antineoplastic V58.11  
  counseling (see also Counseling) V65.40  
    **fertility preservation (prior to cancer therapy) (prior to surgical removal of gonads) V26.42**  
  for  
    pediatric ~~pre-birth visit for expectant mother V65.11~~  
      **pre-adoption visit for adoptive parent(s) V65.11**  
      **pre-birth visit for expectant parent(s) V65.11**  
  examination (see also Examination) V70.9  
    **antibody response V72.61**  
    health supervision ~~(child) (infant) V20.2~~  
      **child (over 28 days old) V20.2**  
      **infant (over 28 days old) V20.2**  
      **newborn**  
        **8 to 28 days old V20.32**  
        **under 8 days old V20.31**  
    infant, ~~routine V20.2~~  
      **8 to 28 days old V20.32**  
      **over 28 days old, routine V20.2**  
      **under 8 days old V20.31**  
    laboratory **V72.60**  
      **ordered as part of a routine general medical examination V72.62**  
      **pre-operative V72.63**  
      **pre-procedural V72.63**  
      **specified NEC V72.69**  
      **prior to chemotherapy V72.83**  
    **fertility preservation (prior to cancer therapy) (prior to surgical removal of gonads) V26.82**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Admission (encounter) (cont)  
for (cont)  
fitting (of)  
device, unspecified type V53.90  
abdominal **V53.59**  
**gastrointestinal NEC V53.59**  
**intestinal V53.50**  
**gastric lap band V53.51**  
**gastrointestinal appliance and device NEC V53.59**  
intestinal appliance ~~and or~~ device ~~NEC V53.50~~  
**immunizations (childhood) appropriate for age V20.2**  
rehabilitation V57.9  
speech ~~(-language)~~ V57.3  
**routine infant and child vision and hearing testing V20.2**  
speech ~~(-language)~~ therapy V57.3  
therapy  
speech ~~(-language)~~ V57.3

Aftercare V58.9  
chemotherapy **(oral) (intravenous)** session (adjunctive) (maintenance) V58.11  
rehabilitation procedure V57.9  
speech ~~(-language)~~ V57.3  
speech ~~(-language)~~ therapy V57.3

Agranulocytosis ~~(angina)~~ **(see also Neutropenia)** 288.09  
**due to infection 288.04**

Allergy, allergic (reaction) 995.3  
history (of) V15.09  
to  
arachnid bite V15.06

**ALPS (autoimmune lymphoproliferative syndrome) 279.41**  
**ALTE (apparent life threatening event) in newborn and infant 799.82**

Anarthria **784.51**

Anemia 285.9  
**antineoplastic chemotherapy induced 285.3**  
due to  
**antineoplastic chemotherapy 285.3**  
**chemotherapy, antineoplastic 285.3**  
drug - see Anemia, by type (see also Table of Drugs and Chemicals)  
**chemotherapy, antineoplastic 285.3**  
in **(due to) (with)**  
refractory (primary) 238.72  
with  
excess  
blasts-1 (RAEB-1) **238.72**

Aneurysm (anastomotic) (artery) (cirroid) (diffuse) (false) (fusiform) (multiple) (ruptured)  
(saccular) (varicose) 442.9  
jugular vein **453.89**

Angina (attack) (cardiac) (chest) (effort) (heart) (pectoris) (syndrome) (vasomotor) 413.9  
**equivalent 413.9**

Anomaly, anomalous (congenital) (unspecified type) 759.9  
breast **757.6**

Anticoagulant, **intrinsic**, circulating, **causing hemorrhagic disorder** (see also Circulating  
anticoagulants) 286.5

Apathetic ~~thyroid storm~~ **(see also Thyrotoxicosis) 242.9 799.25**  
**thyroid storm (see also Thyrotoxicosis) 242.9**  
**Apathy 799.25**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Arthritis, arthritic (acute) (chronic) (subacute) 716.9  
due to or associated with  
gout 274.00  
gouty (~~acute~~) 274.00  
acute 274.01  
urica, uratic 274.00  
Arthrolithiasis 274.00  
Arthropathy (see also Arthritis) 716.9  
gouty 274.00  
acute 274.01  
chronic (without mention of tophus (tophi)) 274.02  
with tophus (tophi) 274.03  
uric acid 274.00  
Autoimmune  
disease NEC 279.49  
lymphoproliferative syndrome (ALPS) 279.41  
Automatism 348.89  
Bird  
flu 488.0  
Blood  
dyscrasia 289.9  
~~fetus or newborn~~ NEC 776.9  
newborn NEC 776.9  
**Bradykinesia 781.0**  
Brain - see also condition  
death 348.89  
Breast - see also condition  
dense 793.82  
Calcification  
cerebral (cortex) 348.89  
Carcinoid (tumor) (M8240/1) - see Tumor, carcinoid  
~~and struma ovarii (M9091/1) 236.2~~  
~~argentaffin (M8241/1) - see Neoplasm, by site uncertain behavior~~  
~~malignant (M8241/3) - see Neoplasm, by site, malignant~~  
~~benign (M9091/0) 220~~  
~~composite (M8244/3) - see Neoplasm, by site, malignant~~  
~~goblet cell (M8243/3) - see Neoplasm, by site, malignant~~  
~~malignant (M8240/3) - see Neoplasm, by site, malignant~~  
~~nonargentaffin (M8242/1) - see also Neoplasm, by site, uncertain behavior~~  
~~malignant (M8242/3) - see Neoplasm, by site, malignant~~  
~~strumal (M9091/1) 236.2~~  
~~syndrome (intestinal) (metastatic) 259.2~~  
~~type bronchial adenoma (M8240/3) - see Neoplasm, lung, malignant~~  
Carcinoma (M8010/3) - see also Neoplasm, by site, malignant  
**Merkel cell 209.36**  
buttock 209.36  
ear 209.31  
eyelid, including canthus 209.31  
face 209.31  
genitals 209.36  
lip 209.31  
lower limb 209.34  
neck 209.32  
nodal presentation 209.75  
scalp 209.32  
secondary (any site) 209.75

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

- Carcinoma (cont)
  - Merkel cell (cont)
    - specified site NEC 209.36**
    - trunk 209.35**
    - unknown primary site 209.75**
    - upper limb 209.33**
    - visceral metastatic presentation 209.75**
- Cellulitis (diffuse) (with lymphangitis) (see also Abscess) 682.9
  - pelvis, pelvic
    - puerperal, postpartum, childbirth **670.8**
- Checkup
  - infant (**over 28 days old**) (not sick) V20.2
  - newborn, routine
    - ~~initial V20.2~~
    - ~~subsequent V20.2~~
    - 8 to 28 days old V20.32**
    - over 28 days old, routine V20.2**
    - under 8 days old V20.31**
    - weight V20.32**
- Chemotherapy
  - encounter (for) (**oral**) (**intravenous**) V58.11
  - maintenance (**oral**) (**intravenous**) V58.11
- Child
  - behavior causing concern V61.20
    - adopted child V61.24**
    - biological child V61.23**
    - foster child V61.25**
- Childbed fever **670.8**
- Cicatrix (adherent) (contracted) (painful) (vicious) 709.2
  - brain **348.89**
- Circulating, **intrinsic** anticoagulants **causing hemorrhagic disorder** 286.5
- Claudication, intermittent 443.9
  - venous (axillary) **453.89**
- Claudicatio venosa intermittens **453.89**
- Colic (recurrent) **789.7**
  - abdomen **789.7**
  - in
    - adult 789.0**
    - child over 12 months old 789.0**
    - infant 789.7**
  - infantile **789.7**
  - intestinal **789.7**
  - spasmodic **789.7**
- Colitis (acute) (catarrhal) (croupous) (cystica superficialis) (exudative) (hemorrhagic) (noninfectious) (phlegmonous) (presumed noninfectious) 558.9
  - eosinophilic **558.42**
- Complications
  - intestinal pouch, specified NEC 569.79**
  - mechanical
    - device NEC 996.59
    - prosthetic NEC 996.59
      - joint (~~see also Complications, prosthetic joint~~) 996.47
      - failure **996.47**
  - transfusion (blood) (lymphocytes) (plasma) NEC 999.89
    - incompatibility reaction (~~ABO~~) (~~blood group~~) **999.6**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Complications (cont)  
transfusion ... (cont)  
incompatibility reaction ... (cont)  
**ABO 999.6**  
**minor blood group 999.89**

Conflict  
parent (guardian)-child V61.20  
**adopted child V61.24**  
**biological child V61.23**  
**foster child V61.25**

Conjunctivitis (exposure) (infectious) (nondiphtheritic) (pneumococcal) (pustular) (staphylococcal) (streptococcal) NEC 372.30  
acute 372.00  
**chemical 372.06**  
**toxic 372.06**  
chemical 372.06  
**toxic 372.06**

Contact  
with  
**asbestos V15.84**  
**lead V15.86**  
**potentially hazardous body fluids V15.85**

Counseling NEC V65.40  
expectant ~~parent(s)~~ ~~pediatric pre-birth visit V65.11~~  
**pediatric pre-adoption visit V65.11**  
**pediatric pre-birth visit V65.11**  
parent (guardian)-child conflict V61.20  
**adopted child V61.24**  
**biological child V61.23**  
**foster child V61.25**  
~~pediatric pre-birth visit for expectant mother V65.11~~  
**pre-adoption visit for adoptive parent(s) V65.11**  
**pre-birth visit for expectant parents V65.11**

Cramp(s) 729.82  
colic 789.7  
**infantile 789.7**

Cryptosporidiosis 007.4  
**hepatobiliary 136.8**  
**respiratory 136.8**

Crystallopathy  
gouty 274.00  
uric acid 274.00

Damage  
brain 348.9  
anoxic, hypoxic 348.1  
ischemic, in newborn 768.70  
**mild 768.71**  
**moderate 768.72**  
**severe 768.73**

**Dark area on retina 239.81**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Death  
  brain **348.89**

Deciduitis (acute)  
  puerperal, postpartum **670.1**

Decubitus (ulcer) (see also Ulcer, pressure) 707.00  
  **coccyx 707.03**

Defect, defective 759.9  
  speech NEC **784.59**  
    **late effect of cerebrovascular disease - see Late effect(s) (of) cerebrovascular disease, speech and language deficit**  
    secondary to organic lesion **784.59**  
    voice **and resonance** 784.40

Deficiency, deficient  
  interferon **279.49**

Deformity 738.9  
  brain (congenital) 742.9  
    acquired **348.89**  
  breast (acquired) 611.89  
    congenital **757.6**  
  cerebral (congenital) 742.9  
    acquired **348.89**  
  nipple (congenital) **757.6**

Delivery  
  complicated (by) NEC 669.9  
    Siamese twins 678.1  
      ~~causing obstructed labor 660.4~~

**Demoralization 799.25**

**Deployment (military)**  
  **personal history of V62.22**  
  **returned from V62.22**  
  **status V62.21**

Depression 311  
  medullary **348.89**  
  respiratory center **348.89**

Dermatitis (allergic) (contact) (occupational) (venenata) 692.9  
  **autoimmune progesterone 279.49**

Diabetes, diabetic (brittle) (congenital) (familial) (mellitus) (~~poorly controlled~~) (severe) (slight) (without complication) 250.0  
  nephropathy 250.4 [583.81]  
    due to secondary diabetes 249.4 [**583.81**]  
  neuropathy 250.6 [357.2]  
    **autonomic (peripheral) 250.6 [337.1]**  
      **due to secondary diabetes 249.6 [337.1]**  
  secondary (chemical-induced) (due to chronic condition) (due to infection) (drug-induced) 249.0  
    nephropathy 249.4 [**583.81**]  
    neuropathy 249.6 [357.2]  
      **autonomic (peripheral) 249.6 [337.1]**

Difficulty  
  feeding 783.3  
    newborn **779.31**

Disease, diseased - see also Syndrome  
  autoimmune NEC **279.49**  
  **Erdheim-Chester (ECD) 277.89**  
  medullary center (idiopathic) (respiratory) **348.89**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

- Disease, diseased (cont)  
  pelvis, pelvic  
    inflammatory (female) (PID) 614.9  
      puerperal, postpartum, childbirth **670.8**  
  Unverricht (-Lundborg) **345.1**  
  vascular 459.9  
    peripheral (occlusive) 443.9  
      in (**due to**) (**with**) diabetes mellitus 250.7 [443.81]  
      **in (due to) (with)** secondary diabetes 249.7 [443.81]
- Dislocation (articulation) (closed) (displacement) (simple) (subluxation) 839.8  
  femur  
    distal end (closed) 836.50  
      lateral **836.54**  
      open **836.64**  
      medial **836.53**  
      open **836.63**
- Disorder - see also Disease  
  autoimmune NEC **279.49**  
  speech NEC **784.59**
- Disruption  
  family V61.09  
  due to  
    **death of family member V61.07**  
    **extended absence of family member NEC V61.08**
- Disturbance - see also Disease  
  feeding (elderly) (infant) 783.3  
    newborn **779.31**  
  nervous functional **799.21**  
  speech NEC **784.59**  
    secondary to organic lesion **784.59**  
  voice **and resonance** 784.40
- Drop  
  **hemoglobin 790.01**
- Dysarthria **784.51**  
  **due to late effect of cerebrovascular disease (see also Late effect(s) (of) cerebrovascular disease) 438.13**
- Dyscrasia  
  blood 289.9  
    **~~fetus or newborn NEC 776.9~~**
- Dyslalia **784.59**  
Dysphasia **784.59**  
Dysphonia **784.42**  
**ECD (Erdheim-Chester disease) 277.89**  
Economic circumstance affecting care V60.9  
  specified type NEC **V60.89**  
**EIN (endometrial intraepithelial neoplasia) 621.35**  
Elevated - see Elevation  
  **findings on laboratory examination - see Findings, abnormal, without diagnosis (examination) (laboratory test)**  
  **GFR (glomerular filtration rate) - see Findings, abnormal, without diagnosis (examination) (laboratory test)**
- Elevation  
  **GFR (glomerular filtration rate) - see Findings, abnormal, without diagnosis (examination) (laboratory test)**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Embolism 444.9  
femoral (artery) 444.22  
vein **453.6**  
pulmonary (**acute**) (artery) (vein) 415.19  
**chronic 416.2**  
**healed or old V12.51**  
**personal history of V12.51**  
vein 453.9  
**antecubital**  
acute 453.81  
chronic 453.71  
**axillary**  
acute 453.84  
chronic 453.74  
**basilic**  
acute 453.81  
chronic 453.71  
**brachial**  
acute 453.82  
chronic 453.72  
**brachiocephalic (innominate)**  
acute 453.87  
chronic 453.77  
**cephalic**  
acute 453.81  
chronic 453.71  
**internal jugular**  
acute 453.86  
chronic 453.76  
lower extremity (**superficial**) **453.6**  
deep 453.40  
acute 453.40  
**calf 453.42**  
**distal (lower leg) 453.42**  
**femoral 453.41**  
**iliac 453.41**  
**lower leg 453.42**  
**peroneal 453.42**  
**popliteal 453.41**  
**proximal (upper leg) 453.41**  
**thigh 453.41**  
**tibial 453.42**  
chronic 453.50  
calf 453.52  
distal (lower leg) 453.52  
femoral 453.51  
iliac 453.51  
lower leg 453.52  
peroneal 453.52  
popliteal 453.51  
proximal (upper leg) 453.51  
thigh 453.51  
tibial 453.52  
saphenous (greater) (lesser) 453.6  
superficial 453.6



ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

- Embolism 444.9 (cont)
  - vein 453.9 (cont)
    - radial**
      - acute 453.82**
      - chronic 453.72**
    - saphenous (greater) (lesser) 453.6**
    - specified NEC (**acute**) **453.89**
    - chronic 453.79**
  - subclavian**
    - acute 453.85**
    - chronic 453.75**
  - superior vena cava**
    - acute 453.87**
    - chronic 453.77**
  - thoracic**
    - acute 453.87**
    - chronic 453.77**
  - ulnar**
    - acute 453.82**
    - chronic 453.72**
  - upper extremity 453.83**
    - acute 453.83**
      - deep 453.82**
      - superficial 453.81**
    - chronic 453.73**
      - deep 453.72**
      - superficial 453.71**
- vena cava (~~inferior~~) (~~superior~~) ~~453.2~~
  - inferior 453.2**
  - superior**
    - acute 453.87**
    - chronic 453.77**
- Emesis - see also Vomiting
  - bilious 787.04**
- Emotional
  - lability 799.24**
- Encephalopathy (acute) 348.30
  - hypoxic - see also Damage, brain, anoxic
  - ischemic (HIE) **768.70**
    - mild 768.71**
    - moderate 768.72**
    - severe 768.73**
- Encounter for - see also Admission for
  - chemotherapy, (**oral**) (**intravenous**), antineoplastic V58.11
  - immunizations (childhood) appropriate for age V20.2**
  - routine infant and child vision and hearing testing V20.2**
  - school examination V70.3**
    - following surgery V67.09**
- Endometritis (nonspecific) (purulent) (septic) (suppurative) 615.9
  - complicating pregnancy **670.1**
    - septic 670.2**
  - puerperal, postpartum, childbirth **670.1**
    - septic 670.2**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Enteritis ... 558.9  
due to

**calicivirus** 008.65  
**norovirus 008.63**

Enterocolitis - see also Enteritis

necrotizing (acute) (membranous) 557.0  
newborn 777.50

**without pneumatosis, without perforation 777.51**

pseudomembranous 008.45  
**newborn 008.45**

Epilepsy, epileptic (idiopathic) 345.9

Note use the following fifth-digit subclassifications with categories 345.0, 345.1, 345.4-345.9

0	without mention of intractable epilepsy
1	with intractable epilepsy
	<b>pharmaco-resistant (pharmacologically resistant)</b>
	<b>poorly controlled</b>
	<b>refractory (medically)</b>
	<b>treatment resistant</b>

myoclonus, myoclonic 345.1

progressive (familial) **345.1**

progressive myoclonic (familial) **345.1**

**Unverricht** (-Lundborg) (familial myoclonic) **345.1**

Equivalent

**angina 413.9**

**Erdheim-Chester disease (ECD) 277.89**

Erysipelas (gangrenous) (infantile) (newborn) (phlegmonous) (suppurative) 035  
puerperal, postpartum, childbirth **670.8**

**Event, apparent life threatening in newborn and infant (ALTE) 799.82**

Examination (general) (routine) (of) (for) V70.9

infant **V20.2**

**8 to 28 days old V20.32**

**over 28 days old, routine V20.2**

**under 8 days old V20.31**

laboratory **V72.60**

**ordered as part of a routine general medical examination V72.62**

**pre-operative V72.63**

**pre-procedural V72.63**

**specified NEC V72.69**

**prior to chemotherapy V72.83**

Exomphalos **756.72**

Exposure (**suspected**) 994.9

**algae bloom V87.32**

Extravasation

chemotherapy, vesicant **999.81**

vesicant

agent NEC **999.82**

chemotherapy **999.81**

Failure, failed

**conscious sedation, during procedure 995.24**

dental implant 525.79

osseointegration 525.71

~~**following intentional prosthetic loading 525.72**~~

**moderate sedation, during procedure 995.24**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Failure, failed (cont)  
renal (**kidney**) 586  
respiration, respiratory 518.81  
center **348.89**  
**sedation, during procedure**  
**conscious 995.24**  
**moderate 995.24**  
to thrive  
**newborn 779.34**

Feeding  
faulty (elderly) (infant) 783.3  
newborn **779.31**  
improper (elderly) (infant) 783.3  
newborn **779.31**  
problem (elderly) (infant ) 783.3  
newborn **779.31**

Fever 780.60  
childbed **670.8**

Findings, (**abnormal**), without diagnosis (examination) (laboratory test) 796.4  
**cytology specified site NEC 796.9**  
hemoglobin  
**drop 790.01**  
**dense breasts 793.82**  
**inconclusive 793.82**  
**due to dense breasts 793.82**  
**specified NEC 796.9**  
brain **348.89**  
device, unspecified type V53.90  
abdominal **V53.59**  
**gastrointestinal NEC V53.59**  
**intestinal V53.50**  
**gastric lap band V53.51**  
**gastrointestinal appliance and device NEC V53.59**  
intestinal appliance **and or device-NEC V53.50**

Flat  
electroencephalogram (EEG) **348.89**

Flu - see also Influenza  
**bird 488.0**  
**swine 488.1**

**Foster care (status) V60.81**

Fracture ... 829.0  
**buckle - see Fracture, torus**  
**chronic - see Fracture, pathologic**  
radius (alone) (closed) 813.81  
lower end or extremity (distal end) (lower epiphysis) 813.42  
torus 813.45  
**with ulna 813.47**

torus  
**humerus 812.49**  
radius (**alone**) 813.45  
**with ulna 813.47**  
**ulna (alone) 813.46**  
**with radius 813.47**  
ulna (alone) (closed) 813.82  
**torus 813.46**  
**with radius 813.47**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Freckle 709.09  
**retinal 239.81**

Fungus, fungous  
cerebral **348.89**

Gangrene, gangrenous ... 785.4  
gas (bacillus) 040.0  
puerperal, postpartum, childbirth **670.8**

Gas 787.3  
gangrene 040.0  
puerperal, postpartum, childbirth **670.8**

Gastroschisis (congenital) **756.73**

Glaucoma (capsular) (inflammatory) (noninflammatory) (primary) 365.9  
in or with  
**inflammation, ocular 365.62**

Gout, gouty 274.9  
with ~~specified manifestations NEC 274.89~~  
**specified manifestations NEC 274.89**  
**tophi (tophus) 274.03**  
**acute 274.01**  
arthritis (~~acute~~) **274.00**  
**acute 274.01**  
arthropathy **274.00**  
**acute 274.01**  
**chronic (without mention of tophus (tophi)) 274.02**  
**with tophus (tophi) 274.03**  
**attack 274.01**  
**chronic 274.02**  
**tophaceous 274.03**  
**flare 274.01**  
joint **274.00**  
spondylitis **274.00**  
synovitis **274.00**  
tophi **274.03**

Graft-versus-host disease 279.50  
~~bone marrow 996.85~~

Granuloma NEC 686.1  
cerebral **348.89**

Hardening  
brain **348.89**

Health  
services provided because (of)  
specified cause NEC **V60.89**

Hemorrhage, hemorrhagic (nontraumatic) 459.0  
fetus, fetal,  ***affecting newborn*** 772.0

HIE (hypoxic-ischemic encephalopathy) **768.70**  
**mild 768.71**  
**moderate 768.72**  
**severe 768.73**

Histiocytosis (acute) (chronic) (subacute) 277.89  
**non-Langerhans cell 277.89**  
**polyostotic sclerosing 277.89**

History (personal) of  
allergy to  
**arachnid bite V15.06**  
**estrogen therapy V87.43**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

History (personal) of (cont)

**failed**

**conscious sedation V15.80**

**moderate sedation V15.80**

family

~~**monoclonal drug therapy V87.42**~~

**immunosuppression therapy V87.46**

injury NEC V15.59

**traumatic brain V15.52**

**malignant carcinoid tumor V10.91**

**malignant neuroendocrine tumor V10.91**

malignant neoplasm (of) V10.90

**Merkel cell carcinoma V10.91**

**steroid therapy V87.45**

**inhaled V87.44**

**systemic V87.45**

therapy

**estrogen V87.43**

**immunosuppression V87.46**

**steroid V87.45**

**inhaled V87.44**

**systemic V87.45**

Hoarseness 784.42

Household circumstance affecting care V60.9

specified type NEC V60.89

Housing circumstance affecting care V60.9

specified type NEC V60.89

Hyperlipidemia 272.4

combined 272.2

Hypernasality 784.43

Hyperplasia, hyperplastic

breast (see also Hypertrophy, breast) 611.1

**ductal 610.8**

**atypical 610.8**

endometrium, endometrial ... 621.30

**benign 621.34**

Hypertension Table

	Malignant	Benign	Unspecified
Hypertension, hypertensive .....	401.0	401.1	401.9
with			
renal ( <u>kidney</u> ) involvement (only conditions classifiable to 585, <del>586, 587</del> ) (excludes conditions classifiable to 584) (see also Hypertension, kidney) .....	403.00	403.10	403.90

Hypertrophy, hypertrophic

brain 348.89

Hyponasality 784.44

Hypoxic-ischemic encephalopathy (HIE) 768.70

**mild 768.71**

**moderate 768.72**

**severe 768.73**

**IBM (inclusion body myositis) 359.71**

Impediment, speech NEC 784.59

secondary to organic lesion 784.59

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Impulsive ~~neurosis 300.3~~ 799.23  
**neurosis 300.3**  
**Impulsiveness 799.23**  
Inadequate, inadequacy  
nervous system 799.29  
Incarceration, incarcerated  
omphalocele 756.72  
Incompatibility  
blood (group) (Duffy) (E) (K(ell)) (Kidd) (Lewis) (M) (N) (P) (S) NEC  
infusion or transfusion reaction 999.89  
Incompetency, incompetence, incompetent  
chronotropic 426.89  
with  
left ventricular dysfunction 429.89  
**Inconclusive**  
**image test due to excess body fat 793.91**  
**mammogram, mammography 793.82**  
**due to dense breasts 793.82**  
Induration, indurated  
brain 348.89  
Infection, infected, infective (opportunistic) 136.9  
genital organ or tract NEC  
female 614.9  
puerperal, postpartum, childbirth 670.8  
Helicobacter pylori [*H. pylori*] 041.86  
major  
puerperal, postpartum, childbirth 670.0  
puerperal, postpartum (major) 670.0  
Infiltrate, infiltration  
chemotherapy, vesicant 999.81  
vesicant  
agent NEC 999.82  
chemotherapy 999.81  
Inflammation, inflamed, inflammatory (with exudation)  
**pouch, internal ileoanal 569.71**  
Influenza, influenzal 487.1  
**A/H5N1 488.0**  
**avian 488.0**  
due to identified ~~avian influenza virus 488~~  
**avian influenza virus 488.0**  
**novel H1N1 influenza virus 488.1**  
**novel (2009) H1N1 488.1**  
**novel A/H1N1 488.1**  
**specified NEC 487.1**  
Injury 959.9  
brain (*traumatic*) NEC (see also Injury, intracranial) 854.0  
**due to fracture of skull - see Fracture, skull, by site**  
intracranial (*traumatic*) 854.0  
Intoxication  
septic  
puerperal, postpartum, childbirth 670.2  
Irritability (~~nervous~~) 799.22  
**nervousness 799.21**  
Irritable (**see also Irritability**) 799.22  
Irritation  
nervous 799.21

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

**Lability, emotional 799.24**

Lack of

food 994.2

in environment **V60.89**

memory (see also Amnesia) 780.93

mild, following organic brain damage **310.8**

Late - see also condition

effect(s) (of) - see also condition

cerebrovascular disease (conditions classifiable to 430-437) 438.9

with

**dysarthria 438.13**

**fluency disorder 438.14**

**stuttering 438.14**

Lead - see also condition

exposure (**suspected**) to V15.86

Lesion(s)

brain **348.89**

**Morel Lavallée - see Hematoma, by site**

motor cortex **348.89**

Leukemia, leukemic (congenital) (M9800/3) 208.9

lymphocytic (M9820/3) 204.9

**granular**

**large T-cell 204.8**

**Leukoaraiosis (hypertensive) 437.1**

**Leukoaraiosis - see Leukoaraiosis**

Leukoencephalopathy (see also Encephalitis) 323.9

**Binswanger's 290.12**

Long-term (current) drug use V58.69

tamoxifen **V07.51**

Loss

memory (see also Amnesia) 780.93

mild, following organic brain damage **310.8**

Lymphangitis 457.2

puerperal, postpartum, childbirth **670.8**

Lymphoma (malignant) (M9590/3) 202.8

follicular (giant) (M9690/3) 202.0

**large cell 202.0**

large cell (M9640/3) 200.7

nodular (M9642/3) **202.0**

Memory disturbance, loss or lack (see also Amnesia) 780.93

mild, following organic brain damage **310.8**

Merkel cell tumor - see **Neoplasm, by site, malignant-Carcinoma, Merkel cell**

Metastasis, metastatic

**mesentery, of neuroendocrine tumor 209.71**

Metritis (catarrhal) (septic) (suppurative) (see also Endometritis) 615.9

puerperal, postpartum, childbirth **670.1**

**septic 670.2**

Myoclonia (essential) 333.2

epileptica **345.1**

Myoclonic

epilepsy, familial (progressive) **345.1**

Myoclonus (familial essential) (multifocal) (simplex) 333.2

**palatal 333.2**

pharyngeal **333.2**

**Myocytolysis 429.1**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Myopathy 359.9  
  inflammatory **359.79**  
    **immune NEC 359.79**  
    **specified NEC 359.79**  
Myositis 729.1  
  **inclusion body (IBM) 359.71**  
Myotonia (acquisita) (intermittens) 728.85  
  levior **359.22**  
Neonatal - see also condition  
  **abstinence syndrome 779.5**  
Neoplasia  
  **endometrial intraepithelial [EIN] 621.35**



ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Neoplasm Table

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncert. Behav.	Unspec.
Neoplasm, neoplastic.....	199.1	199.1	234.9	229.9	238.9	239.9
abdomen, abdominal.....	195.2	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
cavity.....	195.2	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
organ.....	195.2	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
viscera.....	195.2	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
abdominopelvic.....	195.8	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
ankle NEC*.....	195.5	198.89	232.7	229.8	238.8	<b><u>239.89</u></b>
antecubital fossa or space*.....	195.4	198.89	232.6	229.8	238.8	<b><u>239.89</u></b>
arm NEC*.....	195.4	198.89	232.6	229.8	238.8	<b><u>239.89</u></b>
atrium, cardiac.....	164.1	198.89	-	212.7	238.8	<b><u>239.89</u></b>
axilla, axillary.....	195.1	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
back NEC*.....	195.8	198.89	232.5	229.8	238.8	<b><u>239.89</u></b>
buttock NEC*.....	195.3	198.89	232.5	229.8	238.8	<b><u>239.89</u></b>
calf*.....	195.5	198.89	232.7	229.8	238.8	<b><u>239.89</u></b>
cervical region.....	195.0	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
cheek.....	195.0	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
chest (wall) NEC.....	195.1	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
choroid.....	190.6	198.4	234.0	224.6	238.8	<b><u>239.81</u></b>
ciliary body.....	190.0	198.4	234.0	224.0	238.8	<b><u>239.89</u></b>
conjunctiva.....	190.3	198.4	234.0	224.3	238.8	<b><u>239.89</u></b>
connective tissue NEC.....	171.9	198.89	-	215.9	238.1	239.2
orbit.....	190.1	198.4	234.0	224.1	238.8	<b><u>239.89</u></b>
cornea (limbus).....	190.4	198.4	234.0	224.4	238.8	<b><u>239.89</u></b>
crystalline lens.....	190.0	198.4	234.0	224.0	238.8	<b><u>239.89</u></b>
ear (external).....	173.2	198.2	232.2	216.2	238.2	239.2
inner.....	160.1	197.3	231.8	212.0	235.9	<b><u>239.89</u></b>
middle.....	160.1	197.3	231.8	212.0	235.9	<b><u>239.89</u></b>
elbow NEC*.....	195.4	198.89	232.6	229.8	238.8	<b><u>239.89</u></b>
endocardium.....	164.1	198.89	-	212.7	238.8	<b><u>239.89</u></b>
epicardium.....	164.1	198.89	-	212.7	238.8	<b><u>239.89</u></b>
extraocular muscle.....	190.1	198.4	234.0	224.1	238.8	<b><u>239.89</u></b>
extrarectal.....	195.3	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
extremity*.....	195.8	198.89	232.8	229.8	238.8	<b><u>239.89</u></b>
lower*.....	195.5	198.89	232.7	229.8	238.8	<b><u>239.89</u></b>
upper*.....	195.4	198.89	232.6	229.8	238.8	<b><u>239.89</u></b>
eye NEC.....	190.9	198.4	234.0	224.9	238.8	<b><u>239.89</u></b>
specified sites NEC.....	190.8	198.4	234.0	224.8	238.8	<b><u>239.89</u></b>
eyeball.....	190.0	198.4	234.0	224.0	238.8	<b><u>239.89</u></b>
face NEC*.....	195.0	198.89	232.3	229.8	238.8	<b><u>239.89</u></b>
finger NEC*.....	195.4	198.89	232.6	229.8	238.8	<b><u>239.89</u></b>
flank NEC*.....	195.8	198.89	232.5	229.8	238.8	<b><u>239.89</u></b>
foot NEC*.....	195.5	198.89	232.7	229.8	238.8	<b><u>239.89</u></b>
forearm NEC*.....	195.4	198.89	232.6	229.8	238.8	<b><u>239.89</u></b>
fossa (of)						
ischiorectal.....	195.3	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
gluteal region*.....	195.3	198.89	232.5	229.8	238.8	<b><u>239.89</u></b>
groin NEC.....	195.3	198.89	232.5	229.8	238.8	<b><u>239.89</u></b>
hand NEC*.....	195.4	198.89	232.6	229.8	238.8	<b><u>239.89</u></b>
head NEC*.....	195.0	198.89	232.4	229.8	238.8	<b><u>239.89</u></b>

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncert. Behav.	Unspec.
<b>Neoplasm (cont)</b>						
heart .....	164.1	198.89	-	212.7	238.8	<b><u>239.89</u></b>
heel NEC* .....	195.5	198.89	232.7	229.8	238.8	<b><u>239.89</u></b>
hip NEC* .....	195.5	198.89	232.7	229.8	238.8	<b><u>239.89</u></b>
infraclavicular (region)* .....	195.1	198.89	232.5	229.8	238.8	<b><u>239.89</u></b>
inguinal (region)* .....	195.3	198.89	232.5	229.8	238.8	<b><u>239.89</u></b>
intra-abdominal .....	195.2	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
intraocular .....	190.0	198.4	234.0	224.0	238.8	<b><u>239.89</u></b>
intraorbital .....	190.1	198.4	234.0	224.1	238.8	<b><u>239.89</u></b>
intrathoracic (cavity) (organs NEC) .....	195.1	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
iris .....	190.0	198.4	234.0	224.0	238.8	<b><u>239.89</u></b>
ischiorectal (fossa) .....	195.3	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
jaw .....	195.0	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
knee NEC* .....	195.5	198.89	232.7	229.8	238.8	<b><u>239.89</u></b>
<b>lacrimal</b>						
canaliculi .....	190.7	198.4	234.0	224.7	238.8	<b><u>239.89</u></b>
duct (nasal) .....	190.7	198.4	234.0	224.7	238.8	<b><u>239.89</u></b>
gland .....	190.2	198.4	234.0	224.2	238.8	<b><u>239.89</u></b>
punctum .....	190.7	198.4	234.0	224.7	238.8	<b><u>239.89</u></b>
sac .....	190.7	198.4	234.0	224.7	238.8	<b><u>239.89</u></b>
leg NEC* .....	195.5	198.89	232.7	229.8	238.8	<b><u>239.89</u></b>
lens, crystalline .....	190.0	198.4	234.0	224.0	238.8	<b><u>239.89</u></b>
<b>limb*</b>						
lower* .....	195.5	198.89	232.7	229.8	238.8	<b><u>239.89</u></b>
upper* .....	195.4	198.89	232.6	229.8	238.8	<b><u>239.89</u></b>
limbus of cornea .....	190.4	198.4	234.0	224.4	238.8	<b><u>239.89</u></b>
<b>lymph, lymphatic</b>						
gland (secondary) .....	-	196.9	-	229.0	238.8	<b><u>239.89</u></b>
abdominal .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
aortic .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
arm .....	-	196.3	-	229.0	238.8	<b><u>239.89</u></b>
auricular (anterior) (posterior) .....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
axilla, axillary .....	-	196.3	-	229.0	238.8	<b><u>239.89</u></b>
brachial .....	-	196.3	-	229.0	238.8	<b><u>239.89</u></b>
bronchial .....	-	196.1	-	229.0	238.8	<b><u>239.89</u></b>
bronchopulmonary .....	-	196.1	-	229.0	238.8	<b><u>239.89</u></b>
celiac .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
cervical .....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
cervicofacial .....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
Cloquet .....	-	196.5	-	229.0	238.8	<b><u>239.89</u></b>
colic .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
common duct .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
cubital .....	-	196.3	-	229.0	238.8	<b><u>239.89</u></b>
diaphragmatic .....	-	196.1	-	229.0	238.8	<b><u>239.89</u></b>
epigastric, inferior .....	-	196.6	-	229.0	238.8	<b><u>239.89</u></b>
epitrochlear .....	-	196.3	-	229.0	238.8	<b><u>239.89</u></b>
esophageal .....	-	196.1	-	229.0	238.8	<b><u>239.89</u></b>
face .....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
femoral .....	-	196.5	-	229.0	238.8	<b><u>239.89</u></b>
gastric .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
groin .....	-	196.5	-	229.0	238.8	<b><u>239.89</u></b>
head .....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
hepatic .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
hilar (pulmonary) .....	-	196.1	-	229.0	238.8	<b><u>239.89</u></b>
splenic .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>

Key: Bold – Add; Bold Strikeout – Delete; Bold Underline Italic – Revise

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncert. Behav.	Unspec.
Neoplasm (cont)						
lymph, lymphatic (cont)						
gland (secondary) (cont)						
hypogastric .....	-	196.6	-	229.0	238.8	<b><u>239.89</u></b>
ileocolic .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
iliac .....	-	196.6	-	229.0	238.8	<b><u>239.89</u></b>
infraclavicular .....	-	196.3	-	229.0	238.8	<b><u>239.89</u></b>
inguina, inguinal .....	-	196.5	-	229.0	238.8	<b><u>239.89</u></b>
innominate .....	-	196.1	-	229.0	238.8	<b><u>239.89</u></b>
intercostal .....	-	196.1	-	229.0	238.8	<b><u>239.89</u></b>
intestinal .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
intraabdominal .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
intrapelvic .....	-	196.6	-	229.0	238.8	<b><u>239.89</u></b>
jugular .....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
leg .....	-	196.5	-	229.0	238.8	<b><u>239.89</u></b>
limb						
lower .....	-	196.5	-	229.0	238.8	<b><u>239.89</u></b>
upper .....	-	196.3	-	229.0	238.8	<b><u>239.89</u></b>
lumbar .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
mandibular .....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
mediastinal .....	-	196.1	-	229.0	238.8	<b><u>239.89</u></b>
mesenteric (inferior) (superior) .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
midcolic .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
multiple sites ... ..	-	196.8	-	229.0	238.8	<b><u>239.89</u></b>
neck .....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
obturator .....	-	196.6	-	229.0	238.8	<b><u>239.89</u></b>
occipital .....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
pancreatic .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
para-aortic .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
paracervical .....	-	196.6	-	229.0	238.8	<b><u>239.89</u></b>
parametrial .....	-	196.6	-	229.0	238.8	<b><u>239.89</u></b>
parasternal .....	-	196.1	-	229.0	238.8	<b><u>239.89</u></b>
parotid .....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
pectoral .....	-	196.3	-	229.0	238.8	<b><u>239.89</u></b>
pelvic .....	-	196.6	-	229.0	238.8	<b><u>239.89</u></b>
peri-aortic .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
peripancreatic .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
popliteal .....	-	196.5	-	229.0	238.8	<b><u>239.89</u></b>
porta hepatis .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
portal .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
preauricular .....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
prelaryngeal .....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
presymphysial .....	-	196.6	-	229.0	238.8	<b><u>239.89</u></b>
pretracheal .....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
pulmonary (hilar) .....	-	196.1	-	229.0	238.8	<b><u>239.89</u></b>
pyloric .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
retroperitoneal .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
retropharyngeal .....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
Rosenmüller's .....	-	196.5	-	229.0	238.8	<b><u>239.89</u></b>
sacral .....	-	196.6	-	229.0	238.8	<b><u>239.89</u></b>
scalene .....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
site NEC .....	-	196.9	-	229.0	238.8	<b><u>239.89</u></b>
splenic (hilar) .....	-	196.2	-	229.0	238.8	<b><u>239.89</u></b>
subclavicular .....	-	196.3	-	229.0	238.8	<b><u>239.89</u></b>
subinguinal .....	-	196.5	-	229.0	238.8	<b><u>239.89</u></b>

Key: Bold – Add; Bold Strikeout – Delete; Bold Underline Italic – Revise

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncert. Behav.	Unspec.
Neoplasm (cont)						
lymph, lymphatic (cont)						
gland (secondary) (cont)						
sublingual.....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
submandibular.....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
submaxillary.....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
submental.....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
subscapular.....	-	196.3	-	229.0	238.8	<b><u>239.89</u></b>
supraclavicular.....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
thoracic.....	-	196.1	-	229.0	238.8	<b><u>239.89</u></b>
tibial.....	-	196.5	-	229.0	238.8	<b><u>239.89</u></b>
tracheal.....	-	196.1	-	229.0	238.8	<b><u>239.89</u></b>
tracheobronchial.....	-	196.1	-	229.0	238.8	<b><u>239.89</u></b>
upper limb.....	-	196.3	-	229.0	238.8	<b><u>239.89</u></b>
Virchow's.....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
mediastinum, mediastinal.....	164.9	197.1	-	212.5	235.8	<b><u>239.89</u></b>
anterior.....	164.2	197.1	-	212.5	235.8	<b><u>239.89</u></b>
posterior.....	164.3	197.1	-	212.5	235.8	<b><u>239.89</u></b>
muscle-see also Neoplasm,.....	190.1	198.4	234.0	224.1	238.8	<b><u>239.89</u></b>
myocardium.....	164.1	198.89	-	212.7	238.8	<b><u>239.89</u></b>
myopericardium.....	164.1	198.89	-	212.7	238.8	<b><u>239.89</u></b>
nasolacrimal duct.....	190.7	198.4	234.0	224.7	238.8	<b><u>239.89</u></b>
neck NEC*.....	195.0	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
nose, nasal.....	195.0	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
orbit.....	190.1	198.4	234.0	224.1	238.8	<b><u>239.89</u></b>
eye.....	190.1	198.4	234.0	224.1	238.8	<b><u>239.89</u></b>
soft parts.....	190.1	198.4	234.0	224.1	238.8	<b><u>239.89</u></b>
pararectal.....	195.3	198.89	-	229.8	238.8	<b><u>239.89</u></b>
parasagittal (region).....	195.0	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
paraurethral.....	195.3	198.89	-	229.8	238.8	<b><u>239.89</u></b>
paravaginal.....	195.3	198.89	-	229.8	238.8	<b><u>239.89</u></b>
pelvis, pelvic.....	195.3	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
floor.....	195.3	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
viscera.....	195.3	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
wall.....	195.3	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
pelvo-abdominal.....	195.8	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
pericardium.....	164.1	198.89	-	212.7	238.9	<b><u>239.89</u></b>
perineum.....	195.3	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
perirectal (tissue).....	195.3	198.89	-	229.8	238.8	<b><u>239.89</u></b>
peritonsillar (tissue).....	195.0	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
periurethral tissue.....	195.3	198.89	-	229.8	238.8	<b><u>239.89</u></b>
popliteal fossa or space*.....	195.5	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
presacral (region).....	195.3	198.89	-	229.8	238.8	<b><u>239.89</u></b>
rectovaginal septum or wall.....	195.3	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
rectovesical septum.....	195.3	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
retina.....	190.5	198.4	234.0	224.5	238.8	<b><u>239.81</u></b>
retrobulbar.....	190.1	198.4	-	224.1	238.8	<b><u>239.89</u></b>
retro-orbital.....	195.0	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
retrovesical (septum).....	195.3	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
sacroccocyx, sacroccocygeal.....	170.6	198.5	-	213.6	238.0	239.2
region.....	195.3	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
scapular region.....	195.1	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
sclera.....	190.0	198.4	234.0	224.0	238.8	<b><u>239.89</u></b>
septum.....						
rectovaginal.....	195.3	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>

Key: Bold – Add; Bold Strikeout – Delete; Bold Underline Italic – Revise

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncert. Behav.	Unspec.
Neoplasm (cont)						
septum						
rectovesical .....	195.3	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
shoulder NEC* .....	195.4	198.89	232.6	229.8	238.8	<b><u>239.89</u></b>
specified site NEC .....	195.8	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
submental .....	195.0	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
substernal .....	164.2	197.1	-	212.5	235.8	<b><u>239.89</u></b>
supraclavicular region.....	195.0	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
temporal						
region .....	195.0	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
thigh NEC* .....	195.5	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
thorax, thoracic (cavity) (organs NEC) .....	195.1	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
wall NEC .....	195.1	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
thumb NEC* .....	195.4	198.89	232.6	229.8	238.8	<b><u>239.89</u></b>
thymus (gland) .....	164.0	198.89	-	212.6	235.8	<b><u>239.89</u></b>
toe NEC* .....	195.5	198.89	232.7	229.8	238.8	<b><u>239.89</u></b>
trunk NEC* .....	195.8	198.89	232.5	229.8	238.8	<b><u>239.89</u></b>
uveal tract .....	190.0	198.4	234.0	224.0	238.8	<b><u>239.89</u></b>
ventricle .....	191.5	198.3	-	225.0	237.5	239.6
cardiac (left) (right) .....	164.1	198.89	-	212.7	238.8	<b><u>239.89</u></b>
vesicorectal.....	195.3	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
Virchow's gland.....	-	196.0	-	229.0	238.8	<b><u>239.89</u></b>
viscera NEC.....	195.8	198.89	234.8	229.8	238.8	<b><u>239.89</u></b>
wrist NEC* .....	195.4	198.89	232.6	229.8	238.8	<b><u>239.89</u></b>

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Nephritis, nephritic...  
  due to  
    diabetes mellitus 250.4 [583.81]  
    due to secondary diabetes 249.4 [**583.81**]

Nephropathy (see also Nephritis) 583.9  
  diabetic 250.4 [583.81]  
  due to secondary diabetes 249.4 [**583.81**]

Nerves **799.21**

Nervous (see also condition) **799.21**  
  tension **799.21**

Nervousness **799.21**

Neuropathy, neuropathic (see also Disorder, nerve) 355.9  
  diabetic 250.6 [357.2]  
    **autonomic (peripheral) 250.6 [337.1]**  
    due to secondary diabetes 249.6 [357.2]  
      **autonomic (peripheral) 249.6 [337.1]**  
  progressive ~~hypertrophic interstitial 356.9~~  
    **hypertrophic interstitial 356.9**  
    **inflammatory 357.89**

Newborn (infant) (liveborn)  
  **abstinence syndrome 779.5**  
  **weight check V20.32**

Nursemaid's  
  elbow **832.2**  
  vena cava ~~(inferior) (superior) 453.2~~  
    **inferior 453.2**  
    **superior**  
      **acute 453.87**  
      **chronic 453.77**

Occlusion  
  vena cava ~~(inferior) (superior) 453.2~~  
    **inferior 453.2**  
    **superior**  
      **acute 453.87**  
      **chronic 453.77**

Omphalocele **756.72**

Ondine's curse **348.89**

Paget-Schroetter syndrome (intermittent venous claudication) **453.89**

Parametritis (chronic) (see also Disease, pelvis, inflammatory) 614.4  
  puerperal, postpartum, childbirth **670.8**

Peritonitis ... 567.9  
  pelvic  
    female (acute) 614.5  
    puerperal, postpartum, childbirth **670.8**  
    puerperal, postpartum, childbirth **670.8**

Person (with)  
  consulting on behalf of another V65.19  
  pediatric ~~pre-birth visit for expectant mother V65.11~~  
    **pre-adoption visit for adoptive parents V65.11**  
    **pre-birth visit for expectant parents V65.11**

Phlebitis (infective) (pyemic) (septic) (suppurative) 451.9  
  complicating pregnancy or puerperium **671.2**  
  pregnancy **671.2**  
  puerperal, postpartum, childbirth **671.2**

Pneumatocele (lung) 518.89  
  intracranial **348.89**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Pneumocephalus **348.89**  
Pneumonitis (acute) (primary) (see also Pneumonia) 486  
**ventilator associated 997.31**  
Podagra **274.01**  
Polyalgia **729.99**  
**Pouchitis 569.71**  
Pregnancy (single) (uterine) (without sickness) V22.2

Note Use the following fifth-digit subclassification with categories 640-649, 651-**679**:

0	unspecified as to episode of care
1	delivered, with or without mention of antepartum condition
2	delivered, with mention of postpartum complication
3	antepartum condition or complication
4	postpartum condition or complication

**chemical 631**

complicated (by) 646.9  
endometritis (conditions classifiable to 615.0-615.9) **670.1**  
fetal

**anemia 678.0**

**complications from in utero procedure 679.1**

**hematologic conditions 678.0**

**thrombocytopenia 678.0**

**twin to twin transfusion 678.0**

**maternal complications from in utero procedure 679.0**

septicemia (conditions classifiable to 038.0-038.9) 647.8

postpartum **670.2**

puerperal **670.2**

thrombophlebitis (superficial) 671.2

**septic 670.3**

thrombosis **671.2**

**venous complication 671.9**

management affected by

**venous complication 671.9**

Problem (with) V49.9

adopted child **V61.24**

**biological child V61.23**

economic V60.2

affecting care V60.9

specified type NEC **V60.89**

feeding (elderly) (infant) 783.3

newborn **779.31**

foster child **V61.25**

~~**specified NEC V41.8**~~

parent-child V61.20

**adopted child V61.24**

**biological child V61.23**

**foster child V61.25**

**substance abuse in family V61.42**

Prophylactic

administration of

**exemestane** (Aromasin) V07.52

Puerperal

abscess

cervix (uteri) **670.8**

fallopian tube **670.8**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Puerperal (cont)  
abscess (cont)  
    genital organ **670.8**  
    mesosalpinx **670.8**  
    ovary, ovarian **670.8**  
    oviduct **670.8**  
    parametric **670.8**  
    para-uterine **670.8**  
    pelvic **670.8**  
    perimetric **670.8**  
    periuterine **670.8**  
    retro-uterine **670.8**  
    suprapelvic **670.8**  
    tubal (ruptured) **670.8**  
    tubo-ovarian **670.8**  
    uterine, uterus **670.8**  
adnexitis **670.8**  
deciduitis (acute) **670.8**  
disease 674.9  
    pelvis inflammatory **670.8**  
    tubo-ovarian **670.8**  
endometritis (conditions classifiable to 615.0-615.9) **670.1**  
erysipelas **670.8**  
fever **670.8**  
    meaning sepsis **670.2**  
gangrene  
    gas **670.8**  
        **with sepsis 670.2**  
    uterus **670.8**  
hematosalpinx, infectious **670.8**  
infection  
    fallopian tube **670.8**  
    generalized **670.0**  
    genital tract (major) **670.0**  
    ovary **670.8**  
    pelvic **670.8**  
    peritoneum **670.8**  
    tubo-ovarian **670.8**  
    uterus, uterine **670.8**  
inflammation - see also Puerperal, infection  
    broad ligament **670.8**  
    fallopian tube **670.8**  
    genital organs **670.8**  
    ovary **670.8**  
    oviduct **670.8**  
    pelvis **670.8**  
    periuterine **670.8**  
    tubal **670.8**  
lymphangitis **670.8**  
metritis (~~septic~~)-(suppurative) **670.1**  
    **septic 670.2**  
metroperitonitis **670.8**  
metrosalpingitis **670.8**  
metrovaginitis **670.8**  
necrosis  
    ovary **670.8**



ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Puerperal (cont)  
oophoritis **670.8**  
ovaritis **670.8**  
parametritis **670.8**  
pelviperitonitis **670.8**  
perimetritis **670.8**  
perimetrosalpingitis **670.8**  
perioophoritis **670.8**  
perisalpingitis **670.8**  
peritoneal infection **670.8**  
peritonitis (pelvic) **670.8**  
phlebitis **671.2**  
pyemia **670.2**  
pyohemia **670.2**  
pyometra **670.8**  
pyo-oophoritis **670.8**  
pyosalpingitis **670.8**  
pyosalpinx **670.8**  
salpingitis **670.8**  
salpingo-oophoritis **670.8**  
salpingo-ovaritis **670.8**  
salpingoperitonitis **670.8**  
sapremia **670.2**  
sepsis (pelvic) **670.2**  
septicemia **670.2**  
tetanus **670.8**  
thrombophlebitis (superficial) 671.2  
**septic 670.3**  
**venous complication 671.9**  
Pyemia, pyemic (purulent) (see also Septicemia) 038.9  
**puerperal 670.2**  
Reaction  
incompatibility  
blood group ~~(ABO) (infusion) (transfusion)~~ **999.6**  
**ABO 999.6**  
**minor blood group 999.89**  
Regulation feeding (elderly) (infant) 783.3  
newborn **779.31**  
Regurgitation 787.03  
food - see also Vomiting  
newborn **779.33**  
Rehabilitation V57.9  
speech ~~(-language)~~ V57.3  
Restlessness **799.29**  
gout **274.00**  
Rhinolalia (aperta) (clausa) (open) **784.43**  
Salpingitis ...  
puerperal, postpartum, childbirth **670.8**  
Salpingo-oophoritis (catarrhal) (purulent) (ruptured) (septic) (suppurative) 614.2  
acute 614.0  
puerperal, postpartum, childbirth **670.8**  
puerperal **670.8**  
School examination V70.3  
**following surgery V67.09**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Sclerosis, sclerotic  
  brain (general) (lobular) **348.89**  
    **hippocampal 348.81**  
    **mesial temporal 348.81**  
    **temporal 348.81**  
      **mesial 348.81**  
    **hippocampal 348.81**  
    **mesial temporal 348.81**  
    **temporal 348.81**  
      **mesial 348.81**

Screening (for) V82.9  
  condition  
    neurological **NEC V80.09**  
  disease or disorder V82.9  
    neurological **NEC V80.09**  
  neurological condition **NEC V80.09**  
  **traumatic brain injury V80.01**

Seizure(s) 780.39  
  **disorder (see also Epilepsy) 345.9**

Sepsis (generalized) 995.91  
  puerperal, postpartum, childbirth (pelvic) **670.2**

Septicemia, septicemic (generalized) (suppurative) 038.9  
  puerperal, postpartum **670.2**

Sex reassignment surgery status (see also **Trans-sexualism**) 302.50

Shock 785.50  
  septic 785.52  
    due to  
      transfusion NEC **999.89**  
    following  
      transfusion NEC **999.89**

Slow  
  feeding newborn **779.31**

Slurred, slurring, speech **784.59**

Speech  
  defect, disorder, disturbance, impediment NEC **784.59**  
  **(language)** therapy V57.3

Spondylitis 720.9  
  gouty **274.00**

Status (post)  
  ~~current military deployment status V62.21~~  
  **delinquent immunization V15.83**  
  **foster care V60.81**  
  **lapsed immunization schedule V15.83**  
  **military deployment V62.22**  
  sex reassignment surgery (see also **Trans-sexualism**) 302.50  
  **underimmunization V15.83**

Stenosis (cicatricial) - see also Stricture  
  brain **348.89**

Stricture (see also Stenosis) 799.89  
  brain **348.89**

Stuttering 307.0  
  **due to late effect of cerebrovascular disease (see also Late effect(s) (of)**  
    **cerebrovascular disease) 438.14**

Subluxation - see also Dislocation, by site  
  **radial head 832.2**

**Substance abuse in family V61.42**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Supervision (of)  
    **newborn health**  
        **8 to 28 days old V20.32**  
        **under 8 days old V20.31**

Symptoms, specified (general) NEC 780.99  
    **emotional state NEC 799.29**

Syndrome - see also Disease  
    abstinence  
        **neonatal 779.5**  
    **autoimmune lymphoproliferative (ALPS) 279.41**  
    **basal cell nevus 759.89**  
    **cardiofaciocutaneous 759.89**  
    Clérambault's  
        automatism **348.89**  
    **Erdheim-Chester 277.89**  
    **Gorlin's 759.89**  
    midbrain **348.89**  
    Paget-Schroetter (intermittent venous claudication) **453.89**  
    **tumor lysis (following antineoplastic drug therapy) (spontaneous) 277.88**  
    Unverricht (-Lundborg) **345.1**  
    von Schroetter's (intermittent venous claudication) **453.89**

Synovitis (see also Tenosynovitis) 727.00  
    gouty **274.00**

**TBI (traumatic brain injury) (see also Injury, intracranial) 854.0**  
    **with skull fracture - see Fracture, skull, by site**

Tension  
    nervous **799.21**

Test(s)  
    AIDS virus **V72.69**  
    basal metabolic rate **V72.69**  
    ~~blood-alcohol V70.4~~  
        **alcohol V70.4**  
        **drug V70.4**  
            **for therapeutic drug monitoring V58.83**  
            **for routine general physical examination V72.62**  
            **prior to treatment or procedure V72.63**  
            **typing V72.86**  
                **Rh typing V72.86**  
    ~~blood-drug V70.4~~  
        **for therapeutic drug monitoring V58.83**  
    ~~blood typing V72.86~~  
        **Rh typing V72.86**  
    hearing V72.19  
        **routine, for infant and child V20.2**  
    HIV **V72.69**  
    human immunodeficiency virus **V72.69**  
    **immunity status V72.61**  
    laboratory **V72.60**  
        **ordered as part of a routine general medical examination V72.62**  
        **pre-operative V72.63**  
        **pre-procedural V72.63**  
        **specified NEC V72.69**  
    vision V72.0  
        **routine, for infant and child V20.2**

Tetanus, tetanic (cephalic) (convulsions) 037  
    puerperal, postpartum, childbirth **670.8**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Therapy V57.9  
  speech ***(-language)*** V57.3  
Thrombophlebitis 451.9  
  puerperal, postpartum, childbirth (extremities) (superficial) 671.2  
  **septic 670.3**  
Thrombosis, thrombotic ...  
  artery, arteries (postinfectious) 444.9  
  pulmonary 415.19  
    **personal history of V12.51**  
  axillary ***(acute)*** (vein) **453.84**  
    **chronic 453.74**  
    **personal history of V12.51**  
  effort **453.89**  
  femoral (vein) **453.6**  
    **personal history of V12.51**  
  iliac (vein) **453.89**  
    **personal history of V12.51**  
  jugular (bulb) **453.8**  
    **external**  
      acute 453.89  
      chronic 453.79  
    **internal**  
      acute 453.86  
      chronic 453.76  
  leg ***(see also Thrombosis, lower extremity) 453.6***  
    deep (vessels) 453.40  
      acute 453.40  
        ***lower (distal) 453.42***  
        ***upper (proximal) 453.41***  
      chronic 453.50  
        lower (distal) 453.52  
        upper (proximal) 453.51  
      **personal history of V12.51**  
      superficial (vessels) **453.6**  
  lower extremity ***(superficial) 453.6***  
    deep vessels 453.40  
      acute 453.40  
        ***calf 453.42***  
        ***distal (lower leg) 453.42***  
        ***femoral 453.41***  
        ***iliac 453.41***  
        ***lower leg 453.42***  
        ***peroneal 453.42***  
        ***popliteal 453.41***  
        ***proximal (upper leg) 453.41***  
        ***thigh 453.41***  
        ***tibial 453.42***  
      chronic 453.50  
        calf 453.52  
        distal (lower leg) 453.52  
        femoral 453.51  
        iliac 453.51  
        lower leg 453.52  
        peroneal 453.52  
        popliteal 453.51  
        proximal (upper leg) 453.51

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Thrombosis, thrombotic... (cont)  
  lower extremity... (cont)  
    deep vessels... (cont)  
      chronic...(cont)  
        **thigh 453.51**  
        **tibial 453.52**  
    **personal history of V12.51**  
    **saphenous (greater) (lesser) 453.6**  
    **superficial 453.6**  
  lung 415.19  
    **personal history of V12.51**  
  pregnancy **671.2**  
  puerperal, postpartum, childbirth **671.2**  
  pulmonary (artery) (vein) 415.19  
    **personal history of V12.51**  
    **saphenous vein (greater) (lesser) 453.6**  
  specified site NEC (**acute) 453.89**)  
    **chronic 453.79**  
  **upper extremity 453.83**  
    **acute 453.83**  
      **deep 453.82**  
      **superficial 453.81**  
    **chronic 453.73**  
      **deep 453.72**  
      **superficial 453.71**  
  vein  
    **antecubital**  
      **acute 453.81**  
      **chronic 453.71**  
    **axillary**  
      **acute 453.84**  
      **chronic 453.74**  
    **basilic**  
      **acute 453.81**  
      **chronic 453.71**  
    **brachial**  
      **acute 453.82**  
      **chronic 453.72**  
    **brachiocephalic (innominate)**  
      **acute 453.87**  
      **chronic 453.77**  
    **cephalic**  
      **acute 453.81**  
      **chronic 453.71**  
    **deep 453.40**  
      **personal history of V12.51**  
    **internal jugular**  
      **acute 453.86**  
      **chronic 453.76**  
    **personal history of V12.51**  
    **radial**  
      **acute 453.82**  
      **chronic 453.72**  
    **saphenous (greater) (lesser) 453.6**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Thrombosis, thrombotic... (cont)

vein ... (cont)

**specified site NEC**

**acute 453.89**

**chronic 453.79**

**subclavian**

**acute 453.85**

**chronic 453.75**

**superior vena cava**

**acute 453.87**

**chronic 453.77**

**thoracic**

**acute 453.87**

**chronic 453.77**

**ulnar**

**acute 453.82**

**chronic 453.72**

**upper extremity - see Thrombosis, upper extremity**

vena cava-~~(inferior)~~-~~(superior)~~ **453.2**

**inferior 453.2**

**personal history of V12.51**

**superior**

**acute 453.87**

**chronic 453.77**

Tophi (gouty) **274.03**

Torus

fracture

fibula 823.41

**humerus 812.49**

radius **(alone)** 813.45

**with ulna 813.47**

**ulna (alone) 813.46**

**with radius 813.47**

Transfusion, blood

incompatible ~~999.6~~

**ABO 999.6**

**minor blood group 999.89**

Transient - see also condition

**hyperglycemia (post-procedural) 790.29**

**hypoglycemia (post-procedural) 251.2**

Traumatic - see **also** condition

**brain injury (TBI) (see also Injury, intracranial) 854.0**

**with skull fracture - see Fracture, skull, by site**

Trouble - see also Disease

nervous **799.21**

Tumor (M8000/1) - see also Neoplasm, by site, unspecified nature

carcinoid (M8240/1) 209.60

**secondary - see Tumor, neuroendocrine, secondary**

**neuroendocrine 209.60**

**~~malignant poorly differentiated 209.30~~**

**lysis syndrome (following antineoplastic drug therapy) (spontaneous) 277.88**

Merkel cell - see ~~Neoplasm, by site, malignant~~ **Carcinoma, Merkel cell**

**neuroendocrine 209.60**

**malignant poorly differentiated 209.30**

**secondary 209.70**

**bone 209.73**

ICD-9-CM Index to Diseases Addenda (FY10)  
Effective October 1, 2009

Tumor ... (cont)  
  neuroendocrine ... (cont)  
    secondary ... (cont)  
      **distant lymph nodes 209.71**  
      **liver 209.72**  
      **peritoneum 209.74**  
      **site specified NEC 209.79**  
    secondary (M8000/6) - see Neoplasm, by site, secondary  
      **carcinoid - see Tumor, neuroendocrine, secondary**  
      **neuroendocrine - see Tumor, neuroendocrine, secondary**

Ulcer, ulcerated, ulcerating, ulceration, ulcerative 707.9  
  decubitus (unspecified site) (see also Ulcer, pressure) 707.00  
    **coccyx 707.03**  
  pressure 707.00  
    **coccyx 707.03**

Unverricht (-Lundborg) disease, syndrome, or epilepsy **345.1**

Uratic arthritis **274.00**

Voice  
  change (see also Dysphonia) **784.49**

Vomiting 787.03  
  bilious (cause unknown) **787.04**  
    **newborn 779.32**  
  fecal matter **569.87**  
  newborn **779.33**  
    **bilious 779.32**  
  physiological **787.03**  
    **bilious 787.04**

von Schroetter's syndrome (intermittent venous claudication) **453.89**

Worn out (see also Exhaustion) 780.79  
  **artificial heart valve 996.02**  
  **cardiac defibrillator V53.32**  
  **cardiac pacemaker lead or battery V53.31**

Xanthoma(s), xanthomatosis 272.2  
  diabeticorum 250.8 [272.2]  
    due to secondary diabetes 249.8 [**272.2**]

ICD-9-CM Index to External Causes of Injury Addenda (FY10)  
Effective October 1, 2009

**Activity (involving) E030**  
aerobic and step exercise (class) E009.2  
alpine skiing E003.2  
animal care NEC E019.9  
arts and handcrafts NEC E012.9  
athletics NEC E008.9  
played  
as a team or group NEC E007.9  
individually NEC E006.9  
baking E015.2  
ballet E005.0  
barbells E010.2  
BASE (Building, Antenna, Span, Earth) jumping E004.2  
baseball E007.3  
basketball E007.6  
bathing (personal) E013.0  
beach volleyball E007.7  
bike riding E006.4  
boogie boarding E002.7  
bowling E006.3  
boxing E008.0  
brass instrument playing E018.3  
building and construction E016.2  
bungee jumping E004.3  
calisthenics E009.1  
canoeing (in calm and turbulent water) E002.5  
capture the flag E007.8  
cardiorespiratory exercise NEC E009.9  
caregiving (providing) NEC E014.9  
bathing E014.0  
lifting E014.1  
cellular  
communication device E011.1  
telephone E011.1  
challenge course E009.4  
cheerleading E005.4  
circuit training E009.3  
cleaning  
floor E013.4  
climbing NEC E004.9  
mountain E004.0  
rock E004.0  
wall climbing E004.0  
combatives E008.4  
computer  
keyboarding E011.0  
technology NEC E011.9  
confidence course E009.4  
construction (building) E016.2  
cooking and baking E015.2  
cooking and grilling NEC E015.9  
cool down exercises E009.1  
cricket E007.9  
crocheting E012.0  
cross country skiing E003.3  
dancing (all types) E005.0



ICD-9-CM Index to External Causes of Injury Addenda (FY10)  
Effective October 1, 2009

Activity (involving) E030 (cont)

**digging**  
    **dirt E016.0**  
**dirt digging E016.0**  
**dishwashing E015.0**  
**diving (platform) (springboard) E002.1**  
    **underwater E002.4**  
**dodge ball E007.8**  
**downhill skiing E003.2**  
**drum playing E018.1**  
**dumbbells E010.2**  
**electronic**  
    **devices NEC E011.9**  
        **hand held interactive E011.1**  
    **game playing (using) (with)**  
        **interactive device E011.1**  
        **keyboard or other stationary device E011.0**  
**elliptical machine E009.0**  
**exercise(s)**  
    **machines ((primarily) for)**  
        **cardiorespiratory conditioning E009.0**  
        **muscle strengthening E010.0**  
        **muscle strengthening (non-machine) NEC E010.9**  
**external motion NEC E017.9**  
    **rollercoaster E017.0**  
**field hockey E007.4**  
**figure skating (pairs) (singles) E003.0**  
**flag football E007.1**  
**floor mopping and cleaning E013.4**  
**food preparation and clean up E015.0**  
**football (American) NOS E007.0**  
    **flag E007.1**  
    **tackle E007.0**  
    **touch E007.1**  
**four square E007.8**  
**free weights E010.2**  
**frisbee (ultimate) E008.3**  
**furniture**  
    **building E012.2**  
    **finishing E012.2**  
    **repair E012.2**  
**game playing (electronic)**  
    **using**  
        **interactive device E011.1**  
        **keyboard or other stationary device E011.0**  
**gardening E016.1**  
**golf E006.2**  
**grass drills E009.5**  
**grilling and smoking food E015.1**  
**grooming and shearing an animal E019.2**  
**guerilla drills E009.5**  
**gymnastics (rhythmic) E005.2**  
**handball E008.2**  
**handcrafts NEC E012.9**  
**hand held interactive electronic device E011.1**  
**hang gliding E004.4**

ICD-9-CM Index to External Causes of Injury Addenda (FY10)  
Effective October 1, 2009

Activity (involving) E030 (cont)

**hiking (on level or elevated terrain) E001.0**  
**hockey (ice) E003.1**  
    **field E007.4**  
**horseback riding E006.1**  
**household maintenance NEC E013.9**  
**ice NEC E003.9**  
    **dancing E003.0**  
    **hockey E003.1**  
    **skating E003.0**  
**inline roller skating E006.0**  
**ironing E013.3**  
**judo E008.4**  
**jumping (off) NEC E004.9**  
    **BASE (Building, Antenna, Span, Earth) E004.2**  
    **bungee E004.3**  
    **jacks E009.1**  
    **rope E006.5**  
**jumping jacks E009.1**  
**jumping rope E006.5**  
**karate E008.4**  
**kayaking (in calm and turbulent water) E002.5**  
**keyboarding (computer) E011.0**  
**kickball E007.8**  
**knitting E012.0**  
**lacrosse E007.4**  
**land maintenance NEC E016.9**  
**landscaping E016.1**  
**laundry E013.1**  
**machines (exercise) primarily for cardiorespiratory conditioning E009.0**  
**maintenance**  
    **building E016.9**  
    **household NEC E013.9**  
    **land E016.9**  
    **property E016.9**  
**marching (on level or elevated terrain) E001.0**  
**martial arts E008.4**  
**microwave oven E015.2**  
**mopping (floor) E013.4**  
**mountain climbing E004.0**  
**milking an animal E019.1**  
**muscle strengthening**  
    **exercises (non-machine) NEC E010.9**  
    **machines E010.0**  
**musical keyboard (electronic) playing E018.0**  
**nordic skiing E003.3**  
**obstacle course E009.4**  
**oven (microwave) E015.2**  
**packing up and unpacking in moving to a new residence E013.5**  
**parasailing E002.9**  
**percussion instrument playing NEC E018.1**  
**personal**  
    **bathing and showering E013.0**  
    **hygiene NEC E013.8**  
    **showering E013.0**

ICD-9-CM Index to External Causes of Injury Addenda (FY10)  
Effective October 1, 2009

Activity (involving) E030 (cont)

**physical**

- games generally associated with school recess, summer camp and children 007.8**
- training NEC E009.9**
- piano playing E018.0**
- pilates E010.3**
- platform diving E002.1**
- playing musical instrument**
  - brass instrument E018.3**
  - drum E018.1**
  - musical keyboard (electronic) E018.0**
  - percussion instrument NEC E018.1**
  - piano E018.0**
  - string instrument E018.2**
  - wind instrument E018.3**
- property maintenance NEC E016.9**
- pruning (garden and lawn) E016.1**
- pull-ups E010.1**
- push-ups E010.1**
- racquetball E008.2**
- rafting (in calm and turbulent water) E002.5**
- raking (leaves) E016.0**
- rappelling E004.1**
- refereeing a sports activity E029.0**
- residential relocation E013.5**
- rhythmic**
  - gymnastics E005.2**
  - movement NEC E005.9**
- riding**
  - horseback E006.1**
  - rollercoaster E017.0**
- rock climbing E004.0**
- rollercoaster riding E017.0**
- roller skating (inline) E006.0**
- rough housing and horseplay E029.2**
- rowing (in calm and turbulent water) E002.5**
- rugby E007.2**
- running E001.1**
- SCUBA diving E002.4**
- sewing E012.1**
- shoveling E016.0**
  - dirt E016.0**
  - snow E016.0**
- showering (personal) E013.0**
- sit-ups E010.1**
- skateboarding E006.0**
- skating (ice) E003.0**
  - roller E006.0**
- skiing (alpine) (downhill) E003.2**
  - cross country E003.3**
  - nordic E003.3**
- sledding (snow) E003.2**
- smoking and grilling food E015.1**
- snorkeling E002.4**
- snow NEC E003.9**
  - boarding E003.2**

ICD-9-CM Index to External Causes of Injury Addenda (FY10)  
Effective October 1, 2009

Activity (involving) E030 (cont)  
snow NEC E003.9 (cont)  
    **shoveling E016.0**  
    **sledding E003.2**  
    **tubing E003.2**  
**soccer E007.5**  
**softball E007.3**  
**specified NEC E029.9**  
**spectator at an event E029.1**  
**sports NEC E008.9**  
**sports played as a team or group NEC E007.9**  
**sports played individually NEC E006.9**  
**springboard diving E002.1**  
**squash E008.2**  
**stationary bike E009.0**  
**step (stepping) exercise (class) E009.2**  
**stepper machine E009.0**  
**stove E015.2**  
**string instrument playing E018.2**  
**surfing E002.7**  
**swimming E002.0**  
**tackle football E007.0**  
**tap dancing E005.0**  
**tennis E008.2**  
**tobogganing E003.2**  
**touch football E007.1**  
**track and field events (non-running) E006.6**  
    **running E001.1**  
**trampoline E005.3**  
**treadmill E009.0**  
**trimming shrubs E016.1**  
**tubing (in calm and turbulent water) E002.5**  
    **snow E003.2**  
**ultimate frisbee E008.3**  
**underwater diving E002.4**  
**unpacking in moving to a new residence E013.5**  
**use of stove, oven and microwave oven E015.2**  
**vacuuming E013.2**  
**volleyball (beach) (court) E007.7**  
**wake boarding E002.6**  
**walking an animal E019.0**  
**walking (on level or elevated terrain) E001.0**  
    **an animal E019.0**  
**wall climbing E004.0**  
**warm up and cool down exercises E009.1**  
**water NEC E002.9**  
    **aerobics E002.3**  
    **craft NEC E002.9**  
    **exercise E002.3**  
    **polo E002.2**  
    **skiing E002.6**  
    **sliding E002.8**  
    **survival training and testing E002.9**  
**weeding (garden and lawn) E016.1**  
**wind instrument playing E018.3**  
**windsurfing E002.7**

ICD-9-CM Index to External Causes of Injury Addenda (FY10)  
Effective October 1, 2009

Activity (involving) E030 (cont)  
    **wrestling E008.1**  
    **yoga E005.1**  
Activity status **E000.9**  
    **civilian**  
        **done for**  
            **financial or other compensation E000.0**  
            **pay or income E000.0**  
        **for income E000.0**  
        **hobby or leisure E000.8**  
        **off duty military E000.8**  
        **military E000.1**  
            **off duty E000.8**  
        **recreation E000.8**  
        **specified NEC E000.8**  
        **sport not for income E000.8**  
        **student E000.8**  
        **volunteer E000.8**  
Air  
    blast  
        in  
            war operations **E993.9**  
Bayonet wound (see also Cut, by bayonet) E920.3  
    in  
        war operations **E995.2**  
Blast (air)  
    in  
        war operations **E993.9**  
            from nuclear explosion (**see also War operations, injury due to, nuclear weapons**)  
                **E996.0**  
            underwater **E992.9**  
Burning, burns (accidental) (by) (from) (on) E899  
    **airgun E928.7**  
    **firearm E928.7**  
    in  
        war operations (from fire-producing device or conventional weapon) E990.9  
        from nuclear explosion (**see also War operations, injury due to, nuclear weapons**)  
            **E996.2**  
        **incendiary bomb E990.0**  
Casualty (not due to war) NEC E928.9  
    war (see also War operations) **E995.9**  
Crash  
    aircraft (in transit) (powered) E841  
        in  
            war operations **E994.9**  
Crushed (accidentally) E928.9  
    by  
        falling  
            aircraft (see also Accident, aircraft) E841  
                in  
                    war operations **E994.8**  
    **firearm E928.7**  
    **slide trigger mechanism, scope or other part of gun E928.7**

ICD-9-CM Index to External Causes of Injury Addenda (FY10)  
Effective October 1, 2009

Cut, cutting (any part of body) (accidental) E920.9  
by  
  bayonet (see also Bayonet wound) E920.3  
    **in war operations E995.2**  
    **firearm component E928.7**  
    knife E920.3  
      **in war operations E995.2**  
    **slide trigger mechanism, scope or other part of gun E928.7**  
    sword E920.3  
      **in war operations E995.2**  
  war operations E995.2  
**Dirty bomb (see also War operations, injury due to, nuclear weapons) E996.9**  
Effect(s) (adverse) of  
  nuclear explosion or weapon  
    in  
      war operations ~~(blast) (fireball) (heat) (radiation) (direct) (secondary)~~(see also War operations, injury due to, nuclear weapons) E996.9  
Explosion (accidental) (in) (of) (on) E923.9  
  aircraft (in transit) (powered) E841  
    in  
      war operations E994  
      **from**  
        **enemy fire or explosive(s) (device placed on aircraft) E994.0**  
        **own onboard explosives E994.1**  
  bomb E923.8  
    in  
      war operations E993.8  
      after cessation of hostilities E998.1  
      atom, hydrogen or nuclear (see also War operations, injury due to, nuclear weapons) E996.9  
  explosive (material) NEC E923.9  
    missile E923.8  
      in  
        war operations E993.1  
  grenade E923.8  
    in  
      war operations E993.8  
      injury by fragments from E991.4  
  missile E923.8  
    in  
      war operations E993.1  
      injury by fragments from E991.4  
  munitions (dump) (factory) E923.8  
    in  
      war operations E993.9  
  of mine E923.8  
    in  
      war operations  
      after cessation of hostilities E998.0  
      at sea or in harbor E992.2  
      land E993.8  
      after cessation of hostilities E998.0  
      injury by fragments from E991.4  
      marine E992.2

ICD-9-CM Index to External Causes of Injury Addenda (FY10)  
Effective October 1, 2009

- Explosion... (cont)
    - own weapons
      - in
        - war operations **E993.7**
    - shell (artillery) E923.8
      - in
        - war operations **E993.2**
        - injury by fragments from **E991.4**
    - torpedo E923.8
      - in
        - war operations **E992.0**
  - External cause status E000.9**
    - civilian**
      - done for**
        - financial or other compensation E000.0**
        - pay or income E000.0**
      - for income E000.0**
      - hobby or leisure E000.8**
      - off duty military E000.8**
      - military E000.1**
        - off duty E000.8**
      - recreation E000.8**
      - specified NEC E000.8**
      - sport not for income E000.8**
      - student E000.8**
      - volunteer E000.8**
- Fire ...
  - in, of, on, starting in E892
    - war operations (by fire-producing device or conventional weapon) E990.9
      - from nuclear explosion (**see also War operations, injury due to, nuclear weapons**)  
**E996.2**
      - incendiary bomb E990.0**
- Fireball effects from nuclear explosion
  - in
    - war operations (**see also War operations, injury due to, nuclear weapons**) **E996.2**
- Heat ...
  - from
    - nuclear explosion
      - in
        - war operations (**see also War operations, injury due to, nuclear weapons**)  
**E996.2**
- Injury, injured (accidental(ly)) NEC E928.9
  - by, caused by, from
    - component of firearm or air gun E928.7**
      - explosion (see also Explosion) E923.9
        - of gun part E928.7**
        - gun recoil E928.7**
        - mechanism of firearm or air gun E928.7**
        - recoil of firearm E938.7**
      - weapon burst, in war operations **E993.9**
  - due to
    - civil insurrection-see War operations
      - occurring after cessation of hostilities **E998.9**
    - war operations-see War operations
      - occurring after cessation of hostilities **E998.9**
    - weapon of mass destruction [WMD] E997.3**

ICD-9-CM Index to External Causes of Injury Addenda (FY10)  
Effective October 1, 2009

Lost at sea E832  
in war operations **E995.8**

Misadventure(s) to patient(s) during surgical or medical care E876.9  
inappropriate  
~~operation performed E876.5~~  
**performance of correct operation (procedure) on wrong  
body part E876.7  
side E876.7  
site E876.7**  
**performance of operation (procedure)  
intended for another patient E876.6  
on patient not scheduled for surgery E876.6  
on wrong patient E876.6**  
performance of ~~inappropriate~~ **wrong** operation **on correct patient** E876.5  
specified type NEC E876.8  
failure  
~~performance of inappropriate operation E876.5~~  
wrong  
device implanted into correct surgical site E876.5  
procedure (operation) performed on the correct patient E876.5

**Nuclear weapon (see also War operations, injury due to, nuclear weapons) E996.9**

**Performance of correct operation (procedure) on wrong  
body part E876.7  
side E876.7  
site E876.7**

**Performance of operation (procedure)  
intended for another patient E876.6  
on patient not scheduled for surgery E876.6  
on wrong patient E876.6**

**Performance of wrong operation on correct patient E876.5**

Piercing (see also Cut) E920.9  
by slide trigger mechanism, scope or other part of gun E928.7

Pinched  
by slide trigger mechanism, scope or other part of gun E928.7

Radiation (exposure to) E926.9  
in  
war operations ~~(from or following nuclear explosion) (direct) (secondary)~~ **(see also  
War operations, injury due to, nuclear weapons) E996.3**

Submersion (accidental) E910.8  
in  
war operations **E995.4**  
**intentional E995.3**

Suffocation (accidental) (by external means) (by pressure) (mechanical) E913.9  
homicidal (attempt) E963  
in war operations **E995.3**  
in  
**war operations E995.3**

War operations (during hostilities) (injury) (by) (in) **E995.9**  
after cessation of hostilities, injury due to **E998.9**  
air blast **E993.9**  
asphyxia from  
fire, conflagration (caused by fire-producing device or conventional weapon) E990.9  
from nuclear explosion **(see also War operations, injury due to, nuclear weapons)  
E996.8**  
**incendiary bomb E990.0**  
**baton (nightstick) E995.1**



ICD-9-CM Index to External Causes of Injury Addenda (FY10)  
Effective October 1, 2009

War operations (cont)  
battle wound NEC **E995.8**  
bayonet **E995.2**  
blast (air) (effects) **E993.9**  
    from nuclear explosion (**see also War operations, injury due to, nuclear weapons**)  
        **E996.1**  
    underwater **E992.9**  
bomb (mortar) (explosion) **E993.2**  
    after cessation of hostilities **E998.1**  
    fragments, injury by **E991.4**  
burn from  
    fire, conflagration (caused by fire-producing device or conventional weapon) E990.9  
    from ~~nuclear explosion~~ **E996**  
        conventional weapon E990.3  
        flamethrower E990.1  
        incendiary bomb E990.0  
        incendiary bullet E990.2  
        nuclear explosion E996.2  
burning aircraft **E994.3**  
conventional warfare, specified form NEC **E995.8**  
crushing by falling aircraft **E994.8**  
depth charge **E992.1**  
destruction of aircraft **E994.9**  
**detonation of own munitions (ammunition) (artillery) (mortars), unintentional E993.6**  
**discharge of own munitions launch device (autocannons) (automatic grenade launchers) (missile launchers) (small arms), unintentional E993.7**  
drowning **E995.4**  
effect (~~direct~~) (~~secondary~~) nuclear weapon (**see also War operations, injury due to, nuclear weapons**) **E996.9**  
explosion (~~artillery shell~~)-(breach block) (cannon shell) **E993.9**  
    after cessation of hostilities bomb, E998-mine placed in war **E998.1**  
        bomb placed in war E998.1  
        mine placed in war E998.0  
aircraft **E994.1**  
    due to  
        enemy fire or explosives E994.0  
        own onboard explosives E994.1  
artillery shell E993.2  
bomb (mortar) **E993.2**  
    aerial E993.0  
    atom (**see also War operations, injury due to, nuclear weapons**) **E996.9**  
    hydrogen (**see also War operations, injury due to, nuclear weapons**) **E996.9**  
    injury by fragments from **E991.4**  
    nuclear (**see also War operations, injury due to, nuclear weapons**) **E996.9**  
depth charge **E992.1**  
injury by fragments from **E991.4**  
marine weapon **NEC E992.8**  
mine  
    at sea or in harbor **E992.2**  
    land **E993.8**  
        injury by fragments from **E991.4**  
    marine **E992.2**  
missile, guided E993.1  
mortar E993.2  
munitions (accidental) (being used in war) (dump) (factory) **E993.9**  
    own E993.7

ICD-9-CM Index to External Causes of Injury Addenda (FY10)  
Effective October 1, 2009

**ammunition (artillery) (mortars) E993.6**

War operations (cont)

explosion (cont)

munitions (cont)

own (cont)

**launch device (autocannons) (automatic grenade launchers) (missile launchers) (small arms) E993.7**

nuclear (weapon) *(see also War operations, injury due to, nuclear weapons) E996.9*

own weapons (accidental) E993.7

sea-based artillery shell E992.3

**specified NEC E993.8**

torpedo E992.0

exposure to ionizing radiation from nuclear explosion *(see also War operations, injury due to, nuclear weapons) E996.3*

failing aircraft E994.8

fire or fire-producing device E990.9

**flamethrower E990.1**

**incendiary bomb E990.0**

**incendiary bullet E990.2**

**indirectly caused from conventional weapon E990.3**

fireball effects from nuclear explosion E996.2

fragments from

artillery shell, ~~bomb NEC, grenade, guided missile, land mine, rocket, shell shrapnel~~  
~~E991.9-E991.4~~

**bomb NEC E991.4**

**grenade E991.4**

**guided missile E991.4**

**land mine E991.4**

**rocket E991.4**

**shell E991.4**

**shrapnel E991.9**

grenade (explosion) E993.8

fragments, injury by E991.4

guided missile (explosion) E993.1

fragments, injury by E991.4

nuclear *(see also War operations, injury due to, nuclear weapons) E996.9*

heat from nuclear explosion E996.2

~~injury due to, but occurring after cessation of hostilities E998~~

**aerial bomb E993.0**

**air blast E993.9**

**aircraft shot down E994.0**

**artillery shell E993.2**

**blast E993.9**

**wave E993.9**

**wind E993.9**

**bomb E998.3**

**but occurring after cessation of hostilities**

**explosion of bombs E998.1**

**explosion of mines E998.0**

**specified NEC E998.8**

**conventional warfare E995.9**

**specified form NEC E995.8**

**depth charge E992.1**

**destruction of aircraft E994.9**

ICD-9-CM Index to External Causes of Injury Addenda (FY10)  
Effective October 1, 2009

War operations (cont)  
injury due to (cont)  
destruction of aircraft E994.9 (cont)  
**due to**  
air to air missile E994.0  
collision with other aircraft E994.2  
enemy fire or explosives E994.0  
on board explosion (explosives) E994.1  
on board fire E994.3  
rocket propelled grenade [RPG] E994.0  
small arms fire E994.0  
surface to air missile E994.0  
specified NEC E994.8  
dirty bomb (see also War operations, injury due to, nuclear weapons) E996.9  
drowning E995.4  
explosion (direct pressure) (indirect pressure) (due to) E993.9  
depth charge E992.1  
improvised explosive device [IED]  
person borne E993.3  
roadside E993.5  
specified NEC E993.5  
transport vehicle (air) (land) (water) borne E993.4  
vehicle (air) (land) (water) borne E993.4  
marine mines (in harbor) (at sea) E992.2  
marine weapons E992.9  
specified NEC E992.8  
sea based artillery shell E992.3  
specified NEC E993.8  
torpedo E992.0  
unintentional (of own)  
autocannons E993.7  
automatic grenade launchers E993.7  
launch device discharge E993.7  
munitions detonation (ammunition) (artillery) (mortars) E993.6  
missile launchers E993.7  
small arms E993.7  
fragments (from) E991.9  
artillery E991.8  
artillery shells E991.4  
autocannons E991.8  
automatic grenade launchers [AGL] E991.8  
bombs E991.4  
antipersonnel E991.3  
detonation of unexploded ordnance [UXO] E991.4  
grenade E991.4  
guided missile E991.4  
improvised explosive device [IED]  
person borne E991.5  
roadside E991.7  
specified NEC E991.7  
transport vehicle (air) (land) (water) borne E991.6  
vehicle (air) (land) (water) borne E991.6  
land mine E991.4  
missile launchers E991.8  
mortars E991.8  
munitions (artillery shells) (bombs) (grenades) (rockets) (shells) E991.4

ICD-9-CM Index to External Causes of Injury Addenda (FY10)  
Effective October 1, 2009

War operations (cont)  
injury due to (cont)  
fragments...(cont)  
    **rockets E991.4**  
    **shells E991.4**  
    **small arms E991.8**  
    **specified NEC E991.9**  
    **weapons (artillery) (autocannons) (mortars) (small arms) E991.8**  
**grenade E993.8**  
**guided missile E993.1**  
**hand to hand combat, unarmed E995.0**  
**improvised explosive device [IED]**  
    **person borne E993.3**  
    **roadside E993.5**  
    **specified NEC E993.5**  
    **transport vehicle (air) (land) (water) borne E993.4**  
    **vehicle (air) (land) (water) borne E993.4**  
**inability to surface or obtain air E995.4**  
**land mine E993.8**  
**marine mines (in harbor) (at sea) E992.2**  
**marine weapons E992.9**  
    **specified NEC E992.8**  
**mortar E993.2**  
**nuclear weapons E996.9**  
    **beta burns E996.3**  
    **blast debris E996.1**  
    **blast pressure E996.0**  
    **burns due to thermal radiation E996.2**  
    **direct blast effect E996.0**  
    **fallout exposure E996.3**  
    **fireball effect E996.2**  
    **flash burns E996.2**  
    **heat effect E996.2**  
    **indirect blast effect E996.1**  
    **nuclear radiation effects E996.3**  
    **radiation exposure (acute) E996.3**  
    **radiation sickness E996.3**  
    **secondary effects E996.3**  
    **specified effects NEC E996.8**  
    **thermal radiation effect E996.2**  
**piercing object E995.2**  
**restriction of airway, intentional E995.3**  
**sea based artillery shell E992.3**  
**shrapnel E991.9**  
**stave E995.1**  
**strangulation E995.3**  
**strike by blunt object (baton) (nightstick) (stave) E995.1**  
**submersion (accidental) (unintentional) E995.4**  
    **intentional E995.3**  
**suffocation E995.3**  
    **accidental E995.4**  
**torpedo E992.0**  
**underwater blast E992.9**  
**weapon of mass destruction [WMD] E997.3**  
**knife E995.2**

ICD-9-CM Index to External Causes of Injury Addenda (FY10)  
Effective October 1, 2009

War operations (cont)

- land mine (explosion) **E993.8**
    - after cessation of hostilities **E998.0**
    - fragments, injury by **E991.4**
  - marine mine **E992.2**
  - mine
    - after cessation of hostilities **E998.0**
    - at sea **E992.2**
    - in harbor **E992.2**
    - land (explosion) **E993.8**
      - fragments, injury by **E991.4**
    - marine **E992.2**
  - missile (guided) (explosion) **E993.1**
    - fragments, injury by **E991.4**
    - marine **E992.8**
    - nuclear (**see also War operations, injury due to, nuclear weapons) E996.9**)
  - mortar bomb (explosion) **E993.2**
    - fragments, injury by **E991.4**
  - piercing object E995.2**
  - radiation, ionizing from nuclear explosion (**see also War operations, injury due to, nuclear weapons) E996.3**)
  - rocket (explosion) **E993.8**
    - fragments, injury by **E991.4**
  - saber, sabre **E995.2**
  - shell (aircraft) (artillery) (cannon) (land based) (explosion) **E993.2**
    - fragments, injury by **E991.4**
    - sea-based **E992.3**
  - shooting E991.2
    - after cessation of hostilities **E998.8**
  - stave E995.2**
  - strike by blunt object (baton) (nightstick) (stave) E995.1**
  - submersion **E995.4**
    - intentional E995.3**
  - sword E995.2**
  - torpedo **E992.0**
  - underwater blast **E992.9**
  - weapon burst **E993.9**
- Weapon of mass destruction [WMD] E997.3**
- Wound (accidental) NEC (see also Injury) E928.9
  - battle (see also War operations) **E995.9**
  - bayonet E920.3
    - in
      - war operations **E995.2**
  - saber, sabre E920.3
    - in war operations **E995.2**

**Wrong**

- body part, performance of correct operation (procedure) on E876.7**
- device implanted into correct surgical site E876.5**
- patient, performance of operation (procedure) on E876.6**
- procedure (operation) performed on correct patient E876.5**
- side, performance of correct operation (procedure) on E876.7**
- site, performance of correct operation (procedure) on E876.7**

ICD-9-CM Table of Drugs and Chemicals Addenda (FY10)  
Effective October 1, 2009

**Table of Drugs and Chemicals**

Substance	Poisoning	Accident	Therapeutic Use	Suicide Attempt	Assault	Undetermined
Allegron	<u>969.05</u>	E854.0	E939.0	E950.3	E962.0	E980.3
Amitriptyline	<u>969.05</u>	E854.0	E939.0	E950.3	E962.0	E980.3
Amphetamine	<u>969.72</u>	E854.2	E939.7	E950.3	E962.0	E980.3
Antidepressants	<u>969.00</u>	E854.0	E939.0	E950.3	E962.0	E980.3
monoamine oxidase inhibitors (MAOI)	<u>969.01</u>	<b>E854.0</b>	<b>E939.0</b>	<b>E950.3</b>	<b>E962.0</b>	<b>E980.3</b>
specified type NEC	<u>969.09</u>	<b>E854.0</b>	<b>E939.0</b>	<b>E950.3</b>	<b>E962.0</b>	<b>E980.3</b>
SSNRI (selective serotonin and norepinephrine reuptake inhibitors)	<u>969.02</u>	<b>E854.0</b>	<b>E939.0</b>	<b>E950.3</b>	<b>E962.0</b>	<b>E980.3</b>
SSRI (selective serotonin reuptake inhibitors)	<u>969.03</u>	<b>E854.0</b>	<b>E939.0</b>	<b>E950.3</b>	<b>E962.0</b>	<b>E980.3</b>
tetracyclic	<u>969.04</u>	<b>E854.0</b>	<b>E939.0</b>	<b>E950.3</b>	<b>E962.0</b>	<b>E980.3</b>
tricyclic	<u>969.05</u>	<b>E854.0</b>	<b>E939.0</b>	<b>E950.3</b>	<b>E962.0</b>	<b>E980.3</b>
Benzedrine (amphetamine)	<u>969.72</u>	E854.2	E939.7	E950.3	E962.0	E980.3
Butriptyline	<u>969.05</u>	E854.0	E939.0	E950.3	E962.0	E980.3
Caffeine	<u>969.71</u>	E854.2	E939.7	E950.3	E962.0	E980.3
Central nervous system stimulants	970.9	E854.3	E940.9	E950.4	E962.0	E980.4
amphetamines	<u>969.72</u>	E854.2	E939.7	E950.3	E962.0	E980.3
antidepressants	<u>969.00</u>	E854.0	E939.0	E950.3	E962.0	E980.3
Cerebral stimulants	970.9	E854.3	E940.9	E950.4	E962.0	E980.4
psychotherapeutic	<u>969.79</u>	E854.2	E939.7	E950.3	E962.0	E980.3
Cyprolidol	<u>969.09</u>	E854.0	E939.0	E950.3	E962.0	E980.3
Deanol	<u>969.79</u>	E854.2	E939.7	E950.3	E962.0	E980.3
<b><u>Desipramine</u></b>	<u>969.05</u>	E854.0	E939.0	E950.3	E962.0	E980.3
Desoxyephedrine	<u>969.72</u>	E854.2	E939.7	E950.3	E962.0	E980.3
Dexamphetamine	<u>969.72</u>	E854.2	E939.7	E950.3	E962.0	E980.3
Dexedrine	<u>969.72</u>	E854.2	E939.7	E950.3	E962.0	E980.3
Dextroamphetamine	<u>969.72</u>	E854.2	E939.7	E950.3	E962.0	E980.3

Key: Bold – Add; Bold Strikeout – Delete; Bold Underline Italic – Revise

ICD-9-CM Table of Drugs and Chemicals Addenda (FY10)  
Effective October 1, 2009

Substance	Poisoning	Accident	Therapeutic Use	Suicide Attempt	Assault	Undetermined
Dothiepin hydrochloride	<b><u>969.05</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Doxepin	<b><u>969.05</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Drug	977.9	E858.9	E947.9	E950.5	E962.0	E980.5
28:16.04 anti-depressants	<b><u>969.00</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
28:20 respiratory and cerebral stimulants psychostimulants	970.9 <b><u>969.70</u></b>	E854.3 E854.2	E940.9 E939.7	E950.4 E950.3	E962.0 E962.0	E980.4 E980.3
Ecstasy	<b><u>969.72</u></b>	E854.2	E939.7	E950.3	E962.0	E980.3
Encyprate	<b><u>969.09</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
<b><i>Etryptamine</i></b>	<b><u>969.01</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Fluoxetine hydrochloride	<b><u>969.03</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Imipramine	<b><u>969.05</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Iproniazid	<b><u>969.01</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Isocarboxazid	<b><u>969.01</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Laroxyl	<b><u>969.05</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
MAO inhibitors	<b><u>969.01</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Marplan	<b><u>969.01</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Marsilid	<b><u>969.01</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
MDMA	<b><u>969.72</u></b>	E854.2	E939.7	E950.3	E962.0	E980.3
Mebanazine	<b><u>969.01</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Methamphetamine	<b><u>969.72</u></b>	E854.2	E939.7	E950.3	E962.0	E980.3
Methedrine	<b><u>969.72</u></b>	E854.2	E939.7	E950.3	E962.0	E980.3
Methyl						
amphetamine	<b><u>969.72</u></b>	E854.2	E939.7	E950.3	E962.0	E980.3
phenidate	<b><u>969.73</u></b>	E854.2	E939.7	E950.3	E962.0	E980.3
Monoamine oxidase inhibitors	<b><u>969.01</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Nardil	<b><u>969.01</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Nialamide	<b><u>969.01</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Nortriptyline	<b><u>969.05</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Oxypertine	<b><u>969.09</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Parnate	<b><u>969.01</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Pemoline	<b><u>969.79</u></b>	E854.2	E939.7	E950.3	E962.0	E980.3
Pertofrane	<b><u>969.05</u></b>	E854	E939.0	E950.3	E962.0	E980.3
Phenelzine	<b><u>969.01</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Pheniprazine	<b><u>969.01</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3
Protriptyline	<b><u>969.05</u></b>	E854.0	E939.0	E950.3	E962.0	E980.3

Key: Bold – Add; Bold Strikeout – Delete; Bold Underline Italic – Revise

ICD-9-CM Table of Drugs and Chemicals Addenda (FY10)  
Effective October 1, 2009

Substance	Poisoning	Accident	Therapeutic Use	Suicide Attempt	Assault	Undetermined
Psychostimulants	<u><b>969.70</b></u>	E854.2	E939.7	E950.3	E962.0	E980.3
Psychotherapeutic agents	969.9	E855.9	E939.9	E950.3	E962.0	E980.3
antidepressants	<u><b>969.00</b></u>	E854.0	E939.0	E950.3	E962.0	E980.3
Ritalin	<u><b>969.73</b></u>	E854.2	E939.7	E950.3	E962.0	E980.3
Saroten	<u><b>969.05</b></u>	E854.0	E939.0	E950.3	E962.0	E980.3
<b>Selective serotonin and norepinephrine reuptake inhibitors (SSNRI)</b>	<b>969.02</b>	<b>E854.0</b>	<b>E939.0</b>	<b>E950.3</b>	<b>E962.0</b>	<b>E980.3</b>
<b>Selective serotonin reuptake inhibitors (SSRI)</b>	<b>969.03</b>	<b>E854.0</b>	<b>E939.0</b>	<b>E950.3</b>	<b>E962.0</b>	<b>E980.3</b>
Sinequan	<u><b>969.05</b></u>	E854.0	E939.0	E950.3	E962.0	E980.3
Speed	<u><b>969.72</b></u>	E854.2	E939.7	E950.3	E962.0	E980.3
<b>SSNRI (selective serotonin and norepinephrine reuptake inhibitors)</b>	<b>969.02</b>	<b>E854.0</b>	<b>E939.0</b>	<b>E950.3</b>	<b>E962.0</b>	<b>E980.3</b>
<b>SSRI (selective serotonin reuptake inhibitors)</b>	<b>969.03</b>	<b>E854.0</b>	<b>E939.0</b>	<b>E950.3</b>	<b>E962.0</b>	<b>E980.3</b>
Stimulants (central nervous system)	970.9	E854.3	E940.9	E950.4	E962.0	E980.4
psychotherapeutic NEC	<u><b>969.09</b></u>	E854.0	E939.0	E950.3	E962.0	E980.3
Thiazesim	<u><b>969.09</b></u>	E854.0	E939.0	E950.3	E962.0	E980.3
Tofranil	<u><b>969.05</b></u>	E854.0	E939.0	E950.3	E962.0	E980.3
Tranlycypromine (sulfate)	<u><b>969.01</b></u>	E854.0	E939.0	E950.3	E962.0	E980.3
Trimipramine	<u><b>969.05</b></u>	E854.0	E939.0	E950.3	E962.0	E980.3
Tryptizol	<u><b>969.05</b></u>	E854.0	E939.0	E950.3	E962.0	E980.3