

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section A Recodes

### AGER(3707-3708)

Variable Type : recode

Description : R's age at interview (RECODE)

value	label	Total
15	15 YEARS	186
16	16 YEARS	188
17	17 YEARS	239
18	18 YEARS	205
19	19 YEARS	192
20	20 YEARS	161
21	21 YEARS	176
22	22 YEARS	193
23	23 YEARS	192
24	24 YEARS	231
25	25 YEARS	235
26	26 YEARS	221
27	27 YEARS	206
28	28 YEARS	189
29	29 YEARS	196
30	30 YEARS	217
31	31 YEARS	207
32	32 YEARS	237
33	33 YEARS	184
34	34 YEARS	190
35	35 YEARS	210
36	36 YEARS	174
37	37 YEARS	174
38	38 YEARS	150
39	39 YEARS	165
40	40 YEARS	138
41	41 YEARS	164
42	42 YEARS	129
43	43 YEARS	178
44-45	44 YEARS	172
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

Notes : Respondents age 45 were 44 at screener

### FMARITAL(3709-3709)

Variable Type : recode

Description : Formal (legal) marital status (RECODE)

value	label	Total
1	MARRIED TO A PERSON OF THE OPPOSITE SEX	1699
2	WIDOWED	23
3	DIVORCED OR ANNULLED	471
4	SEPARATED	208
5	NEVER MARRIED	3298
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMARITAL(3710-3710)**

Variable Type : recode

Description : Informal marital status (RECODE)

value	label	Total
1	CURRENTLY MARRIED TO A PERSON OF THE OPPOSITE SEX	1699
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	810
3	WIDOWED	14
4	DIVORCED OR ANNULLED	319
5	SEPARATED FOR REASONS OF MARITAL DISCORD	183
6	NEVER BEEN MARRIED	2674
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**EDUCAT(3711-3712)**

Variable Type : recode

Description : Education (number of years of schooling) (RECODE)

value	label	Total
9	9TH GRADE OR LESS	645
10	10TH GRADE	382
11	11TH GRADE	434
12	12TH GRADE	1243
13	1 YEAR OF COLLEGE/GRAD SCHOOL	655
14	2 YEARS OF COLLEGE/GRAD SCHOOL	671
15	3 YEARS OF COLLEGE/GRAD SCHOOL	271
16	4 YEARS OF COLLEGE/GRAD SCHOOL	651
17	5 YEARS OF COLLEGE/GRAD SCHOOL	206
18	6 YEARS OF COLLEGE/GRAD SCHOOL	284
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	257
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents. (This variable was bottomcoded for public use.)

**HIEDUC(3713-3714)**

Variable Type : recode

Description : Highest completed year of school or highest degree received (RECODE)

value	label	Total
5	9TH GRADE OR LESS	549
6	10TH GRADE	323
7	11TH GRADE	368
8	12TH GRADE, NO DIPLOMA (NOR GED)	33
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	1428
10	SOME COLLEGE BUT NO DEGREE	1229
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	440
12	BACHELOR'S DEGREE	853
13	MASTER'S DEGREE	373
14	DOCTORATE DEGREE	53
15	PROFESSIONAL DEGREE	50
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents. (This variable was recoded for public use.)

**HISPANIC(3715-3715)**

Variable Type : recode

Description : Hispanic origin of respondent (RECODE)

value	label	Total
1	HISPANIC	1394
2	NON-HISPANIC	4305
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **NUMRACE(3716-3716)**

Variable Type : intermediate

Description : Intermediate variable for multiple race reporting (used for HISPRACE2)

value	label	Total
1	SINGLE RACE REPORTED	5396
2	2 OR MORE RACES REPORTED	303
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **RACE(3717-3717)**

Variable Type : recode

Description : Race of respondent (RECODE)

value	label	Total
1	BLACK	1286
2	WHITE	3799
3	OTHER	614
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **HISPRACE(3718-3718)**

Variable Type : recode

Description : Race & Hispanic origin of respondent - 1977 OMB standards (RECODE)

value	label	Total
1	Hispanic	1394
2	Non-Hispanic White	2701
3	Non-Hispanic Black	1193
4	Non-Hispanic Other	411
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **HISPRACE2(3719-3719)**

Variable Type : recode

Description : Race & Hispanic origin of respondent - 1997 OMB standards (RECODE)

value	label	Total
1	Hispanic	1394
2	Non-Hispanic White, Single Race	2589
3	Non-Hispanic Black, Single Race	1114
4	Non-Hispanic Other or Multiple Race	602

**Total****5699**

Universe : Applicable for all respondents

**NUMKDHH(3720-3720)**

Variable Type : recode

Description : Number of bio/adopt/related/legal children under age 18 in household (RECODE)

value	label	Total
0	NO CHILDREN	2796
1	1 CHILD	1144
2	2 CHILDREN	1017
3	3 CHILDREN	515
4	4 CHILDREN	170
5	5 CHILDREN OR MORE	57
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents. (This variable was topcoded for public use.)

**NUMFMHH(3721-3721)**

Variable Type : recode

Description : Number of family members in household (RECODE)

value	label	Total
0	NO FAMILY MEMBERS	637
1	1 FAMILY MEMBER	1259
2	2 FAMILY MEMBERS	1313
3	3 FAMILY MEMBERS	1303
4	4 FAMILY MEMBERS	730
5	5 FAMILY MEMBERS	292
6	6 FAMILY MEMBERS	107
7	7 FAMILY MEMBERS OR MORE	58
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents. (This variable was topcoded for public use.)

**HHFAMTYP(3722-3722)**

Variable Type : recode

Description : Type of household/family structure (RECODE)

value	label	Total
1	No spouse/partner and no child(ren) (of R) 18 or younger	2167
2	Spouse/partner, but no child(ren) (of R) 18 or younger	703
3	Spouse and R's child(ren) 18 or younger	1254
4	Cohabiting partner and R's child(ren) 18 or younger	494
5	No spouse/partner, but child(ren) of R, 18 or younger	1081
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**HHPARTYP(3723-3723)**

Variable Type : recode

Description : Type of parental situation in household (RECODE)

value	label	Total
1	Both biological or both adoptive parents	731

2	Biological and step- or adoptive parent	213
3	Single parent (biological, adoptive, or stepparent)	785
4	Other	3970
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **NCHILDHH(3724-3724)**

Variable Type : recode

Description : Number of R's bio or non-bio children (18 or younger) living in household (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
0	No children of respondent age 18 or younger in the household	2870
1	1 of respondent's children 18 or younger in the household	1116
2	2 of respondent's children 18 or younger in the household	994
3	3 or more of respondent's children 18 or younger in the household	719
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **HHKIDTYP(3725-3725)**

Variable Type : recode

Description : Whether R has children (18 or younger), and whether bio or non-bio, living in the household (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
0	No child(ren) 18 or younger in HH or only older child(ren)	2870
1	At least one biological child (of R's) under 18 in HH, no nonbiological child(ren)	2680
2	Any non-biological child (of R's) 18 or younger in HH	149
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **CSPBBHH(3726-3726)**

Variable Type : recode

Description : Number of R's biological children (18 or younger) with current spouse/cohabiting partner who live in household (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	3190
0	No joint biological children	978
1	1 joint biological child	640
2	2 joint biological children	576
3	3 or more joint biological children	315
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R is currently married or cohabiting with a male partner AB-1 MARSTAT = 1 or 2. (This variable was topcoded for public use.)

### **CSPBSHH(3727-3727)**

Variable Type : recode

Description : Number of R's biological children (18 or younger) in household who are the not the biological children of her current husband/cohabiting partner (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
--------------	--------------	--------------

.	INAPPLICABLE	3190
0	No such child	2191
1	1 or more such children	318
<b>Total</b>		<b>5699</b>

Universe : Applicable if R is currently married or cohabiting with a male partner AB-1 MARSTAT = 1 or 2.  
(This variable was topcoded for public use.)

### CSPOKDHH(3728-3728)

Variable Type : recode

Description : Number of all other children (18 or younger) living in household with R and current spouse/cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	3190
0	No such child	2272
1	1 or more such children	237
<b>Total</b>		<b>5699</b>

Universe : Applicable if R is currently married or cohabiting with a male partner AB-1 MARSTAT = 1 or 2.  
(This variable was topcoded for public use.)

### INTCTFAM(3729-3729)

Variable Type : recode

Description : Intact status of childhood family (RECODE)

value	label	Total
1	TWO BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	2998
2	ANYTHING OTHER THAN 2 BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	2701
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### PARAGE14(3730-3730)

Variable Type : recode

Description : Parental living situation at age 14 (RECODE)

value	label	Total
1	R LIVED WITH BOTH BIOLOGICAL OR BOTH ADOPTIVE PARENTS AT AGE 14	3377
2	R LIVED WITH BIOLOGICAL MOTHER AND STEPFATHER AT AGE 14	603
3	R LIVED IN ANY OTHER PARENTAL SITUATION OR A NONPARENTAL SITUATION AT AGE 14	1719
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents. (This variable was recoded for public use.)

### EDUCMOM(3731-3732)

Variable Type : recode

Description : Mother's (or mother-figure's) education (RECODE)

value	label	Total
1	Less than high school	1318
2	High school graduate or GED	1742
3	Some college, including 2-year degrees	1343
4	Bachelor's degree or higher	1233
95	No mother-figure identified	63

**Total** **5699**

Universe : Applicable for all respondents. (This variable was recoded for public use.)

**AGEMOMB1(3733-3734)**

Variable Type : recode

Description : Age of mother (or mother-figure) at first birth (RECODE)

value	label	Total
1	LESS THAN 18 YEARS	998
2	18-19 YEARS	995
3	20-24 YEARS	2024
4	25-29 YEARS	1058
5	30 OR OLDER	491
95	NO MOTHER OR MOTHER-FIGURE	63
96	MOTHER-FIGURE HAD NO CHILDREN	70
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents. (This variable was recoded for public use.)

**AGER\_I(3735-3735)**

Variable Type : imputation flag

Description : AGER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**FMARITAL\_I(3736-3736)**

Variable Type : imputation flag

Description : FMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMARITAL\_I(3737-3737)**

Variable Type : imputation flag

Description : RMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**EDUCAT\_I(3738-3738)**

Variable Type : imputation flag

Description : EDUCAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **HIEDUC\_I(3739-3739)**

Variable Type : imputation flag

Description : HIEDUC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5692
1	MULTIPLE REGRESSION IMPUTATION	7
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **HISPANIC\_I(3740-3740)**

Variable Type : imputation flag

Description : HISPANIC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **RACE\_I(3741-3741)**

Variable Type : imputation flag

Description : RACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5694
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **HISPRACE\_I(3742-3742)**

Variable Type : imputation flag

Description : HISPRACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **HISPRACE2\_I(3743-3743)**

Variable Type : imputation flag



Description : HISPRACE2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **NUMKDHH\_I(3744-3744)**

Variable Type : imputation flag

Description : NUMKDHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **NUMFMHH\_I(3745-3745)**

Variable Type : imputation flag

Description : NUMFMHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **HHFAMTYP\_I(3746-3746)**

Variable Type : imputation flag

Description : HHFAMTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **HHPARTYP\_I(3747-3747)**

Variable Type : imputation flag

Description : HHPARTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **NCHILDHH\_I(3748-3748)**

Variable Type : imputation flag

Description : NCHILDHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699

**Total** **5699**

Universe : Applicable for all respondents

**HHKIDTYP\_I(3749-3749)**

Variable Type : imputation flag

Description : HHKIDTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**CSPBBHH\_I(3750-3750)**

Variable Type : imputation flag

Description : CSPBBHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**CSPBSHH\_I(3751-3751)**

Variable Type : imputation flag

Description : CSPBSHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**CSPOKDHH\_I(3752-3752)**

Variable Type : imputation flag

Description : CSPOKHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**INTCTFAM\_I(3753-3753)**

Variable Type : imputation flag

Description : INTCTFAM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**PARAGE14\_I(3754-3754)**

Variable Type : imputation flag

Description : PARAGE14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**EDUCMOM\_I(3755-3755)**

Variable Type : imputation flag

Description : EDUCMOM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5642
1	MULTIPLE REGRESSION IMPUTATION	57
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEMOMB1\_I(3756-3756)**

Variable Type : imputation flag

Description : AGEMOMB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5661
1	MULTIPLE REGRESSION IMPUTATION	38
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section B Recodes

**RCURPREG(3757-3757)**

Variable Type : recode

Description : Whether R is currently pregnant (RECODE)

value	label	Total
1	YES (CURRENTLY PREGNANT)	249
2	NO (NOT CURRENTLY PREGNANT)	5450
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**PREGNUM(3758-3759)**

Variable Type : recode

Description : CAPI-based total number of pregnancies (RECODE)

value	label	Total
0	NONE	2223
1	1 PREGNANCY	888
2	2 PREGNANCIES	996

3	3 PREGNANCIES	761
4	4 PREGNANCIES	408
5	5 PREGNANCIES	214
6	6 PREGNANCIES	100
7-95	7 OR MORE PREGNANCIES	109
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **COMPREG(3760-3761)**

Variable Type : recode

Description : CAPI-based total number of completed pregnancies (RECODE)

value	label	Total
0	NONE	2295
1	1 PREGNANCY	901
2	2 PREGNANCIES	961
3	3 PREGNANCIES	730
4	4 PREGNANCIES	401
5	5 PREGNANCIES	207
6	6 PREGNANCIES	97
7-95	7 OR MORE PREGNANCIES	107
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **LOSSNUM(3762-3763)**

Variable Type : recode

Description : CAPI-based total number of spontaneous pregnancy losses (RECODE)

value	label	Total
.	INAPPLICABLE	2295
0	NONE	2294
1	1 PREGNANCY	767
2	2 PREGNANCIES	220
3-95	3 OR MORE PREGNANCIES	123
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

### **ABORTION(3764-3764)**

Variable Type : recode

Description : CAPI-based total number of induced abortions (RECODE)

value	label	Total
.	INAPPLICABLE	2295
0	NONE	2729
1	1 PREGNANCY	497
2	2 PREGNANCIES	121
3-95	3 OR MORE PREGNANCIES	57
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

### **LBPREGS(3765-3766)**

Variable Type : recode

Description : CAPI-based total number of pregs ending in live birth (RECODE)

value	label	Total
.	INAPPLICABLE	2295
0	NONE	337
1	1 PREGNANCY	1065
2	2 PREGNANCIES	1065
3	3 PREGNANCIES	615
4-95	4 OR MORE PREGNANCIES	322
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

### **PARITY(3767-3768)**

Variable Type : recode

Description : CAPI-based total number of live births (accounting for mult birth) (RECODE)

value	label	Total
0	0 BABIES	2632
1	1 BABY	1040
2	2 BABIES	1057
3	3 BABIES	621
4	4 BABIES	228
5-95	5 OR MORE BABIES	121
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **BIRTHS5(3769-3769)**

Variable Type : recode

Description : Number of live births in last 5 years (RECODE)

value	label	Total
.	INAPPLICABLE	2295
0	0 BIRTHS	1795
1	1 BIRTH	1225
2	2 BIRTHS	340
3-6	3 OR MORE BIRTHS	44
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

### **OUTCOM01(3770-3770)**

Variable Type : recode

Description : Outcome of pregnancy - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2223
1	LIVE BIRTH	2407
2	INDUCED ABORTION	442
3	STILLBIRTH	28
4	MISCARRIAGE	496
5	ECTOPIC PREGNANCY	31
6	CURRENT PREGNANCY	72
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

**OUTCOM02(3771-3771)**

Variable Type : recode

Description : Outcome of pregnancy - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	3111
1	LIVE BIRTH	1861
2	INDUCED ABORTION	204
3	STILLBIRTH	19
4	MISCARRIAGE	386
5	ECTOPIC PREGNANCY	33
6	CURRENT PREGNANCY	85
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM &gt; 1)

**OUTCOM03(3772-3772)**

Variable Type : recode

Description : Outcome of pregnancy - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	4107
1	LIVE BIRTH	1132
2	INDUCED ABORTION	126
3	STILLBIRTH	14
4	MISCARRIAGE	251
5	ECTOPIC PREGNANCY	19
6	CURRENT PREGNANCY	50
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM &gt; 2)

**OUTCOM04(3773-3773)**

Variable Type : recode

Description : Outcome of pregnancy - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4868
1	LIVE BIRTH	583
2	INDUCED ABORTION	66
3	STILLBIRTH	17
4	MISCARRIAGE	136
5	ECTOPIC PREGNANCY	10
6	CURRENT PREGNANCY	19
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM &gt; 3)

**OUTCOM05(3774-3774)**

Variable Type : recode

Description : Outcome of pregnancy - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5276
1	LIVE BIRTH	266
2	INDUCED ABORTION	46

3	STILLBIRTH	3
4	MISCARRIAGE	83
5	ECTOPIC PREGNANCY	13
6	CURRENT PREGNANCY	12
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

### **OUTCOM06(3775-3775)**

Variable Type : recode

Description : Outcome of pregnancy - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5490
1	LIVE BIRTH	118
2	INDUCED ABORTION	25
3	STILLBIRTH	3
4	MISCARRIAGE	50
5	ECTOPIC PREGNANCY	8
6	CURRENT PREGNANCY	5
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

### **OUTCOM07(3776-3776)**

Variable Type : recode

Description : Outcome of pregnancy - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5590
1	LIVE BIRTH	67
2	INDUCED ABORTION	16
3	STILLBIRTH	1
4	MISCARRIAGE	20
5	ECTOPIC PREGNANCY	3
6	CURRENT PREGNANCY	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

### **OUTCOM08(3777-3777)**

Variable Type : recode

Description : Outcome of pregnancy - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5643
1	LIVE BIRTH	28
2	INDUCED ABORTION	9
3	STILLBIRTH	1
4	MISCARRIAGE	15
6	CURRENT PREGNANCY	3
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

**OUTCOM09(3778-3778)**

Variable Type : recode

Description : Outcome of pregnancy - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5671
1	LIVE BIRTH	11
2	INDUCED ABORTION	5
4	MISCARRIAGE	11
5	ECTOPIC PREGNANCY	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM &gt; 8)

**OUTCOM10(3779-3779)**

Variable Type : recode

Description : Outcome of pregnancy - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5682
1	LIVE BIRTH	6
2	INDUCED ABORTION	4
4	MISCARRIAGE	6
6	CURRENT PREGNANCY	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM &gt; 9)

**OUTCOM11(3780-3780)**

Variable Type : recode

Description : Outcome of pregnancy - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5688
1	LIVE BIRTH	7
2	INDUCED ABORTION	2
4	MISCARRIAGE	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM &gt; 10)

**OUTCOM12(3781-3781)**

Variable Type : recode

Description : Outcome of pregnancy - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5693
1	LIVE BIRTH	2
2	INDUCED ABORTION	2
4	MISCARRIAGE	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM &gt; 11)

**OUTCOM13(3782-3782)**



Variable Type : recode

Description : Outcome of pregnancy - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5696
4	MISCARRIAGE	3
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

#### **OUTCOM14(3783-3783)**

Variable Type : recode

Description : Outcome of pregnancy - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
4	MISCARRIAGE	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

#### **OUTCOM15(3784-3784)**

Variable Type : recode

Description : Outcome of pregnancy - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
4	MISCARRIAGE	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

#### **OUTCOM16(3785-3785)**

Variable Type : recode

Description : Outcome of pregnancy - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
4	MISCARRIAGE	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

#### **OUTCOM17(3786-3786)**

Variable Type : recode

Description : Outcome of pregnancy - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
4	MISCARRIAGE	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

#### **OUTCOM18(3787-3787)**

Variable Type : recode

Description : Outcome of pregnancy - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
4	MISCARRIAGE	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

### **OUTCOM19(3788-3788)**

Variable Type : recode

Description : Outcome of pregnancy - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
4	MISCARRIAGE	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

### **OUTCOM20(3789-3789)**

Variable Type : recode

Description : Outcome of pregnancy - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
1	LIVE BIRTH	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

### **DATEND01(3790-3793)**

Variable Type : recode

Description : CM date when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2295
378-1340	Before Sept 2011	2933
1341-1352	Sept 2011-Aug 2012	144
1353-1364	Sept 2012-Aug 2013	164
1365-1376	Sept 2013-Aug 2014	128
1377-1389	Sept 2014-Sept 2015	35
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG > 0)

### **DATEND02(3794-3797)**

Variable Type : recode

Description : CM date when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	3196
378-1340	Before Sept 2011	2036
1341-1352	Sept 2011-Aug 2012	177

1353-1364	Sept 2012-Aug 2013	125
1365-1376	Sept 2013-Aug 2014	115
1377-1389	Sept 2014-Sept 2015	50
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG > 1)

### **DATEND03(3798-3801)**

Variable Type : recode

Description : CM date when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	4157
378-1340	Before Sept 2011	1189
1341-1352	Sept 2011-Aug 2012	122
1353-1364	Sept 2012-Aug 2013	112
1365-1376	Sept 2013-Aug 2014	89
1377-1389	Sept 2014-Sept 2015	30
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

### **DATEND04(3802-3805)**

Variable Type : recode

Description : CM date when pregnancy ended - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4887
378-1340	Before Sept 2011	630
1341-1352	Sept 2011-Aug 2012	63
1353-1364	Sept 2012-Aug 2013	57
1365-1376	Sept 2013-Aug 2014	45
1377-1389	Sept 2014-Sept 2015	17
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

### **DATEND05(3806-3809)**

Variable Type : recode

Description : CM date when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5288
378-1340	Before Sept 2011	298
1341-1352	Sept 2011-Aug 2012	43
1353-1364	Sept 2012-Aug 2013	32
1365-1376	Sept 2013-Aug 2014	25
1377-1389	Sept 2014-Sept 2015	13
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

### **DATEND06(3810-3813)**

Variable Type : recode

Description : CM date when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5495
378-1340	Before Sept 2011	134
1341-1352	Sept 2011-Aug 2012	23
1353-1364	Sept 2012-Aug 2013	26
1365-1376	Sept 2013-Aug 2014	17
1377-1389	Sept 2014-Sept 2015	4
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

#### **DATEND07(3814-3817)**

Variable Type : recode

Description : CM date when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5592
378-1340	Before Sept 2011	70
1341-1352	Sept 2011-Aug 2012	7
1353-1364	Sept 2012-Aug 2013	16
1365-1376	Sept 2013-Aug 2014	8
1377-1389	Sept 2014-Sept 2015	6
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

#### **DATEND08(3818-3821)**

Variable Type : recode

Description : CM date when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5646
378-1340	Before Sept 2011	41
1341-1352	Sept 2011-Aug 2012	4
1353-1364	Sept 2012-Aug 2013	1
1365-1376	Sept 2013-Aug 2014	6
1377-1389	Sept 2014-Sept 2015	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

#### **DATEND09(3822-3825)**

Variable Type : recode

Description : CM date when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5671
378-1340	Before Sept 2011	23
1341-1352	Sept 2011-Aug 2012	1
1353-1364	Sept 2012-Aug 2013	2
1377-1389	Sept 2014-Sept 2015	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

**DATEND10(3826-3829)**

Variable Type : recode

Description : CM date when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5683
378-1340	Before Sept 2011	11
1341-1352	Sept 2011-Aug 2012	2
1353-1364	Sept 2012-Aug 2013	2
1365-1376	Sept 2013-Aug 2014	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG &gt; 9)

**DATEND11(3830-3833)**

Variable Type : recode

Description : CM date when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5688
378-1340	Before Sept 2011	3
1341-1352	Sept 2011-Aug 2012	1
1353-1364	Sept 2012-Aug 2013	3
1365-1376	Sept 2013-Aug 2014	4
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG &gt; 10)

**DATEND12(3834-3837)**

Variable Type : recode

Description : CM date when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5693
378-1340	Before Sept 2011	2
1341-1352	Sept 2011-Aug 2012	1
1353-1364	Sept 2012-Aug 2013	2
1365-1376	Sept 2013-Aug 2014	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG &gt; 11)

**DATEND13(3838-3841)**

Variable Type : recode

Description : CM date when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5696
378-1340	Before Sept 2011	1
1353-1364	Sept 2012-Aug 2013	1
1365-1376	Sept 2013-Aug 2014	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG &gt; 12)

**DATEND14(3842-3845)**

Variable Type : recode

Description : CM date when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
378-1340	Before Sept 2011	1
1353-1364	Sept 2012-Aug 2013	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG > 13)

### **DATEND15(3846-3849)**

Variable Type : recode

Description : CM date when pregnancy ended - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
378-1340	Before Sept 2011	1
1365-1376	Sept 2013-Aug 2014	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

### **DATEND16(3850-3853)**

Variable Type : recode

Description : CM date when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
378-1340	Before Sept 2011	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG > 15)

### **DATEND17(3854-3857)**

Variable Type : recode

Description : CM date when pregnancy ended - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
378-1340	Before Sept 2011	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 17 completed pregnancies (COMPREG > 16)

### **DATEND18(3858-3861)**

Variable Type : recode

Description : CM date when pregnancy ended - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
378-1340	Before Sept 2011	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 18 completed pregnancies (COMPREG > 17)

**DATEND19(3862-3865)**

Variable Type : recode

Description : CM date when pregnancy ended - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
378-1340	Before Sept 2011	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 19 completed pregnancies (COMPREG &gt; 18)

**DATEND20(3866-3869)**

Variable Type : recode

Description : CM date when pregnancy ended - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
1353-1364	Sept 2012-Aug 2013	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 20 completed pregnancies (COMPREG &gt; 19)

**AGEPRG01(3870-3873)**

Variable Type : recode

Description : Age when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2295
0-1999	UNDER 20 YEARS	1412
2000-2499	20-24 YEARS	1092
2500-2999	25-29 YEARS	539
3000-4499	30-44 YEARS	361
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG &gt; 0)

**AGEPRG02(3874-3877)**

Variable Type : recode

Description : Age when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	3196
0-1999	UNDER 20 YEARS	446
2000-2499	20-24 YEARS	953
2500-2999	25-29 YEARS	612
3000-4499	30-44 YEARS	492
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG &gt; 1)

**AGEPRG03(3878-3881)**

Variable Type : recode

Description : Age when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	4157
0-1999	UNDER 20 YEARS	108
2000-2499	20-24 YEARS	552
2500-2999	25-29 YEARS	465
3000-4499	30-44 YEARS	417
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

#### **AGEPRG04(3882-3885)**

Variable Type : recode

Description : Age when pregnancy ended - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4887
0-1999	UNDER 20 YEARS	18
2000-2499	20-24 YEARS	241
2500-2999	25-29 YEARS	294
3000-4499	30-44 YEARS	259
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

#### **AGEPRG05(3886-3889)**

Variable Type : recode

Description : Age when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5288
0-1999	UNDER 20 YEARS	9
2000-2499	20-24 YEARS	87
2500-2999	25-29 YEARS	137
3000-4499	30-44 YEARS	178
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

#### **AGEPRG06(3890-3893)**

Variable Type : recode

Description : Age when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5495
0-1999	UNDER 20 YEARS	4
2000-2499	20-24 YEARS	35
2500-2999	25-29 YEARS	61
3000-4499	30-44 YEARS	104
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

#### **AGEPRG07(3894-3897)**

Variable Type : recode



Description : Age when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5592
0-1999	UNDER 20 YEARS	2
2000-2499	20-24 YEARS	15
2500-2999	25-29 YEARS	40
3000-4499	30-44 YEARS	50
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

### **AGEPRG08(3898-3901)**

Variable Type : recode

Description : Age when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5646
0-1999	UNDER 20 YEARS	1
2000-2499	20-24 YEARS	5
2500-2999	25-29 YEARS	18
3000-4499	30-44 YEARS	29
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

### **AGEPRG09(3902-3905)**

Variable Type : recode

Description : Age when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5671
0-1999	UNDER 20 YEARS	1
2000-2499	20-24 YEARS	2
2500-2999	25-29 YEARS	11
3000-4499	30-44 YEARS	14
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

### **AGEPRG10(3906-3909)**

Variable Type : recode

Description : Age when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5683
2000-2499	20-24 YEARS	2
2500-2999	25-29 YEARS	6
3000-4499	30-44 YEARS	8
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG > 9)

### **AGEPRG11(3910-3913)**

Variable Type : recode

Description : Age when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5688
2000-2499	20-24 YEARS	1
2500-2999	25-29 YEARS	5
3000-4499	30-44 YEARS	5
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG > 10)

### **AGEPRG12(3914-3917)**

Variable Type : recode

Description : Age when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5693
2500-2999	25-29 YEARS	3
3000-4499	30-44 YEARS	3
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG > 11)

### **AGEPRG13(3918-3921)**

Variable Type : recode

Description : Age when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5696
2500-2999	25-29 YEARS	1
3000-4499	30-44 YEARS	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG > 12)

### **AGEPRG14(3922-3925)**

Variable Type : recode

Description : Age when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
2500-2999	25-29 YEARS	1
3000-4499	30-44 YEARS	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG > 13)

### **AGEPRG15(3926-3929)**

Variable Type : recode

Description : Age when pregnancy ended - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
3000-4499	30-44 YEARS	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

**AGEPRG16(3930-3933)**

Variable Type : recode

Description : Age when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3000-4499	30-44 YEARS	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG &gt; 15)

**AGEPRG17(3934-3937)**

Variable Type : recode

Description : Age when pregnancy ended - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3000-4499	30-44 YEARS	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 17 completed pregnancies (COMPREG &gt; 16)

**AGEPRG18(3938-3941)**

Variable Type : recode

Description : Age when pregnancy ended - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3000-4499	30-44 YEARS	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 18 completed pregnancies (COMPREG &gt; 17)

**AGEPRG19(3942-3945)**

Variable Type : recode

Description : Age when pregnancy ended - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3000-4499	30-44 YEARS	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 19 completed pregnancies (COMPREG &gt; 18)

**AGEPRG20(3946-3949)**

Variable Type : recode

Description : Age when pregnancy ended - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3000-4499	30-44 YEARS	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 20 completed pregnancies (COMPREG &gt; 19)

**DATCON01(3950-3953)**

Variable Type : recode

Description : CM date when pregnancy began - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2223
378-1340	Before Sept 2011	3016
1341-1352	Sept 2011-Aug 2012	153
1353-1364	Sept 2012-Aug 2013	168
1365-1376	Sept 2013-Aug 2014	102
1377-1389	Sept 2014-Sept 2015	37
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever been pregnant (PREGNUM &gt; 0)

**DATCON02(3954-3957)**

Variable Type : recode

Description : CM date when pregnancy began - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	3111
378-1340	Before Sept 2011	2143
1341-1352	Sept 2011-Aug 2012	128
1353-1364	Sept 2012-Aug 2013	156
1365-1376	Sept 2013-Aug 2014	110
1377-1389	Sept 2014-Sept 2015	51
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM &gt; 1)

**DATCON03(3958-3961)**

Variable Type : recode

Description : CM date when pregnancy began - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	4107
378-1340	Before Sept 2011	1250
1341-1352	Sept 2011-Aug 2012	118
1353-1364	Sept 2012-Aug 2013	119
1365-1376	Sept 2013-Aug 2014	81
1377-1389	Sept 2014-Sept 2015	24
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM &gt; 2)

**DATCON04(3962-3965)**

Variable Type : recode

Description : CM date when pregnancy began - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4868
378-1340	Before Sept 2011	664
1341-1352	Sept 2011-Aug 2012	59
1353-1364	Sept 2012-Aug 2013	58
1365-1376	Sept 2013-Aug 2014	40
1377-1389	Sept 2014-Sept 2015	10

**Total**                    **5699**

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

**DATCON05(3966-3969)**

Variable Type : recode

Description : CM date when pregnancy began - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5276
378-1340	Before Sept 2011	319
1341-1352	Sept 2011-Aug 2012	42
1353-1364	Sept 2012-Aug 2013	24
1365-1376	Sept 2013-Aug 2014	31
1377-1389	Sept 2014-Sept 2015	7
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

**DATCON06(3970-3973)**

Variable Type : recode

Description : CM date when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5490
378-1340	Before Sept 2011	144
1341-1352	Sept 2011-Aug 2012	24
1353-1364	Sept 2012-Aug 2013	26
1365-1376	Sept 2013-Aug 2014	9
1377-1389	Sept 2014-Sept 2015	6
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

**DATCON07(3974-3977)**

Variable Type : recode

Description : CM date when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5590
378-1340	Before Sept 2011	72
1341-1352	Sept 2011-Aug 2012	16
1353-1364	Sept 2012-Aug 2013	11
1365-1376	Sept 2013-Aug 2014	5
1377-1389	Sept 2014-Sept 2015	5
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

**DATCON08(3978-3981)**

Variable Type : recode

Description : CM date when pregnancy began - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5643

378-1340	Before Sept 2011	43
1341-1352	Sept 2011-Aug 2012	2
1353-1364	Sept 2012-Aug 2013	3
1365-1376	Sept 2013-Aug 2014	6
1377-1389	Sept 2014-Sept 2015	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

### **DATCON09(3982-3985)**

Variable Type : recode

Description : CM date when pregnancy began - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5671
378-1340	Before Sept 2011	24
1341-1352	Sept 2011-Aug 2012	2
1377-1389	Sept 2014-Sept 2015	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

### **DATCON10(3986-3989)**

Variable Type : recode

Description : CM date when pregnancy began - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5682
378-1340	Before Sept 2011	12
1341-1352	Sept 2011-Aug 2012	2
1353-1364	Sept 2012-Aug 2013	2
1377-1389	Sept 2014-Sept 2015	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

### **DATCON11(3990-3993)**

Variable Type : recode

Description : CM date when pregnancy began - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5688
378-1340	Before Sept 2011	3
1341-1352	Sept 2011-Aug 2012	3
1353-1364	Sept 2012-Aug 2013	4
1365-1376	Sept 2013-Aug 2014	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

### **DATCON12(3994-3997)**

Variable Type : recode

Description : CM date when pregnancy began - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5693
378-1340	Before Sept 2011	2
1341-1352	Sept 2011-Aug 2012	2
1353-1364	Sept 2012-Aug 2013	1
1365-1376	Sept 2013-Aug 2014	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

#### **DATCON13(3998-4001)**

Variable Type : recode

Description : CM date when pregnancy began - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5696
378-1340	Before Sept 2011	1
1353-1364	Sept 2012-Aug 2013	1
1365-1376	Sept 2013-Aug 2014	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

#### **DATCON14(4002-4005)**

Variable Type : recode

Description : CM date when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
378-1340	Before Sept 2011	1
1353-1364	Sept 2012-Aug 2013	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

#### **DATCON15(4006-4009)**

Variable Type : recode

Description : CM date when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
378-1340	Before Sept 2011	1
1365-1376	Sept 2013-Aug 2014	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

#### **DATCON16(4010-4013)**

Variable Type : recode

Description : CM date when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
378-1340	Before Sept 2011	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

**DATCON17(4014-4017)**

Variable Type : recode

Description : CM date when pregnancy began - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
378-1340	Before Sept 2011	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

**DATCON18(4018-4021)**

Variable Type : recode

Description : CM date when pregnancy began - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
378-1340	Before Sept 2011	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

**DATCON19(4022-4025)**

Variable Type : recode

Description : CM date when pregnancy began - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
378-1340	Before Sept 2011	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

**DATCON20(4026-4029)**

Variable Type : recode

Description : CM date when pregnancy began - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
1341-1352	Sept 2011-Aug 2012	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

**AGECON01(4030-4033)**

Variable Type : recode

Description : Age when pregnancy began - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2223
0-1999	UNDER 20 YEARS	1639
2000-2499	20-24 YEARS	977
2500-2999	25-29 YEARS	546



3000-4499	30-44 YEARS	314
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

### **AGECON02(4034-4037)**

Variable Type : recode

Description : Age when pregnancy began - 2nd (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	3111
0-1999	UNDER 20 YEARS	565
2000-2499	20-24 YEARS	955
2500-2999	25-29 YEARS	625
3000-4499	30-44 YEARS	443
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

### **AGECON03(4038-4041)**

Variable Type : recode

Description : Age when pregnancy began - 3rd (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	4107
0-1999	UNDER 20 YEARS	146
2000-2499	20-24 YEARS	583
2500-2999	25-29 YEARS	472
3000-4499	30-44 YEARS	391
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

### **AGECON04(4042-4045)**

Variable Type : recode

Description : Age when pregnancy began - 4th (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	4868
0-1999	UNDER 20 YEARS	34
2000-2499	20-24 YEARS	271
2500-2999	25-29 YEARS	280
3000-4499	30-44 YEARS	246
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

### **AGECON05(4046-4049)**

Variable Type : recode

Description : Age when pregnancy began - 5th (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	5276
0-1999	UNDER 20 YEARS	12

2000-2499	20-24 YEARS	103
2500-2999	25-29 YEARS	140
3000-4499	30-44 YEARS	168
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

### **AGECON06(4050-4053)**

Variable Type : recode

Description : Age when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5490
0-1999	UNDER 20 YEARS	5
2000-2499	20-24 YEARS	40
2500-2999	25-29 YEARS	66
3000-4499	30-44 YEARS	98
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

### **AGECON07(4054-4057)**

Variable Type : recode

Description : Age when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5590
0-1999	UNDER 20 YEARS	2
2000-2499	20-24 YEARS	19
2500-2999	25-29 YEARS	37
3000-4499	30-44 YEARS	51
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

### **AGECON08(4058-4061)**

Variable Type : recode

Description : Age when pregnancy began - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5643
0-1999	UNDER 20 YEARS	1
2000-2499	20-24 YEARS	8
2500-2999	25-29 YEARS	21
3000-4499	30-44 YEARS	26
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

### **AGECON09(4062-4065)**

Variable Type : recode

Description : Age when pregnancy began - 9th (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5671
0-1999	UNDER 20 YEARS	1
2000-2499	20-24 YEARS	2
2500-2999	25-29 YEARS	11
3000-4499	30-44 YEARS	14
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

### **AGECON10(4066-4069)**

Variable Type : recode

Description : Age when pregnancy began - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5682
0-1999	UNDER 20 YEARS	1
2000-2499	20-24 YEARS	1
2500-2999	25-29 YEARS	6
3000-4499	30-44 YEARS	9
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

### **AGECON11(4070-4073)**

Variable Type : recode

Description : Age when pregnancy began - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5688
2000-2499	20-24 YEARS	1
2500-2999	25-29 YEARS	6
3000-4499	30-44 YEARS	4
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

### **AGECON12(4074-4077)**

Variable Type : recode

Description : Age when pregnancy began - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5693
2500-2999	25-29 YEARS	3
3000-4499	30-44 YEARS	3
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

### **AGECON13(4078-4081)**

Variable Type : recode

Description : Age when pregnancy began - 13th (RECODE)

<u>value</u>	<u>label</u>	<u>Total</u>
--------------	--------------	--------------

.	INAPPLICABLE	5696
2500-2999	25-29 YEARS	2
3000-4499	30-44 YEARS	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

### **AGECON14(4082-4085)**

Variable Type : recode

Description : Age when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
2500-2999	25-29 YEARS	1
3000-4499	30-44 YEARS	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

### **AGECON15(4086-4089)**

Variable Type : recode

Description : Age when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
3000-4499	30-44 YEARS	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

### **AGECON16(4090-4093)**

Variable Type : recode

Description : Age when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3000-4499	30-44 YEARS	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

### **AGECON17(4094-4097)**

Variable Type : recode

Description : Age when pregnancy began - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3000-4499	30-44 YEARS	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

### **AGECON18(4098-4101)**

Variable Type : recode

Description : Age when pregnancy began - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3000-4499	30-44 YEARS	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

### **AGECON19(4102-4105)**

Variable Type : recode

Description : Age when pregnancy began - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3000-4499	30-44 YEARS	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

### **AGECON20(4106-4109)**

Variable Type : recode

Description : Age when pregnancy began - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3000-4499	30-44 YEARS	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

### **MAROUT01(4110-4110)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2295
1	Married	1146
2	Divorced	67
3	Widowed	2
4	Separated	6
5	Never married	2183
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG > 0)

### **MAROUT02(4111-4111)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	3196
1	Married	1120
2	Divorced	126
3	Widowed	3
4	Separated	19

5	Never married	1235
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG > 1)

### **MAROUT03(4112-4112)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	4157
1	Married	735
2	Divorced	128
3	Widowed	8
4	Separated	16
5	Never married	655
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

### **MAROUT04(4113-4113)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4887
1	Married	373
2	Divorced	79
3	Widowed	4
4	Separated	18
5	Never married	338
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

### **MAROUT05(4114-4114)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5288
1	Married	174
2	Divorced	39
3	Widowed	5
4	Separated	16
5	Never married	177
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

### **MAROUT06(4115-4115)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5495

1	Married	74
2	Divorced	27
3	Widowed	3
4	Separated	11
5	Never married	89
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

### **MAROUT07(4116-4116)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5592
1	Married	37
2	Divorced	19
4	Separated	7
5	Never married	44
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

### **MAROUT08(4117-4117)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5646
1	Married	20
2	Divorced	10
5	Never married	23
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

### **MAROUT09(4118-4118)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5671
1	Married	11
2	Divorced	4
4	Separated	1
5	Never married	12
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

### **MAROUT10(4119-4119)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5683

1	Married	7
2	Divorced	3
5	Never married	6
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG > 9)

### **MAROUT11(4120-4120)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5688
1	Married	2
2	Divorced	3
4	Separated	1
5	Never married	5
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG > 10)

### **MAROUT12(4121-4121)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5693
1	Married	1
2	Divorced	3
4	Separated	1
5	Never married	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG > 11)

### **MAROUT13(4122-4122)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5696
2	Divorced	2
5	Never married	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG > 12)

### **MAROUT14(4123-4123)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
2	Divorced	1
5	Never married	1
<b>Total</b>		<b>5699</b>



Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG > 13)

**MAROUT15(4124-4124)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
2	Divorced	1
5	Never married	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

**MAROUT16(4125-4125)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG > 15)

**MAROUT17(4126-4126)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 17 completed pregnancies (COMPREG > 16)

**MAROUT18(4127-4127)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 18 completed pregnancies (COMPREG > 17)

**MAROUT19(4128-4128)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 19 completed pregnancies (COMPREG > 18)

**MAROUT20(4129-4129)**

Variable Type : recode

Description : Formal marital status when pregnancy ended - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 20 completed pregnancies (COMPREG > 19)

**RMAROUT01(4130-4130)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2295
1	Married	1147
2	Divorced	35
3	Widowed	1
4	Separated	5
5	Cohabiting	849
6	Never married, not cohabiting	1367
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG > 0)

**RMAROUT02(4131-4131)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	3196
1	Married	1120
2	Divorced	60
3	Widowed	3
4	Separated	19
5	Cohabiting	705
6	Never married, not cohabiting	596
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG > 1)

**RMAROUT03(4132-4132)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	4157
1	Married	735
2	Divorced	67
3	Widowed	5

4	Separated	16
5	Cohabiting	448
6	Never married, not cohabiting	271
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

**RMAROUT04(4133-4133)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4887
1	Married	373
2	Divorced	27
3	Widowed	2
4	Separated	18
5	Cohabiting	243
6	Never married, not cohabiting	149
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

**RMAROUT05(4134-4134)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5288
1	Married	174
2	Divorced	20
3	Widowed	2
4	Separated	16
5	Cohabiting	124
6	Never married, not cohabiting	75
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

**RMAROUT06(4135-4135)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5495
1	Married	74
2	Divorced	11
3	Widowed	2
4	Separated	11
5	Cohabiting	65
6	Never married, not cohabiting	41
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

**RMAROUT07(4136-4136)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5592
1	Married	37
2	Divorced	6
4	Separated	7
5	Cohabiting	34
6	Never married, not cohabiting	23
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

#### **RMAROUT08(4137-4137)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5646
1	Married	20
2	Divorced	3
5	Cohabiting	20
6	Never married, not cohabiting	10
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

#### **RMAROUT09(4138-4138)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5671
1	Married	11
2	Divorced	1
4	Separated	1
5	Cohabiting	8
6	Never married, not cohabiting	7
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

#### **RMAROUT10(4139-4139)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5683
1	Married	7
2	Divorced	1
5	Cohabiting	6
6	Never married, not cohabiting	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG > 9)

**RMAROUT11(4140-4140)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5688
1	Married	2
2	Divorced	1
4	Separated	1
5	Cohabiting	7
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG &gt; 10)

**RMAROUT12(4141-4141)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5693
1	Married	1
2	Divorced	2
4	Separated	1
5	Cohabiting	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG &gt; 11)

**RMAROUT13(4142-4142)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5696
2	Divorced	1
5	Cohabiting	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG &gt; 12)

**RMAROUT14(4143-4143)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
2	Divorced	1
5	Cohabiting	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG &gt; 13)

**RMAROUT15(4144-4144)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
2	Divorced	1
5	Cohabiting	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

**RMAROUT16(4145-4145)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG > 15)

**RMAROUT17(4146-4146)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 17 completed pregnancies (COMPREG > 16)

**RMAROUT18(4147-4147)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 18 completed pregnancies (COMPREG > 17)

**RMAROUT19(4148-4148)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 19 completed pregnancies (COMPREG > 18)

**RMAROUT20(4149-4149)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
5	Cohabiting	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had at least 20 completed pregnancies (COMPREG > 19)

### **MARCON01(4150-4150)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2223
1	Married	975
2	Divorced	71
3	Widowed	1
4	Separated	6
5	Never married	2423
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

### **MARCON02(4151-4151)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	3111
1	Married	1087
2	Divorced	126
3	Widowed	3
4	Separated	17
5	Never married	1355
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

### **MARCON03(4152-4152)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	4107
1	Married	726
2	Divorced	132
3	Widowed	7
4	Separated	14
5	Never married	713
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

### **MARCON04(4153-4153)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4868
1	Married	357
2	Divorced	88
3	Widowed	4
4	Separated	18
5	Never married	364
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

#### **MARCON05(4154-4154)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5276
1	Married	176
2	Divorced	39
3	Widowed	5
4	Separated	15
5	Never married	188
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

#### **MARCON06(4155-4155)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5490
1	Married	74
2	Divorced	26
3	Widowed	4
4	Separated	9
5	Never married	96
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

#### **MARCON07(4156-4156)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5590
1	Married	38
2	Divorced	19
4	Separated	7
5	Never married	45
<b>Total</b>		<b>5699</b>



Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

**MARCON08(4157-4157)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5643
1	Married	20
2	Divorced	10
4	Separated	1
5	Never married	25
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

**MARCON09(4158-4158)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5671
1	Married	11
2	Divorced	4
5	Never married	13
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

**MARCON10(4159-4159)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5682
1	Married	6
2	Divorced	4
5	Never married	7
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

**MARCON11(4160-4160)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5688
1	Married	2
2	Divorced	3
4	Separated	1
5	Never married	5
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

**MARCON12(4161-4161)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5693
1	Married	1
2	Divorced	3
4	Separated	1
5	Never married	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM &gt; 11)

**MARCON13(4162-4162)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5696
2	Divorced	2
5	Never married	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM &gt; 12)

**MARCON14(4163-4163)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
2	Divorced	1
5	Never married	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM &gt; 13)

**MARCON15(4164-4164)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
2	Divorced	1
5	Never married	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM &gt; 14)

**MARCON16(4165-4165)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

### **MARCON17(4166-4166)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

### **MARCON18(4167-4167)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

### **MARCON19(4168-4168)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

### **MARCON20(4169-4169)**

Variable Type : recode

Description : Formal marital status when pregnancy began - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

### **RMARCON01(4170-4170)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2223
1	Married	976
2	Divorced	36
3	Widowed	1
4	Separated	5
5	Cohabiting	795
6	Never married, not cohabiting	1663
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

### **RMARCON02(4171-4171)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	3111
1	Married	1087
2	Divorced	67
3	Widowed	2
4	Separated	17
5	Cohabiting	755
6	Never married, not cohabiting	660
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

### **RMARCON03(4172-4172)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	4107
1	Married	726
2	Divorced	66
3	Widowed	5
4	Separated	14
5	Cohabiting	487
6	Never married, not cohabiting	294
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

### **RMARCON04(4173-4173)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4868
1	Married	358
2	Divorced	37
3	Widowed	3
4	Separated	18
5	Cohabiting	267
6	Never married, not cohabiting	148

**Total** **5699**

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

**RMARCON05(4174-4174)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5276
1	Married	175
2	Divorced	18
3	Widowed	2
4	Separated	15
5	Cohabiting	133
6	Never married, not cohabiting	80
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

**RMARCON06(4175-4175)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5490
1	Married	74
2	Divorced	12
3	Widowed	2
4	Separated	9
5	Cohabiting	73
6	Never married, not cohabiting	39
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

**RMARCON07(4176-4176)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5590
1	Married	38
2	Divorced	5
4	Separated	7
5	Cohabiting	35
6	Never married, not cohabiting	24
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

**RMARCON08(4177-4177)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 8th (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5643
1	Married	20
2	Divorced	3
4	Separated	1
5	Cohabiting	22
6	Never married, not cohabiting	10
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

**RMARCON09(4178-4178)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5671
1	Married	11
2	Divorced	1
5	Cohabiting	9
6	Never married, not cohabiting	7
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

**RMARCON10(4179-4179)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5682
1	Married	6
2	Divorced	1
5	Cohabiting	7
6	Never married, not cohabiting	3
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

**RMARCON11(4180-4180)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5688
1	Married	2
2	Divorced	1
4	Separated	1
5	Cohabiting	7
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

**RMARCON12(4181-4181)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5693
1	Married	1
2	Divorced	2
4	Separated	1
5	Cohabiting	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

### **RMARCON13(4182-4182)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5696
2	Divorced	1
5	Cohabiting	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

### **RMARCON14(4183-4183)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
2	Divorced	1
5	Cohabiting	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

### **RMARCON15(4184-4184)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5697
2	Divorced	1
5	Cohabiting	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

### **RMARCON16(4185-4185)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

**RMARCON17(4186-4186)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

**RMARCON18(4187-4187)**

Variable Type : recode

Description : Informal marital status when pregnancy began - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

**RMARCON19(4188-4188)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Divorced	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

**RMARCON20(4189-4189)**

Variable Type : recode

Description : Informal marital status when pregnancy ended - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5698
5	Cohabiting	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

**CEBOW(4190-4190)**

Variable Type : recode

Description : Number of children born out of wedlock (RECODE)

value	label	Total
.	INAPPLICABLE	2632
0	NONE	1156
1	1 CHILD	971
2	2 CHILDREN	517



3-95	3 OR MORE CHILDREN	423
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had a live birth (PARITY > 0)

### **CEBOWC(4191-4191)**

Variable Type : recode

Description : Number of children born in cohabiting unions (RECODE)

value	label	Total
.	INAPPLICABLE	2632
0	NONE	1877
1	1 CHILD	722
2	2 CHILDREN	313
3-95	3 OR MORE CHILDREN	155
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had a live birth (PARITY > 0)

### **DATBABY1(4192-4195)**

Variable Type : recode

Description : CM date of 1st live birth (RECODE)

value	label	Total
.	INAPPLICABLE	2632
378-1340	Before Sept 2011	2605
1341-1352	Sept 2011-Aug 2012	153
1353-1364	Sept 2012-Aug 2013	148
1365-1376	Sept 2013-Aug 2014	123
1377-1389	Sept 2014-Sept 2015	38
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had a live birth (PARITY > 0)

### **AGEBABY1(4196-4199)**

Variable Type : recode

Description : Age at 1st live birth (RECODE)

value	label	Total
.	INAPPLICABLE	2632
0-1999	UNDER 20 YEARS	1038
2000-2499	20-24 YEARS	1019
2500-2999	25-29 YEARS	585
3000-4499	30-44 YEARS	425
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had a live birth (PARITY > 0)

### **LIVCHILD01(4200-4200)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 1st pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	3292

1	Child lives with R	2237
2	Child is dead	14
3	Child lives with adoptive parents/family	13
4	Child lives with biological father	58
5	Child lives with other relatives	65
6	Child's living arrangements are other or unknown	20
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 1st pregnancy resulted in live birth (OUTCOM01 = 1)

### **LIVCHILD02(4201-4201)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 2nd pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	3838
1	Child lives with R	1747
2	Child is dead	15
3	Child lives with adoptive parents/family	12
4	Child lives with biological father	41
5	Child lives with other relatives	28
6	Child's living arrangements are other or unknown	18
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 2nd pregnancy resulted in live birth (OUTCOM02 = 1)

### **LIVCHILD03(4202-4202)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 3rd pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	4567
1	Child lives with R	1052
2	Child is dead	8
3	Child lives with adoptive parents/family	9
4	Child lives with biological father	29
5	Child lives with other relatives	16
6	Child's living arrangements are other or unknown	18
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 3rd pregnancy resulted in live birth (OUTCOM03 = 1)

### **LIVCHILD04(4203-4203)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 4th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5116
1	Child lives with R	538
2	Child is dead	9
3	Child lives with adoptive parents/family	5
4	Child lives with biological father	15
5	Child lives with other relatives	9
6	Child's living arrangements are other or unknown	7
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 4th pregnancy resulted in live birth (OUTCOM04 = 1)

**LIVCHILD05(4204-4204)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 5th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5433
1	Child lives with R	245
2	Child is dead	3
3	Child lives with adoptive parents/family	4
4	Child lives with biological father	6
5	Child lives with other relatives	7
6	Child's living arrangements are other or unknown	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 5th pregnancy resulted in live birth (OUTCOM05 = 1)

**LIVCHILD06(4205-4205)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 6th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5581
1	Child lives with R	101
3	Child lives with adoptive parents/family	3
4	Child lives with biological father	7
5	Child lives with other relatives	4
6	Child's living arrangements are other or unknown	3
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 6th pregnancy resulted in live birth (OUTCOM06 = 1)

**LIVCHILD07(4206-4206)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 7th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5632
1	Child lives with R	56
2	Child is dead	2
3	Child lives with adoptive parents/family	2
4	Child lives with biological father	2
5	Child lives with other relatives	2
6	Child's living arrangements are other or unknown	3
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 7th pregnancy resulted in live birth (OUTCOM07 = 1)

**LIVCHILD08(4207-4207)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 8th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5671
1	Child lives with R	22

3	Child lives with adoptive parents/family	2
5	Child lives with other relatives	2
6	Child's living arrangements are other or unknown	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 8th pregnancy resulted in live birth (OUTCOM08 = 1)

### **LIVCHILD09(4208-4208)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 9th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5688
1	Child lives with R	11
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 9th pregnancy resulted in live birth (OUTCOM09 = 1)

### **LIVCHILD10(4209-4209)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 10th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5693
1	Child lives with R	6
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 10th pregnancy resulted in live birth (OUTCOM10 = 1)

### **LIVCHILD11(4210-4210)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 11th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5692
1	Child lives with R	7
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 11th pregnancy resulted in live birth (OUTCOM11 = 1)

### **LIVCHILD12(4211-4211)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 12th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5697
1	Child lives with R	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 12th pregnancy resulted in live birth (OUTCOM12 = 1)

### **LIVCHILD13(4212-4212)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 13th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 13th pregnancy resulted in live birth (OUTCOM13 = 1)

### **LIVCHILD14(4213-4213)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 14th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 14th pregnancy resulted in live birth (OUTCOM14 = 1)

### **LIVCHILD15(4214-4214)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 15th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 15th pregnancy resulted in live birth (OUTCOM15 = 1)

### **LIVCHILD16(4215-4215)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 16th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 16th pregnancy resulted in live birth (OUTCOM16 = 1)

### **LIVCHILD17(4216-4216)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 17th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 17th pregnancy resulted in live birth (OUTCOM17 = 1)

### **LIVCHILD18(4217-4217)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 18th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 18th pregnancy resulted in live birth (OUTCOM18 = 1)

### **LIVCHILD19(4218-4218)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 19th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 19th pregnancy resulted in live birth (OUTCOM19 = 1)

### **LIVCHILD20(4219-4219)**

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 20th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5698
1	Child lives with R	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R's 20th pregnancy resulted in live birth (OUTCOM20 = 1)

### **RCURPREG\_I(4220-4220)**

Variable Type : imputation flag

Description : RCURPREG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
2	LOGICAL IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **PREGNUM\_I(4221-4221)**

Variable Type : imputation flag

Description : PREGNUM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5694
2	LOGICAL IMPUTATION	5
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **COMPREG\_I(4222-4222)**

Variable Type : imputation flag

Description : COMPREG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LOSSNUM\_I(4223-4223)**

Variable Type : imputation flag

Description : LOSSNUM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**ABORTION\_I(4224-4224)**

Variable Type : imputation flag

Description : ABORTION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LBPREGS\_I(4225-4225)**

Variable Type : imputation flag

Description : LBPREGS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**PARITY\_I(4226-4226)**

Variable Type : imputation flag

Description : PARITY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**BIRTHS5\_I(4227-4227)**

Variable Type : imputation flag

Description : BIRTHS5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**OUTCOM01\_I(4228-4228)**

Variable Type : imputation flag

Description : OUTCOM01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM02\_I(4229-4229)**

Variable Type : imputation flag

Description : OUTCOM02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM03\_I(4230-4230)**

Variable Type : imputation flag

Description : OUTCOM03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5694
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM04\_I(4231-4231)**

Variable Type : imputation flag

Description : OUTCOM04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM05\_I(4232-4232)**

Variable Type : imputation flag

Description : OUTCOM05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM06\_I(4233-4233)**



Variable Type : imputation flag

Description : OUTCOM06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM07\_I(4234-4234)**

Variable Type : imputation flag

Description : OUTCOM07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM08\_I(4235-4235)**

Variable Type : imputation flag

Description : OUTCOM08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM09\_I(4236-4236)**

Variable Type : imputation flag

Description : OUTCOM09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM10\_I(4237-4237)**

Variable Type : imputation flag

Description : OUTCOM10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM11\_I(4238-4238)**

Variable Type : imputation flag

Description : OUTCOM11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM12\_I(4239-4239)**

Variable Type : imputation flag

Description : OUTCOM12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM13\_I(4240-4240)**

Variable Type : imputation flag

Description : OUTCOM13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM14\_I(4241-4241)**

Variable Type : imputation flag

Description : OUTCOM14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM15\_I(4242-4242)**

Variable Type : imputation flag

Description : OUTCOM15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM16\_I(4243-4243)**

Variable Type : imputation flag

Description : OUTCOM16 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM17\_I(4244-4244)**

Variable Type : imputation flag

Description : OUTCOM17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM18\_I(4245-4245)**

Variable Type : imputation flag

Description : OUTCOM18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM19\_I(4246-4246)**

Variable Type : imputation flag

Description : OUTCOM19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OUTCOM20\_I(4247-4247)**

Variable Type : imputation flag

Description : OUTCOM20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **DATEND01\_I(4248-4248)**

Variable Type : imputation flag

Description : DATEND01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5687
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	6
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND02\_I(4249-4249)**

Variable Type : imputation flag

Description : DATEND02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5691
1	MULTIPLE REGRESSION IMPUTATION	8
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND03\_I(4250-4250)**

Variable Type : imputation flag

Description : DATEND03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND04\_I(4251-4251)**

Variable Type : imputation flag

Description : DATEND04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5688
1	MULTIPLE REGRESSION IMPUTATION	11
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND05\_I(4252-4252)**

Variable Type : imputation flag

Description : DATEND05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND06\_I(4253-4253)**

Variable Type : imputation flag

Description : DATEND06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND07\_I(4254-4254)**

Variable Type : imputation flag

Description : DATEND07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND08\_I(4255-4255)**

Variable Type : imputation flag

Description : DATEND08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND09\_I(4256-4256)**

Variable Type : imputation flag

Description : DATEND09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND10\_I(4257-4257)**

Variable Type : imputation flag

Description : DATEND10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND11\_I(4258-4258)**

Variable Type : imputation flag

Description : DATEND11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND12\_I(4259-4259)**

Variable Type : imputation flag

Description : DATEND12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND13\_I(4260-4260)**

Variable Type : imputation flag

Description : DATEND13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND14\_I(4261-4261)**

Variable Type : imputation flag

Description : DATEND14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND15\_I(4262-4262)**

Variable Type : imputation flag

Description : DATEND15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND16\_I(4263-4263)**

Variable Type : imputation flag

Description : DATEND16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATEND17\_I(4264-4264)**

Variable Type : imputation flag

Description : DATEND17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **DATEND18\_I(4265-4265)**

Variable Type : imputation flag

Description : DATEND18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **DATEND19\_I(4266-4266)**

Variable Type : imputation flag

Description : DATEND19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **DATEND20\_I(4267-4267)**

Variable Type : imputation flag

Description : DATEND20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGEPRG01\_I(4268-4268)**

Variable Type : imputation flag

Description : AGEPRG01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5693
1	MULTIPLE REGRESSION IMPUTATION	6
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGEPRG02\_I(4269-4269)**

Variable Type : imputation flag

Description : AGEPRG02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5691
1	MULTIPLE REGRESSION IMPUTATION	8

**Total** **5699**

Universe : Applicable for all respondents

**AGEPRG03\_I(4270-4270)**

Variable Type : imputation flag

Description : AGEPRG03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEPRG04\_I(4271-4271)**

Variable Type : imputation flag

Description : AGEPRG04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5688
1	MULTIPLE REGRESSION IMPUTATION	11
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEPRG05\_I(4272-4272)**

Variable Type : imputation flag

Description : AGEPRG05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEPRG06\_I(4273-4273)**

Variable Type : imputation flag

Description : AGEPRG06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEPRG07\_I(4274-4274)**

Variable Type : imputation flag

Description : AGEPRG07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
1	MULTIPLE REGRESSION IMPUTATION	4



**Total** **5699**

Universe : Applicable for all respondents

**AGEPRG08\_I(4275-4275)**

Variable Type : imputation flag

Description : AGEPRG08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEPRG09\_I(4276-4276)**

Variable Type : imputation flag

Description : AGEPRG09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEPRG10\_I(4277-4277)**

Variable Type : imputation flag

Description : AGEPRG10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEPRG11\_I(4278-4278)**

Variable Type : imputation flag

Description : AGEPRG11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEPRG12\_I(4279-4279)**

Variable Type : imputation flag

Description : AGEPRG12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEPRG13\_I(4280-4280)**

Variable Type : imputation flag

Description : AGEPRG13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEPRG14\_I(4281-4281)**

Variable Type : imputation flag

Description : AGEPRG14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEPRG15\_I(4282-4282)**

Variable Type : imputation flag

Description : AGEPRG15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEPRG16\_I(4283-4283)**

Variable Type : imputation flag

Description : AGEPRG16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEPRG17\_I(4284-4284)**

Variable Type : imputation flag

Description : AGEPRG17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEPRG18\_I(4285-4285)**

Variable Type : imputation flag

Description : AGEPRG18 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGEPRG19\_I(4286-4286)**

Variable Type : imputation flag

Description : AGEPRG19 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGEPRG20\_I(4287-4287)**

Variable Type : imputation flag

Description : AGEPRG20 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **DATCON01\_I(4288-4288)**

Variable Type : imputation flag

Description : DATCON01 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5692
1	MULTIPLE REGRESSION IMPUTATION	7
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **DATCON02\_I(4289-4289)**

Variable Type : imputation flag

Description : DATCON02 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5691
1	MULTIPLE REGRESSION IMPUTATION	8
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **DATCON03\_I(4290-4290)**

Variable Type : imputation flag

Description : DATCON03 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5689

1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

#### **DATCON04\_I(4291-4291)**

Variable Type : imputation flag

Description : DATCON04 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5687
1	MULTIPLE REGRESSION IMPUTATION	12
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

#### **DATCON05\_I(4292-4292)**

Variable Type : imputation flag

Description : DATCON05 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

#### **DATCON06\_I(4293-4293)**

Variable Type : imputation flag

Description : DATCON06 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

#### **DATCON07\_I(4294-4294)**

Variable Type : imputation flag

Description : DATCON07 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

#### **DATCON08\_I(4295-4295)**

Variable Type : imputation flag

Description : DATCON08 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
--------------	--------------	--------------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **DATCON09\_I(4296-4296)**

Variable Type : imputation flag

Description : DATCON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **DATCON10\_I(4297-4297)**

Variable Type : imputation flag

Description : DATCON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **DATCON11\_I(4298-4298)**

Variable Type : imputation flag

Description : DATCON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **DATCON12\_I(4299-4299)**

Variable Type : imputation flag

Description : DATCON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **DATCON13\_I(4300-4300)**

Variable Type : imputation flag

Description : DATCON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**DATCON14\_I(4301-4301)**

Variable Type : imputation flag

Description : DATCON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**DATCON15\_I(4302-4302)**

Variable Type : imputation flag

Description : DATCON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**DATCON16\_I(4303-4303)**

Variable Type : imputation flag

Description : DATCON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**DATCON17\_I(4304-4304)**

Variable Type : imputation flag

Description : DATCON17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**DATCON18\_I(4305-4305)**

Variable Type : imputation flag

Description : DATCON18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**DATCON19\_I(4306-4306)**

Variable Type : imputation flag

Description : DATCON19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **DATCON20\_I(4307-4307)**

Variable Type : imputation flag

Description : DATCON20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGECON01\_I(4308-4308)**

Variable Type : imputation flag

Description : AGECON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5692
1	MULTIPLE REGRESSION IMPUTATION	7
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGECON02\_I(4309-4309)**

Variable Type : imputation flag

Description : AGECON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5691
1	MULTIPLE REGRESSION IMPUTATION	8
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGECON03\_I(4310-4310)**

Variable Type : imputation flag

Description : AGECON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5689
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGECON04\_I(4311-4311)**

Variable Type : imputation flag

Description : AGECON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5687
1	MULTIPLE REGRESSION IMPUTATION	12
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGECON05\_I(4312-4312)**

Variable Type : imputation flag

Description : AGECON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGECON06\_I(4313-4313)**

Variable Type : imputation flag

Description : AGECON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGECON07\_I(4314-4314)**

Variable Type : imputation flag

Description : AGECON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGECON08\_I(4315-4315)**

Variable Type : imputation flag

Description : AGECON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGECON09\_I(4316-4316)**

Variable Type : imputation flag



Description : AGECON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGECON10\_I(4317-4317)**

Variable Type : imputation flag

Description : AGECON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGECON11\_I(4318-4318)**

Variable Type : imputation flag

Description : AGECON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGECON12\_I(4319-4319)**

Variable Type : imputation flag

Description : AGECON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGECON13\_I(4320-4320)**

Variable Type : imputation flag

Description : AGECON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGECON14\_I(4321-4321)**

Variable Type : imputation flag

Description : AGECON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699

**Total** **5699**

Universe : Applicable for all respondents

**AGECON15\_I(4322-4322)**

Variable Type : imputation flag

Description : AGECON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGECON16\_I(4323-4323)**

Variable Type : imputation flag

Description : AGECON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGECON17\_I(4324-4324)**

Variable Type : imputation flag

Description : AGECON17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGECON18\_I(4325-4325)**

Variable Type : imputation flag

Description : AGECON18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGECON19\_I(4326-4326)**

Variable Type : imputation flag

Description : AGECON19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGECON20\_I(4327-4327)**

Variable Type : imputation flag

Description : AGECON20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT01\_I(4328-4328)**

Variable Type : imputation flag

Description : MAROUT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5682
1	MULTIPLE REGRESSION IMPUTATION	17
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT02\_I(4329-4329)**

Variable Type : imputation flag

Description : MAROUT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5681
1	MULTIPLE REGRESSION IMPUTATION	17
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT03\_I(4330-4330)**

Variable Type : imputation flag

Description : MAROUT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5685
1	MULTIPLE REGRESSION IMPUTATION	14
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT04\_I(4331-4331)**

Variable Type : imputation flag

Description : MAROUT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5687
1	MULTIPLE REGRESSION IMPUTATION	12
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT05\_I(4332-4332)**

Variable Type : imputation flag

Description : MAROUT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT06\_I(4333-4333)**

Variable Type : imputation flag

Description : MAROUT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5691
1	MULTIPLE REGRESSION IMPUTATION	8
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT07\_I(4334-4334)**

Variable Type : imputation flag

Description : MAROUT07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT08\_I(4335-4335)**

Variable Type : imputation flag

Description : MAROUT08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT09\_I(4336-4336)**

Variable Type : imputation flag

Description : MAROUT09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT10\_I(4337-4337)**

Variable Type : imputation flag

Description : MAROUT10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT11\_I(4338-4338)**

Variable Type : imputation flag

Description : MAROUT11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT12\_I(4339-4339)**

Variable Type : imputation flag

Description : MAROUT12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT13\_I(4340-4340)**

Variable Type : imputation flag

Description : MAROUT13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT14\_I(4341-4341)**

Variable Type : imputation flag

Description : MAROUT14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT15\_I(4342-4342)**

Variable Type : imputation flag

Description : MAROUT15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT16\_I(4343-4343)**

Variable Type : imputation flag

Description : MAROUT16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT17\_I(4344-4344)**

Variable Type : imputation flag

Description : MAROUT17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT18\_I(4345-4345)**

Variable Type : imputation flag

Description : MAROUT18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT19\_I(4346-4346)**

Variable Type : imputation flag

Description : MAROUT19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAROUT20\_I(4347-4347)**

Variable Type : imputation flag

Description : MAROUT20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMAROUT01\_I(4348-4348)**

Variable Type : imputation flag

Description : RMAROUT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5686
1	MULTIPLE REGRESSION IMPUTATION	13
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMAROUT02\_I(4349-4349)**

Variable Type : imputation flag

Description : RMAROUT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5683
1	MULTIPLE REGRESSION IMPUTATION	15
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMAROUT03\_I(4350-4350)**

Variable Type : imputation flag

Description : RMAROUT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5685
1	MULTIPLE REGRESSION IMPUTATION	14
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMAROUT04\_I(4351-4351)**

Variable Type : imputation flag

Description : RMAROUT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5689
1	MULTIPLE REGRESSION IMPUTATION	10
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMAROUT05\_I(4352-4352)**

Variable Type : imputation flag

Description : RMAROUT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5691
1	MULTIPLE REGRESSION IMPUTATION	8
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMAROUT06\_I(4353-4353)**

Variable Type : imputation flag

Description : RMAROUT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5691
1	MULTIPLE REGRESSION IMPUTATION	8
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMAROUT07\_I(4354-4354)**

Variable Type : imputation flag

Description : RMAROUT07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMAROUT08\_I(4355-4355)**

Variable Type : imputation flag

Description : RMAROUT08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMAROUT09\_I(4356-4356)**

Variable Type : imputation flag

Description : RMAROUT09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMAROUT10\_I(4357-4357)**

Variable Type : imputation flag

Description : RMAROUT10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>



Universe : Applicable for all respondents

**RMAROUT11\_I(4358-4358)**

Variable Type : imputation flag

Description : RMAROUT11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMAROUT12\_I(4359-4359)**

Variable Type : imputation flag

Description : RMAROUT12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMAROUT13\_I(4360-4360)**

Variable Type : imputation flag

Description : RMAROUT13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMAROUT14\_I(4361-4361)**

Variable Type : imputation flag

Description : RMAROUT14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMAROUT15\_I(4362-4362)**

Variable Type : imputation flag

Description : RMAROUT15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMAROUT16\_I(4363-4363)**

Variable Type : imputation flag

Description : RMAROUT16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **RMAROUT17\_I(4364-4364)**

Variable Type : imputation flag

Description : RMAROUT17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **RMAROUT18\_I(4365-4365)**

Variable Type : imputation flag

Description : RMAROUT18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **RMAROUT19\_I(4366-4366)**

Variable Type : imputation flag

Description : RMAROUT19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **RMAROUT20\_I(4367-4367)**

Variable Type : imputation flag

Description : RMAROUT20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON01\_I(4368-4368)**

Variable Type : imputation flag

Description : MARCON01 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5681
1	MULTIPLE REGRESSION IMPUTATION	18
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON02\_I(4369-4369)**

Variable Type : imputation flag

Description : MARCON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5682
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON03\_I(4370-4370)**

Variable Type : imputation flag

Description : MARCON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5684
1	MULTIPLE REGRESSION IMPUTATION	15
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON04\_I(4371-4371)**

Variable Type : imputation flag

Description : MARCON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5687
1	MULTIPLE REGRESSION IMPUTATION	12
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON05\_I(4372-4372)**

Variable Type : imputation flag

Description : MARCON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON06\_I(4373-4373)**

Variable Type : imputation flag

Description : MARCON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5691
1	MULTIPLE REGRESSION IMPUTATION	8
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON07\_I(4374-4374)**

Variable Type : imputation flag

Description : MARCON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON08\_I(4375-4375)**

Variable Type : imputation flag

Description : MARCON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON09\_I(4376-4376)**

Variable Type : imputation flag

Description : MARCON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON10\_I(4377-4377)**

Variable Type : imputation flag

Description : MARCON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON11\_I(4378-4378)**

Variable Type : imputation flag

Description : MARCON11 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON12\_I(4379-4379)**

Variable Type : imputation flag

Description : MARCON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON13\_I(4380-4380)**

Variable Type : imputation flag

Description : MARCON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON14\_I(4381-4381)**

Variable Type : imputation flag

Description : MARCON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON15\_I(4382-4382)**

Variable Type : imputation flag

Description : MARCON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARCON16\_I(4383-4383)**

Variable Type : imputation flag

Description : MARCON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**MARCON17\_I(4384-4384)**

Variable Type : imputation flag

Description : MARCON17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**MARCON18\_I(4385-4385)**

Variable Type : imputation flag

Description : MARCON18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**MARCON19\_I(4386-4386)**

Variable Type : imputation flag

Description : MARCON19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**MARCON20\_I(4387-4387)**

Variable Type : imputation flag

Description : MARCON20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**RMARCON01\_I(4388-4388)**

Variable Type : imputation flag

Description : RMARCON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5685
1	MULTIPLE REGRESSION IMPUTATION	14
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**RMARCON02\_I(4389-4389)**

Variable Type : imputation flag

Description : RMARCON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5684
1	MULTIPLE REGRESSION IMPUTATION	14
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **RMARCON03\_I(4390-4390)**

Variable Type : imputation flag

Description : RMARCON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5685
1	MULTIPLE REGRESSION IMPUTATION	14
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **RMARCON04\_I(4391-4391)**

Variable Type : imputation flag

Description : RMARCON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5688
1	MULTIPLE REGRESSION IMPUTATION	11
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **RMARCON05\_I(4392-4392)**

Variable Type : imputation flag

Description : RMARCON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5691
1	MULTIPLE REGRESSION IMPUTATION	8
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **RMARCON06\_I(4393-4393)**

Variable Type : imputation flag

Description : RMARCON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5691
1	MULTIPLE REGRESSION IMPUTATION	8
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMARCON07\_I(4394-4394)**

Variable Type : imputation flag

Description : RMARCON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMARCON08\_I(4395-4395)**

Variable Type : imputation flag

Description : RMARCON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMARCON09\_I(4396-4396)**

Variable Type : imputation flag

Description : RMARCON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMARCON10\_I(4397-4397)**

Variable Type : imputation flag

Description : RMARCON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMARCON11\_I(4398-4398)**

Variable Type : imputation flag

Description : RMARCON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RMARCON12\_I(4399-4399)**



Variable Type : imputation flag

Description : RMARCON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **RMARCON13\_I(4400-4400)**

Variable Type : imputation flag

Description : RMARCON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **RMARCON14\_I(4401-4401)**

Variable Type : imputation flag

Description : RMARCON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **RMARCON15\_I(4402-4402)**

Variable Type : imputation flag

Description : RMARCON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **RMARCON16\_I(4403-4403)**

Variable Type : imputation flag

Description : RMARCON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **RMARCON17\_I(4404-4404)**

Variable Type : imputation flag

Description : RMARCON17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **RMARCON18\_I(4405-4405)**

Variable Type : imputation flag

Description : RMARCON18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **RMARCON19\_I(4406-4406)**

Variable Type : imputation flag

Description : RMARCON19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **RMARCON20\_I(4407-4407)**

Variable Type : imputation flag

Description : RMARCON20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **CEBOW\_I(4408-4408)**

Variable Type : imputation flag

Description : CEBOW Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **CEBOWC\_I(4409-4409)**

Variable Type : imputation flag

Description : CEBOWC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
2	LOGICAL IMPUTATION	1

**Total** **5699**

Universe : Applicable for all respondents

**DATBABY1\_I(4410-4410)**

Variable Type : imputation flag

Description : DATBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**AGEBABY1\_I(4411-4411)**

Variable Type : imputation flag

Description : AGEBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD01\_I(4412-4412)**

Variable Type : imputation flag

Description : LIVCHILD01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD02\_I(4413-4413)**

Variable Type : imputation flag

Description : LIVCHILD02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
2	LOGICAL IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD03\_I(4414-4414)**

Variable Type : imputation flag

Description : LIVCHILD03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
2	LOGICAL IMPUTATION	4

**Total** **5699**

Universe : Applicable for all respondents

**LIVCHILD04\_I(4415-4415)**

Variable Type : imputation flag

Description : LIVCHILD04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD05\_I(4416-4416)**

Variable Type : imputation flag

Description : LIVCHILD05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
2	LOGICAL IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD06\_I(4417-4417)**

Variable Type : imputation flag

Description : LIVCHILD06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
2	LOGICAL IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD07\_I(4418-4418)**

Variable Type : imputation flag

Description : LIVCHILD07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD08\_I(4419-4419)**

Variable Type : imputation flag

Description : LIVCHILD08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
2	LOGICAL IMPUTATION	1

**Total** **5699**

Universe : Applicable for all respondents

**LIVCHILD09\_I(4420-4420)**

Variable Type : imputation flag

Description : LIVCHILD09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD10\_I(4421-4421)**

Variable Type : imputation flag

Description : LIVCHILD10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD11\_I(4422-4422)**

Variable Type : imputation flag

Description : LIVCHILD11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD12\_I(4423-4423)**

Variable Type : imputation flag

Description : LIVCHILD12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD13\_I(4424-4424)**

Variable Type : imputation flag

Description : LIVCHILD13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD14\_I(4425-4425)**

Variable Type : imputation flag

Description : LIVCHILD14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD15\_I(4426-4426)**

Variable Type : imputation flag

Description : LIVCHILD15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD16\_I(4427-4427)**

Variable Type : imputation flag

Description : LIVCHILD16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD17\_I(4428-4428)**

Variable Type : imputation flag

Description : LIVCHILD17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD18\_I(4429-4429)**

Variable Type : imputation flag

Description : LIVCHILD18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIVCHILD19\_I(4430-4430)**

Variable Type : imputation flag

Description : LIVCHILD19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **LIVCHILD20\_I(4431-4431)**

Variable Type : imputation flag

Description : LIVCHILD20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section C Recodes

### **FMARNO(4432-4432)**

Variable Type : recode

Description : Number of times R has been married (RECODE)

value	label	Total
0	NEVER BEEN MARRIED	3298
1	1 TIME	2037
2	2 TIMES	317
3	3 TIMES	37
4-95	4 OR MORE TIMES	10
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **CSPBIOKD(4433-4434)**

Variable Type : recode

Description : Total number of biological children R has had with current spouse or cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	3190
0-15	Number of biological children R has had with her current husband or cohabiting partner	2509
<b>Total</b>		<b>5699</b>

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

### **MARDAT01(4435-4438)**

Variable Type : recode

Description : CM date of R's 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	3298
378-1340	Before Sept 2011	2091
1341-1352	Sept 2011-Aug 2012	103
1353-1364	Sept 2012-Aug 2013	102
1365-1376	Sept 2013-Aug 2014	67
1377-1389	Sept 2014-Sept 2015	38

**Total**                      **5699**

Universe : Applicable if R has been married at least once (FMARNO > 0)

**MARDAT02(4439-4442)**

Variable Type : recode

Description : CM date of R's 2nd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5335
378-1340	Before Sept 2011	273
1341-1352	Sept 2011-Aug 2012	32
1353-1364	Sept 2012-Aug 2013	23
1365-1376	Sept 2013-Aug 2014	26
1377-1389	Sept 2014-Sept 2015	10
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been married at least 2 times (FMARNO > 1)

**MARDAT03(4443-4446)**

Variable Type : recode

Description : CM date of R's 3rd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5652
378-1340	Before Sept 2011	34
1341-1352	Sept 2011-Aug 2012	3
1353-1364	Sept 2012-Aug 2013	5
1365-1376	Sept 2013-Aug 2014	5
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been married at least 3 times (FMARNO > 2)

**MARDAT04(4447-4450)**

Variable Type : recode

Description : CM date of R's 4th marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5689
378-1340	Before Sept 2011	3
1341-1352	Sept 2011-Aug 2012	4
1353-1364	Sept 2012-Aug 2013	1
1377-1389	Sept 2014-Sept 2015	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been married at least 4 times (FMARNO > 3)

**MARDAT05(4451-4454)**

Variable Type : recode

Description : CM date of R's 5th marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5698
1353-1364	Sept 2012-Aug 2013	1
<b>Total</b>		<b>5699</b>



Universe : Applicable if R has been married at least 5 times (FMARNO > 4)

**MARDIS01(4455-4458)**

Variable Type : recode

Description : CM date when R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4746
378-1340	Before Sept 2011	745
1341-1352	Sept 2011-Aug 2012	79
1353-1364	Sept 2012-Aug 2013	63
1365-1376	Sept 2013-Aug 2014	47
1377-1389	Sept 2014-Sept 2015	19
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been married more than once (FMARNO > 1) or R's 1st marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

**MARDIS02(4459-4462)**

Variable Type : recode

Description : CM date when R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5559
378-1340	Before Sept 2011	93
1341-1352	Sept 2011-Aug 2012	14
1353-1364	Sept 2012-Aug 2013	11
1365-1376	Sept 2013-Aug 2014	14
1377-1389	Sept 2014-Sept 2015	8
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been married more than 2 times (FMARNO > 2) or R's 2nd marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

**MARDIS03(4463-4466)**

Variable Type : recode

Description : CM date when R's 3rd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5672
378-1340	Before Sept 2011	20
1341-1352	Sept 2011-Aug 2012	2
1353-1364	Sept 2012-Aug 2013	2
1365-1376	Sept 2013-Aug 2014	2
1377-1389	Sept 2014-Sept 2015	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been married more than 3 times (FMARNO > 3) or R's 3rd marriage is not intact (FMARNO =3 and FMARITAL NE 1)

**MARDIS04(4467-4470)**

Variable Type : recode

Description : CM date when R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5696

378-1340	Before Sept 2011	2
1341-1352	Sept 2011-Aug 2012	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been married more than 4 times (FMARNO > 4) or R's 4th marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

### **MARDIS05(4471-4474)**

Variable Type : recode

Description : CM date when R's 5th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5698
1365-1376	Sept 2013-Aug 2014	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been married more than 5 times (FMARNO > 5) or R's 5th marriage is not intact (FMARNO = 5 and FMARITAL NE 1)

### **MAREND01(4475-4475)**

Variable Type : recode

Description : How R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4746
1	DIVORCED OR ANNULLED	756
2	SEPARATED	169
3	WIDOWED	28
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been married more than once (FMARNO > 1) or R's 1st marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

### **MAREND02(4476-4476)**

Variable Type : recode

Description : How R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5559
1	DIVORCED OR ANNULLED	103
2	SEPARATED	35
3	WIDOWED	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been married more than 2 times (FMARNO > 2) or R's 2nd marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

### **MAREND03(4477-4477)**

Variable Type : recode

Description : How R's 3rd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5672
1	DIVORCED OR ANNULLED	22
2	SEPARATED	4

3	WIDOWED	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been married more than 3 times (FMARNO >3) or R's 3rd marriage is not intact (FMARNO = 3 and FMARITAL NE 1)

### **MAREND04(4478-4478)**

Variable Type : recode

Description : How R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5696
1	DIVORCED OR ANNULLED	3
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been married more than 4 times (FMARNO > 4) or R's 4th marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

### **MAREND05(4479-4479)**

Variable Type : recode

Description : How R's 5th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5698
1	DIVORCED OR ANNULLED	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been married more than 5 times (FMARNO > 5) or R's 5th marriage is not intact (FMARNO = 5 and FMARITAL NE 1)

### **FMAR1AGE(4480-4481)**

Variable Type : recode

Description : Age at first marriage (RECODE)

value	label	Total
.	INAPPLICABLE	3298
0-19	UNDER 20 YEARS	509
20-24	20-24 YEARS	947
25-29	25-29 YEARS	641
30-34	30-34 YEARS	224
35-44	35-44 YEARS	80
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever been married (FMARITAL NE 5)

### **AGEDISS1(4482-4483)**

Variable Type : recode

Description : Age at dissolution of first marriage (RECODE)

value	label	Total
.	INAPPLICABLE	4746
0-19	UNDER 20 YEARS	82
20-24	20-24 YEARS	281
25-29	25-29 YEARS	290
30-34	30-34 YEARS	173
35-44	35-44 YEARS	127

**Total**                    **5699**

Universe : Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE blank))

**AGEDD1(4484-4485)**

Variable Type : recode

Description : Age at divorce or death: 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	4915
0-19	UNDER 20 YEARS	40
20-24	20-24 YEARS	193
25-29	25-29 YEARS	267
30-34	30-34 YEARS	164
35-44	35-44 YEARS	120
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE inapp), but only in divorce or death and not in separation (MAREND01 = 1 or 3))

**MAR1DISS(4486-4488)**

Variable Type : recode

Description : Months btw/1st marriage & dissolution (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	3298
0-12	1 YEAR OR LESS	247
13-24	13-24 MONTHS	194
25-36	25-36 MONTHS	236
37-48	37-48 MONTHS	216
49-60	49-60 MONTHS	193
61-995	MORE THAN 5 YEARS	1315
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever been married (FMARITAL NE 5)

**DD1REMAR(4489-4491)**

Variable Type : recode

Description : Months btw/divorce or death (1st marriage) and remarriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	4915
0-12	1 YEAR OR LESS	137
13-24	13-24 MONTHS	119
25-36	25-36 MONTHS	102
37-48	37-48 MONTHS	88
49-60	49-60 MONTHS	62
61-995	MORE THAN 5 YEARS	276
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE inapp), but only in divorce or death and not in separation (MAREND01 = 1 or 3))

**MAR1BIR1(4492-4494)**

Variable Type : recode

Description : Months btw/1st marriage & 1st birth (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	2198
0	LESS THAN 1 MONTH	13
1-12	1-12 MONTHS	435
13-24	13-24 MONTHS	342
25-36	25-36 MONTHS	225
37-887	MORE THAN 3 YEARS	745
888	FIRST BIRTH OCCURRED BEFORE FIRST MARRIAGE	1741
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever been married (FMARITAL NE 5) or ever had a live birth (PARITY > 0)

### **MAR1CON1(4495-4497)**

Variable Type : recode

Description : Months btw/1st marriage & 1st conception (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	1929
0	LESS THAN 1 MONTH	45
1-12	1-12 MONTHS	408
13-24	13-24 MONTHS	228
25-36	25-36 MONTHS	156
37-994	MORE THAN 3 YEARS	510
995	FIRST CONCEPTION BEFORE FIRST MARRIAGE	1054
996	HAS BEEN PREGNANT, BUT HAS NEVER BEEN MARRIED	1369
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0) or ever been married (FMARITAL NE 5)

### **CON1MAR1(4498-4500)**

Variable Type : recode

Description : Months btw/1st conception & 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	1929
1-12	1-12 MONTHS	347
13-24	13-24 MONTHS	215
25-36	25-36 MONTHS	180
37-994	MORE THAN 3 YEARS	1681
995	FIRST CONCEPTION AFTER OR IN SAME MONTH AS FIRST MARRIAGE	1053
996	HAS BEEN MARRIED, BUT HAS NEVER BEEN PREGNANT	294
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0) or ever been married (FMARITAL NE 5)

### **B1PREMAR(4501-4501)**

Variable Type : recode

Description : Whether R's first birth was premarital (RECODE)

value	label	Total
.	INAPPLICABLE	2632
1	YES	1741
2	NO	1326
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had a live birth (PARITY > 0)

**COHEVER(4502-4502)**

Variable Type : recode

Description : Whether R ever cohabited outside of marriage (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
1	YES, EVER COHABITED (LIVED WITH A MAN OUTSIDE OF MARRIAGE)	3151
2	NO, NEVER COHABITED (LIVED WITH A MAN OUTSIDE OF MARRIAGE)	2548
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**EVMARCOH(4503-4503)**

Variable Type : recode

Description : Whether R ever married or cohabited (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
1	YES, EVER MARRIED OR COHABITED	3835
2	NO, NEVER MARRIED OR COHABITED	1864
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**PMARRNO(4504-4504)**

Variable Type : recode

Description : Number of premarital cohabitations (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
0	None	4133
1	One	1378
2	Two	173
3-HIGH	Three or more	15
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**NONMARR(4505-4506)**

Variable Type : recode

Description : Number of nonmarital cohabitations (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
0	None	3610
1	One	1446
2	Two	464
3-HIGH	Three or more	179
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**TIMESCOH(4507-4508)**

Variable Type : recode

Description : Total number of cohabitations (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
0	None	2548

1	One	2006
2	Two	813
3-HIGH	Three or more	332
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **COHAB1(4509-4512)**

Variable Type : recode

Description : Date of 1st cohabitation (incl. premarital cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	2548
378-1340	Before Sept 2011	2678
1341-1352	Sept 2011-Aug 2012	149
1353-1364	Sept 2012-Aug 2013	171
1365-1376	Sept 2013-Aug 2014	113
1377-1389	Sept 2014-Sept 2015	40
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R ever cohabited outside of marriage (COHEVER = 1)

### **COHSTAT(4513-4513)**

Variable Type : recode

Description : Cohabitation experience relative to 1st marriage (RECODE)

value	label	Total
1	NEVER COHABITED OUTSIDE OF MARRIAGE	2548
2	FIRST COHABITED BEFORE FIRST MARRIAGE	2952
3	FIRST COHABITED AFTER FIRST MARRIAGE	199
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **COHOUT(4514-4514)**

Variable Type : recode

Description : Outcome of 1st cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	2548
1	INTACT COHABITATION	481
2	INTACT MARRIAGE	736
3	DISSOLVED MARRIAGE	535
4	DISSOLVED COHABITATION	1399
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R ever cohabited outside of marriage (COHEVER = 1)

### **COH1DUR(4515-4517)**

Variable Type : recode

Description : Duration (in months) of R's first cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	2550
0-12	1 YEAR OR LESS	1064

13-24	13-24 MONTHS	602
25-36	25-36 MONTHS	436
37-48	37-48 MONTHS	295
49-60	49-60 MONTHS	192
61-995	MORE THAN 5 YEARS	560
<b>Total</b>		<b>5699</b>

Universe : Applicable if R ever cohabited outside of marriage (COHEVER = 1)

### **HADSEX(4518-4518)**

Variable Type : recode

Description : Whether R has ever had sexual intercourse with a male (RECODE)

value	label	Total
1	YES, R EVER HAD INTERCOURSE	4887
2	NO, R NEVER HAD INTERCOURSE	812
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **SEXONCE(4519-4519)**

Variable Type : recode

Description : Whether R has had sex only once (RECODE)

value	label	Total
.	INAPPLICABLE	812
1	YES (R HAS HAD SEX ONLY ONCE)	72
2	NO (R HAS HAD SEX MORE THAN ONCE)	4815
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### **SEXEVER(4520-4520)**

Variable Type : recode

Description : Whether R has ever had sexual intercourse with a male since menarche (RECODE)

value	label	Total
1	YES (R HAS HAD SEX AFTER 1ST PERIOD)	4879
2	NO (NO PERIOD, NO SEX AT ALL, OR NO SEX SINCE 1ST PERIOD)	820
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **VRY1STAG(4521-4522)**

Variable Type : recode

Description : Age at first intercourse (even if before menarche) (RECODE)

value	label	Total
.	INAPPLICABLE	812
0-14	UNDER 15 YEARS	848
15-17	15-17 YEARS	2315
18-19	18-19 YEARS	962
20-44	20 YEARS OR OLDER	762
<b>Total</b>		<b>5699</b>



Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### **SEX1AGE(4523-4524)**

Variable Type : recode

Description : Age at first intercourse since menarche (RECODE)

value	label	Total
.	INAPPLICABLE	820
0-14	UNDER 15 YEARS	792
15-17	15-17 YEARS	2346
18-19	18-19 YEARS	969
20-44	20 YEARS OR OLDER	772
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male since menarche (SEXEVER = 1)

### **VR1STSX(4525-4528)**

Variable Type : recode

Description : CM date of first intercourse (even if before menarche) (RECODE)

value	label	Total
.	INAPPLICABLE	807
378-1340	Before Sept 2011	4419
1341-1352	Sept 2011-Aug 2012	172
1353-1364	Sept 2012-Aug 2013	144
1365-1376	Sept 2013-Aug 2014	128
1377-1389	Sept 2014-Sept 2015	24
9996	RESPONDED SHE NEVER HAD INTERCOURSE	5
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### **DATESEX1(4529-4532)**

Variable Type : recode

Description : CM date of first intercourse since menarche (RECODE)

value	label	Total
.	INAPPLICABLE	820
378-1340	Before Sept 2011	4404
1341-1352	Sept 2011-Aug 2012	173
1353-1364	Sept 2012-Aug 2013	145
1365-1376	Sept 2013-Aug 2014	130
1377-1389	Sept 2014-Sept 2015	27
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male since menarche (SEXEVER = 1)

### **FSEXPAGE(4533-4535)**

Variable Type : recode

Description : Age of R's first sexual partner at time of first sex (RECODE)

value	label	Total
.	INAPPLICABLE	812
0-14	UNDER 15 YEARS	214
15-17	15-17 YEARS	1667
18-19	18-19 YEARS	1217

20-95	20 YEARS OR OLDER	1696
900-995	ESTIMATED AGE	93
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### **SEXMAR(4536-4538)**

Variable Type : recode

Description : Mos btw/1st intercourse (even if before menarche) & 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	812
0	FIRST INTERCOURSE IN SAME MONTH AS MARRIAGE	257
1-12	1-12 MONTHS	283
13-24	13-24 MONTHS	283
25-36	25-36 MONTHS	340
37-995	MORE THAN 3 YEARS AFTER FIRST INTERCOURSE	3690
996	FIRST INTERCOURSE AFTER FIRST MARRIAGE	34
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### **SEX1FOR(4539-4541)**

Variable Type : recode

Description : Mos btw/1st intercourse since menarche & 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	820
0	SAME MONTH AS MARRIAGE	259
1-12	1-12 MONTHS	285
13-24	13-24 MONTHS	289
25-36	25-36 MONTHS	341
37-995	MORE THAN 3 YEARS AFTER FIRST INTERCOURSE AFTER MENARCHE	3669
996	AFTER FIRST MARRIAGE	36
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male since menarche (SEXEVER = 1)

### **SEXUNION(4542-4544)**

Variable Type : recode

Description : Months between 1st intercourse and 1st coresidential union (marriage or cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	812
0	First intercourse in same month as marriage or cohabitation	344
1-995	1 or more months after first intercourse	4404
996	First intercourse after first marriage or cohabitation	139
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### **SEXOUT(4545-4545)**

Variable Type : recode

Description : Outcome of 1st sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	812
1	Intact cohabitation	134
2	Intact marriage	551
3	Dissolved marriage	278
4	Dissolved cohabitation	314
5	Never married or cohabited with 1st sexual partner	3610
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### **FPDUR(4546-4548)**

Variable Type : recode

Description : Months between 1st and last/most recent intercourse with 1st partner ever (RECODE)

value	label	Total
.	INAPPLICABLE	812
0-995	Number of months between first and most recent sex with 1st partner	4360
997	Only had sex once with first partner	527
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### **PARTS1YR(4549-4549)**

Variable Type : recode

Description : Number of opposite-sex partners in last 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	812
0	NONE	524
1	1 PARTNER	3673
2	2 PARTNERS	415
3	3 PARTNERS	147
4	4 PARTNERS	52
5	5 PARTNERS	36
6	6 PARTNERS	16
7-95	7 OR MORE PARTNERS	24
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) (This variable was topcoded for public use.)

### **LSEXDATE(4550-4553)**

Variable Type : recode

Description : CM date of last or most recent sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	812
378-1340	Before Sept 2011	235
1341-1352	Sept 2011-Aug 2012	104
1353-1364	Sept 2012-Aug 2013	269
1365-1376	Sept 2013-Aug 2014	2175
1377-1389	Sept 2014-Sept 2015	2104
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

**SEX3MO(4554-4554)**

Variable Type : recode

Description : Whether R had sex in past 3 months (from sexual partner dates) (RECODE)

value	label	Total
.	INAPPLICABLE	812
1	YES	3806
2	NO	1081
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

**NUMP3MOS(4555-4556)**

Variable Type : recode

Description : Number of male partners in last 3 mos (RECODE)

value	label	Total
.	INAPPLICABLE	812
0	NONE	1094
1	1 PARTNER	3639
2-95	2 OR MORE PARTNERS	154
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

**LSEXRAGE(4557-4558)**

Variable Type : recode

Description : R's age at last or most recent sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	812
0-17	UNDER 18 YEARS	218
18-19	18-19 YEARS	272
20-24	20-24 YEARS	869
25-34	25-34 YEARS	2014
35-45	35-44 YEARS	1514
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

**lsexpage(4559-4561)**

Variable Type : computed

Description : R's partner's age at last sexual intercourse (for partners in last 12 mos)

value	label	Total
.	INAPPLICABLE	812
0-14	UNDER 15 YEARS	4
15-17	15-17 YEARS	32
18-19	18-19 YEARS	28
20-95	20 YEARS OR OLDER	57
900-995	ESTIMATED AGE	4625
997	Not ascertained	141
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

**PARTDUR1(4562-4564)**

Variable Type : recode

Description : Months between 1st and most recent intercourse with last/most recent partner (RECODE)

value	label	Total
.	INAPPLICABLE	812
0-995	Number of months between first and most recent sex with this partner	4801
997	Only had sex once with partner	86
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

**PARTDUR2(4565-4567)**

Variable Type : recode

Description : Months between 1st and most recent intercourse with 2nd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	5010
0-995	Number of months between first and most recent sex with this partner	656
997	Only had sex once with partner	33
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

**PARTDUR3(4568-4570)**

Variable Type : recode

Description : Months between 1st and most recent intercourse with 3rd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	5424
0-995	Number of months between first and most recent sex with this partner	258
997	Only had sex once with partner	17
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

**RELATP1(4571-4571)**

Variable Type : recode

Description : Relationship at time of 1st sex with last/most recent partner (RECODE)

value	label	Total
.	INAPPLICABLE	1336
1	Married to him	284
2	Engaged to him	157
3	Living together in a sexual relationship, but not engaged	215
4	Going out with him or going steady	2357
5	Going out with him once in a while	529
6	Just friends	590
7	Had just met him	173
8	Something else	58
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

**RELATP2(4572-4572)**

Variable Type : recode

Description : Relationship at time of 1st sex with 2nd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	5011
1	Married to him	6
2	Engaged to him	3
3	Living together in a sexual relationship, but not engaged	14
4	Going out with him or going steady	232
5	Going out with him once in a while	100
6	Just friends	257
7	Had just met him	60
8	Something else	16
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

**RELATP3(4573-4573)**

Variable Type : recode

Description : Relationship at time of 1st sex with 3rd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	5427
2	Engaged to him	2
3	Living together in a sexual relationship, but not engaged	3
4	Going out with him or going steady	73
5	Going out with him once in a while	43
6	Just friends	104
7	Had just met him	36
8	Something else	11
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

**LIFPRTNR(4574-4575)**

Variable Type : recode

Description : Number of opposite-sex partners in lifetime (RECODE)

value	label	Total
0	NONE	816
1	1 PARTNER	966
2	2 PARTNERS	564
3	3 PARTNERS	455
4	4 PARTNERS	469
5	5 PARTNERS	527
6	6 PARTNERS	298
7	7 PARTNERS	254
8	8 PARTNERS	188
9	9 PARTNERS	107
10-19	10-19 PARTNERS	683
20-49	20-49 PARTNERS	304
50	50 OR MORE PARTNERS	68
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents. (This variable was topcoded for public use.)

**FMARNO\_I(4576-4576)**

Variable Type : imputation flag

Description : FMARNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**CSPBIOKD\_I(4577-4577)**

Variable Type : imputation flag

Description : CSPBIOKD Impuation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**MARDAT01\_I(4578-4578)**

Variable Type : imputation flag

Description : MARDAT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5688
1	MULTIPLE REGRESSION IMPUTATION	11
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**MARDAT02\_I(4579-4579)**

Variable Type : imputation flag

Description : MARDAT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**MARDAT03\_I(4580-4580)**

Variable Type : imputation flag

Description : MARDAT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**MARDAT04\_I(4581-4581)**

Variable Type : imputation flag

Description : MARDAT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARDAT05\_I(4582-4582)**

Variable Type : imputation flag

Description : MARDAT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARDIS01\_I(4583-4583)**

Variable Type : imputation flag

Description : MARDIS01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5677
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	6
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARDIS02\_I(4584-4584)**

Variable Type : imputation flag

Description : MARDIS02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5694
1	MULTIPLE REGRESSION IMPUTATION	5
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MARDIS03\_I(4585-4585)**

Variable Type : imputation flag

Description : MARDIS03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents



**MARDIS04\_I(4586-4586)**

Variable Type : imputation flag

Description : MARDIS04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**MARDIS05\_I(4587-4587)**

Variable Type : imputation flag

Description : MARDIS05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**MAREND01\_I(4588-4588)**

Variable Type : imputation flag

Description : MAREND1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**MAREND02\_I(4589-4589)**

Variable Type : imputation flag

Description : MAREND2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**MAREND03\_I(4590-4590)**

Variable Type : imputation flag

Description : MAREND3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**MAREND04\_I(4591-4591)**

Variable Type : imputation flag

Description : MAREND4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAREND05\_I(4592-4592)**

Variable Type : imputation flag

Description : MAREND5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **FMAR1AGE\_I(4593-4593)**

Variable Type : imputation flag

Description : FMAR1AGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5688
1	MULTIPLE REGRESSION IMPUTATION	11
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGEDISS1\_I(4594-4594)**

Variable Type : imputation flag

Description : AGEDISS1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5683
1	MULTIPLE REGRESSION IMPUTATION	16
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **AGEDD1\_I(4595-4595)**

Variable Type : imputation flag

Description : AGEDD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5658
1	MULTIPLE REGRESSION IMPUTATION	41
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAR1DISS\_I(4596-4596)**

Variable Type : imputation flag

Description : MAR1DISS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5678
1	MULTIPLE REGRESSION IMPUTATION	21
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **DD1REMAR\_I(4597-4597)**

Variable Type : imputation flag

Description : DD1REMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5668
1	MULTIPLE REGRESSION IMPUTATION	31
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAR1BIR1\_I(4598-4598)**

Variable Type : imputation flag

Description : MAR1BIR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5687
1	MULTIPLE REGRESSION IMPUTATION	12
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MAR1CON1\_I(4599-4599)**

Variable Type : imputation flag

Description : MAR1CON1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5684
1	MULTIPLE REGRESSION IMPUTATION	15
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **CON1MAR1\_I(4600-4600)**

Variable Type : imputation flag

Description : CON1MAR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5683
1	MULTIPLE REGRESSION IMPUTATION	16
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **B1PREMAR\_I(4601-4601)**

Variable Type : imputation flag

Description : B1PREMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5688
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **COHEVER\_I(4602-4602)**

Variable Type : imputation flag

Description : COHEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **EVMARCOH\_I(4603-4603)**

Variable Type : imputation flag

Description : EVMARCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **PMARRNO\_I(4604-4604)**

Variable Type : imputation flag

Description : PMARRNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **NONMARR\_I(4605-4605)**

Variable Type : imputation flag

Description : NONMARR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **TIMESCOH\_I(4606-4606)**

Variable Type : imputation flag

Description : TIMESCOH Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **COHAB1\_I(4607-4607)**

Variable Type : imputation flag

Description : COHAB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5676
1	MULTIPLE REGRESSION IMPUTATION	23
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **COHSTAT\_I(4608-4608)**

Variable Type : imputation flag

Description : COHSTAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5679
1	MULTIPLE REGRESSION IMPUTATION	20
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **COHOUT\_I(4609-4609)**

Variable Type : imputation flag

Description : COHOUT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5676
1	MULTIPLE REGRESSION IMPUTATION	23
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **COH1DUR\_I(4610-4610)**

Variable Type : imputation flag

Description : COH1DUR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5657
1	MULTIPLE REGRESSION IMPUTATION	42
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **HADSEX\_I(4611-4611)**

Variable Type : imputation flag

Description : HADSEX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **SEXEVER\_I(4612-4612)**

Variable Type : imputation flag

Description : SEXEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5687
1	MULTIPLE REGRESSION IMPUTATION	12
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **VRY1STAG\_I(4613-4613)**

Variable Type : imputation flag

Description : VRY1STAG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5671
1	MULTIPLE REGRESSION IMPUTATION	19
2	LOGICAL IMPUTATION	9
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **SEX1AGE\_I(4614-4614)**

Variable Type : imputation flag

Description : SEX1AGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5646
1	MULTIPLE REGRESSION IMPUTATION	41
2	LOGICAL IMPUTATION	12
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **VRY1STSX\_I(4615-4615)**

Variable Type : imputation flag

Description : VRY1STSX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5626
1	MULTIPLE REGRESSION IMPUTATION	55
2	LOGICAL IMPUTATION	18
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **DATESEX1\_I(4616-4616)**

Variable Type : imputation flag

Description : DATESEX1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5581
1	MULTIPLE REGRESSION IMPUTATION	92
2	LOGICAL IMPUTATION	26
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **SEXONCE\_I(4617-4617)**

Variable Type : imputation flag

Description : SEXONCE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **FSEXPAGE\_I(4618-4618)**

Variable Type : imputation flag

Description : FSEXPAGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5664
1	MULTIPLE REGRESSION IMPUTATION	34
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **SEXMAR\_I(4619-4619)**

Variable Type : imputation flag

Description : SEXMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5634
1	MULTIPLE REGRESSION IMPUTATION	64
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **SEX1FOR\_I(4620-4620)**

Variable Type : imputation flag

Description : SEX1FOR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	93
2	LOGICAL IMPUTATION	6
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**SEXUNION\_I(4621-4621)**

Variable Type : imputation flag

Description : SEXUNION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5620
1	MULTIPLE REGRESSION IMPUTATION	78
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**SEXOUT\_I(4622-4622)**

Variable Type : imputation flag

Description : SEXOUT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**FPDUR\_I(4623-4623)**

Variable Type : imputation flag

Description : FPDUR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5583
1	MULTIPLE REGRESSION IMPUTATION	116
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**PARTS1YR\_I(4624-4624)**

Variable Type : imputation flag

Description : PARTS1YR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LSEXDATE\_I(4625-4625)**

Variable Type : imputation flag

Description : LSEXDATE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5663
1	MULTIPLE REGRESSION IMPUTATION	31
2	LOGICAL IMPUTATION	5
<b>Total</b>		<b>5699</b>



Universe : Applicable for all respondents

**SEXP3MO\_I(4626-4626)**

Variable Type : imputation flag

Description : SEXP3MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5687
1	MULTIPLE REGRESSION IMPUTATION	12
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**NUMP3MOS\_I(4627-4627)**

Variable Type : imputation flag

Description : NUMP3MOS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5671
1	MULTIPLE REGRESSION IMPUTATION	25
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LSEXRAGE\_I(4628-4628)**

Variable Type : imputation flag

Description : LSEXRAGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5668
1	MULTIPLE REGRESSION IMPUTATION	31
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**PARTDUR1\_I(4629-4629)**

Variable Type : imputation flag

Description : PARTDUR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5594
1	MULTIPLE REGRESSION IMPUTATION	105
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**PARTDUR2\_I(4630-4630)**

Variable Type : imputation flag

Description : PARTDUR2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5675
1	MULTIPLE REGRESSION IMPUTATION	24
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**PARTDUR3\_I(4631-4631)**

Variable Type : imputation flag

Description : PARTDUR3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5680
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RELATP1\_I(4632-4632)**

Variable Type : imputation flag

Description : RELATP1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5689
1	MULTIPLE REGRESSION IMPUTATION	10
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RELATP2\_I(4633-4633)**

Variable Type : imputation flag

Description : RELATP2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**RELATP3\_I(4634-4634)**

Variable Type : imputation flag

Description : RELATP3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5693
1	MULTIPLE REGRESSION IMPUTATION	6
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**LIFPRTNR\_I(4635-4635)**

Variable Type : imputation flag

Description : LIFPRTNR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5643

1	MULTIPLE REGRESSION IMPUTATION	56
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Sections D and E Recodes

### **STRLOPER(4636-4636)**

Variable Type : recode

Description : Type of sterilization operation "in effect" (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
1	TUBAL LIGATION OR STERILIZATION	692
2	HYSTERECTOMY	92
3	VASECTOMY	152
4	OTHER OPERATION OR TYPE UNKNOWN	22
5	NOT SURGICALLY STERILE	4741
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **FECUND(4637-4637)**

Variable Type : recode

Description : Fecundity status (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
1	SURGICALLY STERILE, CONTRACEPTIVE	900
2	SURGICALLY STERILE, NONCONTRACEPTIVE	58
3	STERILE, NONSURGICAL	141
4	SUBFECUND	521
5	LONG INTERVAL (INFERTILE FOR 36+ MONTHS)	34
6	FECUND	4045
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **ANYBC36(4638-4638)**

Variable Type : intermediate

Description : Any method use in 36 months before interview

<b>value</b>	<b>label</b>	<b>Total</b>
1	yes, at least one month of method use	4529
2	no, no months of method use	1170
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

Notes : see recode FECUND for definition of this variable

### **NOSEX36(4639-4639)**

Variable Type : intermediate

Description : Any months of NONintercourse in 36 months before interview

<b>value</b>	<b>label</b>	<b>Total</b>
1	No, no months of non-intercourse -- intercourse in all months	1811

2	Yes, one or more months of non-intercourse	3888
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

Notes : see recode FECUND for definition of this variable

### **INFERT(4640-4640)**

Variable Type : recode

Description : Infertility status (RECODE)

value	label	Total
.	INAPPLICABLE	3190
1	SURGICALLY STERILE	654
2	INFERTILE	184
3	FECUND	1671
<b>Total</b>		<b>5699</b>

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

### **ANYBC12(4641-4641)**

Variable Type : intermediate

Description : Any method use in 12 months before interview

value	label	Total
1	yes, at least one month of method use	4190
2	no, no months of method use	1509
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

Notes : see recode INFERT for definition of this variable

### **ANYMTHD(4642-4642)**

Variable Type : recode

Description : Ever used any method for any reason (RECODE)

value	label	Total
1	YES	5007
2	NO	692
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **NOSEX12(4643-4644)**

Variable Type : recode

Description : Number of months of nonintercourse in the 12 months prior to interview (RECODE)

value	label	Total
0	NONE	2523
1	1 MONTH	294
2	2 MONTHS	239
3	3 MONTHS	192
4	4 MONTHS	177
5	5 MONTHS	180
6	6 MONTHS	162

7	7 MONTHS	139
8	8 MONTHS	152
9	9 MONTHS	118
10	10 MONTHS	127
11	11 MONTHS	139
12	12 MONTHS	445
95	NEVER HAD INTERCOURSE	812
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **SEXP3MO(4645-4645)**

Variable Type : recode

Description : Whether R had sex in past 3 months (from months of nonintercourse series) (RECODE)

value	label	Total
.	INAPPLICABLE	812
1	YES	3961
2	NO	926
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### **CONSTAT1(4646-4647)**

Variable Type : recode

Description : Current contraceptive status (1st priority code) (RECODE)

value	label	Total
1	Female sterilization	746
2	Male sterilization	173
3	Norplant or Implanon implant	103
5	Depo-Provera (injectable)	173
6	Pill	819
7	Contraceptive Patch	11
8	Contraceptive Ring	63
9	Emergency contraception	10
10	IUD	393
11	Diaphragm (with or w/out jelly or cream)	3
12	(Male) Condom	524
14	Foam	1
17	Suppository or insert	3
18	Jelly or cream (not with diaphragm)	1
19	Periodic abstinence: NFP, cervical mucus test or temperature rhythm	9
20	Periodic abstinence: calendar rhythm	45
21	Withdrawal	222
22	Other method	8
30	Pregnant	249
31	Seeking Pregnancy	245
32	Postpartum	61
33	Sterile--nonsurgical--female	129
34	Sterile--nonsurgical--male	14
35	Sterile--surgical--female (noncontraceptive)	56
36	Sterile--surgical--male (noncontraceptive)	2
40	Other nonuser--never had intercourse since first period	696
41	Other nonuser--has had intercourse, but not in the 3 months prior to interview	496
42	Other nonuser--had intercourse in the 3 months prior to interview	444
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**CONSTAT2(4648-4649)**

Variable Type : recode

Description : 2nd priority code for current contraceptive status (RECODE)

value	label	Total
2	Male sterilization	27
3	Norplant or Implanon implant	1
5	Depo-Provera (injectable)	10
6	Pill	36
7	Contraceptive Patch	1
8	Contraceptive Ring	3
9	Emergency contraception	6
10	IUD	16
12	(Male) Condom	250
13	Female condom/vaginal pouch	2
14	Foam	1
18	Jelly or cream (not with diaphragm)	3
19	Periodic abstinence: NFP, cervical mucus test or temperature rhythm	2
20	Periodic abstinence: calendar rhythm	44
21	Withdrawal	205
22	Other method	2
34	Sterile--nonsurgical--male	4
38	Sterile--unknown reasons-male	3
88	Inapplicable (no 2nd, 3rd, or 4th method reported)	5083
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**CONSTAT3(4650-4651)**

Variable Type : recode

Description : 3rd priority code for current contraceptive status (RECODE)

value	label	Total
6	Pill	1
7	Contraceptive Patch	1
12	(Male) Condom	9
20	Periodic abstinence: calendar rhythm	4
21	Withdrawal	52
22	Other method	1
36	Sterile--surgical--male (noncontraceptive)	1
88	Inapplicable (no 2nd, 3rd, or 4th method reported)	5630
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**CONSTAT4(4652-4653)**

Variable Type : recode

Description : 4th priority code for current contraceptive status (RECODE)

value	label	Total
21	Withdrawal	4
88	Inapplicable (no 2nd, 3rd, or 4th method reported)	5695
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**PILLR(4654-4654)**

Variable Type : recode

Description : Ever used the pill for any reason (RECODE)

value	label	Total
1	YES	3885
2	NO	1814
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**CONDOMR(4655-4655)**

Variable Type : recode

Description : Ever used condom (RECODE)

value	label	Total
.	INAPPLICABLE	812
1	YES	4613
2	NO	274
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

**SEX1MTHD1(4656-4657)**

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	812
1	Pill	949
2	Condom	2221
3	Partner's vasectomy	1
5	Withdrawal	172
6	Depo-Provera, injectables	49
7	Implant (Norplant, Implanon, or Nexplanon)	2
8	Calendar rhythm, Standard Days, or Cycle Beads method	6
9	Safe period by temperature or cervical mucus test (Two Day, Billing Ovulation, or Sympto-thermal Method)	1
10	Diaphragm	3
12	Foam	2
13	Jelly or cream	1
16	Today sponge	2
17	IUD, coil, loop	1
18	Emergency contraception	7
19	Other method	2
20	Respondent sterile (aside from sterilizing operation above)	1
23	Contraceptive patch	14
24	Contraceptive ring	6
95	Never used a method	44
96	Did not use a method at 1st intercourse	1403
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

**SEX1MTHD2(4658-4659)**

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3527
1	Pill	38
2	Condom	583
5	Withdrawal	62
6	Depo-Provera, injectables	19
7	Implant (Norplant, Implanon, or Nexplanon)	2
8	Calendar rhythm, Standard Days, or Cycle Beads method	2
11	Female condom, vaginal pouch	1
12	Foam	4
13	Jelly or cream	3
17	IUD, coil, loop	1
18	Emergency contraception	5
23	Contraceptive patch	3
24	Contraceptive ring	2
95	Never used a method	44
96	Did not use a method at 1st intercourse	1403
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a second method at first sex (mthfstx2 not blank)

### SEX1MTHD3(4660-4661)

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	4224
1	Pill	1
2	Condom	1
4	Female sterilizing operation/tubal ligation	1
5	Withdrawal	13
6	Depo-Provera, injectables	1
7	Implant (Norplant, Implanon, or Nexplanon)	1
8	Calendar rhythm, Standard Days, or Cycle Beads method	3
13	Jelly or cream	1
18	Emergency contraception	3
19	Other method	2
24	Contraceptive ring	1
95	Never used a method	44
96	Did not use a method at 1st intercourse	1403
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a third method at first sex (mthfstx3 not blank)

### SEX1MTHD4(4662-4663)

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	4249
5	Withdrawal	1
6	Depo-Provera, injectables	1
23	Contraceptive patch	1
95	Never used a method	44



96	Did not use a method at 1st intercourse	1403
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a fourth method at first sex (mthfstx4 not blank)

### **MTHUSE12(4664-4665)**

Variable Type : recode

Description : Whether used any contraceptive method at last sex in past 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	1336
1	USED A METHOD	3453
2	DID NOT USE A METHOD	884
95	NEVER USED A METHOD	26
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 months (PARTS1YR > 0)

### **METH12M1(4666-4667)**

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	2246
1	Pill	713
2	Condom	889
3	Partner's vasectomy	180
4	Female sterilizing operation/tubal ligation	607
5	Withdrawal	379
6	Depo-Provera injectable	129
7	Implant (Norplant, Implanon, or Nexplanon)	75
8	Calendar rhythm, Standard Days, or Cycle Beads method	39
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
10	Diaphragm	2
11	Female condom, vaginal pouch	2
12	Foam	2
15	Suppository, insert	3
17	IUD, coil, loop	344
18	Emergency contraception	10
19	Other method	6
20	Respondent sterile (aside from sterilizing operation above)	2
21	Respondent's partner sterile (aside from vasectomy above)	3
22	Lunelle injectable	1
23	Contraceptive patch	8
24	Contraceptive ring	53
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used a method at last sex in the past 12 mons (MTHUSE12 = 1)

### **METH12M2(4668-4669)**

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 2nd mentioned (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5075
1	Pill	13
2	Condom	213
3	Partner's vasectomy	24
4	Female sterilizing operation/tubal ligation	64
5	Withdrawal	163
6	Depo-Provera injectable	33
7	Implant (Norplant, Implanon, or Nexplanon)	9
8	Calendar rhythm, Standard Days, or Cycle Beads method	42
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
10	Diaphragm	1
11	Female condom, vaginal pouch	1
12	Foam	1
13	Jelly or cream	4
16	Today sponge	1
17	IUD, coil, loop	35
18	Emergency contraception	4
23	Contraceptive patch	2
24	Contraceptive ring	11
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used more than one method at last sex in the past 12 mons (mthfstx2 not blank or EF-2 LSTMTHP2 not blank)

### **METH12M3(4670-4671)**

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5644
1	Pill	1
2	Condom	4
3	Partner's vasectomy	2
4	Female sterilizing operation/tubal ligation	1
5	Withdrawal	23
6	Depo-Provera injectable	3
7	Implant (Norplant, Implanon, or Nexplanon)	2
8	Calendar rhythm, Standard Days, or Cycle Beads method	6
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
11	Female condom, vaginal pouch	1
17	IUD, coil, loop	4
18	Emergency contraception	6
24	Contraceptive ring	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used more than two methods at last sex in the past 12 mons (mthfstx3 not blank or EF-2 LSTMTHP3 not blank)

### **METH12M4(4672-4672)**

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5697
8	Calendar rhythm, Standard Days, or Cycle Beads method	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used more than three methods at last sex in the past 12 mons (mthfstsx4 not blank or EF-2 LSTMTHP4 not blank)

### **MTHUSE3(4673-4674)**

Variable Type : recode

Description : Whether used any contraceptive method at last sex in past 3 mos (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	1879
1	USED A METHOD AT LAST INTERCOURSE IN PAST 3 MONTHS	3038
2	DID NOT USE A METHOD AT LAST INTERCOURSE IN PAST 3 MONTHS	760
95	NEVER USED A METHOD	22
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 months (SEX3MO = 1)

### **METH3M1(4675-4676)**

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 1st mentioned (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	2664
1	Pill	624
2	Condom	719
3	Partner's vasectomy	171
4	Female sterilizing operation/tubal ligation	571
5	Withdrawal	337
6	Depo-Provera, injectables	107
7	Implant (Norplant, Implanon, or Nexplanon)	72
8	Calendar rhythm, Standard Days, or Cycle Beads method	36
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
10	Diaphragm	2
11	Female condom, vaginal pouch	1
12	Foam	1
15	Suppository, insert	3
17	IUD, coil, loop	316
18	Emergency contraception	5
19	Other method	6
20	Respondent sterile (aside from sterilizing operation above)	2
21	Respondent's partner sterile (aside from vasectomy above)	3
23	Contraceptive patch	7
24	Contraceptive ring	46
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a method at last sex in the past 3 mons (MTHUSE3 = 1)

### **METH3M2(4677-4678)**

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 2nd mentioned (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	5186
1	Pill	12

2	Condom	178
3	Partner's vasectomy	20
4	Female sterilizing operation/tubal ligation	51
5	Withdrawal	136
6	Depo-Provera, injectables	22
7	Implant (Norplant, Implanon, or Nexplanon)	9
8	Calendar rhythm, Standard Days, or Cycle Beads method	34
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
10	Diaphragm	1
12	Foam	1
13	Jelly or cream	3
16	Today sponge	1
17	IUD, coil, loop	30
18	Emergency contraception	3
23	Contraceptive patch	2
24	Contraceptive ring	7
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a second method at last sex in the past 3 mons (mthfstx2 not blank or EF-2 LSTMTHP2 not blank)

### **METH3M3(4679-4680)**

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5652
1	Pill	1
2	Condom	4
3	Partner's vasectomy	2
4	Female sterilizing operation/tubal ligation	1
5	Withdrawal	19
6	Depo-Provera, injectables	3
7	Implant (Norplant, Implanon, or Nexplanon)	2
8	Calendar rhythm, Standard Days, or Cycle Beads method	5
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
11	Female condom, vaginal pouch	1
17	IUD, coil, loop	4
18	Emergency contraception	3
24	Contraceptive ring	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a third method at last sex in the past 3 mons (mthfstx3 not blank or EF-2 LSTMTHP3 not blank)

### **METH3M4(4681-4681)**

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5697
8	Calendar rhythm, Standard Days, or Cycle Beads method	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a fourth method at last sex in the past 3 mons (mthfstx4 not blank or EF-2 LSTMTHP4 not blank)

### FMETHOD1(4682-4683)

Variable Type : recode

Description : First method ever used: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	692
1	Pill	1911
2	Condom	2494
3	Partner's vasectomy	2
4	Female sterilizing operation/tubal ligation	19
5	Withdrawal	202
6	Depo-Provera, injectables	223
7	Hormonal implant (Norplant, Implanon, or Nexplanon)	13
8	Calendar rhythm, Standard Days, or Cycle Beads method	9
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
10	Diaphragm	2
11	Female condom, vaginal pouch	1
12	Foam	6
13	Jelly or cream	2
15	Suppository, insert	1
16	Todaytm sponge	3
17	IUD, coil, loop	37
18	Emergency contraception	17
19	Other method	4
20	Respondent sterile (aside from sterilizing operation above)	1
22	Lunelle injectable	3
23	Contraceptive patch	42
24	Contraceptive ring	13
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1)

### FMETHOD2(4684-4685)

Variable Type : recode

Description : First method ever used: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5340
1	Pill	27
2	Condom	217
5	Withdrawal	75
6	Depo-Provera, injectables	18
7	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
8	Calendar rhythm, Standard Days, or Cycle Beads method	4
11	Female condom, vaginal pouch	1
12	Foam	4
13	Jelly or cream	2
17	IUD, coil, loop	1
18	Emergency contraception	5
23	Contraceptive patch	3
24	Contraceptive ring	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1) and used a 2nd method the first time (EB-1 FIRSMETH2 not blank)

### FMETHOD3(4686-4687)

Variable Type : recode

Description : First method ever used: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5659
1	Pill	1
2	Condom	4
4	Female sterilizing operation/tubal ligation	1
5	Withdrawal	18
6	Depo-Provera, injectables	5
7	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
8	Calendar rhythm, Standard Days, or Cycle Beads method	4
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
18	Emergency contraception	3
23	Contraceptive patch	1
24	Contraceptive ring	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1) and used a 3rd method the first time (EB-1 FIRSMETH3 not blank)

### FMETHOD4(4688-4689)

Variable Type : recode

Description : First method ever used: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5688
5	Withdrawal	2
6	Depo-Provera, injectables	2
8	Calendar rhythm, Standard Days, or Cycle Beads method	3
11	Female condom, vaginal pouch	1
13	Jelly or cream	1
18	Emergency contraception	1
23	Contraceptive patch	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1) and used a 4th method the first time (EB-1 FIRSMETH4 not blank)

### DATEUSE1(4690-4694)

Variable Type : recode

Description : Date R used first method for the first time (RECODE)

value	label	Total
.	INAPPLICABLE	855
378-1340	Before Sept 2011	4345
1341-1352	Sept 2011-Aug 2012	164
1353-1364	Sept 2012-Aug 2013	140
1365-1376	Sept 2013-Aug 2014	120
1377-1389	Sept 2014-Sept 2015	23
90000-99999	Date estimated	52
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and has ever used a contraceptive method (ANYMTHD = 1)

**OLDWP01(4695-4695)**

Variable Type : recode

Description : Wantedness of 1st pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	2223
1	LATER, OVERDUE	214
2	RIGHT TIME	1456
3	TOO SOON, MISTIMED	781
4	DIDN'T CARE, INDIFFERENT	51
5	UNWANTED	721
6	DON'T KNOW, NOT SURE	253
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

**OLDWP02(4696-4696)**

Variable Type : recode

Description : Wantedness of 2nd pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	3111
1	LATER, OVERDUE	145
2	RIGHT TIME	1397
3	TOO SOON, MISTIMED	411
4	DIDN'T CARE, INDIFFERENT	36
5	UNWANTED	445
6	DON'T KNOW, NOT SURE	154
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

**OLDWP03(4697-4697)**

Variable Type : recode

Description : Wantedness of 3rd pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	4107
1	LATER, OVERDUE	106
2	RIGHT TIME	852
3	TOO SOON, MISTIMED	224
4	DIDN'T CARE, INDIFFERENT	18
5	UNWANTED	292
6	DON'T KNOW, NOT SURE	100
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

**OLDWP04(4698-4698)**

Variable Type : recode

Description : Wantedness of 4th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	4868
1	LATER, OVERDUE	49
2	RIGHT TIME	454
3	TOO SOON, MISTIMED	100
4	DIDN'T CARE, INDIFFERENT	9
5	UNWANTED	170
6	DON'T KNOW, NOT SURE	49
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

**OLDWP05(4699-4699)**

Variable Type : recode

Description : Wantedness of 5th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5276
1	LATER, OVERDUE	29
2	RIGHT TIME	224
3	TOO SOON, MISTIMED	37
4	DIDN'T CARE, INDIFFERENT	4
5	UNWANTED	107
6	DON'T KNOW, NOT SURE	22
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

**OLDWP06(4700-4700)**

Variable Type : recode

Description : Wantedness of 6th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5490
1	LATER, OVERDUE	13
2	RIGHT TIME	110
3	TOO SOON, MISTIMED	19
4	DIDN'T CARE, INDIFFERENT	3
5	UNWANTED	52
6	DON'T KNOW, NOT SURE	12
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

**OLDWP07(4701-4701)**

Variable Type : recode

Description : Wantedness of 7th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5590
1	LATER, OVERDUE	3
2	RIGHT TIME	56
3	TOO SOON, MISTIMED	11
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	28
6	DON'T KNOW, NOT SURE	10
	<b>Total</b>	<b>5699</b>



Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

**OLDWP08(4702-4702)**

Variable Type : recode

Description : Wantedness of 8th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5643
1	LATER, OVERDUE	1
2	RIGHT TIME	26
3	TOO SOON, MISTIMED	4
5	UNWANTED	18
6	DON'T KNOW, NOT SURE	7
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

**OLDWP09(4703-4703)**

Variable Type : recode

Description : Wantedness of 9th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5671
1	LATER, OVERDUE	2
2	RIGHT TIME	11
3	TOO SOON, MISTIMED	2
5	UNWANTED	11
6	DON'T KNOW, NOT SURE	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

**OLDWP10(4704-4704)**

Variable Type : recode

Description : Wantedness of 10th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5682
1	LATER, OVERDUE	1
2	RIGHT TIME	7
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	6
6	DON'T KNOW, NOT SURE	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

**OLDWP11(4705-4705)**

Variable Type : recode

Description : Wantedness of 11th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5688
1	LATER, OVERDUE	2
2	RIGHT TIME	5

3	TOO SOON, MISTIMED	2
5	UNWANTED	1
6	DON'T KNOW, NOT SURE	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

### **OLDWP12(4706-4706)**

Variable Type : recode

Description : Wantedness of 12th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5693
1	LATER, OVERDUE	1
2	RIGHT TIME	2
3	TOO SOON, MISTIMED	1
5	UNWANTED	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

### **OLDWP13(4707-4707)**

Variable Type : recode

Description : Wantedness of 13th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5696
1	LATER, OVERDUE	1
2	RIGHT TIME	1
5	UNWANTED	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

### **OLDWP14(4708-4708)**

Variable Type : recode

Description : Wantedness of 14th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5697
1	LATER, OVERDUE	1
5	UNWANTED	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

### **OLDWP15(4709-4709)**

Variable Type : recode

Description : Wantedness of 15th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5697
1	LATER, OVERDUE	1
3	TOO SOON, MISTIMED	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

**OLDWP16(4710-4710)**

Variable Type : recode

Description : Wantedness of 16th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3	TOO SOON, MISTIMED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

**OLDWP17(4711-4711)**

Variable Type : recode

Description : Wantedness of 17th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5698
5	UNWANTED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

**OLDWP18(4712-4712)**

Variable Type : recode

Description : Wantedness of 18th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5698
5	UNWANTED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

**OLDWP19(4713-4713)**

Variable Type : recode

Description : Wantedness of 19th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5698
5	UNWANTED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

**OLDWP20(4714-4714)**

Variable Type : recode

Description : Wantedness of 20th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	RIGHT TIME	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

**OLDWR01(4715-4715)**

Variable Type : recode

Description : Wantedness of 1st pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	2223
1	LATER, OVERDUE	240
2	RIGHT TIME	1216
3	TOO SOON, MISTIMED	1459
4	DIDN'T CARE, INDIFFERENT	29
5	UNWANTED	529
6	DON'T KNOW, NOT SURE	3
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

**OLDWR02(4716-4716)**

Variable Type : recode

Description : Wantedness of 2nd pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	3111
1	LATER, OVERDUE	159
2	RIGHT TIME	1288
3	TOO SOON, MISTIMED	725
4	DIDN'T CARE, INDIFFERENT	29
5	UNWANTED	383
6	DON'T KNOW, NOT SURE	4
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

**OLDWR03(4717-4717)**

Variable Type : recode

Description : Wantedness of 3rd pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	4107
1	LATER, OVERDUE	116
2	RIGHT TIME	800
3	TOO SOON, MISTIMED	338
4	DIDN'T CARE, INDIFFERENT	13
5	UNWANTED	320
6	DON'T KNOW, NOT SURE	5
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

**OLDWR04(4718-4718)**

Variable Type : recode

Description : Wantedness of 4th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	4868

1	LATER, OVERDUE	47
2	RIGHT TIME	418
3	TOO SOON, MISTIMED	139
4	DIDN'T CARE, INDIFFERENT	8
5	UNWANTED	217
6	DON'T KNOW, NOT SURE	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

#### **OLDWR05(4719-4719)**

Variable Type : recode

Description : Wantedness of 5th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5276
1	LATER, OVERDUE	23
2	RIGHT TIME	190
3	TOO SOON, MISTIMED	72
4	DIDN'T CARE, INDIFFERENT	4
5	UNWANTED	131
6	DON'T KNOW, NOT SURE	3
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

#### **OLDWR06(4720-4720)**

Variable Type : recode

Description : Wantedness of 6th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5490
1	LATER, OVERDUE	11
2	RIGHT TIME	87
3	TOO SOON, MISTIMED	35
4	DIDN'T CARE, INDIFFERENT	3
5	UNWANTED	71
6	DON'T KNOW, NOT SURE	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

#### **OLDWR07(4721-4721)**

Variable Type : recode

Description : Wantedness of 7th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5590
1	LATER, OVERDUE	4
2	RIGHT TIME	45
3	TOO SOON, MISTIMED	18
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	38
6	DON'T KNOW, NOT SURE	3
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

**OLDWR08(4722-4722)**

Variable Type : recode

Description : Wantedness of 8th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5643
1	LATER, OVERDUE	4
2	RIGHT TIME	24
3	TOO SOON, MISTIMED	5
5	UNWANTED	22
6	DON'T KNOW, NOT SURE	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

**OLDWR09(4723-4723)**

Variable Type : recode

Description : Wantedness of 9th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5671
1	LATER, OVERDUE	2
2	RIGHT TIME	11
3	TOO SOON, MISTIMED	3
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	11
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

**OLDWR10(4724-4724)**

Variable Type : recode

Description : Wantedness of 10th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5682
1	LATER, OVERDUE	1
2	RIGHT TIME	6
3	TOO SOON, MISTIMED	2
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	6
6	DON'T KNOW, NOT SURE	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

**OLDWR11(4725-4725)**

Variable Type : recode

Description : Wantedness of 11th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5688
1	LATER, OVERDUE	1
2	RIGHT TIME	5

3	TOO SOON, MISTIMED	2
5	UNWANTED	3
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

**OLDWR12(4726-4726)**

Variable Type : recode

Description : Wantedness of 12th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5693
1	LATER, OVERDUE	1
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	2
5	UNWANTED	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

**OLDWR13(4727-4727)**

Variable Type : recode

Description : Wantedness of 13th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5696
1	LATER, OVERDUE	1
2	RIGHT TIME	1
5	UNWANTED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

**OLDWR14(4728-4728)**

Variable Type : recode

Description : Wantedness of 14th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5697
1	LATER, OVERDUE	1
5	UNWANTED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

**OLDWR15(4729-4729)**

Variable Type : recode

Description : Wantedness of 15th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5697
1	LATER, OVERDUE	1
3	TOO SOON, MISTIMED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

**OLDWR16(4730-4730)**

Variable Type : recode

Description : Wantedness of 16th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3	TOO SOON, MISTIMED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

**OLDWR17(4731-4731)**

Variable Type : recode

Description : Wantedness of 17th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3	TOO SOON, MISTIMED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

**OLDWR18(4732-4732)**

Variable Type : recode

Description : Wantedness of 18th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3	TOO SOON, MISTIMED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

**OLDWR19(4733-4733)**

Variable Type : recode

Description : Wantedness of 19th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3	TOO SOON, MISTIMED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

**OLDWR20(4734-4734)**

Variable Type : recode

Description : Wantedness of 20th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	RIGHT TIME	1
<b>Total</b>		<b>5699</b>



Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

**WANTRP01(4735-4735)**

Variable Type : recode

Description : Wantedness of 1st pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	2223
1	LATER, OVERDUE	240
2	RIGHT TIME	1216
3	TOO SOON, MISTIMED	1461
4	DIDN'T CARE, INDIFFERENT	29
5	UNWANTED	527
6	DON'T KNOW, NOT SURE	3
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

**WANTRP02(4736-4736)**

Variable Type : recode

Description : Wantedness of 2nd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	3111
1	LATER, OVERDUE	159
2	RIGHT TIME	1288
3	TOO SOON, MISTIMED	725
4	DIDN'T CARE, INDIFFERENT	29
5	UNWANTED	383
6	DON'T KNOW, NOT SURE	4
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

**WANTRP03(4737-4737)**

Variable Type : recode

Description : Wantedness of 3rd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	4107
1	LATER, OVERDUE	116
2	RIGHT TIME	800
3	TOO SOON, MISTIMED	338
4	DIDN'T CARE, INDIFFERENT	13
5	UNWANTED	320
6	DON'T KNOW, NOT SURE	5
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

**WANTRP04(4738-4738)**

Variable Type : recode

Description : Wantedness of 4th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	4868

1	LATER, OVERDUE	47
2	RIGHT TIME	418
3	TOO SOON, MISTIMED	139
4	DIDN'T CARE, INDIFFERENT	8
5	UNWANTED	217
6	DON'T KNOW, NOT SURE	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

**WANTRP05(4739-4739)**

Variable Type : recode

Description : Wantedness of 5th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5276
1	LATER, OVERDUE	23
2	RIGHT TIME	190
3	TOO SOON, MISTIMED	72
4	DIDN'T CARE, INDIFFERENT	4
5	UNWANTED	131
6	DON'T KNOW, NOT SURE	3
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

**WANTRP06(4740-4740)**

Variable Type : recode

Description : Wantedness of 6th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5490
1	LATER, OVERDUE	11
2	RIGHT TIME	87
3	TOO SOON, MISTIMED	35
4	DIDN'T CARE, INDIFFERENT	3
5	UNWANTED	71
6	DON'T KNOW, NOT SURE	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

**WANTRP07(4741-4741)**

Variable Type : recode

Description : Wantedness of 7th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5590
1	LATER, OVERDUE	4
2	RIGHT TIME	45
3	TOO SOON, MISTIMED	18
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	38
6	DON'T KNOW, NOT SURE	3
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

**WANTRP08(4742-4742)**

Variable Type : recode

Description : Wantedness of 8th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5643
1	LATER, OVERDUE	4
2	RIGHT TIME	24
3	TOO SOON, MISTIMED	5
5	UNWANTED	22
6	DON'T KNOW, NOT SURE	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

**WANTRP09(4743-4743)**

Variable Type : recode

Description : Wantedness of 9th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5671
1	LATER, OVERDUE	2
2	RIGHT TIME	11
3	TOO SOON, MISTIMED	3
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	11
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

**WANTRP10(4744-4744)**

Variable Type : recode

Description : Wantedness of 10th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5682
1	LATER, OVERDUE	1
2	RIGHT TIME	6
3	TOO SOON, MISTIMED	2
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	6
6	DON'T KNOW, NOT SURE	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

**WANTRP11(4745-4745)**

Variable Type : recode

Description : Wantedness of 11th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5688
1	LATER, OVERDUE	1
2	RIGHT TIME	5

3	TOO SOON, MISTIMED	2
5	UNWANTED	3
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

**WANTRP12(4746-4746)**

Variable Type : recode

Description : Wantedness of 12th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5693
1	LATER, OVERDUE	1
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	2
5	UNWANTED	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

**WANTRP13(4747-4747)**

Variable Type : recode

Description : Wantedness of 13th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5696
1	LATER, OVERDUE	1
2	RIGHT TIME	1
5	UNWANTED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

**WANTRP14(4748-4748)**

Variable Type : recode

Description : Wantedness of 14th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5697
1	LATER, OVERDUE	1
5	UNWANTED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

**WANTRP15(4749-4749)**

Variable Type : recode

Description : Wantedness of 15th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5697
1	LATER, OVERDUE	1
3	TOO SOON, MISTIMED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

**WANTRP16(4750-4750)**

Variable Type : recode

Description : Wantedness of 16th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3	TOO SOON, MISTIMED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

**WANTRP17(4751-4751)**

Variable Type : recode

Description : Wantedness of 17th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3	TOO SOON, MISTIMED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

**WANTRP18(4752-4752)**

Variable Type : recode

Description : Wantedness of 18th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3	TOO SOON, MISTIMED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

**WANTRP19(4753-4753)**

Variable Type : recode

Description : Wantedness of 19th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3	TOO SOON, MISTIMED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

**WANTRP20(4754-4754)**

Variable Type : recode

Description : Wantedness of 20th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	RIGHT TIME	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

**WANTP01(4755-4755)**

Variable Type : recode

Description : Wantedness of 1st pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	2223
1	LATER, OVERDUE	216
2	RIGHT TIME	1457
3	TOO SOON, MISTIMED	782
4	DIDN'T CARE, INDIFFERENT	52
5	UNWANTED	722
6	DON'T KNOW, NOT SURE	247
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

**WANTP02(4756-4756)**

Variable Type : recode

Description : Wantedness of 2nd pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	3111
1	LATER, OVERDUE	145
2	RIGHT TIME	1399
3	TOO SOON, MISTIMED	413
4	DIDN'T CARE, INDIFFERENT	36
5	UNWANTED	446
6	DON'T KNOW, NOT SURE	149
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

**WANTP03(4757-4757)**

Variable Type : recode

Description : Wantedness of 3rd pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	4107
1	LATER, OVERDUE	106
2	RIGHT TIME	852
3	TOO SOON, MISTIMED	225
4	DIDN'T CARE, INDIFFERENT	18
5	UNWANTED	293
6	DON'T KNOW, NOT SURE	98
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

**WANTP04(4758-4758)**

Variable Type : recode

Description : Wantedness of 4th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	4868

1	LATER, OVERDUE	49
2	RIGHT TIME	454
3	TOO SOON, MISTIMED	101
4	DIDN'T CARE, INDIFFERENT	9
5	UNWANTED	170
6	DON'T KNOW, NOT SURE	48
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

### **WANTP05(4759-4759)**

Variable Type : recode

Description : Wantedness of 5th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5276
1	LATER, OVERDUE	29
2	RIGHT TIME	224
3	TOO SOON, MISTIMED	37
4	DIDN'T CARE, INDIFFERENT	4
5	UNWANTED	108
6	DON'T KNOW, NOT SURE	21
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

### **WANTP06(4760-4760)**

Variable Type : recode

Description : Wantedness of 6th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5490
1	LATER, OVERDUE	13
2	RIGHT TIME	110
3	TOO SOON, MISTIMED	21
4	DIDN'T CARE, INDIFFERENT	3
5	UNWANTED	52
6	DON'T KNOW, NOT SURE	10
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

### **WANTP07(4761-4761)**

Variable Type : recode

Description : Wantedness of 7th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5590
1	LATER, OVERDUE	3
2	RIGHT TIME	56
3	TOO SOON, MISTIMED	11
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	28
6	DON'T KNOW, NOT SURE	10
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

**WANTP08(4762-4762)**

Variable Type : recode

Description : Wantedness of 8th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5643
1	LATER, OVERDUE	1
2	RIGHT TIME	26
3	TOO SOON, MISTIMED	5
5	UNWANTED	18
6	DON'T KNOW, NOT SURE	6
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

**WANTP09(4763-4763)**

Variable Type : recode

Description : Wantedness of 9th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5671
1	LATER, OVERDUE	2
2	RIGHT TIME	11
3	TOO SOON, MISTIMED	2
5	UNWANTED	11
6	DON'T KNOW, NOT SURE	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

**WANTP10(4764-4764)**

Variable Type : recode

Description : Wantedness of 10th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5682
1	LATER, OVERDUE	1
2	RIGHT TIME	7
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	6
6	DON'T KNOW, NOT SURE	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

**WANTP11(4765-4765)**

Variable Type : recode

Description : Wantedness of 11th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5688
1	LATER, OVERDUE	2
2	RIGHT TIME	5



3	TOO SOON, MISTIMED	2
5	UNWANTED	1
6	DON'T KNOW, NOT SURE	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

### **WANTP12(4766-4766)**

Variable Type : recode

Description : Wantedness of 12th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5693
1	LATER, OVERDUE	1
2	RIGHT TIME	2
3	TOO SOON, MISTIMED	1
5	UNWANTED	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

### **WANTP13(4767-4767)**

Variable Type : recode

Description : Wantedness of 13th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5696
1	LATER, OVERDUE	1
2	RIGHT TIME	1
5	UNWANTED	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

### **WANTP14(4768-4768)**

Variable Type : recode

Description : Wantedness of 14th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5697
1	LATER, OVERDUE	1
5	UNWANTED	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

### **WANTP15(4769-4769)**

Variable Type : recode

Description : Wantedness of 15th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5697
1	LATER, OVERDUE	1
3	TOO SOON, MISTIMED	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

**WANTP16(4770-4770)**

Variable Type : recode

Description : Wantedness of 16th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3	TOO SOON, MISTIMED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

**WANTP17(4771-4771)**

Variable Type : recode

Description : Wantedness of 17th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5698
5	UNWANTED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

**WANTP18(4772-4772)**

Variable Type : recode

Description : Wantedness of 18th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5698
5	UNWANTED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

**WANTP19(4773-4773)**

Variable Type : recode

Description : Wantedness of 19th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5698
5	UNWANTED	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

**WANTP20(4774-4774)**

Variable Type : recode

Description : Wantedness of 20th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	RIGHT TIME	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

**NWWANTRP01(4775-4775)**

Variable Type : recode

Description : Detailed wantedness of 1st pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	2223
1	Later, overdue	240
2	Right time	1216
3	Too soon: by less than 2 years	235
4	Too soon: by 2 years or more	1226
5	Didn't care, indifferent	29
6	Unwanted	527
7	Don't know, not sure	3
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

**NWWANTRP02(4776-4776)**

Variable Type : recode

Description : Detailed wantedness of 2nd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	3111
1	Later, overdue	159
2	Right time	1288
3	Too soon: by less than 2 years	250
4	Too soon: by 2 years or more	475
5	Didn't care, indifferent	29
6	Unwanted	383
7	Don't know, not sure	4
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

**NWWANTRP03(4777-4777)**

Variable Type : recode

Description : Detailed wantedness of 3rd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	4107
1	Later, overdue	116
2	Right time	800
3	Too soon: by less than 2 years	146
4	Too soon: by 2 years or more	192
5	Didn't care, indifferent	13
6	Unwanted	320
7	Don't know, not sure	5
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

**NWWANTRP04(4778-4778)**

Variable Type : recode

Description : Detailed wantedness of 4th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	4868
1	Later, overdue	47
2	Right time	418
3	Too soon: by less than 2 years	54
4	Too soon: by 2 years or more	85
5	Didn't care, indifferent	8
6	Unwanted	217
7	Don't know, not sure	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

### **NWWANTRP05(4779-4779)**

Variable Type : recode

Description : Detailed wantedness of 5th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5276
1	Later, overdue	23
2	Right time	190
3	Too soon: by less than 2 years	36
4	Too soon: by 2 years or more	36
5	Didn't care, indifferent	4
6	Unwanted	131
7	Don't know, not sure	3
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

### **NWWANTRP06(4780-4780)**

Variable Type : recode

Description : Detailed wantedness of 6th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5490
1	Later, overdue	11
2	Right time	87
3	Too soon: by less than 2 years	15
4	Too soon: by 2 years or more	20
5	Didn't care, indifferent	3
6	Unwanted	71
7	Don't know, not sure	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

### **NWWANTRP07(4781-4781)**

Variable Type : recode

Description : Detailed wantedness of 7th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5590
1	Later, overdue	4
2	Right time	45
3	Too soon: by less than 2 years	9
4	Too soon: by 2 years or more	9

5	Didn't care, indifferent	1
6	Unwanted	38
7	Don't know, not sure	3
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

### **NWWANTRP08(4782-4782)**

Variable Type : recode

Description : Detailed wantedness of 8th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5643
1	Later, overdue	4
2	Right time	24
3	Too soon: by less than 2 years	1
4	Too soon: by 2 years or more	4
6	Unwanted	22
7	Don't know, not sure	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

### **NWWANTRP09(4783-4783)**

Variable Type : recode

Description : Detailed wantedness of 9th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5671
1	Later, overdue	2
2	Right time	11
4	Too soon: by 2 years or more	3
5	Didn't care, indifferent	1
6	Unwanted	11
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

### **NWWANTRP10(4784-4784)**

Variable Type : recode

Description : Detailed wantedness of 10th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5682
1	Later, overdue	1
2	Right time	6
3	Too soon: by less than 2 years	1
4	Too soon: by 2 years or more	1
5	Didn't care, indifferent	1
6	Unwanted	6
7	Don't know, not sure	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

### **NWWANTRP11(4785-4785)**

Variable Type : recode

Description : Detailed wantedness of 11th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5688
1	Later, overdue	1
2	Right time	5
3	Too soon: by less than 2 years	1
4	Too soon: by 2 years or more	1
6	Unwanted	3
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

**NWWANTRP12(4786-4786)**

Variable Type : recode

Description : Detailed wantedness of 12th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5693
1	Later, overdue	1
2	Right time	1
3	Too soon: by less than 2 years	1
4	Too soon: by 2 years or more	1
6	Unwanted	2
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

**NWWANTRP13(4787-4787)**

Variable Type : recode

Description : Detailed wantedness of 13th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5696
1	Later, overdue	1
2	Right time	1
6	Unwanted	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

**NWWANTRP14(4788-4788)**

Variable Type : recode

Description : Detailed wantedness of 14th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5697
1	Later, overdue	1
6	Unwanted	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

**NWWANTRP15(4789-4789)**

Variable Type : recode

Description : Detailed wantedness of 15th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5697
1	Later, overdue	1
3	Too soon: by less than 2 years	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

**NWWANTRP16(4790-4790)**

Variable Type : recode

Description : Detailed wantedness of 16th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3	Too soon: by less than 2 years	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

**NWWANTRP17(4791-4791)**

Variable Type : recode

Description : Detailed wantedness of 17th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3	Too soon: by less than 2 years	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

**NWWANTRP18(4792-4792)**

Variable Type : recode

Description : Detailed wantedness of 18th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3	Too soon: by less than 2 years	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

**NWWANTRP19(4793-4793)**

Variable Type : recode

Description : Detailed wantedness of 19th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5698
3	Too soon: by less than 2 years	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

**NWWANTRP20(4794-4794)**

Variable Type : recode

Description : Detailed wantedness of 20th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5698
2	Right time	1
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

### **WANTP5(4795-4795)**

Variable Type : recode

Description : Number of wanted pregnancies in the last 5 years (RECODE)

value	label	Total
.	INAPPLICABLE	3654
0	No wanted pregnancies in last 5 years	294
1-20	1-20 wanted pregnancies in last 5 years	1751
<b>Total</b>		<b>5699</b>

Universe : Applicable if R is currently pregnant (RCURPREG recode = 1) or she has had at least 1 pregnancy within the past 5 years (DATENDnn for R's last completed pregnancy is within 60 months of cmintvw)

### **STRLOPER\_I(4796-4796)**

Variable Type : imputation flag

Description : STRLOPER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **FECUND\_I(4797-4797)**

Variable Type : imputation flag

Description : FECUND Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **INFERT\_I(4798-4798)**

Variable Type : imputation flag

Description : INFERT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5687
1	MULTIPLE REGRESSION IMPUTATION	12
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **ANYMTHD\_I(4799-4799)**

Variable Type : imputation flag



Description : ANYMTHD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **NOSEX12\_I(4800-4800)**

Variable Type : imputation flag

Description : NOSEX12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5684
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **SEX3MO\_I(4801-4801)**

Variable Type : imputation flag

Description : SEX3MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5668
1	MULTIPLE REGRESSION IMPUTATION	31
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **CONSTAT1\_I(4802-4802)**

Variable Type : imputation flag

Description : CONSTAT1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5637
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	56
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **CONSTAT2\_I(4803-4803)**

Variable Type : imputation flag

Description : CONSTAT2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5680
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	12
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**CONSTAT3\_I(4804-4804)**

Variable Type : imputation flag

Description : CONSTAT3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5689
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**CONSTAT4\_I(4805-4805)**

Variable Type : imputation flag

Description : CONSTAT4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5692
1	MULTIPLE REGRESSION IMPUTATION	7
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**PILLR\_I(4806-4806)**

Variable Type : imputation flag

Description : PILLR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**CONDOMR\_I(4807-4807)**

Variable Type : imputation flag

Description : CONDOMR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**SEX1MTHD1\_I(4808-4808)**

Variable Type : imputation flag

Description : SEX1MTHD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5687
2	LOGICAL IMPUTATION	12
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**SEX1MTHD2\_I(4809-4809)**

Variable Type : imputation flag

Description : SEX1MTHD2 Imputation Flag

value	label	Total
.	INAPPLICABLE	7
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5687
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**SEX1MTHD3\_I(4810-4810)**

Variable Type : imputation flag

Description : SEX1MTHD3 Imputation Flag

value	label	Total
.	INAPPLICABLE	8
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5687
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**SEX1MTHD4\_I(4811-4811)**

Variable Type : imputation flag

Description : SEX1MTHD4 Imputation Flag

value	label	Total
.	INAPPLICABLE	8
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5687
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**MTHUSE12\_I(4812-4812)**

Variable Type : imputation flag

Description : MTHUSE12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5694
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**METH12M1\_I(4813-4813)**

Variable Type : imputation flag

Description : METH12M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **METH12M2\_I(4814-4814)**

Variable Type : imputation flag

Description : METH12M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **METH12M3\_I(4815-4815)**

Variable Type : imputation flag

Description : METH12M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **METH12M4\_I(4816-4816)**

Variable Type : imputation flag

Description : METH12M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **MTHUSE3\_I(4817-4817)**

Variable Type : imputation flag

Description : MTHUSE3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**METH3M1\_I(4818-4818)**

Variable Type : imputation flag

Description : METH3M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5688
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**METH3M2\_I(4819-4819)**

Variable Type : imputation flag

Description : METH3M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5688
1	MULTIPLE REGRESSION IMPUTATION	11
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**METH3M3\_I(4820-4820)**

Variable Type : imputation flag

Description : METH3M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5688
1	MULTIPLE REGRESSION IMPUTATION	11
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**METH3M4\_I(4821-4821)**

Variable Type : imputation flag

Description : METH3M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5688
1	MULTIPLE REGRESSION IMPUTATION	11
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**FMETHOD1\_I(4822-4822)**

Variable Type : imputation flag

Description : FMETHOD1 Imputation Flag

value	label	Total
.	INAPPLICABLE	1
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5688
1	MULTIPLE REGRESSION IMPUTATION	1

2	LOGICAL IMPUTATION	9
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **FMETHOD2\_I(4823-4823)**

Variable Type : imputation flag

Description : FMETHOD2 Imputation Flag

value	label	Total
.	INAPPLICABLE	9
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5688
1	MULTIPLE REGRESSION IMPUTATION	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **FMETHOD3\_I(4824-4824)**

Variable Type : imputation flag

Description : FMETHOD3 Imputation Flag

value	label	Total
.	INAPPLICABLE	9
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5688
1	MULTIPLE REGRESSION IMPUTATION	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **FMETHOD4\_I(4825-4825)**

Variable Type : imputation flag

Description : FMETHOD4 Imputation Flag

value	label	Total
.	INAPPLICABLE	9
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5688
1	MULTIPLE REGRESSION IMPUTATION	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **DATEUSE1\_I(4826-4826)**

Variable Type : imputation flag

Description : DATEUSE1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5630
1	MULTIPLE REGRESSION IMPUTATION	61
2	LOGICAL IMPUTATION	8
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **OLDWP01\_I(4827-4827)**

Variable Type : imputation flag

Description : OLDWP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5678
1	MULTIPLE REGRESSION IMPUTATION	19
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OLDWP02\_I(4828-4828)**

Variable Type : imputation flag

Description : OLDWP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5689
1	MULTIPLE REGRESSION IMPUTATION	10
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OLDWP03\_I(4829-4829)**

Variable Type : imputation flag

Description : OLDWP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5688
1	MULTIPLE REGRESSION IMPUTATION	11
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OLDWP04\_I(4830-4830)**

Variable Type : imputation flag

Description : OLDWP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5691
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OLDWP05\_I(4831-4831)**

Variable Type : imputation flag

Description : OLDWP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5692
1	MULTIPLE REGRESSION IMPUTATION	7
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**OLDWP06\_I(4832-4832)**

Variable Type : imputation flag

Description : OLDWP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5695
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**OLDWP07\_I(4833-4833)**

Variable Type : imputation flag

Description : OLDWP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**OLDWP08\_I(4834-4834)**

Variable Type : imputation flag

Description : OLDWP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**OLDWP09\_I(4835-4835)**

Variable Type : imputation flag

Description : OLDWP09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**OLDWP10\_I(4836-4836)**

Variable Type : imputation flag

Description : OLDWP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents



**OLDWP11\_I(4837-4837)**

Variable Type : imputation flag

Description : OLDWP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**OLDWP12\_I(4838-4838)**

Variable Type : imputation flag

Description : OLDWP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**OLDWP13\_I(4839-4839)**

Variable Type : imputation flag

Description : OLDWP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**OLDWP14\_I(4840-4840)**

Variable Type : imputation flag

Description : OLDWP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**OLDWP15\_I(4841-4841)**

Variable Type : imputation flag

Description : OLDWP15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**OLDWP16\_I(4842-4842)**

Variable Type : imputation flag

Description : OLDWP16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OLDWP17\_I(4843-4843)**

Variable Type : imputation flag

Description : OLDWP17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OLDWP18\_I(4844-4844)**

Variable Type : imputation flag

Description : OLDWP18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OLDWP19\_I(4845-4845)**

Variable Type : imputation flag

Description : OLDWP19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OLDWP20\_I(4846-4846)**

Variable Type : imputation flag

Description : OLDWP20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OLDWR01\_I(4847-4847)**

Variable Type : imputation flag

Description : OLDWR01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5689
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	1

**Total** **5699**

Universe : Applicable for all respondents

**OLDWR02\_I(4848-4848)**

Variable Type : imputation flag

Description : OLDWR02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5692
1	MULTIPLE REGRESSION IMPUTATION	7
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**OLDWR03\_I(4849-4849)**

Variable Type : imputation flag

Description : OLDWR03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5693
1	MULTIPLE REGRESSION IMPUTATION	6
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**OLDWR04\_I(4850-4850)**

Variable Type : imputation flag

Description : OLDWR04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5693
1	MULTIPLE REGRESSION IMPUTATION	6
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**OLDWR05\_I(4851-4851)**

Variable Type : imputation flag

Description : OLDWR05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5694
1	MULTIPLE REGRESSION IMPUTATION	5
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**OLDWR06\_I(4852-4852)**

Variable Type : imputation flag

Description : OLDWR06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3

**Total** **5699**

Universe : Applicable for all respondents

**OLDWR07\_I(4853-4853)**

Variable Type : imputation flag

Description : OLDWR07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**OLDWR08\_I(4854-4854)**

Variable Type : imputation flag

Description : OLDWR08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**OLDWR09\_I(4855-4855)**

Variable Type : imputation flag

Description : OLDWR09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**OLDWR10\_I(4856-4856)**

Variable Type : imputation flag

Description : OLDWR10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**OLDWR11\_I(4857-4857)**

Variable Type : imputation flag

Description : OLDWR11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**OLDWR12\_I(4858-4858)**

Variable Type : imputation flag

Description : OLDWR12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**OLDWR13\_I(4859-4859)**

Variable Type : imputation flag

Description : OLDWR13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**OLDWR14\_I(4860-4860)**

Variable Type : imputation flag

Description : OLDWR14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**OLDWR15\_I(4861-4861)**

Variable Type : imputation flag

Description : OLDWR15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**OLDWR16\_I(4862-4862)**

Variable Type : imputation flag

Description : OLDWR16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**OLDWR17\_I(4863-4863)**

Variable Type : imputation flag

Description : OLDWR17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

#### **OLDWR18\_I(4864-4864)**

Variable Type : imputation flag

Description : OLDWR18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

#### **OLDWR19\_I(4865-4865)**

Variable Type : imputation flag

Description : OLDWR19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

#### **OLDWR20\_I(4866-4866)**

Variable Type : imputation flag

Description : OLDWR20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

#### **WANTRP01\_I(4867-4867)**

Variable Type : imputation flag

Description : WANTRP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5689
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

#### **WANTRP02\_I(4868-4868)**

Variable Type : imputation flag

Description : WANTRP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5692
1	MULTIPLE REGRESSION IMPUTATION	7
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **WANTRP03\_I(4869-4869)**

Variable Type : imputation flag

Description : WANTRP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5693
1	MULTIPLE REGRESSION IMPUTATION	6
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **WANTRP04\_I(4870-4870)**

Variable Type : imputation flag

Description : WANTRP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5693
1	MULTIPLE REGRESSION IMPUTATION	6
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **WANTRP05\_I(4871-4871)**

Variable Type : imputation flag

Description : WANTRP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5694
1	MULTIPLE REGRESSION IMPUTATION	5
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **WANTRP06\_I(4872-4872)**

Variable Type : imputation flag

Description : WANTRP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **WANTRP07\_I(4873-4873)**

Variable Type : imputation flag

Description : WANTRP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

#### **WANTRP08\_I(4874-4874)**

Variable Type : imputation flag

Description : WANTRP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

#### **WANTRP09\_I(4875-4875)**

Variable Type : imputation flag

Description : WANTRP09Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

#### **WANTRP10\_I(4876-4876)**

Variable Type : imputation flag

Description : WANTRP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

#### **WANTRP11\_I(4877-4877)**

Variable Type : imputation flag

Description : WANTRP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

#### **WANTRP12\_I(4878-4878)**

Variable Type : imputation flag

Description : WANTRP12 Imputation Flag



value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **WANTRP13\_I(4879-4879)**

Variable Type : imputation flag

Description : WANTRP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **WANTRP14\_I(4880-4880)**

Variable Type : imputation flag

Description : WANTRP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **WANTRP15\_I(4881-4881)**

Variable Type : imputation flag

Description : WANTRP15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **WANTRP16\_I(4882-4882)**

Variable Type : imputation flag

Description : WANTRP16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **WANTRP17\_I(4883-4883)**

Variable Type : imputation flag

Description : WANTRP17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**WANTRP18\_I(4884-4884)**

Variable Type : imputation flag

Description : WANTRP18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**WANTRP19\_I(4885-4885)**

Variable Type : imputation flag

Description : WANTRP19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**WANTRP20\_I(4886-4886)**

Variable Type : imputation flag

Description : WANTRP20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**WANTP01\_I(4887-4887)**

Variable Type : imputation flag

Description : WANTP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5672
1	MULTIPLE REGRESSION IMPUTATION	25
2	LOGICAL IMPUTATION	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**WANTP02\_I(4888-4888)**

Variable Type : imputation flag

Description : WANTP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5684
1	MULTIPLE REGRESSION IMPUTATION	15
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**WANTP03\_I(4889-4889)**

Variable Type : imputation flag

Description : WANTP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5686
1	MULTIPLE REGRESSION IMPUTATION	13
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**WANTP04\_I(4890-4890)**

Variable Type : imputation flag

Description : WANTP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**WANTP05\_I(4891-4891)**

Variable Type : imputation flag

Description : WANTP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5691
1	MULTIPLE REGRESSION IMPUTATION	8
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**WANTP06\_I(4892-4892)**

Variable Type : imputation flag

Description : WANTP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5693
1	MULTIPLE REGRESSION IMPUTATION	6
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**WANTP07\_I(4893-4893)**

Variable Type : imputation flag

Description : WANTP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**WANTP08\_I(4894-4894)**

Variable Type : imputation flag

Description : WANTP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**WANTP09\_I(4895-4895)**

Variable Type : imputation flag

Description : WANTP09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**WANTP10\_I(4896-4896)**

Variable Type : imputation flag

Description : WANTP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**WANTP11\_I(4897-4897)**

Variable Type : imputation flag

Description : WANTP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**WANTP12\_I(4898-4898)**

Variable Type : imputation flag

Description : WANTP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**WANTP13\_I(4899-4899)**

Variable Type : imputation flag

Description : WANTP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**WANTP14\_I(4900-4900)**

Variable Type : imputation flag

Description : WANTP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**WANTP15\_I(4901-4901)**

Variable Type : imputation flag

Description : WANTP15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**WANTP16\_I(4902-4902)**

Variable Type : imputation flag

Description : WANTP16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**WANTP17\_I(4903-4903)**

Variable Type : imputation flag

Description : WANTP17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**WANTP18\_I(4904-4904)**

Variable Type : imputation flag

Description : WANTP18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **WANTP19\_I(4905-4905)**

Variable Type : imputation flag

Description : WANTP19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **WANTP20\_I(4906-4906)**

Variable Type : imputation flag

Description : WANTP20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **NWWANTRP01\_I(4907-4907)**

Variable Type : imputation flag

Description : NWWANTRP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5668
1	MULTIPLE REGRESSION IMPUTATION	26
2	LOGICAL IMPUTATION	5
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **NWWANTRP02\_I(4908-4908)**

Variable Type : imputation flag

Description : NWWANTRP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5674
1	MULTIPLE REGRESSION IMPUTATION	24
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **NWWANTRP03\_I(4909-4909)**

Variable Type : imputation flag

Description : NWWANTRP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5682
1	MULTIPLE REGRESSION IMPUTATION	17
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**NWWANTRP04\_I(4910-4910)**

Variable Type : imputation flag

Description : NWWANTRP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5690
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**NWWANTRP05\_I(4911-4911)**

Variable Type : imputation flag

Description : NWWANTRP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5689
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**NWWANTRP06\_I(4912-4912)**

Variable Type : imputation flag

Description : NWWANTRP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**NWWANTRP07\_I(4913-4913)**

Variable Type : imputation flag

Description : NWWANTRP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**NWWANTRP08\_I(4914-4914)**

Variable Type : imputation flag

Description : NWWANTRP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**NWWANTRP09\_I(4915-4915)**

Variable Type : imputation flag

Description : NWWANTRP09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**NWWANTRP10\_I(4916-4916)**

Variable Type : imputation flag

Description : NWWANTRP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5698
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**NWWANTRP11\_I(4917-4917)**

Variable Type : imputation flag

Description : NWWANTRP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**NWWANTRP12\_I(4918-4918)**

Variable Type : imputation flag

Description : NWWANTRP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**NWWANTRP13\_I(4919-4919)**

Variable Type : imputation flag

Description : NWWANTRP13 Imputation Flag



value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

#### **NWWANTRP14\_I(4920-4920)**

Variable Type : imputation flag

Description : NWWANTRP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

#### **NWWANTRP15\_I(4921-4921)**

Variable Type : imputation flag

Description : NWWANTRP15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

#### **NWWANTRP16\_I(4922-4922)**

Variable Type : imputation flag

Description : NWWANTRP16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

#### **NWWANTRP17\_I(4923-4923)**

Variable Type : imputation flag

Description : NWWANTRP17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

#### **NWWANTRP18\_I(4924-4924)**

Variable Type : imputation flag

Description : NWWANTRP18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**NWWANTRP19\_I(4925-4925)**

Variable Type : imputation flag

Description : NWWANTRP19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**NWWANTRP20\_I(4926-4926)**

Variable Type : imputation flag

Description : NWWANTRP20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**WANTP5\_I(4927-4927)**

Variable Type : imputation flag

Description : WANTP5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5672
1	MULTIPLE REGRESSION IMPUTATION	26
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section F Recodes

**FPTIT12(4928-4928)**

Variable Type : recode

Description : Type of clinic used for fp services in last 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	5019
1	TITLE X CLINIC	298
2	NON-TITLE X CLINIC	382
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received any family planning service from a medical care provider in the last 12 months at a clinic (FA-BC12PLCX2-BC12PLCX8=3,4,6,7)

**FPTITMED(4929-4929)**

Variable Type : recode

Description : Type of clinic used for medical services in last 12 months (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	4672
1	TITLE X CLINIC	430
2	NON-TITLE X CLINIC	597
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received any family planning service from a medical care provider in the last 12 months at a clinic (FA-BC12PLCX9-BC12PLCX15=3,4,6,7)

### FPTITSTE(4930-4931)

Variable Type : recode

Description : Source of services in last 12 months: Sterilization operation (RECODE)

value	label	Total
.	INAPPLICABLE	5615
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	1
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	1
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	17
8	PRIVATE DOCTOR'S OFFICE OR HMO	27
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	37
10	SOME OTHER PLACE	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received a sterilizing operation from a medical care provider in the last 12 months (FA-1e STEROP12 = 1)

### FPTITBC(4932-4933)

Variable Type : recode

Description : Source of services last 12 mos: Method of BC or prescription (RECODE)

value	label	Total
.	INAPPLICABLE	3867
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	111
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	123
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	11
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	204
7	EMPLOYER OR COMPANY CLINIC	7
8	PRIVATE DOCTOR'S OFFICE OR HMO	1328
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	22
10	SOME OTHER PLACE	26
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received a method of birth control or a prescription for birth control from a medical care provider in the last 12 months (FA-1b BTHCON12 = 1)

### FPTITCHK(4934-4935)

Variable Type : recode

Description : Source of services in last 12 mos: Check-up or test re: BC (RECODE)

value	label	Total
.	INAPPLICABLE	4225
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	85
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	100
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	9
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	159
7	EMPLOYER OR COMPANY CLINIC	7
8	PRIVATE DOCTOR'S OFFICE OR HMO	1081
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	19

10	SOME OTHER PLACE	14
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received a check-up or medical test related to using birth control from a medical care provider in the last 12 months (FA-1c MEDTST12 = 1)

### FPTITCBC(4936-4937)

Variable Type : recode

Description : Source of services in last 12 mos: Counseling re BC (RECODE)

value	label	Total
.	INAPPLICABLE	4541
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	69
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	96
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	8
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	164
7	EMPLOYER OR COMPANY CLINIC	7
8	PRIVATE DOCTOR'S OFFICE OR HMO	780
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	15
10	SOME OTHER PLACE	19
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received counseling about birth control from a medical care provider in the last 12 months (Fa-1d BCCNS12 = 1)

### FPTITCST(4938-4939)

Variable Type : recode

Description : Source of services in last 12 mos: Counseling re sterilization (RECODE)

value	label	Total
.	INAPPLICABLE	5512
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	5
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	11
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	26
7	EMPLOYER OR COMPANY CLINIC	1
8	PRIVATE DOCTOR'S OFFICE OR HMO	135
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	6
10	SOME OTHER PLACE	3
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received counseling about getting sterilized from a medical care provider in the last 12 months (FA-1f STCNS12 = 1)

### FPTITEC(4940-4941)

Variable Type : recode

Description : Source of service in last 12 months: EC or prescription (RECODE)

value	label	Total
.	INAPPLICABLE	5546
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	4
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	28
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	2
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	18
8	PRIVATE DOCTOR'S OFFICE OR HMO	57
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	4
10	SOME OTHER PLACE	40
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received emergency contraception from a medical care provider in the last 12 months (FA-1g EMCON12 = 1)

### FPTITCEC(4942-4943)

Variable Type : recode

Description : Source of service in last 12 mos: Counseling or info on EC (RECODE)

value	label	Total
.	INAPPLICABLE	5484
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	14
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	38
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	3
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	41
8	PRIVATE DOCTOR'S OFFICE OR HMO	105
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	6
10	SOME OTHER PLACE	8
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received counseling about emergency contraception from a medical care provider in the last 12 months (FA-1h ECCNS12 = 1)

### FPTITPRE(4944-4945)

Variable Type : recode

Description : Source of service in last 12 mos: Pregnancy test (RECODE)

value	label	Total
.	INAPPLICABLE	4385
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	61
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	89
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	11
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	188
7	EMPLOYER OR COMPANY CLINIC	8
8	PRIVATE DOCTOR'S OFFICE OR HMO	790
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	106
10	SOME OTHER PLACE	61
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received a pregnancy test from a medical provider in the last 12 months (FA-3a PRGTST12 = 1)

### FPTITABO(4946-4947)

Variable Type : recode

Description : Source of service in last 12 mos: Abortion (RECODE)

value	label	Total
.	INAPPLICABLE	5653
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	12
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	8
7	EMPLOYER OR COMPANY CLINIC	1
8	PRIVATE DOCTOR'S OFFICE OR HMO	21
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	3
10	SOME OTHER PLACE	1
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received an abortion from a medical care provider in the last 12 months (FA-3b ABORT12 = 1)

**FPTITPAP(4948-4949)**

Variable Type : recode

Description : Source of service in last 12 mos: Pap smear (RECODE)

value	label	Total
.	INAPPLICABLE	2610
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	161
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	156
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	17
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	332
7	EMPLOYER OR COMPANY CLINIC	14
8	PRIVATE DOCTOR'S OFFICE OR HMO	2309
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	65
10	SOME OTHER PLACE	35
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received a pap smear from a medical care provider in the last 12 months (FA-3c PAPI2 = 1)

**FPTITPEL(4950-4951)**

Variable Type : recode

Description : Source of service in last 12 mos: Pelvic exam (RECODE)

value	label	Total
.	INAPPLICABLE	2627
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	150
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	143
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	15
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	327
7	EMPLOYER OR COMPANY CLINIC	15
8	PRIVATE DOCTOR'S OFFICE OR HMO	2294
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	95
10	SOME OTHER PLACE	33
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received a pelvic exam from a medical care provider in the last 12 months (FA-3d PELVIC12 = 1)

**FPTITPRN(4952-4953)**

Variable Type : recode

Description : Source of service in last 12 mos: Prenatal care (RECODE)

value	label	Total
.	INAPPLICABLE	5289
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	6
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	17
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	46
7	EMPLOYER OR COMPANY CLINIC	3
8	PRIVATE DOCTOR'S OFFICE OR HMO	318
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	11
10	SOME OTHER PLACE	9
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received prenatal care from a medical care provider in the last 12 months (FA-3e PRENAT12 = 1)

**FPTITPPR(4954-4955)**

Variable Type : recode

Description : Source of service in last 12 mos: Post-pregnancy care (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	5344
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	4
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	16
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	37
7	EMPLOYER OR COMPANY CLINIC	2
8	PRIVATE DOCTOR'S OFFICE OR HMO	270
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	16
10	SOME OTHER PLACE	10
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received post-pregnancy care from a medical care provider in the last 12 months (FA-3f PARTUM12 = 1)

### **FPTITSTD(4956-4957)**

Variable Type : recode

Description : Source of service in last 12 mos: Testing for STD (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	3575
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	138
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	151
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	19
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	271
7	EMPLOYER OR COMPANY CLINIC	20
8	PRIVATE DOCTOR'S OFFICE OR HMO	1379
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	98
10	SOME OTHER PLACE	48
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received testing for a sexually transmitted disease by a medical care provider in the last 12 months (FA-3g STDSVC12 = 1)

### **FPREGFP(4958-4958)**

Variable Type : recode

Description : Title X clinic used for FP svcs: Regular place for care (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	5402
1	YES	210
2	NO	87
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received any family planning service at a Title X clinic in the last 12 months (FPTITBC = 1,2,5 or FPTITCHK = 1,2,5 or FPTITCBC = 1,2,5 or FPTITSTE = 1,2,5 or FPTITCST = 1, 2,5 or FPTITEC = 1,2,5 or FPTITCEC = 1, 2,5 ).

### **FPREGMED(4959-4959)**

Variable Type : recode

Description : Title X clinic used for med svcs: Regular place for care (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	5269

1	YES	287
2	NO	143
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received any medical service at a Title X clinic in the last 12 months (FPTITPRE = 1,2,5 or FPTITABO = 1,2,5 or FPTITPAP = 1, 2,5 or FPTITPEL = 1, 2,5 or FPTITPRN = 1,2,5 or FPTITPPR = 1, 2,5 or FPTITSTD = 1,2,5).

### **FPTIT12\_I(4960-4960)**

Variable Type : imputation flag

Description : FPTIT12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5689
2	LOGICAL IMPUTATION	10
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **FPTITMED\_I(4961-4961)**

Variable Type : imputation flag

Description : FPTITMED Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5679
2	LOGICAL IMPUTATION	20
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **FPTITSTE\_I(4962-4962)**

Variable Type : imputation flag

Description : FPTITSTE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5694
2	LOGICAL IMPUTATION	5
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **FPTITBC\_I(4963-4963)**

Variable Type : imputation flag

Description : FPTITBC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5634
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	52
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **FPTITCHK\_I(4964-4964)**

Variable Type : imputation flag



Description : FPTITCHK Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5636
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	53
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **FPTITCBC\_I(4965-4965)**

Variable Type : imputation flag

Description : FPTITCBC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5643
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	52
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **FPTITCST\_I(4966-4966)**

Variable Type : imputation flag

Description : FPTITCST Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5692
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	5
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **FPTITEC\_I(4967-4967)**

Variable Type : imputation flag

Description : FPTITEC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5693
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	5
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **FPTITCEC\_I(4968-4968)**

Variable Type : imputation flag

Description : FPTITCEC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5683
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	14
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**FPTITPRE\_I(4969-4969)**

Variable Type : imputation flag

Description : FPTITPRE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5617
1	MULTIPLE REGRESSION IMPUTATION	14
2	LOGICAL IMPUTATION	68
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**FPTITABO\_I(4970-4970)**

Variable Type : imputation flag

Description : FPTITABO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5687
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	10
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**FPTITPAP\_I(4971-4971)**

Variable Type : imputation flag

Description : FPTITPAP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5608
1	MULTIPLE REGRESSION IMPUTATION	27
2	LOGICAL IMPUTATION	64
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**FPTITPEL\_I(4972-4972)**

Variable Type : imputation flag

Description : FPTITPEL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5608
1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	69
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

**FPTITPRN\_I(4973-4973)**

Variable Type : imputation flag

Description : FPTITPRN Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5681
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	15
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **FPTITPPR\_I(4974-4974)**

Variable Type : imputation flag

Description : FPTITPPR Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5680
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	15
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **FPTITSTD\_I(4975-4975)**

Variable Type : imputation flag

Description : FPTITSTD Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5617
1	MULTIPLE REGRESSION IMPUTATION	19
2	LOGICAL IMPUTATION	63
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **FPREGFP\_I(4976-4976)**

Variable Type : imputation flag

Description : FPREGFP Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5689
2	LOGICAL IMPUTATION	10
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **FPREGMED\_I(4977-4977)**

Variable Type : imputation flag

Description : FPREGMED Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5679
2	LOGICAL IMPUTATION	20
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section G Recodes

**INTENT(4978-4978)**

Variable Type : recode

Description : Intentions for additional births (RECODE)

value	label	Total
1	R INTENDS TO HAVE (MORE) CHILDREN	2935
2	R DOES NOT INTEND TO HAVE (MORE) CHILDREN	2680
3	R DOES NOT KNOW HER INTENT	84
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**ADDEXP(4979-4981)**

Variable Type : recode

Description : Central number of additional births expected (RECODE)

value	label	Total
0	NO ADDITIONAL BIRTHS	2550
5	.5 ADDITIONAL BIRTHS	23
10	1 ADDITIONAL BIRTH	1168
15	1.5 ADDITIONAL BIRTHS	21
20	2 ADDITIONAL BIRTHS	1313
25	2.5 ADDITIONAL BIRTHS	8
30	3 ADDITIONAL BIRTHS	421
40	4 ADDITIONAL BIRTHS	137
50	5 ADDITIONAL BIRTHS	38
60	6 ADDITIONAL BIRTHS	9
70	7 ADDITIONAL BIRTHS	3
80	8 ADDITIONAL BIRTHS	1
100-995	10 OR MORE ADDITIONAL BIRTHS	7
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**INTENT\_I(4982-4982)**

Variable Type : imputation flag

Description : INTENT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**ADDEXP\_I(4983-4983)**

Variable Type : imputation flag

Description : ADDEXP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5684
1	MULTIPLE REGRESSION IMPUTATION	15
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section H Recodes

### **ANYPRGHP(4984-4984)**

Variable Type : recode

Description : Any medical help to become pregnant (RECODE)

value	label	Total
.	INAPPLICABLE	450
1	YES	420
2	NO	4829
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age\_r GT 18)

### **ANYMSCHP(4985-4985)**

Variable Type : recode

Description : Any medical help to prevent miscarriage (RECODE)

value	label	Total
.	INAPPLICABLE	450
1	YES	268
2	NO	4981
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age\_r GT 18)

### **INFEVER(4986-4986)**

Variable Type : recode

Description : Ever used infertility services of any kind (RECODE)

value	label	Total
.	INAPPLICABLE	450
1	YES	615
2	NO	4634
<b>Total</b>		<b>5699</b>

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age\_r GT 18)

### **OVULATE(4987-4987)**

Variable Type : recode

Description : Infertility services: drugs to improve ovulation (RECODE)

value	label	Total
.	INAPPLICABLE	5279
1	REPORTED	206
2	NOT REPORTED	214
<b>Total</b>		<b>5699</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

### **TUBES(4988-4988)**

Variable Type : recode

Description : Infertility services: surgery to correct blocked tubes (RECODE)

value	label	Total
.	INAPPLICABLE	5279
1	REPORTED	39
2	NOT REPORTED	381
<b>Total</b>		<b>5699</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

### **INFETR(4989-4989)**

Variable Type : recode

Description : Infertility services: Infertility testing on R (RECODE)

value	label	Total
.	INAPPLICABLE	5279
1	REPORTED	230
2	NOT REPORTED	190
<b>Total</b>		<b>5699</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

### **INFERTH(4990-4990)**

Variable Type : recode

Description : Infertility services: Infertility testing on H/P (RECODE)

value	label	Total
.	INAPPLICABLE	5279
1	REPORTED	178
2	NOT REPORTED	242
<b>Total</b>		<b>5699</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

### **ADVICE(4991-4991)**

Variable Type : recode

Description : Infertility services: Advice (RECODE)

value	label	Total
.	INAPPLICABLE	5279
1	REPORTED	334
2	NOT REPORTED	86
<b>Total</b>		<b>5699</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

### **INSEM(4992-4992)**

Variable Type : recode

Description : Infertility services: Artificial insemination (RECODE)

value	label	Total
.	INAPPLICABLE	5279
1	REPORTED	83
2	NOT REPORTED	337

**Total**      **5699**

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

**INVITRO(4993-4993)**

Variable Type : recode

Description : Infertility services: In vitro fertilization or other assisted reproduction (RECODE)

value	label	Total
.	INAPPLICABLE	5279
1	REPORTED	25
2	NOT REPORTED	395
<b>Total</b>		<b>5699</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

**ENDOMET(4994-4994)**

Variable Type : recode

Description : Infertility services: Surgery or drug treatment for endometriosis (RECODE)

value	label	Total
.	INAPPLICABLE	5279
1	REPORTED	13
2	NOT REPORTED	407
<b>Total</b>		<b>5699</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

**FIBROIDS(4995-4995)**

Variable Type : recode

Description : Infertility services: Surgery for uterine fibroids (RECODE)

value	label	Total
.	INAPPLICABLE	5279
1	REPORTED	7
2	NOT REPORTED	413
<b>Total</b>		<b>5699</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

**PIDTREAT(4996-4996)**

Variable Type : recode

Description : Ever been treated for PID (RECODE)

value	label	Total
1	YES	203
2	NO	5496
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

**EVHIVTST(4997-4997)**

Variable Type : recode

Description : Ever had an HIV test

value	label	Total
0	NO HIV TEST REPORTED	1472
1	YES, ONLY AS PART OF BLOOD DONATION	655
2	YES, ONLY OUTSIDE OF BLOOD DONATION	2227
3	YES, IN BOTH CONTEXTS	1345
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide

### **FPTITHIV(4998-4999)**

Variable Type : recode

Description : Source of service in the last 12 mos: HIV test (RECODE)

value	label	Total
.	INAPPLICABLE	4341
1	Clinic: Title X=yes; health department=yes	96
2	Clinic: Title X=yes; health department=no	123
3	Clinic: Title X=no; health department=yes	23
4	Clinic: Title X=no; health department=no	189
7	Employer or company clinic/worksite	15
8	Private Doctor's office or HMO	705
9	Hospital emergency room/regular room/urgent care	101
10	Home	18
11	Military site	15
12	Lab or blood bank	46
13	Some other place	27
	<b>Total</b>	<b>5699</b>

Universe : Applicable if R received an HIV test (outside of blood donation) in the last 12 months (HE-2 HIVTEST = 1 and cmhivtst GT CMLSTYR)

### **ANYPRGHP\_I(5000-5000)**

Variable Type : imputation flag

Description : ANYPRGHP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **ANYMSCHP\_I(5001-5001)**

Variable Type : imputation flag

Description : ANYMSCHP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **INFEVER\_I(5002-5002)**



Variable Type : imputation flag

Description : INFEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **OVULATE\_I(5003-5003)**

Variable Type : imputation flag

Description : OVULATE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **TUBES\_I(5004-5004)**

Variable Type : imputation flag

Description : TUBES Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **INFETR\_I(5005-5005)**

Variable Type : imputation flag

Description : INFETR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **INFERTH\_I(5006-5006)**

Variable Type : imputation flag

Description : INFERTH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **ADVICE\_I(5007-5007)**

Variable Type : imputation flag

Description : ADVICE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **INSEM\_I(5008-5008)**

Variable Type : imputation flag

Description : INSEM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **INVITRO\_I(5009-5009)**

Variable Type : imputation flag

Description : INVITRO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **ENDOMET\_I(5010-5010)**

Variable Type : imputation flag

Description : ENDOMET Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **FIBROIDS\_I(5011-5011)**

Variable Type : imputation flag

Description : FIBROIDS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5696
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **PIDTREAT\_I(5012-5012)**

Variable Type : imputation flag

Description : PIDTREAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5687
1	MULTIPLE REGRESSION IMPUTATION	12
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **EVHIVTST\_I(5013-5013)**

Variable Type : imputation flag

Description : EVHIVTST Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5654
1	MULTIPLE REGRESSION IMPUTATION	45
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **FPTITHIV\_I(5014-5014)**

Variable Type : imputation flag

Description : FPTITHIV Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5647
1	MULTIPLE REGRESSION IMPUTATION	12
2	LOGICAL IMPUTATION	40
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section I Recodes

### **CURR\_INS(5015-5015)**

Variable Type : recode

Description : Current health insurance status

value	label	Total
1	Currently covered by private health insurance or Medi-Gap	2991
2	Currently covered by Medicaid, CHIP, or a state-sponsored health plan	1500
3	Currently covered by Medicare, military health care, or other government health care	228
4	Currently covered only by a single-service plan, only by the Indian Health Service, or currently not covered by health insurance	980
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **METRO(5016-5016)**

Variable Type : recode

Description : Place of residence (metropolitan-non-metropolitan) (RECODE)

value	label	Total
1	PRINCIPAL CITY OF MSA	2226
2	OTHER MSA	2528

3	NOT MSA	945
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### RELIGION(5017-5017)

Variable Type : recode

Description : Current religious affiliation (RECODE)

value	label	Total
1	NO RELIGION	1306
2	CATHOLIC	1233
3	PROTESTANT	2747
4	OTHER RELIGIONS	413
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

Notes : Please refer to the [2011-2013 user's guide](#) for more information on religion data in the NSFG

### LABORFOR(5018-5018)

Variable Type : recode

Description : Labor force status (RECODE)

value	label	Total
1	Working full-time	2210
2	Working part-time	1116
3	Working, but on vacation, strike, or had temporary illness	173
4	Working - maternity or family leave	51
5	Not working but looking for work	273
6	In school	698
7	Keeping house	942
8	Caring for family	63
9	Other	173
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents. (This variable was recoded for public use.)

### CURR\_INS\_I(5019-5019)

Variable Type : imputation flag

Description : CURR\_INS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5654
1	MULTIPLE REGRESSION IMPUTATION	45
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### METRO\_I(5020-5020)

Variable Type : imputation flag

Description : METRO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5699
	<b>Total</b>	<b>5699</b>

Universe : Applicable for all respondents

### **RELIGION\_I(5021-5021)**

Variable Type : imputation flag

Description : RELIGION Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5685
1	MULTIPLE REGRESSION IMPUTATION	14
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **LABORFOR\_I(5022-5022)**

Variable Type : imputation flag

Description : LABORFOR Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5697
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section J Recodes

### **POVERTY(5023-5025)**

Variable Type : recode

Description : Poverty level income (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
0-99	0-99 percent of poverty level	1947
100-199	100-199 percent of poverty level	1236
200-299	200-299 percent of poverty level	864
300-399	300-399 percent of poverty level	550
400-499	400-499 percent of poverty level	339
500	500 percent of poverty level or greater	763
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents. (This variable was recoded for public use.)

### **TOTINCR(5026-5027)**

Variable Type : recode

Description : Total income of R's family (RECODE)

<b>value</b>	<b>label</b>	<b>Total</b>
1	Under \$5000	377
2	\$5000-\$7499	224
3	\$7500-\$9999	256
4	\$10,000-\$12,499	312
5	\$12,500-\$14,999	318
6	\$15,000-\$19,999	354
7	\$20,000-\$24,999	344
8	\$25,000-\$29,999	392
9	\$30,000-\$34,999	345
10	\$35,000-\$39,999	309

11	\$40,000-\$49,999	410
12	\$50,000-\$59,999	457
13	\$60,000-\$74,999	454
14	\$75,000-\$99,999	408
15	\$100,000 or more	739
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **PUBASSIS(5028-5028)**

Variable Type : recode

Description : Whether R or any members of her family received public assistance in the calendar year before the interview (RECODE)

value	label	Total
1	Yes (received public assistance in [INTERVIEW YEAR-1])	2477
2	No (did not receive public assistance in [INTERVIEW YEAR-1])	3222
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **POVERTY\_I(5029-5029)**

Variable Type : imputation flag

Description : POVERTY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5216
1	MULTIPLE REGRESSION IMPUTATION	483
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **TOTINCR\_I(5030-5030)**

Variable Type : imputation flag

Description : TOTINCR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5216
1	MULTIPLE REGRESSION IMPUTATION	483
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents

### **PUBASSIS\_I(5031-5031)**

Variable Type : imputation flag

Description : PUBASSIS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5558
1	MULTIPLE REGRESSION IMPUTATION	141
<b>Total</b>		<b>5699</b>

Universe : Applicable for all respondents