SECTION B

SEX COMMUNICATION, EVER SEX, NUMBER OF SEXUAL PARTNERS

VARIABLES BROUGHT FORWARD TO THIS SECTION:

R'S AGE AT INTERVIEW (FROM A) AGESCRN: R'S AGE AT SCREENER (FROM A)

MARITAL STATUS (FROM A) MARSTAT:

FMARIT: FORMAL MARITAL STATUS OF ALL (FROM A)

CMINTVW: CENTURY MONTH OF INTERVIEW (FROM A)

CMLSTYR: CENTURY MONTH OF MONTH OF INTERVIEW - 1 YR (FROM A)

CMLSTYR_FILL: FILL FOR CENTURY MONTH OF MONTH OF INTERVIEW - 1 YR (FROM A)

CMFIVYR: CENTURY MONTH OF MONTH OF INTERVIEW - 5 YRS (FROM A)

CMBIRTH: CENTURY MONTH OF R'S BIRTH (FROM A)

WOMREL: RELATIONSHIP OF WOMAN IN HOUSEHOLD TO R (FROM A)

WOMWITHR: NAME OF WOMAN LIVING WITH R (FROM A)

WHETHER RESPONDENT EVER MARRIED (FROM A) EVRMARRY:

EVRCOHAB: WHETHER RESPONDENT EVER COHABITED WITH A WOMAN (FROM A)

NUMWIFE: NUMBER OF TIMES MARRIED (FROM A) NUMCOHAB: NUMBER OF TIMES COHABITING (FROM A)

VARIABLES CREATED IN THIS SECTION:

CENTURY MONTH OF VASECTOMY (FC B-4) CMVASEC:

CENTURY MONTH OF VASECTOMY REVERSAL (FC B-6) CMRVRS:

WHETHER R SURGICALLY STERILE AT TIME OF INTERVIEW (FC B-6) RSHRGSTR

RSTRSTAT: STERILIZATION/FERTILITY STATUS OF R (FC B-7)

WHETHER R EVER HAD SEX OR NOT (FC B-8) RHADSEX

FATHER: WHETHER R EVER BIOLOGICALLY FATHERED A CHILD (FC B-9)

LIFEPRTS: NUMBER OF FEMALE SEX PARTNERS IN LIFE (FC B-10)

NUMBER OF FEMALE SEX PARTNERS IN LAST 12 MONTHS (FC B-11) MON12PRTS:

SEXSTAT: WHETHER EVER HAD SEX, HAD MORE THAN ONE SEX PARTNER EVER, AND HAD

SEX IN LAST 12 MONTHS (FC B-11)

RUNNING COUNT OF BIOLOGICAL CHILDREN (FC B-11) BIOKIDS: CMCHDOB[X] CENTURY MONTH OF BIRTH OF EACH BIO CHILD (FC B-11)

BKIDNAM[X] NAME OF EACH BIO CHILD (FC B-11) SEX OF EACH BIO CHILD (FC B-11) BKIDSEX[X] AGE OF EACH BIO CHILD (FC B-11) BKIDAGE[X] BKIDAGEGP[X] AGE GROUP OF EACH BIO CHILD (FC B-11)

WHETHER EACH BIO CHILD LIVES IN HH OR ELSEWHERE (FC B-11) BKIDHH[X] WHETHER EACH BIO CHILD BORN IN WEDLOCK OR NOT (FC B-11) BKIDMAR[X]

BKIDLIV[X] WHETHER R LIVING WITH MOTHER AT TIME OF BIRTH, INCLUDING MARRIED

AND COHABITING (FC B-11)

ADOPKIDS: RUNNING COUNT OF ADOPTED CHILDREN (FC B-11)

AKIDNAM[X] NAME OF EACH ADOPTED CHILD (FC B-11) AKIDSEX[X] SEX OF EACH ADOPTED CHILD (FC B-11) AKIDAGE[X] AGE OF EACH ADOPTED CHILD (FC B-11) AKIDAGEGP[X] AGE GROUP OF EACH ADOPTED CHILD (FC B-11)

WHETHER EACH ADOPTED CHILD LIVES IN HH OR NOT (FC B-11) AKIDHH[X]

WHETHER CURRENT WIFE/COHAB/PARTNER IS PREGNANT (FC B-11) CURRPREG: CURRPRTS: NUMBER OF CURRENT NONMAR/NONCOHAB PARTNERS (FC B-11) TOTAL NUMBER OF WOMEN PREGNANT WITH R'S CHILD NOW (FC B-11) PREGSNOW:

CURWIFE: CURRENT WIFE'S NAME/INITIALS (FC B-12)

CURCOHAB: CURRENT COHABITING PARTNER'S NAME/INITIALS(FC B-12) NSFG Cycle 6 Main Study (MALE questionnaire) Section B (fn=BmaleC6CRQ.doc)

CURSEP: NAME OF WIFE R IS CURRENTLY SEPARATED NAME/INITIALS (FC B-12)

P1NAME_FILL: NAME/INITIALS OF LAST SEXUAL PARTNER (FC B-13)

P2NAME_FILL: NAME/INITIALS OF 2ND TO LAST SEXUAL PARTNER (FC B-20) P3NAME_FILL: NAME/INITIALS OF 3RD TO LAST SEXUAL PARTNER (FC B-27)

FRSTNAME: NAME/INITIALS OF FIRST SEX PARTNER EVER (FC B-33) P1RELATION: RELATIONSHIP OF LAST SEX PARTNER TO R (FC B-33)

P2RELATION: RELATIONSHIP OF 2ND TO LAST SEX PARTNER TO R (FC B-33) RELATIONSHIP OF 3RD TO LAST SEX PARTNER TO R (FC B-33) P3RELATION:

VARIABLES CREATED IN THIS SECTION TO OUTPUT TO DATA FILE:

CENTURY MONTH OF VASECTOMY (FC B-4) CMVASEC:

CMRVRS: CENTURY MONTH OF VASECTOMY REVERSAL (FC B-6)

RSURGSTR WHETHER R SURGICALLY STERILE AT TIME OF INTERVIEW (FC B-6)

RSTRSTAT: STERILIZATION/FERTILITY STATUS OF R (FC B-7)

RHADSEX WHETHER R EVER HAD SEX OR NOT (FC B-8)

FATHER: WHETHER R EVER BIOLOGICALLY FATHERED A CHILD (FC B-9)

LIFEPRTS: NUMBER OF FEMALE SEX PARTNERS IN LIFE (FC B-10)

MON12PRTS: NUMBER OF FEMALE SEX PARTNERS IN LAST 12 MONTHS (FC B-11)

WHETHER EVER HAD SEX, HAD MORE THAN ONE SEX PARTNER EVER, AND HAD

SEX IN LAST 12 MONTHS (FC B-11)

RUNNING COUNT OF BIOLOGICAL CHILDREN (FC B-11) BIOKIDS: CMCHDOB[X] CENTURY MONTH OF BIRTH OF EACH BIO CHILD (FC B-11)

BKIDSEX[X] SEX OF EACH BIO CHILD (FC B-11) BKIDAGE[X] AGE OF EACH BIO CHILD (FC B-11) BKIDAGEGP[X] AGE GROUP OF EACH BIO CHILD (FC B-11)

WHETHER EACH BIO CHILD LIVES IN HH OR ELSEWHERE (FC B-11) BKIDHH[X] BKIDMAR[X] WHETHER EACH BIO CHILD BORN IN WEDLOCK OR NOT (FC B-11)

BKIDLIV[X] WHETHER R LIVING WITH MOTHER AT TIME OF BIRTH, INCLUDING MARRIED

AND COHABITING (FC B-11)

ADOPKIDS: RUNNING COUNT OF ADOPTED CHILDREN (FC B-11)

AKIDSEX[X] SEX OF EACH ADOPTED CHILD (FC B-11) AGE OF EACH ADOPTED CHILD (FC B-11) AKIDAGE[X] AKIDAGEGP[X] AGE GROUP OF EACH ADOPTED CHILD (FC B-11)

AKIDHH[X] WHETHER EACH ADOPTED CHILD LIVES IN HH OR NOT (FC B-11)

CURRPREG: WHETHER CURRENT WIFE/COHAB/PARTNER IS PREGNANT (FC B-11) CURRPRTS: NUMBER OF CURRENT NONMAR/NONCOHAB PARTNERS (FC B-11) TOTAL NUMBER OF WOMEN PREGNANT WITH R'S CHILD NOW (FC B-11) PREGSNOW:

CURWIFE: CURRENT WIFE'S NAME/INITIALS (FC B-12)

CURCOHAB: CURRENT COHABITING PARTNER'S NAME/INITIALS(FC B-12)

CURSEP: NAME OF WIFE R IS CURRENTLY SEPARATED NAME/INITIALS (FC B-12)

P1NAME_FILL: NAME/INITIALS OF LAST SEXUAL PARTNER (FC B-13)

P2NAME FILL: NAME/INITIALS OF 2ND TO LAST SEXUAL PARTNER (FC B-20) NAME/INITIALS OF 3RD TO LAST SEXUAL PARTNER (FC B-27) P3NAME FILL:

FRSTNAME: NAME/INITIALS OF FIRST SEX PARTNER EVER (FC B-33)

P1RELATION: RELATIONSHIP OF LAST SEX PARTNER TO R (FC B-33)

P2RELATION: RELATIONSHIP OF 2ND TO LAST SEX PARTNER TO R (FC B-33) P3RELATION: RELATIONSHIP OF 3RD TO LAST SEX PARTNER TO R (FC B-33)

-----Section B begins here ------

Sex Communication (BA)

FLOW CHECK B-1: IF AGESCRN > 19, GO TO EVEROPER BB-1 { ASKED IF AGE <= 19 TALKPAR BA-1. IF AGE_R GE 18, SAY: The next questions are about how you learned about sex and birth control. Before you were 18 years old, which, if any, of the topics shown on Card 23 did you ever talk with a parent or quardian about? ELSE IF AGE_R LT 18, SAY: The next questions are about how you learned about sex and birth control. Which, if any, of the topics shown on Card 23, have you ever talked with a parent or guardian about? [SHOW CARD 23] ENTER all that apply. How to say no to sex1 Methods of birth control2 Where to get birth control3 Sexually transmitted diseases ...4 How to use a condom5 None of the above6 RANGE CHECK: 6,DK,RF CANNOT BE COMBINED WITH ANY OTHER RESPONSE { ASKED IF AGE <= 19 SEDNO BA-2. IF AGE_R < 18, SAY: Now I'm interested in knowing about formal sex education you may have had. Have you ever had any formal instruction at school, church, a community center or some other place about how to say no to sex? ELSE, SAY: Now I'm interested in knowing about formal sex education you may have had. Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about how to say no to sex? Yes....1 No.....5 FLOW CHECK B-2: IF SEDNO BA-2 =1, ASK SEDNOG BA-3 ELSE, GO TO SEDBC BA-4. { ASKED IF AGE <= 19 AND HAD SEX ED ABOUT "HOW TO SAY NO TO SEX" SEDNOG BA-3. What grade were you in when you first received instruction on how to say no to sex? ENTER 96 if R was not in school when he received the instruction 1st grade1 2nd grade2 4th grade4 5th grade5 6th grade6

 8th grade
 8

 9th grade
 9

 10th grade
 10

,	2,				
	11th grade				
	UNDERLYING RANGE 1-16,96				
EDIT CHECK	BA3_1: PROBE IF BA-3 SEDNOG GT AE-3 HIGRADE. DISPLAY TEXT: R has reported receiving this instruction in a grade higher than his highest grade attended. Is this correct?				
{ ASKED IF SEDBC BA-4.	AGE <= 19				
	IF AGE_R < 18, SAY: Have you ever had any formal instruction at school, church, a community center or some other place about methods of birth control?				
	ELSE, SAY: Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about methods of birth control?				
	Yes1 No5				
FLOW CHECK B-3: IF SEDBC BA-4 =1, ASK SEDBCG BA-5; ELSE, GO TO PLEDGE BA-6					
•	AGE <= 19 AND HAD SEX ED ABOUT "METHODS OF BIRTH CONTROL"				
SEDBCG BA-5.	What grade were you in when you first received instruction on methods of birth control?				
	ENTER 96 if R was not in school when he received the instruction				
	1st grade 1 2nd grade 2 3rd grade 3 4th grade 4 5th grade 5 6th grade 6 7th grade 7 8th grade 8 9th grade 9 10th grade 10 11th grade 11 12th grade 12 1st year of college 13 2nd year of college 14 3rd year of college 15 4th year of college 15 Not in school at the time of instruction 96 UNDERLYING RANGE 1-16,96				

EDIT CHECK BA5_1: PROBE IF BA-5 SEDBCG GT AE-3 HIGRADE. DISPLAY TEXT: R has reported receiving this instruction in a grade higher than his highest grade attended. Is this correct?

{ ASKED IF AGE <= 19

BB-4.

PLEDGE BA-6. IF EVRMARRY=1, ASK: Did you ever take a public or written pledge to remain a virgin until marriage? ELSE, ASK: Have you ever taken a public or written pledge to remain a virgin until marriage? Yes1 No5 Vasectomy/other sterilizing operations; Ability to reproduce (BB) { ASKED OF ALL EVEROPER BB-1. Some men have operations that make it impossible for them to father a child. Have you ever had a vasectomy or any other operation that makes it impossible for you to father a child? [HELP AVAILABLE] ENTER [1] if R had a vasectomy for any reason. ENTER [1] if R says he had a vasectomy and had a reversal. Yes....1 No.....5 (Flow Check B-6) { ASKED IF HAD OPERATION TYPEOPER BB-2. What type of operation did you have? Was it a vasectomy or some other operation? ENTER [3] or [4] if R volunteers this information. Vasectomy.....1 Vasectomy failed......3 Vasectomy already surgically reversed.....4 IF TYPEOPER BB-2= 2, DK, RF ASK STEROPER BB-3 ELSE, IF TYPEOPER BB-2 = 1,3,4, GO TO VASEC M BB-4. { ASKED IF HAD OTHER OPERATION OR DK/RF TO TYPE OF OPERATION STEROPER BB-3. As far as you know, are you completely sterile from this operation; that is, does it make it impossible for you to father a baby in the future? Yes1 No (Flow Check B-6)

{ ASKED IF HAD VASECTOMY OR HAD OTHER OPERATION THAT MADE IMPOSSIBLE TO FATHER VASEC M

> IF TYPEOPER BB-2=1 OR 3 OR 4 (vasectomy) ASK: In what month and year did you have your vasectomy?

ELSE IF TYPEOPER BB-2=2 OR DK OR RF (other sterilizing operation) ASK: In what month and year did you have your sterilizing operation? ENTER month.

PROBE for season if DK month.

2. F	ebruary	6. June	9. September 10. October 11. November 12. December	14. Spring				
{ ASKED IF HAD VASECTOMY OR HAD OTHER OPERATION THAT MADE IMPOSSIBLE TO FATHER VASEC Y								
BB-4. (IF TYPEOPER BB-2=1 OR 3 OR 4 (vasectomy) ASK: In what month and year did you have your vasectomy?								
ELSE IF TYPEOPER BB-2=2 OR DK OR RF (other sterilizing operation) ASK: In what month and year did you have your sterilizing operation?)								
	ENTER year in 4 digits							
	UNDERLYING	RANGE = 1952 TO 2	002					
FLOW CHECK B-4: CREATE CMVASEC (CENTURY MONTH OF VASECTOMY) SET = NULL IF VASEC_Y =RF, CMVASEC = 9998; ELSE IF VASEC_Y=DK, CMVASEC = 9999; ELSE IF VASEC_M LE 12, CMVASEC = (VASEC_Y-1900)*12 + VASREV_M ELSE IF 13 =< VASEC_M =< 16, CMVASEC = (VASEC_Y- 1900)*12 + [1(WINTER) OR 4(SPRING) OR 7(SUMMER) OR								
		10(FALL)] ELSE IF VASEC_M=	DK/RF, CMVASEC = (VASEC_Y-1900)*12 + 6				
HARD EDIT CHECK FC B-4_1: IF CMVASEC < CMBIRTH, DISPLAY: The date of the operation cannot be before his date of birth. HARD EDIT CHECK FC B-4_2: IF CMVASEC > CMINTVW, DISPLAY: The date of the operation cannot be after the date of interview.								
<pre>IF VASEC_M BB-4 NE DK/RF AND VASEC_Y BB-4 NE DK/RF AND (CMVASEC >= CMFIVYR), ASK PLCSTROP BB-5; ELSE, GO TO FLOW CHECK B-5.</pre>								
{ ASKED IF PLCSTROP	VASECTOMY/SI	TERILIZING OPERATI	ON WAS IN LAST FIV	E YEARS				
BB-5.	Please look		(vasectomy), ASK: ell me where the c					
	IF TYPEOPER BB-2=2 (other sterilizing operation), ASK: Please look at Card 25 and tell me where your sterilizing operation was performed.							
[SHOW CARD 25]								
	HMO facilit Community h public h Family plan Employer or School or s	ey	munity clinic, arenthood clinic .	23456				

	Hospital reg Urgent care	ergency room gular room center, urgi-care place	 , or walk-in faci	9 lity10			
FLOW CHECK	B-5: IF TYP	PEOPER BB-2= 2 OR	3 OR DK/RF, GO TO	FLOW CHECK B-6.			
{ ASKED IF RVRSVAS BB-6.			you ever had sur	gery to reverse your			
	vasectomy?						
	ELSE IF TYPEOPER $BB-2=4$, ASK : You said that you had surgery to reverse your vasectomy, is that right?						
[HELP AVAIL	ABLE]						
	Yes1 No5 (Flow Check B-6)						
•	D IF R HAD VASECTOMY AND REVERSAL						
VASREV_M BB-7.	In what month and year did you have the reversal?						
	ENTER month. PROBE for season if DK month.						
2. Fe 3. Ma	bruary rch	5. May 6. June 7. July 8. August	10. October 11. November	14. Spring 15. Summer			
{ ASKED IF R HAD VASECTOMY AND REVERSAL VASREV_Y BB-7. (In what month and year did you have the reversal?)							
	ENTER year	in 4 digits	_				
	UNDERLYING F	RANGE = 1952 TO 20	02				
FLOW CHECK B-6: (IF RVRSVAS BB-6=1, THEN) CREATE CMRVRS (CENTURY MONTH OF VASECTOMY REVERSAL) SET = NULL IF VASREV_Y=RF, CMRVRS = 9998; ELSE IF VASREV_Y=DK, CMRVRS = 9999; ELSE IF VASREV_M LE 12, CMRVRS = (VASREV_Y-1900)*12 + VASREV_M ELSE IF 13 =< VASREV_M =< 16, CMRVRS = (VASREV_Y- 1900)*12 + [1(WINTER) OR 4(SPRING) OR 7(SUMMER) OR 10(FALL)] ELSE IF VASREV_M=DK/RF, CMRVRS = (VASREV_Y-1900)*12 + 6							
EDIT	CHECK FC B-6_	vasectomy r	CMVASEC, DISPLAY eversal cannot be	: The date of before the date of			
HARD EDIT C	HECK FC B-6_2			Y: The date of the before his date of			
אבח בחדת מ	אברע בר פ-6		א לאדאידעש הדפים א	V: The date of the			

HARD EDIT CHECK FC B-6_3: IF CMVRVRS > CMINTVW, DISPLAY: The date of the

vasectomy reversal cannot be after the date of interview.

CREATE RSURGSTR (WHETHER R SURGICALLY STERILE AT TIME OF INTERVIEW)

SET = 0 (NO)

= 1 (YES) IF (TYPEOPER=1 OR 4 AND RVRSVAS NE 1) OR (TYPEOPER=2 OR DK/RF AND STEROPER=1)

IF RSURGSTR=0 AND STEROPER BB-3=5 OR DK/RF, GO TO FATHDIFF BB-9:

ELSE IF RSURGSTR=0, GO TO FATHPOSS BB-8; ELSE IF RSURGSTR =1, GO TO FLOW CHECK B-7.

 $\{$ ASKED IF R DID NOT HAVE STERILIZING OPERATION OR HAD A VASECTOMY THAT FAILED FATHPOSS

BB-8.

Some men are not physically able to father children. As far as you know, is it physically possible for you, yourself to biologically father a child in the future?

[HELP AVAILABLE]

IF FATHPOSS BB-8 = 1 OR DK/RF, ASK FATHDIFF BB-9; ELSE GO TO FLOW CHECK B-7.

{ ASKED IF R DID NOT HAVE STERILIZING OPERATION AND PHYSICALLY POSSIBLE { (OR DK/RF) TO FATHER CHILD OR HAD OTHER STERILIZING OPERATION BUT NOT { IMPOSSIBLE TO HAVE CHILD

FATHDIFF

BB-9.

Some men are physically able to father a child, but would have <u>difficulty</u> doing so. As far as you know, would you have any difficulty fathering a child?

[HELP AVAILABLE]

FLOW CHECK B-7:

CREATE RSTRSTAT (STERILIZATION/FERTILITY STATUS OF R)

SET =0 FOR ALL (INCLUDES FATHPOSS BB-8=DK/RF AND TYPEOPER

BB-2 =3 AND (TYPEOPER BB-2 =1 OR 4 AND

RVRSAS=YES) AND (TYPEOPER BB-2=2 OR DK/RF

AND STEROPER BB-3 NE 1)

=1 IF RSURGSTR=1

=2 IF FATHPOSS BB-9=5

IF EVRMARRY NE 1 AND EVRCOHAB NE 1, ASK EVERSEX BC-1; ELSE GO TO FLOW CHECK B-8

Ever Had Sex; Ever Had Children; Number of Sexual Partners (BC)

 $\{$ ASKED IF R NEVER MARRIED, NEVER COHABITED **EVERSEX**

BC-1. The next section is about relationships with females.

Have you ever had sexual intercourse with a female (sometimes this is called making love, having sex, or going all the way)?

[HELP AVAILABLE] Yes....1 No....5 FLOW CHECK B-8: CREATE RHADSEX (WHETHER R EVER HAD SEX OR NOT) SET =0 IF EVRMARRY=1 OR EVRCOHAB=1 OR EVERSEX=1 =1 =2 IF EVRMARRY NE 1 AND EVRCOHAB NE 1 AND NO EVERSEX BC-1 =5 IF EVERSEX BC-1 =1, ASK SXMTONCE BC-2; ELSE IF EVERSEX BC-1=5, GO TO YNOSEX BC-3; ELSE IF (EVRMARRY =1 OR EVRCOHAB=1) OR EVERSEX BC-1=DK OR RF, GO TO EVRCHIL BC-4. { ASKED IF R NEVER MARRIED, NEVER COHABITED BUT HAD SEX SXMTONCE BC-2. Have you had sexual intercourse more than once? [HELP AVAILABLE] Yes1 GO TO EVRCHIL BC-4 { ASKED IF R NEVER MARRIED AND NEVER COHABITED AND SAID HE NEVER HAD SEX YNOSEX BC-3. As you know, some people have had sexual intercourse by your age and others have not. Please look at Card 13 which lists some reasons that people give for not having sexual intercourse. What would you say is the most important reason why you have not had sexual intercourse up to now? [SHOW CARD 13] Against religion or morals......1 Don't want to get a female pregnant.....2 Don't want to get a sexually transmitted disease.....3 Haven't found the right person yet.....4 In a relationship, but waiting for the right time....5 Other6 GO TO FLOW CHECK B-9 { ASKED IF R EVER MARRIED, EVER COHABITED OR EVER HAD SEX (OR EVERSEX=DK/RF)

{ ASKED IF R EVER MARRIED, EVER COHABITED OR EVER HAD SEX (OR EVERSEX=DK/RF) EVRCHIL

BC-4. IF ANY RELAR[X] = 3, SAY:

Now I'll ask you about <u>biological</u> children. By this I mean any children that you <u>ever</u> fathered, even if they don't live with you now or if they died or were adopted by someone else.

ENTER [1] to continue.

ELSE, SAY:

Now I'll ask you about $\underline{\text{biological}}$ children. By this I mean any children that you $\underline{\text{ever}}$ fathered, even if they don't live with you now or if they died or were adopted by someone else.

Have you ever had any biological children? NOTE: Only include children that R biologically fathered. Do not include children to whom R was a foster father or adoptive father. Yes1 No5 EDIT CHECK BC4_1: IF BC-4 EVRCHIL NE 1 AND ANY RELAR[x]=3 (biological daughter/son), display: "Earlier I recorded that one or more members of this household is your biological child. Do I have something wrong? (Allow change of RELAR[x] or EVRCHIL) FLOW CHECK B-8a: IF BC-4 EVRCHIL=1 , ASK BC-5 EVRCHILN ELSE IF BC-4 EVRCHIL NE 1 GO TO FLOW CHECK B-9 { ASKED IF R HAD BIO CHILDREN EVRCHILN BC-5. How many biological children have you ever had? ENTER number of children. UNDERLYING RANGE = 1 TO 95 RANGE CHECK: IF EVRCHILN >10, DISPLAY: Respondent reports more than 10 biological children. Is this right? FLOW CHECK B-9: CREATE FATHER (WHETHER R EVER HAD BIO CHILD/REN) SET =0 =1 IF EVRCHIL=1 IF EVERSEX BC-1 =DK/RF AND EVRCHIL BC-4=1, SET RHADSEX=1. IF RHADSEX = 0 OR 2 OR (EVERSEX BC-1=1 AND SXMTONCE BC-2 NE 1), GO TO FLOW CHECK B-10; ELSE, ASK LIFEPRT BC-6 { ASKED IF R EVER MARRIED, EVER COHABITED, OR EVER HAD SEX, EXCEPT THOSE { WHO ONLY HAD SEX ONCE IN THEIR LIFE LIFEPRT BC-6. The next questions are about relationships with females. Please look at Card 14. How many different females have you ever had intercourse with? This includes any female you had intercourse with, even if it was only once or if you did not know her well. [SHOW CARD 14] [HELP AVAILABLE] One1 Two2 Four4 Five5

FLOW CHECK B-10: CREATE LIFEPRTS

 SET = NULL/BLANK

IF RHADSEX=0 OR 2, SET LIFEPRTS=0;

ELSE, IF EVERSEX BC-1=1 AND SXMTONCE BC-2 NE 1, SET

LIFEPRTS=1;

ELSE, IF LIFEPRT BC-6=DK/RF AND (EVRMARRY=1 OR

EVRCOHAB=1), SET LIFEPRTS = NUMWIFE+NUMCOHAB;

ELSE, IF LIFEPRT BC-6 NE DK/RF, SET LIFEPRTS=LIFEPRT

IF LIFEPRT BC-6=DK/RF OR LIFEPRTS>1, GO TO MON12PRT BC-8; ELSE IF LIFEPRTS=0, GO TO FLOW CHECK B-11; ELSE IF LIFEPRTS=1, ASK SXMON12 BC-7.

{ ASKED IF R HAD ONLY ONE LIFE PARTNER

BC-6.

SXMON12
BC-7. IF EVERSEX BC-1=1 AND SXMTONCE NE 1, SAY:

The next questions are about relationships with females.

You said that you had sexual intercourse with a female once in your life. Was that in the last 12 months, that is, since (CMLSTYR_FILL)?

ELSE, SAY:

Have you had sexual intercourse with this female in the last 12 months, that is, since (CMLSTYR_FILL)?

[HELP AVAILABLE]

GO TO FLOW CHECK B-11

{ ASKED IF R HAD MORE THAN ONE LIFE PARTNER

MON12PRT

BC-8.

Please look at Card 15. How many different females have you had sexual intercourse with in the past 12 months, that is, since (CMLSTYR_FILL)?

[SHOW CARD 15] [HELP AVAILABLE]

 None
 0

 One
 1

 Two
 2

 Three
 3

 Four
 4

 Five
 5

 Six
 6

 Seven or more
 7

FLOW CHECK B-11: CREATE MON12PRTS (NUMBER OF FEMALE SEX PARTNERS IN LAST 12 MONTHS)

SET = NULL/BLANK

IF RHADSEX=0 OR 2, SET MON12PRTS=0

ELSE, IF LIFEPRTS=1 AND SXMON12 BC-7=1, SET MON12PRTS=1;

ELSE, IF LIFEPRTS=1 AND SXMON12 BC-7 NE 1, SET

MON12PRTS=0; ELSE IF MON12PRT=DK/RF AND MARSTAT=1 OR 2, SET

MON12PRTS=1;

ELSE IF MON12PRT NE DK/RF, SET MON12PRTS=MON12PRT BC-8.

EDIT CHECK FC B-11_1: IF (MON12PRTS > LIFEPRTS), DISPLAY:

The number of partners in the last
12 months cannot be more than the
number of partners in his lifetime.

CREATE SEXSTAT
SET = NULL/BLANK/MISSING

- =0 IF RHADSEX=0 OR 2 (NEVER HAD SEX OR DK/RF IF EVER HAD SEX)
- =1 IF (EVRMARRY NE 1 AND EVRCOHAB NE 1 AND RHADSEX=1 AND LIFEPRTS=1 AND SXMTONCE BC-2 NE 1 AND SXMON12 BC-7 =1)

 (ONE PARTNER EVER, SEX IN LAST 12 MOS, SEX ONLY ONCE)
- =2 IF (EVRMARRY NE 1 AND EVRCOHAB NE 1 AND RHADSEX=1 AND LIFEPRTS=1 AND SXMTONCE BC-2 =1 AND SXMON12 BC-7=1) OR ([EVRMARRY=1 OR EVRCOHAB=1] AND LIFEPRT BC-6 NE DK/RF AND LIFEPRTS=1 AND SXMON12 BC-7=1)

 (ONE PARTNER EVER, SEX IN LAST 12 MOS, SEX MT ONCE)
- =3 IF EVRMARRY NE 1 AND EVRCOHAB NE 1 AND LIFEPRTS=1 AND SXMTONCE BC-2 NE 1 AND SXMON12 BC-7 NE 1

 (ONE PARTNER EVER, NO SEX IN LAST 12 MOS, SEX ONLY ONCE)
- =4 IF (EVRMARRY NE 1 AND EVRCOHAB NE 1 AND LIFEPRTS=1 AND SXMTONCE BC-2 =1 AND SXMON12 BC-7 NE 1) OR ([EVRMARRY=1 OR EVRCOHAB=1] AND LIFEPRTS=1 AND SXMON12 BC-7 NE 1) (ONE PARTNER EVER, NO SEX IN LAST 12 MOS, SEX MT ONCE)
- =5 IF (EVRMARRY NE 1 AND EVRCOHAB NE 1 AND RHADSEX=1 AND LIFEPRTS >1 AND MON12PRTS=0) OR ([EVRMARRY=1 OR EVRCOHAB=1] AND LIFEPRTS>1 AND MON12PRTS=0)

 (MT ONE LIFE PARTNER, NO SEX IN LAST 12 MOS)
- =6 IF (EVRMARRY NE 1 AND EVRCOHAB NE 1 AND RHADSEX=1 AND LIFEPRTS>1 AND MON12PRTS>=1) OR ([EVRMARRY=1 OR EVRCOHAB=1] AND LIFEPRTS>1 AND MON12PRTS>=1)

 (MT ONE LIFE PARTNER, SEX IN LAST 12 MOS)

CREATE BIOKIDS (RUNNING COUNT OF NUMBER OF BIOLOGICAL CHILDREN REPORTED IN C,D,E,F)

SET = 0

RANGE = 0 TO 20 (NOTE: NONE REPORTED > 10 in Cycle 6)

CREATE BKIDNAM[X] (NAME OF EACH BIO CHILD)
SET = NULL/BLANK

CREATE BKIDAGE[X] (AGE OF EACH BIO CHILD)

SET = MISSING

RANGE = 0 TO 45

CREATE BKIDAGEGP[X] (AGE GROUP OF EACH BIO CHILD)

SET = 0

=1 UNDER 5 YEARS OLD

=2 5-18 YEARS OLD

=3 19 YEARS OR OLDER

CREATE BKIDSEX[X] (SEX OF EACH BIO CHILD)

SET = NULL/BLANK

=1 MALE

=2 FEMALE

CREATE BKIDHH[X] (WHETHER EACH BIO CHILD IN HH OR NOT)

SET = NULL/BLANK

=1 IN HH

=2 ALIVE, NOT ADOPTED, NOT IN FOSTER CARE, BUT NOT IN HH

=3 DEAD OR ADOPTED OR IN FOSTER CARE OR DK/RF

CREATE BKIDMAR[X] (WHETHER CHILD BORN IN WEDLOCK OR NOT)

SET = NULL/BLANK

= 0 PARENTS NOT MARRIED AT BIRTH

= 1 PARENTS MARRIED AT BIRTH

CREATE BKIDLIV[X] (WHETHER PARENTS LIVING TOGETHER AT CHILD'S BIRTH OR NOT)

SET = NULL/BLANK

= 0 PARENTS NOT LIVING TOGETHER AT BIRTH

= 1 PARENTS LIVING TOGETHER AT BIRTH (INCLUDES MARRIED AT BIRTH)

CREATE ADOPKIDS (RUNNING COUNT OF ADOPTED KIDS)

SET = 0

RANGE = 0 TO 20

CREATE AKIDNAM[X] (NAME OF EACH ADOPTED CHILD)

SET = NULL/BLANK

CREATE AKIDAGE[X] (AGE OF EACH ADOPTED CHILD)

SET = NULL/BLANK

RANGE = 0 TO 45

CREATE AKIDAGEGP[X] (AGE GROUP OF EACH ADOPTED CHILD)

SET = 0

=1 UNDER 5 YEARS OLD

=2 5-18 YEARS OLD

=3 19 YEARS OR OLDER

CREATE AKIDSEX[X] (SEX OF EACH ADOPTED CHILD)

SET = NULL/BLANK

=1 MALE

=2 FEMALE

CREATE AKIDHH[X] (WHETHER EACH ADOPTED CHILD IN HH OR NOT)

SET = NULL/BLANK

=1 IN HH

=2 ALIVE, BUT NOT IN HH

=3 DEAD OR DK/RF

CREATE CURRPREG (WHETHER CURRENT WIFE/COHAB/PARTNER IS

PREGNANT)

SET = 0

=1 (WIFE/COHAB/CURR PARTNER PREGNANT)
(NOTE: FOR USE IN SECTION HC, WILL BE SET =1 IF
MARSTAT=1 OR 2 AND CURRENT WIFE/COHAB PREGNANT
OR IF MARSTAT NE 1 OR 2 AND ANY CURRENT PARTNER
IS PREGNANT. WILL NOT BE SET =1 IF MARSTAT=1 OR
2 AND ANY CURRENT NONMAR/NONCOHAB PARTNER IS
PREGNANT)

CREATE CURRPRTS (NUMBER OF CURRENT NONMARITAL/NONCOHABITING PARTNERS)

SET = 0

RANGE = 0 TO 3

CREATE PREGSNOW (NUMBER OF WOMEN THAT ARE PREGNANT WITH R'S CHILD NOW)

SET=0

IF SEXSTAT=0, GO TO FLOW CHECK F-1 ELSE, IF SEXSTAT=1 OR 3 OR 4 OR 5 OR MON12PRT BC-8=DK/RF, GO TO FLOW CHECK B-12; ELSE, ASK SEXFREQ BC-9.

{ ASKED IF R HAD AT LEAST ONE SEX PARTNER IN THE LAST 12 MONTHS { OR (SEXSTAT=NULL BUT NOT BECAUSE MON12PRT=DK/RF) SEXFREO

BC-9.

Now please think about the last four weeks. How many times have you had sexual intercourse with a female in the last four weeks?

[HELP AVAILABLE]

ENTER number of times.

UNDERLYING RANGE = 0 TO 995

IF SEXFREQ BC-9=0, DK, RF GO TO FLOW CHECK B-12.

{ ASKED IF R HAD AT LEAST ONE SEX PARTNER IN THE LAST 12 MONTHS { AND HAD SEX IN THE LAST 4 WEEKS CONFREO

BC-10. And, in the last four weeks, how many of the times that you had sexual intercourse with a female did you use a condom?

[HELP AVAILABLE]

ENTER number of times.

UNDERLYING RANGE = 0 TO 995

HARD EDIT CHECK BC-10_1:

IF SEXFREQ NE DK/RF AND CONFREQ NE DK/RF, THEN CONFREQ MUST BE <= SEXFREQ; ELSE, DISPLAY: The number of times R used a condom in the last 4 weeks cannot exceed the number of times he had sex in the last 4 weeks. PROGRAM SHOULD RETURN TO SEXFREQ AND CONFREQ, IF NECESSARY.

Enumeration of recent sex partners (BD)

FLOW CHECK B-12: CREATE CURWIFE (NAME OF CURRENT WIFE) SET = NULL/BLANK

CREATE CURCOHAB (NAME OF CURRENT COHABITING PARTNER)
SET = NULL/BLANK

CREATE CURSEP (NAME OF WIFE R IS CURRENTLY SEPARATED FROM) SET = NULL/BLANK

 $\{ \mbox{ ASKED OF ALL WHO HAD SEX, EVEN IF MORE THAN 12 MONTHS AGO $$ \mbox{\bf Plname}$$

BD-1. IF SEXSTAT=1 OR 2 OR 3 OR 4, SAY: So that I can refer to her in the interview, please give me the name or initials of the female with whom you had sexual intercourse.

IF SEXSTAT NE 1 OR 2 OR 3 OR 4, SAY: So that I can refer to her in the interview, please give me the name or initials of the female with whom you most recently had sexual intercourse.

[HELP AVAILABLE]

ENTER name or initials _____

FLOW CHECK B-13: CREATE P1NAME FILL

SET = NULL

SET = P1NAME IF RHADSEX=1 AND P1NAME NE BLANK AND NE

DK/RF

SET = "your last partner" IF RHADSEX=1 AND P1NAME=

DK/RF

IF EVRMARRY=1, ASK P1RLTN1 BD-2;

ELSE IF EVRMARRY NE 1 AND:

IF EVRCOHAB=1, GO TO P1RLTN2 BD-5;

ELSE IF EVRCOHAB NE 1, GO TO FLOW CHECK B-19;

{ ASKED IF R EVER MARRIED

P1RLTN1

BD-2. Were you ever married to (P1NAME_FILL)?

Yes1
No5

FLOW CHECK B-14:

IF P1RLTN1 BD-2=1 AND FMARIT=1, ASK P1CURRWIFE BD-3;

ELSE IF P1RLTN1 BD-2=1 AND FMARIT=4, ASK P1CURRSEP BD-4;

ELSE IF P1RLTN1 BD-2=1 AND FMARIT NE 1 OR 4, GO TO FLOW CHECK B-19;

ELSE IF P1RLTN1 BD-2 NE 1 AND:

IF EVRCOHAB=1, ASK P1RLTN2 BD-5;

ELSE IF EVRCOHAB NE 1, GO TO FLOW CHECK B-19

{ ASKED IF R CURRENTLY MARRIED

P1CURRWIFE

BD-3. If necessary, ASK: (Is she your current wife?)

Yes1
No5

FLOW CHECK B-15:

IF P1CURRWIFE BD-3=1 AND P1NAME BD-1 NE DK/RF, SET CURWIFE =

P1NAME AND GO TO FLOW CHECK B-18;

ELSE IF P1CURRWIFE BD-3=1 AND P1NAME BD-1 =DK/RF, SET CURWIFE =

"your wife" AND GO TO FLOW CHECK B-19; ELSE, IF P1CURRWIFE BD-3 NE 1, LEAVE CURWIFE = NULL, AND GO TO FLOW CHECK B-19. { ASKED IF R CURRENTLY SEPARATED P1CURRSEP BD-4. If necessary, ASK: (Is she the woman you are separated from now?) Yes1 No5 FLOW CHECK B-16: IF P1CURRSEP BD-4= 1 AND P1NAME BD-1 NE DK/RF, SET CURSEP = P1NAME AND GO TO FLOW CHECK B-19; ELSE IF P1CURRSEP BD-4= 1 AND P1NAME BD-1=DK/RF, SET CURSEP = "your wife" AND GO TO FLOW CHECK B-19; ELSE IF P1CURRSEP BD-4 NE 1, LEAVE CURSEP = NULL AND GO TO FLOW CHECK B-19. { ASKED IF R WAS NEVER MARRIED TO THIS PARTNER BUT HE EVER COHABITED P1RLTN2 BD-5. Did you ever live together with (P1NAME_FILL)? [HELP AVAILABLE] Yes1 No 5 FLOW CHECK B-17: IF P1RLTN2 BD-5= 1 AND AB-1 MARSTAT=2, ASK P1COHABIT BD-6; ELSE, GO TO FLOW CHECK B-19. { ASKED IF R WAS NEVER MARRIED TO THIS PARTNER AND HE IS CURRENTLY { COHABITING P1COHABIT If necessary, ASK: (Is she the woman you live with now ?) BD-6. Yes1 No5 FLOW CHECK B-18: IF P1COHABIT BD-6=1 AND P1NAME BD-1 NE DK/RF, SET CURCOHAB = P1NAME AND GO TO FLOW CHECK B-19; ELSE IF P1COHABIT BD-6=1 AND P1NAME BD-1 = DK/RF, SET CURCOHAB = "your partner" AND GO TO FLOW CHECK B-19; ELSE, IF P1COHABIT BD-6 NE 1, LEAVE CURCOHAB = NULL AND GO TO FLOW CHECK B-19. FLOW CHECK B-19: IF MON12PRTS <= 1 OR MON12PRTS=NULL/BLANK, GO TO FLOW CHECK B-33; ELSE ASK P2NAME BD-7. P2NAME Now think of the last female with whom you had sexual intercourse BD-7. before (P1NAME_FILL). Please give me her name or initials. [HELP AVAILABLE] ENTER name or initials

FLOW CHECK B-20: CREATE P2NAME_FILL SET = NULL SET = P2NAME IF MON12PRTS>=2 AND P2NAME NE BLANK AND SET = "your 2nd to last partner" IF P2NAME= DK/RF IF EVRMARRY=1, ASK P2RLTN1 BD-8; ELSE EVRMARRY NE 1 AND: IF EVRCOHAB=1, GO TO P2RLTN2 BD-11 ELSE, EVRCOHAB NE 1, GO TO FLOW CHECK B-26. P2RLTN1 BD-8. Were you ever married to (P2NAME_FILL)? Yes1 No5 FLOW CHECK B-21: IF P2RLTN1 BD-8=1 AND FMARIT=1 AND: IF CURWIFE = NULL, ASK P2CURRWIFE BD-9; ELSE IF CURWIFE NE NULL, GO TO FLOW CHECK B-26; ELSE IF P2RLTN1 BD-8=1 AND FMARIT=4 AND: IF CURSEP = NULL, ASK P2CURRSEP BD-10; ELSE IF CURSEP NE NULL, GO TO FLOW CHECK B-26; ELSE IF P2RLTN1 BD-8=1 AND FMARIT NE 1 OR 4, GO TO FLOW CHECK B-26; ELSE IF P2RLTN1 BD-8 NE 1 AND: IF EVRCOHAB=1, ASK P2RLTN2 BD-11; ELSE EVRCOHAB NE 1, GO TO FLOW CHECK B-26. { ASKED IF R CURRENTLY MARRIED AND CURRENT WIFE NOT YET IDENTIFIED P2CURRWIFE BD-9. If necessary, ASK: (Is she your current wife?) Yes1 No5 FLOW CHECK B-22: IF P2CURRWIFE BD-9= 1 AND P2NAME BD-7 NE DK/RF, SET CURWIFE = P2NAME AND GO TO FLOW CHECK B-26; ELSE IF P2CURRWIFE BD-9=1 AND P2NAME BD-7 = DK/RF, SET CURWIFE = "your wife" AND GO TO FLOW CHECK B-26; ELSE, IF P2CURRWIFE BD-9 NE 1, LEAVE CURWIFE = NULL, AND GO TO FLOW CHECK B-26. { ASKED IF R CURRENTLY SEPARATED AND THAT WIFE NOT IDENTIFIED YET P2CURRSEP BD-10. If necessary, ASK: (Is she the woman you are separated from now?) Yes1 No5 FLOW CHECK B-23: IF P2CURRSEP BD-10 = 1 AND P2NAME BD-7 NE DK/RF, SET CURSEP = P2NAME AND GO TO B-25; ELSE IF P2CURRSEP BD-10 = 1 AND P2NAME BD-7 = DK/RF, SET CURSEP = "your wife" AND GO TO B-25; ELSE IF P2CURRSEP BD-10 NE 1, LEAVE CURSEP = NULL AND GO TO FLOW

CHECK B-26.

{ ASKED IF R WAS NEVER MARRIED TO THIS PARTNER BUT HE EVER COHABITED P2RLTN2 BD-11. Did you ever live together with (P2NAME_FILL)? [HELP AVAILABLE] Yes1 No5 FLOW CHECK B-24: IF P2RLTN2 BD-11= 1 AND MARSTAT=2 AND: IF CURCOHAB = NULL, ASK P2COHABIT BD-12 ELSE IF CURCOHAB NE NULL, GO TO FLOW CHECK B-26. ELSE, GO TO FLOW CHECK B-26 { ASKED IF R WAS NEVER MARRIED TO THIS PARTNER AND HE IS CURRENTLY \hat{rack} COHABITING AND THIS COHABITING PARTNER NOT YET IDENTIFIED **P2COHABIT** BD-12. If necessary, ASK: (Is she the woman you live with now?) Yes1 No5 FLOW CHECK B-25: IF P2COHABIT BD-12 =1 AND P2NAME BD-7 NE DK/RF, SET CURCOHAB = P2NAME AND GO TO FLOW CHECK B-26 ELSE IF P2COHABIT BD-12 =1 AND P2NAME BD-7 = DK/RF, SET CURCOHAB = "your partner" AND GO TO FLOW CHECK B-26 ELSE, IF P2COHABIT BD-12 NE 1, LEAVE CURCOHAB = NULL AND GO TO FLOW CHECK B-26 FLOW CHECK B-26: IF MON12PRTS > 2, ASK P3NAME BD-13. ELSE, IF MON12PRTS=2, GO TO FLOW CHECK B-33. P3NAME BD-13. Think of the last female with whom you had sexual intercourse before (P2NAME_FILL). Please give me her name or initials. [HELP AVAILABLE] ENTER name or initials _____ FLOW CHECK B-27: CREATE P3NAME_FILL SET = NULL SET = P3NAME IF MON12PRTS>=3 AND P3NAME NE BLANK AND NE DK/RF SET = "your 3"d to last partner" IF P3NAME= DK/RF IF EVRMARRY=1, ASK P3RLTN BD-14; IF EVRMARRY NE 1 AND: IF EVRCOHAB=1, GO TO P3RLTN2 BD-17; ELSE EVRCOHAB NE 1, GO TO FLOW CHECK B-33. P3RLTN1 BD-14. Were you ever married to (P3NAME_FILL)? Yes1 No5

FLOW CHECK B-28: IF P3RLTN1 BD-14=1 AND FMARIT=1 AND: IF CURWIFE = NULL, ASK P3CURRWIFE BD-15; ELSE CURWIFE NE NULL, GO TO FLOW CHECK B-33; ELSE IF P3RLTN1 BD-14=1 AND FMARIT=4 AND: IF CURSEP = NULL, ASK P3CURRSEP BD-15; ELSE CURSEP NE NULL, GO TO FLOW CHECK B-33; ELSE IF P3RLTN1 BD-14=1 AND FMARIT NE 1 OR 4, GO TO B-33; ELSE IF P3RLTN1 BD-14 NE 1 AND: IF EVRCOHAB=1, ASK P3RLTN2 BD-17; ELSE EVRCOHAB NE 1, GO TO FLOW CHECK B-33. { ASKED IF R CURRENTLY MARRIED AND CURRENT WIFE NOT YET IDENTIFIED P3CURRWIFE BD-15. If necessary, ASK: (Is she your current wife?) Yes1 No5 FLOW CHECK B-29: IF P3CURRWIFE BD-15= 1 AND P3NAME BD-13 NE DK/RF, SET CURWIFE = P3NAME AND GO TO FLOW CHECK B-33; ELSE IF P3CURRWIFE BD-15= 1 AND P3NAME BD-13 = DK/RF, SET CURWIFE = "your wife" AND GO TO FLOW CHECK B-33; ELSE, IF P3CURRWIFE BD-15 NE 1, LEAVE CURWIFE = NULL, AND GO TO FLOW CHECK B-33. { ASKED IF R CURRENTLY SEPARATED AND THAT WIFE NOT IDENTIFIED YET P3CURRSEP BD-16. If necessary, ASK: (Is she the woman you are separated from now?) Yes1 No5 FLOW CHECK B-30: IF P3CURRSEP BD-16 = 1 AND P3NAME BD-13 NE DK/RF, SET CURSEP = P3NAME AND GO TO B-33; ELSE IF P3CURRSEP BD-16 = 1 AND P3NAME BD-13 = DK/RF, SET CURSEP = "your wife" AND GO TO B-33; ELSE IF P3CURRSEP BD-16 NE YES, LEAVE CURSEP = NULL AND GO TO FLOW CHECK B-33. { ASKED IF R WAS NEVER MARRIED TO THIS PARTNER BUT HE EVER COHABITED P3RLTN2 BD-17. Did you ever live together with (P3NAME_FILL)? [HELP AVAILABLE] Yes1 No5 FLOW CHECK B-31: IF P3RLTN2 BD-17= 1 AND MARSTAT-2 AND: IF CURCOHAB = NULL, ASK P3COHABIT BD-18; ELSE IF CURCOHAB NE NULL, GO TO FLOW CHECK B-33; ELSE, GO TO FLOW CHECK B-33. { ASKED IF R WAS NEVER MARRIED TO THIS PARTNER AND HE IS CURRENTLY { COHABITING AND THIS COHABITING PARTNER NOT YET IDENTIFIED

P3COHABIT

BD-18. If necessary, ASK: (Is she the woman you live with now?)

> Yes1 No5

FLOW CHECK B-32:

IF P3COHABIT BD-18=1 AND P3NAME BD-13 NE DK/RF, SET CURCOHAB = P3NAME AND GO TO FLOW CHECK B-33;

ELSE IF P3COHABIT BD-18=1 AND P3NAME BD-13 = DK/RF, SET CURCOHAB = "your partner" AND GO TO FLOW CHECK B-33;

ELSE, IF P3COHABIT BD-18 NE 1, LEAVE CURCOHAB = NULL AND GO TO FLOW CHECK B-33

FLOW CHECK B-33: CREATE FRSTNAME (NAME OF FIRST SEX PARTNER EVER)

SET = NULL VALUE

SET = P1NAME IF LIFEPRT BC-6 NE DK/RF AND LIFEPRTS=1 AND P1NAME NE DK/RF

CREATE PIRELATION

SET

- = 1 (EVER MARRIED) IF RHADSEX=1 AND P1RLTN1=1
- = 2 (EVER COHABITED) IF RHADSEX=1 AND P1RLTN2=1
- = 3 (NEVER MARRIED NOR COHABITED) IF RHADSEX=1 AND ((EVRMARRY NE 1 AND EVRCOHAB NE 1) OR (EVRMARRY=1 AND P1RLTN1 NE 1) OR (EVRCOHAB=1 AND P1RLTN2 NE 1))

CREATE P2RELATION

SET

- = 1 (EVER MARRIED) IF MON12PRTS >= 2 AND P2RLTN1=1
- = 2 (EVER COHABITED) IF MON12PRTS >=2 AND P2RLTN2=1
- = 3 (NEVER MARRIED NOR COHABITED) IF MON12PRTS>=2 AND ((EVRMARRY NE 1 AND EVRCOHAB NE 1) OR (EVRMARRY=1 AND P2RLTN1 NE 1) OR (EVRCOHAB=1 AND P2RLTN2 NE 1))

CREATE P3RELATION

SET

- = 1 (EVER MARRIED) IF MON12PRTS>=3 AND P3RLTN1=1
- = 2 (EVER COHABITED) IF MON12PRTS>=3 AND

P3RLTN2=1

= 3 (NEVER MARRIED NOR COHABITED) IF MON12PRTS>=3 AND ((EVRMARRY NE 1 AND EVRCOHAB NE 1) OR (EVRMARRY=1 AND P3RLTN1 NE 1) OR (EVRCOHAB=1 AND P3RLTN2 NE 1))

IF LIFEPRT BC-6 NE DK/RF AND (LIFEPRTS=MON12PRTS=2 OR LIFEPRTS=MON12PRTS=3), ASK FIRST BD-19.

ELSE, GO TO FLOW CHECK B-35.

FIRST

BD-19. IF LIFEPRTS=MON12PRTS=2, ASK: Was (P2NAME_FILL) the first female with whom you ever had sexual intercourse?

> ELSE, IF LIFEPRTS=MON12PRTS=3, ASK: Was (P3NAME FILL) the first female with whom you ever had sexual intercourse?

NSFG Cycle 6 Main Study (MALE questionnaire)
Section B (fn=BmaleC6CRO.doc)

[HELP AVAILABLE]

Yes1
No5

IF FIRST BD-19=1, GO TO FLOW CHECK B-33;

ELSE, ASK FIRST2 BD-20

FIRST2

BD-20. So that I can refer to her in the interview, please tell me the name or initials of the first female with whom you ever had sexual intercourse.

[HELP AVAILABLE]

ENTER name or initials _____

FLOW CHECK B-34: IF LIFEPRTS=MON12PRTS=2 AND FIRST BD-19=1, SET

FRSTNAME=P2NAME;

ELSE LIFEPRTS=MON12PRTS=3 AND FIRST BD-19=1, SET

FRSTNAME=P3NAME;

ELSE IF FIRST2 IS ASKED, SET FRSTNAME=FIRST2.

FLOW CHECK B-35: IF MARSTAT=1 OR 2, GO TO INTROC CA-0.

ELSE IF MARSTAT NE 1 OR 2, GO TO FLOW CHECK D-1.

VARIABLES TO BE PASSED FORWARD FROM THIS SECTION:

RSTRSTAT: STERILIZATION/FERTILITY STATUS OF R (FC B-7)

RHADSEX WHETHER R EVER HAD SEX OR NOT (FC B-8)

FATHER: WHETHER R EVER BIOLOGICALLY FATHERED A CHILD (FC B-9)

LIFEPRT: NUMBER OF FEMALE SEX PARTNERS IN LIFE - ASKED (BC-6)
LIFEPRTS: NUMBER OF FEMALE SEX PARTNERS IN LIFE - SET (FC B-10)
MON12PRTS: NUMBER OF FEMALE SEX PARTNERS IN LAST 12 MONTHS (FC B-11)

SEXSTAT: WHETHER EVER HAD SEX, HAD MORE THAN ONE SEX PARTNER EVER, AND HAD

SEX IN LAST 12 MONTHS (FC B-11)

BIOKIDS: RUNNING COUNT OF BIOLOGICAL CHILDREN (FC B-11)
CMCHDOB[X] CENTURY MONTH OF BIRTH OF EACH BIO CHILD (FC B-11)

BKIDNAM[X]

NAME OF EACH BIO CHILD (FC B-11)

BKIDSEX[X]

SEX OF EACH BIO CHILD (FC B-11)

BKIDAGE[X]

AGE OF EACH BIO CHILD (FC B-11)

BKIDAGEGP[X]

AGE GROUP OF EACH BIO CHILD (FC B-11)

BKIDHH[X] WHETHER EACH BIO CHILD LIVES IN HH OR ELSEWHERE (FC B-11)
BKIDMAR[X] WHETHER EACH BIO CHILD BORN IN WEDLOCK OR NOT (FC B-11)

BKIDLIV[X] WHETHER R LIVING WITH MOTHER AT TIME OF BIRTH, INCLUDING MARRIED

AND COHABITING (FC B-11)

ADOPKIDS: RUNNING COUNT OF ADOPTED CHILDREN (FC B-11)

AKIDNAM[X] NAME OF EACH ADOPTED CHILD (FC B-11)

AKIDSEX[X] SEX OF EACH ADOPTED CHILD (FC B-11)

AKIDAGE[X] AGE OF EACH ADOPTED CHILD (FC B-11)

AKIDAGEGP[X] AGE GROUP OF EACH ADOPTED CHILD (FC B-11)

AKIDHH[X] WHETHER EACH ADOPTED CHILD LIVES IN HH OR NOT (FC B-11)

CURRPREG: WHETHER CURRENT WIFE/COHAB/PARTNER IS PREGNANT (FC B-11)
CURRPRTS: NUMBER OF CURRENT NONMAR/NONCOHAB PARTNERS (FC B-11)
PREGSNOW: TOTAL NUMBER OF WOMEN PREGNANT WITH R'S CHILD NOW (FC B-11)

NSFG Cycle 6 Main Study (MALE questionnaire) Section B (fn=BmaleC6CRQ.doc)

CURWIFE: CURRENT WIFE'S NAME/INITIALS (FC B-12)

CURCOHAB: CURRENT COHABITING PARTNER'S NAME/INITIALS(FC B-12)

CURSEP: NAME OF WIFE R IS CURRENTLY SEPARATED NAME/INITIALS (FC B-

12)

P1NAME FILL: NAME/INITIALS OF LAST SEXUAL PARTNER (FC B-13)

P2NAME_FILL: NAME/INITIALS OF 2ND TO LAST SEXUAL PARTNER (FC B-20)
P3NAME_FILL: NAME/INITIALS OF 3RD TO LAST SEXUAL PARTNER (FC B-27)

FRSTNAME: NAME/INITIALS OF FIRST SEX PARTNER EVER (FC B-33)

P1RELATION: RELATIONSHIP OF LAST SEX PARTNER TO R (FC B-33)

P2RELATION: RELATIONSHIP OF 2ND TO LAST SEX PARTNER TO R (FC B-33)
P3RELATION: RELATIONSHIP OF 3RD TO LAST SEX PARTNER TO R (FC B-33)