SECTION C Marital and Relationship History

VARIABLES IMPORTED FROM EARLIER SECTIONS: R's age at interview (from A) AGE R AGESCRN R's age at screener (from A) R's informal marital status (from A) MARSTAT FMARIT R's formal marital status (from A) MANREL Relationship of man in HH to R (husband or cohab partner) (from A) Name fill for current husband or cohabiting partner (from A) MANWITHR HIGRADE R's highest grade attended (from A) # of NONBIOKIDS IN HH < AGE 19 & RELAR = Codes 4 to 10 (from A) HHKIDS18 R's age at first menstrual period (from B) MENARCHE Whether R has ever been pregnant (from B) EVERPREG CM for mo/yr when 1st pregnancy (even if current) began (from B) CMPG1BEG VARIABLES DEFINED (COMPUTED) WITHIN THIS SECTION: CHPNAME Name fill for current husband or cohabiting partner (FC C-1) MARRCNTR Marriage loop counter (FC C-2) Cohabiting partner loop counter (FC C-2) COHBONTR PRT12CNTR Recent partner loop counter (FC C-2) Marriage order fill (FC C-6b) MARRFILL Husband name fill (FC C-6b) HUSBFILL CMMARRHX CM date of marriage X (FC C-7) CMMARRHX_FILL Mo/Yr fill for CMMARRHX (FC C-7) CM date of marriage to current husband (FC C-7) CMMARRCH CM for husband X's date of birth (FC C-8) CMHSBDOBX CM for current husband's DOB (FC C-8) CMDOBCH CMPMCOHX CM date when R began living (premaritally) with husband X (FC C-9) CM date when husband X died (FC C-18) CMHSBDIEX CMHSBDIEX_FILL Mo/Yr fill for CMHSBDIEX (FC C-18) CM date of divorce or annulment from husband X (FC C-20) CMDIVORCX Mo/Yr fill for CMDIVORCX (FC C-20) CMDIVORCX_FILL CM date R stopped living with former husband X (FC C-21) CMSTPHSBX PREVHUSB Number of former husbands (FC C-22) CMSTRTCP CM date when R began living with current cohabiting partner (FC C-26) CMDOBCP CM for current cohabiting partner's DOB (FC C-27) CM date R began living with current husband or cohab partner (FC C-31) CMSTRTHP EVRCOHAB Whether R has ever lived with a nonmarital partner (FC C-32) PREVCOHB Number of former cohabiting partners (FC C-34) COHBFILL Cohabiting partner name fill (FC C-34b) CM date R began living with former cohabiting partner X (FC C-35) CMCOHSTX CMCOHSTX_FILL Mo/Yr fill for CMCOHSTX (FC C-35) CM for former cohabiting partner's DOB (FC C-36) CMDOBCX CMSTPCOHX CM date R stopped living with former cohabiting partner X (FC C-39) RHADSEX Whether R has ever had sex (heterosexual vaginal intercourse) (FC C-42) CM date of first sexual intercourse (FC C-44) CMESTSEX FLGSXDK1 Flag indicating special-case reporting on WNFSTSEX_M (FC C-44) CMFSTSEX_FILL Mo/Yr fill for CMFSTSEX (FC C-44) CM date of last sex with 1st sexual partner (FC C-57) CMLSEXFP CM date of last or only sex with 1st sexual partner (FC C-57) CMFPLAST CMSEXAFM CM date of 1st sex after menarche (FC C-60) Flag indicating special-case reporting on WNSEXAFM_M (FC C-60) FLGSXDK2 Number of partners in last 12 mos (FC C-64) PARTS12 # of partners in past year that were previously described (FC C-65) CM date of $1^{\rm st}$ sex with partner X in last 12 mos (FC C-67) DESCRIBD CMFSEXX PCURRNTX Whether partner X in last 12 mos is current (FC C-68b) CM date of last sex with partner X in last 12 mos (FC C-69) CMLSEXX CMLSEXX_FILL Mo/Yr fill for CMLSEX for partner X (FC C-69) CM date of last or only sex with partner X in last 12 mos (FC C-69) CMLSTSXX CMLSTSXX_FILLMo/Yr fill for CMLSTSXX (FC C-69) CMLSTSX12 CM date of last sex (for those with PARTS12 > 0) (FC C-74) CMDATLST CM date of last sex (for those with PARTS12 = 0) (FC C-76) (Note: This variable was originally named CMLSTSX0 but renamed in instrument.) Number of partners in lifetime (FC C-77) LIFEPRTS

CMLASTSX CM for date of most recent sexual intercourse (FC C-77) Total number of current sexual partners, including a current (not CURRPRTT separated) husband or cohabiting partner in the total (FC C-77) CURRPRTS Number of current nonmarital, noncoresidential partners (FC C-77) Name or initials for most recent male partner in last 12 mos (FC-77) PRT12NAM1 Name or initials for 2^{nd} most recent male partner in last 12 mos (FC-77) Name or initials for 3^{rd} most recent male partner in last 12 mos (FC-77) PRT12NAM2 PRT12NAM3 CM date of last (or only) sex with PRT12NAM1 (FC-77) CMPART1Y1 CM date of last (or only) sex with PRT12NAM2 (FC-77) CMPART1Y2 CMPART1Y3 CM date of last (or only) sex with PRT12NAM3 (FC-77) Name or initials of current partner 1 (for R's 15-17 only) (FC C-77) CURPART1 Name or initials of current partner 2 (for R's 15-17 only) (FC C-77) CURPART2 Name or initials of current partner 3 (for R's 15-17 only) (FC C-77) CURPART3 CM date of last (or only) sex with CURPART1 (FC C-77) CMCURRP1 CMCURRP2 CM date of last (or only) sex with CURPART2 (FC C-77) CM date of last (or only) sex with CURPART3 (FC C-77) CMCURRP3 COMPUTED VARIABLES (from this section) TO BE INCLUDED ON OUTPUT DATA FILE: CMMARRHX CMMARRCH CMHSBDOBX CMDOBCH CMPMCOHX CMHSBDIEX CMDIVORCX CMSTPHSBX PREVHUSB CMSTRTCP CMDOBCP CMSTRTHP EVRCOHAB PREVCOHB CMCOHSTX CMDOBCX CMSTPCOHX RHADSEX CMFSTSEX FLGSXDK1 CMLSEXFP CMFPLAST CMSEXAFM FLGSXDK2 PARTS12 CMFSEXX PCURRNTX CMLSEXX CMLSTSXX CMLSTSX12 CMDATLST LIFEPRTS CMLASTSX CURRPRTT CURRPRTS CMPART1Y1 CMPART1Y2 CMPART1Y3 CMCURRP1 CMCURRP2 CMCURRP3 CM VARIABLES TO CHECK AGAINST BOTH CMINTVW AND CMBIRTH: CMMARRHX CMMARRCH CMPMCOHX CMHSBDIEX CMDIVORCX CMSTPHSBX CMSTRTCP CMSTRTHP CMCOHSTX

NSFG Cycle 6 Main Study (FEMALE questionnaire) Section C (fn=CfemC6CRQ.doc) CMSTPCOHX CMESTSEX CMLSEXFP CMFPLAST CMSEXAFM CMFSEXX CMLSEXX CMLSTSXX CMLSTSX12 CMDATLST CMLASTSX CM VARIABLES TO CHECK AGAINST ONLY CMINTVW: CMHSBDOBX CMDOBCH CMDOBCP CMDOBCX ----- SECTION C begins here -----INITIALIZE CHPNAME (name fill for current husband or FLOW CHECK C-1: cohabiting partner) (value may change in Flow Checks C-5, C-5b, or C-25): IF AB-1 MARSTAT = 3 or 4 or 5 or 6 or DK or RF, SET CHPNAME = blank (inapp). ELSE IF MARSTAT = 1 or 2 AND MANWITHR NE blank, SET CHPNAME = MANWITHR. FLOW CHECK C-2: IF FMARIT = 1 or 2 or 3 or 4, CONTINUE. ELSE IF FMARIT = 5 (never married) or 0 (DK or RF), GO TO FLOW CHECK C-23. INITIALIZE COUNTERS TO 0: MARRCNTR COUNTS LOOPS THROUGH HUSBANDS SERIES (CB). COHBCNTR COUNTS LOOPS THROUGH OTHER COHAB PARTNERS SERIES (CD). PRT12CNTR COUNTS LOOPS THROUGH RECENT PARTNERS SERIES (CI). SET MARRCNTR = 0SET COHBCNTR = 0SET PRT12CNTR = 0

NUMBER OF MARRIAGES (CA)

C_INTRO1

CA-0. The next questions are about your marriages and other relationships.

ENTER [1] to continue

TIMESMAR

CA-1. IF FMARIT = 1 or 4 (married or separated), ASK: Including your present marriage, how many times have you been married?

ELSE IF FMARIT = 2 or 3 (widowed or divorced), ASK: How many times have you been married?

ENTER number

[HELP AVAILABLE]

Number

UNDERLYING RANGE: 1 to 95 (But we want to allow space for only 6 husbands in looping)

FLOW CHECK C-3: IF 1 LE CA-1 TIMESMAR LE 95 OR IF TIMESMAR = DK OR RF, CONTINUE WITH FLOW CHECK C-4.

FLOW CHECK C-4: IF MARSTAT = 1 (married) AND 1 LE TIMESMAR LE 6 AND CHPNAME NE BLANK, ASK CA-2 HUSBNAMEX FOR EACH FORMER HUSBAND IF ANY (up to TIMESMAR-1) AND THEN ASK CA-2b HSBVERIF TO VERIFY NAME OF CURRENT HUSBAND.

ELSE IF 2 LE CA-1 TIMESMAR LE 6 OR (CA-1 TIMESMAR = 1 AND AB-1 MARSTAT NE 1), ASK CA-2 HUSBNAMEX FOR EACH OF THE [TIMESMAR] FORMER (or currently separated) HUSBANDS.

ELSE IF MARSTAT = 1 (married) AND 1 LE TIMESMAR LE 6 AND CHPNAME = BLANK, ASK CA-2 HUSBNAMEX FOR EACH FORMER HUSBAND IF ANY (up to TIMESMAR-1) AND THEN GO TO CA-2c CHVERIFY TO FIND OUT NAME OF CURRENT HUSBAND.

ELSE IF TIMESMAR = DK OR RF, GO TO CA-2c CHVERIFY TO FIND OUT NAME OF CURRENT OR MOST RECENT HUSBAND (BASED ON MARSTAT VALUE).

ELSE IF TIMESMAR GT 6 AND MANREL = 1, ASK HUSBNAMEX FOR HER FIRST 5 FORMER HUSBANDS AND THEN ASK CA-2c CHVERIFY OR CA-2b HSBVERIF (as appropriate based on CHPNAME value) ABOUT R's CURRENT HUSBAND. (For currently married women with more than 6 marriages, we will only ask about her 1st 5 husbands and her current husband.)

ELSE IF TIMESMAR GT 6 AND MANREL NE 1, ASK HUSBNAMEX FOR HER FIRST 6 FORMER HUSBANDS. (For currently unmarried women with more than 6 marriages, we will only ask about her 1^{st} 6 marriages.)

HUSBNAMEX

CA-2. IF CA-1 TIMESMAR GT 6 AND MANREL = 1 (husband), ASK: In order to save time during the interview, I will ask you about your first 5 marriages, and then about your current husband.

Please tell me the first names or the initials of your former husbands so that I can refer to them during the interview. Let's begin with the name or initials of your first husband. (PROBE: And your next husband?)

ELSE IF CA-1 TIMESMAR GT 6 AND MANREL NE 1, ASK: In order to save time during the interview, I will ask you only about your first 6 marriages.

Please tell me the first names or the initials of your former husbands so that I can refer to them during the interview. Let's begin with the name or initials of your first husband. (PROBE: And your next husband?)

ELSE IF CA-1 TIMESMAR = 1 AND MANREL NE 1 AND FMARIT NE 2 OR 3, ASK: Please tell me your husband's first name or his initials so that I can refer to him during the interview.

> ELSE (IF TIMESMAR = 2 AND MANREL = 1) OR (IF TIMESMAR = 1 AND NO PERSON IN HH HAS RELAR[X] = 1 (husband) AND FMARIT = 2 OR 3 (widowed or divorced)), ASK: Please tell me your former husband's first name or his initials so that I can refer to him during the interview.

> ELSE IF TIMESMAR = 2 AND MARSTAT NE 1 (married) ASK: Please tell me the first names or the initials of your former husbands so that I can refer to them during the interview. Let's begin with the name or initials of your first husband. (PROBE: And your second husband?)

> ELSE IF 2 LT TIMESMAR LE 6, ASK: Please tell me the first names or the initials of your former husbands so that I can refer to them during the interview. Let's begin with the name or initials of your first husband and then list the others in order. (PROBE: And your next husband?)

{ Allow space for entry of names or initials for up to 6 husbands
{ Note: Married Rs with more than 6 marriages will only use 5 of these spaces.

FLOW CHECK C-5: IF CA-1 TIMESMAR GE 1 AND AB-1 MARSTAT = 1 AND CHPNAME NE blank, ASK CA-2b HSBVERIF USING CHPNAME FOR HUSBAND'S NAME FOR MARRIAGE X, WHERE X = TIMESMAR.

> ELSE IF TIMESMAR GE 1 AND MARSTAT = 1 AND CHPNAME = blank, GO TO CA-2c CHVERIFY.

ELSE IF TIMESMAR GE 1 AND MARSTAT NE 1, GO TO FLOW CHECK C-6.

{ ASKED ONLY IF MARSTAT = 1 (married) and CHPNAME NE BLANK.
HSBVERIF
CA-2b. And you told me that your current husband is [CHPNAME]?

Yes1 (FLOW CHECK C-6) No5 (FLOW CHECK C-6)

{ ASKED ONLY IF (MARSTAT=1 AND CHPNAME=blank) OR
{ IF (TIMESMAR = DK/RF and FMARIT = 1,2,3, or 4).

CHVERIFY

CA-2c. IF MARSTAT = 1 AND (CHPNAME=blank OR TIMESMAR = DK/RF), ASK: You may have mentioned this earlier, but what is your current husband's name or initials, so that I can refer to him during the interview?

> ELSE IF FMARIT = 2, 3, or 4, ASK: You may have mentioned this earlier, but what is your most recent husband's name or initials, so that I can refer to him during the interview?

```
Name ____
```

FLOW CHECK C-5b: IF CA-2c CHVERIFY NE BLANK OR DK OR RF AND MARSTAT=1
 (married), THEN SET CHPNAME = CHVERIFY.

ELSE IF CHVERIFY = DK OR RF AND MARSTAT=1 (married), SET CHPNAME = "your husband"

FLOW CHECK C-6: SET MARRCNTR = 1.

FLOW CHECK C-6b: DEFINE MARRFILL: (Fill for marriage order) MARRFILL = blank if TIMESMAR = 1 ELSE IF TIMESMAR GT 1, = "first" if MARRCNTR = 1 MARRFILL = "second" if MARRCNTR = 2 = "third" if MARRCNTR = 3 And so forth. DEFINE HUSBFILL: (Fill for husband's name) IF X = TIMESMAR AND MARSTAT = 1, SET HUSBFILL = CHPNAME. ELSE IF HUSBNAMEX (where X = MARRCNTR) NE DK OR RF, SET HUSBFILL = HUSBNAMEX. ELSE IF HUSBNAMEX = DK OR RF (where X = MARRCNTR), SET HUSBFILL = "your (MARRFILL) husband)"

HUSBANDS (CB)

C_INTRO2 CB-0. The next questions are about your (MARRFILL) marriage.

ENTER [1] to continue

WHMARHX_M

CB-1. In what month and year were you and (HUSBFILL) married?

ENTER month PROBE for season if DK month

[HELP AVAILABLE] [CALENDAR REFERENCE]

1. January	5. May	9. September	13. Winter
2. February	6. June	10. October	14. Spring
3. March	7. July	11. November	15. Summer
4. April	8. August	12. December	16. Fall

WHMARHX_Y

CB-1. (In what month and year were you and (HUSBFILL) married?)

[HELP AVAILABLE] [CALENDAR REFERENCE]

After R has given the year, SAY: Please record husband's initials in the appropriate box on the "Marriage" row of your calendar.

ENTER year in 4 digits _____

UNDERLYING RANGE: 1967 to 2002

FLOW CHECK C-7: COMPUTE CMMARRHX (where X = MARRCNTR): (Century month for date of marriage to husband X)

SET CMMARRHX = null/blank.

IF WHMARHX_Y = RF, SET CMMARRHX = 9998 (RF). ELSE IF WHMARHX_Y = DK, SET CMMARRHX = 9999 (DK).

ELSE IF WHMARHX_M LE 12, COMPUTE CMMARRHX = (WHMARHX_Y - 1900)*12 + WHMARHX_M

ELSE IF 13 LE WHMARHX_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMMARRHX as above.

ELSE IF WHMARHX_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMMARRHX as above.

IF CMMARRHX NE BLANK, ESTABLISH CMMARRHX_FILL.

COMPUTE CMMARRCH: (CM for date of marriage to current husband)

SET CMMARRCH = blank/inapp (if no current husband)
IF MARRCNTR = TIMESMAR AND AB-1 MARSTAT = 1 (married),

SET CMMARRCH = CMMARRHX for this husband

IF (CMMARRHX = blank or DK or RF) OR (WHMARHX_M = 13 or 14 or 15 or 16 or DK or RF), ASK CB-2 AGEMARHX. ELSE GO TO CB-3 HXAGEMAR.

AGEMARHX

CB-2. IF CA-1 TIMESMAR = 1, ASK: How old were you when you got married?

> ELSE IF TIMESMAR GT 1, ASK: How old were you when you got married this (MARRFILL) time?

> > ENTER age in years _____

UNDERLYING RANGE: 10 to 45

EDIT CHECK CB2_1: PROBE IF (CMMARRHX - CMBIRTH)/12 LT 13 OR IF CB-2 AGEMARHX < 13. DISPLAY TEXT: R has reported getting married at an age younger than 13 years. Is this correct?

HXAGEMAR

CB-3. How old was (HUSBFILL) when you got married?

If R says DK, PROBE for the age difference between R and this husband and have her add to or subtract from her age at the marriage. ENTER the resulting value for his age in years.

ENTER age in years _____

UNDERLYING RANGE: 10 to 95

DOBHUSBX_M

CB-4. In what month and year was he born?

ENTER month PROBE for season if DK month

[HELP AVAILABLE] 9. September 13. Winter 10. October 14. Spring 5. May 6. June 7. July 8. August 1. January 14. Spring 15. Summer 2. February 3. March 4. April 11. November 12. December 16. Fall DOBHUSBX Y CB-4. (In what month and year was he born?) [HELP AVAILABLE] ENTER year in 4 digits ____ UNDERLYING RANGE: 1905 to 1992 FLOW CHECK C-8: COMPUTE CMHSBDOBX (where X = MARRCNTR): (CM for husband X's date of birth) SET CMHSBDOBX = null/blank. IF DOBHUSBX_Y = RF, SET CMHSBDOBX = 9998 (RF). ELSE IF DOBHUSBX_Y = DK, SET CMHSBDOBX = 9999 (DK). ELSE IF DOBHUSBX M LE 12, COMPUTE CMHSBDOBX = (DOBHUSBX Y - 1900)*12 + DOBHUSBX M ELSE IF 13 LE DOBHUSBX_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMHSBDOBX as above. ELSE IF DOBHUSBX_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMHSBDOBX as above. IF MARRCNTR = TIMESMAR AND AB-1 MARSTAT = 1 (married), SET CMDOBCH = CMHSBDOBX for this husband (CMDOBCH = CM for current husband's date of birth) EDIT CHECK CB4 1: PROBE IF (CMMARRHX - CMHSBDOBX)/12 LT 13 OR IF CB-4 HXAGEMAR < 13. DISPLAY TEXT: R has reported that this husband was younger than age 13 when they got married. Is this correct? LVTOGHX

CB-5. Some couples live together without being married. By living together, we mean having a sexual relationship while sharing the same usual address. Did you and (HUSBFILL) live together before you got married?

[HELP AVAILABLE]

Yes.....1 No.....5 (Flow Check C-10)

STRTOGHX M

CB-6. In what month and year did you and he first start living together?

ENTER month PROBE for season if DK month

[HELP AVAILABLE]

[CALENDAR REFERENCE]

1.	January	5.	Мау	9.	September	13.	Winter
2.	February	б.	June	10.	October	14.	Spring
3.	March	7.	July	11.	November	15.	Summer
4.	April	8.	August	12.	December	16.	Fall

STRTOGHX_Y

CB-6. (In what month and year did you and he first start living together?)

[HELP AVAILABLE] [CALENDAR REFERENCE]

> After R has reported year, SAY: "If you think it might help you in remembering dates of other things later, you can record the start of your living together with this husband on the calendar in the "Marriage" row."

ENTER year in 4 digits _____

UNDERLYING RANGE: 1967 to 2002

FLOW CHECK C-9: COMPUTE CMPMCOHX (where X = MARRCNTR): (CM for date when they began premarital cohabitation)

SET CMPMCOHX = null/blank.

IF STRTOGHX_Y = RF, SET CMPMCOHX = 9998 (RF). ELSE IF STRTOGHX_Y = DK, SET CMPMCOHX = 9999 (DK).

ELSE IF STRTOGHX_M LE 12, COMPUTE CMPMCOHX = (STRTOGHX_Y - 1900)*12 + STRTOGHX_M

ELSE IF 13 LE STRTOGHX_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMPMCOHX as above.

ELSE IF STRTOGHX_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMPMCOHX as above.

- EDIT CHECK CB5_1: PROBE IF CMMARRHX LE CMPMCOHX. IF CMMARRHX = CMPMCOHX, CHECK WHETHER R DID INDEED BEGIN COHABITING WITH HER HUSBAND IN THE SAME MONTH AS (BUT BEFORE) MARRIAGE.
- EDIT CHECK CB5_2: PROBE IF (CMPMCOHX CMBIRTH)/12 LT 13. DISPLAY TEXT: R has reported that she began living together with this husband when she was younger than 13 years. Is this correct?

ENGAGHX

CB-7. At the time you began living together, were you and he engaged to be married or have definite plans to get married?

Yes1 No5

FLOW CHECK C-10: IF MARRCNTR = 1 OR (MARRCNTR = TIMESMAR AND MARSTAT = 1 or 5
 (married or separated)), ASK CB-8 HISPHX.
 ELSE, GO TO FLOW CHECK C-12.

{ Hisp & Race asked only for 1st or current/separated husbands

HISPHX

CB-8. IF (MARRCNTR = 1 AND TIMESMAR GT 1) OR (MARRCNTR = 1 AND TIMESMAR = 1 AND FMARIT = 2 or 3), ASK: Was (HUSBFILL) Hispanic or Latino, or of Spanish origin?

ELSE IF (MARRCNTR = TIMESMAR AND MARSTAT = 1 or 5), ASK: Is (HUSBFILL) Hispanic or Latino, or of Spanish origin?

> Yes.....1 No.....5

RACEHX

CB-9. Which of the groups on Card 2 describes (HUSBFILL)'s racial background? Please select one or more groups.

ENTER all that apply

NOTE: If R reports a mixture of several races (biracial, mixed, mulatto, etc.), ENTER all groups that are part of the mixture.

[SHOW CARD 2] [HELP AVAILABLE]

> American Indian or Alaska Native1 Asian2 Native Hawaiian or Other Pacific Islander3 Black or African American4 White5

DK OR RF CANNOT BE ENTERED WITH CODES 1 - 5

FLOW CHECK C-11: IF MORE THAN ONE RACE IS CODED FOR CB-9 RACEHX, ASK CB-10 BSTRACHX. ELSE, GO TO FLOW CHECK C-12.

BSTRACHX

CB-10. Which of these groups, that is (RESPONSES FROM CB-9 RACEHX), would you say best describes his racial background?

[HELP AVAILABLE

{ Display only those categories reported in CB-9 RACEHX

FLOW CHECK C-12: IF MARRCNTR = TIMESMAR AND MARSTAT = 1 or 5 (married or separated), ASK CB-11 CHEDMARN. ELSE GO TO CB-12 MARBEFHX.

{ Asked only for current or separated husbands CHEDMARN

CB-11. IF MARSTAT = 1 (married), ASK: Please look at Card 11. What is the highest level of education (CHPNAME) has completed?

> ELSE IF MARSTAT = 5 (separated), ASK: Please look at Card 11. What is the highest level of education your husband has completed?

[SHOW CARD 11]

Graduate or professional school6

MARBEFHX

CB-12. At the time you and he were married, had (HUSBFILL) been married before?

[HELP AVAILABLE]

Yes1 No5

KIDSHX

CB-13. When you and he got married, did he have any children, either biological or adopted, from any previous relationships?

Yes1 No5 (FLOW CHECK C-16)

NUMKDSHX

CB-14. How many children did he have?

ENTER number ____

UNDERLYING RANGE: 1 to 95

KIDLIVHX

CB-15. IF CB-14 NUMKDSHX = 1, ASK: Did this child ever live with you and (HUSBFILL)?

> ELSE IF CB-14 NUMKDSHX > 1, ASK: Did any of his children from previous relationships ever live with you and (HUSBFILL)?

Yes1 No5

FLOW CHECK C-13: IF MARRCNTR = TIMESMAR AND MARSTAT = 1 (married) AND CB-14 NUMKDSHX = 1, ASK CB-16a CHKID18A.

ELSE IF MARRCNTR = TIMESMAR AND MARSTAT = 1 (married) AND CB-14 NUMKDSHX > 1, GO TO CB-16b CHKID18B.

ELSE, GO TO FLOW CHECK C-22.

CHKID18A

CB-16a. Is this child aged 18 years or younger now?

Yes1 (FLOW CHECK C-14) No5 (FLOW CHECK C-14)

CHKID18B

CB-16b. How many, if any, of these [NUMKDSHX] children are aged 18 years or younger now?

ENTER number _____

UNDERLYING RANGE: 0 to 95

EDIT CHECK CB16b_1: PROBE IF CB-16b CHKID18B GT CB-14 NUMKDSHX. DISPLAY TEXT: R has reported a larger number of children 18 and under than the total number of children she said

this husband had when they got married. Has something been entered incorrectly?

FLOW CHECK C-14: IF (CB-16a CHKID18A = 5, DK, OR RF) OR (CB-16b CHKID18B = 0, DK, OR RF), GO TO FLOW CHECK C-22. (USER NOTE: This flow check was specified incorrectly. Instead of routing to Flow Check C-22, it should have routed to Flow Check C-16. See User's Guide section on "Data Quality" for further information.)

WHRCHKDS

CB-17. IF CB-16a CHKID18A = 1, ASK: Where does this child live now? In this household with you and (CHPNAME), with his or her mother, with grandparents or other relatives, or somewhere else?

> ELSE IF CB-16b CHKID18B = 1, ASK: Where does this child aged 18 or younger live now? In this household with you and (CHPNAME), with his or her mother, with grandparents or other relatives, or somewhere else?

ELSE IF CB-16b CHKID18B > 1, ASK: Where do these (CHKID18B) children aged 18 or younger live now? In this household with you and (CHPNAME), with their mother, with grandparents or other relatives, or somewhere else?

[HELP AVAILABLE]

ENTER all that apply

In this household.....1 With their mother.....2 With grandparents or other relatives..3 Somewhere else.....4

EDIT CHECK CB17_1: PROBE IF HHKIDS18 = 0 BUT R HAS REPORTED THAT ANY OF HER HUSBAND'S CHILDREN LIVE ONLY "IN THIS HOUSEHOLD" (CB-17 WHRCHKDS = ONLY 1). DISPLAY TEXT: R has reported that her husband's child(ren) lives with them, but earlier did not report any children 18 or under in the household. Has something been entered incorrectly?

FLOW CHECK C-15: IF CB-17 WHRCHKDS INCLUDES CODES 2 or 3 or 4, ASK CB-18 SUPPORCH. ELSE GO TO FLOW CHECK C-22.

SUPPORCH

CB-18. IF CB-16a CHKID18A = 1 OR CB-16b CHKID18B = 1, ASK: Does (CHPNAME) regularly contribute to the financial support of this child aged 18 or under?

> ELSE IF CB-16b CHKID18B > 1, ASK: Does (CHPNAME) regularly contribute to the financial support of these children aged 18 and under?

READ if necessary: Regular child support is financial support provided at specified intervals, such as every week, every other week, or every month, rather than sporadically.

Yes.....1 No.....5

FLOW CHECK C-16: IF MARRCNTR < TIMESMAR OR (MARRCNTR = TIMESMAR AND AB-1 MARSTAT NE 1 OR 5), ASK CB-19 MARENDHX.

ELSE IF MARRCNTR = TIMESMAR AND MARSTAT = 5 (separated), GO TO CB-22 WNSTPHX.

ELSE IF MARRCNTR = TIMESMAR AND MARSTAT = 1 (married), GO TO FLOW CHECK C-22.

MARENDHX

CB-19. How did your (MARRFILL) marriage end?

READ categories if necessary to prompt R.

[HELP AVAILABLE]

Death of husband1 Divorce2 Annulment3

FLOW CHECK C-17: IF CB-19 MARENDHX = 1, ASK CB-20 WNDIEHX. ELSE IF MARENDHX = 2 or 3, ASK CB-21 DIVDATHX. ELSE IF MARENDHX = DK OR RF, GO TO CB-22 WNSTPHX.

WNDIEHX_M

CB-20. In what month and year did (HUSBFILL) die?

ENTER month PROBE for season if DK month

[CALENDAR REFERENCE]

1. January	5. May	9. September	13. Winter
2. February	6. June	10. October	14. Spring
3. March	7. July	11. November	15. Summer
4. April	8. August	12. December	16. Fall

WNDIEHX_Y

CB-20. (In what month and year did (HUSBFILL) die?)

[CALENDAR REFERENCE]

After R has given the year, SAY: Please record something in the appropriate box in the "Marriage" row of your calendar to indicate when this occurred.

ENTER year in 4 digits _____

UNDERLYING RANGE: 1967 to 2002

FLOW CHECK C-18: COMPUTE CMHSBDIEX (where X=MARRCNTR): (CM for date of husband X's death)

SET CMHSBDIEX = null/blank.

IF WNDIEHX_Y = RF, SET CMHSBDIEX = 9998 (RF). ELSE IF WNDIEHX_Y = DK, SET CMHSBDIEX = 9999 (DK).

ELSE IF WNDIEHX_M LE 12, COMPUTE CMHSBDIEX = (WNDIEHX_Y - 1900)*12 + WNDIEHX_M ELSE IF 13 LE WNDIEHX_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMHSBDIEX as above.

ELSE IF WNDIEHX_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMHSBDIEX as above.

IF CMHSBDIEHX NE BLANK, ESTABLISH CMHSBDIEHX_FILL.

- EDIT CHECK CB20_1: PROBE IF CMHSBDIEX LT CMMARRHX. DISPLAY TEXT: R has reported that her husband died earlier than their marriage. Has one of the dates been entered incorrectly?
- EDIT CHECK CB20_2: PROBE IF CMHSBDIEX LT CMDOBHSBX. DISPLAY TEXT: R has reported that her husband died earlier than his date of birth. Has one of the dates been entered incorrectly?

FLOW CHECK C-19: IF CB-19 MARENDHX=1, GO TO FLOW CHECK C-22.

DIVDATHX_M

CB-21. IF CB-19 MARENDHX = 2, ASK: In what month and year did your divorce become final?

> ELSE IF CB-19 MARENDHX = 3, ASK: In what month and year did your annulment take place?

ENTER month PROBE for season if DK month

[HELP AVAILABLE] [CALENDAR REFERENCE]

1. January	5. May	9. September	13. Winter
2. February	6. June	10. October	14. Spring
3. March	7. July	11. November	15. Summer
4. April	8. August	12. December	16. Fall

DIVDATHX_Y

CB-21. IF CB-19 MARENDHX = 2, DISPLAY: (In what month and year did your divorce become final?)

ELSE IF CB-19 MARENDHX = 3, DISPLAY: (In what month and year did your annulment take place?)

[HELP AVAILABLE] [CALENDAR REFERENCE]

After R has given the year, SAY: Please record something in the appropriate box in the "Marriage" row of your calendar to indicate when this occurred.

ENTER year in 4 digits _____

UNDERLYING RANGE: 1967 to 2002

FLOW CHECK C-20: COMPUTE CMDIVORCX (where X=MARRCNTR): (CM for date of divorce or annulment from husband X)

SET CMDIVORCX = null/blank.

IF DIVDATHX_Y = RF, SET CMDIVORCX = 9998 (RF). ELSE IF DIVDATHX_Y = DK, SET CMDIVORCX = 9999 (DK).

ELSE IF DIVDATHX_M LE 12, COMPUTE CMDIVORCX = (DIVDATHX_Y - 1900)*12 + DIVDATHX_M ELSE IF 13 LE DIVDATHX_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMDIVORCX as above.

ELSE IF DIVDATHX_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMDIVORCX as above.

- EDIT CHECK CB21_1: PROBE IF CMDIVORCX LT CMMARRHX. DISPLAY TEXT: R has reported that the divorce occurred earlier than their marriage. Has one of the dates been entered incorrectly?
- EDIT CHECK CB21_2: PROBE IF CMDIVORCX LT CMDOBHSBX. DISPLAY TEXT: R has reported that the divorce occurred earlier than her husband's date of birth. Has one of the dates been entered incorrectly?

WNSTPHX_M

CB-22. IF MARRCNTR = TIMESMAR AND MARSTAT = 5 (separated), ASK: In what month and year did you and (HUSBNAMEX/your husband) stop living together? (IF NECESSARY, SAY: When did you stop living together most recently?)

> ELSE ASK: In what month and year did you and (HUSBFILL) stop living together for the last time?

ENTER month PROBE for season if DK month

[HELP AVAILABLE] [CALENDAR REFERENCE]

1.	January	5.	Мау	9.	September	13.	Winter
2.	February	6.	June	10.	October	14.	Spring
3.	March	7.	July	11.	November	15.	Summer
4.	April	8.	August	12.	December	16.	Fall

WNSTPHX_Y

CB-22. IF MARRCNTR = TIMESMAR AND MARSTAT = 5 (separated), DISPLAY: (In what month and year did you and (HUSBNAMEX/your husband) stop living together?)

> ELSE DISPLAY: (In what month and year did you and (HUSBFILL) stop living together for the last time?)

[HELP AVAILABLE] [CALENDAR REFERENCE]

> After R has reported year, SAY: "If you think it might help you in remembering dates of other things later, you can record the end of your living together with this husband on the calendar in the "Marriage" row."

ENTER year in 4 digits _____

UNDERLYING RANGE: 1967 to 2002

FLOW CHECK C-21: COMPUTE CMSTPHSBX (where X=MARRCNTR): (CM for date R last lived with husband X) SET CMSTPHSBX = null/blank.

> IF WNSTPHX_Y = RF, SET CMSTPHSBX = 9998 (RF). ELSE IF WNSTPHX_Y = DK, SET CMSTPHSBX = 9999 (DK).

ELSE IF WNSTPHX_M LE 12, COMPUTE CMSTPHSBX = (WNSTPHX_Y - 1900)*12 + WNSTPHX_M

ELSE IF 13 LE WNSTPHX_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMSTPHSBX as above.

ELSE IF WNSTPHX_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMSTPHSBX as above.

- EDIT CHECK CB22_1: PROBE IF CMSTPHSBX LT CMMARRHX. DISPLAY TEXT: R has reported that she stopped living with her husband earlier than their marriage. Has one of the dates been entered incorrectly?
- EDIT CHECK CB22_2: PROBE IF CMSTPHSBX LT CMDOBHSBX. DISPLAY TEXT: R has reported that she stopped living with her husband before his date of birth. Has one of the dates been entered incorrectly?
- EDIT CHECK CB22_3: PROBE IF CMSTPHSBX GT CMDIVORCX. DISPLAY TEXT: R has reported that she stopped living with this former husband after their divorce. Is this correct?

FLOW CHECK C-22: IF MARRCNTR = TIMESMAR, THEN DO:

COMPUTE PREVHUSE:

= NUMBER OF PREVIOUS (NONCURRENT) HUSBANDS (separated husbands should be counted here)

(Count all husbands with MARENDHX NE BLANK, AND ADD 1 if FMARIT = 4.)

= 0 if FMARIT = 5 or 0(never married).

THEN GO TO FLOW CHECK C-23.

ELSE IF MARRCNTR LT TIMESMAR, ADVANCE MARRCNTR BY 1 AND RETURN TO FLOW CHECK C-6b TO ASK ABOUT NEXT HUSBAND.

FLOW CHECK C-23: IF MANREL = 2 (male cohab partner) OR AB-1 MARSTAT = 2 (cohabiting), CONTINUE WITH FLOW CHECK C-24.

ELSE IF MANREL = 1 (husband) or blank AND MARSTAT NE 2, GO TO FLOW CHECK C-31.

ELSE IF FMARIT = 5 or 0 (never married), GO TO C-INTRO4.

CURRENT COHABITING PARTNER (CC)

FLOW CHECK C-24: IF CHPNAME = BLANK AND AB-1 MARSTAT = 2 (cohabiting), ASK CC-0 CPNAME. ELSE IF CHPNAME NE BLANK AND AB-1 MARSTAT = 2 (cohabiting), GO TO C_INTRO3 CC-1.

CPNAME

CC-0. Earlier, you told me that you are living with a male partner. Please tell me his first name or initials, so that I can refer to him in the interview.

Name or initials _____

FLOW CHECK C-25: IF NAME OR INITIALS GIVEN IN CC-0 CPNAME, SET CHPNAME =
 CPNAME. ELSE IF CPNAME = DK OR RF, SET CHPNAME = "your
 partner."

GO TO CC-2 WNSTRTCP.

C_INTRO3

CC-1. Earlier, you told me you and (CHPNAME) are living together. The next questions are about your relationship with him.

ENTER [1] to continue

WNSTRTCP_M

CC-2. In what month and year did you and (CHPNAME) begin living together?

ENTER month PROBE for season if DK month

[CALENDAR REFERENCE]

January February	May June	September October	 Winter Spring
 March April	July August	November December	 Summer Fall

WNSTRTCP Y

CC-2. (In what month and year did you and (CHPNAME) begin living together?)

[CALENDAR REFERENCE]

After R has given the year, SAY: Please record your partner's initials in the appropriate box on the "Cohabitation" row of your calendar.

ENTER year in 4 digits _____

UNDERLYING RANGE: 1967 to 2002

FLOW CHECK C-26: COMPUTE CMSTRTCP: (CM for date when R began living with current cohab partner)

SET CMSTRTCP = null/blank.

IF WNSTRTCP_Y = RF, SET CMSTRTCP = 9998 (RF). ELSE IF WNSTRTCP_Y = DK, SET CMSTRTCP = 9999 (DK). ELSE IF WNSTRTCP_M LE 12, COMPUTE CMSTRTCP = (WNSTRTCP_Y - 1900)*12 + WNSTRTCP_M

ELSE IF 13 LE WNSTRTCP_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMSTRTCP as above.

ELSE IF WNSTRTCP_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMSTRTCP as above.

IF (CMSTRTCP = blank or DK or RF) OR (WNSTRTCP_M = 13 or 14 or 15 or 16 or DK or RF), ASK CC-3 CPHERAGE. ELSE GO TO CC-4 CPHISAGE.

CPHERAGE

CC-3. How old were you when you began living with (CHPNAME)?

ENTER age in years _____

UNDERLYING RANGE: 10 to 45

EDIT CHECK CC3_1: PROBE IF (CMSTRTCP - CMBIRTH)/12 LT 13 OR IF CC-3 CPHERAGE < 13. DISPLAY TEXT: R has reported that she started living with this partner at an age younger than 13 years. Is this correct?

CPHISAGE

CC-4. How old was (CHPNAME) when you began living together?

If R says DK, PROBE for the age difference between R and this husband and have her add to or subtract from her age at the marriage. ENTER the resulting value for age in years.

ENTER age in years _____

UNDERLYING RANGE: 10 to 95

WNCPBRN_M

CC-5. In what month and year was (CHPNAME) born?

ENTER month PROBE for season if DK month

1. January	5. May	9. September	13. Winter
2. February	6. June	10. October	14. Spring
3. March	7. July	11. November	15. Summer
4. April	8. August	12. December	16. Fall

WNCPBRN_Y

CC-5. (In what month and year was (CHPNAME) born?)

ENTER year in 4 digits _____

UNDERLYING RANGE: 1905 to 1992

FLOW CHECK C-27: COMPUTE CMDOBCP: (CM for current cohab partner's date of birth)

SET CMDOBCP = null/blank.

IF WNCPBRN_Y = RF, SET CMDOBCP = 9998 (RF). ELSE IF WNCPBRN_Y = DK, SET CMDOBCP = 9999 (DK).

ELSE IF WNCPBRN_M LE 12, COMPUTE CMDOBCP = (WNCPBRN_Y - 1900)*12 + WNCPBRN_M

ELSE IF 13 LE WNCPBRN_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMDOBCP as above.

ELSE IF WNCPBRN_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMDOBCP as above.

EDIT CHECK CC5_1: PROBE IF (CMSTRTCP - CMDOBCP)/12 LT 13 OR IF CC-4 CPHISAGE < 13. DISPLAY TEXT: R has reported that this partner was younger than age 13 when they began living together. Is this correct?

CPENGAG1

CC-6. At the time you began living together, were you and he engaged to be married or have definite plans to get married?

Yes1 No5

WILLMARR

CC-7. Please look at Card 21. What is the chance that you and [CHPNAME] will marry each other?

[SHOW CARD 21]

No chance1 A little chance2 50-50 chance3 A pretty good chance4 An almost certain chance5

CPHISP

CC-8. Is (CHPNAME) Hispanic or Latino, or of Spanish origin?

YES.....1 NO.....5

CPRACE

CC-9. Which of the groups on Card 2 describes (CHPNAME)'s racial background? Please select one or more groups.

ENTER all that apply

NOTE: If R reports a mixture of several races (biracial, mixed, mulatto, etc.), ENTER all groups that are part of the mixture.

[SHOW CARD 2] [HELP AVAILABLE]

> American Indian or Alaska Native1 Asian2 Native Hawaiian or Other Pacific Islander3 Black or African American4 White5

DK OR RF CANNOT BE ENTERED WITH CODES 1 - 5

FLOW CHECK C-28: IF MORE THAN ONE RACE CODED FOR CPRACE, ASK CC-10 CPBESTR. ELSE, GO TO CC-11 CPEDUC.

CPBESTR

CC-10. Which of these groups, that is (RESPONSES FROM CC-9 CPRACE), would you say best describes (CHPNAME)'s racial background?

[HELP AVAILABLE] { Display only those categories reported in CC-9 CPRACE

CPEDUC

CC-11. Please look at Card 11. What is the highest level of education (CHPNAME) has completed?

[SHOW CARD 11]

CPMARBEF

CC-12. Has (CHPNAME) ever been married?

[HELP AVAILABLE]

YES.....1 NO.....5

CPKIDS

CC-13. When you and (CHPNAME) first began living together, did he have any children, either biological or adopted, from any previous relationships?

> Yes.....1 No.....5 (FLOW CHECK C-31)

CPNUMKDS

CC-14. How many children did he have?

ENTER number ____

UNDERLYING RANGE: 1 to 95

CPKIDLIV

CC-15. IF CC-14 CPNUMKDS = 1, ASK: Did this child ever live with you and (CHPNAME)?

> ELSE IF CC-14 CPNUMKDS > 1, ASK: Did any of his children from previous relationships ever live with you and (CHPNAME)?

Yes1 No5

FLOW CHECK C-28b: IF CC-14 CPNUMKDS = 1, ASK CC-16a CPKID18A. ELSE IF CC-14 CPNUMKDS > 1, GO TO CC-16b CPKID18B.

CPKID18A

CC-16a. Is this child aged 18 years or younger now?

Yes1 (FLOW CHECK C-29) No5 (FLOW CHECK C-29)

CPKID18B

CC-16b. How many, if any, of these [CPNUMKDS] children, are aged 18 years or younger now?

ENTER number _____

UNDERLYING RANGE: 0 to 95

- EDIT CHECK CC16b_1: PROBE IF CC-16b CPKID18B GT CC-14 CPNUMKDS. DISPLAY TEXT: R has reported a larger number of children 18 and under than the total number of children she said this partner had when they began living together. Has something been entered incorrectly?
- FLOW CHECK C-29: IF (CC-16a CPKID18A = 5, DK, OR RF) OR (CC-16b CPKID18B = 0, DK, OR RF), GO TO FLOW CHECK C-31.

WHRCPKDS

CC-17. IF CC-16a CPKID18A = 1, ASK: Where does this child live now? In this household with you and (CHPNAME), with his or her mother, with grandparents or other relatives, or somewhere else?

> ELSE IF CC-16b CPKID18B = 1, ASK: Where does this child aged 18 or younger live now? In this household with you and (CHPNAME), with his or her mother, with grandparents or other relatives, or somewhere else?

ELSE IF CC-16b CPKID18B > 1, ASK: Where do these (CPKID18B) children aged 18 or younger live now? In this household with you and (CHPNAME), with their mother, with grandparents or other relatives, or somewhere else?

[HELP AVAILABLE]

ENTER all that apply

In this household.....1 With their mother.....2 With grandparents or other relatives..3 Somewhere else.....4

- EDIT CHECK CC17_1: PROBE IF HHKIDS18 = 0 BUT R HAS REPORTED THAT ANY OF HER PARTNER'S CHILDREN LIVE ONLY "IN THIS HOUSEHOLD" (CC-17 WHRCPKDS = ONLY 1). DISPLAY TEXT: R has reported that her partner's child(ren) lives with them, but earlier did not report any children 18 or under in the household. Has something been entered incorrectly?
- FLOW CHECK C-30: IF CC-17 WHRCPKDS INCLUDES CODES 2 or 3 or 4, ASK CC-18 SUPPORCP. ELSE GO TO FLOW CHECK C-31.

SUPPORCP

IF CC-16a CPKID18A = 1 OR CC-16b CPKID18B = 1, ASK: CC-18. Does (CHPNAME) regularly contribute to the financial support of this child? ELSE IF CC-16b CPKID18B > 1, ASK: Does (CHPNAME) regularly contribute to the financial support of these children? READ if necessary: Regular child support is financial support provided at specified intervals, such as every week, every other week, or every month, rather than sporadically. Yes.....1 No.....5 FLOW CHECK C-31: COMPUTE CMSTRTHP: (CM for date when R began living with current husband or cohabiting partner) IF AB-1 MARSTAT = 3 or 4 or 5 or 6 or DK or RF (or if the necessary CM variables are null/blank), SET CMSTRTHP = null/blank. ELSE IF MARSTAT = 1 (married) THEN: CMSTRTHP = EARLIER VALUE OF CMMARRCH and CMPMCOHX for current husband ELSE IF MARSTAT = 2 (cohabiting) THEN: CMSTRTHP = CMSTRTCP. IF FMARIT = 5 or 0 (never married) AND MARSTAT NE 2, CONTINUE WITH C_INTRO4 CD-0. ELSE IF (FMARIT = 1 or 2 or 3 or 4) OR MARSTAT = 2, GO TO

FORMER (non-current) COHABITING PARTNERS (CD)

CD-1 LIVEOTH.

C INTRO4

CD-0. Some couples live together without being married. By living together, we mean having a sexual relationship while sharing the same usual address.

ENTER [1] to continue

LIVEOTH

CD-1. IF (CHPNAME = BLANK OR ONE OR MORE HUSBNAMEX = DK OR RF), ASK: Not counting anyone we've already talked about, have you ever lived together with any other man?

ELSE IF CHPNAME NE BLANK AND NO DK OR RF VALUES ON HUSBNAMEX), ASK: Besides (CHPNAME AND (fill in all husbands named in HUSBNAMEX)), have you ever lived together with any other man?

ELSE IF CHPNAME = BLANK AND FMARIT = 5 or 0 (never married), ASK: Have you ever lived together with a man?

NOTE: Do not count "dating" or "sleeping over" as living together. Living together means having a sexual relationship while sharing the same <u>usual</u> address.

[HELP AVAILABLE]

Yes....1

No.....5

FLOW CHECK C-32: COMPUTE EVRCOHAB: (Whether R has ever lived with a man outside of marriage)

> EVRCOHAB = 1 (YES) IF CD-1 LIVEOTH = 1 (yes) OR IF MANREL = 2 OR IF AB-1 MARSTAT = 2 OR IF CB-5 LIVTOGHX = 1 (yes) for any husband

EVRCOHAB = 5 (NO) OTHERWISE.

IF LIVEOTH = 1 (yes), ASK CD-2 HMOTHMEN. ELSE IF LIVEOTH NE 1, GO TO FLOW CHECK C-34.

HMOTHMEN

CD-2. IF MANREL = 1 or 2 OR FMARIT = 1 or 2 or 3 or 4, ASK: With how many other men have you ever lived?

> ELSE IF MANREL = BLANK AND FMARIT = 5 or 0, ASK: With how many men have you ever lived?

> > NOTE: Do not count husbands R lived with prior to marriage. Do not count R's current cohabiting partner.

ENTER number _____

UNDERLYING RANGE: 1 to 95 (allow space for 8 in looping)

FLOW CHECK C-33: IF CD-2 HMOTHMEN = DK OR RF, GO TO FLOW CHECK C-34.

OTHMANX

CD-3. IF (MANREL = 1 or 2 OR FMARIT = 1 or 2 or 3 or 4) AND CD-2 HMOTHMEN = 1, ASK: Please tell me the first name or the initials of the other man you lived with so that I can refer to him during the interview.

ELSE IF (MANREL = BLANK AND FMARIT = 5 or 0) AND CD-2 HMOTHMEN = 1, ASK: Please tell me the first name or the initials of the man you lived with so that I can refer to him during the interview.

ELSE IF (MANREL = 1 or 2 OR FMARIT = 1 or 2 or 3 or 4) AND (2 LE CD-2 HMOTHMEN LE 8), ASK: Starting with the first one, please tell me the first names or the initials of the other men you lived with so that I can refer to them during the interview.

ELSE IF (MANREL = BLANK AND FMARIT = 5 or 0) AND (2 LE CD-2 HMOTHMEN LE 8), ASK: Starting with the first one, please tell me the first names or the initials of the men you lived with so that I can refer to them during the interview.

ELSE IF (MANREL = 1 or 2 OR FMARIT = 1 or 2 or 3 or 4) AND CD-2 HMOTHMEN GT 8, ASK: In order to save time during the interview, I will only ask you about the first 8 men with whom you lived. Starting with the first one, please tell me the first names or the initials of the other men you lived with so that I can refer to them during the interview.

NSFG Cycle 6 Main Study (FEMALE questionnaire) Section C (fn=CfemC6CRQ.doc) ELSE IF (MANREL = BLANK AND FMARIT = 5 or 0) AND CD-2 HMOTHMEN GT 8, ASK: In order to save time during the interview, I will only ask you about the first 8 men with whom you lived. Starting with the first one, please tell me the first names or the initials of the men you lived with so that I can refer to them during the interview. { Space for names/initials EDIT CHECK CD3_1: (very soft edit) PROBE IF NAME/INITIALS REPORTED IN CD-3 OTHMANX IS SAME AS NAME OF A HUSBAND OR CURRENT COHABITING PARTNER (in CA-2 HUSBNAMEX OR CHPNAME). DISPLAY TEXT: Just to make sure I haven't entered something incorrectly, is this man someone different from the man named (HUSBNAMEX or CHPNAME) we have already talked about? FLOW CHECK C-34: DEFINE PREVCOHB: (Number of former cohabiting partners) IF EVRCOHAB = NO PREVCOHB = 0IF CD-2 HMOTHMEN = DK OR RF OR IF CD-1 LIVEOTH = NO, DK, OR RF OR PREVCOHB = HMOTHMEN IF PREVCOHB = 0, GO TO FLOW CHECK C-41. ELSE, CONTINUE WITH FLOW CHECK C-34b. FLOW CHECK C-34b: DETERMINE WHICH FORMER COHABITING PARTNER TO DISCUSS. INCREASE COHBCNTR BY 1. IF HMOTHMEN = 1, SET NTH = blank ELSE IF HMOTHMEN GT 1, USE "1st" for nth if COHBCNTR = 1 USE "2nd" for nth if COHBCNTR = 2, and so forth. DEFINE COHBFILL: (Name fill for each former cohabiting partner) IF OTHMANX NE DK OR RF, SET COHBFILL = OTHMANX (where X = COHBCNTR).ELSE IF OTHMANX = DK OR RF, SET COHBFILL = "your (nth) partner" ASK CD-4 TO CD-14 FOR EACH FORMER COHABITING PARTNER (up to a max of 8). STRTOTHX M CD-4. In what month and year did you and (COHBFILL) begin living together? ENTER month PROBE for season if DK month

[HELP AVAILABLE] [CALENDAR REFERENCE]

1.	January	5.	May	9.	September	13.	Winter
2.	February	б.	June	10.	October	14.	Spring
3.	March	7.	July	11.	November	15.	Summer
4.	April	8.	August	12.	December	16.	Fall

NSFG Cycle 6 Main Study (FEMALE questionnaire) Section C (fn=CfemC6CRQ.doc) STRTOTHX Y CD-4. (In what month and year did you and (COHBFILL) begin living together?) [HELP AVAILABLE] [CALENDAR REFERENCE] After R has given the year, SAY: Please record this partner's initials in the appropriate box on the "Cohabitation" row of your calendar. ENTER year in 4 digits _____ UNDERLYING RANGE: 1967 to 2002 FLOW CHECK C-35: COMPUTE CMCOHSTX: (CM for date R began living with former cohabiting partner X) SET CMCOHSTX = null/blank. IF STRTOTHX Y = RF, SET CMCOHSTX = 9998 (RF). ELSE IF STRTOTHX Y = DK, SET CMCOHSTX = 9999 (DK). ELSE IF STRTOTHX M LE 12, COMPUTE CMCOHSTX = (STRTOTHX_Y - 1900)*12 + STRTOTHX_M ELSE IF 13 LE STRTOTHX M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMCOHSTX as above. ELSE IF STRTOTHX_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMCOHSTX as above. IF CMCOHSTX NE BLANK, ESTABLISH CMCOHSTX FILL. IF (CMCOHSTX = blank or DK or RF) OR (STRTOTHX M = 13 or 14 or 15 or 16 or DK or RF), ASK CD-5 HERAGECX.

HERAGECX

CD-5. How old were you when you began living with (COHBFILL)?

ELSE GO TO EDIT CHECK CD5_1.

ENTER age in years _____

UNDERLYING RANGE: 10 to 45

EDIT CHECK CD5_1: PROBE IF (CMCOHSTX - CMBIRTH)/12 LT 13 OR IF CD-5 CXHERAGE < 13. DISPLAY TEXT: R has reported that she started living with this partner at an age younger than 13 years. Is this correct?

HISAGECX

CD-6. How old was he when you began living together?

If R says DK, PROBE for the age difference between R and this partner and have her add to or subtract from her age at the start of the cohabitation. ENTER this resulting value for age in years.

ENTER age in years _____

UNDERLYING RANGE: 10 to 95

WNBRNCX_M

CD-7. In what month and year was he born?

ENTER month

	PROBE	for season if DK month			
1.	January	5. May	9.	September	13. Winter
2.	February	6. June	10.	October	14. Spring
3.	March	7. July	11.	November	15. Summer
4.	April	8. August	12.	December	16. Fall

WNBRNCX_Y

CD-7. (In what month and year was he born?)

ENTER year in 4 digits _____

UNDERLYING RANGE: 1905 to 1992

FLOW CHECK C-36: COMPUTE CMDOBCX: (CM for this former cohabiting partner's date of birth)

SET CMDOBCX = null/blank.

IF WNBRNCX_Y = RF, SET CMDOBCX = 9998 (RF). ELSE IF WNBRNCX_Y = DK, SET CMDOBCX = 9999 (DK).

ELSE IF WNBRNCX_M LE 12, COMPUTE CMDOBCX = (WNBRNCX_Y - 1900)*12 + WNBRNCX_M

ELSE IF 13 LE WNBRNCX_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMDOBCX as above.

ELSE IF WNBRNCX_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMDOBCX as above.

EDIT CHECK CD7_1: PROBE IF (CMCOHSTX - CMDOBCX)/12 LT 13 OR IF CD-6 CXHISAGE < 13. DISPLAY TEXT: R has reported that this partner was younger than age 13 when they began living together. Is this correct?

ENGAG1CX

CD-8. At the time you began living together, were you and he engaged to be married or have definite plans to get married?

Yes1 No5

FLOW CHECK C-37: IF COHBCNTR = 1, ASK CD-9 HISPCX. ELSE GO TO CD-12 MAREVCX.

{ Ask only for 1st former CP HISPCX CD-9. Was (COHBFILL) Hispanic or Latino, or of Spanish origin?

> Yes1 No5

NSFG Cycle 6 Main Study (FEMALE questionnaire) Section C (fn=CfemC6CRQ.doc) { Ask only for 1st former CP RACECX CD-10. Which of the groups on Card 2 describes (COHBFILL)'s racial background? Please select one or more groups. ENTER all that apply NOTE: If R reports a mixture of several races (biracial, mixed, mulatto, etc.), ENTER all groups that are part of the mixture. [SHOW CARD 2] [HELP AVAILABLE] American Indian or Alaska Native1 Asian2 Native Hawaiian or Other Pacific Islander3 Black or African American4 DK OR RF CANNOT BE ENTERED WITH CODES 1 - 5 FLOW CHECK C-38: IF MORE THAN ONE RACE CODED FOR RACECX, ASK CD-11 BSTRACCX. ELSE, GO TO CD-12 MAREVCX. { Ask only for 1st former CP if more than 1 race reported BSTRACCX CD-11. Which of these groups, that is (RESPONSES FROM CD-10 RACECX), would you say best describes his racial background? [HELP AVAILABLE] { Display only those categories reported in CD-10 RACECX MAREVCX CD-12. When you began living together, had (COHBFILL) ever been married? [HELP AVAILABLE] Yes.....1 No.....5 CXKIDS CD-13. When you and he began living together, did he have any children, either biological or adopted, from any previous relationships? Yes....1 No....5 STPTOGCX M CD-14. In what month and year did you and (COHBFILL) stop living together for the last time? ENTER month PROBE for season if DK month [CALENDAR REFERENCE] 9.September13. Winter10.October14. Spring11.November15. Summer12.December16. Fall 9. September 10. October 1. January 5. May 2. February 6. June 2. 1... 3. March 7. July 8. August

STPTOGCX Y

4. April

CD-14. (In what month and year did you and (COHBFILL) stop living together for the last time?)

After R has given the year, SAY: Please record something in the appropriate box in the "Cohabitation" row of your calendar to indicate when this occurred.

[CALENDAR REFERENCE]

ENTER year in 4 digits _____

UNDERLYING RANGE: 1967 to 2002

FLOW CHECK C-39: COMPUTE CMSTPCOHX:

(CM for date when R stopped cohabiting with this partner X)

SET CMSTPCOHX = null/blank.

IF STPTOGCX_Y = RF, SET CMSTPCOHX = 9998 (RF). ELSE IF STPTOGCX_Y = DK, SET CMSTPCOHX = 9999 (DK).

ELSE IF STPTOGCX_M LE 12, COMPUTE CMSTPCOHX = (STPTOGCX_Y - 1900)*12 + STPTOGCX_M

ELSE IF 13 LE STPTOGCX_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMSTPCOHX as above.

ELSE IF STPTOGCX_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMSTPCOHX as above.

- EDIT CHECK CD14_1: PROBE IF CMSTPCOHX < CMCOHSTX. DISPLAY TEXT: R has reported that she stopped living with the partner before she began living with him. Has one of the dates been entered incorrectly?
- EDIT CHECK CD14_2: THE DATES R LIVED WITH NON-CURRENT, NON-MARITAL PARTNERS SHOULD NOT OVERLAP WITH MARRIAGES EXCEPT DURING PERIOD OF SEPARATION. COMPARE CMCOHSTX AND CMSTPCOHX WITH CMMARRHX AND CMSTPHSBX FOR ALL HUSBANDS. PROBE IF OVERLAP OCCURS.
- EDIT CHECK CD14_3: THE DATES R LIVED WITH NON-CURRENT, NON-MARITAL PARTNERS CANNOT OVERLAP WITH PREMARITAL COHABITATIONS WITH HUSBANDS. COMPARE CMCOHSTX AND CMSTPCOHX WITH CMPMCOHX FOR ALL HUSBANDS. PROBE IF OVERLAP OCCURS.
- EDIT CHECK CD14_4: THE DATES R LIVED WITH NON-CURRENT, NON-MARITAL PARTNERS CANNOT OVERLAP WITH HER CURRENT COHABITATION WITH A PARTNER. COMPARE CMCOHSTX AND CMSTPCOHX WITH CMSTRTCP. PROBE IF OVERLAP OCCURS.

EDIT CHECK CD14_5: COHABITATION DATES WITH DIFFERENT PARTNERS CANNOT OVERLAP EACH OTHER. COMPARE CMCOHSTX AND CMSTPCOHX FOR EACH "X" PARTNER REPORTED. PROBE IF OVERLAP OCCURS.

FLOW CHECK C-40: IF COHBCNTR LT HMOTHMEN LT 8, RETURN TO FLOW CHECK C-34b TO ASK ABOUT NEXT FORMER COHABITING PARTNER.

ELSE IF COHBCNTR = HMOTHMEN OR IF COHBCNTR = 8, CONTINUE WITH FLOW CHECK C-41.

EVER HAD INTERCOURSE (CE)

FLOW CHECK C-41: IF FMARIT = 5 or 0 (never married) AND EVRCOHAB = 5 (no) AND EVERPREG = 5 (no), ASK CE-1 EVERSEX. ELSE IF (FMARIT = 1, 2, 3, or 4) OR (CA-1 TIMESMAR GE 1) OR EVRCOHAB = 1 (yes) OR EVERPREG = 1 (yes), GO TO CE-3 WNFSTSEX.

EVERSEX

CE-1. At any time in your life, have you ever had sexual intercourse with a man, that is, made love, had sex, or gone all the way?

NOTE: <u>Do not</u> count oral sex, anal sex, heavy petting, or other forms of sexual activity that do not involve vaginal penetration. Do not count sex with a female partner.

Yes1 No5

FLOW CHECK C-42: COMPUTE RHADSEX: (Whether R has ever had vaginal intercourse with a male)

RHADSEX = 1 (yes)	IF	CE-1 EVERSEX = YES
	OR	FMARIT = 1, 2, 3, or 4
	OR	CA-1 TIMESMAR GE 1
	OR	EVRCOHAB = YES
	OR	EVERPREG = YES

RHADSEX = 5 (no) IF CE=1 EVERSEX = NO, DK, OR RF.

IF RHADSEX = NO, ASK CE-2 YNOSEX. ELSE IF RHADSEX = YES, GO TO FLOW CHECK C-43.

YNOSEX

CE-2. As you know, some people have had sexual intercourse by your age and others have not. Please look at Card 22? which lists some reasons that people give for not having sexual intercourse.

What would you say is the \underline{most} important reason why you have not had sexual intercourse up to now?

[SHOW CARD 22]

FLOW CHECK C-43: IF RHADSEX = YES, ASK CE-3 WNFSTSEX. ELSE IF RHADSEX = NO, GO TO FLOW CHECK C-48.

WNFSTSEX_M

CE-3. Please look at the calendar and think back to the very first time in your life that you ever had sexual intercourse with a man. In what month and year was that?

ENTER 96 if R insists that she has never had sexual intercourse.

NOTE: This is one of the most important questions in the survey! It marks the beginning of R's exposure to the risk of pregnancy.

If R refuses, stress the importance of the questions and the confidential nature of her response.

If R does not know the date, probe extensively using the calendar and other reference dates.

Sexual intercourse here refers to a sexual encounter between a man and a woman, in which the penis enters the vagina.

NOTE: <u>Do not</u> count oral sex, anal sex, heavy petting, or other forms of sexual activity that do not involve vaginal penetration. Do not count sex with a female partner.

ENTER month PROBE for season if DK month

[HELP AVAILABLE] [CALENDAR REFERENCE]

1.	January	5.	May	9.	September	13.	Winter
2.	February	6.	June	10.	October	14.	Spring
3.	March	7.	July	11.	November	15.	Summer
4.	April	8.	Auqust	12.	December	16.	Fall

{ YEAR IS ASKED ONLY IF WNFSTSEX_M NE 96 WNFSTSEX_Y

CE-3. IF WNFSTSEX_M NE 96, DISPLAY:

(Please look at the calendar and think back to the very first time in your life that you ever had sexual intercourse with a man. In what month and year was that?)

NOTE: This is one of the most important questions in the survey! It marks the beginning of R's exposure to the risk of pregnancy. If R refuses, stress the importance of the questions and the confidential nature of her response. If R does not know the date, probe extensively using the calendar and other reference dates.

NOTE: <u>Do not</u> count oral sex, anal sex, heavy petting, or other forms of sexual activity that do not involve vaginal penetration. Do not count sex with a female partner.

{ AFTER R HAS GIVEN THE YEAR, INTERVIEWER SHOULD SAY:

Please record this event in the appropriate box in the "First Partner" row of your calendar. You might use FSEX or some other notation that you will recognize later.

[HELP AVAILABLE] [CALENDAR REFERENCE]

ENTER year in 4 digits _____

UNDERLYING RANGE: 1957 to 2002

FLOW CHECK C-44: COMPUTE CMFSTSEX: (CM for date of first vaginal intercourse with a male) SET CMFSTSEX = null/blank. IF WNFSTSEX_Y = RF, SET CMFSTSEX = 9998 (RF). ELSE IF WNFSTSEX Y = DK, SET CMFSTSEX = 9999 (DK). ELSE IF WNFSTSEX_M LE 12, COMPUTE CMFSTSEX = (WNFSTSEX_Y - 1900)*12 + WNFSTSEX_M ELSE IF 13 LE WNFSTSEX M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMFSTSEX as above. IF WNFSTSEX_M = 96, SET CMFSTSEX = 9996 (R has never had sex) AND RESET RHADSEX = NO. ELSE IF WNFSTSEX_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMFSTSEX as above. IF CMFSTSEX NE BLANK AND CMFSTSEX LT 9996, ESTABLISH CMFSTSEX FILL. COMPUTE FLGSXDK1: (Flag indicating reporting of season or DK/RF on CE-3 WNFSTSEX_M) IF 13 LE WNFSTSEX M LE 16, SET FLGSXDK1 = 1. ELSE IF WNFSTSEX M = DK/RF, SET FLGSXDK1 = 2. ELSE IF WNFSTSEX_M = 96, SET FLGSXDK1 = 3. ELSE SET FLGSXDK1 = 0. IF CMFSTSEX NE BLANK AND (CMFSTSEX < 9996 OR CMFSTSEX = DK OR RF), ASK CE-4 AGEFSTSX. ELSE IF CMFSTSEX = 9996, GO TO FLOW CHECK C-48. EDIT CHECK CE3_1: PROBE IF CMFSTSEX > CMPG1BEG + 2 (date when 1st pregnancy began + 2 months leeway). DISPLAY TEXT: R has reported first having sexual intercourse more than 2 months after the computer has calculated that her 1st pregnancy began. Is this correct? AGEFSTSX

CE-4. That very first time that you had sexual intercourse with a man, how old were you?

[HELP AVAILABLE] [CALENDAR REFERENCE]

> IF NECESSARY: Suggest to R that she look at her calendar to verify her age at first sex (for example, if it occurred in the same month as her birthday).

ENTER age in years _____

UNDERLYING RANGE: 0 to 45

EDIT CHECK CE4_1: PROBE IF INT(CMFSTSEX - CMBIRTH)/12) IS INCONSISTENT WITH CE-4 AGEFSTSX. DISPLAY TEXT: R has reported an age at first sex that appears inconsistent with the mo/yr when she first had sex. Has something been entered incorrectly?

FLOW CHECK C-45: IF CE-4 AGEFSTSX = DK OR RF, ASK CE-5 C_SEX18. ELSE GO TO FLOW CHECK C-46.

C_SEX18

CE-5. Were you less than 18 years old or were you 18 years or older?

Less than 18 years.....1 18 years or older.....2

FLOW CHECK C-45b: IF CE-5 C_SEX18 = 1 OR DK, ASK CE-6 C_SEX15. ELSE IF C_SEX18 = 2, GO TO CE-7 C_SEX20. ELSE IF C_SEX18 = RF, GO TO FLOW CHECK C-46.

C_SEX15

CE-6. Were you less than 15 years old or were you 15 or older?

Less than 15 years.....1 15 years or older.....2

FLOW CHECK C-45c: IF CE-6 C_SEX15 = 1, 2, DK, or RF, GO TO FLOW CHECK C-46.

C_SEX20

CE-7. Were you less than 20 years old or were you 20 or older?

Less than 20 years.....1 20 years or older.....2

FLOW CHECK C-46: IF CE-4 AGEFSTSX GT 17 OR (CE-4 AGEFSTSX = DK OR RF AND CE-5 C_SEX18 = 2), GO TO FLOW CHECK C-47.

GRFSTSX

CE-8. What grade or year of school were you in that first time you had intercourse with a male?

[HELP AVAILABLE]

ENTER 96 if R was not in school when she first had intercourse

1st grade1
2nd grade
3rd grade
4th grade
5th grade
5
6th grade
7th grade7
8th grade
9th grade9
10th grade10
11th grade11
12th grade
1st year of college
2nd year of college14
3rd year of college
4th year of college

UNDERLYING RANGE: 1 to 16, 96

FLOW CHECK C-47: IF FMARIT = 0 OR 5 (never married) AND EVRCOHAB = NO, ASK CE-9 SXMTONCE.

ELSE IF FMARIT = 1, 2, 3, or 4 OR EVRCOHAB = YES, GO TO FLOW CHECK C-48.

SXMTONCE

CE-9. Have you had sexual intercourse more than once?

Yes1 No5

Sex Communication (CF)

FLOW CHECK C-48: IF AGESCRN > 19, GO TO FLOW CHECK C-51.

TALKPAR

CF-1. IF AGE_R GE 18, SAY:

The next questions are about how you learned about sex and birth control. Before you were 18 years old, did you ever talk with a parent or guardian about any of the topics shown on Card 23?

ELSE IF AGE_R LT 18, SAY: The next questions are about how you learned about sex and birth control. Have you ever talked with a parent or guardian about any of the topics shown on Card 23?

[SHOW CARD 23]

ENTER all that apply.

How to say no to sex1 Methods of birth control2 Where to get birth control3 Sexually transmitted diseases ...4 How to use a condom5 None of the above6

RANGE CHECK: 6, DK, RF CANNOT BE COMBINED WITH ANY OTHER RESPONSE

SEDNO

CF-2. IF AGE_R GE 18, ASK:

Now I'm interested in knowing about formal sex education you may have had. Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place ...

About how to say no to sex?

ELSE IF AGE_R LT 18, ASK: Now I'm interested in knowing about formal sex education you may have had. Have you ever had any formal instruction at school, church, a community center or some other place ...

About how to say no to sex?

Yes.....1 No.....5 (CF-5 SEDBC)

SEDNOG

CF-3. What grade were you in when you first received instruction on how to say

no to sex?

ENTER 96 if R was not in school when she received the instruction

1st grade
-
2nd grade2
3rd grade
4th grade
5th grade
6th grade6
7th grade
8th grade
9th grade
10th grade
11th grade11
12th grade
1st year of college
2nd year of college14
3rd year of college15
4th year of college
1 5
Not in school when received instruction96

UNDERLYING RANGE 1-16,96

EDIT CHECK CF2_1: PROBE IF CF-2 SEDNOG GT AF-3 HIGRADE. DISPLAY TEXT: R has reported receiving this instruction in a grade higher than her highest grade attended. Is this correct?

FLOW CHECK C-49: IF RHADSEX=NO, GO TO FLOW CHECK CF-5 SEDBC.

ELSE IF RHADSEX = YES THEN DO: IF CE-8 GRFSTSX NE 96 OR DK OR RF AND GRFSTSX = CF-3 SEDNOG, ASK CF-4 SEDNOSX.

ELSE IF GRFSTSX = DK OR RF OR SEDNOG = DK OR RF, ASK CF-4 SEDNOSX.

ELSE IF GRFSTSX NE SEDNOG, GO TO CF-5 SEDBC. END.

SEDNOSX

CF-4. Did you receive instruction about how to say no to sex before or after the first time you had sex?

Before....1 After....2

SEDBC

CF-5. IF AGE_R GE 18, ASK:

Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place ...

About methods of birth control?

ELSE IF AGE_R LT 18, ASK: Have you ever had any formal instruction at school, church, a community center or some other place ...

About methods of birth control?

> Yes.....1 No.....5 (CF-8 PLEDGE)

SEDBCG

CF-6. What grade were you in when you first received instruction on methods of birth control?

ENTER 96 if R was not in school when she received the instruction

1st grade1
2nd grade
3rd grade
4th grade
5th grade
6th grade6
7th grade
8th grade
9th grade
10th grade10
11th grade11
12th grade12
1st year of college13
2nd year of college14
3rd year of college15
4th year of college16
Not in school when received instruction96

UNDERLYING RANGE 1-16,96

EDIT CHECK CF6_1: PROBE IF CF-6 SEDBCG GT AF-3 HIGRADE. DISPLAY TEXT: R has reported receiving this instruction in a grade higher than her highest grade attended. Is this correct?

FLOW CHECK C-50: IF RHADSEX=NO, GO TO CF-8 PLEDGE.

ELSE IF RHADSEX = YES THEN DO: IF CE-8 GRFSTSX NE 96 OR DK OR RF AND GRFSTSX = CF-6 SEDBCG, ASK CF-7 SEDBCSX.

ELSE IF GRFSTSX = DK OR RF OR SEDBCG = DK OR RF, ASK CF-7 SEDBCSX.

ELSE IF GRFSTSX NE SEDBCG, GO TO CF-8 PLEDGE. END.

SEDBCSX

CF-7. Did you receive instruction about methods of birth control before or after the first time you had sex?

Before.....1 After.....2

PLEDGE

CF-8. IF FMARIT = 1 or 2 or 3 or 4, ASK: Did you ever take a public or written pledge to remain a virgin until marriage?

ELSE IF FMARIT = 0 OR 5 (never married), ASK: Have you ever taken a public or written pledge to remain a virgin until marriage?

Yes1 No5

FLOW CHECK C-51: IF RHADSEX = NO, GO TO FLOW CHECK C-77.

FIRST INTERCOURSE PARTNER (CG)

FRSTPART

CG-1. Please tell me the first name or the initials of your first male sexual partner so that I can refer to him during the interview. [HELP AVAILABLE]

Name or initials _____

FLOW CHECK C-52: IF FMARIT = 1 or 2 or 3 or 4 (ever married) OR EVRCOHAB = YES, ASK CG-2 SAMEMAN.

ELSE IF FMARIT = O OR 5 OR EVRCOHAB = NO, GO TO FLOW CHECK C-53.

SAMEMAN

CG-2. CREATE SUMMARY SCREEN TO DISPLAY NAMES OR INITIALS OF ALL REPORTED HUSBANDS AND PARTNERS, ALONG WITH START & END DATES OF MARRIAGE/COHABITATION. For example:

Name	Start	End
HUSBNAME1	(CMMARRH1_FILL)	(CMDIVORC1_FILL)
HUSBNAME2	(CMMARRH2_FILL)	(CMHSBDIE2_FILL)
OTHMAN1	(CMCOHST1_FILL)	(CMSTPCOH1_FILL)
CHPNAME	(CMMARRCH_FILL)	still married

(Note to programmers: Husbands with whom she lived premaritally should only be listed under "husbands.")

IF NAME OR INITIALS GIVEN IN FRSTPART, ASK: Please look at this screen. Is (FRSTPART) someone we talked about earlier? That is, was he someone you've been married to or lived with?

IF FRSTPART = DK OR RF, ASK: Please look at this screen. Is your first partner someone we talked about earlier? That is, was he someone you've been married to or lived with?

> YES.....1 NO.....5 (FLOW CHECK C-53)

EDIT CHECK CG2_1: PROBE IF CG-2 SAMEMAN = NO AND FRSTPART IS IDENTICAL TO A NAME OR INITIALS FROM THE SUMMARY SCREEN. DISPLAY TEXT: R has stated that none of the men just listed was her first partner, but a man listed on the screen has the same name or initials as her first partner. If her 1st partner was a different man, please give him a different name or initials to distinguish him from the other man.

WHOFSTPR

CG-3. Which of these men listed on the screen was your first sexual partner? Was he ...

[Programmers: PLEASE DISPLAY SAME LIST OF MEN AS SHOWN ON SUMMARY SCREEN, BUT INCLUDE CODE NUMBERS TO ENABLE SELECTION OF ONE MAN AS

HER FIRST PARTNER.]

FLOW CHECK C-53: IF AGE_R GE 18, ASK CG-4 FPAGE. ELSE IF AGE R LT 18, GO TO CG-5 KNOWFP.

FPAGE

CG-4. IF NAME OR INITIALS GIVEN IN FRSTPART, ASK: How old was (FRSTPART) when you had sexual intercourse with him that first time?

ELSE IF FRSTPART = DK OR RF, ASK: How old was your first partner when you had sexual intercourse with him that first time?

ENTER age in years

[HELP AVAILABLE]

Age in years _____

UNDERLYING RANGE: 5 to 95

FLOW CHECK C-54: IF CG-4 FPAGE = DK OR RF, ASK CG-4b FPRELAGE. ELSE IF FPAGE LE 95, GO TO CG-5 KNOWFP.

FPRELAGE

CG-4b.

Was he older than you, younger than you, or the same age?

Older1 Younger2 Same age3

FLOW CHECK C-55: IF CG-4b FPRELAGE = 1 OR 2, ASK CG-4c FPRELYRS. ELSE IF FPRELAGE = 3 OR DK OR RF, GO TO CG-5 KNOWFP.

FPRELYRS

CG-4c. By how many years?

> 1-2 years.....1 3-5 years.....2 6-10 years.....3 More than 10 years....4

KNOWFP

CG-5. IF NAME OR INITIALS ARE GIVEN IN FRSTPART, ASK: Please look at Card 24. At the time you first had sexual intercourse with (FRSTPART), how would you describe your relationship with him?

ELSE IF FRSTPART = DK OR RF, ASK: Please look at Card 24. At the time you first had sexual intercourse with your first partner, how would you describe your relationship with him?

[SHOW CARD 24] [HELP AVAILABLE]

> Married to him1 Engaged to him2 Living together in a sexual relationship, but not engaged 3 Going with him or going steady4 Going out with him once in a while5

NSFG Cycle 6 Main Study (FEMALE questionnaire) Section C (fn=CfemC6CRQ.doc) Had just met him7 Something else8 FLOW CHECK C-56: ASK CG-6 STILFPSX IF: - CG-2 SAMEMAN = YES AND WHOFSTPR = (A FORMER HUSBAND OR COHABITING PARTNER) AND MARSTAT NE 1 or 2 OR - IF CG-2 SAMEMAN NE YES AND MARSTAT NE 1 or 2 ELSE GO TO CG-7 LSTSEXFP IF: - CG-2 SAMEMAN = YES AND WHOFSTPR = (A FORMER HUSBAND OR COHABITING PARTNER) AND MARSTAT = 1 or 2 OR - CG-2 SAMEMAN = YES AND WHOFSTPR = (CURRENT HUSBAND OR COHABITING PARTNER) OR - CG-2 SAMEMAN NE YES AND MARSTAT = 1 or 2

STILFPSX

CG-6. Do you consider him to be a current sexual partner?

[HELP AVAILABLE]

Yes1 No5

LSTSEXFP_M

CG-7. IF NAME OR INITIALS ARE GIVEN IN FRSTPART, ASK: When was the last time you had sexual intercourse with (FRSTPART), that is, in what month and year?

ELSE IF FRSTPART = DK OR RF, ASK: When was the last time you had sexual intercourse with your first partner, that is, in what month and year?

ENTER 96 if R only had sex once with this partner

ENTER month PROBE for season if DK month

[CALENDAR REFERENCE]

1. Ja	nuary	5.	May	9.	September	13.	Winter
2. Fe	bruary	6.	June	10.	October	14.	Spring
3. Ma	rch	7.	July	11.	November	15.	Summer
4. Ap	ril	8.	August	12.	December	16.	Fall

{ ASKED ONLY IF LSTSEXFP_M NE 96 LSTSEXFP Y

CG-7. IF NAME OR INITIALS ARE GIVEN IN FRSTPART AND LSTSEXFP_M NE 96, DISPLAY: (When was the last time you had sexual intercourse with (FRSTPART), that is, in what month and year?)

ELSE IF FRSTPART = DK OR RF AND LSTSEXFP_M NE 96, DISPLAY: (When was the last time you had sexual intercourse with your first partner, that is, in what month and year?)

[HELP AVAILABLE] [CALENDAR REFERENCE]

After R has given the year, SAY: Please record this event in the

appropriate box in the "First Partner" row of your calendar. You might use LSEX or some other notation that you will recognize later.

ENTER year in 4 digits _____

UNDERLYING RANGE: 1957 to 2002

FLOW CHECK C-57: COMPUTE CMLSEXFP: (CM for date of last sex with first sexual partner) SET CMLSEXFP = null/blank. IF LSTSEXFP Y = RF, SET CMLSEXFP = 9998 (RF). ELSE IF LSTSEXFP Y = DK, SET CMLSEXFP = 9999 (DK). ELSE IF LSTSEXFP_M LE 12, COMPUTE CMLSEXFP = (LSTSEXFP Y - 1900)*12 + LSTSEXFP M ELSE IF 13 LE LSTSEXFP_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMLSEXFP as above. ELSE IF LSTSEXFP_M = 96, SET CMLSEXFP = 9996 (only had sex once with this partner). ELSE IF LSTSEXFP M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMLSEXFP as above. COMPUTE CMFPLAST: (CM for date of last or only sex with first sexual partner) IF CMLSEXFP = 9996, THEN SET CMFPLAST = CMFSTSEX. ELSE SET CMFPLAST = CMLSEXFP. ESTABLISH CMLSEXFP_FILL AS INDICATED IN FLOW CHECK B-42. (Recall that IF CMLSEXFP = 9996, fill="Not Applicable") EDIT CHECK CG7_1: PROBE IF CMLSEXFP < CMFSTSEX. DISPLAY TEXT: R has reported that she last had sex with this partner before she first had sex with this partner. Has one of the dates been entered incorrectly? FLOW CHECK C-58: IF BA-1 MENARCHE = 96 OR CE-5 AGEFSTSX > BA-1 MENARCHE, GO TO CH-1 LIFEPRT. ELSE IF (AGEFSTSX = DK OR RF AND CMFSTSEX = DK OR RF), GO TO CG-9 SEXAFMEN.

ELSE IF AGEFSTSX LE MENARCHE, CONTINUE WITH C_INTRO6 CG-7b.

C_INTRO6

CG-7b. IF CE-5 AGEFSTSX = BA-1 MENARCHE, SAY: You told me that you were [AGEFSTSX] years old the first time you had sexual intercourse, the same age you were when you had your first menstrual period. It is important for this study to know whether your first sexual intercourse was before or after your first menstrual period so we know something about your risk of pregnancy.

> ELSE IF CE-5 AGEFSTSX < BA-1 MENARCHE, SAY: You told me that you were [AGEFSTSX] years old the first time you had sexual intercourse, and that you were [MENARCHE] years old when you had your first menstrual period. It is important for this study to know when you first had sexual intercourse <u>after</u> your first menstrual period so we know something about your risk of pregnancy.

ENTER [1] to continue

FLOW CHECK C-58b: IF CE-5 AGEFSTSX = BA-1 MENARCHE, ASK CG-8 WHICH1ST. ELSE GO TO FLOW CHECK C-59.

WHICH1ST

CG-8. Which came first, your first sexual intercourse or your first menstrual period?

[HELP AVAILABLE]

Sexual intercourse1 (FLOW CHECK C-59) Menstrual period2 (CH-1 LIFEPRT)

FLOW CHECK C-59: IF CHPNAME = BLANK AND EVERPREG = NO AND EVRCOHAB = NO, ASK CG-9 SEXAFMEN. ELSE, GO TO CG-10 WNSEXAFM.

SEXAFMEN

CG-9. Since your first menstrual period, have you had sexual intercourse?

NOTE: If R refuses to answer, emphasize importance of the information and that it is completely confidential. Only then should you accept a refusal. <u>Do not</u> count oral sex, anal sex, heavy petting, or other forms of sexual activity that do not involve vaginal penetration. <u>Do not</u> count sex with a female partner.

[HELP AVAILABLE]

Yes1 No5 (CH-1 LIFEPRT)

WNSEXAFM_M

CG-10. Thinking back, <u>after</u> your first menstrual period, in what month and year did you have sexual intercourse for the first time?

ENTER 96 if R insists that she has not had sexual intercourse since her first menstrual period.

ENTER month PROBE for season if DK month

[HELP AVAILABLE] [CALENDAR REFERENCE]

1. January	5. May	9. September	13. Winter
2. February	6. June	10. October	14. Spring
3. March	7. July	11. November	15. Summer
4. April	8. August	12. December	16. Fall

{ ASKED ONLY IF WNSEXAFM_M NE 96

WNSEXAFM_Y

CG-10. IF WNSEXAFM_M NE 96, DISPLAY: (Thinking back, after your first menstrual period, in what month

and year did you have sexual intercourse for the first time?)

[CALENDAR REFERENCE]

After R has given the year, SAY: Please record this event in the appropriate box in the "First Partner" row of your calendar. You can use any abbreviation or notation that you will recognize later.

ENTER year in 4 digits _____

UNDERLYING RANGE: 1962 to 2002

FLOW CHECK C-60: COMPUTE CMSEXAFM:

(CM for date of 1st sexual intercourse after menarche)

SET CMSEXAFM = null/blank.

IF WNSEXAFM_Y = RF, SET CMSEXAFM = 9998 (RF). ELSE IF WNSEXAFM_Y = DK, SET CMSEXAFM = 9999 (DK).

ELSE IF WNSEXAFM_M LE 12, COMPUTE CMSEXAFM = (WNSEXAFM Y - 1900)*12 + WNSEXAFM M

ELSE IF 13 LE WNSEXAFM_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMSEXAFM as above.

IF WNSEXAFM_M = 96, SET CMSEXAFM = 9996 (R has never had sex).

ELSE IF WNSEXAFM_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMSEXAFM as above.

IF CMSEXAFM NE BLANK AND CMSEXAFM LT 9996, ESTABLISH CMSEXAFM_FILL.

COMPUTE FLGSXDK2: (Flag indicating reporting of season or DK/RF on CG-10 WNSEXAFM_M)

> IF 13 LE WNSEXAFM_M LE 16, SET FLGSXDK2 = 1. ELSE IF WNSEXAFM_M = DK/RF, SET FLGSXDK2 = 2. ELSE IF WNSEXAFM_M = 96, SET FLGSXDK2 = 3. ELSE SET FLGSXDK2 = 0.

IF CMSEXAFM NE BLANK AND (CMSEXAFM < 9996 OR CMSEXAFM = DK OR RF), ASK CG-11 AGESXAFM. ELSE IF CMSEXAFM = 9996, GO TO CH-1 LIFEPRT.

EDIT CHECK CG10_1: PROBE IF CMSEXAFM > CMPG1BEG + 2 (date when 1st pregnancy began + 2 months leeway). DISPLAY TEXT: R has reported first having sexual intercourse (after menarche) more than 2 months after the computer has calculated that her 1st pregnancy began. Is this correct?

AGESXAFM

CG-11. Thinking back after your first menstrual period, how old were you

when you had sexual intercourse for the first time?

[HELP AVAILABLE]

ENTER age in years _____

UNDERLYING RANGE: 5 to 45

FLOW CHECK C-60b: IF CG-11 AGESXAFM = DK, ASK CG-12 AFMEN18. ELSE IF AGESXAFM LE 45 OR AGESXAFM = RF, GO TO CH-1 LIFEPRT.

CG-12. Were you less than 18 years old or were you 18 years or older?

Less than 18 years.....1 18 years or older.....2

FLOW CHECK C-61: IF CG-12 AFMEN18 = 1 OR DK, ASK CG-13 AFMEN15. ELSE IF AFMEN18 = 2, ASK CG-14 AFMEN20. ELSE IF AFMEN18 = RF, GO TO CH-1 LIFEPRT.

AFMEN15

AFMEN18

CG-13. Were you less than 15 years old or were you 15 or older?

Less than 15 years.....1 15 years or older.....2

FLOW CHECK C-62: IF CG-13 AFMEN15 = 1, 2, DK, OR RF, GO TO CH-1 LIFEPRT.

AFMEN20

CG-14. Were you less than 20 years old or were you 20 or older?

Less than 20 years.....1 20 years or older.....2

- EDIT CHECK CG14_1: PROBE IF INT(CMSEXAFM CMBIRTH)/12) IS INCONSISTENT WITH CG-11 AGESXAFM. DISPLAY TEXT: R has reported an age at first sex after menarche that appears inconsistent with the mo/yr when she first had sex after menarche. Has something been entered incorrectly?
- EDIT CHECK CG14_2: PROBE IF CG-11 AGESXAFM < BA-1 MENARCHE. DISPLAY TEXT: R has reported that she first had sex after menarche at an age <u>younger</u> than her age at first period. Has something been entered incorrectly?

NUMBERS OF SEXUAL PARTNERS (CH)

LIFEPRT

- CH-1. Counting all your male sexual partners, even those you had intercourse with only once, how many men have you had sexual intercourse with <u>in</u> your life?
- [HELP AVAILABLE]

If R is unable or unwilling to give an exact number, SAY: "If you would prefer, you can give me a range." ENTER DK or RF as appropriate, and enter range in the next two fields.

ENTER number of partners ____

UNDERLYING RANGE 1 to 995

FLOW CHECK C-62b: IF CH-1 LIFEPRT = DK OR RF, ASK CH-1b LIFEPRT_LO. ELSE IF LIFEPRT LE 995, GO TO CH-2 MON12PRT.

LIFEPRT LO

CH-1b. (ENTER LOWER BOUND OF RANGE FOR NUMBER OF MALE PARTNERS IN LIFETIME.)

ENTER number

UNDERLYING RANGE: 1 to 995

LIFEPRT_HI

CH-1c. (ENTER UPPER BOUND OF RANGE FOR NUMBER OF MALE PARTNERS IN LIFETIME.)

ENTER number _____

UNDERLYING RANGE: 2 to 995

MON12PRT

- CH-2. During the last <u>12 months</u>, that is, since (CMLSTYR_FILL), how many men, if any, have you had sexual intercourse with? Please count every male sexual partner, even those you had sex with only once.
- [HELP AVAILABLE]

If R is unable or unwilling to give an exact number, SAY: "If you would prefer, you can give me a range." ENTER DK or RF as appropriate, and enter range in the next two fields.

ENTER number of partners _____

UNDERLYING RANGE 0 to 995

FLOW CHECK C-62c: IF CH-2 MON12PRT = DK OR RF, ASK CH-2b MON12PRT_LO. ELSE IF MON12PRT LE 995, GO TO FLOW CHECK C-63.

MON12PRT_LO

CH-2b. (ENTER LOWER BOUND OF RANGE FOR NUMBER OF MALE PARTNERS IN LAST 12 MONTHS.)

ENTER number _____

UNDERLYING RANGE: 1 to 995

MON12PRT_HI

CH-2c. (ENTER UPPER BOUND OF RANGE FOR NUMBER OF MALE PARTNERS IN LAST 12 MONTHS.)

ENTER number _____

UNDERLYING RANGE: 2 to 995

EDIT CHECK CH2_1: PROBE IF CH-2 MON12PRT > CH-1 LIFEPRT. DISPLAY TEXT: R has reported more partners in the last 12 months than she reported for her lifetime. Has something been entered incorrectly?

FLOW CHECK C-63: IF FMARIT = 1 or 2 or 3 or 4, ASK CH-3 PTSB4MAR. ELSE IF FMARIT = 5 (NEVER MARRIED), GO TO FLOW CHECK C-64.

PTSB4MAR

CH-3. IF CA-1 TIMESMAR = 1 AND FMARIT = 3 (divorced), ASK: Including your former husband, how many male sexual partners did you have before you got married?

ELSE IF TIMESMAR = 1 AND FMARIT = 1, 2, or 4 (married, widowed, or separated), ASK: Including your husband, how many male sexual partners did you have before you got married?

ELSE IF TIMESMAR > 1, ASK: Including your first husband, how many male sexual partners did you have before you got married the first time?

[HELP AVAILABLE]

If R is unable or unwilling to give an exact number, SAY: "If you would prefer, you can give me a range." ENTER DK or RF as appropriate, and enter range in the next two fields.

ENTER number of partners _____

UNDERLYING RANGE: 0 to 95

FLOW CHECK C-63b: IF CH-3 PTSB4MAR = DK OR RF, ASK CH-3b PTSB4MAR_LO. ELSE IF PTSB4MAR LE 95, GO TO FLOW CHECK C-64.

PTSB4MAR LO

CH-3b. (ENTER LOWER BOUND OF RANGE FOR NUMBER OF MALE PARTNERS BEFORE MARRIAGE.)

ENTER number

UNDERLYING RANGE: 1 to 95

PTSB4MAR_HI

CH-3c. (ENTER UPPER BOUND OF RANGE FOR NUMBER OF MALE PARTNERS BEFORE MARRIAGE.)

ENTER number _____

UNDERLYING RANGE: 2 to 95

EDIT CHECK CH3_1: PROBE IF CH-3 PTSB4MAR > CH-1 LIFEPRT. DISPLAY TEXT: R has reported more partners before marriage than she reported for her lifetime. Has something been entered incorrectly?

RECENT SEXUAL PARTNERS IN LAST 12 MONTHS (CI)

FLOW CHECK C-64: COMPUTE PARTS12: (Number of partners in last 12 mos)

> IF CH-2 MON12PRT LE 995 OR MON12PRT = RF, SET PARTS12 = MON12PRT. ELSE IF MON12PRT = DK, SET PARTS12 = MON12PRT_LO.

IF CH-1 LIFEPRT = 1 AND CG-2 SAMEMAN = YES (R was ever married to or ever lived with this 1 partner), GO TO FLOW CHECK C-77.

ELSE IF LIFEPRT NE 1 OR (IF CH-1 LIFEPRT = 1 AND CG-2 SAMEMAN NE YES), THEN DO:

DETERMINE WHOM R HAS HAD SEX WITH SINCE CMLSTYR: IF PARTS12 = 0, DK, OR RF, GO TO FLOW CHECK C-75.

ELSE IF PARTS12 = 1 AND (CHPNAME NE blank AND AB-1 MARSTAT = 1 or 2), GO TO CI-1 WHOSNC1Y.

ELSE IF PARTS12 = 1 AND (CHPNAME = blank AND AB-1 MARSTAT NE 1 or 2), GO TO CI-2 PRT1YNMX.

ELSE IF PARTS12 GE 2, GO TO CI-2 PRT1YNMX.

WHOSNC1Y

CI-1. You mentioned that you have had one sexual partner since (CMLSTYR_FILL). Is that (CHPNAME)?

YES.....1 (FLOW CHECK C-65) NO.....5 (CI-2 PRT1YNMX)

- EDIT CHECK CI1_1: PROBE IF CI-1 WHOSNC1Y = NO AND CMFSTSEX GE CMLSTYR. DISPLAY TEXT: R has answered WHOSNC1Y as NO, but her 1st sexual intercourse was within the last 12 months. Is this correct?
- EDIT CHECK CI1_2: PROBE IF CI-1 WHOSNC1Y = NO AND MARSTAT = 1 or 2. DISPLAY TEXT: R has answered WHOSNC1Y as NO, but she is currently married or cohabiting. Is this correct?

PRT1YNMX

CI-2. IF CI-1 WHOSNC1Y = BLANK (not asked because PARTS12 NE 1), ASK: Please tell me the names or initials of your (PARTS12) male sexual partners since (CMLSTYR_FILL) so that I can refer to them in the next few questions.

ELSE IF CI-1 WHOSNC1Y = 5 (NO), ASK: Please tell me the name or initials of your 1 male sexual partner since (CMLSTYR_FILL) so that I can refer to him in the next few questions.

If R refuses or does not know a name, SAY: "I'm going to be asking a few questions about that partner. In order to refer to him, I'm going to call him MAN1."

[HELP AVAILABLE]

ENTER name/initials _____

{ Allow space for names/initials up to a total of PARTS12

FLOW CHECK C-64b: CI-1 IF WHOSNC1Y = 5 or DK or RF, GO TO FLOW CHECK C-65.

TALKALL

- TEXT: R has answered TALKALL = NO AND CMFSTSEX GE CMLSTYR. DISPLAY intercourse was within the last 12 months. Is this correct?
- EDIT CHECK CI3_2: PROBE IF CI-3 TALKALL = NO AND MARSTAT = 1 or 2. DISPLAY TEXT: R has answered TALKALL as NO, but she is currently married or cohabiting. Is this correct?

WHICH1Y

CI-4. CREATE SUMMARY SCREEN TO DISPLAY NAMES OR INITIALS OF ALL REPORTED HUSBANDS AND PARTNERS, INCLUDING FIRST SEXUAL PARTNER, JUST AS WAS DONE IN CG-2 SAMEMAN. For example:

Name	Start	End
FRSTPART	(CMFSTSEX_FILL)	(CMFPLAST_FILL)
HUSBNAME1	(CMMARRH1_FILL)	(CMDIVORC1_FILL)
HUSBNAME2	(CMMARRH2_FILL)	(CMHSBDIE2_FILL)
OTHMAN1	(CMCOHST1_FILL)	(CMSTPCOH1_FILL)
CHPNAME	(CMMARRCH_FILL)	still married

(Note to programmers: Husbands with whom she lived premaritally should only be listed under "husbands.")

Which of the men that we have already talked about have you had sexual intercourse with since (CMLSTYR_FILL)?

{ CODE NUMBERS MUST BE ATTACHED TO EACH MAN ON SUMMARY SCREEN.

ENTER all that apply

FLOW CHECK C-65: DETERMINE WHICH PARTNERS (IF ANY) SINCE CMLSTYR NEED TO GO THROUGH REMAINDER OF THIS SERIES.

> DEFINE DESCRIBD: (Number of partners previously described)

> > (Partner is previously described if he is R's 1st sexual partner, OR if R ever married him or cohabited with him. If he is R's 1st sexual partner, none of the CI series will be asked for him. If he is a husband or cohabiting partner (former or current), he will be routed as appropriate through the remainder of the CI series.)

IF DESCRIBD = PARTS12 = 1 AND THIS PARTNER IS R'S FIRST SEXUAL PARTNER, GO TO FLOW CHECK C-70.

ELSE CONTINUE WITH FLOW CHECK C-66.

FLOW CHECK C-66: INCREASE PRT12CNTR BY 1.

IF PARTNER BEING DISCUSSED IS R'S FIRST SEXUAL PARTNER, GO TO FLOW CHECK C-70. ELSE, ASK CI-5 PlyRAGE THROUGH CI-15 PlyRN (as appropriate) FOR ALL OTHER PARTNERS IN LAST 12 MOS.

P1YRAGE

CI-5. Thinking now of (PRT1YNMX), how old were you when you first had sexual intercourse with him?

[HELP AVAILABLE]

ENTER age in years _____

UNDERLYING RANGE: 5 to 45

FLOW CHECK C-66b: IF AGE_R GE 18, ASK CI-6 P1YHSAGE. ELSE IF AGE_R LT 18, GO TO CI-7 P1YRF.

P1YHSAGE

CI-6. And how old was he when you first had sexual intercourse with him?

[HELP AVAILABLE]

ENTER age in years _____

UNDERLYING RANGE: 5 to 95

Plyrf

CI-7. Please look at Card 24. At the time you first had sexual intercourse with (PRT1YNMX), how would you describe your relationship with him?

[SHOW CARD 24]

Married to him1
Engaged to him
Living together in a sexual relationship, but not engaged3
Going with him or going steady4
Going out with him once in a while5
Just friends
Had just met him
Something else

P1YFSEX_M

CI-8. In what month and year did you have sexual intercourse with him for the first time?

NOTE: If R refuses to answer, emphasize importance of the information and that it is completely confidential. Only then should you accept a refusal. <u>Do not</u> count oral sex, anal sex, heavy petting, or other forms of sexual activity that do not involve vaginal penetration. <u>Do not</u> count sex with a female partner.

> ENTER month PROBE for season if DK month

[HELP AVAILABLE] [CALENDAR REFERENCE]

1. January	5. May	9. September	13. Winter
2. February	б. June	10. October	14. Spring
3. March	7. July	11. November	15. Summer
4. April	8. August	12. December	16. Fall

P1YFSEX_Y

CI-8. (In what month and year did you have sexual intercourse with him for the first time?)

NOTE: If R refuses to answer, emphasize importance of the information and that it is completely confidential. Only then should you accept a refusal. <u>Do not</u> count oral sex, anal sex, heavy petting, or other forms of sexual activity that do not involve vaginal penetration. <u>Do not</u> count sex with a female partner.

[HELP AVAILABLE] [CALENDAR REFERENCE]

After R has given the year, SAY: Please record this partner's initials in the appropriate box on one of the "Other Partner" rows of your calendar.

ENTER year in 4 digits _____

UNDERLYING RANGE: 1967 to 2002

FLOW CHECK C-67: COMPUTE CMFSEXX:

(CM for date of 1st sex with partner X in last 12 mos)

SET CMFSEXX = null/blank.

IF P1YFSEX_Y = RF, SET CMFSEXX = 9998 (RF). ELSE IF P1YFSEX_Y = DK, SET CMFSEXX = 9999 (DK).

ELSE IF P1YFSEX_M LE 12, COMPUTE CMFSEXX = (P1YFSEX_Y - 1900)*12 + P1YFSEX_M

ELSE IF 13 LE P1YFSEX_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMFSEXX as above.

ELSE IF P1YFSEX_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMFSEXX as above.

IF CMFSEXX NE BLANK AND CMFSEXX LT 9996, ESTABLISH CMFSEXX_FILL.

EDIT CHECK CI8_1: PROBE IF CMFSEXX LT CMFSTSEX. DISPLAY TEXT: R has reported first having sexual intercourse with this partner before she ever had sexual intercourse in her life. Has something been entered incorrectly?

FLOW CHECK C-68: ASK CI-9 P1YCURRP:

- IF R IS SEPARATED FROM CURRENT HUSBAND (AB-1 MARSTAT = 5), AND PARTNER BEING DISCUSSED IS NOT R'S CURRENT HUSBAND
- IF R IS NOT CURRENTLY MARRIED TO OR COHABITING WITH THIS PARTNER.

ELSE GO TO FLOW CHECK C-68b:

IF CI-1 WHOSNC1Y = YES

OR

OR

IF R IS CURRENTLY MARRIED OR COHABITING (AB-1 MARSTAT
 = 1 or 2) AND PARTNER BEING DESCRIBED IS CURRENT
 HUSBAND OR COHABITING PARTNER.

P1YCURRP

```
CI-9. Do you consider (PRT1YNMX) to be a current sexual partner?
```

[HELP AVAILABLE]

Yes1 No5

FLOW CHECK C-68b: COMPUTE PCURRNTX: (Whether partner X is last 12 mos is "current")

> IF CI-9 P1YCURRP = 1 THEN PCURRNTX = 1 (current). ELSE IF P1YCURRP = blank (not asked), THEN PCURRNTX = 1. ELSE IF P1YCURRP = 5, DK, OR RF, THEN PCURRNTX = 5 (not current).

P1YLSEX M

CI-10. In what month and year did you last have sexual intercourse with him?

ENTER 96 if R only had sex once with this partner

ENTER month PROBE for season if DK month

[HELP AVAILABLE] [CALENDAR REFERENCE]

1. January	5. May	9. September	13. Winter
2. February	6. June	10. October	14. Spring
3. March	7. July	11. November	15. Summer
4. April	8. August	12. December	16. Fall

UNDERLYING RANGE: 1-16, 96

{ ASKED ONLY IF P1YLSEX_M NE 96

P1YLSEX_Y

CI-10. IF P1YLSEX_M NE 96, DISPLAY: (In what month and year did you last have sexual intercourse with him?)

[HELP AVAILABLE] [CALENDAR REFERENCE]

After R has given the year, SAY: Please record this event in the

appropriate box on one of the "Other Partner" rows of your calendar. You can use any abbreviation or notation that you will recognize later.

ENTER year in 4 digits _____

UNDERLYING RANGE: 1967 to 2002

FLOW CHECK C-69: COMPUTE CMLSEXX: (CM for date of last sex with partner X in last 12 mos) SET CMLSEXX = null/blank. IF P1YLSEX Y = RF, SET CMLSEXX = 9998 (RF). ELSE IF P1YLSEX Y = DK, SET CMLSEXX = 9999 (DK). ELSE IF P1YLSEX_M LE 12, COMPUTE CMLSEXX = (P1YLSEX_Y - 1900)*12 + P1YLSEX_M ELSE IF 13 LE P1YLSEX_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMLSEXX as above. ELSE IF P1YLSEX_M = 96, SET CMLSEXX = 9996 (only had sex once with this partner). ELSE IF P1YLSEX_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMLSEXX as above. ESTABLISH CMLSEXX FILL AS INDICATED IN FLOW CHECK B-42. (Recall that IF CMLSEXX = 9996, fill="Not Applicable") COMPUTE CMLSTSXX: (CM for date of last or only sex with partner X in last 12 mos) IF CMLSEXX = 9996, THEN SET CMLSTSXX = CMFSEXX. ELSE SET CMLSTSXX = CMLSEXX. IF CMLSTSXX NE BLANK AND CMLSTSXX LT 9996, ESTABLISH MO/YR FILL FOR CMLSTSXX. EDIT CHECK CI10 1: PROBE IF CMLSEXX LT CMFSEXX. DISPLAY TEXT: R has reported that date of last sex with this partner was earlier than date of first sex with this partner. Has one of the dates been entered incorrectly? PROBE IF CMLSEXX < CMLSTYR OR IF CMLSTSXX < CMLSTYR. EDIT CHECK CI10 2: DISPLAY TEXT: R has reported that her last (or only) sex with this partner was longer ago than 12 months. In this series of questions, we are only asking about partners she had sex with during the last 12 mos. Has something been entered incorrectly?

FLOW CHECK C-70: IF PARTNER BEING DESCRIBED IS CURRENT AND IS NOT R'S CURRENT HUSBAND OR COHABITING PARTNER (CI-9 P1YCURRP = YES OR CG-6 STILFPSX), ASK CI-11 P1YEDUC. ELSE GO TO FLOW CHECK C-73.

PIYEDUC

CI-11. Please look at Card 11. What is the highest level of education he has completed?

[SHOW CARD 11]

P1YHISP

CI-12. Is (PRT1YNMX) Hispanic or Latino, or of Spanish origin?

YES.....1 NO.....5

PIYRACE

CI-13. Which of the groups on Card 2 describes (PRT1YNMX)'s racial background? Please select one or more groups.

ENTER all that apply

NOTE: If R reports a mixture of several races (biracial, mixed, mulatto, etc.), ENTER all groups that are part of the mixture.

[SHOW CARD 2]

[HELP AVAILABLE]

American Indian or Alaska Native
Asian
Native Hawaiian or Other Pacific Islander3
Black or African American4
White

DK OR RF CANNOT BE ENTERED WITH CODES 1 - 5

FLOW CHECK C-71: IF MORE THAN ONE RACE CODED IN CI-13 P1YRACE, ASK CI-14 P1YRACEB. ELSE, GO TO FLOW CHECK C-72.

P1YRACEB

CI-14. Which of these groups, that is (RESPONSES FROM PlyRACE), would you say best describes his racial background?

[HELP AVAILABLE] { Display only those categories reported in CI-13 PlyRACE

FLOW CHECK C-72: IF THIS PARTNER IS EXPLICITLY REPORTED AS "CURRENT" (CI-9 P1YCURRP = YES), AND RELATIONSHIP HAS LASTED LONGER THAN 1 MONTH (CMLSEXX - CMFSEXX GE 1), THEN ASK CI-15 P1YRN. ELSE GO TO FLOW CHECK C-73.

Plyrn

CI-15. Please look at Card 24. How would you describe your current relationship with (PRT1YNMX)?

[SHOW CARD 24]

Married to hi	n	-
Engaged to hi	n	2

FLOW CHECK C-73: IF PRT12CNTR LT PARTS12, RETURN TO FLOW CHECK C-65 AND REPEAT P1YRAGE THROUGH P1YRN AS NEEDED FOR NEXT PARTNER IN LAST 12 MOS.

ELSE IF PRT12CNTR = PARTS12, GO TO FLOW CHECK C-74.

FLOW CHECK C-74: EXAMINE DATES OF LAST SEX WITH EACH PARTNER SINCE CMLSTYR TO DETERMINE R'S LAST MO/YR OF SEXUAL INTERCOURSE. CONSIDER ALL VALUES OF CMLSTSXX AND CMFPLAST AS APPLICABLE. DO NOT ASSESS AS A DUPLICATE DATE IF THE CMLSTSXX OR CMFPLAST VALUE IS BASED ON MONTH = DK, RF, OR SEASON.

COMPUTE CMLSTSX12:

CMLSTSX12 = MAX VALUE AMONG CMLSTSXX OR CMFPLAST VALUES

IF CMLSTSX12 IS SHARED BY 2 OR MORE PARTNERS, DO NOT COUNT AS A DUPLICATE VALUE <u>UNLESS</u> ALL MONTH VALUES WERE REPORTED AS 1-12.

IF R'S LAST SEX DATE IS REPORTED FOR 2 OR MORE PARTNERS (CMLSTSX12 = CMLSTSXX OR CMFPLAST FOR MORE THAN 1 PARTNER AND MONTH FOR ALL THE PARTNERS WAS REPORTED AS 1-12), ASK CI-16 LASTSEX TO ESTABLISH WHEN AND WITH WHOM R LAST HAD SEX.

IF NO AMBIGUITY IN DATES OF LAST SEX (RLASTSEX = CMFPLAST OR CMLSTSXX FOR ONLY 1 PARTNER), GO TO FLOW CHECK C-77.

LASTSEX

CI-16. Before we move on to the next section of the interview, let me make sure I have everything correct so far. You reported that you last had sex with (list names from PRT1YNMX) in (CMLSTSX12_FILL). Is that correct?

> Yes1 No5 (should back up to CI-10 P1YLSEX OR CG-7 LSTSEXFP to make any necessary correction)

LASTSEXW

CI-17. Please think about the very last time you had sexual intercourse in (CMLSTSXX_FILL). With which of these men (repeat names from PRT1YNMX) was that last sexual intercourse?

> PRT1YNMX1 PRT1YNMX2 Etc.

FLOW CHECK C-75: IF PARTS12 = 0, DK, OR RF, ASK CI-18 DATELAST. ELSE IF PARTS12 = blank or RHADSEX = NO, GO TO FLOW CHECK C-77.

DATELAST_M

CI-18.

In what month and year did you last have sexual intercourse with a male?

ENTER month PROBE for season if DK month

[HELP AVAILABLE] [CALENDAR REFERENCE]

1. January	5. May	9. September	13. Winter
2. February	6. June	10. October	14. Spring
3. March	7. July	11. November	15. Summer
4. April	8. August	12. December	16. Fall

DATELAST_Y

CI-18. (In what month and year did you last have sexual intercourse with a male?)

[HELP AVAILABLE] [CALENDAR REFERENCE]

After R has given the year, SAY: Please record this event in the appropriate box on one of the "Relationships" or "Partners" rows of your calendar. You can use any abbreviation or notation that you will recognize later.

ENTER year in 4 digits _____

UNDERLYING RANGE: 1967 to 2001

FLOW CHECK C-76: COMPUTE CMDATLST:

(CM for date of last sex, for those who have reported no male partners in last 12 mos, but they have had sex)

SET CMDATLST = null/blank.

IF DATELAST_Y = RF, SET CMDATLST = 9998 (RF). ELSE IF DATELAST_Y = DK, SET CMDATLST = 9999 (DK).

ELSE IF DATELAST_M LE 12, COMPUTE CMDATLST = (DATELAST_Y - 1900)*12 + DATELAST_M

ELSE IF 13 LE DATELAST_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMDATLST as above.

ELSE IF DATELAST_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMDATLST as above.

EDIT CHECK CI18_1: PROBE IF CMDATLST GE CMLSTYR. DISPLAY TEXT: R has reported that her last sexual intercourse was within the last 12 months, but earlier she reported no sexual partners in the last 12 months. Has something been entered incorrectly?

WHOLAST

CI-19. Who was this last sexual partner?

NOTE: These response choices are meant to be mutually exclusive. Code "former cohabiting partner" only if R never married him. Code "first sexual partner" only if R was never married to him and Section C (fn=CfemC6CRQ.doc) never cohabited with him. A former husband1 A former cohabiting partner2 Your first sexual partner3 Some other man4 FLOW CHECK C-77: DEFINE COMPUTED VARIABLES: LIFEPRTS is defined for all Rs: # of male sexual partners in COMPUTE LIFEPRTS lifetime IF RHADSEX = NO OR CH-1 LIFEPRT = RF, SET LIFEPRTS = 0. ELSE IF CH-1 LIFEPRT LE 995, SET LIFEPRTS = CH-1 LIFEPRT. ELSE IF CH-1 LIFEPRT = DK, SET LIFEPRTS = CH-1b LIFEPRT LO. IF RHADSEX = NO, ALL OF THE REMAINING COMPUTED VARIABLES DEFINED BELOW ARE BLANK/INAPP, EXCEPT FOR CURRPRTT AND CURRPRTS. IF RHADSEX = NO, THEN DO: SET CURRPRTT = 0SET CURRPRTS = 0GO TO FLOW CHECK D-1. END. ELSE IF RHADSEX = YES, THEN DO: COMPUTE CMLASTSX = CM date of last sex for all Rs who have had sex CMLASTSX = Latest value among all non-blank values of CMLSTSX12, CMDATLST, and CMFPLAST. COMPUTE CURRPRTT = Total number of current sexual partners, including a current (not separated) husband or cohabiting partner in the total Sum across all partners with P1YCURRP = = YES, and add 1 if R is currently married (not separated) or cohabiting. Also add 1 if CG-6 STILFPSX = YES. Total number of current sexual COMPUTE CURRPRTS = partners, NOT including husbands or cohabiting partners (for use primarily in Audio CASI for a series asked only of minors) Sum across all partners with P1YCURRP = YES.

NSFG Cycle 6 Main Study (FEMALE questionnaire)

Add 1 if CG-6 STILFPSX = YES and R has never married or cohabited with this man. COMPUTE PRT12NAM1, PRT12NAM2, PRT12NAM3: (Name or initials of 3 most recent partners in last 12 months for use in Section E) COMPUTE CMPART1Y1, CMPART1Y2, CMPART1Y3: (CM date of last or only sex with each of these 3 most recent partners in last 12 mos) IF PARTS12 = 0, THEN DO: SET PRT12NAM1, PRT12NAM2, & PRT12NAM3 TO BLANK. SET CMPART1Y1, CMPART1Y2, & CMPART1Y3 TO BLANK. END. ELSE IF PARTS12 GT 0, THEN DO: SORT ALL PARTNERS REPORTED IN LAST 12 MOS BY THEIR CM DATES OF LAST SEX (STARTING WITH MOST RECENT). BASE SORTING ON CMLSTSXX VALUES. IF CI-17 LASTSEXW WAS ASKED, USE RESPONSE TO ORDER THE PARTNERS. IF CMFPLAST (CM date of last or only sex with 1st sexual partner) GE CMLSTYR, INCLUDE 1st sexual partner as one of the partners to be ordered chronologically. SET PRT12NAM1 = PARTNER NAME OR INITIALS WITH THE MOST RECENT DATE (among PRT1YNMX, FRSTPART, OR PARTNER REPORTED IN CI-17 LASTSEXW). SET CMPART1Y1 = corresponding value from CMLSTSXX or CMFPLAST. SET PRT12NAM2 = NEXT MOST RECENT PARTNER (if applicable). SET CMPART1Y2 = corresponding value from CMLSTSXX or CMFPLAST. SET PRT12NAM3 = NEXT MOST RECENT PARTNER (if applicable). SET CMPART1Y3 = corresponding value from CMLSTSXX or CMFPLAST. END. COMPUTE CURPART1, CURPART2, CURPART3: (Name or initials of up to 3 current sexual partners, who are not husbands or cohabiting partners, among respondents aged 15-17 -- for use in ACASI) COMPUTE CMCURRP1, CMCURRP2, CMCURRP3: (CM date of last or only sex with each of these 3 current partners) IF CURRPRTS = 0 OR AGE_R GE 18, THEN DO: SET CURPART1, CURPART2, & CURPART3 TO BLANK. SET CMCURRP1, CMCURRP2, & CMCURRP3 TO BLANK. END. ELSE IF CURRPRTS > 0 AND AGE_R LT 18, THEN DO:

SORT ALL PARTNERS WITH PCURRNTX = YES BY THEIR

CMLSTSXX VALUES (STARTING WITH MOST RECENT). If CG-6 STILFPSX = YES and R has never married or cohabited with her first sexual partner, INCLUDE first sexual partner as one of the partners to be ordered chronologically (based on CMFPLAST).

IF PARTNER IS <u>NOT</u> A HUSBAND OR COHABITING PARTNER, SET CURPART1 = PRT1YNMX for this partner. SET CMCURRP1 = corresponding value from CMLSTSXX or CMFPLAST.

REPEAT FOR UP TO 3 SUCH PARTNERS (UNTIL CURPART3 & CMCURRP3 HAVE BEEN SET OR DETERMINED AS INAPPLICABLE).

END.

VARIABLES (asked or defined in this section) TO BE PASSED FORWARD: CA-1 TIMESMAR Number of marriages (among those who ever married) CG-1 FRSTPART String for name of 1st sexual partner CH-3 MON12PRT Number of male partners in last 12 months CI-1 WHOSNC1Y Was the one partner in last 12 mos CHPNAME (asked if LIFEPRTS=1) CI-2 PRT1YNMX Names of all partners in last 12 mos

CHPNAME CMMARRHX CMMARRHX_FILL CMMARRCH CMHSBDOBX CMDOBCH CMPMCOHX CMHSBDIEX CMHSBDIEX_FILL CMDIVORCX CMDIVORCX_FILL CMSTPHSBX PREVHUSB CMSTRTCP CMDOBCP CMSTRTHP EVRCOHAB PREVCOHB CMCOHSTX CMCOHSTX_FILL CMDOBCX CMSTPCOHX RHADSEX CMFSTSEX FLGSXDK1 CMFSTSEX FILL CMLSEXFP CMFPLAST CMSEXAFM FLGSXDK2 PARTS12 CMFSEXX PCURRNTX CMLSEXX CMLSEXX_FILL CMLSTSXX CMLSTSXX_FILL CMLSTSX12 CMDATLST

LIFEPRTS CMLASTSX CURRPRTT CURRPRTS PRT12NAM1 PRT12NAM2 PRT12NAM3 CMPART1Y1 CMPART1Y2 CMPART1Y3 CURPART1 CURPART2 CURPART3 CMCURRP1 CMCURRP2 CMCURRP3