SECTION B Pregnancy & Birth History; Adoption & Nonbiological Children

VARIABLES IMPORTE	D FROM EARLIER SECTIONS:
AGE_R	R' AGE AT INTERVIEW (FROM A)
CMBIRTH	CM FOR R' DOB (FROM A)
CMJAN5YR	CENTURY MONTH OF THE JANUARY FIVE YEARS PRIOR TO CURRENT YEAR (FROM
	A)
CMINTVW	CM FOR DATE OF INTERVIEW (FROM A)
RELAR[X]	RELATIONSHIP OF HH MEMBERS TO R (FROM A)
NAME[X]	NAMES OF HH MEMBERS (FROM A)
THREEYRS_FILL	YEAR FILL FOR YEAR OF INTERVIEW - 3 YR (FROM A)
	D IN THIS SECTION & OUTPUT TO DATA FILE
NUMBABES	# OF BABIES BORN ALIVE (ACROSS ALL PREGNANCIES) (FC B-1 AND B-10)
NPLACED	# OF R' BIOLOGICAL CHILDREN THAT SHE PLACED FOR ADOPTION (BASED ON BPA NAMING) (FC B-1 AND B-17)
NDIED	# OF R' BIO CHILDREN THAT DIED SHORTLY AFTER BIRTH (FC B-1 AND B-17)
NADOPTV	# OF R' BIOLOGICAL CHILDREN CURRENTLY LIVING WITH ADOPTIVE FAMILIES
1120111	(BASED ON BG-5 WHERENOW) (FC B-1 AND B-39)
EVERPREG	
	WHETHER R EVER BEEN PREGNANT (FC B-4)
CURRPREG	WHETHER R IS CURRENTLY PREGNANT (FC B-4)
MOSCURRP	MONTHS GESTATION OF CURRENT PREGNANCY (FC B-5)
BORNALIV	NUMBER OF BABIES BORN ALIVE FROM THIS PREGNANCY (FC B-10)
CMOTPREG	CM FOR DATE PREGNANCY ENDED (NONLIVEBIRTHS) (FC B-11)
FLGDKM01	FLAG INDICATING SEASON/DK/RF FOR BC-4A DATPRGEN_M (FC B-12)
MOSGEST	MONTHS PREGNANT WHEN PREGNANCY ENDED OR DELIVERY OCCURRED (FC B-13)
WKSGEST	WEEKS PREGNANT WHEN PREGNANCY ENDED OR DELIVERY OCCURRED (FC B-13)
FLGSTILL	FLAG INDICATING AN EARLIER THAN TYPICAL STILLBIRTH (FC B-15A)
FLGMISC	FLAG FOR A LATER THAN TYPICAL MISCARRIAGE/ECTOPIC/ABORTION (FC B-15B)
BPA_BDSCHECK1	INDICATOR FOR 1ST UNNAMED BABY FROM A PREGNANCY WHO WAS PLACED FOR
BPA_BDSCRECKI	ADOPTION OR WHO DIED SOON AFTER BIRTH (FC B-17)
BPA_BDSCHECK3	INDICATOR FOR 2ND UNNAMED BABY FROM A PREGNANCY WHO WAS PLACED FOR
	ADOPTION OR WHO DIED SOON AFTER BIRTH (FC B-17)
BPA_BDSCHECK3	INDICATOR FOR 2ND UNNAMED BABY FROM A PREGNANCY WHO WAS PLACED FOR ADOPTION OR WHO DIED SOON AFTER BIRTH (FC B-17)
CMBABDOB	CM EQUIVALENT FOR DATE OF CHILD' BIRTH (FC B-19B)
KIDAGE	AGE (IN MONTHS) OF BIO CHILD AT TIME OF INTERVIEW (FC B-19B)
PRIMVAR	WHETHER R HAS ANSWERED VOL C-SECTION QUESTIONS OR NOT (FC B-
20C)	
CMKIDIED	CM FOR DATE WHEN BIO CHILD UNDER AGE 19 DIED (FC B-35)
	CM FOR DATE WHEN BIO CHILD UNDER AGE 19 DIED (FC D-35) CM FOR DATE WHEN BIO CHILD UNDER AGE 19 STOPPED LIVING WITH R FC B-36
CMKIDLFT	
LASTAGE	AGE (IN MONTHS) WHEN BIOLOGICAL CHILD LAST LIVED WITH R (FC B-38)
PRGOUTCOME	OUTCOME OF EACH PREGNANCY (INCLUDING CURRENT) (FC B-42A)
FRSTEATD	AGE (IN MOS) WHEN 1ST SUPPLEMENTED-NTH FROM THIS PREG (IN BLAISE BUT NOT CRQ)
AGEQTNUR	AGE (IN MOS) WHEN R STOPPED NURSING CHILD - NTH FROM THIS PREG (IN BLAISE BUT NOT CRQ)
CMPRGEND	CM FOR DATE EACH PREGNANCY ENDED (FC B-42A)
CMPRGBEG	CM FOR DATE EACH PREGNANCY (INCLUDING CURRENT PREG) BEGAN (FC B-42A)
WKSGESTV	WEEKS PREGNANT WHEN PREGNANCY ENDED OR DELIVERY OCCURRED AS REPORTED DURING SUMMARY SCREEN (FC B-42C_1)
MOSGESTV	MONTHS PREGNANT WHEN PREGNANCY ENDED OR DELIVERY OCCURRED AS REPORTED DURING SUMMARY SCREEN (FC B-42C 1)
CMENDDATE	CM FOR DATE EACH PREGNANCY ENDED AS REPORTED DURING SUMMARY SCREEN
	(FC B-42C_3)
PREGORDR	ORDER OF PREGNANCY AS DETERMINED AFTER SORTING (FC B-42C_7)
NPREGS_S:	TOTAL # OF PREGS R HAS HAD/BASED ON VERIFIED AND SORTED DATA (FC B- $42D$)
NBABES_S:	TOTAL # OF BABIES BORN ALIVE (ACROSS ALL PREGS) - BASED ON VERIFIED AND SORTED DATA (FC B-42D)
OUTCOM_S[X]:	PREGNANCY OUTCOME SORTED INTO CORRECT ORDER (FC B-42D)
	PREGNANCY END DATE SORTED INTO CORRECT ORDER (FC B-42D)
CMENDP_S[X]:	
CMPBEG_S[X]:	PREGNANCY BEGINNING DATE BASED ON LOOP AND VERIFICATION DATA AND SORTED INTO CORRECT ORDER. (FC B-42D)
NBRNLV_S[X]:	NUMBER OF BABIES BORN ALIVE SORTED INTO CORRECT ORDER (FC B-42D)
	NSFG_PUF2017-2019_FemB_CRQ Page 1 of 57

CMBDAY S	BIRTHDATE FOR NTH SORTED PREGNANCY
OUTCOM F	PREGNANCY OUTCOME BASED ON LOOP AND VERIFICATION DATA (FC B-
	42c 6)
CMENDP F	PREGNANCY END DATE BASED ON LOOP AND VERIFICATION DATA (FC B-
CHENDI_F	42c 6)
NBRNLV_F	NUMBER OF BABIES BORN ALIVE BASED ON LOOP AND VERIFICATION
	DATA PREGORDR ORDER OF PREGNANCY AS DETERMINED AFTER SORTING
	(FC B-42c_6)(FC B-42c_6)
CMPG1BEG	CM FOR MO/YR WHEN R' 1^{ST} pregnancy began (INCL CURRENT) (FC B-42D)
HASBABES	WHETHER R HAS HAD ANY LIVE BIRTHS (FC B-42D)
CMLASTLB	CM FOR R' MOST RECENT LIVE BIRTH (FC B-42D)
CMLSTPRG	CM FOR R' MOST RECENT COMPLETED PREGNANCY(FC B-42D)
CMFSTPRG	CM FOR R' FIRST COMPLETED PREGNANCY (FC B-42D)
TOTPLACD	# OF BIOLOGICAL CHILDREN THAT R PLACED FOR ADOPTION OR THAT WERE
	PLACED FOR ADOPTION (FC B-43)
EVERADPT	R' EXPERIENCE WITH ADOPTION (BASED ON BJ SERIES) (FC B-56)
CMOKDCAM	CM FOR DATE NONBIO CHILD CAME TO LIVE WITH R (FC B-49)
CMOKDDOB	CM FOR NONBIO CHILD' DATE OF BIRTH (FC B-52)
VARIABLES CREATED I	N THIS SECTION FOR LOOPING & ROUTING & ARE NOT OUTPUT TO DATA FILE:
PREGCNTR COUNTS	5 PREGNANCIES FOR PURPOSES OF LOOPING (FC B-1)
PREGCOUNTER ORDER	OF PREGNANCY AS ENTERED DURING THE INTERVIEW
BABYCNTR	COUNTS BABIES W/IN A MULTIPLE BIRTH FOR PURPOSES OF LOOPING (FC B-1)
NCAREFOR	# OF NONBIOLOGICAL CHILDREN R EVER CARED FOR (FC B-1 AND B-45)
PREGFILL	FILL FOR PREGNANCY ORDER (FC B-7)
BABYFILL	FILL FOR BABIES WITHIN A MULTIPLE BIRTH (FC B-17)

FILL FOR MULTIPLE BIRTHS (FC B-10)

MO/YR FILL FOR CMPRGEND (FC B-42A)

MO/YR FILL FOR CMPRGBEG (FC B-42A)

MO/YR FILL FOR CMPG1BEG (FC B-42D)

CMENDP_S[X]_FILL: FILL FOR PREGNANCY END DATE SORTED INTO CORRECT ORDER (FC B-42D)

DATA SORTED INTO CORRECT ORDER (FC B- B-42D)

FILL FOR PREGNANCY BEGINNING DATE BASED ON LOOP AND VERIFICATION

BA-0. The next section is about your experience with childbearing and pregnancy. First I would like to know when you started having your

menstrual periods.

• ENTER [1] to continue

FLOW CHECK B-1:	CREATE COUN	TERS AND INITIALIZE ALL TO 0:
	PREGCNTR =	COUNTS PREGNANCIES FOR PURPOSES OF LOOPING
	BABYCNTR =	COUNTS BABIES WITHIN A PREGNANCY FOR PURPOSES
		OF LOOPING
	NUMBABES =	# OF BABIES BORN ALIVE (based on BORNALIV)
	NPLACED =	# OF R'S BIOLOGICAL CHILDREN THAT SHE PLACED
		FOR ADOPTION (based on BPA naming)
	NDIED =	# OF R'S BIOLOGICAL CHILDREN THAT DIED SHORTLY
		AFTER BIRTH (based on BDS naming)
	NADOPTV =	# OF R'S BIOLOGICAL CHILDREN CURRENTLY LIVING
		WITH ADOPTIVE FAMILIES (based on BG-5 WHERENOW)
	NCAREFOR =	# OF NONBIOLOGIC CHILDREN R EVER CARED FOR

MENARCHE AND CURRENT PREGNANCY (BA)

MENARCHE

MULT

CMPRGEND_FILL

CMPRGBEG_FILL

CMPG1BEG_FILL

CMPBEG_S_FILL:

BINTRO_1

BA-1. How old were you when you had your first menstrual period?

• If periods have not yet started, enter [96]

[HELP AVAILABLE]

• ENTER age in years _____

UNDERLYING RANGE: 1 to 96

- EDIT CHECK BA1_1: PROBE IF BA-1 MENARCHE > AGE_R (HARD EDIT). DISPLAY: R has reported an age of first period (MENARCHE) that is older than her current age (BIRTHDAY). Please correct her age at 1st period. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BA1_2: PROBE IF BA-1 MENARCHE < 6 (SOFT EDIT). DISPLAY: R's age at 1st menstrual period has been entered as younger than 6 years. This age is outside the range when most women have their first periods. Please correct the age of R's first period (MENARCHE) if necessary, or suppress the edit check if the entered age is correct.
- EDIT CHECK BA1_3: PROBE IF BA-1 MENARCHE > 25 (SOFT EDIT). DISPLAY: R's age at 1st menstrual period has been entered as older than 25 years. This age is outside the range when most women have their first periods. Please correct the age of R's first period (MENARCHE) if necessary, or suppress the edit check if the entered age is correct.
- EDIT CHECK BA1_4: PROBE IF BA-1 MENARCHE = 96 AND ANY RELAR(X) FROM HH ROSTER = 3 (BIOLOGICAL CHILD) (SOFT EDIT). DISPLAY: R has reported that her periods have not yet begun, but she reported having a biological child earlier. Has something been entered incorrectly? INVOLVING(MENARCHE)

{ ASKED OF ALL **PREGNOWQ** BA-2. Are you pregnant now?

> Yes1 No5

FLOW CHECK B-3: IF BA-2 PREGNOWQ = DK, ASK BA-3 MAYBPREG. ELSE GO TO BINTRO_2.

MAYBPREG

BA-3. Do you think you are probably pregnant or not?

• PROBE for R's best guess or hunch before accepting a DK response. (A response of DK will be treated as <u>not</u> currently pregnant in subsequent questions.)

Probably pregnant 1 Probably not pregnant ... 5

BINTRO_2

BA-4. Next I will be asking you about any pregnancies you have had -- whether they resulted in babies born alive, stillbirth, abortion, miscarriage, or ectopic or tubal pregnancy. We'll be talking about each of your pregnancies in the order they occurred. This information is some of NSFG_PUF2017-2019_FemB_CRQ the most important in this interview because it will help to improve family planning and health services for <u>all</u> women. So please take whatever time you need to answer them as accurately and completely as possible.

• ENTER [1] to continue

NUMBER OF PREGNANCIES (BB)

{ ASKED OF ALL NUMPREGS BB-1. IF BA-2 PREGNOWQ = 1 (yes) OR BA-3 MAYBPREG = 1 (probably pregnant), ASK: Including this pregnancy, how many times have you been pregnant in your life? ELSE IF BA-2 PREGNOWQ = (5 or RF) OR BA-3 MAYBPREG = (5 or DK or RF), ASK: How many times have you been pregnant in your life? ENTER number of pregnancies ______ UNDERLYING RANGE: 0 to 95 (allow space for 20 in later loop) PROBE IF BA-2 PREGNOWQ = YES OR BA-3 MAYBPREG = EDIT CHECK BB1 1: PROBABLY PREGNANT AND BB-1 NUMPREGS = 0. DISPLAY **TEXT:** R may be currently pregnant, but has reported 0 pregnancies (NUMPREGS). Please correct this information. INVOLVING (NUMPREGS, PREGNOWQ, MAYBPREG) FLOW CHECK B-4: COMPUTE EVERPREG: (Has R ever been pregnant) EVERPREG = 1 (YES) IF NUMPREGS > 0= 5 (NO) IF NUMPREGS = 0, DK, OR RF COMPUTE CURRPREG: (Is R currently pregnant) CURRPREG = 1 (YES) IF PREGNOWQ=YES OR MAYBPREG=PROB PREG. = 5 (NO) otherwise IF EVERPREG = NO, GO TO FLOW CHECK B-42d. ELSE IF EVERPREG = YES, CONTINUE. IF CURRPREG = YES, ASK BB-2 HOWPREG. ELSE GO TO FLOW CHECK в-б. HOWPREG N BB-2. 0 of 0 How many weeks or months pregnant are you now? ___(Week(s)/Month(s)) • If R is less than 1 week pregnant, enter [0]

UNDERLYING RANGE: 0 to 50 IF DK OR RF, GO TO FLOW CHECK B-5.

HOWPREG_P

BB-2. @ of @ (How many weeks or months pregnant are you now?)

After R has selected the units, SAY: Please record the month when this pregnancy began using a "P" in the appropriate box on your calendar's "Births & Other Pregnancies" row.

[CALENDAR REFERENCE]

(HOWPREG_N) per Week(s)/Month(s)

Weeks1 Months ...2

- EDIT CHECK BB2_1: PROBE IF BB-2 HOWPREG_N GE 10 AND BB-2 HOWPREG_P = 2 (months). Display: R has reported she is currently 10 or more months pregnant. This is extremely unlikely. Please correct either the number (NOWPREG_N) or the units (NOWPREG_P), if necessary. If you suppress this check, please enter an F2 comment for the reason.
- EDIT CHECK BB2_2: PROBE IF BB-2 HOWPREG_N GE 43 AND BB-2 HOWPREG_P = 1 (weeks). Display: R has reported she is currently 43 or more weeks pregnant. This is extremely unlikely. Please correct either the number (NOWPREG_N) or the units (NOWPREG_P), if necessary. If you suppress this check, please enter an F2 comment for the reason.
- FLOW CHECK B-5: IF BB-2 HOWPREG_N = DK OR RF OR HOWPREG_P = DK OR RF, ASK
 BB-3 NOWPRGDK.
 ELSE (IF 0 LE HOWPREG_N LE 50 AND HOWPREG_P IN(1,2)) OR IF
 NOWPRGDK = DK or RF, COMPUTE MOSCURRP AND GO TO FLOW CHECK
 B-6.

COMPUTE MOSCURRP: (months currently pregnant)

SET MOSCURRP = blank
IF NOWPRGDK=8 THEN MOSCURRP=98.
ELSE IF NOWPRGDK=9 THEN MOSCURRP=99.
ELSE IF HOWPREG_P = 2, SET MOSCURRP = HOWPREG_N.
ELSE IF HOWPREG_P = 1,
 SET MOSCURRP = HOWPREG_N / 4.33

NOWPRGDK

BB-3. Are you in your first trimester, in your second trimester, or in your third trimester?

[HELP AVAILABLE]

First trimester1 (SET MOSCURRP = 2)
Second trimester2 (SET MOSCURRP = 5)
Third trimester3 (SET MOSCURRP = 8)

NSFG FEMALE CRQ FOR 2017-2019 OMB Number 0920-0314

- FLOW CHECK B-5b: IF BB-3 NOWPRGDK = 8 (RF), THEN SET MOSCURRP=98 (RF). ELSE IF NOWPRGDK = 9 (DK), THEN SET MOSCURRP=99 (DK).
- FLOW CHECK B-6: IF CURRPREG = NO OR (CURRPREG = YES AND BB-1 NUMPREGS > 1), CONTINUE WITH FLOW CHECK B-7.

ELSE IF CURRPREG = YES AND BB-1 NUMPREGS = 1, GO TO FLOW CHECK B-42a.

PREGNANCY OUTCOME, DATE, AND GESTATIONAL LENGTH -- ALL COMPLETED PREGS (BC)

FLOW CHECK B-7: INCREASE PREGCNTR BY 1.

CREATE PREGFILL: IF BB-1 NUMPREGS=1 and PREGCNTR=1, SET PREGFILL = blank (use no fill). ELSE IF NUMPREGS > 1, INSERT APPROPRIATE FILLS FOR EACH VALUE OF PREGCNTR (e.g., if PREGCNTR=1 use "1st").

FLOW CHECK B-8a: IF PREGCNTR = BB-1 NUMPREGS AND CURRPREG=YES, GO TO FLOW CHECK B-42a. ELSE, GO TO BC-0 BINTRO_3.

BINTRO_3

BC-0.

IF PREGCNTR = 1 AND [BB-1 NUMPREGS > 2 OR (NUMPREGS=2 AND CURRPREG=NO)], ASK: Now I'd like to ask some questions specifically about your (PREGFILL) pregnancy. Remember, we'll be talking about each of your pregnancies in the order they occurred.

ELSE, ASK:

Now I'd like to ask some questions specifically about your (PREGFILL) pregnancy.

• ENTER [1] to continue

PREGEND

BC-1. In which of the ways shown on Card 12 did the pregnancy end?

- If this pregnancy included had more than one type of outcome, such as miscarriage of one fetus and live birth for the other fetus, enter all that apply.
- If pregnancy resulted in multiples (such as twins or triplets) born vaginally and by cesarean section, enter both [5] and [6]. If all the babies from this pregnancy were born the same way, enter that code [5] or [6] only once.
- PROBE if R says DK or RF. Do not probe AO. This is a critical item.

[SHOW CARD 12] [HELP AVAILABLE]

Miscarriage		•	•	•	•		•	•					•	•	•	•	•	•	•		•	•	•	•	1	
Stillbirth .		•		•					•	•	•	•		•	•	•	•		•						2	
Abortion		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			3	

Ectopic or tubal pregnancy4 Live birth by Cesarean section5 Live birth by vaginal delivery6

FLOW CHECK B-8b: IF BC-1 PREGEND INCLUDES ANY MENTION OF CODES 5 OR 6 (LIVE BIRTH), ASK BC-2 NBRNALIV. ELSE IF ALL RESPONSES CODED FOR BC-1 PREGEND = 1 or 2 or 3 or 4 (MISCARRIAGE, STILLBIRTH, ABORTION, OR ECTOPIC PREGNANCY), GO TO BC-4a DATPRGEN. ELSE IF BC-1 PREGEND = DK OR RF, GO TO BC-1b HOWENDDK. (If pregnancy did not end in a live birth, we ask "date pregnancy ended." Otherwise, we ask "date of delivery," after a few other questions on the birth. If R does not report pregnancy outcome, we ask one (new) follow-up question, and if she doesn't answer that one either, we go to end of preg loop and ask about next pregnancy if there is one.)

HOWENDDK

BC-1b. I understand that you may not want to answer this question in detail.

If you are willing to say, did this (PREGFILL) pregnancy result in a baby or babies born alive, or did it end in some other way?

Live birth1 Some other way5

FLOW CHECK B-8c: IF BC-1b HOWENDDK = DK or RF, GO TO FLOW CHECK B-42a. ELSE IF HOWENDDK = 1 THEN ASK BC-2 NBRNALIV. ELSE IF HOWENDDK = 5 THEN GO TO BC-4a DATPRGEN. (HOWENDDK=5 are routed the same way as induced abortions)

NBRNALIV

BC-2. IF BB-1 NUMPREGS = 1, ASK:

How many babies did you have that were born alive? Please include babies that may have died shortly after birth and babies that you placed for adoption.

ELSE IF BB-1 NUMPREGS > 1, ASK: With your (PREGFILL) pregnancy, how many babies did you have that were born alive? Please include babies that may have died shortly after birth and babies that you placed for adoption.

• ENTER number of babies

UNDERLYING RANGE: 1 to 6

FLOW CHECK B-9: IF BC-2 NBRNALIV > 1, ASK BC-3 MULTBRTH. ELSE IF BC-2 NBRNALIV = 1, DK OR RF, GO TO BC-5 GESTASUN.

MULTBRTH

BC-3. IF BC-2 NBRNALIV = 2, ASK: Did you have twins?

> ELSE IF BC-2 NBRNALIV = 3, ASK: Did you have triplets?

NSFG FEMALE CRQ FOR 2017-2019 OMB Number 0920-0314 ELSE IF BC-2 NBRNALIV > 3, ASK: Did you have all of these babies with this [PREGFILL] pregnancy? Yes1 No5 FLOW CHECK B-10: DEFINE BORNALIV = Number of babies born alive from this pregnancy INITIALIZE BORNALIV = blank/inapp (retain blank for cases where NBRNALIV = DK/RF) IF BC-2 NBRNALIV = 1 THEN BORNALIV=1; ELSE IF (1 < NBRNALIV < 7) AND BC-3 MULTBRTH=5,DK,RF, THEN BORNALIV=1; ELSE IF 1 < NBRNALIV < 7 AND MULTBRTH=1, THEN BORNALIV = NBRNALIV; DEFINE MULT fill based on BORNALIV: If BORNALIV=2, MULT=twins ELSE IF BORNALIV=3, MULT=triplets ELSE IF BORNALIV>3, MULT=babies INCREMENT NUMBABES BASED ON # OF BABIES BORN ALIVE FROM THIS PREGNANCY: NUMBABES = NUMBABES + BORNALIV GO TO BC-5 GESTASUN. DATPRGEN M BC-4am. \mathcal{O} of \mathcal{O} In what month and year did this pregnancy end? • PROBE gently for season if DK or RF month • If R insists she does not know, enter [Ctrl+D]. • ENTER MM/YYYY [CALENDAR REFERENCE] 5. May 9. September 13. Winter 1. January 2. February 6. June 10. October 14. Spring 3. March 7. July 11. November 15. Summer 8. August 12. December 16. Fall 4. April

DATPRGEN_Y

BC-4ay. @ of @

(In what month and year did this pregnancy end?)

[CALENDAR REFERENCE]

• After R has given the year, say: Please record the pregnancy in the "Birth or Pregnancy Ending Dates" section below the calendar. Then, if the pregnancy ended in [THREEYRS_FILL] or later, please record "S" for a stillbirth, "M" for miscarriage or ectopic, or "A" for abortion in the appropriate box on the "Births & Other Pregnancies" row of the calendar. ENTER (DATPRGEN_M)/YYYY

UNDERLYING RANGE: 1971 to 2020

FLOW CHECK B-11: COMPUTE CMOTPREG: (Century month for mo/yr when nonlivebirth preg ended)

SET CMOTPREG = null/blank.

IF DATPRGEN_Y = RF, SET CMOTPREG = 9998 (RF). ELSE IF DATPRGEN_Y = DK, SET CMOTPREG = 9999 (DK).

ELSE IF DATPRGEN_M LE 12, COMPUTE CMOTPREG = (DATPRGEN_Y - 1900)*12 + DATPRGEN_M

> ELSE IF 13 LE DATPRGEN_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMOTPREG as above.

ELSE IF DATPRGEN_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMOTPREG as above.

EDIT CHECK BC4a_1: IF (DATPRGEN_M LE 12) AND CMOTPREG > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BC4a_2: IF (DATPRGEN_M LE 12) AND CMOTPREG < CMBIRTH, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

- EDIT CHECK BC4a_3: IF (13 LE DATPRGEN_M LE 16) AND CMOTPREG > (CMINTVW + 2) , DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BC4a_4: IF (13 LE DATPRGEN_M LE 16) AND CMOTPREG < (CMBIRTH 3, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BC4a_5: IF (DATPRGEN_M = DK OR RF) AND DATPRGEN_Y > (CMINTVW/12
 +1900), DISPLAY: The date entered cannot be after the date
 of interview. Please correct.
 HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BC4a_6: IF (DATPRGEN_M = DK OR RF) AND DATPRGEN_Y < (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BC4a_6b: PROBE IF CMOTPREG < CMBIRTH + 120 DISPLAY: R has reported having a pregnancy before age 10. Please correct the date of this pregnancy if necessary. INVOLVING: DATPRGEN_M, DATPRGEN_Y
- EDIT CHECK BC4a_7: PROBE IF CMOTPREG FOR THIS PREGNANCY IS SAME AS CMOTPREG FOR A PRIOR PREGNANCY (CMOTPREG[x] = NSFG_PUF2017-2019_FemB_CRQ

NSFG FEMALE CRQ FOR 2017-2019 OMB Number 0920-0314

> CMOTPREG[x-1] or ANY OTHER nonsysmis, nonDK/RF CMOTPREG value): R has reported that this pregnancy ended in the same month and year as another pregnancy. Please correct one of these dates if necessary. If R says she her pregnancy ended in more than 1 way, such as miscarriage and stillbirth, please return to correct BB-1 NUMPREGS and BC-1 PREGEND.

EDIT CHECK BC4a 8: PROBE IF R'S AGE AT CMOTPREG FOR THIS PREGNANCY IS YOUNGER THAN HER AGE AT 1ST MENSTRUAL PERIOD (INT((CMOTPREG-CMBIRTH)/12)) LT BA-1 MENARCHE LT 96): The computer has estimated that this pregnancy ended at a younger age than R's first menstrual period. If necessary, please correct the date of this pregnancy or her age at first menstrual period.

FLOW CHECK B-12: DEFINE FLGDKMO1 for SEASON/DK/RF reporting on DATPRGEN_M:

SET FLGDKMO1 = 0 (NO) (should be initialized to 0 for any pregnancy reported)

IF DATPRGEN M = 13 or 14 or 15 or 16, SET FLGDKMO1 = 1. ELSE IF DATPRGEN M = DK or RF, SET FLGDKMO1 = 2.

IF FLGDKMO1 = 1 or 2 OR CMOTPREG = DK OR RF, ASK BC-4b AGEATEND. ELSE GO TO BC-4c HPAGEEND.

{ Asked if R reported a season or dk/rf on month or entire date was dk/rf AGEATEND

BC-4b. How old were you when this pregnancy ended?

ENTER age in years.

UNDERLYING RANGE: 5 to 49

EDIT CHECK BC4b 1: PROBE IF R'S AGE WHEN THIS PREGNANCY ENDED IS YOUNGER THAN HER AGE AT 1ST MENSTRUAL PERIOD (BC-4b AGEATEND LT BA-1 MENARCHE LT 96): R has reported that this pregnancy ended at an age younger than her first menstrual period. If necessary, please correct her age when this pregnancy ended or her age at first menstrual period.

{ Asked for all pregnancies that did not end in live birth HPAGEEND BC-4c. How old was the father when this pregnancy ended?

ENTER age in years.

UNDERLYING RANGE: 5 to 95

GESTASUN M

BC-5m.

1) of 2 IF BORNALIV = 1, ASK: How many months or weeks had you been pregnant when the baby was born?

ELSE IF BORNALIV > 1, ASK: How many months or weeks had you been pregnant when the [MULT] were NSFG_PUF2017-2019_FemB_CRQ born?

ELSE IF BORNALIV = BLANK, ASK: How many months or weeks had you been pregnant when that pregnancy ended?

•PROBE for an exact number. Fill fields for both months and weeks as R reports them. For example, "2 1/2 months" should be entered as 2 months and 2 weeks, "9 months" would be entered as 9 months and 0 weeks.

months (and ____ weeks)

UNDERLYING RANGE: 0 to 11

2 of 2

GESTASUN_W

BC-5w.

IF BORNALIV = 1, ASK: (How many months or weeks had you been pregnant when the baby was born?)

ELSE IF BORNALIV > 1, ASK: (How many months or weeks had you been pregnant when the [MULT] were born?)

ELSE IF BORNALIV = BLANK, ASK: (How many months or weeks had you been pregnant when that pregnancy ended?)

• PROBE for an exact number. Fill fields for both months and weeks as R reports them. For example, "2 1/2 months" should be entered as 2 months and 2 weeks, "9 months" would be entered as 9 months and 0 weeks.

[CALENDAR REFERENCE]

• (GESTASUN_M) months and _____ weeks

UNDERLYING RANGE: 0 to 50

FLOW CHECK B-13: COMPUTE WKSGEST: (weeks of gestation for completed pregnancy)

INITIALIZE WKSGEST = null/blank.
IF (GESTASUN_M = DK OR RF) OR (GESTASUN_W = DK OR RF)
THEN SET WKSGEST = DK OR RF (as appropriate).
ELSE IF (GESTASUN_M NE DK OR RF) AND (GESTASUN_W NE
DK OR RF):
SET WKSGEST = (GESTASUN_M * 4.33) + GESTASUN_W

COMPUTE MOSGEST: (months of gestation for completed pregnancy):

INITIALIZE MOSGEST = null/blank.
IF (GESTASUN_M = DK OR RF) OR (GESTASUN_W = DK OR RF)
THEN SET MOSGEST = DK OR RF (as appropriate).
ELSE IF (GESTASUN_M NE DK OR RF) AND (GESTASUN_W NE
DK OR RF):
SET MOSGEST = GESTASUN_M + (GESTASUN_W / 4.33)

- EDIT CHECK BC5_1a: PROBE IF WKSGEST > 44 WEEKS. DISPLAY: R has reported a pregnancy longer than 44 weeks or 10 months. This is extremely unlikely. Please correct the months or weeks of gestation (GESTASUN_M or GESTASUN_W), if necessary. If you suppress this check, please enter an F2 comment for the reason. INVOLVING(GESTASUN_W,GESTASUN_M) [RECOMPUTE MOSGEST AND WKSGEST]
- EDIT CHECK BC5_1b: PROBE IF MOSGEST GT 10. DISPLAY: R has reported a pregnancy longer than 44 weeks or 10 months. This is extremely unlikely. Please correct the months or weeks of gestation (GESTASUN_M or GESTASUN_W), if necessary. If you suppress this check, please enter an F2 comment for the reason. INVOLVING(GESTASUN_W,GESTASUN_M) [RECOMPUTE MOSGEST AND WKSGEST]
- EDIT CHECK BC5_2: PROBE IF BC-1 PREGEND = ONLY 2 (STILLBIRTH) AND (MOSGEST < 5 MONTHS OR WKSGEST < 20). DISPLAY: Stillbirths typically occur at 20 weeks or later during pregnancy, but R has reported a stillbirth that occurred earlier than this. Please correct the months or weeks of gestation (GESTASUN_M or GESTASUN_W), if necessary. If you suppress this check, please enter an F2 comment for the reason. INVOLVING(GESTASUN_W,GESTASUN_M) [RECOMPUTE MOSGEST AND WKSGEST]
- EDIT CHECK BC5_3: PROBE IF BC-1 PREGEND = ONLY 1 or 4 (MISCARRIAGE OR ECTOPIC PREGNANCY) AND (MOSGEST GE 5 MONTHS or WKSGEST GE 20). DISPLAY: Such pregnancy losses typically occur earlier than 20 weeks of pregnancy, but R has reported that her pregnancy ended later than this. Please correct the months or weeks of gestation (GESTASUN_M or GESTASUN_W), if necessary. If you suppress this check, please enter an F2 comment for the reason. INVOLVING(GESTASUN_W,GESTASUN_M) [RECOMPUTE MOSGEST AND WKSGEST]
- EDIT CHECK BC5_4: PROBE IF BC-1 PREGEND = ONLY 3 (ABORTION) AND MOSGEST GE 6 MONTHS. DISPLAY: Abortions are typically done within the 1st 6 months of pregnancy, but R has reported that her pregnancy was ended at 6 months or later. Please correct the months or weeks of gestation (GESTASUN_M or GESTASUN_W), if necessary. If you suppress this check, please enter an F2 comment for the reason. INVOLVING(GESTASUN_W,GESTASUN_M) [RECOMPUTE MOSGEST AND WKSGEST]
- EDIT CHECK BC5_5: PROBE IF BC-1 PREGEND INCLUDES CODES 5 OR 6 (ANY LIVE BIRTH BY CESEAREAN OR VAGINAL DELIVERY) AND (WKSGEST<24 OR MOSGEST<6). DISPLAY: R has reported a live birth occurring earlier than 24 weeks or 6 months of pregnancy. This is extremely unlikely. Please correct the months or weeks of gestation (GESTASUN_M or GESTASUN_W), if necessary. If you

suppress this check, please enter an F2 comment for the reason. INVOLVING(GESTASUN_W,GESTASUN_M) [RECOMPUTE MOSGEST AND WKSGEST]

FLOW CHECK B-14: IF WKSGEST = DK/RF, CONTINUE WITH FLOW CHECK B-15. ELSE IF WKSGEST NE DK/RF, GO TO FLOW CHECK B-16.

FLOW CHECK B-15: IF BC-1 PREGEND = ONLY 2 (STILLBIRTH), ASK BC-6 DK1GEST.

ELSE IF BC-1 PREGEND includes codes 5 or 6 (ANY LIVEBIRTH BY CESEAREAN OR VAGINAL DELIVERY) OR BC-1b HOWENDDK=1 (live birth), GO TO BC-7 DK2GEST.

ELSE IF BC-1 PREGEND = ONLY 1 OR 3 OR 4 (ONLY MISCARRIAGE, ABORTION, OR ECTOPIC PREGNANCY), GO TO BC-8 DK3GEST. (Routes to the outcome-appropriate followup questions for gestational length DK responses.)

DK1GEST

BC-6. Was it...

Less than 6 months, or ..1(RESET MOSGEST=4.5 & WKSGEST=4.5*4.33) 6 months or more?.....2(RESET MOSGEST=7.5 & WKSGEST=7.5*4.33) {IF DK/RF, THEN MOSGEST REMAINS DK/RF.}

EDIT CHECK BC6_1: PROBE IF BC-1 PREGEND = ONLY 2 (STILLBIRTH) AND BC-6 DK1GEST = 1 (less than 6 months). Display: Stillbirths typically occur at 6 months or later during pregnancy, but R has reported a stillbirth that occurred earlier than 6 months. Please correct DK1GEST if necessary. If you suppress this check, please enter an F2 comment for the reason. (ALLOW CORRECTION OF DK1GEST, and then recompute MOSGEST and WKSGEST.)

FLOW CHECK B-15a: IF R INSISTS THAT HER STILLBIRTH OCCURRED AT LESS THAN 6 MONTHS, SET FLAG SO THAT WE CAN DECIDE ON WHETHER TO MODIFY OUTCOME IN LATER EDITING.

> Initialize FLGSTILL = 0 for all cases asked DK1GEST. If DK1GEST = 1, Set FLGSTILL = 1.

GO TO FLOW CHECK B-16.

DK2GEST

BC-7. A preterm delivery is one that occurs at 36 weeks or earlier in pregnancy. As far as you know, did you have a preterm delivery?

Yesl(RESET MOSGEST=30/4.33 & WKSGEST=30); FLOW CHECK B-16) No5(RESET MOSGEST=40/4.33 & WKSGEST=40); FLOW CHECK B-16) {IF DK/RF, THEN MOSGEST REMAINS DK/RF.}

DK3GEST

BC-8. Was it...

• READ list

Less than 3 months,1(RESET MOSGEST=1.5 & WKSGEST=1.5*4.33)
3 months or more, but
less than 6 months, or...2(RESET MOSGEST=4.5 & WKSGEST=4.5*4.33)
6 months or more?3(RESET MOSGEST=7.5 & WKSGEST=7.5*4.33)
{IF DK/RF, THEN MOSGEST REMAINS
DK/RF.}

- EDIT CHECK BC8_1: PROBE IF BC-1 PREGEND = ONLY CODES 1 OR 3 OR 4 (ONLY MISCARRIAGE, ABORTION, OR ECTOPIC PREGNANCY) AND BC-8 DK3GEST = 3 (6 MONTHS OR MORE). DISPLAY TEXT: Such pregnancies typically occur earlier than 6 months of pregnancy, but R has reported that her pregnancy ended at 6 months or later. Please correct DK2GEST if necessary. If you suppress this check, please enter an F2 comment for the reason. (ALLOW CORRECTION OF DK3GEST, and then recompute MOSGEST and WKSGEST.)
- FLOW CHECK B-15b: IF R INSISTS THAT THE PREGNANCY ENDED AT 6 MONTHS OR LATER, SET FLAG SO THAT WE CAN DECIDE ON WHETHER TO MODIFY OUTCOME IN LATER EDITING.

Initialize FLGMISC = 0 for all cases asked DK3GEST. If DK3GEST = 3, Set FLGMISC = 1.

FLOW CHECK B-16: IF BC-1 PREGEND INCLUDES CODES 5 OR 6 (live birth by cesarean or vaginal delivery) OR BC-1b HOWENDDK=1, ASK BD-1 BABYNAME. ELSE IF BC-1 PREGEND = only 3 (ONLY ABORTION) OR BC-1b HOWENDDK=5 (non-livebirth), GO TO FLOW CHECK B-42a.

> ELSE IF BC-1 PREGEND = only 1, 2, or 4 (ONLY MISCARRIAGE, STILLBIRTH, OR ECTOPIC PREGNANCY), GO TO FLOW CHECK B-21. (If pregnancy ended in induced abortion or R was asked the dk/rf follow-up question for preg outcome, we ask no more questions about it, beyond date and gestational length obtained above. Otherwise, R is routed through BD-BH series based on date and outcome of pregnancy.)

DELIVERY INFORMATION -- ALL LIVE BIRTHS, SOME BABY-SPECIFIC QUESTIONS (BD)

BABYNAME

BD-1. IF BORNALIV = 1, ASK: What did you name your baby?

> ELSE IF BORNALIV > 1, ASK: What did you name your [MULT]?

> > • If the baby was unnamed and placed for adoption, enter [BPA].

If the baby was unnamed and died shortly after birth, enter [BDS].
If there are multiple instances of either of these cases, add a number to the entry to distinguish one child from another, e.g., "BPA1", "BPA2", and so forth.

• ENTER Name or initials

{ SPACE ALLOWED FOR UP TO 6 CHILDREN.

FLOW CHECK B-17: INCREASE BABYCNTR BY 1.

IF BD-1 BABYNAME = BPA, BPA1, BPA2, ETC, INCREASE NPLACED BY 1. IF BD-1 BABYNAME = BDS, BDS1, BDS2, ETC, INCREASE NDIED BY 1.

BPA_BDScheck variables will be defined for each liveborn baby from this pregnancy to indicate that the baby was placed for adoption or died shortly after birth.

DEFINE BABYFILL and BPA_BDScheck:

IF BABYNAME NE BPA (or BPA1, BPA2, etc) OR BDS (or BDS1, BDS2, etc) OR DK OR RF OR " "(WHITE SPACE), SET BPA_BDScheck=0 AND SET BABYFILL = BABYNAME.

ELSE IF BABYNAME = DK OR RF OR " " (WHITE SPACE) AND BORNALIV = 1, SET BABYFILL = BLANK. ELSE IF BABYNAME = DK OR RF OR " " (WHITE SPACE) AND BORNALIV > 1 , SET BPA_BDScheck=0 AND SET BABYFILL = "first," "second," etc.

ELSE IF BABYNAME = BPA, BPA1, BPA2, ETC AND NPLACED = 1, SET BABYFILL = BLANK and SET BPA_BDScheck = 1 (baby placed for adoption). ELSE IF BABYNAME = BPA, BPA1, BPA2, ETC AND NPLACED > 1, SET BABYFILL = "first" FOR THE FIRST BPA, "second" FOR THE SECOND BPA, ETC. SET BPA_BDScheck=1 for each of the babies named with a BPA name.

ELSE IF BABYNAME = BDS, BDS1, BDS2, ETC AND NDIED = 1, SET BABYFILL = BLANK and SET BPA_BDScheck = 2 (baby died shortly after birth).

ELSE IF BABYNAME = BDS, BDS1, BDS2, ETC AND NDIED > 1, SET BABYFILL = "first" FOR FIRST BDS, "second" FOR SECOND BDS, ETC. SET BPA_BDScheck=2 for each of the babies named with a BDS name.

FLOW CHECK B-17a: IF BORNALIV > 3, ASK BINTRO_4 BD-1b. ELSE GO TO BABYSEX BD-2.

BINTRO_4

- BD-1b. In order to save time during the interview, I will only ask you specific questions about the first three babies from this pregnancy.
 - ENTER [1] to continue

BABYSEX

BD-2. IF BABYNAME = BPA (or BPA1, BPA2, etc): Ask only if necessary: Was the (BABYFILL) baby you placed for adoption male or female?

ELSE IF BABYNAME = BDS (or BDS1, BDS2, etc): Ask only if necessary: Was the (BABYFILL) baby that died male or female?

ELSE IF BABYNAME = DK OR RF, ASK: Was the (BABYFILL) baby male or female?

ELSE IF BABYNAME NE BPA OR BDS OR DK OR RF:

ASK ONLY IF NECESSARY: Is (BABYFILL) male or female?

Male 1 Female 2

BIRTHWGT_LB

BD-3. *O* of *O* IF BABYNAME = BPA OR BDS or DK OR RF, ASK: How much did this (NTH) baby weigh at birth?

> ELSE IF BABYNAME NE BPA OR BDS OR DK OR RF, ASK: How much did (BABYFILL) weigh at birth?

> > • Fill in both pounds and ounces fields. If R answers in metric grams, *enter* [Ctrl+D] and answer BD-4 LOBTHWGT.

• ____ Pounds (and _____ ounces)

UNDERLYING RANGE: 0 to 20 IF DK OR RF, GO TO FLOW CHECK B-18.

BIRTHWGT_OZ

◆(*BIRTHWGT_LB*) pounds and _____ ounces

UNDERLYING RANGE: 0 to 15

FLOW CHECK B-18: IF BD-3 BIRTHWGT_LB = DK OR RF OR (BIRTHWGT_LB LT 6 AND BIRTHWGT_OZ = DK OR RF), ASK BD-4 LOBTHWGT. ELSE, GO TO FLOW CHECK B-19.

LOBTHWGT

BD-4. IF BD-2 BABYSEX = 1, ASK: Did he weigh 5 1/2 pounds or more, or less than 5 1/2 pounds?

ELSE IF BD-2 BABYSEX = 2, ASK: Did she weigh 5 1/2 pounds or more, or less than 5 1/2 pounds?

• ENTER [2] if baby weighed less than 5 1/2 pounds or less than 2500 grams.

5 1/2 pounds or more 1 Less than 5 1/2 pounds 2

FLOW CHECK B-19: IF BABYCNTR < BORNALIV, RETURN TO FLOW CHECK B-17. ELSE IF BABYCNTR = BORNALIV = 1, GO TO BD-5 BABYDOB. We ask DOB after getting sex & birthweight of each baby born from this pregnancy. If there's more than 1 liveborn baby, we only ask DOB once.

BABYDOB_M

BD-5. *O* of *O* IF BORNALIV = 1 AND (BD-1 BABYNAME = DK or RF OR BPA_BDScheck=1 or 2)AND BD-2 BABYSEX = 1 (MALE), ASK: In what month and year was he born?

ELSE IF BORNALIV = 1 AND (BD-1 BABYNAME = DK or RF OR BPA_BDScheck=1 or

NSFG FEMALE CRQ FOR 2017-2019 OMB Number 0920-0314 2) AND BD-2 BABYSEX = 2 (FEMALE), ASK: In what month and year was she born? ELSE IF BORNALIV > 1, ASK: In what month and year were the [MULT] born? ELSE IF BC-2 NBRNALIV = DK OR RF, ASK: In what month and year did this pregnancy end? ELSE IF BORNALIV = 1 AND BPA BDScheck=0, ASK: In what month and year was (BABYFILL) born? [CALENDAR REFERENCE] [HELP AVAILABLE] • PROBE gently for season if DK or RF month ◆ ENTER MM/YYYY 9. September 13. Winter 10. October 14. Spring 1. January 5. May 10. October 6. June 7. July 2. February 3. March 11. November15. Summer12. December16. Fall

BABYDOB Y

BD-5. *O* of *O*

(Variant from month screen)

[CALENDAR REFERENCE] [HELP AVAILABLE]

4. April

• After R has given the year, say: Please write this date in the "Birth or Pregnancy Ending Dates" section below the calendar. Then, if the birth occurred in [THREEYRS_FILL] or later, please record a "B" in the box for this month and year on the "Births & Other Pregnancies" row of the calendar.

ENTER (BABYDOB_M)/YYYY

UNDERLYING RANGE: 1971 to 2020

8. August

FLOW CHECK B-19b: COMPUTE CMBABDOB:

(Century month for baby' date of birth)

SET CMBABDOB = null/blank.

IF BABYDOB_Y = RF, SET CMBABDOB = 9998 (RF). ELSE IF BABYDOB_Y = DK, SET CMBABDOB = 9999 (DK).

ELSE IF BABYDOB_M LE 12, COMPUTE CMBABDOB = (BABYDOB_Y - 1900)*12 + BABYDOB_M

ELSE IF 13 LE BABYDOB M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMBABDOB as above.

ELSE IF BABYDOB_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMBABDOB as above.

COMPUTE KIDAGE:

(Child' age (in months) at time of interview)

IF CMBABDOB NE blank, KIDAGE = CMINTVW - CMBABDOB

- EDIT CHECK BD5_1: IF (BABYDOB_M LE 12) AND CMBABDOB > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BD5_2: IF (BABYDOB_M LE 12) AND CMBABDOB < CMBIRTH, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BD5_3: IF (13 LE BABYDOB_M LE 16) AND CMBABDOB > (CMINTVW + 2), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BD5_4: IF (13 LE BABYDOB_M LE 16) AND CMBABDOB < (CMBIRTH -3), DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BD5_5: IF (BABYDOB_M = DK OR RF) AND BABYDOB_Y > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BD5_6: IF (BABYDOB_M = DK OR RF) AND BABYDOB_Y < (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BD5_7: PROBE IF CMBABDOB < CMBIRTH + 120 DISPLAY: R has reported having a baby before age 10. Please correct the baby's date of birth if necessary. INVOLVING: BABYDOB_M, BABYDOB_Y
- EDIT CHECK BD5_8: PROBE IF CMBABDOB FOR THIS PREGNANCY IS SAME AS CMBABDOB FOR A PRIOR PREGNANCY (CMBABDOB[x] = CMBABDOB[x-1] or ANY OTHER nonsymis, nonDK/RF CMBABDOB value): R has reported a date of birth for this child that is the same as another child's date of birth. Please correct one of the children's date of birth if necessary. If R says she had twins or triplets, please return to correct BB-1 NUMPREGS and BC-2 NBRNALIV.
- EDIT CHECK BD5_9: PROBE IF CMBABDOB FOR THIS PREGNANCY IS SAME AS CMOTPREG FOR A PRIOR PREGNANCY (CMBABDOB[x] = CMOTPREG[x-1] or ANY OTHER nonsysmis, nonDK/RF CMOTPREG value): R has reported a date of birth for this child that is the same as another pregnancy's end date. Please correct one of these dates if necessary. If R says she her pregnancy ended in more than 1 way, such as live birth and stillbirth, please return to correct BB-1 NUMPREGS and BC-1 PREGEND.

NSFG FEMALE CRQ FOR 2017-2019 OMB Number 0920-0314

{ Asked for all pregnancies resulting in a liveborn baby
HPAGELB
BD-6. How old was the father when ([BABYNAME]/the [MULT]) (was/were) born?

• ENTER age in years. ____

UNDERLYING RANGE 5 to 95

FLOW CHECK B-20: IF CMBABDOB GE CMJAN5YR, ASK BD-7 BIRTHPLC. ELSE IF CMBABDOB LT CMJAN5YR, GO TO FLOW CHECK B-33.

BIRTHPLC

BD-7. Where did you give birth? Was it in a hospital, in a birthing center, in your home, or some other place?

In a hospital1
In a birthing center2
In your home3
Some other place4

PAYBIRTH

BD-8. IF BORNALIV = 1 AND (BD-1 BABYNAME = DK or RF OR BPA_BDScheck=1 or 2), ASK:

In which of the ways on Card 16 was the delivery bill paid?

ELSE IF BORNALIV > 1, ASK: When your [MULT] were born, in which of the ways on Card 16 was the delivery bill paid?

ELSE IF BORNALIV = 1 AND BPA_BDSCHECK=0 (MOST COMMON VARIANT), ASK: When (BABYFILL) was born, in which of the ways on Card 16 was the delivery bill paid?

ENTER all that apply.
PROBE: "Any other ways?"
Do not include costs of prenatal care, only costs of the delivery and any follow-up care.
ASK if R volunteers bill still unpaid: How do you think that bill will be paid?

[SHOW CARD 16] [HELP AVAILABLE]

> Insurance1 Co-payment or out-of-pocket payment2 Medicaid3 No payment required4 Some other way5

EDIT CHECK BD8_1: PAYBIRTH=4 + ANOTHER RESPONSE THEN This answer choice is not allowed to be used with any other answer code. Verify with R and re-enter.

FLOW CHECK B-20B: IF BC-1 PREGEND INCLUDES CODE 6 (vaginal delivery mentioned at all) OR PRIMVAR=1, GO TO FLOW CHECK B-21.

ELSE IF PREGEND INCLUDES <u>ONLY CODE 5</u> (only cesarean delivery mentioned) AND PRIMVAR NE 1, ASK BD-9 CSECPRIM.

{Asked if this pregnancy's only outcome was cesarean delivery and R has not NSFG_PUF2017-2019_FemB_CRQ Page 19 of 57

OMB Number 0920-0314 already reported on her first cesarean delivery CSECPRIM BD-9. Was this your first cesarean delivery, or had you had one before this? Yes, first cesarean1 No, not first cesarean5 FLOW CHECK B-20C: CREATE PRIMVAR: (Whether R has answered vol C-Section questions or not) SET PRIMVAR = 0PRIMVAR = 1 (IF CSECPRIM = Yes) IF BD-9 CSECPRIM= 5, DK, OR RF, GO TO FLOW CHECK B-21. ELSE IF CSECPRIM=1, SET PRIMVAR=1 AND ASK BD-10 CSECMED. { Asked if this is her first (primary) cesarean delivery CSECMED BD-10. Please look at CARD 16b. Which of these medical reasons, if any, were there for this cesarean delivery? [SHOW CARD 16b] PROBE: "Any other reasons?" • ENTER all that apply • Press [Space] or [-] to separate responses Labor was taking too long1 Maternity care provider concerned that baby was too big2 Maternity care provider concerned about your health4 Maternity care provider concerned about your baby's health .5 Some other medical reason6 There was no medical reason7 EDIT CHECK BD-10 1: IF CSECMED = 7 AND ANY OTHER CODE DISPLAY: You cannot choose "No medical reason" in conjunction with any other answers. Verify with R and re-enter. HARD, NONSUPPRESSIBLE EDIT CHECK. FLOW CHECK B-20D: IF BD-10 CSECMED=7 (no medical reason), ASK BD-10s SP CSECMED. ELSE, GO TO FLOW CHECK B-21. { Asked only if R has reported no medical reason for the c-section CSECMED SP BD-10sp. What was the main reason for your cesarean delivery? TYPE: STRING 250 { Asked only if R has reported no medical reason for the c-section CSECPLAN BD-11. Was this cesarean the result of your own idea to have a planned cesarean before labor began? Yes1 No5 FLOW CHECK B-21: IF BC-1 PREGEND NE 5 or 6 (NO LIVE BIRTH FROM THIS PREGNANCY) OR BC-1b HOWPREGDK = 5, DK, OR RF), GO TO FLOW CHECK B-22.

NSFG FEMALE CRQ FOR 2017-2019

ELSE IF BPA_BDScheck for any baby from this pregnancy = 0 or 2, GO TO FLOW CHECK B-22. ELSE GO TO FLOW CHECK B-42a. (WE DO NOT ASK BE-BH SERIES FOR UNNAMED BABIES WHO WERE PLACED FOR ADOPTION.)

FLOW CHECK B-22: IF CMOTPREG OR CMBABDOB GE CMJAN5YR, ASK BE-1 KNEWPREG. ELSE GO TO FLOW CHECK B-29.

SELECTED INFORMATION FOR RECENT PREGNANCIES ((Since January of the year 5 years before interview)) (BE)

KNEWPREG

BE-1. How many weeks pregnant were you when you learned that you were pregnant this (PREGFILL) time?

• Weeks of pregnancy should be counted as completed weeks since the last normal menstrual period.

• ENTER number of weeks

UNDERLYING RANGE: 0 to 50

- EDIT CHECK BE1_1: PROBE IF BE-1 KNEWPREG > 44 WEEKS. DISPLAY TEXT: R reports learning of this pregnancy later than 44 weeks or 10 months. Please correct whichever item has been entered incorrectly.
- EDIT CHECK BE1_2: PROBE IF BE-1 KNEWPREG > WKSGEST. DISPLAY TEXT: R has reported learning of this pregnancy after it ended. Please correct whichever item has been entered incorrectly. INVOLVING(KNEWPREG,GESTASUN_M,.GESTASUN_W) [IF GESTASUN_M/Y IS CHANGED, RECOMPUTE MOSGEST AND WKSGEST]
- FLOW CHECK B-23: IF BE-1 KNEWPREG = DK OR RF, GO TO FLOW CHECK B-24. ELSE IF 0 LE KNEWPREG LE 50, GO TO BE-3 PRIORSMK.
- FLOW CHECK B-24: IF MOSGEST < 3 OR IF BC-8 DK3GEST = 1 (less than 3 months), GO TO FLOW CHECK B-26. ELSE IF MOSGEST < 6 OR IF BC-8 DK3GEST = 2 (3 months or more but less than 6 months), ASK BE-2b LTRIMEST. ELSE IF MOSGEST GE 6 OR IF BC-7 DK2GEST NE BLANK OR IF BC-6 DK1GEST = 2 (6 months or more), ASK BE-2a TRIMESTR. (Routes to gestation-appropriate DK F/U questions)

TRIMESTR

BE-2a. Was it less than 3 months, at least 3 months but less than 6 months, or 6 or more months?

Less than 3 months.....1 At least 3 months but less than 6 months.....2 6 months or more.....3

FLOW CHECK B-25: IF BE-2a TRIMESTR = 1, 2, 3, DK, OR RF, GO TO BE-3 PRIORSMK.

LTRIMEST

BE-2b. Was it less than 3 months or 3 months or more?

Less than 3 months.....1 3 months or more.....2

EDIT CHECK BE2_1: PROBE IF (TRIMESTR = 3 AND MOSGEST LT 3) OR (TRIMESTR = 3 AND MOSGEST LT 6) OR (LTRIMEST = 2 AND MOSGEST LT 3). DISPLAY TEXT: R has reported learning of this pregnancy after it ended. Please correct whichever item has been entered incorrectly.

PRIORSMK

BE-3. Please look at Card 17. In the <u>6 months before</u> you found out you were pregnant this (PREGFILL) time, how many cigarettes did you smoke a day, on average?

[SHOW CARD 17]

None 0 About one cigarette a day or less 1 Just a few cigarettes a day (2-4) 2 About half a pack a day (5-14) 3 About a pack a day (15-24) 4 About 1 1/2 packs a day (25-34) 5 About 2 packs a day (35-44) 6 More than 2 packs a day (45 or more) ... 7

POSTSMKS

BE-4. After you found out you were pregnant this (PREGFILL) time, did you smoke cigarettes at all during the pregnancy?

Yes 1 No 5 (BE-6 GETPRENA)

NPOSTSMK

BE-5. Looking at Card 18, on average, how many cigarettes did you smoke per day after you found out that you were pregnant this (PREGFILL) time?

[SHOW CARD 18]

About one cigarette a day or less 1 Just a few cigarettes a day (2-4) 2 About half a pack a day (5-14) 3 About a pack a day (15-24) 4 About 1 1/2 packs a day (25-34) 5 About 2 packs a day (35-44) 6 More than 2 packs a day (45 or more) ... 7

GETPRENA

BE-6. During this (PREGFILL) pregnancy, did you ever visit a doctor or other medical care provider for prenatal care, that is, for one or more pregnancy check-ups?

[HELP AVAILABLE]

Yes.....1 No......5 (FLOW CHECK B-32) NSFG FEMALE CRQ FOR 2017-2019 OMB Number 0920-0314

BGNPRENA

BE-7. How many weeks pregnant were you at the time of your first prenatal care visit?

> • Weeks of pregnancy should be counted as <u>completed</u> weeks since the last normal menstrual period.

[HELP AVAILABLE]

 \bullet ENTER number of weeks completed since the last normal menstrual period

UNDERLYING RANGE: 1 to 50

- EDIT CHECK BE7_1: PROBE IF BE-7 BGNPRENA < BE-1 KNEWPREG. DISPLAY TEXT: R has reported a 1st prenatal visit before she learned she was pregnant. Please correct whichever item has been entered incorrectly. (ALLOW CORRECTION OF KNEWPREG pr BGNPRENA.)
- EDIT CHECK BE7_2: PROBE IF BE-7 BGNPRENA > WKSGEST. DISPLAY TEXT: R has reported a 1st prenatal visit after this pregnancy ended. Has something been entered incorrectly? (ALLOW CORRECTION OF KNEWPREG, or GESTASUN_M & _W, on which WKSGEST & MOSGEST ARE BASED. IF GESTASUN vars are corrected, recomputed mosgest & wksgest.) HARD, NONSUPPRESSIBLE EDIT CHECK.
- FLOW CHECK B-26: IF BE-7 BGNPRENA = DK OR RF, GO TO FLOW CHECK B-27. ELSE IF 1 LE BGNPRENA LE 50, GO TO FLOW CHECK B-32.
- FLOW CHECK B-27: IF MOSGEST < 3 OR IF BC-8 DK3GEST = 1 (less than 3 months), GO TO FLOW CHECK B-32. (We skip the DK follow-up questions if pregnancy ended at less than 3 months.) ELSE IF MOSGEST < 6 OR IF BC-8 DK3GEST = 2 (3 months or more but less than 6 months), ASK BE-8b LPNCTRI. ELSE, ASK BE-8a PNCTRIM.

PNCTRIM

BE-8a. Was it less than 3 months, at least 3 months but less than 6 months, or 6 or more months?

Less than 3 months.....1 At least 3 months, but less than 6 months.....2 6 or more months3

FLOW CHECK B-28: IF BE-8a PNCTRIM = 1, 2, 3, DK, OR RF, GO TO FLOW CHECK B-32.

LPNCTRI

BE-8b. Was it less than 3 months or 3 months or more?

Less	than	3 months1
3 or	more	months2

FLOW CHECK B-32: IF BC-1 PREGEND INCLUDES LIVEBIRTH (codes 5 or 6) OR BC-1b HOWENDDK=1, GO TO FLOW CHECK B-33. ELSE IF BC-1 PREGEND INCLUDES NO LIVEBIRTH (no codes 5 or 6) OR HOWENDDK=5, DK, OR RF, GO TO FLOW CHECK B-42a.

FLOW CHECK B-33: IF KIDAGE GE 228 (19 years) OR BD-1 BABYNAME = BDS (or BDS1, BDS2, etc), GO TO FLOW CHECK B-42a. ELSE, RESET BABYCNTR TO 1 AND GO TO FLOW CHECK B-34.

(These 2 flow checks above, B-32 & B-33, route the right babies into the BG series on current living status.)

CURRENT LIVING STATUS OF EACH BABY BORN (if under age 19) (BG)

FLOW CHECK B-34: IF BD-1 BABYNAME NE ANY NAME[X] FROM HH ROSTER OR IF (BD-1 BABYNAME = NAME[X] AND RELAR[X] NE 3 (biological child)), ASK BG-1 LIVEHERE.

> ELSE IF BD-1 BABYNAME EXACTLY MATCHES A NAME[X] WITH RELAR[X] = 3, GO TO BH-1 ANYNURSE. (If this child was named identically and identified as a biological child in the HH Roster, we go right to breastfeeding series. Otherwise, the BG series determines whether the child lived with woman for at least 2 months, and thus the breastfeeding questions can be asked. Note that the BG & BH series are asked for EACH baby born from the pregnancy, so we must reset BABYCNTR to 1 in FC B-33.)

LIVEHERE

BG-1. Earlier I don't think you mentioned (BABYFILL) when you told me who lives with you. Does (BABYFILL) still live with you?

• ENTER [1] if child usually lives with R.

Yes1 (BH-1 ANYNURSE) No5

ALIVENOW

BG-2. IF BD-2 BABYSEX = 1, ASK: Is he still living?

> ELSE IF BABYSEX = 2, ASK: Is she still living?

> > Yes 1 No 5

FLOW CHECK B-34b: IF BG-2 ALIVENOW = 5, ASK BG-3 WHENDIED. ELSE IF ALIVENOW = 1, DK, OR RF, GO TO BG-4 WHENLEFT.

WHENDIED_M

BG-3. *O* of *O* When did (BABYFILL) die?

- PROBE for season if DK month
- Refer R to calendar to determine month and year
- PROBE for child's age if R cannot recall month and year, and enter an [F2] comment if age is given.
- ◆ ENTER MM/YYYY

[CALENDAR REFERENCE]

1. January	5. May	9. September	13. Winter
2. February	6. June	10. October	14. Spring
3. March	7. July	11. November	15. Summer
4. April	8. August	12. December	16. Fall

WHENDIED_Y

• Refer R to calendar to determine month and year.

• After R has reported year, say: "If you think it might help you in remembering dates of other things later, you can record this on the calendar in the "Births & Other Pregnancies" row."

[CALENDAR REFERENCE]

ENTER (WHENDIED_M)/YYYY

UNDERLYING RANGE: 1971 to 2020

FLOW CHECK B-35: COMPUTE CMKIDIED: (Century month for date child died).

SET CMKIDIED = null/blank.

IF WHENDIED_Y = RF, SET CMKIDIED = 9998 (RF). ELSE IF WHENDIED_Y = DK, SET CMKIDIED = 9999 (DK).

ELSE IF WHENDIED_M LE 12, COMPUTE CMKIDIED = (WHENDIED_Y - 1900)*12 + WHENDIED M

ELSE IF 13 LE WHENDIED_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMKIDIED as above.

ELSE IF WHENDIED_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMKIDIED as above.

EDIT CHECK BG3_1: IF (WHENDIED_M LE 12) AND CMKIDIED > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BG3_2: IF (WHENDIED_M LE 12) AND CMKIDIED < CMBIRTH, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BG3_3: IF (13 LE WHENDIED_M LE 16) AND CMKIDIED > (CMINTVW + 2), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BG3_4: IF (13 LE WHENDIED_M LE 16) AND CMKIDIED < (CMBIRTH -3), DISPLAY: The date entered cannot be before her NSFG_PUF2017-2019_FemB_CRQ Page 25 of 57 NSFG FEMALE CRQ FOR 2017-2019 OMB Number 0920-0314

> date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

- EDIT CHECK BG3_5: IF (WHENDIED_M = DK OR RF) AND WHENDIED_Y > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BG3_6: IF (WHENDIED_M = DK OR RF) AND WHENDIED_Y < (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BG3_7: PROBE IF CMKIDIED < CMBABDOB. DISPLAY TEXT: R has reported that the child died (CMKIDIED) earlier than the child was born (CMBABDOB). Has one of the dates been entered incorrectly?

WHENLEFT_M *O* of *O* BG-4. When did (BABYFILL) stop living with you?

- PROBE for season if DK month
- Refer R to calendar to determine month and year
- ENTER MM/YYYY

[HELP AVAILABLE] [CALENDAR REFERENCE]

1. January	5. May	9. September	13. Winter
2. February	б. June	10. October	14. Spring
3. March	7. July	11. November	15. Summer
4. April	8. August	12. December	16. Fall

WHENLEFT_Y 2 of 2

BG-4. When did (BABYFILL) stop living with you?

• After R has reported year, say: "If you think it might help you in remembering dates of other things later, you can record this on the calendar in the "Births & Other Pregnancies" row."

[HELP AVAILABLE] [CALENDAR REFERENCE]

ENTER (WHENLEFT_M)/YYYY

UNDERLYING RANGE: 1971 to 2020

FLOW CHECK B-36: COMPUTE CMKIDLFT: (Century month for date child stopped living with R)

SET CMKIDLFT = null/blank.

IF WHENLEFT_Y = RF, SET CMKIDLFT = 9998 (RF). ELSE IF WHENLEFT_Y = DK, SET CMKIDLFT = 9999 (DK).

ELSE IF WHENLEFT_M LE 12, COMPUTE CMKIDLFT = (WHENLEFT_Y - 1900)*12 + WHENLEFT_M

ELSE IF 13 LE WHENLEFT_M LE 16, USE MONTH APPROPRIATE NSFG_PUF2017-2019_FemB_CRQ Page 26 of 57 TO SEASON & COMPUTE CMKIDLFT as above.

ELSE IF WHENLEFT_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMKIDLFT as above.

- EDIT CHECK BG4_1: IF (WHENLEFT_M LE 12) AND CMKIDLFT > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BG4_2: IF (WHENLEFT_M LE 12) AND CMKIDLFT < CMBIRTH, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BG4_3: IF (13 LE WHENLEFT_M LE 16) AND CMKIDLFT > (CMINTVW + 2) (2 month leeway given when a season was reported for month), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BG4_4: IF (13 LE WHENLEFT_M LE 16) AND CMKIDLFT < (CMBIRTH -2) DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BG4_5: IF (WHENLEFT_M = DK OR RF) AND WHENLEFT_Y > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BG4_6: IF (WHENLEFT_M = DK OR RF) AND WHENLEFT_Y < (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BG4_7: PROBE IF CMKIDLFT < CMBABDOB. DISPLAY TEXT: R has reported that the child stopped living with her (CMKIDLFT) before the child was born (CMBABDOB). Has one of the dates been entered incorrectly?

WHERENOW

BG-5. Please look at Card 19. Where does (BABYFILL) now live?

[SHOW CARD 19]

With biological father1
With other relatives2
With adoptive family3
Away at school/college4
Living on own5
Other6

- EDIT CHECK BG5_1: PROBE IF BG-5 WHERENOW = 5 (living on own) AND KIDAGE LT 192 (16 years). DISPLAY TEXT: R has reported her child under age 16 is living on his/her own. Please correct whichever item has been entered incorrectly.
- EDIT CHECK BG5_2: PROBE IF BG-5 WHERENOW = 4 (away at school) AND KIDAGE LT 72 (6 years). DISPLAY TEXT: R has reported

her child under age 6 is away at school. Please correct whichever item has been entered incorrectly.

FLOW CHECK B-37: IF BG-5 WHERENOW = 1, ASK BG-6 LEGAGREE. ELSE IF WHERENOW = 2 or 5 or 6 OR DK OR RF, GO TO BG-7 PARENEND. ELSE IF WHERENOW = 3, ADVANCE NADOPTV BY 1, SET BPA_BDSCheck=1 for this child, AND GO TO FLOW CHECK B-38. ELSE IF WHERENOW = 4, GO TO FLOW CHECK B-38.

LEGAGREE

BG-6. Do you and (BABYFILL)'s father have a legal agreement about (BABYFILL) regarding child support, alimony, custody, visitation, or where the child lives?

> Yes....1 No....5

PARENEND

BG-7. Are you still the legal mother of (BABYFILL)?

• ENTER [5] if R's parental rights have been terminated.

Yes1 No5

FLOW CHECK B-38: COMPUTE LASTAGE:

(Age in months when child died or last lived with R) (Note: LASTAGE is defined for each baby born from this pregnancy, while KIDAGE is defined per delivery.)

INITIALIZE LASTAGE=blank (inapp).

IF BG-1 LIVEHERE = YES OR BLANK, LASTAGE = BLANK (Inapp because child still lives with R or is older than 18 years).

ELSE IF CMKIDIED NE BLANK, LASTAGE = CMKIDIED - CMBABDOB.

ELSE IF CMKIDLFT NE BLANK, LASTAGE = CMKIDLFT - CMBABDOB.

IF LASTAGE GE 2 (GE 2 months) OR (LASTAGE = blank AND 2 LE KIDAGE LT 228), ASK BH-1 ANYNURSE.

ELSE IF LASTAGE LT 2 (less than 2 months) OR KIDAGE LT 2 OR BG-5 WHERENOW = DK/RF, GO TO FLOW CHECK B-41. (If child lived with R for at least 2 months OR if R has not said DK/RF on where the child lives now, ask breastfeeding questions.)

BREASTFEEDING SERIES FOR EACH NAMED BABY (BH)

ANYNURSE

BH-1. IF BD-2 BABYSEX=1 (MALE) & ((LASTAGE=BLANK & KIDAGE GE 24 MONTHS) OR LASTAGE GE 24 MONTHS), ASK: When (BABYFILL) was an infant, did you breastfeed him at all?

ELSE IF BD-2 BABYSEX = 2 (FEMALE) AND ((LASTAGE = BLANK AND KIDAGE GE 24) OR LASTAGE GE 24 MONTHS), ASK: When (BABYFILL) was an infant, did you breastfeed her at all? ELSE IF LASTAGE LT 24, ASK: Did you breastfeed (BABYFILL) at all? ELSE IF LASTAGE = BLANK AND KIDAGE LT 24, ASK: Have you breastfed (BABYFILL) at all? • ENTER [1] for any amount of breastfeeding by R. If R only expressed or pumped breastmilk to be fed to the baby, count this as "yes" as well. • ENTER [1] if R is still breastfeeding this child. Yes 1 No 5 (FLOW CHECK B-40_2) FLOW CHECK B-39: IF (LASTAGE < 12 MONTHS AND KIDAGE LT 12 months) OR IF (LASTAGE = BLANK AND KIDAGE LT 12 MONTHS), ASK BH-2 FEDSOLID.

ELSE IF (LASTAGE GE 12 OR LASTAGE = BLANK) AND KIDAGE GE 12, GO TO BH-3 FRSTEATD.

FEDSOLID

BH-2. IF CMKIDIED = BLANK, ASK: Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. Have you fed [BABYFILL] something other than breast milk yet?

ELSE IF CMKIDIED NE BLANK, ASK: Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. Did you feed [BABYFILL] something other than breast milk?

> Yes1 No5 (FLOW CHECK B-40_2)

FRSTEATD_N

BH-3. \mathcal{O} of \mathcal{O}

Variant depends on sex of child: How old was (she/he) when you first fed (her/him) something other than breast milk?

• READ if necessary: This could include formula, baby food, or other liquid or solid food besides breast milk.

(Month(s)/Week(s)/Day(s))

UNDERLYING RANGE: 0 to 995

FRSTEATD_P

BH-3. *©* of *©*

(How old was (she/he) when you first fed (her/him) something other than breast milk?)

◆(FRSTEATD_N) (Month(s)/Week(s)/Day(s))

Months ...1 Weeks2 Days3

- EDIT CHECK BH3_1: PROBE IF BH-3 FRSTEATD (converted to months) > KIDAGE (if LASTAGE = blank). DISPLAY TEXT: R has reported first feeding child something other than breast milk at an age older than child's current age. Please correct whichever item has been entered incorrectly. INVOLVING(FRSTEATD_N,FRSTEATD_P)
- EDIT CHECK BH3_2: PROBE IF BH-3 FRSTEATD (converted to months) > LASTAGE (if LASTAGE NE blank) DISPLAY TEXT: R has reported first feeding child something other than breast milk at an age older than when child stopped living with R. Please correct whichever item has been entered incorrectly. INVOLVING(FRSTEATD_N,FRSTEATD_P)
- EDIT CHECK BH3_3: PROBE IF BH-3 FRSTEATD (converted to months) > CMBABDOB + 18. DISPLAY TEXT: R has reported first feeding child something other than breast milk at an age older than 18 months. Is this correct? INVOLVING(FRSTEATD_N,FRSTEATD_P)
- FLOW CHECK B-40: IF LASTAGE LE 24 MONTHS OR (IF LASTAGE = BLANK AND KIDAGE LE 24 MONTHS), ASK BH-4 QUITNURS.

ELSE IF LASTAGE GT 24 OR (IF LASTAGE = BLANK AND KIDAGE GT 24), GO TO BH-5 AGEQTNUR.

QUITNURS

BH-4. IF LASTAGE = BLANK, ASK: DEPENDING ON SEX OF CHILD: Have you stopped breast-feeding (her/him) altogether?

IF LASTAGE NE BLANK, ASK: DEPENDING ON SEX OF CHILD: Had you stopped breast-feeding (her/him) altogether?

> Yes1 No5 (FLOW CHECK B-40_2)

AGEQTNUR_N

BH-5. *①* of *②*

DEPENDING ON SEX OF CHILD: How old was (she/he) when you stopped breast-feeding (her/him) altogether?

(Use the information already recorded on the calendar to help you remember the date you stopped breast-feeding. You may want to record this on the calendar, but it is not necessary.)

• If R is still breastfeeding this child, enter [996]

[CALENDAR REFERENCE]

(Month(s)/Week(s)/Day(s))

UNDERLYING RANGE: 0 to 996

FLOW CHECK B-40_1: IF AGEQTNUR_N = 996 (Special Code for "Still Breastfeeding"), GO TO FLOW CHECK B-40_2.

AGEQTNUR_P

BH-5. ② of ②
 (How old was (she/he) when you stopped breast-feeding (her/him)
 altogether?)

(Use the information already recorded on the calendar to help you remember the date you stopped breastfeeding. You may want to record this on the calendar, but it is not necessary.)

◆(AGEQTNUR_N) (Month(s)/Week(s)/Day(s))

[CALENDAR REFERENCE]

```
Months ...1
Weeks ....2
Days ....3
```

- EDIT CHECK BH5_1: PROBE IF BH-5 AGEQTNUR (converted to months) > KIDAGE (if LASTAGE = blank) DISPLAY TEXT: R has reported that she stopped breastfeeding this child at an age older than child's current age. Please correct whichever item has been entered incorrectly. INVOLVING(AGEQTNUR_N,AGEQTNUR_P)
- EDIT CHECK BH5_2: PROBE IF BH-5 AGEQTNUR (converted to months) > LASTAGE (if LASTAGE NE blank) DISPLAY TEXT: R has reported that she stopped breastfeeding this child at an age older than when child stopped living with R. Please correct whichever item has been entered incorrectly. INVOLVING(AGEQTNUR_N,AGEQTNUR_P)
- EDIT CHECK BH5_3: PROBE IF BH-5 AGEQTNUR (converted to months) > CMBABDOB + 48. DISPLAY TEXT: R has reported that she stopped breastfeeding this child at an age older than 4 years. Please correct whichever item has been entered incorrectly. INVOLVING(AGEQTNUR N,AGEQTNUR P)
- EDIT CHECK BH5_4: PROBE IF BH-5 AGEQTNUR (converted to months) < BH-3 FRSTEATD (converted to months). DISPLAY TEXT: R has reported that she stopped breastfeeding this child <u>before</u> she began feeding this child something other than breastmilk. Please correct whichever item has been entered incorrectly. INVOLVING(AGEQTNUR_N,AGEQTNUR_P)

FLOW CHECK B-40_2: IF THIS CHILD CURRENTLY LIVES WITH R (BG-1 LIVEHERE = 1 or sysmis) AND IS CURRENTLY 6 MONTHS TO 5 YEARS OLD (6 <= kidage <= 60), ASK BH-5a MDSOLID.

ELSE GO TO FLOW CHECK B-41.

•	CHILD IS BETWEEN 6 MONTHS AND 5 YEARS AND LIVES WITH R
MDSOLID BH-5a.	IF CHILD IS 6 MONTHS TO 1 YEAR OLD (6 <= kidage <= 12), ASK: Now I have a few more questions about [BABYFILL]. Did your child's doctor or other health care provider talk with you about when to start feeding (him/her) solid foods?
	IF CHILD IS OLDER THAN 1 YEAR (12 <= kidage <= 60), ASK: Now I have a few more questions about [BABYFILL]. When (he/she) was an infant, did your child's doctor or other health care provider talk with you about when to start feeding (him/her) solid foods?
	Yes 1 No 5 (BH-5c MDNUTRIT)
L. L	PROVIDER TALKED ABOUT WHEN TO START SOLID FOODS
WHNSOLID BH-5b.	At what age did your child's doctor or other health care provider recommend that you start feeding (him/her) solid foods? Was it
	Before 4 months of age1 4 to 5 months of age2 6 months of age or older3
{ ASKED IF MDNUTRIT	CHILD IS BETWEEN 6 MONTHS AND 5 YEARS OLD AND LIVES WITH R
BH-5c.	Thinking still about [BABYFILL], which of the topics shown on Card 19a has (his/her) doctor or other health care provider discussed with you?
[SHOV	/ CARD 19a]
	 PROBE: "Any other topics?" ENTER all that apply Press [Space] or [-] to separate responses
	Offering foods with many different tastes and textures1 Not forcing child to finish food or bottles, even if not interested or didn't have much
EDIT CHECK	<pre>BH5c_1: IF BH-5c MDNUTRIT = 6 AND ANY OTHER CODE DISPLAY:'None of the above topics' (6) cannot be entered with any other code. HARD, NONSUPPRESSIBLE EDIT CHECK.</pre>
FLOW CHECK	B-41: IF BABYCNTR < BORNALIV, ADVANCE BABYCNTR BY 1 AND RETURN TO FLOW CHECK B-34 TO ASK ABOUT NEXT BABY FROM THIS PREGNANCY. ELSE IF BABYCNTR = BORNALIV, GO TO FLOW CHECK B-42a.

FLOW CHECK B-42a: DEFINE PRGOUTCOME: (Outcome of each pregnancy)

INITIALIZE PRGOUTCOME=blank (inapp). IF BC-1 PREGEND includes codes 5 or 6 (any livebirth) or BC-1b HOWENDDK = 1, SET PRGOUTCOME = 1. ELSE IF BC-1 PREGEND includes only codes 1 or 2 or 3 or 4 (non livebirth) or BC-1b HOWENDDK = 5, SET PRGOUTCOME = 2. ELSE IF CURRPREG = YES AND BC-1 PREGEND = blank (current pregnancy), SET PRGOUTCOME = 3. DEFINE CMPRGEND: (Century month for date when each pregnancy ended -- all outcomes) INITIALIZE CMPRGEND=blank (inapp). IF PRGOUTCOME = 1 (livebirth), SET CMPRGEND = CMBABDOB. ELSE IF PRGOUTCOME = 2 (non-livebirth), SET CMPRGEND = CMOTPREG. ELSE IF PRGOUTCOME = 3 (current pregnancy), SET CMPRGEND = blank/inapp. DEFINE CMPRGEND FILL: (Mo/Yr fill for end date of each completed pregnancy) IF CMPRGEND = BLANK, DK, OR RF, SET CMPRGEND_FILL = "Date Unknown". (I changed date unknown to mixed case.) ELSE IF CMPRGEND LT 9997, DEFINE CMPRGEND_FILL as follows: IF 1 LE (month variable on which CMPRGEND was based, either BABYDOB M or DATPRGEN M) LE 12, THEN ESTABLISH MO/YR FILL IN THE FORMAT "1/1998" etc. ELSE IF MONTH WAS REPORTED AS A SEASON (codes 13-16), THEN ESTABLISH FILL IN THE FORMAT "Spring, 1998" (I changed SPRING to mixed case.) etc. ELSE IF MONTH WAS REPORTED AS DK OR RF, BUT YEAR WAS REPORTED, THEN ESTABLISH FILL BASED ONLY ON THE YEAR IN THE FORMAT "1998" etc. {{{ THIS FILL DEFINITION ABOVE SHOULD BE USED AS THE STANDARD MO/YR FILL {{{ DEFINITION THROUGHOUT THE QUESTIONNAIRE. $\{\{ \{ \text{ the only further detail needed for those CM variables that can have } \}$ $\{\{ \{ OF 9996 (special code to indicate that R only had sex once with that \}$ {{{ partner) IS TO SET THE FILL = "Not applicable"

DEFINE CMPRGBEG:

VALUES

(Century month for estimated date when each pregnancy began

-- including a current pregnancy)

INITIALIZE CMPRGBEG = null/blank for each pregnancy.

IF PRGOUTCOME = 1 or 2 AND MOSGEST not in(blank,DK,RF) SET CMPRGBEG = (CMPRGEND - MOSGEST). ELSE IF PRGOUTCOME = 1 or 2 AND MOSGEST = DK OR RF, SET CMPRGBEG = DK OR RF to match MOSGEST. ELSE IF PRGOUTCOME = 3 AND MOSCURRP not in(blank,DK,RF) SET CMPRGBEG = (CMINTVW - MOSCURRP).

ELSE IF PRGOUTCOME = 3 AND MOSCURRP = DK OR RF, SET CMPRGBEG = DK OR RF to match MOSCURRP.

DEFINE CMPRGBEG_FILL AS SHOWN ABOVE FOR CMPRGEND_FILL. (Mo/Yr fill for beginning date of each pregnancy, completed or current)

FLOW CHECK B-42a_2: IF PRGOUTCOME = 3 (current pregnancy) GO TO FLOW CHECK B-42b. (Skip those never pregnant and current pregnancies past verification questions)

CNFMPREG

BH-6. Thank you. Now I would like to confirm some of the important information about this (PREGFILL) pregnancy to make sure I have it right.

IF PRGOUTCOME = 1 AND BORNALIV = 1 AND BABYNAME NE BPA OR BDS or DK or RF, ASK: This pregnancy ended in the birth of 1 baby (named (BABYFILL)). This pregnancy began in (cmprgbeg_fill), lasted (GESTASUN_M) month(s) and (GESTASUN_W) week(s), and ended in (CMPRGEND_FILL). Is this correct?

- IF PRGOUTCOME = 1 AND BORNALIV = 1 AND BABYNAME NE BPA OR BDS or DK or RF, AND GESTASUN_M/GESTASUN_W = DK OR RF AND CMPRGEND_FILL = '(Date Unknown)' ASK: This pregnancy ended in the birth of 1 baby (named (BABYFILL)). Is this correct?
- IF PRGOUTCOME = 1 AND BORNALIV = 1 AND BABYNAME NE BPA OR BDS or DK or RF, AND GESTASUN_M/GESTASUN_W = DK OR RF AND CMPRGEND_FILL <> '(Date Unknown)' ASK: This pregnancy ended in the birth of 1 baby (named (BABYFILL)). This pregnancy ended in (CMPRGEND_FILL). Is this correct?

IF PRGOUTCOME = 1 AND BORNALIV = 1 AND BABYNAME = BPA OR BDS or DK or RF, ASK: This pregnancy ended in the birth of 1 baby. This pregnancy began in (cmprgbeg_fill), lasted (GESTASUN_M) month(s) and (GESTASUN_W) week(s), and ended in (CMPRGEND_FILL). Is this correct?

- IF (PRGOUTCOME = 1 AND BORNALIV = 1 AND BABYNAME = BPA OR BDS or DK or RF) AND GESTASUN_M/GESTASUN_W = DK OR RF AND CMPRGEND_FILL = '(Date Unknown)' ASK: This pregnancy ended in the birth of 1 baby. Is this correct?
- IF (PRGOUTCOME = 1 AND BORNALIV = 1 AND BABYNAME = BPA OR BDS or DK or RF) AND GESTASUN_M/GESTASUN_W = DK OR RF AND CMPRGEND_FILL <> '(Date Unknown)' ASK: This pregnancy ended in the birth of 1 baby. This pregnancy ended in (CMPRGEND_FILL). Is this correct?
- ELSE IF PRGOUTCOME = 1 AND BORNALIV > 1, ASK: This pregnancy ended in the birth of (MULT). This pregnancy began in (cmprgbeg_fill), lasted (GESTASUN_M) month(s) and (GESTASUN_W) week(s), and ended in (CMPRGEND_FILL). Is this correct?
 - ELSE IF PRGOUTCOME = 1 AND BORNALIV > 1, AND GESTASUN_M/GESTASUN_W = DK OR RF AND CMPRGEND_FILL = '(Date Unknown)' ASK: This pregnancy ended in the birth of (MULT). Is this correct?
 - ELSE IF PRGOUTCOME = 1 AND BORNALIV > 1, AND GESTASUN_M/GESTASUN_W = DK OR RF AND CMPRGEND_FILL <> '(Date Unknown)' ASK: This pregnancy ended in the birth of (MULT). This pregnancy ended in (CMPRGEND_FILL). Is this correct?
- ELSE IF PRGOUTCOME = 2, ASK: This pregnancy did not end in a live birth. This pregnancy began in (cmprgbeg_fill), lasted ((GESTASUN_M) month(s) and (GESTASUN_W) week(s), and ended in (CMPRGEND_FILL). Is this correct?
 - ELSE IF PRGOUTCOME = 2, AND GESTASUN_M/GESTASUN_W = DK OR RF AND CMPRGEND_FILL = '(Date Unknown)' ASK This pregnancy did not end in a live birth. Is this correct?
 - ELSE IF PRGOUTCOME = 2, AND GESTASUN_M/GESTASUN_W = DK OR RF AND CMPRGEND_FILL <> '(Date Unknown)' ASK This pregnancy did not end in a live birth. This pregnancy ended in (CMPRGEND_FILL). Is this correct?

After R has verified the pregnancy information, including the estimated conception date, say:
Please record the month and year when this pregnancy began using a "P" in the appropriate box on your calendar's "Births & Other
Pregnancies" row. You may wish to draw a line from the beginning to the ending month of this pregnancy. If pregnancy began before
[THREEYRS_FILL], please record this, including the date, in the box for "Before [THREEYRS_FILL]".

[CALENDAR REFERENCE]

Yes1 No5

EDIT CHECK BH6_1: PROBE IF CNFMPREG = 5 (NO). Display: "Which part of this information is not correct? Is it the pregnancy outcome (PREGEND), number of babies born alive (NBRNALIV), name(s) (BABYNAME), length of the pregnancy (GESTASUN_M) which determines the start date, or end date of the pregnancy (DATPRGEN_M)?" INVOLVING(PREGEND,NBRNALIV,DATPRGEN_M,DATPRGEN_Y,GESTASUN_ M,GESTASUN_W,BABYNAME,BABYDOB_M,BABYDOB_Y)

CONFIRMATION OF REPORTED PREGNANCIES (BI)

FLOW CHECK B-42b: IF PREGCNTR < BB-1 NUMPREGS, RETURN TO FLOW CHECK B-7.

ELSE IF PREGCNTR = BB-1 NUMPREGS THEN: IF BB-1 NUMPREGS=1 OR IF (BB-1 NUMPREGS=2 AND CURRPREG=1), GO TO FLOW CHECK B-42c_6 ELSE GO TO BI-1 INTR_ORD

INTR_ORD

- BI-1. Thank you for that information. In addition to the details you just told me, it is also important to make sure that I have listed the pregnancies in the right order. We will use that order for questions later in the interview. As I read a list of your past pregnancies, please let me know if I have them in the order in which they occurred.
 - ENTER [1] to continue

CHKORDER

BI-2. (Please let me know if these past pregnancies are listed in the order in which they occurred.)

[DISPLAY PREGNANCY TEXT FROM BH-6 CNFMPREG FOR EACH PREGNANCY EXCEPT SUBSTITUTE "Your (PREGFILL)" for "This" at the beginning of the question text for each pregnancy.

EXAMPLE:

Your 1^{st} pregnancy did not end in a live birth. This pregnancy lasted 3 months and 2 weeks and ended in June 2002.

Your 2nd pregnancy ended in the birth of 1 baby (named George). This pregnancy lasted 9 month(s) and 1 week(s) and ended in December 2004.]

FLOW CHECK B-42c_0: IF CHKORDER BI-2 = 1 OR DK/RF, GO TO FLOW CHECK B-42c_7. ELSE IF CHKORDER BI-2 = 5, GO TO BI-8 FIXORDER. ELSE CONTINUE.

> DISPLAY PREGNANCY GRID THAT WILL BE MODELED AFTER THE HOUSEHOLD ROSTER IN SECTION A.

TABLE BELOW APPEARS WITH ONE ROW FOR EACH REPORTED PREGNANCY AND ONE EMPTY ROW AT BOTTOM OF GRID, AND EIGHT COLUMNS FOR EACH PREG:

COLUMN 1: PRGVERIF (INTRO FIELD FOR EACH PREGNANCY WHICH DISPLAYS INFO AND PROMPTS R TO EITHER EDIT THE INFO FOR THIS PREGNANCY OR CONTINUE ON TO THE NEXT PREGNANCY.

COLUMN 2: OUTCOME (PULL FROM PRGOUTCOME CREATED IN FC B-42A)

COLUMN 3: NUM_BRN (PULL FROM BC-2 NBRNALIV)

COLUMN 4: MULT_BRN (PULL FROM BC-3 MLTBRTH)

COLUMN 5: GESTATIONAL LENGTH MONTHS (PULL FROM BC-5 GESTASUN_M)

COLUMN 6: GESTATIONAL LENGTH WEEKS (PULL FROM BC-5 GESTASUN_W)

COLUMN 7: END DATE MONTH (EXTRACTED FROM CMPRGEND (FC B-42a))

COLUMN 8: END DATE YEAR (EXTRACTED FROM CMPRGEND (FC B-42a))

SET UP LOOP AND ALLOW UP TO 20 PREGNANCIES

WHEN THE TABLE FIRST APPEARS, THE CURSOR SHOULD BE AUTOMATICALLY POSITIONED AT PRGVERIF[X] ON THE FIRST ROW.

{ TABLE APPEARS

n	Multbor n	Gestlen_ m	Gestlen_ w	Enddate_ m	Enddate_ Y

PRGVERIF[X]

BI-3.

WHEN CURSOR IN FIRST ROW, DISPLAY:

First, let's correct the information about your pregnancies.

I have that the first pregnancy we talked about [insert pregnancy text from BH-6 except drop "This pregnancy" from the beginning of the first sentence.].

- If information is correct, enter [1] to go to next pregnancy.
- If information is incorrect, enter [5] to correct information.
- If pregnancy did not occur, enter [96] to remove it from list.

WHEN CURSOR IN LAST ROW, DISPLAY: You have reached the end of the grid.

• After you have completed the grid, say: Please make sure the dates of all births/pregnancies are correct on your calendar as well.

- If all pregnancies have been verified, enter [1].
- If R reports an additional pregnancy, enter [5].

ELSE, DISPLAY:

I have that the (PREGFILL) pregnancy we talked about [insert pregnancy text from BH-6 except drop "This pregnancy" from the beginning of the first sentence.].

- If information is correct, enter [1] to go to next pregnancy.
- If information is incorrect, enter [5] to correct information.
- If pregnancy did not occur, enter [96] to remove it from list.

Information is correct...... 1
Information is incorrect...... 5
Pregnancy did not occur...... 96

OUTCOME[X]

BI-4. In which of the following ways did this pregnancy end?

Live birth1 Non-live birth.....2

NUMLVBRN[X]

- BI-4a. With this pregnancy, how many babies did you have that were born alive? Please include babies that may have died shortly after birth and babies that you placed for adoption.
 - ENTER number of babies

UNDERLYING RANGE: 1 to 6

FLOW CHECK B_42x: IF BI-4a NUMLVBRN[X] > 1 AND BI-4a NUMLVBRN[X] NE DK/RF, GO TO MULTBORN[X] BI-4b. ELSE GO TO BI-5a GESTLEN_M[X].

```
NSFG FEMALE CRQ FOR 2017-2019
OMB Number 0920-0314
BI-4b.IF BI-4a NUMLVBRN[X] = 2, ASK:
     Did you have twins?
     ELSE IF BI-4a NUMLVBRN[X] = 3, ASK:
     Did you have triplets?
     ELSE IF BI-4a NUMLVBRN[X] > 3, ASK:
     Did you have all of these babies with this [PREGFILL] pregnancy?
           Yes .....1
           No .....5
GESTLEN_M[X]
BI-5a.
      1) of 2
      IF OUTCOME[X] = 1, ASK:
     How many months or weeks had you been pregnant when the (baby
      was/babies were) born?
     ELSE IF OUTCOME[X] NE 1, ASK:
     How many months or weeks had you been pregnant when that pregnancy
      ended?
            • PROBE for an exact number. Fill fields for both months and
           weeks as R reports them. For example, "2 1/2 months" should be
           entered as 2 months and 2 weeks, "9 months" would be entered as 9
           months and 0 weeks.

    months (and weeks)

           UNDERLYING RANGE: 0 to 11
GESTLEN_W[X]
BI-5b.
      0 of 0
      IF OUTCOME[X] = 1, ASK:
      (How many months or weeks had you been pregnant when the (baby
     was/babies were) born?)
      ELSE IF OUTCOME[X] NE 1, ASK:
      (How many months or weeks had you been pregnant when that pregnancy
      ended?)
[CALENDAR REFERENCE]
            • PROBE for an exact number. Fill fields for both months and
           weeks as R reports them. For example, "2 1/2 months" should
                  be entered as 2 months and 2 weeks, "9 months" would be
           entered as 9 months and 0 weeks.
            • After R has reported the number of weeks, say:
           Please make sure the month and year when this pregnancy began is
            correctly recorded on the lines below the calendar and marked
           with a "P" in the appropriate box on your calendar's "Births &
           Other Pregnancies" row.
```

• (GESTLEN_M[X]) months and _____ weeks

UNDERLYING RANGE: 0 to 50

FLOW CHECK B-42c 1: COMPUTE WKSGESTV: (weeks of gestation for completed pregnancy) INITIALIZE WKSGESTV = null/blank. IF (GESTLEN_M = DK OR RF) OR (GESTLEN_W = DK OR RF) THEN SET WKSGESTV = DK OR RF (as appropriate). IF GESTLEN M = NULL/BLANK AND GESTLEN W = NULL/BLANK THEN LEAVE WKSGESTV = NULL/BLANK. ELSE IF (GESTLEN_M NE DK OR RF) AND (GESTLEN_W NE DK OR RF): SET WKSGESTV = (GESTLEN_M * 4.33) + GESTLEN_W COMPUTE MOSGESTV: (months of gestation for completed pregnancy): INITIALIZE MOSGESTV = null/blank. IF (GESTLEN M = DK OR RF) OR (GESTLEN W = DK OR RF) THEN SET MOSGESTV = DK OR RF (as appropriate). IF GESTLEN M = NULL/BLANK AND GESTLEN W = NULL/BLANK THEN LEAVE MOSGESTV = NULL/BLANK. ELSE IF (GESTLEN_M NE DK OR RF) AND (GESTLEN_W NE DK OR RF): SET MOSGESTV = GESTLEN_M + (GESTLEN_W / 4.33) EDIT CHECK BI5b_1:PROBE IF WKSGESTV > 44 WEEKS OR MOSGESTV GT 10. DISPLAY: R has reported a pregnancy longer than 44 weeks or 10 months. Please correct pregnancy length if it was entered incorrectly. INVOLVING: GESTLEN_M, GESTLEN_W (Then recompute MOSGESTV and WKSGESTV.) ENDDATE_M[X] 0 of 0 ВІ-ба. In what month and year did this preqnancy end? • PROBE gently for season if DK or RF month • If R insists she does not know, enter [Ctrl+D]. ENTER MM/YYYY [CALENDAR REFERENCE] 5. May 9. September 13. Winter 1. January 10. October 14. Spring 6. June 7. July 2. February 11. November15. Summer12. December16. Fall 3. March 8. August 4. April ENDDATE Y[X]

BI-6b.

0 of 0

(In what month and year did this pregnancy end?)

[CALENDAR REFERENCE]

• After R has given the year, say: After R has given the year, say: Please make sure the month and year when this pregnancy began is correctly NSFG_PUF2017-2019_FemB_CRQ recorded on the lines below the calendar and marked with an "S" for a stillbirth, "M" for miscarriage or ectopic, or "A" for abortion in the appropriate box on your calendar's "Births & Other Pregnancies" row.

ENTER (ENDDATE_M)/YYYY

UNDERLYING RANGE: 1971 to 2020

FLOW CHECK B-42c_3: COMPUTE CMENDDATE:

(Century month for mo/yr when preg ended) SET CMENDDATE = null/blank. IF ENDDATE Y = RF, SET CMENDDATE = 9998 (RF). ELSE IF ENDDATE_Y = DK, SET CMENDDATE = 9999 (DK). ELSE IF ENDDATE_M LE 12, COMPUTE CMENDDATE = (ENDDATE_Y - 1900)*12 + ENDDATE_M ELSE IF 13 LE ENDDATE M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMENDDATE AS ABOVE. ELSE IF ENDDATE M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMENDDATE AS ABOVE. EDIT CHECK BI6b_1: IF (ENDDATE_M LE 12) AND CMENDDATE > CMINTVW, **DISPLAY:** The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK. EDIT CHECK BI6b 2: IF (ENDDATE M LE 12) AND CMENDDATE < CMBIRTH, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK. IF (13 LE ENDDATE_M LE 16) AND CMENDDATE > (CMINTVW + EDIT CHECK BI6b_3: 2), **DISPLAY:** The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK. IF (13 LE ENDDATE M LE 16) AND CMENDDATE < (CMBIRTH -EDIT CHECK BI6b 4: 3), DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK. EDIT CHECK BI6b_5: IF (ENDDATE_M = DK OR RF) AND ENDDATE_Y > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK. EDIT CHECK BI6b 6: IF (ENDDATE_M = DK OR RF) AND ENDDATE_Y < (CMBIRTH/12) +1900)- 1, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK. THE PROGRAM SHOULD RETURN CURSOR AUTOMATICALLY TO FLOW CHECK B-42c 4:

CHECK B-42c_4: THE PROGRAM SHOULD RETURN CURSOR AUTOMATICALLY TO PRGVERIF[X] IN THE NEXT ROW (EVEN IF THIS IS THE LAST ROW). FLOW CHECK B-42c_5: IF THERE ARE ANY EMPTY BOXES IN NONEMPTY ROWS (I.E., WHERE A PREGNANCY IS LISTED), DISPLAY EDIT CHECK BI6b_7. ELSE DISPLAY FIXORDER BI-8.

EDIT CHECK BI6b_7: Some information on the table is missing. MOVE the cursor to the appropriate box to ENTER the information.

FLOW CHECK B-42c_6: COMPUTE THE FOLLOWING VARIABLES:

OUTCOM F[X]: (Pregnancy outcome based on loop and verification data) INITIALIZE OUTCOM_F[X] = NULL/BLANK. IF OUTCOME[X] = NULL/BLANK, THEN OUTCOM_F[X] = PRGOUTCOME (FC B-42a). ELSE OUTCOM_F[X] = OUTCOME[X]. OUTCOM_F[X]_FILL: (fill for pregnancy outcome based on loop and verification data) INITIALIZE OUTCOM F[X] FILL = NULL/BLANK. IF OUTCOM_F[X] = 1, THEN OUTCOM_F[X]_FILL = "Live birth" ELSE IF OUTCOM_F[X] = 2, THEN OUTCOM_F[X]_FILL = "Not a live birth" CMENDP F[X]: (Pregnancy end date based on loop and verification data) INITIALIZE CMENDP_F[X] = NULL/BLANK. IF CMENDDATE[X] = NULL/BLANK, THEN CMENDP_F[X] = CMPRGEND (FC B-42a). ELSE CMENDP_F[X] = CMENDDATE[X]. CMENDP_F[X]_FILL: (Fill for pregnancy end date based on loop and verification data) Create standard date fill based on CMENDP F[X] (see FC B-42a). NBRNLV F[X]: (Number of babies born alive based on loop and verification data) INITIALIZE NBRNLV F[X] = 0; IF NUMLVBRN[X] = NULL/BLANK THEN NBRNLV_F[X] = BORNALIV (FC B-10). ELSE IF MULTBORN[X] = NULL/BLANK OR 1 THEN NBRNLV_F[X] = NUMLVBRN[X] ELSE IF MULTBORN[X] = 5/DK/RF THEN NBRNLV_F[X] = 1. IF BB-1 NUMPREGS = 1 or (NUMPREGS=2 & CURRPREG=1), GO TO FLOW CHECK B-42c 7

BI-8. Thank you for that information. Now, we will correct the order of your <u>completed</u> pregnancies. Please tell me which one was your first pregnancy? (And your next?)

> • Type number corresponding to the first completed pregnancy, then press [Space] or [-] (to separate responses) and number corresponding to the next pregnancy. Continue until all completed pregnancies have been entered.

• If R volunteers that any pregnancy listed here <u>never occurred</u>, back up to BI-2 CHKORDER and enter 7 for "No, something else is incorrect."

[FOR ALL PREGNANCIES WHERE PRGVERIF NE 96 AND OUTCOM_F NE 3, DISPLAY: OUTCOM_F[X], NBRNLV_F[X] "child" or "children" (BABYNAME); "ending" CMENDP_F[X]_FILL EXAMPLE FOR PROGRAMMER:

- EDIT CHECK BI8_1a: CHECK THAT ALL NUMBERS HAVE BEEN ENTERED."Not all the pregnancies from the list given have been selected. Please delete the current entry, re-verify, and reenter the list. (You will know you have entered all the pregnancies available if all pregnancies in the list have a check mark by each of them."
- EDIT CHECK BI8_3: IF END DATE FOR NTH PREGNANCY GREATER THAN END DATE FOR (N+1)TH PREGNANCY AND NEITHER END DATE = DK/RF, DISPLAY: The pregnancy you said happened (nth) has an ending date after the pregnancy you said happened ((n+1)th). I will need a moment to fix the end dates (CHKORDER). INVOLVING: (CHKORDER,FIXORDER)

EXITORDR

- BI-9. Thank you for your help making sure this pregnancy information is correct. Now let's move on to some other questions.
 - ENTER [1] to continue

FLOW CHECK B-42c_7: CREATE PREGORDR. IF BI-8 FIXORDER = NULL/BLANK OR DK/RF, THEN PREGORDR = PRGCNTR. ELSE IF BI-8 FIXORDER NE DK/RF, THEN PREGORDR = BI-8 FIXORDER.

FLOW CHECK B-42d: ONCE THE SUMMARY SCREEN HAS BEEN VERIFIED AND/OR INFORMATION HAS BEEN CORRECTED, THEN DEFINE THE FOLLOWING COMPUTED VARIABLES:

> NPREGS_S: (Total number of pregnancies R has had - based on verified and sorted data)

> > NPREGS_S = 1 + COUNT OF ALL PREGS WHERE PRGVERIF NE 96 IF CURRPREG = 1 (YES) NPREGS_S = COUNT OF ALL PREGS WHERE PRGVERIF NE 96 IF CURRPREG NE 1 (YES)

```
NBABES S:
(Total number of babies born alive (across all pregnancies)
- based on verified and sorted data)
     NBABES S = 0 FOR EACH PREG WHERE PRGVERIF NE 96 AND
     NUMLVBORN[x]>=1:
      IF MULTBORN = 1 THEN NBABES_S = NBABES_S + NUMLVBRN
      ELSE NBABES S = NBABES S + 1
OUTCOM S[X]:
(Pregnancy outcome sorted into correct order)
      INITIALIZE OUTCOM_S[X] = NULL/BLANK
      POPULATE WITH DATA FROM OUTCOM_F[X]. DETERMINE ORDER
         THROUGH PRGORDR.
      ASSIGN OUTCOM_S = 3 FOR CURRENT PREGNANCY.
                                                   (CURRENT
         PREGNANCY SHOULD BE FINAL ITEM IN PREGNANCY ARRAY)
CMENDP S[X]:
(Pregnancy end date sorted into correct order)
      INITIALIZE CMENDP_S[X] = NULL/BLANK.
      POPULATE WITH DATA FROM CMENDP F[X]. DETERMINE ORDER
         THROUGH PRGORDR.
CMENDP_S[X]_FILL:
(Fill for pregnancy end date sorted into correct order)
      INITIALIZE CMENDP_S[X]_FILL = NULL/BLANK
      Create standard date fill based on CMENDP S[X] (see
         FC B-42a).
CMPBEG_S[X]:
(Pregnancy beginning date based on loop and verification
data and sorted into correct order.)
      INITIALIZE CMPBEG S[X] = null/blank.
     MATCH [X] WITH LOOP OR VERIFICATION DATA THROUGH
         PRGORDR.
      IF OUTCOM_S[X] = 1 or 2 AND MOSGESTV = NULL/BLANK
      THEN:
         IF MOSGEST not in(blank,DK,RF) THEN SET
           CMPBEG_S[X] = (CMENDP - MOSGEST).
         ELSE MOSGEST = DK OR RF OR BLANK, THEN SET
           CMPBEG S[X] = DK OR RF to match MOSGEST.
      ELSE IF OUTCOM_S[X] = 1 or 2 AND MOSGESTV NE
     NULL/BLANK THEN:
         IF MOSGESTV not in(DK,RF) THEN SET CMPBEG_S[X] =
           (CMENDP - MOSGESTV).
         ELSE MOSGESTV = DK OR RF, THEN SET CMPBEG_S[X] =
           DK OR RF to match MOSGESTV.
      ELSE IF OUTCOM S[X] = 3 AND MOSCURRP not
      in(blank,DK,RF)
            SET CMPBEG_S[X] = (CMINTVW - MOSCURRP).
      ELSE IF OUTCOM S[X] = 3 AND MOSCURRP = DK OR RF,
            SET CMPBEG_S[X] = DK OR RF to match MOSCURRP.
```

{Note that OUTCOM_S[X]=3 is not an option for the verification grid so there is no need for logic to accommodate that } CMPBEG_S_FILL: (Fill for pregnancy beginning date based on loop and verification data sorted into correct order) INITIALIZE CMPBEG_S_FILL = NULL/BLANK. Create standard date fill based on CMPBEG_S_FILL. NBRNLV S[X]: (Number of babies born alive sorted into correct order) INITIALIZE NBRNLV_S[X] = NULL/BLANK. POPULATE WITH DATA FROM NBRNLV_F[X]. DETERMINE ORDER THROUGH PRGORDR. ASSORTED VARIABLES: INITIALIZE: BABNAM S[X] = NULL/BLANKMULT S[X] FILL = NULL/BLANK BABSEX_S[X] = NULL/BLANK IF (OUTCOM_F[X] = PRGOUTCOME (for the comparable pregnancy) OR OUTCOME[X] = NULL/BLANK) AND (NBRNLV_F[X] = BORNALIV (for the comparable pregnancy)) THEN: BABNAM_S[X] = BABYNAME (MATCH [X] WITH LOOP DATA THROUGH PRGORDR.) MULT_S[X]_FILL = MULT (MATCH [X] WITH LOOP DATA THROUGH PRGORDR.) BABSEX_S[X] = BABYSEX (MATCH [X] WITH LOOP DATA THROUGH PRGORDR.) ELSE: BABNAM S[X] = NULL/BLANK. MULT S FILL = NULL/BLANK. BABSEX_S = NULL/BLANK. CMBDAY S[X]: (Date of baby's birth) INITIALIZE CMBDAY_S[X] = NULL/BLANK. IF OUTCOM_S[X] = 1 THEN CMBDAY_S[X] = CMENDP_S[X]. ELSE CMBDAY_S[X] = NULL/BLANK. HASBABES: (Whether R has had any live births, based upon verified and sorted data) HASBABES = 1 (YES) IF 1 LE NBABES_S LT 95 HASBABES = 5 (NO) otherwise (including cases where NBABES_S=DK/RF or sysmis. CMLASTLB: (Century month for date of last live birth, based upon verified and sorted data)

CMLASTLB = INAPP (blank) if HASBABES=NO. ELSE, IF HASBABES=YES: CMLASTLB = CMEND_S[x] value for the highest order pregnancy where outcom_s=1 (we want it to have a dk/rf value if cmendp_s=dk/rf in this case). CMLSTPRG: (Century month for date of last completed pregnancy, based upon verified and sorted data) CMLSTPRG = INAPP (blank) IF EVERPREG=NO OR BB-1 npregs_s=DK/RF OR (IF npregs_s = 1 AND CURRPREG=YES) ELSE, CMLSTPRG = CMENDP_S value where PREGORDR = npregs_s (we want it to take on a dk/rf value if no date was reported for R's last completed pregnancy based on the chronologically sorted pregnancies; also if npregs_s > 1 and currpreg=1, we want CMLSTPRG to be drawn from npregs s - 1) CMFSTPRG: (Century month for date of first completed pregnancy, based upon verified and sorted data) CMFSTPRG = INAPP (blank) IF EVERPREG=NO OR BB-1 npregs s =DK/RF OR (IF npregs s = 1 AND CURRPREG=YES) ELSE, CMFSTPRG = CMENDP S value where PREGORDR = 1 (we want it to take on a dk/rf value if no date was reported for R's first completed pregnancy based on the chronologically sorted pregnancies) CMPG1BEG: (Century month for start of first pregnancy, based upon verified and sorted data) CMPG1BEG = INAPP (BLANK) IF EVERPREG=NO ELSE, CMPG1BEG = CMPBEG_S value where PREGORDR = 1 (we want it to take on a dk/rf value if no date was reported for R's first pregnancy based on the chronologically sorted pregnancies. This could also take on value for start of current pregnancy, though. DEFINE CMPG1BEG_FILL AS SHOWN ABOVE FOR CMPRGEND_FILL. (Mo/Yr fill for beginning date of 1st pregnancy, completed or current) FLOW CHECK B-43: DEFINE TOTPLACD: Total number of biological children R placed for adoption or were placed for adoption TOTPLACD = NPLACED (FC B-17) + NADOPTV (FC B-37)

= blank if NUMBABES = 0 or EVERPREG=NO

FLOW CHECK B-44: IF AGE_R < 18, GO TO FLOW CHECK C-1.

OTHER (NON-BIOLOGICAL) CHILDREN CARED FOR SERIES (BJ)

{ ASKED IF R IS 18 OR OLDER OTHERKID

BJ-1. IF NBABES S = 1 AND TOTPLACD NE 1 AND NO VALUE OF BPA BDScheck variables = 2, ASK: Not counting the child born to you, have any other children lived with you under your care and responsibility?

> ELSE IF HASBABES = NO OR (HASBABES = YES AND ALL BPA_BDScheck variables = 1 or 2), ASK: Have any children lived with you under your care and responsibility?

ELSE IF HASBABES = YES AND NBABES_S GT 1, ASK: Not counting the children born to you, have any children lived with you under your care and responsibility?

[HELP AVAILABLE]

Yes 1 No..... 5

EDIT CHECK BJ1 1: PROBE IF BJ-1 OTHERKID = NO AND NONBIOKIDS GT 0 (HH ROSTER INCLUDES ANY OF THE FOLLOWING NON-BIO CHILDREN (18 and under): 4-stepchild, 5-adopted child, 6-legal ward, 7foster child, 8-partner's child, 9-grandchild, 10niece/nephew. IF NECESSARY, RETURN TO BJ-1 OTHERKID AND CODE YES. (Soft Edit because R could live with such a child but not view child as under her care or responsibility.) DISPLAY TEXT: R has answered No, but there is at least one child living with her that may qualify for a YES answer. Does R want to modify her answer or is this correct?

FLOW CHECK B-44b: IF BJ-1 OTHERKID = 5, DK, OR RF, GO TO FLOW CHECK B-56.

{ ASKED IF R CARED FOR AN UNRELATED CHILD NOTHRKID BJ-2.

How many children?

ENTER number of children _____

UNDERLYING RANGE: 1 to 20

OKDNAME

BJ-3.

IF BJ-2 NOTHRKID = 1, ASK: So that I can refer to this child during the interview, what is the name or initials of the child who lived with you under your care?

ELSE IF BJ-2 NOTHRKID > 1, ASK: So that I can refer to them during the interview, what are the names or initials of the children who lived with you under your care?

• ENTER Child's name or initials _ FLOW CHECK B-45: INCREASE NCAREFOR BY 1 AND ESTABLISH NAME FILLS AS APPROPRIATE FOR REMAINDER OF BJ SERIES. FLOW CHECK B-45A: IF THIS IS THE 1ST NONBIOLOGICAL CHILD, GO TO SEXOTHKD BJ-4. ELSE GO TO BINTRO_5a BJ_0. BINTRO 5a BJ-0. Now I need to get this information for [OKDNAME]. • ENTER [1] to continue SEXOTHKD BJ-4. • If necessary, ask: (Is (OKDNAME) male or female?) Male1 Female2 { ASKED FOR ALL NONBIOKIDS REPORTED IN BJ-3 OKDNAME RELOTHKD BJ-5. IF BJ-4 SEXOTHKD = 1 (MALE), ASK: Please look at Card 20. When (OKDNAME) began living with you, how was he related to you? ELSE IF BJ-5 SEXOTHKD = 2 (FEMALE), ASK: Please look at Card 20. When (OKDNAME) began living with you, how was she related to you? ELSE IF BJ-5 SEXOTHKD = DK OR RF, ASK: Please look at Card 20. When (OKDNAME) began living with you, how was this child related to you? [SHOW CARD 20] [HELP AVAILABLE] Your husband's child (stepchild)1 The child of a blood relative2 The child of a relative by marriage 3 The child of a friend 4 Your boyfriend or partner's child 5 Related to you in some other way 6 Unrelated to you previously in any way 7 { ASKED FOR ALL NONBIOKIDS REPORTED IN BJ-3 OKDNAME ADPTOTKD BJ-6. Did you legally adopt (OKDNAME) or become (OKDNAME)'s legal guardian? • ENTER [1] if R both adopted and became legal guardian to this child. [HELP AVAILABLE] Yes, adopted 1 Yes, became guardian 3 No, neither 5

NSFG FEMALE CRQ FOR 2017-2019 OMB Number 0920-0314

FLOW CHECK B-46: IF BJ-6 ADPTOTKD = 3, ASK BJ-7a TRYADOPT. ELSE IF BJ-6 ADPTOTKD = 5, ASK BJ-7b TRYEITHR. ELSE IF BJ-6 ADPTOTKD = 1, DK, OR RF, GO TO BJ-8 STILHERE.

{ ASKED IF R BECAME LEGAL GUARDIAN TO THIS CHILD
TRYADOPT
BJ-7a. Are you in the process of trying to legally adopt [OKDNAME]?

[HELP AVAILABLE]

Yes1 No5

{ ASKED IF R NEITHER ADOPTED NOR BECAME LEGAL GUARDIAN TO THIS CHILD TRYEITHR

BJ-7b. DETERMINE VARIANTS AS ABOVE IN BJ-5 RELOTHKD: Are you in the process of trying to legally adopt [OKDNAME] or to become (his/her/this child's) legal guardian?

[HELP AVAILABLE]

Yes, trying to adopt1 Yes, trying to become guardian3 No, neither5

{ ASKED FOR ALL NONBIOKIDS REPORTED IN BJ-3 OKDNAME STILHERE

BJ-8. Is (OKDNAME) still living with you?

• ENTER "5" if child lives away from home more than half the year (e.g., at school, in military).

Yes 1 No 5

FLOW CHECK B-48: IF BJ-8 STILHERE = 1 or DK, ASK BJ-9 DATKDCAM_M. ELSE IF STILHERE = 5 or RF, GO TO FLOW CHECK B-51.

{ ASKED IF NONBIOKID LIVES IN HH

DATKDCAM_M

 $\ensuremath{\mathcal{D}}$ of $\ensuremath{\mathcal{Q}}$

BJ-9. DETERMINE VARIANTS AS ABOVE IN BJ-5 RELOTHKD: In what month and year did (she/he/this child) begin living with you?

Use the information already recorded on the calendar to help you remember when this child was living with you. You may want to record this on the calendar, but it is not necessary.

- Refer R to calendar to determine month and year.
- PROBE for season if DK month
- ENTER MM/YYYY

[HELP AVAILABLE] [CALENDAR REFERENCE]

1. January	5. May	9. September	13. Winter
2. February	6. June	10. October	14. Spring
3. March	7. July	11. November	15. Summer
4. April	8. August	12. December	16. Fall

DATKDCAM_Y

0 of 0

BJ-9. DETERMINE VARIANTS AS ABOVE IN BJ-5 RELOTHKD: (In what month and year did (she/he/this child) begin living with you?

Use the information already recorded on the calendar to help you remember when this child was living with you. You may want to record this on the calendar, but it is not necessary.)

[HELP AVAILABLE] [CALENDAR REFERENCE]

◆ ENTER (DATKDCAM_M)/YYYY

UNDERLYING RANGE: 1966 to 2020

FLOW CHECK B-49: COMPUTE CMOKDCAM (CENTURY MONTH FOR DATE CHILD BEGAN LIVING
WITH R)
SET CMOKDCAM = null/blank.
IF DATKDCAM_Y = RF, SET CMOKDCAM = 9998 (RF).
ELSE IF DATKDCAM_Y = DK, SET CMOKDCAM = 9999 (DK).

ELSE IF DATKDCAM_M LE 12, COMPUTE CMOKDCAM = (DATKDCAM_Y - 1900) * 12 + DATKDCAM_M.

ELSE IF 13 LE DATKDCAM_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMOKDCAM as above.

ELSE IF DATKDCAM_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMOKDCAM as above.

- EDIT CHECK BJ9_1: IF (DATKDCAM_M LE 12) AND CMOKDCAM > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BJ9_2: IF (DATKDCAM_M LE 12) AND CMOKDCAM < CMBIRTH, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BJ9_3: IF (13 LE DATKDCAM_M LE 16) AND CMOKDCAM > (CMINTVW + 2), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BJ9_4: IF (13 LE DATKDCAM_M LE 16) AND CMOKDCAM < (CMBIRTH -3), DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BJ9_5: IF (DATKDCAM_M = DK OR RF) AND DATKDCAM_Y > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BJ9_6: IF (DATKDCAM_M = DK OR RF) AND DATKDCAM_Y < (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered

cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK B-50: IF BJ-5 RELOTHKD = 2, 3, 4, 6, 7, DK, OR RF, ASK BJ-10 OTHKDFOS. ELSE IF BJ-5 RELOTHKD = 1 OR 5, GO TO FLOW CHECK B-51

{ ASKED IF NONBIOKID LIVES IN HH AND IS NEITHER STEPCHILD NOR PARTNER'S CHILD OTHKDFOS

BJ-10. Was (OKDNAME) a foster or related child who was placed in your home by a court, child welfare department, or social service agency?

• Enter [1] for any child for whom R was designated or formally certified as a caregiver (e.g., foster parent, relative foster parent, or custodian) by a court, child welfare department, social service agencies.

Yes 1 No 5

FLOW CHECK B-51: IF BJ-8 STILHERE = 1 or DK (child is in HH) OR BJ-6 ADPTOTKD = 1 (R adopted this child), ASK BJ-11 OKDDOB_M.

> ELSE IF BJ-8 STILHERE = 5 or RF (child is not in HH) AND BJ-6 ADPTOTKD NE 1 (R did not adopt this child), GO TO FLOW CHECK B-55.

{ ASKED IF CHILD IS IN HH OR WAS ADOPTED BY R
OKDDOB_M
@ of @
BJ-11. In what month and year was (OKDNAME) born?

- PROBE for season if DK month
 DK
- ◆ ENTER MM/YYYY

1. January	5. May	9. September	13. Winter
2. February	б. June	10. October	14. Spring
3. March	7. July	11. November	15. Summer
4. April	8. August	12. December	16. Fall

OKDDOB_Y

② of ②
BJ-11. (In what month and year was (OKDNAME) born?)

ENTER (OKDDOB_M)/YYYY

UNDERLYING RANGE: 1966 to 2020

FLOW CHECK B-52: COMPUTE CMOKDDOB (CENTURY MONTH FOR NONBIOKID'S DATE OF BIRTH) SET CMOKDDOB = null/blank.

> IF OKDDOB_Y = RF, SET CMOKDDOB = 9998 (RF). ELSE IF OKDDOB_Y = DK, SET CMOKDDOB = 9999 (DK).

ELSE IF OKDDOB_M LE 12, COMPUTE CMOKDDOB = (OKDDOB_Y - 1900)*12 + OKDDOB_M

ELSE IF 13 LE OKDDOB_M LE 16, USE MONTH APPROPRIATE TO NSFG_PUF2017-2019_FemB_CRQ SEASON & COMPUTE CMOKDDOB as above.

ELSE IF OKDDOB_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMOKDDOB as above.

- EDIT CHECK BJ11_1: IF (OKDDOB_M LE 12) AND CMOKDDOB > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BJ11_2: IF (OKDDOB_M LE 12) AND CMOKDDOB < CMBIRTH, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BJ11_3: IF (13 LE OKDDOB_M LE 16) AND CMOKDDOB > (CMINTVW + 2), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BJ11_4: IF (13 LE OKDDOB_M LE 16) AND CMOKDDOB < (CMBIRTH -3), DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BJ11_5: IF (OKDDOB_M = DK OR RF) AND OKDDOB_Y > ((CMINTVW / 12) + 1900), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BJ11_6: IF (OKDDOB_M = DK OR RF) AND (OKDDOB_Y < ((CMBIRTH / 12) + 1900) 1), DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BJ11_7: PROBE IF CMOKDDOB > CMOKDCAM. DISPLAY TEXT: R has reported that the child came to live with R before the child was born. Has one of the dates been entered incorrectly?
- FLOW CHECK B-53: IF (BJ-8 STILHERE = 1 or DK (child still in HH) OR BJ-6 ADPTOTKD = 1 (adopted this child)) AND BJ-5 RELOTHKD = 7 (unrelated previously in any way), ASK BJ-12 OTHKDSPN.

ELSE GO TO FLOW CHECK B-55.

{ ASKED FOR "UNRELATED" NONBIOKIDS LIVING IN HH OR ADOPTED BY R OTHKDSPN

BJ-12. Is (OKDNAME) Hispanic or Latino, or of Spanish origin?

Yes 1 No 5

OTHKDRAC

- BJ-13. Which of the groups on Card 2 describes (OKDNAME's) race? Please select one or more groups.
 - ENTER all that apply. Do not probe AO.

 If R reports a mixture of several races (biracial, mixed, mulatto, etc.), enter all groups that are part of the NSFG_PUF2017-2019_FemB_CRQ NSFG FEMALE CRQ FOR 2017-2019 OMB Number 0920-0314

mixture.

[SHOW CARD 2] [HELP AVAILABLE]

DK OR RF CANNOT BE ENTERED WITH CODES 1-5

FLOW CHECK B-54: IF MORE THAN ONE RACE IS CODED FOR BJ-13 OTHKDRAC, ASK BJ-14 KDBSTRAC. ELSE, GO TO BJ-15 OKBORNUS.

KDBSTRAC

BJ-14. Which of these groups, that is (RACE GROUPS MENTIONED IN BJ-13 OTHKDRAC), would you say <u>best</u> describes (his/her/the child's) racial background?

[HELP AVAILABLE]

{ DISPLAY ONLY THOSE CATEGORIES REPORTED IN BJ-13 OTHKDRAC
[/ American Indian or Alaska Native].....1
[/ Asian].....2
[/ Native Hawaiian or other Pacific Islander].....3
[/ Black or African American].....4
[/ White].....5

EDIT CHECK BJ14_1: PROBE IF KDBSTRAC <> OTHKDRAC (IF A CHOICE, OTHER THAN THOSE PREVIOUSLY SELECTED IN OTHKDRAC), DISPLAY: You cannot choose a race that was not among the choices given. Re-select.

OKBORNUS

BJ-15. DETERMINE VARIANTS AS ABOVE IN BJ-5 RELOTHKD: Was (she/he/this child) born in the United States or in another country?

> • The United States includes the 50 states, Washington, D.C., and the U.S. territories and protectorates such as American Samoa, Puerto Rico, Guam, the U.S. Virgin islands, and the Republic of Palau.

[HELP AVAILABLE]

United States 1 Another country 5

OKDISABL

BJ-16. Does (OKDNAME) have a physical disability, an emotional disturbance, or mental retardation?

• ENTER all that apply

[HELP AVAILABLE]

Physical disability1 Emotional disturbance2 EDIT CHECK BJ16_1: IF OKDISABL = 4 AND ANY OTHER CODE DISPLAY: 'None of the above' (4) cannot be entered with any other code. HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK B-55: IF NCAREFOR < BJ-2 NOTHRKID, RETURN TO FLOW CHECK B-45. ELSE IF NOTHRKID = NCAREFOR, GO TO FLOW CHECK B-56.

FLOW CHECK B-56: COMPUTE EVERADPT (R'S EXPERIENCE WITH ADOPTION) SET TO NULL/BLANK. EVERADPT = 1 (YES) IF BJ-6 ADPTOTKD = YES FOR ANY CHILD DESCRIBED IN THIS SERIES. ELSE EVERADPT = 3 (TRYING) IF BJ-7a TRYADOPT = 1 OR BJ-7b TRYEITHR = 1 FOR ANY CHILD DESCRIBED IN THIS SERIES. ELSE EVERADPT = 5 (NO) IF BJ-1 OTHERKID NE YES OR IF BJ-6 ADPTOTKD = NO/DK/RF FOR EVERY CHILD DESCRIBED IN THIS SERIES.

CURRENT PLANS TO ADOPT (BK)

{ ASKED IF R IS 18 OR OLDER BINTRO_6 BK-0. IF EVERADPT = 1 (YES), SAY: The next questions are about any plans you currently have to adopt another child. ELSE IF EVERADPT = 3 (TRYING), SAY: The next questions are about any plans you currently have to adopt a child that has not lived with you. When answering these questions, do not count any children you are currently in the process of adopting. ELSE IF EVERADPT = 5 (NO), SAY: The next questions are about any plans you currently have to adopt a child. • ENTER [1] to continue { ASKED IF R IS 18 OR OLDER SEEKADPT BK-1. IF EVERADPT = 3 (TRYING), ASK: Not counting children who have lived with you or children who live with you now, are you currently seeking to adopt a child? ELSE IF EVERADPT = 1 (YES), ASK: Not counting children who have lived with you or children who live with you now, are you currently seeking to adopt another child? ELSE IF EVERADPT = 5 (NO), ASK: At this time, are you seeking to adopt a child? YES 1 NO 5 (BL-1 EVWNTANO)

IS CURRENTLY SEEKING TO ADOPT A CHILD
IF EVERADPT = YES, ASK: Have you placed a newspaper ad or contacted an adoption agency, a lawyer, a doctor, or other source about adopting another child?
ELSE IF EVERADPT = TRYING, ASK: Not counting things you've done for any children you are currently in the process of adopting, have you placed a newspaper ad or contacted an adoption agency, a lawyer, a doctor, or other source about adopting another child?
IF EVERADPT = NO, ASK: Have you placed a newspaper ad or contacted an adoption agency, a lawyer, a doctor, or other source about adopting a child?
BLE]
YES 1 NO 5 (BK-4 KNOWADPT)
HAS TAKEN STEPS TO ADOPT
IF EVERADPT = YES, ASK: Again, not counting things you've done for any children you have adopted or are currently in the process of adopting, how long have you been seeking to adopt another child?
ELSE IF EVERADPT = TRYING, ASK: Again, not counting things you've done for any children you have adopted or are currently in the process of adopting, how long have you been seeking to adopt a child?
IF EVERADPT = NO, ASK: How long have you been seeking to adopt a child? Has it been
◆ READ list
Less than 1 year1 1-2 years Or longer than 2 years3
IS CURRENTLY SEEKING TO ADOPT A CHILD
Are you seeking to adopt a child whom you know?
BLE]
Yes 1 No 5
NS TO ADOPT (BL)
-57: IF BK-1 SEEKADPT = YES, GO TO BL-6 HRDEMBRYO.
IS NOT CURRENTLY SEEKING TO ADOPT
IF EVERADPT = NO, ASK: Have you ever considered adopting a child?

Have you ever considered adopting a child?

ELSE IF EVERADPT = YES, ASK: Have you ever considered adopting another child?

ELSE IF EVERADPT = TRYING, ASK: Not counting any children you are currently in the process of adopting, have you ever considered adopting another child?

Yes 1 No 5 (BL-6 HRDEMBRYO)

FLOW CHECK B-57a: IF BL-1 EVWNTANO = DK/RF, GO TO BL-6 HRDEMBRYO.

{ ASKED IF R EVER CONSIDERED ADOPTING A CHILD
EVCONTAG
BL-2. IF EVERADPT = NO, ASK:
 Did you ever contact an adoption agency, a lawyer, a doctor, or
 other source about adopting a child?

ELSE IF EVERADPT = YES, ASK: Did you ever contact an adoption agency, a lawyer, a doctor, or other source about adopting another child?

ELSE IF EVERADPT = TRYING, ASK: Not counting any children you are in the process of adopting, did you ever contact an adoption agency, a lawyer, a doctor, or other source about adopting another child?

Yes 1 No 5 (BL-6 HRDEMBRYO)

FLOW CHECK B-57b: IF BL-2 EVCONTAG = DK/RF, GO TO BL-6 HRDEMBRYO.

> Turned down1 Unable to find child2 Decided not to pursue3

FLOW CHECK B-58: IF BL-3 TURNDOWN = 3, ASK BL-4 YQUITTRY. ELSE IF TURNDOWN = 1, 2, DK, OR RF, GO TO BL-6 HRDEMBRYO.

{ ASKED IF R DECIDED NOT TO PURSUE ADOPTING A CHILD
YQUITTRY
BL-4. What were your reasons for deciding not to pursue adoption any
further? Were they reasons having to do with the adoption
process itself, reasons related to your own situation, or both?

[HELP AVAILABLE]

Adoption process only1 Own situation only2 (BL-6 HRDEMBRYO) Both3

FLOW CHECK B-59: IF BL-4 YQUITTRY = 1, 3, DK, OR RF, ASK BL-5 APROCESS. ELSE IF BL-4 YQUITTRY = 2, GO TO BL-6 HRDEMBRYO.

NSFG FEMALE CRQ FOR 2017-2019 OMB Number 0920-0314 { ASKED IF "ADOPTION PROCESS" CITED AT ALL APROCESS BL-5. Tell me which reasons related to adoption made you decide not to pursue adoption. Was it because the fees were too high, there were not enough kids available, or some other reason? • ENTER all that apply Fees were too high1 There were not enough kids available ...2 Some other reason3 {ASKED OF ALL Rs 18 OR OLDER HRDEMBRYO BL-6. Now I have one additional question about ways to become a parent. Have you ever heard of frozen embryo donation or frozen embryo adoption as a method of family building? Yes1 No5 (Section C) { Asked if R has heard of embryo adoption or donation SRCEMBRYO BL-7. IF HRDEMBRYO = 1 ASK: Please look at Card 89. From which of these sources did you hear of embryo adoption or donation? PROBE: "Any other source?" • ENTER all that apply • Press [Space] or [-] to separate responses [SHOW CARD 89] Health professional or counselor 1

nearch professional of counselor
Relative or friend2
Television, radio or a magazine3
Internet
Other5