n/a - not constructed for this file

Absence of comment in last column indicates "same universe, same code categories, same specifications"

This crosswalk describes female respondent file recodes. See below for female pregnancy recode crosswalk.

Recode specifications for the 2006-2010 NSFG female respondent file recodes are found in Appendix 3a of the 2006-2010 User's Guide.

Recode specifications for the 2002 (Cycle 6) NSFG female respondent file recodes are found in Appendix 2 of the 2002 User's Guide.

Recode specifications for the 1995 (Cycle 5) NSFG female respondent file recodes are found in Appendix 1 of the 1995 User's Guide.

Recode in				
2006-2010	Recode in 2002	Recode in 1995		
NSFG	NSFG	NSFG	Short Description	User Notes
Section A				
AGER	AGER	AGER	R's age at interview	
n/a	n/a	AGEAPR1	R's age at midpoint of interviewing period	
RMARITAL	RMARITAL	RMARITAL	Informal marital status	
FMARITAL	FMARITAL	FMARITAL	Formal (legal) marital status	In 1995 NSFG and earlier, FMARITAL=6 indicated never married, codes 3-5 indicated widowed, divorced, and separated, and code 2 was not used. In 2002 NSFG and later, code 5 indicated never married, and codes 2-4 indicated widowed, divorced, and separated. Less detail for this recode is included on
EDUCAT	EDUCAT	EDUCAT	Number of years of schooling	the 2002 and 2006-2010 public use files than on the 1995 public use file. The latter files required bottomcoding on this recode.
n/a	n/a	DIPLGED	Completed high school or equivalent	
n/a	n/a	HIDEGREE	Highest degree obtained	
n/a	n/a	CMHIDEG	Date earned highest degree	See Footnote 1
				Less detail for this recode is included on the 2002 and 2006-2010 public use files than on the 1995 public use file. The latter files required bottomcoding on this
HIEDUC	HIEDUC	HIEDUC	Highest completed year of school or highest degree received	recode. Also see Footnote 1.

Recode in 2006-2010 NSFG	Recode in 2002 NSFG	Recode in 1995	Short Description	User Notes
				In 1995 NSFG, these questions were
HISPANIC	HISPANIC	HISPANIC	Hispanic origin of respondent	asked in Section I.
				In 1995 NSFG, these questions were
RACE	RACE	RACE	Race of respondent	asked in Section I.
				In 1995 NSFG, these questions were
HISPRACE	HISPRACE	HISPRACE	Race & Hispanic origin of respondent - 1977 OMB standards	asked in Section I.
HISPRACE2	n/a	n/a	Race & Hispanic origin of respondent - 1997 OMB standards	In 2002 HISPRACE2 was defined for reports based on HISPRACE and NUMRACE. In 2006-2010, this recode was defined as part of the public use file.
NUMKDHH	NUMKDHH	NUMKDHH	Number of biological/adopted/related/legal children under age 18 in household	In 1995 NSFG, this recode only included biological and adopted children in household. In 2002 and later, it included more relationship types.
NUMFMHH	NUMFMHH	NUMFMHH	Number of family members in HH	L # 0000 NOTO #:
HHFAMTYP	ННҒАМТҮР	n/a	Type of household/family structure	In the 2002 NSFG, this recode was not part of the initially released public use file, but was made available as part of a supplementary file based on the household roster.
				In the 2002 NSFG, this recode was not part of the initially released public use file, but was made available as part of a supplementary file based on the household roster. The 2002 supplementary version that is comparable to 2006-2010 version is "HHPARTYP2". It includes the category "3=Single parent (biological, adoptive, or stepparent)", whereas 2002
HHPARTYP	HHPARTYP2	n/a	Type of parental situation in household	"HHPARTYP" does not.

Recode in	Decede in 2002	Decede in 4005		
2006-2010 NSFG	Recode in 2002 NSFG	Recode in 1995 NSFG	Short Description	User Notes
			·	In the 2002 NSFG, this recode was not
				part of the initially released public use
				file, but was made available as part of a
			Number of respondent's children (18 or younger) living in	supplementary file based on the
NCHILDHH	NCHILDHH	n/a	household	household roster.
				In the 2002 NSFG, this recode was not
				part of the initially released public use
				file, but was made available as part of a
				supplementary file based on the
HHKIDTYP	HHKIDTYP	n/a	Respondent's children (18 or younger) living in the household	household roster.
				In the 2002 NSFG, this recode was not
				part of the initially released public use
				file, but was made available as part of a
			Number of R's biological children (18 or younger) with current	supplementary file based on the
CSPBBHH	CSPBBHH	n/a	spouse/partner who live in the household	household roster.
				In the 2002 NSFG, this recode was not
				part of the initially released public use
			Number of female R's biological children (18 or younger) in the	file, but was made available as part of a
			household who are not the biological children of her current	supplementary file based on the
CSPBSHH	CSPBSHH	n/a	spouse/partner	household roster.
				In the 2002 NSFG, this recode was not
				part of the initially released public use
				file, but was made available as part of a
			Number of all other children living in household with R and	supplementary file based on the
CSPOKDHH	CSPOKDHH	n/a	current spouse/partner	household roster.

Recode in				
2006-2010	Recode in 2002	Recode in 1995		
NSFG	NSFG	NSFG	Short Description	User Notes
INTCTFAM	INTCTFAM	INTCTFAM	Whether R lived in intact family until 18, until interview or until lived on own	In 2002 NSFG and later, this recode was based on a combination of a direct question and a computed variable based on household roster infomation. In 1995 it was based on a retrospective event history of childhood living arrangements. See Footnote 2 for details. Also see Footnote 3 for additional information on respondent's living arrangements. Differs slightly between 2002 and 2006-
PARAGE14	PARAGE14	ln/a	Parental living situation at age 14	2010: code 2 is defined differently (see codebook or recode specifications for each data file). In both files, this recode was collapsed for public use. See recode specifications for details. Also see Footnote 2.
EDUCMOM	EDUCMOM	EDUCMOM	R's mother's (or mother-figure's) education	Less detail for this recode is included on the Cycle 6 and 2006-2010 public use files than on the Cycle 5 public use file. The latter files required additional collapsing of values.
n/a	n/a	EDUCDAD	R's father's (or father-figure's) education	l la
				Less detail for this recode is included on the Cycle 6 and 2006-2010 public use files than on the Cycle 5 public use file. The latter files required additional
AGEMOMB1	AGEMOMB1	AGEMOMB1	Age of R's mother at first birth	collapsing of values.
n/a	n/a	MOMWORK	Mother's working status during R's childhood	
Section B		<u> </u>		
RCURPREG	RCURPREG	RCURPREG	Whether R is currently pregnant	
PREGNUM	PREGNUM	PREGNUM	CAPI-based total number of pregnancies	
COMPREG	COMPREG	COMPREG	CAPI-based total number of completed pregnancies	

Recode in				
2006-2010	Recode in 2002	Recode in 1995		
NSFG	NSFG	NSFG	Short Description	User Notes
LOSSNUM	LOSSNUM	LOSSNUM	CAPI-based total number of spontaneous preg losses	
ABORTION	ABORTION	ABORTION	CAPI-based total number of induced abortions	
LBPREGS	LBPREGS	LBPREGS	CAPI-based total number of pregs ending in live birth	
			CAPI-based total number of live births (accounting for mult	
PARITY	PARITY	PARITY	birth)	
BIRTHS5	BIRTHS5	BIRTHS5	Number of live births in last 5 years	
			Resp version of preg file OUTCOME; Outcome of Nth	
OUTCOM[x]	OUTCOM[x]	OUTCOM[x]	pregnancy	
DATEND[x]	DATEND[x]	DATEND[x]	CM date Nth pregnancy ended	
			Resp version of preg file AGEPREG; Age at Nth pregnancy	
AGEPRG[x]	AGEPRG[x]	AGEPRG[x]	outcome	
			Resp version of preg file DATECON; CM date of Nth	
DATCON[x]	DATCON[x]	DATCON[x]	conception	
			Resp version of preg file AGECON; Age at Nth pregnancy	
AGECON[x]	AGECON[x]	AGECON[x]	conception	
			Resp version of preg file FMAROUT5; Formal marital status at	
MAROUT[x]	MAROUT[x]	MAROUT[x]	Nth pregnancy outcome	
			Resp version of preg file RMAROUT6; Informal marital status	
RMAROUT[x]	RMAROUT[x]	n/a	at Nth pregnancy outcome	
			Resp version of preg file FMARCON5; Formal marital status at	
MARCON[x]	MARCON[x]	MARCON[x]	Nth pregnancy conception	
			Resp version of preg file RMARCON6; Informal marital status	
RMARCON[x]		n/a	at Nth pregnancy conception	
CEBOW	CEBOW	n/a	Number of children born out of wedlock	
CEBOWC	CEBOWC	n/a	Number of children born out of wedlock, in cohab	
				1995 recode name was simply changed
				to DATBABY1. No other difference in
DATBABY1	DATBABY1	BABY1MO	CM date of 1st live birth	this recode.
AGEBABY1	AGEBABY1	AGEBABY1	Age at 1st live birth	
				In 2006-2010 NSFG this recode was
				defined for each liveborn child (1st from
				each pregnancy if multiple birth). In
				earlier years, the recode was only
LIVCHILD[x]	n/a	n/a	Living arrangements of each liveborn child	defined for the 1st liveborn child R had.

Recode in				
2006-2010	Recode in 2002	Recode in 1995		
NSFG	NSFG	NSFG	Short Description	User Notes
				An additional code category for living with
				biological father was added in 2002
				NSFG that was not part of this recode in
n/a	LIV1CHLD	LIV1CHLD	Living arrangements of 1st liveborn child	1995 NSFG.
Section C	T	T		
FMARNO	FMARNO	FMARNO	Number of formal marriages	
			Total number of biological children R has had with current	
			spouse or cohabiting partner (regardless of age and residence	Defined beginning in Year 2 (July 2007)
CSPBIOKD	n/a	n/a	in HH)	in the 2006-2010 file
MARDAT[x]	MARDAT[x]	MARDAT[x]	Start dates of each marriage	
				Consult the 2002 NSFG (Cycle 6) User's
				Guide chapter on "data quality" for further
				information related to this recode in Cycle
MARDIS[x]	MARDIS[x]	MARDIS[x]	End dates of each marriage	6
				Consult the 2002 NSFG (Cycle 6) User's
				Guide chapter on "data quality" for further
				information related to this recode in Cycle
MAREND[x]	MAREND[x]	MAREND[x]	How each marriage ended	6
FMAR1AGE	FMAR1AGE	FMAR1AGE	Age at first marriage	
				Consult the 2002 NSFG (Cycle 6) User's
				Guide chapter on "data quality" for further
				information related to this recode in Cycle
AGEDISS1	AGEDISS1	AGEDISS1	Age at first marital dissolution	6
				Consult the 2002 NSFG (Cycle 6) User's
				Guide chapter on "data quality" for further
				information related to this recode in Cycle
AGEDD1	AGEDD1	AGEDD1	Age at divorce or death (1st marriage)	6
				Consult the 2002 NSFG (Cycle 6) User's
				Guide chapter on "data quality" for further
				information related to this recode in Cycle
MAR1DISS	MAR1DISS	MAR1DISS	Months btw/1st marriage & dissolution (or interview)	6

Recode in				
2006-2010	Recode in 2002	Recode in 1995		
NSFG	NSFG	NSFG	Short Description	User Notes
				Consult the 2002 NSFG (Cycle 6) User's
				Guide chapter on "data quality" for further
			Months btw/divorce or death (1st marriage) and remarriage (or	information related to this recode in Cycle
DD1REMAR	DD1REMAR	DD1REMAR	interview)	6
				This recode was not included in the
				2002 and 2006-2010 files, but it can be
				constructed using the 1995 NSFG
n/a	n/a	MAR1_NOW	Years since first marriage	Recode Specifications.
MAR1BIR1	MAR1BIR1	MAR1BIR1	Months btw/1st marriage & 1st birth (or interview)	
MAR1CON1	MAR1CON1	MAR1CON1	Months btw/1st marriage & 1st conception (or interview)	
CON1MAR1	CON1MAR1	CON1MAR1	Months btw/1st conception & 1st marriage (or interview)	
B1PREMAR	B1PREMAR	n/a	Was R's 1st baby born before 1st marriage	
COHEVER	COHEVER	COHEVER	Whether R ever cohabited outside of marriage	
EVMARCOH	EVMARCOH	n/a	Whether R ever married OR cohabited	
PMARRNO	n/a	n/a	Number of premarital cohabitations	
NONMARR	n/a	n/a	Number of nonmarital cohabitations	
TIMESCOH	n/a	n/a	Number of cohabitations ever	
COHAB1	COHAB1	COHAB1	Date of 1st cohabitation (incl. premar cohab)	
COHSTAT	COHSTAT	COHSTAT	Cohabitation experience relative to 1st marriage	
COHOUT	COHOUT	COHOUT	Outcome of 1st cohabitation	
COH1DUR	COH1DUR	n/a	Duration of 1st cohabitation	
HADSEX	HADSEX	HADSEX	Ever had sexual intercourse at all	
n/a	n/a	EVVOLSEX	Ever had voluntary sexual intercourse	
				1995 recode refers to voluntary sexual
				intercourse since menarche. 2002 and
				2006-2010 recodes refer to any sexual
SEXEVER	SEXEVER	SEXEVER	Ever had sexual intercourse since menarche	intercourse since menarche.
VRY1STAG	VRY1STAG	VRY1STAG	Age at 1st sex ever	
n/a	n/a	VOL1AGE	Age at first voluntary intercourse	

Recode in	Decede in 2002	Decede in 1005		
2006-2010 NSFG	Recode in 2002 NSFG	Recode in 1995 NSFG	Short Description	User Notes
CEVA A CE	SEV4AGE	CEVANCE		1995 recode refers to voluntary intercourse and is labeled "Age at first voluntary intercourse since menarche". 2002 and 2006-2010 recodes refer to any
SEX1AGE	SEX1AGE	SEX1AGE	Age at 1st sex since menarche	Sexual intercourse since menarche. While not a recode in 1995, a comparable measure can be created with 1995 variables. However the 1995 recode will be Imited to first voluntary sexual partner. See 2002 NSFG recode
FSEXPAGE	FSEXPAGE	n/a	Age of R's 1st sexual partner at time of R's 1st sex	specifications.
VRY1STSX	VRY1STSX	VRY1STSX	CM date of 1st sexual intercourse ever	
n/a	n/a	DATEVOL1	Date of first voluntary intercourse	
DATESEX1	DATESEX1	DATESEX1	Date of 1st sex since menarche	1995 recode refers to voluntary intercourse and is labeled "Date of first voluntary intercourse since menarche." NSFG 2002 and 2006-2010 recodes refer to any sexual intercourse since menarche.
SEXONCE	SEXONCE	n/a	Whether R has had intercourse only once	menarone.
SEXMAR	SEXMAR	SEXMAR	Months btw/1st sex ever & 1st marriage (or interview)	
n/a	n/a	VOLSEXMAR	Months btw/1st voluntary intercourse and 1st marriage (or interview)	
SEX1FOR	SEX1FOR	SEX1FOR	Months btw/1st sex since menarche & 1st marriage (or interview)	1995 recode refers to voluntary intercourse and is labeled "Months btw first voluntary intercourse since menarche and first marriage (or interview)." NSFG 2002 and 2006-2010 recodes refer to any sexual intercourse since menarche.
			Months btw/1st sex ever & 1st coresidential union (marriage or	
SEXUNION	n/a	n/a	cohabitation)	

Recode in 2006-2010 NSFG	Recode in 2002 NSFG	Recode in 1995 NSFG	Short Description	User Notes
SEXOUT	n/a	n/a	Outcome of 1st sexual intercourse (or 1st sexual relationship?)	
FPDUR	n/a	n/a	Months btw/ 1st and last/most recent intercourse with 1st partner ever	While not a variable in 1995 nor in 2002, a comparable measure can be created with both files. In 1995, the first sexual partners section refers to voluntary sex partners only. See 2006-2010 documentation for definition details.
	PARTS1YR	n/a	Number of opposite-sex sexual partners in past 12 mos	
LSEXDATE	LSEXDATE	n/a	Date of last (or most recent) sex	
LSEXRAGE	LSEXRAGE	n/a	R's age at last (or most recent) sex	
LSEXPAGE	n/a	n/a	Age of last (or most recent) partner at last sex	This is a computed variable constructed in post-processing. It is not imputed so is not a recode. While not a variable in 1995 nor in 2002, a comparable measure can be created with both files. See 2006-2010 documentation for definition details.
PARTDUR1-3	n/a	n/a	Months btw/1st and most recent intercourse with each of up 3 most recent sexual partners in last year (most recent can be outside 12-mo window if no partners in last year)	While not a variable in 1995 nor in 2002, a comparable measure can be created with both files. In 1995, the first sexual partner series refers to voluntary sex only, affecting this variable if first partner is one of the recent partners. See 2006-2010 documentation for definition details.
	1.4		Relationship at time of 1st intercourse with each of up to 3	While not a variable in 2002, a
			most recent partners in last 12 mos (most recent can be	comparable measure can be created
RELATP1-3	n/a	n/a	outside 12-mo window if no partners in last year)	using this file.

Recode in	David In the coope	D		
2006-2010 NSFG	Recode in 2002 NSFG	Recode in 1995 NSFG	Short Deceriation	User Notes
NSFG	NOFG	NOFG	Short Description	In 2002 and 2006-2010 NSFG, this
				recode was topcoded for public use due
				to disclosure concerns.
				While not a recode in 1995, a
				comparable measure can be created with
				1995 variables. See 1995
LIFPRTNR	LIFPRTNR	n/a	Number of opposite-sex sexual partners in life	documentation.
Sections D&I	<u> </u>	<u> </u>		1 - 1
				This recode was not created for the
				2002 and 2006-2010 files, but it can be
/	/	DANTI	Daymant for tub of limetics	constructed comparably for recent
n/a	n/a	PAYTL	Payment for tubal ligation	operations in those files. This recode was not created for the
				2002 and 2006-2010 files, but it can be
				constructed comparably for recent
n/a	n/a	PAYVAS	Payment for vasectomy	operations in those files.
Π/α	Π/α	17117710	ayment for vascotomy	This recode was not created for the
				2002 and 2006-2010 files, but it can be
				constructed comparably for recent
n/a	n/a	PAYHYST	Payment for hysterectomy	operations in those files.
STRLOPER	STRLOPER	STRLOPER	Type of sterilization operation "in effect"	
FECUND	FECUND	FECUND	Fecundity status	
INFERT	INFERT	INFERT	Infertility status	
ANYMTHD	ANYMTHD	ANYMTHD	Ever used any method for any reason	
				2002 and 2006-2010 computed variables
				are equivalent to the recode in 1995
				(except for imputation);
				Each successive version of this measure
				contains new categories for contraceptive
		NATI UNITRA	Made a Lance 1 to an angle of Contracts	methods that became available since the
currmeth1-4	currmeth1-4	MTHINTM1-4	Method used in month of interview	prior survey.

Recode in 2006-2010	Recode in 2002	Recode in 1995		
NSFG	NSFG	NSFG	Short Description	User Notes
				2002 and 2006-2010 computed variables are equivalent to the recode in 1995 (except for imputation). Note the variable name difference between the 2002 and the 2006-2010 computed variables. Each successive version of this measure contains new categories for contraceptive
				methods that became available since the
Istmonmeth1-4	lastmonmeth1-4	MTPRIOR1-4	Method used in month prior to interview	prior survey.
NOSEX12	NOSEX12	NOSEX12	Number of months of nonintercourse in the 12 months prior to interview	1995 counts the 12 months before interview month. 2002 and 2006-2010 count interview month and the 11 months before interview month. 2002 and 2006-2010 intermediate
nosex36	nosex36	NOSEX36	Number of months of nonintercourse in the 36 months prior to interview	variables are equivalent to the recode in 1995 (except for imputation).
SEXP3MO	SEXP3MO	SEXP3MO	Intercourse in the past 3 months (including interview month) (based on nonintercourse series)	2002 and 2006-2010 recodes are comparable. 1995 recode differs in two ways: 1) the time frame was the 3 months before the interview month (time frame of more recent recodes is interview month and the 2 months before interview month), and 2) it was not applicable if R had only had sex that was nonvoluntary or before menarch. See 2002 recode specifications for further details.
SEX3MO	SEX3MO	n/a	Intercourse in the past 3 months (including interview month) (based on last sexual partner date LSEXDATE)"	This recode includes month of interview, and 2 months before interview.

Recode in 2006-2010 NSFG	Recode in 2002 NSFG	Recode in 1995 NSFG	Short Description	User Notes
CONSTAT1-4	CONSTAT1-4	CONSTAT1-4	1st - 4th priority codes for current contraceptive status	Each successive version of this recode contains new categories for contraceptive methods that became available since the prior survey.
				The number of different series to check for pill use within Section E grew from 1995 to 2006-2010, as more contraceptive use questions were added
PILLR	PILLR	PILLR	Ever used the pill for any reason	to the questionnaire. The 2006-2010 recode is consistent with the 2002 recode of same name, but different from 1995. The 2002 recode is applicable for those who ever had sex, regardless of whether it was before or after menarche. 1995 recode was applicable for those who ever had sex
CONDOMR	CONDOMR	CONDOMR	Ever used condom	after menarche.
n/a	n/a	NONSURG	Ever use any nonsurgical method	

Recode in 2006-2010 NSFG	Recode in 2002 NSFG	Recode in 1995 NSFG	Short Description	User Notes
SEX1MTHD1- SEX1MTHD4	SEX1MTHD1- SEX1MTHD4	SEX1MTHD	Method used at first intercourse, if any: 1st - 4th	The 2006-2010 and 2002 recodes are comparable. The 1995 recode differs in the following ways: 1) it is only applicable for those who ever had voluntary sex and had sex after menarche. The 2006-2010 and 2002 recodes are applicable for all those who ever had sex; 2) in 1995 there is only one recode, so the 2nd through 4th methods are not represented. If more than 1 method was used, SEX1MTHD is the method highest in the hierarchy (See 1995 CONSTAT1 for hierarchy); Each successive version of this recode contains new categories for contraceptive methods that became available since the prior survey.
MTHUSE12	MTHUSE12	n/a	Whether used any method use at last sex in past 12 mos	
METH12M1- METH12M4	METH12M1- METH12M4	n/a	Method used last sex past 12 mos: 1st - 4th	Each successive version of this recode contains new categories for contraceptive methods that became available since the prior survey. This recode should only be used if supplemented with information from raw
n/a	n/a	LASTBC	Method used at last intercourse in the 3 months prior to interview	variables. It can be made to be roughly comparable to 2002 and 2006-2010 MTHUSE3. Contact NCHS for instructions, at nsfg@cdc.gov. Also see recode specifications for 2002, MTHUSE3, for additional information.

Recode in				
2006-2010	Recode in 2002	Recode in 1995	Ol and Deposited by	U Notes
NSFG	NSFG	NSFG	Short Description	While not a recode in 1995, a
				comparable measure can be created with
				1995 variables. See note on 1995 recode
MTHUSE3	MTHUSE3	n/a	Whether used any method use at last sex in past 3 mos	LASTBC
				The 2006-2010 recode is consistent with
				the 2002 recode of same name. This
				recode does not exist for 1995 but can be
				created from raw variables. Contact
				NCHS for instructions, at nsfg@cdc.gov;
				Each successive version of this recode
				contains new categories for contraceptive
METH3M1-	METH3M1-		Mail a Land Harton and One of Act All	methods that became available since the
METH3M4	METH3M4	n/a	Method used last sex past 3 mos: 1st - 4th	prior survey. While not a recode in 1995, a
				comparable measure can be created with
				1995 variables. See 1995
NUMP3MOS	NUMP3MOS	n/a	Number of male partners in last 3 mos	documentation.
				The 2006-2010 recode is consistent with
				the 2002 recode of the same name. in
				Cycle 5 there is only one recode, so the
				2nd through 4th methods are not
				represented. If more than 1 method was
				used, METHOD1 is the method highest
				in the hierarchy (See Cycle 5 CONSTAT1
				for hierarchy);
				Each successive version of this recode
FMETHOD1-	FMETHOD1-			contains new categories for contraceptive methods that became available since the
FMETHOD4	FMETHOD4	METHOD1	First method ever used: 1st-4th	prior survey.
				For 2002 and 2006-2010, recodes
			Whether condom was used at last intercourse in the 3 months	METH3M1-4 can be used to yield a
n/a	n/a	CONDLAST	prior to the interview	comparable measure.

Recode in				
2006-2010	Recode in 2002	Recode in 1995		
NSFG	NSFG	NSFG	Short Description	User Notes
DATEUSE1	DATEUSE1	DATEUSE1	Date R used first method for the first time	
SOURCEM1-4	SOURCEM1-4	SOURCEM1-4	Source of method used in month prior to interview	Categories varied slightly across cycles.
				Comparable to 1988 (Cycle 4)
				WTBIRTH1 (wantedness of first live
				birth) and WTLASTP (wantedness of last
			Resp version of preg file OLDWANTR (Wantedness of the	pregnancy) and WTLASTB (wantedness
OLDWR[x]	OLDWR[x]	OLDWR[x]	pregnancy, respondent cycle 4 version)	of last live birth)
				Pregnancy-based version is comparable
				to 1988 (Cycle 4) WANTMAN. See
			Resp version of preg file OLDWANTP (Wantedness of	"Female Pregnancy Recodes
OLDWP[x]	OLDWP[x]	OLDWP[x]	pregnancy, respondent's partner cycle 4 version)	Crosswalk".
			Resp version of preg file WANTRESP (Wantedness of the	
WANTRP[x]	WANTRP[x]	WANTRP[x]	pregnancy, respondent)	
			Resp version of preg file WANTPART (Wantedness of	
WANTP[x]	WANTP[x]	WANTPT[x]	pregnancy, respondent's partner)	
				See 2002 NSFG pregnancy file recode
				specifications for OLDWANTR for
				description of minor difference between
WANTP5	WANTP5	WANTP5	Number of wanted pregnancies in the last 5 years	1995 WANTP5 and subsequent years.
Section F				
			Type of clinic used for family planning services in last 12	
FPTIT12	FPTIT12	FPTIT12	months	
FPTITMED	FPTITMED	FPTITMED	Type of clinic used for medical services in last 12 months	
			Source of service in last 12 months: method of birth control or	
FPTITBC	FPTITBC	FPTITBC	prescription for a method	Categories varied slightly across cycles.
			Source of service in last 12 months: check-up or medical test	
FPTITCHK	FPTITCHK	FPTITCHK	related to using a birth control method	Categories varied slightly across cycles.
			Source of service in last 12 months: counseling for birth	
FPTITCBC	FPTITCBC	FPTITCBC	control	Categories varied slightly across cycles.
EDTITOTE	EDTITOTE	EDTITOTE	Source of coming in lost 12 months atcritization an arctica	Cotogories veried slightly sorous system
FPTITSTE	FPTITSTE	FPTITSTE	Source of service in last 12 months: sterilization operation	Categories varied slightly across cycles.

Recode in 2006-2010 NSFG	Recode in 2002 NSFG	Recode in 1995 NSFG	Short Description	User Notes
			Source of service in last 12 months: counseilng about	
FPTITCST	FPTITCST	FPTITCST	sterilization	Categories varied slightly across cycles.
FPTITEC	FPTITEC	n/a	Source of service in last 12 months: emergency contraception	
FPTITCEC	FPTITCEC	n/a	Source of service in last 12 months: counseling about emergency contraception	
FPTITPRE	FPTITPRE	FPTITPRE	Source of service in last 12 months: pregnancy test	Categories varied slightly across cycles.
FPTITABO	FPTITABO	FPTITABO	Source of service in last 12 months: abortion	Categories varied slightly across cycles.
FPTITPAP	FPTITPAP	FPTITPAP	Source of service in last 12 months: pap smear	Categories varied slightly across cycles.
FPTITPEL	FPTITPEL	FPTITPEL	Source of service in last 12 months: pelvic exam	Categories varied slightly across cycles.
FPTITPRN	FPTITPRN	FPTITPRN	Source of service in last 12 months: prenatal care	Categories varied slightly across cycles.
FPTITPPR	FPTITPPR	FPTITPPR	Source of service in last 12 months: post-pregnancy care	Categories varied slightly across cycles.
FPTITSTD	FPTITSTD	FPTITSTD	Source of service in last 12 months: Testing/treatment for other STD	Categories varied slightly across cycles.
n/a	n/a	FPTITINF	Source of service in last 12 months: testing/treatment for vaginal, urinary tract or pelvic infection	
FPREGFP	FPREGFP	FPREGFP	Whether Title X clinic where R received family planning service(s) in last 12 months was regular place for care	
FPREGMED	FPREGMED	FPREGMED	Whether Title X clinic where R received medical service(s) in last 12 months was regular place for care	
Section G				

Recode in				
2006-2010	Recode in 2002	Recode in 1995		
NSFG	NSFG	NSFG	Short Description	User Notes
				For currently pregnant women INTENT
				refers to intentions after the current
				pregnancy. In 1995 NSFG, joint
				intentions were only asked of currently
				married women, but in 2002 NSFG and
				later, both currently married and
INTENT	INTENT	INTENT	Intentions for additional births	cohabiting women were asked.
				In 1995 NSFG, joint expectations were
				only asked of currently married women,
				but in 2002 NSFG and later, both
				currently married and cohabiting women
ADDEXP	ADDEXP	ADDEXP	Central number of additional births expected	were asked.
n/a	n/a	NEXTBABY	Expected age at next birth (including current pregnancy)	
n/a	n/a	LASTBABY	Expected age at last birth	
Section H	_			
				Universe for this recode changed slightly
				between 1995 NSFG and later years, but
ANYPRGHP	ANYPRGHP	ANYPRGHP	Any medical help to become pregnant	otherwise comparable.
				Universe for this recode changed slightly
				between 1995 NSFG and later years, but
ANYMSCHP	ANYMSCHP	ANYMSCHP	Any medical help to prevent miscarriage	otherwise comparable.
				Universe for this recode changed slightly
				between 1995 NSFG and later years, but
INFEVER	INFEVER	INFEVER	Ever used infertility services of any kind	otherwise comparable.
				Universe for this recode changed slightly
				between 1995 NSFG and later years, but
OVULATE	OVULATE	OVULATE	Infertility services: drugs to improve ovulation	otherwise comparable.
				Universe for this recode changed slightly
TUDE0	T. 1050	TUDE0	1.7.49	between 1995 NSFG and later years, but
TUBES	TUBES	TUBES	Infertility services: surgery to correct blocked tubes	otherwise comparable.
				Universe for this recode changed slightly
INIEEDTS	INICEDES	INCEDED	Information and an information to the Common D	between 1995 NSFG and later years, but
INFERTR	INFERTR	INFERTR	Infertility services: infertility testing on R	otherwise comparable.

Recode in 2006-2010	Recode in 2002	Recode in 1995		
NSFG	NSFG	NSFG	Short Description	User Notes
			·	Universe for this recode changed slightly
				between 1995 NSFG and later years, but
INFERTH	INFERTH	INFERTH	Infertility services: infertility testing on H/P	otherwise comparable.
				Universe for this recode changed slightly
				between 1995 NSFG and later years, but
ADVICE	ADVICE	ADVICE	Infertility services: advice	otherwise comparable.
				Universe for this recode changed slightly
				between 1995 NSFG and later years, but
INSEM	INSEM	INSEM	Infertility services: artificial insemination	otherwise comparable.
				Universe for this recode changed slightly
			Infertility services: in vitro fertilization or other assisted	between 1995 NSFG and later years, but
INVITRO	INVITRO	INVITRO	reproduction	otherwise comparable.
				Universe for this recode changed slightly
				between 1995 NSFG and later years, but
ENDOMET	ENDOMET	ENDOMET	Infertility services: surgery or drug treatment for endometriosis	otherwise comparable.
				Universe for this recode changed slightly
				between 1995 NSFG and later years, but
FIBROIDS	FIBROIDS	FIBROIDS	Infertility services: surgery for uterine fibroids	otherwise comparable.
n/a	n/a	INFSRC	Source of most of the reported infertility services	
				Raw variables to construct this variable
			Private insurance to cover costs of medical help to become	are still available on the data files for
n/a	n/a	PRIVINSP	pregnant	2002 and later.
				Raw variables to construct this variable
				are still available on the data files for
n/a	n/a	OVULPROB	Diagnosis: Problems with ovulation	2002 and later.
				Raw variables to construct this variable
				are still available on the data files for
n/a	n/a	TUBEBLOK	Diagnosis: Blocked tubes	2002 and later.
				Raw variables to construct this variable
				are still available on the data files for
n/a	n/a	TUBLPELV	Diagnosis: other tubal or pelvic problems	2002 and later.
				Raw variables to construct this variable
				are still available on the data files for
n/a	n/a	ENDOPROB	Diagnosis: Endometriosis	2002 and later.

Recode in 2006-2010	Recode in 2002	Recode in 1995		
NSFG	NSFG	NSFG	Short Description	User Notes
				Raw variables to construct this variable
				are still available on the data files for
n/a	n/a	BADSPERM	Diagnosis: semen or sperm problems	2002 and later.
				Raw variables to construct this variable
				are still available on the data files for
n/a	n/a	OPROBINF	Diagnosis: other infertility problems	2002 and later.
PIDTREAT	PIDTREAT	PIDTREAT	Ever been treated for PID	
				EVHIVTST is not entirely comparable to
				ANYHIV from 1995 NSFG because in
				2002 NSFG and later, HIV testing
				questions were only asked in Section H.
				In 1995, Section F also included
				questions on HIV testing, so the ANYHIV recode included an additional code 4
				which was not necessary or possible to
EVHIVTST	EVHIVTST	ANYHIV	Ever had an HIV test	define for EVHIVTST.
LVIIIVIOI	LVIIIVIOI	AITIIIV	Lver nad arr niv test	The 1995 and 2006-2010 recodes are
				not exactly comparable because of the
				different ways they were collecte. See
FPTITHIV	n/a	FPTITHIV	Source of service in the last 12 months: HIV test	note about EVHIVTST.
n/a	n/a	WHYCONDM	Reason for using condoms	
Section I	•			
				In 2002, the value labels for response
				categories 1 & 2 were reversed in the
				value labels accompanying the data files
				on the CD-rom and downloadable on the
				NSFG website. Category 1 should be
				'MSA, other' and category 2 should be
				'MSA, central city.' Detailed information
METRO	METRO	METER		is available for download from the NSFG
METRO	METRO	METRO	Place of residence (metropolitan/non-metropolitan)	webpage.

Recode in				
2006-2010	Recode in 2002	Recode in 1995		
NSFG	NSFG	NSFG	Short Description	User Notes
				This recode is available through the RDC
				for 2002 and 2006-2010. It could not be
				included for public use due to disclosure
n/a	n/a	RURAL	Urban-rural residence	concerns.
				This recode is available through the RDC
				for 2002 and 2006-2010. It could not be
				included for public use due to disclosure
n/a	n/a	REGION	Geographic region of R's residence	concerns.
n/a	n/a	BRTHPLCE	Geographic region of R's birthplace	
				In the 2002 NSFG, this recode was not
				part of the initially released public use
				file, but was made available later for
CURR_INS	CURR_INS	n/a	Current health insurance status	downloading from the NSFG webpage.
OUTIT_IIIO	OOKK_IIVO	11/4	Carron Floater moderation states	This recode was not defined for 2006-
				2010. See 2006-2010 CURR INS
n/a	INSURANC	INSURANC	Current health insurance status	recode specifications for details.
.,,				In 2002 and 2006-2010 NSFG, this
				recode differed from 1995 in that
				"Jewish" was included in "other religions"
				due to disclosure concerns. Also, this
				recode differs slightly between 2002 and
				2006-2010. See recode specifications
RELIGION	RELIGION	RELIGION	Current religious affiliation	for details.
				In 2002 and 2006-2010 NSFG, this
				variable, although created, was not
				imputed as a recode. See User's Guide
n/a	n/a	RELRAISD	Religion in which R was raised	Part 2 for details.
				In 2002 and 2006-2010 NSFG, this
				recode was collapsed for public use due
				to disclosure concerns. Also see footnote
				4 for information on recodes available in
LABORFOR	LABORFOR	LABORFOR	Labor force status	1995.
n/a	n/a	GENANX	Whether R ever experienced generalized anxiety	

Recode in 2006-2010 NSFG	Recode in 2002 NSFG	Recode in 1995 NSFG	Short Description	User Notes
n/a	n/a	GADSCOR	Score for generalized anxiety disorder	
Section J (Au	dio CASI)			
n/a	n/a	TOTABORT	Total number of abortions reported in CAPI and ACASI	
n/a	n/a	ABORT5YR	Number of abortions in the last 5 years	
n/a	n/a	TOTPREGJ	Number of pregnancies in CAPI and ACASI	
n/a	n/a	ALLMEN	Number of male sex partners in lifetime in CAPI and ACASI	
POVERTY	POVERTY	POVERTY	Poverty level income	In 2002 and 2006-2010 NSFG, this recode was topcoded for public use due to disclosure concerns. In addition, in 1995 these questions were asked by the interviewer in Section I.
TOTINCR	TOTINCR	TOTINCR	Total income of R's family	In 1995 NSFG, these questions were asked by the interviewer in Section I.
PUBASSIS	PUBASSIS	n/a	Any public assistance in last 12 months	1

n/a - not constructed for this file

Absence of comment in last column indicates "same universe, same code categories, same specifications"

This crosswalk describes female pregnancy file recodes. See above for female respondent recode crosswalk.

Recode specifications for the 2006-2010 NSFG female pregnancy file recodes are found in Appendix 3b of the 2006-2010 User's Guide. Recode specifications for the 2002 (Cycle 6) NSFG female pregnancy file recodes are found in Appendix 2 of the 2002 User's Guide. Recode specifications for the 1995 (Cycle 5) NSFG female pregnancy file recodes are found in Appendix 1 of the 1995 User's Guide.

Recode in				
2006-2010	Recode in	Recode in		
NSFG	2002 NSFG	1995 NSFG	Short Description	User Notes
Section B				
			Duration of completed pregnancy in	
PRGLNGTH	PRGLNGTH	PRGLNGTH	weeks	
			Birth order (if pregnancy resulted in	This variable can be constructed for 1995 and 2002
BIRTHORD	n/a	n/a	livebirth)	pregnancy data using the same algorithm as for 2006-2010.
OUTCOME	OUTCOME	OUTCOME	Outcome of pregnancy	
				The raw PREGEND variables that include mode of delivery
n/a	n/a	DELIVERY	Mode of delivery	are still available on the later data files.
DATEND	DATEND	DATEND	CM date when the pregnancy ended	
				This recode was discontinued after 1995 because it can be
n/a	n/a	YRPREG	Year when pregnancy ended	derived from DATEND.
AGEPREG	AGEPREG	AGEPREG	Age at pregnancy outcome	
				In 2002 NSFG and later, this recode was defined for current
				pregnancies as well as completed pregnancies. In 1995, it
DATECON	DATECON	DATECON	CM date each pregnancy began	was only defined for completed pregnancies.
				In 2002 NSFG and later, this recode was defined for current
				pregnancies as well as completed pregnancies. In 1995, it
AGECON	AGECON	AGECON	Age at pregnancy conception	was only defined for completed pregnancies.
			Whether this pregnancy ended before	In earlier NSFG data, this variable can be constructed using
PMARPREG	n/a	n/a	1st marriage	date of 1st pregnancy and date of 1st marriage.
			Formal marital status at pregnancy	
FMAROUT5	FMAROUT5	FMAROUT5	outcome	
			Marital status at pregnancy outcome	This recode was discontinued after 1995 because it can be
n/a	n/a	FMAROUT2	2 categories	derived from FMAROUT5.

Recode in				
2006-2010	Recode in	Recode in		
NSFG	2002 NSFG	1995 NSFG	Short Description	User Notes
			Informal marital status at pregnancy	
RMAROUT6	RMAROUT6	n/a	outcome	
				In 2002 NSFG and later, this recode was defined for current
			Formal marital status at pregnancy	pregnancies as well as completed pregnancies. In 1995, it
FMARCON5	FMARCON5	FMARCON5	conception	was only defined for completed pregnancies.
			Formal marital status at pregnancy	This recode was discontinued after 1995 because it can be
n/a	n/a	FMARCON2	conception 2 categories	derived from FMARCON5.
			Informal marital status at pregnancy	
RMARCON6	n/a	n/a	outcome 6 categories	
				In 2002 NSFG, this recode was only defined for the
				respondent's first liveborn child, but for 2006-2010 file, it
				was defined for every pregnancy that resulted in live birth.
			Living arrangements of each liveborn	In cases of multiple births (twins, triplets, etc.), this recode
LIVCHILD	n/a	n/a	child	was defined only for 1st liveborn child.
			Number of weeks pregnant when R	
			learned she was pregnant (for recent	
LEARNPRG	LEARNPRG	LEARNPRG	pregs)	
			Number of weeks pregnant at first	
PNCAREWK	PNCAREWK	PNCAREWK	prenatal care (for recent pregs)	
				Beginning in the 2002 NSFG, questions on payment for
				prenatal care were relocated to Section F and limited to the
			Payment for prenatal care (for recent	last 12 months. See FPTITPRN recode listed on the
n/a	n/a	PAYPNC	pregs)	female respondent file crosswalk.
			Low birthweight for 1st liveborn baby	
LBW1	LBW1	LBW1	from this pregnancy	
			Low birthweight for 2nd liveborn baby	Raw variables for this child's birthweight are still available
n/a	n/a	LBW2	from this pregnancy	on the later data files.
			Sex of 1st liveborn baby from this	Raw variables for sex of child are still available on the later
n/a	n/a	SEX1	pregnancy	data files.
			Sex of 2nd liveborn baby from this	Raw variables for sex of child are still available on the later
n/a	n/a	SEX2	pregnancy	data files.
				In 2002 NSFG and later, this recode was limited to recent
PAYDELIV	PAYDELIV	PAYDELIV	Payment for delivery	deliveries. In 1995 NSFG, it was defined for all deliveries.

Recode in 2006-2010 NSFG	Recode in 2002 NSFG	Recode in 1995 NSFG	Short Description	User Notes
				In 2002 NSFG and later, this recode was limited to children
BFEEDWKS	BFEEDWKS	BFEEDWKS	Duration of breastfeeding in weeks	18 or younger. In 1995 NSFG, it was defined for all of R's children regardless of their current age.
MATERNLV	MATERNLV	MATERNLV	Use of maternity leave	In 2002 NSFG and later, this recode was limited to recent deliveries. In 1995 NSFG, it was defined for all deliveries.
Section E	T	•	To a second seco	
WANTRESP	WANTRESP	WANTRESP	Wantedness of pregnancy Respondent	
MANTOADT	NAVANITO A D.T.	WANTE A DT	Wantedness of pregnancy	
WANTPART	WANTPART	WANTPART	Respondent's partner	
OLDWANTR	OLDWANTR	OLDWANTR	Wantedness of pregnancy Respondent Cycle 4 version	comparable to 1988 (Cycle 4) WANTWIFE
			Wantedness of pregnancy	
OLDWANTP	OLDWANTP	OLDWANTP	Respondent Cycle 4 version	comparable to 1988 (Cycle 4) WANTMAN