NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1

Field Date: beginning June 2006

FEMALE SECTION E CAPI Reference Questionnaire (CRQ)

Contraceptive History and Pregnancy Wantedness

VARIABLES IMPORTED	FROM EARLIER SECTIONS:
AGE_R	R'S AGE AT INTERVIEW (FROM A)
CMLSTYR	CM FOR 12 MONTHS BEFORE INTERVIEW (FROM A)
CMLSTYR_FILL	MO/YR FILL FOR CMLSTYR (FROM A)
CMINTVW CMBIRTH	CM FOR DATE OF INTERVIEW (FROM A) CM FOR R'S DATE OF BIRTH (FROM A)
CMJAN3YR	CM FOR R S DATE OF BIRTH (FROM A) CM FOR JANUARY OF YEAR 3 YEARS BEFORE DATE OF IW (FROM A)
CMJAN3YR_FILL	FILL FOR CENTURY MONTH OF JANUARY OF INTERVIEW YEAR MINUS 3 (FROM A)
CMJAN5YR	CM FOR JANUARY XXXX ("LAST 5 YEARS") (FROM A)
MARSTAT	R'S INFORMAL MARITAL STATUS (FROM A)
THREEYRS_FILL	YEAR FILL FOR YEAR OF INTERVIEW - 3 YR ("2003") (FROM FC A-1)
CURRPREG	IS R CURRENTLY PREGNANT (FROM B)
EVERPREG	HAS R EVER BEEN PREGNANT (FROM B)
NPREGS_S	NUMBER OF PREGNANCIES (FROM B)
OUTCOM_S[X]	OUTCOME OF EACH PREGNANCY (INCL. CURRENT) (VERIFIED) (FROM B)
CMENDP_S[X]	CM FOR DATE PREGNANCY ENDED (VERIFIED AND SORTED) (ALL OUTCOMES;
CMDDEC C[V]	BLANK/INAPP FOR CURRENT PREG) (FROM B)
CMPBEG_S[X]	CM FOR DATE PREGNANCY BEGAN (VERIFIED AND SORTED) (ALL OUTCOMES; INCL. CURRENT)(FROM B)
CMENDP_S[X]_FILL	MO/YR FILL FOR CMPRGEND (FROM B)
CMPBEG_S[X]_FILL	
NBRNLV_S[X]	COMPUTED NUMBER OF BABIES BORN ALIVE FROM PREGNANCY (FROM B)
BABNAM_S[X]	BABY NAME FOR LIVE BIRTHS (FROM B)
MULT_S_FILL	FILL FOR MULTIPLE BIRTHS (FROM B)
BABSEX_S	SEX OF BABY (FROM B)
CMBDAY_S	CM FOR DATE OF CHILD'S BIRTH (FROM B)
TIMESMAR	NUMBER OF MARRIAGES (ONLY FOR EVER-MARRIED) (FROM C)
CMMARRHX	CM FOR DATE OF MARRIAGE X (FROM C)
CMFSTSEX	CM FOR DATE OF FIRST SEX (FROM C)
CMFSTSEX_FILL FLGSXDK1	MO/YR FILL FOR CMFSTSEX (FROM C) FLAG FOR REPORTING OF SEASON OR DK/RF ON CE-3 WNFSTSEX M (FROM C)
CMSEXAFM	CM DATE OF FIRST SEX AFTER MENARCHE (FROM C)
CMSEXAFM_FILL	MO/YR FILL FOR CMSEXAFM (FROM C)
RHADSEX	WHETHER R EVER HAD SEX (FROM C)
CMLSEXFP	CM OF LAST SEX WITH FIRST PARTNER (FROM C)
CMFSEX1	CM OF FIRST SEX WITH LAST PARTNER IN LAST 12 MOS (FROM C)
CMFSEX2	CM OF FIRST SEX WITH 2ND-TO-LAST PARTNER X IN LAST 12 MOS (FROM C)
CMFSEX3	CM OF FIRST SEX WITH 3RD-TO-LAST PARTNER X IN LAST 12 MOS (FROM C)
CMLSEX1	CM OF LAST SEX WITH LAST PARTNER IN LAST 12 MOS (FROM C)
CMLSEX2	CM OF LAST SEX WITH 2ND-TO-LAST PARTNER X IN LAST 12 MOS (FROM C)
CMLSEX3	CM OF LAST SEX WITH 3RD-TO-LAST PARTNER X IN LAST 12 MOS (FROM C)
CMLSEXX_FILL	MO/YR FILL FOR CM OF LAST SEX W/3 RECENT PARTNERS IN LAST 12 MOS (FROM C)
PARTS12	NUMBER OF MALE PARTNERS IN LAST 12 MOS (FROM C)
P1NAME	NAME FILL FOR 1 ST MOST RECENT MALE PARTNER IN LAST 12 MOS (FROM C)
P2NAME	NAME FILL FOR 2 ND MOST RECENT MALE PARTNER IN LAST 12 MOS (FROM C)
P3NAME	NAME FILL FOR 3RD MOST RECENT MALE PARTNER IN LAST 12 MOS (FROM C)
P1YRELPX	RELATIONSHIP OF RECENT PARTNER TO R (FROM C)
RSURGSTR	WHETHER R IS SURGICALLY STERILE AT INTERVIEW (FROM D)
PSURGSTR	WHETHER R'S CURRENT H/P IS SURGICALLY STERILE AT INTERVIEW (FROM D)
RSTRSTAT	WHETHER R IS SURGICALLY OR NONSURGICALLY STERILE AT INTERVIEW FROM D)
ANYFSTER	HAS R EVER HAD STERILIZING OPERATION (FROM D)
ANYMSTER	HAS R'S CURRENT H/P EVER HAD STERILIZING OPERATION (FROM D)
CMOPER1 CMMALEOP	CM DATE FOR R'S 1ST STERILIZING OPERATION (FROM D) CM DATE FOR R'S CURRENT H/P'S STERILIZING OPERATION (FROM D)
CMLIGREV	CM DATE FOR R'S CORRENT H/F'S STERILIZING OFERATION (FROM D) CM DATE FOR R'S REVERSAL OF TUBAL STERILIZATION (FROM D)
CMVASREV	CM DATE FOR R'S REVERSAL OF TOBAL STERILIZATION (FROM D) CM DATE FOR R'S CURRENT H/P'S REVERSAL OF VASECTOMY (FROM D)
CMHYST	CM DATE FOR R'S HYSTERECTOMY (FROM D)
CMHYST_FILL	FILL FOR CM DATE FOR R'S HYSTERECTOMY (FROM D)
	IN THIS SECTION & OUTPUT TO DATA FILE
EVERUSED	EVER USED ANY METHOD (INCLUDING STERILIZATIONS FROM D) (FC E-6)
NUMFIRSM	NUMBER OF METHODS REPORTED IN FIRST METHOD USE (FC E-13B)

```
DRUGDEV
                         YES IF FIRST METHOD WAS A DRUG OR DEVICE, NO/DK/RF OTHERWISE. (FC
                         E - 14)
CMFIRSM
                         CM FOR DATE OF FIRST METHOD USE (FC E-18 AND FC E-21)
                         COUNTER FOR # TIMES PLACGOTF ASKED (FC E-23)
                        WHETHER R USED A METHOD AT FIRST SEX (FC E-18 AND FC E-29)
USEFSTSX
MTHFSTSX
                        METHOD USED AT FIRST SEX (ALL MENTIONS) (FC E-18 AND FC E-32)
                        CENTURY MONTH FOR DATE FIRST USED A METHOD (FC E-20)
CMESTIISE
FMETHPRS
                        WHETHER 1ST [DRUG/DEVICE] METHOD USED WAS PRESCRIPTION OR NON-
                        PRESCRIPTION (FC E-25)
CMMONSX
                        CM OF THIS MONSX QUESTION (FC E-34a)
MSTRTMC
                        CM FOR DATE OF STARTING MONTH OF METHOD CALENDAR (FC E-39)
                        CM FOR DATE OF ENDING MONTH OF METHOD CALENDAR (FC E-39)
CMENDMC
                       NUMBER OF MONTHS OF METH CALENDAR ASKED ABOUT (FC E-41)
NUMMCMON
                        COUNTER FOR # TIMES METHHIST ASKED (FC E-41)
                        NUMBER OF METHODS REPORTED IN MONTH X OF METH.CALENDAR (FC E-42)
NUMMULT
                        FLAG INDICATING WHETHER 'SAME AS LAST MONTH' WAS ORIGINAL ANSWER
SALM
                         TO METHHIST (FC E-44)
                        FALG INDICATING WHETHER 'SAME ALL YEAR' WAS ORIGINAL ANSWER TO
SAY
                        METHHIST (FC E-44)
                        CM OF THIS ENTRY IN THE METHOD HISTORY CALENDAR (FC E-44)
CMMHCAL
CMDATBEGIN
                        CM FOR DATE BEGAN METH. REPORTED IN 1ST MON OF METH CALENDAR (FC
                        E - 49)
CURRMETH1
                        METHOD(S) USED IN MONTH OF INTERVIEW - 1ST MENTION (FC E-54)
                     METHOD(S) USED IN MONTH OF INTERVIEW - 2ND MENTION (FC E-54) METHOD(S) USED IN MONTH OF INTERVIEW - 3RD MENTION (FC E-54)
                 METHOD USED IN MONTH OF INTERVIEW - 3RD MENTION (FC E-54)
METHOD USED IN MONTH OF INTERVIEW - 4TH MENTION (FC E-54)
METHOD USED IN MONTH BEFORE INTERVIEW - 1ST MENTION (FC E-54)
METHOD USED IN MONTH BEFORE INTERVIEW - 2ND MENTION (FC E-54)
METHOD USED IN MONTH BEFORE INTERVIEW - 3RD MENTION (FC E-54)
METHOD USED IN MONTH BEFORE INTERVIEW - 3RD MENTION (FC E-54)
METHOD USED IN MONTH BEFORE INTERVIEW - 4TH MENTION (FC E-54)
WHETHER USED PILL IN THE 12 MONTHS BEFORE INTERVIEW (FC F-FF)
WHETHER USED DIAPHRAGM IN THE 12 MONTHS BEFORE INTERVIEW (FC F-FF)
CURRMETH2
CURRMETH3
CURRMETH4
LSTMONMETH1
LSTMONMETH2
LSTMONMETH3
LSTMONMETH4
                     WHETHER USED PILL IN THE 12 MONTHS BEFORE INTERVIEW (FC E-55) WHETHER USED DIAPHRAGM IN THE 12 MONTHS BEFORE INTERVIEW (FC E-55)
PILL_12
DIAPH 12
IUD_12
                        WHETHER USED IUD IN THE 12 MONTHS BEFORE INTERVIEW (FC E-55)
IMPLANT_12
                        WHETHER USED HORMONAL IMPLANTS (NORPLANT OR IMPLANON) IN THE 12
                        MONTHS BEFORE INTERVIEW (FC E-55)
DEPO_12
                         WHETHER USED DEPO-PROVERA INJECTABLES IN THE 12 MONTHS BEFORE
                         INTERVIEW (FC E-55)
CERVC_12
                         WHETHER USED CERVICAL CAP IN THE 12 MONTHS BEFORE INTERVIEW (FC E-
                         55)
                         WHETHER USED EMERGENCY CONTRACEPTION IN THE 12 MONTHS BEFORE
MPILL_12
                         INTERVIEW (FC E-55)
LUNEL_12
                         WHETHER USED LUNELLE INJECTABLE IN THE 12 MONTHS BEFORE INTERVIEW
                         (FC E-55)
                         WHETHER USED CONTRACEPTIVE PATCH IN THE 12 MONTHS BEFORE INTERVIEW
PATCH 12
                         (FC E-55)
RING_12
                        WHETHER USED CONTRACEPTIVE RING IN THE 12 MONTHS BEFORE INTERVIEW
                      PREGNANCY COUNTER FOR WANTENDESS SERIES (FC E-65)
WANTCNTR
                 PREGNANCY COUNTER FOR WANTENDESS SERIES (FC E-65)

CM FOR DATE OF BEGINNING OF PREGNANCY INTERVAL (FC E-68)

CM FOR DATE OF END OF PREGNANCY INTERVAL (FC E-68)

OPEN INTERVAL: CM OF DATE OF BEGINNING (FC E-68)

OPEN INTERVAL: CM OF DATE OF END (FC E-68)
CMINTSTRXX
CMINTFINXX
CMINTSTROP
                      OPEN INTERVAL: CM OF DATE OF END (FC E-68)
CMINTFINOP
                      CURRENTLY PREGNANT: CM OF DATE OF BEGINNING OF INTERVAL (FC E-68)
CMINTSTRCR
CMINTFINCR
                       CURRENTLY PREGNANT: CM OF DATE OF END OF INTERVAL (FC E-68)
                        ANY METHOD USE IN PREGNANCY INTERVAL (FC E-69)
ANYUSINT
                        COUNTER FOR # TIMES PLACCUR1 OR PLACCUR2 ASKED (FC E-90)
PLACCNTR2
                        WHETHER [DRUG/DEVICE] METHOD USED IN MONTH BEFORE INTERVIEW WAS
CMETHPRS
                        PRESCRIPTION OR NON-PRESCRIPTION (FC E-92)
                        TITLE X FUNDING -- CODE NOT SHOWN BUT OUTPUT TO DATASET (EH-9b)
ClinicFund
ClinicType
                        AGENCY TYPE -- CODE NOT SHOWN BUT OUTPUT TO DATASET (EH-9c)
VARIABLES CREATED IN THIS SECTION & ARE NOT OUTPUT TO DATA FILE:
```

NUMDISS NUMBER OF METHODS STOPPED DUE TO DISSATISFACTION (FC E-10)

FIRSMETH_FILL FILL FOR FIRST METHOD USED (FC E-13C)

MTHFRSTS_FILL FILL FOR METHODS USED AT FIRST INTERCOURSE (FC E-31A)

FRSMTHRX_FILL FILL FOR ASKING SOURCE OF 1ST METHOD USED (FC E-25A)

CMJANIWYR CENTURY MONTH OF JANUARY OF INTERVIEW YEAR (FC E-34A)

CMJAN1YR CENTURY MONTH OF JANUARY OF INTERVIEW YEAR MINUS 1 (FC E-34A)

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1

Field Date: beginning June 2006

FILL FOR CENTURY MONTH OF JANUARY OF INTERVIEW YEAR (FC E-34A) CMJANIWYR_FILL FILL FOR CENTURY MONTH OF JANUARY OF INTERVIEW YEAR (FC E-3 FILL FOR CM OF JANUARY OF INTERVIEW YEAR MINUS 1 (FC E-34A) CMJAN1YR_FILL YR1 FILL DISPLAY OF INTERVIEW YEAR MINUS 1 (FC E-34A) YR2_FILL DISPLAY OF INTERVIEW YEAR MINUS 2 (FC E-34A) CMINTVW FILL MO/YR FILL FOR CMINTVW (FC E-34A) CMLSEXFP_FILL MO/YR FILL FOR LAST SEX WITH FIRST PARTNER (FC E-34A) CMLSEXX_FILL MO/YR FILL FOR CM DATE OF LAST SEX WITH 3 RECENT PARTNERS IN LAST 12 MOS (FC E-34A) CMFSEXX FILL MO/YR FILL FOR CM DATE OF FIRST SEX WITH 3 RECENT PARTNERS IN LAST 12 MOS (FC E-34A) FILL FOR DATE OF R'S FIRST STERILIZING OPERATION (FC E-38B) CMOPER1_FILL FILL FOR DATE OF R'S FIRST REVERSAL OPERATION (FC E-38B)
FILL FOR DATE OF R'S H/P'S FIRST STERILIZING OPERATION (FC E-38B)
FILL FOR DATE OF R'S H/P'S FIRST REVERSAL OPERATION (FC E-38B)
FILL FOR DATE OF STARTING MONTH OF METHOD CALENDAR (FC E-40) CMLIGREV_FILL CMMALEOP_FILL CMVASREV_FILL CMSTRTMC_FILL CMENDMC_FILL FILL FOR DATE OF ENDING MONTH OF METHOD CALENDAR (FC E-40) METHHIST_FILL FILL FOR METHOD(S) USED IN A MONTH OF THE METHOD CALENDAR (FC E-COUNTER FOR # TIMES THROUGH METHOD USE WITH RECENT PARTNER LOOP EF-CNTR (FC E-58) LBCNTR LIVE BIRTHS COUNTER FOR WANTEDNESS SERIES (FC E-65) COUNTER TO INDICATE WHICH PREGNANCY INTERVAL IS BEING DISCUSSED XX (USED IN FILLS AND FOR DATES) (FC E-65) BEGFILXX FILL FOR BEGINNING OF PREGNANCY INTERVAL (FC E-66) FILL FOR BABY NAME (ADDS WORDING FOR MULTIPLES, RELINQUISHED & BABYNAME_FILL DIED) (FC E-66) PRGOUTCOME_FILL FILL FOR OUTCOME OF EACH PREGNANCY (INCL. CURRENT) (FC E-68) CURMTHRX_FILL FILL FOR ASKING SOURCE OF METHOD USED IN MONTH BEFORE INTERVIEW (FC E-92A)

CONTRACEPTIVE METHODS EVER USED (EA)

INTR-EA1

EA-0. Card 30 lists methods that some people use to prevent pregnancy or to prevent sexually transmitted disease. As I read a method from the list, please tell me if you have ever used it for any reason. Just give me a "yes" or "no" answer. Please answer yes even if you have only used the method once.

◆ ENTER [1] to continue

[SHOW CARD 30]

{ underlying range 1 to 1

PILL

EA-1. Have you ever used birth control pills?

ullet If R volunteers she never used a method, probe to make sure R has read the entire card and is sure of her answer.

[HELP AVAILABLE]

Yes.....1
No.....5

FLOW CHECK E-1: IF RHADSEX = YES, ASK EA-2 CONDOM. ELSE IF RHADSEX = NO, GO TO EA-4 DEPOPROV.

CONDOM

EA-2. Have you ever used condoms or rubbers with a partner?

If R volunteers she never used a (another) method, probe to make sure

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1 Field Date: beginning June 2006

R	has	read	t he	entire	card	and	is	sure	of	her	answer.
11	mas	1 E au	CIIC	CIICIIC	caru	and	73	Sure	$O_{\mathcal{L}}$	1161	answer.

Yes															1
No.															5

VASECTMY

EA-3. Have you ever had sex with a partner who had a vasectomy?

• If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.

[HELP AVAILABLE]

Yes															1
No.															5

EDIT CHECK EA3 1: Probe if EA-3 VASECTMY=5 and PSURGSTR=1. DISPLAY:

R has stated that she's never had sex with a partner who had a vasectomy, but earlier she stated that her current husband/partner is surgically sterile. Verify with R that this is correct.

DEPOPROV

EA-4. (Have you ever used) Depo-Provera or injectables (or shots)?

ullet If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.

[HELP AVAILABLE]

Yes														1
No														

T.IINET.T.E

EA-5. (Have you ever used) Lunelle, a once-a-month injection?

ullet If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.

[HELP AVAILABLE]

Yes			•	•	•	•			•	•	•							1
No.																		5

FLOW CHECK E-2: IF RHADSEX = YES, ASK EA-6 WIDRAWAL. ELSE, IF RHADSEX = NO, GO TO EA-9 PATCH

WIDRAWAL

EA-6. Have you ever had sex with a partner who used withdrawal or "pulling out"?

ullet If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.

[HELP AVAILABLE]

Yes															1
No.															5

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1 Field Date: beginning June 2006

|--|

- EA-7. Have you ever used rhythm or safe period by calendar to prevent pregnancy?
 - If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.

[HELP AVAILABLE]

Yes															1
No.															5

TEMPSAFE

- EA-8. (Have you ever used) Natural family planning or safe period by temperature or cervical mucus test to prevent pregnancy?
 - ullet If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.

[HELP AVAILABLE]

Yes															1
No.														. !	5

PATCH

- EA-9. (Have you ever used) The contraceptive patch?
 - ullet If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.

[HELP AVAILABLE]

Yes														1
No														5

RING

- EA-10. (Have you ever used) The vaginal contraceptive ring (or "NuvaRing")?
 - ullet If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.

[HELP AVAILABLE]

Yes.															1
No															5

FLOW CHECK E-3: IF RHADSEX = YES, ASK EA-11 MORNPILL. ELSE, IF RHADSEX = NO, GO TO EA-14 OTHRMETH

MORNPILL

- EA-11. (Have you ever used) "Morning after" pills or Emergency Contraception?
 - Read if necessary: This is a series of regular birth control pills taken within 72 hours after unprotected sex to help a woman avoid pregnancy. It is also called "Plan B" or "Preven".

ullet If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.

[HELP AVAILABLE]

Yes.															1
No															5

FLOW CHECK E-4: IF EA-11 MORNPILL = YES THEN ASK EA-12 ECTIMESX. ELSE IF EA-11 MORNPILL NE YES, GO TO EA-14 OTHRMETH

ECTIMESX

EA-12. How many different times have you used emergency contraception?

• ENTER number

{ underlying range 1 to 95

ECREASON

- EA-13. Did you use emergency contraception because you were worried your birth control method would not work, you didn't use birth control that time, or for some other reason?
 - ◆ ENTER all that apply
 - ◆ Press [Space] or [-] to separate responses

OTHRMETH

- EA-14. On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that side of the card have you ever used? Please tell me the method even if you have only used it once.
 - ◆ ENTER all that apply
 - ◆ Press [Space] or [-] to separate responses

[HELP AVAILABLE]
[SHOW CARD 30]

Hormonal implant (Norplant or Implanon 1.9 Diaphragm
No other methods ever used95

EDIT CHECK EA14_2: IF (95 IN OTHRMETH) AND OTHRMETH=ANY OTHER RESPONSE DISPLAY:

""None"" cannot be used in conjunction with any

other answer choices. Verify R's answers and reenter.

FLOW CHECK E-5: IF EA-14 OTHRMETH=21 THEN ASK EA-15 SP_OTHRMETH ELSE GO TO FLOW CHECK E-6

SP OTHRMETH

- EA-15. (On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that side of the card have you ever used? Please tell me the method even if you have only used it once.)
 - SPECIFY "Other" birth control methods

[HELP AVAILABLE]
[SHOW CARD 30]

TYPE: String[75]

deleted LH calendar reference

FLOW CHECK E-6: DEFINE EVERUSED:

"EVER USED ANY METHOD" (ever used any of the methods just asked about or R or current husband/partner ever surgically sterilized):

EVERUSED= 1 (YES) IF ANYFSTER = 1 OR ANYMSTER = 1 OR EA-1
PILL=1 OR EA-2 CONDOM=1 OR EA-3 VASECTMY=1 OR
EA-4 DEPOPROV=1 OR EA-5 LUNELLE=1 OR EA-6
WIDRAWAL=1 OR EA-7 RHYTHM=1 OR EA-8 TEMPSAFE=1
or EA-9 PATCH=1 or EA-10 RING=1 or EA-11
MORNPILL=1 OR 3 \leq EA-14 OTHRMETH \leq 95

= 5 (NO) IF <u>ALL</u> THE VARIABLES LISTED ABOVE (EXCEPT EA-14 OTHRMETH) = 5 AND EA-14 OTHRMETH=95

ELSE EVERUSED = SYSMIS

FLOW CHECK E-7: If EVERUSED=5 (NO), GO TO FLOW CHECK E-12 ELSE ASK EA-16 METHDISS

METHDISS

EA-16. Some people try a method and then don't use it again, or stop using it, because they are not satisfied with the method. Did you ever stop using a method because you were not satisfied with it in some way?

• Do not count stopping a method for reasons other than dissatisfaction, for example, stopped to get pregnant or because not having intercourse

FLOW CHECK E-8: IF EA-16 METHDISS = 1 (YES), ASK EA-17 METHSTOP ELSE IF EA-16 METHDISS NE 1, GO TO FLOW CHECK E-12

METHSTOP

EA-17. Please look at card 31. What method or methods did you stop

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1 Field Date: beginning June 2006

because you were not satisfied?

- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

[SHOW CARD 31]

Partner's vasectomy
$Implanon^{tm})$ 9
Rhythm or safe period by calendar10
Safe period by temperature or cervical mucus test, natural family planning11
Diaphragm
Female condom, vaginal pouch
Foam14
Jelly or cream
Cervical cap16
Suppository, insert
Today tm sponge18
IUD, coil, loop
Other method21
Lunelle injectable (monthly shot)24
Contraceptive patch25
Vaginal contraceptive ring26

FLOW CHECK E-9: IF EA-17 METHSTOP INCLUDES CODES 3 (Pill), 4 (Condom), 8 (Depo-Provera), 24 (Lunelle), OR 25 (Patch), GO TO FLOW CHECK E-10

ELSE, IF EA-17 METHSTOP DOES NOT INCLUDE 3 OR 4 OR 8 OR 24 OR 25, GO TO FLOW CHECK E-12.

FLOW CHECK E-10:

DEFINE NUMDISS.
SET NUMDISS = 0.

NUMDISS = TOTAL NUMBER OF RESPONSES TO EA-17 METHSTOP THAT EQUAL 3 (Pill), 4 (Condom), 8 (Depo-Provera), 24 (Lunelle), OR 25 (Patch)

FLOW CHECK E-11a: IF EA-17 METHSTOP INCLUDES 3, ASK EA-18 REASPILL. ELSE GO TO FLOW CHECK E-11b.

REASPILL

EA-18. Looking at Card 32, what was the reason or reasons you were not satisfied with the Pill?

- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

[SHOW CARD 32]

Too expensive		
Insurance did not cover	it	

Too difficult to use	3
Too messy	
Your partner did not like it	
You had side effects	
You were worried you might have side effects	7
You worried the method would not work	
The method failed, you became pregnant	9
The method did not protect against disease	10
Because of other health problems, a doctor told you that you should	
not use the method again	11
The method decreased your sexual pleasure	12
Too difficult to obtain the method	
Did not like the changes to your menstrual cycle	14
Other - specify	
-	

FLOW CHECK E-11a.1: IF EA-18 REASPILL INCLUDES 15 THEN ASK EA-18b SP_REASPILL

ELSE IF EA-18 REASPILL DOES NOT INCLUDE 15 THEN GO TO FLOW CHECK E-11b

SP REASPILL

EA-18b. (Looking at Card 32, what was the reason or reasons you were not satisfied with the Pill?)

* SPECIFY "Other" reason she was not satisfied with the Pill

[SHOW CARD 32]

TYPE: Memo

FLOW CHECK E-11b: IF EA-17 METHSTOP INCLUDES 4, ASK EA-19 REASCOND. ELSE GO TO FLOW CHECK E-11c.

REASCOND

EA-19. Looking at Card 32, what was the reason or reasons you were not satisfied with the condom?

- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

[SHOW CARD 32]

Too expensive
Insurance did not cover it
Too difficult to use3
Too messy4
Your partner did not like it5
You had side effects6
You were worried you might have side effects7
You worried the method would not work8
The method failed, you became pregnant9
The method did not protect against disease10
Because of other health problems, a doctor told you that you should
not use the method again11
The method decreased your sexual pleasure12
Too difficult to obtain the method
Did not like the changes to your menstrual cycle14
Other - specify

FLOW CHECK E-11b.1: IF EA-19 REASCOND INCLUDES 15 THEN ASK EA-19b SP_REASCOND

ELSE IF EA-19 REASCOND DOES NOT INCLUDE 15 THEN GO TO

FLOW CHECK E-11c

SP	REA	S	ന	ND

EA-19b. (Looking at Card 32, what was the reason or reasons you were not satisfied with the condom?)

◆ SPECIFY "Other" reason she was not satisfied with the condom [SHOW CARD 32]

TYPE: Memo

FLOW CHECK E-11c: IF EA-17 METHSTOP INCLUDES 8, ASK EA-20 REASDEPO. ELSE GO TO FLOW CHECK E-11d.

REASDEPO

EA-20. Looking at Card 32, what was the reason or reasons you were not satisfied with Depo-Provera?

- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

[SHOW CARD 32]

Too expensive	1
Insurance did not cover it	
Too difficult to use	3
Too messy	4
Your partner did not like it	
You had side effects	
You were worried you might have side effects	7
You worried the method would not work	8
The method failed, you became pregnant	9
The method did not protect against disease	.10
Because of other health problems, a doctor told you that you should	
not use the method again	.11
The method decreased your sexual pleasure	.12
Too difficult to obtain the method	.13
Did not like the changes to your menstrual cycle	.14
Other - specify	. 15

FLOW CHECK E-11c.1: IF EA-20 REASDEPO INCLUDES 15 THEN ASK EA-20b SP_REASDEPO

ELSE IF EA-20 REASDEPO DOES NOT INCLUDE 15 THEN GO TO FLOW CHECK E-11d

SP REASDEPO

EA-20b. (Looking at Card 32, what was the reason or reasons you were not satisfied with Depo-provera?)

◆ SPECIFY "Other" reason she was not satisfied with Depo-provera [SHOW CARD 32]

TVDE - Momo

TYPE: Memo

FLOW CHECK E-11d: IF EA-17 METHSTOP INCLUDES 24, ASK EA-21 REASLUNL. ELSE GO TO FLOW CHECK E-11e.

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1 Field Date: beginning June 2006

REASLUNL

EA-21. Looking at Card 32, what was the reason or reasons you were not satisfied with Lunelle injectable?

- ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

[SHOW CARD 32]

Too expensive1
Insurance did not cover it
Too difficult to use
Too messy
Your partner did not like it5
You had side effects6
You were worried you might have side effects
You worried the method would not work8
The method failed, you became pregnant9
The method did not protect against disease10
Because of other health problems, a doctor told you that you should
not use the method again11
The method decreased your sexual pleasure12
Too difficult to obtain the method13
Did not like the changes to your menstrual cycle14
Other - specify15

IF EA-21 REASLUNL INCLUDES 15 THEN ASK EA-21b FLOW CHECK E-11d.1: SP_REASLUNL

> ELSE IF EA-21 REASLUNL DOES NOT INCLUDE 15 THEN GO TO FLOW CHECK E-11e

SP_REASLUNL

EA-21b. (Looking at Card 32, what was the reason or reasons you were not satisfied with Lunelle injectable?)

> ◆ SPECIFY "Other" reason she was not satisfied with Lunelle injectable

[SHOW CARD 32]

TYPE: Memo

FLOW CHECK E-11e: IF EA-17 METHSTOP INCLUDES 25, ASK EA-22 REASPTCH. ELSE GO TO FLOW CHECK E-12.

REASPTCH

EA-22. Looking at Card 32, what was the reason or reasons you were not satisfied with the contraceptive patch?

- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

[SHOW CARD 32]

Too expensive	 1
Insurance did not cover it	 2
Too difficult to use	 3
Too messy	 4
Your partner did not like it	 5

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1 Field Date: beginning June 2006

You had side effects6
You were worried you might have side effects
You worried the method would not work
The method failed, you became pregnant9
The method did not protect against disease
Because of other health problems, a doctor told you that you should
not use the method again1
The method decreased your sexual pleasure
Too difficult to obtain the method
Did not like the changes to your menstrual cycle14
Other - specify15

FLOW CHECK E-11d.2: IF EA-22 REASPTCH INCLUDES 15 THEN ASK EA-22b SP_REASPTCH

ELSE IF EA-22 REASPTCH DOES NOT INCLUDE 15 THEN GO TO FLOW CHECK E-12

SP REASPTCH

EA-22b. (Looking at Card 32, what was the reason or reasons you were not satisfied with the Patch?)

> ◆ SPECIFY "Other" reason she was not satisfied with the Patch

[SHOW CARD 32]

TYPE: Memo

FLOW CHECK E-12: IF EVERUSED = 1 (YES), GO TO INTR-EB1. ELSE IF EVERUSED = NO AND RHADSEX = NO, GO TO FLOW CHECK F-ELSE IF EVERUSED = NO AND RHADSEX = YES, GO TO INTR-EC1.

FIRST METHOD SERIES (EB)

INTR-EB1

EB-0. Now I need to ask a few questions about the very first time in your life that you used a birth control method for any reason.

◆ ENTER [1] to continue

{ underlying range 1 to 1

FIRSMETH

EB-1. What was the first birth control method you ever used for any reason? If you used more than one method, please tell me about each one. Please refer to Card 33.

- If R spontaneously mentions she was sterile (aside from sterilizing operation listed among categories), enter [22]
- If R spontaneously mentions her partner was sterile (aside from vasectomy listed in categories), enter [23]
- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

[HELP AVAILABLE] [SHOW CARD 33]

Birth control pills	3
Condom	4
Partner's vasectomy	5
Female sterilizing operation, such as tubal	
sterilization and hysterectomy	5
Withdrawal, pulling out	7
Depo-Provera, injectables	3
Hormonal implant (Norplant or Implanon)	9
Rhythm or safe period by calendar10	C
Safe period by temperature or cervical mucus test,	
natural family planning1	1
Diaphragm	2
Female condom, vaginal pouch	3
Foam	4
Jelly or cream15	5
Cervical cap16	5
Suppository, insert1	
Today tm sponge	3
IUD, coil, loop	9
"Morning after" pills or emergency Contraception 20	C
Other method specify2	
Respondent was sterile	
Respondent's partner was sterile23	
Lunelle injectable (monthly shot)	
Contraceptive patch29	
Vaginal contraceptive ring20	5

FLOW CHECK E-13a: IF EB-1 FIRSMETH INCLUDES 21, ASK EB-1 SP_FIRSMETH.

ELSE IF FIRSMETH DOES NOT INCLUDE 21, GO TO FLOW CHECK E
13b.

SP_FIRSMETH

EB-la.(What was the first birth control method you ever used for any reason?

If you used more than one method, please tell me about each one. Please refer to Card 33.)

◆ SPECIFY "Other" type of birth control method

TYPE: String[75]

FLOW CHECK E-13b: COMPUTE NUMFIRSM

(NUMFIRSM is total number of methods reported as first method ever used)

INITIALIZE NUMFIRSM TO NULL/BLANK.

NUMFIRSM=TOTAL NUMBER OF RESPONSES IN EB-1 FIRSMETH

FLOW CHECK E-13c: DEFINE FIRSMETH_FILL FOR EACH RESPONSE IN FIRSMETH: INITIALIZE AS NULL/BLANK.

IF FIRSMETH=3, FIRSMETH_FILL= "the pill"

ELSE IF FIRSMETH=4, FIRSMETH_FILL= "the condom"

ELSE IF FIRSMETH=5, FIRSMETH_FILL= "your partner's

vasectomy"

ELSE IF FIRSMETH=6, FIRSMETH_FILL= "your sterilizing
operation"

ELSE IF FIRSMETH=7, FIRSMETH_FILL= "withdrawal"

ELSE IF FIRSMETH=8, FIRSMETH_FILL= "Depo-Provera"

ELSE IF FIRSMETH=9, FIRSMETH_FILL= "implant"

ELSE IF FIRSMETH=10, FIRSMETH_FILL= "the calendar rhythm

method"

ELSE IF FIRSMETH=11, FIRSMETH_FILL= "natural family
planning"

ELSE IF FIRSMETH=12, FIRSMETH_FILL= "the diaphragm"

ELSE IF FIRSMETH=13, FIRSMETH FILL= "the female condom"

ELSE IF FIRSMETH=14, FIRSMETH_FILL= "foam"

ELSE IF FIRSMETH=15, FIRSMETH_FILL= "jelly or cream"

ELSE IF FIRSMETH=16, FIRSMETH_FILL= "the cervical cap"

ELSE IF FIRSMETH=17, FIRSMETH_FILL= "the suppository"

ELSE IF FIRSMETH=18, FIRSMETH_FILL= "the sponge"

ELSE IF FIRSMETH=19, FIRSMETH_FILL= "the IUD"

ELSE IF FIRSMETH=20, FIRSMETH_FILL= "emergency

contraception"

ELSE IF FIRSMETH=21 AND EB-1a SP_FIRSMETH NE DK/RF, FIRSMETH_FILL=EB-1a SP_FIRSMETH

ELSE IF FIRSMETH=21 AND EB-1a SP FIRSMETH = DK/RF,

FIRSMETH_FILL= "the first method you used"

ELSE IF FIRSMETH=22, FIRSMETH_FILL= "your sterility"

ELSE IF FIRSMETH=23, FIRSMETH_FILL= "your partner's
sterility"

ELSE IF FIRSMETH=24, FIRSMETH_FILL= "Lunelle"

ELSE IF FIRSMETH=25, FIRSMETH_FILL= "the patch"

ELSE IF FIRSMETH=26, FIRSMETH_FILL= "the ring"

ELSE IF FIRSMETH=DK/RF, FIRSMETH_FILL= "the first method you used"

EDIT CHECK EB1_2: IF ANY RESPONSE TO FIRSMETH NOT EQUAL TO A METHOD REPORTED IN EA-1 PILL TO EA-11 MORNPILL OR EA-14 OTHERMETH, PROBE WITH THE FOLLOWING: "I do not have the (FIRSMETH_FILL) you just told me about in my computer from our question on the types of methods that you ever used. It will just take me a moment to add it."

INVOLVING: appropriate question from 1) EA-1 PILL through EA-14 OTHRMETH, and 2) EB-1 FIRSMETH

EDIT CHECK EB1_3: IF FIRSMETH INCLUDES 6 (STER. OP) AND RSURGSTR = NO, PROBE WITH THE FOLLOWING: "Earlier in the interview I did not record that you had a sterilizing operation. Is it correct that the first method you used (FIRSMETH) was a sterilizing operation?"

INVOLVING: EB-1 FIRSMETH

FLOW CHECK E-13d: IF EDIT CHECK EB1_3 IS SUPPRESSED, GO TO EB-1b SU_FIRSMETH. ELSE GO TO FLOW CHECK E-14.

SU FIRSMETH

EB-1b. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EB1_3: "Earlier in the interview I did not record that you had a sterilizing operation. Is it correct that the first method you used (FIRSMETH) was a sterilizing operation?")

- ◆ ENTER all that apply
- Press [Space] or [-] to separate responses

R did have a sterilizing operation.....1

FLOW CHECK E-14: DEFINE DRUGDEV (Whether first method was a drug or device)
FOR EACH RESPONSE TO FIRSMETH:

SET DRUGDEV = 0.

ELSE IF EB-1 = 7 (WITHDRAWAL), 10 (RHYTHM), 5 (PARTNER'S VASECTOMY), 11 (SAFE PERIOD BY TEMPERATURE), 22 (RESPONDENT STERILE), 23 (PARTNER STERILE), OR 21 (OTHER METHOD), THEN DRUGDEV = 5 (NO)

ELSE IF EB-1 FIRSMETH=DK/RF, THEN DRUGDEV = DK/RF

FLOW CHECK E-15: IF RHADSEX = YES, GO TO FLOW CHECK E-16.

ELSE, IF RHADSEX = NO, GO TO EB-3 WNFSTUSE_M.

FLOW CHECK E-16: IF ANY RESPONSE TO EB-1 FIRSMETH = 3 (PILLS), 5 (VASECTOMY), 6 (STERILIZING OPERATION), 8 (DEPO-PROVERA), 9 (IMPLANT), 19 (IUD), 22 (R STERILE), 23 (H/P STERILE), 21 (OTHER METHOD), 24 (LUNELLE), 25 (CONT. PATCH), OR 26 (CONT. RING) ASK EB-2 FIRSTIME2.

ELSE IF ANY RESPONSE TO EB-1 FIRSMETH = 4 (CONDOM), 12 (DIAPHRAGM), 14 (FOAM), 15 (JELLY OR CREAM), 16 (CERVICAL CAP), 17 (SUPPOSITORY), 18 (TODAY SPONGE), 13 (FEMALE CONDOM), 20 (EMERGENCY CONTRACEPTION), 7 (WITHDRAWAL), 10 (RHYTHM (CALENDAR)), OR 11 (SAFE PERIOD (NFP)), ASK EB-2 FIRSTIME1.

FIRSTIME1

EB-2. Please look at Card 34. Thinking again of the very first time you ever used a method of birth control, when was it? Was it the first time you had intercourse, less than a month after your first intercourse, one to three months after your first intercourse, four to twelve months after your first intercourse, or more than twelve months after your first intercourse?

[SHOW CARD 34]

FLOW CHECK E-17: GO TO FLOW CHECK E-18

FIRSTIME2

EB_2. Please look at Card 35. Thinking again of the very first time you

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1

Field Date: beginning June 2006

ever used a method of birth control, when was it? Was it before your first intercourse, the first time you had intercourse, less than a month after your first intercourse, one to three months after your first intercourse, four to twelve months after your first intercourse, or more than twelve months after your first intercourse?

[SHOW CARD 35]

FLOW CHECK E-18: DEFINE USEFSTSX:

(Whether R used a method at first sex -- here, for everyone except those who reported it was before first sex):

SET USEFSTSX = SYSMIS.

USEFSTSX = 1 (YES) IF EB_2 FIRSTIME1 = 2 OR EB_2

FIRSTIME2 = 2

USEFSTSX = 5 (NO) IF EB_2 FIRSTIME1 = 3, 4, 5, OR 6 OR

 EB_2 FIRSTIME2 = 3, 4, 5, OR 6

USEFSTSX = remains sysmis IF FIRSTIME2=1

USEFSTSX = DK/RF IF FIRSTIME1 or FIRSTIME2 = DK/RF

DEFINE CMFIRSM:

(Date of first method use -- here, for those who reported that it was at first sex):

SET CMFIRSM = NULL/BLANK

CMFIRSM = CMFSTSEX IF EB_2 FIRSTIME1 = 2 OR EB_2 FIRSTIME2 = 2

DEFINE MTHFSTSX:

(Method used at first sex -- here, for those reported that it was at first sex):

SET MTHFSTSX = NULL/BLANK.

IF EB_2 FIRSTIME1 = 2 OR EB_2 FIRSTIME2 = 2, THEN MTHFSTSX = EB_1
FIRSMETH

FLOW CHECK E-19: IF EB_2 FIRSTIME1 = 3, 4, 5, OR 6 OR EB_2 FIRSTIME2 = 3, 4, 5, OR 6, THEN ASK EB_2a NOMETH.

ELSE IF EB_2 FIRSTIME1 = 2 OR FIRSTIME2 = 2 THEN GO TO FLOW CHECK E-22

ELSE IF EB_2 FIRSTIME2 = 1 THEN GO TO EB_3 WNFSTUSE_M

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1

Field Date: beginning June 2006

ELSE IF EB_2 FIRSTIME1 = DK/RF OR EB_2 FISTIME2=DK/RF THEN GO TO EB 3 WNFSTUSE M

NOMETH

EB-2a. Including your first sex, how many times did you have sexual intercourse before you used a method of birth control?

• If R used a method at second sex, enter [1]

{Underlying range 1 to 995

WNFSTUSE_M

1 of 2

EB-3. Now, please look at your calendar, and tell me in what month and year you first used a method (for any reason).

Display if RHADSEX NE NO:

- If respondent needs help, remind her of the date of her first intercourse which was in [CMFSTSEX].
- ◆ ENTER MM/YYYY
- ◆ PROBE for season if DK month

1.	January	5.	May	9.	September	13.	Winter
2.	February	6.	June	10.	October	14.	Spring
3.	March	7.	July	11.	November	15.	Summer
4.	April	8.	August	12.	December	16.	Fall

[CALENDAR REFERENCE]

WNFSTUSE Y

2 of 2

EB-3. (Now, please look at your calendar, and tell me in what month and year you first used a method (for any reason).)

[CALENDAR REFERENCE]

- ◆ After R has given the year, say: Please write this on your calendar on the "Birth Control Methods" row, in the box for this month and year. You can use an abbreviation for the method, or anything that you will recognize later. If this date is before THREEYRS_FILL, write the date and method in the "Before THREEYRS_FILL" box.
- ◆ ENTER (WNFSTUSE M)/YYYY

UNDERLYING RANGE: 1966 to 2011

FLOW CHECK E-20: COMPUTE CMFSTUSE = CM for date first used a method for those who did not report that it was at first sex

SET CMFSTUSE = null/blank

IF WNFSTUSE_Y=RF, SET CMFSTUSE=9998
ELSE IF WNFSTUSE_Y=DK, SET CMFSTUSE=9999

ELSE IF WNFSTUSE_M LE 12, COMPUTE CMFSTUSE=(WNFSTUSE Y - 1900) * 12 + WNFSTUSE M

ELSE IF 13 LE WNFSTUSE_M LE 16, USE MONTH APPROPRIATE TO SEASON AND COMPUTE CMFSTUSE AS ABOVE

ELSE IF WNFSTUSE_M = DK OR RF, ASSIGN MONTH = 6 (June) AND COMPUTE CMFSTUSE AS ABOVE

- Edit Check EB3_4: IF (13 LE WNFSTUSE_M LE 16) AND CMFSTUSE < (CMBIRTH 3) ,
 DISPLAY: The date entered cannot be before her date of birth. Please correct.
 HARD, NONSUPPRESSIBLE EDIT CHECK.

- EDIT CHECK EB3_7: PROBE IF EB-2 FIRSTIME2 = 1 (BEFORE YOUR FIRST INTERCOURSE)

 AND CMFSTUSE > CMFSTSEX AND FLGSXDK1 = 1 AND

 WNFSTUSE_M LE 12 WITH:

 "You reported that you used a birth control method

"You reported that you used a birth control method before your first intercourse (CMFSTSEX_FILL); however the date you just gave me was after your first intercourse. Do I have one of the dates wrong?"

INVOLVING: EB-2 FIRSTIME2, WNFSTUSE_M, WNFSTUSE_Y

- EDIT CHECK EB3_8: PROBE IF EB-2 FIRSTIME1 OR EB-2 FIRSTIME2 = 3 OR 4 OR 5 OR 6

 AND CMFSTUSE < CMFSTSEX AND FLGSXDK1 = 1 AND

 WNFSTUSE_M LE 12 WITH:

 "You reported that your first use was after the first

 time you had intercourse (CMFSTSEX_FILL); however the

 date you just gave me was not after your first

 intercourse. Do I have one of the dates wrong?"

 INVOLVING: EB-2 FIRSTIME2, EB-2 FIRSTIME2, WNFSTUSE_M,

 WNFSTUSE Y
- FLOW CHECK E-20a: IF EDIT CHECK EB3_7 or EDIT CHECK EB3_8 IS SUPPRESSED, GO TO EB-3a SU_WNFSTUSE.

 ELSE GO TO FLOW CHECK E-21.

SU WNFSTUSE

EB-3a. ✓ Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EB3_7: "You reported that you used a birth control method before your first intercourse (CMFSTSEX_FILL); however the date you just gave me was after your first intercourse. Do I have one of the dates wrong?")

(EDIT CHECK EB3_8: "You reported that your first use was after the first time you had intercourse (CMFSTSEX_FILL); however the date you just gave me was not after your first intercourse. Do I have one of the dates wrong?")

- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

FLOW CHECK E-21: CONTINUE DEFINING CMFIRSM (Date of first method use -- here, for those who did not report that it was at first sex):

IF CMFIRSM = NULL/BLANK, THEN CMFIRSM=CMFSTUSE.

AGEFSTUS

EB-4. How old were you the first time you used a method for any reason?

• ENTER Age in years

{UNDERLYING RANGE 0-45

EDIT CHECK EB4_1: PROBE IF EB-4 AGEFSTUS > AGE_R.

FLOW CHECK E-22: IF AGE_R < 25, GO TO FLOW CHECK E-23. ELSE, GO TO FLOW CHECK E-28.

FLOW CHECK E-23: Set PLACCNTR1=0

(PLACCNTR1 is counter for # of times PLACGOTF asked.)

FLOW CHECK E-24: If DRUGDEV = Yes for any response to EB-1 FIRSMETH, Go to FLOW CHECK E-25.

(Asks PLACGOTF for each method reported in EB-1 FIRSMETHx that is a drug or device.)

Else if DRUGDEV = No for all responses to EB-1 FIRSMETHx OR DRUGDEV=DK/RF, Go to FLOW CHECK E-28 $\,$

FLOW CHECK E-25: IF DRUGDEV = YES FOR (PLACCNTR1) RESPONSE TO FIRSMETH, CONTINUE.

ELSE GO TO FLOW CHECK E-27.

COMPUTE FMETHPRS FOR (PLACCNTR1) RESPONSE TO FIRSMETH.

Set FMETHPRS=0.

If EB-1 FIRSMETH = 3 (pill) or 12 (Diaphram) or 8 (Depo-Provera) or 9 (Implant) or 16 (Cervical cap) or 19 (IUD) or 20 (Emergency Contraception) or 24 (Lunell) or 25 (Cont.

Patch) or 26 (contraceptive ring), FMETHPRS=1. (Sets new variable FMETHPRS to 1 if first method required a prescription, 0 if first method was non-prescription. Don't have to define explicitly to capture the non-prescription ones because only DRUGDEV are being asked this, so it will correctly get assigned the non-prescription drug/device methods. Also, should only need to look at FIRSMETH1 to assign DK/RF.)

FLOW CHECK E-25a: SET FRSMTHRX_FILL = NULL/BLANK.

If FMETHPRS=1, FRSMTHRX_FILL = "Prescription for the
[FIRSMETH_FILL for FIRSMETH]"

Else if FMETHPRS = 0, FRSMTHRX_FILL = [FIRSMETH_FILL for FIRSMETH].

(Causes question text to adapt depending on whether FIRSMETH required a prescription - asks where R got prescription if it did, method if it did not.)

PLACGOTF

EB_5. Please look at Card 36. Where did you get the [FRSMTHRX_FILL]?

[HELP AVAILABLE]
[SHOW CARD 36]

Private doctor's office1
HMO facility
Community health clinic, community clinic, public health clinic3
Family planning or Planned Parenthood clinic4
Employer or company clinic5
School or school-based clinic
Hospital outpatient clinic7
Hospital emergency room8
Hospital regular room9
Urgent care center, urgi-care or walk-in facility10
Friend
Partner or spouse
Drug store
Mail order / Internet14
Some other place

Edit Check EB5_1: Probe if FMETHPRS=1 and PLACGOTF eq 11 or 12 or 13 or 14 with:

"You reported that your first method was a method that generally requires a prescription; however, you just told me that you got the prescription from a friend, partner/spouse, or drug store. Do I have one of these answers wrong?" If necessary: Please think about where you got the prescription, whether or not that is also where you got the method itself.

INVOLVING: EB-5 PLACGOTF, EB-1 FIRSMETH

FLOW CHECK E-27: Increment PLACCNTR1 by 1

If PLACCNTR1 < NUMFIRSM then return to FLOW CHECK E-25 Else if PLACCNTR1 = NUMFIRSM the go to FLOW CHECK E-28.

FLOW CHECK E-28: (This flow check does the following:

IF FIRST USE WAS BEFORE FIRST SEX, ASK IF R USED BIRTH CONTROL AT FIRST SEX, OTHERWISE,

IF FIRST USE WAS AT FIRST INTERCOURSE OR AFTER FIRST

INTERCOURSE, GO TO NEXT SERIES, OTHERWISE, IF FIRST USE TIMING UNKNOWN/REFUSED, GO TO NEXT SERIES)

IF EB-2 FIRSTIME1 <> (BLANK, DK, RF), GO TO FLOW CHECK E-33

ELSE

IF EB-2 FIRSTIME2=1 (before) OR BLANK AND (CMFIRSM <= CMFSTSEX)

OR

EB-2 FIRSTIME2=1 (before) OR BLANK AND (CMFIRSM=DK/RF OR CMFSTSEX=DK/RF), ASK EB-6 USEFRSTS.

ELSE GO TO FLOW CHECK E-33

USEFRSTS

EB-6. Did you use any birth control method the first time you had intercourse?

FLOW CHECK E-29: CONTINUE DEFINING USEFSTSX (Whether R used a method at first sex):

IF USEFSTSX = NULL/BLANK, THEN USEFSTSX=USEFRSTS

NOMETH2

EB-7. Including your first sex, how many times did you have sexual intercourse before you used a method of birth control during sexual intercourse?

• If R used a method at second sex, enter [1]

{Underlying range 1 to 995

FLOW CHECK E-30: GO TO FLOW CHECK E-33

MTHFRSTS

- EB-8. Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that.
 - ◆ ENTER all that apply
 - ◆ Press [Space] or [-] to separate responses
 - \bullet If R spontaneously mentions she was sterile (aside from sterilizing operation listed in categories), enter [22]
 - \bullet If R spontaneously mentions her partner was sterile (aside from vasectomy listed in categories), enter [23]

[HELP AVAILABLE]
[SHOW CARD 33]

Birth control pills3
Condom4
Partner's vasectomy5
Female sterilizing operation, such as tubal
sterilization and hysterectomy6
Withdrawal, pulling out
Depo-Provera, injectables8
Hormonal implant (Norplant tm or Implanon tm)9

Rhythm or safe period by calendar	10
Safe period by temperature or cervical mucus test,	
natural family planning	
Diaphragm	12
Female condom, vaginal pouch	
Foam	
Jelly or cream	15
Cervical cap	16
Suppository, insert	17
Today tm sponge	18
IUD, coil, loop	
"Morning after" pills or emergency Contraception	
Other method specify	21
Respondent was sterile	22
Respondent's partner was sterile	23
Lunelle injectable (monthly shot)	
Contraceptive patch	25
Vaginal contraceptive ring	26

FLOW CHECK E-31: IF EB-8 MTHFRSTS=21 THEN ASK SP_MTHFRSTS ELSE IF EB-8 MTHFRSTS NE 21 THEN GO TO EDIT CHECK EB8_1

SP MTHFRSTS

EB-8a.(Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that.)

◆ SPECIFY "Other" type of birth control method

[SHOW CARD 33]

TYPE: String[75]

FLOW CHECK E-31a: DEFINE MTHFRSTS_FILL FOR EACH RESPONSE IN MTHFRSTS: INITIALIZE AS NULL/BLANK.

IF MTHFRSTS=3, MTHFRSTS_FILL='the pill'

ELSE IF MTHFRSTS=4, MTHFRSTS_FILL='the condom'

ELSE IF MTHFRSTS=5, MTHFRSTS_FILL='your partneR's vasectomy'

ELSE IF MTHFRSTS=6, MTHFRSTS_FILL='your sterilizing

ELSE IF MTHFRSTS=7, MTHFRSTS_FILL='withdrawal'

ELSE IF MTHFRSTS=8, MTHFRSTS FILL='Depo-Provera'

ELSE IF MTHFRSTS=9, MTHFRSTS_FILL='implant'

ELSE IF MTHFRSTS=10, MTHFRSTS_FILL='the calendar rhythm method'

ELSE IF MTHFRSTS=11, MTHFRSTS_FILL='natural family planning'

ELSE IF MTHFRSTS=12, MTHFRSTS_FILL='the diaphragm'

ELSE IF MTHFRSTS=13, MTHFRSTS_FILL='the female condom'

ELSE IF MTHFRSTS=14, MTHFRSTS_FILL=\foam'

ELSE IF MTHFRSTS=15, MTHFRSTS_FILL='jelly or cream'

ELSE IF MTHFRSTS=16, MTHFRSTS_FILL='the cervical cap'

ELSE IF MTHFRSTS=17, MTHFRSTS FILL='the suppository'

ELSE IF MTHFRSTS=18, MTHFRSTS_FILL='the sponge'

ELSE IF MTHFRSTS=19, MTHFRSTS_FILL='the IUD'

ELSE IF MTHFRSTS=20, MTHFRSTS_FILL='emergency contraception'

ELSE IF MTHFRSTS=21 AND EB-8a SP_MTHFRSTS NE DK/RF,

MTHFRSTS_FILL=EB-8a SP_MTHFRSTS

ELSE IF MTHFRSTS=21 AND EB-8a SP_MTHFRSTS = DK/RF,

MTHFRSTS_FILL= "the first method you used"

ELSE IF MTHFRSTS=22, MTHFRSTS_FILL='your sterility'

ELSE IF MTHFRSTS=23, MTHFRSTS_FILL='your partneR's

sterility'

ELSE IF MTHFRSTS=24, MTHFRSTS_FILL='Lunelle'
ELSE IF MTHFRSTS=25, MTHFRSTS_FILL='the patch'
ELSE IF MTHFRSTS=26, MTHFRSTS_FILL='the ring'

ELSE IF MTHFRSTS = DK/RF, MTHFRSTS_FILL= "the first method
you used"

- EDIT CHECK EB8_1: IF ANY RESPONSE TO MTHFRSTS NOT EQUAL TO A METHOD REPORTED IN EA-1 PILL TO EA-11 MORNPILL OR EA-14 OTHERMETH, PROBE WITH THE FOLLOWING: "I do not have the (MTHFRSTS_FILL) you just told me about in my computer from our question on the types of methods that you ever used. It will just take me a moment to add it."
- FLOW CHECK E-32: CONTINUE DEFINING MTHFSTSX (Method used at first sex -- for those who reported that it was before first sex):

 IF MTHFSTSX = NULL/BLANK, THEN MTHFSTSX=MTHFRSTS

Create and output 5 MTHFSTSXS: MTHFSTSX1 through MTHFSTSX5

PERIODS OF NON INTERCOURSE (EC)

- FLOW CHECK E-33: IF RHADSEX=YES, GO TO FLOW CHECK E-34. ELSE, IF RHADSEX = NO, GO TO FLOW CHECK E-38.
- FLOW CHECK E-34: IF CMFSTSEX = CMINTVW, SET EC-8 MONSX = 1 AND GO TO FLOW CHECK E-38
- FLOW CHECK E-34a: CREATE CMJANIWYR = CENTURY MONTH OF JANUARY OF INTERVIEW YEAR
 - CREATE CMJAN1YR = CENTURY MONTH OF JANUARY OF INTERVIEW YEAR MINUS 1
 - CREATE CMJANIWYR_FILL IN THE FORMAT 'JANUARY 2006'. (YEAR WILL VARY BASED ON IW YEAR.)
 - CREATE CMJAN1YR_FILL IN THE FORMAT 'JANUARY 2005'. (YEAR WILL VARY BASED ON IW YEAR.)
 - CREATE YR1_FILL IN THE FORMAT '2005'. (WILL VARY BASED ON IW YEAR. SHOULD ALWAYS BE INTERVIEW YEAR MINUS 1.)
 - CREATE YR2_FILL IN THE FORMAT '2004'. (WILL VARY BASED ON IW YEAR. SHOULD ALWAYS BE INTERVIEW YEAR MINUS 2.)
 - CREATE CMINTVW_FILL IN THE FORMAT 'MAY 2006' BASED ON VALUE FOR CMINTVW.
 - CREATE CMLSEXFP_FILL IN THE FORMAT 'August 1998' BASED ON VALUE FOR CMLSEXFP.
 - CREATE CMLSEXx_FILL IN THE FORMAT 'August 1998' BASED ON VALUE FOR CMLSEXx.
 - CREATE CMFSEXx_FILL IN THE FORMAT 'August 1998' BASED ON VALUE FOR CMFSEXx.
 - CREATE CMMONSX = CENTURY MONTH OF CURRENT MONSX QUESTION SET = CMJAN3YR AND INCREMENT BY ONE AS R IS CYCLED THROUGH THE 48 MONSX MONTHS.

INTR-EC1

EC-1. IF CMFSTSEX <= CMJAN3YR or CMFSTSEX=DK/RF, ASK:
Many women have times when they are not having intercourse at all,
for example, because of pregnancy, separation, not dating anyone,
illness, or other reasons. I'd like to know the months since
[CMJAN3YR_FILL] that you did not have intercourse with a male at

all for the entire month. First, let's make sure you have other information on your calendar.

IF CMFSTSEX > CMJAN3YR, ASK:

Many women have times when they are not having intercourse at all, for example, because of pregnancy, separation, not dating anyone, illness, or other reasons. I'd like to know the months, since the first time you had intercourse, which was in [CMFSTSEX_FILL], that you did not have intercourse with a male at all for the entire month. First, let's make sure you have other information on your calendar.

Check calendar and make sure the following information is filled in. Help respondent fill in any missing information. If no pregnancies, go to the next screen.

[CALENDAR REFERENCE]

Pregnancy history
Beginning Date
CMPBEG_S[X]_FILL

Ending Date
CMENDP_S[X]_FILL

◆ ENTER [1] to continue

{ underlying range 1 to 1

INTR-EC2

EC-2.

IF CMFSTSEX <= CMJAN3YR or CMFSTSEX=DK/RF, ASK:
(Many women have times when they are not having intercourse at all, for example, because of pregnancy, separation, not dating anyone, illness, or other reasons. I'd like to know the months since [CMJAN3YR_FILL] that you did not have intercourse with a male at all for the entire month. First, let's make sure you have other information on your calendar.)

IF CMFSTSEX > CMJAN3YR, ASK:

(Many women have times when they are not having intercourse at all, for example, because of pregnancy, separation, not dating anyone, illness, or other reasons. I'd like to know the months, since the first time you had intercourse, which was in [CMFSTSEX_FILL], that you did not have intercourse with a male at all for the entire month. First, let's make sure you have other information on your calendar.)

• Check calendar and make sure the following information is filled in. Help respondent fill in any missing information.

[CALENDAR REFERENCE]

Sexual history

Very first sexual intercourse: [CMFSTSEX_FILL]
First sexual intercourse after menstrual period: [CMSEXAFM_FILL]
Last sex with first partner: [CMLSEXFP_FILL]

Partners in the past 12 months (since [CMLSTYR_FILL]):

Name First sex Last (or only) sex
[PXNAME_FILL/FRSTPART_FILL] [CMFSEXx_FILL/CMFSTSEX_FILL] [CMLSEXx_FILL/CMLSEXFP_FILL]

Number of partners in the past 12 months: [PARTS12]

◆ ENTER [1] to continue

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1 Field Date: beginning June 2006

{ underlying range 1 to 1

INTR-EC3

EC-3.

IF CMFSTSEX <= CMJAN3YR or CMFSTSEX=DK/RF, ASK: Since [CMJAN3YR_FILL], have there been any times when you were not having intercourse with a male at all for one month or more?

IF CMFSTSEX > CMJAN3YR, ASK:

Since [CMFSTSX_FILL], have there been any times when you were not having intercourse with a male at all for one month or more?

• Remember,

'Yes' means the respondent had at least one month of no intercourse, and

'No' means R had intercourse every month.

Yes.....1
No.....5

FLOW CHECK E-35: IF INTR-EC3 NE 5 THEN GO TO INTR-EC4 ELSE IF INTR-EC3=5 THEN:

(1) FILL WITH "1" ALL CELLS OF THE NONINTERCOURSE VARS STARTING WITH EITHER CMJAN3YR OR CMFSTSX (WHICHEVER COMES LATER) UPTO AND INCLUDING CMINTVW AND FILL WITH SYSMIS FOR MONTHS BEYOND CMINTVW, AND (2) GO TO FLOW CHECK E-38

INTR-EC4

EC-4.

IF CMFSTSX <= CMJANIWYR or CMFSTSEX=DK/RF, SAY: Start with the current month, [CMINTVW_FILL], and think about each month one at a time, going back to [CMJANIWYR_FILL]. On the row labeled "Intercourse", please mark an "x" in the box for each month during which you $\underline{\text{had}}$ intercourse at least once. So the boxes in this row that $\underline{\text{are}}$ blank will be the ones during which you did not have intercourse at all for the whole month.

IF CMFSTSX > CMJANIWYR SAY:

Start with the current month, [CMINTVW_FILL], and think about each month one at a time, going back to [CMFSTSX_FILL]. On the row labeled "Intercourse", please mark an "x" in the box for each month during which you $\underline{\text{had}}$ intercourse at least once. So the boxes that are blank will be the ones during which you did $\underline{\text{not}}$ have intercourse at all for the whole month.

IF CMINTVW = CMJANIWYR SAY:

Start with the current month, [CMINTVW_FILL]. Please mark an "x" in the box for this month if you had intercourse this month at least once.

FLOW CHECK E-36: IF CMFSTSX < CMJANIWYR or CMFSTSEX=DK/RF THEN GO TO INTR-EC5 ELSE IF CMFSTSX >= CMJANIWYR THEN GO TO INTR-EC7

INTR-EC5

EC-5.

IF CMFSTSX <= CMJAN1YR or CMFSTSEX=DK/RF, SAY:
Now think about last year, YR1_FILL. Start with December, and
think about each month one at a time, going back to January,
YR1_FILL. Please mark an "x" in the box for each month during
which you had intercourse at least once.

IF CMFSTSX > CMJAN1YR SAY:

Now think about YR1_FILL. Start with December, and think about each month one at a time, going back to [CMFSTSEX_FILL]. Please

mark an "x" in the box for each month during which you $\underline{\text{had}}$ intercourse at least once.

FLOW CHECK E-37: IF CMFSTSX < CMJAN1YR or CMFSTSEX=DK/RF THEN GO TO INTR-EC6. ELSE IF CMFSTSX >= CMJAN1YR THEN GO TO INTR-EC7

INTR-EC6

EC-6.

IF CMFSTSX <= CMJAN3YR or CMFSTSEX=DK/RF, SAY: Finally, start with December YR2_FILL, and think about each month one at a time, going back to CMJAN3YR_FILL. Please mark an "x" in the box for each month during which you $\underline{\text{had}}$ intercourse at least once.

IF CMFSTSX > CMJAN3YR SAY:

Finally, start with December YR2_FILL, and think about each month one at a time, going back to [CMFSTSEX_FILL]. Please mark an "x" in the box for each month during which you \underline{had} intercourse at least once.

INTR-EC7

EC-7.

Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?

• If Respondent is reading the months:

Please tell me the months that you had intercourse, starting with $[CMJAN3YR_FILL/CMFSTSEX_FILL]$.

◆ ENTER [1] to continue

{ underlying range 1 to 1

{PLACE A HEADER ON SCREEN THAT IS DATE CORRESPONDING TO MONTH THAT DISCUSSING MONSX

EC-8. Interviewer Checkpoint

 \bullet Did the Respondent mark an X in this month or mention intercourse occurred during:

[FILL FOR MONTH AND YEAR CORRESPONDING TO CURSOR'S POSITION.]

Yes										1
No.										5

EDIT CHECK EC8_1a:

PROBE IF MONSX[xxxx]=5 AND (MONSX[xxxx]=CMFSTSEX OR MONSX[xxxx]=CMSEXAFM), DISPLAY:

I have recorded that you first had sex [EMPTY/AFTER_MENARCHE] on this date (CMMONSX_FILL). I also just recorded that you did not have sex this month. Which one should I correct.

INVOLVING: MONSX[xxxx].

EC EC8_1A FILL AFTER_MENARCHE="after menarche" IF FIRST SEX WAS AFTER MENARCHE OTHERWISE LEAVE BLANK

FLOW CHECK E-37b: IF EDIT CHECK EC8_1a IS SUPPRESSED, GO TO EC-8a SU_MONSXa. ELSE GO TO EDIT CHECK EC8_1b.

{ SU_MONSXa FILL **AFTER_MENARCHE**="after menarche" IF FIRST SEX WAS AFTER MENARCHE OTHERWISE LEAVE BLANK

SU_MONSXa

EC-8a.	\overline{V}	Interviewer	Checknoint
EC Ua.		TILLETATEMET	CHECKPOING

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EC8_1a: I have recorded that you first had sex [EMPTY/AFTER_MENARCHE] on this date (CMMONSX_FILL). I also just recorded that you did not have sex this month. Which one should I correct.)

- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

EDIT CHECK EC8_1b: PROBE IF MONSX[xxxx] IS WITHIN CMINTVW-12 AND MONSX=5 AND (MONSX[xxxx]= CMLSEX1 OR MONSX[xxxx]= CMLSEX2 OR MONSX[xxxx]= CMLSEX3), DISPLAY: I have recorded that you last had sex with PXNAME_FILL on MONSX[xxxx] I also just recorded that you did not have sex this month. Which one should I correct? (Interviewer, if the date of last sex with partner is wrong, suppress this edit check).

INVOLVING: MONSX[xxxx].

FLOW CHECK E-37c: IF EDIT CHECK EC8_1b IS SUPPRESSED, GO TO EC-8b SU_MONSXb. ELSE GO TO FLOW CHECK E-37a.

SU MONSXb

EC-8b. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

EDIT CHECK EC8_1b: (I have recorded that you last had sex with PXNAME_FILL on MONSX[xxxx] I also just recorded that you did not have sex this month. Which one should I correct?)

- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

FLOW CHECK E-37a: IF EC-3 INTR_EC3=DK/RF AND FIRST MONSX[xxxx] =DK/RF THEN GO TO FLOW CHECK E-38.

ELSE, CONTINUE WITH NEXT EC-8 MONSX[xxxx]

CONTRACEPTIVE METHOD HISTORY (ED)

FLOW CHECK E-38: IF EVERUSED = NO, GO TO FLOW CHECK E-64. ELSE, IF EVERUSED=YES, GO TO FLOW CHECK E-38a.

FLOW CHECK E-38a: IF CMPBEG_S[X]_FILL=BLANK AND CMENDP_S[X]_FILL=BLANK THEN GO TO INTR-ED2.

ELSE IF CMPBEG_S[X]_FILL NE BLANK OR CMENDP_S[X]_FILL NE BLANK THEN ASK INTR-ED1.

INTR-ED1

ED-1. Before we begin this next section on your birth control use, I need to make sure all of the information we need is on your calendar.

• Check calendar and make sure the following information is filled in. Help respondent fill in any missing information.

[CALENDAR REFERENCE]

Pregnancies
Beginning Date
CMPBEG S[X] FILL

Ending Date
CMENDP S[X] FILL

◆ ENTER [1] to continue

{ underlying range 1 to 1

INTR-ED2

ED-2. (Before we begin this next section on your birth control use, I need to make sure all of the information we need is on your calendar.)

• Check calendar and make sure the following information is filled in. Help respondent fill in any missing information.

[CALENDAR REFERENCE]

Months of intercourse:

IF INTR-EC3 NE 5, DISPLAY: MONSX

◆ ENTER [1] to continue

UNDERLYING RANGE 1 TO 1

FLOW CHECK E-38b: CREATE CMOPER1 FILL:

SET CMOPER1_FILL = BLANK.

IF CMOPER1 NE NULL/BLANK, CREATE CMOPER1_FILL IN THE FORMAT 'March 1986'.

CREATE CMMALEOP FILL:

SET CMMALEOP FILL = BLANK.

IF CMMALEOP NE NULL/BLANK, CREATE CMMALEOP_FILL IN THE FORMAT 'March 1986'.

CREATE CMLIGREV_FILL:

SET CMLIGREV FILL = BLANK.

IF CMLIGREV NE NULL/BLANK, CREATE CMLIGREV_FILL IN THE FORMAT 'March 1986'.

CREATE CMVASREV FILL:

SET CMVASREV FILL = BLANK.

IF CMVASREV NE NULL/BLANK, CREATE CMVASREV_FILL IN THE FORMAT 'March 1986'.

FLOW CHECK E-38c: IF (CMOPER1_FILL=BLANK AND CMLIGREV_FILL=BLANK AND

CMMALEOP_FILL=BLANK AND CMVASREV_FILL=BLANK) THEN GO TO FLOW CHECK E-39.

ELSE IF (CMOPER1 FILL NE BLANK OR CMLIGREV FILL NE BLANK OR

CMMALEOP_FILL NE BLANK OR CMVASREV_FILL NE BLANK) THEN ASK INTR-ED3.

INTR-ED3

ED-3.

(Before we begin this next section on your birth control use, I need to make sure all of the information we need is on your calendar.)

• Check calendar and make sure the following information is filled in. Help respondent fill in any missing information.

[CALENDAR REFERENCE]

R surgically sterile between:

Date of operation CMOPER1_FILL

Date of reversal CMLIGREV_FILL

R's partner surgically sterile between:

Date of operation CMMALEOP_FILL

Date of reversal CMVASREV FILL

- ullet Once R has entered all information and/or verified that it is correct, continue.
- ◆ ENTER [1] to continue

{ underlying range 1 to 1

FLOW CHECK E-39: DEFINE CMSTRTMC AND CMENDMC (start and end dates for collection of method history):

SET CMSTRTMC AND CMENDMC = 0.

IF RHADSEX = NO, OR

(RHADSEX=YES AND CMFSTSEX=DK/RF AND CMFIRSM NE NULL/BLANK OR DK/RF), CMSTRTMC = CMFIRSM OR CMJAN3YR, WHICHEVER DATE IS LATER.

ELSE IF (RHADSEX=YES AND CMFSTSEX=DK/RF AND CMFIRSM = NULL/BLANK OR DK OR RF), CMSTRTMC = CMJAN3YR.

ELSE IF CMFSTSEX < CMJAN3YR AND (CMFIRSM < CMJAN3YR OR CMFIRSM = NULL/BLANK OR DK/RF), CMSTRTMC = CMJAN3YR.

ELSE IF CMFSTSEX < CMJAN3YR AND CMFIRSM NE NULL/BLANK OR DK/RF AND CMFIRSM GE CMJAN3YR, CMSTRTMC = CMJAN3YR.

ELSE IF CMFSTSEX GE CMJAN3YR AND CMFIRSM NE NULL/BLANK OR DK/RF AND CMFIRSM GE CMJAN3YR, CMSTRTMC = CMFIRSM.

ELSE IF CMFSTSEX GE CMJAN3YR, CMSTRTMC = CMJAN3YR.

CMENDMC = CMINTVW

FLOW CHECK E-40: INITIALIZE CMSTRTMC_FILL = CMENDMC_FILL = NULL/BLANK.

CREATE CMSTRTMC_FILL = MONTH, YEAR OF CMSTRTMC

CREATE CMENDMC_FILL = MONTH, YEAR OF CMENDMC

FLOW CHECK E-40b: IF CMHYST<CMSTRTMC THEN ASK ED-4a INTR-ED4a. ELSE GO TO ED-4b INTR-ED4b.

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1 Field Date: beginning June 2006

INTR-ED4a

ED-4a.

The next questions are about birth control methods you may have used between (CMSTRTMC_FILL) and (CMENDMC_FILL). Remember that this also refers to methods men use, such as condoms, vasectomy, and withdrawal.

As we discussed earlier, you had a hysterectomy in (CMHYST_FILL). Since (CMSTRTMC_FILL), have you used any birth control methods for any reason, such as preventing disease?

Yes.....1 No.....5

FLOW CHECK E-40c: IF ED-4a INTR-ED4a=1 THEN CONTINUE WITH ED-4b INTR-ED4b.

ELSE FILL ENTIRE METHOD CALENDAR WITH "6" (Female

sterilizing operation/tubal sterilization) AND GO TO FLOW CHECK E-64.

INTR-ED4b

ED-4b.

IF ED-4a INTR-ED4a=SYSMIS THEN SAY:

I need to find out about the birth control methods you used each month between (CMSTRTMC_FILL) and (CMENDMC_FILL). Remember to include methods men use -- such as condoms, vasectomy, and withdrawal -- in your answer.

IF ED-4a INTR-ED4a=1 THEN START HERE:

Looking at the methods on Card 37, please write the methods you used each month on the calendar. I need to know about all the methods you used, so if you used more than one method in a month, please record all the methods you used that month.

To do this, on the "Birth Control Methods" row, write the name of the method in each month that you used a method, going back to CMSTRTMC_FILL. You can use an abbreviation for the method if you wish.

IF CMOPER1 NE BLANK AND CMOPER1 < 9998, ASK:

Even though we=ve marked the month that your sterilization began, if you used any methods after that time, please write them on the calendar.

To do this, on the "Birth Control Methods" row, write the name of the method in each month that you used a method, going back to CMSTRTMC_FILL. You can use an abbreviation for the method if you wish.

{DISPLAYED FOR ALL

- Mark method history start and end dates on calendar for R.
- ◆ ENTER [1] to continue

[CALENDAR REFERENCE]
[SHOW CARD 37]
{ underlying range 1 to 1

INTR-ED5

ED-5. Take your time.

- Help her record methods on calendar.
- When R has recorded all methods on the calendar, say:

Now I need to enter the methods in the computer. It is important that we get these methods correct. If you notice that I have entered something incorrectly, please let me know.

- \bullet Have R read methods to you if possible. Verify methods with R as you enter them.
- ◆ ENTER [1] to continue

{ underlying range 1 to 1

FLOW CHECK E-41: (This flow check does the following: establishes beginning of loop that contains method cal. questions - completed for every month of the calendar to be asked about)

SET METHCNTR=0

(METHCNTR is counter for # times METHHIST asked)

INITIALIZE NUMMCMON= NULL/BLANK.

SET NUMMCMON = number of months of method calendar between CMSTRTMC and CMENDMC (max=48))

FLOW CHECK E-42: SET NUMMULT=0

(NUMMULT is total number of methods reported in each month (month x) of method calendar - max = 4)

METHHIST

ED-6. Interviewer Checkpoint

What method(s) did the respondent use during:

[FILL FOR MONTH AND YEAR CORRESPONDING TO CURSOR'S POSITION]

IF CMSTRTMC/MONTH x GE CMOPER1, display:

IWER: Respondent has previously mentioned she was sterile at this point in time, based on date of operation, so enter A6" (along with other codes if she used other method(s)).

• If R spontaneously mentions her partner was sterile, for reasons other than vasectomy, and no method was used in the month, enter [23]

ELSE, DISPLAY:

- ◆ If R spontaneously mentions she was sterile, for reasons other than an operation, and no method was used in the month, enter [22]
- ullet If R spontaneously mentions her partner was sterile , for reasons other than vasectomy, and no method was used in the month, enter [23]

IF CMSTRTMC/MONTHx NE JANUARY, DISPLAY:

- If "Same method(s) used through the end of the year", enter [55]
- ◆ If "Same method(s) as previous month", enter [2]
- ENTER up to 4 different methods

[HELP AVAILABLE]

No method used	. 1
[EMPTY (IF JAN)/Same as previous month]	
Birth control pills	
Condom	
Partner's vasectomy	. 5

Female sterilizing operation, such as tubal	
sterilization and hysterectomy	
Withdrawal, pulling out	
Depo-Provera, injectables	
Hormonal implant (Norplant tm or Implanon tm)	
Rhythm or safe period by calendar	
Safe period by temperature or cervical mucus test,	Τ0
	11
natural family planning	
Diaphragm	
Female condom, vaginal pouch	
Foam	
Jelly or cream	15
Cervical cap	16
Suppository, insert	17
Today tm sponge	18
IUD, coil, loop	
"Morning after" pills or emergency contraception	
Other method specify	
Respondent sterile	
Respondent's partner sterile	
Lunelle injectable (monthly shot	
Contraceptive patch	
Vaginal contraceptive ring	
[EMPTY (IF JAN)/Same method used thru end of year]	55

FLOW CHECK E-43: IF ED-6 METHHIST INCLUDES 21 THEN GO TO ED-7 SP_METHHIST ELSE IF ED-6 METHHIST DOES NOT INCLUDE 21 THEN GO TO FLOW CHECK 44

SP METHHIST

ED-7. (What method(s) did the respondent use during:

[FILL FOR MONTH AND YEAR CORRESPONDING TO CURSOR'S POSITION]

◆ Specify "Other" type of method

TYPE: STRING [50]

FLOW CHECK E-44: DEFINE METHHIST_FILL (fill for method x used in month x of method calendar) FOR EACH RESPONSE IN METHHIST SET METHHIST FILL = NULL/BLANK. IF METHHIST=3, METHHIST_FILL= "the pill" ELSE IF METHHIST=4, METHHIST FILL="the condom" ELSE IF METHHIST=5, METHHIST FILL="your partner's vasectomy" ELSE IF METHHIST=6, METHHIST_FILL="your sterilizing operation" ELSE IF METHHIST=7, METHHIST_FILL="withdrawal" ELSE IF METHHIST=8, METHHIST_FILL="Depo-Provera" ELSE IF METHHIST=9, METHHIST_FILL="implant" ELSE IF METHHIST=10, METHHIST_FILL="the calendar rhythm method" ELSE IF METHHIST=11, METHHIST_FILL="natural family planning" ELSE IF METHHIST=12, METHHIST_FILL="the diaphragm" ELSE IF METHHIST=13, METHHIST_FILL="the female condom" ELSE IF METHHIST=14, METHHIST FILL="foam" ELSE IF METHHIST=15, METHHIST_FILL="jelly or cream" ELSE IF METHHIST=16, METHHIST_FILL="the cervical cap" ELSE IF METHHIST=17, METHHIST_FILL="the suppository" ELSE IF METHHIST=18, METHHIST_FILL="the sponge" ELSE IF METHHIST=19, METHHIST_FILL="the IUD" ELSE IF METHHIST=20, METHHIST_FILL="emergency contraception"

ELSE IF METHHIST=21 AND ED-1a SP_METHHIST NE DK/RF, METHHIST_FILL=ED-1a SP_METHHIST

ELSE IF METHHIST=21 AND ED-1a SP_METHHIST = DK/RF,

METHHIST_FILL= "the method you used"

ELSE IF METHHIST=22, METHHIST FILL="your sterility"

ELSE IF METHHIST=23, METHHIST_FILL="your partner's
sterility"

ELSE IF METHHIST=24, METHHIST_FILL="Lunelle"

ELSE IF METHHIST=25, METHHIST_FILL="the patch"

ELSE IF METHHIST=26, METHHIST_FILL="the ring"

ELSE IF METHHIST = DK/RF, METHHIST FILL="that method"

CREATE CMMHCAL = CENTURY MONTH OF THIS ENTRY IN THE METHOD HISTORY

SET = CMJAN3YR AND INCREMENT BY ONE AS R IS CYCLED

THE MHC.

CREATE SALM = FLAG INDICATING WHETHER 'SAME AS LAST MONTH'
WAS ORIGINAL ANSWER TO METHHIST

INITIALIZE AS 0

SALM = 1 IF SAME AS PREVIOUS MONTH (2) IS ENDORSED

CREATE SAY = FALG INDICATING WHETHER 'SAME ALL YEAR' WAS ORIGINAL ANSWER TO METHHIST INITIALIZE AS 0

SAY = 1 IF METHHIST = 55

FLOW CHECK E-45: IF ED-6 METHHIST = 55 ASK ED-8 SAMEALLYEAR. ELSE IF ED-6 METHHIST NE 55 GO TO EDIT CHECK ED1_1.

SAMEAllYear

ED-8. I'm about to enter that you used [METHHIST_FILL for each response in previous month] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct?

Yes...........1 No..........5

FLOW CHECK E-46: IF ED-8 SAMEALLYEAR NE YES THEN RETURN TO ED-6 METHHIST ELSE IF ED-8 SAMEALLYEAR=YES THEN GO TO EDIT CHECK ED1 1.

EDIT CHECK ED8_1: SAMEALLYEAR <> YES, DISPLAY: If R now says the methods used were not the same for the rest of the year, return to METHHIST (listed below) and change the methods used for this month. Otherwise, change the answer to this question (SAMEAllYear) to "Yes"

INVOLVING(METHHIST)

EDIT CHECK ED6_1: IF METHOD REPORTED IN ED-6 METHHIST OTHER THAN 22 OR 23 OR ED-7 SP_METHHIST WAS NOT REPORTED IN EA-1 (PILL)

TO EA-15 (SP_OTHRMETH), DISPLAY: I do not have (METHHIST_FILL) that you just told me about in my computer from our question on the types of methods that you ever used. It will just take me a moment to add it.

INVOLVING(EA SERIES QUESTION ASSOCIATED WITH
METHHIST_FILL)

EDIT CHECK ED6_2: PROBE IF ED-6 METHHIST INCLUDES 1 (NO METHODS USED)

AND ANOTHER ANSWER "You have reported that you used no method but also that you used [METHHIST_FILL] that/this month. Do I have something wrong?"

EDIT CHECK ED6_3:

PROBE IF ED-6 METHHIST = 2 (SAME AS PREVIOUS MONTH)
AND ED-6 METHHIST > 2 (A METHOD) "IWER: "same as last
month" cannot be selected along with another method
for the same month."

EDIT CHECK ED6 4a:

PROBE IF MONTH IN QUESTION = CMFIRSM AND METHHIST = 1 (NO METHODS USED) DISPLAY: You have reported that you did not use a method in this month, but this month is the month you earlier said you used a method for the first time. Do I have something wrong?

EDIT CHECK ED6_4b:

PROBE IF MONTH IN QUESTION = CMFIRSM AND METHHIST NE EB-1 FIRSMETH. DISPLAY: Earlier, you reported using a method (METHHIST_FILL) when we discussed which methods you used the first time you used a method, but you did not report that method here. Do I have something wrong?

INVOLVING: METHHISTXXXX, CMFIRSM, EB-1 FIRSMETH

EDIT CHECK ED6_5:

PROBE IF MONTH IN QUESTION=CMFIRSM AND USEFSTSX=YES AND ED-6 METHHIST NE MTHFSTSX INVOLVING: METHHIST****, CMFIRSM, USEFSTSX, MTHFSTSX

EDIT CHECK ED6_6:

PROBE IF ED-6 METHHIST INCLUDES 4 (CONDOM), 12 (DIAPHRAGM), 14 (FOAM), 15 (JELLY OR CREAM), 16 (CERVICAL CAP), 17 (SUPPOSITORY), 18 (TODAY SPONGE), 13 (FEMALE CONDOM), 20 (EMER.CONTRACEPTION), 7 (WITHDRAWAL), 10 (RHYTHM) OR 11 (SAFE PERIOD), AND MONTH IS NONINTERCOURSE AS INDICATED BY MONSXXXXX FOR THIS MONTH. Display: You have reported a method that is used during an act of sexual intercourse (METHHIST for this month), but earlier you reported you did not have sexual intercourse in this month (MONSX for this month). Please help me correct the information. INVOLVING: MONSXnnnn and METHHISTXXXX

EDIT CHECK ED6 7:

PROBE IF ED-6 METHHIST INCLUDES 3 (PILL), 19 (IUD), 9 (IMPLANT), 8 (DEPO), 20 (EMERGENCY CONTRACEPTION), OR 22 (RESPONDENT STERILE) AND MONTH IN QUESTION IS WITHIN 2 MONTHS BEFORE CMBDAY_S, OR IF CURRPREG=1 (YES) AND MONTH IN QUESTION IS 7TH, 8TH, OR 9TH MONTH OF PREG, DISPLAY: Based on what I recorded earlier, you would have been in the seventh month of pregnancy or later, in this month. Is your pregnancy and method use information correct for this month, or has something been entered incorrectly?
INVOLVING: METHHISTXXXX

FLOW CHECK E-46a: IF EDIT CHECK ED1_7 IS SUPPRESSED, GO TO ED-8a SU_FIRSMETH.

ELSE GO TO FLOW CHECK E-14.

SU METHHIST

ED-6a. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK ED6_7: Based on what I recorded earlier, you would have been in the seventh month of pregnancy or later, in this month. Is your pregnancy and method |use information correct for this month or has something been entered incorrectly?

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1 Field Date: beginning June 2006

- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

Baby's birth date is wrong1
R is not currently pregnant2
R is currently pregnant but is not in the last 3 months of
pregnancy3
Unable to correct the question on method used during this
month (METHHIST)4
R unable to/refused to resolve the discrepancy5
Some other reason6

FLOW CHECK E-47: IF MONTH IN QUESTION = CMJAN3YR THEN ASK ED-9 DATBEGIN_M ELSE IF MONTH IN QUESTION > CMJAN3YR THEN GO TO FLOW CHECK E-50

FLOW CHECK E-48: NUMMULT=TOTAL NUMBER OF METHODS REPORTED IN ED-6 METHHIST (max = 4)

DATBEGIN M

1 of 2

ED-9. IF ONLY ONE METHOD REPORTED IN 1ST MONTH OF MC, ASK:
When did you start using this method? If you used this method on and
off before (CMSTRTMC_FILL), please tell me when you started using the
method most recently before (CMSTRTMC_FILL).

IF MORE THAN ONE METHOD REPORTED IN 1ST MONTH OF MC, AND NONE OF THEM IS PILL, ASK:

When did you start using that method combination? If you used that method combination on and off before (CMSTRTMC_FILL), please tell me when you started using the method combination most recently before (CMSTRTMC FILL).

IF MORE THAN ONE METHOD REPORTED IN 1ST MONTH OF MC, AND ONE OF THEM IS PILL, ASK:

When did you start using that method combination? If you used that method combination on and off before (CMSTRTMC_FILL), please tell me when you started using the method combination most recently before (CMSTRTMC_FILL).

If you used the methods at different times during that month, please tell me when you started using $\underline{\text{the pill}}$ most recently before (CMSTRTMC FILL).

- ullet If R has difficulty remembering, refer her to the life history calendar.
- ◆ ENTER MM/YYYY
- ◆ PROBE for season if DK month

[CALENDAR REFERENCE] [HELP AVAILABLE]

1.	January	5.	May	9.	September	13.	Winter
2.	February	6.	June	10.	October	14.	Spring
3.	March	7.	July	11.	November	15.	Summer
4.	April	8.	August	12.	December	16.	Fall

DATBEGIN_Y

2 of 2

ED-9. IF ONLY ONE METHOD REPORTED IN 1ST MONTH OF MC, ASK:

(When did you start using this method? If you used this method on and off before (CMSTRTMC), please tell me when you started using the method most recently prior to (CMSTRTMC).)

IF MORE THAN ONE METHOD REPORTED IN 1ST MONTH OF MC, AND NONE OF THEM IS PILL, ASK:

(When did you start using that method combination? If you used that method combination on and off before (CMSTRTMC_FILL), please tell me when you started using the method combination most recently prior to (CMSTRTMC_FILL).)

IF MORE THAN ONE METHOD REPORTED IN 1ST MONTH OF MC, AND ONE OF THEM IS PILL, ASK:

(When did you start using that method combination? If you used that method combination on and off before (CMSTRTMC_FILL), please tell me when you started using the method combination most recently prior to (CMSTRTMC_FILL).

If you used the methods at different times during that month, please tell me when you started using $\underline{\text{the pill}}$ most recently before (CMSTRTMC_FILL).)

- ullet If R has difficulty remembering, refer her to the life history calendar.
- ◆ ENTER MM/YYYY

{underlying range 1966 to 2011

[CALENDAR REFERENCE]

FLOW CHECK E-49: COMPUTE CMDATBEGIN = CM for date began method reported in first month of method calendar

SET CMDATBEGIN=null/blank

IF DATBEGIN_Y=RF, SET CMDATBEGIN=9998.
ELSE IF DATBEGIN_Y=DK, SET CMDATBEGIN=9999.

ELSE IF DATBEGIN M <= 12,

COMPUTE CMDATBEGIN=(DATBEGIN_Y - 1900) * 12 + DATBEGIN_M.

ELSE IF 13 <= DATBEGIN_M <= 16, USE MONTH APPROPRIATE TO SEASON AND COMPUTE CMDATBEGIN AS ABOVE

ELSE IF DATBEGIN_M = DK OR RF, ASSIGN MONTH = 6 (June) AND COMPUTE CMDATBEGIN AS ABOVE.

Edit Check ED9_1: IF (DATBEGIN_M LE 12) AND CMDATBEGIN > CMINTVW,

DISPLAY: The date entered cannot be after the date of interview. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check ED9 2: IF (DATBEGIN M LE 12) AND CMDATBEGIN < CMBIRTH,

DISPLAY: The date entered cannot be before her date of birth. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check ED9_3: IF (13 LE DATBEGIN_M LE 16) AND CMDATBEGIN > (CMINTVW

+ 2) , DISPLAY: The date entered cannot be after the

date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check ED9 5: IF (DATBEGIN M = DK OR RF) AND DATBEGIN Y >

(CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check ED9_6: IF (DATBEGIN_M = DK OR RF) AND DATBEGIN_Y <

(CMBIRTH/12 +1900) - 1, DISPLAY: The date entered cannot be before her date of birth. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK ED9_7: PROBE IF DATBEGIN > CMSTRTMC, DISPLAY: R has reported

a date that is after the start of the method history calendar. Verify with R the correct date and re-enter.

INVOLVING(DATBEGIN_M,DATBEGIN_Y)

EDIT CHECK ED9_8: PROBE IF DATBEGIN < CMFIRSM, DISPLAY: R has reported a

date that is before the date she reported using a method for the first time. Verify with R the correct

date and re-enter.

INVOLVING(DATBEGIN_M,DATBEGIN_Y)

FLOW CHECK E-50: IF NUMMULT=2 (TWO METHODS USED IN THE MONTH), ASK ED-10

SIMSEQ.

ELSE IF NUMMULT>2 (MORE THAN TWO METHODS USED IN THE MONTH),

GO TO ED-11 MTHUSIMX.

ELSE, IF NUMMULT=1 (ONLY ONE METHOD USED IN THE MONTH), GO

TO FLOW CHECK E-51

SIMSEQ

ED-10. Did you use those methods together, that is, at the same time, or did you use them at different times during the month?

[HELP AVAILABLE]

Same time.....1
Different times....2

FLOW CHECK E-51: GO TO FLOW CHECK E-53

MTHUSIMX

ED-11. IF FIRST TIME QUESTION ASKED FOR THE MONTH, ASK:

During that month, which of those methods, if any, did you use at the same time?

- Select first set of methods used simultaneously.
- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

IF SECOND OR THIRD TIME QUESTION ASKED FOR THE MONTH, ASK: During that month, which $\underline{\text{other}}$ methods, if any, did you use at the same time?

- ◆ Select next set of methods used simultaneously.
- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

None
Other method (Display specified response)21
R's sterility

PROBE IF METHOD REPORTED IN ED-11 MTHUSIMX NE METHOD
REPORTED IN ED-6 METHHIST FOR THAT MONTH. Method given
is not among those methods selected in the method
history for this month. Make sure that the choices
selected are all choices that had been selected
previously in the method history for this month.
INVOLVING: MTHUSIMXnn and METHHIST[xxxx]

- FLOW CHECK E-52: REPEAT ED-11 MTHUSIMX [NUMMULT]-1 TIMES, ([NUMMULT] = NUMBER OF METHODS REPORTED IN THE MONTH), OR UNTIL ED-11 MTHUSIMX=1 (NONE). WHEN [NUMMULT]-1 TIMES REACHED, OR ED-11 MTHUSIMX =1, GO TO FLOW CHECK E-53
- FLOW CHECK E-53: (This does the following: If there are more months to record, go back to beginning of loop. Otherwise, go to next flow check)

 INCREMENT METHCNTR BY 1

IF METHCNTR < NUMMCMON THEN RETURN TO ED-6 METHHIST ELSE IF METHCNTR = NUMMCMON THEN GO TO FLOW CHECK E-54

FLOW CHECK E-54:

COMPUTE CURRMETH1, CURRMETH2, CURRMETH3, CURRMETH4.

INITIALIZE TO NULL/BLANK.

(Create variables for method(s) used in current month

Field Date: beginning June 2006

(interview month). Can be up to 4 different methods)
COMPUTE LSTMONMETH1, LSTMONMETH2, LSTMONMETH3, LSTMONMETH4.
INITIALIZE TO NULL/BLANK.

(Create variables for method(s) used in month before interview. Can be up to 4 different methods) EACH INDIVIDUAL METHOD IN THE ENTER ALL THAT APPLY ANSWER TO ED-6 METHHIST SHOULD BE PLACED IN ITS OWN VARIABLE HERE FOR CURRMETHX AND LASTMONMETHX.

FLOW CHECK E-55: COMPUTE PILL_12, DIAPH_12, IUD_12, IMPLANT_12, DEPO_12,

CERVC_12, MPILL_12, LUNEL_12, PATCH_12, RING_12

(Create yes/no (1/5) variable for whether she used the method at all in the 12 months prior to interview (including month of interview) for Section F)

INITIALIZE PILL_12, DIAPH_12, IUD_12, IMPLANT_12, DEPO_12,
CERVC_12, MPILL_12, LUNEL_12, PATCH_12, RING_12 TO 5

IF METHHIST1,2,3,4 for month of interview = 3 or METHHIST1,2,3,4 for (month of interview - 1) = 3 or METHHIST1,2,3,4 for (month of interview - 2) = 3 or

METHHIST1,2,3,4 for (month of interview - 11) = 3 then PILL 12 = 1

IF METHHIST1,2,3,4 for month of interview = 12 or
METHHIST1,2,3,4 for (month of interview - 1) = 12 or
METHHIST1,2,3,4 for (month of interview - 2) = 12 or
...
METHHIST1,2,3,4 for (month of interview - 11) = 12 then

METHHIST1,2,3,4 for (month of interview - 11) = 12 ther DIAPH_12 = 1

FLOW CHECK E-56: IF RHADSEX = NO AND EA-1 PILL = YES, GO TO FLOW CHECK E-97

(pill for health reasons - EJ).

ELSE IF RHADSEX = NO AND EA-1 PILL NE YES, GO TO FLOW CHECK

F-0

ELSE IF RHADSEX = YES GO TO FLOW CHECK E-57

METHOD USE AT LAST (AND FIRST) SEX WITH UP TO 3 PARTNERS IN THE PAST 12 MONTHS (EF) FLOW CHECK E-57:

IF PARTS12 = 0 OR

(PARTS12=DK/RF AND (CMLSEX1=NULL/BLANK OR CMLSEX1 < CMLSTYR)) OR (PARTS12=1 and LIFEPRT=1 and LSTSEXFP $_{\rm M}$ =96),

GO TO FLOW CHECK E-64

ELSE IF PARTS12 > 0 OR (PARTS12=DK/RF AND CMLSEX1 GE CMLSTYR), CONTINUE WITH INTRBC12.

INTRBC12

 EF_0 . IF PARTS12 = 1, SAY:

Now I have some questions about your use of birth control with your sexual partner within the past year, that is, since (CMLSTYR_FILL). It will be helpful to look at your calendar for any information on sexual partners, months you did not have intercourse, and birth control methods you used.

ELSE IF PARTS12 = 2 or 3, SAY:

Now I have some questions about your use of birth control with your (PARTS12) sexual partners within the past year, that is, since (CMLSTYR_FILL). It will be helpful to look at your calendar for any information on sexual partners, months you did not have intercourse, and

OMB No. 0920-0314

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1 Field Date: beginning June 2006

birth control methods you used.

ELSE IF PARTS12 GT 3, SAY:

Now I have some questions about your use of birth control with your sexual partners within the past year, that is, since (CMLSTYR_FILL). It will be helpful to look at your calendar for any information on sexual partners, months you did not have intercourse, and birth control methods you used. In order to save time during the interview, I'll only ask you about your 3 most recent partners in the past 12 months. Let's start with [PlNAME].

[CALENDAR REFERENCE]

◆ ENTER [1] to continue

{ underlying range 1 to 1

FLOW CHECK E-58: INITIALIZE EF-CNTR = 1.

FLOW CHECK E-59:

ASK EF-1 USELSTP THROUGH EF-4 FOR UP TO 3 PARTNERS IN LAST 12 MONTHS: USING P1NAME, P2NAME, P3NAME, and CMLSEX1_FILL, CMLSEX2_FILL, CMLSEX3_FILL (until EF-CNTR GT smaller value of 3 or PARTS12).

FLOW CHECK E-60: IF P1YRELPX = 13 AND CMLSEXFP= 9996 (only had sex once with her first partner), GO TO FLOW CHECK E-63. (We already have method use info for first sex with first sexual partner).

ELSE CONTINUE WITH USELSTP EF-1

USELSTP

EF-1. IF CMFSEXx = 9996 (only had sex once with this partner), ASK:
Looking at Card 33, the time you had intercourse with [PxNAME] in
[CMLSEXx_FILL], did you or he use any method?

ELSE ASK:

Looking at Card 33, the last time you had intercourse with [PxNAME] in [CMLSEXx_FILL, did you or he use any method?

[SHOW CARD 33]

Yes																		1
No.																		5

EDIT CHECK EF1_1:

CHECK AGAINST METHOD CALENDAR:
. IF METHHIST ED-1 FOR THAT MONTH (CMLSEXx) = 1 (NO METHODS USED) AND USELSTP= 1 (YES), PROBE

. IF METHHIST ED-1 FOR THAT MONTH INCLUDES 3 (PILL), 5 (VASECTOMY), 19 (IUD), 9 (IMPLANT), 8 (DEPO-PROVERA), 22 (RESPONDENT STERILE), OR 24 (LUNELLE) AND

USELSTP=NO, PROBE: R has reported using a method at last sex with this partner, but this conflicts with the method history calendar entry for this month.

Probe R and clarify any possible mistakes

INVOLVING: USELSTP and METHHISTXXXX

FLOW CHECK E-60b: IF EDIT CHECK EF1_1 IS SUPPRESSED, GO TO EF-1a SU_USELSTP.

ELSE GO TO FLOW CHECK E-60a.

SU_USELSTP

EF-la. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EF1_1: (R has reported using a method at last sex with this partner, but this conflicts with the method history calendar entry for this month. Probe R and clarify any possible mistakes.)

- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

FLOW CHECK E-60a: IF EF-1 USELSTP NE 1 THEN GO TO FLOW CHECK E-61 ELSE IF EF-1 USELSTP = 1 THEN ASK EF-2 LSTMTHP.

LSTMTHP

EF-2. Which method or methods on Card 33 did you or he use?

[SHOW CARD 33]

Birth control pills
Condom4
Partner's vasectomy5
Female sterilizing operation, such as tubal sterilization and hysterectomy6
Withdrawal, pulling out7
Depo-Provera, injectables8
Hormonal implant (Norplant tm or Implanon tm)9
Rhythm or safe period by calendar10
Safe period by temperature or cervical mucus test,
natural family planning11
Diaphragm12
Female condom, vaginal pouch
Foam14
Jelly or cream
Cervical cap
Suppository, insert
Today tm sponge18
IUD, coil, loop
"Morning after" pills or emergency Contraception20
Other method specify21
Respondent was sterile22
Respondent's partner was sterile
Lunelle injectable (monthly shot)24
Contraceptive patch
Vaginal contraceptive ring26

EDIT CHECK EF2_1: PROBE IF METHHIST ED-1 FOR THAT MONTH (CMLSEXx) DOES NOT INCLUDE LSTMTHP. Display:

R has reported a method at last sex with this partner that conflicts with the method history calendar entry for this

month. Probe R and clarify any possible mistakes.

INVOLVING: LSTMTHP and METHHISTXXXX

FLOW CHECK E-60c: IF EDIT CHECK EF2_1 IS SUPPRESSED, GO TO EF-2a SU_LSTMTHP ELSE GO TO FLOW CHECK E-61.

SU LSTMTHP

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EF2_1: (R has reported a method at last sex with this partner that conflicts with the method history calendar entry for this month. Probe R and clarify any possible mistakes.))

- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

FLOW CHECK E-61: (This flow check does the following: FIRST PARTNERS WITH
WHOM SHE HAD SEX MORE THAN ONCE GET HERE. DON'T NEED TO ASK
NEXT QUESTIONS ABOUT METHOD USE AT FIRST SEX W/THEM BECAUSE
WE ALREADY KNOW. FIRST PARTNERS WITH WHOM SHE HAD SEX ONLY
ONCE HAVE ALREADY BEEN SKIPPED TO END OF LOOP.)

IF P1YRELPX = 13, GO TO FLOW CHECK E-63

FLOW CHECK E-62: IF CMFSEXx = 9996 (only had sex with this partner once), GO TO FLOW CHECK E-63.

USEFSTP

EF-3. Looking at Card 33, the <u>first</u> time you had intercourse with [PxNAME] in [CMFSEXx_FILL], did you or he use any method?

[SHOW CARD 33]

EDIT CHECK EF3_1: CHECK AGAINST METHOD CALENDAR:

IF CMFSEXx >= CMJAN3YR (WITHIN PAST 3 YRS):
. IF METHHIST ED-1 FOR THAT MONTH (CMFSEXx) =1 (NO
METHODS USED) AND USEFSTP = 1 (YES), PROBE
. IF METHHIST ED-1 FOR THAT MONTH INCLUDES 3 (PILL), 5
(VASECTOMY), 19 (IUD), 9 (IMPLANT), 8 (DEPO-PROVERA),
22 (RESPONDENT STERILE), OR 24 (LUNELLE) AND USEFSTP=
5 (NO), PROBE:

R has reported using a method at first sex with this partner, but this conflicts with the method history calendar entry for this month. Probe R and clarify any possible mistakes.

INVOLVING: USEFSTP and METHHISTXXXX

FLOW CHECK E-62b: IF EDIT CHECK EF3_1 IS SUPPRESSED, GO TO EF-3a SU_USEFSTP ELSE GO TO FLOW CHECK E-62a.

SU USEFSTP

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EF3_1: (R has reported using a method at first sex with this partner, but this conflicts with the method history calendar entry for this month. Probe R and clarify any possible mistakes.)

- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

FLOW CHECK E-62a: IF EF-3 USEFSTP NE 1 THEN GO TO FLOW CHECK E-63 ELSE IF EF-3 USEFSTP = 1 THEN ASK EF-4 FSTMTHP.

FSTMTHP

EF-4. Which method or methods on Card 33 did you or he use?

[SHOW CARD 33]

Birth control pills
Condom
Partner's vasectomy5
Female sterilizing operation, such as tubal
sterilization and hysterectomy6
Withdrawal, pulling out7
Depo-Provera, injectables8
Hormonal implant (Norplant tm or Implanon tm)9
Rhythm or safe period by calendar
Safe period by temperature or cervical mucus test,
natural family planning11
Diaphragm
Female condom, vaginal pouch
Foam
Jelly or cream
Cervical cap
Suppository, insert
Today tm sponge
IUD, coil, loop
"Morning after" pills or emergency Contraception20
Other method specify
Respondent was sterile
Respondent's partner was sterile23
Lunelle injectable (monthly shot)24
Contraceptive patch25
Vaginal contraceptive ring26

EDIT CHECK EF4_1: PROBE IF METHHIST ED-1 FOR THAT MONTH (CMFSEXx) DOES NOT INCLUDE FSTMTHP.

(R has reported a method at first sex with this partner that conflicts with the method history calendar entry for this month. Probe R and clarify any possible mistakes.)

INVOLVING: FSTMTHP and METHHISTxxxx

FLOW CHECK E-62c: IF EDIT CHECK EF4_1 IS SUPPRESSED, GO TO EF-4a SU_FSTMTHP ELSE GO TO FLOW CHECK E-63.

SU FSTMTHP

EF-4a. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EF4_1: (R has reported a method at first sex with this partner that conflicts with the method history calendar entry for this month. Probe R and clarify any possible mistakes.)

- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

FLOW CHECK E-63: ADVANCE EF-CNTR BY 1.

IF PARTS12 = DK/RF, GO TO FLOW CHECK E-64.

ELSE IF EF-CNTR LE (smaller value of 3 or PARTS12), RETURN TO FLOW CHECK E-59 TO ASK ABOUT NEXT MOST RECENT PARTNER IN LAST 12 MONTHS.

ELSE IF EF-CNTR GT 3 or PARTS12 [ja: don't think we need the "or PARTS12" now], CONTINUE WITH FLOW CHECK E-64.

CONDITIONS SURROUNDING R'S PREGNANCIES: WANTEDNESS; PARTNER(S); MOTIVATION; REASONS (EG)

{ pregnancy dates and fills below should reflect final vars that are exported from Section B, after corrections, etc. from summary screen (check all vars below incl. name, outcome, length, date, number of babies).

FLOW CHECK E-64: IF EVERPREG=NO THEN GO TO FLOW CHECK E-86

FLOW CHECK E-65: INITIALIZE WANTCHTR TO 1

INITIALIZE LBCNTR TO 0 (NUMBER OF LIVE BIRTHS BEFORE NTH

PREGNANCY, WHERE N=WANTCNTR

INITIALIZE XX TO 1 (FOR FILLS/DATES (BEGFILXX, CMPRGENDX, CMPBEG_S[X]))

FLOW CHECK E-66: BEGINNING OF PREGNANCY LOOP.

{The following part used to be Flow Check E-67, but it has been incorporated into the beginning of this flow check.}

DEFINE BABYNAME_FILL (Fill for name of baby for live births or wording for relinquished or died)
SET BABYNAME_FILL = NULL/BLANK.

IF NBRNLV S[X] > 1

SET BABYNAME_FILL TO [MULT_S_FILL]

ELSE IF BABNAM_S[X] = BPAX,

SET BABYNAME_FILL TO "the baby you placed for adoption".

ELSE IF BABNAM_S[X] = BDSX,

SET BABYNAME_FILL TO "the baby that died"

ELSE BABYNAME_FILL= BABNAM_S[X]

CREATE FILLS FOR THE BEGINNING OF THE PREGNANCY INTERVALS. INITIALIZE BEGFILXX TO NULL/BLANK.

- (1) SET BEGFIL[XX] (XX = 1) = "your first intercourse"
- (2) SET BEGFILXX (XX > 1) = "(BABYNAME_FILL)'s birth in
 (CMENDP_S[X]_FILL)" WHERE CMENDP_S[X]_FILL IS FOR (XX-1)
 PREGNANCY IF PREVIOUS PREGNANCY ENDED IN LIVE BIRTH.
 ELSE, SET BEGFILXX (XX > 1) = "your (XX-1) pregnancy which
 ended in (CMENDP_S[X]_FILL)" WHERE CMENDP_S[X]_FILL IS FOR
 (XX-1) PREGNANCY

INTR-EG1

INTR EG1. IF NPREGS S = 1, ASK:

Now let's talk about the period of time from (BEGFILXX) until you became pregnant.

ELSE IF NPREGS_S>1 AND WANTCNTR < NPREGS_S, ASK:
Now let's talk about the period of time from (BEGFILXX) until you
became pregnant with your (XXTH) pregnancy which ended in
(CMENDP_S[X]_FILL).

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S, AND CURRPREG NE YES, ASK:

Now let's talk about the period of time from (BEGFILXX) until you became pregnant with your (XXTH) pregnancy which ended in (CMENDP_S[X]_FILL).

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG = YES, ASK: Now let's talk about the period of time from (BEGFILXX) until you became pregnant this time.

◆ ENTER [1] to continue

{ underlying range 1 to 1

FLOW CHECK E-68: CREATE INTERVALS

SET CMINTSTRXX = CMINTFINXX = CMINTSTROP = CMINTFINOP = CMINTSTRCR = CMINTFINCR = 0.

CLOSED INTERVALS:

1ST INTERVAL: 1ST SEX TO END OF 1ST PREG

CMINTSTR01 = CMFSTSEX

CMINTFIN01 = CMFSTPRG = CMPRGEND1

2ND INTERVAL: END OF 1ST PREG TO END OF 2ND PREG CMINTSTR02 = CMFSTPRG = CMPRGEND1

CMINTFIN02 = CMPRGEND2

Compute remaining intervals (up to NPREGS_S if not currently pregnant, or up to NPREGS_S - 1 if currently pregnant).

OPEN INTERVAL:

END OF LAST PREGNANCY TO MONTH OF INTERVIEW

CMINTSTROP = CMPRGEND[NPREGS_S] if not currently
pregnant OR CMPRGEND[NPREGS_S-1] if currently pregnant
CMINTFINOP = CMINTVW

CURR. PREG. INTERVAL:

1ST SEX TO MONTH OF INTERVIEW OR

END OF LAST PREG TO MONTH OF INTERVIEW

(IF NPREGS_S=1):

CMINTSTRCR = CMFSTSEX

CMINTFINCR = CMINTVW

(IF NPREGS S>1):

CMINTSTRCR = CMPRGEND[NPREGS_S-1]

CMINTFINCR = CMINTVW

CREATE PRGOUTCOME FILL:

INITIALIZE PRGOUTCOME_FILL = NULL/BLANK

IF OUTCOM_S[X] = 1 SET PRGOUTCOME_FILL = "Live Birth"

IF OUTCOM_S[X] = 2 SET PRGOUTCOME_FILL = "Not a Live

Birth'

IF OUTCOM_S[X] = 3 SET PRGOUTCOME_FILL = "Current
Pregnancy"

FLOW CHECK E-69: DEFINE ANYUSINT:

INITIALIZE ANYUSINT = NO.

IF R USED A METHOD IN ANY MONTH IN THE INTERVAL (METHHIST ED-1), SET ANYUSINT = YES.

(note: THIS IS USED IN RESNOUSE EG-5 TO INDICATE WHETHER ANY METHOD USED DURING EACH PREGNANCY INTERVAL)

(FOR PREGS BEGINNING >= CMJAN3YR

FLOW CHECK E-69a: (DETERMINE WHAT SHOULD BE THE FIRST QUESTION ASKED)

(FOR PREGNANCIES WITH DK/RF BEGINNING DATES.)

IF CMPBEG_S[X] = DK/RF AND EVERUSED = 5 (NO), GO TO RESNOUSE
EG-5.

ELSE IF CMPBEG_S[X] = DK/RF AND EVERUSED = 1 (YES), GO TO EVUSEINT EG-1.

ELSE IF CMPBEG_S[X] = DK/RF AND EVERUSED = SYSMIS, GO TO EVUSEINT EG-1.

FLOW CHECK E-70: (DETERMINE WHAT SHOULD BE THE FIRST QUESTION ASKED)

(FOR PREGNANCIES THAT BEGAN PRIOR TO CMJAN3YR:)

IF CMPBEG_S[X] < CMJAN3YR</pre>

IF EVERUSED = NO, GO TO EG-5 RESNOUSE
ELSE IF (CMFIRSM=DK/RF OR CMINTSTRXX=DK/RF), ASK
EVUSEINT EG-1

(if 1st meth use date unknown, or start date of interval (date of first sex) unknown, ask about use during interval)

ELSE IF CMFIRSM < CMINTSTRXX, ASK EVUSEINT EG-1.

(if 1st method use preceded first sex/end of nth preg, ask about use during interval)

NSFG 2006-08 FemaleE Year1CRO.doc

Field Date: beginning June 2006

ELSE IF CMINTSTRXX LE CMFIRSM LE CMINTFINXX, SET EVUSEINT EG-1 = YES AND GO TO STOPDUSE EG-2.

(if 1^{st} method use was between (or = to) 1^{st} sex and end of nth preg or end of nth preg and end of nth+1 preg, ask if stopped before nth/nth+1 preg.

ELSE IF CMINTFINXX < CMFIRSM, SET EVUSEINT EG-1 = NO AND GO TO EG-5 RESNOUSE.

(if 1^{st} method use was after end of nth preg, ask why no use before nth preg)

FLOW CHECK E-71: (FOR PREGNANCIES THAT BEGAN ON/AFTER CMJAN3YR)

{Note:

(These could be current)

IF CMPBEG S[X] GE CMJAN3YR

IF EVERUSED = NO, GO TO EG-5 RESNOUSE.

ELSE:

USING METHOD CALENDAR MONTH (METHHIST ED-6) CORRESPONDING TO CMPBEG_S[X],

- . IF R DID NOT USE A METHOD IN CMPBEG_S[X], GO TO EG-5
- . IF R USED A METHOD IN CMPBEG_S[X] BUT DID NOT USE ONE IN THE MONTH AFTER CMPBEG_S[X], GO TO STOPDUSE EG-2.
- . IF R USED A METHOD IN CMPBEG_S[X] AND IN THE MONTH AFTER CMPBEG_S[X],

AND THEY WERE THE SAME METHOD, GO TO EG-4

AND THEY WERE DIFFERENT METHODS, GO TO EG-2 STOPDUSE

{NOTE: DISPLAY HEADER ON SCREEN THROUGHOUT EG SERIES THAT INDICATES WHICH { PREGNANCY IS BEING DISCUSSED. {FOR NON-CURRENT PREGNANCIES, HEADER SHOULD SAY:

(XX) PREGNANCY ENDED (CMENDP_S[X]_FILL) - (PRGOUTCOME_FILL)

{FOR EXAMPLE: 2ND PREGNANCY ENDED 6/1/97 - NOT A LIVE BIRTH

{FOR CURRENT PREGNANCY, HEADER SHOULD SAY:

CURRENT PREGNANCY

EVUSEINT

EG-1. IF OUTCOM_S[X] NE LIVE BIRTH BY CESAREAN OR VAGINAL DELIVERY, ASK: Did you ever use any method of birth control between (BEGFILXX) and (CMENDP_S[X]_FILL)? Remember to include methods men use--that is condoms, vasectomy, and withdrawal--in your answer.

IF OUTCOM_S[X] = LIVE BIRTH BY CESAREAN OR VAGINAL BIRTH, ASK: Did you ever use any method of birth control between (BEGFILXX) and (BABYNAME_FILL's) birth? Remember to include methods men use--that is condoms, vasectomy, and withdrawal--in your answer.

STOPDUSE

EG-2. IF NPREGS S = 1, ASK:

Before you became pregnant, had you stopped using all methods of birth control?

ELSE IF NPREGS_S>1 AND WANTCNTR< NPREGS_S, ASK:
Before you became pregnant with your (XXTH) pregnancy which ended in

(CMENDP S[X] FILL), had you stopped using all methods of birth control?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK: Before you became pregnant with your (XXTH) pregnancy which ended in (CMENDP_S[X]_FILL)), had you stopped using all methods of birth control?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG = YES, ASK: Before you became pregnant this time, had you stopped using all methods of birth control?

WHYSTOPD

EG-3. Was the reason you stopped using all methods of birth control because you yourself wanted to become pregnant?

WHATMETH

EG-4. IF NPREGS_S=1, ASK:

You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant?

ELSE IF NPREGS_S>1 AND WANTCNTR< NPREGS_S, ASK:
You may have already told me, but looking at Card

You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant with your (XXTH) pregnancy which ended in (CMENDP_S[X]_FILL)?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK: You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant with your (XXTH) pregnancy which ended in (CMENDP_S[X]_FILL)?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES, ASK: You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant this time?

- ◆ If R spontaneously mentions "thought I was sterile" or "thought partner was sterile", ascertain whether any methods in answer list were used. If not, enter [1]
- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

[HELP AVAILABLE]
[SHOW CARD 38]

Field Date: beginning June 2006

test, natural family planning11
Diaphragm12
Female condom, vaginal pouch
Foam
Jelly or cream
Cervical cap
Suppository, insert
Today tm sponge18
IUD, coil, loop
"Morning after" pills or emergency
contraception20
Other method specify21
Lunelle injectable (monthly shot)24
Contraceptive patch25
Vaginal contraceptive ring26

EDIT CHECK EG4_1: IF CMPBEG_S[X] GE CMJAN3YR, and METHHIST[xxxx] FOR THAT

MONTH (CMPBEG_S[X]) DOES NOT INCLUDE EG-4 WHATMETH, PROBE

[You have reported using a method at the time you became pregnant that you did not report during the same month on the method history calendar. Do I have something wrong?

INVOLVING: EG-4 WHATMETH and METHHIST[xxxx].

FLOW CHECK E-71a: IF EDIT CHECK EG4_1 IS SUPPRESSED, GO TO EG-4a SU_WHATMETH ELSE GO TO FLOW CHECK E-72.

SU_WHATMETH

EG-4a. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EB1_3: You have reported using a method at the time you became pregnant that you did not report during the same month on the method history calendar. Do I have something wrong?)?)

- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

FLOW CHECK E-72: IF EG-4 WHATMETH INCLUDES 21 THEN GO TO EG-4 SP_WHATMETH_SP ELSE IF EG-4 WHATMETH DOES NOT INCLUDE 21 THEN GO TO INTR-EG2

WHATMETH_SP

EG-4c. (Fill variant from WHATMETH EG-4) What method was that?

◆ SPECIFY other type of method

[SHOW CARD 38]

TYPE: STRING[100]

FLOW CHECK E-72a: GO TO INTR-EG2

RESNOUSE

EG-5. IF EVERUSED = NO AND NPREGS_S=1, ASK:

Before you became pregnant, was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

ELSE IF EVERUSED = NO AND NPREGS_S>1 AND WANTCNTR< NPREGS_S, ASK: Before you became pregnant with your (XXTH) pregnancy which ended in (CMENDP_S[X]_FILL), was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

ELSE IF EVERUSED = NO AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK:

Before you became pregnant with your (XXTH) pregnancy which ended in (CMENDP_S[X]_FILL), was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

ELSE IF EVERUSED = NO AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES, ASK:

Before you became pregnant this time, was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

ELSE IF (EVUSEINT = YES OR ANYUSINT = YES) AND NPREGS_S = 1, ASK: You told me you had stopped using a birth control method before you became pregnant. Was the reason you had stopped using any methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = YES OR ANYUSINT = YES) AND NPREGS_S>1 AND WANTCNTR< NPREGS_S, ASK:

You told me you had stopped using a birth control method before you became pregnant with your (XXTH) pregnancy which ended in (CMPREGEND_FILL). Was the reason you had stopped using any methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = YES OR ANYUSINT = YES) AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=NO, ASK:

You told me you had stopped using a birth control method before you became pregnant with your (XXTH) pregnancy which ended in (CMENDP_S[X]_FILL). Was the reason you had stopped using any methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = YES OR ANYUSINT = YES) AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG = YES, ASK:

You told me you had stopped using a birth control method before you became pregnant this time. Was the reason you had stopped using any methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = NO/DK/RF AND ANYUSINT = NO) AND NPREGS_S = 1, ASK: You did not use any method of birth control from (BEGFILXX) until you became pregnant. Was the reason you were not using any methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = NO/DK/RF AND ANYUSINT = NO) AND NPREGS_S>1 AND WANTCNTR< NPREGS_S, ASK:

You did not use any method of birth control from (BEGFILXX) until you became pregnant with your (XXTH) pregnancy which ended in (CMENDP_S[X]_FILL). Was the reason you were not using any methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = NO/DK/RF AND ANYUSINT = NO) AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK:

You did not use any method of birth control from (BEGFILXX) until you

became pregnant with your (XXTH) pregnancy which ended in (CMENDP_S[X]_FILL). Was the reason you were not using any methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = NO AND ANYUSINT = NO) AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG = YES, ASK:

You did not use any method of birth control from (BEGFILXX) until you became pregnant this time. Was the reason you were not using any methods because you yourself wanted to become pregnant?

[HELP AVAILABLE]

Yes...... 1 (EG-10 TIMINGOK) No...... 5

{INTR-EG2 is only asked once for each R (for the 1st pregnancy).}
INTR-EG2

INTR_EG2.
IF NPREGS_S=1, SAY:

The next few questions are important. They are about how you felt right before you became pregnant.

ELSE IF NPREGS_S>1 AND WANTCNTR< NPREGS_S, SAY: The next few questions are important. They are about how you felt right before you became pregnant with your pregnancy which ended in (CMENDP_S[X]_FILL).

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, SAY:

The next few questions are important. They are about how you felt right before you became pregnant with your pregnancy which ended in (CMENDP S[X] FILL).

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG = YES, SAY: The next few questions are important. They are about how you felt right before you became pregnant this time.

◆ ENTER [1] to continue

{ underlying range 1 to 1

WANTBOLD

EG-6. IF NPREGS_S=1, ASK:

Right before you became pregnant, did you yourself want to have a baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR=0, ASK:

Right before you became pregnant this time, did you yourself want to have a baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR>0, ASK:

Right before you became pregnant this time, did you yourself want to have another baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR=0, ASK: Right before you became pregnant with your (XXTH) pregnancy (which ended in (CMENDP_S[X]_FILL)), did you yourself want to have a baby at $\underline{any\ time}$ in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR>0, ASK: Right before you became pregnant with your (XXTH) pregnancy (which ended

OMB No. 0920-0314

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1 Field Date: beginning June 2006

in $(CMENDP_S[X]_FILL))$, did you yourself want to have another baby at any time in the future?

[HELP AVAILABLE]

PROBBABE

EG-7. IF WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR=0, ASK:

It is sometimes difficult to recall these things but, right before this pregnancy began, would you say you probably wanted a baby at some time in the future or probably not?

ELSE IF WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR>0, ASK: It is sometimes difficult to recall these things but, right before this pregnancy began, would you say you probably wanted another baby at some time in the future or probably not?

ELSE IF LBCNTR=0, ASK:

It is sometimes difficult to recall these things but, right before that pregnancy began, would you say you probably wanted a baby at some time in the future or probably not?

ELSE IF LBCNTR>0, ASK:

It is sometimes difficult to recall these things but, right before that pregnancy began, would you say you probably wanted another baby at some time in the future or probably not?

```
Probably yes.... 1 (FLOW CHECK E-74)
Probably not.... 5
Didn't care..... 6 (FLOW CHECK E-74)
```

FLOW CHECK E-73: IF AGE_R < 20 YEARS, ASK EG-8 CNFRMNO ELSE, GO TO FLOW CHECK E-74a.

CNFRMNO

EG-8. IF NPREGS_S = 1, ASK:

So right before you became pregnant, you thought you did not want to have any children at any time in the future, is that correct?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR=0, ASK:

So right before you became pregnant this time, you thought you did not want to have any children at any time in the future, is that correct?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR>0, ASK:

So right before you became pregnant this time, you thought you did not want to have a (fill for (LBCNTR + 1)) child at any time in the future, is that correct?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR=0, ASK: So right before you became pregnant that time, you thought you did not want to have any children at any time in the future, is that correct?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR>0, ASK: So right before you became pregnant that time, you thought you did not want to have a (fill for (LBCNTR + 1)) child at any time in the future, is that correct?

Correct	1	(FLOW	CHECK	E-74a)
Incorrect	2			

INCORTXT

- EGINCO_1. I must have gotten something wrong. Let me ask this question again.
 - ◆ ENTER [1] to continue

{ underlying range 1 to 1

WANTBLD2

EG-9. IF NPREGS S=1, ASK:

Right before you became pregnant, did you yourself want to have a baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR=0,

Right before you became pregnant this time, did you yourself want to have a baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR>0, ASK:

Right before you became pregnant this time, did you yourself want to have another baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR=0, ASK: Right before you became pregnant with your (XXth) pregnancy (which ended in (CMENDP_S[X]_FILL)), did you yourself want to have a baby at $\underline{any\ time}$ in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR>0, ASK: Right before you became pregnant with your (XXth) pregnancy (which ended in (CMENDP_S[X]_FILL)), did you yourself want to have another baby at any time in the future?

Yes1			
No5	(FLOW	CHECK	E-74a)
Not sure, don't know6	(FLOW	CHECK	E-74a)
Didn't care 7	WO.TH)	CHECK	E = 74a)

FLOW CHECK E-74: IF EG-6 WANTBOLD=YES OR EG-7 PROBBABE=YES OR EG-9 WANTBLD2 = YES, ASK EG-10 TIMINGOK.

ELSE, (IF EG-6 WANTBOLD NE YES AND EG-7 PROBBABE NE YES AND EG-9 WANTBLD2 NE YES) GO TO FLOW CHECK E-74a.

TIMINGOK

EG-10. So would you say you became pregnant too soon, at about the right time, or later than you wanted?

[HELP AVAILABLE]

TOOSOONQ

1 of 2

EG-11. How much sooner than you wanted did you become pregnant?

___Number and (Months/Years)

{underlying range = 1-100

TOOSOONQQYM

OMB No. 0920-0314

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1 Field Date: beginning June 2006

2 of 2

EG-11. (How much sooner than you wanted did you become pregnant?)

◆ (TOOSOONQ) and Months/Years

Months.....1
Years.....2

FLOW CHECK E-74a: IF WANTCNTR = 1, GO TO INTROWTH. ELSE GO TO FLOW CHECK E-75.

INTROWTH

INTROWTH_1. Sometimes how people feel about having a baby in general can be different from how they feel about having a baby with a certain partner.

◆ ENTER [1] to continue

{ underlying range 1 to 1

FLOW CHECK E-75: IF TIMINGOK EG-10 = 2 OR 3 (RIGHT TIME OR LATER) OR PROBBABE EG-7 = 6 (DIDN'T CARE), ASK EG-12a WTHPART1. ELSE GO TO EG-12b WTHPART2

WTHPART1

EG-12a. I

IF NPREGS_S=1, ASK: Right before the pregnancy, did you want to have a baby $\underline{\text{with that}}$ partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR=0, ASK:

Right before this pregnancy, did you want to have a baby $\underline{\text{with that}}$ partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR>0, ASK:

Right before this pregnancy, did you want to have another baby with that partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR=0, ASK: Right before that pregnancy, did you want to have a baby with that partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR>0, ASK: Right before that pregnancy, did you want to have another baby with that partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

Definitely yes1	(FLOW	CHECK	E-76)
Probably yes2	(FLOW	CHECK	E-76)
Probably no3	(FLOW	CHECK	E-76)
Definitely no4	(FLOW	CHECK	E-76)

WTHPART2

EG-12b. IF NPREGS_S=1, ASK:

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1

Field Date: beginning June 2006

Right before the pregnancy, did you think you might <u>ever</u> want to have a baby <u>with that partner</u>?
Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR=0, ASK:

Right before this pregnancy, did you think you might $\underline{\text{ever}}$ want to have a baby with that partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR>0, ASK:

Right before this pregnancy, did you think you might $\underline{\text{ever}}$ want to have another baby with that partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR=0, ASK: Right before that pregnancy, did you think you might <u>ever</u> want to have a baby <u>with that partner</u>?

Would you say definitely yes, probably yes, probably no, or

Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR>0, ASK: Right before that pregnancy, did you think you might $\underline{\text{ever}}$ want to have another baby $\underline{\text{with that partner}}$? Would you say definitely yes, probably yes, probably no, or definitely no?

FLOW CHECK E-76: IF CMINTFINXX GE CMJAN3YR, ASK EG-13 FEELINPG. ELSE, IF CMINTFINXX < CMJAN3YR, GO TO EG-16 HPWNOLD.

FEELINPG

EG-13. Please look at the scale on Card 39. On this scale, a one means that you were very unhappy to be pregnant and a ten means that you were very happy to be pregnant. Tell me which number on the card best describes how you felt when you found out you were pregnant.

[SHOW CARD 39]

UNDERLYING RANGE: 1 TO 10

HPWNOLD

EG-16. IF NPREGS S=1, ASK:

Right before you became pregnant, did the father want you to have a baby at any time in the future?

◆ If R says [DK], do not probe.

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR=0, ASK:

Right before you became pregnant this time, did the father want you to have a baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND

OMB No. 0920-0314

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1

Field Date: beginning June 2006

LBCNTR>0, ASK:

Right before you became pregnant this time, did the father want you to have another baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR=0, ASK: Right before you became pregnant that (XXth) time, did the father want you to have a baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR>0, ASK: Right before you became pregnant that (XXth) time, did the father want you to have another baby at any time in the future?

[HELP AVAILABLE]

Yes1			
No5	(FLOW	CHECK	E - 77)
Not sure, don't know6	(FLOW	CHECK	E - 77)

TIMOKHP

So would you say you became pregnant sooner than he wanted, at EG-17. about the right time, or later than he wanted?

[HELP AVAILABLE]

Sooner	1
Right time	2
Later	3
Didn't care	4

FLOW CHECK E-77: IF (MARSTAT NE MARRIED OR (TIMESMAR>1 OR TIMESMAR=DK/RF) OR (CMMARRHX(for current husband)> CMENDP S[X] OR CMMARRHX(for current husband)=DK/RF OR CMENDP_S[X]=DK/RF)) ASK EG-18a COHPBEG

> (if not currently married, or married more than once, or times married unknown, or century month married greater than century month pregnancy ended, or century month married unknown, or century month pregnancy ended unknown, ask about living with the father at the beginning of the pregnancy)

ELSE

IF (TIMESMAR=1 AND MARSTAT=MARRIED AND ((CMENDP_S[X] NE DK/RF AND CMENDP_S[X] GE CMMARRHX) OR CMENDP_S[X] = blank/inapp (current pregnancy))) GO TO FLOW CHECK E-82 (if married only once, and currently married, and century month pregnancy ended greater than or equal to century month married or pregnancy is current, go to flow check E-82)

COHPBEG

EG-18a.

IF NPREGS S=1 THEN ASK:

Were you living with the father of the pregnancy at the beginning of the pregnancy?

ELSE IF NPREGS S>1 AND WANTCNTR< NPREGS S, ASK: Were you living with the father of your (XXth) pregnancy (which ended in (CMENDP_S[X]_FILL)) at the beginning of the pregnancy?

ELSE IF NPREGS S>1 AND WANTCNTR= NPREGS S AND CURRPREG NE YES THEN ASK:

Were you living with the father of your (XXth) pregnancy (which ended in (CMENDP_S[X]_FILL)) at the beginning of the pregnancy?

Field Date: beginning June 2006

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG = YES THEN ASK:

Were you living with the father of this pregnancy at the beginning of the pregnancy?

Yes.....1 No.....5

FLOW CHECK E-78: IF CURRPREG NE 1 (YES) or (CURRPREG=1 AND WANTCNTR< NPREGS_S), THEN ASK EG-18b COHPEND

ELSE IF WANTCNTR= NPREGS_S AND CURRPREG = 1 (YES) THEN GO TO EG-19 TELLFATH

COHPEND

EG-18b.

IF OUTCOM_S[X]=LIVE BIRTH BY CESAREAN OR VAGINAL DELIVERY, and BABYSEX_S=1 (male) ASK:

When [BABYNAME_FILL] was born, were you living with his father?

IF OUTCOM_S[X]=LIVE BIRTH BY CESAREAN OR VAGINAL DELIVERY, and BABYSEX S=2 (female) ASK:

When [BABYNAME FILL] was born, were you living with her father?

IF OUTCOM_S[X]=LIVE BIRTH BY CESAREAN OR VAGINAL DELIVERY, and BABYSEX S=NULL/BLANK ASK:

When [BABYNAME_FILL] was born, were you living with the father?

ELSE IF NPREGS_S=1 AND OUTCOM_S[X] NE LIVE BIRTH BY CESAREAN OR VAGINAL DELIVERY, ASK:

Were you living with the father of the pregnancy when the pregnancy ended?

ELSE IF NPREGS_S>1 AND OUTCOM_S[X] NE LIVE BIRTH BY CESAREAN OR VAGINAL DELIVERY, ASK:

Were you living with the father of that pregnancy when the pregnancy ended?

Yes.....1 No.....5

FLOW CHECK E-79: IF OUTCOM_S[X] NE LIVE BIRTH OR COHPEND NE 1 (YES), ASK EG-19 TELLFATH

ELSE, IF OUTCOM_S[X] = LIVE BIRTH AND COHPEND=1 (YES) GO TO FLOW CHECK E-82

TELLFATH

EG-19.

IF NPREGS_S=1 THEN ASK:

Did you tell the father of the pregnancy that you were pregnant?

IF NPREGS_S>1 AND WANTCNTR< NPREGS_S, ASK:</pre>

Did you tell the father of that (XXth) pregnancy that you were pregnant?

IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK: Did you tell the father of that (XXth) pregnancy that you were pregnant?

IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG = YES, ASK: Did you tell the father of your current pregnancy that you are pregnant?

Yes.....1

FLOW CHECK E-80: IF EG-19 TELLFATH=1 THEN GO TO FLOW CHECK E-81

ELSE IF EG-19 TELLFATH NE 1, THEN GO TO FLOW CHECK E-82

FLOW CHECK E-81: IF CURRPREG NE 1 (YES), ASK EG-20 WHENTELL

ELSE IF WANTCNTR= NPREGS S AND CURRPREG = 1 (YES) THEN GO TO

FLOW CHECK E-82

ELSE, ASK EG-20 WHENTELL

WHENTELL

EG-20. IF OUTCOM S[X] NE LIVE BIRTH, ASK:

When did you tell him that you were pregnant - during the pregnancy or after the pregnancy ended?

During the pregnancy......1
After the pregnancy ended....2

IF OUTCOM S[X] = LIVE BIRTH, ASK:

When did you tell him that you were pregnant - during the pregnancy or after the baby was born?

During the pregnancy.....1
After the baby was born....2

FLOW CHECK E-82: IF CMENDP_S[X] GE CMJAN3YR OR (WANTCNTR= NPREGS_S AND CURRPREG=1), ASK EG-21 TRYSCALE

ELSE IF CMENDP_S[X] < CMJAN3YR, GO TO FLOW CHECK E-85

TRYSCALE

EG-21. IF NPREGS_S=1, ASK:

Look at the scale on Card 40, where a 0 means trying hard \underline{not} to get pregnant, and a 10 means trying hard to \underline{get} pregnant. If you had to rate how much you were trying to get pregnant or avoid pregnancy right before you got pregnant, how would you rate yourself?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES, ASK: Look at the scale on Card 40, where a 0 means trying hard \underline{not} to get pregnant, and a 10 means trying hard to \underline{get} pregnant. If you had to rate how much you were trying to get pregnant or avoid pregnancy right before you got pregnant this time, how would you rate yourself?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S, ASK: Look at the scale on Card 40, where a 0 means trying hard \underline{not} to get pregnant, and a 10 means trying hard to \underline{get} pregnant. If you had to rate how much you were trying to get pregnant or avoid pregnancy right before you got pregnant that time, how would you rate yourself?

[SHOW CARD 40]

UNDERLYING RANGE 0 to 10

WANTSCAL

EG-22. IF NPREGS_S=1, ASK:

Look at the scale on Card 41, where a 0 means you wanted to <u>avoid</u> a pregnancy and a 10 means you wanted to <u>get</u> pregnant. If you had to rate how much you wanted or didn't want a pregnancy right before you got pregnant, how would you rate yourself?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES, ASK:

Look at the scale on Card 41, where a 0 means you wanted to <u>avoid</u> a pregnancy and a 10 means you wanted to <u>get</u> pregnant. If you had to rate how much you wanted or didn't want a pregnancy right before you got pregnant this time, how would you rate yourself?

ELSE IF NPREGS_S>1, AND WANTCNTR LE NPREGS_S, ASK:
Look at the scale on Card 41, where a 0 means you wanted to avoid a pregnancy and a 10 means you wanted to get pregnant. If you had to rate how much you wanted or didn't want a pregnancy right before you got pregnant that time, how would you rate yourself?

[SHOW CARD 41]

UNDERLYING RANGE 0 to 10

FLOW CHECK E-83: IF EG-10 TIMINGOK=1 (TOO SOON) OR EG-6 WANTBOLD=5 (NO) OR
EG-7 PROBBABE=5 (PROBABLY NOT) OR EG-9 WANTBLD2=5 (NO) THEN
GO TO FLOW CHECK E-84
ELSE IF EG-10 TIMINGOK NE 1 AND EG-6 WANTBOLD NE 5 AND EG-7
PROBBABE NE 5 AND EG-9 WANTBLD2 NE 5 THEN GO TO FLOW CHECK
E-85

FLOW CHECK E-84: IF ED-6 METHHIST CORRESPONDING TO CMPBEG_S[X] NE (1 OR SYSMIS) (NO METHODS USED) GO TO EG-23 WHYPRG

ELSE IF ED-6 METHHIST CORRESPONDING TO CMPBEG_S[X] = 1 OR SYSMIS (NO METHODS USED) OR EVERUSED = 5 (NO) GO TO EG-24 WHYNOUSE.

WHYPRG

EG-23. IF TIMINGOK=TOO SOON AND NPREGS_S=1, ASK:
Please look at Card 42. Earlier you told me your pregnancy
occurred too soon. Which of the following statements, if any,
applies to you right before you became pregnant? Your birth
control method failed, or you did not use your birth control
method properly?

ELSE IF TIMINGOK=TOO SOON, AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES, ASK:

Please look at Card 42. Earlier you told me this pregnancy occurred too soon. Which of the following statements, if any, applies to you right before you became pregnant this time? Your birth control method failed, or you did not use your birth control method properly?

ELSE IF TIMINGOK=TOO SOON, AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK:

Please look at Card 42. Earlier you told me that pregnancy occurred too soon. Which of the following statements, if any, applies to you right before you became pregnant that time (that is, with the pregnancy that ended in CMENDP_S[X]_FILL)? Your birth control method failed, or you did not use your birth control method properly?

ELSE IF TIMINGOK=TOO SOON, AND NPREGS_S>1 AND WANTCNTR< NPREGS_S, ASK:

Please look at Card 42. Earlier you told me that pregnancy occurred too soon. Which of the following statements, if any, applies to you right before you became pregnant that time (that is, with the pregnancy that ended in CMENDP_S[X]_FILL)? Your birth control method failed, or you did not use your birth control method properly?

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO,

AND NPREGS S=1, ASK:

Please look at Card 42. Earlier you told me that your pregnancy occurred at a time when you wanted no future pregnancies. Which of the following statements, if any, applies to you right before you became pregnant? Your birth control method failed, or you did not use your birth control method properly?

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO, AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES, ASK: Please look at Card 42. Earlier you told me that this pregnancy occurred at a time when you wanted no future pregnancies. Which of the following statements, if any, applies to you right before you became pregnant this time? Your birth control method failed, or you did not use your birth control method properly?

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO, AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK: Please look at Card 42. Earlier you told me that that pregnancy occurred at a time when you wanted no future pregnancies. Which of the following statements, if any, applies to you right before you became pregnant that time (that is, with the pregnancy that ended in CMENDP_S[X]_FILL)? Your birth control method failed, or you did not use your birth control method properly?

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO, AND NPREGS_S>1 AND WANTCNTR < NPREGS_S, ASK: Please look at Card 42. Earlier you told me that that pregnancy occurred at a time when you wanted no future pregnancies. Which of the following statements, if any, applies to you right before you became pregnant that time (that is, with the pregnancy that ended in CMENDP_S[X]_FILL)? Your birth control method failed, or you did not use your birth control method properly?

- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses
- ullet If Respondent volunteers she <u>wasn't</u> using a method, enter [3]

[SHOW CARD 42]

WHYNOUSE

EG-24.

IF TIMINGOK=TOO SOON AND NPREGS_S=1, ASK: Please look at Card 43. Earlier you told me your pregnancy occurred too soon. Which of the following statements applies to you right before you became pregnant? You did not use birth control because...

ELSE IF TIMINGOK=TOO SOON AND NPREGS_S>1, AND WANTCNTR= NPREGS_S AND CURRPREG=YES, ASK:

Please look at Card 43. Earlier you told me your pregnancy occurred too soon. Which of the following statements applies to you right before you became pregnant this time? You did not use birth control because...

ELSE IF TIMINGOK=TOO SOON, AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK:

Field Date: beginning June 2006

Please look at Card 43. Earlier you told me that pregnancy occurred too soon. Which of the following statements applies to you right before you became pregnant that time (that is, with the pregnancy that ended in CMENDP S[X] FILL)? You did not use birth control because.....

ELSE IF TIMINGOK=TOO SOON, AND NPREGS_S>1 AND WANTCNTR< NPREGS_S,

Please look at Card 43. Earlier you told me that pregnancy occurred too soon. Which of the following statements applies to you right before you became pregnant that time (that is, with the pregnancy that ended in CMENDP_S[X]_FILL)? You did not use birth control because.....

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO. AND NPREGS S=1, ASK:

Please look at Card 43. Earlier you told me that your pregnancy occurred at a time when you wanted no future pregnancies. Which of the following statements applies to you right before you became pregnant? You did not use birth control because.....

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO, AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES, ASK: Please look at Card 43. Earlier you told me that this pregnancy occurred at a time when you wanted no future pregnancies. Which of the following statements applies to you right before you became prequant this time? You did not use birth control because.....

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO, AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK: Please look at Card 43. Earlier you told me that that pregnancy occurred at a time when you wanted no future pregnancies. Which of the following statements applies to you right before you became pregnant that time (that is, with the pregnancy that ended in CMENDP_S[X]_FILL)? You did not use birth control because.....

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO, AND NPREGS S>1 AND WANTCNTR < NPREGS_S, ASK: Please look at Card 43. Earlier you told me that that pregnancy occurred at a time when you wanted no future pregnancies. Which of the following statements applies to you right before you became pregnant that time (that is, with the pregnancy that ended in CMENDP_S[X]_FILL)? You did not use birth control because....

- If Respondent volunteers sex was forced, enter [1]
- ◆ If Respondent volunteers she was using a method, enter [7]
- ◆ ENTER all that apply
- ◆ Press [Space] or [-] to separate responses

[SHOW CARD 43]

You did not expect to have sex
You were worried about the side effects of birth control4 Your male partner did not want you to use a birth control method
Your male partner did not want to use a birth control method

Respondent was using a method......7

FLOW CHECK E-85: IF WANTCNTR= NPREGS_S, GO TO FLOW CHECK E-86 ELSE IF WANTCNTR < NPREGS S:

- . ADVANCE WANTCNTR AND XX FOR FILLS/DATES (BEGFILXX, CMENDP_S[X], CMPBEG_S[X]) BY 1
- . IF OUTCOME OF (WANTCNTR-1) PREGNANCY INCLUDES LIVE BIRTH (OUTCOM_S[X] = live birth by vaginal or Cesarean delivery), ADVANCE LBCNTR BY 1.
- . RETURN TO FLOW CHECK E-66 (AND COMPLETE EG SERIES FOR NEXT PREGNANCY INTERVAL)

OPEN INTERVAL QUESTIONS (EH)

FLOW CHECK E-86: IF CURRPREG = YES, GO TO FLOW CHECK E-97

FLOW CHECK E-87: (This does the following: SKIP THIS WHOLE SECTION IF SHE IS
NOT CURRENTLY "AT RISK OF PREGNANCY")
IF EC-8 MONSX CORRESPONDING TO CMINTVW = 5 (NO INTERCOURSE)
OR RSTRSTAT = (1 (STERILE) OR 2 (NONSURGICALLY STERILE)) OR
ANY CURRMETHx=6 (STERILIZING OPERATION), GO TO FLOW CHECK E97

INTR-EH1

INTR_EH1. Now, I have a few more questions about birth control.

◆ ENTER [1] to continue

{ underlying range 1 to 1

FLOW CHECK E-88: IF CURRMETHx = 1 (NO METHODS USED) ASK EH-1 WYNOTUSE ELSE IF CURRMETHx NE 1 GO TO FLOW CHECK E-90.

WYNOTUSE

EH-1. Is the reason you are not using a method of birth control now because you, yourself, want to become pregnant as soon as possible?

Yes										1
No.										5

HPPREGQ

EH-2. And your partner, does he want you to become pregnant as soon as possible?

Yes.						 	 	1
No.						 	 	5
(If	vol:) no	current	partner	`	 	 	. 6

FLOW CHECK E-89: IF EH-1 WYNOTUSE=1 (YES) THEN ASK EH-2a DURTRY
ELSE IF WYNOTUSE EH-1 NE 1 (YES) GO TO FLOW CHECK E-90.

DURTRY

 ${\it 0}$ of ${\it 0}$

EH-2a. How long have you been trying to become pregnant?

- ___Number and (Months/Years)
- ◆ If R has been trying for less than a month enter [1]
- ◆ If R says she is / they are not trying, enter [95]

{underlying range = 0 to 95

DURTRYYM

2 of 2

EH-2b. (How long have you been trying to become pregnant?)

◆ (DURTRY) and Months/Years

Months.....1
Years.....5

FLOW CHECK E-90: Set PLACCNTR2=0

(PLACCNTR2 is counter for # of times PLACCUR asked)

FLOW CHECK E-91: IF ANY LSTMONMETH1 through LSTMONMETH4 = 3 (PILL), 4
(CONDOM), 6 (STERIZING OPERATION), 8 (DEPO), 9 (IMPLANT), 12
(DIAPHRAGM), 13 (FEMALE CONDOM), 14 (FOAM), 15
(JELLY/CREAM), 16(CERVICAL CAP), 17 (SUPPOSITORY), 18
(SPONGE), 19 (IUD), 20 (EMERG. CONTRACEPTION), 24 (LUNELLE),
25 (CONT. PATCH), OR 26 (CONTRACEP. RING) THEN GO TO FLOW
CHECK E-92

ELSE IF ANY LSTMONMETH1 through LSTMONMETH4 = 1 (NO METHODS USED), 7 (WITHDRAWAL), 10 (RHYTHM), 5 (PARTNER'S VASECTOMY), 11 (SAFE PERIOD BY TEMPERATURE), 22 (RESPONDENT STERILE), 23 (PARTNER STERILE), OR 21 (OTHER METHOD), DK, OR RF, GO TO FLOW CHECK E-97

(Determines who should get the next questions -- if drug or device type method was not used in the month before interview, skip past following questions)

FLOW CHECK E-92: IF LASTMONTH[PLACCNTR2] = 3 (PILL), 4 (CONDOM), 6 (STERIZING OPERATION), 8 (DEPO), 9 (IMPLANT), 12 (DIAPHRAGM), 13 (FEMALE CONDOM), 14 (FOAM), 15 (JELLY/CREAM), 16 (CERVICAL CAP), 17 (SUPPOSITORY), 18 (SPONGE), 19 (IUD), 20 (EMERG. CONTRACEPTION), 24 (LUNELLE), 25 (CONT. PATCH), OR 26 (CONTRACEP. RING), CONTINUE.

ELSE GO TO FLOW CHECK E-96 .

COMPUTE CMETHPRS FOR (PLACCNTR2) LASTMONMETH

SET CMETHPRS=0.

If LASTMONTH[PLACCNTR2] = 3 (pill) or 12 (Diaphram) or 8 (Depo-Provera) or 9 (Implant) or 16 (Cervical cap) or 19 (IUD) or 20 (Emergency Contraception) or 24 (Lunell) or 25 (Cont Patch) or 26 (contraceptive ring), CMETHPRS=1.

If LASTMONTH[PLACCNTR2]=DK/RF then CMETHPRS=DK/RF

(Sets new variable CMETHPRS to 1 if first method required a prescription, 0 if first method was non-prescription. Don't have to define explicitly to capture the non-prescription ones because only DRUGDEV are being routed here, so it will correctly get assigned the non-prescription drug/device methods. Also, ok to just look at LSTMONMETH1 for DK/RF)

FLOW CHECK E-92a: COMPUTE CURMTHRX_FILL FOR EACH RESPONSE TO LASTMONMETH

Field Date: beginning June 2006

(THESE RESPONSES ARE EACH PUT INTO A SEPARATE VARIABLE LSTMONMETH1 THROUGH LSTMONMETH4)

SET CURMTHRX FILL = NULL/BLANK.

If CMETHPRS=1, CURMTHRX_FILL = "the prescription for
[METHHIST FILL FOR LASTMONMETHx]"

Else if CMETHPRS = 0, CURMTHRX_FILL = [METHHIST_FILL FOR
LASTMONMETHx].

Else if CMETHPRS = DK/RF, CURMTHRX_FILL = NULL/BLANK.

(Causes question text to adapt depending on whether LSTMONMETH1 through LSTMONMETH4 required a prescription - asks where R got prescription if it did, method if it did not.)

PLACCUR

EH_3. Please look at Card 36. You may have already told me, but where did you get [CURMTHRX FILL] you used last month?

[HELP AVAILABLE]
[SHOW CARD 36]

Private doctor's officel
HMO facility
Community health clinic, community clinic, public health clinic3
Family planning or Planned Parenthood clinic4
Employer or company clinic5
School or school-based clinic6
Hospital outpatient clinic
Hospital emergency room8
Hospital regular room9
Urgent care center, urgi-care or walk-in facility10
Friend11
Partner or spouse
Drug store
Mail order / Internet14
Some other place

EDIT CHECK EH3 1:

PROBE IF CMETHPRS=1 AND PLACCUR EQ 11 OR 12 OR 13 OR 14 WITH: "You reported that the method you used last month was a method that generally requires a prescription; however, you just told me that you got the prescription from a friend, partner/spouse, drug store, or mail order/internet. Do I have one of these answers wrong? If necessary: Please think about where you got the prescription, whether or not that is also where you got the method itself."

FLOW CHECK E-94: IF EH-3 PLACCUR = 3 or 4 OR 6 OR 7, ASK State_name. ELSE IF EH-3 PLACCUR NE 3 or 4 OR 6 OR 7, GO TO FLOW CHECK E-96.

State_name

EH-4. What is the name and address of the place where you received [CURMTHRX FILL]?

What state is the place in?

• Either press [BackSpace] or start typing the state name to open the lookup table.

[HELP AVAILABLE]

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1

Field Date: beginning June 2006

CLINFST

EH-5.What is the name and address of the place where you received
 [CURMTHRX_FILL]?

- ◆ Either press [BackSpace] or start typing the name of the city where the clinic is located.
- 1) Type or select a city name
- 2) Select a clinic by scrolling up or down
- 3) Press [Enter]

[HELP AVAILABLE]

CityName

EH-7

ClinicName

EH-8

ClinicCode

EH-9a

ClinicType {Created variable for 'Agency type' (same as "TYPE9798_#" from EH-9c C6 data) code not shown but output to dataset}

Confirm

EH-10

I have found a clinic (by that name/in that city) at:

[Clinic.Name1]
[Clinic.Name2]
[Clinic.Address1]

[Clinic.Address2]

[Clinic.City], [Clinic.State] ···[Clinic.Zipcode]

County: [Clinic.CntyName]

Is this correct?

FLOW CHECK E-95: IF CONFIRM EH-10 = 1 OR RF, GO TO FLOW CHECK E-96. ELSE IF CONFIRM EH-10 = 6 OR DK, GO TO EH-3b CLINFSTN. ELSE, GO TO EDIT CHECK EH10_1.

CLINFSTN

EH-11. (What is the name and address of the place where you received [CURMTHRX_FILL]?)

ullet ENTER name and address of clinic you were unable to find in database

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1

Field Date: beginning June 2006

ullet If necessary: refer R to personal records or area phone books to obtain clinic name and address. If R is unable to provide the full address, record as much information as she can provide, including cross streets, etc.

[HELP AVAILABLE]

FLOW CHECK E-96: Increment PLACCNTR2 by 1

If PLACCNTR2 < NUMMULT then return to FLOW CHECK E-92 Else if PLACCNTR2=NUMMULT the go to FLOW CHECK E-97.

PILL FOR HEALTH REASONS (EJ)

FLOW CHECK E-97: IF CURRMETHx OR LASTMONMETHx = 3 (PILL), ASK EJ-1 YUSEPILL ELSE IF CURRMETHx NE 3 AND LASTMONMETHx NE 3 THEN, GO TO FLOW CHECK E-99

YUSEPILL

- EJ-1. Now I would like to know all of the reasons for your recent pill use. Have you used it for birth control, cramps or pain during menstrual period, treatment for acne, treatment for endometriosis, or for some other reason?
 - ◆ ENTER all that apply
 - ◆ Press [Space] or [-] to separate responses

TYPEPILL

- EJ-2. This chart shows types of oral contraceptive pills that are available for women today. Please tell me the number next to the type that you are currently using or used most recently.
 - If the R can't remember what her packs look like, but has one on hand, encourage her to get it so that you both can try to find it on the chart, or to see the brand name to enter into the answer field.
 - If pill is not on chart, ask R to specify type or brand and enter that information in the answer field.
 - ENTER pill number

[PILL CHART]

TYPE: STRING[20]

CONDOM CONSISTENCY: PAST 4 WEEKS & PAST 12 MONTHS (EL)

FLOW CHECK E-99: IF MONNOSX FOR EACH MONTH CMINTVW THROUGH CMLSTYR = 5 (NO INTERCOURSE), GO TO FLOW CHECK F-0.

(If R did not have intercourse in any of the past 12 months, skip this series.)

ELSE IF MONNOSX FOR ANY MONTH CMINTVW THROUGH CMLSTYR NE 5 (HAD INTERCOURSE OR DK/RF), GO TO EL-1 PST4WKSX (If R had intercourse in any of the past 12 months, proceed

OMB No. 0920-0314

NSFG 2006-08 FEMALE Questionnaire, Female E CRQ, Year 1 Field Date: beginning June 2006

to next question.)

PST4WKSX

- EL-1. Now please think about the last four weeks. How many times have you had sexual intercourse with a male in the last four weeks?
 - ◆ If R says "not at all" or "none", enter [0]

{ Underlying range = 0 to 995

FLOW CHECK E-99a: IF EA-2 CONDOM NE YES, GO TO FLOW CHECK F-0.

(If R has never used the condom, or answered dk/rf, skip the

rest of this series)

ELSE IF EA-2 CONDOM = YES, GO TO FLOW CHECK E-100

FLOW CHECK E-100: IF EL-1 PST4WKSX=1, ASK EL-2 PSWKCOND1

ELSE IF EL-1 PST4WKSX=0, GO TO EL-4 P12MOCON ELSE IF EL-1 PST4WKSX>1, GO TO EL-3 PSWKCOND2

PSWKCOND1

EL-2. Did you use a condom?

Yes.....1 (P12MOCON) No......5 (P12MOCON)

PSWKCOND2

EL-3. How many of those times did you use a condom?

- ◆ If R says "every time", enter [PST4WKSX]
- ◆ If R says "not at all" or "never", enter [0]

{ Underlying range 0 to 995

P12MOCON

EL-4. Please look at the card 48. Thinking back over the past 12 months, that is, since (CMLSTYR_FILL), would you say you used a condom with your partner for sexual intercourse every time, most of the time, about half of the time, some of the time, or none of the time?

[SHOW CARD 48]

Every time	. 1
Most of the time	. 2
About half of the time	. 3
Some of the time	. 4
None of the time	. 5