NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3

Field Date: Beginning July 2008

MALE SECTION B CAPI Reference Questionnaire (CRQ)

Sex Communication, Ever Sex, Number of Sexual Partners, Enumeration and Relationship With Up To 3 Recent (Or Last) Sexual Partner(s)

VARIABLES BROUGHT FORWARD TO THIS SECTION:

R's AGE AT INTERVIEW (FROM A) AGESCRN: R's AGE AT SCREENER (FROM A)

MARSTAT: MARITAL STATUS (FROM A)

FORMAL MARITAL STATUS OF ALL (FROM A) FMARIT:

CMINTVW: CENTURY MONTH OF INTERVIEW (FROM A)

CMLSTYR: CENTURY MONTH OF MONTH OF INTERVIEW - 1 YR (FROM A)

CMLSTYR_FILL: FILL FOR CENTURY MONTH OF MONTH OF INTERVIEW - 1 YR (FROM A)

CMFIVYR: CENTURY MONTH OF MONTH OF INTERVIEW - 5 YRS (FROM A)

CMBIRTH: CENTURY MONTH OF R'S BIRTH (FROM A)

EVRMARRY: WHETHER RESPONDENT EVER MARRIED (FROM A)

EVRCOHAB: WHETHER RESPONDENT EVER COHABITED WITH A WOMAN (FROM A)

NIMMETER: NIMMER OF TIMES MARRIED (FROM A)

NUMWIFE: NUMBER OF TIMES MARRIED (FROM A) NUMCOHAB:

NUMBER OF TIMES COHABITING (FROM A)
AE-3 HIGHEST SCHOOL GRADE/YEAR ATTENDED (USED IN EDIT CHECKS BA6_1, HIGRADE:

BA9_1, BA12_1, & BA15_1)

VARIABLES CREATED IN THIS SECTION & OUTPUT TO DATA FILE

CMVASEC: CENTURY MONTH OF VASECTOMY OR OTHER MALE STERILIZATION OPERATION (FC B-4)

CMRVRS:

CENTURY MONTH OF VASECTOMY REVERSAL (FC B-6)
WHETHER R SURGICALLY STERILE AT TIME OF INTERVIEW (FC B-6b) RSURGSTR

RSTRSTAT: STERILIZATION/FERTILITY STATUS OF R (FC B-7)
RHADSEX WHETHER R EVER HAD SEX OR NOT (FC B-1b)
FATHER: WHETHER R EVER BIOLOGICALLY FATHERED A CHILD, BASED ON EVRCHIL (FC B-9)
LIFEPRTS: NUMBER OF FEMALE SEX PARTNERS IN LIFE (FC B-10)
MON12PRTS: NUMBER OF FEMALE SEX PARTNERS IN LAST 12 MONTHS (FC B-11)
SEXSTAT: WHETHER EVER HAD SEX, HAD MORE THAN ONE SEX PARTNER EVER, AND HAD SEX

IN LAST 12 MONTHS (FC B-11a)

IN LAST 12 MONTHS (FC B-11a)

BIOKIDS: RUNNING COUNT OF BIOLOGICAL CHILDREN (FC B-11a)

BKIDNAM[X] NAME OF EACH BIO CHILD (FC B-11a)

BKIDAGE[X] AGE OF EACH BIO CHILD (FC B-11a)

BKIDAGEGP[X] AGE GROUP OF EACH BIO CHILD (FC B-11a)

BKIDSEX[X] SEX OF EACH BIO CHILD (FC B-11a)

BKIDHH[X] WHETHER EACH BIO CHILD LIVES IN HH OR ELSEWHERE (FC B-11a)

BKIDMAR[X] WHETHER EACH BIO CHILD BORN IN WEDLOCK OR NOT (FC B-11a)

BKIDLIV[X] WHETHER R LIVING WITH MOTHER AT TIME OF BIRTH, INCLUDING MARRIED AND

BKIDLIV[X]

COHABITING (FC B-11a)

POSS_DUP[X] WHETHER THIS CHILD IS A POTENTIAL DUPLICATE OF ANOTHER CHILD BASED ON

SEX/AGE (FC B-11a)

DUPLICATE[X] WHETHER THIS CHILD IS A DUPLICATE OF ANOTHER CHILD BASED ON DUPCHECK

(FC B-11a)

GA_BKIDELG[X] WHETHER BIO CHILD ELIGIBLE FOR SECTION GA OR NOT (FC B-11a)

GA_BKIDELG[X] WHETHER BIO CHILD ELIGIBLE FOR SECTION GA OR NOT (FC B-11a)

GB_BKIDELG[X] WHETHER BIO CHILD ELIGIBLE FOR SECTION GB OR NOT (FC B-11a)

ADOPKIDS: RUNNING COUNT OF ADOPTED CHILDREN (FC B-11a)

AKIDNAM[X] NAME OF EACH ADOPTED CHILD (FC B-11a)

AKIDAGE[X] AGE OF EACH ADOPTED CHILD (FC B-11a)

AKIDAGEGP[X] AGE GROUP OF EACH ADOPTED CHILD (FC B-11a)

AKIDSEX[X] SEX OF EACH ADOPTED CHILD (FC B-11a)

AKIDHH[X] WHETHER EACH ADOPTED CHILD LIVES IN HH OR NOT (FC B-11a)

POSS_DUP[X] WHETHER THIS CHILD IS A POTENTIAL DUPLICATE OF ANOTHER CHILD BASED ON

SEX/AGE (FC B-11a)

DUPLICATE[X] WHETHER THIS CHILD IS A DUPLICATE OF ANOTHER CHILD BASED ON DUPCHECK

(FC B-11a)

GA_AKIDELG[X] WHETHER ADOPTED CHILD ELIGIBLE FOR SECTION GA OR NOT (FC I GB_AKIDELG[X] WHETHER ADOPTED CHILD ELIGIBLE FOR SECTION GB OR NOT (FC I CURRPREG: WHETHER CURRENT WIFE/COHAB/PARTNER IS PREGNANT (FC B-11a) WHETHER ADOPTED CHILD ELIGIBLE FOR SECTION GA OR NOT (FC B-11a) WHETHER ADOPTED CHILD ELIGIBLE FOR SECTION GB OR NOT (FC B-11a)

CURRPRTS: NUMBER OF CURRENT NONMAR/NONCOHAB PARTNERS (FC B-11a)

NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3

Field Date: Beginning July 2008 TOTAL NUMBER OF WOMEN PREGNANT WITH R'S CHILD NOW (FC B-11a) PREGSNOW: CURRENT WIFE'S NAME/INITIALS (FC B-12) CURWIFE: CURRENT COHABITING PARTNER'S NAME/INITIALS(FC B-12) CURCOHAB: NAME OF WIFE R IS CURRENTLY SEPARATED NAME/INITIALS (FC B-12) CURSEP: P1NAME_FILL: NAME/INITIALS OF LAST SEXUAL PARTNER (FC B-13)
P2NAME_FILL: NAME/INITIALS OF 2ND TO LAST SEXUAL PARTNER (FC B-21) P3NAME FILL: NAME/INITIALS OF 3RD TO LAST SEXUAL PARTNER (FC B-29) CMLSXP1: CENTURY MONTH OF LAST SEX WITH LAST PARTNER (FC B-19) CMLSXP2: CENTURY MONTH OF LAST SEX WITH 2ND-TO-LAST PARTNER (FC B-27) CMLSXP3: CENTURY MONTH OF LAST SEX WITH 2ND-TO-LAST PARTNER (FC B-27)
CMLSXP1_FILL: FILL FOR DATE OF LAST SEX WITH LAST PARTNER (FC B-35)
CMLSXP2_FILL: FILL FOR DATE OF LAST SEX WITH 2ND-TO-LAST PARTNER (FC B-27)
CMLSXP3_FILL: FILL FOR DATE OF LAST SEX WITH 3ND-TO-LAST PARTNER (FC B-27)
CMLSXP3_FILL: FILL FOR DATE OF LAST SEX WITH 3ND-TO-LAST PARTNER (FC B-35) NAME/INITIALS OF FIRST SEX PARTNER EVER (FC B-38)
RELATIONSHIP OF LAST SEX PARTNER TO R (FC B-36)
RELATIONSHIP OF 2ND TO LAST SEX PARTNER TO R (FC B-36)
RELATIONSHIP OF 3RD TO LAST SEX PARTNER TO R (FC B-36)
FILL FOR RELATIONSHIP WITH LAST PARTNER (FC B-37)
FILL FOR RELATIONSHIP WITH 2ND TO LAST PARTNER (FC B-37)
FILL FOR RELATIONSHIP WITH 3RD TO LAST PARTNER (FC B-37) NAME/INITIALS OF FIRST SEX PARTNER EVER (FC B-38) FRSTNAME: P1RELATION: P2RELATION: P3RELATION: RELP1_FILL: RELP2 FILL: RELP3_FILL: Ever Had Sex; Sex Communication (BA) FLOW CHECK B-1a: IF EVRMARRY = 0 AND EVRCOHAB = 0, ASK BA-1 EVERSEX; ELSE GO TO FLOW CHECK B-1b { ASKED IF R NEVER MARRIED, NEVER COHABITED **EVERSEX** BA-1. The next section is about relationships with females. Have you ever had sexual intercourse with a female (sometimes this is called making love, having sex, or going all the way)? ♦ Do not count oral sex, heavy petting, or other forms of sexual activity that do not involve vaginal penetration. Do not count sex with a male partner. [HELP AVAILABLE] Yes....1 No....5 FLOW CHECK B-1b: CREATE RHADSEX (WHETHER R EVER HAD SEX OR NOT)

=0 (RHADSEX remains 0 if EVERSEX=DK/RF) SET

> IF EVRMARRY=1 OR EVRCOHAB=1 OR EVERSEX=1 =1 YES

IF BA-1 EVERSEX =5

IF EVERSEX BA-1 =1, ASK SXMTONCE BA-2; ELSE IF EVERSEX BA-1=5, GO TO YNOSEX BA-3; ELSE IF (EVRMARRY =1 OR EVRCOHAB=1) OR EVERSEX BA-1=DK OR RF, GO TO FLOW CHECK B-1d

{ ASKED IF R NEVER MARRIED, NEVER COHABITED BUT HAD SEX SXMTONCE

BA-2. Have you had sexual intercourse more than once?

[HELP AVAILABLE]

Yes1 No5

FLOW CHECK B-1c: GO TO FLOW CHECK B-1d

NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3

Field Date: Beginning July 2008

{ ASKED IF R NEVER MARRIED AND NEVER COHABITED AND SAID HE NEVER HAD SEX YNOSEX

BA-3.

As you know, some people have had sexual intercourse by your age and others have not. Please look at Card 13 which lists some reasons that people give for not having sexual intercourse.

What would you say is the <u>most</u> important reason why <u>you have not</u> had sexual intercourse up to now?

[SHOW CARD 13] [HELP AVAILABLE]

Against religion or morals	1
Don't want to get a female pregnant	2
Don't want to get a sexually transmitted disease	3
Haven't found the right person yet	4
In a relationship, but waiting for the right time	
Other	

FLOW CHECK B-1d: IF AGESCRN > 24, GO TO BB-1 EVEROPER

$\{$ ASKED IF AGE AT SCREENER <= 24

TALKPAR

BA-4.

IF AGE_R GE 18, SAY:

The next questions are about how you learned about sex and birth control. Before you were 18 years old, which, if any, of the topics shown on Card 23 did you ever talk with a parent or guardian about?

ELSE IF AGE_R LT 18, SAY:

The next questions are about how you learned about sex and birth control. Which, if any, of the topics shown on Card 23, have you ever talked with a parent or guardian about?

[SHOW CARD 23]

- ◆ ENTER all that apply.
- ◆ ENTER space or [-] to separate responses.

EDIT CHECK BA_4_1:

IF TALKPAR=7 AND ANY OTHER RESPONSE DISPLAY TEXT:
"None" cannot be selected with any other answer. Reverify with R and then either de-select all answers but "None" or de-select "None" before continuing.

{ ASKED IF AGE AT SCREENER <= 24 SEDNO

BA-5.

IF AGE_R < 18, SAY: Now I'm interested in knowing about formal sex education you may have had. Have you ever had any formal instruction at school, church, a community center or some other place about how to say no to sex?

NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3

Field Date: Beginning July 2008

ELSE, SAY: Now I'm interested in knowing about formal sex education you may have had. Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about how to say no to sex?

Yes.....1 No.....5

FLOW CHECK B-1e: IF SEDNO BA-5 =1, ASK SEDNOG BA-6 ELSE, GO TO SEDBC BA-8.

 $\{$ ASKED IF AGE AT SCREENER <= 24 AND HAD SEX ED ABOUT "HOW TO SAY NO TO SEX" SEDNOG

BA-6. What grade were you in when you first received instruction on how to say no to sex?

ullet ENTER [96] if R was not in school when he received the instruction

1st grade1
2nd grade2
3rd grade
4th grade4
5th grade5
6th grade6
7th grade7
8th grade8
9th grade9
10th grade10
11th grade
12th grade
1st year of college13
2nd year of college14
3rd year of college15
4th year of college
Not in school when received instruction96

UNDERLYING RANGE 1-16,96

EDIT CHECK BA6 1: PROBE IF BA-6 SEDNOG GT AE-3 HIGRADE. DISPLAY TEXT:

R has reported receiving this instruction in a grade higher than his highest grade attended. Please correct whichever item has been entered incorrectly.

FLOW CHECK B-2a: IF RHADSEX=YES THEN ASK BA-7 SEDNOSX ELSE IF RHADSEX NE YES THEN GO TO BA-8 SEDBC

SEDNOSX

BA-7. Did you receive instruction about how to say no to sex before or after the first time you had sex?

Before.....1 After....2

{ ASKED IF AGE AT SCREENER <= 24

SEDBC

BA-8. IF AGE_R < 18, SAY: Have you ever had any formal instruction at school, church, a community center or some other place about methods of birth control?

ELSE, SAY: Before you were 18, did you ever have any formal instruction at school, church, a community center or some other

NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3 Field Date: Beginning July 2008

place	about	methods	of	birth	control?

Yes.....1

FLOW CHECK B-2b: IF SEDBC BA-8 =1, ASK SEDBCG BA-9; ELSE, GO TO BA-11 SEDSTD

 $\{ \text{ ASKED IF AGE AT SCREENER} <= 24 \text{ AND HAD SEX ED ABOUT "METHODS OF BIRTH CONTROL"}$

SEDBCG

BA-9. What grade were you in when you first received instruction on methods of birth control?

ullet ENTER [96] if R was not in school when he received the instruction

1st grade1
2nd grade2
3rd grade3
4th grade4
5th grade5
6th grade6
7th grade7
8th grade8
9th grade9
10th grade10
11th grade11
12th grade12
1st year of college13
2nd year of college14
3rd year of college15
4th year of college16
Not in school when received instruction96

UNDERLYING RANGE 1-16,96

EDIT CHECK BA9_1: PROBE IF BA-9 SEDBCG GT AE-3 HIGRADE. DISPLAY TEXT:

R has reported receiving this instruction in a grade higher than his highest grade attended. Please correct whichever item has been entered incorrectly.

FLOW CHECK B-2c: IF RHADSEX=YES THEN ASK BA-10 SEDBCSX ELSE IF RHADSEX NE YES THEN GO TO BA-11 SEDSTD

SEDBCSX

BA-10. Did you receive instruction about methods of birth control before or after the first time you had sex?

{ ASKED IF AGE AT SCREENER <= 24

SEDSTD

BA-11. IF AGE_R LT 18, SAY: Have you ever had any formal instruction at school, church, a community center or some other place about sexually transmitted diseases?

ELSE, SAY: Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about sexually transmitted diseases?

NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3 Field Date: Beginning July 2008

Yes							1
No.							5

FLOW CHECK B-2d: IF SEDSTD BA-11=1, ASK SEDSTDG BA-12 ELSE, GO TO BA-14 SEDHIV

{ ASKED IF AGE AT SCREENER <= 24 AND HAD SEX ED ABOUT "SEXUALLY TRANSMITTED DISEASES"

SEDSTDG

- BA-12. What grade were you in when you first received instruction on sexually transmitted diseases?
 - ullet ENTER [96] if R was not in school when he received the instruction

1st grade1
2nd grade2
3rd grade3
4th grade4
5th grade5
6th grade6
7th grade
8th grade8
9th grade9
10th grade10
11th grade11
12th grade12
1st year of college
2nd year of college
3rd year of college
4th year of college
Not in school when received instruction96

UNDERLYING RANGE 1-16,96

EDIT CHECK BA-12_1:

PROBE IF BA-12 SEDSTDSG GT AE-3 HIGRADE. DISPLAY
TEXT: R has reported receiving this instruction in a
grade higher than his highest grade attended. Please
correct whichever item has been entered incorrectly.

FLOW CHECK B-2e: IF RHADSEX=YES THEN ASK BA-13 SEDSTDSX ELSE IF RHADSEX NE YES THEN GO TO BA-14 SEDHIV

SEDSTDSX

BA-13. Did you receive instruction about sexually transmitted diseases before or after the first time you had sex?

Before.....1 After....2

{ ASKED IF AGE AT SCREENER <= 24

SEDHIV

BA-14. IF AGE_R LT 18, SAY: Have you ever had any formal instruction at school, church, a community center or some other place about <a href="https://docs.prevent.nc.nlm.

ELSE, SAY: Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about how to prevent HIV/AIDS?

Yes.....1

NSFG	2006-08	MALE	Questi	onna	ire,	Male	B	CRQ,	Year	3
Field	Date:	Begir	nning J	Tuly	2008					

Nο							Б

FLOW CHECK B-2f: IF BA-14 SEDHIV=1 THEN ASK BA-15 SEDHIVG ELSE GO TO BA-17 PLEDGE

SEDHIVG

BA-15. What grade were you in when you first received instruction on how to prevent HIV/AIDS?

ullet ENTER [96] if R was not in school when he received the instruction

UNDERLYING RANGE 1-16,96

EDIT CHECK BA-15_1: PROBE IF BA-15 SEDHIVG GT AE-3 HIGRADE. DISPLAY TEXT:

R has reported receiving this instruction in a grade
higher than his highest grade attended. Please
correct whichever item has been entered incorrectly.

FLOW CHECK B-3a: IF RHADSEX=YES THEN ASK BA-16 SEDHIVSX ELSE IF RHADSEX NE YES THEN GO TO BA-17 PLEDGE

SEDHIVSX

BA-16. Did you receive instruction about how to prevent HIV/AIDS before or after the first time you had sex?

Before.....1 After....2

{ ASKED IF AGE AT SCREENER <= 24

PLEDGE

BA-17. IF EVRMARRY=1, ASK: Did you ever take a public or written pledge to remain a virgin until marriage?

ELSE, ASK: Have you ever taken a public or written pledge to remain a virgin until marriage?

[HELP AVAILABLE]

Yes1
No5

Vasectomy/other sterilizing operations; Ability to reproduce (BB)

NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3

Field Date: Beginning July 2008

{ ASKED OF ALL

EVEROPER

BB-1. Some men have operations that make it impossible for them to

father a child.

Have you ever had a vasectomy or any other operation that makes it impossible for you to father a child?

[HELP AVAILABLE]

- ◆ ENTER [1] if R had a vasectomy for any reason.
- ◆ ENTER [1] if R says he had a vasectomy and had a reversal.

Yes.....1
No......5 (Flow Check B-6b)

{ ASKED IF HAD ANY STERILIZING OPERATION

TYPEOPER

BB-2. What type of operation did you have? Was it a vasectomy or some other operation?

◆ ENTER [3] or [4] if R volunteers this information.

FLOW CHECK B-3b: IF BB-2 TYPEOPER = 2,DK,RF ASK BB-3 STEROPER ELSE, IF TYPEOPER = 1,3,4, GO TO BB-4 VASEC M.

{ ASKED IF HAD "OTHER OPERATION" OR DK/RF TO TYPE OF OPERATION STEROPER

BB-3.

As far as you know, are you completely sterile from this operation; that is, does it make it impossible for you to father a baby in the future?

Yes1
No5 (Flow Check B-6)

 $\{$ ASKED IF HAD VASECTOMY OR HAD OTHER OPERATION THAT MADE IMPOSSIBLE TO FATHER ${\bf VASEC_M}$

BB-4.

IF **TYPEOPER** BB-2=1 OR 3 OR 4 (vasectomy) ASK: In what month and year did you have your vasectomy?

ELSE IF **TYPEOPER** BB-2=2 OR DK OR RF (other sterilizing operation) ASK: In what month and year did you have your sterilizing operation?

- ◆ ENTER MM/YYYY
- ◆ PROBE for season if DK month.

1. January 5. May 9. September 13. Winter 2. February 6. June 10. October 14. Spring 3. March 7. July 11. November 15. Summer 4. April 8. August 12. December 16. Fall

 $\{$ ASKED IF HAD VASECTOMY OR HAD OTHER OPERATION THAT MADE IMPOSSIBLE TO FATHER VASEC_Y

2 of 2

BB-4. (IF **TYPEOPER** BB-2=1 OR 3 OR 4 (vasectomy) ASK: In what month and year did you have your vasectomy?

ELSE IF **TYPEOPER** BB-2=2 OR DK OR RF (other sterilizing operation) ASK: In what month and year did you have your sterilizing operation?)

◆ ENTER VASEC M/YYYY

UNDERLYING RANGE = 1956 to 2011

FLOW CHECK B-4: CREATE CMVASEC (CENTURY MONTH OF VASECTOMY OR OTHER MALE STERILIZING OPERATION)

SET CMVASEC = NULL

IF VASEC_Y =RF, CMVASEC = 9998;

ELSE IF VASEC_Y=DK, CMVASEC = 9999;

ELSE IF VASEC_M LE 12, CMVASEC = (VASEC_Y-1900)*12 + VASREV M

ELSE IF 13 =< VASEC_M =< 16, CMVASEC = (VASEC_Y-1900)*12 + [1(WINTER) OR 4(SPRING) OR 7(SUMMER) OR 10(FALL)]

ELSE IF VASEC_M=DK/RF, CMVASEC = (VASEC_Y-1900)*12 + 6

HARD, NONSUPPRESSIBLE EDIT CHECK.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BB4_4: IF (13 LE VASEC_M LE 16) AND CMVASEC < (CMBIRTH - 3),
DISPLAY: The date entered cannot be before his date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK B-4a: IF VASEC_M BB-4 NE DK/RF AND VASEC_Y BB-4 NE DK/RF AND (CMVASEC >= CMFIVYR), ASK PLCSTROP BB-5; ELSE, GO TO FLOW CHECK B-5.

 $\{$ ASKED IF VASECTOMY/STERILIZING OPERATION WAS IN LAST FIVE YEARS ${\tt PLCSTROP}$

BB-5. IF **TYPEOPER** BB-2=1 or 3 or 4 (vasectomy), ASK: Please look at Card 25 and tell me where your vasectomy was

performed.

IF **TYPEOPER** BB-2=2 or DK or RF (other sterilizing operation), ASK: Please look at Card 25 and tell me where your sterilizing operation was performed.

[SHOW CARD 25]

Private doctor's office
Community health clinic, community clinic,
public health clinic3
Family planning or Planned Parenthood clinic4
Employer or company clinic5
School or school-based clinic6
Hospital outpatient clinic7
Hospital emergency room8
Hospital regular room9
Urgent care center, urgi-care, or walk-in facility10
Some other place

FLOW CHECK B-5: IF TYPEOPER BB-2= 2 OR 3 OR DK/RF, GO TO FLOW CHECK B-6b.

 $\{$ ASKED IF R HAD VASECTOMY

RVRSVAS

BB-6.

IF TYPEOPER BB-2=1, ASK: Have you ever had surgery to reverse your vasectomy?

ELSE IF **TYPEOPER** BB-2=4, ASK: You said that you had surgery to reverse your vasectomy, is that right?

[HELP AVAILABLE]

Yes.....1
No......5 (Flow Check B-6b)

{ ASKED IF R HAD VASECTOMY AND REVERSAL

VASREV_M

 \mathcal{D} of \mathcal{D}

BB-7.

In what month and year did you have the reversal?

- ◆ ENTER MM/YYYY
- ◆ PROBE for season if DK month.

1.	January	5.	May	9.	September	13.	Winter
2.	February	6.	June	10.	October	14.	Spring
3.	March	7.	July	11.	November	15.	Summer
4.	April	8.	August	12.	December	16.	Fall

{ ASKED IF R HAD VASECTOMY AND REVERSAL

VASREV_Y

2 of 2

BB-7. (In what month and year did you have the reversal?)

◆ ENTER VASREV_M/YYYY

UNDERLYING RANGE = 1956 to 2011

FLOW CHECK B-6: CREATE CMRVRS (CENTURY MONTH OF VASECTOMY REVERSAL) SET CMRVRS = NULL IF VASREV_Y=RF, CMRVRS = 9998; ELSE IF VASREV_Y=DK, CMRVRS = 9999;

ELSE IF VASREV_M LE 12, CMRVRS = (VASREV_Y-1900)*12 + VASREV M

ELSE IF 13 =< VASREV_M =< 16, CMRVRS = (VASREV_Y-1900)*12 + [1(WINTER) OR 4(SPRING) OR 7(SUMMER) OR 10(FALL)]

ELSE IF VASREV_M=DK/RF, CMRVRS = (VASREV_Y-1900)*12 + 6

- - HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check BB7_2: IF (VASREV_M LE 12) AND CMRVRS < CMBIRTH, DISPLAY: The date
 entered cannot be before his date of birth. Please
 correct.
 HARD, NONSUPPRESSIBLE EDIT CHECK.</pre>

- EDIT CHECK BB7_7: IF CMRVRS < CMVASEC, DISPLAY: The date of vasectomy reversal (cmrvrs) cannot be before the date of vasectomy (cmvasec). Please correct one of the 2 dates.
- FLOW CHECK B-6b: CREATE RSURGSTR (WHETHER R SURGICALLY STERILE AT TIME OF INTERVIEW)

SET = 0 (NO)

= 1 (YES) IF (BB-2 TYPEOPER=1 OR 4 AND BB-6 RVRSVAS NE 1) OR (TYPEOPER=2 OR DK/RF AND BB-3 STEROPER=1)

IF RSURGSTR=0 AND BB-3 STEROPER =5 OR DK/RF, GO TO BB-9 FATHDIFF;

ELSE IF RSURGSTR=0, GO TO FATHPOSS BB-8; ELSE IF RSURGSTR =1, GO TO FLOW CHECK B-7.

{ ASKED IF R DID NOT HAVE STERILIZING OPERATION OR HAD A VASECTOMY THAT FAILED OR HAD AN OPERATION FOR WHICH HE ANSWERED NO, DK, OR RF ON WHETHER IT WAS FULLY STERILIZING

FATHPOSS

BB-8. Some men are not physically able to father children. As far as you know, is it physically possible for you, yourself to biologically father a child in the future?

[HELP AVAILABLE]

NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3 Field Date: Beginning July 2008

Yes							1
No							5

FLOW CHECK B-6c: IF FATHPOSS BB-8 = 1 OR DK/RF, ASK FATHDIFF BB-9; ELSE GO TO FLOW CHECK B-7.

{ ASKED IF R DID NOT HAVE STERILIZING OPERATION AND PHYSICALLY POSSIBLE { (OR DK/RF) TO FATHER CHILD OR HAD OTHER STERILIZING OPERATION BUT NOT { IMPOSSIBLE TO HAVE CHILD

FATHDIFF

BB-9.

Some men are physically able to father a child, but would have difficulty doing so. As far as you know, would you have any difficulty fathering a child?

[HELP AVAILABLE]

FLOW CHECK B-7: CREATE RSTRSTAT (STERILIZATION/FERTILITY STATUS OF R)
SET =0 FOR ALL

=1 IF RSURGSTR=1 (surgically sterile)

=2 IF FATHPOSS BB-8=5 (nonsurgically sterile)

Ever had bio kids; Number of Sexual Partners (BC)

FLOW CHECK B-8: IF RHADSEX=NO, GO TO FLOW CHECK B-9

{ ASKED IF R EVER MARRIED, EVER COHABITED OR EVER HAD SEX (OR EVERSEX=DK/RF) EVRCHIL

BC-4.

IF ANY RELAR[X] = 3, SAY:

Now I'll ask you about $\underline{\text{biological}}$ children. By this I mean any children that you $\underline{\text{ever}}$ fathered, even if they don't live with you now or if they died or were adopted by someone else.

◆ ENTER [1] to continue.

ELSE, SAY:

Now I'll ask you about $\underline{\text{biological}}$ children. By this I mean any children that you $\underline{\text{ever}}$ fathered, even if they don't live with you now or if they died or were adopted by someone else.

Have you ever had any biological children?

lacktriangledown Only include children that R <u>biologically</u> fathered. Do not include children to whom R was a foster father or adoptive father.

Yes1 No5

EDIT CHECK BC_4_1: PROBE IF BIOKIDSHH = 1 AND EVRCHIL <> Yes. DISPLAY

TEXT: There is a biological child in the household.

Therefore, you must enter [1] to this question.

FLOW CHECK B-8b: IF BC-4 EVRCHIL=1, ASK BC-5 EVRCHILN

ELSE IF BC-4 EVRCHIL NE 1 GO TO FLOW CHECK B-9

{ ASKED IF R HAD BIO CHILDREN EVRCHILN

NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3 Field Date: Beginning July 2008

BC-5. How many biological children have you ever had?

◆ ENTER number of children. _____

UNDERLYING RANGE = 1 TO 95

EDIT CHECK BC5_1: IF EVRCHILN >10, DISPLAY: "Respondent reports more than 10 biological children. Is this right?"

FLOW CHECK B-9: CREATE FATHER (WHETHER R EVER HAD BIO CHILD/REN, BASED ON EVRCHIL)

SET =0

=1 IF EVRCHIL=1

IF EVERSEX BC-1 =DK/RF AND EVRCHIL BC-4=1, SET RHADSEX=1.

IF RHADSEX = 0 OR 2 OR (EVERSEX BC-1=1 AND SXMTONCE BC-2 NE 1), GO TO FLOW CHECK B-10; ELSE, ASK LIFEPRT BC-6

 $\{$ ASKED IF R EVER MARRIED, EVER COHABITED, OR EVER HAD SEX, EXCEPT THOSE $\{$ WHO ONLY HAD SEX ONCE IN THEIR LIFE

LIFEPRT

BC-6. The next questions are about relationships with females.

Please look at Card 14. How many different females have you <u>ever</u> had intercourse with? This includes <u>any</u> female you had intercourse with, even if it was only once or if you did not know her well.

[SHOW CARD 14] [HELP AVAILABLE]

One											1
Two											2
Three	9										3
Four											4
Five											5
Six											6
Seve	n	0	r	m	0	r	e				7

FLOW CHECK B-10: CREATE LIFEPRTS

SET = NULL/BLANK

IF RHADSEX=0 OR 2, SET LIFEPRTS=0;

ELSE, IF EVERSEX BC-1=1 AND SXMTONCE BC-2 NE 1, SET LIFEPRTS=1;

ELSE, IF LIFEPRT BC-6=DK/RF AND (EVRMARRY=1 OR EVRCOHAB=1) AND NUMWIFE NE DK/RF AND NUMCOHAB NE DK/RF, SET LIFEPRTS = NUMWIFE+NUMCOHAB;

ELSE, IF LIFEPRT BC-6 NE DK/RF, SET LIFEPRTS=LIFEPRT BC-6.

IF LIFEPRT BC-6=DK/RF OR LIFEPRTS>1, GO TO MON12PRT BC-8; ELSE IF LIFEPRTS=0, GO TO FLOW CHECK B-11; ELSE IF LIFEPRTS=1, ASK SXMON12 BC-7.

{ ASKED IF R HAD ONLY ONE LIFE PARTNER SXMON12

BC-7. IF EVERSEX BC-1=1 AND SXMTONCE NE 1, SAY:

The next questions are about relationships with females.

NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3

Field Date: Beginning July 2008

You said that you had sexual intercourse with a female once in your life. Was that in the last 12 months, that is, since (CMLSTYR_FILL)?

ELSE, SAY:

Have you had sexual intercourse with this female in the last 12 months, that is, since (CMLSTYR_FILL)?

[HELP AVAILABLE]

FLOW CHECK B-10a: GO TO FLOW CHECK B-11

{ ASKED IF R HAD MORE THAN ONE LIFE PARTNER MON12PRT

BC-8.

Please look at Card 15. How many different females have you had sexual intercourse with in the past 12 months, that is, since (CMLSTYR_FILL)?

[SHOW CARD 15] [HELP AVAILABLE]

 None
 0

 One
 1

 Two
 2

 Three
 3

 Four
 4

 Five
 5

 Six
 6

 Seven or more
 7

FLOW CHECK B-11: IF BC-6 LIFEPRT = DK/RF AND BC-8 MON12PRT NE DK/RF AND MON12PRT > LIFEPRTS, THEN SET LIFEPRTS = MON12PRT.

CREATE MON12PRTS (NUMBER OF FEMALE SEX PARTNERS IN LAST 12 MONTHS)

SET MON12PRTS = NULL/BLANK

IF RHADSEX=0 OR 2, SET MON12PRTS=0
ELSE, IF SXMON12 BC-7=1 or DK/RF, SET MON12PRTS=1;
ELSE, IF SXMON12 BC-7 = 5, SET MON12PRTS=0;
ELSE IF MON12PRT=DK/RF AND MARSTAT=1 OR 2, SET
MON12PRTS=1;

ELSE IF MON12PRT NE DK/RF, SET MON12PRTS=MON12PRT BC-8.

EDIT CHECK FC B-11_1: IF (MON12PRTS > LIFEPRTS), DISPLAY: The number of partners in the last 12 months (mon12prts) cannot be more than the number of partners in his lifetime (lifeprts). Please correct one of these two numbers.

FLOW CHECK B-11a: CREATE SEXSTAT SET = NULL/BLANK

=0 IF RHADSEX=0 OR 2

(NEVER HAD SEX OR DK/RF IF EVER HAD SEX)

- =1 IF (EVRMARRY=0 AND EVRCOHAB=0 AND LIFEPRTS=1 AND SXMTONCE BC-2 NE 1 AND BC-7 SXMON12 =1 OR DK/RF)

 (ONE PARTNER EVER, SEX IN LAST 12 MOS, SEX ONLY ONCE)
- =2 IF (EVRMARRY=0 AND EVRCOHAB=0 AND LIFEPRTS=1 AND SXMTONCE BC-2 =1 AND BC-7 SXMON12 =1 OR DK/RF)
 OR
 ([EVRMARRY=1 OR EVRCOHAB=1] AND LIFEPRTS=1 AND

([EVRMARRY=1 OR EVRCOHAB=1] AND LIFEPRTS=1 AND [{BC-7 SXMON12=1 OR DK/RF} OR {MON12PRTS=1/NULL/BLANK}])

(ONE PARTNER EVER, SEX IN LAST 12 MOS, SEX MT ONCE)

- =3 IF EVRMARRY=0 AND EVRCOHAB=0 AND LIFEPRTS=1 AND SXMTONCE BC-2 NE 1 AND BC-7 SXMON12 = 5 (ONE PARTNER EVER, NO SEX IN LAST 12 MOS, SEX ONLY ONCE)
- ### IF (EVRMARRY=0 AND EVRCOHAB=0 AND LIFEPRTS=1 AND
 | SXMTONCE BC-2 =1 AND BC-7 SXMON12 = 5) OR
 | ([EVRMARRY=1 OR EVRCOHAB=1] AND LIFEPRTS=1 AND
 | [BC-7 SXMON12 = 5 OR MON12PRTS=0])
 | (ONE PARTNER EVER, NO SEX IN LAST 12 MOS, SEX MT ONCE)
- =5 IF (EVRMARRY=0 AND EVRCOHAB=0 AND [LIFEPRTS >1 OR LIFEPRTS = NULL/BLANK] AND MON12PRTS=0) OR ([EVRMARRY=1 OR EVRCOHAB=1] AND [LIFEPRTS >1 OR LIFEPRTS = NULL/BLANK] AND MON12PRTS=0) (MT ONE LIFE PARTNER, NO SEX IN LAST 12 MOS)
- =6 IF (EVRMARRY=0 AND EVRCOHAB=0 AND [LIFEPRTS >1 OR
 LIFEPRTS = NULL/BLANK] AND [MON12PRTS>=1 OR MON12PRTS
 = NULL/BLANK]) OR ([EVRMARRY=1 OR EVRCOHAB=1] AND
 [LIFEPRTS >1 OR LIFEPRTS = NULL/BLANK] AND
 [MON12PRTS>=1 OR MON12PRTS = NULL/BLANK])
 (MT ONE LIFE PARTNER, SEX IN LAST 12 MOS)

INITIALIZE BIOKIDS (RUNNING COUNT OF NUMBER OF BIOLOGICAL CHILDREN REPORTED IN C,D,E,F)

SET = 0

RANGE = 0 TO 10

 $\{$ IF HAVE TO PREDEFINE MAXIMUM VALUE FOR AN ARRAY FOR BKID VARIABLES $\{$ AND AKID VARIABLES, SET X= 10 FOR EACH

INITIALIZE BKIDNAM[X] (NAME OF EACH BIO CHILD)
SET = NULL/BLANK

INITIALIZE BKIDAGE[X] (AGE OF EACH BIO CHILD)
 SET = NULL/BLANK
 RANGE = 0 TO 35

INITIALIZE BKIDAGEGP[X] (AGE GROUP OF EACH BIO CHILD)

SET = NULL/BLANK

=1 UNDER 5 YEARS OLD

=2 5-18 YEARS OLD

=3 19 YEARS OR OLDER

INITIALIZE BKIDSEX[X] (SEX OF EACH BIO CHILD)

SET = NULL/BLANK

=1 MALE

=2 FEMALE

INITIALIZE BKIDHH[X] (WHETHER EACH BIO CHILD IN HH OR NOT)

SET = NULL/BLANK

=1 IN HH

=2 ALIVE, NOT ADOPTED, NOT IN FOSTER CARE, BUT NOT IN HH

=3 DEAD OR ADOPTED OR IN FOSTER CARE OR DK/RF

INITIALIZE BKIDMAR[X] (WHETHER CHILD BORN IN WEDLOCK OR NOT)

SET = NULL/BLANK

= 0 PARENTS NOT MARRIED AT BIRTH

= 1 PARENTS MARRIED AT BIRTH

INITIALIZE BKIDLIV[X] (WHETHER PARENTS LIVING TOGETHER AT CHILD'S BIRTH OR NOT)

SET = NULL/BLANK

= 0 PARENTS NOT LIVING TOGETHER AT BIRTH

= 1 PARENTS LIVING TOGETHER AT BIRTH (INCLUDES MARRIED AT BIRTH)

INITIALIZE POSS_DUP[X] (WHETHER THIS CHILD IS A POTENTIAL DUPLICATE OF ANOTHER CHILD BASED ON SEX/AGE)

SET = NULL/BLANK

= 1 CHILD IDENTIFIED AS A POTENTIAL DUPLICATE

INITIALIZE DUPLICATE[X] (WHETHER THIS CHILD IS A DUPLICATE OF ANOTHER CHILD BASED ON DUPCHECK)

SET = NULL/BLANK

= 1 CHILD IDENTIFIED AS A DUPLICATE

INITIALIZE GA_BKIDELG[X] (WHETHER BIO CHILD ELIGIBLE FOR SECTION GA OR NOT)

SET = NULL/BLANK

= 1 CHILD ELIGIBLE FOR SECTION GA

INITIALIZE GB_BKIDELG[X] (WHETHER BIO CHILD ELIGIBLE FOR SECTION GB OR NOT)

SET = NULL/BLANK

= 1 CHILD ELIGIBLE FOR SECTION GB

INITIALIZE ADOPKIDS (RUNNING COUNT OF ADOPTED KIDS)

SET = NULL/BLANK

RANGE = 0 TO 10

INITIALIZE AKIDNAM[X] (NAME OF EACH ADOPTED CHILD)

SET = NULL/BLANK

INITIALIZE AKIDAGE[X] (AGE OF EACH ADOPTED CHILD)

SET = NULL/BLANK

RANGE = 0 TO 35

INITIALIZE AKIDAGEGP[X] (AGE GROUP OF EACH ADOPTED CHILD)

SET = NULL/BLANK

=1 UNDER 5 YEARS OLD

=2 5-18 YEARS OLD

=3 19 YEARS OR OLDER

INITIALIZE AKIDSEX[X] (SEX OF EACH ADOPTED CHILD)

SET = NULL/BLANK

=1 MALE

=2 FEMALE

INITIALIZE AKIDHH[X] (WHETHER EACH ADOPTED CHILD IN HH OR NOT)

SET = NULL/BLANK

=1 IN HH

=2 ALIVE, BUT NOT IN HH

=3 DEAD OR DK/RF

INITIALIZE POSS_DUP[X] (WHETHER THIS CHILD IS A POTENTIAL DUPLICATE OF ANOTHER CHILD BASED ON SEX/AGE)

SET = NULL/BLANK

= 1 CHILD IDENTIFIED AS A POTENTIAL DUPLICATE

INITIALIZE DUPLICATE[X] (WHETHER THIS CHILD IS A DUPLICATE OF ANOTHER CHILD BASED ON DUPCHECK)

SET = NULL/BLANK

= 1 CHILD IDENTIFIED AS A DUPLICATE

INITIALIZE GA_AKIDELG[X] (WHETHER ADOPTED CHILD ELIGIBLE FOR SECTION GA OR NOT)

SET = NULL/BLANK

= 1 CHILD ELIGIBLE FOR SECTION GA

INITIALIZE GB_AKIDELG[X] (WHETHER ADOPTED CHILD ELIGIBLE FOR SECTION GB OR NOT)

SET = NULL/BLANK

= 1 CHILD ELIGIBLE FOR SECTION GB

INITIALIZE CURRPREG (WHETHER CURRENT WIFE/COHAB/PARTNER IS PREGNANT)

SET = 0

= 1 (WIFE/COHAB/CURR PARTNER PREGNANT)
 (NOTE: FOR USE IN SECTION HC, WILL BE SET =1
 IF MARSTAT=1 OR 2 AND CURRENT WIFE/COHAB
 PREGNANT OR IF MARSTAT NE 1 OR 2 AND ANY
 CURRENT PARTNER IS PREGNANT. WILL NOT BE SET
 =1 IF MARSTAT=1 OR 2 AND ANY CURRENT
 NONMAR/NONCOHAB PARTNER IS PREGNANT)

INITIALIZE CURRPRTS (NUMBER OF CURRENT NONMARITAL/NONCOHABITING PARTNERS)

SET = 0

RANGE = 0 TO 3

INITIALIZE PREGSNOW (NUMBER OF WOMEN THAT ARE PREGNANT WITH R'S CHILD NOW)

SET=0

IF SEXSTAT=0, GO TO FLOW CHECK F-1 ELSE, IF SEXSTAT=1 OR 3 OR 4 OR 5, GO TO FLOW CHECK B-12; ELSE, ASK SEXFREQ BC-9.

{ ASKED IF R HAD AT LEAST ONE SEX PARTNER IN THE LAST 12 MONTHS { OR (SEXSTAT=NULL/BLANK)

SEXFREQ

BC-9. Now please think about the last four weeks. How many times have you had sexual intercourse with a female in the last four weeks?

[HELP AVAILABLE]

◆ ENTER number of times

UNDERLYING RANGE = 0 TO 995

IF SEXFREQ BC-9=0, DK, RF GO TO FLOW CHECK B-12.

 $\{$ ASKED IF R HAD AT LEAST ONE SEX PARTNER IN THE LAST 12 MONTHS $\{$ AND HAD SEX IN THE LAST 4 WEEKS CONFREO

BC-10. And, in the last four weeks, how many of the times that you had sexual intercourse with a female did you use a condom?

[HELP AVAILABLE]

◆ ENTER number of times

UNDERLYING RANGE = 0 TO 995

EDIT CHECK BC-10_1: IF SEXFREQ NE DK/RF AND CONFREQ NE DK/RF, THEN CONFREQ MUST BE <= SEXFREQ; ELSE, DISPLAY: The number of times R used a condom in the last 4 weeks cannot exceed the number of times he had sex in the last 4 weeks. HARD, NONSUPPRESSIBLE EDIT CHECK.

Enumeration of recent sex partner(s) or last partner ever (BD)

FLOW CHECK B-12: CREATE CURWIFE (NAME OF CURRENT WIFE)

SET = NULL/BLANK

CREATE CURCOHAB (NAME OF CURRENT COHABITING PARTNER)
SET = NULL/BLANK

CREATE CURSEP (NAME OF WIFE R IS CURRENTLY SEPARATED FROM)
SET = NULL/BLANK

{ ASKED OF ALL WHO HAD SEX, EVEN IF MORE THAN 12 MONTHS AGO Plname

BD-1. IF SEXSTAT=1 OR 2 OR 3 OR 4, SAY: So that I can refer to her in the interview, please give me the name or initials of the female with whom you had sexual intercourse.

IF SEXSTAT NE 1 OR 2 OR 3 OR 4, SAY: So that I can refer to her in the interview, please give me the name or initials of the female with whom you most recently had sexual intercourse.

[HELP AVAILABLE]

◆ ENTER name or initials

TYPE: STRING [30]

FLOW CHECK B-13: CREATE P1NAME_FILL

SET P1NAME FILL = NULL

SET P1NAME_FILL = P1NAME IF P1NAME NE BLANK AND NE

DK/RF

SET P1NAME_FILL = "your last partner" IF P1NAME= DK/RF

ELSE IF EVRCOHAB NE 1, GO TO BD-7 P1SXLAST_M;

{ ASKED IF P1RLTN1	R EVER MARRIED
BD-2.	Were you ever married to (P1NAME_FILL)?
	Yes1 No5
FLOW CHECK	B-14: IF P1RLTN1 BD-2=1 AND FMARIT=1, ASK P1CURRWIFE BD-3; ELSE IF P1RLTN1 BD-2=1 AND FMARIT=4, ASK P1CURRSEP BD-4; ELSE IF P1RLTN1 BD-2=1 AND FMARIT NE 1 OR 4, GO TO BD-7 P1SXLAST_M; ELSE IF P1RLTN1 BD-2 NE 1 AND: IF EVRCOHAB=1, ASK P1RLTN2 BD-5; ELSE IF EVRCOHAB NE 1, GO TO BD-7 P1SXLAST_M
{ ASKED IF P1CURRWIFE	R CURRENTLY MARRIED
BD-3.	If necessary, ASK: (Is she your current wife?)
	Yes1 No5
FLOW CHECK	B-15: IF P1CURRWIFE BD-3=1 AND P1NAME BD-1 NE DK/RF, SET CURWIFE = P1NAME AND GO TO BD-7 P1SXLAST_M; ELSE IF P1CURRWIFE BD-3=1 AND P1NAME BD-1 =DK/RF, SET CURWIFE = "your wife" AND GO TO BD-7 P1SXLAST_M;
	ELSE, IF P1CURRWIFE BD-3 NE 1, LEAVE CURWIFE = NULL, AND GO TO BD-7 P1SXLAST_M.
P1CURRSEP	R CURRENTLY SEPARATED
BD-4.	
	Yes1 No5
FLOW CHECK	B-16: IF P1CURRSEP BD-4= 1 AND P1NAME BD-1 NE DK/RF, SET CURSEP = P1NAME AND GO TO BD-7 P1SXLAST_M; ELSE IF P1CURRSEP BD-4= 1 AND P1NAME BD-1=DK/RF, SET CURSEP = "your wife" AND GO TO BD-7 P1SXLAST_M; ELSE IF P1CURRSEP BD-4 NE 1, LEAVE CURSEP = NULL AND GO TO BD-7 P1SXLAST_M
{ ASKED IF P1RLTN2	R WAS NEVER MARRIED TO THIS PARTNER BUT HE EVER COHABITED
BD-5.	Did you ever live together with (P1NAME_FILL)?
[HELP AVAII	LABLE]
	Yes1 No5

FLOW CHECK B-17:

IF P1RLTN2 BD-5= 1 AND MARSTAT=2, ASK P1COHABIT BD-6;

ELSE, GO TO BD-7 P1SXLAST_M

{ ASKED IF R WAS NEVER MARRIED TO THIS PARTNER AND HE EVER LIVED WITH THIS { PARTNER AND HE IS CURRENTLY COHABITING

P1COHABIT

BD-6. If necessary, ASK: (Is she the woman you live with now?)

FLOW CHECK B-18:

IF P1COHABIT BD-6=1 AND P1NAME BD-1 NE DK/RF, SET CURCOHAB = P1NAME AND GO TO BD-7 P1SXLAST_M;

ELSE IF P1COHABIT BD-6=1 AND P1NAME BD-1 = DK/RF, SET CURCOHAB = "your partner" AND GO TO BD-7 P1SXLAST_M;

ELSE, IF P1COHABIT BD-6 NE 1, LEAVE CURCOHAB = NULL AND GO TO BD-7 P1SXLAST $_$ M

P1SXLAST_M

@ of @

BD-7.

IF SEXSTAT =2,4,5, or 6, SAY: Please think of the last time that you had sexual intercourse with her. In what month and year was that?

ELSE IF SEXSTAT=1 OR 3, SAY: That time that you had sexual intercourse with her, in what month and year was that?

[HELP AVAILABLE]

- ◆ ENTER MM/YYYY
- ◆ PROBE for season if DK month.

1.	January	5.	May	9.	September	13.	Winter
2.	February	6.	June	10.	October	14.	Spring
3.	March	7.	July	11.	November	15.	Summer
4.	April	8.	August	12.	December	16.	Fall

P1SXLAST_Y

2 of 2

BD-8.

IF SEXSTAT =2,4,5, or 6, SAY: (Please think of the last time that you had sexual intercourse with her. In what month and year was that?)

ELSE IF SEXSTAT=1 OR 3, SAY: (That time that you had sexual intercourse with her, in what month and year was that?)

[HELP AVAILABLE]

◆ ENTER P1SXLAST_M/YYYY

UNDERLYING RANGE = 1962 TO 2011

FLOW CHECK B-19: CREATE CMLSXP1 (CENTURY MONTH OF LAST SEX WITH MOST RECENT PARTNER)

SET CMLSXP1 =NULL

IF P1SXLAST_Y =RF, CMLSXP1 = 9998;

ELSE IF P1SXLAST_Y =DK, CMLSXP1 = 9999;

ELSE IF P1SXLAST_M LE 12, CMLSXP1 = (P1SXLAST_Y - 1900)*12 + P1SXLAST_M

ELSE IF 13 =< P1SXLAST_M =< 16, CMLSXP1 = (P1SXLAST_Y - 1900)*12 + [1(WINTER) OR 4(SPRING) OR

7(SUMMER) OR 10(FALL)]
ELSE IF P1SXLAST_M = DK/RF, CMLSXP1 = (P1SXLAST_Y - 1900)*12 + 6

CREATE CMLSXP1_FILL (FILL FOR DATE OF LAST SEX WITH MOST RECENT PARTNER)

IF CMLSXP1 = NULL, DK, OR RF, SET CMLSXP1_FILL = ADATE
UNKNOWN.

ELSE IF CMLSXP1 LT 9997, DEFINE CMLSXP1_FILL as follows:

IF 1 LE P1SXLAST_M LE 12, THEN ESTABLISH MO/YR FILL IN THE FORMAT "1/1998" etc. ELSE IF 13 P1SXLAST_M LE 16 (MONTH WAS REPORTED AS A SEASON), THEN ESTABLISH FILL IN THE FORMAT "SPRING, 1998" etc.

ELSE IF P1SXLAST_M = DK/RF BUT P1SXLAST_Y WAS REPORTED, THEN ESTABLISH FILL BASED ONLY ON THE YEAR IN THE FORMAT "1998" etc.

- EDIT CHECK BD8-7a: PROBE IF MON12PRTS>0 AND (CMLSXP1 < CMLSTYR) DISPLAY TEXT:

 R has reported that his last sex with this partner was
 longer ago than 12 months. In this series of questions,
 we are asking about partners he had sex with during the
 last 12 months. Has something been entered incorrectly?
 INVOLVING: P1SXLAST_M, P1SXLAST_Y, MON12PRT (if needed,
 adjust mon12prts)
 HARD, NONSUPPRESSIBLE EDIT CHECK.

NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3

Field Date: Beginning July 2008

EDIT CHECK BD8-7b: PROBE IF MON12PRTS = 0 AND (CMLSXP1 >= CMLSTYR) DISPLAY

TEXT: R has reported that his last sex with this partner within the past 12 months. Earlier he reported that he had no partners in the past 12 months. Has something been entered incorrectly?

INVOLVING: P1SXLAST_M, P1SXLAST_Y, MON12PRT (if needed,

adjust mon12prts)

HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK B-20: IF MON12PRTS <=1 OR MON12PRTS=NULL/BLANK, GO TO FLOW CHECK B-36;

ELSE ASK BD-9 P2NAME.

P2NAME

BD-9. Now think of the last female with whom you had sexual intercourse before (P1NAME_FILL). Please give me her name or initials.

[HELP AVAILABLE]

◆ ENTER name or initials

TYPE: STRING [30]

FLOW CHECK B-21: CREATE P2NAME FILL

SET = NULL

SET = P2NAME IF MON12PRTS>=2 AND P2NAME NE BLANK AND

SET = "your 2nd to last partner" IF P2NAME= DK/RF

IF EVRMARRY=1, ASK P2RLTN1 BD-10;

ELSE EVRMARRY NE 1 AND:

IF EVRCOHAB=1, GO TO P2RLTN2 BD-13

ELSE, EVRCOHAB NE 1, GO TO BD-15 P2SXLAST M.

P2RLTN1

Were you ever married to (P2NAME_FILL)? BD-10.

> Yes1 No5

FLOW CHECK B-22:

IF P2RLTN1 BD-10=1 AND FMARIT=1 AND:

IF CURWIFE = NULL, ASK P2CURRWIFE BD-11;

ELSE IF CURWIFE NE NULL, GO TO BD-15 P2SXLAST_M;

ELSE IF P2RLTN1 BD-10=1 AND FMARIT=4 AND:

IF CURSEP = NULL, ASK P2CURRSEP BD-12;

ELSE IF CURSEP NE NULL, GO TO BD-15 P2SXLAST_M;

ELSE IF P2RLTN1 BD-10=1 AND FMARIT NE 1 OR 4, GO TO BD-15 P2SXLAST M;

ELSE IF P2RLTN1 BD-10 NE 1 AND:

IF EVRCOHAB=1, ASK P2RLTN2 BD-13;

ELSE EVRCOHAB NE 1, GO TO BD-15 P2SXLAST M.

{ ASKED IF R CURRENTLY MARRIED AND CURRENT WIFE NOT YET IDENTIFIED P2CURRWIFE

BD-11. If necessary, ASK: (Is she your current wife?)

> Yes1 No5

FLOW CHECK B-23:

NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3

Field Date: Beginning July 2008

IF P2CURRWIFE BD-11= 1 AND P2NAME BD-9 NE DK/RF, SET CURWIFE = P2NAME AND GO TO BD-15 P2SXLAST M;

ELSE IF P2CURRWIFE BD-11=1 AND P2NAME BD-9 = DK/RF, SET CURWIFE = "your wife" AND GO TO BD-15 P2SXLAST_M;

ELSE, IF P2CURRWIFE BD-11 NE 1, LEAVE CURWIFE = NULL, AND GO TO BD-15 P2SXLAST M.

{ ASKED IF R CURRENTLY SEPARATED AND THAT WIFE NOT IDENTIFIED YET P2CURRSEP

BD-12. If necessary, ASK: (Is she the woman you are separated from now?)

FLOW CHECK B-24:

IF P2CURRSEP BD-12= 1 AND P2NAME BD-9 NE DK/RF, SET CURSEP = P2NAME AND GO TO BD-15 P2SXLAST_M;

ELSE IF P2CURRSEP BD-12 = 1 AND P2NAME BD-9 = DK/RF, SET CURSEP = "your wife" AND GO TO BD-15 P2SXLAST M;

ELSE IF P2CURRSEP BD-12 NE 1, LEAVE CURSEP = NULL AND GO TO BD-15 P2SXLAST_M.

{ ASKED IF R WAS NEVER MARRIED TO THIS PARTNER BUT HE EVER COHABITED P2RLTN2

BD-13. Did you ever live together with (P2NAME_FILL)?

[HELP AVAILABLE]

FLOW CHECK B-25:

IF P2RLTN2 BD-13= 1 AND MARSTAT=2 AND:

IF CURCOHAB = NULL, ASK P2COHABIT BD-14

ELSE IF CURCOHAB NE NULL, GO TO BD-15 P2SXLAST_M.

ELSE, GO TO BD-15 P2SXLAST_M

{ ASKED IF R WAS NEVER MARRIED TO THIS PARTNER AND HE EVER LIVED WITH THIS { PARTNER AND HE IS CURRENTLY COHABITING AND THIS COHABITING PARTNER NOT YET { IDENTIFIED

P2COHABIT

BD-14. If necessary, ASK: (Is she the woman you live with now?)

Yes1 No5

FLOW CHECK B-26:

IF P2COHABIT BD-14=1 AND P2NAME BD-9 NE DK/RF, SET CURCOHAB = P2NAME AND GO TO BD-15 P2SXLAST M

ELSE IF P2COHABIT BD-14 =1 AND P2NAME BD-9 = DK/RF, SET CURCOHAB = "your partner" AND GO TO BD-15 P2SXLAST M

ELSE, IF P2COHABIT BD-14 NE 1, LEAVE CURCOHAB = NULL AND GO TO BD-15 P2SXLAST M $\,$

P2SXLAST M

 ${\it 0}$ of ${\it 0}$

BD-15. IF SEXSTAT =2,4,5, or 6, SAY:

Please think of the last time that you had sexual intercourse with her. In what month and year was that?

NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3 Field Date: Beginning July 2008

ELSE IF SEXSTAT=1 OR 3, SAY:

That time that you had sexual intercourse with her, in what month and year was that?

[HELP AVAILABLE]

- ◆ ENTER MM/YYYY
- ◆ PROBE for season if DK month.

1.	January	5.	May	9.	September	13.	Winter
2.	February	6.	June	10.	October	14.	Spring
3.	March	7.	July	11.	November	15.	Summer
4.	April	8.	August	12.	December	16.	Fall

P2SXLAST_Y

2 of 2

BD-16. IF SEXSTAT =2,4,5, or 6, SAY: (Please think of the last time that you had sexual intercourse with her. In what month and year was that?)

ELSE IF SEXSTAT=1 OR 3, SAY: (That time that you had sexual intercourse with her, in what month and year was that?)

[HELP AVAILABLE]

◆ ENTER P2SXLAST M/YYYY

UNDERLYING RANGE = 1962 TO 2011

FLOW CHECK B-27: CREATE CMLSXP2 (CENTURY MONTH OF LAST SEX WITH 2ND MOST RECENT PARTNER)

SET=NULL

IF P2SXLAST_Y =RF, CMLSXP2 = 9998; ELSE IF P2SXLAST_Y =DK, CMLSXP2 = 9999; ELSE IF P2SXLAST_M LE 12, CMLSXP2 = (P2SXLAST_Y -1900)*12 + P2SXLAST_M ELSE IF 13 =< P2SXLAST_M =< 16, CMLSXP2 = (P2SXLAST_Y -1900)*12 + [1(WINTER) OR 4(SPRING) OR 7(SUMMER) OR 10(FALL)] ELSE IF P2SXLAST_M =DK/RF, CMLSXP2 = (P2SXLAST_Y -1900)*12 + 6

CREATE CMLSXP2_FILL (FILL FOR DATE OF LAST SEX WITH 2ND MOST RECENT PARTNER)

IF CMLSXP2 = NULL, DK, OR RF, SET CMLSXP2_FILL = "DATE
UNKNOWN".

ELSE IF CMLSXP2 LT 9997, DEFINE CMLSXP2_FILL as follows:

IF 1 LE P2SXLAST_M LE 12, THEN ESTABLISH MO/YR FILL IN THE FORMAT "1/1998" etc. ELSE IF 13 P2SXLAST_M LE 16 (MONTH WAS REPORTED AS A SEASON), THEN ESTABLISH FILL IN THE FORMAT "SPRING, 1998" etc.

ELSE IF P2SXLAST_M = DK/RF BUT P2SXLAST_Y WAS REPORTED, THEN ESTABLISH FILL BASED ONLY ON THE YEAR IN THE FORMAT "1998" etc.

Edit Check BD16_1: IF (P2SXLAST_M LE 12) AND CMLSXP2 > CMINTVW, DISPLAY: The

date entered cannot be after the date of interview. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

- EDIT CHECK BD16_7a: PROBE IF MON12PRTS > 0 AND (CMLSXP2 < CMLSTYR) DISPLAY

 TEXT: R has reported that his last sex with this partner

 was longer ago than 12 months. In this series of

 questions, we are asking about partners he had sex with

 during the last 12 months. Has something been entered

 incorrectly?

 INVOLVING: P2SXLAST_M, P2SXLAST_Y, MON12PRT (if needed,
 - adjust mon12prts)
 HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BD16_7b: PROBE IF MON12PRTS = 0 AND (CMLSXP2 >= CMLSTYR) DISPLAY

 TEXT: R has reported that his last sex with this partner

 was within the past 12 months. Earlier he reported that

 he had no partners in the past 12 months. Has something

 been entered incorrectly?

 INVOLVING: P2SXLAST_M, P2SXLAST_Y, MON12PRT (if needed,

adjust mon12prts)
HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK B-28: IF MON12PRTS > 2, ASK P3NAME BD-17. ELSE, IF MON12PRTS=2, GO TO FLOW CHECK B-36.

P3NAME

BD-17. Think of the last female with whom you had sexual intercourse before (P2NAME_FILL). Please give me her name or initials.

[HELP AVAILABLE]

◆ ENTER name or initials

TYPE: STRING [30]

FLOW CHECK B-29: CREATE P3NAME FILL

SET P3NAME FILL = NULL

SET P3NAME_FILL = P3NAME IF MON12PRTS>=3 AND P3NAME NE

BLANK AND NE DK/RF

SET P3NAME FILL = "your 3rd to last partner" IF P3NAME=

DK/RF

IF EVRMARRY=1, ASK P3RLTN BD-18;

IF EVRMARRY NE 1 AND:

IF EVRCOHAB=1, GO TO P3RLTN2 BD-21; ELSE EVRCOHAB NE 1, GO TO BD-23 P3SXLAST M.

P3RLTN1

BD-18. Were you ever married to (P3NAME FILL)?

> Yes1 No5

FLOW CHECK B-30:

IF P3RLTN1 BD-18=1 AND FMARIT=1 AND:

IF CURWIFE = NULL, ASK P3CURRWIFE BD-19;

ELSE CURWIFE NE NULL, GO TO BD-23 P3SXLAST_M;

ELSE IF P3RLTN1 BD-18=1 AND FMARIT=4 AND:

IF CURSEP = NULL, ASK P3CURRSEP BD-19;

ELSE CURSEP NE NULL, GO TO BD-23 P3SXLAST M;

ELSE IF P3RLTN1 BD-18=1 AND FMARIT NE 1 OR 4, GO TO BD-23 P3SXLAST_M;

ELSE IF P3RLTN1 BD-18 NE 1 AND:

IF EVRCOHAB=1, ASK P3RLTN2 BD-21;

ELSE EVRCOHAB NE 1, GO TO BD-23 P3SXLAST M.

{ ASKED IF R CURRENTLY MARRIED AND CURRENT WIFE NOT YET IDENTIFIED P3CURRWIFE

BD-19. If necessary, ASK: (Is she your current wife?)

> Yes1 No5

FLOW CHECK B-31:

IF P3CURRWIFE BD-19= 1 AND P3NAME BD-17 NE DK/RF, SET CURWIFE = P3NAME AND GO TO BD-23 P3SXLAST M;

ELSE IF P3CURRWIFE BD-19= 1 AND P3NAME BD-17 = DK/RF, SET CURWIFE = "your wife" AND GO TO BD-23 P3SXLAST_M;

ELSE, IF P3CURRWIFE BD-19 NE 1, LEAVE CURWIFE = NULL, AND GO TO BD-23 P3SXLAST M.

{ ASKED IF R CURRENTLY SEPARATED AND THAT WIFE NOT IDENTIFIED YET P3CURRSEP

BD-20. If necessary, ASK: (Is she the woman you are separated from now?)

> Yes1 No5

FLOW CHECK B-32:

IF P3CURRSEP BD-20 = 1 AND P3NAME BD-17 NE DK/RF, SET CURSEP = P3NAME AND GO TO BD-23 P3SXLAST_M;

ELSE IF P3CURRSEP BD-20 = 1 AND P3NAME BD-17 = DK/RF, SET CURSEP = "your wife" AND GO TO BD-23 P3SXLAST_M;

ELSE IF P3CURRSEP BD-20 NE 1, LEAVE CURSEP = NULL AND GO TO BD-23 P3SXLAST M.

NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3

Field Date: Beginning July 2008

{ ASKED IF R WAS NEVER MARRIED TO THIS PARTNER BUT HE EVER COHABITED P3RLTN2

BD-21. Did you ever live together with (P3NAME_FILL)?

[HELP AVAILABLE]

FLOW CHECK B-33: IF P3RLTN2 BD-21= 1 AND MARSTAT=2 AND:

IF CURCOHAB = NULL, ASK P3COHABIT BD-22; ELSE IF CURCOHAB NE NULL, GO TO BD-23 P3SXLAST_M; ELSE, GO TO BD-23 P3SXLAST_M.

{ ASKED IF R WAS NEVER MARRIED TO THIS PARTNER AND HE EVER LIVED WITH THIS { PARTNER AND HE IS CURRENTLY COHABITING AND THIS COHABITING PARTNER NOT YET { IDENTIFIED

P3COHABIT

BD-22. If necessary, ASK: (Is she the woman you live with now?)

Yes1 No5

FLOW CHECK B-34:

IF P3COHABIT BD-22=1 AND P3NAME BD-17 NE DK/RF, SET CURCOHAB = P3NAME AND GO TO BD-23 P3SXLAST_M;

ELSE IF P3COHABIT BD-22=1 AND P3NAME BD-17 = DK/RF, SET CURCOHAB = "your partner" AND GO TO BD-23 P3SXLAST_M;

ELSE, IF P3COHABIT BD-22 NE 1, LEAVE CURCOHAB = NULL AND GO TO BD-23 P3SXLAST M

P3SXLAST_M

① of ②

BD-23. IF SEXSTAT =2,4,5, or 6, SAY: Please think of the last time that you had sexual intercourse with her. In what month and year was that?

ELSE IF SEXSTAT=1 OR 3, SAY: That time that you had sexual intercourse with her, in what month and year was that?

[HELP AVAILABLE]

- ◆ ENTER MM/YYYY
- ◆ PROBE for season if DK month.

1.	January	5.	May	9.	September	13.	Winter
2.	February	6.	June	10.	October	14.	Spring
3.	March	7.	July	11.	November	15.	Summer
4.	April	8.	August	12.	December	16.	Fall

P3SXLAST_Y

2 of 2

BD-24.

IF SEXSTAT =2,4,5, or 6, SAY: (Please think of the last time that you had sexual intercourse with her. In what month and year was that?)

ELSE IF SEXSTAT=1 OR 3, SAY: (That time that you had sexual intercourse with her, in what month and year was that?)

[HELP AVAILABLE]

◆ ENTER P3SXLAST M/YYYY

UNDERLYING RANGE = 1962 TO 2011

FLOW CHECK B-35: CREATE CMLSXP3 (CENTURY MONTH OF LAST SEX WITH 3rd MOST RECENT PARTNER)

SET CMLSXP3 =NULL

IF P3SXLAST Y =RF, CMLSXP3 = 9998;

ELSE IF P3SXLAST_Y = DK, CMLSXP3 = 9999;

ELSE IF P3SXLAST_M LE 12, CMLSXP3 = $(P3SXLAST_Y - P3SXLAST_Y - P3SXL$

1900)*12 + P3SXLAST_M

ELSE IF 13 =< P3SXLAST M =< 16, CMLSXP3 =

(P3SXLAST_Y -1900)*12 + [1(WINTER) OR 4(SPRING) OR

7(SUMMER) OR 10(FALL)]

ELSE IF P3SXLAST_M =DK/RF, CMLSXP3 = (P3SXLAST_Y - 1900)*12 + 6

CREATE CMLSXP3_FILL (FILL FOR DATE OF LAST SEX WITH 3rd MOST RECENT PARTNER)

IF CMLSXP3 = NULL, DK, OR RF, SET CMLSXP3_FILL = "DATE
UNKNOWN".

ELSE IF CMLSXP3 LT 9997, DEFINE CMLSXP3_FILL as follows:

IF 1 LE P3SXLAST_M LE 12, THEN ESTABLISH MO/YR FILL IN THE FORMAT "1/1998" etc.

ELSE IF 13 P3SXLAST_M LE 16 (MONTH WAS REPORTED AS A SEASON), THEN ESTABLISH FILL IN THE FORMAT "SPRING, 1998" etc.

ELSE IF ELSE IF P3SXLAST_M = DK/RF BUT
P3SXLAST_Y WAS REPORTED, THEN ESTABLISH FILL
BASED ONLY ON THE YEAR IN THE FORMAT "1998" etc.

- Edit Check BD24_3: IF (13 LE P3SXLAST_M LE 16) AND CMLSXP3 > (CMINTVW + 2),
 DISPLAY: The date entered cannot be after the date of
 interview. Please correct.
 HARD, NONSUPPRESSIBLE EDIT CHECK.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BD24_7a: PROBE IF MON12PRTS>0 AND (CMLSXP3 < CMLSTYR)

DISPLAY TEXT: R has reported that his last sex with this partner was longer ago than 12 months. In this series of questions, we are asking about partners he had sex with during the last 12 mos. Has something been entered incorrectly?

INVOLVING: P3SXLAST_M, P3SXLAST_Y, MON12PRT (if needed, adjust mon12prts)

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BD24_7b: PROBE IF MON12PRTS = 0 AND (CMLSXP3 >= CMLSTYR) DISPLAY

TEXT: R has reported that his last sex with this partner

was within the past 12 months. Earlier he reported that

he had no partners in the past 12 months. Has something

been entered incorrectly?

INVOLVING: P3SXLAST_M, P3SXLAST_Y, MON12PRT (if needed, adjust mon12prts)

HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK B-36: CREATE PIRELATION (RELATIONSHIP OF MOST RECENT SEX PARTNER TO R)

SET P1RELATION = SYSMIS

- = 1 (CURRENT WIFE, NOT SEPARATED) IF BD-3 P1CURRWIFE=1
- = 2 (CURRENT WIFE, SEPARATED) IF BD-4 P1CURRSEP=1
- = 3 (CURRENT COHABITING PARTNER (to whom he was never married)) IF BD-6 P1COHABIT=1
- = 4 (FORMER WIFE)

 IF P1RLTN1=1 AND BD-3 P1CURRWIFE NE 1
 (=5;dk/rf;sysmis) AND

 BD-4 P1CURRSEP NE 1 (=5;dk/rf;sysmis)
- = 5 (FORMER COHABITING PARTNER (to whom he was never married)) IF BD-5 P1RLTN2=1 AND BD-6 P1COHABIT NE 1 (=5;dk/rf;sysmis)
- = 6 (NEVER IN A MARITAL OR COHAB UNION WITH P)

 IF (P1RLTN1 = 5 or P1RLTN1 = null/blank)

 AND (P1RLTN2 = 5 or P1RLTN2 = null/blank)
- = 8 (Refused)
 IF (P1RLTN1 = RF AND [P1RLTN2 = RF or
 P1RLTN2 = null/blank]) OR ([P1RLTN1 = RF or
 P1RLTN1 = null/blank] AND P1RLTN2 = RF)
- = 9 (Don't Know)
 IF (P1RLTN1 = DK AND P1RLTN2 =
 DK/RF/null/blank) OR (P1RLTN1 =
 DK/RF/null/blank AND P1RLTN2 = DK)

[NOTE: THE ONLY RS WITH P1RELATION REMAINING SYSMIS SHOULD BE THOSE WITH SEXSTAT=0 (NEVER HAD SEX)]

IF MON12PRTS < 2, GO TO FLOW CHECK B-37.

CREATE P2RELATION (RELATIONSHIP OF 2^{ND} MOST RECENT SEX PARTNER TO R)

Field Date: Beginning July 2008

SET = SYSMIS

- = 1 (CURRENT WIFE, NOT SEPARATED)
 IF BD-11 P2CURRWIFE=1
- = 2 (CURRENT WIFE, SEPARATED) IF BD-12 P2CURRSEP=1
- = 3 (CURRENT COHABITING PARTNER (to whom he was never married)) IF BD-14 P2COHABIT=1
- = 4 (FORMER WIFE)

 IF P2RLTN1=1 AND BD-11 P2CURRWIFE NE 1

 (=5;dk/rf;sysmis) AND

 BD-12 P2CURRSEP NE 1 (=5;dk/rf;sysmis)
- = 5 (FORMER COHABITING PARTNER (to whom he was never married)) IF BD-13 P2RLTN2=1 AND BD-14 P2COHABIT NE 1 (=5;dk/rf;sysmis)
- = 6 (NEVER IN A MARITAL OR COHAB UNION WITH P)
 IF (P2RLTN1 = 5 or P2RLTN1 = null/blank)
 AND (P2RLTN2 = 5 or P2RLTN2 = null/blank)
- = 8 (Refused)
 IF (P2RLTN1 = RF AND [P2RLTN2 = RF or
 P2RLTN2 = null/blank]) OR ([P2RLTN1 = RF or
 P2RLTN1 = null/blank] AND P2RLTN2 = RF)
- = 9 (Don't Know)

 IF (P2RLTN1 = DK AND P2RLTN2 =

 DK/RF/null/blank) OR (P2RLTN1 =

 DK/RF/null/blank AND P2RLTN2 = DK)

[NOTE: ONLY ONES THAT SHOULD REMAIN SYSMIS ON P2RELATION ARE THOSE WITH MON12PRTS<2 AND THOSE WITH SEXSTAT=0.]

IF MON12PRTS < 3, GO TO FLOW CHECK B-37.

CREATE P3RELATION (RELATIONSHIP OF 3^{RD} MOST RECENT SEX PARTNER TO R)

SET = SYSMIS

- = 1 (CURRENT WIFE, NOT SEPARATED)
 IF BD-19 P3CURRWIFE=1
- = 2 (CURRENT WIFE, SEPARATED) IF BD-20 P3CURRSEP=1
- = 3 (CURRENT COHABITING PARTNER)
 IF BD-22 P3COHABIT=1
- = 4 (FORMER WIFE)

 IF P3RLTN1=1 AND BD-19 P3CURRWIFE NE 1

 (=5;dk/rf;sysmis) AND

 BD-20 P3CURRSEP NE 1 (=5;dk/rf;sysmis)
- = 5 (FORMER COHABITING PARTNER)
 IF BD-21 P3RLTN2=1 AND BD-22 P3COHABIT NE 1
 (=5;dk/rf;sysmis)
- = 6 (NEVER IN A MARITAL OR COHAB UNION WITH P)
 IF (P3RLTN1 = 5 or P3RLTN1 = null/blank)
 AND (P3RLTN2 = 5 or P3RLTN2 = null/blank)
- = 8 (Refused)
 IF (P3RLTN1 = RF AND [P3RLTN2 = RF or
 P3RLTN2 = null/blank]) OR ([P3RLTN1 = RF or
 P3RLTN1 = null/blank] AND P3RLTN2 = RF)
- = 9 (Don't Know)
 IF (P3RLTN1 = DK AND P3RLTN2 =

NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3

Field Date: Beginning July 2008

DK/RF/null/blank) OR (P3RLTN1 =
DK/RF/null/blank AND P3RLTN2 = DK)

[Note: Only ones that should remain sysmis on P3RELATION are those with MON12PRTS<3 and those with SEXSTAT=0.]

FLOW CHECK B-37: CREATE FILLS FOR RELATIONSHIP WITH RECENT PARTNER(S) FOR VERIFYING. (RELP[X]_FILL BELOW REPRESENTS THE FOLLOWING THREE SETS OF FILLS DEFINED: RELP1_FILL; RELP2_FILL; & RELP3_FILL)

CREATE RELP[X]_FILL

SET=SYSMIS

IF P[X]RELATION=1,

SET RELP[X] FILL = "are married to"

IF P[X]RELATION=2

SET RELP[X]_FILL = "are separated from"

IF P[X]RELATION=3,

SET RELP[X]_FILL= "are living with"

ELSE IF P[X]RELATION=4,

SET RELP[X]_FILL= "had been married to"

ELSE IF P[X]RELATION=5,

SET RELP[X]_FILL = "had lived with"

ELSE IF P[X]RELATION=6,

FLOW CHECK B-38: CREATE FRSTNAME (NAME OF FIRST SEX PARTNER EVER)

SET FRSTNAME = NULL

SET FRSTNAME = P1NAME IF LIFEPRT BC-6 NE DK/RF AND

LIFEPRTS=1 AND P1NAME NE DK/RF

IF LIFEPRT BC-6 NE DK/RF AND (LIFEPRTS=MON12PRTS=2 OR LIFEPRTS=MON12PRTS=3), ASK FIRST BD-25.

ELSE, GO TO FLOW CHECK B-39.

FTRST

BD-25. IF LIFEPRTS = 2 AND MON12PRTS = 2, ASK:

Were either of the females we've talked about, (P2NAME_FILL) and (P1NAME_FILL), the first female with whom you ever had sexual intercourse?

ELSE, IF LIFEPRTS = 3 AND MON12PRTS = 3, ASK:

Were any of the females we've talked about, (PlNAME_FILL),

 $(P2NAME_FILL)$, and $(P3NAME_FILL)$, the first female with whom you ever had sexual intercourse?

[HELP AVAILABLE]

Yes, (P1NAME_FILL)......1
Yes, (P2NAME_FILL).....2

Yes, (P3NAME_FILL).....3

No5

FLOW CHECK B-38b IF FIRST BD-25=1,2, OR 3 THEN GO TO FLOW CHECK B-39 ELSE, ASK FIRST2 BD-26

FIRST2

BD-26. So that I can refer to her in the interview, please tell me the name or initials of the first female with whom you ever had sexual

NSFG 2006-08 MALE Questionnaire, Male B CRQ, Year 3 Field Date: Beginning July 2008

intercourse.

[HELP AVAILABLE]

◆ ENTER name or initials

TYPE: STRING [30]

FLOW CHECK B-39: IF BD-25 FIRST = 1 SET FRSTNAME=P1NAME

ELSE IF BD-25 FIRST = 2 SET FRSTNAME=P2NAME ELSE IF BD-25 FIRST = 3 SET FRSTNAME=P3NAME

ELSE IF FIRST2 NE NULL OR DK OR RF, SET FRSTNAME=FIRST2. ELSE IF FIRST2 = DK OR RF, SET FRSTNAME= "your first

partner".

FLOW CHECK B-40: IF MARSTAT=1 OR 2, GO TO INTROC CA-0.

ELSE IF MARSTAT NE 1 OR 2, GO TO FLOW CHECK D-1.