# SECTION H Infertility Services and Reproductive Health

# VARIABLES IMPORTED FROM EARLIER SECTIONS:

AGE\_R R'S AGE AT INTERVIEW (FROM A) AGE\_R R'S AGE AT INTERVIEW (FROM A)
CMBIRTH CM FOR R'S DATE OF BIRTH (FROM A) CMINTVW

CM FOR DATE OF INTERVIEW (FROM A)

CMLSTYR

CM FOR 12 MOS BEFORE INTERVIEW (FROM A)

CMLSTYR\_FILL

MO/YR FILL FOR CMLSTYR (FROM A)

AGESCRN

R'S AGE AT SCREENER (FROM A)

MARCIAT

MAR CM FOR DATE OF INTERVIEW (FROM A) CMINTVW MARSTAT R'S INFORMAL MARITAL STATUS (FROM A) FMARIT R'S FORMAL MARITAL STATUS (FROM A) # OF DAUGHTERS IN HH 9-18 YRS WITH RELAR[X] = 3 or 5 (FROM A) # OF SONS IN HH 9-18 YRS WITH RELAR[X] = 3 or 5 (FROM A) DAUGHT918 SON918 WHETHER R HAS EVER BEEN PREGNANT (INCLUDING A CURRENT PREG) (FROM B) EVERPREG CMLSTPRG CM FOR DATE OF R'S LAST COMPLETED PREGNANCY (FROM B) CURRPREG

WHETHER R IS CURRENTLY PREGNANT (FROM B)

TIMESMAR NUMBER OF TIMES MARRIED, AMONG EVER-MARRIED (FROM C)

WHETHER R HAS EVER HAD SEX (FROM C) RHADSEX

LIFEPRTS NUMBER OF MALE PARTNERS IN LIFETIME (COMPUTED, FROM C)

AGEFSTSX AGE AT FIRST SEXUAL INTERCOURSE (FROM C)

# VARIABLES CREATED IN THIS SECTION & OUTPUT TO DATA FILE

CMPGVIS1	CM FOR FIRST "HELP TO GET PREGNANT" VISIT (FC H-7)
CMPGVISL	CM FOR LAST/MOST RECENT "HELP TO GET PREGNANT" VISIT (FC H-8)
PRGVISIT	# OF VISITS IN LAST 12 MONTHS MEDICAL HELP TO GET PREGNANT FC H10
CMPIDLST	CM EQUIVALENT FOR LAST/MOST RECENT PID EPISODE (FC H-15)
CMHIVTST	CM EQUIVALENT FOR DATE OF LAST (MOST RECENT) HIV TEST (FC H-16)

# VARIABLES CREATED IN THIS SECTION & ARE NOT OUTPUT TO DATA FILE:

MO/YR FILL FOR CMPGVIS1 (FC H-7) CMPGVIS1 FILL CMHIVTST\_FILL MO/YR FILL FOR CMHIVTST (FC H-16)

FLOW CHECK H-0: IF RHADSEX = 1 (YES) OR AGE\_R GE 18, INTRO\_H1 HA-0.

ELSE IF RHADSEX = 5 (NO) AND AGE\_R LT 18, GO TO INTRO\_H3 HB-5.

# INTRO\_H1

HA-0. The next questions are about any infertility services you may have ever received. This includes medical help to become pregnant or to prevent miscarriage. I will ask you about each type of help separately.

◆ ENTER [1] to continue

# EVER RECEIVED MEDICAL HELP TO GET PREGNANT (HA)

### HI.PPRG

HA-1.

IF LIFEPRTS = 1 AND FMARIT = 1 OR 4 (MARRIED OR SEPARATED), ASK: Have you or your husband ever been to a doctor or other medical care provider to talk about ways to help you become pregnant?

ELSE IF LIFEPRTS=1 AND FMARIT = 2 OR 3 (WIDOWED OR DIVORCED), ASK: Did you or your husband ever go to a doctor or other medical care provider to talk about ways to help you become pregnant?

ELSE IF (LIFEPRTS GT 1 OR LIFEPRTS = DK OR RF) AND FMARIT = 1, 2, 3, OR 4 (MARRIED, WIDOWED, DIVORCED, OR SEPARATED), ASK: During any of your relationships, have you or your husband or partner at the time ever been to a doctor or other medical care provider to

talk about ways to help you become pregnant?

ELSE IF FMARIT = 5 or 0 (never married) AND LIFEPRTS = 0 OR RF OR DK, ASK:

Have you ever been to a doctor or other medical care provider to talk about ways to help you become pregnant?

ELSE IF FMARIT = 5 or 0 (never married) AND LIFEPRTS GE 1, ASK:
During any of your relationships, have you or your partner at the time
ever been to a doctor or other medical care provider to talk about ways
to help you become pregnant?

[HELP AVAILABLE]

Yes ......1
No ......5 (INTRO\_H2 HB-0)

FLOW CHECK H-1: IF LIFEPRTS > 1, ASK HA-2 HOWMANYR. ELSE, GO TO HA-5 TYPALLPG.

### HOWMANYR

HA-2. In how many of your relationships did you seek medical help in order to become pregnant?

One.....1
More than one...5

FLOW CHECK H-2: IF AB-1 MARSTAT NE 1 or 2 or 5, GO TO HA-5 TYPALLPG. ELSE IF MARSTAT = 1 or 2 or 5, THEN DO:

> IF HA-2 HOWMANYR=1, ASK HA-3 SEEKWHO1. ELSE IF HA-2 HOWMANYR=5, DK, OR RF, ASK HA-4 SEEKWHO2. END.

{ ASKED IF HOWMANYR = 1

### SEEKWH01

HA-3. IF AB-1 MARSTAT= 1 or 5 (MARRIED OR SEPARATED), ASK: Was that with your current husband or another partner?

ELSE IF AB-1 MARSTAT= 2 (COHABITING), ASK:

Was that with your current partner or another partner?

FLOW CHECK H-3: IF HA-3 SEEKWHO1 = 1, 5, DK, or RF, GO TO HA-5 TYPALLPG.

{ ASKED IF HOWMANYR NE 1

### SEEKWHO2

HA-4. IF AB-1 MARSTAT= 1 or 5 (MARRIED OR SEPARATED), ASK:

Have you sought help with your current husband?

ELSE IF AB-1 MARSTAT= 2 (COHABITING),

ASK:

Have you sought help with your current partner?

Yes .....1

No .....5

### TYPALLPG

HA-5. IF (HA-3 SEEKWHO1 = 1 OR LIFEPRTS = 1) AND AB-1 MARSTAT = 1 or 5, ASK: Which of the services shown on Card 52 have you or your husband had to help you become pregnant?

ELSE IF (HA-3 SEEKWHO1 = 1 OR LIFEPRTS = 1) AND AB-1 MARSTAT = 2, ASK: Which of the services shown on Card 52 have you or your partner had to help you become pregnant?

ELSE IF HA-3 SEEKWHO1 = 5, ASK:

Which of the services shown on Card 52 did you or your previous partner have to help you become pregnant?

ELSE IF (LIFEPRTS = 1 AND AB-1 MARSTAT NE 1 or 2) OR (HA-2 HOWMANYR = 1 AND HA-3 SEEKWHO1 = BLANK, DK, OR RF), ASK:

Which of the services shown on Card 52 did you or your partner have to help you become pregnant?

ELSE IF HA-2 HOWMANYR = 5, blank, DK, OR RF, ASK:
Think about all of the medical help you or your partners have <u>ever</u>
received to help you become pregnant. Which of the services shown on
Card 52 have you or they had (to help you become pregnant)?

- ◆ ENTER all that apply
- ◆ PRESS [Space] or [-] to separate responses

[HELP AVAILABLE]
[SHOW CARD 52]

Advice1
<pre>Infertility testing2</pre>
Drugs to improve your ovulation3
Surgery to correct blocked tubes4
Artificial insemination5
Other types of medical help6

FLOW CHECK H-4: IF HA-5 TYPALLPG INCLUDES CODE 2 (infertility testing), ASK HA-5a WHOTEST.
ELSE GO TO FLOW CHECK H-5.

## WHOTEST

HA-5a. Who was it that had infertility testing? Was it you, him, or both of you?

You			•				•	•			•	•	•			•	1
Him																	3
Both	0	f	v	0	u												5

FLOW CHECK H-5: IF HA-5 TYPALLPG INCLUDES CODE 5 (artificial insemination),
ASK HA-5b WHARTIN.
ELSE GO TO FLOW CHECK H-6.

# WHARTIN

HA-5b. Were you inseminated with sperm from your husband or partner only, from some other donor only, or from both?

Husband or partner.....1

Donoi	<u> </u>									 . 3
Both	husband	or	par	tner	and	donor				 . 5

FLOW CHECK H-6: IF HA-5 TYPALLPG INCLUDES CODE 6 (other types of medical help), ASK HA-5c OTMEDHEP.

ELSE GO TO HA-6 INSCOVPG.

#### OTMEDHEP

HA-5c. Which of these other types of medical help listed on Card 53 did either of you receive for becoming pregnant?

- ENTER all that apply
- ◆ PRESS [Space] or [-] to separate responses

[HELP AVAILABLE]
[SHOW CARD 53]

FLOW CHECK H-6b: IF HA-5c OTMEDHEP INCLUDES CODE 5 (other medical help), ASK HA-5sp SP\_OTMEDHEP.

ELSE GO TO HA-6 INSCOVPG.

{ ASKED IF ANY HA-5c OTMEDHEP includes code 5 (other medical help)  ${\bf SP\_OTMEDHEP}$ 

HA-5sp. What was this other type of medical help to help you become pregnant?

Record verbatim what R reports for her other type of medical help for becoming pregnant.

TYPE: STRING [250]

### INSCOVPG

HA-6. Did either of you have private health insurance to cover any of the costs of medical help for becoming pregnant?

[HELP AVAILABLE]

Yes ..... 1
No .... 5

# FSTHLPPG\_M

1 of 2

HA-7. Please look at the calendar to help you remember when you [or your (husband/partner)] made your first visit to seek medical help for becoming pregnant. In what month and year was that?

- ◆ ENTER MM/YYYY
- ◆ PROBE for season if DK month

[CALENDAR REFERENCE]
[HELP AVAILABLE]

1. January 5. May 9. September 13. Winter 2. February 6. June 10. October 14. Spring

### NSFG FEMALE CRO FOR 2013-2015

OMB Number 0920-0314

3. March 7. July 11. November 15. Summer 8. August 12. December 16. Fall 4. April

### FSTHLPPG Y

2 of 2

HA-7. (Please look at the calendar to help you remember when you [or your (husband/partner)] made your first visit to seek medical help for becoming pregnant. In what month and year was that?)

[CALENDAR REFERENCE] [HELP AVAILABLE]

◆ ENTER (FSTHLPPG M)/YYYY

UNDERLYING RANGE: 1966 to 2020

#### FLOW CHECK H-7: COMPUTE CMPGVIS1:

(Century month for date of 1st visit for medical help to get pregnant)

SET CMPGVIS1 = null/blank.

IF FSTHLPPG Y = RF, SET CMPGVIS1 = 9998 (RF). ELSE IF FSTHLPPG Y = DK, SET CMPGVIS1 = 9999 (DK).

ELSE IF FSTHLPPG\_M LE 12, COMPUTE CMPGVIS1 = (FSTHLPPG\_Y - 1900)\*12 + FSTHLPPG M

> ELSE IF 13 LE FSTHLPPG M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMPGVIS1 as above.

ELSE IF FSTHLPPG\_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMPGVIS1 as above.

IF CMPGVIS1 NE BLANK AND 1 LE FSTHLPPG M LE 12 AND CMPGVIS1 LT 9996, ESTABLISH CMPGVIS1 FILL.

Edit Check HA7 1: IF (FSTHLPPG M LE 12) AND CMPGVIS1 > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

IF (FSTHLPPG\_M LE 12) AND CMPGVIS1 < CMBIRTH,</pre> Edit Check HA7\_2:

DISPLAY: The date entered cannot be before her date of birth. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

IF (13 LE FSTHLPPG\_M LE 16) AND CMPGVIS1 > (CMINTVW + Edit Check HA7\_3:

> 2), DISPLAY: The date entered cannot be after the date of interview. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check HA7 4: IF (13 LE FSTHLPPG M LE 16) AND CMPGVIS1 < (CMBIRTH -

3), DISPLAY: The date entered cannot be before her

date of birth. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check HA7\_5: IF (FSTHLPPG\_M = DK OR RF) AND FSTHLPPG\_Y >

(CMINTVW/12 +1900), DISPLAY: The date entered cannot

be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check HA7\_6:

IF (FSTHLPPG\_M = DK OR RF) AND FSTHLPPG\_Y <
(CMBIRTH/12 +1900) - 1, DISPLAY: The date entered
cannot be before her date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.</pre>

### TRYLONG2 @ of @

HA-8. IF CMPGVIS1 = blank, 9999 (DK), or 9998 (RF) OR IF 13 LE FSTHLPPG\_M LE 16, ASK:

When you first went for medical help, how many months or years had you (and your (husband/partner)) been trying to become pregnant?

ELSE IF CMPGVIS1 LT 9996, ASK:

When you first went for medical help (in CMPGVIS1\_FILL), how many months or years had you (and your (husband/partner)) been trying to become pregnant?

◆ ENTER number (Month(s)/Year(s))

UNDERLYING RANGE: 0 to 95

# UNIT\_TRYLONG @ of @

HA-8U.

IF CMPGVIS1 = blank, 9999 (DK), or 9998 (RF) OR IF 13 LE FSTHLPPG\_M LE 16, ASK:

(When you first went for medical help, how many months or years had you (and your (husband/partner)) been trying to become pregnant?)

ELSE IF CMPGVIS1 LT 9996, ASK:

(When you first went for medical help (in CMPGVIS1\_FILL), how many months or years had you (and your (husband/partner)) been trying to become pregnant?)

◆ ENTER (TRYLONG) and Month(s)/Year(s)

Months .....1
Years .....5

EDIT CHECK HA8\_1:

PROBE IF HA-8 TRYLONG GT 20 AND UNIT\_TRYLONG = 5 (years). DISPLAY TEXT: R has reported that she had been trying to get pregnant for over 20 years when she first went for medical help. Is this correct? INVOLVING(TRYLONG, UNIT\_TRYLONG)

FLOW CHECK H-7\_1: IF CURRPREG = 1 THEN GO TO FLOW CHECK H-8

ELSE IF CURRPREG <> 1 ASK HA-9 HLPPGNOW

### HLPPGNOW

HA-9. Are you currently pursuing medical help to become pregnant?

[HELP AVAILABLE]

Yes .....1
No .....5

## RCNTPGH M

 $\mathcal{D}$  of  $\mathcal{D}$ 

HA-10.

IF HA-9 HLPPGNOW = YES, ASK:

Again, please look at your calendar to help you remember. In what month and year was your most recent visit for help to become pregnant?

ELSE IF HA-9 HLPPGNOW = 5, DK, RF, ASK:

Again, please look at your calendar to help you remember. In what month and year was your last visit for help to become pregnant?

- ◆ ENTER MM/YYYY
- ◆ PROBE for season if DK month
- ENTER [96] if R only had 1 visit for help to become

# [CALENDAR REFERENCE] [HELP AVAILABLE]

5. May 1. January 9. September 13. Winter 10. October 2. February 6. June 3. March 11. November 7. July

12. December 16. Fall 4. April 8. August

96. R only had one visit for help

# FLOW CHECK H-7a: IF RCNTPGH\_M = 96, GO TO FLOW CHECK H-8. ELSE, ASK HA-10 RCNTPGH\_Y.

{ YEAR ONLY ASKED IF 96 NOT REPORTED ON MONTH

### RCNTPGH Y

2 of 2

HA-10.

IF HA-9 HLPPGNOW = YES, ASK:

(Again, please look at your calendar to help you remember. In what month and year was your most recent visit for help to become pregnant?)

ELSE IF HA-9 HLPPGNOW = 5, DK, RF, ASK:

(Again, please look at your calendar to help you remember. what month and year was your last visit for help to become pregnant?)

[CALENDAR REFERENCE] [HELP AVAILABLE]

◆ ENTER (RCNTPGH M)/YYYY

UNDERLYING RANGE: 1966 to 2020

#### FLOW CHECK H-8: COMPUTE CMPGVISL:

(Century month for date of most recent visit for medical help to get pregnant)

SET CMPGVISL = null/blank.

IF RCNTPGH\_Y = RF, SET CMPGVISL = 9998 (RF). ELSE IF RCNTPGH\_Y = DK, SET CMPGVISL = 9999 (DK).

ELSE IF RCNTPGH\_M LE 12,

14. Spring

15. Summer

COMPUTE CMPGVISL = (RCNTPGH\_Y - 1900)\*12 + RCNTPGH\_M

ELSE IF 13 LE RCNTPGH\_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMPGVISL AS ABOVE.

ELSE IF RCNTPGH\_M = 96, SET CMPGVISL = 9996 (only had 1 visit).

ELSE IF RCNTPGH\_M = DK OR RF, ASSIGN MONTH = 6 (June)
& COMPUTE CMPGVISL AS ABOVE.

Edit Check HA10\_2: IF (RCNTPGH\_M LE 12) AND CMPGVISL < CMBIRTH, DISPLAY:
The date entered cannot be before her date of birth.
Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check Ha10\_3: IF (13 LE RCNTPGH\_M LE 16) AND CMPGVISL > (CMINTVW + 2), DISPLAY: The date entered cannot be after the date of interview. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check HA10\_4: IF (13 LE RCNTPGH\_M LE 16) AND CMPGVISL < (CMBIRTH - 3), DISPLAY: The date entered cannot be before her date of birth. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

PROBE IF CMPGVIS1 CMPGVIS1. DISPLAY TEXT: R has reported a last/most recent visit that is earlier than her 1st visit. Has one of the dates been entered incorrectly?

INVOLVING(RCNTPGH\_M,RCNTPGH\_Y,FSTHLPPG\_M,FSTHLPPG\_Y)

FLOW CHECK H-9: IF (CMPGVIS1 GE CMLSTYR AND CMPGVISL NE 9996) OR (9996 GT CMPGVISL GE CMLSTYR), ASK HA-11 NUMVSTPG. ELSE, GO TO FLOW CHECK H-10.

# NUMVSTPG

HA-11. IF AB-1 MARSTAT=1 (MARRIED), ASK:

During the last 12 months, that is, since (CMLSTYR\_FILL), how many visits have you or your husband made to a doctor or other medical care provider to help you get pregnant?

ELSE IF AB-1 MARSTAT=2 (COHABITING), ASK:
During the last 12 months, that is, since (CMLSTYR\_FILL), how

many visits have you or your partner made to a doctor or other medical care provider to help you get pregnant?

### ELSE ASK:

During the last 12 months, that is, since (CMLSTYR\_FILL), how many visits have you made to a doctor or other medical care provider to help you get pregnant?

• ENTER number of visits

UNDERLYING RANGE: 1 to 95

### FLOW CHECK H-10: COMPUTE PRGVISIT:

(Number of visits in last 12 months for medical help to get pregnant)

PRGVISIT = inapp/blank IF HA-1 HLPPRG = 5, DK, or RF. ELSE IF (CMPGVISL=9996 AND CMPGVIS1 GE CMLSTYR) THEN PRGVISIT=1.

ELSE IF (CMPGVISL=9996 OR HA-11 NUMVSTPG = BLANK) THEN PRGVISIT = 0.

ELSE PRGVISIT = NUMVSTPG.

(Note, the result of the final else clause is that if NUMVSTPG = DK or RF, PRGVISIT = DK or RF.)

# EVER RECEIVED MEDICAL HELP TO PREVENT MISCARRIAGE (HB)

### INTRO\_H2

- HB-0. Now there are a few questions about medical help you may have received to prevent miscarriage or pregnancy loss.
  - ◆ ENTER [1] to continue

### HLPMC

HB-1. IF EVERPREG = YES, ASK:

Not counting routine check-ups, prenatal care, or advice about a pregnancy, have you ever been to a doctor or other medical care provider to talk about ways to help you prevent miscarriage or pregnancy loss?

ELSE IF EVERPREG = NO, ASK:

Have you ever been to a doctor or other medical care provider to talk about ways to help you prevent miscarriage or pregnancy loss?

[HELP AVAILABLE]

Yes ..... 1 No ..... 5 (Flow Check H-11)

### TYPALLMC

- HB-2. Which of the services shown on Card 54 have you <u>ever</u> received to help you prevent miscarriage or pregnancy loss?
  - ◆ ENTER all that apply
  - ◆ Press [Space] or [-] to separate responses
  - ◆ PROBE: "Any others?"

[HELP AVAILABLE]
[SHOW CARD 54]

FLOW CHECK H-10b: IF HB-2 TYPALLMC INCLUDES CODE 6 (other types of medical help), ASK HB-2sp SP\_TYPALLMC.

ELSE GO TO HB-3 MISCNUM.

{ ASKED IF ANY HB-2 TYPALLMC includes code 6 (other medical help) SP\_TYPALLMC

HB-2sp. What was this other type of medical help for preventing miscarriage?

Record verbatim what R reports for her other type of medical help for preventing miscarriage.

TYPE: STRING [250]

### MISCNUM

- HB-3. When you first went for medical help for preventing miscarriage, how many pregnancies had you lost, if any?
  - Include any spontaneous pregnancy losses -- miscarriages, ectopic pregnancies, stillbirths.
  - ENTER number

UNDERLYING RANGE: 0 to 95

FLOW CHECK H-11: IF HA-1 HLPPRG = YES OR HB-1 HLPMC = YES, ASK HB-4 INFRTPRB. ELSE, GO TO INTRO\_H3 HB-5.

### INFRTPRB

HB-4. IF HA-1 HLPPRG = YES AND HB-1 HLPMC NE YES, ASK:

Looking at Card 55, when you went for medical help to become pregnant,

were you ever told that you or your husband or partner had any of the
following infertility problems shown on the card?

ELSE IF HA-1 HLPPRG NE YES AND HB-1 HLPMC = YES, ASK: Looking at Card 55, when you went for medical help to prevent miscarriage or pregnancy loss, were you ever told that you had any of the following infertility problems shown on the card?

ELSE IF HA-1 HLPPRG = YES AND HB-1 HLPMC = YES, ASK: Looking at Card 55, when you went for medical help to become pregnant and prevent miscarriage, were you ever told that you or your husband or partner had any of the following infertility problems shown on the card?

◆ ENTER all that apply

◆ PRESS [Space] or [-] to separate responses

[SHOW CARD 55] [HELP AVAILABLE]

Problems with ovulation1
Blocked tubes2
Other tube or pelvic problems3
Endometriosis4
Semen or sperm problems5
Any other infertility problems $\dots 6$
None of these problems7

EDIT CHECK HB4\_1:

IF CWPOKLIV = 7 AND ANY OTHER CODE DISPLAY: You cannot choose the option for "None" in concert with other options from the list. PROBE R and re-verify the information given.

HARD, NONSUPPRESSIBLE EDIT CHECK.

### INTRO H3

HB-5. IF RHADSEX = YES OR AGE\_R GE 18, SAY:

The remaining questions in this section will ask about a variety of things that can affect a woman's health and her ability to have children.

ELSE IF RHADSEX = NO AND AGE\_R LT 18, SAY:

The questions in this section will ask about a variety of things that can affect a woman's health and her ability to have children.

• ENTER [1] to continue

# VAGINAL DOUCHING (HC)

# **DUCHFREQ**

HC-1. Some women douche after intercourse or at other times, while other women do not. Looking at Card 56, during the past 12 months, that is, since (CMLSTYR\_FILL), how often, if at all, did you douche?

[SHOW CARD 56] [HELP AVAILABLE]

Never1
Once a month or less often2
2-3 times a month
Once a week4
2-3 times a week5
4-6 times a week6
Every day7

# PID AND OTHER HEALTH PROBLEMS RELATED TO CHILDBEARING (HD)

### PID

- HD-1. Have you <u>ever</u> been treated for an infection in your fallopian tubes, womb, or ovaries, also called a pelvic infection, pelvic inflammatory disease, or P.I.D.?
  - $\bullet$  If don't know, probe: This is a female <u>infection</u> that sometimes causes abdominal pain or lower stomach cramps.

### NSFG FEMALE CRQ FOR 2013-2015

OMB Number 0920-0314

[HELP AVAILABLE]

Yes ..... 1
No ..... 5

FLOW CHECK H-13: IF HD-1 PID = 1 or DK, ASK HD-2 PIDSYMPT. ELSE IF PID = 5 or RF, GO TO HD-5 DIABETES.

#### PIDSYMPT

HD-2. Were you having any symptoms, such as pain or vaginal discharge or bleeding, that caused you to go for treatment?

Yes ..... 1
No ..... 5

FLOW CHECK H-14: IF HD-1 PID = DK, GO TO HD-5 DIABETES.

{ Asked only if PID = YES

### PIDTX

HD-3. How many different times have you been treated for a pelvic infection or P.I.D.?

[HELP AVAILABLE]

• ENTER number

UNDERLYING RANGE: 1 to 20

### LSTPIDTX M

 $\mathcal{Q}$  of  $\mathcal{Q}$ 

- HD-4. In what month and year did you last receive treatment for a pelvic infection or P.I.D.?
  - ullet If R cannot recall month and year, refer her to the life history calendar.
  - ◆ ENTER MM/YYYY
  - ◆ PROBE for season if DK month

# [CALENDAR REFERENCE]

1.	January	5.	May	9.	September	13.	Winter
2.	February	6.	June	10.	October	14.	Spring
3.	March	7.	July	11.	November	15.	Summer
4.	April	8.	August	12.	December	16.	Fall

# LSTPIDTX\_Y

2 of 2

HD-4. (In what month and year did you last receive treatment for a pelvic infection or P.I.D.?)

### [CALENDAR REFERENCE]

- If R cannot recall month and year, refer her to the life history calendar.
- ◆ ENTER (LSTPIDTX\_M)/YYYY

UNDERLYING RANGE: 1966 to 2020

## FLOW CHECK H-15: COMPUTE CMPIDLST:

(Century month for date of last or most recent PID

### treatment)

SET CMPIDLST = null/blank.

IF LSTPIDTX\_Y = RF, SET CMPIDLST = 9998 (RF). ELSE IF LSTPIDTX\_Y = DK, SET CMPIDLST = 9999 (DK).

ELSE IF LSTPIDTX\_M LE 12, COMPUTE CMPIDLST = (LSTPIDTX\_Y - 1900)\*12 + LSTPIDTX M

ELSE IF 13 LE LSTPIDTX\_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMPIDLST AS ABOVE.

ELSE IF LSTPIDTX\_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMPIDLST AS ABOVE.

- Edit Check HD4\_1: IF (LSTPIDTX\_M LE 12) AND CMPIDLST > CMINTVW,

  DISPLAY: The date entered cannot be after the date of interview. Please correct.

  HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check HD4\_2: IF (LSTPIDTX\_M LE 12) AND CMPIDLST < CMBIRTH,
  DISPLAY: The date entered cannot be before her date
  of birth. Please correct.
  HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check HD4\_4: IF (13 LE LSTPIDTX\_M LE 16) AND CMPIDLST < (CMBIRTH 3), DISPLAY: The date entered cannot be before her date of birth. Please correct.

  HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check HD4\_5: IF (LSTPIDTX\_M = DK OR RF) AND LSTPIDTX\_Y > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check HD4\_6: IF (LSTPIDTX\_M = DK OR RF) AND LSTPIDTX\_Y < (CMBIRTH/12 +1900) 1, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

# { All

### DIABETES

HD-5. Has a doctor or other medical care provider ever told you that you had diabetes or "sugar"?

### [HELP AVAILABLE]

• For any mention of gestational diabetes or diabetes during pregnancy, enter [1].

Yes	٠.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	1
Ιf	vo	1	:		B	0	r	d	e	r	1	i	n	e		0	r		P	r	e	_	D	i	а	b	e	t	e	s				3

OMB INUII	iber 09	20-0314												
		No						.5						
FLOW (	CHECK	H-15a:	IF (HD-	5 DIABET	TES=5	, DK,	OR RF	) OR	EVER	PREG=	NO, G	<b>:</b> O:	то н	D-8
			ELSE IF GESTDIA		EG = :	YES AN	ID (HD	)-5 D	IABET	ES=1	or 3)	, 1	ASK	HD-6
-	rline	R has e /pre-dia	ever been abetes	n pregna	ant ai	nd bee	en dia	ignos	ed wi	th di	abete	:s (	or	
HD-6.		Were y	you ever	told yo	ou had	d diak	etes	when	you	were	not r	re	gnan	t?
[HELP	AVAII	LABLE]												
UF														
HD-8.	(Has	a docto	RTPRB = l or or otl d tumors	her medi	ical d				ver t	old y	ou th	ıat	you	
	(You care	may hav	4 INFRTPH we alreader ever e	dy told	me th	his, k								
[HELP	AVAII	LABLE]												
ENDO														
HD-9.	(Has	a docto	RTPRB = l or or otl triosis?			care p	rovid	ler e	ver t	old y	ou th	ıat	you	
	(You	may hav	4 INFRTP ve alreader ever	dy told	me th	his, k						: me	edic	al
[HELP	AVAII	LABLE]												
OVUPRO	ЭВ													
HD-10	•	(Has a	-4 INFRT a doctor ad) Prob	or othe	er med	dical					told	yοι	u th	at
		(You medica	IF HB-4 imay have al care ption or i	already provider	y tolo r eve	d me t r told	his,	but						
[HELP	AVAII	LABLE]												
		Yes .		1										

No .....5

<b>DEAF</b> HD-11.	The following questions are about other health problems or impairments you have.
	Do you have serious difficulty hearing?
	Yes1 No5
BLIND HD-12.	Do you have serious difficulty seeing, even when wearing glasses?
	Contact lenses should be considered in the same way as glasses.
	Yes1 No5
DIFDECIDE HD-13.	Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering or making decisions?
	Yes1 No5
DIFWALK	
HD-14.	Do you have serious difficulty walking or climbing stairs?
	Yes1 No5
<b>DIFDRESS</b> HD-15.	Do you have difficulty dressing or bathing?
	Yes1 No5
DIFOUT	
HD-16.	Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?
	Yes1 No5
{ Asked for EVRCANCER	all
HD-17.	Now I would like to ask you about cancer. Have you <u>ever</u> been told by a doctor or other health care provider that you had cancer?
	Yes1 No
-	R has ever had cancer
AGECANCER HD-17a.	At what age were you first told that you had cancer?
	Age in years

- ◆ Read if necessary: If you have had more than one cancer, please tell me about your first cancer.
- ENTER Age in years

UNDERLYING RANGE: 0 TO 45

# $\{$ Asked if R has ever had cancer

### CANCTYPE

HD-17b. What type of cancer was it? If you had cancer more than once, please say what your first cancer was.

INTERVIEWER NOTE: Code based on what respondent reports for her type of cancer. The list is alphabetical. Read the list only if necessary. You may stop reading the list when the respondent states a cancer.

Bladder cancer       01         Bone cancer       02         Brain cancer or tumor, spinal cord cancer, or other cancer of the central nervous system       03         Breast cancer       04         Cervical cancer (cancer of the cervix)       05         Colon cancer       06         Endometrial cancer (cancer of the uterus)       07         Head and neck cancer       08         Heart cancer       09         Leukemia/blood cancer       10         Liver cancer       11         Lung cancer       12         Lymphoma including Hodgkins disease/ Lymphoma and non-Hodgkins       13         Melanoma       14         Neuroblastoma       15         Oral (mouth) cancer       16         Ovarian cancer       17         Pancreatic cancer       18         Pharyngeal (throat) cancer       19         BLANK       20         Rectal cancer       21         Renal (kidney) cancer       22         Stomach cancer       23         Thyroid cancer       24         Other       25	
Lymphoma including Hodgkins disease/ Lymphoma and non-Hodgkins lymphomas	Bone cancer
Lymphoma and non-Hodgkins lymphomas	5
lymphomas       13         Melanoma       14         Neuroblastoma       15         Oral (mouth) cancer       16         Ovarian cancer       17         Pancreatic cancer       18         Pharyngeal (throat) cancer       19         BLANK       20         Rectal cancer       21         Renal (kidney) cancer       22         Stomach cancer       23         Thyroid cancer       24	Lymphoma including Hodgkins disease/
Melanoma       14         Neuroblastoma       15         Oral (mouth) cancer       16         Ovarian cancer       17         Pancreatic cancer       18         Pharyngeal (throat) cancer       19         BLANK       20         Rectal cancer       21         Renal (kidney) cancer       22         Stomach cancer       23         Thyroid cancer       24	Lymphoma and non-Hodgkins
Melanoma       14         Neuroblastoma       15         Oral (mouth) cancer       16         Ovarian cancer       17         Pancreatic cancer       18         Pharyngeal (throat) cancer       19         BLANK       20         Rectal cancer       21         Renal (kidney) cancer       22         Stomach cancer       23         Thyroid cancer       24	lymphomas13
Oral (mouth) cancer	
Oral (mouth) cancer	Neuroblastoma15
Ovarian cancer	Oral (mouth) cancer16
Pancreatic cancer	
BLANK	
BLANK	Pharyngeal (throat) cancer19
Rectal cancer	
Renal (kidney) cancer	
Stomach cancer	
Thyroid cancer24	- · · · · · · · · · · · · · · · · · · ·

[IF NO CODE 5 or 25 REPORTED, GO TO HD-18 MAMMOG]

# SP CANCTYPE

HD-17sp. IF HD-17b CANCTYPE = 25 (other):

INTERVIEWER: Record verbatim what R reports for her type of cancer.

TYPE: STRING [250]

### PRECANCER

HD-17c.	ASK IF HD-17b CANCTYPE = 5 (cervical cancer): There are different types of diagnoses when you talk about cervical cancer. I'm going to describe 3 different scenarios, and you tell me which one you had. The first one is an abnormal Pap test result, which may be suspicious for cancer but no real cancer is found. The second one is called pre-cancer (sometimes called cervical intraepithelial lesion or CIN). And the third one is actual cervical cancer. Do you know which one you had?
	Abnormal Pap test result, suspicious for cancer, but no real cancer found
{ Asked for MAMMOG	all
HD-18.	A mammogram is an x-ray taken only of the breast by a machine that presses against the breast. Have you $\underline{\text{ever}}$ had a mammogram?
	Yes
•	R ever had a mammogram
AGEMAMM1 HD-18a.	How old were you when you had your first mammogram?
	• ENTER Age in years
	UNDERLYING RANGE: 0 TO 45
{ Asked if e	ever had a mammogram
HD-18b.	What was the main reason you had this first mammogram? Was it
	Part of a routine exam
{ ASKED FOR FAMHYST	ALL
	mily history of breast cancer"  Thinking of your blood relatives, dead or alive, has your mother, sister, aunt or grandmother been diagnosed with breast cancer on either side of the family?
	Yes1 No5
{ Asked for <b>FAMRISK</b>	all
HD-20.	The next few questions ask about your opinions on factors related to breast cancer risk. Do you think that having a family history of breast cancer increases a woman's chances of getting breast cancer a lot, a little, or not at all or do you have no opinion?
	A lot1 A little2 Not at all3 No opinion4

# { Asked for all

### PILLRISK

HD-21. Do you think that taking birth control pills or oral contraceptives increases a woman's chances of getting breast cancer a lot, a little, or not at all or do you have no opinion?

A lot ......1 A little .....2 Not at all ....3 No opinion ....4

# { Asked for all

### ALCORISK

HD-22. Do you think that drinking alcoholic beverages increases a woman's chances of getting breast cancer a lot, a little, or not at all or do you have no opinion?

A lot ......1 A little .....2 Not at all ....3 No opinion ....4

# { Asked for all

### CANCFUTR

HD-23. How likely do you think it is that you will get breast cancer in the future?

# { Asked for all

### CANCWORRY

HD-24. Please look at Card 84. How much do you agree or disagree with the following statement? I am often bothered by thoughts or worry about my chances of getting breast cancer.

◆ PROBE (WC) if R says, "Neither agree nor disagree"

# [SHOW CARD 84]

Strongly agree	1
Agree	2
Disagree	3
Strongly disagree	4
If R insists: Neither agree nor disagree	5

# HIV TESTING AND AIDS KNOWLEDGE/COUNSELING (HE)

### INTRO\_H4

HE-0. Now I would like to ask you about testing for HIV, the virus that causes AIDS.

◆ ENTER [1] to continue

{ ASKED FOR ALL

### DONBLOOD

HE-1.	First, I'll ask you about blood and blood product donations you may
	have made to the Red Cross or other blood banks. By blood products, we
	mean such things as plasma, platelets, and marrow. Have you ever
	donated blood or blood products at the Red Cross, at a bloodmobile, at
	a blood drive, or at other blood banks?

[HELP AVAILABLE]

Yes ..... 1
No ..... 5

### HIVTEST

HE-2. IF HE-1 DONBLOOD = YES, ASK:

Not counting tests you may have had as part of donating blood or blood products, have you ever been tested for HIV?

ELSE IF HE-1 DONBLOOD = 5, DK, or RF, ASK:
Have you ever been tested for HIV?

Explain, if necessary, that you will <u>not</u> be asking for the results of any test she may have ever had.

FLOW CHECK H-15b: IF HE-2 HIVTEST = 5, ASK HE-2b NOHIVTST.

ELSE IF HIVTEST = DK or RF, GO TO HE-6 TALKDOCT.
(We do not want to ask NOHIVTST for DK/RF responses on HIVTEST.)

ELSE IF HIVTEST = 1 (yes), GO TO HE-3 WHENHIV\_M.

{ Asked if R never had an HIV test (HIVTEST=5)  ${f NOHIVTST}$ 

HE-2b.

IF HE-2 HIVTEST = NO ASK:

Which one of these reasons shown on Card 88 would you say is the MAIN reason why you have not been tested for HIV?

[SHOW CARD 88]

{ Asked if R reported `some other reason' SP NOHIVTST

HE-2sp.

IF HE-2b NOHIVTST=20, ASK:

What was the MAIN reason why you have not been tested for HIV?

TYPE: STRING [250]

FLOW CHECK H-15c: IF HE-2 HIVTEST = 5 (no), GO TO HE-6 TALKDOCT.

{ Asked if R ever was tested for HIV outside of blood donation (HIVTEST=1)

## WHENHIV\_M

1 of 2

HE-3. IF HE-1 DONBLOOD = 1 THEN ASK:

Not including tests you may have had as part of donating blood or blood products, in what month and year was your  $\underline{last}$  test for HIV, the virus that causes AIDS?

ELSE IF HE-1 DONBLOOD = 5, DK, or RF, THEN ASK:

In what month and year was your  $\underline{last}$  test for HIV, the virus that causes AIDS?

- If R cannot recall month and year, refer her to the life history calendar.
- ◆ ENTER MM/YYYY
- ◆ PROBE for season if DK month

### [CALENDAR REFERENCE]

1.	January	5.	May	9.	September	13.	Winter
2.	February	6.	June	10.	October	14.	Spring
3.	March	7.	July	11.	November	15.	Summer
4.	April	8.	August	12.	December	16.	Fall

{ Asked if R ever was tested for HIV outside of blood donation (HIVTEST=1)  $\bf WHENHIV Y$ 

2 of 2

HE-3. IF HE-1 DONBLOOD = 1 THEN ASK:

(Not including tests you may have had as part as part of donating blood or blood products, in what month and year was your  $\frac{1}{1}$  test for HIV, the virus that causes AIDS?)

ELSE IF HE-1 DONBLOOD = 5, DK, or RF, THEN ASK:

(In what month and year was your  $\underline{last}$  test for HIV, the virus that causes AIDS?)

# [CALENDAR REFERENCE]

- ullet If R cannot recall month and year, refer her to the life history calendar.
- ◆ ENTER (WHENHIV M)/YYYY

UNDERLYING RANGE: 1984 to 2020

# FLOW CHECK H-16: COMPUTE CMHIVTST:

(Century month for date of last/most recent HIV test outside of blood or blood product donations)

SET CMHIVTST = null/blank.

IF WHENHIV\_Y = RF, SET CMHIVTST = 9998 (RF).
ELSE IF WHENHIV\_Y = DK, SET CMHIVTST = 9999 (DK).

ELSE IF WHENHIV\_M LE 12,

COMPUTE CMHIVTST = (WHENHIV\_Y - 1900)\*12 + WHENHIV\_M

ELSE IF 13 LE WHENHIV\_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMHIVTST AS ABOVE.

ELSE IF WHENHIV\_M = DK OR RF, ASSIGN MONTH = 6 (June)
& COMPUTE CMHIVTST AS ABOVE.

IF CMHIVTST NE blank AND 1 LE WHENHIV\_M LE 12 AND CMHIVTST LT 9996, ESTABLISH CMHIVTST\_FILL.

Edit Check HE3\_1: IF (WHENHIV\_M LE 12) AND CMHIVTST > CMINTVW, DISPLAY: The date entered cannot be after the date of

interview. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check HE3\_2: IF (WHENHIV\_M LE 12) AND CMHIVTST < CMBIRTH, DISPLAY:

The date entered cannot be before her date of birth.

Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check HE3\_3: IF (13 LE WHENHIV\_M LE 16) AND CMHIVTST > (CMINTVW +

2), DISPLAY: The date entered cannot be after the

date of interview. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check HE3\_4: IF (13 LE WHENHIV\_M LE 16) AND CMHIVTST < (CMBIRTH -

3), DISPLAY: The date entered cannot be before her

date of birth. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check HE3\_5: IF (WHENHIV\_M = DK OR RF) AND WHENHIV\_Y > (CMINTVW/12

+1900), DISPLAY: The date entered cannot be after the

date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check HE3\_6: IF (WHENHIV\_M = DK OR RF) AND WHENHIV\_Y < (CMBIRTH/12

+1900) - 1, DISPLAY: The date entered cannot be before

her date of birth. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK H-16a: IF CMHIVTST= 9999 (DK) or 9998 (RF) or ((CMHIVTST >

(CMINTVW - 24)) AND (HE-3 WHENHIV M = 13-16, DK, or RF)),

then ask HE-3b HIVTSTYR.

{ Asked if R does not report specific month and year and year is within last

2 years

HIVTSTYR

HE-3b. Did you have this last HIV test since (CMLSTYR\_FILL)?

Yes .....1

FLOW CHECK H-16b: IF HE-3b HIVTSTYR=1 AND (CMHIVTST=9999 (DK) or 9998 (RF)),
THEN SET CMHIVTST = CMINTVW - 6.

 $\{$  Asked if R ever was tested for HIV outside of blood donation (HIVTEST=1) HIVRESULT

HE-3d. After your last test for HIV, did you find out your test result?

Yes .....1
No .....5

FLOW CHECK H-16b0: IF HE-3d HIVRESULT = 1, DK, or RF, GO TO HE-4 PLCHIV.

HE-4sp.

IF HE-4 PLCHIV=20, ASK:

{ Asked if WHYNOGET	R did not get test result (HIVRESULT=5)
HE-3e.	IF HE-3d HIVRESULT = 5, ASK: What was the $\underline{\text{main}}$ reason why you did not find out your test result?
	You thought the testing site would contact you
FLOW CHECK	H-16b0_2: IF HE-3e WHYNOGET = 20, ASK HE-3e_sp SP_WHYNOGET. ELSE GO TO HE-4 PLCHIV.
{ ASKED IF	'HE-3e WHYNOGET=20
_	What was this other reason that you did not find out your HIV test result?
	TYPE: STRING [250]
PLCHIV HE-4. IF H Plea of of for	R ever was tested for HIV outside of blood donation (HIVTEST=1)  WE-1 DONBLOOD = 1 THEN ASK: Use look at Card 72. Not including tests you may have had as part donating blood or blood products, where did you have that last test HIV?  WE IF HE-1 DONBLOOD = 5, DK, or RF, THEN ASK:
Plea	use look at Card 72. Where did you have that last test for HIV?
	Private doctor's office
FLOW CHECK	H-16b1: IF PLCHIV=20 GO TO SP_PLCHIV HE-4sp ELSE GO TO FLOW CHECK H-16b2
SP_PLCHIV	

Where was this other place that you had your last HIV test?

NSFG\_2013-15\_FemH\_CRQ Page 22 of 28 TYPE: STRING [250]

FLOW CHECK H-16b2:

IF PLCHIV=3, 4, 6, 7, 14 AND ((CMHIVTST GE CMLSTYR) OR HE-3B HIVTSTYR = (1, DK, OR RF)) GO TO STATE\_NAME HE-4a.

ELSE GO TO FLOW CHECK H-16b4.

{ ASKED IF R RECEIVED AN HIV TEST IN THE LAST 12 MONTHS AT A CLINIC SITE STATE\_NAME\_H\_1

HE-4a. What is the name and address of the place where you received your last HIV test?

What state is the place in?

• Either press [BackSpace] or start typing the name of the city where the clinic is located.

[HELP AVAILABLE]

[LINK TO STATE DATABASE]

### **CLINICHIV** H 1

HE-4b. What is the name and address of the place where you received your last HIV test?)

[HELP AVAILABLE]

[LINK TO CLINIC DATABASE]

- Either press [BackSpace] or start typing the name of the city where the clinic is located.
- 1) Type or select a city name
- 2) Select a clinic by scrolling up or down
- 3) Press [Enter]

# CityName\_H\_1

HE-4c

# ${\bf ClinicName}\_{\tt H}\_1$

HE-4d

# ${\bf ClinicCode}\_{\tt H}\_1$

HE-4e

HE-4f C6 data) code not shown but output to dataset}

ClinicType\_H\_1 {Created variable for 'Agency type' (same as "TYPE9798\_#"
from

HE-4g C6 data) code not shown but output to dataset}

### Confirm H 1

HE-4h. I have found a clinic (by that name/in that city) at:

[Clinic.Name1]
[Clinic.Name2]
[Clinic.Address1]

[Clinic.Address2]

[Clinic.City], [Clinic.State] ···[Clinic.Zipcode]

Coun	ty: [Clinic.CntyName]
Is t	his correct?
	Yes
FLOW CHECK	H-16b3: IF CONFIRM = 1 (CLINIC IDENTIFIED IN DATABASE), GO TO HIVTST HE-5. ELSE, ASK HE-4g CLINHIV.
ADCLINHIV_	H_1
HE-4i.	(What is the name and address of the place where you received your last HIV test?)
	◆ENTER name and address of clinic you were unable to find in database
	•If necessary: refer R to personal records or area phone books to obtain clinic name and address. If R is unable to provide the full address, record as much information as she can provide including cross streets, etc.
FLOW CHECK	H-16b4: IF HE-4 PLCHIV = 12 (your home), ASK HE-4j RHHIVT1. ELSE, GO TO HE-5 HIVTST.
{ Asked if RHHIVT1	R reported their last HIV test was done at their home (PLCHIV=12)
HE-4j.	A rapid home HIV test is a test you can use to test <u>yourself</u> that can provide results in about 20 minutes or less. The last time you had an HIV test, did you use a rapid home HIV test?
	Yes
{ Asked if RHHIVT2	R reported their last HIV test was a rapid home HIV test
HE-4k.	People use a rapid home HIV test for many different reasons. Looking at Card 73, which of these reasons did you have for using the rapid home HIV test?
[SHOW CARD	73]
	ENTER all that apply
	I didn't want to get tested by a doctor or at an HIV testing site1
	I didn't want other people to know I am getting tested2
	I wanted to get <u>tested together</u> with someone, <u>before</u>
	we had sex
	I wanted to get tested <u>by myself</u> , <u>before</u> having sex4  I wanted to get tested by myself, after having sex5
	A sex partner asked me to take a rapid home HIV test6
	Other reason
{ Asked if	R ever was tested for HIV outside of blood donation (HIVTEST=1)  NSFG 2013-15 FemH CRO

### HIVTST

HE-5. Please look at Card 73a. I am going to show you a list of reasons why some people have been tested for HIV, the virus that causes AIDS.

IF HE-1 DONBLOOD = 1 THEN ASK:

Not including tests you may have had as part of donating blood or blood products, which of these would you say was the <u>main</u> reason for your last HIV test?

ELSE IF HE-1 DONBLOOD = 5, DK, or RF THEN ASK: Which of these would you say was the  $\underline{\text{main}}$  reason for your last HIV test?

[SHOW CARD 73a]

# FLOW CHECK H-16c: IF HE-5 HIVTST=6, ASK HE-5b WHOSUGG. ELSE, GO TO FLOW CHECK H-16d.

### { Asked if HIVTST=6

# WHOSUGG

HE-5b. Who suggested you should be tested -- a doctor or other medical care provider, a sexual partner, or someone else?

FLOW CHECK H-16d: IF HE-5 HIVTST=20, ASK HE-5sp SP\_HIVTST. ELSE, GO TO EDIT CHECK HE5\_1.

# SP\_HIVTST

HE-5sp. What was the main reason for your last HIV test?

TYPE: STRING [250]

EDIT CHECK HE5\_1:

PROBE IF HIVTST = code 7 AND (npregs\_s = 0). DISPLAY TEXT: R has reported pregnancy as the main reason for this HIV test, but she has never been pregnant. Has something been entered incorrectly? HARD, NONSUPPRESSIBLE EDIT CHECK.

{ ASKED FOR ALL Rs

# TALKDOCT

HE-6. Has a doctor or other medical care provider ever talked with you about HIV, the virus that causes AIDS?

#### NSFG FEMALE CRO FOR 2013-2015

OMB Number 0920-0314

Yes	•	•	•	•	•	•	•	•	•	•	•	•	•	•	1		
No															5	(HE-8	RETROVIR)

### { Asked if TALKDOCT=YES

### AIDSTALK

HE-7. Looking at Card 74, what topics related to HIV or AIDS were covered in the discussion you had with the doctor or other medical care provider?

- ◆ ENTER all that apply
- ◆ PRESS [Space] or [-] to separate responses

[SHOW CARD 74]

How HIV/AIDS is transmitted1
Other sexually transmitted diseases like
gonorrhea, herpes, or Hepatitis C2
The correct use of condoms3
Needle cleaning/using clean needles4
Dangers of needle sharing5
Abstinence from sex (not having sex)6
Reducing your number of sexual partners7
Condom use to prevent HIV or STD transmission8
"Safe sex" practices (abstinence, condom use, etc)9
Getting tested and knowing your HIV status10
Other - specify20

# $\{$ Asked if AIDSTALK includes code 20

# SP\_AIDSTALK

HE-7sp.

If HE-7 AIDSTALK=20 THEN ASK AND RECORD VERBATIM: What was the other topic covered in your discussion with the doctor or medical care provider about HIV or AIDS?

TYPE: STRING [250]

# RETROVIR

HE-8.

Please tell me if you think the following statement is definitely true, probably true, probably false, or definitely false, or if you don't know whether it is true or false. "There is a treatment available for pregnant women who are infected with the HIV virus to prevent passing the virus to their baby."

Definitely true1
Probably true2
Probably false3
Definitely false4
Don't know if true or false5

FLOW CHECK H-17: IF npregs\_s > 0 AND cmendp\_s[x] for the last pregnancy
(where x = npregs\_s and currpreg = no) GE CMLSTYR, ASK HE-9
PREGHIV.

ELSE IF npregs\_s=0 OR (CURRPREG = YES AND npregs\_s=1) OR
(cmendp\_s[x] for the last pregnancy (where x = npregs\_s and
currpreg = no) LT CMLSTYR), GO TO HF-1 EVERVACC.

### PREGHIV

HE-9. IF CURRPREG = YES AND (CMENDP\_S[x] for last pregnancy GE CMLSTYR), ASK:
 The last time you were pregnant before you became pregnant this time,
 were you tested for the HIV virus when you visited the doctor for
 prenatal care?

ELSE IF CMENDP\_S[x] for last pregnancy GE CMLSTYR, ASK: The last time you were pregnant, were you tested for the HIV virus when you visited the doctor for prenatal care?

• Explain, if necessary, that you will <u>not</u> be asking for the results of any test she may have ever had.

# HUMAN PAPILLOMA VIRUS (HPV) Series (HF)

FLOW CHECK H-18: IF AGESCRN LT 25, ASK HF-1 EVERVACC. ELSE IF AGESCRN GE 25, GO TO FLOW CHECK H-21.

 $\{$  ASKED IF R < 25 at screener

### **EVERVACC**

HF-1. HPV is a common sexually transmitted virus that can cause genital warts and cervical and other types of cancer in men and women. Vaccines to prevent some HPV infections are available for men and women 9-26 years of age and are sometimes called the HPV shot, Cervarix or Gardasil.

Have you received the cervical cancer vaccine, also known as the HPV shot, Cervarix, or Gardasil?

• If R volunteers that she has had any of the 3 shots or doses that comprise HPV vaccination, enter [1].

FLOW CHECK H-18b: IF HF-1 EVERVACC=1 THEN ASK HF-2 HPVSHOT1.

ELSE IF EVERVACC=5 (NO), GO TO HF-3 VACCPROB.

ELSE IF EVERVACC=DK or RF, GO TO FLOW CHECK H-21.

 $\{$  Asked if R had the HPV vaccine

### HPVSHOT1

HF-2. How old were you when you received your first HPV vaccine shot?

◆ ENTER age in years

UNDERLYING RANGE = 5 to 25

FLOW CHECK H-19: IF HF-2 HPVSHOT1 NE DK OR RF and CE-4 AGEFSTSX NE DK OR RF THEN CHECK THE TWO AGES:

IF AGEFSTSX = HPVSHOT1, ASK HF-2b HPVSEX1. OTHERWISE, GO TO FLOW CHECK H-20.

{ Asked if AGEFSTSX = HPVSHOT1 (age of first sex same as age of first receiving HPV vaccine

### HPVSEX1

HF-2b. Earlier you reported having your first sexual intercourse at this same age. Which occurred first - your first sexual intercourse or your first HPV vaccine shot?

First intercourse .....1

### NSFG FEMALE CRQ FOR 2013-2015

OMB Number 0920-0314