Female File :: Section E :: First method ever used (EB)

# FIRSMETH1(2049-2050)

Variable Type : Raw

EB-1 : What was the first birth control method you ever used for any reason? If you used more than one method, please tell me about each one. Please refer to Card 33. - 1st method

value	label	Total
	INAPPLICABLE	1500
3	Birth control pills	4248
4	Condom	5168
5	Partner's vasectomy	8
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	24
7	Withdrawal, pulling out	546
8	Depo-Provera, injectables	400
9	Hormonal implant (Norplant or Implanon)	22
10	Rhythm or safe period by calendar	28
11	Safe period by temperature or cervical mucus test, natural family planning	10
12	Diaphragm	12
13	Female condom, vaginal pouch	1
14	Foam	14
15	Jelly or cream	7
17	Suppository, insert	14
18	Today sponge	22
19	IUD, coil, or loop	89
20	Emergency contraception	21
21	Other method specify	10
22	Respondent was sterile	3
24	Lunelle injectable (monthly shot)	24
25	Contraceptive patch	76
26	Vaginal contraceptive ring	18
98	Refused	4

Universe : Applicable if R ever used a method (everused = 1)

Notes : use recode FMETHOD1

# FIRSMETH2(2051-2052)

Variable Type : Raw

99

EB-1 : What was the first birth control method you ever used for any reason? If you used more than one method, please tell me about each one. Please refer to Card 33. - 2nd method

value	label	Total
	INAPPLICABLE	11509
3	Birth control pills	74
4	Condom	507
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	96
8	Depo-Provera, injectables	17
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	10
11	Safe period by temperature or cervical mucus test, natural family planning	4
12	Diaphragm	2
14	Foam	23
15	Jelly or cream	16
17	Suppository, insert	2
18	Today sponge	7
19	IUD, coil, or loop	1
20	Emergency contraception	4
23	Respondent's partner was sterile	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	2
	Total	12279

Universe : Applicable if R mentioned at least 2 methods used the first time she used a method (see EB-1 FIRSMETH1)

Notes : use recode FMETHOD2

# FIRSMETH3(2053-2054)

Variable Type : Raw

EB-1 : What was the first birth control method you ever used for any reason? If you used more than one method, please tell me about each one. Please refer to Card 33. - 3rd method

value	label	Total
	INAPPLICABLE	12215
3	Birth control pills	5
4	Condom	5
5	Partner's vasectomy	1
7	Withdrawal, pulling out	35
8	Depo-Provera, injectables	5
10	Rhythm or safe period by calendar	5
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	2
18	Today sponge	2
19	IUD, coil, or loop	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R mentioned at least 3 methods used the first time she used a method (see EB-1 FIRSMETH1)

Notes : use recode FMETHOD3

# FIRSMETH4(2055-2056)

Variable Type : Raw

EB-1 : What was the first birth control method you ever used for any reason? If you used more than one method, please tell me about each one. Please refer to Card 33. - 4th method

value	label	Total
	INAPPLICABLE	12269
4	Condom	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	1
10	Rhythm or safe period by calendar	3
14	Foam	1
18	Today sponge	1
20	Emergency contraception	2
	Total	12279

Universe : Applicable if R mentioned at least 4 methods used the first time she used a method (see EB-1 FIRSMETH1)

Notes : use recode FMETHOD4

### numfirsm(2057-2057)

Variable Type : Computed

Description : Number of methods reported in first method use (Computed in Flow Check E-13B)

value	label	Total
	INAPPLICABLE	1500
0	0	14
1	1	9995
2-25	2 OR MORE	770
	Total	12279

Universe : Applicable if R ever used a method of contraception (everused = 1)

# drugdev(2058-2059)

Variable Type : Computed

Description : Yes if 1st method was drug or device, no otherwise (Computed in Flow Check E-14) (1st method)

value label Total		
	INAPPLICABLE	1500
1	Yes	10158
5	No	607
98	Refused	4
99	Don't know	10
	Total	12279

Universe : Applicable if R ever used a method of contraception (everused = 1)

#### drugdev2(2060-2060)

Variable Type : Computed

Description : Yes if 1st method was drug or device, no otherwise (Computed in Flow Check E-14) (2nd method)

value	label	Total
	INAPPLICABLE	11509
1	Yes	659
5	No	111
	Total	12279

Universe : Applicable if R ever used a method of contraception (everused = 1) and R used 2 or more methods as first method (see EB-1 FIRSMETH1)

### drugdev3(2061-2061)

Variable Type : Computed

Description : Yes if 1st method was drug or device, no otherwise (Computed in Flow Check E-14) (3rd method)

value label		Total
	INAPPLICABLE	12215

5	Total	42 12279
5	No	12
1	Yes	22

Universe : Applicable if R ever used a method of contraception (everused = 1) and R used 3 or more methods as first method (see EB-1 FIRSMETH1)

#### drugdev4(2062-2062)

Variable Type : Computed

Description : Yes if 1st method was drug or device, no otherwise (Computed in Flow Check E-14) (4th method)

value	label	Total
	INAPPLICABLE	12269
1	Yes	6
5	No	4
	Total	12279

Universe : Applicable if R ever used a method of contraception (everused = 1) and R used 4 or more methods as first method (see EB-1 FIRSMETH1)

# FIRSTIME1(2063-2063)

Variable Type : Raw

EB-2 : Please look at Card 34. Thinking again of the very first time you ever used a method of birth control, when was it? Was it the first time you had intercourse, less than a month after your first intercourse, one to three months after your first intercourse, four to twelve months after your first intercourse, or more than twelve months after your first intercourse?

value label		Total
	INAPPLICABLE	6348
2	The first time you had intercourse	4860
3	Less than a month after your first intercourse	347
4	One to three months after first intercourse	153

5	Four to twelve months after first intercourse	158
6	More than twelve months after first intercourse	394
8	Refused	5
9	Don't know	14
	Total	12279

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) and R's first method(s) ever used was not a continuous method(s) (EB-1 FIRSMETH1 - FIRSMETH4 = 4,7,10,11,12,13,14,15,16,17,18, or 20)

# FIRSTIME2(2064-2064)

Variable Type : Raw

EB-2 : Please look at Card 35. Thinking again of the very first time you ever used a method of birth control, when was it? Was it before your first intercourse, the first time you had intercourse, less than a month after your first intercourse, one to three months after your first intercourse, four to twelve months after your first intercourse, or more than twelve months after your first intercourse?

valu	e label	Total
	INAPPLICABLE	7713
1	Before your first intercourse	2226
2	The first time you had intercourse	320
3	Less than a month after your first intercourse	305
4	One to three months after first intercourse	315
5	Four to twelve months after first intercourse	308
6	More than twelve months after first intercourse	1069
8	Refused	6
9	Don't know	17
	Total	12279

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) and R's first method(s) ever used was a continuous method(s) (EB-1 FIRSMETH1 - FIRSMETH4 = 3,5,8,9,19,21,22,23,24,25 or 26)

# usefstsx(2065-2066)

Variable Type : Computed

Description : Whether R used a method at first sex - partial universe (Computed in Flow Check E-18 and E-29)

valu	Total	
	INAPPLICABLE	1801
1	YES	7199
5	NO	3218
97	NOT ASCERTAINED	17
98	Refused	8
99	Don't know	36
	Total	12279

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) and has ever used a method of contraception (everused = 1)

Notes : use recode SEX1MTHD1

# cmfirsm(2067-2070)

Variable Type : Computed

Description : Date (century month) of first method use - total universe (Computed in Flow Check E-18 and E-21)

value	label	Total
	INAPPLICABLE	1500
522-1278	Before July 2006	9775
1279-1290	July 2006-June 2007	400
1291-1308	July 2007-Dec 2008	328
1309-1326	Jan 2009-June 2010	106
9998	Refused	36
9999	Don't know	134
	Total	12279

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) and has ever used a

# method of contraception (everused = 1)

### mthfstsx1(2071-2072)

### Variable Type : Computed

Description : Method used at first sex - total universe (1st mention) (Computed in Flow Check E-18 and E-32)

value	label	Total
	INAPPLICABLE	5076
3	Birth control pills	2012
4	Condom	4534
5	Partner's vasectomy	8
7	Withdrawal, pulling out	434
8	Depo-Provera, injectables	81
9	Hormonal implant (Norplant or Implanon)	2
10	Rhythm or safe period by calendar	16
11	Safe period by temperature or cervical mucus test, natural family planning	6
12	Diaphragm	4
13	Female condom, vaginal pouch	1
14	Foam	10
15	Jelly or cream	4
17	Suppository, insert	8
18	Today sponge	15
19	IUD, coil, or loop	5
20	Emergency contraception	16
21	Other method specify	3
22	Respondent was sterile	1
24	Lunelle injectable (monthly shot)	2
25	Contraceptive patch	32
26	Vaginal contraceptive ring	8
99	Don't know	1
	Total	12279

Universe : Applicable if R used a method of contraception at first sexual intercourse (EB-6 USEFRSTS = 1 or

### EB-2 FIRSTIME1 = 2 or EB-2 FIRSTIME2 = 2)

Notes : use recode SEX1MTHD1

#### mthfstsx2(2073-2074)

Variable Type : Computed

Description : Method used at first sex - total universe (2nd mention) (Computed in Flow Check E-18 and E-32)

value	label	Total
	INAPPLICABLE	11027
3	Birth control pills	88
4	Condom	977
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	81
8	Depo-Provera, injectables	30
10	Rhythm or safe period by calendar	7
11	Safe period by temperature or cervical mucus test, natural family planning	4
12	Diaphragm	2
14	Foam	17
15	Jelly or cream	13
17	Suppository, insert	3
18	Today sponge	10
19	IUD, coil, or loop	1
20	Emergency contraception	5
23	Respondent's partner was sterile	1
24	Lunelle injectable (monthly shot)	2
25	Contraceptive patch	7
26	Vaginal contraceptive ring	2
	Total	12279

Universe : Applicable if R used at least 2 methods of contraception at first sexual intercourse (see mthfstsx1)

Notes : use recode SEX1MTHD2

### mthfstsx3(2075-2076)

Variable Type : Computed

Description : Method used at first sex - total universe (3rd mention)(Computed in Flow Check E-18 and E-32)

value	label	Total
	INAPPLICABLE	12232
3	Birth control pills	3
4	Condom	3
5	Partner's vasectomy	1
7	Withdrawal, pulling out	25
8	Depo-Provera, injectables	4
10	Rhythm or safe period by calendar	2
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
14	Foam	2
15	Jelly or cream	1
19	IUD, coil, or loop	1
20	Emergency contraception	1
25	Contraceptive patch	2
	Total	12279

Universe : Applicable if R used at least 3 methods of contraception at first sexual intercourse (see mthfstsx1)

Notes : use recode SEX1MTHD3

### mthfstsx4(2077-2078)

Variable Type : Computed

Description : Method used at first sex - total universe (4th mention) (Computed in Flow Check E-18 and E-32)

value	label	Total
•	INAPPLICABLE	12274
10	Rhythm or safe period by calendar	3

	Total	12279
20	Emergency contraception	1
15	Jelly or cream	1

Universe : Applicable if R used at least 4 methods of contraception at first sexual intercourse (see mthfstsx1)

Notes : use recode SEX1MTHD4

### NOMETH(2079-2081)

Variable Type : Raw

EB-2a : Including your first sex, how many times did you have sexual intercourse before you used a method of birth control?

value	label	Total
	INAPPLICABLE	10788
1	1 TIME	289
2	2 TIMES	181
3	3 TIMES	125
4	4 TIMES	85
5	5 TIMES	67
6-10	6-10 TIMES	145
11-50	11-50 TIMES	151
51-995	MORE THAN 50 TIMES	89
998	Refused	6
999	Don't know	353
	Total	12279

Universe : Applicable if QuestYear = 1 (asked in Year 1 only): Applicable if R's first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6)

### WNFSTUSE\_M(2082-2083)

Variable Type : Raw

EB-3m : Now, please look at your calendar, and tell me in what month and year you first used a method (for

#### any reason). (MONTH)

value	label	Total
	INAPPLICABLE	6680
1-12	January-December	4215
13	Winter	143
14	Spring	242
15	Summer	356
16	Fall	196
98	Refused	17
99	Don't know	430
	Total	12279

Universe : Applicable if R's first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6) or before first sex (EB-2 FIRSTIME2 = 1) or R refused or did not know the timing of her first method use (EB-2 FIRSTIME1 = RF/DK or EB-2 FIRSTIME2 = RF/DK)

Notes : use recode DATEUSE1

### WNFSTUSE\_Y(2084-2087)

Variable Type : Raw

EB-3y : Now, please look at your calendar, and tell me in what month and year you first used a method (for any reason). (YEAR)

value	label	Total
	INAPPLICABLE	6680
1919-2010	1919-2010	5463
9998	Refused	16
9999	Don't know	120
	Total	12279

Universe : Applicable if R's first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6) or before first sex (EB-2 FIRSTIME2 = 1) or R refused or did not know the timing of her first method use (EB-2 FIRSTIME1 = RF/DK or EB-2 FIRSTIME2 = RF/DK)

#### Notes : use recode DATEUSE1

#### cmfstuse(2088-2091)

Variable Type : Computed

Description : Date (century month) of first method use - partial universe (Computed in Flow Check E-20)

value	label	Total
	INAPPLICABLE	6680
522-1278	Before July 2006	5067
1279-1290	July 2006-June 2007	177
1291-1308	July 2007-Dec 2008	161
1309-1326	Jan 2009-June 2010	58
9998	Refused	16
9999	Don't know	120
	Total	12279

Universe : Applicable if R's first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6) or before first sex (FIRSTIME2 = 1) or R refused or did not know the timing of her first method use (EB-2 FIRSTIME1 = DK/RF or FIRSTIME2 = DK/RF)

Notes : use recode DATEUSE1

#### AGEFSTUS(2092-2093)

Variable Type : Raw

EB-4 : How old were you the first time you used a method for any reason?

value	abel	Total
	INAPPLICABLE	6680
0-14	UNDER 15 YEARS	953
15-17	15-17 YEARS	2217
18-19	18-19 YEARS	1002
20-44	20 YEARS OR OLDER	1376
98	Refused	14

99	Don't know Total	37 <b>12279</b>
	TOTAL	122/9

Universe : Applicable if R's first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6) or before first sex (EB-2 FIRSTIME2 = 1) or R refused or did not know the timing of her first method use (EB-2 FIRSTIME1 = RF/DK or EB-2 FIRSTIME2 = RF/DK)

# fmethprs(2094-2094)

Variable Type : Computed

Description : Whether 1st [drug/device] method used was prescription or non-prescription (Computed in Flow Check E-25) - 1st method

valu	ue label	Total
	INAPPLICABLE	9243
0	1st meth was nonprescription	1761
1	1st meth was prescription	1275
	Total	12279

Universe : Applicable if R is under 25 (AGE\_R < 25) and if any of R's first methods ever used was a drug or device (any drugdev through drugdev4 = 1)

# fmethprs2(2095-2095)

Variable Type : Computed

Description : Whether 1st [drug/device] method used was prescription or non-prescription (Computed in Flow Check E-25) - 2nd method

valu	label	Total
	INAPPLICABLE	12059
0	1st meth was nonprescription	194
1	1st meth was prescription	26
	Total	12279

Universe : Applicable if R used at least 2 methods at first intercourse that were drug or device (see fmethprs)

## fmethprs3(2096-2096)

Variable Type : Computed

Description : Whether 1st [drug/device] method used was prescription or non-prescription (Computed in Flow Check E-25) - 3rd method

value	label	Total
	INAPPLICABLE	12273
0	1st meth was nonprescription	2
1	1st meth was prescription	4
	Total	12279

Universe : Applicable if R used at least 3 methods at first intercourse that were drug or device (see fmethprs)

### fmethprs4(2097-2097)

Variable Type : Computed

Description : Whether 1st [drug/device] method used was prescription or non-prescription (Computed in Flow Check E-25) - 4th method

valu	e label	Total
	INAPPLICABLE	12278
0	1st meth was nonprescription	1
	Total	12279

Universe : Applicable if R used at least 4 methods at first intercourse that were drug or device (see fmethprs)

# PLACGOTF1(2098-2099)

Variable Type : Raw

EB-5 : Asked in Year 1 and 2: Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring / Emergency contraception) / Where did you get the (condom / female condom / foam / jelly or cream / suppository / sponge)]?

Asked starting in Year 3: Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring) / Where did you get the (condom / female condom / foam / jelly or cream / suppository / sponge / Emergency contraception)]? - 1st method

valu	le label	Total
	INAPPLICABLE	9243
1	Private doctor's office	784
2	HMO facility	21
3	Community health clinic, community clinic, public health clinic	314
4	Family planning or Planned Parenthood clinic	227
5	Employer or company clinic	6
6	School or school-based clinic	52
7	Hospital outpatient clinic	33
8	Hospital emergency room	12
9	Hospital regular room	23
10	Urgent care center, urgi-care, or walk-in facility	4
11	Friend	148
12	Partner or spouse	1028
13	Drug store	327
14	Mail order/Internet	3
20	Some other place	47
98	Refused	2
99	Don't know	5
	Total	12279

Universe : Applicable if R is under 25 (AGE\_R < 25) and any of R's first methods used was a drug or device (any of drugdev through drugdev4 = 1)

### PLACGOTF2(2100-2101)

Variable Type : Raw

EB-5 : Asked in Year 1 and 2: Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring / Emergency contraception) / Where did you get the (condom / female condom / foam / jelly or cream /

### suppository / sponge)]?

Asked starting in Year 3: Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring) / Where did you get the (condom / female condom / foam / jelly or cream / suppository / sponge / Emergency contraception)]? - 2nd method

valu	e label	Total
	INAPPLICABLE	12059
1	Private doctor's office	21
2	HMO facility	1
3	Community health clinic, community clinic, public health clinic	26
4	Family planning or Planned Parenthood clinic	25
6	School or school-based clinic	5
7	Hospital outpatient clinic	1
9	Hospital regular room	3
10	Urgent care center, urgi-care, or walk-in facility	1
11	Friend	9
12	Partner or spouse	57
13	Drug store	61
20	Some other place	9
98	Refused	1
	Total	12279

Universe : Applicable if R used at least 2 methods at first intercourse that were drug or device (see EB-5 PLACGOTF1)

# PLACGOTF3(2102-2103)

Variable Type : Raw

EB-5 : Asked in Year 1 and 2: Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring / Emergency contraception) / Where did you get the (condom / female condom / foam / jelly or cream / suppository / sponge)]?

Asked starting in Year 3: Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring) /

Where did you get the (condom / female condom / foam / jelly or cream / suppository / sponge / Emergency contraception)]? - 3rd method

value	label	Total
	INAPPLICABLE	12273
1	Private doctor's office	1
3	Community health clinic, community clinic, public health clinic	1
4	Family planning or Planned Parenthood clinic	1
7	Hospital outpatient clinic	1
20	Some other place	2
	Total	12279

Universe : Applicable if R used at least 3 methods at first intercourse that were drug or device (see EB-5 PLACGOTF1)

# PLACGOTF4(2104-2104)

Variable Type : Raw

EB-5 : Asked in Year 1 and 2: Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring / Emergency contraception) / Where did you get the (condom / female condom / foam / jelly or cream / suppository / sponge)]?

Asked starting in Year 3: Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring) / Where did you get the (condom / female condom / foam / jelly or cream / suppository / sponge / Emergency contraception)]? - 4th method

value	label	Total
	INAPPLICABLE	12278
6	School or school-based clinic	1
	Total	12279

Universe : Applicable if R used at least 4 methods at first intercourse that were drug or device (see EB-5 PLACGOTF1)

## USEFRSTS(2105-2105)

Variable Type : Raw

EB-6 : Did you use any birth control method the first time you had intercourse?

valu	e label	Total
	INAPPLICABLE	10071
1	Yes	2023
5	No	176
8	Refused	2
9	Don't know	7
	Total	12279

Universe : Applicable if first method use was before first intercourse [(EB-2 FIRSTIME2 = 1 and cmfirsm <= cmfstsex) or (EB-1 FIRSTIME2 = 1 or blank and cmfirsm = RF/DK or cmfstsex = RF/DK)]

Notes : use recode SEX1MTHD1

# NOMETH2(2106-2108)

Variable Type : Raw

EB-7 : Including your first sex, how many times did you have sexual intercourse before you used a method of birth control during sexual intercourse?

value	label	Total
	INAPPLICABLE	12192
1	1 TIME	35
2	2 TIMES	5
3	3 TIMES	5
4	4 TIMES	1
5	5 TIMES	6
6-10	6-10 TIMES	8
11-50	11-50 TIMES	3
51-995	MORE THAN 50 TIMES	1

	Total	12279
999	Don't know	20
998	Refused	3

Universe : Applicable if QuestYear = 1 (asked in Year 1 only): Applicable if R did not use a method at first intercourse or R did not know or refused to report whether she used a method at first intercourse (EB-6 USEFRSTS = 5, DK or RF)

# MTHFRSTS1(2109-2110)

Variable Type : Raw

EB-8 : Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. - 1st method

value	label	Total
	INAPPLICABLE	10256
3	Birth control pills	1670
4	Condom	238
5	Partner's vasectomy	1
7	Withdrawal, pulling out	12
8	Depo-Provera, injectables	59
9	Hormonal implant (Norplant or Implanon)	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	1
19	IUD, coil, or loop	3
24	Lunelle injectable (monthly shot)	2
25	Contraceptive patch	25
26	Vaginal contraceptive ring	8
	Total	12279

Universe : Applicable if R used a method of contraception at first sexual intercourse (EB-6 USEFRSTS = 1 or EB-2 FIRSTIME1 = 2 or EB-2 FIRSTIME2 = 2)

#### Notes : use recode SEX1MTHD1

# MTHFRSTS2(2111-2112)

Variable Type : Raw

EB-8 : Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. - 2nd method

value	label	Total
	INAPPLICABLE	11424
3	Birth control pills	43
4	Condom	754
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	13
8	Depo-Provera, injectables	24
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	2
18	Today sponge	3
20	Emergency contraception	1
24	Lunelle injectable (monthly shot)	2
25	Contraceptive patch	7
26	Vaginal contraceptive ring	2
	Total	12279

Universe : Applicable if R used at least 2 methods at first intercourse (see EB-8 MTHFRSTS1)

Notes : use recode SEX1MTHD2

# MTHFRSTS3(2113-2114)

Variable Type : Raw

EB-8 : Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. - 3rd method

valu	Total	
	INAPPLICABLE	12260
4	Condom	1
7	Withdrawal, pulling out	11
12	Diaphragm	1
14	Foam	2
15	Jelly or cream	1
20	Emergency contraception	1
25	Contraceptive patch	2
	Total	12279

Universe : Applicable if R used at least 3 methods at first intercourse (see EB-8 MTHFRSTS1)

Notes : use recode SEX1MTHD3

# MTHFRSTS4(2115-2116)

Variable Type : Raw

EB-8 : Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. - 4th method

value	Total	
	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods at first intercourse (see EB-8 MTHFRSTS1)

Notes : use recode SEX1MTHD4