Female File :: Section E :: Method use at last (and first) sex with up to 3 partners in the past 12 months (EF)

USELSTP(4297-4297)

Variable Type: Raw

EF-1: Looking at Card 33, the [time / last time] you had intercourse with [LAST PARTNER], in [DATE OF LAST SEX WITH LAST PARTNER], did you or he use any method?

| valu | ıe label | Total |
|------|--------------|-------|
| | INAPPLICABLE | 2867 |
| 1 | Yes | 7440 |
| 5 | No | 1965 |
| 8 | Refused | 3 |
| 9 | Don't know | 4 |
| | Total | 12279 |

Universe: Applicable if R had at least 1 sexual partner in the past 12 months (parts12 > 0 or cmlsexx/cmfplast GE cmlstyr) and last partner in past 12 months was not the first partner or was the first partner but R had sex with him more than once ((parts12 and CH-1 LIFEPRT ne 1) or (CH-1 LIFEPRT = 1 and CG-7m LSTSEXFP_M ne 96))

Notes: use recode MTHUSE12 or MTHUSE3

LSTMTHP1(4298-4299)

Variable Type: Raw

EF-2: Which method or methods on Card 33 did you or he use? - (1st Mention; LAST PARTNER)

| value | label | Total |
|-------|--|-------|
| | INAPPLICABLE | 4839 |
| 3 | Birth control pills | 1802 |
| 4 | Condom | 2178 |
| 5 | Partner's vasectomy | 533 |
| 6 | Female sterilizing operation, such as tubal sterilization and hysterectomy | 1153 |
| 7 | Withdrawal, pulling out | 643 |
| 8 | Depo-Provera, injectables | 292 |
| 9 | Hormonal implant (Norplant or Implanon) | 36 |
| 10 | Rhythm or safe period by calendar | 77 |
| 11 | Safe period by temperature or cervical mucus test, natural family planning | 12 |
| 12 | Diaphragm | 9 |
| 13 | Female condom, vaginal pouch | 1 |
| 14 | Foam | 4 |
| 15 | Jelly or cream | 4 |
| 17 | Suppository, insert | 11 |
| 18 | Today sponge | 2 |
| 19 | IUD, coil, or loop | 423 |
| 20 | Emergency contraception | 7 |
| 21 | Other method specify | 14 |
| 22 | Respondent was sterile | 20 |
| 23 | Respondent's partner was sterile | 5 |
| 24 | Lunelle injectable (monthly shot) | 11 |
| 25 | Contraceptive patch | 67 |
| 26 | Vaginal contraceptive ring | 134 |
| 99 | Don't know | 2 |
| | Total | 12279 |

Universe: Applicable if R used a method at last intercourse with last partner in the past 12 months (EF-1

USELSTP = 1)

Notes: use recode METH12M1 or METH3M1

LSTMTHP2(4300-4301)

Variable Type: Raw

EF-2: Which method or methods on Card 33 did you or he use? - (2nd Mention; LAST PARTNER)

| value | label | Total |
|-------|--|-------|
| | INAPPLICABLE | 11079 |
| 3 | Birth control pills | 46 |
| 4 | Condom | 517 |
| 5 | Partner's vasectomy | 37 |
| 6 | Female sterilizing operation, such as tubal sterilization and hysterectomy | 150 |
| 7 | Withdrawal, pulling out | 207 |
| 8 | Depo-Provera, injectables | 66 |
| 9 | Hormonal implant (Norplant or Implanon) | 4 |
| 10 | Rhythm or safe period by calendar | 42 |
| 11 | Safe period by temperature or cervical mucus test, natural family planning | 9 |
| 13 | Female condom, vaginal pouch | 2 |
| 14 | Foam | 4 |
| 15 | Jelly or cream | 13 |
| 17 | Suppository, insert | 8 |
| 18 | Today sponge | 1 |
| 19 | IUD, coil, or loop | 28 |
| 20 | Emergency contraception | 9 |
| 21 | Other method specify | 3 |
| 22 | Respondent was sterile | 5 |
| 23 | Respondent's partner was sterile | 2 |
| 25 | Contraceptive patch | 11 |
| 26 | Vaginal contraceptive ring | 36 |
| | Total | 12279 |

Universe: Applicable if R used at least 2 methods at last intercourse with last partner in the past 12 months (see EF-2 LSTMTHP1)

Notes: use recode METH12M2 or METH3M2

LSTMTHP3(4302-4303)

Variable Type : Raw

EF-2: Which method or methods on Card 33 did you or he use? - (3rd Mention; LAST PARTNER)

| value | label | Total |
|-------|--|-------|
| | INAPPLICABLE | 12238 |
| 4 | Condom | 2 |
| 5 | Partner's vasectomy | 2 |
| 6 | Female sterilizing operation, such as tubal sterilization and hysterectomy | 1 |
| 7 | Withdrawal, pulling out | 21 |
| 8 | Depo-Provera, injectables | 1 |
| 10 | Rhythm or safe period by calendar | 8 |
| 11 | Safe period by temperature or cervical mucus test, natural family planning | 1 |
| 12 | Diaphragm | 1 |
| 14 | Foam | 1 |
| 17 | Suppository, insert | 2 |
| 26 | Vaginal contraceptive ring | 1 |
| | Total | 12279 |

Universe: Applicable if R used at least 3 methods at last intercourse with last partner in the past 12 months (see EF-2 LSTMTHP1)

Notes: use recode METH12M3 or METH3M3

LSTMTHP4(4304-4304)

Variable Type: Raw

EF-2: Which method or methods on Card 33 did you or he use? - (4th Mention; LAST PARTNER)

| value | label | Total |
|-------|--------------|-------|
| | INAPPLICABLE | 12279 |
| | Total | 12279 |

Universe: Applicable if R used at least 4 methods at last intercourse with last partner in the past 12 months (see EF-2 LSTMTHP1)

Notes: use recode METH12M4 or METH3M4

USEFSTP(4305-4305)

Variable Type: Raw

EF-3: Looking at Card 33, the first time you had intercourse with [LAST PARTNER], which was in [CMFSEXX_FILL], did you or he use any method? - 1st Mention

| va | lue label | Total |
|----|--------------|-------|
| . | INAPPLICABLE | 5106 |
| 1 | Yes | 5969 |
| 5 | No | 1195 |
| 8 | Refused | 2 |
| 9 | Don't know | 7 |
| | Total | 12279 |

Universe: Applicable if R had at least 1 sexual partner in the past 12 months (parts12 > 0) and had sex more than once with last partner in past 12 months (cmfsexx ne 9996) and last partner in past 12 months was not the first partner (p1yrelp ne 13)

FSTMTHP1(4306-4307)

Variable Type: Raw

EF-4: Which method or methods on Card 33 did you or he use? - (1st mention; LAST PARTNER)

| valu | e label | Total |
|------|--|-------|
| | INAPPLICABLE | 6310 |
| 3 | Birth control pills | 1673 |
| 4 | Condom | 3072 |
| 5 | Partner's vasectomy | 98 |
| 6 | Female sterilizing operation, such as tubal sterilization and hysterectomy | 318 |
| 7 | Withdrawal, pulling out | 398 |
| 8 | Depo-Provera, injectables | 151 |
| 9 | Hormonal implant (Norplant or Implanon) | 12 |
| 10 | Rhythm or safe period by calendar | 13 |
| 11 | Safe period by temperature or cervical mucus test, natural family planning | 5 |
| 12 | Diaphragm | 5 |
| 13 | Female condom, vaginal pouch | 2 |
| 14 | Foam | 3 |
| 15 | Jelly or cream | 1 |
| 16 | Cervical cap | 1 |
| 17 | Suppository, insert | 5 |

| 18 | Today sponge | 4 |
|----|-----------------------------------|-------|
| 19 | IUD, coil, or loop | 85 |
| 20 | Emergency contraception | 4 |
| 21 | Other method specify | 6 |
| 22 | Respondent was sterile | 6 |
| 23 | Respondent's partner was sterile | 2 |
| 24 | Lunelle injectable (monthly shot) | 4 |
| 25 | Contraceptive patch | 51 |
| 26 | Vaginal contraceptive ring | 50 |
| | Total | 12279 |

Universe: Applicable if R used a method at first intercourse with last partner in the past 12 months (EF-3 USEFSTP = 1)

FSTMTHP2(4308-4309)

Variable Type: Raw

EF-4: Which method or methods on Card 33 did you or he use? - (2nd mention; LAST PARTNER)

| value | label | Total |
|-------|--|-------|
| | INAPPLICABLE | 10827 |
| 3 | Birth control pills | 117 |
| 4 | Condom | 807 |
| 5 | Partner's vasectomy | 28 |
| 6 | Female sterilizing operation, such as tubal sterilization and hysterectomy | 150 |
| 7 | Withdrawal, pulling out | 141 |
| 8 | Depo-Provera, injectables | 77 |
| 9 | Hormonal implant (Norplant or Implanon) | 4 |
| 10 | Rhythm or safe period by calendar | 12 |
| 11 | Safe period by temperature or cervical mucus test, natural family planning | 2 |
| 12 | Diaphragm | 1 |
| 13 | Female condom, vaginal pouch | 1 |
| 14 | Foam | 7 |
| 15 | Jelly or cream | 6 |
| 17 | Suppository, insert | 4 |
| 18 | Today sponge | 1 |
| 19 | IUD, coil, or loop | 30 |
| 20 | Emergency contraception | 6 |
| 21 | Other method specify | 2 |
| 22 | Respondent was sterile | 2 |
| 23 | Respondent's partner was sterile | 2 |
| 25 | Contraceptive patch | 23 |
| 26 | Vaginal contraceptive ring | 29 |
| | Total | 12279 |

Universe : Applicable if R used at least 2 methods at last intercourse with last partner in the past 12 months (see EF-4 FSTMTHP1)

FSTMTHP3(4310-4311)

Variable Type: Raw

EF-4: Which method or methods on Card 33 did you or he use? - (3rd mention; LAST PARTNER)

| value | label | Total |
|-------|--|-------|
| | INAPPLICABLE | 12244 |
| 3 | Birth control pills | 2 |
| 5 | Partner's vasectomy | 2 |
| 6 | Female sterilizing operation, such as tubal sterilization and hysterectomy | 4 |

| | Total | 12279 |
|----|-----------------------------------|-------|
| 20 | Emergency contraception | 2 |
| 15 | Jelly or cream | 2 |
| 14 | Foam | 2 |
| 10 | Rhythm or safe period by calendar | 2 |
| 8 | Depo-Provera, injectables | 1 |
| 7 | Withdrawal, pulling out | 18 |

Universe: Applicable if R used at least 3 methods at last intercourse with last partner in the past 12 months (see EF-4 FSTMTHP1)

FSTMTHP4(4312-4312)

Variable Type: Raw

EF-4: Which method or methods on Card 33 did you or he use? - (4th mention; LAST PARTNER)

| value | label | Total |
|-------|--------------|-------|
| | INAPPLICABLE | 12279 |
| | Total | 12279 |

Universe: Applicable if R used at least 4 methods at last intercourse with last partner in the past 12 months (see EF-4 FSTMTHP1)

USELSTP2(4313-4313)

Variable Type: Raw

EF-1: Looking at Card 33, the [time / last time] you had intercourse with [2ND-TO-LAST PARTNER], in [DATE OF LAST SEX WITH 2ND-TO-LAST PARTNER], did you or he use any method?

| value label | | Total |
|-------------|--------------|-------|
| . | INAPPLICABLE | 10726 |
| 1 | Yes | 1331 |
| 5 | No | 221 |
| 8 | Refused | 1 |
| | Total | 12279 |

Universe: Applicable if R had at least 2 sexual partners in the past 12 months (parts12 > 1 or cmlsexx2 GE cmlstyr)

LSTMTHP5(4314-4315)

Variable Type: Raw

EF-2: Which method or methods on Card 33 did you or he use? - (1ST Mention; 2ND-TO-LAST PARTNER)

| value label | | Total |
|-------------|--|-------|
| | INAPPLICABLE | 10948 |
| 3 | Birth control pills | 298 |
| 4 | Condom | 678 |
| 5 | Partner's vasectomy | 23 |
| 6 | Female sterilizing operation, such as tubal sterilization and hysterectomy | 90 |
| 7 | Withdrawal, pulling out | 114 |
| 8 | Depo-Provera, injectables | 35 |
| 9 | Hormonal implant (Norplant or Implanon) | 3 |
| 10 | Rhythm or safe period by calendar | 2 |
| 12 | Diaphragm | 2 |
| 13 | Female condom, vaginal pouch | 1 |
| 19 | IUD, coil, or loop | 44 |
| 20 | Emergency contraception | 1 |

| | Total | 12279 |
|----|-----------------------------------|-------|
| 26 | Vaginal contraceptive ring | 16 |
| 25 | Contraceptive patch | 15 |
| 24 | Lunelle injectable (monthly shot) | 2 |
| 23 | Respondent's partner was sterile | 1 |
| 22 | Respondent was sterile | 5 |
| 21 | Other method specify | 1 |

Universe: Applicable if R used a method at last intercourse with 2nd-to-last partner in the past 12 months (EF-1 USELSTP2 = 1)

LSTMTHP6(4316-4317)

Variable Type: Raw

EF-2: Which method or methods on Card 33 did you or he use? - (2ND Mention; 2ND-TO-LAST PARTNER)

| value | label | Total |
|-------|--|-------|
| | INAPPLICABLE | 11931 |
| 3 | Birth control pills | 6 |
| 4 | Condom | 174 |
| 5 | Partner's vasectomy | 3 |
| 6 | Female sterilizing operation, such as tubal sterilization and hysterectomy | 54 |
| 7 | Withdrawal, pulling out | 44 |
| 8 | Depo-Provera, injectables | 28 |
| 9 | Hormonal implant (Norplant or Implanon) | 2 |
| 10 | Rhythm or safe period by calendar | 5 |
| 15 | Jelly or cream | 4 |
| 17 | Suppository, insert | 1 |
| 19 | IUD, coil, or loop | 6 |
| 20 | Emergency contraception | 2 |
| 21 | Other method specify | 1 |
| 25 | Contraceptive patch | 2 |
| 26 | Vaginal contraceptive ring | 16 |
| | Total | 12279 |

Universe: Applicable if R used at least 2 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 LSTMTHP5)

LSTMTHP7(4318-4319)

Variable Type: Raw

EF-2: Which method or methods on Card 33 did you or he use? - (3RD Mention; 2ND-TO-LAST PARTNER)

| value | label | Total |
|-------|-------------------------|-------|
| | INAPPLICABLE | 12273 |
| 7 | Withdrawal, pulling out | 5 |
| 20 | Emergency contraception | 1 |
| | Total | 12279 |

Universe: Applicable if R used at least 3 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 LSTMTHP5)

LSTMTHP8(4320-4320)

Variable Type: Raw

EF-2: Which method or methods on Card 33 did you or he use? - (4TH Mention; 2ND-TO-LAST PARTNER)

| Total |
|-------|
| |

| . INAPPLICABLE | 12279 |
|----------------|-------|
| Total | 12279 |

Universe: Applicable if R used at least 4 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 LSTMTHP5)

USEFSTP2(4321-4321)

Variable Type: Raw

EF-3: Looking at Card 33, the first time you had intercourse with [2ND-TO-LAST PARTNER], which was in [CMFSEXX_FILL], did you or he use any method?

| value | label | Total |
|-------|--------------|-------|
| ļ. | INAPPLICABLE | 10940 |
| 1 | Yes | 1161 |
| 5 | No | 178 |
| | Total | 12279 |

Universe: Applicable if R had at least 2 sexual partners in the past 12 months (parts12 > 1) and had sex more than once with 2nd-to-last partner in past 12 months (cmfsexx2 ne 9996) and last partner in past 12 months was not the first partner (p1yrelp2 ne 13)

FSTMTHP5(4322-4323)

Variable Type: Raw

EF-4: Which method or methods on Card 33 did you or he use? - (1ST mention; 2ND-TO-LAST PARTNER)

| value | label | Total |
|-------|--|-------|
| | INAPPLICABLE | 11118 |
| 3 | Birth control pills | 242 |
| 4 | Condom | 672 |
| 5 | Partner's vasectomy | 17 |
| 6 | $\label{thm:continuous} \textit{Female sterilizing operation, such as tubal sterilization and hysterectomy}$ | 58 |
| 7 | Withdrawal, pulling out | 78 |
| 8 | Depo-Provera, injectables | 35 |
| 9 | Hormonal implant (Norplant or Implanon) | 3 |
| 10 | Rhythm or safe period by calendar | 2 |
| 13 | Female condom, vaginal pouch | 1 |
| 15 | Jelly or cream | 1 |
| 19 | IUD, coil, or loop | 21 |
| 20 | Emergency contraception | 1 |
| 21 | Other method specify | 1 |
| 22 | Respondent was sterile | 4 |
| 24 | Lunelle injectable (monthly shot) | 2 |
| 25 | Contraceptive patch | 9 |
| 26 | Vaginal contraceptive ring | 13 |
| 99 | Don't know | 1 |
| | Total | 12279 |

Universe: Applicable if R used a method at first intercourse with 2nd-to-last partner in the past 12 months (EF-3 USEFSTP2 = 1)

FSTMTHP6(4324-4325)

Variable Type: Raw

EF-4: Which method or methods on Card 33 did you or he use? - (2ND mention; 2ND-TO-LAST PARTNER)

| value label | Total |
|-------------|--------|
| value label | i otai |

| ļ | INAPPLICABLE | 11956 |
|----|--|-------|
| 3 | Birth control pills | 14 |
| 4 | Condom | 171 |
| 5 | Partner's vasectomy | 3 |
| 6 | Female sterilizing operation, such as tubal sterilization and hysterectomy | 49 |
| 7 | Withdrawal, pulling out | 35 |
| 8 | Depo-Provera, injectables | 20 |
| 9 | Hormonal implant (Norplant or Implanon) | 1 |
| 10 | Rhythm or safe period by calendar | 3 |
| 15 | Jelly or cream | 1 |
| 19 | IUD, coil, or loop | 7 |
| 20 | Emergency contraception | 1 |
| 25 | Contraceptive patch | 3 |
| 26 | Vaginal contraceptive ring | 15 |
| | Total | 12279 |

Universe: Applicable if R used at least 2 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-4 FSTMTHP5)

FSTMTHP7(4326-4327)

Variable Type: Raw

EF-4: Which method or methods on Card 33 did you or he use? - (3RD mention; 2ND-TO-LAST PARTNER)

| valu | value label | |
|------|-----------------------------------|-------|
| . | INAPPLICABLE | 12271 |
| 4 | Condom | 1 |
| 7 | Withdrawal, pulling out | 5 |
| 10 | Rhythm or safe period by calendar | 1 |
| 19 | IUD, coil, or loop | 1 |
| | Total | 12279 |

Universe: Applicable if R used at least 3 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-4 FSTMTHP5)

FSTMTHP8(4328-4328)

Variable Type: Raw

EF-4: Which method or methods on Card 33 did you or he use? - (4th mention; 2ND-TO-LAST PARTNER)

| value | label | Total |
|-------|--------------|-------|
| | INAPPLICABLE | 12279 |
| | Total | 12279 |

Universe: Applicable if R used at least 4 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-4 FSTMTHP5)

USELSTP3(4329-4329)

Variable Type: Raw

EF-1: Looking at Card 33, the [time / last time] you had intercourse with [3RD-TO-LAST PARTNER], in [DATE OF LAST SEX WITH 3RD-TO-LAST PARTNER], did you or he use any method?

| value | label | Total |
|-------|--------------|-------|
| | INAPPLICABLE | 11707 |
| 1 | Yes | 498 |
| 5 | No | 73 |
| 9 | Don't know | 1 |

Total 12279

Universe: Applicable if R had at least 3 sexual partners in the past 12 months (parts12 > 2 or cmlsexx3 GE cmlstyr)

LSTMTHP9(4330-4331)

Variable Type: Raw

EF-2: Which method or methods on Card 33 did you or he use? - (1ST Mention; 3RD-TO-LAST PARTNER)

| valu | e label | Total |
|------|--|-------|
| | INAPPLICABLE | 11781 |
| 3 | Birth control pills | 99 |
| 4 | Condom | 256 |
| 5 | Partner's vasectomy | 5 |
| 6 | Female sterilizing operation, such as tubal sterilization and hysterectomy | 31 |
| 7 | Withdrawal, pulling out | 51 |
| 8 | Depo-Provera, injectables | 20 |
| 10 | Rhythm or safe period by calendar | 1 |
| 12 | Diaphragm | 1 |
| 19 | IUD, coil, or loop | 17 |
| 21 | Other method specify | 1 |
| 22 | Respondent was sterile | 2 |
| 25 | Contraceptive patch | 4 |
| 26 | Vaginal contraceptive ring | 10 |
| | Total | 12279 |

Universe: Applicable if R used a method at last intercourse with 3rd-to-last partner in the past 12 months (EF-1 USELSTP3 = 1)

LSTMTHP10(4332-4333)

Variable Type: Raw

EF-2: Which method or methods on Card 33 did you or he use? - (2ND Mention; 3RD-TO-LAST PARTNER)

| value | label | Total |
|-------|---|-------|
| | INAPPLICABLE | 12154 |
| 3 | Birth control pills | 5 |
| 4 | Condom | 61 |
| 5 | Partner's vasectomy | 1 |
| 6 | $\label{thm:condition} \mbox{Female sterilizing operation, such as tubal sterilization and hysterectomy}$ | 18 |
| 7 | Withdrawal, pulling out | 16 |
| 8 | Depo-Provera, injectables | 8 |
| 9 | Hormonal implant (Norplant or Implanon) | 2 |
| 10 | Rhythm or safe period by calendar | 3 |
| 15 | Jelly or cream | 3 |
| 19 | IUD, coil, or loop | 1 |
| 20 | Emergency contraception | 2 |
| 21 | Other method specify | 1 |
| 26 | Vaginal contraceptive ring | 4 |
| | Total | 12279 |

Universe : Applicable if R used at least 2 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 LSTMTHP9)

LSTMTHP11(4334-4334)

Variable Type: Raw

EF-2: Which method or methods on Card 33 did you or he use? - (3RD Mention; 3RD-TO-LAST PARTNER)

| value | label | Total |
|-------|-------------------------|-------|
| | INAPPLICABLE | 12277 |
| 7 | Withdrawal, pulling out | 2 |
| | Total | 12279 |

Universe: Applicable if R used at least 3 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 LSTMTHP9)

LSTMTHP12(4335-4335)

Variable Type: Raw

EF-2: Which method or methods on Card 33 did you or he use? - (4TH Mention; 3RD-TO-LAST PARTNER)

| value | label | Total |
|-------|--------------|-------|
| | INAPPLICABLE | 12279 |
| | Total | 12279 |

Universe: Applicable if R used at least 4 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 LSTMTHP9)

USEFSTP3(4336-4336)

Variable Type: Raw

EF-3: Looking at Card 33, the first time you had intercourse with [3RD-TO-LAST PARTNER], which was in [CMFSEXX_FILL], did you or he use any method?

| valu | e label | Total |
|------|--------------|-------|
| | INAPPLICABLE | 11773 |
| 1 | Yes | 436 |
| 5 | No | 66 |
| 8 | Refused | 1 |
| 9 | Don't know | 3 |
| | Total | 12279 |

Universe: Applicable if R had at least 3 sexual partners in the past 12 months (parts12 > 2) and had sex more than once with 3rd-to-last partner in past 12 months (cmfsexx3 ne 9996) and last partner in past 12 months was not the first partner (p1yrelp3 ne 13)

FSTMTHP9(4337-4338)

Variable Type: Raw

EF-4: Which method or methods on Card 33 did you or he use? - (1ST mention; 3RD-TO-LAST PARTNER)

| value | label | Total |
|-------|---|-------|
| | INAPPLICABLE | 11843 |
| 3 | Birth control pills | 100 |
| 4 | Condom | 240 |
| 5 | Partner's vasectomy | 2 |
| 6 | $\label{thm:condition} \mbox{Female sterilizing operation, such as tubal sterilization and hysterectomy}$ | 21 |
| 7 | Withdrawal, pulling out | 30 |
| 8 | Depo-Provera, injectables | 17 |
| 10 | Rhythm or safe period by calendar | 2 |
| 19 | IUD, coil, or loop | 11 |
| 20 | Emergency contraception | 1 |
| 21 | Other method specify | 1 |
| 22 | Respondent was sterile | 1 |

| 25 | Contraceptive patch | 4 |
|----|----------------------------|-------|
| 26 | Vaginal contraceptive ring | 6 |
| | Total | 12279 |

Universe: Applicable if R used a method at first intercourse with 3rd-to-last partner in the past 12 months (EF-3 USEFSTP3 = 1)

FSTMTHP10(4339-4340)

Variable Type: Raw

EF-4: Which method or methods on Card 33 did you or he use? - (2ND mention; 3RD-TO-LAST PARTNER)

| value | label | Total |
|-------|--|-------|
| | INAPPLICABLE | 12171 |
| 3 | Birth control pills | 2 |
| 4 | Condom | 63 |
| 5 | Partner's vasectomy | 1 |
| 6 | Female sterilizing operation, such as tubal sterilization and hysterectomy | 14 |
| 7 | Withdrawal, pulling out | 12 |
| 8 | Depo-Provera, injectables | 6 |
| 9 | Hormonal implant (Norplant or Implanon) | 1 |
| 10 | Rhythm or safe period by calendar | 2 |
| 11 | Safe period by temperature or cervical mucus test, natural family planning | 1 |
| 19 | IUD, coil, or loop | 1 |
| 20 | Emergency contraception | 1 |
| 22 | Respondent was sterile | 1 |
| 25 | Contraceptive patch | 1 |
| 26 | Vaginal contraceptive ring | 2 |
| | Total | 12279 |

Universe: Applicable if R used at least 2 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-4 FSTMTHP9)

FSTMTHP11(4341-4341)

Variable Type: Raw

EF-4: Which method or methods on Card 33 did you or he use? - (3rd mention; 3RD-TO-LAST PARTNER)

| value | label | Total |
|-------|-------------------------|-------|
| | INAPPLICABLE | 12278 |
| 7 | Withdrawal, pulling out | 1 |
| | Total | 12279 |

Universe: Applicable if R used at least 3 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-4 FSTMTHP9)

FSTMTHP12(4342-4342)

Variable Type: Raw

EF-4: Which method or methods on Card 33 did you or he use? - (4TH mention; 3RD-TO-LAST PARTNER)

| value | label | Total |
|-------|--------------|-------|
| | INAPPLICABLE | 12279 |
| | Total | 12279 |

Universe: Applicable if R used at least 4 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-4 FSTMTHP9)