



Department of Health & Human Services
Office of the National Coordinator for
Health Information Technology

Health Information Technology



Costs and Benefits

What does the current literature address?

Melinda Beeuwkes Buntin, Ph.D. (presenting)

Matthew Burke

August 17, 2010

2010 National Conference on Health Statistics

August 16-18

Washington, DC

Background

Health Information Technology has the potential to yield quality improvements and cost savings. In addition, it can facilitate to broader reforms.

(CBO, 2008&2009; Buntin, Jain, and Blumenthal, 2010)

Billions of dollars are now devoted to encouraging hospitals and physicians to adopt electronic health records (EHRs) and use them regularly in the course of care.

(HITECH Act, 2009; Blumenthal, 2010)

Data on the improvements these systems facilitate is critical to the case for more widespread adoption, and ultimately helping providers and patients see benefits.

Research Questions

- What does the recent literature conclude about the benefits of health IT?
- Do these findings differ from those of earlier reviews?
- Does the literature suggest that functions of electronic health records proposed in the “meaningful use” regulation are associated with a greater likelihood of realizing the benefits of health IT?


Prior Research – Goldzweig et al. 2009

- 155 studies met inclusion criteria (prior study of 1994-2004 had found 257 relevant studies)
- Major Goldzweig et al. conclusion: “paucity of meaningful data on the cost-benefit calculation of actual HIT implementation”
- 40 literature reviews of specific aspects of HIT published since then, most with positive conclusions

Study Methods and Data

- Updates and expands Goldzweig et al. (2009) review of health IT studies published 2004 -2007.
- Focuses on peer-reviewed articles dealing with the costs and benefits of health IT.
- Focuses on individual outcomes within articles and articles' overall conclusions. Outcomes include....
 - Quality of care
 - Efficiency/costs of care
 - Provider and/or patient satisfaction.
- Results are still preliminary

Systematic Review Process




Preliminary Findings

- Covers period July 2007 through February 2010.
- Articles classified by: elements of health IT addressed, functionalities/characteristics of the systems studied, study design, outcomes included, and characteristics of the care settings.
- Findings include:
 - Vast majority (143/155 non-review articles, 92 percent) positive or mixed finding*
 - Studies that evaluated **both** efficiency **and** effectiveness of care are overwhelmingly more positive ($p = .0001$) than those that did not.
 - Studies evaluating EHRs are also more positive than those that did not (e.g. an ERx stand-alone) ($p = .03$).
- Analyses are preliminary and ongoing.


“Mixed” findings were positive overall, but at least one specific outcome was negative

What were the individual findings within articles addressing Efficiency and Effectiveness v. Others?




In addition to efficiency and effectiveness, measures include access to care, changes in care processes, patient safety, preventive care, and patient and provider satisfaction

What about articles that evaluated EHRs versus Stand Alone Systems?




Health IT Outcomes Measured

(239 individual findings from 155 Non Review Articles – *Outcomes are mutually Exclusive*)




Main Health IT Elements Measured & Overall Article Conclusion

(155 Non Review Articles - *Not Mutually Exclusive*)




Aspects of “Meaningful Use” Addressed – Core Set

(155 Non Review Articles - *Not Mutually Exclusive*)



Aspects of “Meaningful Use” Addressed – Menu Set

(155 Non Review Articles - *Not Mutually Exclusive*)



Two or fewer articles addressed Patient Access to Records in 4 business days, Allergy Lists, Electronic Discharge Info Patients, Medication Reconciliation, Provide Summary care record at transition, Advance Directives, Report lab data to PH agencies, Check Insurance Eligibility, and Provide Clinical Summaries to patients

Conclusions, by Study Type

| Design | Positive | Mixed | Neutral | Negative | Total |
|----------------------------|-----------------|--------------|----------------|-----------------|--------------|
| Tested a Hypothesis | 47 | 14 | 1 | 2 | 64 |
| Descriptive - Quantitative | 30 | 15 | 1 | 4 | 50 |
| Descriptive - Qualitative | 15 | 14 | 0 | 4 | 33 |
| Other | 5 | 3 | 0 | 0 | 8 |
| | | | | | 155 |

The vast majority of articles had positive findings...

- 60 of 70 articles that addressed efficiency of care (cost or utilization) showed improvements associated with health IT while 37 of 44 studies addressing effectiveness (quality of care) had positive findings.
- Of 64 papers that used statistical methods to test a formal hypothesis, 61 showed a significant positive impact of health IT.
- 134 of our 155 studies came from outside of health IT leaders (e.g. Kaiser, Partners), suggesting providers across different settings are experiencing benefits and publishing findings.

Of our 10 negative articles, what is notable?


- Three hospital studies of EHR implementations found high transition costs (financial and otherwise).
- A study in New Jersey saw an increase in “false positive” Lyme Disease cases after implementing electronic reporting, suggesting an incentive to over-report.
- A study evaluating the connection between health information exchange (HIE), emergency room visits, and ambulatory care sensitive conditions (ACSHs) saw higher rates in both events for patients whose information was transferred/accessed via an exchange.

How does this compare to Goldzweig et al.?

| Study Comparison | | |
|---|-------------------------|----------------------|
| | Goldzweig et al. | Buntin et al. |
| time period | 06/04 – 06/07 | 07/07 – 02/10 |
| total inclusions | 182 | 155 |
| <i>Addresses</i> | | |
| EHRs | 39 | 70 |
| CPOE | 40 | 44 |
| Decision Support | 22 | 44 |
| From Health IT Leaders¹ | 36 | 21 |

1 = Leaders from Goldzweig, et al. Partners, Regenstrief, Veteran's Affairs, Intermountain, Kaiser, Vanderbilt

Does the literature suggest “meaningful use” is associated reaching the benefits of health IT?



Next Steps...

- Small sample size and overwhelmingly positive results make detecting statistically significant effects difficult, but we will continue to examine.
- We will also:
 - Complete abstractions and update with articles from February to Present
 - Examine effects of individual MU criteria
 - Look at each individual outcome, continue to examine by each outcome



Department of Health & Human Services
Office of the National Coordinator for
Health Information Technology

Thank you for your attention

melinda.buntin@hhs.gov

healthit.hhs.gov

