

Viledon Industrial
Products Division

-RECEIVED



07 DEC 18 10:55

NIOSH-00

December 11, 1987

RECEIVED
1987 DEC 21 AM 10:06
NIOSH

Dr. Nelson Leidel
NIOSH Docket Office
Mail Stop E-23
1600 Clifton Road, N.E.
Atlanta, Georgia 30333

Dear Dr. Leidel:

I would like to receive copies of the following comments per 42 CFR part 84.

<u>NO</u>	<u>Date</u>	<u>Organization Name</u>	<u>Pages</u>
001	9/1	Industrial Safety Equipment Assoc., Welcher	1
002	9/8	3M/Schmidt	2
003	9/22	ISEA/Koches	3
004	9/28	OSHA/Baier	1
006	10/26	Litton-Clifton Precision, Hines	15
007	10/27	EG&G Florida, Bowman	4
008	11/3	TVA (Stone)	3
009	11/5	Knauf Fiber Glass/Cunningham	1
010	11/9	City of Long Beach, CA./Henderson	1
011	11/9	National Steel & Shipbuilding Co./Thedall	1
012	11/9	Hubbell, Inc., Lighting Div./Bowery	1
013	11/9	Quad City Safety Inc./Rohrer	1
014	11/17	3M/Schmidt	4
015	11/20	Paymaster Oil Mill Co./Phillips	2
016	11/20	Riverside Cement Co./Tyson	1
017	11/20	ACKMAT Corporation/Nozko	1
018	11/20	Virginia Power	2
019	11/20	Mettam Safety Supply Co.	1
020	11/25	California State Polytechnic University/Ceser	9
021	11/25	Morton Thiokol, Inc./Cornish	1
022	11/25	CWC Textron/Bohling	1
024	11/2	1979 Corn Committee Report	51
026	11/2	Dec. 1981 Comments from the ANSI Z88 Com.	8
027	11/2	January 1982 Recommendations from MHRAC	58
028	11/30	FMC Corporation/Trott	1
029	12/2	Knapheide Mfg. Co./Meckes	12

Sincerely,

John L. Manns
John L. Manns

Freudenberg
JLM/Kg
Nonwovens Limited
Partnership

20 Industrial Avenue
Chelmsford, MA 01824

Telephone: (617) 256-6588
Telefax: (617) 256-6214
Telex: 947483