

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2001**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
U.S. Total*	< \$15,000	20,385	10.6	0.38	(9.8 - 11.3)		2,070,444	(1,918,764 - 2,222,124)
U.S. Total*	\$15-\$24,999	32,485	7.9	0.25	(7.4 - 8.4)		2,540,001	(2,378,327 - 2,701,676)
U.S. Total*	\$25-\$49,999	60,007	6.9	0.17	(6.6 - 7.2)		4,147,742	(3,937,233 - 4,358,250)
U.S. Total*	\$50-\$74,999	29,369	6.3	0.23	(5.8 - 6.7)		1,997,866	(1,850,873 - 2,144,859)
U.S. Total*	>=\$75,000	31,489	6.2	0.21	(5.8 - 6.6)		2,296,147	(2,139,446 - 2,452,849)
AL	< \$15,000	444	9.6	1.48	(6.7 - 12.5)		43,980	(30,235 - 57,725)
AL	\$15-\$24,999	541	6.8	1.15	(4.5 - 9.0)		43,487	(28,703 - 58,271)
AL	\$25-\$49,999	792	6.2	0.96	(4.3 - 8.1)		61,828	(42,569 - 81,088)
AL	\$50-\$74,999	319	2.4	0.80	(0.8 - 4.0)		9,834	(3,363 - 16,305)
AL	>=\$75,000	318	4.4	1.40	(1.7 - 7.2)		17,511	(6,339 - 28,682)
AK	< \$15,000	256	9.0	2.46	(4.1 - 13.8)		2,576	(1,125 - 4,027)
AK	\$15-\$24,999	429	6.9	1.46	(4.0 - 9.7)		4,187	(2,413 - 5,961)
AK	\$25-\$49,999	830	8.0	1.29	(5.4 - 10.5)		10,215	(6,913 - 13,516)
AK	\$50-\$74,999	525	4.4	1.50	(1.4 - 7.3)		3,760	(1,160 - 6,360)
AK	>=\$75,000	541	7.5	2.22	(3.2 - 11.9)		6,602	(2,632 - 10,571)
AZ	< \$15,000	296	8.8	1.99	(4.8 - 12.7)		23,714	(13,074 - 34,354)
AZ	\$15-\$24,999	605	10.9	2.79	(5.4 - 16.4)		71,298	(32,151 - 110,444)
AZ	\$25-\$49,999	1,003	8.4	1.19	(6.1 - 10.7)		91,267	(65,086 - 117,447)
AZ	\$50-\$74,999	406	10.7	1.98	(6.9 - 14.6)		57,164	(35,536 - 78,792)
AZ	>=\$75,000	399	5.1	1.49	(2.1 - 8.0)		31,812	(13,016 - 50,609)
AR	< \$15,000	400	11.6	1.94	(7.8 - 15.5)		27,725	(18,077 - 37,372)
AR	\$15-\$24,999	615	8.4	1.51	(5.4 - 11.4)		35,469	(22,389 - 48,550)
AR	\$25-\$49,999	917	5.8	0.81	(4.2 - 7.4)		36,742	(26,492 - 46,992)
AR	\$50-\$74,999	352	4.8	1.14	(2.6 - 7.1)		12,779	(6,750 - 18,809)
AR	>=\$75,000	311	5.7	1.84	(2.1 - 9.3)		12,903	(4,403 - 21,403)
CA	< \$15,000	622	7.7	1.11	(5.5 - 9.8)		279,748	(199,361 - 360,135)
CA	\$15-\$24,999	550	8.1	1.28	(5.6 - 10.6)		269,619	(184,087 - 355,151)
CA	\$25-\$49,999	980	7.8	1.00	(5.9 - 9.8)		455,226	(337,214 - 573,238)
CA	\$50-\$74,999	680	7.4	1.13	(5.2 - 9.7)		290,561	(202,491 - 378,632)
CA	>=\$75,000	1,001	5.2	0.71	(3.8 - 6.6)		296,023	(215,231 - 376,815)
CO	< \$15,000	164	10.1	2.38	(5.4 - 14.8)		23,691	(12,419 - 34,963)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2001**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
CO	\$15-\$24,999	275	6.4	1.49	(3.5 - 9.4)		27,125	(14,449 - 39,801)
CO	\$25-\$49,999	658	8.1	1.24	(5.7 - 10.6)		84,760	(58,405 - 111,114)
CO	\$50-\$74,999	309	7.2	1.53	(4.2 - 10.2)		36,652	(20,984 - 52,320)
CO	>=\$75,000	406	9.8	1.57	(6.7 - 12.9)		65,978	(44,376 - 87,579)
CT	< \$15,000	475	16.6	2.47	(11.8 - 21.5)		24,509	(16,575 - 32,443)
CT	\$15-\$24,999	834	8.6	1.12	(6.4 - 10.8)		22,838	(16,815 - 28,862)
CT	\$25-\$49,999	1,884	7.2	0.66	(5.9 - 8.5)		43,843	(35,782 - 51,905)
CT	\$50-\$74,999	1,291	7.6	0.88	(5.9 - 9.4)		32,523	(24,946 - 40,100)
CT	>=\$75,000	1,972	7.5	0.69	(6.1 - 8.8)		51,331	(41,674 - 60,989)
DE	< \$15,000	377	9.5	2.17	(5.2 - 13.7)		4,807	(2,505 - 7,109)
DE	\$15-\$24,999	342	7.8	1.72	(4.4 - 11.2)		3,514	(1,966 - 5,063)
DE	\$25-\$49,999	938	5.9	1.02	(3.9 - 7.9)		8,691	(5,645 - 11,737)
DE	\$50-\$74,999	490	7.0	1.55	(3.9 - 10.0)		5,912	(3,232 - 8,591)
DE	>=\$75,000	590	5.3	1.21	(2.9 - 7.7)		6,879	(3,717 - 10,040)
DC	< \$15,000	155	4.5	1.39	(1.7 - 7.2)		1,906	(760 - 3,053)
DC	\$15-\$24,999	266	9.5	2.06	(5.5 - 13.6)		6,838	(3,821 - 9,855)
DC	\$25-\$49,999	485	7.9	1.54	(4.9 - 10.9)		8,814	(5,294 - 12,335)
DC	\$50-\$74,999	274	5.1	1.22	(2.7 - 7.5)		3,112	(1,633 - 4,592)
DC	>=\$75,000	451	7.3	1.53	(4.3 - 10.3)		7,191	(4,114 - 10,269)
FL	< \$15,000	434	11.6	1.90	(7.9 - 15.4)		130,412	(85,887 - 174,938)
FL	\$15-\$24,999	849	6.6	0.92	(4.8 - 8.4)		150,297	(108,496 - 192,098)
FL	\$25-\$49,999	1,327	4.4	0.61	(3.2 - 5.6)		160,080	(116,477 - 203,684)
FL	\$50-\$74,999	628	5.7	0.97	(3.8 - 7.6)		98,629	(65,331 - 131,927)
FL	>=\$75,000	624	5.4	0.98	(3.5 - 7.4)		87,370	(55,497 - 119,243)
GA	< \$15,000	479	13.1	2.23	(8.7 - 17.4)		72,648	(46,843 - 98,452)
GA	\$15-\$24,999	674	8.0	1.40	(5.3 - 10.8)		68,615	(44,193 - 93,037)
GA	\$25-\$49,999	1,345	6.5	1.07	(4.4 - 8.6)		115,549	(76,478 - 154,621)
GA	\$50-\$74,999	653	4.8	1.00	(2.9 - 6.8)		42,987	(25,311 - 60,662)
GA	>=\$75,000	699	7.3	1.27	(4.8 - 9.8)		83,176	(53,892 - 112,460)
HI	< \$15,000	449	9.4	2.33	(4.8 - 14.0)		7,692	(3,740 - 11,644)
HI	\$15-\$24,999	501	10.3	2.49	(5.4 - 15.1)		10,443	(5,269 - 15,617)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2001**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
HI	\$25-\$49,999	1,168	7.0	1.03	(5.0 - 9.1)		16,021	(11,300 - 20,743)
HI	\$50-\$74,999	577	6.3	1.20	(4.0 - 8.7)		7,921	(4,905 - 10,936)
HI	>=\$75,000	550	5.5	1.35	(2.9 - 8.2)		6,971	(3,530 - 10,413)
ID	< \$15,000	609	12.6	1.75	(9.2 - 16.1)		11,922	(8,452 - 15,392)
ID	\$15-\$24,999	924	9.7	1.07	(7.6 - 11.8)		15,802	(12,293 - 19,312)
ID	\$25-\$49,999	1,662	6.8	0.70	(5.5 - 8.2)		22,514	(17,903 - 27,125)
ID	\$50-\$74,999	662	7.6	1.15	(5.4 - 9.9)		10,753	(7,477 - 14,030)
ID	>=\$75,000	486	5.0	1.01	(3.0 - 7.0)		5,226	(3,108 - 7,345)
IL	< \$15,000	332	10.8	1.94	(7.0 - 14.6)		71,651	(45,114 - 98,188)
IL	\$15-\$24,999	607	9.0	1.35	(6.3 - 11.6)		126,464	(87,440 - 165,488)
IL	\$25-\$49,999	1,211	6.6	0.82	(5.0 - 8.2)		185,943	(139,914 - 231,971)
IL	\$50-\$74,999	666	7.7	1.14	(5.5 - 10.0)		122,299	(85,472 - 159,127)
IL	>=\$75,000	763	9.2	1.26	(6.8 - 11.7)		165,946	(119,504 - 212,389)
IN	< \$15,000	379	11.8	1.73	(8.4 - 15.2)		43,546	(30,389 - 56,703)
IN	\$15-\$24,999	675	10.8	1.45	(8.0 - 13.6)		77,894	(56,204 - 99,584)
IN	\$25-\$49,999	1,259	6.5	0.74	(5.1 - 8.0)		95,346	(73,763 - 116,929)
IN	\$50-\$74,999	658	4.4	0.82	(2.8 - 6.0)		33,913	(21,297 - 46,529)
IN	>=\$75,000	552	6.2	1.09	(4.1 - 8.3)		42,876	(27,718 - 58,034)
IA	< \$15,000	338	8.6	1.82	(5.0 - 12.2)		15,023	(8,524 - 21,522)
IA	\$15-\$24,999	610	7.5	1.23	(5.0 - 9.9)		25,713	(17,084 - 34,342)
IA	\$25-\$49,999	1,228	7.2	0.88	(5.4 - 8.9)		55,018	(41,325 - 68,710)
IA	\$50-\$74,999	520	4.8	0.99	(2.9 - 6.8)		15,916	(9,414 - 22,417)
IA	>=\$75,000	437	4.6	1.14	(2.4 - 6.9)		13,602	(6,928 - 20,277)
KS	< \$15,000	318	13.7	2.27	(9.2 - 18.2)		17,336	(11,277 - 23,395)
KS	\$15-\$24,999	688	11.4	1.35	(8.8 - 14.1)		31,083	(23,540 - 38,626)
KS	\$25-\$49,999	1,454	6.8	0.70	(5.4 - 8.2)		42,189	(33,426 - 50,952)
KS	\$50-\$74,999	727	6.9	1.04	(4.9 - 8.9)		22,889	(15,914 - 29,863)
KS	>=\$75,000	690	5.6	0.91	(3.8 - 7.4)		17,763	(11,941 - 23,586)
KY	< \$15,000	1,071	17.5	1.56	(14.4 - 20.6)		52,609	(42,989 - 62,229)
KY	\$15-\$24,999	1,243	9.0	1.11	(6.8 - 11.1)		40,663	(30,428 - 50,898)
KY	\$25-\$49,999	1,755	6.7	0.84	(5.0 - 8.4)		50,100	(37,381 - 62,819)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2001**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
KY	\$50-\$74,999	708	3.9	0.79	(2.3 - 5.4)		13,758	(8,270 - 19,247)
KY	>=\$75,000	546	5.9	1.55	(2.8 - 8.9)		17,444	(8,053 - 26,835)
LA	< \$15,000	710	10.0	1.37	(7.3 - 12.7)		39,829	(28,478 - 51,180)
LA	\$15-\$24,999	947	5.4	0.80	(3.9 - 7.0)		31,974	(22,537 - 41,411)
LA	\$25-\$49,999	1,432	5.0	0.60	(3.8 - 6.1)		47,731	(36,171 - 59,291)
LA	\$50-\$74,999	595	3.5	0.76	(2.0 - 5.0)		13,817	(7,870 - 19,764)
LA	>=\$75,000	526	2.1	0.60	(0.9 - 3.3)		7,308	(3,203 - 11,413)
ME	< \$15,000	266	18.7	2.58	(13.6 - 23.8)		16,110	(11,404 - 20,817)
ME	\$15-\$24,999	405	10.0	1.75	(6.5 - 13.4)		15,300	(9,757 - 20,843)
ME	\$25-\$49,999	735	6.8	0.98	(4.9 - 8.7)		20,312	(14,418 - 26,206)
ME	\$50-\$74,999	343	9.9	1.86	(6.2 - 13.5)		14,553	(8,878 - 20,227)
ME	>=\$75,000	310	8.2	1.98	(4.3 - 12.1)		10,463	(5,225 - 15,701)
MD	< \$15,000	231	7.3	1.70	(3.9 - 10.6)		14,431	(7,912 - 20,950)
MD	\$15-\$24,999	517	10.5	1.87	(6.9 - 14.2)		50,550	(31,941 - 69,158)
MD	\$25-\$49,999	1,170	7.0	0.91	(5.2 - 8.7)		71,591	(52,764 - 90,417)
MD	\$50-\$74,999	806	6.0	0.94	(4.2 - 7.8)		41,974	(28,816 - 55,131)
MD	>=\$75,000	1,091	4.9	0.73	(3.5 - 6.4)		50,530	(35,754 - 65,307)
MA	< \$15,000	648	14.3	1.89	(10.6 - 18.0)		38,935	(27,963 - 49,906)
MA	\$15-\$24,999	1,119	11.3	1.27	(8.8 - 13.8)		65,478	(50,104 - 80,852)
MA	\$25-\$49,999	2,167	9.6	0.83	(7.9 - 11.2)		111,557	(91,613 - 131,501)
MA	\$50-\$74,999	1,320	8.1	0.90	(6.3 - 9.9)		64,234	(49,576 - 78,891)
MA	>=\$75,000	2,051	8.6	0.77	(7.1 - 10.2)		113,266	(92,506 - 134,025)
MI	< \$15,000	331	14.3	3.09	(8.3 - 20.4)		93,822	(50,579 - 137,065)
MI	\$15-\$24,999	559	9.3	1.31	(6.7 - 11.9)		93,502	(66,824 - 120,179)
MI	\$25-\$49,999	1,125	9.3	0.97	(7.4 - 11.2)		198,443	(156,089 - 240,797)
MI	\$50-\$74,999	573	8.2	1.60	(5.0 - 11.3)		93,179	(55,272 - 131,086)
MI	>=\$75,000	641	7.5	1.23	(5.1 - 9.9)		95,161	(63,382 - 126,939)
MN	< \$15,000	251	10.9	2.43	(6.1 - 15.7)		19,758	(10,533 - 28,983)
MN	\$15-\$24,999	468	8.8	1.41	(6.0 - 11.6)		33,891	(22,818 - 44,964)
MN	\$25-\$49,999	1,117	6.1	0.76	(4.6 - 7.6)		61,251	(46,006 - 76,497)
MN	\$50-\$74,999	671	6.5	1.02	(4.5 - 8.5)		43,457	(29,756 - 57,158)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2001**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
MN	>=\$75,000	916	6.7	0.87	(5.0 - 8.4)		59,143	(43,571 - 74,716)
MS	< \$15,000	504	9.1	1.48	(6.2 - 12.1)		27,120	(18,172 - 36,068)
MS	\$15-\$24,999	581	8.2	1.37	(5.5 - 10.9)		31,119	(20,488 - 41,750)
MS	\$25-\$49,999	862	3.2	0.67	(1.8 - 4.5)		18,768	(10,847 - 26,688)
MS	\$50-\$74,999	297	4.1	1.45	(1.3 - 7.0)		8,676	(2,508 - 14,843)
MS	>=\$75,000	274	4.0	1.31	(1.5 - 6.6)		7,936	(2,791 - 13,082)
MO	< \$15,000	515	13.1	1.96	(9.2 - 16.9)		47,581	(33,288 - 61,875)
MO	\$15-\$24,999	790	8.4	1.28	(5.9 - 10.9)		56,480	(38,937 - 74,023)
MO	\$25-\$49,999	1,406	7.2	0.99	(5.3 - 9.1)		100,687	(72,668 - 128,707)
MO	\$50-\$74,999	525	6.9	1.44	(4.1 - 9.7)		45,432	(26,261 - 64,603)
MO	>=\$75,000	397	9.9	2.13	(5.7 - 14.1)		55,401	(30,577 - 80,225)
MT	< \$15,000	331	10.6	2.24	(6.2 - 15.0)		5,532	(3,181 - 7,883)
MT	\$15-\$24,999	705	9.9	1.53	(6.9 - 12.9)		12,618	(8,621 - 16,615)
MT	\$25-\$49,999	967	7.0	1.24	(4.6 - 9.5)		14,034	(9,020 - 19,047)
MT	\$50-\$74,999	321	5.6	1.84	(1.9 - 9.2)		3,722	(1,216 - 6,228)
MT	>=\$75,000	236	6.6	2.23	(2.3 - 11.0)		3,472	(1,097 - 5,847)
NE	< \$15,000	314	10.7	3.73	(3.3 - 18.0)		10,366	(2,556 - 18,176)
NE	\$15-\$24,999	642	6.7	1.13	(4.4 - 8.9)		13,456	(8,825 - 18,087)
NE	\$25-\$49,999	1,199	5.3	0.72	(3.9 - 6.7)		22,942	(16,746 - 29,138)
NE	\$50-\$74,999	437	4.0	0.98	(2.1 - 5.9)		6,198	(3,145 - 9,251)
NE	>=\$75,000	390	6.1	1.33	(3.5 - 8.7)		8,302	(4,668 - 11,937)
NV	< \$15,000	177	7.9	2.65	(2.6 - 13.1)		6,104	(1,936 - 10,272)
NV	\$15-\$24,999	369	6.0	1.90	(2.2 - 9.7)		12,627	(4,508 - 20,746)
NV	\$25-\$49,999	791	10.6	1.55	(7.6 - 13.7)		50,325	(35,190 - 65,461)
NV	\$50-\$74,999	462	7.1	1.58	(4.0 - 10.2)		19,358	(10,600 - 28,115)
NV	>=\$75,000	456	7.4	1.68	(4.1 - 10.7)		21,082	(11,329 - 30,836)
NH	< \$15,000	236	11.8	2.30	(7.2 - 16.3)		5,005	(2,977 - 7,033)
NH	\$15-\$24,999	488	8.5	1.36	(5.8 - 11.1)		9,473	(6,401 - 12,545)
NH	\$25-\$49,999	1,118	7.3	0.90	(5.6 - 9.1)		18,568	(13,933 - 23,202)
NH	\$50-\$74,999	749	9.7	1.33	(7.1 - 12.3)		17,084	(12,237 - 21,931)
NH	>=\$75,000	898	8.1	1.05	(6.1 - 10.2)		17,346	(12,789 - 21,903)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2001**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NJ	< \$15,000	477	7.0	1.36	(4.3 - 9.7)		28,754	(17,803 - 39,704)
NJ	\$15-\$24,999	822	5.8	0.93	(3.9 - 7.6)		45,371	(30,853 - 59,890)
NJ	\$25-\$49,999	1,486	6.4	0.78	(4.9 - 8.0)		94,770	(71,859 - 117,680)
NJ	\$50-\$74,999	833	7.3	1.08	(5.2 - 9.4)		68,516	(48,044 - 88,988)
NJ	>=\$75,000	1,394	6.0	0.76	(4.5 - 7.4)		102,827	(76,752 - 128,902)
NM	< \$15,000	526	7.7	1.16	(5.4 - 10.0)		12,620	(8,851 - 16,388)
NM	\$15-\$24,999	753	6.5	1.05	(4.4 - 8.5)		17,363	(11,702 - 23,025)
NM	\$25-\$49,999	1,110	7.5	0.98	(5.6 - 9.5)		31,028	(22,851 - 39,205)
NM	\$50-\$74,999	429	6.6	1.47	(3.7 - 9.5)		11,188	(6,096 - 16,281)
NM	>=\$75,000	399	6.9	1.54	(3.9 - 9.9)		10,401	(5,682 - 15,119)
NY	< \$15,000	341	11.4	1.96	(7.6 - 15.3)		142,598	(91,852 - 193,345)
NY	\$15-\$24,999	533	6.2	1.14	(3.9 - 8.4)		133,396	(84,333 - 182,459)
NY	\$25-\$49,999	1,024	7.8	1.03	(5.8 - 9.8)		285,872	(208,591 - 363,152)
NY	\$50-\$74,999	610	5.7	1.07	(3.6 - 7.8)		124,718	(77,932 - 171,504)
NY	>=\$75,000	791	7.0	1.01	(5.0 - 8.9)		189,745	(134,442 - 245,048)
NC	< \$15,000	588	8.0	1.79	(4.5 - 11.5)		47,524	(25,907 - 69,141)
NC	\$15-\$24,999	1,010	8.0	1.26	(5.6 - 10.5)		84,898	(57,999 - 111,797)
NC	\$25-\$49,999	1,846	5.1	0.67	(3.8 - 6.4)		90,438	(66,695 - 114,181)
NC	\$50-\$74,999	845	4.3	0.95	(2.4 - 6.2)		38,551	(21,656 - 55,445)
NC	>=\$75,000	743	6.0	1.80	(2.5 - 9.6)		42,199	(16,362 - 68,037)
ND	< \$15,000	271	10.2	2.23	(5.9 - 14.6)		4,715	(2,585 - 6,845)
ND	\$15-\$24,999	506	8.0	1.38	(5.3 - 10.7)		7,262	(4,704 - 9,819)
ND	\$25-\$49,999	890	6.7	0.87	(5.0 - 8.4)		11,487	(8,485 - 14,489)
ND	\$50-\$74,999	371	5.2	1.22	(2.8 - 7.6)		3,796	(2,002 - 5,590)
ND	>=\$75,000	259	5.4	1.47	(2.5 - 8.2)		2,663	(1,191 - 4,136)
OH	< \$15,000	317	13.5	2.20	(9.1 - 17.8)		88,255	(58,345 - 118,165)
OH	\$15-\$24,999	551	10.0	1.52	(7.0 - 12.9)		127,351	(87,561 - 167,140)
OH	\$25-\$49,999	1,063	7.0	0.89	(5.3 - 8.8)		186,768	(138,987 - 234,548)
OH	\$50-\$74,999	511	4.4	0.88	(2.7 - 6.1)		64,512	(39,052 - 89,972)
OH	>=\$75,000	515	4.9	1.02	(2.9 - 6.9)		62,630	(36,660 - 88,601)
OK	< \$15,000	594	13.7	1.78	(10.2 - 17.2)		37,178	(27,475 - 46,882)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2001**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
OK	\$15-\$24,999	908	7.0	0.92	(5.2 - 8.8)		32,945	(24,398 - 41,493)
OK	\$25-\$49,999	1,364	6.7	0.88	(4.9 - 8.4)		53,611	(39,340 - 67,881)
OK	\$50-\$74,999	454	4.0	1.10	(1.8 - 6.1)		11,923	(5,349 - 18,497)
OK	>=\$75,000	325	6.5	1.68	(3.2 - 9.8)		14,360	(6,863 - 21,857)
OR	< \$15,000	315	14.9	2.20	(10.6 - 19.3)		43,643	(30,203 - 57,083)
OR	\$15-\$24,999	453	7.6	1.36	(4.9 - 10.3)		33,908	(21,584 - 46,231)
OR	\$25-\$49,999	802	8.4	1.05	(6.3 - 10.4)		68,012	(50,833 - 85,191)
OR	\$50-\$74,999	387	6.1	1.18	(3.8 - 8.4)		25,289	(15,505 - 35,072)
OR	>=\$75,000	345	6.6	1.42	(3.8 - 9.4)		25,305	(14,275 - 36,334)
PA	< \$15,000	377	12.1	2.64	(6.9 - 17.3)		112,466	(62,117 - 162,815)
PA	\$15-\$24,999	634	9.2	1.24	(6.7 - 11.6)		142,429	(103,364 - 181,493)
PA	\$25-\$49,999	1,150	6.9	0.78	(5.4 - 8.5)		205,888	(159,737 - 252,039)
PA	\$50-\$74,999	539	4.3	0.88	(2.6 - 6.1)		63,678	(37,872 - 89,484)
PA	>=\$75,000	540	6.8	1.32	(4.2 - 9.4)		96,825	(58,572 - 135,077)
RI	< \$15,000	404	11.6	2.01	(7.7 - 15.6)		9,023	(5,910 - 12,136)
RI	\$15-\$24,999	566	11.3	1.70	(7.9 - 14.6)		12,031	(8,242 - 15,819)
RI	\$25-\$49,999	1,071	9.1	1.01	(7.1 - 11.1)		19,409	(15,004 - 23,813)
RI	\$50-\$74,999	649	10.0	1.41	(7.3 - 12.8)		12,357	(8,763 - 15,952)
RI	>=\$75,000	747	6.4	1.21	(4.1 - 8.8)		9,280	(5,714 - 12,847)
SC	< \$15,000	306	11.9	2.29	(7.4 - 16.4)		30,261	(18,125 - 42,397)
SC	\$15-\$24,999	527	6.6	1.41	(3.8 - 9.3)		33,814	(19,164 - 48,464)
SC	\$25-\$49,999	1,002	5.8	0.79	(4.2 - 7.4)		55,780	(40,538 - 71,023)
SC	\$50-\$74,999	425	6.1	1.27	(3.6 - 8.6)		24,315	(14,061 - 34,569)
SC	>=\$75,000	451	4.0	1.07	(1.9 - 6.2)		16,677	(7,840 - 25,515)
SD	< \$15,000	541	7.6	1.40	(4.8 - 10.3)		3,695	(2,308 - 5,082)
SD	\$15-\$24,999	965	6.6	1.10	(4.5 - 8.8)		6,428	(4,266 - 8,590)
SD	\$25-\$49,999	1,785	4.8	0.52	(3.8 - 5.8)		9,405	(7,362 - 11,448)
SD	\$50-\$74,999	703	4.9	0.91	(3.1 - 6.6)		4,000	(2,492 - 5,507)
SD	>=\$75,000	478	4.2	0.96	(2.3 - 6.1)		2,283	(1,230 - 3,336)
TN	< \$15,000	236	16.4	2.66	(11.1 - 21.6)		47,018	(31,233 - 62,803)
TN	\$15-\$24,999	460	10.0	1.61	(6.8 - 13.1)		65,108	(43,586 - 86,631)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2001**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	\$25-\$49,999	821	4.4	0.79	(2.9 - 6.0)		54,360	(35,054 - 73,667)
TN	\$50-\$74,999	320	5.0	1.45	(2.1 - 7.8)		26,293	(10,876 - 41,709)
TN	>=\$75,000	288	4.3	1.39	(1.5 - 7.0)		20,354	(6,973 - 33,736)
TX	< \$15,000	709	7.6	1.15	(5.4 - 9.9)		138,575	(96,122 - 181,028)
TX	\$15-\$24,999	1,016	5.0	0.73	(3.6 - 6.4)		133,203	(94,279 - 172,127)
TX	\$25-\$49,999	1,723	6.5	0.62	(5.3 - 7.7)		283,772	(229,955 - 337,589)
TX	\$50-\$74,999	800	6.6	0.98	(4.7 - 8.6)		135,355	(94,847 - 175,862)
TX	>=\$75,000	954	5.5	0.82	(3.9 - 7.1)		135,726	(94,721 - 176,731)
UT	< \$15,000	277	12.1	2.51	(7.2 - 17.0)		10,987	(6,252 - 15,722)
UT	\$15-\$24,999	526	8.2	1.40	(5.4 - 10.9)		14,681	(9,589 - 19,773)
UT	\$25-\$49,999	1,231	7.4	1.05	(5.3 - 9.4)		36,158	(25,796 - 46,519)
UT	\$50-\$74,999	631	4.8	1.03	(2.8 - 6.8)		12,984	(7,421 - 18,547)
UT	>=\$75,000	615	8.0	1.51	(5.0 - 10.9)		21,399	(13,046 - 29,752)
VT	< \$15,000	445	14.9	2.23	(10.5 - 19.3)		6,141	(4,165 - 8,116)
VT	\$15-\$24,999	701	12.1	1.40	(9.3 - 14.8)		8,872	(6,744 - 11,000)
VT	\$25-\$49,999	1,341	8.1	0.87	(6.4 - 9.8)		11,549	(9,020 - 14,079)
VT	\$50-\$74,999	694	8.4	1.22	(6.0 - 10.8)		6,682	(4,703 - 8,660)
VT	>=\$75,000	608	5.9	0.97	(4.0 - 7.8)		3,882	(2,609 - 5,155)
VA	< \$15,000	210	12.1	2.47	(7.2 - 16.9)		40,323	(23,258 - 57,389)
VA	\$15-\$24,999	368	6.0	1.56	(3.0 - 9.1)		40,857	(19,404 - 62,310)
VA	\$25-\$49,999	813	6.2	0.92	(4.4 - 8.0)		95,145	(67,072 - 123,217)
VA	\$50-\$74,999	456	5.0	1.02	(3.0 - 7.0)		42,635	(25,293 - 59,977)
VA	>=\$75,000	701	6.3	1.02	(4.3 - 8.3)		81,219	(54,794 - 107,643)
WA	< \$15,000	350	13.9	2.06	(9.8 - 17.9)		44,894	(31,184 - 58,604)
WA	\$15-\$24,999	560	9.6	1.37	(6.9 - 12.3)		53,923	(38,308 - 69,538)
WA	\$25-\$49,999	1,250	8.0	0.84	(6.4 - 9.7)		103,705	(81,916 - 125,493)
WA	\$50-\$74,999	745	6.3	0.97	(4.4 - 8.2)		52,200	(35,947 - 68,454)
WA	>=\$75,000	806	4.5	0.79	(2.9 - 6.0)		39,291	(25,250 - 53,333)
WV	< \$15,000	479	14.2	1.70	(10.9 - 17.5)		23,518	(17,697 - 29,339)
WV	\$15-\$24,999	694	10.7	1.30	(8.1 - 13.2)		32,387	(24,289 - 40,486)
WV	\$25-\$49,999	902	7.4	0.92	(5.6 - 9.2)		32,069	(24,109 - 40,029)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2001**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WV	\$50-\$74,999	360	6.1	1.31	(3.5 - 8.6)		10,535	(5,957 - 15,113)
WV	>=\$75,000	244	5.7	1.53	(2.7 - 8.7)		6,576	(2,991 - 10,161)
WI	< \$15,000	206	7.4	2.14	(3.2 - 11.6)		14,800	(6,066 - 23,535)
WI	\$15-\$24,999	566	8.3	1.55	(5.2 - 11.3)		50,695	(31,193 - 70,197)
WI	\$25-\$49,999	1,299	8.2	0.96	(6.3 - 10.0)		128,784	(98,435 - 159,133)
WI	\$50-\$74,999	552	8.8	1.41	(6.0 - 11.6)		60,111	(40,325 - 79,896)
WI	>=\$75,000	411	4.4	1.04	(2.4 - 6.5)		23,101	(12,278 - 33,924)
WY	< \$15,000	304	11.9	2.23	(7.5 - 16.3)		3,366	(2,039 - 4,692)
WY	\$15-\$24,999	548	8.5	1.60	(5.3 - 11.6)		5,263	(3,223 - 7,304)
WY	\$25-\$49,999	1,049	7.5	0.91	(5.7 - 9.3)		9,379	(7,077 - 11,681)
WY	\$50-\$74,999	511	8.0	1.27	(5.5 - 10.5)		5,184	(3,506 - 6,861)
WY	>=\$75,000	353	7.9	1.54	(4.8 - 10.9)		3,388	(2,033 - 4,744)
Territories								
GU	< \$15,000	105	3.5				407	
GU	\$15-\$24,999	163	3.2	1.61	(0.0 - 6.4)		557	(0 - 1,119)
GU	\$25-\$49,999	270	5.3	1.70	(1.9 - 8.6)		1,519	(529 - 2,509)
GU	\$50-\$74,999	118	2.7				328	
GU	>=\$75,000	87	2.4				208	
PR	< \$15,000	2,221	9.9	0.81	(8.3 - 11.5)		120,672	(100,898 - 140,445)
PR	\$15-\$24,999	902	12.0	1.84	(8.4 - 15.6)		77,156	(52,002 - 102,311)
PR	\$25-\$49,999	531	7.8	1.40	(5.1 - 10.6)		32,377	(20,705 - 44,049)
PR	\$50-\$74,999	78	2.9				1,686	
PR	>=\$75,000	57	10.0	4.99	(0.0 - 20.0)		4,844	(0 - 9,927)
VI	< \$15,000	319	3.6	1.21	(1.2 - 6.0)		389	(130 - 648)
VI	\$15-\$24,999	500	3.5	0.92	(1.7 - 5.3)		594	(282 - 907)
VI	\$25-\$49,999	678	4.8	1.13	(2.6 - 7.0)		1,016	(534 - 1,498)
VI	\$50-\$74,999	238	6.4	2.20	(2.1 - 10.7)		429	(126 - 731)
VI	>=\$75,000	219	9.2	3.46	(2.4 - 16.0)		613	(124 - 1,102)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.