

United States

2009 Codebook Report

ADULT Asthma Call-Back Survey

November 8, 2011



ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009

**STATE FIPS CODE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1-2

**Prologue:**

**Description:** STATE FIPS CODE .

**Type:** NUM

**SAS Variable Name:** \_STATE

| Value | Value Label          | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 4     | Arizona              | 166       | 1.08       | 3.06                |
| 6     | California           | 707       | 4.59       | 15.23               |
| 9     | Connecticut          | 355       | 2.30       | 1.68                |
| 11    | District of Columbia | 206       | 1.34       | 0.31                |
| 12    | Florida              | 588       | 3.82       | 6.95                |
| 13    | Georgia              | 259       | 1.68       | 3.32                |
| 15    | Hawaii               | 414       | 2.69       | 0.65                |
| 17    | Illinois             | 280       | 1.82       | 5.18                |
| 18    | Indiana              | 523       | 3.40       | 2.56                |
| 19    | Iowa                 | 339       | 2.20       | 0.96                |
| 20    | Kansas               | 1,136     | 7.38       | 1.07                |
| 22    | Louisiana            | 285       | 1.85       | 1.47                |
| 23    | Maine                | 319       | 2.07       | 0.62                |
| 24    | Maryland             | 389       | 2.53       | 2.42                |
| 25    | Massachusetts        | 317       | 2.06       | 3.19                |
| 26    | Michigan             | 669       | 4.34       | 4.87                |
| 30    | Montana              | 445       | 2.89       | 0.36                |
| 31    | Nebraska             | 754       | 4.90       | 0.60                |
| 32    | Nevada               | 178       | 1.16       | 1.11                |
| 33    | New Hampshire        | 350       | 2.27       | 0.69                |
| 34    | New Jersey           | 508       | 3.30       | 3.40                |
| 35    | New Mexico           | 302       | 1.96       | 0.82                |
| 36    | New York             | 438       | 2.84       | 8.68                |
| 38    | North Dakota         | 253       | 1.64       | 0.24                |
| 39    | Ohio                 | 387       | 2.51       | 5.27                |
| 40    | Oklahoma             | 392       | 2.54       | 1.71                |
| 41    | Oregon               | 224       | 1.45       | 1.95                |
| 44    | Rhode Island         | 403       | 2.62       | 0.53                |
| 48    | Texas                | 691       | 4.49       | 8.78                |
| 49    | Utah                 | 662       | 4.30       | 1.04                |
| 50    | Vermont              | 469       | 3.04       | 0.29                |
| 51    | Virginia             | 258       | 1.67       | 3.08                |
| 53    | Washington           | 769       | 4.99       | 3.07                |
| 54    | West Virginia        | 319       | 2.07       | 0.70                |
| 55    | Wisconsin            | 289       | 1.88       | 2.41                |
| 72    | Puerto Rico          | 360       | 2.34       | 1.74                |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 3-4

**Prologue:**

**Description:** FILE MONTH

**Type:** NUM

**SAS Variable Name:** FMONTH\_F

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | January     | 1,363     | 8.85       | 8.07                |
| 2     | February    | 1,301     | 8.45       | 7.18                |
| 3     | March       | 1,242     | 8.06       | 6.25                |
| 4     | April       | 1,268     | 8.23       | 6.89                |
| 5     | May         | 1,130     | 7.34       | 6.92                |
| 6     | June        | 1,129     | 7.33       | 7.10                |
| 7     | July        | 1,278     | 8.30       | 7.86                |
| 8     | August      | 1,247     | 8.10       | 8.12                |
| 9     | September   | 1,195     | 7.76       | 6.68                |
| 10    | October     | 2,138     | 13.88      | 24.22               |
| 11    | November    | 1,157     | 7.51       | 5.93                |
| 12    | December    | 955       | 6.20       | 4.78                |

**MONTH OF ASTHMA CALL-BACK INTERVIEW**

**Survey:** ADULT Asthma Call-Back

**Column:** 13-14

**Prologue:**

**Description:** MONTH OF ASTHMA CALL-BACK INTERVIEW

**Type:** NUM

**SAS Variable Name:** IMONTH\_F

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | January     | 761       | 4.94       | 4.25                |
| 2     | February    | 1,356     | 8.80       | 8.43                |
| 3     | March       | 1,580     | 10.26      | 9.95                |
| 4     | April       | 1,300     | 8.44       | 7.06                |
| 5     | May         | 1,217     | 7.90       | 7.90                |
| 6     | June        | 1,270     | 8.25       | 8.60                |
| 7     | July        | 1,243     | 8.07       | 7.67                |
| 8     | August      | 1,382     | 8.97       | 10.32               |
| 9     | September   | 1,328     | 8.62       | 8.59                |
| 10    | October     | 1,366     | 8.87       | 10.05               |
| 11    | November    | 1,439     | 9.34       | 9.57                |
| 12    | December    | 1,161     | 7.54       | 7.62                |

**DAY OF ASTHMA CALL-BACK INTERVIEW**

**Survey:** ADULT Asthma Call-Back

**Column:** 15-16

**Prologue:**

**Description:** DAY OF ASTHMA CALL-BACK INTERVIEW

**Type:** NUM

**SAS Variable Name:** IDAY\_F

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| HIDDEN |             | 15,403    | 100.00     | 100.00              |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**YEAR OF ASTHMA CALL-BACK INTERVIEW**

**Survey:** ADULT Asthma Call-Back

**Column:** 17-20

**Prologue:**

**Description:** YEAR OF ASTHMA CALL-BACK INTERVIEW

**Type:** NUM

**SAS Variable Name:** IYEAR\_F

| Value | Value Label    | Frequency | Percentage | Weighted Percentage |
|-------|----------------|-----------|------------|---------------------|
| 2009  | Interview year | 15,022    | 97.53      | 98.25               |
| 2010  | Interview year | 381       | 2.47       | 1.75                |

**INTERVIEWER ID OF ASTHMA CALL-BACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 21-23

**Prologue:**

**Description:** INTERVIEWER ID OF ASTHMA CALL-BACK

**Type:** NUM

**SAS Variable Name:** INTVID\_F

| Value  | Value Label                | Frequency | Percentage | Weighted Percentage |
|--------|----------------------------|-----------|------------|---------------------|
| HIDDEN | Interviewer Identification | 15,403    | 100.00     | 100.00              |

**DISPOSITION OF ASTHMA CALL-BACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 24-26

**Prologue:**

**Description:** DISPOSITION OF ASTHMA CALL-BACK

**Type:** NUM

**SAS Variable Name:** DISPCODE\_F

| Value | Value Label      | Frequency | Percentage | Weighted Percentage |
|-------|------------------|-----------|------------|---------------------|
| 110   | Complete         | 15,395    | 99.95      | 99.99               |
| 120   | Partial complete | 8         | 0.05       | 0.01                |

**ANNUAL SEQUENCE NUMBER**

**Survey:** ADULT Asthma Call-Back

**Column:** 27-36

**Prologue:**

**Description:** ANNUAL SEQUENCE NUMBER

**Type:** NUM

**SAS Variable Name:** SEQNO

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| HIDDEN |             | 15,403    | 100.00     | 100.00              |

**NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 37-38

**Prologue:**

**Description:** NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

**Type:** NUM

**SAS Variable Name:** NATTMPTS\_F

| Value  | Value Label                            | Frequency | Percentage | Weighted Percentage |
|--------|----------------------------------------|-----------|------------|---------------------|
| HIDDEN | Number of attempts of asthma call-back | 15,403    | 100.00     | 100.00              |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ARE YOU SAMPLE PERSON**

Survey: ADULT Asthma Call-Back

Column: 40

Type: NUM

SAS Variable Name: SAMP\_NAME

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 14,828    | 96.27      | 95.73               |
| 2     | No          | 575       | 3.73       | 4.27                |

**MAY I SPEAK WITH SAMPLE PERSON**

Survey: ADULT Asthma Call-Back

Column: 41

Type: NUM

SAS Variable Name: SAMP\_PERS

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

| Value | Value Label          | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1     | Yes                  | 575       | 100.00     | 100.00              |
| BLANK | Not asked or missing | 14,828    |            |                     |

**CHECK CORRECT PERSON ON PHONE**

Survey: ADULT Asthma Call-Back

Column: 42

Type: NUM

SAS Variable Name: REPEAT

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

| Value | Value Label          | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1     | Yes                  | 1,450     | 100.00     | 100.00              |
| BLANK | Not asked or missing | 13,953    |            |                     |

**EVER HAVE ASTHMA INCONSISTENT WITH BRFSS**

Survey: ADULT Asthma Call-Back

Column: 43

Type: NUM

SAS Variable Name: EVER\_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that you have asthma?

| Value | Value Label          | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1     | Yes                  | 1,449     | 100.00     | 100.00              |
| BLANK | Not asked or missing | 13,954    |            |                     |

**STILL HAVE ASTHMA INCONSISTENT WITH BRFSS**

Survey: ADULT Asthma Call-Back

Column: 44

Type: NUM

SAS Variable Name: CUR\_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.2 Do you still have asthma?

| Value | Value Label          | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1     | Yes                  | 888       | 61.28      | 59.30               |
| 2     | No                   | 503       | 34.71      | 38.65               |
| 7     | Don't know/Not sure  | 58        | 4.00       | 2.06                |
| BLANK | Not asked or missing | 13,954    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PERMISSION TO COMBINE THE ANSWER WITH BRFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 45

**Type:** NUM

**SAS Variable Name:** PERMISS

**Prologue:**

**Description:** Q2.3 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

| Value | Value Label          | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1     | Yes                  | 6,790     | 100.00     | 100.00              |
| BLANK | Not asked or missing | 8,613     |            |                     |

**AGE AT ASTHMA DIAGNOSIS**

**Survey:** ADULT Asthma Call-Back

**Column:** 46-48

**Type:** NUM

**SAS Variable Name:** AGEDX

**Prologue:**

**Description:** Q3.1 How old were you when you were first told by a doctor or other health professional that you had asthma?

| Value   | Value Label          | Frequency | Percentage | Weighted Percentage |
|---------|----------------------|-----------|------------|---------------------|
| 1 - 115 | Age in years         | 13,997    | 90.87      | 91.45               |
| 777     | Don't know           | 904       | 5.87       | 4.39                |
| 888     | Less than 1 year old | 478       | 3.10       | 3.78                |
| 999     | Refused              | 24        | 0.16       | 0.39                |

**TIME SINCE DIAGNOSIS**

**Survey:** ADULT Asthma Call-Back

**Column:** 49

**Type:** NUM

**SAS Variable Name:** INCIDNT

**Prologue:**

**Description:** Q3.2 How long ago was that?

| Value | Value Label               | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------|-----------|------------|---------------------|
| 1     | Within the past 12 months | 358       | 2.32       | 2.20                |
| 2     | One to five years ago     | 1,509     | 9.80       | 9.68                |
| 3     | More than 5 years ago     | 13,469    | 87.44      | 87.70               |
| 7     | Don't know                | 66        | 0.43       | 0.42                |
| 9     | Refused                   | 1         | 0.01       | 0.00                |

**LAST TALKED TO A DOCTOR**

**Survey:** ADULT Asthma Call-Back

**Column:** 50-51

**Type:** NUM

**SAS Variable Name:** LAST\_MD

**Prologue:**

**Description:** Q3.3 How long has it been since you last talked to a doctor or other health professional about your asthma?

| Value | Value Label                       | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------------------|-----------|------------|---------------------|
| 4     | Within the past year              | 8,683     | 56.37      | 50.66               |
| 5     | One year to less than 3 years ago | 2,196     | 14.26      | 14.97               |
| 6     | Three years to five years ago     | 952       | 6.18       | 7.01                |
| 7     | More than five years ago          | 3,280     | 21.29      | 25.79               |
| 77    | Don't know                        | 133       | 0.86       | 0.57                |
| 88    | Never                             | 156       | 1.01       | 1.00                |
| 99    | Refused                           | 3         | 0.02       | 0.01                |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**LAST TOOK ASTHMA MEDICATION**

**Survey:** ADULT Asthma Call-Back

**Column:** 52-53

**Type:** NUM

**SAS Variable Name:** LAST\_MED

**Prologue:**

**Description:** Q3.4 How long has it been since you last took asthma medication?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Less than 1 day ago              | 5,540     | 35.97      | 27.85               |
| 2     | 1-6 days ago                     | 1,154     | 7.49       | 6.95                |
| 3     | 1 week to less than 3 months ago | 1,690     | 10.97      | 12.50               |
| 4     | 3 months to less than 1 year ago | 1,344     | 8.73       | 10.02               |
| 5     | 1 year to less than 3 years ago  | 1,234     | 8.01       | 8.22                |
| 6     | 3 years to 5 years ago           | 666       | 4.32       | 4.88                |
| 7     | More than 5 years ago            | 3,104     | 20.15      | 25.71               |
| 77    | Don't know                       | 119       | 0.77       | 0.42                |
| 88    | Never                            | 548       | 3.56       | 3.36                |
| 99    | Refused                          | 4         | 0.03       | 0.09                |

**LAST HAD ANY SYMPTOMS OF ASTHMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 54-55

**Type:** NUM

**SAS Variable Name:** LASTSYMP

**Prologue:**

**Description:** Q3.5 How long has it been since you last had any symptoms of asthma?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Less than 1 day ago              | 4,083     | 26.51      | 20.50               |
| 2     | 1-6 days ago                     | 1,784     | 11.58      | 10.70               |
| 3     | 1 week to less than 3 months ago | 2,852     | 18.52      | 19.33               |
| 4     | 3 months to less than 1 year ago | 1,800     | 11.69      | 13.02               |
| 5     | 1 year to less than 3 years ago  | 1,196     | 7.76       | 8.31                |
| 6     | 3 years to 5 years ago           | 602       | 3.91       | 4.62                |
| 7     | More than 5 years ago            | 2,671     | 17.34      | 21.80               |
| 77    | Don't know                       | 301       | 1.95       | 1.04                |
| 88    | Never                            | 110       | 0.71       | 0.66                |
| 99    | Refused                          | 4         | 0.03       | 0.00                |

**SYMPTOM DAYS**

**Survey:** ADULT Asthma Call-Back

**Column:** 56-58

**Type:** NUM

**SAS Variable Name:** SYMP\_30D

**Prologue:**

**Description:** Q4.1 During the past 30 days, on how many days did you have any symptoms of asthma?

| Value  | Value Label                                  | Frequency | Percentage | Weighted Percentage |
|--------|----------------------------------------------|-----------|------------|---------------------|
| 1 - 29 | Days                                         | 5,250     | 34.08      | 32.54               |
| 30     | Every day                                    | 2,609     | 16.94      | 11.62               |
| 66     | No symptoms past one year, skip filled       | 4,579     | 29.73      | 35.40               |
| 77     | Don't know                                   | 277       | 1.80       | 1.21                |
| 88     | No symptoms in the past 30 days              | 883       | 5.73       | 6.21                |
| 99     | Refused                                      | 5         | 0.03       | 0.00                |
| 100    | Symptoms 3 months to 1 year ago, skip filled | 1,800     | 11.69      | 13.02               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**CONSTANT SYMPTOMS**

**Survey:** ADULT Asthma Call-Back

**Column:** 59-60

**Type:** NUM

**SAS Variable Name:** DUR\_30D

**Prologue:**

**Description:** Q4.2 Do you have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

| Value | Value Label                                      | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                              | 1,416     | 9.19       | 6.71                |
| 2     | No                                               | 1,154     | 7.49       | 4.79                |
| 6     | Last symptoms one+ years ago, skip filled        | 4,579     | 29.73      | 35.40               |
| 7     | Don't know                                       | 37        | 0.24       | 0.12                |
| 9     | Refused                                          | 2         | 0.01       | 0.00                |
| 10    | Last symptoms 3 months - 1 year ago, skip filled | 1,800     | 11.69      | 13.02               |
| 11    | No symptoms 'SYMP_30D' skip filled               | 883       | 5.73       | 6.21                |
| 12    | 1-29 'SYMP_30D' skip filled                      | 5,250     | 34.08      | 32.54               |
| 77    | Don't know 'SYMP_30D' skip filled                | 277       | 1.80       | 1.21                |
| 99    | Refused 'SYMP_30D' skip filled                   | 5         | 0.03       | 0.00                |

**NIGHT SYMPTOMS**

**Survey:** ADULT Asthma Call-Back

**Column:** 61-63

**Type:** NUM

**SAS Variable Name:** ASLEEP30

**Prologue:**

**Description:** Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for you to stay asleep?

| Value  | Value Label                                  | Frequency | Percentage | Weighted Percentage |
|--------|----------------------------------------------|-----------|------------|---------------------|
| 1 - 30 | Days/Nights                                  | 3,413     | 22.16      | 20.05               |
| 66     | No symptoms past one year, skip filled       | 4,579     | 29.73      | 35.40               |
| 77     | Don't know                                   | 392       | 2.54       | 1.45                |
| 88     | None                                         | 4,325     | 28.08      | 23.84               |
| 99     | Refused                                      | 11        | 0.07       | 0.03                |
| 100    | Symptoms 3 months to 1 year ago, skip filled | 1,800     | 11.69      | 13.02               |
| 111    | No symptoms in the past 30 days, skip filled | 883       | 5.73       | 6.21                |

**SYMPTOM-FREE DAYS**

**Survey:** ADULT Asthma Call-Back

**Column:** 64-65

**Type:** NUM

**SAS Variable Name:** SYMPFREE

**Prologue:**

**Description:** Q4.4 During the past two weeks, on how many days were you completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 14 | Days/Nights | 11,931    | 77.46      | 83.73               |
| 77     | Don't know  | 276       | 1.79       | 1.29                |
| 88     | None        | 3,192     | 20.72      | 14.97               |
| 99     | Refused     | 4         | 0.03       | 0.01                |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ASTHMA EPISODE OR ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 66

**Type:** NUM

**SAS Variable Name:** EPIS\_12M

**Prologue:**

**Description:** Q4.5 During the past 12 months, have you had an episode of asthma or an asthma attack?

| Value | Value Label                          | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                  | 5,807     | 37.70      | 34.91               |
| 2     | No                                   | 4,875     | 31.65      | 29.32               |
| 6     | No symptoms past 1 year, skip filled | 4,579     | 29.73      | 35.40               |
| 7     | Don't know                           | 137       | 0.89       | 0.35                |
| 9     | Refused                              | 5         | 0.03       | 0.03                |

**NUMBER OF EPISODES / ATTACKS**

**Survey:** ADULT Asthma Call-Back

**Column:** 67-70

**Type:** NUM

**SAS Variable Name:** EPIS\_TP

**Prologue:**

**Description:** Q4.6 During the past three months, how many asthma episodes or attacks have you had?

| Value   | Value Label                                     | Frequency | Percentage | Weighted Percentage |
|---------|-------------------------------------------------|-----------|------------|---------------------|
| 1 - 100 | Episodes                                        | 4,264     | 27.68      | 25.82               |
| 666     | No symptoms past 1 year, skip filled            | 4,579     | 29.73      | 35.40               |
| 777     | Don't know                                      | 390       | 2.53       | 1.51                |
| 888     | None                                            | 1,145     | 7.43       | 7.54                |
| 999     | Refused                                         | 8         | 0.05       | 0.03                |
| 1111    | No episode/asthma attack past year, skip filled | 5,017     | 32.57      | 29.69               |

**DURATION OF ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 71-74

**Type:** NUM

**SAS Variable Name:** DUR\_ASTH

**Prologue:**

**Description:** Q4.7 How long did your most recent asthma episode or attack last?

| Value     | Value Label                                     | Frequency | Percentage | Weighted Percentage |
|-----------|-------------------------------------------------|-----------|------------|---------------------|
| 101 - 199 | Minutes                                         | 2,410     | 15.65      | 15.65               |
| 201 - 299 | Hours                                           | 1,396     | 9.06       | 8.69                |
| 301 - 399 | Days                                            | 1,203     | 7.81       | 6.07                |
| 401 - 499 | Weeks                                           | 481       | 3.12       | 3.04                |
| 555       | Never                                           | 17        | 0.11       | 0.06                |
| 666       | No symptoms past 1 year, skip filled            | 4,579     | 29.73      | 35.40               |
| 777       | Don't know                                      | 288       | 1.87       | 1.38                |
| 999       | Refused                                         | 12        | 0.08       | 0.01                |
| 1111      | No episode/asthma attack past year, skip filled | 5,017     | 32.57      | 29.69               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TYPICAL ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 75-76

**Type:** NUM

**SAS Variable Name:** COMPASTH

**Prologue:**

**Description:** Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

| Value | Value Label                                          | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------------|-----------|------------|---------------------|
| 1     | Shorter                                              | 1,346     | 8.74       | 7.80                |
| 2     | Longer                                               | 833       | 5.41       | 4.65                |
| 3     | About the same                                       | 3,521     | 22.86      | 22.08               |
| 4     | The most recent attack was actually the first attack | 28        | 0.18       | 0.09                |
| 6     | No symptoms past year, skip filled                   | 4,579     | 29.73      | 35.40               |
| 7     | Don't know                                           | 74        | 0.48       | 0.27                |
| 9     | Refused                                              | 5         | 0.03       | 0.01                |
| 11    | No episode/asthma attack past year, skip filled      | 5,017     | 32.57      | 29.69               |

**INSURANCE**

**Survey:** ADULT Asthma Call-Back

**Column:** 77

**Type:** NUM

**SAS Variable Name:** INS1

**Prologue:**

**Description:** QINS1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 13,999    | 90.88      | 86.28               |
| 2     | No                  | 1,381     | 8.97       | 13.54               |
| 7     | Don't know/Not sure | 19        | 0.12       | 0.17                |
| 9     | Refused             | 4         | 0.03       | 0.02                |

**INSURANCE OR COVERAGE GAP**

**Survey:** ADULT Asthma Call-Back

**Column:** 78

**Type:** NUM

**SAS Variable Name:** INS2

**Prologue:**

**Description:** QINS2 During the past 12 months, was there any time that you did not have any health insurance or coverage?

| Value | Value Label                                    | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                            | 723       | 4.69       | 5.80                |
| 2     | No                                             | 13,262    | 86.10      | 80.21               |
| 5     | No insurance at time of interview, skip filled | 1,381     | 8.97       | 13.54               |
| 7     | Don't know                                     | 31        | 0.20       | 0.43                |
| 9     | Refused                                        | 6         | 0.04       | 0.02                |

**NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS**

**Survey:** ADULT Asthma Call-Back

**Column:** 79-81

**Type:** NUM

**SAS Variable Name:** NER\_TIME

**Prologue:**

**Description:** Q5.1 During the past 12 months, how many times did you see a doctor or other health professional for a routine checkup for your asthma?

| Value   | Value Label                                                | Frequency | Percentage | Weighted Percentage |
|---------|------------------------------------------------------------|-----------|------------|---------------------|
| 1 - 365 | Times                                                      | 6,665     | 43.51      | 37.62               |
| 555     | No current asthma, nothing happened past year, skip filled | 3,050     | 19.91      | 26.01               |
| 666     | No MD visit past year, skip filled                         | 3,572     | 23.32      | 23.86               |
| 777     | Don't know                                                 | 182       | 1.19       | 0.83                |
| 888     | None                                                       | 1,841     | 12.02      | 11.60               |
| 999     | Refused                                                    | 8         | 0.05       | 0.07                |
| BLANK   | Not asked or missing                                       | 85        |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**EMERGENCY ROOM VISIT**

**Survey:** ADULT Asthma Call-Back

**Column:** 82

**Type:** NUM

**SAS Variable Name:** ER\_VISIT

**Prologue:** An urgent care center treats people with illness or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

**Description:** Q5.2 During the past 12 months, have you had to visit an emergency room or urgent care center because of your asthma?

| Value | Value Label                                                | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                                        | 1,383     | 9.03       | 8.29                |
| 2     | No                                                         | 7,282     | 47.54      | 41.75               |
| 5     | No current asthma, nothing happened past year, skip filled | 3,050     | 19.91      | 26.01               |
| 6     | No MD visit past year, skip filled                         | 3,572     | 23.32      | 23.86               |
| 7     | Don't know                                                 | 30        | 0.20       | 0.07                |
| 9     | Refused                                                    | 1         | 0.01       | 0.00                |
| BLANK | Not asked or missing                                       | 85        |            |                     |

**NUMBER OF EMERGENCY ROOM VISITS**

**Survey:** ADULT Asthma Call-Back

**Column:** 83-85

**Type:** NUM

**SAS Variable Name:** ER\_TIMES

**Prologue:**

**Description:** Q5.3 During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

| Value   | Value Label                                                | Frequency | Percentage | Weighted Percentage |
|---------|------------------------------------------------------------|-----------|------------|---------------------|
| 1 - 365 | Number                                                     | 1,352     | 8.83       | 8.15                |
| 555     | No current asthma, nothing happened past year, skip filled | 3,050     | 19.91      | 26.01               |
| 666     | No MD visit past year, skip filled                         | 3,572     | 23.32      | 23.86               |
| 677     | MD visit, no ER visit past year, skip filled               | 7,282     | 47.54      | 41.75               |
| 777     | Don't know                                                 | 46        | 0.30       | 0.16                |
| 888     | None                                                       | 6         | 0.04       | 0.01                |
| 999     | Refused                                                    | 10        | 0.07       | 0.05                |
| BLANK   | Not asked or missing                                       | 85        |            |                     |

**NUMBER OF URGENT VISITS**

**Survey:** ADULT Asthma Call-Back

**Column:** 86-88

**Type:** NUM

**SAS Variable Name:** URG\_TIME

**Prologue:**

**Description:** Q5.4 During the past 12 months, how many times did you see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

| Value   | Value Label                                                | Frequency | Percentage | Weighted Percentage |
|---------|------------------------------------------------------------|-----------|------------|---------------------|
| 1 - 365 | Number                                                     | 2,703     | 17.65      | 15.48               |
| 555     | No current asthma, nothing happened past year, skip filled | 3,050     | 19.91      | 26.01               |
| 666     | No MD visit past year, skip filled                         | 3,572     | 23.32      | 23.86               |
| 777     | Don't know                                                 | 164       | 1.07       | 0.82                |
| 888     | None                                                       | 5,816     | 37.97      | 33.64               |
| 999     | Refused                                                    | 13        | 0.08       | 0.18                |
| BLANK   | Not asked or missing                                       | 85        |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**HOSPITAL VISIT**

**Survey:** ADULT Asthma Call-Back

**Column:** 89

**Type:** NUM

**SAS Variable Name:** HOSP\_VST

**Prologue:**

**Description:** Q5.5 During the past 12 months, that is since [one year ago today], have you had to stay overnight in a hospital because of your asthma? Do not include an overnight stay in the emergency room.

| Value | Value Label                                                | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                                        | 497       | 3.24       | 2.30                |
| 2     | No                                                         | 7,299     | 47.62      | 41.94               |
| 4     | MD visit, no symptoms past year, skip filled               | 887       | 5.79       | 5.85                |
| 5     | No current asthma, nothing happened past year, skip filled | 3,050     | 19.90      | 25.98               |
| 6     | No MD visit past year, skip filled                         | 3,572     | 23.31      | 23.83               |
| 7     | Don't know                                                 | 19        | 0.12       | 0.06                |
| 9     | Refused                                                    | 3         | 0.02       | 0.04                |
| BLANK | Not asked or missing                                       | 76        |            |                     |

**NUMBER OF HOSPITAL VISITS**

**Survey:** ADULT Asthma Call-Back

**Column:** 90-92

**Type:** NUM

**SAS Variable Name:** HOSPTIME

**Prologue:**

**Description:** Q5.6a During the past 12 months, how many different times did you stay in any hospital overnight or longer because of your asthma?

| Value   | Value Label                                                  | Frequency | Percentage | Weighted Percentage |
|---------|--------------------------------------------------------------|-----------|------------|---------------------|
| 1 - 365 | Times                                                        | 489       | 3.19       | 2.26                |
| 444     | MD visit, no symptoms past year, skip filled                 | 887       | 5.79       | 5.85                |
| 455     | MD visit, symptoms, no hospital visit past year, skip filled | 7,299     | 47.62      | 41.94               |
| 555     | No current asthma, nothing happened past year, skip filled   | 3,050     | 19.90      | 25.98               |
| 666     | No MD visit past year, skip filled                           | 3,572     | 23.31      | 23.83               |
| 777     | Don't know                                                   | 27        | 0.18       | 0.09                |
| 999     | Refused                                                      | 3         | 0.02       | 0.04                |
| BLANK   | Not asked or missing                                         | 76        |            |                     |

**HOSPITAL FOLLOW-UP**

**Survey:** ADULT Asthma Call-Back

**Column:** 93-94

**Type:** NUM

**SAS Variable Name:** HOSPPLAN

**Prologue:**

**Description:** Q5.7 The last time you left the hospital, did a health professional talk with you about how to prevent serious attacks in the future?

| Value | Value Label                                                  | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                                          | 343       | 2.24       | 1.54                |
| 2     | No                                                           | 148       | 0.97       | 0.75                |
| 4     | MD visit, no symptoms past year, skip filled                 | 887       | 5.79       | 5.85                |
| 5     | No current asthma, nothing happened past year, skip filled   | 3,050     | 19.90      | 25.98               |
| 6     | No MD visit past year, skip filled                           | 3,572     | 23.31      | 23.83               |
| 7     | Don't know                                                   | 25        | 0.16       | 0.07                |
| 9     | Refused                                                      | 3         | 0.02       | 0.04                |
| 45    | MD visit, symptoms, no hospital visit past year, skip filled | 7,299     | 47.62      | 41.94               |
| BLANK | Not asked or missing                                         | 76        |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NUMBER OF MISSED DAYS**

**Survey:** ADULT Asthma Call-Back

**Column:** 95-97

**Type:** NUM

**SAS Variable Name:** MISS\_DAY

**Prologue:**

**Description:** Q5.8a During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

| Value   | Value Label                                                | Frequency | Percentage | Weighted Percentage |
|---------|------------------------------------------------------------|-----------|------------|---------------------|
| 1 - 365 | Days                                                       | 3,422     | 22.38      | 20.65               |
| 555     | No current asthma, nothing happened past year, skip filled | 3,050     | 19.95      | 26.19               |
| 777     | Don't know                                                 | 634       | 4.15       | 2.67                |
| 888     | Zero                                                       | 8,151     | 53.30      | 50.25               |
| 999     | Refused                                                    | 35        | 0.23       | 0.24                |
| BLANK   | Not asked or missing                                       | 111       |            |                     |

**ACTIVITY LIMITATION**

**Survey:** ADULT Asthma Call-Back

**Column:** 98

**Type:** NUM

**SAS Variable Name:** ACT\_DAYS

**Prologue:**

**Description:** Q5.9 During the past 12 months, would you say you limited your usual activities due to asthma not at all, a little, a moderate amount, or a lot?

| Value | Value Label                                                | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------------------|-----------|------------|---------------------|
| 1     | Not at all                                                 | 4,653     | 30.43      | 30.99               |
| 2     | A little                                                   | 4,362     | 28.52      | 26.90               |
| 3     | A moderate amount                                          | 2,007     | 13.12      | 10.16               |
| 4     | A lot                                                      | 1,150     | 7.52       | 5.52                |
| 5     | No current asthma, nothing happened past year, skip filled | 3,050     | 19.95      | 26.19               |
| 7     | Don't know                                                 | 67        | 0.44       | 0.24                |
| 9     | Refused                                                    | 3         | 0.02       | 0.00                |
| BLANK | Not asked or missing                                       | 111       |            |                     |

**EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS**

**Survey:** ADULT Asthma Call-Back

**Column:** 99

**Type:** NUM

**SAS Variable Name:** TCH\_SIGN

**Prologue:** Has a doctor or other health professional ever taught you . . .

**Description:** Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 9,051     | 58.76      | 61.95               |
| 2     | No                  | 5,968     | 38.75      | 36.09               |
| 7     | Don't know/Not sure | 374       | 2.43       | 1.94                |
| 9     | Refused             | 10        | 0.06       | 0.02                |

**EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 100

**Type:** NUM

**SAS Variable Name:** TCH\_RESP

**Prologue:** Has a doctor or other health professional ever taught you . . .

**Description:** Q6.2 . . . what to do during an asthma episode or attack?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 10,610    | 68.88      | 73.46               |
| 2     | No                  | 4,468     | 29.01      | 25.07               |
| 7     | Don't know/Not sure | 309       | 2.01       | 1.45                |
| 9     | Refused             | 16        | 0.10       | 0.03                |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**EVER TAUGHT HOW TO USE A PEAK FLOW**

**Survey:** ADULT Asthma Call-Back

**Column:** 101

**Type:** NUM

**SAS Variable Name:** TCH\_MON

**Prologue:** A peak flow meter is a hand held device that measures how quickly you can blow air out of your lungs. Has a doctor or other health professional ever taught you . . .

**Description:** Q6.3 . . . how to use a peak flow meter to adjust your daily medications?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 5,835     | 37.88      | 39.67               |
| 2     | No                  | 9,417     | 61.14      | 59.23               |
| 7     | Don't know/Not sure | 143       | 0.93       | 1.10                |
| 9     | Refused             | 8         | 0.05       | 0.01                |

**EVER GIVEN AN ASTHMA ACTION PLAN**

**Survey:** ADULT Asthma Call-Back

**Column:** 102

**Type:** NUM

**SAS Variable Name:** MGT\_PLAN

**Prologue:** An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

**Description:** Q6.4 Has a doctor or other health professional EVER given you an asthma action plan?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 3,557     | 23.09      | 24.95               |
| 2     | No                  | 11,554    | 75.01      | 73.17               |
| 7     | Don't know/Not sure | 287       | 1.86       | 1.83                |
| 9     | Refused             | 5         | 0.03       | 0.05                |

**EVER TAKEN A COURSE TO MANAGE ASTHMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 103

**Type:** NUM

**SAS Variable Name:** MGT\_CLAS

**Prologue:**

**Description:** Q6.5 Have you ever taken a course or class on how to manage your asthma?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 1,275     | 8.28       | 7.96                |
| 2     | No                  | 14,095    | 91.51      | 91.89               |
| 7     | Don't know/Not sure | 32        | 0.21       | 0.14                |
| 9     | Refused             | 1         | 0.01       | 0.01                |

**AIR CLEANER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 104

**Type:** NUM

**SAS Variable Name:** AIRCLEANER

**Prologue:** An air cleaner or purifier filters pollutants like dust, pollen, mold and chemicals out of the indoor air. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

**Description:** Q7.1 Is an air cleaner or purifier regularly used inside your home?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 4,292     | 27.86      | 28.80               |
| 2     | No                  | 11,036    | 71.65      | 70.85               |
| 7     | Don't know/Not sure | 67        | 0.43       | 0.33                |
| 9     | Refused             | 8         | 0.05       | 0.01                |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**DEHUMIDIFIER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 105

**Type:** NUM

**SAS Variable Name:** DEHUMID

**Prologue:**

**Description:** Q7.2 Is a dehumidifier regularly used to reduce moisture inside your home?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 3,615     | 23.47      | 22.78               |
| 2     | No                  | 11,729    | 76.15      | 76.87               |
| 7     | Don't know/Not sure | 57        | 0.37       | 0.34                |
| 9     | Refused             | 2         | 0.01       | 0.00                |

**EXHAUST FAN USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 106

**Type:** NUM

**SAS Variable Name:** KITC\_FAN

**Prologue:**

**Description:** Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in your kitchen?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 8,777     | 56.98      | 59.83               |
| 2     | No                  | 6,549     | 42.52      | 39.55               |
| 7     | Don't know/Not sure | 74        | 0.48       | 0.61                |
| 9     | Refused             | 3         | 0.02       | 0.01                |

**GAS USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 107

**Type:** NUM

**SAS Variable Name:** COOK\_GAS

**Prologue:**

**Description:** Q7.4 Is gas used for cooking?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 5,952     | 38.64      | 45.82               |
| 2     | No                  | 9,423     | 61.18      | 54.06               |
| 7     | Don't know/Not sure | 26        | 0.17       | 0.12                |
| 9     | Refused             | 2         | 0.01       | 0.00                |

**SAW OR SMELLED MOLD PAST 30 DAYS**

**Survey:** ADULT Asthma Call-Back

**Column:** 108

**Type:** NUM

**SAS Variable Name:** ENV\_MOLD

**Prologue:**

**Description:** Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside your home? Do not include mold on food.

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 1,626     | 10.56      | 10.10               |
| 2     | No                  | 13,708    | 89.00      | 89.50               |
| 7     | Don't know/Not sure | 68        | 0.44       | 0.39                |
| 9     | Refused             | 1         | 0.01       | 0.00                |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**INDOOR PETS**

**Survey:** ADULT Asthma Call-Back

**Column:** 109

**Type:** NUM

**SAS Variable Name:** ENV\_PETS

**Prologue:**

**Description:** Q7.6 Does your household have pets such as dogs, cats, hamsters, birds or other feathered or furry pets that spend time indoors?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 8,668     | 56.27      | 58.16               |
| 2     | No                  | 6,728     | 43.68      | 41.79               |
| 7     | Don't know/Not sure | 6         | 0.04       | 0.05                |
| 9     | Refused             | 1         | 0.01       | 0.00                |

**PETS ALLOWED IN BEDROOM**

**Survey:** ADULT Asthma Call-Back

**Column:** 110

**Type:** NUM

**SAS Variable Name:** PETBEDRM

**Prologue:**

**Description:** Q7.7 Are pets allowed in your bedroom?

| Value | Value Label          | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1     | Yes                  | 6,572     | 42.67      | 43.10               |
| 2     | No                   | 2,041     | 13.25      | 14.69               |
| 3     | Some are/some aren't | 51        | 0.33       | 0.36                |
| 6     | No pets, skip coded  | 6,735     | 43.73      | 41.84               |
| 7     | Don't know           | 4         | 0.03       | 0.01                |

**SAW COCKROACH INSIDE YOUR HOME PAST 30 DAYS**

**Survey:** ADULT Asthma Call-Back

**Column:** 112

**Type:** NUM

**SAS Variable Name:** C\_ROACH

**Prologue:**

**Description:** Q7.8 In the past 30 days, has anyone seen a cockroach inside your home?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 1,384     | 8.99       | 11.13               |
| 2     | No                  | 13,997    | 90.87      | 88.72               |
| 7     | Don't know/Not sure | 20        | 0.13       | 0.14                |
| 9     | Refused             | 2         | 0.01       | 0.01                |

**SAW MICE OR RATS INSIDE YOUR HOME PAST 30 DAYS**

**Survey:** ADULT Asthma Call-Back

**Column:** 113

**Type:** NUM

**SAS Variable Name:** C\_RODENT

**Prologue:**

**Description:** Q7.9 In the past 30 days, has anyone seen mice or rats inside your home? Do not include mice or rats kept as pets.

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 1,049     | 6.81       | 6.31                |
| 2     | No                  | 14,340    | 93.10      | 93.64               |
| 7     | Don't know/Not sure | 14        | 0.09       | 0.05                |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FIREPLACE OR WOOD STOVE USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 114

**Type:** NUM

**SAS Variable Name:** WOOD\_STOVE

**Prologue:**

**Description:** Q7.10 Is a wood burning fireplace or wood burning stove used in your home?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 2,827     | 18.35      | 19.37               |
| 2     | No                  | 12,561    | 81.55      | 80.53               |
| 7     | Don't know/Not sure | 15        | 0.10       | 0.10                |

**GAS APPLIANCE USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 115

**Type:** NUM

**SAS Variable Name:** GAS\_STOVE

**Prologue:**

**Description:** Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stove used in your home?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 972       | 6.31       | 7.04                |
| 2     | No                  | 14,363    | 93.25      | 92.38               |
| 7     | Don't know/Not sure | 68        | 0.44       | 0.58                |

**ANYONE SMOKED INSIDE YOUR HOME**

**Survey:** ADULT Asthma Call-Back

**Column:** 116

**Type:** NUM

**SAS Variable Name:** S\_INSIDE

**Prologue:**

**Description:** Q7.12 In the past week, has anyone smoked inside your home?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 2,314     | 15.02      | 15.24               |
| 2     | No                  | 13,079    | 84.91      | 84.66               |
| 7     | Don't know/Not sure | 8         | 0.05       | 0.09                |
| 9     | Refused             | 2         | 0.01       | 0.01                |

**EVER ADVISED CHANGE THINGS IN YOUR HOME**

**Survey:** ADULT Asthma Call-Back

**Column:** 117

**Type:** NUM

**SAS Variable Name:** MOD\_ENV

**Prologue:**

**Description:** Q7.13 Has a health professional ever advised you to change things in your home, school, or work to improve your asthma?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 5,134     | 33.33      | 33.17               |
| 2     | No                  | 10,173    | 66.05      | 66.00               |
| 7     | Don't know/Not sure | 93        | 0.60       | 0.83                |
| 9     | Refused             | 3         | 0.02       | 0.01                |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**USE A MATTRESS COVER**

**Survey:** ADULT Asthma Call-Back

**Column:** 118

**Type:** NUM

**SAS Variable Name:** MATTRESS

**Prologue:**

**Description:** Q7.14 Do you use a mattress cover that is made especially for controlling dust mites?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 4,491     | 29.16      | 28.41               |
| 2     | No                  | 10,517    | 68.28      | 69.60               |
| 7     | Don't know/Not sure | 393       | 2.55       | 1.98                |
| 9     | Refused             | 2         | 0.01       | 0.00                |

**USE A PILLOW COVER**

**Survey:** ADULT Asthma Call-Back

**Column:** 119

**Type:** NUM

**SAS Variable Name:** E\_PILLOW

**Prologue:**

**Description:** Q7.15 Do you use a pillow cover that is made especially for controlling dust mites?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 4,176     | 27.11      | 26.78               |
| 2     | No                  | 11,039    | 71.67      | 72.34               |
| 7     | Don't know/Not sure | 184       | 1.19       | 0.88                |
| 9     | Refused             | 4         | 0.03       | 0.01                |

**CARPETING OR RUGS IN YOUR BEDROOM**

**Survey:** ADULT Asthma Call-Back

**Column:** 120

**Type:** NUM

**SAS Variable Name:** CARPET

**Prologue:**

**Description:** Q7.16 Do you have carpeting or rugs in your bedroom?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 10,759    | 69.85      | 68.18               |
| 2     | No                  | 4,633     | 30.08      | 31.75               |
| 7     | Don't know/Not sure | 9         | 0.06       | 0.06                |
| 9     | Refused             | 2         | 0.01       | 0.00                |

**WASH WATER TEMPERATURE**

**Survey:** ADULT Asthma Call-Back

**Column:** 121

**Type:** NUM

**SAS Variable Name:** HOTWATER

**Prologue:**

**Description:** Q7.17 Are your sheets and pillowcases washed in cold, warm, or hot water?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Cold                | 3,867     | 25.11      | 26.78               |
| 2     | Warm                | 5,016     | 32.57      | 29.04               |
| 3     | Hot                 | 5,638     | 36.60      | 37.83               |
| 4     | Varies              | 470       | 3.05       | 3.14                |
| 7     | Don't know/Not sure | 408       | 2.65       | 3.20                |
| 9     | Refused             | 4         | 0.03       | 0.01                |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**USE AN EXHAUST FAN IN YOUR BATHROOM**

**Survey:** ADULT Asthma Call-Back

**Column:** 122

**Type:** NUM

**SAS Variable Name:** BATH\_FAN

**Prologue:**

**Description:** Q7.18 In your bathroom, do you regularly use an exhaust fan that vents to the outside?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 8,856     | 57.50      | 58.73               |
| 2     | No or "No Fan"      | 6,471     | 42.01      | 40.81               |
| 7     | Don't know/Not sure | 71        | 0.46       | 0.44                |
| 9     | Refused             | 5         | 0.03       | 0.01                |

**EVER USED OVER-THE-COUNTER MEDICATION**

**Survey:** ADULT Asthma Call-Back

**Column:** 124

**Type:** NUM

**SAS Variable Name:** OTC

**Prologue:** The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to your medication use.

**Description:** Q8.1 Over-the-counter medication can be bought without a doctor's order. Have you ever used over-the-counter medication for your asthma?

| Value | Value Label                               | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                       | 4,059     | 26.35      | 25.72               |
| 2     | No                                        | 10,655    | 69.17      | 70.16               |
| 5     | Never took asthma medication, skip filled | 548       | 3.56       | 3.36                |
| 7     | Don't know                                | 136       | 0.88       | 0.75                |
| 9     | Refused                                   | 5         | 0.03       | 0.01                |

**EVER USED PRESCRIPTION INHALER**

**Survey:** ADULT Asthma Call-Back

**Column:** 125

**Type:** NUM

**SAS Variable Name:** INHALERE

**Prologue:**

**Description:** Q8.2 Have you ever used a prescription inhaler?

| Value | Value Label                               | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                       | 13,729    | 89.13      | 89.98               |
| 2     | No                                        | 1,085     | 7.04       | 6.48                |
| 5     | Never took asthma medication, skip filled | 548       | 3.56       | 3.36                |
| 7     | Don't know                                | 39        | 0.25       | 0.18                |
| 9     | Refused                                   | 2         | 0.01       | 0.00                |

**PROFESSIONAL INHALER INSTRUCTION**

**Survey:** ADULT Asthma Call-Back

**Column:** 126

**Type:** NUM

**SAS Variable Name:** INHALERH

**Prologue:**

**Description:** Q8.3 Did a doctor or other health professional show you how to use the inhaler?

| Value | Value Label                                  | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                          | 13,023    | 84.55      | 85.96               |
| 2     | No                                           | 642       | 4.17       | 3.79                |
| 5     | Never took asthma medication, skip filled    | 548       | 3.56       | 3.36                |
| 6     | Never used prescription inhaler, skip filled | 1,126     | 7.31       | 6.66                |
| 7     | Don't know                                   | 63        | 0.41       | 0.23                |
| 9     | Refused                                      | 1         | 0.01       | 0.00                |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**INHALER USE WATCHED**

**Survey:** ADULT Asthma Call-Back

**Column:** 127

**Type:** NUM

**SAS Variable Name:** INHALERW

**Prologue:**

**Description:** Q8.4 Did a doctor or other health professional watch you use the inhaler?

| Value | Value Label                                  | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                          | 10,248    | 66.53      | 68.74               |
| 2     | No                                           | 2,993     | 19.43      | 18.93               |
| 5     | Never took asthma medication, skip filled    | 548       | 3.56       | 3.36                |
| 6     | Never used prescription inhaler, skip filled | 1,126     | 7.31       | 6.66                |
| 7     | Don't know                                   | 486       | 3.16       | 2.31                |
| 9     | Refused                                      | 2         | 0.01       | 0.00                |

**MEDICATION IN HAND**

**Survey:** ADULT Asthma Call-Back

**Column:** 128

**Type:** NUM

**SAS Variable Name:** SCR\_MED1

**Prologue:** Now I am going to ask questions about specific prescription medications you may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often you take each medicine.

**Description:** Q8.5 It will help to get your medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

| Value | Value Label                               | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                       | 5,135     | 33.34      | 28.38               |
| 2     | No                                        | 384       | 2.49       | 2.16                |
| 3     | Respondent knows the meds                 | 2,792     | 18.13      | 16.09               |
| 4     | No asthma med. past 3 months, skip filled | 6,471     | 42.01      | 49.34               |
| 5     | Never took asthma medication, skip filled | 548       | 3.56       | 3.36                |
| 7     | Don't know                                | 37        | 0.24       | 0.44                |
| 9     | Refused                                   | 36        | 0.23       | 0.24                |

**HAVE ALL THE MEDICATIONS**

**Survey:** ADULT Asthma Call-Back

**Column:** 130-131

**Type:** NUM

**SAS Variable Name:** SCR\_MED3

**Prologue:**

**Description:** Q8.7 Do you have all the medications?

| Value | Value Label                                     | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes, I have all the medications                 | 4,887     | 31.73      | 26.94               |
| 2     | Yes, I have some of the medications but not all | 172       | 1.12       | 1.07                |
| 3     | No                                              | 73        | 0.47       | 0.36                |
| 4     | No asthma med. past 3 months, skip filled       | 6,471     | 42.01      | 49.34               |
| 5     | Never took asthma medication, skip filled       | 548       | 3.56       | 3.36                |
| 7     | Don't know                                      | 3         | 0.02       | 0.01                |
| 10    | Know or no handy asthma medicines, skip filled  | 3,249     | 21.09      | 18.93               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TAKEN PRESCRIPTION INHALER PAST 3 MONTHS**

**Survey:** ADULT Asthma Call-Back

**Column:** 132

**Type:** NUM

**SAS Variable Name:** INH\_SCR

**Prologue:**

**Description:** Q8.8 In the past 3 months have you taken prescription asthma medicine using an inhaler?

| Value | Value Label                                                | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes, inhaler in past 3 months                              | 7,574     | 49.17      | 42.83               |
| 2     | No inhaler in past 3 months                                | 665       | 4.32       | 3.96                |
| 4     | No asthma med. past 3 months, skip filled                  | 6,471     | 42.01      | 49.34               |
| 5     | Never took asthma medication, skip filled                  | 548       | 3.56       | 3.36                |
| 6     | Asthma med. past 3 months, never used inhaler, skip filled | 120       | 0.78       | 0.45                |
| 7     | Don't know                                                 | 21        | 0.14       | 0.06                |
| 9     | Refused                                                    | 4         | 0.03       | 0.00                |

**TAKEN MEDICATION IN PILL PAST 3 MONTHS**

**Survey:** ADULT Asthma Call-Back

**Column:** 133

**Type:** NUM

**SAS Variable Name:** PILLS

**Prologue:**

**Description:** Q8.20 In the past 3 months, have you taken any medicine in pill form for your asthma?

| Value | Value Label                               | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------------|-----------|------------|---------------------|
| 1     | Yes, pills in past 3 months               | 2,210     | 14.35      | 12.18               |
| 2     | No pills in past 3 months                 | 6,119     | 39.73      | 34.88               |
| 4     | No asthma med. past 3 months, skip filled | 6,471     | 42.01      | 49.34               |
| 5     | Never took asthma medication, skip filled | 548       | 3.56       | 3.36                |
| 7     | Don't know                                | 49        | 0.32       | 0.17                |
| 9     | Refused                                   | 6         | 0.04       | 0.08                |

**TAKEN MEDICATION IN SYRUP PAST 3 MONTHS**

**Survey:** ADULT Asthma Call-Back

**Column:** 134

**Type:** NUM

**SAS Variable Name:** SYRUP

**Prologue:**

**Description:** Q8.23 In the past 3 months, have you taken any prescription asthma medication in syrup form?

| Value | Value Label                               | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------------|-----------|------------|---------------------|
| 1     | Yes, syrup in past 3 months               | 87        | 0.56       | 0.61                |
| 2     | No syrup in past 3 months                 | 8,277     | 53.74      | 46.62               |
| 4     | No asthma med. past 3 months, skip filled | 6,471     | 42.01      | 49.34               |
| 5     | Never took asthma medication, skip filled | 548       | 3.56       | 3.36                |
| 7     | Don't know                                | 17        | 0.11       | 0.07                |
| 9     | Refused                                   | 3         | 0.02       | 0.01                |

**TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS**

**Survey:** ADULT Asthma Call-Back

**Column:** 135

**Type:** NUM

**SAS Variable Name:** NEB\_SCR

**Prologue:** A nebulizer is a small machine with a tube and facemask or mouthpiece that you breathe through continuously.

**Description:** Q8.25 In the past 3 months, were any of your asthma medicines used with a nebulizer?

| Value | Value Label                               | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------------|-----------|------------|---------------------|
| 1     | Yes, nebulizer in past 3 months           | 1,993     | 12.94      | 10.25               |
| 2     | No nebulizer in past 3 months             | 6,372     | 41.37      | 37.02               |
| 4     | No asthma med. past 3 months, skip filled | 6,471     | 42.01      | 49.34               |
| 5     | Never took asthma medication, skip filled | 548       | 3.56       | 3.36                |
| 7     | Don't know                                | 18        | 0.12       | 0.04                |
| 9     | Refused                                   | 1         | 0.01       | 0.00                |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEBULIZER AT HOME**

**Survey:** ADULT Asthma Call-Back

**Column:** 136

**Type:** NUM

**SAS Variable Name:** NEB\_PLCA

**Prologue:** I am going to read a list of places where you might have used a nebulizer. Please answer "yes" if you have used a nebulizer in the place I mention; otherwise, answer "no." In the past 3 months, did you use a nebulizer . . .

**Description:** Q8.26a . . . at home?

| Value | Value Label                               | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                       | 1,826     | 11.85      | 9.20                |
| 2     | No                                        | 166       | 1.08       | 1.05                |
| 4     | No asthma med. past 3 months, skip filled | 6,471     | 42.01      | 49.34               |
| 5     | Never took asthma medication, skip filled | 548       | 3.56       | 3.36                |
| 7     | Don't know/Not sure                       | 1         | 0.01       | 0.00                |
| 8     | No neb. in past 3 months, skip filled     | 6,391     | 41.49      | 37.06               |

**NEBULIZER AT DOCTOR'S OFFICE**

**Survey:** ADULT Asthma Call-Back

**Column:** 137

**Type:** NUM

**SAS Variable Name:** NEB\_PLCB

**Prologue:** In the past 3 months, did you use a nebulizer . . .

**Description:** Q8.26b . . . at a doctor's office?

| Value | Value Label                               | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                       | 601       | 3.90       | 3.25                |
| 2     | No                                        | 1,390     | 9.02       | 6.99                |
| 4     | No asthma med. past 3 months, skip filled | 6,471     | 42.01      | 49.34               |
| 5     | Never took asthma medication, skip filled | 548       | 3.56       | 3.36                |
| 7     | Don't know/Not sure                       | 2         | 0.01       | 0.00                |
| 8     | No neb. in past 3 months, skip filled     | 6,391     | 41.49      | 37.06               |

**NEBULIZER IN EMERGENCY ROOM**

**Survey:** ADULT Asthma Call-Back

**Column:** 138

**Type:** NUM

**SAS Variable Name:** NEB\_PLCC

**Prologue:** In the past 3 months, did you use a nebulizer . . .

**Description:** Q8.26c . . . in an emergency room?

| Value | Value Label                               | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                       | 523       | 3.40       | 3.27                |
| 2     | No                                        | 1,464     | 9.50       | 6.97                |
| 4     | No asthma med. past 3 months, skip filled | 6,471     | 42.01      | 49.34               |
| 5     | Never took asthma medication, skip filled | 548       | 3.56       | 3.36                |
| 7     | Don't know/Not sure                       | 6         | 0.04       | 0.01                |
| 8     | No neb. in past 3 months, skip filled     | 6,391     | 41.49      | 37.06               |

**NEBULIZER AT WORK OR SCHOOL**

**Survey:** ADULT Asthma Call-Back

**Column:** 139

**Type:** NUM

**SAS Variable Name:** NEB\_PLCD

**Prologue:** In the past 3 months, did you use a nebulizer . . .

**Description:** Q8.26d . . . at work (or a school)?

| Value | Value Label                               | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                       | 154       | 1.00       | 0.84                |
| 2     | No                                        | 1,837     | 11.93      | 9.40                |
| 4     | No asthma med. past 3 months, skip filled | 6,471     | 42.01      | 49.34               |
| 5     | Never took asthma medication, skip filled | 548       | 3.56       | 3.36                |
| 7     | Don't know/Not sure                       | 2         | 0.01       | 0.00                |
| 8     | No neb. in past 3 months, skip filled     | 6,391     | 41.49      | 37.06               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEBULIZER AT ANY OTHER PLACE**

**Survey:** ADULT Asthma Call-Back

**Column:** 140

**Type:** NUM

**SAS Variable Name:** NEB\_PLCE

**Prologue:** In the past 3 months, did you use a nebulizer . . .

**Description:** Q8.26e . . . at any other place?

| Value | Value Label                               | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                       | 350       | 2.27       | 1.54                |
| 2     | No                                        | 1,641     | 10.65      | 8.70                |
| 4     | No asthma med. past 3 months, skip filled | 6,471     | 42.01      | 49.34               |
| 5     | Never took asthma medication, skip filled | 548       | 3.56       | 3.36                |
| 7     | Don't know/Not sure                       | 2         | 0.01       | 0.01                |
| 8     | No neb. in past 3 months, skip filled     | 6,391     | 41.49      | 37.06               |

**COST BARRIER: PRIMARY CARE DOCTOR**

**Survey:** ADULT Asthma Call-Back

**Column:** 141

**Type:** NUM

**SAS Variable Name:** ASMDCOST

**Prologue:**

**Description:** Q9.1 Was there a time in the past 12 months when you needed to see your primary care doctor for your asthma but could not because of the cost?

| Value | Value Label                    | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------|-----------|------------|---------------------|
| 1     | Yes                            | 1,021     | 6.63       | 7.51                |
| 2     | No                             | 9,867     | 64.07      | 56.32               |
| 5     | No current asthma, skip filled | 4,491     | 29.16      | 35.95               |
| 7     | Don't know                     | 19        | 0.12       | 0.21                |
| 9     | Refused                        | 2         | 0.01       | 0.00                |
| BLANK | Partial complete               | 3         |            |                     |

**COST BARRIER: SPECIALIST**

**Survey:** ADULT Asthma Call-Back

**Column:** 142

**Type:** NUM

**SAS Variable Name:** ASSPCOST

**Prologue:**

**Description:** Q9.2 Was there a time in the past 12 months when you were referred to a specialist for asthma care but could not go because of the cost?

| Value | Value Label                    | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------|-----------|------------|---------------------|
| 1     | Yes                            | 567       | 3.68       | 4.45                |
| 2     | No                             | 10,329    | 67.07      | 59.51               |
| 5     | No current asthma, skip filled | 4,491     | 29.16      | 35.95               |
| 7     | Don't know                     | 11        | 0.07       | 0.09                |
| 9     | Refused                        | 2         | 0.01       | 0.00                |
| BLANK | Partial complete               | 3         |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**COST BARRIER: MEDICATION**

**Survey:** ADULT Asthma Call-Back

**Column:** 143

**Type:** NUM

**SAS Variable Name:** ASRXCOST

**Prologue:**

**Description:** Q9.3 Was there a time in the past 12 months when you needed to buy medication for your asthma but could not because of the cost?

| Value | Value Label                    | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------|-----------|------------|---------------------|
| 1     | Yes                            | 1,656     | 10.75      | 10.04               |
| 2     | No                             | 9,233     | 59.95      | 53.86               |
| 5     | No current asthma, skip filled | 4,491     | 29.16      | 35.95               |
| 7     | Don't know                     | 18        | 0.12       | 0.14                |
| 9     | Refused                        | 2         | 0.01       | 0.00                |
| BLANK | Partial complete               | 3         |            |                     |

**CURRENT EMPLOYMENT STATUS**

**Survey:** ADULT Asthma Call-Back

**Column:** 144

**Type:** NUM

**SAS Variable Name:** EMP\_STAT

**Prologue:**

**Description:** Q10.1 Next, we are interested in things that affect asthma in the workplace. However, first I'd like to ask how you would describe your current employment status. Would you say . . .

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Employed full-time | 5,441     | 35.33      | 41.46               |
| 2     | Employed part-time | 1,791     | 11.63      | 13.92               |
| 3     | Not employed       | 8,148     | 52.91      | 44.50               |
| 7     | Don't know         | 13        | 0.08       | 0.08                |
| 9     | Refused            | 6         | 0.04       | 0.04                |
| BLANK | Partial complete   | 4         |            |                     |

**REASON NOT NOW EMPLOYED**

**Survey:** ADULT Asthma Call-Back

**Column:** 145-146

**Type:** NUM

**SAS Variable Name:** UNEMP\_R

**Prologue:**

**Description:** Q10.2 What is the main reason you are not now employed?

| Value | Value Label                                     | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------------------|-----------|------------|---------------------|
| 1     | Keeping house                                   | 663       | 4.31       | 5.26                |
| 2     | Going to school                                 | 188       | 1.22       | 4.34                |
| 3     | Retired                                         | 3,966     | 25.75      | 12.80               |
| 4     | Disabled                                        | 1,808     | 11.74      | 9.07                |
| 5     | Unable to work for other health reasons         | 547       | 3.55       | 3.05                |
| 6     | Looking for work                                | 243       | 1.58       | 3.55                |
| 7     | Laid off                                        | 369       | 2.40       | 3.59                |
| 8     | Other                                           | 348       | 2.26       | 2.81                |
| 66    | Employed, skip filled                           | 7,232     | 46.96      | 55.38               |
| 77    | Don't know                                      | 8         | 0.05       | 0.04                |
| 88    | Current employment status don't know or refused | 19        | 0.12       | 0.12                |
| 99    | Refused                                         | 8         | 0.05       | 0.01                |
| BLANK | Partial complete                                | 4         |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**EVER EMPLOYED OUTSIDE HOME**

**Survey:** ADULT Asthma Call-Back

**Column:** 147

**Type:** NUM

**SAS Variable Name:** EMP\_EVER

**Prologue:**

**Description:** Q10.3 Have you ever been employed outside the home?

| Value | Value Label               | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------|-----------|------------|---------------------|
| 1     | Yes                       | 7,648     | 49.67      | 40.57               |
| 2     | No                        | 508       | 3.30       | 3.99                |
| 6     | Employed now, skip filled | 7,232     | 46.96      | 55.38               |
| 7     | Don't know/Not sure       | 6         | 0.04       | 0.05                |
| 9     | Refused                   | 5         | 0.03       | 0.02                |
| BLANK | Partial complete          | 4         |            |                     |

**ASTHMA CAUSED BY CURRENT JOB**

**Survey:** ADULT Asthma Call-Back

**Column:** 148-149

**Type:** NUM

**SAS Variable Name:** WORKENV1

**Prologue:**

**Description:** Q10.4 Was your asthma CAUSED by chemicals, smoke, fumes or dust in your CURRENT job?

| Value | Value Label                                       | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                               | 761       | 4.94       | 4.90                |
| 2     | No                                                | 6,250     | 40.59      | 49.32               |
| 6     | Never employed outside home, skip filled          | 508       | 3.30       | 3.99                |
| 7     | Don't know                                        | 217       | 1.41       | 1.12                |
| 8     | Past employment unknown, skip filled              | 11        | 0.07       | 0.07                |
| 9     | Refused                                           | 4         | 0.03       | 0.04                |
| 10    | Not employed now but employed before, skip filled | 7,648     | 49.67      | 40.57               |
| BLANK | Partial complete                                  | 4         |            |                     |

**ASTHMA AGGRAVATED BY CURRENT JOB**

**Survey:** ADULT Asthma Call-Back

**Column:** 150-151

**Type:** NUM

**SAS Variable Name:** WORKENV2

**Prologue:**

**Description:** Q10.5 Is your asthma MADE WORSE by chemicals, smoke, fumes or dust in your CURRENT job?

| Value | Value Label                                       | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                               | 1,467     | 9.53       | 9.63                |
| 2     | No                                                | 3,297     | 21.41      | 23.23               |
| 5     | No current asthma, skip filled                    | 2,511     | 16.31      | 23.10               |
| 6     | Never employed outside home, skip filled          | 384       | 2.49       | 2.84                |
| 7     | Don't know                                        | 86        | 0.56       | 0.59                |
| 8     | Past employment unknown, skip filled              | 4         | 0.03       | 0.04                |
| 9     | Refused                                           | 2         | 0.01       | 0.00                |
| 10    | Not employed now but employed before, skip filled | 7,648     | 49.67      | 40.57               |
| BLANK | Partial complete                                  | 4         |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ASTHMA CAUSED BY PREVIOUS JOB**

**Survey:** ADULT Asthma Call-Back

**Column:** 152

**Type:** NUM

**SAS Variable Name:** WORKENV3

**Prologue:**

**Description:** Q10.6 Was your asthma CAUSED by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

| Value | Value Label                              | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                      | 2,550     | 16.56      | 13.91               |
| 2     | No                                       | 10,508    | 68.24      | 73.17               |
| 5     | Caused by current job, skip filled       | 761       | 4.94       | 4.90                |
| 6     | Never employed outside home, skip filled | 508       | 3.30       | 3.99                |
| 7     | Don't know                               | 1,051     | 6.83       | 3.94                |
| 8     | Past employment unknown, skip filled     | 11        | 0.07       | 0.07                |
| 9     | Refused                                  | 10        | 0.06       | 0.03                |
| BLANK | Partial complete                         | 4         |            |                     |

**ASTHMA AGGRAVATED BY PREVIOUS JOB**

**Survey:** ADULT Asthma Call-Back

**Column:** 153

**Type:** NUM

**SAS Variable Name:** WORKENV4

**Prologue:**

**Description:** Q10.7 Was your asthma MADE WORSE by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

| Value | Value Label                              | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                      | 4,562     | 29.63      | 24.26               |
| 2     | No                                       | 9,026     | 58.61      | 64.51               |
| 5     | Caused by current job, skip filled       | 761       | 4.94       | 4.90                |
| 6     | Never employed outside home, skip filled | 508       | 3.30       | 3.99                |
| 7     | Don't know                               | 524       | 3.40       | 2.20                |
| 8     | Past employment unknown, skip filled     | 11        | 0.07       | 0.07                |
| 9     | Refused                                  | 7         | 0.05       | 0.07                |
| BLANK | Partial complete                         | 4         |            |                     |

**EVER CHANGE OR QUIT A JOB**

**Survey:** ADULT Asthma Call-Back

**Column:** 154-155

**Type:** NUM

**SAS Variable Name:** WORKQUIT

**Prologue:**

**Description:** Q10.75 Did you ever change or quit a job because chemicals, smoke, fumes, or dust caused your asthma or made your asthma worse?

| Value | Value Label                              | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                      | 1,224     | 7.95       | 6.58                |
| 2     | No                                       | 3,390     | 22.01      | 19.16               |
| 6     | Never employed outside home, skip filled | 508       | 3.30       | 3.99                |
| 7     | Don't know                               | 261       | 1.69       | 0.28                |
| 8     | Past employment unknown, skip filled     | 11        | 0.07       | 0.07                |
| 10    | Skip filled                              | 10,005    | 64.97      | 69.93               |
| BLANK | Partial complete                         | 4         |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**DOCTOR DIAGNOSED WORK ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 156

Type: NUM

SAS Variable Name: WORKSEN1

Prologue:

Description: Q10.8 Were you ever told by a doctor or other medical person that your asthma was related to any job you ever had?

| Value | Value Label                              | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                      | 1,298     | 8.43       | 7.26                |
| 2     | No                                       | 13,471    | 87.48      | 88.21               |
| 6     | Never employed outside home, skip filled | 508       | 3.30       | 3.99                |
| 7     | Don't know                               | 100       | 0.65       | 0.46                |
| 8     | Past employment unknown, skip filled     | 11        | 0.07       | 0.07                |
| 9     | Refused                                  | 11        | 0.07       | 0.02                |
| BLANK | Partial complete                         | 4         |            |                     |

**SELF-IDENTIFIED WORK ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 157

Type: NUM

SAS Variable Name: WORKSEN2

Prologue:

Description: Q10.9 Did you ever tell a doctor or other medical person that your asthma was related to any job you ever had?

| Value | Value Label                              | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                      | 1,677     | 10.89      | 9.10                |
| 2     | No                                       | 13,095    | 85.04      | 86.40               |
| 6     | Never employed outside home, skip filled | 508       | 3.30       | 3.99                |
| 7     | Don't know                               | 100       | 0.65       | 0.42                |
| 8     | Past employment unknown, skip filled     | 11        | 0.07       | 0.07                |
| 9     | Refused                                  | 8         | 0.05       | 0.02                |
| BLANK | Partial complete                         | 4         |            |                     |

**EVER TOLD HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE**

Survey: ADULT Asthma Call-Back

Column: 158

Type: NUM

SAS Variable Name: COPD

Prologue:

Description: Q11.1 Have you ever been told by a doctor or health professional that you have chronic obstructive pulmonary disease, also known as COPD?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 2,505     | 16.27      | 9.55                |
| 2     | No                  | 12,655    | 82.19      | 89.21               |
| 7     | Don't know/Not sure | 230       | 1.49       | 1.21                |
| 9     | Refused             | 7         | 0.05       | 0.03                |
| BLANK | Partial complete    | 6         |            |                     |

**EVER TOLD HAVE EMPHYSEMA**

Survey: ADULT Asthma Call-Back

Column: 159

Type: NUM

SAS Variable Name: EMPHY

Prologue:

Description: Q11.2 Have you ever been told by a doctor or other health professional that you have emphysema?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 1,549     | 10.06      | 5.76                |
| 2     | No                  | 13,746    | 89.28      | 93.77               |
| 7     | Don't know/Not sure | 93        | 0.60       | 0.43                |
| 9     | Refused             | 9         | 0.06       | 0.04                |
| BLANK | Partial complete    | 6         |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**EVER TOLD HAVE CHRONIC BRONCHITIS**

**Survey:** ADULT Asthma Call-Back

**Column:** 160

**Type:** NUM

**SAS Variable Name:** BRONCH

**Prologue:**

**Description:** Q11.3 Have you ever been told by a doctor or other health professional that you have chronic bronchitis?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 4,431     | 28.78      | 22.54               |
| 2     | No                  | 10,768    | 69.94      | 76.62               |
| 7     | Don't know/Not sure | 186       | 1.21       | 0.81                |
| 9     | Refused             | 12        | 0.08       | 0.04                |
| BLANK | Partial complete    | 6         |            |                     |

**EVER TOLD DEPRESSED**

**Survey:** ADULT Asthma Call-Back

**Column:** 161

**Type:** NUM

**SAS Variable Name:** DEPRESS

**Prologue:**

**Description:** Q11.4 Have you ever been told by a doctor or other health professional that you were depressed?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 5,422     | 35.21      | 31.33               |
| 2     | No                  | 9,917     | 64.41      | 68.41               |
| 7     | Don't know/Not sure | 37        | 0.24       | 0.16                |
| 9     | Refused             | 21        | 0.14       | 0.09                |
| BLANK | Partial complete    | 6         |            |                     |

**USED HERBS TO CONTROL ASTHMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 162

**Type:** NUM

**SAS Variable Name:** CAM\_HERB

**Prologue:** Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, have you used . . . to control asthma?

**Description:** Q12.1 . . . herbs . . .

| Value | Value Label                    | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------|-----------|------------|---------------------|
| 1     | Yes                            | 587       | 3.81       | 3.82                |
| 2     | No                             | 10,302    | 66.92      | 60.14               |
| 5     | No current asthma, skip filled | 4,490     | 29.17      | 35.95               |
| 7     | Don't know                     | 10        | 0.06       | 0.06                |
| 9     | Refused                        | 6         | 0.04       | 0.03                |
| BLANK | Partial complete               | 8         |            |                     |

**USED VITAMINS TO CONTROL ASTHMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 163

**Type:** NUM

**SAS Variable Name:** CAM\_VITA

**Prologue:**

**Description:** Q12.2 . . . vitamins . . .

| Value | Value Label                    | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------|-----------|------------|---------------------|
| 1     | Yes                            | 974       | 6.33       | 5.64                |
| 2     | No                             | 9,893     | 64.26      | 58.22               |
| 5     | No current asthma, skip filled | 4,490     | 29.17      | 35.95               |
| 7     | Don't know                     | 29        | 0.19       | 0.14                |
| 9     | Refused                        | 9         | 0.06       | 0.05                |
| BLANK | Partial complete               | 8         |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**USED ACUPUNCTURE TO CONTROL ASTHMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 164

**Prologue:**

**Description:** Q12.3 ... acupuncture ...

**Type:** NUM

**SAS Variable Name:** CAM\_PUNC

| Value | Value Label                    | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------|-----------|------------|---------------------|
| 1     | Yes                            | 170       | 1.10       | 1.49                |
| 2     | No                             | 10,721    | 69.64      | 62.47               |
| 5     | No current asthma, skip filled | 4,490     | 29.17      | 35.95               |
| 7     | Don't know                     | 7         | 0.05       | 0.05                |
| 9     | Refused                        | 7         | 0.05       | 0.05                |
| BLANK | Partial complete               | 8         |            |                     |

**USED ACUPRESSURE TO CONTROL ASTHMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 165

**Prologue:**

**Description:** Q12.4 ... acupressure ...

**Type:** NUM

**SAS Variable Name:** CAM\_PRES

| Value | Value Label                    | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------|-----------|------------|---------------------|
| 1     | Yes                            | 153       | 0.99       | 1.14                |
| 2     | No                             | 10,728    | 69.68      | 62.74               |
| 5     | No current asthma, skip filled | 4,490     | 29.17      | 35.95               |
| 7     | Don't know                     | 16        | 0.10       | 0.13                |
| 9     | Refused                        | 8         | 0.05       | 0.05                |
| BLANK | Partial complete               | 8         |            |                     |

**USED AROMATHERAPY TO CONTROL ASTHMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 166

**Prologue:**

**Description:** Q12.5 ... aromatherapy ...

**Type:** NUM

**SAS Variable Name:** CAM\_AROM

| Value | Value Label                    | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------|-----------|------------|---------------------|
| 1     | Yes                            | 474       | 3.08       | 3.26                |
| 2     | No                             | 10,404    | 67.58      | 60.68               |
| 5     | No current asthma, skip filled | 4,490     | 29.17      | 35.95               |
| 7     | Don't know                     | 19        | 0.12       | 0.06                |
| 9     | Refused                        | 8         | 0.05       | 0.05                |
| BLANK | Partial complete               | 8         |            |                     |

**USED HOMEOPATHY TO CONTROL ASTHMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 167

**Prologue:**

**Description:** Q12.6 ... homeopathy ...

**Type:** NUM

**SAS Variable Name:** CAM\_HOME

| Value | Value Label                    | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------|-----------|------------|---------------------|
| 1     | Yes                            | 239       | 1.55       | 1.71                |
| 2     | No                             | 10,609    | 68.91      | 61.90               |
| 5     | No current asthma, skip filled | 4,490     | 29.17      | 35.95               |
| 7     | Don't know                     | 47        | 0.31       | 0.35                |
| 9     | Refused                        | 10        | 0.06       | 0.09                |
| BLANK | Partial complete               | 8         |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**USED REFLEXOLOGY TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 168

Prologue:

Description: Q12.7 ... reflexology ...

Type: NUM

SAS Variable Name: CAM\_REFL

| Value | Value Label                    | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------|-----------|------------|---------------------|
| 1     | Yes                            | 185       | 1.20       | 1.25                |
| 2     | No                             | 10,676    | 69.35      | 62.51               |
| 5     | No current asthma, skip filled | 4,490     | 29.17      | 35.95               |
| 7     | Don't know                     | 36        | 0.23       | 0.24                |
| 9     | Refused                        | 8         | 0.05       | 0.05                |
| BLANK | Partial complete               | 8         |            |                     |

**USED YOGA TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 169

Prologue:

Description: Q12.8 ... yoga ...

Type: NUM

SAS Variable Name: CAM\_YOGA

| Value | Value Label                    | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------|-----------|------------|---------------------|
| 1     | Yes                            | 425       | 2.76       | 3.40                |
| 2     | No                             | 10,462    | 67.96      | 60.55               |
| 5     | No current asthma, skip filled | 4,490     | 29.17      | 35.95               |
| 7     | Don't know                     | 10        | 0.06       | 0.06                |
| 9     | Refused                        | 8         | 0.05       | 0.05                |
| BLANK | Partial complete               | 8         |            |                     |

**USED BREATHING TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 170

Prologue:

Description: Q12.9 ... breathing techniques ...

Type: NUM

SAS Variable Name: CAM\_BR

| Value | Value Label                    | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------|-----------|------------|---------------------|
| 1     | Yes                            | 3,319     | 21.56      | 19.84               |
| 2     | No                             | 7,554     | 49.07      | 44.05               |
| 5     | No current asthma, skip filled | 4,490     | 29.17      | 35.95               |
| 7     | Don't know                     | 24        | 0.16       | 0.12                |
| 9     | Refused                        | 8         | 0.05       | 0.05                |
| BLANK | Partial complete               | 8         |            |                     |

**USED NATUROPATHY TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 171

Prologue:

Description: Q12.10 ... naturopathy ...

Type: NUM

SAS Variable Name: CAM\_NATR

| Value | Value Label                    | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------|-----------|------------|---------------------|
| 1     | Yes                            | 165       | 1.07       | 0.91                |
| 2     | No                             | 10,694    | 69.46      | 62.82               |
| 5     | No current asthma, skip filled | 4,490     | 29.17      | 35.95               |
| 7     | Don't know                     | 37        | 0.24       | 0.27                |
| 9     | Refused                        | 9         | 0.06       | 0.05                |
| BLANK | Partial complete               | 8         |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**OTHER ALTERNATIVE CARE TO CONTROL ASTHMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 172

**Type:** NUM

**SAS Variable Name:** CAM\_OTHR

**Prologue:**

**Description:** Q12.11 Besides the types I have just asked about, have you used any other type of alternative care for your asthma in the past 12 months?

| Value | Value Label                    | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------|-----------|------------|---------------------|
| 1     | Yes                            | 1,002     | 6.51       | 5.84                |
| 2     | No                             | 9,866     | 64.09      | 57.91               |
| 5     | No current asthma, skip filled | 4,490     | 29.17      | 35.95               |
| 7     | Don't know                     | 25        | 0.16       | 0.14                |
| 9     | Refused                        | 12        | 0.08       | 0.16                |
| BLANK | Partial complete               | 8         |            |                     |

**TEXT FOR OTHER TYPE CARE**

**Survey:** ADULT Asthma Call-Back

**Column:** 173-272

**Type:** CHAR

**SAS Variable Name:** CAM\_TEXT

**Prologue:**

**Description:** Q12.12 What else have you used?

| Value  | Value Label                       | Frequency | Percentage | Weighted Percentage |
|--------|-----------------------------------|-----------|------------|---------------------|
| BLANK  |                                   | 14,401    |            |                     |
| HIDDEN | Text field - up to 100 characters | 1,002     | 100.00     | 100.00              |

**LANGUAGE IDENTIFIER**

**Survey:** ADULT Asthma Call-Back

**Column:** 273-274

**Type:** NUM

**SAS Variable Name:** QSTLANG\_F

**Prologue:**

**Description:** Language identifier: Language in which the interview was conducted.

| Value | Value Label          | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1     | English              | 14,271    | 96.81      | 96.24               |
| 2     | Spanish              | 471       | 3.19       | 3.76                |
| BLANK | Not asked or missing | 661       |            |                     |

**END OF THE RAW CALL BACK DATA**

**Survey:** ADULT Asthma Call-Back

**Column:** 275

**Type:** NUM

**SAS Variable Name:** END\_OF\_FILE

**Prologue:**

**Description:** END OF THE RAW CALL BACK DATA

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 15,403    | 100.00     | 100.00              |

**EVER HAVE ASTHMA COMBINED BRFS AND CALL BACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 276

**Type:** NUM

**SAS Variable Name:** \_EVER\_ASTH\_C

**Prologue:**

**Description:** EVER HAVE ASTHMA COMBINED BRFS ( ASTHMA2 ) AND CALL BACK (EVER\_ASTH)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 15,403    | 100.00     | 100.00              |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**STILL HAVE ASTHMA COMBINED BRFS AND CALL BACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 277

**Type:** NUM

**SAS Variable Name:** \_CUR\_ASTH\_C

**Prologue:**

**Description:** STILL HAVE ASTHMA COMBINED BRFS (ASTHNOW) AND CALL BACK (CUR\_ASTH)

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 10,912    | 70.84      | 64.05               |
| 2     | No                  | 4,175     | 27.11      | 34.40               |
| 7     | Don't know/Not sure | 311       | 2.02       | 1.52                |
| 9     | Refused             | 5         | 0.03       | 0.02                |

**FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY**

**Survey:** ADULT Asthma Call-Back

**Column:** 278

**Type:** NUM

**SAS Variable Name:** FLAG1

**Prologue:**

**Description:** FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

| Value | Value Label                             | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------------------------|-----------|------------|---------------------|
| 0     | AGE, AGEDX and INCIDNT are consistent   | 15,119    | 98.16      | 97.59               |
| 1     | AGEDX is greater than AGE               | 11        | 0.07       | 0.15                |
| 2     | AGE, AGEDX and INCIDNT are inconsistent | 273       | 1.77       | 2.26                |

**ADVAIR (+ A. DISKUS)**

**Survey:** ADULT Asthma Call-Back

**Column:** 279

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_1

**Prologue:**

**Description:** ADVAIR (+ A. DISKUS)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 2,717     | 17.64      | 12.99               |
| 2     | No          | 12,686    | 82.36      | 87.01               |

**AEROBID**

**Survey:** ADULT Asthma Call-Back

**Column:** 280

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_2

**Prologue:**

**Description:** AEROBID

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 35        | 0.23       | 0.16                |
| 2     | No          | 15,368    | 99.77      | 99.84               |

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)**

**Survey:** ADULT Asthma Call-Back

**Column:** 281

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_3

**Prologue:**

**Description:** ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 3,189     | 20.70      | 20.17               |
| 2     | No          | 12,214    | 79.30      | 79.83               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ALUPENT**

**Survey:** ADULT Asthma Call-Back

**Column:** 282

**Prologue:**

**Description:** ALUPENT

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_4

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 22        | 0.14       | 0.05                |
| 2     | No          | 15,381    | 99.86      | 99.95               |

**ATROVENT**

**Survey:** ADULT Asthma Call-Back

**Column:** 283

**Prologue:**

**Description:** ATROVENT

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_5

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 132       | 0.86       | 0.52                |
| 2     | No          | 15,271    | 99.14      | 99.48               |

**AZMACORT**

**Survey:** ADULT Asthma Call-Back

**Column:** 284

**Prologue:**

**Description:** AZMACORT

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_6

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 153       | 0.99       | 0.87                |
| 2     | No          | 15,250    | 99.01      | 99.13               |

**BECLOMETHASONE DIPROPIONATE**

**Survey:** ADULT Asthma Call-Back

**Column:** 285

**Prologue:**

**Description:** BECLOMETHASONE DIPROPIONATE

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_7

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 11        | 0.07       | 0.11                |
| 2     | No          | 15,392    | 99.93      | 99.89               |

**BECLOVENT**

**Survey:** ADULT Asthma Call-Back

**Column:** 286

**Prologue:**

**Description:** BECLOVENT

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_8

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 2         | 0.01       | 0.02                |
| 2     | No          | 15,401    | 99.99      | 99.98               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BITOLTEROL**

**Survey:** ADULT Asthma Call-Back

**Column:** 287

**Prologue:**

**Description:** BITOLTEROL

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_9

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 2         | 0.01       | 0.01                |
| 2     | No          | 15,401    | 99.99      | 99.99               |

**BRETHAIRE**

**Survey:** ADULT Asthma Call-Back

**Column:** 288

**Prologue:**

**Description:** BRETHAIRE

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_10

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 3         | 0.02       | 0.00                |
| 2     | No          | 15,400    | 99.98      | 100.00              |

**BUDESONIDE**

**Survey:** ADULT Asthma Call-Back

**Column:** 289

**Prologue:**

**Description:** BUDESONIDE

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_11

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 9         | 0.06       | 0.04                |
| 2     | No          | 15,394    | 99.94      | 99.96               |

**COMBIVENT**

**Survey:** ADULT Asthma Call-Back

**Column:** 290

**Prologue:**

**Description:** COMBIVENT

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_12

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 532       | 3.45       | 2.07                |
| 2     | No          | 14,871    | 96.55      | 97.93               |

**CROMOLYN**

**Survey:** ADULT Asthma Call-Back

**Column:** 291

**Prologue:**

**Description:** CROMOLYN

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_13

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 0.01       | 0.00                |
| 2     | No          | 15,402    | 99.99      | 100.00              |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLOVENT**

**Survey:** ADULT Asthma Call-Back

**Column:** 292

**Prologue:**

**Description:** FLOVENT

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_14

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 562       | 3.65       | 2.90                |
| 2     | No          | 14,841    | 96.35      | 97.10               |

**FLOVENT ROTADISK**

**Survey:** ADULT Asthma Call-Back

**Column:** 293

**Prologue:**

**Description:** FLOVENT ROTADISK

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_15

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 12        | 0.08       | 0.03                |
| 2     | No          | 15,391    | 99.92      | 99.97               |

**FLUNISOLIDE**

**Survey:** ADULT Asthma Call-Back

**Column:** 294

**Prologue:**

**Description:** FLUNISOLIDE

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_16

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 8         | 0.05       | 0.01                |
| 2     | No          | 15,395    | 99.95      | 99.99               |

**FLUTICASONE**

**Survey:** ADULT Asthma Call-Back

**Column:** 295

**Prologue:**

**Description:** FLUTICASONE

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_17

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 28        | 0.18       | 0.10                |
| 2     | No          | 15,375    | 99.82      | 99.90               |

**INTAL**

**Survey:** ADULT Asthma Call-Back

**Column:** 296

**Prologue:**

**Description:** INTAL

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_18

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 35        | 0.23       | 0.12                |
| 2     | No          | 15,368    | 99.77      | 99.88               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**IPRATROPIUM BROMIDE**

**Survey:** ADULT Asthma Call-Back

**Column:** 297

**Prologue:**

**Description:** IPRATROPIUM BROMIDE

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_19

| Value | Value Label |
|-------|-------------|
| 1     | Yes         |
| 2     | No          |

| Frequency | Percentage | Weighted Percentage |
|-----------|------------|---------------------|
| 30        | 0.19       | 0.10                |
| 15,373    | 99.81      | 99.90               |

**MAXAIR**

**Survey:** ADULT Asthma Call-Back

**Column:** 298

**Prologue:**

**Description:** MAXAIR

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_20

| Value | Value Label |
|-------|-------------|
| 1     | Yes         |
| 2     | No          |

| Frequency | Percentage | Weighted Percentage |
|-----------|------------|---------------------|
| 100       | 0.65       | 0.52                |
| 15,303    | 99.35      | 99.48               |

**METAPROTERONOL**

**Survey:** ADULT Asthma Call-Back

**Column:** 299

**Prologue:**

**Description:** METAPROTERONOL

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_21

| Value | Value Label |
|-------|-------------|
| 1     | Yes         |
| 2     | No          |

| Frequency | Percentage | Weighted Percentage |
|-----------|------------|---------------------|
| 3         | 0.02       | 0.01                |
| 15,400    | 99.98      | 99.99               |

**NEDOCROMIL**

**Survey:** ADULT Asthma Call-Back

**Column:** 300

**Prologue:**

**Description:** NEDOCROMIL

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_22

| Value | Value Label |
|-------|-------------|
| 1     | Yes         |
| 2     | No          |

| Frequency | Percentage | Weighted Percentage |
|-----------|------------|---------------------|
| 1         | 0.01       | 0.00                |
| 15,402    | 99.99      | 100.00              |

**PIRBUTEROL**

**Survey:** ADULT Asthma Call-Back

**Column:** 301

**Prologue:**

**Description:** PIRBUTEROL

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_23

| Value | Value Label |
|-------|-------------|
| 1     | Yes         |
| 2     | No          |

| Frequency | Percentage | Weighted Percentage |
|-----------|------------|---------------------|
| 10        | 0.06       | 0.03                |
| 15,393    | 99.94      | 99.97               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PROVENTIL**

**Survey:** ADULT Asthma Call-Back

**Column:** 302

**Prologue:**

**Description:** PROVENTIL

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_24

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 777       | 5.04       | 4.83                |
| 2     | No          | 14,626    | 94.96      | 95.17               |

**PULMICORT TURBUHALER**

**Survey:** ADULT Asthma Call-Back

**Column:** 303

**Prologue:**

**Description:** PULMICORT TURBUHALER

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_25

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 160       | 1.04       | 0.80                |
| 2     | No          | 15,243    | 98.96      | 99.20               |

**SALMETEROL**

**Survey:** ADULT Asthma Call-Back

**Column:** 304

**Prologue:**

**Description:** SALMETEROL

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_26

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 3         | 0.02       | 0.01                |
| 2     | No          | 15,400    | 99.98      | 99.99               |

**SEREVENT**

**Survey:** ADULT Asthma Call-Back

**Column:** 305

**Prologue:**

**Description:** SEREVENT

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_27

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 128       | 0.83       | 0.77                |
| 2     | No          | 15,275    | 99.17      | 99.23               |

**TERBUTALINE (+ T. SULFATE)**

**Survey:** ADULT Asthma Call-Back

**Column:** 306

**Prologue:**

**Description:** TERBUTALINE (+ T. SULFATE)

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_28

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 2         | 0.01       | 0.01                |
| 2     | No          | 15,401    | 99.99      | 99.99               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TILADE**

**Survey:** ADULT Asthma Call-Back

**Column:** 307

**Prologue:**

**Description:** TILADE

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_29

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 3         | 0.02       | 0.01                |
| 2     | No          | 15,400    | 99.98      | 99.99               |

**TORNALATE**

**Survey:** ADULT Asthma Call-Back

**Column:** 308

**Prologue:**

**Description:** TORNALATE

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_30

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 0.01       | 0.00                |
| 2     | No          | 15,402    | 99.99      | 100.00              |

**TRIAMCINOLONE ACETONIDE**

**Survey:** ADULT Asthma Call-Back

**Column:** 309

**Prologue:**

**Description:** TRIAMCINOLONE ACETONIDE

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_31

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 15,403    | 100.00     | 100.00              |

**VANCERIL**

**Survey:** ADULT Asthma Call-Back

**Column:** 310

**Prologue:**

**Description:** VANCERIL

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_32

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 6         | 0.04       | 0.03                |
| 2     | No          | 15,397    | 99.96      | 99.97               |

**VENTOLIN**

**Survey:** ADULT Asthma Call-Back

**Column:** 311

**Prologue:**

**Description:** VENTOLIN

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_33

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 455       | 2.95       | 2.33                |
| 2     | No          | 14,948    | 97.05      | 97.67               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FORADIL**

**Survey:** ADULT Asthma Call-Back

**Column:** 312

**Prologue:**

**Description:** FORADIL

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_34

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 94        | 0.61       | 0.41                |
| 2     | No          | 15,309    | 99.39      | 99.59               |

**FORMOTEROL**

**Survey:** ADULT Asthma Call-Back

**Column:** 313

**Prologue:**

**Description:** FORMOTEROL

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_35

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 14        | 0.09       | 0.04                |
| 2     | No          | 15,389    | 99.91      | 99.96               |

**QVAR**

**Survey:** ADULT Asthma Call-Back

**Column:** 314

**Prologue:**

**Description:** QVAR

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_36

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 212       | 1.38       | 1.40                |
| 2     | No          | 15,191    | 98.62      | 98.60               |

**LEVALBUTEROL TARTRATE**

**Survey:** ADULT Asthma Call-Back

**Column:** 315

**Prologue:**

**Description:** LEVALBUTEROL TARTRATE

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_37

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 15,403    | 100.00     | 100.00              |

**XOPENEX HFA**

**Survey:** ADULT Asthma Call-Back

**Column:** 316

**Prologue:**

**Description:** XOPENEX HFA

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_38

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 265       | 1.72       | 1.56                |
| 2     | No          | 15,138    | 98.28      | 98.44               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**MOMETASONE FUROATE**

**Survey:** ADULT Asthma Call-Back

**Column:** 317

**Prologue:**

**Description:** MOMETASONE FUROATE

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_39

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 12        | 0.08       | 0.06                |
| 2     | No          | 15,391    | 99.92      | 99.94               |

**ASMANEX (TWISTHALER)**

**Survey:** ADULT Asthma Call-Back

**Column:** 318

**Prologue:**

**Description:** ASMANEX (TWISTHALER)

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_40

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 269       | 1.75       | 1.09                |
| 2     | No          | 15,134    | 98.25      | 98.91               |

**PRO-AIR HFA**

**Survey:** ADULT Asthma Call-Back

**Column:** 319

**Prologue:**

**Description:** PRO-AIR HFA

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_41

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1,017     | 6.60       | 6.65                |
| 2     | No          | 14,386    | 93.40      | 93.35               |

**SYMBICORT**

**Survey:** ADULT Asthma Call-Back

**Column:** 320

**Prologue:**

**Description:** SYMBICORT

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_42

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 408       | 2.65       | 2.40                |
| 2     | No          | 14,995    | 97.35      | 97.60               |

**DON'T KNOW/REFUSED**

**Survey:** ADULT Asthma Call-Back

**Column:** 321

**Prologue:**

**Description:** DON'T KNOW/REFUSED

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_7799

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 102       | 0.66       | 0.71                |
| 2     | No          | 15,301    | 99.34      | 99.29               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**OTHER INHALER**

**Survey:** ADULT Asthma Call-Back

**Column:** 322

**Prologue:**

**Description:** NEW OTHER PRESCRIPTION INHALER

**Type:** NUM

**SAS Variable Name:** OTHER\_INHALER

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 18        | 0.12       | 0.08                |
| 2     | No          | 15,385    | 99.88      | 99.92               |

**PILL ACCOLATE**

**Survey:** ADULT Asthma Call-Back

**Column:** 323

**Prologue:**

**Description:** PILL ACCOLATE

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_1

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 46        | 0.30       | 0.14                |
| 2     | No          | 15,357    | 99.70      | 99.86               |

**PILL AEROLATE**

**Survey:** ADULT Asthma Call-Back

**Column:** 324

**Prologue:**

**Description:** PILL AEROLATE

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_2

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 15,403    | 100.00     | 100.00              |

**PILL ALBUTEROL**

**Survey:** ADULT Asthma Call-Back

**Column:** 325

**Prologue:**

**Description:** PILL ALBUTEROL

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_3

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 30        | 0.19       | 0.11                |
| 2     | No          | 15,373    | 99.81      | 99.89               |

**PILL ALUPENT**

**Survey:** ADULT Asthma Call-Back

**Column:** 326

**Prologue:**

**Description:** PILL ALUPENT

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_4

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 3         | 0.02       | 0.01                |
| 2     | No          | 15,400    | 99.98      | 99.99               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL CHOLEDYL (OXTRIPHYLLINE)**

**Survey:** ADULT Asthma Call-Back

**Column:** 327

**Prologue:**

**Description:** PILL CHOLEDYL (OXTRIPHYLLINE)

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_5

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 0.01       | 0.00                |
| 2     | No          | 15,402    | 99.99      | 100.00              |

**PILL DELTASONE**

**Survey:** ADULT Asthma Call-Back

**Column:** 328

**Prologue:**

**Description:** PILL DELTASONE

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_7

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 4         | 0.03       | 0.01                |
| 2     | No          | 15,399    | 99.97      | 99.99               |

**PILL ELIXOPHYLLIN**

**Survey:** ADULT Asthma Call-Back

**Column:** 329

**Prologue:**

**Description:** PILL ELIXOPHYLLIN

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_8

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 0.01       | 0.00                |
| 2     | No          | 15,402    | 99.99      | 100.00              |

**PILL MEDROL**

**Survey:** ADULT Asthma Call-Back

**Column:** 330

**Prologue:**

**Description:** PILL MEDROL

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_11

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 10        | 0.06       | 0.04                |
| 2     | No          | 15,393    | 99.94      | 99.96               |

**PILL METAPREL**

**Survey:** ADULT Asthma Call-Back

**Column:** 331

**Prologue:**

**Description:** PILL METAPREL

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_12

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 2         | 0.01       | 0.00                |
| 2     | No          | 15,401    | 99.99      | 100.00              |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL METAPROTERONOL**

**Survey:** ADULT Asthma Call-Back

**Column:** 332

**Prologue:**

**Description:** PILL METAPROTERONOL

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_13

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 0.01       | 0.00                |
| 2     | No          | 15,402    | 99.99      | 100.00              |

**PILL METHYLPREDNISOLONE**

**Survey:** ADULT Asthma Call-Back

**Column:** 333

**Prologue:**

**Description:** PILL METHYLPREDNISOLONE

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_14

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 8         | 0.05       | 0.07                |
| 2     | No          | 15,395    | 99.95      | 99.93               |

**PILL MONTELUKAST**

**Survey:** ADULT Asthma Call-Back

**Column:** 334

**Prologue:**

**Description:** PILL MONTELUKAST

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_15

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 12        | 0.08       | 0.08                |
| 2     | No          | 15,391    | 99.92      | 99.92               |

**PILL PEDIAPRED**

**Survey:** ADULT Asthma Call-Back

**Column:** 335

**Prologue:**

**Description:** PILL PEDIAPRED

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_17

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 0.01       | 0.00                |
| 2     | No          | 15,402    | 99.99      | 100.00              |

**PILL PREDNISOLONE**

**Survey:** ADULT Asthma Call-Back

**Column:** 336

**Prologue:**

**Description:** PILL PREDNISOLONE

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_18

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 25        | 0.16       | 0.32                |
| 2     | No          | 15,378    | 99.84      | 99.68               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL PREDNISONE**

**Survey:** ADULT Asthma Call-Back

**Column:** 337

**Prologue:**

**Description:** PILL PREDNISONE

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_19

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 327       | 2.12       | 2.01                |
| 2     | No          | 15,076    | 97.88      | 97.99               |

**PILL PROVENTIL**

**Survey:** ADULT Asthma Call-Back

**Column:** 338

**Prologue:**

**Description:** PILL PROVENTIL

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_21

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 14        | 0.09       | 0.05                |
| 2     | No          | 15,389    | 99.91      | 99.95               |

**PILL RESPID**

**Survey:** ADULT Asthma Call-Back

**Column:** 339

**Prologue:**

**Description:** PILL RESPID

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_23

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 0.01       | 0.00                |
| 2     | No          | 15,402    | 99.99      | 100.00              |

**PILL SINGULAIR**

**Survey:** ADULT Asthma Call-Back

**Column:** 340

**Prologue:**

**Description:** PILL SINGULAIR

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_24

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1,572     | 10.21      | 8.71                |
| 2     | No          | 13,831    | 89.79      | 91.29               |

**PILL SLO-PHYLLIN**

**Survey:** ADULT Asthma Call-Back

**Column:** 341

**Prologue:**

**Description:** PILL SLO-PHYLLIN

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_25

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 3         | 0.02       | 0.02                |
| 2     | No          | 15,400    | 99.98      | 99.98               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL SLO-BID**

**Survey:** ADULT Asthma Call-Back

**Column:** 342

**Prologue:**

**Description:** PILL SLO-BID

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_26

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 15,403    | 100.00     | 100.00              |

**PILL THEO-24**

**Survey:** ADULT Asthma Call-Back

**Column:** 343

**Prologue:**

**Description:** PILL THEO-24

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_28

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 4         | 0.03       | 0.00                |
| 2     | No          | 15,399    | 99.97      | 100.00              |

**PILL THEOCHRON**

**Survey:** ADULT Asthma Call-Back

**Column:** 344

**Prologue:**

**Description:** PILL THEOCHRON

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_30

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 0.01       | 0.00                |
| 2     | No          | 15,402    | 99.99      | 100.00              |

**PILL THEOCLEAR**

**Survey:** ADULT Asthma Call-Back

**Column:** 345

**Prologue:**

**Description:** PILL THEOCLEAR

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_31

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 15,403    | 100.00     | 100.00              |

**PILL THEODUR**

**Survey:** ADULT Asthma Call-Back

**Column:** 346

**Prologue:**

**Description:** PILL THEODUR

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_32

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 19        | 0.12       | 0.17                |
| 2     | No          | 15,384    | 99.88      | 99.83               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL THEO-DUR**

**Survey:** ADULT Asthma Call-Back

**Column:** 347

**Prologue:**

**Description:** PILL THEO-DUR

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_33

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 5         | 0.03       | 0.04                |
| 2     | No          | 15,398    | 99.97      | 99.96               |

**PILL THEOPHYLLINE**

**Survey:** ADULT Asthma Call-Back

**Column:** 348

**Prologue:**

**Description:** PILL THEOPHYLLINE

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_35

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 140       | 0.91       | 0.47                |
| 2     | No          | 15,263    | 99.09      | 99.53               |

**PILL THEOSPAN**

**Survey:** ADULT Asthma Call-Back

**Column:** 349

**Prologue:**

**Description:** PILL THEOSPAN

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_37

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 0.01       | 0.02                |
| 2     | No          | 15,402    | 99.99      | 99.98               |

**PILL T-PHYL**

**Survey:** ADULT Asthma Call-Back

**Column:** 350

**Prologue:**

**Description:** PILL T-PHYL

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_40

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 15,403    | 100.00     | 100.00              |

**PILL UNIPHYL**

**Survey:** ADULT Asthma Call-Back

**Column:** 351

**Prologue:**

**Description:** PILL UNIPHYL

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_42

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 11        | 0.07       | 0.06                |
| 2     | No          | 15,392    | 99.93      | 99.94               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL VENTOLIN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 352  
**Prologue:**  
**Description:** PILL VENTOLIN

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_43

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 15,403    | 100.00     | 100.00              |

**PILL VOLMAX**

**Survey:** ADULT Asthma Call-Back  
**Column:** 353  
**Prologue:**  
**Description:** PILL VOLMAX

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_44

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 0.01       | 0.01                |
| 2     | No          | 15,402    | 99.99      | 99.99               |

**PILL ZAFIRLUKAST**

**Survey:** ADULT Asthma Call-Back  
**Column:** 354  
**Prologue:**  
**Description:** PILL ZAFIRLUKAST

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_45

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 5         | 0.03       | 0.01                |
| 2     | No          | 15,398    | 99.97      | 99.99               |

**PILL ZILEUTON**

**Survey:** ADULT Asthma Call-Back  
**Column:** 355  
**Prologue:**  
**Description:** PILL ZILEUTON

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_46

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 15,403    | 100.00     | 100.00              |

**PILL ZYFLO FILMTAB**

**Survey:** ADULT Asthma Call-Back  
**Column:** 356  
**Prologue:**  
**Description:** PILL ZYFLO FILMTAB

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_47

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 4         | 0.03       | 0.00                |
| 2     | No          | 15,399    | 99.97      | 100.00              |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL TERBUTALINE (+ T. SULFATE)**

**Survey:** ADULT Asthma Call-Back

**Column:** 357

**Prologue:**

**Description:** PILL TERBUTALINE (+ T. SULFATE)

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_48

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 5         | 0.03       | 0.01                |
| 2     | No          | 15,398    | 99.97      | 99.99               |

**PILL BRETHINE**

**Survey:** ADULT Asthma Call-Back

**Column:** 358

**Prologue:**

**Description:** PILL BRETHINE

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_49

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 0.01       | 0.00                |
| 2     | No          | 15,402    | 99.99      | 100.00              |

**DON'T KNOW/REFUSED**

**Survey:** ADULT Asthma Call-Back

**Column:** 359

**Prologue:**

**Description:** DON'T KNOW/REFUSED

**Type:** NUM

**SAS Variable Name:** PILLS\_ID\_7799

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 90        | 0.58       | 0.50                |
| 2     | No          | 15,313    | 99.42      | 99.50               |

**OTHER PILLS**

**Survey:** ADULT Asthma Call-Back

**Column:** 360

**Prologue:**

**Description:** NEW OTHER PRESCRIPTION PILLS

**Type:** NUM

**SAS Variable Name:** OTHER\_PILLS

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 6         | 0.04       | 0.03                |
| 2     | No          | 15,397    | 99.96      | 99.97               |

**SYRUP AEROLATE**

**Survey:** ADULT Asthma Call-Back

**Column:** 361

**Prologue:**

**Description:** SYRUP AEROLATE

**Type:** NUM

**SAS Variable Name:** SYRUP\_ID\_1

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 15,403    | 100.00     | 100.00              |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SYRUP ALBUTEROL**

**Survey:** ADULT Asthma Call-Back

**Column:** 362

**Prologue:**

**Description:** SYRUP ALBUTEROL

**Type:** NUM

**SAS Variable Name:** SYRUP\_ID\_2

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 21        | 0.14       | 0.17                |
| 2     | No          | 15,382    | 99.86      | 99.83               |

**SYRUP ALUPENT**

**Survey:** ADULT Asthma Call-Back

**Column:** 363

**Prologue:**

**Description:** SYRUP ALUPENT

**Type:** NUM

**SAS Variable Name:** SYRUP\_ID\_3

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 0.01       | 0.00                |
| 2     | No          | 15,402    | 99.99      | 100.00              |

**SYRUP METAPROTERONOL**

**Survey:** ADULT Asthma Call-Back

**Column:** 364

**Prologue:**

**Description:** SYRUP METAPROTERONOL

**Type:** NUM

**SAS Variable Name:** SYRUP\_ID\_4

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 2         | 0.01       | 0.00                |
| 2     | No          | 15,401    | 99.99      | 100.00              |

**SYRUP PREDNISOLONE**

**Survey:** ADULT Asthma Call-Back

**Column:** 365

**Prologue:**

**Description:** SYRUP PREDNISOLONE

**Type:** NUM

**SAS Variable Name:** SYRUP\_ID\_5

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 12        | 0.08       | 0.06                |
| 2     | No          | 15,391    | 99.92      | 99.94               |

**SYRUP PRELONE**

**Survey:** ADULT Asthma Call-Back

**Column:** 366

**Prologue:**

**Description:** SYRUP PRELONE

**Type:** NUM

**SAS Variable Name:** SYRUP\_ID\_6

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 6         | 0.04       | 0.11                |
| 2     | No          | 15,397    | 99.96      | 99.89               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SYRUP PROVENTIL**

**Survey:** ADULT Asthma Call-Back

**Column:** 367

**Prologue:**

**Description:** SYRUP PROVENTIL

**Type:** NUM

**SAS Variable Name:** SYRUP\_ID\_7

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 8         | 0.05       | 0.04                |
| 2     | No          | 15,395    | 99.95      | 99.96               |

**SYRUP SLO-PHYLLIN**

**Survey:** ADULT Asthma Call-Back

**Column:** 368

**Prologue:**

**Description:** SYRUP SLO-PHYLLIN

**Type:** NUM

**SAS Variable Name:** SYRUP\_ID\_8

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 2         | 0.01       | 0.01                |
| 2     | No          | 15,401    | 99.99      | 99.99               |

**SYRUP THEOPHYLLINE**

**Survey:** ADULT Asthma Call-Back

**Column:** 369

**Prologue:**

**Description:** SYRUP THEOPHYLLINE

**Type:** NUM

**SAS Variable Name:** SYRUP\_ID\_9

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 5         | 0.03       | 0.04                |
| 2     | No          | 15,398    | 99.97      | 99.96               |

**SYRUP VENTOLIN**

**Survey:** ADULT Asthma Call-Back

**Column:** 370

**Prologue:**

**Description:** SYRUP VENTOLIN

**Type:** NUM

**SAS Variable Name:** SYRUP\_ID\_10

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 0.01       | 0.00                |
| 2     | No          | 15,402    | 99.99      | 100.00              |

**DON'T KNOW/REFUSED**

**Survey:** ADULT Asthma Call-Back

**Column:** 371

**Prologue:**

**Description:** DON'T KNOW/REFUSED

**Type:** NUM

**SAS Variable Name:** SYRUP\_ID\_7799

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 34        | 0.22       | 0.22                |
| 2     | No          | 15,369    | 99.78      | 99.78               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**OTHER SYRUP**

**Survey:** ADULT Asthma Call-Back

**Column:** 372

**Prologue:**

**Description:** NEW OTHER PRESCRIPTION SYRUP

**Type:** NUM

**SAS Variable Name:** OTHER\_SYRUP

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 4         | 0.03       | 0.00                |
| 2     | No          | 15,399    | 99.97      | 100.00              |

**NEB ALBUTEROL**

**Survey:** ADULT Asthma Call-Back

**Column:** 373

**Prologue:**

**Description:** NEB ALBUTEROL

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_1

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1,422     | 9.23       | 7.62                |
| 2     | No          | 13,981    | 90.77      | 92.38               |

**NEB ALUPENT**

**Survey:** ADULT Asthma Call-Back

**Column:** 374

**Prologue:**

**Description:** NEB ALUPENT

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_2

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 9         | 0.06       | 0.02                |
| 2     | No          | 15,394    | 99.94      | 99.98               |

**NEB ATROVENT**

**Survey:** ADULT Asthma Call-Back

**Column:** 375

**Prologue:**

**Description:** NEB ATROVENT

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_3

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 34        | 0.22       | 0.20                |
| 2     | No          | 15,369    | 99.78      | 99.80               |

**NEB BITOLTEROL**

**Survey:** ADULT Asthma Call-Back

**Column:** 376

**Prologue:**

**Description:** NEB BITOLTEROL

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_4

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 0.01       | 0.00                |
| 2     | No          | 15,402    | 99.99      | 100.00              |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEB BUDESONIDE**

**Survey:** ADULT Asthma Call-Back

**Column:** 377

**Prologue:**

**Description:** NEB BUDESONIDE

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_5

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 13        | 0.08       | 0.09                |
| 2     | No          | 15,390    | 99.92      | 99.91               |

**NEB CROMOLYN**

**Survey:** ADULT Asthma Call-Back

**Column:** 378

**Prologue:**

**Description:** NEB CROMOLYN

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_6

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 9         | 0.06       | 0.04                |
| 2     | No          | 15,394    | 99.94      | 99.96               |

**NEB DUONEB**

**Survey:** ADULT Asthma Call-Back

**Column:** 379

**Prologue:**

**Description:** NEB DUONEB

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_7

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 114       | 0.74       | 0.43                |
| 2     | No          | 15,289    | 99.26      | 99.57               |

**NEB INTAL**

**Survey:** ADULT Asthma Call-Back

**Column:** 380

**Prologue:**

**Description:** NEB INTAL

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_8

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 5         | 0.03       | 0.01                |
| 2     | No          | 15,398    | 99.97      | 99.99               |

**NEB IPRATROPIUM BROMIDE**

**Survey:** ADULT Asthma Call-Back

**Column:** 381

**Prologue:**

**Description:** NEB IPRATROPIUM BROMIDE

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_9

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 271       | 1.76       | 0.95                |
| 2     | No          | 15,132    | 98.24      | 99.05               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEB LEVALBUTEROL**

**Survey:** ADULT Asthma Call-Back

**Column:** 382

**Prologue:**

**Description:** NEB LEVALBUTEROL

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_10

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 7         | 0.05       | 0.11                |
| 2     | No          | 15,396    | 99.95      | 99.89               |

**NEB METAPROTERONOL**

**Survey:** ADULT Asthma Call-Back

**Column:** 383

**Prologue:**

**Description:** NEB METAPROTERONOL

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_11

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 0.01       | 0.00                |
| 2     | No          | 15,402    | 99.99      | 100.00              |

**NEB PROVENTIL**

**Survey:** ADULT Asthma Call-Back

**Column:** 384

**Prologue:**

**Description:** NEB PROVENTIL

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_12

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 40        | 0.26       | 0.20                |
| 2     | No          | 15,363    | 99.74      | 99.80               |

**NEB PULMICORT**

**Survey:** ADULT Asthma Call-Back

**Column:** 385

**Prologue:**

**Description:** NEB PULMICORT

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_13

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 125       | 0.81       | 0.42                |
| 2     | No          | 15,278    | 99.19      | 99.58               |

**NEB TORNALATE**

**Survey:** ADULT Asthma Call-Back

**Column:** 386

**Prologue:**

**Description:** NEB TORNALATE

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_14

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 15,403    | 100.00     | 100.00              |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEB VENTOLIN**

**Survey:** ADULT Asthma Call-Back

**Column:** 387

**Prologue:**

**Description:** NEB VENTOLIN

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_15

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 17        | 0.11       | 0.07                |
| 2     | No          | 15,386    | 99.89      | 99.93               |

**NEB XOPENEX**

**Survey:** ADULT Asthma Call-Back

**Column:** 388

**Prologue:**

**Description:** NEB XOPENEX

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_16

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 159       | 1.03       | 0.79                |
| 2     | No          | 15,244    | 98.97      | 99.21               |

**DON'T KNOW/REFUSED**

**Survey:** ADULT Asthma Call-Back

**Column:** 389

**Prologue:**

**Description:** DON'T KNOW/REFUSED

**Type:** NUM

**SAS Variable Name:** NEB\_ID\_7799

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 199       | 1.29       | 0.94                |
| 2     | No          | 15,204    | 98.71      | 99.06               |

**OTHER NEBULIZER**

**Survey:** ADULT Asthma Call-Back

**Column:** 390

**Prologue:**

**Description:** New other prescription nebulizer

**Type:** NUM

**SAS Variable Name:** OTHER\_NEB

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 10        | 0.06       | 0.04                |
| 2     | No          | 15,393    | 99.94      | 99.96               |

**OTHER INHALER TEXT**

**Survey:** ADULT Asthma Call-Back

**Column:** 391-490

**Prologue:**

**Description:** New other prescription inhaler name

**Type:** CHAR

**SAS Variable Name:** OTH\_I1R

| Value  | Value Label                    | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------|-----------|------------|---------------------|
| BLANK  | No other new asthma medication | 15,385    |            |                     |
| HIDDEN |                                | 18        | 100.00     | 100.00              |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**OTHER PILLS TEXT**

**Survey:** ADULT Asthma Call-Back

**Column:** 491-590

**Prologue:**

**Description:** New other prescription pills name

**Type:** CHAR  
**SAS Variable Name:** OTH\_P1R

| Value  | Value Label                    | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------|-----------|------------|---------------------|
| BLANK  | No other new asthma medication | 15,397    |            |                     |
| HIDDEN |                                | 6         | 100.00     | 100.00              |

**OTHER SYRUP TEXT**

**Survey:** ADULT Asthma Call-Back

**Column:** 591-690

**Prologue:**

**Description:** New other prescription syrup name

**Type:** CHAR  
**SAS Variable Name:** OTH\_S1R

| Value  | Value Label                    | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------|-----------|------------|---------------------|
| BLANK  | No other new asthma medication | 15,399    |            |                     |
| HIDDEN |                                | 4         | 100.00     | 100.00              |

**OTHER NEBULIZER TEXT**

**Survey:** ADULT Asthma Call-Back

**Column:** 691-790

**Prologue:**

**Description:** New other prescription nebulizer name

**Type:** CHAR  
**SAS Variable Name:** OTH\_N1R

| Value  | Value Label                    | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------|-----------|------------|---------------------|
| BLANK  | No other new asthma medication | 15,393    |            |                     |
| HIDDEN |                                | 10        | 100.00     | 100.00              |

**INHALER\_TEXT: COUGH/COLD MED.**

**Survey:** ADULT Asthma Call-Back

**Column:** 791

**Prologue:**

**Description:** Flag variables for the verbatim other responses to prescription inhaler

**Type:** NUM  
**SAS Variable Name:** INHALER\_TEXT1

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 2     | No                              | 522       | 3.39       | 2.01                |
| 3     | No other medication text filled | 14,881    | 96.61      | 97.99               |

**INHALER\_TEXT: ALLERGY MED.**

**Survey:** ADULT Asthma Call-Back

**Column:** 792

**Prologue:**

**Description:** Flag variables for the verbatim other responses to prescription inhaler

**Type:** NUM  
**SAS Variable Name:** INHALER\_TEXT2

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 48        | 0.31       | 0.16                |
| 2     | No                              | 474       | 3.08       | 1.86                |
| 3     | No other medication text filled | 14,881    | 96.61      | 97.99               |

ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009

**INHALER\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: ADULT Asthma Call-Back

Column: 793

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT3

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 370       | 2.40       | 1.25                |
| 2     | No                              | 152       | 0.99       | 0.76                |
| 3     | No other medication text filled | 14,881    | 96.61      | 97.99               |

**INHALER\_TEXT: ASTHMA MED., BUT NOT INHALER**

Survey: ADULT Asthma Call-Back

Column: 794

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT4

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 19        | 0.12       | 0.15                |
| 2     | No                              | 503       | 3.27       | 1.86                |
| 3     | No other medication text filled | 14,881    | 96.61      | 97.99               |

**INHALER\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 795

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT5

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 18        | 0.12       | 0.12                |
| 2     | No                              | 504       | 3.27       | 1.90                |
| 3     | No other medication text filled | 14,881    | 96.61      | 97.99               |

**INHALER\_TEXT: WAS BACK CODED TO EXISTING INHALER**

Survey: ADULT Asthma Call-Back

Column: 796

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT6

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 50        | 0.32       | 0.24                |
| 2     | No                              | 472       | 3.06       | 1.78                |
| 3     | No other medication text filled | 14,881    | 96.61      | 97.99               |

**INHALER\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 797

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT7

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 5         | 0.03       | 0.03                |
| 2     | No                              | 517       | 3.36       | 1.99                |
| 3     | No other medication text filled | 14,881    | 96.61      | 97.99               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**INHALER\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 798

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT8

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 18        | 0.12       | 0.08                |
| 2     | No                              | 504       | 3.27       | 1.94                |
| 3     | No other medication text filled | 14,881    | 96.61      | 97.99               |

**INHALER\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 799

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT96

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 2         | 0.01       | 0.00                |
| 2     | No                              | 520       | 3.38       | 2.01                |
| 3     | No other medication text filled | 14,881    | 96.61      | 97.99               |

**PILLS\_TEXT: COUGH/COLD MED.**

Survey: ADULT Asthma Call-Back

Column: 800

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT1

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 23        | 0.15       | 0.06                |
| 2     | No                              | 364       | 2.36       | 1.52                |
| 3     | No other medication text filled | 15,016    | 97.49      | 98.42               |

**PILLS\_TEXT: ALLERGY MED.**

Survey: ADULT Asthma Call-Back

Column: 801

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT2

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 248       | 1.61       | 1.08                |
| 2     | No                              | 139       | 0.90       | 0.50                |
| 3     | No other medication text filled | 15,016    | 97.49      | 98.42               |

**PILLS\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: ADULT Asthma Call-Back

Column: 802

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT3

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 76        | 0.49       | 0.19                |
| 2     | No                              | 311       | 2.02       | 1.39                |
| 3     | No other medication text filled | 15,016    | 97.49      | 98.42               |

ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009

**PILLS\_TEXT: ASTHMA MED., BUT NOT PILLS**

Survey: ADULT Asthma Call-Back

Column: 803

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT4

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 10        | 0.06       | 0.10                |
| 2     | No                              | 377       | 2.45       | 1.49                |
| 3     | No other medication text filled | 15,016    | 97.49      | 98.42               |

**PILLS\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 804

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT5

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 11        | 0.07       | 0.02                |
| 2     | No                              | 376       | 2.44       | 1.57                |
| 3     | No other medication text filled | 15,016    | 97.49      | 98.42               |

**PILLS\_TEXT: WAS BACK CODED TO EXISTING PILLS**

Survey: ADULT Asthma Call-Back

Column: 805

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT6

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 20        | 0.13       | 0.10                |
| 2     | No                              | 367       | 2.38       | 1.48                |
| 3     | No other medication text filled | 15,016    | 97.49      | 98.42               |

**PILLS\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 806

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT7

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 3         | 0.02       | 0.02                |
| 2     | No                              | 384       | 2.49       | 1.56                |
| 3     | No other medication text filled | 15,016    | 97.49      | 98.42               |

**PILLS\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 807

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT8

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 6         | 0.04       | 0.03                |
| 2     | No                              | 381       | 2.47       | 1.56                |
| 3     | No other medication text filled | 15,016    | 97.49      | 98.42               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILLS\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 808

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT96

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 3         | 0.02       | 0.00                |
| 2     | No                              | 384       | 2.49       | 1.58                |
| 3     | No other medication text filled | 15,016    | 97.49      | 98.42               |

**SYRUP\_TEXT: COUGH/COLD MED.**

Survey: ADULT Asthma Call-Back

Column: 809

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT1

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 74        | 0.48       | 0.22                |
| 2     | No                              | 22        | 0.14       | 0.04                |
| 3     | No other medication text filled | 15,307    | 99.38      | 99.75               |

**SYRUP\_TEXT: ALLERGY MED.**

Survey: ADULT Asthma Call-Back

Column: 810

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT2

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 5         | 0.03       | 0.01                |
| 2     | No                              | 91        | 0.59       | 0.24                |
| 3     | No other medication text filled | 15,307    | 99.38      | 99.75               |

**SYRUP\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: ADULT Asthma Call-Back

Column: 811

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT3

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 3         | 0.02       | 0.00                |
| 2     | No                              | 93        | 0.60       | 0.25                |
| 3     | No other medication text filled | 15,307    | 99.38      | 99.75               |

**SYRUP\_TEXT: ASTHMA MED., BUT NOT SYRUP**

Survey: ADULT Asthma Call-Back

Column: 812

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT4

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 2         | 0.01       | 0.01                |
| 2     | No                              | 94        | 0.61       | 0.24                |
| 3     | No other medication text filled | 15,307    | 99.38      | 99.75               |

ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009

**SYRUP\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 813

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT5

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 7         | 0.05       | 0.01                |
| 2     | No                              | 89        | 0.58       | 0.24                |
| 3     | No other medication text filled | 15,307    | 99.38      | 99.75               |

**SYRUP\_TEXT: WAS BACK CODED TO EXISTING SYRUP**

Survey: ADULT Asthma Call-Back

Column: 814

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT6

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 2     | No                              | 96        | 0.62       | 0.25                |
| 3     | No other medication text filled | 15,307    | 99.38      | 99.75               |

**SYRUP\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 815

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT7

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 2     | No                              | 96        | 0.62       | 0.25                |
| 3     | No other medication text filled | 15,307    | 99.38      | 99.75               |

**SYRUP\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 816

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT8

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 4         | 0.03       | 0.00                |
| 2     | No                              | 92        | 0.60       | 0.25                |
| 3     | No other medication text filled | 15,307    | 99.38      | 99.75               |

**SYRUP\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 817

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT96

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 2         | 0.01       | 0.00                |
| 2     | No                              | 94        | 0.61       | 0.25                |
| 3     | No other medication text filled | 15,307    | 99.38      | 99.75               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEB\_TEXT: COUGH/COLD MED.**

Survey: ADULT Asthma Call-Back

Column: 818

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT1

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 2     | No                              | 94        | 0.61       | 0.33                |
| 3     | No other medication text filled | 15,309    | 99.39      | 99.67               |

**NEB\_TEXT: ALLERGY MED.**

Survey: ADULT Asthma Call-Back

Column: 819

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT2

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 2         | 0.01       | 0.01                |
| 2     | No                              | 92        | 0.60       | 0.31                |
| 3     | No other medication text filled | 15,309    | 99.39      | 99.67               |

**NEB\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: ADULT Asthma Call-Back

Column: 820

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT3

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 23        | 0.15       | 0.07                |
| 2     | No                              | 71        | 0.46       | 0.26                |
| 3     | No other medication text filled | 15,309    | 99.39      | 99.67               |

**NEB\_TEXT: ASTHMA MED., BUT NOT NEB**

Survey: ADULT Asthma Call-Back

Column: 821

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT4

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 34        | 0.22       | 0.15                |
| 2     | No                              | 60        | 0.39       | 0.18                |
| 3     | No other medication text filled | 15,309    | 99.39      | 99.67               |

**NEB\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 822

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT5

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 13        | 0.08       | 0.03                |
| 2     | No                              | 81        | 0.53       | 0.29                |
| 3     | No other medication text filled | 15,309    | 99.39      | 99.67               |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEB\_TEXT: WAS BACK CODED TO EXISTING NEB**

Survey: ADULT Asthma Call-Back

Column: 823

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT6

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 15        | 0.10       | 0.04                |
| 2     | No                              | 79        | 0.51       | 0.28                |
| 3     | No other medication text filled | 15,309    | 99.39      | 99.67               |

**NEB\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 824

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT7

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 2     | No                              | 94        | 0.61       | 0.33                |
| 3     | No other medication text filled | 15,309    | 99.39      | 99.67               |

**NEB\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 825

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT8

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 10        | 0.06       | 0.04                |
| 2     | No                              | 84        | 0.55       | 0.29                |
| 3     | No other medication text filled | 15,309    | 99.39      | 99.67               |

**NEB\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 826

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT96

| Value | Value Label                     | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1     | Yes                             | 1         | 0.01       | 0.01                |
| 2     | No                              | 93        | 0.60       | 0.32                |
| 3     | No other medication text filled | 15,309    | 99.39      | 99.67               |

**INHALED CORTICOSTEROIDS**

Survey: ADULT Asthma Call-Back

Column: 827-828

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM

SAS Variable Name: INH\_CS

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 0 - 14 | Count       | 15,255    | 99.04      | 99.43               |
| 99     | Missing     | 148       | 0.96       | 0.57                |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**INHALED ANTI-INFLAMMATORY**

**Survey:** ADULT Asthma Call-Back

**Column:** 829-830

**Prologue:**

**Description:** INHALED ANTI-INFLAMMATORY

**Type:** NUM  
**SAS Variable Name:** INH\_AI

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 - 4 | Count       | 15,255    | 99.04      | 99.43               |
| 99    | Missing     | 148       | 0.96       | 0.57                |

**INHALED ANTI-CHOLINERGIC**

**Survey:** ADULT Asthma Call-Back

**Column:** 831-832

**Prologue:**

**Description:** INHALED ANTI-CHOLINERGIC

**Type:** NUM  
**SAS Variable Name:** INH\_AC

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 - 3 | Count       | 15,255    | 99.04      | 99.43               |
| 99    | Missing     | 148       | 0.96       | 0.57                |

**INHALED BETA 2 AGONIST SHORT ACTING**

**Survey:** ADULT Asthma Call-Back

**Column:** 833-834

**Prologue:**

**Description:** INHALED BETA 2 AGONIST SHORT ACTING

**Type:** NUM  
**SAS Variable Name:** INH\_B2AS

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 0 - 12 | Count       | 15,255    | 99.04      | 99.43               |
| 99     | Missing     | 148       | 0.96       | 0.57                |

**INHALED BETA 2 AGONIST LONG ACTING**

**Survey:** ADULT Asthma Call-Back

**Column:** 835-836

**Prologue:**

**Description:** INHALED BETA 2 AGONIST LONG ACTING

**Type:** NUM  
**SAS Variable Name:** INH\_B2AL

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 - 5 | Count       | 15,255    | 99.04      | 99.43               |
| 99    | Missing     | 148       | 0.96       | 0.57                |

**PILL CORTICOSTEROIDS**

**Survey:** ADULT Asthma Call-Back

**Column:** 837-838

**Prologue:**

**Description:** PILL CORTICOSTEROIDS

**Type:** NUM  
**SAS Variable Name:** PILL\_CS

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 - 7 | Count       | 15,225    | 98.84      | 99.24               |
| 99    | Missing     | 178       | 1.16       | 0.76                |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL LEUKOTRIENE MODIFIERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 839-840

**Prologue:**

**Description:** PILL LEUKOTRIENE MODIFIERS

**Type:** NUM  
**SAS Variable Name:** PILL\_LM

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 - 6 | Count       | 15,225    | 98.84      | 99.24               |
| 99    | Missing     | 178       | 1.16       | 0.76                |

**PILL BETA 2 AGONIST**

**Survey:** ADULT Asthma Call-Back

**Column:** 841-842

**Prologue:**

**Description:** PILL BETA 2 AGONIST

**Type:** NUM  
**SAS Variable Name:** PILL\_B2A

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 - 7 | Count       | 15,225    | 98.84      | 99.24               |
| 99    | Missing     | 178       | 1.16       | 0.76                |

**PILL METHYLXANTHINES**

**Survey:** ADULT Asthma Call-Back

**Column:** 843-844

**Prologue:**

**Description:** PILL METHYLXANTHINES

**Type:** NUM  
**SAS Variable Name:** PILL\_METH

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 0 - 23 | Count       | 15,225    | 98.84      | 99.24               |
| 99     | Missing     | 178       | 1.16       | 0.76                |

**SYRUP METHYLXANTHINES**

**Survey:** ADULT Asthma Call-Back

**Column:** 845-846

**Prologue:**

**Description:** SYRUP METHYLXANTHINES

**Type:** NUM  
**SAS Variable Name:** SYRP\_METH

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 - 3 | Count       | 15,260    | 99.07      | 99.41               |
| 99    | Missing     | 143       | 0.93       | 0.59                |

**SYRUP SHORT ACTING BETA 2 AGONIST**

**Survey:** ADULT Asthma Call-Back

**Column:** 847-848

**Prologue:**

**Description:** SYRUP SHORT ACTING BETA 2 AGONIST

**Type:** NUM  
**SAS Variable Name:** SYRP\_B2AS

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 - 5 | Count       | 15,260    | 99.07      | 99.41               |
| 99    | Missing     | 143       | 0.93       | 0.59                |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SYRUP CORTICOSTEROIDS**

**Survey:** ADULT Asthma Call-Back

**Column:** 849-850

**Prologue:**

**Description:** SYRUP CORTICOSTEROIDS

**Type:** NUM  
**SAS Variable Name:** SYRP\_CS

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 - 2 | Count       | 15,260    | 99.07      | 99.41               |
| 99    | Missing     | 143       | 0.93       | 0.59                |

**NEBULIZER ANTI-INFLAMMATORY**

**Survey:** ADULT Asthma Call-Back

**Column:** 851-852

**Prologue:**

**Description:** NEBULIZER ANTI-INFLAMMATORY

**Type:** NUM  
**SAS Variable Name:** NEB\_AI

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 - 2 | Count       | 15,261    | 99.08      | 99.46               |
| 99    | Missing     | 142       | 0.92       | 0.54                |

**NEBULIZER CORTICOSTEROID**

**Survey:** ADULT Asthma Call-Back

**Column:** 853-854

**Prologue:**

**Description:** NEBULIZER CORTICOSTEROIDS

**Type:** NUM  
**SAS Variable Name:** NEB\_CS

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 - 2 | Count       | 15,261    | 99.08      | 99.46               |
| 99    | Missing     | 142       | 0.92       | 0.54                |

**NEBULIZER ANTICHOLINERGIC**

**Survey:** ADULT Asthma Call-Back

**Column:** 855-856

**Prologue:**

**Description:** NEBULIZER ANTICHOLINERGIC

**Type:** NUM  
**SAS Variable Name:** NEB\_AC

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 - 3 | Count       | 15,261    | 99.08      | 99.46               |
| 99    | Missing     | 142       | 0.92       | 0.54                |

**NEBULIZER BETA 2 AGONIST**

**Survey:** ADULT Asthma Call-Back

**Column:** 857-858

**Prologue:**

**Description:** NEBULIZER BETA 2 AGONIST

**Type:** NUM  
**SAS Variable Name:** NEB\_B2A

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 - 8 | Count       | 15,261    | 99.08      | 99.46               |
| 99    | Missing     | 142       | 0.92       | 0.54                |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ADVAIR (+ A. DISKUS): SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 859

**Type:** NUM

**SAS Variable Name:** ILP01\_1

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ADVAIR (+ A. DISKUS): HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 860

**Type:** NUM

**SAS Variable Name:** ILP02\_1

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Less than 6 months  | 243       | 8.99       | 12.54               |
| 2     | 6 months to 1 year  | 237       | 8.77       | 10.13               |
| 3     | Longer than 1 year  | 2,214     | 81.91      | 77.25               |
| 7     | Don't know/Not sure | 8         | 0.30       | 0.09                |
| 9     | Refused             | 1         | 0.04       | 0.00                |
| BLANK | Skip filled         | 12,700    |            |                     |

**ADVAIR (+ A. DISKUS): WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 861

**Type:** NUM

**SAS Variable Name:** ILP03\_1

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ADVAIR (+ A. DISKUS): WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 862

**Type:** NUM

**SAS Variable Name:** ILP04\_1

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 894       | 33.07      | 35.09               |
| 2     | No                         | 1,525     | 56.42      | 57.30               |
| 3     | No attack in past 3 months | 271       | 10.03      | 7.48                |
| 7     | Don't know/Not sure        | 12        | 0.44       | 0.13                |
| 9     | Refused                    | 1         | 0.04       | 0.01                |
| BLANK | Skip filled                | 12,700    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ADVAIR (+ A. DISKUS): BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 863

**Type:** NUM

**SAS Variable Name:** ILP05\_1

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 759       | 28.08      | 34.66               |
| 2     | No                               | 1,717     | 63.52      | 58.90               |
| 3     | Didn't exercise in past 3 months | 219       | 8.10       | 6.32                |
| 7     | Don't know/Not sure              | 8         | 0.30       | 0.13                |
| BLANK | Skip filled                      | 12,700    |            |                     |

**ADVAIR (+ A. DISKUS): REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 864

**Type:** NUM

**SAS Variable Name:** ILP06\_1

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 2,318     | 85.76      | 83.39               |
| 2     | No                  | 383       | 14.17      | 16.42               |
| 7     | Don't know/Not sure | 2         | 0.07       | 0.19                |
| BLANK | Skip filled         | 12,700    |            |                     |

**ADVAIR (+ A. DISKUS): NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 865-866

**Type:** NUM

**SAS Variable Name:** ILP07\_1

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 2,694     | 99.67      | 99.87               |
| 77     | Don't know  | 9         | 0.33       | 0.13                |
| BLANK  | Skip filled | 12,700    |            |                     |

**ADVAIR (+ A. DISKUS): TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 867-869

**Type:** NUM

**SAS Variable Name:** ILP08\_1

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 2,263     | 83.72      | 79.13               |
| 401 - 499 | Weeks                       | 320       | 11.84      | 14.07               |
| 555       | Never                       | 14        | 0.52       | 0.54                |
| 666       | Less often than once a week | 89        | 3.29       | 5.47                |
| 777       | Don't know                  | 16        | 0.59       | 0.78                |
| 999       | Refused                     | 1         | 0.04       | 0.01                |
| BLANK     | Skip filled                 | 12,700    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ADVAIR (+ A. DISKUS): NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 870-871

**Type:** NUM

**SAS Variable Name:** ILP10\_1

**Prologue:**

**Description:** Q8.11 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**AEROBID: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 872

**Type:** NUM

**SAS Variable Name:** ILP01\_2

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**AEROBID: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 873

**Type:** NUM

**SAS Variable Name:** ILP02\_2

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 1         | 2.94       | 0.37                |
| 2     | 6 months to 1 year | 1         | 2.94       | 0.09                |
| 3     | Longer than 1 year | 32        | 94.12      | 99.54               |
| BLANK | Skip filled        | 15,369    |            |                     |

**AEROBID: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 874

**Type:** NUM

**SAS Variable Name:** ILP03\_2

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 14        | 42.42      | 51.31               |
| 2     | No          | 18        | 54.55      | 48.36               |
| 9     | Refused     | 1         | 3.03       | 0.33                |
| BLANK | Skip filled | 15,370    |            |                     |

**AEROBID: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 875

**Type:** NUM

**SAS Variable Name:** ILP04\_2

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 18        | 52.94      | 67.87               |
| 2     | No                         | 12        | 35.29      | 29.50               |
| 3     | No attack in past 3 months | 3         | 8.82       | 2.31                |
| 9     | Refused                    | 1         | 2.94       | 0.32                |
| BLANK | Skip filled                | 15,369    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**AEROBID: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 876

Type: NUM

SAS Variable Name: ILP05\_2

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 7         | 20.59      | 46.17               |
| 2     | No          | 26        | 76.47      | 53.51               |
| 9     | Refused     | 1         | 2.94       | 0.32                |
| BLANK | Skip filled | 15,369    |            |                     |

**AEROBID: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 877

Type: NUM

SAS Variable Name: ILP06\_2

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 22        | 64.71      | 77.60               |
| 2     | No          | 11        | 32.35      | 22.08               |
| 9     | Refused     | 1         | 2.94       | 0.32                |
| BLANK | Skip filled | 15,369    |            |                     |

**AEROBID: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 878-879

Type: NUM

SAS Variable Name: ILP07\_2

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 33        | 97.06      | 99.68               |
| 99     | Refused     | 1         | 2.94       | 0.32                |
| BLANK  | Skip filled | 15,369    |            |                     |

**AEROBID: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 880-882

Type: NUM

SAS Variable Name: ILP08\_2

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 22        | 64.71      | 74.51               |
| 401 - 499 | Weeks                       | 5         | 14.71      | 15.85               |
| 666       | Less often than once a week | 6         | 17.65      | 9.32                |
| 999       | Refused                     | 1         | 2.94       | 0.32                |
| BLANK     | Skip filled                 | 15,369    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**AEROBID: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 883-884

**Type:** NUM

**SAS Variable Name:** ILP10\_2

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 885

**Type:** NUM

**SAS Variable Name:** ILP01\_3

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label                                                  | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------------------------------------|-----------|------------|---------------------|
| 1     | 80 puffs                                                     | 393       | 12.34      | 12.58               |
| 2     | 100 puffs                                                    | 364       | 11.43      | 15.24               |
| 3     | 200 puffs                                                    | 1,618     | 50.80      | 51.51               |
| 4     | Other number of puffs                                        | 226       | 7.10       | 4.93                |
| 5     | Used different sizes of this medication in the past 3 months | 11        | 0.35       | 0.24                |
| 7     | Don't know/Not sure                                          | 569       | 17.86      | 15.40               |
| 9     | Refused                                                      | 4         | 0.13       | 0.09                |
| BLANK | Skip filled                                                  | 12,218    |            |                     |

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 886

**Type:** NUM

**SAS Variable Name:** ILP02\_3

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Less than 6 months  | 141       | 4.43       | 4.83                |
| 2     | 6 months to 1 year  | 105       | 3.30       | 4.01                |
| 3     | Longer than 1 year  | 2,931     | 92.03      | 91.10               |
| 7     | Don't know/Not sure | 8         | 0.25       | 0.06                |
| BLANK | Skip filled         | 12,218    |            |                     |

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 887

**Type:** NUM

**SAS Variable Name:** ILP03\_3

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label                                          | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                                  | 970       | 30.73      | 25.64               |
| 2     | No                                                   | 2,142     | 67.85      | 73.41               |
| 3     | Medication is a disk inhaler, not a canister inhaler | 5         | 0.16       | 0.06                |
| 7     | Don't know/Not sure                                  | 40        | 1.27       | 0.89                |
| BLANK | Skip filled                                          | 12,246    |            |                     |

ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 888

**Type:** NUM

**SAS Variable Name:** ILP04\_3

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 2,775     | 87.13      | 88.31               |
| 2     | No                         | 220       | 6.91       | 6.49                |
| 3     | No attack in past 3 months | 173       | 5.43       | 4.68                |
| 7     | Don't know/Not sure        | 17        | 0.53       | 0.52                |
| BLANK | Skip filled                | 12,218    |            |                     |

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 889

**Type:** NUM

**SAS Variable Name:** ILP05\_3

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 1,142     | 35.86      | 39.83               |
| 2     | No                               | 1,729     | 54.29      | 54.30               |
| 3     | Didn't exercise in past 3 months | 306       | 9.61       | 5.80                |
| 7     | Don't know/Not sure              | 7         | 0.22       | 0.06                |
| 9     | Refused                          | 1         | 0.03       | 0.00                |
| BLANK | Skip filled                      | 12,218    |            |                     |

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 890

**Type:** NUM

**SAS Variable Name:** ILP06\_3

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 774       | 24.30      | 21.82               |
| 2     | No                  | 2,407     | 75.57      | 78.14               |
| 7     | Don't know/Not sure | 4         | 0.13       | 0.04                |
| BLANK | Skip filled         | 12,218    |            |                     |

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 891-892

**Type:** NUM

**SAS Variable Name:** ILP07\_3

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 3,146     | 98.78      | 99.23               |
| 77     | Don't know  | 39        | 1.22       | 0.77                |
| BLANK  | Skip filled | 12,218    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 893-895

**Type:** NUM

**SAS Variable Name:** ILP08\_3

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 1,048     | 32.90      | 31.25               |
| 401 - 499 | Weeks                       | 1,063     | 33.38      | 37.83               |
| 555       | Never                       | 44        | 1.38       | 2.01                |
| 666       | Less often than once a week | 858       | 26.94      | 25.38               |
| 777       | Don't know                  | 166       | 5.21       | 3.52                |
| 999       | Refused                     | 6         | 0.19       | 0.01                |
| BLANK     | Skip filled                 | 12,218    |            |                     |

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 896-897

**Type:** NUM

**SAS Variable Name:** ILP10\_3

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value  | Value Label                    | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 canisters                | 2,241     | 70.36      | 75.85               |
| 77     | Don't know                     | 183       | 5.75       | 3.41                |
| 88     | None/Less than 1 full canister | 758       | 23.80      | 20.64               |
| 99     | Refused                        | 3         | 0.09       | 0.11                |
| BLANK  | Skip filled                    | 12,218    |            |                     |

**ALUPENT: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 898

**Type:** NUM

**SAS Variable Name:** ILP01\_4

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | 80 puffs            | 1         | 4.55       | 0.95                |
| 2     | 100 puffs           | 5         | 22.73      | 42.37               |
| 3     | 200 puffs           | 13        | 59.09      | 42.52               |
| 7     | Don't know/Not sure | 3         | 13.64      | 14.16               |
| BLANK | Skip filled         | 15,381    |            |                     |

**ALUPENT: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 899

**Type:** NUM

**SAS Variable Name:** ILP02\_4

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 1         | 4.55       | 2.42                |
| 2     | 6 months to 1 year | 1         | 4.55       | 4.14                |
| 3     | Longer than 1 year | 20        | 90.91      | 93.44               |
| BLANK | Skip filled        | 15,381    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ALUPENT: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 900

**Type:** NUM

**SAS Variable Name:** ILP03\_4

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 6         | 27.27      | 22.26               |
| 2     | No          | 16        | 72.73      | 77.74               |
| BLANK | Skip filled | 15,381    |            |                     |

**ALUPENT: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 901

**Type:** NUM

**SAS Variable Name:** ILP04\_4

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 18        | 81.82      | 80.84               |
| 2     | No                         | 2         | 9.09       | 11.26               |
| 3     | No attack in past 3 months | 2         | 9.09       | 7.90                |
| BLANK | Skip filled                | 15,381    |            |                     |

**ALUPENT: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 902

**Type:** NUM

**SAS Variable Name:** ILP05\_4

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 8         | 36.36      | 30.83               |
| 2     | No                               | 12        | 54.55      | 38.83               |
| 3     | Didn't exercise in past 3 months | 2         | 9.09       | 30.33               |
| BLANK | Skip filled                      | 15,381    |            |                     |

**ALUPENT: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 903

**Type:** NUM

**SAS Variable Name:** ILP06\_4

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 6         | 27.27      | 12.68               |
| 2     | No          | 16        | 72.73      | 87.32               |
| BLANK | Skip filled | 15,381    |            |                     |

**ALUPENT: NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 904-905

**Type:** NUM

**SAS Variable Name:** ILP07\_4

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 22        | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,381    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ALUPENT: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 906-908

**Type:** NUM

**SAS Variable Name:** ILP08\_4

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 10        | 45.45      | 57.95               |
| 401 - 499 | Weeks                       | 3         | 13.64      | 7.17                |
| 666       | Less often than once a week | 9         | 40.91      | 34.87               |
| BLANK     | Skip filled                 | 15,381    |            |                     |

**ALUPENT: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 909-910

**Type:** NUM

**SAS Variable Name:** ILP10\_4

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value  | Value Label                    | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 canisters                | 14        | 63.64      | 69.14               |
| 77     | Don't know                     | 1         | 4.55       | 1.32                |
| 88     | None/Less than 1 full canister | 7         | 31.82      | 29.54               |
| BLANK  | Skip filled                    | 15,381    |            |                     |

**ATROVENT: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 912

**Type:** NUM

**SAS Variable Name:** ILP01\_5

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ATROVENT: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 913

**Type:** NUM

**SAS Variable Name:** ILP02\_5

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 15        | 11.45      | 6.92                |
| 2     | 6 months to 1 year | 7         | 5.34       | 6.77                |
| 3     | Longer than 1 year | 109       | 83.21      | 86.31               |
| BLANK | Skip filled        | 15,272    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ATROVENT: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 914

**Type:** NUM

**SAS Variable Name:** ILP03\_5

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 51        | 39.53      | 33.77               |
| 2     | No          | 78        | 60.47      | 66.23               |
| BLANK | Skip filled | 15,274    |            |                     |

**ATROVENT: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 915

**Type:** NUM

**SAS Variable Name:** ILP04\_5

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 83        | 63.36      | 68.80               |
| 2     | No                         | 41        | 31.30      | 28.05               |
| 3     | No attack in past 3 months | 7         | 5.34       | 3.15                |
| BLANK | Skip filled                | 15,272    |            |                     |

**ATROVENT: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 916

**Type:** NUM

**SAS Variable Name:** ILP05\_5

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 41        | 31.30      | 46.61               |
| 2     | No                               | 73        | 55.73      | 46.16               |
| 3     | Didn't exercise in past 3 months | 16        | 12.21      | 7.15                |
| 7     | Don't know/Not sure              | 1         | 0.76       | 0.08                |
| BLANK | Skip filled                      | 15,272    |            |                     |

**ATROVENT: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 917

**Type:** NUM

**SAS Variable Name:** ILP06\_5

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 81        | 61.83      | 59.72               |
| 2     | No          | 50        | 38.17      | 40.28               |
| BLANK | Skip filled | 15,272    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ATROVENT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 918-919

Type: NUM

SAS Variable Name: ILP07\_5

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 130       | 99.24      | 98.69               |
| 77     | Don't know  | 1         | 0.76       | 1.31                |
| BLANK  | Skip filled | 15,272    |            |                     |

**ATROVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 920-922

Type: NUM

SAS Variable Name: ILP08\_5

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 84        | 64.12      | 64.07               |
| 401 - 499 | Weeks                       | 20        | 15.27      | 11.23               |
| 555       | Never                       | 2         | 1.53       | 2.70                |
| 666       | Less often than once a week | 22        | 16.79      | 19.78               |
| 777       | Don't know                  | 3         | 2.29       | 2.22                |
| BLANK     | Skip filled                 | 15,272    |            |                     |

**ATROVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 923-924

Type: NUM

SAS Variable Name: ILP10\_5

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**AZMACORT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 925

Type: NUM

SAS Variable Name: ILP01\_6

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**AZMACORT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 926

Type: NUM

SAS Variable Name: ILP02\_6

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Less than 6 months  | 6         | 3.92       | 1.00                |
| 2     | 6 months to 1 year  | 11        | 7.19       | 17.78               |
| 3     | Longer than 1 year  | 134       | 87.58      | 80.56               |
| 7     | Don't know/Not sure | 2         | 1.31       | 0.67                |
| BLANK | Skip filled         | 15,250    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**AZMACORT: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 927

**Type:** NUM

**SAS Variable Name:** ILP03\_6

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 96        | 63.16      | 71.60               |
| 2     | No                  | 52        | 34.21      | 27.12               |
| 7     | Don't know/Not sure | 4         | 2.63       | 1.27                |
| BLANK | Skip filled         | 15,251    |            |                     |

**AZMACORT: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 928

**Type:** NUM

**SAS Variable Name:** ILP04\_6

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 62        | 40.52      | 42.53               |
| 2     | No                         | 75        | 49.02      | 49.27               |
| 3     | No attack in past 3 months | 13        | 8.50       | 7.67                |
| 7     | Don't know/Not sure        | 3         | 1.96       | 0.52                |
| BLANK | Skip filled                | 15,250    |            |                     |

**AZMACORT: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 929

**Type:** NUM

**SAS Variable Name:** ILP05\_6

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 30        | 19.61      | 18.05               |
| 2     | No                               | 106       | 69.28      | 73.52               |
| 3     | Didn't exercise in past 3 months | 15        | 9.80       | 7.28                |
| 7     | Don't know/Not sure              | 2         | 1.31       | 1.15                |
| BLANK | Skip filled                      | 15,250    |            |                     |

**AZMACORT: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 930

**Type:** NUM

**SAS Variable Name:** ILP06\_6

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 104       | 67.97      | 68.75               |
| 2     | No                  | 48        | 31.37      | 30.88               |
| 7     | Don't know/Not sure | 1         | 0.65       | 0.36                |
| BLANK | Skip filled         | 15,250    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**AZMACORT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 931-932

Type: NUM

SAS Variable Name: ILP07\_6

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 152       | 99.35      | 99.64               |
| 77     | Don't know  | 1         | 0.65       | 0.36                |
| BLANK  | Skip filled | 15,250    |            |                     |

**AZMACORT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 933-935

Type: NUM

SAS Variable Name: ILP08\_6

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 111       | 72.55      | 72.39               |
| 401 - 499 | Weeks                       | 22        | 14.38      | 15.06               |
| 555       | Never                       | 1         | 0.65       | 1.45                |
| 666       | Less often than once a week | 16        | 10.46      | 10.39               |
| 777       | Don't know                  | 3         | 1.96       | 0.71                |
| BLANK     | Skip filled                 | 15,250    |            |                     |

**AZMACORT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 936-937

Type: NUM

SAS Variable Name: ILP10\_6

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**BECLOMETHASONE DIPROPIONATE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 938

Type: NUM

SAS Variable Name: ILP01\_7

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**BECLOMETHASONE DIPROPIONATE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 939

Type: NUM

SAS Variable Name: ILP02\_7

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 4         | 36.36      | 21.39               |
| 2     | 6 months to 1 year | 1         | 9.09       | 2.32                |
| 3     | Longer than 1 year | 6         | 54.55      | 76.29               |
| BLANK | Skip filled        | 15,392    |            |                     |

ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009

**BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 940

Type: NUM

SAS Variable Name: ILP03\_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 4         | 36.36      | 12.95               |
| 2     | No          | 7         | 63.64      | 87.05               |
| BLANK | Skip filled | 15,392    |            |                     |

**BECLOMETHASONE DIPROPIONATE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 941

Type: NUM

SAS Variable Name: ILP04\_7

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 2     | No                         | 10        | 90.91      | 99.82               |
| 3     | No attack in past 3 months | 1         | 9.09       | 0.18                |
| BLANK | Skip filled                | 15,392    |            |                     |

**BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 942

Type: NUM

SAS Variable Name: ILP05\_7

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 11        | 100.00     | 100.00              |
| BLANK | Skip filled | 15,392    |            |                     |

**BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 943

Type: NUM

SAS Variable Name: ILP06\_7

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 8         | 72.73      | 83.08               |
| 2     | No          | 3         | 27.27      | 16.92               |
| BLANK | Skip filled | 15,392    |            |                     |

**BECLOMETHASONE DIPROPIONATE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 944-945

Type: NUM

SAS Variable Name: ILP07\_7

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 11        | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,392    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 946-948

**Type:** NUM

**SAS Variable Name:** ILP08\_7

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 7         | 63.64      | 68.10               |
| 401 - 499 | Weeks                       | 1         | 9.09       | 14.98               |
| 666       | Less often than once a week | 3         | 27.27      | 16.92               |
| BLANK     | Skip filled                 | 15,392    |            |                     |

**BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 949-950

**Type:** NUM

**SAS Variable Name:** ILP10\_7

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**BECLOVENT: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 951

**Type:** NUM

**SAS Variable Name:** ILP01\_8

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**BECLOVENT: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 952

**Type:** NUM

**SAS Variable Name:** ILP02\_8

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 2     | 6 months to 1 year | 1         | 50.00      | 97.93               |
| 3     | Longer than 1 year | 1         | 50.00      | 2.07                |
| BLANK | Skip filled        | 15,401    |            |                     |

**BECLOVENT: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 953

**Type:** NUM

**SAS Variable Name:** ILP03\_8

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 50.00      | 97.93               |
| 2     | No          | 1         | 50.00      | 2.07                |
| BLANK | Skip filled | 15,401    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BECLOVENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 954

Type: NUM

SAS Variable Name: ILP04\_8

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 2         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,401    |            |                     |

**BECLOVENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 955

Type: NUM

SAS Variable Name: ILP05\_8

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 50.00      | 2.07                |
| 2     | No          | 1         | 50.00      | 97.93               |
| BLANK | Skip filled | 15,401    |            |                     |

**BECLOVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 956

Type: NUM

SAS Variable Name: ILP06\_8

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 50.00      | 2.07                |
| 2     | No          | 1         | 50.00      | 97.93               |
| BLANK | Skip filled | 15,401    |            |                     |

**BECLOVENT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 957-958

Type: NUM

SAS Variable Name: ILP07\_8

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 2         | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,401    |            |                     |

**BECLOVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 959-961

Type: NUM

SAS Variable Name: ILP08\_8

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 1         | 50.00      | 2.07                |
| 666       | Less often than once a week | 1         | 50.00      | 97.93               |
| BLANK     | Skip filled                 | 15,401    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BECLOVENT: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 962-963

**Type:** NUM

**SAS Variable Name:** ILP10\_8

**Prologue:**

**Description:** Q8.11 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**BITOLTEROL: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 964

**Type:** NUM

**SAS Variable Name:** ILP01\_9

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**BITOLTEROL: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 965

**Type:** NUM

**SAS Variable Name:** ILP02\_9

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 2         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,401    |            |                     |

**BITOLTEROL: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 966

**Type:** NUM

**SAS Variable Name:** ILP03\_9

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 2         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,401    |            |                     |

**BITOLTEROL: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 967

**Type:** NUM

**SAS Variable Name:** ILP04\_9

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 2         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,401    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BITOLTEROL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 968

Type: NUM

SAS Variable Name: ILP05\_9

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 2         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,401    |            |                     |

**BITOLTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 969

Type: NUM

SAS Variable Name: ILP06\_9

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 50.00      | 90.30               |
| 2     | No          | 1         | 50.00      | 9.70                |
| BLANK | Skip filled | 15,401    |            |                     |

**BITOLTEROL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 970-971

Type: NUM

SAS Variable Name: ILP07\_9

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 2         | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,401    |            |                     |

**BITOLTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 972-974

Type: NUM

SAS Variable Name: ILP08\_9

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 401 - 499 | Weeks                       | 1         | 50.00      | 90.30               |
| 666       | Less often than once a week | 1         | 50.00      | 9.70                |
| BLANK     | Skip filled                 | 15,401    |            |                     |

**BITOLTEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 975-976

Type: NUM

SAS Variable Name: ILP10\_9

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value  | Value Label     | Frequency | Percentage | Weighted Percentage |
|--------|-----------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 canisters | 2         | 100.00     | 100.00              |
| BLANK  | Skip filled     | 15,401    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BRETHAIRE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 977

Type: NUM

SAS Variable Name: ILP01\_10

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**BRETHAIRE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 978

Type: NUM

SAS Variable Name: ILP02\_10

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 2     | 6 months to 1 year  | 1         | 33.33      | 53.39               |
| 3     | Longer than 1 year  | 1         | 33.33      | 18.24               |
| 7     | Don't know/Not sure | 1         | 33.33      | 28.38               |
| BLANK | Skip filled         | 15,400    |            |                     |

**BRETHAIRE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 979

Type: NUM

SAS Variable Name: ILP03\_10

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 33.33      | 53.39               |
| 2     | No          | 2         | 66.67      | 46.61               |
| BLANK | Skip filled | 15,400    |            |                     |

**BRETHAIRE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 980

Type: NUM

SAS Variable Name: ILP04\_10

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 2         | 66.67      | 71.62               |
| 2     | No          | 1         | 33.33      | 28.38               |
| BLANK | Skip filled | 15,400    |            |                     |

**BRETHAIRE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 981

Type: NUM

SAS Variable Name: ILP05\_10

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 2     | No                               | 2         | 66.67      | 81.76               |
| 3     | Didn't exercise in past 3 months | 1         | 33.33      | 18.24               |
| BLANK | Skip filled                      | 15,400    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BRETHAIRE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 982

Type: NUM

SAS Variable Name: ILP06\_10

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 3         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,400    |            |                     |

**BRETHAIRE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 983-984

Type: NUM

SAS Variable Name: ILP07\_10

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 2         | 66.67      | 71.62               |
| 77     | Don't know  | 1         | 33.33      | 28.38               |
| BLANK  | Skip filled | 15,400    |            |                     |

**BRETHAIRE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 985-987

Type: NUM

SAS Variable Name: ILP08\_10

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|-------------|-----------|------------|---------------------|
| 301 - 399 | Days        | 1         | 33.33      | 53.39               |
| 401 - 499 | Weeks       | 1         | 33.33      | 18.24               |
| 555       | Never       | 1         | 33.33      | 28.38               |
| BLANK     | Skip filled | 15,400    |            |                     |

**BRETHAIRE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 988-989

Type: NUM

SAS Variable Name: ILP10\_10

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value  | Value Label                    | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 canisters                | 1         | 33.33      | 53.39               |
| 88     | None/Less than 1 full canister | 2         | 66.67      | 46.61               |
| BLANK  | Skip filled                    | 15,400    |            |                     |

**BUDESONIDE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 990

Type: NUM

SAS Variable Name: ILP01\_11

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BUDESONIDE: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 991

**Type:** NUM

**SAS Variable Name:** ILP02\_11

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 1         | 50.00      | 61.27               |
| 2     | 6 months to 1 year | 1         | 50.00      | 38.73               |
| BLANK | Skip filled        | 15,401    |            |                     |

**BUDESONIDE: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 992

**Type:** NUM

**SAS Variable Name:** ILP03\_11

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 2         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,401    |            |                     |

**BUDESONIDE: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 993

**Type:** NUM

**SAS Variable Name:** ILP04\_11

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 50.00      | 61.27               |
| 2     | No          | 1         | 50.00      | 38.73               |
| BLANK | Skip filled | 15,401    |            |                     |

**BUDESONIDE: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 994

**Type:** NUM

**SAS Variable Name:** ILP05\_11

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 2         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,401    |            |                     |

**BUDESONIDE: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 995

**Type:** NUM

**SAS Variable Name:** ILP06\_11

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 2         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,401    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**BUDESONIDE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 996-997

Type: NUM

SAS Variable Name: ILP07\_11

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 2         | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,401    |            |                     |

**BUDESONIDE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 998-1000

Type: NUM

SAS Variable Name: ILP08\_11

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|-------------|-----------|------------|---------------------|
| 301 - 399 | Days        | 2         | 100.00     | 100.00              |
| BLANK     | Skip filled | 15,401    |            |                     |

**BUDESONIDE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1001-1002

Type: NUM

SAS Variable Name: ILP10\_11

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**COMBIVENT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1003

Type: NUM

SAS Variable Name: ILP01\_12

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**COMBIVENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1004

Type: NUM

SAS Variable Name: ILP02\_12

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Less than 6 months  | 44        | 8.37       | 7.13                |
| 2     | 6 months to 1 year  | 40        | 7.60       | 16.02               |
| 3     | Longer than 1 year  | 441       | 83.84      | 76.84               |
| 7     | Don't know/Not sure | 1         | 0.19       | 0.01                |
| BLANK | Skip filled         | 14,877    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**COMBIVENT: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1005

**Type:** NUM

**SAS Variable Name:** ILP03\_12

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label                                          | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                                  | 185       | 35.58      | 34.76               |
| 2     | No                                                   | 328       | 63.08      | 64.45               |
| 3     | Medication is a disk inhaler, not a canister inhaler | 2         | 0.38       | 0.20                |
| 7     | Don't know/Not sure                                  | 4         | 0.77       | 0.58                |
| 9     | Refused                                              | 1         | 0.19       | 0.02                |
| BLANK | Skip filled                                          | 14,883    |            |                     |

**COMBIVENT: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1006

**Type:** NUM

**SAS Variable Name:** ILP04\_12

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 405       | 77.00      | 83.81               |
| 2     | No                         | 79        | 15.02      | 9.81                |
| 3     | No attack in past 3 months | 38        | 7.22       | 6.29                |
| 7     | Don't know/Not sure        | 4         | 0.76       | 0.09                |
| BLANK | Skip filled                | 14,877    |            |                     |

**COMBIVENT: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1007

**Type:** NUM

**SAS Variable Name:** ILP05\_12

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 178       | 33.84      | 41.86               |
| 2     | No                               | 269       | 51.14      | 45.72               |
| 3     | Didn't exercise in past 3 months | 77        | 14.64      | 11.74               |
| 7     | Don't know/Not sure              | 2         | 0.38       | 0.68                |
| BLANK | Skip filled                      | 14,877    |            |                     |

**COMBIVENT: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1008

**Type:** NUM

**SAS Variable Name:** ILP06\_12

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 238       | 45.25      | 52.47               |
| 2     | No                  | 287       | 54.56      | 47.51               |
| 7     | Don't know/Not sure | 1         | 0.19       | 0.02                |
| BLANK | Skip filled         | 14,877    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**COMBIVENT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1009-1010

Type: NUM

SAS Variable Name: ILP07\_12

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 525       | 99.81      | 99.94               |
| 77     | Don't know  | 1         | 0.19       | 0.06                |
| BLANK  | Skip filled | 14,877    |            |                     |

**COMBIVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1011-1013

Type: NUM

SAS Variable Name: ILP08\_12

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 309       | 58.75      | 57.10               |
| 401 - 499 | Weeks                       | 127       | 24.14      | 24.87               |
| 555       | Never                       | 4         | 0.76       | 0.73                |
| 666       | Less often than once a week | 61        | 11.60      | 11.06               |
| 777       | Don't know                  | 24        | 4.56       | 6.03                |
| 999       | Refused                     | 1         | 0.19       | 0.21                |
| BLANK     | Skip filled                 | 14,877    |            |                     |

**COMBIVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1014-1015

Type: NUM

SAS Variable Name: ILP10\_12

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**CROMOLYN: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1016

Type: NUM

SAS Variable Name: ILP01\_13

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**CROMOLYN: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1017

Type: NUM

SAS Variable Name: ILP02\_13

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 1         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,402    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**CROMOLYN: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1018

**Type:** NUM

**SAS Variable Name:** ILP03\_13

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**CROMOLYN: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1019

**Type:** NUM

**SAS Variable Name:** ILP04\_13

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**CROMOLYN: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1020

**Type:** NUM

**SAS Variable Name:** ILP05\_13

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**CROMOLYN: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1021

**Type:** NUM

**SAS Variable Name:** ILP06\_13

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**CROMOLYN: NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1022-1023

**Type:** NUM

**SAS Variable Name:** ILP07\_13

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 1         | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,402    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**CROMOLYN: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1024-1026

Type: NUM

SAS Variable Name: ILP08\_13

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|-------------|-----------|------------|---------------------|
| 301 - 399 | Days        | 1         | 100.00     | 100.00              |
| BLANK     | Skip filled | 15,402    |            |                     |

**CROMOLYN: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1027-1028

Type: NUM

SAS Variable Name: ILP10\_13

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**FLOVENT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1029

Type: NUM

SAS Variable Name: ILP01\_14

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**FLOVENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1030

Type: NUM

SAS Variable Name: ILP02\_14

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Less than 6 months  | 85        | 15.34      | 18.60               |
| 2     | 6 months to 1 year  | 50        | 9.03       | 15.18               |
| 3     | Longer than 1 year  | 417       | 75.27      | 66.07               |
| 7     | Don't know/Not sure | 1         | 0.18       | 0.11                |
| 9     | Refused             | 1         | 0.18       | 0.03                |
| BLANK | Skip filled         | 14,849    |            |                     |

**FLOVENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1031

Type: NUM

SAS Variable Name: ILP03\_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label                                          | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                                  | 226       | 41.09      | 34.76               |
| 2     | No                                                   | 319       | 58.00      | 64.57               |
| 3     | Medication is a disk inhaler, not a canister inhaler | 1         | 0.18       | 0.01                |
| 7     | Don't know/Not sure                                  | 3         | 0.55       | 0.55                |
| 9     | Refused                                              | 1         | 0.18       | 0.10                |
| BLANK | Skip filled                                          | 14,853    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLOVENT: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1032

**Type:** NUM

**SAS Variable Name:** ILP04\_14

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 229       | 41.34      | 46.19               |
| 2     | No                         | 275       | 49.64      | 47.11               |
| 3     | No attack in past 3 months | 45        | 8.12       | 5.89                |
| 7     | Don't know/Not sure        | 4         | 0.72       | 0.41                |
| 9     | Refused                    | 1         | 0.18       | 0.41                |
| BLANK | Skip filled                | 14,849    |            |                     |

**FLOVENT: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1033

**Type:** NUM

**SAS Variable Name:** ILP05\_14

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 120       | 21.66      | 21.74               |
| 2     | No                               | 384       | 69.31      | 70.78               |
| 3     | Didn't exercise in past 3 months | 46        | 8.30       | 6.87                |
| 7     | Don't know/Not sure              | 4         | 0.72       | 0.62                |
| BLANK | Skip filled                      | 14,849    |            |                     |

**FLOVENT: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1034

**Type:** NUM

**SAS Variable Name:** ILP06\_14

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 436       | 78.70      | 72.38               |
| 2     | No                  | 116       | 20.94      | 27.45               |
| 7     | Don't know/Not sure | 2         | 0.36       | 0.17                |
| BLANK | Skip filled         | 14,849    |            |                     |

**FLOVENT: NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1035-1036

**Type:** NUM

**SAS Variable Name:** ILP07\_14

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 552       | 99.64      | 99.87               |
| 77     | Don't know  | 2         | 0.36       | 0.13                |
| BLANK  | Skip filled | 14,849    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLOVENT: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1037-1039

**Type:** NUM

**SAS Variable Name:** ILP08\_14

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 431       | 77.80      | 69.61               |
| 401 - 499 | Weeks                       | 77        | 13.90      | 23.71               |
| 555       | Never                       | 2         | 0.36       | 0.31                |
| 666       | Less often than once a week | 38        | 6.86       | 5.59                |
| 777       | Don't know                  | 6         | 1.08       | 0.78                |
| BLANK     | Skip filled                 | 14,849    |            |                     |

**FLOVENT: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1040-1041

**Type:** NUM

**SAS Variable Name:** ILP10\_14

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**FLOVENT ROTADISK: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1042

**Type:** NUM

**SAS Variable Name:** ILP01\_15

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**FLOVENT ROTADISK: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1043

**Type:** NUM

**SAS Variable Name:** ILP02\_15

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 2     | 6 months to 1 year  | 3         | 25.00      | 20.29               |
| 3     | Longer than 1 year  | 8         | 66.67      | 67.16               |
| 7     | Don't know/Not sure | 1         | 8.33       | 12.55               |
| BLANK | Skip filled         | 15,391    |            |                     |

**FLOVENT ROTADISK: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1044

**Type:** NUM

**SAS Variable Name:** ILP03\_15

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLOVENT ROTADISK: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1045

**Type:** NUM

**SAS Variable Name:** ILP04\_15

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 6         | 50.00      | 54.53               |
| 2     | No                         | 5         | 41.67      | 32.92               |
| 3     | No attack in past 3 months | 1         | 8.33       | 12.55               |
| BLANK | Skip filled                | 15,391    |            |                     |

**FLOVENT ROTADISK: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1046

**Type:** NUM

**SAS Variable Name:** ILP05\_15

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 8.33       | 0.58                |
| 2     | No          | 11        | 91.67      | 99.42               |
| BLANK | Skip filled | 15,391    |            |                     |

**FLOVENT ROTADISK: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1047

**Type:** NUM

**SAS Variable Name:** ILP06\_15

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 9         | 75.00      | 61.63               |
| 2     | No          | 2         | 16.67      | 37.48               |
| 9     | Refused     | 1         | 8.33       | 0.90                |
| BLANK | Skip filled | 15,391    |            |                     |

**FLOVENT ROTADISK: NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1048-1049

**Type:** NUM

**SAS Variable Name:** ILP07\_15

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 12        | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,391    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLOVENT ROTADISK: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1050-1052

**Type:** NUM

**SAS Variable Name:** ILP08\_15

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|-------------|-----------|------------|---------------------|
| 301 - 399 | Days        | 9         | 75.00      | 44.27               |
| 401 - 499 | Weeks       | 1         | 8.33       | 7.02                |
| 555       | Never       | 1         | 8.33       | 18.26               |
| 777       | Don't know  | 1         | 8.33       | 30.45               |
| BLANK     | Skip filled | 15,391    |            |                     |

**FLOVENT ROTADISK: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1053-1054

**Type:** NUM

**SAS Variable Name:** ILP10\_15

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**FLUNISOLIDE: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1055

**Type:** NUM

**SAS Variable Name:** ILP01\_16

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**FLUNISOLIDE: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1056

**Type:** NUM

**SAS Variable Name:** ILP02\_16

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 8         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,395    |            |                     |

**FLUNISOLIDE: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1057

**Type:** NUM

**SAS Variable Name:** ILP03\_16

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 8         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,395    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLUNISOLIDE: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1058

**Type:** NUM

**SAS Variable Name:** ILP04\_16

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 3         | 37.50      | 46.65               |
| 2     | No                         | 4         | 50.00      | 37.44               |
| 3     | No attack in past 3 months | 1         | 12.50      | 15.90               |
| BLANK | Skip filled                | 15,395    |            |                     |

**FLUNISOLIDE: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1059

**Type:** NUM

**SAS Variable Name:** ILP05\_16

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 12.50      | 4.53                |
| 2     | No          | 7         | 87.50      | 95.47               |
| BLANK | Skip filled | 15,395    |            |                     |

**FLUNISOLIDE: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1060

**Type:** NUM

**SAS Variable Name:** ILP06\_16

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 6         | 75.00      | 85.08               |
| 2     | No          | 2         | 25.00      | 14.92               |
| BLANK | Skip filled | 15,395    |            |                     |

**FLUNISOLIDE: NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1061-1062

**Type:** NUM

**SAS Variable Name:** ILP07\_16

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 7         | 87.50      | 94.60               |
| 77     | Don't know  | 1         | 12.50      | 5.40                |
| BLANK  | Skip filled | 15,395    |            |                     |

**FLUNISOLIDE: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1063-1065

**Type:** NUM

**SAS Variable Name:** ILP08\_16

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|-------------|-----------|------------|---------------------|
| 301 - 399 | Days        | 6         | 75.00      | 52.89               |
| 401 - 499 | Weeks       | 2         | 25.00      | 47.11               |
| BLANK     | Skip filled | 15,395    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLUNISOLIDE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1066-1067

Type: NUM

SAS Variable Name: ILP10\_16

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**FLUTICASONE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1068

Type: NUM

SAS Variable Name: ILP01\_17

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**FLUTICASONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1069

Type: NUM

SAS Variable Name: ILP02\_17

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 6         | 21.43      | 57.71               |
| 2     | 6 months to 1 year | 4         | 14.29      | 10.34               |
| 3     | Longer than 1 year | 18        | 64.29      | 31.95               |
| BLANK | Skip filled        | 15,375    |            |                     |

**FLUTICASONE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1070

Type: NUM

SAS Variable Name: ILP03\_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 8         | 28.57      | 29.85               |
| 2     | No          | 20        | 71.43      | 70.15               |
| BLANK | Skip filled | 15,375    |            |                     |

**FLUTICASONE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1071

Type: NUM

SAS Variable Name: ILP04\_17

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 16        | 57.14      | 57.22               |
| 2     | No                         | 9         | 32.14      | 33.73               |
| 3     | No attack in past 3 months | 3         | 10.71      | 9.05                |
| BLANK | Skip filled                | 15,375    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FLUTICASONE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1072

Type: NUM

SAS Variable Name: ILP05\_17

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 9         | 32.14      | 39.89               |
| 2     | No                               | 11        | 39.29      | 31.73               |
| 3     | Didn't exercise in past 3 months | 8         | 28.57      | 28.38               |
| BLANK | Skip filled                      | 15,375    |            |                     |

**FLUTICASONE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1073

Type: NUM

SAS Variable Name: ILP06\_17

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 16        | 57.14      | 55.53               |
| 2     | No          | 12        | 42.86      | 44.47               |
| BLANK | Skip filled | 15,375    |            |                     |

**FLUTICASONE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1074-1075

Type: NUM

SAS Variable Name: ILP07\_17

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 28        | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,375    |            |                     |

**FLUTICASONE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1076-1078

Type: NUM

SAS Variable Name: ILP08\_17

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 16        | 57.14      | 48.26               |
| 401 - 499 | Weeks                       | 9         | 32.14      | 34.52               |
| 555       | Never                       | 1         | 3.57       | 3.36                |
| 666       | Less often than once a week | 2         | 7.14       | 13.86               |
| BLANK     | Skip filled                 | 15,375    |            |                     |

**FLUTICASONE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1079-1080

Type: NUM

SAS Variable Name: ILP10\_17

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**INTAL: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1081

**Type:** NUM

**SAS Variable Name:** ILP01\_18

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**INTAL: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1082

**Type:** NUM

**SAS Variable Name:** ILP02\_18

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 3         | 8.57       | 1.18                |
| 2     | 6 months to 1 year | 1         | 2.86       | 0.13                |
| 3     | Longer than 1 year | 31        | 88.57      | 98.69               |
| BLANK | Skip filled        | 15,368    |            |                     |

**INTAL: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1083

**Type:** NUM

**SAS Variable Name:** ILP03\_18

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 10        | 28.57      | 28.21               |
| 2     | No          | 25        | 71.43      | 71.79               |
| BLANK | Skip filled | 15,368    |            |                     |

**INTAL: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1084

**Type:** NUM

**SAS Variable Name:** ILP04\_18

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 9         | 25.71      | 13.83               |
| 2     | No                  | 25        | 71.43      | 85.37               |
| 7     | Don't know/Not sure | 1         | 2.86       | 0.80                |
| BLANK | Skip filled         | 15,368    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**INTAL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1085

Type: NUM

SAS Variable Name: ILP05\_18

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 13        | 37.14      | 31.98               |
| 2     | No                               | 20        | 57.14      | 66.29               |
| 3     | Didn't exercise in past 3 months | 2         | 5.71       | 1.73                |
| BLANK | Skip filled                      | 15,368    |            |                     |

**INTAL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1086

Type: NUM

SAS Variable Name: ILP06\_18

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 22        | 62.86      | 51.97               |
| 2     | No          | 13        | 37.14      | 48.03               |
| BLANK | Skip filled | 15,368    |            |                     |

**INTAL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1087-1088

Type: NUM

SAS Variable Name: ILP07\_18

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 35        | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,368    |            |                     |

**INTAL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1089-1091

Type: NUM

SAS Variable Name: ILP08\_18

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 25        | 71.43      | 55.60               |
| 401 - 499 | Weeks                       | 7         | 20.00      | 27.15               |
| 555       | Never                       | 1         | 2.86       | 16.12               |
| 666       | Less often than once a week | 2         | 5.71       | 1.14                |
| BLANK     | Skip filled                 | 15,368    |            |                     |

**INTAL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1092-1093

Type: NUM

SAS Variable Name: ILP10\_18

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**IPRATROPIUM BROMIDE: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1094

**Type:** NUM

**SAS Variable Name:** ILP01\_19

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**IPRATROPIUM BROMIDE: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1095

**Type:** NUM

**SAS Variable Name:** ILP02\_19

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 3         | 10.00      | 3.64                |
| 2     | 6 months to 1 year | 3         | 10.00      | 2.12                |
| 3     | Longer than 1 year | 24        | 80.00      | 94.24               |
| BLANK | Skip filled        | 15,373    |            |                     |

**IPRATROPIUM BROMIDE: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1096

**Type:** NUM

**SAS Variable Name:** ILP03\_19

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label                                          | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                                  | 13        | 43.33      | 43.53               |
| 2     | No                                                   | 15        | 50.00      | 54.26               |
| 3     | Medication is a disk inhaler, not a canister inhaler | 1         | 3.33       | 1.68                |
| 7     | Don't know/Not sure                                  | 1         | 3.33       | 0.54                |
| BLANK | Skip filled                                          | 15,373    |            |                     |

**IPRATROPIUM BROMIDE: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1097

**Type:** NUM

**SAS Variable Name:** ILP04\_19

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 22        | 73.33      | 80.59               |
| 2     | No          | 8         | 26.67      | 19.41               |
| BLANK | Skip filled | 15,373    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**IPRATROPIUM BROMIDE: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1098

**Type:** NUM

**SAS Variable Name:** ILP05\_19

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 6         | 20.00      | 20.78               |
| 2     | No                               | 17        | 56.67      | 65.57               |
| 3     | Didn't exercise in past 3 months | 7         | 23.33      | 13.65               |
| BLANK | Skip filled                      | 15,373    |            |                     |

**IPRATROPIUM BROMIDE: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1099

**Type:** NUM

**SAS Variable Name:** ILP06\_19

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 22        | 73.33      | 70.08               |
| 2     | No          | 8         | 26.67      | 29.92               |
| BLANK | Skip filled | 15,373    |            |                     |

**IPRATROPIUM BROMIDE: NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1100-1101

**Type:** NUM

**SAS Variable Name:** ILP07\_19

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 22        | 73.33      | 89.70               |
| 77     | Don't know  | 8         | 26.67      | 10.30               |
| BLANK  | Skip filled | 15,373    |            |                     |

**IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1102-1104

**Type:** NUM

**SAS Variable Name:** ILP08\_19

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 19        | 63.33      | 63.64               |
| 401 - 499 | Weeks                       | 8         | 26.67      | 34.62               |
| 666       | Less often than once a week | 3         | 10.00      | 1.74                |
| BLANK     | Skip filled                 | 15,373    |            |                     |

**IPRATROPIUM BROMIDE: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1105-1106

**Type:** NUM

**SAS Variable Name:** ILP10\_19

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**MAXAIR: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1107

**Type:** NUM

**SAS Variable Name:** ILP01\_20

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**MAXAIR: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1108

**Type:** NUM

**SAS Variable Name:** ILP02\_20

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 7         | 7.00       | 5.07                |
| 2     | 6 months to 1 year | 6         | 6.00       | 5.61                |
| 3     | Longer than 1 year | 87        | 87.00      | 89.32               |
| BLANK | Skip filled        | 15,303    |            |                     |

**MAXAIR: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1109

**Type:** NUM

**SAS Variable Name:** ILP03\_20

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 8         | 8.00       | 2.75                |
| 2     | No                  | 91        | 91.00      | 95.70               |
| 7     | Don't know/Not sure | 1         | 1.00       | 1.54                |
| BLANK | Skip filled         | 15,303    |            |                     |

**MAXAIR: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1110

**Type:** NUM

**SAS Variable Name:** ILP04\_20

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 82        | 82.00      | 85.09               |
| 2     | No                         | 11        | 11.00      | 10.62               |
| 3     | No attack in past 3 months | 6         | 6.00       | 4.01                |
| 7     | Don't know/Not sure        | 1         | 1.00       | 0.27                |
| BLANK | Skip filled                | 15,303    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**MAXAIR: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1111

Type: NUM

SAS Variable Name: ILP05\_20

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 39        | 39.00      | 47.55               |
| 2     | No                               | 52        | 52.00      | 47.97               |
| 3     | Didn't exercise in past 3 months | 9         | 9.00       | 4.48                |
| BLANK | Skip filled                      | 15,303    |            |                     |

**MAXAIR: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1112

Type: NUM

SAS Variable Name: ILP06\_20

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 15        | 15.00      | 15.44               |
| 2     | No          | 85        | 85.00      | 84.56               |
| BLANK | Skip filled | 15,303    |            |                     |

**MAXAIR: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1113-1114

Type: NUM

SAS Variable Name: ILP07\_20

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 100       | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,303    |            |                     |

**MAXAIR: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1115-1117

Type: NUM

SAS Variable Name: ILP08\_20

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 23        | 23.00      | 19.18               |
| 401 - 499 | Weeks                       | 30        | 30.00      | 42.98               |
| 666       | Less often than once a week | 40        | 40.00      | 34.52               |
| 777       | Don't know                  | 7         | 7.00       | 3.32                |
| BLANK     | Skip filled                 | 15,303    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**MAXAIR: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1118-1119

**Type:** NUM

**SAS Variable Name:** ILP10\_20

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value  | Value Label                    | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 canisters                | 68        | 68.00      | 71.21               |
| 77     | Don't know                     | 2         | 2.00       | 0.55                |
| 88     | None/Less than 1 full canister | 30        | 30.00      | 28.24               |
| BLANK  | Skip filled                    | 15,303    |            |                     |

**METAPROTERONOL: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1120

**Type:** NUM

**SAS Variable Name:** ILP01\_21

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | 80 puffs    | 1         | 33.33      | 67.01               |
| 2     | 100 puffs   | 1         | 33.33      | 11.91               |
| 3     | 200 puffs   | 1         | 33.33      | 21.08               |
| BLANK | Skip filled | 15,400    |            |                     |

**METAPROTERONOL: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1121

**Type:** NUM

**SAS Variable Name:** ILP02\_21

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 3         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,400    |            |                     |

**METAPROTERONOL: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1122

**Type:** NUM

**SAS Variable Name:** ILP03\_21

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 33.33      | 67.01               |
| 2     | No          | 2         | 66.67      | 32.99               |
| BLANK | Skip filled | 15,400    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**METAPROTERONOL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1123

Type: NUM

SAS Variable Name: ILP04\_21

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 2         | 66.67      | 32.99               |
| 2     | No          | 1         | 33.33      | 67.01               |
| BLANK | Skip filled | 15,400    |            |                     |

**METAPROTERONOL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1124

Type: NUM

SAS Variable Name: ILP05\_21

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 33.33      | 21.08               |
| 2     | No          | 2         | 66.67      | 78.92               |
| BLANK | Skip filled | 15,400    |            |                     |

**METAPROTERONOL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1125

Type: NUM

SAS Variable Name: ILP06\_21

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 33.33      | 21.08               |
| 2     | No          | 2         | 66.67      | 78.92               |
| BLANK | Skip filled | 15,400    |            |                     |

**METAPROTERONOL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1126-1127

Type: NUM

SAS Variable Name: ILP07\_21

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 3         | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,400    |            |                     |

**METAPROTERONOL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1128-1130

Type: NUM

SAS Variable Name: ILP08\_21

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|-------------|-----------|------------|---------------------|
| 301 - 399 | Days        | 2         | 66.67      | 32.99               |
| 401 - 499 | Weeks       | 1         | 33.33      | 67.01               |
| BLANK     | Skip filled | 15,400    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**METAPROTERONOL: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1131-1132

**Type:** NUM

**SAS Variable Name:** ILP10\_21

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value  | Value Label     | Frequency | Percentage | Weighted Percentage |
|--------|-----------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 canisters | 3         | 100.00     | 100.00              |
| BLANK  | Skip filled     | 15,400    |            |                     |

**NEDOCROMIL: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1133

**Type:** NUM

**SAS Variable Name:** ILP01\_22

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**NEDOCROMIL: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1134

**Type:** NUM

**SAS Variable Name:** ILP02\_22

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 1         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,402    |            |                     |

**NEDOCROMIL: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1135

**Type:** NUM

**SAS Variable Name:** ILP03\_22

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**NEDOCROMIL: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1136

**Type:** NUM

**SAS Variable Name:** ILP04\_22

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**NEDOCROMIL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP05\_22

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 3     | Didn't exercise in past 3 months | 1         | 100.00     | 100.00              |
| BLANK | Skip filled                      | 15,402    |            |                     |

**NEDOCROMIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1138

Type: NUM

SAS Variable Name: ILP06\_22

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**NEDOCROMIL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1139-1140

Type: NUM

SAS Variable Name: ILP07\_22

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 1         | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,402    |            |                     |

**NEDOCROMIL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1141-1143

Type: NUM

SAS Variable Name: ILP08\_22

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|-------------|-----------|------------|---------------------|
| 301 - 399 | Days        | 1         | 100.00     | 100.00              |
| BLANK     | Skip filled | 15,402    |            |                     |

**NEDOCROMIL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1144-1145

Type: NUM

SAS Variable Name: ILP10\_22

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PIRBUTEROL: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1146

**Type:** NUM

**SAS Variable Name:** ILP01\_23

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**PIRBUTEROL: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1147

**Type:** NUM

**SAS Variable Name:** ILP02\_23

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Less than 6 months  | 2         | 20.00      | 29.56               |
| 2     | 6 months to 1 year  | 1         | 10.00      | 4.36                |
| 3     | Longer than 1 year  | 5         | 50.00      | 32.53               |
| 7     | Don't know/Not sure | 2         | 20.00      | 33.55               |
| BLANK | Skip filled         | 15,393    |            |                     |

**PIRBUTEROL: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1148

**Type:** NUM

**SAS Variable Name:** ILP03\_23

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 3         | 30.00      | 33.92               |
| 2     | No          | 7         | 70.00      | 66.08               |
| BLANK | Skip filled | 15,393    |            |                     |

**PIRBUTEROL: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1149

**Type:** NUM

**SAS Variable Name:** ILP04\_23

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 7         | 70.00      | 66.80               |
| 2     | No                         | 2         | 20.00      | 26.46               |
| 3     | No attack in past 3 months | 1         | 10.00      | 6.74                |
| BLANK | Skip filled                | 15,393    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PIRBUTEROL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1150

Type: NUM

SAS Variable Name: ILP05\_23

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 5         | 50.00      | 49.22               |
| 2     | No                               | 3         | 30.00      | 17.23               |
| 3     | Didn't exercise in past 3 months | 2         | 20.00      | 33.55               |
| BLANK | Skip filled                      | 15,393    |            |                     |

**PIRBUTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1151

Type: NUM

SAS Variable Name: ILP06\_23

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 4         | 40.00      | 24.93               |
| 2     | No          | 6         | 60.00      | 75.07               |
| BLANK | Skip filled | 15,393    |            |                     |

**PIRBUTEROL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1152-1153

Type: NUM

SAS Variable Name: ILP07\_23

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 10        | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,393    |            |                     |

**PIRBUTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1154-1156

Type: NUM

SAS Variable Name: ILP08\_23

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|-------------|-----------|------------|---------------------|
| 301 - 399 | Days        | 4         | 40.00      | 22.89               |
| 401 - 499 | Weeks       | 5         | 50.00      | 69.65               |
| 555       | Never       | 1         | 10.00      | 7.45                |
| BLANK     | Skip filled | 15,393    |            |                     |

**PIRBUTEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1157-1158

Type: NUM

SAS Variable Name: ILP10\_23

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value  | Value Label                    | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 canisters                | 8         | 80.00      | 59.91               |
| 77     | Don't know                     | 1         | 10.00      | 8.95                |
| 88     | None/Less than 1 full canister | 1         | 10.00      | 31.14               |
| BLANK  | Skip filled                    | 15,393    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PROVENTIL: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1159

**Type:** NUM

**SAS Variable Name:** ILP01\_24

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label                                                  | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------------------------------------|-----------|------------|---------------------|
| 1     | 80 puffs                                                     | 111       | 14.42      | 10.86               |
| 2     | 100 puffs                                                    | 83        | 10.78      | 12.33               |
| 3     | 200 puffs                                                    | 383       | 49.74      | 54.93               |
| 4     | Other number of puffs                                        | 67        | 8.70       | 8.17                |
| 5     | Used different sizes of this medication in the past 3 months | 1         | 0.13       | 0.01                |
| 7     | Don't know/Not sure                                          | 123       | 15.97      | 13.41               |
| 9     | Refused                                                      | 2         | 0.26       | 0.29                |
| BLANK | Skip filled                                                  | 14,633    |            |                     |

**PROVENTIL: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1160

**Type:** NUM

**SAS Variable Name:** ILP02\_24

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Less than 6 months  | 115       | 14.94      | 14.83               |
| 2     | 6 months to 1 year  | 95        | 12.34      | 11.66               |
| 3     | Longer than 1 year  | 556       | 72.21      | 73.09               |
| 7     | Don't know/Not sure | 3         | 0.39       | 0.17                |
| 9     | Refused             | 1         | 0.13       | 0.25                |
| BLANK | Skip filled         | 14,633    |            |                     |

**PROVENTIL: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1161

**Type:** NUM

**SAS Variable Name:** ILP03\_24

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label                                          | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                                  | 207       | 27.31      | 28.14               |
| 2     | No                                                   | 541       | 71.37      | 70.78               |
| 3     | Medication is a disk inhaler, not a canister inhaler | 1         | 0.13       | 0.02                |
| 7     | Don't know/Not sure                                  | 7         | 0.92       | 0.53                |
| 9     | Refused                                              | 2         | 0.26       | 0.53                |
| BLANK | Skip filled                                          | 14,645    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PROVENTIL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1162

Type: NUM

SAS Variable Name: ILP04\_24

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 661       | 85.84      | 88.09               |
| 2     | No                         | 63        | 8.18       | 5.80                |
| 3     | No attack in past 3 months | 41        | 5.32       | 5.43                |
| 7     | Don't know/Not sure        | 4         | 0.52       | 0.43                |
| 9     | Refused                    | 1         | 0.13       | 0.25                |
| BLANK | Skip filled                | 14,633    |            |                     |

**PROVENTIL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1163

Type: NUM

SAS Variable Name: ILP05\_24

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 281       | 36.49      | 48.23               |
| 2     | No                               | 413       | 53.64      | 47.36               |
| 3     | Didn't exercise in past 3 months | 73        | 9.48       | 3.96                |
| 7     | Don't know/Not sure              | 2         | 0.26       | 0.19                |
| 9     | Refused                          | 1         | 0.13       | 0.25                |
| BLANK | Skip filled                      | 14,633    |            |                     |

**PROVENTIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP06\_24

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 197       | 25.58      | 23.96               |
| 2     | No                  | 570       | 74.03      | 75.58               |
| 7     | Don't know/Not sure | 2         | 0.26       | 0.21                |
| 9     | Refused             | 1         | 0.13       | 0.25                |
| BLANK | Skip filled         | 14,633    |            |                     |

**PROVENTIL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1165-1166

Type: NUM

SAS Variable Name: ILP07\_24

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 764       | 99.22      | 99.15               |
| 77     | Don't know  | 5         | 0.65       | 0.60                |
| 99     | Refused     | 1         | 0.13       | 0.25                |
| BLANK  | Skip filled | 14,633    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PROVENTIL: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1167-1169

**Type:** NUM

**SAS Variable Name:** ILP08\_24

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 288       | 37.40      | 33.41               |
| 401 - 499 | Weeks                       | 248       | 32.21      | 40.35               |
| 555       | Never                       | 13        | 1.69       | 2.08                |
| 666       | Less often than once a week | 178       | 23.12      | 20.50               |
| 777       | Don't know                  | 42        | 5.45       | 3.40                |
| 999       | Refused                     | 1         | 0.13       | 0.25                |
| BLANK     | Skip filled                 | 14,633    |            |                     |

**PROVENTIL: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1170-1171

**Type:** NUM

**SAS Variable Name:** ILP10\_24

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value  | Value Label                    | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 canisters                | 579       | 75.19      | 74.52               |
| 77     | Don't know                     | 35        | 4.55       | 7.28                |
| 88     | None/Less than 1 full canister | 153       | 19.87      | 17.66               |
| 99     | Refused                        | 3         | 0.39       | 0.54                |
| BLANK  | Skip filled                    | 14,633    |            |                     |

**PULMICORT TURBUHALER: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1172

**Type:** NUM

**SAS Variable Name:** ILP01\_25

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**PULMICORT TURBUHALER: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1173

**Type:** NUM

**SAS Variable Name:** ILP02\_25

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 22        | 13.84      | 6.75                |
| 2     | 6 months to 1 year | 19        | 11.95      | 17.78               |
| 3     | Longer than 1 year | 118       | 74.21      | 75.47               |
| BLANK | Skip filled        | 15,244    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PULMICORT TURBUHALER: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1174

**Type:** NUM

**SAS Variable Name:** ILP03\_25

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label                                          | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                                  | 19        | 12.03      | 11.67               |
| 2     | No                                                   | 136       | 86.08      | 87.19               |
| 3     | Medication is a disk inhaler, not a canister inhaler | 2         | 1.27       | 0.42                |
| 7     | Don't know/Not sure                                  | 1         | 0.63       | 0.72                |
| BLANK | Skip filled                                          | 15,245    |            |                     |

**PULMICORT TURBUHALER: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1175

**Type:** NUM

**SAS Variable Name:** ILP04\_25

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 51        | 32.08      | 29.87               |
| 2     | No                         | 93        | 58.49      | 65.04               |
| 3     | No attack in past 3 months | 15        | 9.43       | 5.09                |
| BLANK | Skip filled                | 15,244    |            |                     |

**PULMICORT TURBUHALER: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1176

**Type:** NUM

**SAS Variable Name:** ILP05\_25

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 31        | 19.50      | 22.16               |
| 2     | No                               | 117       | 73.58      | 70.74               |
| 3     | Didn't exercise in past 3 months | 11        | 6.92       | 7.11                |
| BLANK | Skip filled                      | 15,244    |            |                     |

**PULMICORT TURBUHALER: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1177

**Type:** NUM

**SAS Variable Name:** ILP06\_25

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 133       | 83.65      | 84.91               |
| 2     | No          | 26        | 16.35      | 15.09               |
| BLANK | Skip filled | 15,244    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PULMICORT TURBUHALER: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1178-1179

Type: NUM

SAS Variable Name: ILP07\_25

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 154       | 96.86      | 97.52               |
| 77     | Don't know  | 5         | 3.14       | 2.48                |
| BLANK  | Skip filled | 15,244    |            |                     |

**PULMICORT TURBUHALER: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1180-1182

Type: NUM

SAS Variable Name: ILP08\_25

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 130       | 81.76      | 86.71               |
| 401 - 499 | Weeks                       | 15        | 9.43       | 5.66                |
| 555       | Never                       | 1         | 0.63       | 0.67                |
| 666       | Less often than once a week | 9         | 5.66       | 4.54                |
| 777       | Don't know                  | 3         | 1.89       | 2.37                |
| 999       | Refused                     | 1         | 0.63       | 0.05                |
| BLANK     | Skip filled                 | 15,244    |            |                     |

**PULMICORT TURBUHALER: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1183-1184

Type: NUM

SAS Variable Name: ILP10\_25

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**SALMETEROL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1185

Type: NUM

SAS Variable Name: ILP01\_26

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**SALMETEROL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1186

Type: NUM

SAS Variable Name: ILP02\_26

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 2         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,401    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SALMETEROL: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1187

**Type:** NUM

**SAS Variable Name:** ILP03\_26

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 50.00      | 30.78               |
| 2     | No          | 1         | 50.00      | 69.22               |
| BLANK | Skip filled | 15,401    |            |                     |

**SALMETEROL: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1188

**Type:** NUM

**SAS Variable Name:** ILP04\_26

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 1         | 50.00      | 30.78               |
| 3     | No attack in past 3 months | 1         | 50.00      | 69.22               |
| BLANK | Skip filled                | 15,401    |            |                     |

**SALMETEROL: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1189

**Type:** NUM

**SAS Variable Name:** ILP05\_26

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 2         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,401    |            |                     |

**SALMETEROL: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1190

**Type:** NUM

**SAS Variable Name:** ILP06\_26

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 50.00      | 69.22               |
| 2     | No          | 1         | 50.00      | 30.78               |
| BLANK | Skip filled | 15,401    |            |                     |

**SALMETEROL: NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1191-1192

**Type:** NUM

**SAS Variable Name:** ILP07\_26

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 2         | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,401    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SALMETEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1193-1195

Type: NUM

SAS Variable Name: ILP08\_26

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 1         | 50.00      | 69.22               |
| 666       | Less often than once a week | 1         | 50.00      | 30.78               |
| BLANK     | Skip filled                 | 15,401    |            |                     |

**SALMETEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1196-1197

Type: NUM

SAS Variable Name: ILP10\_26

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**SEREVENT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1198

Type: NUM

SAS Variable Name: ILP01\_27

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**SEREVENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1199

Type: NUM

SAS Variable Name: ILP02\_27

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 8         | 6.45       | 3.64                |
| 2     | 6 months to 1 year | 5         | 4.03       | 6.77                |
| 3     | Longer than 1 year | 111       | 89.52      | 89.59               |
| BLANK | Skip filled        | 15,279    |            |                     |

**SEREVENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1200

Type: NUM

SAS Variable Name: ILP03\_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label                                          | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                                  | 13        | 10.66      | 6.26                |
| 2     | No                                                   | 84        | 68.85      | 80.29               |
| 3     | Medication is a disk inhaler, not a canister inhaler | 25        | 20.49      | 13.45               |
| BLANK | Skip filled                                          | 15,281    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SEREVENT: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1201

**Type:** NUM

**SAS Variable Name:** ILP04\_27

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 31        | 25.00      | 26.80               |
| 2     | No                         | 80        | 64.52      | 67.15               |
| 3     | No attack in past 3 months | 13        | 10.48      | 6.06                |
| BLANK | Skip filled                | 15,279    |            |                     |

**SEREVENT: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1202

**Type:** NUM

**SAS Variable Name:** ILP05\_27

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 33        | 26.61      | 41.55               |
| 2     | No                               | 84        | 67.74      | 56.83               |
| 3     | Didn't exercise in past 3 months | 7         | 5.65       | 1.61                |
| BLANK | Skip filled                      | 15,279    |            |                     |

**SEREVENT: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1203

**Type:** NUM

**SAS Variable Name:** ILP06\_27

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 105       | 84.68      | 87.49               |
| 2     | No          | 19        | 15.32      | 12.51               |
| BLANK | Skip filled | 15,279    |            |                     |

**SEREVENT: NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1204-1205

**Type:** NUM

**SAS Variable Name:** ILP07\_27

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 123       | 99.19      | 99.89               |
| 77     | Don't know  | 1         | 0.81       | 0.11                |
| BLANK  | Skip filled | 15,279    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SEREVENT: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1206-1208

**Type:** NUM

**SAS Variable Name:** ILP08\_27

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 104       | 83.87      | 89.44               |
| 401 - 499 | Weeks                       | 13        | 10.48      | 8.95                |
| 666       | Less often than once a week | 5         | 4.03       | 1.04                |
| 777       | Don't know                  | 2         | 1.61       | 0.57                |
| BLANK     | Skip filled                 | 15,279    |            |                     |

**SEREVENT: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1209-1210

**Type:** NUM

**SAS Variable Name:** ILP10\_27

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**TERBUTALINE (+ T. SULFATE): SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1211

**Type:** NUM

**SAS Variable Name:** ILP01\_28

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**TERBUTALINE (+ T. SULFATE): HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1212

**Type:** NUM

**SAS Variable Name:** ILP02\_28

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 1         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,402    |            |                     |

**TERBUTALINE (+ T. SULFATE): WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1213

**Type:** NUM

**SAS Variable Name:** ILP03\_28

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TERBUTALINE (+ T. SULFATE): WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1214

Type: NUM

SAS Variable Name: ILP04\_28

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**TERBUTALINE (+ T. SULFATE): BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1215

Type: NUM

SAS Variable Name: ILP05\_28

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1216

Type: NUM

SAS Variable Name: ILP06\_28

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**TERBUTALINE (+ T. SULFATE): NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1217-1218

Type: NUM

SAS Variable Name: ILP07\_28

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 1         | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,402    |            |                     |

**TERBUTALINE (+ T. SULFATE): TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1219-1221

Type: NUM

SAS Variable Name: ILP08\_28

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 555   | Never       | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TERBUTALINE (+ T. SULFATE): NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1222-1223

**Type:** NUM

**SAS Variable Name:** ILP10\_28

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value  | Value Label     | Frequency | Percentage | Weighted Percentage |
|--------|-----------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 canisters | 1         | 100.00     | 100.00              |
| BLANK  | Skip filled     | 15,402    |            |                     |

**TILADE: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1224

**Type:** NUM

**SAS Variable Name:** ILP01\_29

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**TILADE: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1225

**Type:** NUM

**SAS Variable Name:** ILP02\_29

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 3         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,400    |            |                     |

**TILADE: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1226

**Type:** NUM

**SAS Variable Name:** ILP03\_29

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 2         | 66.67      | 79.10               |
| 2     | No          | 1         | 33.33      | 20.90               |
| BLANK | Skip filled | 15,400    |            |                     |

**TILADE: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1227

**Type:** NUM

**SAS Variable Name:** ILP04\_29

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 3         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,400    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TILADE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1228

Type: NUM

SAS Variable Name: ILP05\_29

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 3         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,400    |            |                     |

**TILADE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1229

Type: NUM

SAS Variable Name: ILP06\_29

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 33.33      | 64.55               |
| 2     | No          | 2         | 66.67      | 35.45               |
| BLANK | Skip filled | 15,400    |            |                     |

**TILADE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1230-1231

Type: NUM

SAS Variable Name: ILP07\_29

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 3         | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,400    |            |                     |

**TILADE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1232-1234

Type: NUM

SAS Variable Name: ILP08\_29

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 1         | 33.33      | 64.55               |
| 666       | Less often than once a week | 2         | 66.67      | 35.45               |
| BLANK     | Skip filled                 | 15,400    |            |                     |

**TILADE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1235-1236

Type: NUM

SAS Variable Name: ILP10\_29

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TORNALATE: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1237

**Type:** NUM

**SAS Variable Name:** ILP01\_30

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**TORNALATE: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1238

**Type:** NUM

**SAS Variable Name:** ILP02\_30

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 1         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,402    |            |                     |

**TORNALATE: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1239

**Type:** NUM

**SAS Variable Name:** ILP03\_30

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 2     | No          | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**TORNALATE: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1240

**Type:** NUM

**SAS Variable Name:** ILP04\_30

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**TORNALATE: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1241

**Type:** NUM

**SAS Variable Name:** ILP05\_30

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 3     | Didn't exercise in past 3 months | 1         | 100.00     | 100.00              |
| BLANK | Skip filled                      | 15,402    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TORNALATE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1242

Type: NUM

SAS Variable Name: ILP06\_30

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**TORNALATE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1243-1244

Type: NUM

SAS Variable Name: ILP07\_30

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 1         | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,402    |            |                     |

**TORNALATE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1245-1247

Type: NUM

SAS Variable Name: ILP08\_30

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|-------------|-----------|------------|---------------------|
| 301 - 399 | Days        | 1         | 100.00     | 100.00              |
| BLANK     | Skip filled | 15,402    |            |                     |

**TORNALATE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1248-1249

Type: NUM

SAS Variable Name: ILP10\_30

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value  | Value Label     | Frequency | Percentage | Weighted Percentage |
|--------|-----------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 canisters | 1         | 100.00     | 100.00              |
| BLANK  | Skip filled     | 15,402    |            |                     |

**TRIAMCINOLONE ACETONIDE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1250

Type: NUM

SAS Variable Name: ILP01\_31

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009

**TRIAMCINOLONE ACETONIDE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1251

Type: NUM

SAS Variable Name: ILP02\_31

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**TRIAMCINOLONE ACETONIDE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1252

Type: NUM

SAS Variable Name: ILP03\_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**TRIAMCINOLONE ACETONIDE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1253

Type: NUM

SAS Variable Name: ILP04\_31

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**TRIAMCINOLONE ACETONIDE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP05\_31

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**TRIAMCINOLONE ACETONIDE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1255

Type: NUM

SAS Variable Name: ILP06\_31

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**TRIAMCINOLONE ACETONIDE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1256-1257

Type: NUM

SAS Variable Name: ILP07\_31

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**TRIAMCINOLONE ACETONIDE: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1258-1260

**Type:** NUM

**SAS Variable Name:** ILP08\_31

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**TRIAMCINOLONE ACETONIDE: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1261-1262

**Type:** NUM

**SAS Variable Name:** ILP10\_31

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**VANCERIL: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1263

**Type:** NUM

**SAS Variable Name:** ILP01\_32

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**VANCERIL: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1264

**Type:** NUM

**SAS Variable Name:** ILP02\_32

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 1         | 16.67      | 13.08               |
| 3     | Longer than 1 year | 5         | 83.33      | 86.92               |
| BLANK | Skip filled        | 15,397    |            |                     |

**VANCERIL: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1265

**Type:** NUM

**SAS Variable Name:** ILP03\_32

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 1         | 16.67      | 13.08               |
| 2     | No                  | 4         | 66.67      | 59.16               |
| 7     | Don't know/Not sure | 1         | 16.67      | 27.75               |
| BLANK | Skip filled         | 15,397    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**VANCERIL: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1266

**Type:** NUM

**SAS Variable Name:** ILP04\_32

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 4         | 66.67      | 77.09               |
| 2     | No          | 2         | 33.33      | 22.91               |
| BLANK | Skip filled | 15,397    |            |                     |

**VANCERIL: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1267

**Type:** NUM

**SAS Variable Name:** ILP05\_32

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 2         | 33.33      | 33.24               |
| 2     | No                               | 3         | 50.00      | 42.60               |
| 3     | Didn't exercise in past 3 months | 1         | 16.67      | 24.16               |
| BLANK | Skip filled                      | 15,397    |            |                     |

**VANCERIL: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1268

**Type:** NUM

**SAS Variable Name:** ILP06\_32

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 1         | 16.67      | 27.75               |
| 2     | No                  | 3         | 50.00      | 53.67               |
| 7     | Don't know/Not sure | 2         | 33.33      | 18.58               |
| BLANK | Skip filled         | 15,397    |            |                     |

**VANCERIL: NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1269-1270

**Type:** NUM

**SAS Variable Name:** ILP07\_32

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 6         | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,397    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**VANCERIL: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1271-1273

**Type:** NUM

**SAS Variable Name:** ILP08\_32

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 1         | 16.67      | 27.75               |
| 401 - 499 | Weeks                       | 1         | 16.67      | 24.16               |
| 555       | Never                       | 1         | 16.67      | 19.69               |
| 666       | Less often than once a week | 1         | 16.67      | 9.83                |
| 777       | Don't know                  | 2         | 33.33      | 18.58               |
| BLANK     | Skip filled                 | 15,397    |            |                     |

**VANCERIL: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1274-1275

**Type:** NUM

**SAS Variable Name:** ILP10\_32

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**VENTOLIN: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1276

**Type:** NUM

**SAS Variable Name:** ILP01\_33

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label                                                  | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------------------------------------|-----------|------------|---------------------|
| 1     | 80 puffs                                                     | 33        | 7.28       | 8.26                |
| 2     | 100 puffs                                                    | 21        | 4.64       | 3.38                |
| 3     | 200 puffs                                                    | 308       | 67.99      | 71.18               |
| 4     | Other number of puffs                                        | 59        | 13.02      | 12.39               |
| 5     | Used different sizes of this medication in the past 3 months | 1         | 0.22       | 0.01                |
| 7     | Don't know/Not sure                                          | 31        | 6.84       | 4.78                |
| BLANK | Skip filled                                                  | 14,950    |            |                     |

**VENTOLIN: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1277

**Type:** NUM

**SAS Variable Name:** ILP02\_33

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Less than 6 months  | 125       | 27.59      | 24.53               |
| 2     | 6 months to 1 year  | 71        | 15.67      | 19.89               |
| 3     | Longer than 1 year  | 252       | 55.63      | 54.10               |
| 7     | Don't know/Not sure | 5         | 1.10       | 1.48                |
| BLANK | Skip filled         | 14,950    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**VENTOLIN: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1278

**Type:** NUM

**SAS Variable Name:** ILP03\_33

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 120       | 26.67      | 24.85               |
| 2     | No                  | 328       | 72.89      | 75.10               |
| 7     | Don't know/Not sure | 2         | 0.44       | 0.05                |
| BLANK | Skip filled         | 14,953    |            |                     |

**VENTOLIN: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1279

**Type:** NUM

**SAS Variable Name:** ILP04\_33

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 369       | 81.46      | 84.61               |
| 2     | No                         | 49        | 10.82      | 9.72                |
| 3     | No attack in past 3 months | 30        | 6.62       | 4.78                |
| 7     | Don't know/Not sure        | 5         | 1.10       | 0.89                |
| BLANK | Skip filled                | 14,950    |            |                     |

**VENTOLIN: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1280

**Type:** NUM

**SAS Variable Name:** ILP05\_33

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 159       | 35.10      | 40.36               |
| 2     | No                               | 245       | 54.08      | 51.16               |
| 3     | Didn't exercise in past 3 months | 48        | 10.60      | 8.46                |
| 9     | Refused                          | 1         | 0.22       | 0.01                |
| BLANK | Skip filled                      | 14,950    |            |                     |

**VENTOLIN: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1281

**Type:** NUM

**SAS Variable Name:** ILP06\_33

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 137       | 30.24      | 40.03               |
| 2     | No          | 315       | 69.54      | 59.95               |
| 9     | Refused     | 1         | 0.22       | 0.03                |
| BLANK | Skip filled | 14,950    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**VENTOLIN: NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1282-1283

**Type:** NUM

**SAS Variable Name:** ILP07\_33

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 449       | 99.12      | 97.62               |
| 77     | Don't know  | 3         | 0.66       | 1.07                |
| 99     | Refused     | 1         | 0.22       | 1.31                |
| BLANK  | Skip filled | 14,950    |            |                     |

**VENTOLIN: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1284-1286

**Type:** NUM

**SAS Variable Name:** ILP08\_33

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 191       | 42.16      | 49.13               |
| 401 - 499 | Weeks                       | 131       | 28.92      | 25.47               |
| 555       | Never                       | 7         | 1.55       | 1.38                |
| 666       | Less often than once a week | 98        | 21.63      | 18.03               |
| 777       | Don't know                  | 22        | 4.86       | 4.63                |
| 999       | Refused                     | 4         | 0.88       | 1.35                |
| BLANK     | Skip filled                 | 14,950    |            |                     |

**VENTOLIN: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1287-1288

**Type:** NUM

**SAS Variable Name:** ILP10\_33

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value  | Value Label                    | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 canisters                | 334       | 73.73      | 78.45               |
| 77     | Don't know                     | 21        | 4.64       | 3.22                |
| 88     | None/Less than 1 full canister | 98        | 21.63      | 18.33               |
| BLANK  | Skip filled                    | 14,950    |            |                     |

**FORADIL: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1289

**Type:** NUM

**SAS Variable Name:** ILP01\_34

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FORADIL: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1290

**Type:** NUM

**SAS Variable Name:** ILP02\_34

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Less than 6 months  | 12        | 13.19      | 19.17               |
| 2     | 6 months to 1 year  | 13        | 14.29      | 9.92                |
| 3     | Longer than 1 year  | 65        | 71.43      | 70.70               |
| 7     | Don't know/Not sure | 1         | 1.10       | 0.21                |
| BLANK | Skip filled         | 15,312    |            |                     |

**FORADIL: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1291

**Type:** NUM

**SAS Variable Name:** ILP03\_34

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label                                          | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                                  | 18        | 20.00      | 19.27               |
| 2     | No                                                   | 68        | 75.56      | 78.48               |
| 3     | Medication is a disk inhaler, not a canister inhaler | 2         | 2.22       | 0.67                |
| 7     | Don't know/Not sure                                  | 2         | 2.22       | 1.59                |
| BLANK | Skip filled                                          | 15,313    |            |                     |

**FORADIL: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1292

**Type:** NUM

**SAS Variable Name:** ILP04\_34

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 14        | 15.38      | 24.40               |
| 2     | No                         | 68        | 74.73      | 70.56               |
| 3     | No attack in past 3 months | 9         | 9.89       | 5.04                |
| BLANK | Skip filled                | 15,312    |            |                     |

**FORADIL: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1293

**Type:** NUM

**SAS Variable Name:** ILP05\_34

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 17        | 18.68      | 17.99               |
| 2     | No                               | 66        | 72.53      | 79.07               |
| 3     | Didn't exercise in past 3 months | 8         | 8.79       | 2.94                |
| BLANK | Skip filled                      | 15,312    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FORADIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1294

Type: NUM

SAS Variable Name: ILP06\_34

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 84        | 92.31      | 90.16               |
| 2     | No                  | 6         | 6.59       | 9.58                |
| 7     | Don't know/Not sure | 1         | 1.10       | 0.25                |
| BLANK | Skip filled         | 15,312    |            |                     |

**FORADIL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1295-1296

Type: NUM

SAS Variable Name: ILP07\_34

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 90        | 98.90      | 99.12               |
| 77     | Don't know  | 1         | 1.10       | 0.88                |
| BLANK  | Skip filled | 15,312    |            |                     |

**FORADIL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1297-1299

Type: NUM

SAS Variable Name: ILP08\_34

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 84        | 92.31      | 79.52               |
| 401 - 499 | Weeks                       | 5         | 5.49       | 16.72               |
| 555       | Never                       | 1         | 1.10       | 0.88                |
| 666       | Less often than once a week | 1         | 1.10       | 2.88                |
| BLANK     | Skip filled                 | 15,312    |            |                     |

**FORADIL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1300-1301

Type: NUM

SAS Variable Name: ILP10\_34

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**FORMOTEROL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1302

Type: NUM

SAS Variable Name: ILP01\_35

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FORMOTEROL: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1303

**Type:** NUM

**SAS Variable Name:** ILP02\_35

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year  | 11        | 91.67      | 87.84               |
| 7     | Don't know/Not sure | 1         | 8.33       | 12.16               |
| BLANK | Skip filled         | 15,391    |            |                     |

**FORMOTEROL: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1304

**Type:** NUM

**SAS Variable Name:** ILP03\_35

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 3         | 25.00      | 27.32               |
| 2     | No                  | 8         | 66.67      | 60.52               |
| 7     | Don't know/Not sure | 1         | 8.33       | 12.16               |
| BLANK | Skip filled         | 15,391    |            |                     |

**FORMOTEROL: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1305

**Type:** NUM

**SAS Variable Name:** ILP04\_35

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 4         | 33.33      | 17.73               |
| 2     | No                         | 6         | 50.00      | 56.47               |
| 3     | No attack in past 3 months | 1         | 8.33       | 13.64               |
| 7     | Don't know/Not sure        | 1         | 8.33       | 12.16               |
| BLANK | Skip filled                | 15,391    |            |                     |

**FORMOTEROL: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1306

**Type:** NUM

**SAS Variable Name:** ILP05\_35

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 5         | 41.67      | 29.54               |
| 2     | No                               | 5         | 41.67      | 56.42               |
| 3     | Didn't exercise in past 3 months | 1         | 8.33       | 1.89                |
| 7     | Don't know/Not sure              | 1         | 8.33       | 12.16               |
| BLANK | Skip filled                      | 15,391    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FORMOTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1307

Type: NUM

SAS Variable Name: ILP06\_35

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 11        | 91.67      | 87.84               |
| 7     | Don't know/Not sure | 1         | 8.33       | 12.16               |
| BLANK | Skip filled         | 15,391    |            |                     |

**FORMOTEROL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1308-1309

Type: NUM

SAS Variable Name: ILP07\_35

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 11        | 91.67      | 87.84               |
| 77     | Don't know  | 1         | 8.33       | 12.16               |
| BLANK  | Skip filled | 15,391    |            |                     |

**FORMOTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1310-1312

Type: NUM

SAS Variable Name: ILP08\_35

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|-------------|-----------|------------|---------------------|
| 301 - 399 | Days        | 11        | 91.67      | 87.84               |
| 777       | Don't know  | 1         | 8.33       | 12.16               |
| BLANK     | Skip filled | 15,391    |            |                     |

**FORMOTEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1313-1314

Type: NUM

SAS Variable Name: ILP10\_35

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**QVAR: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1315

Type: NUM

SAS Variable Name: ILP01\_36

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**QVAR: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1316

**Type:** NUM

**SAS Variable Name:** ILP02\_36

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 42        | 20.00      | 14.00               |
| 2     | 6 months to 1 year | 25        | 11.90      | 3.35                |
| 3     | Longer than 1 year | 143       | 68.10      | 82.65               |
| BLANK | Skip filled        | 15,193    |            |                     |

**QVAR: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1317

**Type:** NUM

**SAS Variable Name:** ILP03\_36

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 83        | 39.71      | 47.47               |
| 2     | No                  | 123       | 58.85      | 49.67               |
| 7     | Don't know/Not sure | 3         | 1.44       | 2.87                |
| BLANK | Skip filled         | 15,194    |            |                     |

**QVAR: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1318

**Type:** NUM

**SAS Variable Name:** ILP04\_36

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 94        | 44.76      | 58.12               |
| 2     | No                         | 101       | 48.10      | 39.42               |
| 3     | No attack in past 3 months | 15        | 7.14       | 2.46                |
| BLANK | Skip filled                | 15,193    |            |                     |

**QVAR: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1319

**Type:** NUM

**SAS Variable Name:** ILP05\_36

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 49        | 23.33      | 40.95               |
| 2     | No                               | 147       | 70.00      | 53.86               |
| 3     | Didn't exercise in past 3 months | 11        | 5.24       | 4.89                |
| 7     | Don't know/Not sure              | 3         | 1.43       | 0.31                |
| BLANK | Skip filled                      | 15,193    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**QVAR: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1320

Type: NUM

SAS Variable Name: ILP06\_36

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 155       | 73.81      | 79.10               |
| 2     | No                  | 54        | 25.71      | 20.81               |
| 7     | Don't know/Not sure | 1         | 0.48       | 0.09                |
| BLANK | Skip filled         | 15,193    |            |                     |

**QVAR: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1321-1322

Type: NUM

SAS Variable Name: ILP07\_36

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 210       | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,193    |            |                     |

**QVAR: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1323-1325

Type: NUM

SAS Variable Name: ILP08\_36

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 171       | 81.43      | 83.79               |
| 401 - 499 | Weeks                       | 24        | 11.43      | 9.40                |
| 555       | Never                       | 1         | 0.48       | 0.69                |
| 666       | Less often than once a week | 13        | 6.19       | 5.91                |
| 777       | Don't know                  | 1         | 0.48       | 0.21                |
| BLANK     | Skip filled                 | 15,193    |            |                     |

**QVAR: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1326-1327

Type: NUM

SAS Variable Name: ILP10\_36

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**LEVALBUTEROL TARTRATE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1328

Type: NUM

SAS Variable Name: ILP01\_37

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**LEVALBUTEROL TARTRATE: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1329

**Type:** NUM

**SAS Variable Name:** ILP02\_37

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**LEVALBUTEROL TARTRATE: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1330

**Type:** NUM

**SAS Variable Name:** ILP03\_37

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**LEVALBUTEROL TARTRATE: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1331

**Type:** NUM

**SAS Variable Name:** ILP04\_37

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**LEVALBUTEROL TARTRATE: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1332

**Type:** NUM

**SAS Variable Name:** ILP05\_37

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**LEVALBUTEROL TARTRATE: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1333

**Type:** NUM

**SAS Variable Name:** ILP06\_37

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**LEVALBUTEROL TARTRATE: NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1334-1335

**Type:** NUM

**SAS Variable Name:** ILP07\_37

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**LEVALBUTEROL TARTRATE: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1336-1338

**Type:** NUM

**SAS Variable Name:** ILP08\_37

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**LEVALBUTEROL TARTRATE: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1339-1340

**Type:** NUM

**SAS Variable Name:** ILP10\_37

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**XOPENEX HFA: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1341

**Type:** NUM

**SAS Variable Name:** ILP01\_38

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**XOPENEX HFA: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1342

**Type:** NUM

**SAS Variable Name:** ILP02\_38

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Less than 6 months  | 49        | 18.63      | 22.84               |
| 2     | 6 months to 1 year  | 50        | 19.01      | 21.09               |
| 3     | Longer than 1 year  | 163       | 61.98      | 56.00               |
| 7     | Don't know/Not sure | 1         | 0.38       | 0.07                |
| BLANK | Skip filled         | 15,140    |            |                     |

**XOPENEX HFA: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1343

**Type:** NUM

**SAS Variable Name:** ILP03\_38

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 66        | 25.78      | 19.43               |
| 2     | No                  | 186       | 72.66      | 79.58               |
| 7     | Don't know/Not sure | 4         | 1.56       | 0.99                |
| BLANK | Skip filled         | 15,147    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**XOPENEX HFA: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1344

**Type:** NUM

**SAS Variable Name:** ILP04\_38

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 210       | 79.85      | 79.86               |
| 2     | No                         | 44        | 16.73      | 18.06               |
| 3     | No attack in past 3 months | 9         | 3.42       | 2.08                |
| BLANK | Skip filled                | 15,140    |            |                     |

**XOPENEX HFA: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1345

**Type:** NUM

**SAS Variable Name:** ILP05\_38

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 80        | 30.42      | 32.81               |
| 2     | No                               | 158       | 60.08      | 61.85               |
| 3     | Didn't exercise in past 3 months | 23        | 8.75       | 5.13                |
| 7     | Don't know/Not sure              | 2         | 0.76       | 0.21                |
| BLANK | Skip filled                      | 15,140    |            |                     |

**XOPENEX HFA: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1346

**Type:** NUM

**SAS Variable Name:** ILP06\_38

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 82        | 31.18      | 28.87               |
| 2     | No                  | 180       | 68.44      | 70.92               |
| 7     | Don't know/Not sure | 1         | 0.38       | 0.21                |
| BLANK | Skip filled         | 15,140    |            |                     |

**XOPENEX HFA: NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1347-1348

**Type:** NUM

**SAS Variable Name:** ILP07\_38

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 254       | 96.58      | 93.53               |
| 77     | Don't know  | 9         | 3.42       | 6.47                |
| BLANK  | Skip filled | 15,140    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**XOPENEX HFA: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1349-1351

**Type:** NUM

**SAS Variable Name:** ILP08\_38

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 110       | 41.83      | 40.51               |
| 401 - 499 | Weeks                       | 77        | 29.28      | 37.97               |
| 555       | Never                       | 6         | 2.28       | 2.21                |
| 666       | Less often than once a week | 61        | 23.19      | 17.55               |
| 777       | Don't know                  | 9         | 3.42       | 1.77                |
| BLANK     | Skip filled                 | 15,140    |            |                     |

**XOPENEX HFA: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1352-1353

**Type:** NUM

**SAS Variable Name:** ILP10\_38

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value  | Value Label                    | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 canisters                | 188       | 72.87      | 75.54               |
| 77     | Don't know                     | 22        | 8.53       | 10.92               |
| 88     | None/Less than 1 full canister | 47        | 18.22      | 13.49               |
| 99     | Refused                        | 1         | 0.39       | 0.04                |
| BLANK  | Skip filled                    | 15,145    |            |                     |

**MOMETASONE FUROATE: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1354

**Type:** NUM

**SAS Variable Name:** ILP01\_39

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**MOMETASONE FUROATE: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1355

**Type:** NUM

**SAS Variable Name:** ILP02\_39

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 12        | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,391    |            |                     |

**MOMETASONE FUROATE: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1356

**Type:** NUM

**SAS Variable Name:** ILP03\_39

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**MOMETASONE FUROATE: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1357

**Type:** NUM

**SAS Variable Name:** ILP04\_39

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 6         | 50.00      | 26.46               |
| 2     | No          | 6         | 50.00      | 73.54               |
| BLANK | Skip filled | 15,391    |            |                     |

**MOMETASONE FUROATE: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1358

**Type:** NUM

**SAS Variable Name:** ILP05\_39

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 6         | 50.00      | 56.62               |
| 2     | No                               | 4         | 33.33      | 8.78                |
| 3     | Didn't exercise in past 3 months | 2         | 16.67      | 34.60               |
| BLANK | Skip filled                      | 15,391    |            |                     |

**MOMETASONE FUROATE: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1359

**Type:** NUM

**SAS Variable Name:** ILP06\_39

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 10        | 83.33      | 89.32               |
| 2     | No          | 2         | 16.67      | 10.68               |
| BLANK | Skip filled | 15,391    |            |                     |

**MOMETASONE FUROATE: NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1360-1361

**Type:** NUM

**SAS Variable Name:** ILP07\_39

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 12        | 100.00     | 100.00              |
| BLANK  | Skip filled | 15,391    |            |                     |

**MOMETASONE FUROATE: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1362-1364

**Type:** NUM

**SAS Variable Name:** ILP08\_39

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|-------------|-----------|------------|---------------------|
| 301 - 399 | Days        | 10        | 83.33      | 79.35               |
| 401 - 499 | Weeks       | 2         | 16.67      | 20.65               |
| BLANK     | Skip filled | 15,391    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**MOMETASONE FUROATE: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1365-1366

**Type:** NUM

**SAS Variable Name:** ILP10\_39

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASMANEX (TWISTHALER): SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1367

**Type:** NUM

**SAS Variable Name:** ILP01\_40

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASMANEX (TWISTHALER): HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1368

**Type:** NUM

**SAS Variable Name:** ILP02\_40

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 48        | 17.91      | 20.61               |
| 2     | 6 months to 1 year | 57        | 21.27      | 18.73               |
| 3     | Longer than 1 year | 163       | 60.82      | 60.66               |
| BLANK | Skip filled        | 15,135    |            |                     |

**ASMANEX (TWISTHALER): WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1369

**Type:** NUM

**SAS Variable Name:** ILP03\_40

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASMANEX (TWISTHALER): WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1370

**Type:** NUM

**SAS Variable Name:** ILP04\_40

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 70        | 26.12      | 26.25               |
| 2     | No                         | 169       | 63.06      | 62.83               |
| 3     | No attack in past 3 months | 28        | 10.45      | 10.87               |
| 9     | Refused                    | 1         | 0.37       | 0.05                |
| BLANK | Skip filled                | 15,135    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**ASMANEX (TWISTHALER): BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1371

Type: NUM

SAS Variable Name: ILP05\_40

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 52        | 19.40      | 17.40               |
| 2     | No                               | 188       | 70.15      | 73.47               |
| 3     | Didn't exercise in past 3 months | 28        | 10.45      | 9.12                |
| BLANK | Skip filled                      | 15,135    |            |                     |

**ASMANEX (TWISTHALER): REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1372

Type: NUM

SAS Variable Name: ILP06\_40

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 244       | 91.04      | 93.87               |
| 2     | No          | 24        | 8.96       | 6.13                |
| BLANK | Skip filled | 15,135    |            |                     |

**ASMANEX (TWISTHALER): NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1373-1374

Type: NUM

SAS Variable Name: ILP07\_40

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 267       | 99.63      | 99.71               |
| 77     | Don't know  | 1         | 0.37       | 0.29                |
| BLANK  | Skip filled | 15,135    |            |                     |

**ASMANEX (TWISTHALER): TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1375-1377

Type: NUM

SAS Variable Name: ILP08\_40

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 232       | 86.57      | 88.79               |
| 401 - 499 | Weeks                       | 31        | 11.57      | 9.68                |
| 555       | Never                       | 1         | 0.37       | 0.15                |
| 666       | Less often than once a week | 4         | 1.49       | 1.37                |
| BLANK     | Skip filled                 | 15,135    |            |                     |

**ASMANEX (TWISTHALER): NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1378-1379

Type: NUM

SAS Variable Name: ILP10\_40

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PRO-AIR HFA: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1380

**Type:** NUM

**SAS Variable Name:** ILP01\_41

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**PRO-AIR HFA: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1381

**Type:** NUM

**SAS Variable Name:** ILP02\_41

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Less than 6 months  | 257       | 25.40      | 24.27               |
| 2     | 6 months to 1 year  | 220       | 21.74      | 22.05               |
| 3     | Longer than 1 year  | 531       | 52.47      | 53.57               |
| 7     | Don't know/Not sure | 4         | 0.40       | 0.11                |
| BLANK | Skip filled         | 14,391    |            |                     |

**PRO-AIR HFA: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1382

**Type:** NUM

**SAS Variable Name:** ILP03\_41

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label                                          | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                                  | 281       | 28.13      | 22.49               |
| 2     | No                                                   | 705       | 70.57      | 76.46               |
| 3     | Medication is a disk inhaler, not a canister inhaler | 3         | 0.30       | 0.04                |
| 7     | Don't know/Not sure                                  | 10        | 1.00       | 1.01                |
| BLANK | Skip filled                                          | 14,404    |            |                     |

**PRO-AIR HFA: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1383

**Type:** NUM

**SAS Variable Name:** ILP04\_41

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 864       | 85.38      | 86.49               |
| 2     | No                         | 94        | 9.29       | 9.66                |
| 3     | No attack in past 3 months | 52        | 5.14       | 3.78                |
| 7     | Don't know/Not sure        | 2         | 0.20       | 0.06                |
| BLANK | Skip filled                | 14,391    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PRO-AIR HFA: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1384

**Type:** NUM

**SAS Variable Name:** ILP05\_41

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 350       | 34.58      | 35.84               |
| 2     | No                               | 567       | 56.03      | 56.23               |
| 3     | Didn't exercise in past 3 months | 91        | 8.99       | 7.90                |
| 7     | Don't know/Not sure              | 3         | 0.30       | 0.03                |
| 9     | Refused                          | 1         | 0.10       | 0.01                |
| BLANK | Skip filled                      | 14,391    |            |                     |

**PRO-AIR HFA: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1385

**Type:** NUM

**SAS Variable Name:** ILP06\_41

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Yes                 | 265       | 26.19      | 24.63               |
| 2     | No                  | 744       | 73.52      | 74.87               |
| 7     | Don't know/Not sure | 3         | 0.30       | 0.50                |
| BLANK | Skip filled         | 14,391    |            |                     |

**PRO-AIR HFA: NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1386-1387

**Type:** NUM

**SAS Variable Name:** ILP07\_41

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 1,005     | 99.31      | 99.27               |
| 77     | Don't know  | 7         | 0.69       | 0.73                |
| BLANK  | Skip filled | 14,391    |            |                     |

**PRO-AIR HFA: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1388-1390

**Type:** NUM

**SAS Variable Name:** ILP08\_41

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 389       | 38.44      | 37.67               |
| 401 - 499 | Weeks                       | 349       | 34.49      | 38.61               |
| 555       | Never                       | 17        | 1.68       | 2.85                |
| 666       | Less often than once a week | 218       | 21.54      | 18.77               |
| 777       | Don't know                  | 38        | 3.75       | 2.08                |
| 999       | Refused                     | 1         | 0.10       | 0.01                |
| BLANK     | Skip filled                 | 14,391    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PRO-AIR HFA: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1391-1392

**Type:** NUM

**SAS Variable Name:** ILP10\_41

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value  | Value Label                    | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 canisters                | 766       | 76.22      | 85.25               |
| 77     | Don't know                     | 34        | 3.38       | 1.03                |
| 88     | None/Less than 1 full canister | 205       | 20.40      | 13.72               |
| BLANK  | Skip filled                    | 14,398    |            |                     |

**SYMBICORT: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1393

**Type:** NUM

**SAS Variable Name:** ILP01\_42

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**SYMBICORT: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1394

**Type:** NUM

**SAS Variable Name:** ILP02\_42

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 160       | 39.41      | 46.22               |
| 2     | 6 months to 1 year | 133       | 32.76      | 26.89               |
| 3     | Longer than 1 year | 113       | 27.83      | 26.89               |
| BLANK | Skip filled        | 14,997    |            |                     |

**SYMBICORT: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1395

**Type:** NUM

**SAS Variable Name:** ILP03\_42

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

| Value | Value Label                                          | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------------------------------|-----------|------------|---------------------|
| 1     | Yes                                                  | 118       | 29.28      | 20.56               |
| 2     | No                                                   | 279       | 69.23      | 76.86               |
| 3     | Medication is a disk inhaler, not a canister inhaler | 1         | 0.25       | 0.63                |
| 7     | Don't know/Not sure                                  | 5         | 1.24       | 1.96                |
| BLANK | Skip filled                                          | 15,000    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SYMBICORT: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1396

**Type:** NUM

**SAS Variable Name:** ILP04\_42

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

| Value | Value Label                | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1     | Yes                        | 145       | 35.71      | 36.68               |
| 2     | No                         | 228       | 56.16      | 54.36               |
| 3     | No attack in past 3 months | 31        | 7.64       | 8.55                |
| 7     | Don't know/Not sure        | 2         | 0.49       | 0.41                |
| BLANK | Skip filled                | 14,997    |            |                     |

**SYMBICORT: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1397

**Type:** NUM

**SAS Variable Name:** ILP05\_42

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

| Value | Value Label                      | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1     | Yes                              | 108       | 26.60      | 38.23               |
| 2     | No                               | 244       | 60.10      | 51.51               |
| 3     | Didn't exercise in past 3 months | 54        | 13.30      | 10.26               |
| BLANK | Skip filled                      | 14,997    |            |                     |

**SYMBICORT: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1398

**Type:** NUM

**SAS Variable Name:** ILP06\_42

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Yes         | 337       | 83.00      | 85.85               |
| 2     | No          | 69        | 17.00      | 14.15               |
| BLANK | Skip filled | 14,997    |            |                     |

**SYMBICORT: NUMBER OF PUFFS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1399-1400

**Type:** NUM

**SAS Variable Name:** ILP07\_42

**Prologue:**

**Description:** Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value  | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 - 76 | 01-76 puffs | 403       | 99.26      | 98.62               |
| 77     | Don't know  | 3         | 0.74       | 1.38                |
| BLANK  | Skip filled | 14,997    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**SYMBICORT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1401-1403

Type: NUM

SAS Variable Name: ILP08\_42

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

| Value     | Value Label                 | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------------|-----------|------------|---------------------|
| 301 - 399 | Days                        | 340       | 83.74      | 84.74               |
| 401 - 499 | Weeks                       | 38        | 9.36       | 6.89                |
| 555       | Never                       | 2         | 0.49       | 0.57                |
| 666       | Less often than once a week | 23        | 5.67       | 6.78                |
| 777       | Don't know                  | 3         | 0.74       | 1.03                |
| BLANK     | Skip filled                 | 14,997    |            |                     |

**SYMBICORT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1404-1405

Type: NUM

SAS Variable Name: ILP10\_42

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**PILL ACCOLATE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1406

Type: NUM

SAS Variable Name: PILLX\_1

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 3         | 6.52       | 1.84                |
| 3     | Longer than 1 year | 43        | 93.48      | 98.16               |
| BLANK | Skip filled        | 15,357    |            |                     |

**PILL AEROLATE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1407

Type: NUM

SAS Variable Name: PILLX\_2

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**PILL ALBUTEROL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1408

Type: NUM

SAS Variable Name: PILLX\_3

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 3         | 10.34      | 2.68                |
| 3     | Longer than 1 year | 26        | 89.66      | 97.32               |
| BLANK | Skip filled        | 15,374    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL ALUPENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1409

Type: NUM

SAS Variable Name: PILLX\_4

Prologue:

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 2         | 66.67      | 76.33               |
| 3     | Longer than 1 year | 1         | 33.33      | 23.67               |
| BLANK | Skip filled        | 15,400    |            |                     |

**PILL CHOLEDYL (OXTRIPHYLLINE): HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1410

Type: NUM

SAS Variable Name: PILLX\_5

Prologue:

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 9     | Refused     | 1         | 100.00     | 100.00              |
| BLANK | Skip filled | 15,402    |            |                     |

**PILL DELTASONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1411

Type: NUM

SAS Variable Name: PILLX\_7

Prologue:

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 4         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,399    |            |                     |

**PILL ELIXOPHYLLIN: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1412

Type: NUM

SAS Variable Name: PILLX\_8

Prologue:

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 1         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,402    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL MEDROL: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1413

**Type:** NUM

**SAS Variable Name:** PILLX\_11

**Prologue:**

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 6         | 60.00      | 59.86               |
| 2     | 6 months to 1 year | 1         | 10.00      | 4.82                |
| 3     | Longer than 1 year | 3         | 30.00      | 35.32               |
| BLANK | Skip filled        | 15,393    |            |                     |

**PILL METAPREL: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1414

**Type:** NUM

**SAS Variable Name:** PILLX\_12

**Prologue:**

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 2         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,401    |            |                     |

**PILL METAPROTERONOL: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1415

**Type:** NUM

**SAS Variable Name:** PILLX\_13

**Prologue:**

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 1         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,402    |            |                     |

**PILL METHYLPREDNISOLONE: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1416

**Type:** NUM

**SAS Variable Name:** PILLX\_14

**Prologue:**

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 5         | 62.50      | 84.31               |
| 3     | Longer than 1 year | 3         | 37.50      | 15.69               |
| BLANK | Skip filled        | 15,395    |            |                     |

ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009

**PILL MONTELUKAST: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1417

Type: NUM

SAS Variable Name: PILLX\_15

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 1         | 8.33       | 15.36               |
| 2     | 6 months to 1 year | 2         | 16.67      | 40.95               |
| 3     | Longer than 1 year | 9         | 75.00      | 43.69               |
| BLANK | Skip filled        | 15,391    |            |                     |

**PILL PEDIAPRED: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1418

Type: NUM

SAS Variable Name: PILLX\_17

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 1         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,402    |            |                     |

**PILL PREDNISOLONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1419

Type: NUM

SAS Variable Name: PILLX\_18

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Less than 6 months  | 13        | 52.00      | 65.42               |
| 2     | 6 months to 1 year  | 2         | 8.00       | 4.77                |
| 3     | Longer than 1 year  | 9         | 36.00      | 28.80               |
| 7     | Don't know/Not sure | 1         | 4.00       | 1.01                |
| BLANK | Skip filled         | 15,378    |            |                     |

**PILL PREDNISONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1420

Type: NUM

SAS Variable Name: PILLX\_19

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Less than 6 months  | 150       | 46.58      | 50.22               |
| 2     | 6 months to 1 year  | 22        | 6.83       | 8.48                |
| 3     | Longer than 1 year  | 145       | 45.03      | 38.48               |
| 7     | Don't know/Not sure | 5         | 1.55       | 2.82                |
| BLANK | Skip filled         | 15,081    |            |                     |

ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009

**PILL PROVENTIL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1421

Type: NUM

SAS Variable Name: PILLX\_21

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 6         | 42.86      | 27.75               |
| 2     | 6 months to 1 year | 2         | 14.29      | 34.98               |
| 3     | Longer than 1 year | 6         | 42.86      | 37.27               |
| BLANK | Skip filled        | 15,389    |            |                     |

**PILL RESPID: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1422

Type: NUM

SAS Variable Name: PILLX\_23

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 1         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,402    |            |                     |

**PILL SINGULAIR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1423

Type: NUM

SAS Variable Name: PILLX\_24

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Less than 6 months  | 129       | 8.28       | 7.84                |
| 2     | 6 months to 1 year  | 104       | 6.68       | 6.62                |
| 3     | Longer than 1 year  | 1,318     | 84.60      | 84.95               |
| 7     | Don't know/Not sure | 3         | 0.19       | 0.05                |
| 9     | Refused             | 4         | 0.26       | 0.54                |
| BLANK | Skip filled         | 13,845    |            |                     |

**PILL SLO-PHYLLIN: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1424

Type: NUM

SAS Variable Name: PILLX\_25

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 3         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,400    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL SLO-BID: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1425

Type: NUM

SAS Variable Name: PILLX\_26

**Prologue:**

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**PILL THEO-24: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1426

Type: NUM

SAS Variable Name: PILLX\_28

**Prologue:**

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 4         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,399    |            |                     |

**PILL THEOCHRON: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1427

Type: NUM

SAS Variable Name: PILLX\_30

**Prologue:**

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 1         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,402    |            |                     |

**PILL THEOCLEAR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1428

Type: NUM

SAS Variable Name: PILLX\_31

**Prologue:**

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**PILL THEODUR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1429

Type: NUM

SAS Variable Name: PILLX\_32

**Prologue:**

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 1         | 5.26       | 4.56                |
| 2     | 6 months to 1 year | 1         | 5.26       | 1.88                |
| 3     | Longer than 1 year | 17        | 89.47      | 93.55               |
| BLANK | Skip filled        | 15,384    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL THEO-DUR: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1430

**Type:** NUM

**SAS Variable Name:** PILLX\_33

**Prologue:**

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 2     | 6 months to 1 year | 1         | 20.00      | 48.15               |
| 3     | Longer than 1 year | 4         | 80.00      | 51.85               |
| BLANK | Skip filled        | 15,398    |            |                     |

**PILL THEOPHYLLINE: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1431

**Type:** NUM

**SAS Variable Name:** PILLX\_35

**Prologue:**

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1     | Less than 6 months  | 5         | 3.82       | 7.37                |
| 2     | 6 months to 1 year  | 2         | 1.53       | 1.53                |
| 3     | Longer than 1 year  | 123       | 93.89      | 89.96               |
| 7     | Don't know/Not sure | 1         | 0.76       | 1.14                |
| BLANK | Skip filled         | 15,272    |            |                     |

**PILL THEOSPAN: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1432

**Type:** NUM

**SAS Variable Name:** PILLX\_37

**Prologue:**

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 1         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,402    |            |                     |

**PILL T-PHYL: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1433

**Type:** NUM

**SAS Variable Name:** PILLX\_40

**Prologue:**

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**PILL UNIPHYL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1434

Type: NUM

SAS Variable Name: PILLX\_42

Prologue:

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 1         | 9.09       | 3.43                |
| 3     | Longer than 1 year | 10        | 90.91      | 96.57               |
| BLANK | Skip filled        | 15,392    |            |                     |

**PILL VENTOLIN: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1435

Type: NUM

SAS Variable Name: PILLX\_43

Prologue:

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

**PILL VOLMAX: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1436

Type: NUM

SAS Variable Name: PILLX\_44

Prologue:

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 2     | 6 months to 1 year | 1         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,402    |            |                     |

**PILL ZAFIRLUKAST: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1437

Type: NUM

SAS Variable Name: PILLX\_45

Prologue:

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 4         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,399    |            |                     |

**PILL ZILEUTON: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1438

Type: NUM

SAS Variable Name: PILLX\_46

Prologue:

**Description:** Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Skip filled | 15,403    |            |                     |

ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009

**PILL ZYFLO FILMTAB: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1439

Type: NUM

SAS Variable Name: PILLX\_47

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1     | Less than 6 months | 1         | 25.00      | 26.92               |
| 2     | 6 months to 1 year | 1         | 25.00      | 48.27               |
| 3     | Longer than 1 year | 2         | 50.00      | 24.80               |
| BLANK | Skip filled        | 15,399    |            |                     |

**PILL TERBUTALINE (+ T. SULFATE): HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1440

Type: NUM

SAS Variable Name: PILLX\_48

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label         | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year  | 4         | 80.00      | 95.87               |
| 7     | Don't know/Not sure | 1         | 20.00      | 4.13                |
| BLANK | Skip filled         | 15,398    |            |                     |

**PILL BRETHINE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1441

Type: NUM

SAS Variable Name: PILLX\_49

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

| Value | Value Label        | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 3     | Longer than 1 year | 1         | 100.00     | 100.00              |
| BLANK | Skip filled        | 15,402    |            |                     |

**INTERIM ADULT ASTHMA CALL-BACK WEIGHT**

Survey: ADULT Asthma Call-Back

Column: 1442-1451

Type: NUM

SAS Variable Name: WEIGHT\_IN

Prologue:

Description: INTERIM ADULT ASTHMA CALL-BACK WEIGHT

| Value  | Value Label                           | Frequency | Percentage | Weighted Percentage |
|--------|---------------------------------------|-----------|------------|---------------------|
| HIDDEN | Interim adult asthma call-back weight | 15,403    | 100.00     | 100.00              |

**ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR**

Survey: ADULT Asthma Call-Back

Column: 1452-1461

Type: NUM

SAS Variable Name: POST

Prologue:

Description: ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

| Value  | Value Label                                       | Frequency | Percentage | Weighted Percentage |
|--------|---------------------------------------------------|-----------|------------|---------------------|
| HIDDEN | Adult asthma call-back post stratification factor | 15,403    | 100.00     | 100.00              |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**FINAL ADULT ASTHMA CALL-BACK WEIGHT**

**Survey:** ADULT Asthma Call-Back

**Column:** 1462-1471

**Prologue:**

**Description:** FINAL ADULT ASTHMA CALL-BACK WEIGHT

**Type:** NUM  
**SAS Variable Name:** FINALWT\_F

| Value  | Value Label                         | Frequency | Percentage | Weighted Percentage |
|--------|-------------------------------------|-----------|------------|---------------------|
| HIDDEN | Final adult asthma call-back weight | 15,403    | 100.00     | 100.00              |

**REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.**

**Survey:** ADULT Asthma Call-Back

**Column:** 1472

**Prologue:**

**Description:** REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK

**Type:** NUM  
**SAS Variable Name:** REGION\_F

| Value | Value Label                       | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------------------|-----------|------------|---------------------|
| 1     | Regions are collapsed to 1 region | 8,241     | 100.00     | 100.00              |
| BLANK | No region collapsed               | 7,162     |            |                     |

**RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1473

**Prologue:**

**Description:** RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

**Type:** NUM  
**SAS Variable Name:** RACEG\_F

| Value | Value Label                    | Frequency | Percentage | Weighted Percentage |
|-------|--------------------------------|-----------|------------|---------------------|
| 1     | Races are collapsed to 1 group | 5,654     | 100.00     | 100.00              |
| BLANK | Missing                        | 9,749     |            |                     |

**AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1474

**Prologue:**

**Description:** AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

**Type:** NUM  
**SAS Variable Name:** AGEF\_F7

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Age 18 - 24 | 403       | 3.41       | 14.49               |
| 2     | Age 25 - 34 | 984       | 8.32       | 20.60               |
| 3     | Age 35 - 44 | 1,441     | 12.19      | 19.78               |
| 4     | Age 45 - 54 | 2,569     | 21.73      | 17.82               |
| 5     | Age 55 - 64 | 3,104     | 26.25      | 14.22               |
| 6     | Age 65 - 74 | 2,086     | 17.64      | 7.94                |
| 7     | Age 75+     | 1,236     | 10.45      | 5.15                |
| BLANK | Missing     | 3,580     |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1475

**Prologue:**

**Description:** AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

**Type:** NUM  
**SAS Variable Name:** AGEF\_F5

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Age 18 - 34 | 1,222     | 11.33      | 33.94               |
| 2     | Age 35 - 44 | 1,291     | 11.97      | 19.85               |
| 3     | Age 45 - 54 | 2,304     | 21.36      | 17.92               |
| 4     | Age 55 - 64 | 2,865     | 26.57      | 14.40               |
| 5     | Age 65+     | 3,102     | 28.76      | 13.89               |
| BLANK | Missing     | 4,619     |            |                     |

**AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1476

**Prologue:**

**Description:** AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

**Type:** NUM  
**SAS Variable Name:** AGEF\_F4

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Age 18 - 34 | 211       | 10.74      | 31.12               |
| 2     | Age 35 - 44 | 229       | 11.66      | 22.71               |
| 3     | Age 45 - 54 | 463       | 23.57      | 18.76               |
| 4     | Age 55+     | 1,061     | 54.02      | 27.41               |
| BLANK | Missing     | 13,439    |            |                     |

**AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1477

**Prologue:**

**Description:** AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

**Type:** NUM  
**SAS Variable Name:** AGEF\_F4\_M

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Age 18 - 44 | 440       | 22.40      | 53.83               |
| 2     | Age 45 - 54 | 463       | 23.57      | 18.76               |
| 3     | Age 55 - 64 | 501       | 25.51      | 14.28               |
| 4     | Age 65+     | 560       | 28.51      | 13.13               |
| BLANK | Missing     | 13,439    |            |                     |

**AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1478

**Prologue:**

**Description:** AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

**Type:** NUM  
**SAS Variable Name:** AGEF\_F3

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Age 18 - 34 | 24        | 13.48      | 39.01               |
| 2     | Age 35 - 54 | 52        | 29.21      | 30.21               |
| 3     | Age 55+     | 102       | 57.30      | 30.78               |
| BLANK | Missing     | 15,225    |            |                     |

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2009**

**AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1479

**Prologue:**

**Description:** AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

**Type:** NUM  
**SAS Variable Name:** AGEG\_F2

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1     | Age 18 - 44 | 40        | 22.47      | 50.59               |
| 2     | Age 45+     | 138       | 77.53      | 49.41               |
| BLANK | Missing     | 15,225    |            |                     |

**ADULT ASTHMA CALL-BACK ADJUST FACTOR**

**Survey:** ADULT Asthma Call-Back

**Column:** 1480-1487

**Prologue:**

**Description:** ADULT ASTHMA CALL-BACK ADJUST FACTOR

**Type:** NUM  
**SAS Variable Name:** ADJUST

| Value  | Value Label                                              | Frequency | Percentage | Weighted Percentage |
|--------|----------------------------------------------------------|-----------|------------|---------------------|
| HIDDEN | Adult asthma call-back post stratification adjust factor | 15,403    | 100.00     | 100.00              |