



The 2013 Taiwan Senior HS Big City GSHS was a school-based survey of students in grades 1, 2, and 3, which are typically attended by students aged 13 - 17 years. A two-stage cluster sample design was used to produce data representative of all students in Taiwan Senior HS Big City. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

The Taiwan Senior HS Big City GSHS measured alcohol use; dietary behaviors; hygiene; mental health; physical activity; protective factors; sexual behaviors; tobacco use; and violence and unintentional injury. Students self-reported their responses to each question on a computer scanable answer sheet. The school response rate was 100%, the student response rate was 91%, and the overall response rate was 91%. A total of 854 students participated in the Taiwan Senior HS Big City GSHS. Prevalence estimates (percentages) and 95% confidence intervals are presented below.

	Students Aged 13-15 Years			Students Aged 16-17 Years			Students Aged 13-17 Years		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Alcohol Use									
Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years	*	*	*	55.8 (48.9-62.4)	57.3 (48.2-66.0)	54.1 (47.5-60.5)	57.5 (51.0-63.9)	59.6 (50.8-67.9)	55.2 (47.4-62.8)
Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days	*	*	*	22.4 (19.2-26.0)	23.6 (18.1-30.1)	21.2 (19.3-23.2)	22.1 (18.4-26.4)	23.4 (18.6-29.0)	20.8 (16.8-25.4)
Percentage of students who drank so much alcohol that they were really drunk one or more times during their life	*	*	*	18.9 (13.9-25.3)	16.6 (10.3-25.6)	21.5 (16.4-27.8)	19.0 (13.3-26.2)	16.6 (10.6-24.8)	21.6 (14.8-30.4)
Dietary Behaviors									
Percentage of students who were underweight (<-2SD from median for BMI by age and sex)	*	*	*	3.9 (2.7-5.5)	4.6 (2.7-7.6)	3.1 (1.2-7.7)	3.5 (2.4-5.3)	4.1 (2.3-7.4)	2.8 (1.1-6.9)
Percentage of students who were overweight (>+1SD from median for BMI by age and sex)	*	*	*	15.3 (10.5-21.7)	21.4 (15.6-28.7)	8.2 (4.2-15.2)	15.7 (11.4-21.3)	21.5 (16.5-27.5)	8.9 (5.6-13.8)
Percentage of students who were obese (>+2SD from median for BMI by age and sex)	*	*	*	5.1 (2.9-8.7)	8.0 (3.9-15.5)	1.8 (0.7-4.3)	5.3 (3.6-7.9)	8.5 (5.3-13.6)	1.6 (0.6-4.2)
Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days	*	*	*	10.9 (5.3-21.1)	12.1 (4.7-27.9)	9.5 (5.7-15.3)	10.7 (5.5-19.7)	12.0 (4.9-26.3)	9.3 (5.9-14.3)



	Students Aged 13-15 Years			Students Aged 16-17 Years			Students Aged 13-17 Years		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Hygiene									
Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days	*	*	*	3.9 (2.3-6.4)	4.2 (2.7-6.6)	3.5 (1.5-7.7)	4.4 (2.6-7.5)	4.6 (2.9-7.2)	4.2 (2.0-8.7)
Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days	*	*	*	0.6 (0.2-1.4)	0.2 (0.0-2.9)	0.9 (0.2-3.7)	1.1 (0.5-2.6)	0.4 (0.1-2.8)	1.9 (0.9-4.1)
Mental Health									
Percentage of students who ever seriously considered attempting suicide during the past 12 months	*	*	*	19.9 (16.2-24.1)	15.9 (11.3-21.9)	24.2 (19.3-29.9)	18.8 (15.2-23.0)	15.5 (11.1-21.2)	22.5 (17.5-28.4)
Percentage of students who actually attempted suicide one or more times during the past 12 months	*	*	*	5.9 (4.1-8.5)	5.6 (2.2-13.6)	6.3 (3.7-10.5)	5.8 (4.1-8.3)	5.3 (2.2-12.5)	6.4 (4.0-10.1)
Percentage of students who had no close friends	*	*	*	3.6 (1.8-6.9)	4.2 (1.9-8.9)	2.9 (0.9-8.8)	4.1 (2.2-7.7)	4.9 (2.3-10.2)	3.3 (1.2-8.7)
Physical Activity									
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days	*	*	*	21.4 (14.1-31.3)	29.2 (17.2-44.9)	13.1 (9.3-18.2)	21.8 (13.4-33.5)	30.0 (16.9-47.5)	12.9 (8.6-19.0)
Percentage of students who went to physical education (PE) class on three or more days each week during this school year	*	*	*	0.6 (0.2-2.0)	1.2 (0.4-3.3)	0.0	1.1 (0.4-2.7)	1.8 (1.0-3.4)	0.3 (0.0-4.7)
Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities	*	*	*	82.0 (74.2-87.9)	78.5 (69.9-85.2)	85.8 (78.6-90.8)	81.3 (72.2-88.0)	78.2 (69.4-85.0)	84.7 (75.9-90.7)



	Students Aged 13-15 Years			Students Aged 16-17 Years			Students Aged 13-17 Years		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
Protective Factors									
Percentage of students who missed classes or school without permission on one or more of the past 30 days	*	*	*	9.9 (5.2-18.2)	10.7 (4.8-22.3)	9.1 (3.7-20.5)	9.9 (5.1-18.4)	10.4 (4.5-22.4)	9.4 (4.0-20.4)
Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days	*	*	*	27.6 (21.3-35.0)	27.6 (20.1-36.7)	27.6 (22.4-33.6)	27.2 (21.1-34.3)	27.1 (20.1-35.4)	27.4 (21.7-33.9)
Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days	*	*	*	49.7 (44.6-54.8)	48.7 (40.4-57.2)	50.8 (47.2-54.4)	50.1 (43.9-56.3)	49.3 (41.9-56.7)	51.0 (44.3-57.7)
Sexual Behaviors									
Percentage of students who ever had sexual intercourse	*	*	*	9.2 (5.1-16.0)	8.7 (4.5-16.2)	9.8 (4.2-21.0)	9.7 (5.2-17.4)	8.5 (4.5-15.2)	11.0 (4.8-23.3)
Tobacco Use									
Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years	*	*	*	55.9 (47.5-63.9)	*	*	56.9 (49.1-64.3)	64.1 (56.9-70.7)	*
Percentage of students who smoked cigarettes on one or more days during the past 30 days	*	*	*	6.0 (2.1-16.0)	9.0 (3.1-23.6)	2.7 (1.1-6.4)	5.6 (2.0-14.5)	8.1 (2.7-22.0)	2.8 (1.3-5.9)
Violence and Unintentional Injury									
Percentage of students who were seriously injured one or more times during the past 12 months	*	*	*	15.1 (9.9-22.4)	20.5 (15.7-26.2)	9.2 (4.7-17.1)	15.6 (10.2-23.0)	19.8 (15.1-25.5)	10.9 (5.6-19.9)

*Indicates data were not available.

For additional information about the Taiwan Senior HS GSHS, please contact:

Shiou-Feng Tsai
Ministry of Health and Welfare, New Taipei City, Taiwan
fun@hpa.gov.tw

For general information about the GSHS, please visit:

<http://www.cdc.gov/gshs/>