		onal Outbreak Warters in					(Z	
The last is worth open printing theory will work. They are before by waters quick is in the most of security of most in the district of security of most in the district of the contract of the con-								=
cace		Radio ICI					Ten la Ten la R	in one
Conned Section	100	100						
Printery Walk of Transmission (Civil)	and/		1000000000		Name of Street	The Control of the Co	_	
Next (Complete CDC S2.15) Whole Complete the balls for Game Lab, Water Complete and the type of all Anneal contact (Complete CDC S2.1)	of Water-Great water expense	nd, Water-Clinings & nd	(Corple)	geron Con etal contant offic of 10 etaen (Cong	ration of	w that looking	ir.	
Interdigation Methods (Check of that o	poly/		J. Company	March St.	01.00			
Control only of Ill persons Dose control study Coher study Coher study Chard progration naives Water system sourcounset: Scripts Generally system sourcounset: Scripts	water the water		Cilmedigal	ion at factory ion at original luct or facility	frontaction source // water to		t .	
Section of the second section is			that he work					
Date first case became if (required) Date of instal exposure Date of insport to CDC (other due than the in		and defending	Date of last expo					
Date of initial exposure Date of report to CDC (other floor the in Date of report to CDC (other floor the in Date of report to the in Seegrophic Lection		inth Autorities						
bits of mini approximation of mini approximation of the desiration	incolfribilities by but cours to mobile by suffi- artiss in agent with but cours	ected to another state mits, write the case or on white madded in another case	Date of lead expension or multiple states with lor each state.	ut _				
Date of mind exposure Date of myster for Collective days. As it Date of myster for Collective days. Date of mind that it is State Territory or Exerciptive Leaders Exposure scanner for multiple day In Exposure scanner for multiple day Other states. For multiple scanner or multiple Exposure scanner for multiple Interposure scanner for multiple Interposure scanner for multiple and Other states. Dity Thereti Vacco of exposure. Dity Thereti Vacco of exposure. Dity Thereti Vacco of exposure. (5)	incolfribilities by but come to mobile by suffi- artise in agent with but come	soled in another state with, enter the game or on chain	Date of lead expension or multiple states with lor each state.	ut _				
bits of mini approximation of mini approximation of the desiration	incolfribilities by but come to mobile by suffi- artise in agent with but come	ected to another state mits, write the case or on white madded in another case	Date of lead expension or multiple states with lor each state.	artin				
Date of mind exposure Date of morth follow the As in Date of morth follow to State Territory o Sengraphic Learnine Exposure scale 1.0 Exposure sc	incolfribilities by but come to mobile by suffi- artise in agent with but come	soled in another state with, enter the case or are state matried in profess cas apriatory or passability	Date of leaf super or multiple states with far such distri- orty or multiple or othy assessi Sign states or pro-	artin	ne ma	3		
Date of mind exposure Date of myster for Collective flow. As it Date of myster for Collective flow. As it Date of mind that it is State Territory or Exerciptive Leaders Exposure or state 1.0 Exposure or state of multiple dat 1.0 Exposure or state of multiple or 1.0 Exposure or or 1.0 Expos	incolfribilities by but come to mobile by suffi- artise in agent with but come	econd in sentition states make, write the case or on state maked in profiler cas opristary or private lace I	Date of leat super or multiple states only or multiple co only or multiple co only or multiple co only or multiple co only or multiple co	artin	-		- 1	
Date of mind exposure Date of morth follow the As in Date of morth follow to State Territory o Sengraphic Learnine Exposure scale 1.0 Exposure sc	incolfribilities by but come to mobile by suffi- artise in agent with but come	econd in sentition states make, write the case or on state maked in profiler cas opristary or private lace I	Date of leaf super or multiple states with far such distri- orty or multiple or othy assessi Sign states or pro-	artin		7		
Date of motel exposure Date of report to CDC (other the the it is Date of motel to CDC (other the the it Date of motel to CDC (other the the it Date of motel to CDC (other the it Date of motel to CDC (other the it Date of CDC	r Local Pethal Pe ter is, but come to mediatry with artise in appropria on an include you	econd in sentition states make, write the case or on state maked in profiler cas opristary or private lace I	Date of leat super or multiple states only or multiple co only or multiple co only or multiple co only or multiple co only or multiple co	artin		1		
Date of motel exposure Date of report to CDC (other the the it is Date of motel to CDC (other the the it Date of motel to CDC (other the the it Date of motel to CDC (other the it Date of motel to CDC (other the it Date of CDC	r Local Pethal Pe ter is, but come to mediatry with artise in appropria on an include you	soled in another state male, enter the case or on state malest in profess case producy or pation had grant to the grant to grant	Date of leaf expo or multiple states only or multiple states only or multiple or Sity named Section or put States Unicome	artin	har sun	1	- 1	1 1
Date of mind exposure Date of myself to Clother the As in Date of myself to Clother the As in Date of myself to Clother the Special Engineers and Clother the Special Disputation accounted in multiple size of Clothers accounted in a somple of Clothers accounted in a somple of Clothers accounted in a somple con Disputation accounted in a somple con Disputation accounted in a simple con Disputation accounted in	in and fitted in a part of the interest of the	soled in another state male, enter the case or on state malest in profess case producy or pation had grant to the grant to grant	Date of leaf expo or multiple dates and for each date? Water Terrain Terrain Telecomer of part of the second of the second	artism	har sun	1		1
Date of motion approximation of motion and in the Amilian of motion of motio	r Lacol Pritati Fe inc. a, but count or metalleray retire retire in approximation in approximation in approximation in approximation in approximation in account	which is writing white with, with the case of on white mainted in professor can printing or private has a printing or private has a printing or private has a private has been a private for whose white its a restriction.	Date of leaf expo or multiple states and for each state only or multiple co differences Made Terrain Delicores of part of part	script	nay and	7 7 7 20-Kyan		1

This document is provided by the U.S. Centers for Disease Control and Prevention (CDC) ONLY as an historical reference for the public health community. It is no longer being maintained and the data it contains may no longer be current and/or accurate. The CDC Healthy Water website is the most current source of information on safe water, waterborne diseases, best practices and all other water-related information. It should be consulted first at: http://www.cdc.gov/healthywater/

Persons with disabilities experiencing problems accessing this document should contact CDC-INFO at CDC-INFO@cdc.gov, 800-232-4636 or the TTY number at (888) 232-6348 and ask for a 508 Accommodation PR#9342. If emailing please type "508 Accommodation PR#9342" without quotes in the subject line of the email.

General

National Outbreak Reporting System Waterborne Disease Transmission



This form is used to report waterborne disease outbreaks. Pages 1-5 ask for the minimum or basic information about the outbreak investigation, epidemiological data, and clinical specimen and water test results. These are followed by sections specific to the type of water exposure. Only 1 of the 5 water exposure sections should be completed.

Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Project Clearance Officer, 1600 Clifton Road, MS D-24, Atlanta, GA, 30333, ATTN: PRA (0920-0004) <--DO NOT MAIL CASE REPORTS TO THIS ADDRESS

CDC USE ONLY	11 (0020 0001)	DO NOT WHILE ONCE HELD OF	THO TO THIS ABBITE	.00					
CDC ID	5	State ID					Form App OMB No. 09		
							OIVID NO. 03	120 0004	
General Section									
Primary Mode of Transmission (Check one	e)								
■ Food (Complete CDC 52.13) □ Water (Complete the tabs for General, Vab, Water Samples and the type of wa ■ Animal contact (Complete CDC 52.13)	Nater-Gene		 Person-to-person (Complete CDC 52.13) Environmental contamination other than food/water (Complete CDC 52.13) Other/Unknown (Complete CDC 52.13) 						
Investigation Methods (Check all that apply	/)								
☐ Interviews only of ill persons ☐ Case-control study ☐ Cohort study ☐ Food preparation review ☐ Water system assessment: Drinking wa ☐ Water system assessment: Nonpotable Comments			☐ Invest ☐ Invest ☐ Food	cigation at fac cigation at orig product or bo onment/food/v	tory/production		t		
Dates (mm/dd/yyyy)									
Date first case became ill (required)			Date last cas	e became ill _					
Date of initial exposure			Date of last e	exposure					
Date of report to CDC (other than this form,)								
Date of notification to State/Territory or Lo	cal/Tribal H	ealth Authorities							
Geographic Location									
Exposure state: Exposure occurred in multiple states Exposure occurred in a single state, b Other states: (For multistate exposure or multistate residence occurred in multiple countience occurred in multiple countience occurred in a single county, Other counties: City/Town/Place of exposure: (Do not	ut cases readency outbrooms es in exposures but cases in	eaks, enter the case co	or multiple st	ates					
Primary Cases		- p							
Number of primary cases			Sex (Number	or percent of the	e primary cases)				
Lab-confirmed primary cases		#	Male		.	#		%	
Probable primary cases		#	Female			#		%	
Estimated total primary cases		#	Unknown			#		%	
Primary case outcomes Died	# Cases	Total # of cases for whom info is available	nfo is Age (Number or percent of the primary cases)						
Hospitalized	#	#	<1 year	#	%	20–49 years 50–74 years	# #	% %	

(excluding ER visits)

Visited Emergency Room

Visited health care provider

#

5-9 years

10-19 years

#

#

%

%

≥ 75 years

Unknown

#

#

#

%

%

General											
Incubation Period,	Duration of Illn	ess. Sid	ans or Svr	nptoms	s for P	rimary Cases	s Only				
Incubation Period (Selec						on of Illness (Am		ered cases	s-select appl	ropriate	e units)
Shortest			Min, Hours,	Davs	Shorte						lours, Days
Median			Min, Hours,	-	Mediar	 1					lours, Days
Longest			Min, Hours,	-	Longes						lours, Days
Total # of cases for whom	info is available		,,	,-		of cases for whor	m info is a	<i>r</i> ailahle		, , ,	
☐ Unknown incubation p						nown duration of		ranabio			
Signs or Symptoms	Jeriou				LI OIIK	nown duration of	1111033				
Sign or symptom				# Case	s with s	igns or sympton	18	Total # c	ases for wh	nom in	fo available
Vomiting				" 0000		igno or oympton		iotai ii o	4000 101 111	10111 111	io availabio
Diarrhea											
Bloody stools											
Fever											
Abdominal cramps											
HUS		-									
1100					-						
Secondary Cases											
<u> </u>	emission (Chack all t	hat annly)			Numl	ber of secondary	, 02000				
Mode of secondary transmission (Check all that apply) □ Food						confirmed second		<u> </u>			#
□ Water)				
☐ Animal contact				Proba	able secondary c	ases				#	
☐ Person-to-person ☐ Environmental contamination other than food/water				Estim	nated total secon	dary cases	3			#	
☐ Other/Unknown	mation other than re	ou, water			Estimated total cases (Primary + Secondary)					#	
Other CDC System IDs (If applicable)										
NEARS ID: 1)		_ 2)			3)4)						
OHHABS ID: 1)		2)									
Traceback (For food and a											
☐ Please check if traceba		- Public W			<u>.</u>						
Source name	Source type (e.g. p	aultm , farm	tomata	Longtic	Location of source Tracebac			ck comm	nto		
(if publicly available)	processing plant, bott				01 50		Пассыа	CK CUIIIIII	51118		
				State		Country					
Recall											
☐ Please check if any foo	od or bottled water p	roduct wa	as recalled								
Type of item recalled	•										
Comments:											
Reporting Agency											
					E-ma	il:					
Agency name:					Phon	e #:					_
Contact name:						:					
Contact title:											
	iefly describe important						any advers	e outcomes	occurred		
in	special populations (e.	g., pregnai	nt women, imi	nunocomp	romised	persons)					

Water-Genera										
Water - General Section										
Type of Water Exposure (Check ONE box)										
☐ Treated recreational water (e.g., in man. ☐ Untreated recreational water (e.g., wate				-				ldie pools)		
☐ Drinking water in public or individual water pathway (i.e., not limited to in	ater system						,	er kiosk), rega	ardless of the	
□ Other water (e.g., cooling/industrial, was country streams)	nter reuse, ii	rrigation, occ	cupational, c	lecorative/di	isplay; includ	des water d	consumed fro	m sources su	ıch as back-	
\square Unknown water uses (i.e., the intended	purpose or	use of the v	vater is unkr	nown or the	water expos	ure catego	ory could not b	oe determined	d)	
Epidemiologic Data										
1. Estimated total number of persons with	primary wa	ter exposure	e:							
2. Were data collected from comparison groups to estimate risk?										
If NO or UNKNOWN , was water the common source shared by persons who were ill?				□ Yes			□ No	□ Unknown		
Exposure in epidemiologic investigation (e.g., pool, waterpark, hot spring, well water)	Total # exposed (A)	# ill exposed (B)	Total # not exposed	# ill not exposed	Attack rate (%) (B/A)	Odds ratio	Relative risk	p-Value (provide exact value)	95% confidence interval	
Attack rate for residents of reporting state	e:	%		Attack rat	e for non-re	esidents of	f reporting sta	 	%	
Geographic Location										
Percent of ill persons (primary cases) livin	g in reportir	ng state:		%						
Associated Events										
Was exposure associated with a specific e ^o □ Yes □ No □ L	vent or gath Jnknown	ering?								
If YES , what type of event or gathering was	s involved?									
If outbreak occurred during a defined even	t, dates of e	event:								
Start date: End date: _	(mm/dd									
Route of Entry										
☐ Ingestion ☐ Contact		□ Inh	nalation		□ Other (specify in I	remarks)		□ Unknown	

	V	later-Et	tiology & Lab						
Outbreak Etiolo	ogy (Report the confirme	d and/or s	suspected etiological age	ent(s) he	ere, even if no clinical s	pecimens were test	ed)		
Confirmed as etiology?	Genus/Chemical/Toxin	}	Species		Serotype/Serogroup/ Serovar	Genotype/ Subtype	Detected in* (list all that apply)	Total # tested primary cases	Total # positive primary cases
☐ Confirmed ☐ Suspected									
☐ Confirmed ☐ Suspected									
☐ Confirmed ☐ Suspected									
☐ Confirmed ☐ Suspected									
☐ Confirmed ☐ Suspected									
☐ Confirmed ☐ Suspected									
☐ Confirmed☐ Suspected									
☐ Confirmed☐ Suspected									
* 1-Clinical Specimer	ns, 2-Water Samples, 3-Clinical Sp	ecimens & \	Water Samples, 4-Other (describ	oe in the ge	neral remarks), 5-Unknown, 6	-None			
Outbreak Isolates (Links data about molecular characterization across multiple systems. For each pathogen, provide a representative for each distinct molecular designation)									
	stem contains this ? (e.g., PulseNet, CaliciNet)	CDC la (e.g., Pu	ab system outbreak # State la ulseNet tracking number) (i.e., Lab		ab ID b tracking number)	Molecular designation 1		Molecular designation 2	
Clinical Specir	nens								
	l diagnostic specimens to 3 , from how many perso		•	Yes	□ No	□ Unknown			
Specimen type	,† 		Specimen subtype§			Tested for ¹ (list all	that apply)		
				,					
Aspirate, 9-Saliva, 1 § Specimen Subtype:	† Specimen Type: 1- Autopsy Specimen (specify subtype), 2-Biopsy (specify subtype), 3-Blood, 4-Bronchial Alveolar Lavage (BAL), 5-Cerebrospinal Fluid (CSF), 6-Conjunctiva/Eye Swab, 7-Ear Swab, 8-Endotracheal Aspirate, 9-Saliva, 10-Serum, 11-Skin Swab, 12-Sputum, 13-Stool, 14-Urine, 15-Vomitus, 16-Wound Swab, 17-Other (describe in the general remarks), 18-Unknown § Specimen Subtype: 1-Bladder, 2-Brain, 3-Dura, 4-Hair, 5-Intestine, 6-Kidney, 7-Liver, 8-Lung, 9-Nails, 10-Skin, 11-Stomach, 12-Wound, 13-Other, 14-Unknown ¶ Tested for: 1-Bacteria, 2-Chemicals/Toxins, 3-Fungi, 4-Parasites, 5-Viruses, 6-Other (describe in general remarks), 7-Unknown								
Testing Informa	ation								
1. Test types (se	elect all test types used for cli	inical spec	imens)		2. Was Antimicrobial		ng (AST) per	rformed?	
☐ Chemical Tes	ting		gical/Immunological Tes	st	☐ Yes ☐ No ☐ If yes, where was				
☐ Culture ☐ DNA or RNA	Amplication/Detection		FIA, ELISA) e culture infectivity assay	,	☐ Clinical Lab ☐	☐ Public Health Lab	□ CDC-N	ARMS	
(e.g. PCR, RT-	PCR)		(specify in the general rema		If yes, were any ar	□ Unknown ntimicrobial resistan □ No □ Unknov		sociated with	the

		Water S	amples					
Water Sam or attached)	ples (Provide representative data)	a about water quality te	sting, chemical or patho	ogen testi	ing. Additional	sample	data can be des	scribed in the remarks
Was water	tested? \square Yes (specify in ta	<i>ble below)</i> □ No	□ Unknown					
Results								
Sample nu	mber	1	2	3		4		5
Source of s	cample ing pool, lake)							
Additional description (e.g., time of day, location of sample collection)								
Date (mm/d	ld/yyyy)							
Volume tes	sted, (number, unit)							
Temperatu	re (number, unit)							
number, unit	ree disinfectant level - (if total and combined disinfectant total - combined = free)							
number, unit	disinfectant level - (if total and free disinfectant total - free = combined)							
pH								
Turbidity (N	NTU)							
	ples - Water Quality Indicators	Might not be applicate	ble for treated recreation	nal water	samples)			
Sample number	Type (e.g., fecal coliforms)				tration (numer	rical	Unit	
							,	
Water Sam	ples - Microbiology or Chemic	al/Toxin Analysis (Pro	ovide both positive and	negative	test results)			
Sample number	Genus/Chemical/Toxin	Species	Serotype/Serogro Serovar		Genotype/S	ubtype	PFGE patt	ern
Sample number	Test results positive?	Concentration (numerical value)	Unit		Test type*		Test meth Environmental M gov)	Od (reference: National lethods Index: http://www.nemi.
	☐ Yes ☐ No							
	☐ Yes ☐ No							
	☐ Yes ☐ No							
	☐ Yes ☐ No							
	☐ Yes ☐ No							
	☐ Yes ☐ No							

^{*} Test type: 1-Culture, 2-DNA or RNA Amplification/Detection (e.g., PCR, RT-PCR), 3-Microscopy (e.g., fluorescent, EM), 4-Serological/Immunological Test (e.g., EIA, ELISA), 5-Phage Typing, 6-Chemical Testing, 7-Tissue Culture Infectivity Assay, 8-Other (describe in the general remarks), 9-Unknown

Dographianal Water	nec wa	ter-Treated							
Recreational Water - Treated Venue									
Implicated Water - Recre	ational Water Venue Description								
Venue number (use this number to link the venue with water treatment or fill water data below)	Water venue (e.g., spa/whirlpool/hot tub; pool-swimming pool; pool-waterpark)	Water venue subtype (select indoor, outdoor, or unknown)	Setting of exposure (e.g., club, requiring membership; hotel/motel/lodge/inn; waterpark)						
1									
2									
3									
4									
5									
Implicated Water - Wate	r Treatment Description								
Venue number (reference the appropriate Venue number from above)	USUAL water treatment provided at venue (e.g., no treatment; coagulation; disinfection; flocculation; filtration [pool]; unknown)	Venue treatment subtype (disinfection or pool filtration: e.g., UV; chlorine dioxide; bag filter; cartridge filter; unknown)	Chlorination subtype (chlorine disinfection only: e.g., gaseous; sodium hypochlorite; cyanurates/ stabilized chlorine)						
Implicated Water - Fill Ti	eatment Description								
Venue number (reference the appropriate Venue number from above)	Fill water type (e.g., public water supply; sea water; untreated ground or surface water; unknown)	If public water supply, USUAL water treatment provided before coming to the venue	If public water supply, fill water treatment subtype (disinfection or filtration: e.g., UV;						
		(e.g., no treatment; disinfection; filtration [treatment plant]; unknown)	chlorine dioxide; bag filter; cartridge filter; unknown)						
		(e.g., no treatment; disinfection; filtration							
		(e.g., no treatment; disinfection; filtration							
		(e.g., no treatment; disinfection; filtration							
		(e.g., no treatment; disinfection; filtration							
		(e.g., no treatment; disinfection; filtration							
		(e.g., no treatment; disinfection; filtration							
		(e.g., no treatment; disinfection; filtration							
		(e.g., no treatment; disinfection; filtration							
		(e.g., no treatment; disinfection; filtration							
		(e.g., no treatment; disinfection; filtration							
Recreational Water Qual	ity	(e.g., no treatment; disinfection; filtration							
Did the venue meet state If NO , explain:		Yes \Box No							

	Rec water-freated							
Factors	Contributing to Recreational Water Contamination and/or Increased Exposure in Treated Venues							
Contrib	uting factors (Check all that apply)*	Documented/ Observed†	Suspected [†]					
	Exceeded maximum bather load							
	Primary intended use of water is by diaper/toddler-aged children (e.g., kiddie pool)							
<u>a</u>	Heavy use by child care center groups							
People	Fecal/vomitus accident							
Pe	Patrons continued to swim when ill with diarrhea							
	Operator error							
	Intentional contamination (explain in remarks)							
	Combined pool filtration/recirculation systems led to cross-contamination							
	Hygiene facilities (e.g., toilets, diaper changing facilities) inadequate or distant							
ig it	Some spray feature water bypasses filtration/treatment system and returns to feature unfiltered/untreated							
Facility Design	No supplemental disinfection installed that would have inactivated pathogen (e.g., Cryptosporidium)							
	Water temperature ≥30°C (≥86°F)							
	Cross-connection with wastewater or non-potable water							
	Disinfectant control system malfunctioning, inadequate, or lacking (e.g., hand feed chemicals)							
	Incorrect settings on disinfectant control system							
	pH control system malfunctioning, inadequate, or lacking (e.g., hand feed chemicals)							
	Incorrect settings on pH control system							
	Filtration system malfunctioning or inadequate (e.g., low flow rate)							
	Supplemental disinfection system malfunctioning or inadequate (e.g., ultraviolet light, ozone)							
	Insufficient system checks so breakdown detection delayed							
ce	No preventive equipment maintenance programs to reduce breakdowns							
Maintenance	Ventilation insufficient for indoor aquatic facilities							
nte	Chemical handling error (e.g., chemical hookup, improper mixing or application)							
/ai	Maintenance chemicals not flushed from system before opening to swimmers							
_	Recirculation pump off or restarted with swimmers in water							
	Low or zero water flow combined with continuous feed of chemicals resulted in excess chemicals in water							
	Extensive slime/biofilm formation							
	Recent construction							
	Cyanurate level excessive							
	Lack of draining/cleaning							
	Stagnant water in spa piping was aerosolized							
	No aquatics operators on payroll who have completed state/local training							
ent	Untrained/inadequately trained staff on duty							
	Remote monitoring system replaces on-site water quality testing							
age	Unclear communication chain for reporting problems							
lan lan	Inadequate water quality monitoring (e.g., inadequate test kit, inadequate testing frequency)							
≥ 5	Employee illness policies absent or not enforced							
an	No or inadequate policies on good chemical handling and storage practices							
Policy and Managem	No operator on duty at the time of incident							
Pol	Facility falls outside aquatic health code							
	No shock/hyperchlorination policy							
	Other, specify:							
	Unknown							
† "Docume	ck off what was found during investigation. ented/Observed" refers to information gathered through document reviews, direct observations, and/or interviews. "Suspected" refers to factors that proba ed previously) is available.	ably occurred but for whic	h no documentation					
Remark								

Rec Water-Untreated									
Recre	ational Water - Untreated \	Venue							
	ted Water - Recreational Water Vo								
Water v		IF SPRING OR HOT SPRING, W	ator vonuo cuhtuno	Setting of exp	100UF0				
	nal; lake; river/stream; ocean)	(select indoor, outdoor or unknown)	ater venue suntype	(e.g., beach-pub	olic; camp/cabin/recre	ational area)			
(0.9., 00		(concernace), caracer or animownly		(o.g., zodon paz		unonar aroa)			
	tional Water Quality		T						
Did the	venue meet state or local recreation	nal water quality regulations?	Did the venue meet Enviro	nmental Protec	tion Agency (EPA)	recreational			
☐ Yes	□ No □ Unknown	□ Not applicable	water quality standards?		□ Nata	a Para la La			
			☐ Yes ☐ No			рисаріе			
It NO , e	xplain:		If NO, explain:						
Factors	Contributing to Recreational Wat	er Contamination and/or Increas	ed Exposure in Untreated Vo	enues					
Contrib	uting factors (Check all that apply)*				Documented/	Suspected [†]			
001111111	ating ractors (check all that apply)				Observed [†]	Сиоростои			
	Exceeded maximum bather load								
	Primary intended use of water is by	diaper/toddler-aged children (e.g.,	kiddie pool)	-					
<u>e</u>	Heavy use by child care center grou								
People	Fecal/vomitus accident								
_	Patrons continued to swim when ill								
	Staff error Intentional contamination (explain in								
- G	Hygiene facilities (e.g., toilets, diaper		tant						
Areign	Malfunctioning or inadequate on-sit		tunt						
Swim Area Design	Poor siting/design of on-site waster								
NS I									
	Heavy rainfall and runoff								
	Sanitary sewer overflow (SSO) imp								
	Combined sewer overflow (CSO) im Domestic animal contamination (e.g.								
	Wildlife contamination - Birds	g., IIVestock, pets)							
	Wildlife contamination - Mammals								
	Wildlife contamination - Fish kill								
ality	Wastewater treatment plant effluent	t flows past swim area							
Jua	Wastewater treatment plant malfun	ctions							
Water Qu	Sewer line break§ Nearby biosolid/land application sit	A (a a human or animal wasta annlica	tion)						
Nat	Contamination from agricultural che								
	Contamination from chemical pollu								
	Water temperature ≥30°C (≥86°F)								
	Seasonal variation in water quality								
	Inappropriate dumping of sewage in	nto water body (e.g., from boat, RV)							
	Algal bloom Dumping of ballast water								
	Tidal wash (i.e., tide exchange or influence	ence by inland water)							
_ =	No or inadequate monitoring of wat								
Policy and Management	No managers have completed state,								
icy	Untrained/inadequately trained staff								
Poli	Unclear communication chain for re								
_ =	Employee illness policies absent or	not enforced							
	Other, specify: Unknown								
* Only che	ck off what was found during investigation.								
	ented/Observed" refers to information gathered t	hrough document reviews, direct observations	s, and/or interviews. "Suspected" refers	to factors that probal	bly occurred but for whic	h no documentation			
	ed previously) is available.	party/vanue/actting where the people were ev	accord. The courage may have eccurred a	t a diatant aita hut at	ill offeeted the property/y	onuo/oottina in			
question.	ase of sewage does not have to occur at the prop	orry, venue/serung where the people were ex	oosea. The sewaye may have occurred a	ı a uısıdılı sile Dül SI	m aneoted the property/V	enac/setuny III			
	wastewater treatment system" refers to a system								
,	or other advanced on-site systems). However, co nants from malfunctioning systems or poor siting	,	ns can sun occur on the property where	и еаннепт апа аіѕроя	sai takes piace due to mi	gration of			
Remark									

e

Drinking Water	Drinking Water									
Implicated Water - Drink	ing Water Syste	m Description								
Water system* (e.g., commercially-bottled water, community water system, individual water system)	Public water system EPA ID number [†]	Water source (select ground water, surface water or unknown)	Water source description (e.g. spring; well; lake)	Setting of exposure (e.g., airport, mobile home park)	USUAL water treatment provided (e.g.,no treatment, disinfection, home filtration)	Water treatment subtype (disinfection or filtration: e.g., boiling; chlorine; rapid sand filter; reserve osmosis)				
* Water system definitions: Commu- water system serves year-round be nontransient or transient. Non to places in which persons do no' < 15 connections or serve < 25 p † Number used for EPA reporting th (SDWIS) online at https://ofmpub.	residents of a communi transient systems serve t remain for long period persons. nat uniquely identifies th	ity, subdivision, or mobile home e ≥ 25 of the same persons for > ls (e.g., restaurants, highway res ne public water system within a	park. A noncommunity water 6 months of the year but not t stations, and parks). Individ	system serves an institutior i year-round (e.g., factories a ual water systems are smal	i, industry, camp, park, hotel, or and schools), whereas transient I systems not owned or operate	r business and can t systems provide water ed by a water utility that have				
Did the drinking water sy		onitoring violations in t □ Not applicable	he 1 month prior to t	the outbreak?						
	□ Unknown	aximum contaminant le	, ,	in the 1 month prio	r to the outbreak?					
	□ Unknown	olations in the 12 mont □ Not applicable	·	eak?§						
§ Sources of information about pas	et violations can be obta	ined from utility records, consur	ner confidence reports (wate	r quality reports), or violation	n records from state or local he	alth departments				

Drinkin	g Water									
Factors Contributing to Drinking Water Contamination and/or Increased Exposure to Contamination Drinking										
	1. Did a problem with the source water (i.e., ground water or surface water) contribute to the disease or outbreak? ☐ Yes (specify in the table below) ☐ No ☐ Unknown									
Source water contributing factors (Check all that apply)*	Documented/ Observed†	Suspected [†]								
Sanitary sewer overflow (SSO) [§]										
Combined sewer overflow (CSO)§										
Malfunctioning on-site wastewater treatment system ^{§¶}										
Sewage treatment plant malfunction [§] Sewer line break [§]										
Poor siting/design of on-site wastewater treatment system ^{§¶}										
Nearby biosolid/land application site (e.g., human or animal waste application)										
Contamination from agricultural chemical application (e.g., fertilizer, pesticides)										
Contamination from chemical pollution not related to agricultural application										
Contamination by a chemical that the current treatment methods were not designed to remove										
Domestic animal contamination (e.g., livestock, concentrated feeding operations, pets) Wildlife contamination - Birds										
Wildlife contamination - Mammals										
Wildlife contamination - Fish kill										
Flooding/heavy rains										
Algal bloom										
Seasonal variation in water quality (e.g., lake/reservoir turnover events, resort community with seasonal loading) Low water table (e.g., drought, over-pumping)										
Ground water under direct influence of surface water (e.g., shallow well)**										
Contamination through limestone or fissured rock (e.g., shahow well)										
Contaminated recharge water										
Use of an alternate source of water by a water utility										
Mixing of raw water from different sources										
Improper construction or location of a well or spring Water system intake failure (e.g., cracked well casing, cracked intake pipe)										
Intentional contamination (explain in remarks)										
Other, specify:										
Unknown										
2. Did a problem with the water treatment prior to entry into a house or building contribute to the disease or C Yes (specify in the table below) No Unknown										
Treatment contributing factors (Check all that apply)*	Documented/ Observed†	Suspected [†]								
Change in treatment process (specify in remarks)										
No disinfection Temporary interruption of disinfection										
Chronically inadequate disinfection										
No filtration										
Inadequate filtration										
Deficiencies in other treatment processes										
Corrosion in or leaching from pipes or storage tanks										
Pipe/component failure or break (e.g., pipes, tanks, valves) Contamination during construction or repair of pipes/components										
Construction or repair of pipes/components without evidence of contamination										
Operator error										
Other, specify:										
Unknown										
* Only check off what was found during investigation. † "Documented/Observed" refers to information gathered through document reviews, direct observations, and/or interviews. "Suspected" refers to fact (as defined previously) is available. § The release of sewage does not have to occur on the property in which persons have become ill. The sewage release may have occurred at a distant in "On-site wastewater treatment system" refers to a system designed to treat and dispose of wastewater at the point of generation, generally on the property systems or other advanced on-site systems). However, contamination that originates from these systems can still occur off the property where treatment contaminants from malfunctioning systems or poor siting and design. ** Any water beneath the surface of the ground with substantial occurrence of insects or other macroorganisms, algae, or large-diameter pathogens (e.g. and relatively rapid shifts in water characteristics (e.g., turbidity, temperature, conductivity, or pH) that closely correlate with climatologic or surface we	site but still affected the property operty where the wastewater is g ent and disposal takes place due g., Giardia intestinalis or Cryptosp	in question. generated (e.g., septic to migration of oridium), or substantial								

Drinkin	g Water							
3. Did a problem with the distribution system contribute to the disease or outbreak? (NOTE: For a community water system, the distribution system refers to the pipes and storage infrastructure under the jurisdiction of the water utility prior to the water meter (or property line if the system is not metered). For noncommunity and nonpublic water systems, the distribution system refers to the pipes and storage infrastructure prior to entry into a building or house) Yes (specify in the table below) No Unknown								
Distribution and storage contributing factors (Check all that apply)*	Documented/ Observed†	Suspected [†]						
Cross-connection of potable and nonpotable water pipes resulting in backflow								
Low pressure or change in water pressure in the distribution system								
Change in water flow direction in the distribution system								
Mixing of treated water from different sources Pipe/component failure or break (e.g., pipes, tanks, valves)								
Corrosion in or leaching from pipes or storage tanks								
Contamination of mains during construction or repair								
Construction or repair of mains without evidence of contamination								
Scheduled flushing of the distribution system								
Contamination of storage facility								
Aging water distribution components (e.g., pipes, tanks, valves)								
Water temperature ≥30°C (≥86°F)								
Intentional contamination (specify in remarks) Other, specify:								
Unknown								
4. Did a problem occur after the water meter or outside the jurisdiction of a water utility that contributed to the (e.g., in a service line leading to a house/building, in the plumbing inside a house/building, during shipping/hauling, during storage of use, involving commercially-bottled water) Yes (specify in the table below) No Unknown Factors not under the jurisdiction of a water utility or contributing factors at the point of use		suspected						
(Check all that apply)*	Observed [†]							
Legionella species in water system Cross connection of patchla and papaciable water pipes resulting in heal-flow								
Cross-connection of potable and nonpotable water pipes resulting in backflow Lack of backflow prevention in plumbing								
Low pressure or change in water pressure in the plumbing								
Change in water flow direction in the plumbing								
Corrosion in or leaching from pipes or storage tanks	_							
Pipe/component failure or break (e.g., pipes, tanks, valves)								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves)								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination Deficiency in building/home-specific water treatment after the water meter or property line								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination Deficiency in building/home-specific water treatment after the water meter or property line Deficiency or contamination of equipment/devices using or distributing water Contamination during commercial bottling Contamination during shipping, hauling, or storage								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination Deficiency in building/home-specific water treatment after the water meter or property line Deficiency or contamination of equipment/devices using or distributing water Contamination during commercial bottling Contamination during shipping, hauling, or storage Contamination at point of use — Tap								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination Deficiency in building/home-specific water treatment after the water meter or property line Deficiency or contamination of equipment/devices using or distributing water Contamination during commercial bottling Contamination during shipping, hauling, or storage Contamination at point of use — Tap Contamination at point of use — Hose								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination Deficiency in building/home-specific water treatment after the water meter or property line Deficiency or contamination of equipment/devices using or distributing water Contamination during commercial bottling Contamination during shipping, hauling, or storage Contamination at point of use — Tap Contamination at point of use — Hose Contamination at point of use — Commercially-bottled water								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination Deficiency in building/home-specific water treatment after the water meter or property line Deficiency or contamination of equipment/devices using or distributing water Contamination during commercial bottling Contamination during shipping, hauling, or storage Contamination at point of use — Tap Contamination at point of use — Hose Contamination at point of use — Commercially-bottled water Contamination at point of use — Container, bottle, or pitcher								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination Deficiency in building/home-specific water treatment after the water meter or property line Deficiency or contamination of equipment/devices using or distributing water Contamination during commercial bottling Contamination during shipping, hauling, or storage Contamination at point of use — Tap Contamination at point of use — Hose Contamination at point of use — Commercially-bottled water Contamination at point of use — Container, bottle, or pitcher Contamination at point of use — Unknown								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination Deficiency in building/home-specific water treatment after the water meter or property line Deficiency or contamination of equipment/devices using or distributing water Contamination during commercial bottling Contamination during shipping, hauling, or storage Contamination at point of use − Tap Contamination at point of use − Hose Contamination at point of use − Commercially-bottled water Contamination at point of use − Container, bottle, or pitcher Contamination at point of use − Unknown Water temperature ≥30°C (≥86°F) Intentional contamination (specify in remarks)								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination Deficiency in building/home-specific water treatment after the water meter or property line Deficiency or contamination of equipment/devices using or distributing water Contamination during commercial bottling Contamination during shipping, hauling, or storage Contamination at point of use − Tap Contamination at point of use − Hose Contamination at point of use − Commercially-bottled water Contamination at point of use − Container, bottle, or pitcher Contamination at point of use − Unknown Water temperature ≥30°C (≥86°F) Intentional contamination (specify in remarks) Other, specify:								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination Deficiency in building/home-specific water treatment after the water meter or property line Deficiency or contamination of equipment/devices using or distributing water Contamination during commercial bottling Contamination during shipping, hauling, or storage Contamination at point of use − Tap Contamination at point of use − Hose Contamination at point of use − Commercially-bottled water Contamination at point of use − Container, bottle, or pitcher Contamination at point of use − Unknown Water temperature ≥30°C (≥86°F) Intentional contamination (specify in remarks) Other, specify: Unknown								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination Deficiency in building/home-specific water treatment after the water meter or property line Deficiency or contamination of equipment/devices using or distributing water Contamination during commercial bottling Contamination during shipping, hauling, or storage Contamination at point of use − Tap Contamination at point of use − Hose Contamination at point of use − Commercially-bottled water Contamination at point of use − Container, bottle, or pitcher Contamination at point of use − Unknown Water temperature ≥30°C (≥86°F) Intentional contamination (specify in remarks) Other, specify:								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination Deficiency in building/home-specific water treatment after the water meter or property line Deficiency or contamination of equipment/devices using or distributing water Contamination during commercial bottling Contamination during shipping, hauling, or storage Contamination at point of use − Tap Contamination at point of use − Hose Contamination at point of use − Commercially-bottled water Contamination at point of use − Container, bottle, or pitcher Contamination at point of use − Unknown Water temperature ≥30°C (≥86°F) Intentional contamination (specify in remarks) Other, specify: Unknown * Only check off what was found during investigation. † "Documented/Observed" refers to information gathered through document reviews, direct observations, and/or interviews. "Suspected" refers to fact (as defined previously) is available.								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination Deficiency in building/home-specific water treatment after the water meter or property line Deficiency or contamination of equipment/devices using or distributing water Contamination during commercial bottling Contamination during shipping, hauling, or storage Contamination at point of use − Tap Contamination at point of use − Hose Contamination at point of use − Commercially-bottled water Contamination at point of use − Container, bottle, or pitcher Contamination at point of use − Unknown Water temperature ≥30°C (≥86°F) Intentional contamination (specify in remarks) Other, specify: Unknown * Only check off what was found during investigation. † "Documented/Observed" refers to information gathered through document reviews, direct observations, and/or interviews. "Suspected" refers to fact								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination Deficiency in building/home-specific water treatment after the water meter or property line Deficiency or contamination of equipment/devices using or distributing water Contamination during commercial bottling Contamination during shipping, hauling, or storage Contamination at point of use − Tap Contamination at point of use − Hose Contamination at point of use − Commercially-bottled water Contamination at point of use − Container, bottle, or pitcher Contamination at point of use − Unknown Water temperature ≥30°C (≥86°F) Intentional contamination (specify in remarks) Other, specify: Unknown * Only check off what was found during investigation. † "Documented/Observed" refers to information gathered through document reviews, direct observations, and/or interviews. "Suspected" refers to fact (as defined previously) is available.								
Pipe/component failure or break (e.g., pipes, tanks, valves) Aging plumbing components (e.g., pipes, tanks, valves) Contamination of plumbing during construction or repair Construction or repair of plumbing without evidence of contamination Deficiency in building/home-specific water treatment after the water meter or property line Deficiency or contamination of equipment/devices using or distributing water Contamination during commercial bottling Contamination during shipping, hauling, or storage Contamination at point of use − Tap Contamination at point of use − Hose Contamination at point of use − Commercially-bottled water Contamination at point of use − Container, bottle, or pitcher Contamination at point of use − Unknown Water temperature ≥30°C (≥86°F) Intentional contamination (specify in remarks) Other, specify: Unknown * Only check off what was found during investigation. † "Documented/Observed" refers to information gathered through document reviews, direct observations, and/or interviews. "Suspected" refers to fact (as defined previously) is available.								

Other or Unknown Water

					Callette			
Other or	r Unknown Water							
Intent for Use								
☐ Cooling ☐ Mister ☐ Orname not design	g/Air Conditioning (e.g., co (e.g., produce in grocery stor	e, public cooling system) interactive fountain intended for public display a tional use)	☐ Agricultural Irrigation ☐ Waste water and ☐ Other (specify): ☐ Unknown					
Implicator	d Water Weter Decerin	tion						
IIIIpiicate	d Water - Water Descrip							
Water type (e.g., cooling tower; drainage ditch; fountain - ornamental)		Setting of exposure (e.g, airport; hospital/health care facility; nursing home; park-state park)	Usual water treatment provided (e.g., no treatment; disinfection; settling/ sedimentation)	Water treatment subtype (disinfection or filtration: e.g., boiling; chlorine; rapid sand filter; reverse osmosis)				
Footows C.	antributing to Contamina	tion and/ar Ingressed Evacuus to Can	tominated Water					
Factors C	ontributing to Containing	ation and/or Increased Exposure to Con	taminateu water			ı		
Contributing factors (Check all that apply)*					Documented/ Observed†	Suspected [†]		
	Shutdown for >3 days	without draining to waste						
	Lack of a maintenance							
	Lack of a qualified wat							
-	Presence of scale or c							
us(nic matter, or other debris in the cold wa	tor hooin					
er/ dei			tei basiii					
on o	Absence of drift elimin							
Cooling tower/ Evaporative condenser	Presence of damaged							
	History of recent repai		<u> </u>					
00	Siting of device near building air intakes							
o od	Siting of device near w	ng of device near windows that can be opened						
Ĕ	Siting of device in immediate area of kitchen exhaust fans, live plants, truck bays, or other sources of organic matter							
Construction on the premises of the device within 6 months before the index case Construction within 100 meters of the premises of the device within 6 months before the index case Intended as an ornamental fountain but utilized as an interactive fountain								
ta (Inadequate disinfection							
nental tain	Inadequate filtration fo							
Ornam fount	Presence of submerge							
[Lack of a written clean	ning and maintenance program						
	Presence of dirt organ	nic matter, or other debris in the water ba	asin					
Broken/da	maged sewer pipe	ino mattor, or other debrie in the water be						
Recycling								
	perature ≥30°C (≥86°F)							
Other, spe								
Unknown	orry.							
* Only check of	off what was found during investiged/Observed" refers to information	ation. gathered through document reviews, direct observation	s, and/or interviews. "Suspected" refers to factors t	hat probal				
(as defined	previously) is available.							
Remarks								