
Figure 1.1 – Part 1 of 2

Number of reported cases* of hepatitis A virus infection and estimated infections† United States, 2013–2020



Source: CDC, National Notifiable Diseases Surveillance System.

Reference: Klevens RM, Liu, S, Roberts H, et al. Estimating acute viral hepatitis infections from nationally reported cases. Am J Public Health 2014; 104:482. PMC3953761.

Centers for Disease Control and Prevention. Viral Hepatitis Surveillance Report – United States, 2020. https://www.cdc.gov/hepatitis/statistics/2020surveillance/index.htm. Published September 2022.



^{*}Reported confirmed cases. For the case definition, see https://ndc.services.cdc.gov/conditions/hepatitis-a-acute/.

[†] The number of estimated viral hepatitis infections was determined by multiplying the number of reported cases that met the classification criteria for a confirmed case by a factor that adjusted for underascertainment and underreporting. The 95% bootstrap confidence intervals for the estimated number of infections are displayed in the Appendix.

Figure 1.1 – Part 2 of 2

Number of reported cases* of hepatitis A virus infection and estimated infections† United States, 2013–2020

Hepatitis A	2013	2014	2015	2016	2017	2018	2019	2020
Reported cases*	1,781	1,239	1,390	2,007	3,366	12,474	18,846	9,952
Estimated infections [†]	3,600	2,500	2,800	4,000	6,700	24,900	37,700	19,900

Source: CDC, National Notifiable Diseases Surveillance System.

Reference: Klevens RM, Liu, S, Roberts H, et al. Estimating acute viral hepatitis infections from nationally reported cases. Am J Public Health 2014; 104:482. PMC3953761.

Centers for Disease Control and Prevention. Viral Hepatitis Surveillance Report – United States, 2020. https://www.cdc.gov/hepatitis/statistics/2020surveillance/index.htm. Published September 2022.



^{*}Reported confirmed cases. For the case definition, see https://ndc.services.cdc.gov/conditions/hepatitis-a-acute/.

[†] The number of estimated viral hepatitis infections was determined by multiplying the number of reported cases that met the classification criteria for a confirmed case by a factor that adjusted for underascertainment and underreporting. The 95% bootstrap confidence intervals for the estimated number of infections are displayed in the Appendix.