


AIDS Cases in Racial/Ethnic Minorities* by Year, 1985–2002, United States




Note. Adjusted for reporting delays.

* Includes Black, Hispanic, Asian/Pacific Islander, and American Indian/Alaska Native persons with AIDS.



Proportion of AIDS Cases, by Race/Ethnicity and Year of Diagnosis, 1985–2002—United States



Note. Adjusted for reporting delays.



AIDS in Blacks

Of the 859,000 AIDS cases reported to CDC through 2002, blacks accounted for

39% of total

59% of women

57% of heterosexuals

59% of children

Of AIDS cases reported in 2002, 49% were among black adults and adolescents.

AIDS in Hispanics

Of the 859,000 AIDS cases reported to CDC through 2002, Hispanics accounted for

- 18% of total
- 19% of women
- 22% of heterosexuals
- 23% of children

Of AIDS cases reported in 2002, 19% were among Hispanic adults and adolescents.

AIDS Cases among Adults and Adolescents, by Exposure Category and Race/Ethnicity, Cumulative through 2002 United States

Exposure category	White not Hispanic		Black not Hispanic		Hispanic	
	Number	%	Number	%	Number	%
Male-to-male sexual contact	251,275	69	103,003	30	60,300	37
Injection drug use (IDU)	47,760	13	130,085	38	60,831	38
Male-to-male sexual contact and IDU	29,041	8	20,418	6	9,555	6
Heterosexual contact	24,436	7	80,971	24	28,630	18
Other/not identified*	10,341	3	7,539	2	2,513	2
Total	362,852		342,015		161,829	

Note. Data adjusted for reporting delays and estimated proportional redistribution of cases initially reported without risk..

* Includes hemophilia, blood transfusion, perinatal, and risk unknown.



AIDS Cases among Adults and Adolescents, by Exposure Category and Race/Ethnicity, Cumulative through 2002 United States


Exposure category	Asian/Pacific Islander		American Indian/ Alaska Native	
	Number	%	Number	%
Male-to-male sexual contact	4,444	65	1,338	47
Injection drug use (IDU)	725	11	649	23
Male-to-male sexual contact and IDU	266	4	404	14
Heterosexual contact	1,055	15	375	13
Other/not identified*	374	5	77	3
Total	6,864		2,844	

Note. Data adjusted for reporting delays and estimated proportional redistribution of cases initially reported without risk.

* Includes hemophilia, blood transfusion, perinatal, and risk unknown.




Proportion of AIDS Cases and Population, by Race/Ethnicity 2002—United States



Note. Excludes persons from US dependencies, possessions, and associated nations.
 * Includes 44 persons of unknown race or multiple races.


Percent Distribution of AIDS Cases in Male Adults and Adolescents, by Exposure Category and Race/Ethnicity Cumulative through 2002, United States



Note. Data adjusted for reporting delays and estimated proportional redistribution of cases initially reported without risk.

* Includes hemophilia, blood transfusion, perinatal, and risk unknown.

Percent Distribution of AIDS Cases in Female Adults and Adolescents, by Exposure Category and Race/Ethnicity Cumulative through 2002, United States




Note. Data adjusted for reporting delays and estimated proportional redistribution of cases initially reported without risk.

* Includes sex with a bisexual male, a person with hemophilia, an HIV-infected transfusion recipient, or an HIV-infected person whose risk is not specified.

** Includes hemophilia, blood transfusion, perinatal, and risk unknown.

AIDS Cases in Adults and Adolescents, by Sex and Race/Ethnicity, Reported in 2002, United States



*Includes persons of unknown race.