


AIDS in 13- to 19 -Year-Olds, by Sex and Year of Report, through 2002, United States


N=4,785



Note. Data based on person's age at diagnosis.


AIDS in 20- to 24 -Year-Olds, by Sex and Year of Report, through 2002, United States

N=29,945




Note. Data based on person's age at diagnosis.

Proportion of AIDS Cases among Adults and Adolescents, by Sex and Age Group, Reported in 2002—United States



Note. Data based on person's age at diagnosis.

Proportion of Cases of HIV Infection* (not AIDS) among Adults and Adolescents, by Sex and Age Group Reported in 2002, United States



Note. Data based on person's age at diagnosis.

* From the areas with confidential name-based HIV case surveillance for adults and adolescents in 2002

Estimated AIDS Cases among Male Adolescents and Young Adults by Exposure Category, Diagnosed through 2002, United States

Exposure category	13-19 years		20-24 years	
	N	%	N	%
Male-to-male sexual contact	1,202	41	14,112	64
Injection drug use (IDU)	280	10	2,957	14
Male-to-male sexual contact and IDU	164	6	2,338	11
Hemophilia	773	27	704	3
Heterosexual contact	222	8	1,535	7
Transfusion recipient	110	4	130	<1
Other/not identified*	163	6	107	<1
Total	2,914	100	21,883	100

Note. Data adjusted for reporting delays and estimated proportional redistribution of cases initially reported without risk.

* Includes blood transfusion, perinatal, and risk not reported or not identified.


Estimated AIDS Cases among Female Adolescents and Young Adults by Exposure Category, Diagnosed through 2002, United States

Exposure Category	13-19 years		20-24 years	
	N	%	N	%
Injection drug use	412	19	2,679	29
Heterosexual contact	1,443	66	6,358	68
Other/not Identified*	339	15	271	3
Total	2,194	100	9,308	100


Note. Data adjusted for reporting delays and estimated proportional redistribution of cases initially reported without risk.

* Includes blood transfusion, perinatal, and risk not reported or not identified.


Proportion of AIDS Cases Reported among 13- to 19- Year-olds, by Race/Ethnicity, United States



AIDS Cases 2002
N=270



AIDS Cases 1981-2002
N=4,528



U. S. Population 13-19
N 29 Million

White not Hispanic


Black not Hispanic

Hispanic

Asian/Pacific Islander and American Indian/Alaska Native

Note. Data based on person's age as of December 31, 2002.
Excludes persons from US dependencies, possessions, and associated nations.

HIV Infection* (not AIDS) and AIDS in 13-19 Years Olds, Reported in 2002




Note. Data based on person's age at diagnosis.

* For areas with confidential name-based HIV infection surveillance. Includes 16 persons who were residents of areas without HIV infection surveillance but who were reported by areas with HIV infection surveillance and 5 persons with an unknown state of residence.



Adolescents 13-19 Years of Age Living with HIV Infection (not AIDS)* or with AIDS, Reported through 2002



* For areas with confidential name-based HIV infection surveillance. Includes 17 residents of areas without HIV infection surveillance but who were reported by areas with HIV infection surveillance.

**Totals include cases missing state of residence data. Data based on age as of December 31, 2002.