

Table 25. Estimated adult/adolescent AIDS incidence, by region of residence and year of diagnosis, 1996–2001, United States¹

Region of residence ²	Year					
	1996	1997	1998	1999	2000	2001
Northeast	18,474	14,585	11,755	11,884	12,256	11,336
Midwest	5,973	4,784	3,966	3,911	3,940	4,011
South	23,620	20,058	18,318	17,233	16,844	18,364
West	10,685	8,479	7,316	6,815	6,451	6,199
U.S. dependencies, possessions, and associated nations	2,053	1,740	1,477	1,323	1,274	1,401
Total³	60,805	49,646	42,832	41,165	40,766	41,311

¹These numbers do not represent actual cases among persons with AIDS diagnosed. Rather, these numbers are point estimates of cases diagnosed adjusted for reporting delays, but not for incomplete reporting. See Technical Notes.

²See Technical Notes for a list of states or U.S. dependencies, possessions, and associated nations which make up each region of residence.

³Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 26. Estimated adult/adolescent AIDS incidence, by race/ethnicity and year of diagnosis, 1996–2001, United States¹

Race/ethnicity	Year					
	1996	1997	1998	1999	2000	2001
White, not Hispanic	21,498	16,038	13,436	12,578	11,994	11,676
Black, not Hispanic	26,610	23,151	20,500	19,909	20,123	20,753
Hispanic	11,920	9,864	8,362	8,103	8,053	8,220
Asian/Pacific Islander	530	377	350	378	378	437
American Indian/Alaska Native	212	182	154	163	188	184
Unknown	35	34	30	35	30	43
Total²	60,805	49,646	42,832	41,165	40,766	41,311

¹These numbers do not represent actual cases among persons with AIDS diagnosed. Rather, these numbers are point estimates of cases diagnosed adjusted for reporting delays, but not for incomplete reporting. See Technical Notes.

²Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.