

Table 18. Reported cases of HIV infection (not AIDS), by age category, transmission category, and sex, cumulative through 2003—41 areas with confidential name-based HIV infection reporting

Transmission category	Males				Females				Total			
	2003		Cumulative through 2003 ^a		2003		Cumulative through 2003 ^a		2003		Cumulative through 2003 ^a	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Adult or adolescent												
Male-to-male sexual contact	10,466	46	72,745	48	—	—	—	—	10,466	32	72,745	34
Injection drug use	2,551	11	19,652	13	1,355	14	11,480	18	3,906	12	31,133	14
Male-to-male sexual contact and injection drug use	732	3	8,623	6	—	—	—	—	732	2	8,623	4
Hemophilia/coagulation disorder	48	0	520	0	12	0	64	0	60	0	584	0
Heterosexual contact	2,009	9	12,669	8	4,036	40	28,483	45	6,045	18	41,152	19
<i>Sex with injection drug user</i>	307	1	2,272	1	628	6	5,901	9	935	3	8,173	4
<i>Sex with bisexual male</i>					193	2	1,757	3	193	1	1,757	1
<i>Sex with person with hemophilia</i>	6	0	25	0	12	0	174	0	18	0	199	0
<i>Sex with HIV-infected transfusion recipient</i>	15	0	116	0	14	0	175	0	29	0	291	0
<i>Sex with HIV-infected person, risk factor not specified</i>	1,681	7	10,256	7	3,189	32	20,476	32	4,870	15	30,732	14
Receipt of blood transfusion, blood components, or tissue	26	0	477	0	61	1	539	1	87	0	1,016	0
Other/risk factor not reported or identified	7,003	31	38,053	25	4,543	45	23,174	36	11,546	35	61,233	28
Subtotal	22,835	100	152,739	100	10,007	100	63,740	100	32,842	100	216,486	100
Child (<13 yrs at diagnosis)												
Hemophilia/coagulation disorder	5	2	107	5	0	0	1	0	5	1	108	2
Mother with the following risk factor for, or documented, HIV infection:	170	74	1,898	83	152	66	2,000	87	322	70	3,898	85
<i>Injection drug use</i>	19	8	516	23	23	10	518	23	42	9	1,034	23
<i>Sex with injection drug user</i>	14	6	197	9	8	3	196	9	22	5	393	9
<i>Sex with bisexual male</i>	3	1	26	1	2	1	18	1	5	1	44	1
<i>Sex with person with hemophilia</i>	0	0	2	0	0	0	7	0	0	0	9	0
<i>Sex with HIV-infected transfusion recipient</i>	0	0	6	0	0	0	5	0	0	0	11	0
<i>Sex with HIV-infected person, risk factor not specified</i>	58	25	422	19	34	15	483	21	92	20	905	20
<i>Receipt of blood transfusion, blood components, or tissue</i>	1	0	17	1	1	0	16	1	2	0	33	1
<i>Has HIV infection, risk factor not specified</i>	75	33	712	31	84	37	757	33	159	35	1,469	32
Receipt of blood transfusion, blood components, or tissue	2	1	24	1	2	1	27	1	4	1	51	1
Other/risk factor not reported or identified	53	23	252	11	75	33	270	12	128	28	522	11
Subtotal	230	100	2,281	100	229	100	2,298	100	459	100	4,579	100
Total	23,065	100	155,020	100	10,236	100	66,038	100	33,301	100	221,065	100

Note. Includes only persons with HIV infection that has not progressed to AIDS. See Table 16 for areas with confidential name-based HIV infection reporting.

^a Includes persons with a diagnosis of HIV infection (not AIDS), reported from the beginning of the epidemic through December 2003. Cumulative total includes 7 persons of unknown sex.