

**Table 8. Estimated numbers of persons living with HIV infection (not AIDS), by race/ethnicity, sex, exposure category, and age category at diagnosis, 1999–2002—30 areas with confidential name-based HIV infection reporting**

Exposure category	Year			
	1999	2000	2001	2002
<b>White, not Hispanic</b>				
<b>Male adult or adolescent</b>				
Male-to-male sexual contact	27,357	29,049	30,897	32,941
Injection drug use	3,812	3,938	4,059	4,199
Male-to-male sexual contact and injection drug use	3,708	3,748	3,786	3,832
Heterosexual contact	1,598	1,719	1,861	1,999
Other <sup>a</sup>	489	495	501	507
<b>Subtotal</b>	<b>36,964</b>	<b>38,949</b>	<b>41,104</b>	<b>43,479</b>
<b>Female adult or adolescent</b>				
Injection drug use	2,671	2,821	2,935	3,054
Heterosexual contact	4,798	5,228	5,671	6,074
Other <sup>a</sup>	148	150	153	163
<b>Subtotal</b>	<b>7,617</b>	<b>8,200</b>	<b>8,759</b>	<b>9,292</b>
<b>Total adults and adolescents</b>	<b>44,581</b>	<b>47,149</b>	<b>49,863</b>	<b>52,770</b>
<b>Child (&lt;13 yrs)</b>				
Perinatal	250	262	280	295
Other <sup>a</sup>	100	98	94	80
<b>Subtotal</b>	<b>350</b>	<b>360</b>	<b>374</b>	<b>375</b>
<b>Total</b>	<b>44,931</b>	<b>47,509</b>	<b>50,237</b>	<b>53,145</b>
<b>Black, not Hispanic</b>				
<b>Male adult or adolescent</b>				
Male-to-male sexual contact	17,804	19,144	20,494	21,941
Injection drug use	9,411	9,612	9,730	9,914
Male-to-male sexual contact and injection drug use	2,853	2,879	2,890	2,896
Heterosexual contact	7,859	8,757	9,605	10,380
Other <sup>a</sup>	349	365	388	397
<b>Subtotal</b>	<b>38,276</b>	<b>40,757</b>	<b>43,108</b>	<b>45,528</b>
<b>Female adult or adolescent</b>				
Injection drug use	5,526	5,685	5,847	5,974
Heterosexual contact	16,099	18,031	19,870	21,800
Other <sup>a</sup>	352	385	396	415
<b>Subtotal</b>	<b>21,977</b>	<b>24,101</b>	<b>26,114</b>	<b>28,189</b>
<b>Total adults and adolescents</b>	<b>60,253</b>	<b>64,858</b>	<b>69,221</b>	<b>73,717</b>
<b>Child (&lt;13 yrs)</b>				
Perinatal	947	1,020	1,107	1,171
Other <sup>a</sup>	113	111	101	100
<b>Subtotal</b>	<b>1,061</b>	<b>1,131</b>	<b>1,208</b>	<b>1,271</b>
<b>Total</b>	<b>61,313</b>	<b>65,989</b>	<b>70,429</b>	<b>74,988</b>
<b>Hispanic</b>				
<b>Male adult or adolescent</b>				
Male-to-male sexual contact	3,668	4,227	4,791	5,561
Injection drug use	1,848	1,929	2,032	2,134
Male-to-male sexual contact and injection drug use	483	519	543	553
Heterosexual contact	901	1,076	1,235	1,404
Other <sup>a</sup>	48	56	65	68
<b>Subtotal</b>	<b>6,949</b>	<b>7,807</b>	<b>8,665</b>	<b>9,720</b>
<b>Female adult or adolescent</b>				
Injection drug use	670	713	733	755
Heterosexual contact	1,580	1,812	2,057	2,346
Other <sup>a</sup>	37	44	50	59
<b>Subtotal</b>	<b>2,287</b>	<b>2,569</b>	<b>2,840</b>	<b>3,160</b>
<b>Total adults and adolescents</b>	<b>9,236</b>	<b>10,376</b>	<b>11,506</b>	<b>12,880</b>
<b>Child (&lt;13 yrs)</b>				
Perinatal	128	141	163	173
Other <sup>a</sup>	20	20	19	16
<b>Subtotal</b>	<b>148</b>	<b>161</b>	<b>182</b>	<b>189</b>
<b>Total</b>	<b>9,384</b>	<b>10,537</b>	<b>11,688</b>	<b>13,069</b>

**Table 8. (continued)**

Exposure category	Year			
	1999	2000	2001	2002
<b>Asian/Pacific Islander</b>				
<b>Male adult or adolescent</b>				
Male-to-male sexual contact	208	249	275	313
Injection drug use	35	44	53	64
Male-to-male sexual contact and injection drug use	14	16	19	20
Heterosexual contact	41	47	55	66
Other <sup>a</sup>	4	5	4	5
Subtotal	301	361	405	468
<b>Female adult or adolescent</b>				
Injection drug use	19	22	25	25
Heterosexual contact	90	101	116	132
Other <sup>a</sup>	2	2	4	5
Subtotal	111	125	145	162
<b>Total adults and adolescents</b>	<b>412</b>	<b>486</b>	<b>551</b>	<b>630</b>
<b>Child (&lt;13 yrs)</b>				
Perinatal	7	7	7	9
Other <sup>a</sup>	5	5	5	5
Subtotal	12	12	12	14
<b>Total</b>	<b>424</b>	<b>498</b>	<b>563</b>	<b>644</b>
<b>American Indian/Alaska Native</b>				
<b>Male adult or adolescent</b>				
Male-to-male sexual contact	319	336	359	373
Injection drug use	87	87	86	86
Male-to-male sexual contact and injection drug use	86	90	84	85
Heterosexual contact	40	46	47	51
Other <sup>a</sup>	2	2	2	3
Subtotal	535	562	578	597
<b>Female adult or adolescent</b>				
Injection drug use	69	73	74	79
Heterosexual contact	108	120	128	141
Other <sup>a</sup>	1	1	1	1
Subtotal	178	193	203	220
<b>Total adults and adolescents</b>	<b>712</b>	<b>755</b>	<b>781</b>	<b>818</b>
<b>Child (&lt;13 yrs)</b>				
Perinatal	8	8	8	9
Other <sup>a</sup>	3	3	3	3
Subtotal	11	11	11	12
<b>Total</b>	<b>723</b>	<b>766</b>	<b>792</b>	<b>830</b>
<b>Total cases<sup>b</sup></b>	<b>117,844</b>	<b>126,541</b>	<b>135,141</b>	<b>144,129</b>

*Note.* These numbers do not represent actual cases in persons living with HIV infection (not AIDS). Rather, these numbers are point estimates of persons living with HIV infection(not AIDS) that have been adjusted for reporting delays and for redistribution of cases in persons initially reported without an identified risk. The estimates have not been adjusted for incomplete reporting. Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Since 1998, the following 30 areas have had laws or regulations requiring confidential name-based HIV infection reporting: Alabama, Arkansas, Arizona, Florida, Colorado, Iowa, Idaho, Indiana, Louisiana, Michigan, Minnesota, Mississippi, Missouri, Nebraska, New Jersey, New Mexico, Nevada, North Carolina, North Dakota, Ohio, Oklahoma, South Carolina, South Dakota, Tennessee, Utah, Virginia, Wisconsin, West Virginia, Wyoming, and the U.S. Virgin Islands. Since July 1997, Florida has had confidential name-based HIV infection reporting only for new diagnoses.

<sup>a</sup> Includes hemophilia, blood transfusion, and risk not reported or not identified.

<sup>b</sup> Includes persons of unknown race or multiple races and persons of unknown sex.