

Table 5. Estimated numbers of AIDS cases, by race/ethnicity, sex, and age group, 2000–2004—United States

Age at diagnosis (yrs)	Year of diagnosis					Cumulative through 2004 ^a
	2000	2001	2002	2003	2004	
White, not Hispanic						
Male						
<13	3	4	3	5	4	886
13–14	5	7	3	4	4	204
15–19	19	19	24	15	29	809
20–24	148	133	167	184	206	8,438
25–29	622	525	526	518	591	39,504
30–34	1,536	1,444	1,401	1,318	1,267	73,442
35–39	2,491	2,368	2,387	2,234	2,051	77,440
40–44	1,936	1,893	2,112	2,341	2,443	59,107
45–49	1,317	1,425	1,434	1,523	1,569	36,662
50–54	831	803	935	981	984	20,473
55–59	404	409	477	473	529	10,918
60–64	198	199	240	219	259	5,919
≥65	162	177	164	172	207	4,855
Subtotal	9,672	9,405	9,872	9,989	10,142	338,657
Female						
<13	8	9	11	6	3	726
13–14	5	1	4	5	0	56
15–19	13	19	24	13	14	318
20–24	79	61	75	61	84	2,018
25–29	156	161	166	133	164	5,320
30–34	298	283	252	256	234	7,559
35–39	387	388	347	321	322	7,320
40–44	323	289	353	343	415	5,387
45–49	196	207	250	247	313	3,166
50–54	113	118	129	146	167	1,806
55–59	61	56	71	71	88	1,067
60–64	34	26	22	38	40	627
≥65	33	29	27	26	27	1,127
Subtotal	1,706	1,647	1,732	1,668	1,871	36,496
Total	11,378	11,052	11,604	11,657	12,013	375,154

Table 5. Estimated numbers of AIDS cases, by race/ethnicity, sex, and age group, 2000–2004—United States (cont)

Age at diagnosis (yrs)	Year of diagnosis					Cumulative through 2004 ^a
	2000	2001	2002	2003	2004	
Black, not Hispanic						
Male						
<13	40	39	42	14	26	2,793
13–14	14	20	25	12	24	220
15–19	80	97	113	98	130	1,297
20–24	392	424	465	611	674	9,489
25–29	979	919	931	909	1,077	29,387
30–34	1,884	1,821	1,778	1,657	1,668	50,831
35–39	2,724	2,589	2,738	2,688	2,381	59,064
40–44	2,551	2,574	2,573	2,614	2,658	49,580
45–49	1,892	1,920	2,004	2,099	2,091	31,597
50–54	1,060	1,210	1,255	1,286	1,395	17,330
55–59	555	568	585	674	744	9,231
60–64	313	302	327	348	332	4,974
≥65	281	275	255	280	325	4,236
Subtotal	12,765	12,760	13,092	13,290	13,515	270,028
Female						
<13	53	39	29	29	13	2,797
13–14	21	30	23	25	20	236
15–19	108	82	96	100	105	1,488
20–24	374	373	386	372	367	6,179
25–29	790	681	709	758	774	14,425
30–34	1,166	1,161	1,087	1,151	1,115	21,791
35–39	1,357	1,400	1,299	1,480	1,332	22,975
40–44	1,224	1,210	1,238	1,356	1,407	17,711
45–49	802	851	953	1,020	1,100	10,383
50–54	393	465	503	545	607	5,315
55–59	206	200	246	266	316	2,792
60–64	126	122	152	137	158	1,610
≥65	125	98	123	156	137	1,549
Subtotal	6,745	6,713	6,843	7,395	7,449	109,250
Total	19,510	19,473	19,934	20,685	20,965	379,278

Table 5. Estimated numbers of AIDS cases, by race/ethnicity, sex, and age group, 2000–2004—United States (cont)

Age at diagnosis (yrs)	Year of diagnosis					Cumulative through 2004 ^a
	2000	2001	2002	2003	2004	
Hispanic						
Male						
<13	10	10	9	7	5	1,095
13–14	9	11	6	6	8	130
15–19	38	31	32	53	32	631
20–24	220	225	262	299	324	5,536
25–29	598	664	675	692	729	19,391
30–34	1,161	1,101	1,074	1,158	1,065	31,709
35–39	1,415	1,350	1,422	1,434	1,410	31,450
40–44	1,070	1,084	1,071	1,139	1,288	22,903
45–49	713	694	727	836	773	13,452
50–54	437	424	414	497	544	7,473
55–59	218	233	225	254	270	4,080
60–64	105	111	132	125	143	2,216
≥65	106	126	118	161	153	1,951
Subtotal	6,100	6,062	6,165	6,660	6,743	142,018
Female						
<13	8	12	11	5	3	1,033
13–14	5	9	8	7	4	97
15–19	28	23	20	18	13	318
20–24	89	108	84	97	92	1,980
25–29	205	205	200	188	174	5,002
30–34	329	309	262	312	280	7,402
35–39	393	395	351	421	346	7,173
40–44	318	330	322	354	377	5,168
45–49	205	232	177	243	293	3,082
50–54	133	125	139	156	168	1,758
55–59	67	77	82	85	91	1,061
60–64	51	41	43	50	43	573
≥65	26	46	41	35	44	498
Subtotal	1,857	1,912	1,742	1,972	1,929	35,145
Total	7,957	7,974	7,907	8,632	8,672	177,163

Table 5. Estimated numbers of AIDS cases, by race/ethnicity, sex, and age group, 2000–2004—United States (cont)

Age at diagnosis (yrs)	Year of diagnosis					Cumulative through 2004 ^a
	2000	2001	2002	2003	2004	
Asian/Pacific Islander						
Male						
<13	0	1	1	0	1	29
13–14	0	0	0	0	0	5
15–19	1	2	1	1	1	28
20–24	6	4	9	16	20	214
25–29	32	37	30	28	35	745
30–34	56	62	74	72	79	1,323
35–39	75	70	80	100	93	1,395
40–44	47	60	74	53	69	1,085
45–49	25	33	53	66	42	705
50–54	17	21	24	29	29	374
55–59	7	14	14	15	13	210
60–64	4	11	5	3	10	96
≥65	5	3	2	8	4	91
Subtotal	275	319	368	391	396	6,300
Female						
<13	2	0	0	0	0	24
13–14	0	0	0	0	0	5
15–19	1	0	2	2	0	7
20–24	3	4	5	6	1	55
25–29	15	10	14	11	7	148
30–34	12	13	12	10	18	179
35–39	11	9	7	14	18	171
40–44	11	9	11	18	17	156
45–49	10	5	7	10	11	105
50–54	2	7	3	7	6	51
55–59	3	1	6	4	8	44
60–64	2	2	3	3	4	37
≥65	3	1	2	2	3	35
Subtotal	75	62	72	87	92	1,016
Total	350	381	440	478	488	7,317

Table 5. Estimated numbers of AIDS cases, by race/ethnicity, sex, and age group, 2000–2004—United States (cont)

Age at diagnosis (yrs)	Year of diagnosis					Cumulative through 2004 ^a
	2000	2001	2002	2003	2004	
American Indian/Alaska Native						
Male						
<13	0	0	1	0	1	19
13–14	0	0	0	0	0	1
15–19	0	0	0	1	1	22
20–24	6	3	6	6	5	109
25–29	13	12	10	7	13	372
30–34	28	34	24	27	23	599
35–39	29	37	37	24	26	554
40–44	18	16	26	34	24	385
45–49	12	10	21	24	22	199
50–54	7	7	6	11	8	92
55–59	2	5	4	3	5	51
60–64	0	2	1	2	1	24
≥65	5	1	0	1	0	18
Subtotal	120	128	137	142	129	2,443
Female						
<13	0	0	0	1	0	15
13–14	0	0	0	0	0	2
15–19	0	0	0	0	0	3
20–24	6	3	2	5	4	49
25–29	7	6	4	5	6	82
30–34	9	5	9	5	10	127
35–39	11	5	7	11	11	117
40–44	13	6	7	7	13	97
45–49	7	10	6	6	12	76
50–54	2	3	11	2	5	40
55–59	0	2	0	0	4	21
60–64	0	0	0	1	0	7
≥65	0	0	1	1	0	5
Subtotal	55	40	48	47	64	641
Total	175	169	186	189	193	3,084

Note. These numbers do not represent reported case counts. Rather, these numbers are point estimates, which result from adjustments of reported case counts. The reported case counts are adjusted for reporting delays and for redistribution of cases in persons initially reported without an identified risk factor. The estimates do not include adjustment for incomplete reporting.

Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

^a Includes persons with a diagnosis of AIDS since the beginning of the epidemic.