

Table 6b. Female adults and adolescents infected through high-risk heterosexual contact: area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004

Area of residence	High-risk heterosexual contact ^a					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	1,041	22	113	18	555	22
Alaska	66	47	9	41	47	47
Arizona	527	26	69	23	308	27
Arkansas	438	27	37	30	319	26
California	6,059	4	346	4	3,785	3
Colorado	381	31	27	35	238	32
Connecticut	1,727	17	105	20	1,037	17
Delaware	428	28	45	29	284	28
District of Columbia	1,802	16	187	14	1,342	12
Florida	16,187	2	1,393	2	9,336	2
Georgia	3,824	7	345	5	2,360	6
Guam	6	54	0	—	4	54
Hawaii	129	41	5	48	80	39
Idaho	48	48	7	44	33	48
Illinois	2,661	10	259	9	1,741	10
Indiana	656	24	62	25	445	24
Iowa	144	38	13	39	95	38
Kansas	201	37	16	37	132	37
Kentucky	418	29	33	31	282	29
Louisiana	2,078	13	251	10	1,298	15
Maine	82	46	7	44	50	46
Maryland	3,504	8	338	6	2,251	7
Massachusetts	1,819	15	112	19	1,166	16
Michigan	1,226	19	71	22	709	20
Minnesota	371	33	51	27	270	30
Mississippi	1,125	21	132	17	689	21
Missouri	781	23	66	24	527	23
Montana	29	50	1	50	18	50
Nebraska	120	42	10	40	77	41
Nevada	394	30	48	28	268	31
New Hampshire	97	45	6	47	70	45
New Jersey	6,248	3	290	7	3,097	5
New Mexico	111	43	9	41	72	43
New York	19,942	1	1,434	1	11,642	1
North Carolina	2,166	12	188	13	1,302	14
North Dakota	7	53	1	50	5	53
Ohio	1,212	20	89	21	800	19
Oklahoma	301	34	28	34	171	36
Oregon	273	36	21	36	175	35
Pacific Islands ^b	1	55	0	—	1	55
Pennsylvania	3,304	9	279	8	2,199	8
Puerto Rico	4,162	6	195	12	1,876	9
Rhode Island	281	35	33	31	188	34
South Carolina	2,327	11	196	11	1,481	11
South Dakota	16	51	2	49	9	51
Tennessee	1,503	18	148	16	915	18
Texas	5,436	5	573	3	3,526	4
Utah	100	44	9	41	71	44
Vermont	33	49	1	50	22	49
Virgin Islands	134	39	7	44	75	42
Virginia	2,027	14	171	15	1,333	13
Washington	584	25	57	26	402	25
West Virginia	131	40	15	38	79	40
Wisconsin	376	32	30	33	233	33
Wyoming	13	52	1	50	9	51

Note. Data are adjusted for delays in reporting cases and deaths and for redistribution of cases in persons initially reported without an identified risk factor.

^a Heterosexual contact with a person with, or at increased risk for, HIV infection (e.g., an injection drug user).

^b American Samoa and the Commonwealth of the Northern Mariana Islands.