


Figure 1. Location of enhanced perinatal surveillance areas, 2000–2003



Facility type, by site, 2000–2003

Population-based

Alabama	New York City
Connecticut	North Carolina
Houston	Ohio
Louisiana	Puerto Rico
Michigan	South Carolina
Mississippi	Tennessee
New Jersey	Texas
New York	Virginia

Facility-based

California
Chicago
District of Columbia
Florida ^a
Los Angeles
Maryland
Pennsylvania
Philadelphia

Participants, by race/ethnicity and recruitment type

Race/ethnicity	Population-based		Facility-based	
	No.	%	No.	%
White, not Hispanic	859	11.1	249	10.9
Black, not Hispanic	5,109	66.2	1,532	66.9
Hispanic	1,510	19.6	426	18.6
Asian/Pacific Islander	41	0.5	22	1.0
American Indian/Alaska Native	16	0.2	10	0.4
Unknown	184	2.4	50	2.2
Total	7,719	100.0	2,289	100.0

Note. See the Technical Notes for an explanation of the recruitment type. The 16 perinatal HIV prevention program sites funded for 1999–2003 were California, Connecticut, Delaware, District of Columbia, Florida, Georgia, Illinois, Louisiana, Maryland, Massachusetts, New Jersey, New York, Pennsylvania, Puerto Rico, South Carolina, and Texas.

The 6 national organizations funded for 1999–2003 were CityMatCH, Omaha, Nebraska; Association of Maternal and Child Health Programs, Washington DC; American Academy of Pediatrics, Chicago, Illinois; American College of Obstetricians and Gynecologists, Washington, DC; National Pediatric and Family HIV Resource Center, Newark, New Jersey; and AIDS Alliance for Children, Youth, and Families, Washington, DC.

^a Florida enhanced perinatal surveillance represents HIV-infected women who gave birth at selected facilities in Broward, Dade, and Palm Beach counties.