



Estimated Numbers of Adults and Adolescents Living with HIV/AIDS, by Sex, 2004–2007—34 States



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays. Age as of end of year.




Estimated Numbers of Persons Living with HIV/AIDS, by Race/Ethnicity, 2004–2007—34 States



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays.
 *Hispanics/Latinos can be of any race.
 †Includes Asian and Pacific Islander legacy cases.




Estimated Numbers of Asians, American Indians/Alaska Natives, and Native Hawaiians/Other Pacific Islanders Living with HIV/AIDS, 2004–2007—34 States



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays.
*Includes Asian and Pacific Islander legacy cases.



Percentages of HIV/AIDS Cases among Adults and Adolescents, by Sex and Transmission Category 2007—34 States




Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays and missing risk-factor information.

*Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

† Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.




Percentages of HIV/AIDS Cases among Adults and Adolescents, by Race/Ethnicity, 2004–2007—34 States



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays.
 *Hispanics/Latinos can be of any race.
 †Includes Asian and Pacific Islander legacy cases.



Percentages of HIV/AIDS Cases among Adults and Adolescents, by Transmission Category 2004–2007—34 States



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays and missing risk-factor information.
*Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.
† Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.



Estimated Numbers and Percentages of HIV/AIDS Cases among Adults and Adolescents, by Transmission Category 2007—34 States

Transmission category	No.	%
Male-to-male sexual contact	22,472	53
Injection drug use	4,939	12
Male-to-male sexual contact and injection drug use	1,260	3
High-risk heterosexual contact*	13,627	32
Other/not identified [†]	198	<1
Total	42,496	

Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays and missing risk-factor information.

*Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

[†]Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.



Estimated Numbers and Percentages of HIV/AIDS Cases Attributed to Male-to-Male Sexual Contact, by Race/Ethnicity 2007—34 States

Race/Ethnicity	No.	%
American Indian/Alaska Native	122	1
Asian*	294	1
Black/African American	8,715	39
Hispanic/Latino†	4,200	19
Native Hawaiian/Other Pacific Islander	38	<1
White	8,914	40
Total‡	22,472	

Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays and missing risk-factor information.

*Includes Asian and Pacific Islander legacy cases.

†Hispanics or Latinos can be of any race.

‡Includes 189 persons of unknown race or multiple races.



Estimated Numbers and Percentages of HIV/AIDS Cases among Adults and Adolescents Attributed to High-Risk Heterosexual Contact*, by Race/Ethnicity, 2007—34 States

Race/Ethnicity	No.	%
American Indian/Alaska Native	59	<1
Asian [†]	126	1
Black/African American	9,371	69
Hispanic/Latino [‡]	2,052	15
Native Hawaiian/Other Pacific Islander	5	<1
White	1,913	14
Total[§]	13,627	

Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays and missing risk-factor information.

* Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

†Includes Asian and Pacific Islander legacy cases.

‡Hispanics/Latinos can be of any race.

§Includes 102 persons of unknown race or multiple races.



Estimated Numbers and Percentages of HIV/AIDS Cases Attributed to Male-to-Male Sexual Contact and Injection Drug Use, by Race/Ethnicity, 2007—34 States

Race/Ethnicity	No.	%
American Indian/Alaska Native	16	1
Asian*	3	<1
Black/African American	449	36
Hispanic/Latino [†]	209	17
Native Hawaiian/Other Pacific Islander	0	—
White	576	46
Total[‡]	1,260	

Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis.

Data from 34 states with confidential name-based HIV infection reporting since at least 2003.

Data have been adjusted for reporting delays and missing risk-factor information.

*Includes Asian and Pacific Islander legacy cases.

†Hispanics/Latinos can be of any race.

‡Includes 7 persons of unknown race or multiple races.



Estimated Numbers and Percentages of HIV/AIDS Cases Attributed to Injection Drug Use, by Race/Ethnicity 2007—34 States

Race/Ethnicity	No.	%
American Indian/Alaska Native	29	1
Asian*	19	<1
Black/African American	2,812	57
Hispanic/Latino [†]	977	20
Native Hawaiian/Other Pacific Islander	2	<1
White	1,070	22
Total[‡]	4,939	

Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays and missing risk-factor information.

*Includes Asian and Pacific Islander legacy cases.

[†]Hispanics/Latinos can be of any race.

[‡]Includes 30 persons of unknown race or multiple races.



Estimated Numbers of HIV/AIDS Cases and Rates for Male Adults and Adolescents, by Race/Ethnicity 2007—34 States

Race/Ethnicity	Cases	Rate (Cases per 100,000 population)
American Indian/Alaska Native	160	23.1
Asian*	363	15.5
Black/African American	14,247	136.8
Hispanic/Latino [†]	5,906	56.2
Native Hawaiian/Other Pacific Islander	42	76.7
White	10,563	18.7
Total[‡]	31,518	38.8

Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays.

*Includes Asian and Pacific Islander legacy cases.

[†]Hispanics/Latinos can be of any race.

[‡]Includes 238 male adults and adolescents of unknown race or multiple races.



Estimated Numbers of HIV/AIDS Cases and Rates for Female Adults and Adolescents, by Race/Ethnicity 2007—34 States

Race/Ethnicity	Cases	Rate (Cases per 100,000 population)
American Indian/Alaska Native	68	9.4
Asian*	88	3.5
Black/African American	7,196	60.6
Hispanic/Latino [†]	1,555	16.0
Native Hawaiian/Other Pacific Islander	5	9.0
White	1,971	3.3
Total[‡]	10,977	12.9

Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003.

Data have been adjusted for reporting delays.

*Includes Asian and Pacific Islander legacy cases.

†Hispanics/Latinos can be of any race.

‡Includes 95 female adults and adolescents of unknown race or multiple races.



















