


AIDS Cases among Minority Races/Ethnicities 1985–2007—United States and Dependent Areas




Note. Data have been adjusted for reporting delays.
Includes American Indians/Alaska Natives, Asians, Blacks/African Americans, Hispanics/Latinos, and Native Hawaiians/Other Pacific Islanders.
The Asian category includes Asian and Pacific Islander legacy cases.
Hispanics/Latinos can be of any race.



CS201400-A

Percentages of AIDS Cases among Adults and Adolescents, by Race/Ethnicity and Year of Diagnosis 1985–2007—United States and Dependent Areas



Note. Data have been adjusted for reporting delays.

*Hispanics/Latinos can be of any race.

†Includes Asian and Pacific Islander legacy cases.



AIDS in Blacks/African Americans

Of the 1,030,832 AIDS cases reported to CDC through 2007, blacks/African Americans accounted for

41% of total

60% of women

59% of heterosexual persons at high risk*

59% of children aged <13 years

Of AIDS cases reported during 2007, 47% were in black/African American adults and adolescents.



*High-risk heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



AIDS in Hispanics/Latinos*

Of the 1,030,832 AIDS cases reported to CDC through 2007, Hispanics/Latinos accounted for

19% of total

19% of women

21% of heterosexual persons at high risk[†]

23% of children aged <13 years

Of AIDS cases reported during 2007, 20% were in Hispanic/Latino adults and adolescents.





*Hispanics/Latinos can be of any race.

[†]High-risk heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



Percentages of AIDS Cases and Population by Race/Ethnicity, Reported in 2007—50 States and DC



American Indian/Alaska Native
 Asian[‡]
 Black/African American

Hispanic/Latino[†]
 Native Hawaiian/Other Pacific Islander
 White




*Includes 411 persons of unknown race or multiple races.

[†]Hispanics/Latinos can be of any race.

[‡]Includes Asian and Pacific Islander legacy cases.



Percentages of AIDS Cases among Male Adults and Adolescents, by Transmission Category and Race/Ethnicity 2003–2007—United States and Dependent Areas



Note. Data have been adjusted for reporting delays and missing risk-factor information. IDU, injection drug use.

*Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.


†Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

‡Includes Asian and Pacific Islander legacy cases.

§Hispanics/Latinos can be of any race.




Reported AIDS Cases among Adults and Adolescents by Sex and Race/Ethnicity, 2007—United States and Dependent Areas



Includes Asian and Pacific Islander legacy cases.
 †Hispanics/Latinos can be of any race.
 ‡Includes persons of unknown race or multiple races.


AIDS Rates for Black/African American Adults and Adolescents, Reported 2003–2007—50 States and DC



Note. Excludes cases from U.S. dependent areas because of the lack of census information by race and age categories for these areas.



AIDS Rates for Hispanic/Latino* Adults and Adolescents Reported 2003–2007—50 States and DC



Note. Excludes cases from U.S. dependent areas because of the lack of census information by race and age categories for these areas.

*Hispanics/Latinos can be of any race.



















