

## **2007 NHANES III LINKED MORTALITY PUBLIC-USE FILE**

### **Detailed Notes for Selected Variables**

#### ***PUBLICID, SEQN*** – NHANES III Public ID and Sequence Number

The NHANES III Linked Mortality Public-use File can be linked to other public-use NHANES III data files using either the *PUBLICID* or *SEQN*. The *PUBLICID* is a character ID variable and the *SEQN* is a numeric ID variable. Using either of these variables will ensure that the appropriate information for each survey participant is merged correctly.

#### ***ELIGSTAT*** – Eligibility Status for Mortality Follow-Up

All NHANES III participants are included on the Linked Mortality File, but only NHANES III participants at least 17 years of age at time of interview were eligible to be submitted to the NDI. Those 16 years or younger at the time of the NHANES III interview were ineligible for matching with NDI records. A second group of NHANES III participants were defined as ineligible for mortality linkage because of insufficient identifying data to create a NDI submission record ([See Tabular Data, Tables 1 and 2](#)).

#### ***MORTSTAT*** – Final Mortality Status

The *MORTSTAT* variable is NCHS's final determination of vital status and should be used as an outcome variable and to calculate survival. Each NHANES III participant who is eligible for mortality follow-up is assigned a vital status code (0 = assumed alive; 1 = assumed deceased). The ascertainment of vital status for NHANES III participants with matches to NDI records is based upon the NCHS recommended criteria determined by a calibration study.

#### ***MORTSRCE***—Final Mortality Source

To assist in reviewing potential NDI matches, NCHS may order and review selected death certificates. The NDI only uses nine matching criteria to determine a potential match. Death certificate review allows for the comparison of additional information provided on the death certificate, such as industry and occupation, with data collected from NHANES III survey records. Comparing the death certificate and survey data assists NCHS in determining if a potential NDI match record correctly matches the NCHS survey participant.

Two sources of information are used to determine if a NHANES III survey participant is deceased:

- 1.) NDI probabilistic match
- 2.) Death certificate received and matched

Any combination of these sources can be used to identify NHANES III decedents.

## 2007 NHANES III LINKED MORTALITY PUBLIC-USE FILE

### Detailed Notes for Selected Variables

#### 1 NDI match only:

a probabilistic NDI match record was accepted as a match  
no death certificate was reviewed

#### 2 NDI and death certificate:

a probabilistic NDI match record was accepted as a match  
a death certificate was reviewed and matched

#### 3 Death certificate only:

no probabilistic NDI match record was accepted as a match  
a death certificate was reviewed and matched

Blank assumed alive

***PERMTH\_INT***—Person Months of Follow-up from Interview Date

***PERMTH\_EXM***—Person Months of Follow-up from MEC/Exam Date

The public-use version of the NHANES III Linked Mortality File does not contain exact date of NHANES III interview or examination nor exact date of death. Rather, information regarding number of person months of follow-up from the date of interview and/or examination has been provided to allow data users to conduct survival analyses. For decedents, person months of follow-up were calculated from interview date/examination date through the date of death, using the perturbed date of death where applicable. For respondents assumed alive, person months of follow-up were calculated from interview date/examination date through the end of the mortality follow-up period, December 31, 2000.

***DIABETES, HYPERTENS, & HIPFRACT***—Multiple cause of death flags

Certain contributing causes of death are only coded in the multiple causes of death codes according to ICD coding rules. The current NHANES III Linked Mortality Public-use File does not include the 20 entity-axis multiple causes of death codes. The multiple causes of death codes are only available on the [restricted-use version](#) of the NHANES III Linked Mortality File. However, in an effort to increase the utility of the public datasets, NCHS selected the three most commonly reported conditions found in the multiple causes of death codes (diabetes, hypertension, and hip fracture) and included a flag variable for each condition on the public-use version of the NHANES III Linked Mortality File. The flag variables were coded a 1 if specific ICD codes were found in any one of the 20 contributing or multiple causes of death fields as follows:

***DIABETES*** = '1' if ICD-9 code '250' or ICD-10 codes 'E10 thru E14' was coded in entity-axis or record-axis multiple cause of death codes

## 2007 NHANES III LINKED MORTALITY PUBLIC-USE FILE

### Detailed Notes for Selected Variables

***HYPERTENS*** = '1' if ICD-9 codes '401' or '403' or ICD-10 codes 'I10' or 'I12' was coded in entity-axis or record-axis multiple cause of death codes

***HIPFRACT*** = '1' ICD-9 code 'E820' or ICD-10 codes 'S720 thru S722' were coded in entity-axis or record-axis multiple cause of death codes

#### **UCOD\_113** - Underlying Cause of Death 113 Groups All Years (ICD-10)

Cause of death coding for all U.S. deaths occurring prior to 1999 follows the 9th revision of the International Statistical Classification of Diseases, Injuries, and Causes of Death (ICD-9) guidelines, while all deaths after 1998 follows the 10th revision of the International Statistical Classification of Diseases, Injuries, and Causes of Death (ICD-10) guidelines. To assist the researcher with analyses that span the entire survey specific mortality period, the UCOD 113 variable was created as a recode of all deaths occurring prior to 1999 coded under ICD-9 guidelines into comparable ICD-10 based underlying cause of death groups.

For more on the comparability of ICD-9 and ICD-10 underlying cause of death UCOD 113 recode see: Anderson RN, Minino AM, Hoyert DL, Rosenberg HM. [Comparability of cause of death between ICD-9 and ICD-10: Preliminary estimates](#). National Vital Statistics Reports; Vol 49 No.2. Hyattsville, MD: National Center for Health Statistics. 2001. This document is also available on the NCHS website.

For more information regarding ICD-9 coding guidelines see the Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death: Based on the Recommendations of the Ninth Revision Conference, 1975, and Adopted by the Twenty-ninth World Health Assembly, Volume 1, 1977 (World Health Organization).

For more information regarding ICD-10 coding guidelines see the International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. (World Health Organization) 1992. Revision, Volume 1.

**2007 NHANES III LINKED MORTALITY PUBLIC-USE FILE**  
**Detailed Notes for Selected Variables**

Tenth Revision 113 Selected Causes of Death

ST: 1 = Subtotal

Limited: Sex: 1 = Males; 2 = Females

Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;  
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over;  
 7 = 10 years and over

\*\*\*\*Cause Subtotals are not identified in this file \*\*\*\*

113	S	Limited		
Recode	T	Sex	Age	Cause Title and ICD-10 Codes Included
001				Salmonella infections (A01-A02)
002				Shigellosis and amebiasis (A03,A06)
003				Certain other intestinal infections (A04,A07-A09)
004	1			Tuberculosis (A16-A19)
005				Respiratory tuberculosis (A16)
006				Other tuberculosis (A17-A19)
007				Whooping cough (A37)
008				Scarlet fever and erysipelas (A38,A46)
009				Meningococcal infection (A39)
010		3		Septicemia (A40-A41)
011				Syphilis (A50-A53)
012				Acute poliomyelitis (A80)
013				Arthropod-borne viral encephalitis (A83-A84,A85.2)
014				Measles (B05)
015				Viral hepatitis (B15-B19)
016				Human immunodeficiency virus (HIV) disease (B20-B24)
017				Malaria (B50-B54)
018				Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49, A54-79,A81-A82,A85.0-A85.1,A85.8, A86-B04,B06-B09,B25-B49,B55-99)
019	1			Malignant neoplasms (C00-C97)
020				Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)
021				Malignant neoplasm of esophagus (C15)
022				Malignant neoplasm of stomach (C16)
023				Malignant neoplasms of colon, rectum and anus (C18-C21)
024				Malignant neoplasms of liver and intrahepatic bile ducts (C22)
025				Malignant neoplasm of pancreas (C25)
026				Malignant neoplasm of larynx (C32)
027				Malignant neoplasms of trachea, bronchus and lung (C33-C34)
028				Malignant melanoma of skin (C43)
029				Malignant neoplasm of breast (C50)
030		2		Malignant neoplasm of cervix uteri (C53)
031		2		Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)
032		2		Malignant neoplasm of ovary (C56)
033		1		Malignant neoplasm of prostate (C61)
034				Malignant neoplasms of kidney and renal pelvis (C64-C65)
035				Malignant neoplasm of bladder (C67)
036				Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)
037		1		Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

**2007 NHANES III LINKED MORTALITY PUBLIC-USE FILE**  
**Detailed Notes for Selected Variables**

Tenth Revision 113 Selected Causes of Death

ST: 1 = Subtotal

Limited: Sex: 1 = Males; 2 = Females

Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;

4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over;

7 = 10 years and over

\*\*\*\*Cause Subtotals are not identified in this file \*\*\*\*

113 S Limited

Recode T Sex Age Cause Title and ICD-10 Codes Included

---

038				Hodgkin's disease (C81)
039				Non-Hodgkin's lymphoma (C82-C85)
040				Leukemia (C91-C95)
041				Multiple myeloma and immunoproliferative neoplasms (C88,C90)
042				Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)
043				All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41, C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)
044				In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)
045				Anemias (D50-D64)
046		3		Diabetes mellitus (E10-E14)
047				Nutritional deficiencies (E40-E64)
048				Malnutrition (E40-E46)
049				Other nutritional deficiencies (E50-E64)
050				Meningitis (G00,G03)
051				Parkinson's disease (G20-G21)
052				Alzheimer's disease (G30)
053	1			Major cardiovascular diseases (I00-I78)
054	1			Diseases of heart (I00-I09,I11,I13,I20-I51)
055				Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)
056				Hypertensive heart disease (I11)
057				Hypertensive heart and renal disease (I13)
058	1			Ischemic heart diseases (I20-I25)
059				Acute myocardial infarction (I21-I22)
060				Other acute ischemic heart diseases (I24)
061	1			Other forms of chronic ischemic heart disease (I20,I25)
062				Atherosclerotic cardiovascular disease, so described (I25.0)
063				All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)
064	1			Other heart diseases (I26-I51)
065				Acute and subacute endocarditis (I33)
066				Diseases of pericardium and acute myocarditis (I30-I31,I40)
067				Heart failure (I50)
068				All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)
069				Essential (primary) hypertension and hypertensive renal disease (I10,I12)
070				Cerebrovascular diseases (I60-I69)
071				Atherosclerosis (I70)
072	1			Other diseases of circulatory system (I71-I78)

## 2007 NHANES III LINKED MORTALITY PUBLIC-USE FILE

### Detailed Notes for Selected Variables

#### Tenth Revision 113 Selected Causes of Death

ST: 1 = Subtotal

Limited: Sex: 1 = Males; 2 = Females

Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;

4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over;

7 = 10 years and over

\*\*\*Cause Subtotals are not identified in this file\*\*\*

113 Recode	S T	Limited Sex	Age	Cause Title and ICD-10 Codes Included
073				Aortic aneurysm and dissection (I71)
074				Other diseases of arteries, arterioles and capillaries (I72-I78)
075				Other disorders of circulatory system (I80-I99)
076	1			Influenza and pneumonia (J10-J18)
077				Influenza (J10-J11)
078				Pneumonia (J12-J18)
079	1			Other acute lower respiratory infections (J20-J22)
080				Acute bronchitis and bronchiolitis (J20-J21)
081				Unspecified acute lower respiratory infection (J22)
082	1			Chronic lower respiratory diseases (J40-J47)
083				Bronchitis, chronic and unspecified (J40-J42)
084		3		Emphysema (J43)
085				Asthma (J45-J46)
086				Other chronic lower respiratory diseases (J44,J47)
087				Pneumoconioses and chemical effects (J60-J66,J68)
088				Pneumonitis due to solids and liquids (J69)
089				Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)
090				Peptic ulcer (K25-K28)
091				Diseases of appendix (K35-K38)
092				Hernia (K40-K46)
093	1			Chronic liver disease and cirrhosis (K70,K73-K74)
094				Alcoholic liver disease (K70)
095				Other chronic liver disease and cirrhosis (K73-K74)
096				Cholelithiasis and other disorders of gallbladder (K80-K82)
097	1			Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)
098				Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)
099				Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)
100				Renal failure (N17-N19)
101				Other disorders of kidney (N25,N27)
102				Infections of kidney (N10-N12,N13.6,N15.1)
103	1			Hyperplasia of prostate (N40)
104		2		Inflammatory diseases of female pelvic organs (N70-N76)
105	1	2	7	Pregnancy, childbirth and the puerperium (O00-O99)
106		2	7	Pregnancy with abortive outcome (O00-O07)

# 2007 NHANES III LINKED MORTALITY PUBLIC-USE FILE

## Detailed Notes for Selected Variables

### Tenth Revision 113 Selected Causes of Death

ST: 1 = Subtotal

Limited: Sex: 1 = Males; 2 = Females

Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;

4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over;

7 = 10 years and over

\*\*\*\*Cause Subtotals are not identified in this file\*\*\*\*

113 S Limited

Recode T Sex Age Cause Title and ICD-10 Codes Included

Recode	T	Sex	Age	Cause Title and ICD-10 Codes Included
107		2	7	Other complications of pregnancy, childbirth and the puerperium (O10-O99)
108				Certain conditions originating in the perinatal period (P00-P96)
109				Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)
110				Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)
111				All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93, K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99, N13.0-N13.5,N13.7-N13.9, N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)
112	1			Accidents (unintentional injuries) (V01-X59,Y85-Y86)
113	1			Transport accidents (V01-V99, Y85)
114				Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0 V88.8, V89.0, V89.2)
115				Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)
116				Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)
117	1			Nontransport accidents (W00-X59, Y86)
118				Falls (W00-W19)
119				Accidental discharge of firearms (W32-W34)
120				Accidental drowning and submersion (W65-W74)
121				Accidental exposure to smoke, fire and flames (X00-X09)
122				Accidental poisoning and exposure to noxious substances (X40-X49)
123				Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)
124	1	1		Intentional self-harm (suicide) (*U03, X60-X84, Y87.0)
125		1		Intentional self-harm (suicide) by discharge of firearms (X72-X74)
126		1		Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03, X60-X71, X75-X84, Y87.0)
127	1			Assault (homicide) (*U01-*U02, X85-Y09, Y87.1)
128				Assault (homicide) by discharge of firearms (*U01.4, X93-X95)
129				Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3, *U01.5-*U01.9, *U02, X85-X92, X96-Y09, Y87.1)
130				Legal intervention (Y35, Y89.0)
131	1			Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)
132				Discharge of firearms, undetermined intent (Y22-Y24)
133				Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)
134				Operations of war and their sequelae (Y36, Y89.1)
135				Complications of medical and surgical care (Y40-Y84, Y88)