

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VIII. Diseases of the ear and mastoid process (H60-H93)

Arkansas

All races, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	-	2	1	-	1	1	1	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	1	-	-	-	-
White, both sexes.....	-	-	2	1	-	-	1	1	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
IX. Diseases of the circulatory system (I00-I99)												
Arkansas												
All races, both sexes.....	11,218	14	5	1	2	8	9	16	37	90	165	271
Male.....	5,276	7	3	-	1	5	4	9	26	51	102	183
Female.....	5,942	7	2	1	1	3	5	7	11	39	63	88
White, both sexes.....	9,594	10	4	1	2	6	6	8	28	57	117	194
Male.....	4,562	7	3	-	1	4	3	4	19	36	83	133
Female.....	5,032	3	1	1	1	2	3	4	9	21	34	61
Black, both sexes.....	1,579	4	1	-	-	2	3	8	9	33	46	74
Male.....	686	-	-	-	-	1	1	5	7	15	18	47
Female.....	893	4	1	-	-	1	2	3	2	18	28	27
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	-	1	2
Male.....	14	-	-	-	-	-	-	-	-	-	1	2
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	-	-	-	-	-	-	-	-	-	1	1
Male.....	14	-	-	-	-	-	-	-	-	-	-	1
Female.....	14	-	-	-	-	-	-	-	-	-	1	-
California												
All races, both sexes.....	93,025	70	16	10	30	52	88	144	268	571	1,074	1,806
Male.....	44,224	37	9	3	21	38	63	112	180	404	747	1,265
Female.....	48,801	33	7	7	9	14	25	32	88	167	327	541
White, both sexes.....	78,846	49	12	9	22	37	67	105	186	397	793	1,349
Male.....	37,202	26	6	2	13	26	45	83	129	285	561	977
Female.....	41,644	23	6	7	9	11	22	22	57	112	232	372
Black, both sexes.....	7,427	9	2	-	6	10	14	28	53	110	192	308
Male.....	3,544	4	1	-	6	7	11	20	28	70	118	179
Female.....	3,883	5	1	-	-	3	3	8	25	40	74	129
American Indian 1/, both sexes.....	320	-	-	-	-	-	1	1	2	4	8	8
Male.....	175	-	-	-	-	-	1	1	2	3	7	6
Female.....	145	-	-	-	-	-	-	-	-	1	1	2
Asian or Pacific Islander 2/, both sexes.....	6,432	12	2	1	2	5	6	10	27	60	81	141
Male.....	3,303	7	2	1	2	5	6	8	21	46	61	103
Female.....	3,129	5	-	-	-	-	-	2	6	14	20	38

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
IX. Diseases of the circulatory system (I00-I99)												
Massachusetts												
All races, both sexes.....	19,751	10	4	5	3	8	10	19	37	85	196	302
Male.....	8,828	3	3	1	-	5	7	14	24	64	136	224
Female.....	10,923	7	1	4	3	3	3	5	13	21	60	78
White, both sexes.....	18,925	6	3	3	3	6	9	18	29	72	170	269
Male.....	8,445	3	2	-	-	4	6	14	18	54	117	207
Female.....	10,480	3	1	3	3	2	3	4	11	18	53	62
Black, both sexes.....	674	3	1	1	-	2	1	1	6	12	21	30
Male.....	307	-	1	-	-	1	1	-	4	10	14	15
Female.....	367	3	-	1	-	1	-	1	2	2	7	15
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	142	1	-	1	-	-	-	-	2	1	5	3
Male.....	73	-	-	1	-	-	-	-	2	-	5	2
Female.....	69	1	-	-	-	-	-	-	-	1	-	1
Michigan												
All races, both sexes.....	34,904	18	7	7	10	15	27	51	97	225	464	794
Male.....	16,295	13	5	2	7	11	15	33	68	150	304	559
Female.....	18,609	5	2	5	3	4	12	18	29	75	160	235
White, both sexes.....	29,768	11	5	7	8	10	18	28	65	158	313	548
Male.....	13,845	8	3	2	6	8	10	16	44	110	215	401
Female.....	15,923	3	2	5	2	2	8	12	21	48	98	147
Black, both sexes.....	4,904	6	2	-	1	5	9	21	31	64	144	237
Male.....	2,339	4	2	-	1	3	5	17	23	37	86	152
Female.....	2,565	2	-	-	-	2	4	4	8	27	58	85
American Indian 1/, both sexes.....	113	1	-	-	1	-	-	1	-	3	3	3
Male.....	54	1	-	-	-	-	-	-	-	3	1	2
Female.....	59	-	-	-	1	-	-	1	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	119	-	-	-	-	-	-	1	1	-	4	6
Male.....	57	-	-	-	-	-	-	-	1	-	2	4
Female.....	62	-	-	-	-	-	-	1	-	-	2	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
IX. Diseases of the circulatory system (I00-I99)												
Nebraska												
All races, both sexes.....	5,798	3	-	1	1	4	5	2	19	30	54	79
Male.....	2,635	2	-	1	1	3	3	1	12	20	35	51
Female.....	3,163	1	-	-	-	1	2	1	7	10	19	28
White, both sexes.....	5,611	2	-	1	-	3	4	2	15	27	43	70
Male.....	2,549	1	-	1	-	3	2	1	9	19	29	44
Female.....	3,062	1	-	-	-	-	2	1	6	8	14	26
Black, both sexes.....	150	1	-	-	1	1	1	-	2	3	10	7
Male.....	63	1	-	-	1	-	1	-	1	1	5	6
Female.....	87	-	-	-	-	1	-	-	1	2	5	1
American Indian 1/, both sexes.....	27	-	-	-	-	-	-	-	1	-	1	1
Male.....	18	-	-	-	-	-	-	-	1	-	1	1
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	1	-	-	1
Male.....	5	-	-	-	-	-	-	-	1	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	1
Nevada												
All races, both sexes.....	5,814	4	5	-	3	7	5	8	22	56	101	156
Male.....	3,118	2	2	-	3	2	3	5	19	33	61	109
Female.....	2,696	2	3	-	-	5	2	3	3	23	40	47
White, both sexes.....	5,223	3	5	-	3	5	4	6	15	35	76	131
Male.....	2,807	2	2	-	3	-	3	5	12	20	47	92
Female.....	2,416	1	3	-	-	5	1	1	3	15	29	39
Black, both sexes.....	384	1	-	-	-	-	-	2	4	12	15	23
Male.....	208	-	-	-	-	-	-	-	4	7	10	15
Female.....	176	1	-	-	-	-	-	2	-	5	5	8
American Indian 1/, both sexes.....	50	-	-	-	-	1	-	-	1	3	3	-
Male.....	27	-	-	-	-	1	-	-	1	2	-	-
Female.....	23	-	-	-	-	-	-	-	-	1	3	-
Asian or Pacific Islander 2/, both sexes.....	157	-	-	-	-	1	1	-	2	6	7	2
Male.....	76	-	-	-	-	1	-	-	2	4	4	2
Female.....	81	-	-	-	-	-	1	-	-	2	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
IX. Diseases of the circulatory system (I00-I99)												
New Hampshire												
All races, both sexes.....	3,657	2	-	-	-	3	3	4	3	15	39	70
Male.....	1,703	1	-	-	-	2	3	3	3	13	29	58
Female.....	1,954	1	-	-	-	1	-	1	-	2	10	12
White, both sexes.....	3,639	2	-	-	-	3	3	4	3	15	38	70
Male.....	1,694	1	-	-	-	2	3	3	3	13	28	58
Female.....	1,945	1	-	-	-	1	-	1	-	2	10	12
Black, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	-	1	-
Male.....	4	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	28,387	17	7	2	7	16	28	49	77	147	300	487
Male.....	12,787	8	3	2	4	13	20	37	42	82	210	345
Female.....	15,600	9	4	-	3	3	8	12	35	65	90	142
White, both sexes.....	24,796	9	1	1	4	13	19	27	48	101	212	339
Male.....	11,137	3	1	1	3	10	12	26	28	57	159	265
Female.....	13,659	6	-	-	1	3	7	1	20	44	53	74
Black, both sexes.....	3,179	6	5	1	3	3	9	16	27	40	84	135
Male.....	1,436	5	2	1	1	3	8	8	13	20	48	70
Female.....	1,743	1	3	-	2	-	1	8	14	20	36	65
American Indian 1/, both sexes.....	27	-	-	-	-	-	-	1	-	-	-	1
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	17	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	385	2	1	-	-	-	-	5	2	6	4	12
Male.....	204	-	-	-	-	-	-	3	1	5	3	10
Female.....	181	2	1	-	-	-	-	2	1	1	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
IX. Diseases of the circulatory system (I00-I99)												
New Mexico												
All races, both sexes.....	4,422	4	1	1	2	2	6	10	9	31	51	80
Male.....	2,189	-	-	1	2	2	4	4	8	24	36	53
Female.....	2,233	4	1	-	-	-	2	6	1	7	15	27
White, both sexes.....	4,153	4	1	-	1	2	4	8	7	26	47	71
Male.....	2,054	-	-	-	1	2	2	3	6	21	33	47
Female.....	2,099	4	1	-	-	-	2	5	1	5	14	24
Black, both sexes.....	69	-	-	-	-	-	1	-	-	2	1	2
Male.....	30	-	-	-	-	-	1	-	-	1	-	-
Female.....	39	-	-	-	-	-	-	-	-	1	1	2
American Indian 1/, both sexes.....	185	-	-	1	1	-	1	2	2	2	3	5
Male.....	94	-	-	1	1	-	1	1	2	1	3	4
Female.....	91	-	-	-	-	-	-	1	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	-	-	-	-	1	-	2
Male.....	11	-	-	-	-	-	-	-	-	1	-	2
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	68,108	28	9	4	11	19	35	64	151	330	620	1,129
Male.....	30,314	14	5	1	8	9	24	39	97	202	426	795
Female.....	37,794	14	4	3	3	10	11	25	54	128	194	334
White, both sexes.....	58,112	17	7	1	7	12	20	35	92	204	410	791
Male.....	25,834	8	3	-	5	5	12	23	61	124	308	600
Female.....	32,278	9	4	1	2	7	8	12	31	80	102	191
Black, both sexes.....	8,735	10	2	3	3	7	14	27	53	110	193	297
Male.....	3,804	5	2	1	2	4	11	15	32	66	109	164
Female.....	4,931	5	-	2	1	3	3	12	21	44	84	133
American Indian 1/, both sexes.....	57	-	-	-	-	-	1	-	1	1	2	4
Male.....	31	-	-	-	-	-	1	-	1	1	1	4
Female.....	26	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1,204	1	-	-	1	-	-	2	5	15	15	37
Male.....	645	1	-	-	1	-	-	1	3	11	8	27
Female.....	559	-	-	-	-	-	-	1	2	4	7	10

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
IX. Diseases of the circulatory system (I00-I99)												
Oregon												
All races, both sexes.....	10,914	10	3	1	1	7	6	4	26	43	82	185
Male.....	5,267	2	-	1	1	5	3	4	17	26	55	125
Female.....	5,647	8	3	-	-	2	3	-	9	17	27	60
White, both sexes.....	10,626	8	2	1	1	7	6	4	23	38	73	171
Male.....	5,111	2	-	1	1	5	3	4	15	22	48	116
Female.....	5,515	6	2	-	-	2	3	-	8	16	25	55
Black, both sexes.....	117	1	-	-	-	-	-	-	2	3	5	6
Male.....	65	-	-	-	-	-	-	-	2	2	4	4
Female.....	52	1	-	-	-	-	-	-	-	1	1	2
American Indian 1/, both sexes.....	76	-	-	-	-	-	-	-	1	-	3	4
Male.....	41	-	-	-	-	-	-	-	-	-	3	1
Female.....	35	-	-	-	-	-	-	-	1	-	-	3
Asian or Pacific Islander 2/, both sexes.....	95	1	1	-	-	-	-	-	-	2	1	4
Male.....	50	-	-	-	-	-	-	-	-	2	-	4
Female.....	45	1	1	-	-	-	-	-	-	-	1	-
Pennsylvania												
All races, both sexes.....	50,540	19	11	9	21	21	34	52	98	214	508	726
Male.....	22,562	9	4	4	10	16	20	31	64	141	354	506
Female.....	27,978	10	7	5	11	5	14	21	34	73	154	220
White, both sexes.....	46,322	14	9	6	14	17	26	42	70	167	413	579
Male.....	20,704	6	2	3	8	12	16	26	45	115	303	427
Female.....	25,618	8	7	3	6	5	10	16	25	52	110	152
Black, both sexes.....	4,042	5	2	2	7	4	6	9	28	46	94	141
Male.....	1,770	3	2	1	2	4	2	4	19	26	50	77
Female.....	2,272	2	-	1	5	-	4	5	9	20	44	64
American Indian 1/, both sexes.....	18	-	-	-	-	-	-	-	-	-	-	1
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	158	-	-	1	-	-	2	1	-	1	1	5
Male.....	79	-	-	-	-	-	2	1	-	-	1	1
Female.....	79	-	-	1	-	-	-	-	-	1	-	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
IX. Diseases of the circulatory system (I00-I99)												
South Dakota												
All races, both sexes.....	2,625	2	1	-	1	4	2	5	5	10	27	52
Male.....	1,237	-	-	-	-	3	-	3	3	8	16	39
Female.....	1,388	2	1	-	1	1	2	2	2	2	11	13
White, both sexes.....	2,508	-	-	-	1	3	1	4	3	6	23	43
Male.....	1,173	-	-	-	-	3	-	3	1	5	14	34
Female.....	1,335	-	-	-	1	-	1	1	2	1	9	9
Black, both sexes.....	2	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	113	1	1	-	-	1	-	1	2	4	4	9
Male.....	63	-	-	-	-	-	-	-	2	3	2	5
Female.....	50	1	1	-	-	1	-	1	-	1	2	4
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	21,723	14	6	5	4	10	19	44	97	195	379	562
Male.....	9,994	4	5	3	2	7	13	28	60	112	260	364
Female.....	11,729	10	1	2	2	3	6	16	37	83	119	198
White, both sexes.....	18,328	6	4	3	4	8	14	30	62	140	276	382
Male.....	8,402	1	3	2	2	6	10	19	42	84	198	269
Female.....	9,926	5	1	1	2	2	4	11	20	56	78	113
Black, both sexes.....	3,341	8	2	2	-	2	5	14	33	54	102	178
Male.....	1,555	3	2	1	-	1	3	9	16	28	61	95
Female.....	1,786	5	-	1	-	1	2	5	17	26	41	83
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	48	-	-	-	-	-	-	-	2	1	1	1
Male.....	34	-	-	-	-	-	-	-	2	-	1	-
Female.....	14	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
IX. Diseases of the circulatory system (I00-I99)												
Vermont												
All races, both sexes.....	1,846	1	1	1	-	3	-	-	2	6	10	17
Male.....	826	1	-	1	-	1	-	-	1	1	8	11
Female.....	1,020	-	1	-	-	2	-	-	1	5	2	6
White, both sexes.....	1,836	1	1	1	-	3	-	-	2	6	10	15
Male.....	822	1	-	1	-	1	-	-	1	1	8	10
Female.....	1,014	-	1	-	-	2	-	-	1	5	2	5
Black, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	20,343	14	5	2	6	14	19	44	80	155	290	486
Male.....	9,476	8	3	2	3	5	11	24	50	106	195	335
Female.....	10,867	6	2	-	3	9	8	20	30	49	95	151
White, both sexes.....	16,008	8	3	1	3	8	10	24	38	94	188	305
Male.....	7,469	4	2	1	2	2	5	14	25	65	137	223
Female.....	8,539	4	1	-	1	6	5	10	13	29	51	82
Black, both sexes.....	4,103	6	2	1	3	5	9	19	41	58	98	174
Male.....	1,890	4	1	1	1	2	6	9	25	38	54	107
Female.....	2,213	2	1	-	2	3	3	10	16	20	44	67
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	222	-	-	-	-	1	-	1	1	3	4	7
Male.....	111	-	-	-	-	1	-	1	-	3	4	5
Female.....	111	-	-	-	-	-	-	-	1	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

United States

All races, both sexes.....	27,364	35,306	43,719	58,053	86,715	126,712	161,956	163,997	118,216	47,754	10,565	51
Male.....	19,077	23,889	28,457	35,763	49,879	65,967	73,286	61,517	33,525	9,885	1,522	36
Female.....	8,287	11,417	15,262	22,290	36,836	60,745	88,670	102,480	84,691	37,869	9,043	15
White, both sexes.....	20,244	27,382	34,509	47,058	73,411	110,427	145,548	150,167	108,604	43,692	9,225	35
Male.....	14,636	19,020	23,001	29,653	43,113	58,468	66,580	56,853	30,785	8,999	1,275	26
Female.....	5,608	8,362	11,508	17,405	30,298	51,959	78,968	93,314	77,819	34,693	7,950	9
Black, both sexes.....	6,407	7,041	8,097	9,488	11,319	13,719	13,673	11,397	7,953	3,437	1,161	15
Male.....	3,943	4,290	4,750	5,216	5,741	6,131	5,393	3,587	2,055	661	190	9
Female.....	2,464	2,751	3,347	4,272	5,578	7,588	8,280	7,810	5,898	2,776	971	6
American Indian 1/, both sexes.....	193	237	285	340	386	437	411	311	205	90	25	1
Male.....	139	147	186	194	217	227	171	143	58	21	8	1
Female.....	54	90	99	146	169	210	240	168	147	69	17	-
Asian or Pacific Islander 2/, both sexes.....	520	646	828	1,167	1,599	2,129	2,324	2,122	1,454	535	154	-
Male.....	359	432	520	700	808	1,141	1,142	934	627	204	49	-
Female.....	161	214	308	467	791	988	1,182	1,188	827	331	105	-

Alabama

All races, both sexes.....	647	833	952	1,283	1,723	2,396	2,786	2,788	1,926	781	145	-
Male.....	457	543	603	778	979	1,168	1,182	943	466	137	17	-
Female.....	190	290	349	505	744	1,228	1,604	1,845	1,460	644	128	-
White, both sexes.....	398	564	683	932	1,292	1,872	2,241	2,269	1,573	599	87	-
Male.....	289	377	441	586	765	944	957	793	378	106	7	-
Female.....	109	187	242	346	527	928	1,284	1,476	1,195	493	80	-
Black, both sexes.....	247	268	267	348	429	520	541	515	352	181	58	-
Male.....	167	165	160	189	214	223	224	149	88	30	10	-
Female.....	80	103	107	159	215	297	317	366	264	151	48	-
American Indian 1/, both sexes.....	2	1	1	2	-	1	2	2	-	-	-	-
Male.....	1	1	1	2	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	2	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	2	3	2	2	1	1	-	-
Male.....	-	-	1	1	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	2	3	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

Alaska

All races, both sexes.....	46	60	74	66	87	107	117	84	42	19	3	-
Male.....	38	48	57	49	57	57	65	31	12	7	-	-
Female.....	8	12	17	17	30	50	52	53	30	12	3	-
White, both sexes.....	33	46	60	55	65	82	96	68	33	16	2	-
Male.....	27	39	46	43	42	45	56	25	9	4	-	-
Female.....	6	7	14	12	23	37	40	43	24	12	2	-
Black, both sexes.....	2	1	3	1	1	4	2	1	3	-	-	-
Male.....	2	1	2	1	1	-	-	-	1	-	-	-
Female.....	-	-	1	-	-	4	2	1	2	-	-	-
American Indian 1/, both sexes.....	8	11	9	7	17	18	15	12	5	1	1	-
Male.....	6	7	9	3	13	12	7	4	1	1	-	-
Female.....	2	4	-	4	4	6	8	8	4	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	2	2	3	4	3	4	3	1	2	-	-
Male.....	3	1	-	2	1	-	2	2	1	2	-	-
Female.....	-	1	2	1	3	3	2	1	-	-	-	-

Arizona

All races, both sexes.....	438	529	740	963	1,470	2,092	2,606	2,496	1,654	652	122	2
Male.....	303	378	498	618	907	1,130	1,269	1,096	545	160	19	2
Female.....	135	151	242	345	563	962	1,337	1,400	1,109	492	103	-
White, both sexes.....	392	479	685	907	1,379	1,996	2,509	2,437	1,611	633	114	1
Male.....	272	348	461	591	853	1,081	1,229	1,069	526	154	16	1
Female.....	120	131	224	316	526	915	1,280	1,368	1,085	479	98	-
Black, both sexes.....	19	26	19	22	35	38	41	26	20	12	3	-
Male.....	11	16	15	12	25	23	14	10	8	3	-	-
Female.....	8	10	4	10	10	15	27	16	12	9	3	-
American Indian 1/, both sexes.....	21	22	28	28	52	40	37	24	12	5	5	1
Male.....	14	13	17	13	27	17	16	13	4	2	3	1
Female.....	7	9	11	15	25	23	21	11	8	3	2	-
Asian or Pacific Islander 2/, both sexes.....	6	2	8	6	4	18	19	9	11	2	-	-
Male.....	6	1	5	2	2	9	10	4	7	1	-	-
Female.....	-	1	3	4	2	9	9	5	4	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

Arkansas

All races, both sexes.....	370	478	617	759	1,092	1,505	1,853	1,906	1,369	539	112	-
Male.....	246	310	405	461	630	794	805	719	387	107	21	-
Female.....	124	168	212	298	462	711	1,048	1,187	982	432	91	-
White, both sexes.....	273	404	507	645	918	1,304	1,661	1,705	1,194	464	86	-
Male.....	192	265	344	395	538	716	735	644	337	89	14	-
Female.....	81	139	163	250	380	588	926	1,061	857	375	72	-
Black, both sexes.....	94	73	107	110	165	197	186	196	170	75	26	-
Male.....	52	45	60	62	87	75	68	71	47	18	7	-
Female.....	42	28	47	48	78	122	118	125	123	57	19	-
American Indian 1/, both sexes.....	2	-	1	2	4	-	-	2	3	-	-	-
Male.....	2	-	1	2	2	-	-	2	2	-	-	-
Female.....	-	-	-	-	2	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	2	5	4	6	3	2	-	-	-
Male.....	-	-	-	2	3	3	2	2	1	-	-	-
Female.....	1	1	2	-	2	1	4	1	1	-	-	-

California

All races, both sexes.....	2,608	3,388	4,190	5,500	8,435	12,709	16,777	17,106	12,074	4,935	1,167	7
Male.....	1,841	2,316	2,722	3,374	4,779	6,642	7,863	6,747	3,720	1,139	200	2
Female.....	767	1,072	1,468	2,126	3,656	6,067	8,914	10,359	8,354	3,796	967	5
White, both sexes.....	1,963	2,611	3,285	4,318	6,924	10,655	14,619	15,177	10,815	4,451	996	6
Male.....	1,427	1,824	2,143	2,689	4,005	5,631	6,886	5,991	3,289	1,000	162	2
Female.....	536	787	1,142	1,629	2,919	5,024	7,733	9,186	7,526	3,451	834	4
Black, both sexes.....	425	504	556	698	781	1,046	968	877	529	224	86	1
Male.....	262	296	346	404	413	479	409	300	135	44	12	-
Female.....	163	208	210	294	368	567	559	577	394	180	74	1
American Indian 1/, both sexes.....	19	25	27	24	44	43	47	34	19	14	-	-
Male.....	14	18	17	14	22	26	19	20	4	1	-	-
Female.....	5	7	10	10	22	17	28	14	15	13	-	-
Asian or Pacific Islander 2/, both sexes.....	201	248	322	460	686	965	1,143	1,018	711	246	85	-
Male.....	138	178	216	267	339	506	549	436	292	94	26	-
Female.....	63	70	106	193	347	459	594	582	419	152	59	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IX. Diseases of the circulatory system (I00-I99)

Colorado

All races, both sexes.....	290	392	455	560	815	1,313	1,608	1,675	1,229	514	105	-
Male.....	211	281	297	329	471	690	744	634	361	122	12	-
Female.....	79	111	158	231	344	623	864	1,041	868	392	93	-
White, both sexes.....	259	358	420	518	766	1,255	1,554	1,633	1,207	504	103	-
Male.....	189	258	273	307	449	666	721	618	356	120	12	-
Female.....	70	100	147	211	317	589	833	1,015	851	384	91	-
Black, both sexes.....	23	25	24	35	31	36	33	24	19	7	1	-
Male.....	16	17	17	18	16	17	9	9	3	1	-	-
Female.....	7	8	7	17	15	19	24	15	16	6	1	-
American Indian 1/, both sexes.....	2	6	6	-	2	4	6	5	1	1	-	-
Male.....	2	3	3	-	-	1	6	3	1	-	-	-
Female.....	-	3	3	-	2	3	-	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	3	5	7	16	18	15	13	2	2	1	-
Male.....	4	3	4	4	6	6	8	4	1	1	-	-
Female.....	2	-	1	3	10	12	7	9	1	1	1	-

Connecticut

All races, both sexes.....	268	375	407	570	946	1,429	2,081	2,237	1,720	770	182	3
Male.....	188	269	267	354	604	764	939	846	459	135	21	-
Female.....	80	106	140	216	342	665	1,142	1,391	1,261	635	161	3
White, both sexes.....	227	315	354	496	866	1,333	1,980	2,169	1,673	749	178	2
Male.....	164	226	233	308	556	716	893	822	451	130	20	-
Female.....	63	89	121	188	310	617	1,087	1,347	1,222	619	158	2
Black, both sexes.....	41	56	47	64	71	83	87	60	45	20	4	1
Male.....	24	39	31	40	41	40	37	21	8	4	1	-
Female.....	17	17	16	24	30	43	50	39	37	16	3	1
American Indian 1/, both sexes.....	-	1	2	3	1	8	5	3	1	1	-	-
Male.....	-	1	1	-	1	4	2	1	-	1	-	-
Female.....	-	-	1	3	-	4	3	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	4	7	8	5	9	5	1	-	-	-
Male.....	-	3	2	6	6	4	7	2	-	-	-	-
Female.....	-	-	2	1	2	1	2	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

Delaware

All races, both sexes.....	75	100	112	170	246	337	457	405	289	127	28	-
Male.....	56	60	72	94	142	160	199	148	79	23	6	-
Female.....	19	40	40	76	104	177	258	257	210	104	22	-
White, both sexes.....	54	75	83	135	205	294	406	362	261	117	27	-
Male.....	41	48	55	78	116	141	178	138	69	20	6	-
Female.....	13	27	28	57	89	153	228	224	192	97	21	-
Black, both sexes.....	20	24	27	32	41	42	47	41	26	9	1	-
Male.....	14	12	15	15	26	18	20	10	9	3	-	-
Female.....	6	12	12	17	15	24	27	31	17	6	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	2	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	3	-	1	3	-	2	-	-	-
Male.....	-	-	2	1	-	1	1	-	1	-	-	-
Female.....	-	1	-	2	-	-	2	-	1	-	-	-

Dist. of Columbia

All races, both sexes.....	94	111	129	163	198	277	327	310	202	101	22	3
Male.....	65	70	76	96	110	138	136	99	61	19	3	3
Female.....	29	41	53	67	88	139	191	211	141	82	19	-
White, both sexes.....	13	14	13	20	34	42	68	90	78	41	6	-
Male.....	10	11	9	16	21	25	31	32	24	7	1	-
Female.....	3	3	4	4	13	17	37	58	54	34	5	-
Black, both sexes.....	79	97	116	141	163	232	255	216	123	60	16	3
Male.....	54	59	67	79	88	111	103	66	36	12	2	3
Female.....	25	38	49	62	75	121	152	150	87	48	14	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	2	1	3	3	4	1	-	-	-
Male.....	1	-	-	1	1	2	2	1	1	-	-	-
Female.....	1	-	-	1	-	1	1	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IX. Diseases of the circulatory system (I00-I99)

Florida

All races, both sexes.....	1,481	2,098	2,804	3,753	6,069	9,124	11,745	11,778	8,642	3,435	687	5
Male.....	1,050	1,476	1,885	2,386	3,640	5,009	5,762	4,925	2,873	836	117	4
Female.....	431	622	919	1,367	2,429	4,115	5,983	6,853	5,769	2,599	570	1
White, both sexes.....	1,125	1,698	2,236	3,107	5,351	8,256	10,906	11,082	8,152	3,234	622	4
Male.....	831	1,239	1,557	2,007	3,265	4,608	5,419	4,707	2,739	795	103	3
Female.....	294	459	679	1,100	2,086	3,648	5,487	6,375	5,413	2,439	519	1
Black, both sexes.....	340	389	546	614	681	829	808	670	473	196	61	1
Male.....	207	228	318	356	356	379	331	208	127	39	12	1
Female.....	133	161	228	258	325	450	477	462	346	157	49	-
American Indian 1/, both sexes.....	5	1	4	6	9	4	8	1	3	2	2	-
Male.....	4	1	3	3	5	1	3	-	1	1	-	-
Female.....	1	-	1	3	4	3	5	1	2	1	2	-
Asian or Pacific Islander 2/, both sexes.....	11	10	18	26	28	35	23	25	14	3	2	-
Male.....	8	8	7	20	14	21	9	10	6	1	2	-
Female.....	3	2	11	6	14	14	14	15	8	2	-	-

Georgia

All races, both sexes.....	1,045	1,276	1,586	1,806	2,362	3,255	3,789	3,494	2,310	845	176	-
Male.....	678	823	1,003	1,090	1,311	1,578	1,610	1,179	553	157	25	-
Female.....	367	453	583	716	1,051	1,677	2,179	2,315	1,757	688	151	-
White, both sexes.....	586	799	1,026	1,201	1,688	2,443	2,982	2,849	1,843	656	117	-
Male.....	396	539	681	766	980	1,234	1,319	979	451	119	14	-
Female.....	190	260	345	435	708	1,209	1,663	1,870	1,392	537	103	-
Black, both sexes.....	448	463	541	585	650	794	794	635	462	187	59	-
Male.....	275	277	309	313	317	336	282	198	99	36	11	-
Female.....	173	186	232	272	333	458	512	437	363	151	48	-
American Indian 1/, both sexes.....	3	5	1	7	3	5	4	3	-	-	-	-
Male.....	2	4	1	3	1	3	2	1	-	-	-	-
Female.....	1	1	-	4	2	2	2	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	9	18	13	21	13	9	7	5	2	-	-
Male.....	5	3	12	8	13	5	7	1	3	2	-	-
Female.....	3	6	6	5	8	8	2	6	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

Hawaii

All races, both sexes.....	102	139	177	223	350	520	588	610	407	179	45	-
Male.....	67	99	110	142	207	306	295	306	205	63	13	-
Female.....	35	40	67	81	143	214	293	304	202	116	32	-
White, both sexes.....	30	39	42	55	101	120	160	140	92	39	9	-
Male.....	18	34	34	36	61	73	83	62	33	10	1	-
Female.....	12	5	8	19	40	47	77	78	59	29	8	-
Black, both sexes.....	2	4	1	1	3	3	1	-	-	-	-	-
Male.....	1	3	1	-	3	1	1	-	-	-	-	-
Female.....	1	1	-	1	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	1	1	-	1	2	-	-	-
Male.....	-	1	-	1	1	1	-	-	1	-	-	-
Female.....	-	-	-	1	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	70	95	134	166	245	396	427	469	313	140	36	-
Male.....	48	61	75	106	142	231	211	244	171	53	12	-
Female.....	22	34	59	60	103	165	216	225	142	87	24	-

Idaho

All races, both sexes.....	97	130	164	207	329	444	566	708	486	196	31	-
Male.....	71	92	112	125	204	244	274	300	159	55	4	-
Female.....	26	38	52	82	125	200	292	408	327	141	27	-
White, both sexes.....	95	124	164	201	326	436	560	704	481	193	31	-
Male.....	71	88	112	121	202	240	270	298	158	53	4	-
Female.....	24	36	52	80	124	196	290	406	323	140	27	-
Black, both sexes.....	-	-	-	3	-	-	-	1	1	1	-	-
Male.....	-	-	-	2	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	2	5	-	3	2	4	2	3	2	1	-	-
Male.....	-	4	-	2	1	2	1	1	-	1	-	-
Female.....	2	1	-	1	1	2	1	2	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	4	4	-	2	1	-	-
Male.....	-	-	-	-	1	2	3	-	1	1	-	-
Female.....	-	1	-	-	-	2	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

Illinois

All races, both sexes.....	1,309	1,529	1,870	2,454	3,698	5,382	7,015	7,329	5,393	2,197	465	-
Male.....	927	1,021	1,235	1,493	2,116	2,778	3,128	2,700	1,501	442	62	-
Female.....	382	508	635	961	1,582	2,604	3,887	4,629	3,892	1,755	403	-
White, both sexes.....	874	1,093	1,353	1,867	3,010	4,587	6,247	6,771	4,957	2,022	400	-
Male.....	652	748	922	1,161	1,760	2,427	2,832	2,534	1,386	407	51	-
Female.....	222	345	431	706	1,250	2,160	3,415	4,237	3,571	1,615	349	-
Black, both sexes.....	408	418	484	551	639	737	691	504	396	164	64	-
Male.....	255	261	292	311	330	321	257	148	103	32	11	-
Female.....	153	157	192	240	309	416	434	356	293	132	53	-
American Indian 1/, both sexes.....	2	2	-	1	4	3	3	2	-	-	-	-
Male.....	2	2	-	1	1	2	1	1	-	-	-	-
Female.....	-	-	-	-	3	1	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	16	33	35	45	55	74	52	40	11	1	-
Male.....	18	10	21	20	25	28	38	17	12	3	-	-
Female.....	7	6	12	15	20	27	36	35	28	8	1	-

Indiana

All races, both sexes.....	611	782	1,031	1,335	2,018	2,846	3,626	3,614	2,476	1,059	258	-
Male.....	430	535	677	803	1,173	1,442	1,557	1,307	658	206	40	-
Female.....	181	247	354	532	845	1,404	2,069	2,307	1,818	853	218	-
White, both sexes.....	512	691	907	1,205	1,835	2,653	3,409	3,447	2,367	1,006	242	-
Male.....	367	478	605	734	1,077	1,346	1,467	1,258	623	190	38	-
Female.....	145	213	302	471	758	1,307	1,942	2,189	1,744	816	204	-
Black, both sexes.....	96	89	124	129	174	191	212	165	107	51	16	-
Male.....	61	56	72	69	91	95	86	48	34	16	2	-
Female.....	35	33	52	60	83	96	126	117	73	35	14	-
American Indian 1/, both sexes.....	-	1	-	1	2	-	-	-	-	2	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	7	2	5	2	2	-	-	-
Male.....	2	1	-	-	3	1	4	1	1	-	-	-
Female.....	1	-	-	-	4	1	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

Iowa

All races, both sexes.....	229	298	361	544	916	1,370	1,978	2,278	1,822	852	208	-
Male.....	168	215	248	347	530	778	928	831	564	164	27	-
Female.....	61	83	113	197	386	592	1,050	1,447	1,258	688	181	-
White, both sexes.....	219	290	344	533	904	1,348	1,952	2,259	1,812	846	206	-
Male.....	162	208	238	338	524	764	920	826	558	163	26	-
Female.....	57	82	106	195	380	584	1,032	1,433	1,254	683	180	-
Black, both sexes.....	7	6	14	8	11	18	22	16	9	5	2	-
Male.....	3	5	9	7	5	10	7	5	6	-	1	-
Female.....	4	1	5	1	6	8	15	11	3	5	1	-
American Indian 1/, both sexes.....	1	-	1	2	1	-	1	2	-	-	-	-
Male.....	1	-	1	2	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	1	-	4	3	1	1	1	-	-
Male.....	2	2	-	-	-	4	-	-	-	1	-	-
Female.....	-	-	2	1	-	-	3	1	1	-	-	-

Kansas

All races, both sexes.....	242	291	328	508	764	1,193	1,620	1,815	1,509	623	154	-
Male.....	186	203	224	334	444	625	757	704	426	107	22	-
Female.....	56	88	104	174	320	568	863	1,111	1,083	516	132	-
White, both sexes.....	213	248	289	466	717	1,121	1,558	1,772	1,465	607	149	-
Male.....	160	181	202	311	422	595	733	689	412	103	20	-
Female.....	53	67	87	155	295	526	825	1,083	1,053	504	129	-
Black, both sexes.....	26	36	33	34	40	56	53	38	34	14	5	-
Male.....	23	17	18	21	17	22	22	13	11	3	2	-
Female.....	3	19	15	13	23	34	31	25	23	11	3	-
American Indian 1/, both sexes.....	1	2	3	6	2	11	6	4	7	-	-	-
Male.....	1	1	3	2	2	6	2	2	2	-	-	-
Female.....	-	1	-	4	-	5	4	2	5	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	3	2	5	5	3	1	3	2	-	-
Male.....	2	4	1	-	3	2	-	-	1	1	-	-
Female.....	-	1	2	2	2	3	3	1	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
IX. Diseases of the circulatory system (I00-I99)												
Kentucky												
All races, both sexes.....	489	655	830	1,136	1,539	2,107	2,543	2,416	1,747	628	126	1
Male.....	336	448	519	703	879	1,042	1,071	812	463	137	25	1
Female.....	153	207	311	433	660	1,065	1,472	1,604	1,284	491	101	-
White, both sexes.....	436	595	758	1,047	1,423	1,974	2,404	2,288	1,662	590	113	-
Male.....	306	408	485	649	824	988	1,024	775	443	133	22	-
Female.....	130	187	273	398	599	986	1,380	1,513	1,219	457	91	-
Black, both sexes.....	52	58	72	86	112	132	132	126	83	38	13	1
Male.....	29	39	34	51	55	54	45	36	20	4	3	1
Female.....	23	19	38	35	57	78	87	90	63	34	10	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	2	4	1	7	2	2	-	-	-
Male.....	1	1	-	2	-	-	2	1	-	-	-	-
Female.....	-	1	-	-	4	1	5	1	2	-	-	-
Louisiana												
All races, both sexes.....	572	739	914	1,095	1,613	2,084	2,365	2,170	1,504	610	142	-
Male.....	387	466	585	679	881	1,078	951	784	404	111	18	-
Female.....	185	273	329	416	732	1,006	1,414	1,386	1,100	499	124	-
White, both sexes.....	317	412	566	705	1,094	1,523	1,802	1,745	1,182	449	94	-
Male.....	233	272	383	459	630	823	751	638	303	78	9	-
Female.....	84	140	183	246	464	700	1,051	1,107	879	371	85	-
Black, both sexes.....	253	324	341	386	508	553	554	423	316	159	48	-
Male.....	153	194	198	217	246	251	196	145	100	32	9	-
Female.....	100	130	143	169	262	302	358	278	216	127	39	-
American Indian 1/, both sexes.....	-	1	-	2	5	1	2	-	3	-	-	-
Male.....	-	-	-	2	3	-	2	-	1	-	-	-
Female.....	-	1	-	-	2	1	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	7	2	6	7	7	2	3	2	-	-
Male.....	1	-	4	1	2	4	2	1	-	1	-	-
Female.....	1	2	3	1	4	3	5	1	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

Maine

All races, both sexes.....	93	146	185	266	392	598	772	791	604	240	66	-
Male.....	72	104	132	169	226	329	350	327	173	39	9	-
Female.....	21	42	53	97	166	269	422	464	431	201	57	-
White, both sexes.....	91	144	183	263	389	594	768	786	601	239	66	-
Male.....	70	103	132	167	224	325	347	322	173	39	9	-
Female.....	21	41	51	96	165	269	421	464	428	200	57	-
Black, both sexes.....	1	-	1	-	-	1	1	-	-	1	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	3	3	3	2	2	3	-	-	-
Male.....	1	-	-	2	2	3	2	2	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	-	-	1	3	-	-	-	-
Male.....	-	1	-	-	-	-	-	3	-	-	-	-
Female.....	-	1	1	-	-	-	1	-	-	-	-	-

Maryland

All races, both sexes.....	582	675	791	1,024	1,483	2,214	2,769	2,699	1,846	755	161	3
Male.....	404	451	519	605	828	1,090	1,216	958	498	145	30	2
Female.....	178	224	272	419	655	1,124	1,553	1,741	1,348	610	131	1
White, both sexes.....	308	402	494	657	1,036	1,701	2,261	2,267	1,564	650	119	2
Male.....	238	282	337	399	620	865	1,009	819	433	128	22	2
Female.....	70	120	157	258	416	836	1,252	1,448	1,131	522	97	-
Black, both sexes.....	263	264	282	341	424	486	477	405	267	100	41	1
Male.....	158	163	173	185	196	210	193	128	60	14	7	-
Female.....	105	101	109	156	228	276	284	277	207	86	34	1
American Indian 1/, both sexes.....	1	2	-	4	2	3	7	3	5	-	1	-
Male.....	1	-	-	3	-	2	3	3	2	-	1	-
Female.....	-	2	-	1	2	1	4	-	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	7	15	22	21	24	24	24	10	5	-	-
Male.....	7	6	9	18	12	13	11	8	3	3	-	-
Female.....	3	1	6	4	9	11	13	16	7	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

Massachusetts

All races, both sexes.....	481	600	750	997	1,659	2,510	3,746	3,943	2,894	1,206	285	1
Male.....	351	428	494	640	977	1,321	1,686	1,448	758	204	39	1
Female.....	130	172	256	357	682	1,189	2,060	2,495	2,136	1,002	246	-
White, both sexes.....	417	557	689	928	1,560	2,408	3,631	3,856	2,835	1,179	276	1
Male.....	307	401	458	607	928	1,277	1,646	1,420	741	199	35	1
Female.....	110	156	231	321	632	1,131	1,985	2,436	2,094	980	241	-
Black, both sexes.....	55	33	53	54	81	81	88	72	49	23	7	-
Male.....	36	21	33	27	40	32	30	22	13	5	2	-
Female.....	19	12	20	27	41	49	58	50	36	18	5	-
American Indian 1/, both sexes.....	1	1	-	1	1	1	1	1	1	1	1	-
Male.....	-	-	-	1	1	-	-	-	-	-	1	-
Female.....	1	1	-	-	-	1	1	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	8	9	8	14	17	20	26	14	9	3	1	-
Male.....	8	6	3	5	8	12	10	6	4	-	1	-
Female.....	-	3	5	9	9	8	16	8	5	3	-	-

Michigan

All races, both sexes.....	1,111	1,386	1,592	2,154	3,216	4,981	6,222	6,262	4,221	1,680	362	2
Male.....	746	914	1,012	1,327	1,786	2,569	2,823	2,332	1,188	383	46	2
Female.....	365	472	580	827	1,430	2,412	3,399	3,930	3,033	1,297	316	-
White, both sexes.....	779	976	1,220	1,672	2,679	4,257	5,560	5,736	3,873	1,522	321	2
Male.....	550	657	802	1,074	1,504	2,238	2,546	2,163	1,101	346	39	2
Female.....	229	319	418	598	1,175	2,019	3,014	3,573	2,772	1,176	282	-
Black, both sexes.....	322	396	350	455	511	695	636	501	329	150	39	-
Male.....	188	251	191	241	270	316	267	161	82	35	7	-
Female.....	134	145	159	214	241	379	369	340	247	115	32	-
American Indian 1/, both sexes.....	6	8	11	13	14	13	13	12	7	4	-	-
Male.....	5	4	10	6	8	8	3	2	1	-	-	-
Female.....	1	4	1	7	6	5	10	10	6	4	-	-
Asian or Pacific Islander 2/, both sexes.....	4	6	11	14	12	16	13	13	12	4	2	-
Male.....	3	2	9	6	4	7	7	6	4	2	-	-
Female.....	1	4	2	8	8	9	6	7	8	2	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

Minnesota

All races, both sexes.....	299	369	441	625	1,006	1,533	2,252	2,460	1,994	820	205	-
Male.....	221	265	303	423	622	843	1,104	955	651	175	23	-
Female.....	78	104	138	202	384	690	1,148	1,505	1,343	645	182	-
White, both sexes.....	262	344	415	585	960	1,492	2,217	2,431	1,967	813	205	-
Male.....	194	253	286	400	599	823	1,090	937	641	175	23	-
Female.....	68	91	129	185	361	669	1,127	1,494	1,326	638	182	-
Black, both sexes.....	22	17	18	16	21	22	14	12	12	5	-	-
Male.....	16	11	11	10	10	6	4	8	4	-	-	-
Female.....	6	6	7	6	11	16	10	4	8	5	-	-
American Indian 1/, both sexes.....	8	6	4	16	7	9	10	9	9	-	-	-
Male.....	6	1	3	10	3	6	5	5	2	-	-	-
Female.....	2	5	1	6	4	3	5	4	7	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	4	8	18	10	11	8	6	2	-	-
Male.....	5	-	3	3	10	8	5	5	4	-	-	-
Female.....	2	2	1	5	8	2	6	3	2	2	-	-

Mississippi

All races, both sexes.....	467	592	702	917	1,196	1,608	1,751	1,725	1,282	524	136	2
Male.....	303	377	440	556	670	769	729	550	323	97	20	1
Female.....	164	215	262	361	526	839	1,022	1,175	959	427	116	1
White, both sexes.....	250	325	429	588	806	1,119	1,276	1,293	943	353	83	2
Male.....	175	222	276	375	473	562	533	413	224	58	8	1
Female.....	75	103	153	213	333	557	743	880	719	295	75	1
Black, both sexes.....	209	263	273	324	384	483	471	429	337	171	52	-
Male.....	125	153	164	178	196	205	195	136	98	39	12	-
Female.....	84	110	109	146	188	278	276	293	239	132	40	-
American Indian 1/, both sexes.....	5	3	-	3	1	2	1	-	-	-	-	-
Male.....	2	1	-	1	1	1	-	-	-	-	-	-
Female.....	3	2	-	2	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	2	5	4	3	3	2	-	1	-
Male.....	1	1	-	2	-	1	1	1	1	-	-	-
Female.....	2	-	-	-	5	3	2	2	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IX. Diseases of the circulatory system (I00-I99)

Nebraska

All races, both sexes.....	138	172	221	281	447	680	986	1,156	962	446	111	-
Male.....	100	114	140	180	258	389	476	439	304	94	12	-
Female.....	38	58	81	101	189	291	510	717	658	352	99	-
White, both sexes.....	129	164	205	263	426	658	963	1,141	950	438	107	-
Male.....	94	110	133	172	246	381	465	436	300	91	12	-
Female.....	35	54	72	91	180	277	498	705	650	347	95	-
Black, both sexes.....	8	5	12	14	14	21	17	14	11	5	3	-
Male.....	5	2	4	4	8	8	8	3	4	1	-	-
Female.....	3	3	8	10	6	13	9	11	7	4	3	-
American Indian 1/, both sexes.....	1	2	4	4	6	1	4	1	-	-	-	-
Male.....	1	1	3	4	4	-	2	-	-	-	-	-
Female.....	-	1	1	-	2	1	2	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	2	-	1	2	1	-
Male.....	-	1	-	-	-	-	1	-	-	2	-	-
Female.....	-	-	-	-	1	-	1	-	1	-	1	-

Nevada

All races, both sexes.....	249	345	419	531	677	889	913	778	443	172	28	3
Male.....	192	245	279	350	391	492	431	309	136	44	8	2
Female.....	57	100	140	181	286	397	482	469	307	128	20	1
White, both sexes.....	205	298	357	463	602	823	848	739	414	163	25	3
Male.....	160	210	243	312	355	463	407	298	124	40	7	2
Female.....	45	88	114	151	247	360	441	441	290	123	18	1
Black, both sexes.....	32	35	42	42	47	42	41	24	14	6	2	-
Male.....	23	28	26	27	25	16	14	7	3	2	1	-
Female.....	9	7	16	15	22	26	27	17	11	4	1	-
American Indian 1/, both sexes.....	6	4	5	8	3	5	7	1	2	1	-	-
Male.....	5	2	3	3	-	4	4	-	1	1	-	-
Female.....	1	2	2	5	3	1	3	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	8	15	18	25	19	17	14	13	2	1	-
Male.....	4	5	7	8	11	9	6	4	8	1	-	-
Female.....	2	3	8	10	14	10	11	10	5	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

New Hampshire

All races, both sexes.....	105	131	131	212	307	478	681	689	518	210	56	-
Male.....	78	91	93	139	172	258	308	266	146	35	5	-
Female.....	27	40	38	73	135	220	373	423	372	175	51	-
White, both sexes.....	102	129	131	210	307	477	678	686	515	210	56	-
Male.....	76	89	93	138	172	257	306	266	146	35	5	-
Female.....	26	40	38	72	135	220	372	420	369	175	51	-
Black, both sexes.....	2	1	-	-	-	1	1	2	3	-	-	-
Male.....	2	1	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	3	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	2	1	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

New Jersey

All races, both sexes.....	673	966	1,106	1,603	2,507	3,936	5,184	5,481	3,952	1,496	343	3
Male.....	485	681	693	969	1,462	2,106	2,308	1,938	1,056	276	44	3
Female.....	188	285	413	634	1,045	1,830	2,876	3,543	2,896	1,220	299	-
White, both sexes.....	473	735	812	1,235	2,103	3,471	4,682	5,116	3,684	1,392	316	3
Male.....	372	531	536	752	1,237	1,897	2,119	1,826	999	259	41	3
Female.....	101	204	276	483	866	1,574	2,563	3,290	2,685	1,133	275	-
Black, both sexes.....	187	200	269	320	357	412	434	313	237	97	24	-
Male.....	104	131	143	185	199	184	158	90	45	16	2	-
Female.....	83	69	126	135	158	228	276	223	192	81	22	-
American Indian 1/, both sexes.....	3	-	2	2	6	4	4	1	1	1	1	-
Male.....	1	-	1	1	4	-	2	1	-	-	-	-
Female.....	2	-	1	1	2	4	2	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	10	31	23	46	41	49	64	51	30	6	2	-
Male.....	8	19	13	31	22	25	29	21	12	1	1	-
Female.....	2	12	10	15	19	24	35	30	18	5	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
IX. Diseases of the circulatory system (I00-I99)												
New Mexico												
All races, both sexes.....	155	186	248	309	435	612	730	742	501	260	46	1
Male.....	102	121	165	181	262	315	348	328	148	74	10	1
Female.....	53	65	83	128	173	297	382	414	353	186	36	-
White, both sexes.....	139	168	229	282	411	579	701	710	474	249	39	1
Male.....	92	110	153	165	250	299	333	315	141	72	8	1
Female.....	47	58	76	117	161	280	368	395	333	177	31	-
Black, both sexes.....	4	3	2	7	8	8	9	9	7	4	2	-
Male.....	2	3	1	4	2	5	6	3	-	1	1	-
Female.....	2	-	1	3	6	3	3	6	7	3	1	-
American Indian 1/, both sexes.....	12	12	16	19	13	25	19	21	19	7	5	-
Male.....	8	7	10	11	8	11	8	9	6	1	1	-
Female.....	4	5	6	8	5	14	11	12	13	6	4	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	1	3	-	1	2	1	-	-	-
Male.....	-	1	1	1	2	-	1	1	1	-	-	-
Female.....	-	2	-	-	1	-	-	1	-	-	-	-
New York												
All races, both sexes.....	1,672	2,229	2,939	4,102	6,226	9,227	11,717	12,511	9,705	4,345	1,030	5
Male.....	1,122	1,507	1,896	2,458	3,491	4,747	5,241	4,580	2,618	883	146	5
Female.....	550	722	1,043	1,644	2,735	4,480	6,476	7,931	7,087	3,462	884	-
White, both sexes.....	1,176	1,644	2,124	3,171	5,074	7,817	10,360	11,372	8,904	3,973	897	4
Male.....	839	1,167	1,418	1,996	2,901	4,096	4,685	4,239	2,402	816	122	4
Female.....	337	477	706	1,175	2,173	3,721	5,675	7,133	6,502	3,157	775	-
Black, both sexes.....	453	518	740	807	996	1,209	1,197	974	686	316	119	1
Male.....	252	294	429	389	502	540	467	269	180	51	19	1
Female.....	201	224	311	418	494	669	730	705	506	265	100	-
American Indian 1/, both sexes.....	-	1	4	3	7	12	8	7	2	4	-	-
Male.....	-	1	3	2	4	7	2	2	1	1	-	-
Female.....	-	-	1	1	3	5	6	5	1	3	-	-
Asian or Pacific Islander 2/, both sexes.....	43	66	71	121	149	189	152	158	113	52	14	-
Male.....	31	45	46	71	84	104	87	70	35	15	5	-
Female.....	12	21	25	50	65	85	65	88	78	37	9	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

Ohio

All races, both sexes.....	1,181	1,521	1,993	2,652	4,017	5,969	7,581	7,378	5,015	1,946	426	-
Male.....	832	1,005	1,299	1,603	2,277	3,029	3,385	2,653	1,322	391	51	-
Female.....	349	516	694	1,049	1,740	2,940	4,196	4,725	3,693	1,555	375	-
White, both sexes.....	950	1,231	1,659	2,253	3,556	5,359	6,983	6,908	4,715	1,817	384	-
Male.....	685	826	1,095	1,386	2,025	2,743	3,121	2,501	1,241	370	46	-
Female.....	265	405	564	867	1,531	2,616	3,862	4,407	3,474	1,447	338	-
Black, both sexes.....	228	282	328	378	453	591	581	454	293	124	42	-
Male.....	145	174	201	205	249	272	256	147	78	19	5	-
Female.....	83	108	127	173	204	319	325	307	215	105	37	-
American Indian 1/, both sexes.....	1	1	-	4	2	5	2	1	-	-	-	-
Male.....	1	1	-	4	1	4	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	7	6	17	6	14	15	15	7	5	-	-
Male.....	1	4	3	8	2	10	8	4	3	2	-	-
Female.....	1	3	3	9	4	4	7	11	4	3	-	-

Oklahoma

All races, both sexes.....	432	608	849	1,014	1,426	2,030	2,444	2,377	1,871	736	141	-
Male.....	300	418	527	620	808	1,040	1,050	830	495	149	23	-
Female.....	132	190	322	394	618	990	1,394	1,547	1,376	587	118	-
White, both sexes.....	362	516	705	864	1,286	1,849	2,253	2,233	1,736	667	126	-
Male.....	252	349	442	531	734	949	980	780	459	131	19	-
Female.....	110	167	263	333	552	900	1,273	1,453	1,277	536	107	-
Black, both sexes.....	41	47	80	83	71	94	110	90	80	44	11	-
Male.....	25	35	45	55	37	51	43	21	22	12	3	-
Female.....	16	12	35	28	34	43	67	69	58	32	8	-
American Indian 1/, both sexes.....	27	43	61	64	64	83	73	50	51	24	4	-
Male.....	22	33	39	33	35	36	23	27	13	5	1	-
Female.....	5	10	22	31	29	47	50	23	38	19	3	-
Asian or Pacific Islander 2/, both sexes.....	2	2	3	3	5	4	8	4	4	1	-	-
Male.....	1	1	1	1	2	4	4	2	1	1	-	-
Female.....	1	1	2	2	3	-	4	2	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

Oregon

All races, both sexes.....	253	376	447	567	976	1,485	2,083	2,130	1,549	566	114	-
Male.....	176	257	300	341	589	791	1,009	920	500	127	18	-
Female.....	77	119	147	226	387	694	1,074	1,210	1,049	439	96	-
White, both sexes.....	239	357	423	543	947	1,449	2,037	2,096	1,528	561	112	-
Male.....	166	247	286	328	575	767	986	905	491	125	18	-
Female.....	73	110	137	215	372	682	1,051	1,191	1,037	436	94	-
Black, both sexes.....	9	6	8	7	12	17	15	16	8	2	-	-
Male.....	7	3	3	5	6	13	8	6	2	-	-	-
Female.....	2	3	5	2	6	4	7	10	6	2	-	-
American Indian 1/, both sexes.....	-	7	10	9	4	9	14	7	6	2	-	-
Male.....	-	5	5	5	2	5	6	4	3	2	-	-
Female.....	-	2	5	4	2	4	8	3	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	6	6	8	13	10	17	11	7	1	2	-
Male.....	3	2	6	3	6	6	9	5	4	-	-	-
Female.....	2	4	-	5	7	4	8	6	3	1	2	-

Pennsylvania

All races, both sexes.....	1,258	1,626	1,962	2,825	4,656	7,248	9,408	9,858	6,817	2,573	594	2
Male.....	880	1,092	1,305	1,726	2,607	3,777	4,163	3,559	1,715	506	72	1
Female.....	378	534	657	1,099	2,049	3,471	5,245	6,299	5,102	2,067	522	1
White, both sexes.....	1,000	1,351	1,693	2,465	4,139	6,640	8,838	9,338	6,512	2,441	547	1
Male.....	710	929	1,149	1,538	2,367	3,488	3,957	3,400	1,652	482	68	1
Female.....	290	422	544	927	1,772	3,152	4,881	5,938	4,860	1,959	479	-
Black, both sexes.....	246	261	256	346	487	588	550	500	290	126	47	1
Male.....	160	152	149	179	229	277	198	150	60	22	4	-
Female.....	86	109	107	167	258	311	352	350	230	104	43	1
American Indian 1/, both sexes.....	2	3	-	1	2	2	3	2	1	1	-	-
Male.....	2	2	-	1	1	1	1	-	-	-	-	-
Female.....	-	1	-	-	1	1	2	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	10	11	13	13	28	18	17	18	14	5	-	-
Male.....	8	9	7	8	10	11	7	9	3	2	-	-
Female.....	2	2	6	5	18	7	10	9	11	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

Rhode Island

All races, both sexes.....	71	129	155	186	341	539	714	752	568	260	66	1
Male.....	50	88	104	123	203	284	309	272	143	39	5	1
Female.....	21	41	51	63	138	255	405	480	425	221	61	-
White, both sexes.....	66	119	147	175	325	519	699	738	559	255	66	1
Male.....	46	83	97	118	194	274	301	267	140	37	5	1
Female.....	20	36	50	57	131	245	398	471	419	218	61	-
Black, both sexes.....	4	7	7	10	12	15	9	9	5	4	-	-
Male.....	3	3	6	5	7	7	5	3	1	2	-	-
Female.....	1	4	1	5	5	8	4	6	4	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	2	1	-	3	1	-	-	-
Male.....	-	-	1	-	1	-	-	1	1	-	-	-
Female.....	-	-	-	-	1	1	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	-	1	2	4	6	2	3	1	-	-
Male.....	1	2	-	-	1	3	3	1	1	-	-	-
Female.....	-	1	-	1	1	1	3	1	2	1	-	-

South Carolina

All races, both sexes.....	560	723	814	1,065	1,401	1,890	2,235	2,015	1,269	429	101	1
Male.....	371	472	524	648	803	954	960	723	329	75	14	-
Female.....	189	251	290	417	598	936	1,275	1,292	940	354	87	1
White, both sexes.....	301	433	523	720	997	1,397	1,669	1,578	970	331	64	-
Male.....	219	287	361	450	602	746	750	589	259	58	7	-
Female.....	82	146	162	270	395	651	919	989	711	273	57	-
Black, both sexes.....	253	285	287	342	400	490	562	435	297	97	37	1
Male.....	148	182	161	197	199	206	208	134	69	16	7	-
Female.....	105	103	126	145	201	284	354	301	228	81	30	1
American Indian 1/, both sexes.....	3	2	1	1	2	1	2	2	1	1	-	-
Male.....	3	1	1	-	1	1	-	-	1	1	-	-
Female.....	-	1	-	1	1	-	2	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	3	2	2	2	2	-	1	-	-	-
Male.....	1	2	1	1	1	1	2	-	-	-	-	-
Female.....	2	1	2	1	1	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

South Dakota

All races, both sexes.....	55	56	100	132	208	348	431	513	441	187	45	-
Male.....	43	40	72	88	140	188	213	232	109	37	3	-
Female.....	12	16	28	44	68	160	218	281	332	150	42	-
White, both sexes.....	49	49	88	119	195	330	420	505	439	185	45	-
Male.....	39	34	66	79	132	179	206	229	109	37	3	-
Female.....	10	15	22	40	63	151	214	276	330	148	42	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	7	12	13	13	17	10	8	2	2	-	-
Male.....	4	6	6	9	8	9	6	3	-	-	-	-
Female.....	2	1	6	4	5	8	4	5	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Tennessee

All races, both sexes.....	782	993	1,251	1,566	2,153	3,005	3,574	3,530	2,415	929	189	1
Male.....	514	628	815	945	1,214	1,481	1,473	1,182	685	176	22	1
Female.....	268	365	436	621	939	1,524	2,101	2,348	1,730	753	167	-
White, both sexes.....	568	763	990	1,271	1,798	2,638	3,148	3,135	2,143	794	151	-
Male.....	384	493	657	792	1,041	1,303	1,294	1,048	591	148	15	-
Female.....	184	270	333	479	757	1,335	1,854	2,087	1,552	646	136	-
Black, both sexes.....	212	223	255	285	349	361	421	392	271	133	38	1
Male.....	128	129	152	145	171	173	178	132	93	27	7	1
Female.....	84	94	103	140	178	188	243	260	178	106	31	-
American Indian 1/, both sexes.....	-	-	2	1	-	-	2	-	-	-	-	-
Male.....	-	-	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	7	4	9	6	6	3	3	1	2	-	-
Male.....	2	6	4	7	2	5	1	2	1	1	-	-
Female.....	-	1	-	2	4	1	2	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

Texas

All races, both sexes.....	2,147	2,627	3,163	4,157	5,812	7,784	9,689	9,137	6,668	2,722	567	3
Male.....	1,479	1,765	2,038	2,552	3,338	3,932	4,303	3,400	1,847	552	81	2
Female.....	668	862	1,125	1,605	2,474	3,852	5,386	5,737	4,821	2,170	486	1
White, both sexes.....	1,595	2,100	2,538	3,410	4,934	6,828	8,703	8,347	6,060	2,484	477	2
Male.....	1,131	1,444	1,677	2,135	2,896	3,525	3,875	3,123	1,686	496	70	2
Female.....	464	656	861	1,275	2,038	3,303	4,828	5,224	4,374	1,988	407	-
Black, both sexes.....	522	497	590	696	812	904	924	729	577	232	88	1
Male.....	327	304	337	383	415	383	396	254	155	56	11	-
Female.....	195	193	253	313	397	521	528	475	422	176	77	1
American Indian 1/, both sexes.....	1	5	6	6	7	7	7	6	1	-	-	-
Male.....	-	3	3	5	4	4	7	1	-	-	-	-
Female.....	1	2	3	1	3	3	-	5	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	25	29	45	59	45	55	55	30	6	2	-
Male.....	21	14	21	29	23	20	25	22	6	-	-	-
Female.....	8	11	8	16	36	25	30	33	24	6	2	-

Utah

All races, both sexes.....	109	123	159	214	349	580	871	777	582	201	33	-
Male.....	85	83	98	137	201	314	391	319	210	58	9	-
Female.....	24	40	61	77	148	266	480	458	372	143	24	-
White, both sexes.....	105	117	154	203	343	568	861	768	579	197	33	-
Male.....	82	81	96	132	197	305	386	317	208	56	9	-
Female.....	23	36	58	71	146	263	475	451	371	141	24	-
Black, both sexes.....	1	3	-	2	-	3	6	5	1	1	-	-
Male.....	1	1	-	1	-	1	3	1	1	-	-	-
Female.....	-	2	-	1	-	2	3	4	-	1	-	-
American Indian 1/, both sexes.....	2	3	1	5	2	4	2	2	1	2	-	-
Male.....	1	1	1	-	2	3	1	-	-	1	-	-
Female.....	1	2	-	5	-	1	1	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	4	4	4	5	2	2	1	1	-	-
Male.....	1	-	1	4	2	5	1	1	1	1	-	-
Female.....	-	-	3	-	2	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IX. Diseases of the circulatory system (I00-I99)

Vermont

All races, both sexes.....	34	51	81	106	175	284	340	347	256	104	27	-
Male.....	29	38	53	59	102	147	160	128	73	10	3	-
Female.....	5	13	28	47	73	137	180	219	183	94	24	-
White, both sexes.....	33	51	81	105	175	283	338	345	256	104	26	-
Male.....	28	38	53	59	102	147	159	127	73	10	3	-
Female.....	5	13	28	46	73	136	179	218	183	94	23	-
Black, both sexes.....	1	-	-	1	-	1	2	2	-	-	-	-
Male.....	1	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	714	891	1,030	1,364	2,016	2,805	3,548	3,359	2,397	908	195	1
Male.....	494	601	653	819	1,157	1,412	1,554	1,203	627	185	28	1
Female.....	220	290	377	545	859	1,393	1,994	2,156	1,770	723	167	-
White, both sexes.....	464	625	718	965	1,545	2,200	2,949	2,850	2,058	801	151	-
Male.....	336	446	474	600	918	1,134	1,314	1,034	549	162	22	-
Female.....	128	179	244	365	627	1,066	1,635	1,816	1,509	639	129	-
Black, both sexes.....	239	255	297	375	438	563	572	477	321	105	44	1
Male.....	152	148	168	203	224	255	230	160	73	22	6	1
Female.....	87	107	129	172	214	308	342	317	248	83	38	-
American Indian 1/, both sexes.....	1	-	1	-	1	3	4	-	-	-	-	-
Male.....	1	-	1	-	-	2	2	-	-	-	-	-
Female.....	-	-	-	-	1	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	11	14	24	32	39	23	32	18	2	-	-
Male.....	5	7	10	16	15	21	8	9	5	1	-	-
Female.....	5	4	4	8	17	18	15	23	13	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

Washington

All races, both sexes.....	436	619	669	885	1,425	2,076	2,955	3,171	2,273	837	182	-
Male.....	309	427	431	585	821	1,149	1,410	1,315	728	220	33	-
Female.....	127	192	238	300	604	927	1,545	1,856	1,545	617	149	-
White, both sexes.....	376	570	597	802	1,328	1,934	2,835	3,075	2,203	802	172	-
Male.....	272	397	390	533	770	1,080	1,348	1,275	690	208	30	-
Female.....	104	173	207	269	558	854	1,487	1,800	1,513	594	142	-
Black, both sexes.....	34	23	32	35	34	49	38	28	15	14	5	-
Male.....	23	17	18	25	14	26	13	12	6	3	1	-
Female.....	11	6	14	10	20	23	25	16	9	11	4	-
American Indian 1/, both sexes.....	12	11	15	14	18	17	18	13	9	2	2	-
Male.....	8	3	7	9	14	10	8	8	4	-	-	-
Female.....	4	8	8	5	4	7	10	5	5	2	2	-
Asian or Pacific Islander 2/, both sexes.....	14	15	25	34	45	76	64	55	46	19	3	-
Male.....	6	10	16	18	23	33	41	20	28	9	2	-
Female.....	8	5	9	16	22	43	23	35	18	10	1	-

West Virginia

All races, both sexes.....	254	286	372	530	794	1,163	1,424	1,430	962	382	75	-
Male.....	177	207	224	317	414	629	586	501	271	85	13	-
Female.....	77	79	148	213	380	534	838	929	691	297	62	-
White, both sexes.....	240	274	358	516	776	1,119	1,391	1,404	941	376	73	-
Male.....	169	200	214	308	405	602	576	489	263	85	13	-
Female.....	71	74	144	208	371	517	815	915	678	291	60	-
Black, both sexes.....	14	12	14	13	17	43	33	25	21	6	2	-
Male.....	8	7	10	8	9	26	10	12	8	-	-	-
Female.....	6	5	4	5	8	17	23	13	13	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	-	1	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

Wisconsin

All races, both sexes.....	424	557	691	975	1,468	2,348	3,189	3,433	2,657	1,082	211	-
Male.....	311	392	469	637	912	1,317	1,565	1,358	802	218	27	-
Female.....	113	165	222	338	556	1,031	1,624	2,075	1,855	864	184	-
White, both sexes.....	376	499	634	912	1,406	2,262	3,095	3,380	2,614	1,067	208	-
Male.....	283	349	430	600	880	1,280	1,524	1,339	787	215	27	-
Female.....	93	150	204	312	526	982	1,571	2,041	1,827	852	181	-
Black, both sexes.....	44	47	46	53	51	71	75	34	35	14	3	-
Male.....	26	34	31	31	28	31	34	9	12	3	-	-
Female.....	18	13	15	22	23	40	41	25	23	11	3	-
American Indian 1/, both sexes.....	2	8	9	7	7	9	5	13	5	1	-	-
Male.....	2	6	6	4	2	3	1	7	2	-	-	-
Female.....	-	2	3	3	5	6	4	6	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	2	3	4	6	14	6	3	-	-	-
Male.....	-	3	2	2	2	3	6	3	1	-	-	-
Female.....	2	-	-	1	2	3	8	3	2	-	-	-

Wyoming

All races, both sexes.....	32	49	67	80	123	190	253	240	176	54	13	-
Male.....	19	36	43	54	78	110	131	96	59	7	1	-
Female.....	13	13	24	26	45	80	122	144	117	47	12	-
White, both sexes.....	32	48	65	79	120	187	251	237	176	54	13	-
Male.....	19	35	42	53	76	109	130	96	59	7	1	-
Female.....	13	13	23	26	44	78	121	141	117	47	12	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	3	2	2	2	-	-	-	-
Male.....	-	-	1	1	2	1	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

Alaska

All races, both sexes.....	-	-	1	-	1	2	2	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	2	1	-	-	-	-
White, both sexes.....	-	-	1	-	1	1	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	2	4	3	2	8	4	9	5	6	1	-	-
Male.....	1	1	-	-	1	2	3	2	2	-	-	-
Female.....	1	3	3	2	7	2	6	3	4	1	-	-
White, both sexes.....	2	2	3	2	7	4	9	4	6	1	-	-
Male.....	1	1	-	-	1	2	3	2	2	-	-	-
Female.....	1	1	3	2	6	2	6	2	4	1	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

Arkansas

All races, both sexes.....	2	-	4	5	6	3	3	6	1	-	-	-
Male.....	-	-	1	1	2	-	-	1	1	-	-	-
Female.....	2	-	3	4	4	3	3	5	-	-	-	-
White, both sexes.....	2	-	4	5	5	3	3	6	1	-	-	-
Male.....	-	-	1	1	1	-	-	1	1	-	-	-
Female.....	2	-	3	4	4	3	3	5	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	12	20	23	34	57	79	84	63	32	9	1	-
Male.....	4	9	7	12	18	29	21	13	7	1	-	-
Female.....	8	11	16	22	39	50	63	50	25	8	1	-
White, both sexes.....	7	16	20	30	49	68	81	52	29	8	1	-
Male.....	2	7	7	11	15	23	21	11	6	1	-	-
Female.....	5	9	13	19	34	45	60	41	23	7	1	-
Black, both sexes.....	2	2	2	3	1	4	1	3	-	-	-	-
Male.....	1	-	-	1	1	3	-	1	-	-	-	-
Female.....	1	2	2	2	-	1	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	1	1	7	7	2	7	3	1	-	-
Male.....	1	2	-	-	2	3	-	-	1	-	-	-
Female.....	2	-	1	1	5	4	2	7	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

Hawaii

All races, both sexes.....	1	1	2	-	2	1	2	2	-	-	-	-
Male.....	-	1	-	-	1	-	-	1	-	-	-	-
Female.....	1	-	2	-	1	1	2	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	-	2	1	2	1	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	2	-	1	1	2	1	-	-	-	-

Idaho

All races, both sexes.....	-	-	-	4	8	5	2	9	5	4	-	-
Male.....	-	-	-	2	4	1	-	-	2	-	-	-
Female.....	-	-	-	2	4	4	2	9	3	4	-	-
White, both sexes.....	-	-	-	3	8	4	2	9	5	4	-	-
Male.....	-	-	-	1	4	1	-	-	2	-	-	-
Female.....	-	-	-	2	4	3	2	9	3	4	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

Kentucky

All races, both sexes.....	3	3	8	4	6	7	10	5	2	-	-	-
Male.....	-	1	4	2	3	1	2	3	1	-	-	-
Female.....	3	2	4	2	3	6	8	2	1	-	-	-
White, both sexes.....	3	3	8	4	6	6	7	5	2	-	-	-
Male.....	-	1	4	2	3	1	2	3	1	-	-	-
Female.....	3	2	4	2	3	5	5	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Louisiana

All races, both sexes.....	2	1	1	2	4	7	3	4	3	-	-	-
Male.....	1	1	1	1	2	3	1	2	1	-	-	-
Female.....	1	-	-	1	2	4	2	2	2	-	-	-
White, both sexes.....	1	1	1	2	3	6	2	3	3	-	-	-
Male.....	1	1	1	1	1	3	1	2	1	-	-	-
Female.....	-	-	-	1	2	3	1	1	2	-	-	-
Black, both sexes.....	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

Maine

All races, both sexes.....	-	1	1	1	3	7	7	4	1	-	-	-
Male.....	-	-	-	-	1	2	2	1	-	-	-	-
Female.....	-	1	1	1	2	5	5	3	1	-	-	-
White, both sexes.....	-	1	-	1	3	7	7	4	1	-	-	-
Male.....	-	-	-	-	1	2	2	1	-	-	-	-
Female.....	-	1	-	1	2	5	5	3	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	1	3	2	3	2	11	7	7	1	1	-	-
Male.....	-	1	1	1	1	1	1	4	1	-	-	-
Female.....	1	2	1	2	1	10	6	3	-	1	-	-
White, both sexes.....	1	3	-	2	1	8	7	7	1	1	-	-
Male.....	-	1	-	1	-	1	1	4	1	-	-	-
Female.....	1	2	-	1	1	7	6	3	-	1	-	-
Black, both sexes.....	-	-	2	1	1	2	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
Oregon												
All races, both sexes.....	2	2	6	3	6	5	8	6	5	1	-	-
Male.....	-	-	3	1	2	1	2	1	3	1	-	-
Female.....	2	2	3	2	4	4	6	5	2	-	-	-
White, both sexes.....	2	2	5	3	6	5	8	5	5	1	-	-
Male.....	-	-	2	1	2	1	2	1	3	1	-	-
Female.....	2	2	3	2	4	4	6	4	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Pennsylvania												
All races, both sexes.....	5	12	9	16	22	25	43	28	13	5	2	-
Male.....	3	3	3	6	8	4	13	7	2	-	-	-
Female.....	2	9	6	10	14	21	30	21	11	5	2	-
White, both sexes.....	4	10	8	15	21	25	40	27	12	5	2	-
Male.....	2	2	3	5	8	4	13	7	2	-	-	-
Female.....	2	8	5	10	13	21	27	20	10	5	2	-
Black, both sexes.....	1	2	1	1	1	-	2	1	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
Wisconsin												
All races, both sexes.....	3	3	4	2	9	18	14	12	3	3	1	-
Male.....	2	2	3	1	4	6	2	2	-	-	-	-
Female.....	1	1	1	1	5	12	12	10	3	3	1	-
White, both sexes.....	3	3	4	2	9	18	14	12	3	3	1	-
Male.....	2	2	3	1	4	6	2	2	-	-	-	-
Female.....	1	1	1	1	5	12	12	10	3	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming												
All races, both sexes.....	1	-	1	1	1	3	2	1	1	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	3	2	1	1	1	-	-
White, both sexes.....	1	-	1	1	1	2	2	1	1	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	2	2	1	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic rheumatic heart diseases (I05-I09)												
Alaska												
All races, both sexes.....	-	-	1	-	1	2	2	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	2	1	-	-	-	-
White, both sexes.....	-	-	1	-	1	1	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	2	4	3	2	8	4	9	5	6	1	-	-
Male.....	1	1	-	-	1	2	3	2	2	-	-	-
Female.....	1	3	3	2	7	2	6	3	4	1	-	-
White, both sexes.....	2	2	3	2	7	4	9	4	6	1	-	-
Male.....	1	1	-	-	1	2	3	2	2	-	-	-
Female.....	1	1	3	2	6	2	6	2	4	1	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic rheumatic heart diseases (I05-I09)												
Arkansas												
All races, both sexes.....	2	-	4	5	6	3	3	6	1	-	-	-
Male.....	-	-	1	1	2	-	-	1	1	-	-	-
Female.....	2	-	3	4	4	3	3	5	-	-	-	-
White, both sexes.....	2	-	4	5	5	3	3	6	1	-	-	-
Male.....	-	-	1	1	1	-	-	1	1	-	-	-
Female.....	2	-	3	4	4	3	3	5	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	12	20	22	34	57	78	84	62	31	9	1	-
Male.....	4	9	7	12	18	29	21	13	7	1	-	-
Female.....	8	11	15	22	39	49	63	49	24	8	1	-
White, both sexes.....	7	16	19	30	49	67	81	51	28	8	1	-
Male.....	2	7	7	11	15	23	21	11	6	1	-	-
Female.....	5	9	12	19	34	44	60	40	22	7	1	-
Black, both sexes.....	2	2	2	3	1	4	1	3	-	-	-	-
Male.....	1	-	-	1	1	3	-	1	-	-	-	-
Female.....	1	2	2	2	-	1	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	1	1	7	7	2	7	3	1	-	-
Male.....	1	2	-	-	2	3	-	-	1	-	-	-
Female.....	2	-	1	1	5	4	2	7	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic rheumatic heart diseases (I05-I09)

Hawaii

All races, both sexes.....	1	1	2	-	2	1	2	1	-	-	-	-
Male.....	-	1	-	-	1	-	-	1	-	-	-	-
Female.....	1	-	2	-	1	1	2	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	-	2	1	2	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	2	-	1	1	2	-	-	-	-	-

Idaho

All races, both sexes.....	-	-	-	4	8	5	2	8	5	4	-	-
Male.....	-	-	-	2	4	1	-	-	2	-	-	-
Female.....	-	-	-	2	4	4	2	8	3	4	-	-
White, both sexes.....	-	-	-	3	8	4	2	8	5	4	-	-
Male.....	-	-	-	1	4	1	-	-	2	-	-	-
Female.....	-	-	-	2	4	3	2	8	3	4	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic rheumatic heart diseases (I05-I09)												
Kentucky												
All races, both sexes.....	3	3	8	4	6	7	10	5	2	-	-	-
Male.....	-	1	4	2	3	1	2	3	1	-	-	-
Female.....	3	2	4	2	3	6	8	2	1	-	-	-
White, both sexes.....	3	3	8	4	6	6	7	5	2	-	-	-
Male.....	-	1	4	2	3	1	2	3	1	-	-	-
Female.....	3	2	4	2	3	5	5	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Louisiana												
All races, both sexes.....	2	1	1	2	4	7	3	4	3	-	-	-
Male.....	1	1	1	1	2	3	1	2	1	-	-	-
Female.....	1	-	-	1	2	4	2	2	2	-	-	-
White, both sexes.....	1	1	1	2	3	6	2	3	3	-	-	-
Male.....	1	1	1	1	1	3	1	2	1	-	-	-
Female.....	-	-	-	1	2	3	1	1	2	-	-	-
Black, both sexes.....	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic rheumatic heart diseases (I05-I09)												
Maine												
All races, both sexes.....	-	1	1	1	3	7	6	4	1	-	-	-
Male.....	-	-	-	-	1	2	2	1	-	-	-	-
Female.....	-	1	1	1	2	5	4	3	1	-	-	-
White, both sexes.....	-	1	-	1	3	7	6	4	1	-	-	-
Male.....	-	-	-	-	1	2	2	1	-	-	-	-
Female.....	-	1	-	1	2	5	4	3	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	1	3	2	3	2	10	7	7	1	1	-	-
Male.....	-	1	1	1	1	1	1	4	1	-	-	-
Female.....	1	2	1	2	1	9	6	3	-	1	-	-
White, both sexes.....	1	3	-	2	1	8	7	7	1	1	-	-
Male.....	-	1	-	1	-	1	1	4	1	-	-	-
Female.....	1	2	-	1	1	7	6	3	-	1	-	-
Black, both sexes.....	-	-	2	1	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic rheumatic heart diseases (I05-I09)												
Oregon												
All races, both sexes.....	2	2	6	3	6	5	8	6	5	1	-	-
Male.....	-	-	3	1	2	1	2	1	3	1	-	-
Female.....	2	2	3	2	4	4	6	5	2	-	-	-
White, both sexes.....	2	2	5	3	6	5	8	5	5	1	-	-
Male.....	-	-	2	1	2	1	2	1	3	1	-	-
Female.....	2	2	3	2	4	4	6	4	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Pennsylvania												
All races, both sexes.....	4	12	9	16	21	24	43	27	13	5	2	-
Male.....	2	3	3	6	8	3	13	6	2	-	-	-
Female.....	2	9	6	10	13	21	30	21	11	5	2	-
White, both sexes.....	3	10	8	15	20	24	40	26	12	5	2	-
Male.....	1	2	3	5	8	3	13	6	2	-	-	-
Female.....	2	8	5	10	12	21	27	20	10	5	2	-
Black, both sexes.....	1	2	1	1	1	-	2	1	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic rheumatic heart diseases (I05-I09)												
Wisconsin												
All races, both sexes.....	2	3	4	2	9	18	14	12	3	3	1	-
Male.....	2	2	3	1	4	6	2	2	-	-	-	-
Female.....	-	1	1	1	5	12	12	10	3	3	1	-
White, both sexes.....	2	3	4	2	9	18	14	12	3	3	1	-
Male.....	2	2	3	1	4	6	2	2	-	-	-	-
Female.....	-	1	1	1	5	12	12	10	3	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming												
All races, both sexes.....	1	-	1	1	1	3	2	1	1	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	3	2	1	1	1	-	-
White, both sexes.....	1	-	1	1	1	2	2	1	1	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	2	2	1	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Rheumatic mitral valve diseases (I05)												
Alaska												
All races, both sexes.....	-	-	1	-	-	1	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
White, both sexes.....	-	-	1	-	-	1	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	2	3	3	-	3	1	4	4	6	1	-	-
Male.....	1	1	-	-	-	1	1	2	2	-	-	-
Female.....	1	2	3	-	3	-	3	2	4	1	-	-
White, both sexes.....	2	2	3	-	3	1	4	3	6	1	-	-
Male.....	1	1	-	-	-	1	1	2	2	-	-	-
Female.....	1	1	3	-	3	-	3	1	4	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Rheumatic mitral valve diseases (I05)												
Arkansas												
All races, both sexes.....	1	-	3	3	4	2	-	3	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	1	-	2	2	3	2	-	3	-	-	-	-
White, both sexes.....	1	-	3	3	4	2	-	3	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	1	-	2	2	3	2	-	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	8	11	18	13	28	38	39	31	14	4	1	-
Male.....	3	3	5	4	8	17	10	6	2	1	-	-
Female.....	5	8	13	9	20	21	29	25	12	3	1	-
White, both sexes.....	4	8	16	12	25	31	39	26	12	4	1	-
Male.....	1	2	5	4	7	13	10	4	2	1	-	-
Female.....	3	6	11	8	18	18	29	22	10	3	1	-
Black, both sexes.....	2	2	2	1	-	3	-	2	-	-	-	-
Male.....	1	-	-	-	-	2	-	1	-	-	-	-
Female.....	1	2	2	1	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	3	4	-	2	2	-	-	-
Male.....	1	1	-	-	1	2	-	-	-	-	-	-
Female.....	1	-	-	-	2	2	-	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Rheumatic mitral valve diseases (I05)												
Maine												
All races, both sexes.....	-	1	1	-	2	3	3	1	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	1	1	-	1	2	2	1	-	-	-	-
White, both sexes.....	-	1	-	-	2	3	3	1	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	1	-	-	1	2	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	1	1	2	2	-	8	4	4	-	1	-	-
Male.....	-	-	1	1	-	1	-	3	-	-	-	-
Female.....	1	1	1	1	-	7	4	1	-	1	-	-
White, both sexes.....	1	1	-	2	-	7	4	4	-	1	-	-
Male.....	-	-	-	1	-	1	-	3	-	-	-	-
Female.....	1	1	-	1	-	6	4	1	-	1	-	-
Black, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Rheumatic mitral valve diseases (I05)												
Wisconsin												
All races, both sexes.....	1	3	2	-	4	11	12	4	-	1	1	-
Male.....	1	2	2	-	3	3	2	-	-	-	-	-
Female.....	-	1	-	-	1	8	10	4	-	1	1	-
White, both sexes.....	1	3	2	-	4	11	12	4	-	1	1	-
Male.....	1	2	2	-	3	3	2	-	-	-	-	-
Female.....	-	1	-	-	1	8	10	4	-	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming												
All races, both sexes.....	1	-	-	1	1	3	1	-	1	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	3	1	-	1	1	-	-
White, both sexes.....	1	-	-	1	1	2	1	-	1	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	2	1	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Rheumatic aortic valve diseases (I06)												
Arkansas												
All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1	2	-	-	-	3	5	3	2	-	-	-
Male.....	-	1	-	-	-	-	2	1	1	-	-	-
Female.....	1	1	-	-	-	3	3	2	1	-	-	-
White, both sexes.....	1	2	-	-	-	2	4	2	2	-	-	-
Male.....	-	1	-	-	-	-	2	1	1	-	-	-
Female.....	1	1	-	-	-	2	2	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Rheumatic aortic valve diseases (I06)												
Hawaii												
All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Idaho												
All races, both sexes.....	-	-	-	-	-	1	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Disorders of both mitral and aortic valves (I08.0)												
Arkansas												
All races, both sexes.....	1	-	-	1	1	1	1	1	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	1	-	-	1	-	1	1	1	-	-	-	-
White, both sexes.....	1	-	-	1	-	1	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	1	-	1	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1	-	2	7	9	17	21	15	7	3	-	-
Male.....	-	-	1	3	3	7	4	3	2	-	-	-
Female.....	1	-	1	4	6	10	17	12	5	3	-	-
White, both sexes.....	-	-	2	6	6	17	20	14	7	3	-	-
Male.....	-	-	1	3	1	7	4	3	2	-	-	-
Female.....	-	-	1	3	5	10	16	11	5	3	-	-
Black, both sexes.....	-	-	-	1	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Disorders of both mitral and aortic valves (I08.0)												
Kentucky												
All races, both sexes.....	-	-	-	1	-	2	2	2	-	-	-	-
Male.....	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	-	-
White, both sexes.....	-	-	-	1	-	2	2	2	-	-	-	-
Male.....	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	-	-	-	-	1	-	-	1	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Disorders of both mitral and aortic valves (I08.0)												
Oregon												
All races, both sexes.....	-	1	1	1	1	2	1	-	2	-	-	-
Male.....	-	-	-	1	1	1	-	-	1	-	-	-
Female.....	-	1	1	-	-	1	1	-	1	-	-	-
White, both sexes.....	-	1	1	1	1	2	1	-	2	-	-	-
Male.....	-	-	-	1	1	1	-	-	1	-	-	-
Female.....	-	1	1	-	-	1	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	-	2	1	4	2	1	6	4	4	-	1	-
Male.....	-	-	1	1	1	1	1	1	-	-	-	-
Female.....	-	2	-	3	1	-	5	3	4	-	1	-
White, both sexes.....	-	1	1	4	2	1	6	4	3	-	1	-
Male.....	-	-	1	1	1	1	1	1	-	-	-	-
Female.....	-	1	-	3	1	-	5	3	3	-	1	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)												
Arkansas												
All races, both sexes.....	-	-	1	1	1	-	2	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	1	1	-	2	1	-	-	-	-
White, both sexes.....	-	-	1	1	1	-	2	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	1	1	-	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	2	7	2	14	20	20	19	13	8	2	-	-
Male.....	1	5	1	5	7	5	5	3	2	-	-	-
Female.....	1	2	1	9	13	15	14	10	6	2	-	-
White, both sexes.....	2	6	1	12	18	17	18	9	7	1	-	-
Male.....	1	4	1	4	7	3	5	3	1	-	-	-
Female.....	1	2	-	8	11	14	13	6	6	1	-	-
Black, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	2	2	1	4	1	1	-	-
Male.....	-	1	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	1	1	2	1	1	4	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)												
Kentucky												
All races, both sexes.....	-	-	3	1	1	2	4	3	1	-	-	-
Male.....	-	-	-	1	1	-	1	2	-	-	-	-
Female.....	-	-	3	-	-	2	3	1	1	-	-	-
White, both sexes.....	-	-	3	1	1	2	2	3	1	-	-	-
Male.....	-	-	-	1	1	-	1	2	-	-	-	-
Female.....	-	-	3	-	-	2	1	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	1	1	-	1	1	1	1	1	2	-	-	-
Male.....	1	1	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	1	1	1	1	-	-	-
White, both sexes.....	1	1	-	1	1	-	-	1	2	-	-	-
Male.....	1	1	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	-	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Hypertensive diseases (I10-I13)												
New Mexico												
All races, both sexes.....	232	-	-	-	-	-	-	1	-	2	2	5
Male.....	99	-	-	-	-	-	-	-	-	1	2	3
Female.....	133	-	-	-	-	-	-	1	-	1	-	2
White, both sexes.....	208	-	-	-	-	-	-	1	-	1	2	3
Male.....	89	-	-	-	-	-	-	-	-	1	2	2
Female.....	119	-	-	-	-	-	-	1	-	-	-	1
Black, both sexes.....	10	-	-	-	-	-	-	-	-	1	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	3,725	-	-	-	-	-	3	7	22	49	81	126
Male.....	1,586	-	-	-	-	-	3	5	12	33	51	80
Female.....	2,139	-	-	-	-	-	-	2	10	16	30	46
White, both sexes.....	2,514	-	-	-	-	-	1	1	9	15	33	61
Male.....	1,023	-	-	-	-	-	1	1	4	10	21	44
Female.....	1,491	-	-	-	-	-	-	-	5	5	12	17
Black, both sexes.....	1,125	-	-	-	-	-	2	6	13	33	47	57
Male.....	514	-	-	-	-	-	2	4	8	23	30	31
Female.....	611	-	-	-	-	-	-	2	5	10	17	26
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	85	-	-	-	-	-	-	-	-	1	1	8
Male.....	49	-	-	-	-	-	-	-	-	-	-	5
Female.....	36	-	-	-	-	-	-	-	-	1	1	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive diseases (I10-I13)												
United States												
All races, both sexes.....	2,247	2,476	2,643	3,089	4,130	5,771	7,554	8,028	6,416	2,868	639	4
Male.....	1,472	1,587	1,580	1,676	2,029	2,520	2,751	2,357	1,444	447	76	4
Female.....	775	889	1,063	1,413	2,101	3,251	4,803	5,671	4,972	2,421	563	-
White, both sexes.....	1,274	1,469	1,639	2,001	2,903	4,330	6,081	6,738	5,522	2,513	534	1
Male.....	889	1,001	1,007	1,109	1,463	1,917	2,210	1,993	1,228	378	55	1
Female.....	385	468	632	892	1,440	2,413	3,871	4,745	4,294	2,135	479	-
Black, both sexes.....	934	955	932	995	1,122	1,304	1,306	1,128	771	314	95	2
Male.....	557	554	526	509	512	539	464	310	178	56	18	2
Female.....	377	401	406	486	610	765	842	818	593	258	77	-
American Indian 1/, both sexes.....	6	7	14	21	11	16	15	15	10	8	1	1
Male.....	5	3	9	7	5	6	7	2	2	-	-	1
Female.....	1	4	5	14	6	10	8	13	8	8	1	-
Asian or Pacific Islander 2/, both sexes.....	33	45	58	72	94	121	152	147	113	33	9	-
Male.....	21	29	38	51	49	58	70	52	36	13	3	-
Female.....	12	16	20	21	45	63	82	95	77	20	6	-
Alabama												
All races, both sexes.....	31	41	48	51	70	92	119	132	95	42	5	-
Male.....	19	27	25	28	37	43	41	34	20	7	-	-
Female.....	12	14	23	23	33	49	78	98	75	35	5	-
White, both sexes.....	12	19	26	26	38	56	79	86	62	34	1	-
Male.....	8	12	15	16	20	27	20	25	15	7	-	-
Female.....	4	7	11	10	18	29	59	61	47	27	1	-
Black, both sexes.....	19	22	22	25	31	36	40	46	33	8	4	-
Male.....	11	15	10	12	17	16	21	9	5	-	-	-
Female.....	8	7	12	13	14	20	19	37	28	8	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive diseases (I10-I13)												
Arkansas												
All races, both sexes.....	21	23	19	16	33	39	51	62	44	25	6	-
Male.....	15	15	14	5	12	13	21	19	8	3	2	-
Female.....	6	8	5	11	21	26	30	43	36	22	4	-
White, both sexes.....	15	20	10	13	23	31	42	52	33	20	4	-
Male.....	11	14	9	4	8	11	15	17	6	3	-	-
Female.....	4	6	1	9	15	20	27	35	27	17	4	-
Black, both sexes.....	6	3	9	3	10	8	9	10	11	5	2	-
Male.....	4	1	5	1	4	2	6	2	2	-	2	-
Female.....	2	2	4	2	6	6	3	8	9	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	263	340	354	407	523	787	1,001	1,084	840	369	76	-
Male.....	191	221	218	222	258	351	398	349	212	74	13	-
Female.....	72	119	136	185	265	436	603	735	628	295	63	-
White, both sexes.....	184	228	251	283	379	609	795	912	719	328	67	-
Male.....	139	159	150	149	191	280	310	291	184	63	11	-
Female.....	45	69	101	134	188	329	485	621	535	265	56	-
Black, both sexes.....	67	90	70	90	95	111	104	92	53	20	6	-
Male.....	43	49	45	50	42	41	41	32	10	3	1	-
Female.....	24	41	25	40	53	70	63	60	43	17	5	-
American Indian 1/, both sexes.....	-	1	3	1	4	2	4	1	1	2	-	-
Male.....	-	-	1	-	2	-	3	-	-	-	-	-
Female.....	-	1	2	1	2	2	1	1	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	12	21	30	33	45	65	98	79	67	19	3	-
Male.....	9	13	22	23	23	30	44	26	18	8	1	-
Female.....	3	8	8	10	22	35	54	53	49	11	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive diseases (I10-I13)												
Florida												
All races, both sexes.....	153	175	194	252	366	483	642	562	421	207	46	-
Male.....	97	111	121	151	208	249	239	175	115	39	6	-
Female.....	56	64	73	101	158	234	403	387	306	168	40	-
White, both sexes.....	95	113	118	174	290	389	533	493	377	186	41	-
Male.....	66	83	72	100	171	207	203	157	104	36	6	-
Female.....	29	30	46	74	119	182	330	336	273	150	35	-
Black, both sexes.....	58	61	72	73	76	92	108	66	42	21	4	-
Male.....	31	27	46	47	37	41	35	18	10	3	-	-
Female.....	27	34	26	26	39	51	73	48	32	18	4	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	-	-	-	-	1	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	5	-	1	1	3	2	-	-	-
Male.....	-	1	2	4	-	1	1	-	1	-	-	-
Female.....	-	-	1	1	-	-	-	3	1	-	-	-
Georgia												
All races, both sexes.....	91	107	114	110	147	192	213	205	170	62	16	-
Male.....	54	64	58	57	69	79	63	48	29	7	2	-
Female.....	37	43	56	53	78	113	150	157	141	55	14	-
White, both sexes.....	40	36	50	47	79	98	128	129	111	39	12	-
Male.....	26	24	25	22	40	40	45	30	19	3	1	-
Female.....	14	12	25	25	39	58	83	99	92	36	11	-
Black, both sexes.....	50	71	61	61	66	92	85	75	59	23	4	-
Male.....	27	40	31	34	29	39	18	18	10	4	1	-
Female.....	23	31	30	27	37	53	67	57	49	19	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	3	2	2	2	-	-	-	-	-	-
Male.....	1	-	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	2	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive diseases (I10-I13)												
Hawaii												
All races, both sexes.....	5	5	6	14	17	12	23	28	21	13	4	-
Male.....	3	3	3	10	11	4	10	8	8	3	2	-
Female.....	2	2	3	4	6	8	13	20	13	10	2	-
White, both sexes.....	1	1	1	2	4	2	6	4	4	5	-	-
Male.....	-	-	1	2	4	1	2	-	-	-	-	-
Female.....	1	1	-	-	-	1	4	4	4	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	5	11	13	10	17	24	17	8	4	-
Male.....	3	3	2	8	7	3	8	8	8	3	2	-
Female.....	1	1	3	3	6	7	9	16	9	5	2	-
Idaho												
All races, both sexes.....	7	8	6	8	15	15	30	43	34	8	2	-
Male.....	6	6	3	5	8	8	11	11	7	1	1	-
Female.....	1	2	3	3	7	7	19	32	27	7	1	-
White, both sexes.....	7	8	6	7	15	15	29	43	34	7	2	-
Male.....	6	6	3	4	8	8	11	11	7	-	1	-
Female.....	1	2	3	3	7	7	18	32	27	7	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive diseases (I10-I13)												
Kentucky												
All races, both sexes.....	26	27	39	26	40	54	86	88	68	31	3	-
Male.....	17	16	23	15	19	23	29	24	12	5	-	-
Female.....	9	11	16	11	21	31	57	64	56	26	3	-
White, both sexes.....	18	21	30	20	36	46	75	81	63	29	3	-
Male.....	11	15	17	14	17	21	23	22	10	5	-	-
Female.....	7	6	13	6	19	25	52	59	53	24	3	-
Black, both sexes.....	8	5	9	6	4	8	11	7	5	2	-	-
Male.....	6	1	6	1	2	2	6	2	2	-	-	-
Female.....	2	4	3	5	2	6	5	5	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	57	54	62	65	108	114	144	153	106	53	17	-
Male.....	33	32	39	36	54	44	49	44	27	11	-	-
Female.....	24	22	23	29	54	70	95	109	79	42	17	-
White, both sexes.....	23	16	25	25	57	61	90	90	72	30	8	-
Male.....	13	13	16	14	29	26	34	22	19	4	-	-
Female.....	10	3	9	11	28	35	56	68	53	26	8	-
Black, both sexes.....	34	38	36	40	51	52	53	63	33	23	9	-
Male.....	20	19	22	22	25	17	14	22	8	7	-	-
Female.....	14	19	14	18	26	35	39	41	25	16	9	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	1	-	1	-	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive diseases (I10-I13)												
Maine												
All races, both sexes.....	2	3	4	8	9	16	28	28	21	12	2	-
Male.....	1	2	3	3	2	5	12	8	7	2	-	-
Female.....	1	1	1	5	7	11	16	20	14	10	2	-
White, both sexes.....	2	3	4	8	9	16	28	28	20	12	2	-
Male.....	1	2	3	3	2	5	12	8	7	2	-	-
Female.....	1	1	1	5	7	11	16	20	13	10	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	84	69	53	85	78	111	150	139	125	41	11	-
Male.....	59	41	35	46	35	45	55	36	21	6	3	-
Female.....	25	28	18	39	43	66	95	103	104	35	8	-
White, both sexes.....	27	31	19	39	33	62	114	91	87	32	6	-
Male.....	23	18	14	22	19	23	42	23	17	5	2	-
Female.....	4	13	5	17	14	39	72	68	70	27	4	-
Black, both sexes.....	55	37	33	45	42	48	36	47	36	8	5	-
Male.....	35	23	20	24	16	22	13	12	4	1	1	-
Female.....	20	14	13	21	26	26	23	35	32	7	4	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	1	3	1	-	1	1	1	-	-
Male.....	1	-	1	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	1	3	1	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive diseases (I10-I13)												
Minnesota												
All races, both sexes.....	12	12	27	39	52	63	102	111	120	46	26	-
Male.....	9	9	17	22	29	33	39	29	32	8	1	-
Female.....	3	3	10	17	23	30	63	82	88	38	25	-
White, both sexes.....	10	11	25	36	50	60	98	110	119	46	26	-
Male.....	7	9	16	20	28	32	37	29	32	8	1	-
Female.....	3	2	9	16	22	28	61	81	87	38	25	-
Black, both sexes.....	2	1	2	2	1	2	2	1	-	-	-	-
Male.....	2	-	1	2	-	-	1	-	-	-	-	-
Female.....	-	1	1	-	1	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Mississippi												
All races, both sexes.....	34	46	40	61	88	115	143	128	121	48	17	-
Male.....	17	31	22	34	41	42	49	32	20	9	4	-
Female.....	17	15	18	27	47	73	94	96	101	39	13	-
White, both sexes.....	10	15	21	23	39	69	73	76	85	31	8	-
Male.....	4	10	12	14	21	25	18	18	15	4	-	-
Female.....	6	5	9	9	18	44	55	58	70	27	8	-
Black, both sexes.....	23	31	19	38	49	45	70	52	36	17	9	-
Male.....	13	21	10	20	20	17	31	14	5	5	4	-
Female.....	10	10	9	18	29	28	39	38	31	12	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive diseases (I10-I13)												
Nebraska												
All races, both sexes.....	6	11	8	6	10	28	34	64	48	36	8	-
Male.....	5	6	5	4	3	12	10	24	5	1	1	-
Female.....	1	5	3	2	7	16	24	40	43	35	7	-
White, both sexes.....	4	10	8	4	10	27	30	62	46	35	8	-
Male.....	3	5	5	4	3	12	9	24	5	1	1	-
Female.....	1	5	3	-	7	15	21	38	41	34	7	-
Black, both sexes.....	2	1	-	2	-	1	4	1	2	1	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	2	-	1	3	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	28	26	42	34	46	54	49	52	41	8	-	-
Male.....	18	17	24	23	26	21	20	19	6	3	-	-
Female.....	10	9	18	11	20	33	29	33	35	5	-	-
White, both sexes.....	21	19	33	28	42	48	45	50	37	8	-	-
Male.....	15	11	19	19	23	19	18	19	6	3	-	-
Female.....	6	8	14	9	19	29	27	31	31	5	-	-
Black, both sexes.....	7	5	7	4	4	4	2	2	4	-	-	-
Male.....	3	4	3	3	3	1	1	-	-	-	-	-
Female.....	4	1	4	1	1	3	1	2	4	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	2	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	1	-	2	-	-	-	-	-	-
Male.....	-	2	1	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Hypertensive diseases (I10-I13)

New Hampshire

All races, both sexes.....	2	1	5	5	6	10	24	31	24	17	7	-
Male.....	2	1	3	2	4	4	7	8	5	3	1	-
Female.....	-	-	2	3	2	6	17	23	19	14	6	-
White, both sexes.....	2	1	5	5	6	10	24	31	24	17	7	-
Male.....	2	1	3	2	4	4	7	8	5	3	1	-
Female.....	-	-	2	3	2	6	17	23	19	14	6	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	68	54	58	82	103	137	205	208	178	70	15	1
Male.....	42	35	34	39	64	58	72	65	49	9	1	1
Female.....	26	19	24	43	39	79	133	143	129	61	14	-
White, both sexes.....	36	29	29	45	73	96	175	180	164	67	13	1
Male.....	30	20	19	19	42	40	62	61	46	9	1	1
Female.....	6	9	10	26	31	56	113	119	118	58	12	-
Black, both sexes.....	32	23	29	34	27	38	27	26	13	2	2	-
Male.....	12	15	15	17	19	17	10	4	3	-	-	-
Female.....	20	8	14	17	8	21	17	22	10	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	3	3	3	3	2	1	1	-	-
Male.....	-	-	-	3	3	1	-	-	-	-	-	-
Female.....	-	2	-	-	-	2	3	2	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive diseases (I10-I13)												
New Mexico												
All races, both sexes.....	7	12	12	23	20	30	34	38	26	18	2	-
Male.....	5	9	10	10	12	12	16	11	6	1	1	-
Female.....	2	3	2	13	8	18	18	27	20	17	1	-
White, both sexes.....	6	9	11	21	19	28	31	35	25	14	2	-
Male.....	5	6	10	8	12	10	15	10	6	1	1	-
Female.....	1	3	1	13	7	18	16	25	19	13	1	-
Black, both sexes.....	-	-	-	2	1	1	1	1	-	2	-	-
Male.....	-	-	-	2	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	2	-	-
American Indian 1/, both sexes.....	1	2	1	-	-	1	2	2	1	2	-	-
Male.....	-	2	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	2	2	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	193	203	250	253	323	432	541	558	433	204	47	-
Male.....	114	134	153	143	159	187	210	169	96	31	6	-
Female.....	79	69	97	110	164	245	331	389	337	173	41	-
White, both sexes.....	87	107	132	139	202	284	413	457	359	180	34	-
Male.....	57	72	86	89	104	124	166	138	72	29	5	-
Female.....	30	35	46	50	98	160	247	319	287	151	29	-
Black, both sexes.....	101	91	114	110	109	135	120	83	69	23	12	-
Male.....	54	58	66	50	46	57	41	19	22	2	1	-
Female.....	47	33	48	60	63	78	79	64	47	21	11	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	5	4	4	12	12	8	18	5	1	1	-
Male.....	3	4	1	4	9	6	3	12	2	-	-	-
Female.....	2	1	3	-	3	6	5	6	3	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive diseases (I10-I13)												
Vermont												
All races, both sexes.....	2	5	6	5	6	11	13	20	19	11	2	-
Male.....	2	4	3	2	3	6	5	7	3	1	-	-
Female.....	-	1	3	3	3	5	8	13	16	10	2	-
White, both sexes.....	2	5	6	4	6	11	12	19	19	11	2	-
Male.....	2	4	3	2	3	6	5	6	3	1	-	-
Female.....	-	1	3	2	3	5	7	13	16	10	2	-
Black, both sexes.....	-	-	-	1	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	36	44	53	55	77	105	155	149	131	65	9	1
Male.....	23	22	30	35	40	33	57	43	27	3	2	1
Female.....	13	22	23	20	37	72	98	106	104	62	7	-
White, both sexes.....	14	16	23	27	45	64	116	106	98	58	5	-
Male.....	10	9	17	16	27	18	44	34	21	3	-	-
Female.....	4	7	6	11	18	46	72	72	77	55	5	-
Black, both sexes.....	22	28	30	28	32	38	36	40	33	6	4	1
Male.....	13	13	13	19	13	14	11	9	6	-	2	1
Female.....	9	15	17	9	19	24	25	31	27	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	3	3	3	-	1	-	-
Male.....	-	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	3	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Essential (primary) hypertension (I10)												
Arkansas												
All races, both sexes.....	9	5	7	6	9	12	14	17	9	12	1	-
Male.....	6	3	7	1	2	3	5	5	-	1	1	-
Female.....	3	2	-	5	7	9	9	12	9	11	-	-
White, both sexes.....	8	5	4	6	6	8	13	14	7	9	-	-
Male.....	5	3	4	1	1	2	4	4	-	1	-	-
Female.....	3	2	-	5	5	6	9	10	7	8	-	-
Black, both sexes.....	1	-	3	-	3	4	1	3	2	3	1	-
Male.....	1	-	3	-	1	1	1	1	-	-	1	-
Female.....	-	-	-	-	2	3	-	2	2	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	30	39	57	61	108	177	230	245	213	116	30	-
Male.....	20	21	25	25	50	73	86	63	45	14	4	-
Female.....	10	18	32	36	58	104	144	182	168	102	26	-
White, both sexes.....	22	26	39	44	88	136	197	212	181	106	28	-
Male.....	16	15	17	20	40	54	72	57	38	12	4	-
Female.....	6	11	22	24	48	82	125	155	143	94	24	-
Black, both sexes.....	6	11	8	16	12	28	17	17	15	2	2	-
Male.....	3	5	2	4	5	14	8	2	2	-	-	-
Female.....	3	6	6	12	7	14	9	15	13	2	2	-
American Indian 1/, both sexes.....	-	1	2	-	1	-	-	1	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	2	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	8	1	7	13	16	15	17	7	-	-
Male.....	1	1	6	1	4	5	6	4	5	2	-	-
Female.....	1	-	2	-	3	8	10	11	12	5	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Essential (primary) hypertension (I10)												
Florida												
All races, both sexes.....	16	21	28	36	67	98	127	138	114	58	16	-
Male.....	9	13	13	19	34	34	36	42	23	8	1	-
Female.....	7	8	15	17	33	64	91	96	91	50	15	-
White, both sexes.....	11	18	21	26	56	79	111	125	105	52	14	-
Male.....	6	12	12	13	29	27	31	38	20	7	1	-
Female.....	5	6	9	13	27	52	80	87	85	45	13	-
Black, both sexes.....	5	3	7	9	11	19	15	12	9	6	1	-
Male.....	3	1	1	6	5	7	4	4	3	1	-	-
Female.....	2	2	6	3	6	12	11	8	6	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
Georgia												
All races, both sexes.....	26	27	27	36	33	58	62	76	57	30	8	-
Male.....	14	17	14	17	11	21	13	18	9	3	-	-
Female.....	12	10	13	19	22	37	49	58	48	27	8	-
White, both sexes.....	10	8	17	19	22	33	34	51	44	22	5	-
Male.....	4	5	10	7	8	13	6	9	7	2	-	-
Female.....	6	3	7	12	14	20	28	42	37	20	5	-
Black, both sexes.....	16	19	10	16	11	24	28	24	13	8	3	-
Male.....	10	12	4	10	3	8	7	9	2	1	-	-
Female.....	6	7	6	6	8	16	21	15	11	7	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Essential (primary) hypertension (I10)												
Maine												
All races, both sexes.....	-	-	1	4	2	5	11	2	6	3	1	-
Male.....	-	-	1	1	-	1	4	-	1	2	-	-
Female.....	-	-	-	3	2	4	7	2	5	1	1	-
White, both sexes.....	-	-	1	4	2	5	11	2	6	3	1	-
Male.....	-	-	1	1	-	1	4	-	1	2	-	-
Female.....	-	-	-	3	2	4	7	2	5	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	4	3	6	10	13	19	34	28	38	7	5	-
Male.....	3	2	3	7	6	7	11	7	5	1	1	-
Female.....	1	1	3	3	7	12	23	21	33	6	4	-
White, both sexes.....	1	1	3	6	5	11	25	20	24	3	1	-
Male.....	1	1	2	4	3	4	8	5	5	-	1	-
Female.....	-	-	1	2	2	7	17	15	19	3	-	-
Black, both sexes.....	3	2	3	4	7	7	9	8	13	3	4	-
Male.....	2	1	1	3	3	3	3	2	-	1	-	-
Female.....	1	1	2	1	4	4	6	6	13	2	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Essential (primary) hypertension (I10)												
New Hampshire												
All races, both sexes.....	-	-	3	-	1	3	9	9	5	5	2	-
Male.....	-	-	1	-	1	1	3	3	1	1	-	-
Female.....	-	-	2	-	-	2	6	6	4	4	2	-
White, both sexes.....	-	-	3	-	1	3	9	9	5	5	2	-
Male.....	-	-	1	-	1	1	3	3	1	1	-	-
Female.....	-	-	2	-	-	2	6	6	4	4	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	10	8	8	17	28	39	61	61	49	19	9	-
Male.....	5	4	5	5	18	12	18	12	11	3	1	-
Female.....	5	4	3	12	10	27	43	49	38	16	8	-
White, both sexes.....	7	5	8	9	19	29	57	54	48	19	9	-
Male.....	5	2	5	2	10	9	17	11	11	3	1	-
Female.....	2	3	3	7	9	20	40	43	37	16	8	-
Black, both sexes.....	3	2	-	7	8	9	2	6	-	-	-	-
Male.....	-	2	-	2	7	2	1	1	-	-	-	-
Female.....	3	-	-	5	1	7	1	5	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	1	2	1	1	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	2	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Essential (primary) hypertension (I10)												
New Mexico												
All races, both sexes.....	2	1	1	3	4	9	13	12	9	9	-	-
Male.....	2	1	1	2	3	2	4	2	1	-	-	-
Female.....	-	-	-	1	1	7	9	10	8	9	-	-
White, both sexes.....	2	1	1	3	4	9	12	10	9	8	-	-
Male.....	2	1	1	2	3	2	4	1	1	-	-	-
Female.....	-	-	-	1	1	7	8	9	8	8	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	15	30	39	47	70	102	157	161	154	62	13	-
Male.....	7	21	24	25	40	37	44	50	27	10	2	-
Female.....	8	9	15	22	30	65	113	111	127	52	11	-
White, both sexes.....	7	19	25	31	43	75	127	136	132	57	8	-
Male.....	4	12	16	19	28	27	35	40	23	9	1	-
Female.....	3	7	9	12	15	48	92	96	109	48	7	-
Black, both sexes.....	7	11	14	16	25	25	29	20	21	5	4	-
Male.....	3	9	8	6	10	9	9	6	4	1	1	-
Female.....	4	2	6	10	15	16	20	14	17	4	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	1	1	5	1	-	1	-
Male.....	-	-	-	-	2	1	-	4	-	-	-	-
Female.....	1	-	-	-	-	-	1	1	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Essential (primary) hypertension (I10)												
Vermont												
All races, both sexes.....	-	-	2	-	2	3	1	6	2	3	-	-
Male.....	-	-	1	-	1	1	-	2	-	-	-	-
Female.....	-	-	1	-	1	2	1	4	2	3	-	-
White, both sexes.....	-	-	2	-	2	3	1	6	2	3	-	-
Male.....	-	-	1	-	1	1	-	2	-	-	-	-
Female.....	-	-	1	-	1	2	1	4	2	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	12	9	18	17	24	32	54	42	38	22	3	-
Male.....	8	4	10	9	13	11	19	14	6	1	1	-
Female.....	4	5	8	8	11	21	35	28	32	21	2	-
White, both sexes.....	4	6	13	11	17	19	42	31	27	20	2	-
Male.....	3	4	8	5	12	5	16	10	5	1	-	-
Female.....	1	2	5	6	5	14	26	21	22	19	2	-
Black, both sexes.....	8	3	5	6	7	12	12	10	11	1	1	-
Male.....	5	-	2	4	1	6	3	4	1	-	1	-
Female.....	3	3	3	2	6	6	9	6	10	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Hypertensive heart disease (I11)												
New Mexico												
All races, both sexes.....	118	-	-	-	-	-	-	-	-	1	1	2
Male.....	55	-	-	-	-	-	-	-	-	1	1	1
Female.....	63	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	105	-	-	-	-	-	-	-	-	1	1	1
Male.....	51	-	-	-	-	-	-	-	-	1	1	1
Female.....	54	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	2,126	-	-	-	-	-	2	5	15	33	59	99
Male.....	952	-	-	-	-	-	2	4	10	21	36	66
Female.....	1,174	-	-	-	-	-	-	1	5	12	23	33
White, both sexes.....	1,369	-	-	-	-	-	-	-	6	13	25	50
Male.....	592	-	-	-	-	-	-	-	3	9	17	37
Female.....	777	-	-	-	-	-	-	-	3	4	8	13
Black, both sexes.....	703	-	-	-	-	-	2	5	9	19	33	41
Male.....	331	-	-	-	-	-	2	4	7	12	19	24
Female.....	372	-	-	-	-	-	-	1	2	7	14	17
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	54	-	-	-	-	-	-	-	-	1	1	8
Male.....	29	-	-	-	-	-	-	-	-	-	-	5
Female.....	25	-	-	-	-	-	-	-	-	1	1	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart disease (I11)												
Arkansas												
All races, both sexes.....	6	12	7	8	15	20	24	33	28	8	5	-
Male.....	5	8	5	3	6	9	11	11	5	1	1	-
Female.....	1	4	2	5	9	11	13	22	23	7	4	-
White, both sexes.....	4	11	6	7	12	17	21	28	22	7	4	-
Male.....	4	7	5	3	4	8	9	10	4	1	-	-
Female.....	-	4	1	4	8	9	12	18	18	6	4	-
Black, both sexes.....	2	1	1	1	3	3	3	5	6	1	1	-
Male.....	1	1	-	-	2	1	2	1	1	-	1	-
Female.....	1	-	1	1	1	2	1	4	5	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	199	256	228	267	271	422	517	577	426	198	36	-
Male.....	147	177	147	159	137	191	203	175	89	43	6	-
Female.....	52	79	81	108	134	231	314	402	337	155	30	-
White, both sexes.....	146	179	164	198	199	335	397	499	378	176	29	-
Male.....	111	131	102	111	104	156	149	146	78	36	4	-
Female.....	35	48	62	87	95	179	248	353	300	140	25	-
Black, both sexes.....	44	59	51	49	51	57	65	44	19	12	4	-
Male.....	29	36	38	33	24	18	27	17	3	1	1	-
Female.....	15	23	13	16	27	39	38	27	16	11	3	-
American Indian 1/, both sexes.....	-	-	-	1	2	2	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	2	2	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	18	13	19	19	28	54	34	28	10	3	-
Male.....	7	10	7	15	9	17	26	12	8	6	1	-
Female.....	2	8	6	4	10	11	28	22	20	4	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart disease (I11)												
Florida												
All races, both sexes.....	115	127	131	157	199	240	316	281	209	110	24	-
Male.....	75	85	89	92	116	133	113	78	54	16	4	-
Female.....	40	42	42	65	83	107	203	203	155	94	20	-
White, both sexes.....	78	89	82	113	166	203	266	249	188	101	22	-
Male.....	55	67	53	64	100	113	95	70	50	16	4	-
Female.....	23	22	29	49	66	90	171	179	138	85	18	-
Black, both sexes.....	37	37	46	42	33	36	50	30	20	9	2	-
Male.....	20	17	33	26	16	19	18	8	3	-	-	-
Female.....	17	20	13	16	17	17	32	22	17	9	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	-	1	-	2	1	-	-	-
Male.....	-	1	2	2	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-
Georgia												
All races, both sexes.....	51	64	56	50	70	98	100	86	78	24	7	-
Male.....	34	38	30	31	38	42	35	20	16	3	1	-
Female.....	17	26	26	19	32	56	65	66	62	21	6	-
White, both sexes.....	25	25	25	18	40	48	70	55	51	10	7	-
Male.....	20	16	13	11	23	19	29	16	11	-	1	-
Female.....	5	9	12	7	17	29	41	39	40	10	6	-
Black, both sexes.....	26	39	29	31	28	49	30	31	27	14	-	-
Male.....	14	22	16	19	15	23	6	4	5	3	-	-
Female.....	12	17	13	12	13	26	24	27	22	11	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	2	1	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	2	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart disease (I11)												
Hawaii												
All races, both sexes.....	4	1	2	6	5	5	6	7	9	7	2	-
Male.....	3	1	1	3	4	2	2	2	2	2	2	-
Female.....	1	-	1	3	1	3	4	5	7	5	-	-
White, both sexes.....	-	-	1	1	3	-	3	1	2	3	-	-
Male.....	-	-	1	1	3	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	2	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	1	4	2	5	3	6	7	4	2	-
Male.....	3	1	-	2	1	2	1	2	2	2	2	-
Female.....	1	-	1	2	1	3	2	4	5	2	-	-
Idaho												
All races, both sexes.....	5	7	5	2	6	8	9	14	15	5	1	-
Male.....	4	5	3	2	3	3	1	5	3	-	1	-
Female.....	1	2	2	-	3	5	8	9	12	5	-	-
White, both sexes.....	5	7	5	1	6	8	8	14	15	5	1	-
Male.....	4	5	3	1	3	3	1	5	3	-	1	-
Female.....	1	2	2	-	3	5	7	9	12	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart disease (I11)												
Maine												
All races, both sexes.....	2	2	3	3	3	3	9	13	8	7	1	-
Male.....	1	1	2	1	2	2	5	4	1	-	-	-
Female.....	1	1	1	2	1	1	4	9	7	7	1	-
White, both sexes.....	2	2	3	3	3	3	9	13	7	7	1	-
Male.....	1	1	2	1	2	2	5	4	1	-	-	-
Female.....	1	1	1	2	1	1	4	9	6	7	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	63	57	34	52	42	54	72	76	49	24	4	-
Male.....	47	33	25	30	23	22	24	14	5	3	2	-
Female.....	16	24	9	22	19	32	48	62	44	21	2	-
White, both sexes.....	24	26	13	28	20	33	57	50	39	21	3	-
Male.....	21	14	10	16	12	13	19	7	4	3	1	-
Female.....	3	12	3	12	8	20	38	43	35	18	2	-
Black, both sexes.....	38	30	20	24	21	21	15	26	10	3	1	-
Male.....	25	19	14	14	11	9	5	7	1	-	1	-
Female.....	13	11	6	10	10	12	10	19	9	3	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart disease (I11)												
Minnesota												
All races, both sexes.....	6	3	7	12	6	11	29	24	38	14	7	-
Male.....	4	3	6	5	5	7	10	5	7	1	-	-
Female.....	2	-	1	7	1	4	19	19	31	13	7	-
White, both sexes.....	5	3	7	12	5	11	28	24	38	14	7	-
Male.....	3	3	6	5	5	7	10	5	7	1	-	-
Female.....	2	-	1	7	-	4	18	19	31	13	7	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Mississippi												
All races, both sexes.....	19	23	19	36	46	71	82	80	75	30	9	-
Male.....	9	15	11	23	20	30	24	19	10	3	2	-
Female.....	10	8	8	13	26	41	58	61	65	27	7	-
White, both sexes.....	6	7	12	13	24	42	43	45	56	23	5	-
Male.....	3	5	7	9	10	18	8	10	8	3	-	-
Female.....	3	2	5	4	14	24	35	35	48	20	5	-
Black, both sexes.....	13	16	7	23	22	28	39	35	19	7	4	-
Male.....	6	10	4	14	10	12	16	9	2	-	2	-
Female.....	7	6	3	9	12	16	23	26	17	7	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart disease (I11)												
Nebraska												
All races, both sexes.....	3	9	3	1	2	7	13	24	21	19	2	-
Male.....	3	5	3	1	-	2	4	9	2	1	-	-
Female.....	-	4	-	-	2	5	9	15	19	18	2	-
White, both sexes.....	2	8	3	1	2	7	12	23	20	18	2	-
Male.....	2	4	3	1	-	2	4	9	2	1	-	-
Female.....	-	4	-	-	2	5	8	14	18	17	2	-
Black, both sexes.....	1	1	-	-	-	-	1	-	1	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	25	20	31	23	30	33	30	29	25	6	-	-
Male.....	17	13	17	16	18	14	13	10	3	2	-	-
Female.....	8	7	14	7	12	19	17	19	22	4	-	-
White, both sexes.....	20	16	27	19	27	29	29	27	24	6	-	-
Male.....	15	9	15	14	15	13	12	10	3	2	-	-
Female.....	5	7	12	5	12	16	17	17	21	4	-	-
Black, both sexes.....	5	2	3	3	3	2	-	2	1	-	-	-
Male.....	2	2	1	2	3	-	-	-	-	-	-	-
Female.....	3	-	2	1	-	2	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	-	2	-	-	-	-	-	-
Male.....	-	2	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart disease (I11)												
New Hampshire												
All races, both sexes.....	2	1	2	3	2	7	8	11	10	8	4	-
Male.....	2	1	2	1	2	3	4	3	2	1	1	-
Female.....	-	-	-	2	-	4	4	8	8	7	3	-
White, both sexes.....	2	1	2	3	2	7	8	11	10	8	4	-
Male.....	2	1	2	1	2	3	4	3	2	1	1	-
Female.....	-	-	-	2	-	4	4	8	8	7	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	49	36	42	50	59	64	96	93	95	39	5	1
Male.....	33	27	25	25	32	31	32	27	24	2	-	1
Female.....	16	9	17	25	27	33	64	66	71	37	5	-
White, both sexes.....	28	22	21	30	43	51	78	81	87	38	4	1
Male.....	25	17	14	13	21	24	25	26	22	2	-	1
Female.....	3	5	7	17	22	27	53	55	65	36	4	-
Black, both sexes.....	21	14	21	19	14	12	17	11	8	-	1	-
Male.....	8	10	11	11	9	7	7	1	2	-	-	-
Female.....	13	4	10	8	5	5	10	10	6	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	1	1	1	-	1	-	-
Male.....	-	-	-	1	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart disease (I11)												
New Mexico												
All races, both sexes.....	5	6	10	15	12	14	14	19	12	6	1	-
Male.....	3	5	8	7	7	5	7	6	4	-	-	-
Female.....	2	1	2	8	5	9	7	13	8	6	1	-
White, both sexes.....	4	5	9	13	11	13	13	18	11	4	1	-
Male.....	3	4	8	5	7	4	7	6	4	-	-	-
Female.....	1	1	1	8	4	9	6	12	7	4	1	-
Black, both sexes.....	-	-	-	2	1	-	-	-	-	2	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	2	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	1	1	1	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	142	126	168	157	179	233	276	274	224	107	27	-
Male.....	85	82	108	94	78	112	113	77	47	13	4	-
Female.....	57	44	60	63	101	121	163	197	177	94	23	-
White, both sexes.....	64	70	86	88	111	149	194	221	181	92	19	-
Male.....	43	47	58	57	51	76	84	64	30	12	4	-
Female.....	21	23	28	31	60	73	110	157	151	80	15	-
Black, both sexes.....	74	53	80	67	62	76	76	45	39	14	8	-
Male.....	39	33	49	35	23	33	27	8	15	1	-	-
Female.....	35	20	31	32	39	43	49	37	24	13	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	2	2	6	8	6	8	4	1	-	-
Male.....	3	2	1	2	4	3	2	5	2	-	-	-
Female.....	1	1	1	-	2	5	4	3	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart disease (I11)												
Vermont												
All races, both sexes.....	2	4	4	4	2	4	8	7	11	6	1	-
Male.....	2	3	2	1	2	3	4	2	1	1	-	-
Female.....	-	1	2	3	-	1	4	5	10	5	1	-
White, both sexes.....	2	4	4	3	2	4	7	6	11	6	1	-
Male.....	2	3	2	1	2	3	4	1	1	1	-	-
Female.....	-	1	2	2	-	1	3	5	10	5	1	-
Black, both sexes.....	-	-	-	1	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	15	19	21	20	24	39	56	66	63	29	5	1
Male.....	11	9	14	13	13	8	19	19	12	1	-	1
Female.....	4	10	7	7	11	31	37	47	51	28	5	-
White, both sexes.....	8	9	8	9	12	28	43	52	50	27	3	-
Male.....	6	4	8	5	7	6	14	16	10	1	-	-
Female.....	2	5	-	4	5	22	29	36	40	26	3	-
Black, both sexes.....	7	10	13	11	12	11	11	13	13	2	2	1
Male.....	5	5	6	8	6	2	4	3	2	-	-	1
Female.....	2	5	7	3	6	9	7	10	11	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive renal disease (I12)												
United States												
All races, both sexes.....	234	306	357	497	845	1,221	1,574	1,646	1,063	374	60	-
Male.....	133	161	178	240	398	564	658	629	361	100	11	-
Female.....	101	145	179	257	447	657	916	1,017	702	274	49	-
White, both sexes.....	99	124	169	276	561	881	1,214	1,338	865	312	53	-
Male.....	56	67	89	135	272	420	521	541	300	82	10	-
Female.....	43	57	80	141	289	461	693	797	565	230	43	-
Black, both sexes.....	129	171	175	199	254	307	321	271	173	55	7	-
Male.....	73	87	78	94	110	133	119	74	53	18	1	-
Female.....	56	84	97	105	144	174	202	197	120	37	6	-
American Indian 1/, both sexes.....	2	2	3	6	3	3	6	2	2	3	-	-
Male.....	2	2	3	2	2	1	3	-	1	-	-	-
Female.....	-	-	-	4	1	2	3	2	1	3	-	-
Asian or Pacific Islander 2/, both sexes.....	4	9	10	16	27	30	33	35	23	4	-	-
Male.....	2	5	8	9	14	10	15	14	7	-	-	-
Female.....	2	4	2	7	13	20	18	21	16	4	-	-
Alabama												
All races, both sexes.....	5	5	3	7	14	14	23	24	19	4	-	-
Male.....	2	2	1	3	6	7	10	7	4	1	-	-
Female.....	3	3	2	4	8	7	13	17	15	3	-	-
White, both sexes.....	2	-	1	2	7	10	11	12	10	4	-	-
Male.....	-	-	1	1	3	6	4	3	2	1	-	-
Female.....	2	-	-	1	4	4	7	9	8	3	-	-
Black, both sexes.....	3	5	2	5	6	4	12	12	9	-	-	-
Male.....	2	2	-	2	3	1	6	4	2	-	-	-
Female.....	1	3	2	3	3	3	6	8	7	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive renal disease (I12)												
Arkansas												
All races, both sexes.....	5	5	5	2	7	5	8	8	5	5	-	-
Male.....	4	4	2	1	3	-	3	2	2	1	-	-
Female.....	1	1	3	1	4	5	5	6	3	4	-	-
White, both sexes.....	2	4	-	-	4	5	3	7	3	4	-	-
Male.....	2	4	-	-	2	-	-	2	1	1	-	-
Female.....	-	-	-	-	2	5	3	5	2	3	-	-
Black, both sexes.....	3	1	5	2	3	-	5	1	2	1	-	-
Male.....	2	-	2	1	1	-	3	-	1	-	-	-
Female.....	1	1	3	1	2	-	2	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	25	28	44	51	108	133	183	191	138	34	7	-
Male.....	18	13	28	23	49	63	84	88	54	10	3	-
Female.....	7	15	16	28	59	70	99	103	84	24	4	-
White, both sexes.....	12	15	31	29	70	98	145	146	109	29	7	-
Male.....	10	6	20	13	33	53	71	70	47	9	3	-
Female.....	2	9	11	16	37	45	74	76	62	20	4	-
Black, both sexes.....	12	11	7	14	23	17	17	20	13	3	-	-
Male.....	7	5	2	6	8	6	5	10	3	1	-	-
Female.....	5	6	5	8	15	11	12	10	10	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	2	-	-	1	-	-
Male.....	-	-	1	-	1	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	5	8	14	18	19	25	16	1	-	-
Male.....	1	2	5	4	7	4	6	8	4	-	-	-
Female.....	-	-	-	4	7	14	13	17	12	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive renal disease (I12)												
Kentucky												
All races, both sexes.....	5	2	3	4	12	17	19	17	12	6	-	-
Male.....	4	-	1	1	5	8	9	8	2	-	-	-
Female.....	1	2	2	3	7	9	10	9	10	6	-	-
White, both sexes.....	3	-	2	2	9	14	16	15	10	4	-	-
Male.....	2	-	-	1	4	7	7	7	1	-	-	-
Female.....	1	-	2	1	5	7	9	8	9	4	-	-
Black, both sexes.....	2	1	1	2	3	3	3	2	2	2	-	-
Male.....	2	-	1	-	1	1	2	1	1	-	-	-
Female.....	-	1	-	2	2	2	1	1	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	4	7	3	14	20	19	18	21	20	2	2	-
Male.....	4	5	1	8	9	11	7	4	7	1	-	-
Female.....	-	2	2	6	11	8	11	17	13	1	2	-
White, both sexes.....	1	1	1	6	9	12	8	14	13	2	1	-
Male.....	1	1	-	2	3	7	4	3	5	1	-	-
Female.....	-	-	1	4	6	5	4	11	8	1	1	-
Black, both sexes.....	3	6	2	8	11	7	9	7	6	-	1	-
Male.....	3	4	1	6	6	4	2	1	2	-	-	-
Female.....	-	2	1	2	5	3	7	6	4	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive renal disease (I12)												
Maine												
All races, both sexes.....	-	1	-	1	4	7	5	12	7	1	-	-
Male.....	-	1	-	1	-	1	2	4	5	-	-	-
Female.....	-	-	-	-	4	6	3	8	2	1	-	-
White, both sexes.....	-	1	-	1	4	7	5	12	7	1	-	-
Male.....	-	1	-	1	-	1	2	4	5	-	-	-
Female.....	-	-	-	-	4	6	3	8	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	9	6	11	20	16	28	32	27	27	6	2	-
Male.....	5	4	5	7	3	12	14	11	10	1	-	-
Female.....	4	2	6	13	13	16	18	16	17	5	2	-
White, both sexes.....	2	2	2	3	4	13	23	16	17	4	2	-
Male.....	1	2	1	1	1	4	10	8	7	1	-	-
Female.....	1	-	1	2	3	9	13	8	10	3	2	-
Black, both sexes.....	6	4	9	16	11	15	9	10	9	2	-	-
Male.....	4	2	4	6	2	8	4	2	3	-	-	-
Female.....	2	2	5	10	9	7	5	8	6	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive renal disease (I12)												
New Hampshire												
All races, both sexes.....	-	-	-	2	2	-	6	9	8	3	1	-
Male.....	-	-	-	1	1	-	-	2	2	-	-	-
Female.....	-	-	-	1	1	-	6	7	6	3	1	-
White, both sexes.....	-	-	-	2	2	-	6	9	8	3	1	-
Male.....	-	-	-	1	1	-	-	2	2	-	-	-
Female.....	-	-	-	1	1	-	6	7	6	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	8	6	6	13	12	22	31	43	29	8	-	-
Male.....	4	2	3	7	10	13	13	21	10	3	-	-
Female.....	4	4	3	6	2	9	18	22	19	5	-	-
White, both sexes.....	1	1	-	5	7	10	25	35	24	6	-	-
Male.....	-	-	-	3	7	6	12	19	9	3	-	-
Female.....	1	1	-	2	-	4	13	16	15	3	-	-
Black, both sexes.....	7	4	6	7	5	11	6	8	5	2	-	-
Male.....	4	2	3	3	3	7	1	2	1	-	-	-
Female.....	3	2	3	4	2	4	5	6	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive renal disease (I12)												
New Mexico												
All races, both sexes.....	-	4	1	4	4	6	6	7	3	3	1	-
Male.....	-	3	1	1	2	4	4	3	1	1	1	-
Female.....	-	1	-	3	2	2	2	4	2	2	-	-
White, both sexes.....	-	2	1	4	4	5	5	7	3	2	1	-
Male.....	-	1	1	1	2	3	3	3	1	1	1	-
Female.....	-	1	-	3	2	2	2	4	2	1	-	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	-	-	1	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	30	40	32	38	55	80	82	84	42	22	3	-
Male.....	19	26	14	17	28	31	38	31	20	6	-	-
Female.....	11	14	18	21	27	49	44	53	22	16	3	-
White, both sexes.....	15	16	14	13	33	50	69	67	37	20	3	-
Male.....	9	12	8	8	16	17	32	24	17	6	-	-
Female.....	6	4	6	5	17	33	37	43	20	14	3	-
Black, both sexes.....	15	22	17	24	18	28	12	14	5	2	-	-
Male.....	10	12	6	8	9	12	5	5	3	-	-	-
Female.....	5	10	11	16	9	16	7	9	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	1	4	2	1	3	-	-	-	-
Male.....	-	2	-	1	3	2	1	2	-	-	-	-
Female.....	-	-	1	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive renal disease (I12)												
Vermont												
All races, both sexes.....	-	-	-	1	1	3	2	5	4	2	-	-
Male.....	-	-	-	1	-	2	-	3	-	-	-	-
Female.....	-	-	-	-	1	1	2	2	4	2	-	-
White, both sexes.....	-	-	-	1	1	3	2	5	4	2	-	-
Male.....	-	-	-	1	-	2	-	3	-	-	-	-
Female.....	-	-	-	-	1	1	2	2	4	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	8	15	11	13	25	27	30	26	20	9	-	-
Male.....	3	8	4	10	13	12	15	6	6	-	-	-
Female.....	5	7	7	3	12	15	15	20	14	9	-	-
White, both sexes.....	2	1	1	6	15	12	21	17	12	7	-	-
Male.....	1	1	-	5	7	6	12	6	3	-	-	-
Female.....	1	-	1	1	8	6	9	11	9	7	-	-
Black, both sexes.....	6	14	10	7	10	13	8	9	8	2	-	-
Male.....	2	7	4	5	6	5	2	-	3	-	-	-
Female.....	4	7	6	2	4	8	6	9	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart and renal disease (I13)												
Arkansas												
All races, both sexes.....	1	1	-	-	2	2	5	4	2	-	-	-
Male.....	-	-	-	-	1	1	2	1	1	-	-	-
Female.....	1	1	-	-	1	1	3	3	1	-	-	-
White, both sexes.....	1	-	-	-	1	1	5	3	1	-	-	-
Male.....	-	-	-	-	1	1	2	1	1	-	-	-
Female.....	1	-	-	-	-	-	3	2	-	-	-	-
Black, both sexes.....	-	1	-	-	1	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	9	17	25	28	36	55	71	71	63	21	3	-
Male.....	6	10	18	15	22	24	25	23	24	7	-	-
Female.....	3	7	7	13	14	31	46	48	39	14	3	-
White, both sexes.....	4	8	17	12	22	40	56	55	51	17	3	-
Male.....	2	7	11	5	14	17	18	18	21	6	-	-
Female.....	2	1	6	7	8	23	38	37	30	11	3	-
Black, both sexes.....	5	9	4	11	9	9	5	11	6	3	-	-
Male.....	4	3	3	7	5	3	1	3	2	1	-	-
Female.....	1	6	1	4	4	6	4	8	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	4	5	5	6	9	5	6	1	-	-
Male.....	-	-	4	3	3	4	6	2	1	-	-	-
Female.....	-	-	-	2	2	2	3	3	5	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart and renal disease (I13)												
New Mexico												
All races, both sexes.....	-	1	-	1	-	1	1	-	2	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	2	-	-	-
White, both sexes.....	-	1	-	1	-	1	1	-	2	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	6	7	11	11	19	17	26	39	13	13	4	-
Male.....	3	5	7	7	13	7	15	11	2	2	-	-
Female.....	3	2	4	4	6	10	11	28	11	11	4	-
White, both sexes.....	1	2	7	7	15	10	23	33	9	11	4	-
Male.....	1	1	4	5	9	4	15	10	2	2	-	-
Female.....	-	1	3	2	6	6	8	23	7	9	4	-
Black, both sexes.....	5	5	3	3	4	6	3	4	4	2	-	-
Male.....	2	4	3	1	4	3	-	-	-	-	-	-
Female.....	3	1	-	2	-	3	3	4	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	1	-	2	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart and renal disease (I13)												
Vermont												
All races, both sexes.....	-	1	-	-	1	1	2	2	2	-	1	-
Male.....	-	1	-	-	-	-	1	-	2	-	-	-
Female.....	-	-	-	-	1	1	1	2	-	-	1	-
White, both sexes.....	-	1	-	-	1	1	2	2	2	-	1	-
Male.....	-	1	-	-	-	-	1	-	2	-	-	-
Female.....	-	-	-	-	1	1	1	2	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	1	1	3	5	4	7	15	15	10	5	1	-
Male.....	1	1	2	3	1	2	4	4	3	1	1	-
Female.....	-	-	1	2	3	5	11	11	7	4	-	-
White, both sexes.....	-	-	1	1	1	5	10	6	9	4	-	-
Male.....	-	-	1	1	1	1	2	2	3	1	-	-
Female.....	-	-	-	-	-	4	8	4	6	3	-	-
Black, both sexes.....	1	1	2	4	3	2	5	8	1	1	1	-
Male.....	1	1	1	2	-	1	2	2	-	-	1	-
Female.....	-	-	1	2	3	1	3	6	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Ischemic heart diseases (I20-I25)												
Arkansas												
All races, both sexes.....	5,723	1	-	1	1	-	-	5	8	36	93	175
Male.....	3,033	1	-	-	1	-	-	3	6	22	67	130
Female.....	2,690	-	-	1	-	-	-	2	2	14	26	45
White, both sexes.....	4,861	1	-	1	1	-	-	4	7	25	69	137
Male.....	2,639	1	-	-	1	-	-	3	5	19	55	101
Female.....	2,222	-	-	1	-	-	-	1	2	6	14	36
Black, both sexes.....	835	-	-	-	-	-	-	1	1	11	22	36
Male.....	377	-	-	-	-	-	-	-	1	3	11	27
Female.....	458	-	-	-	-	-	-	1	-	8	11	9
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	-	1	2
Male.....	10	-	-	-	-	-	-	-	-	-	1	2
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	-	-	-	-	-	1	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	1	-
California												
All races, both sexes.....	52,612	2	-	1	5	3	10	19	54	194	431	832
Male.....	26,734	1	-	1	4	1	6	16	41	157	337	644
Female.....	25,878	1	-	-	1	2	4	3	13	37	94	188
White, both sexes.....	45,077	1	-	1	4	2	9	15	41	136	330	658
Male.....	22,806	1	-	1	3	1	5	13	33	108	259	519
Female.....	22,271	-	-	-	1	1	4	2	8	28	71	139
Black, both sexes.....	3,916	1	-	-	1	1	1	2	6	35	65	109
Male.....	1,916	-	-	-	1	-	1	1	2	26	43	69
Female.....	2,000	1	-	-	-	1	-	1	4	9	22	40
American Indian 1/, both sexes.....	171	-	-	-	-	-	-	-	2	1	3	2
Male.....	103	-	-	-	-	-	-	-	2	1	2	2
Female.....	68	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3,448	-	-	-	-	-	-	2	5	22	33	63
Male.....	1,909	-	-	-	-	-	-	2	4	22	33	54
Female.....	1,539	-	-	-	-	-	-	-	1	-	-	9

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Ischemic heart diseases (I20-I25)												
Nebraska												
All races, both sexes.....	2,441	-	-	-	-	-	-	1	3	12	14	31
Male.....	1,312	-	-	-	-	-	-	1	3	11	12	23
Female.....	1,129	-	-	-	-	-	-	-	-	1	2	8
White, both sexes.....	2,382	-	-	-	-	-	-	1	3	12	12	29
Male.....	1,279	-	-	-	-	-	-	1	3	11	10	22
Female.....	1,103	-	-	-	-	-	-	-	-	1	2	7
Black, both sexes.....	48	-	-	-	-	-	-	-	-	-	2	2
Male.....	26	-	-	-	-	-	-	-	-	-	2	1
Female.....	22	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	2,560	-	1	-	-	-	1	1	3	13	37	57
Male.....	1,538	-	1	-	-	-	1	1	3	8	26	41
Female.....	1,022	-	-	-	-	-	-	-	-	5	11	16
White, both sexes.....	2,345	-	1	-	-	-	1	1	1	8	28	49
Male.....	1,414	-	1	-	-	-	1	1	1	5	21	35
Female.....	931	-	-	-	-	-	-	-	-	3	7	14
Black, both sexes.....	134	-	-	-	-	-	-	-	1	2	3	8
Male.....	81	-	-	-	-	-	-	-	1	1	1	6
Female.....	53	-	-	-	-	-	-	-	-	1	2	2
American Indian 1/, both sexes.....	26	-	-	-	-	-	-	-	1	-	1	-
Male.....	14	-	-	-	-	-	-	-	1	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	55	-	-	-	-	-	-	-	-	3	5	-
Male.....	29	-	-	-	-	-	-	-	-	2	4	-
Female.....	26	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Ischemic heart diseases (I20-I25)												
New Mexico												
All races, both sexes.....	2,468	-	-	-	-	1	1	2	4	10	30	42
Male.....	1,373	-	-	-	-	1	1	1	4	10	25	32
Female.....	1,095	-	-	-	-	-	-	1	-	-	5	10
White, both sexes.....	2,323	-	-	-	-	1	-	1	3	10	28	39
Male.....	1,299	-	-	-	-	1	-	1	3	10	23	29
Female.....	1,024	-	-	-	-	-	-	-	-	-	5	10
Black, both sexes.....	26	-	-	-	-	-	-	-	-	-	-	-
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	16	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	113	-	-	-	-	-	1	1	1	-	2	3
Male.....	59	-	-	-	-	-	1	-	1	-	2	3
Female.....	54	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	45,800	-	1	-	-	2	7	10	51	111	297	639
Male.....	20,973	-	1	-	-	1	3	7	38	80	231	495
Female.....	24,827	-	-	-	-	1	4	3	13	31	66	144
White, both sexes.....	39,366	-	-	-	-	2	5	6	34	72	222	490
Male.....	18,078	-	-	-	-	1	2	5	30	51	187	395
Female.....	21,288	-	-	-	-	1	3	1	4	21	35	95
Black, both sexes.....	5,584	-	1	-	-	-	2	4	15	31	68	127
Male.....	2,432	-	1	-	-	-	1	2	8	22	38	80
Female.....	3,152	-	-	-	-	-	1	2	7	9	30	47
American Indian 1/, both sexes.....	35	-	-	-	-	-	-	-	-	-	1	3
Male.....	20	-	-	-	-	-	-	-	-	-	1	3
Female.....	15	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	815	-	-	-	-	-	-	-	2	8	6	19
Male.....	443	-	-	-	-	-	-	-	-	7	5	17
Female.....	372	-	-	-	-	-	-	-	2	1	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Ischemic heart diseases (I20-I25)												
South Dakota												
All races, both sexes.....	1,346	-	-	-	-	-	-	1	2	5	12	26
Male.....	696	-	-	-	-	-	-	-	2	4	10	19
Female.....	650	-	-	-	-	-	-	1	-	1	2	7
White, both sexes.....	1,290	-	-	-	-	-	-	1	1	3	12	23
Male.....	665	-	-	-	-	-	-	-	1	2	10	18
Female.....	625	-	-	-	-	-	-	1	-	1	2	5
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	55	-	-	-	-	-	-	-	1	2	-	3
Male.....	30	-	-	-	-	-	-	-	1	2	-	1
Female.....	25	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	12,256	1	-	-	1	2	3	9	30	81	199	293
Male.....	6,209	-	-	-	1	1	2	8	22	58	151	218
Female.....	6,047	1	-	-	-	1	1	1	8	23	48	75
White, both sexes.....	10,608	-	-	-	1	2	2	8	23	70	160	234
Male.....	5,379	-	-	-	1	1	1	7	20	52	123	182
Female.....	5,229	-	-	-	-	1	1	1	3	18	37	52
Black, both sexes.....	1,623	1	-	-	-	-	1	1	6	10	39	59
Male.....	814	-	-	-	-	-	1	1	1	6	28	36
Female.....	809	1	-	-	-	-	-	-	5	4	11	23
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	-	-	-	-	-	-	1	1	-	-
Male.....	15	-	-	-	-	-	-	-	1	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
United States												
All races, both sexes.....	15,683	20,997	26,265	34,336	49,531	69,769	85,622	84,082	59,567	24,211	5,528	37
Male.....	11,969	15,350	18,306	22,573	30,563	39,154	42,085	34,073	18,199	5,353	821	27
Female.....	3,714	5,647	7,959	11,763	18,968	30,615	43,537	50,009	41,368	18,858	4,707	10
White, both sexes.....	12,445	17,082	21,495	28,561	42,708	61,414	77,489	77,341	54,938	22,175	4,834	28
Male.....	9,771	12,781	15,313	19,219	26,909	35,116	38,536	31,656	16,828	4,882	701	21
Female.....	2,674	4,301	6,182	9,342	15,799	26,298	38,953	45,685	38,110	17,293	4,133	7
Black, both sexes.....	2,866	3,441	4,166	4,920	5,815	6,962	6,757	5,534	3,808	1,717	602	9
Male.....	1,896	2,219	2,574	2,821	3,070	3,255	2,841	1,850	1,022	357	88	6
Female.....	970	1,222	1,592	2,099	2,745	3,707	3,916	3,684	2,786	1,360	514	3
American Indian 1/, both sexes.....	112	144	179	205	221	254	211	154	101	45	10	-
Male.....	87	97	127	132	129	135	97	78	31	11	2	-
Female.....	25	47	52	73	92	119	114	76	70	34	8	-
Asian or Pacific Islander 2/, both sexes.....	260	330	425	650	787	1,139	1,165	1,053	720	274	82	-
Male.....	215	253	292	401	455	648	611	489	318	103	30	-
Female.....	45	77	133	249	332	491	554	564	402	171	52	-
Alabama												
All races, both sexes.....	286	393	457	588	730	957	1,079	1,012	678	246	44	-
Male.....	216	279	298	390	446	524	521	369	173	52	4	-
Female.....	70	114	159	198	284	433	558	643	505	194	40	-
White, both sexes.....	202	288	361	447	579	791	883	842	559	183	26	-
Male.....	159	216	238	305	365	448	436	318	149	37	2	-
Female.....	43	72	123	142	214	343	447	524	410	146	24	-
Black, both sexes.....	83	104	95	139	151	164	192	169	119	62	18	-
Male.....	56	62	59	83	81	75	84	51	24	14	2	-
Female.....	27	42	36	56	70	89	108	118	95	48	16	-
American Indian 1/, both sexes.....	1	1	-	1	-	1	2	1	-	-	-	-
Male.....	1	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	1	2	-	-	1	-	-
Male.....	-	-	1	1	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Alaska												
All races, both sexes.....	29	41	44	36	39	50	45	36	18	8	1	-
Male.....	28	34	36	28	30	33	27	17	7	4	-	-
Female.....	1	7	8	8	9	17	18	19	11	4	1	-
White, both sexes.....	22	31	38	31	30	40	38	28	14	6	1	-
Male.....	21	27	31	26	23	27	23	15	5	2	-	-
Female.....	1	4	7	5	7	13	15	13	9	4	1	-
Black, both sexes.....	1	-	1	1	-	-	-	-	1	-	-	-
Male.....	1	-	1	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	9	4	3	8	8	6	8	3	1	-	-
Male.....	3	6	4	1	7	6	4	2	1	1	-	-
Female.....	-	3	-	2	1	2	2	6	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	1	1	2	1	-	-	1	-	-
Male.....	3	1	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	1	1	1	2	1	-	-	-	-	-
Arizona												
All races, both sexes.....	266	336	506	630	900	1,190	1,443	1,324	873	371	57	1
Male.....	201	261	371	438	595	722	756	637	307	86	9	1
Female.....	65	75	135	192	305	468	687	687	566	285	48	-
White, both sexes.....	247	308	470	599	847	1,136	1,396	1,299	849	366	53	1
Male.....	188	241	342	424	562	695	734	625	296	85	8	1
Female.....	59	67	128	175	285	441	662	674	553	281	45	-
Black, both sexes.....	8	14	13	10	21	18	20	15	11	3	2	-
Male.....	6	9	12	6	15	11	8	7	4	-	-	-
Female.....	2	5	1	4	6	7	12	8	7	3	2	-
American Indian 1/, both sexes.....	9	14	18	17	29	29	17	8	7	-	2	-
Male.....	5	11	12	7	16	13	8	4	3	-	1	-
Female.....	4	3	6	10	13	16	9	4	4	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	5	4	3	7	10	2	6	2	-	-
Male.....	2	-	5	1	2	3	6	1	4	1	-	-
Female.....	-	-	-	3	1	4	4	1	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Arkansas												
All races, both sexes.....	221	292	380	441	598	782	908	872	608	250	51	-
Male.....	163	196	261	283	370	443	431	384	202	61	9	-
Female.....	58	96	119	158	228	339	477	488	406	189	42	-
White, both sexes.....	175	251	318	374	491	672	802	759	533	202	39	-
Male.....	136	172	226	245	315	398	394	335	179	47	7	-
Female.....	39	79	92	129	176	274	408	424	354	155	32	-
Black, both sexes.....	44	40	61	65	101	109	102	109	73	48	12	-
Male.....	26	24	35	36	51	44	36	45	22	14	2	-
Female.....	18	16	26	29	50	65	66	64	51	34	10	-
American Indian 1/, both sexes.....	1	-	-	1	4	-	-	2	1	-	-	-
Male.....	1	-	-	1	2	-	-	2	1	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	2	1	4	2	1	-	-	-
Male.....	-	-	-	1	2	1	1	2	-	-	-	-
Female.....	1	1	1	-	-	-	3	-	1	-	-	-
California												
All races, both sexes.....	1,464	2,010	2,576	3,363	5,079	7,385	9,521	9,481	6,699	2,788	689	6
Male.....	1,138	1,473	1,794	2,203	3,069	4,114	4,788	3,973	2,169	675	128	2
Female.....	326	537	782	1,160	2,010	3,271	4,733	5,508	4,530	2,113	561	4
White, both sexes.....	1,157	1,606	2,084	2,684	4,251	6,232	8,335	8,424	5,992	2,525	585	5
Male.....	911	1,202	1,469	1,791	2,606	3,514	4,217	3,537	1,911	599	104	2
Female.....	246	404	615	893	1,645	2,718	4,118	4,887	4,081	1,926	481	3
Black, both sexes.....	192	267	306	397	445	567	538	484	315	127	56	1
Male.....	133	157	195	236	240	272	235	181	90	27	7	-
Female.....	59	110	111	161	205	295	303	303	225	100	49	1
American Indian 1/, both sexes.....	9	12	16	17	26	25	21	24	8	5	-	-
Male.....	7	10	11	12	16	15	9	14	2	-	-	-
Female.....	2	2	5	5	10	10	12	10	6	5	-	-
Asian or Pacific Islander 2/, both sexes.....	106	125	170	265	357	561	627	549	384	131	48	-
Male.....	87	104	119	164	207	313	327	241	166	49	17	-
Female.....	19	21	51	101	150	248	300	308	218	82	31	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Colorado												
All races, both sexes.....	157	221	268	308	397	631	705	689	457	185	30	-
Male.....	135	185	196	201	271	373	374	306	163	51	3	-
Female.....	22	36	72	107	126	258	331	383	294	134	27	-
White, both sexes.....	147	205	248	291	377	607	679	673	449	180	30	-
Male.....	127	173	182	189	261	361	364	296	160	51	3	-
Female.....	20	32	66	102	116	246	315	377	289	129	27	-
Black, both sexes.....	8	12	11	16	12	17	17	8	6	5	-	-
Male.....	6	9	8	11	8	10	4	4	1	-	-	-
Female.....	2	3	3	5	4	7	13	4	5	5	-	-
American Indian 1/, both sexes.....	1	2	4	-	1	1	4	4	1	-	-	-
Male.....	1	1	2	-	-	1	4	3	1	-	-	-
Female.....	-	1	2	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	5	1	7	6	5	4	1	-	-	-
Male.....	1	2	4	1	2	1	2	3	1	-	-	-
Female.....	-	-	1	-	5	5	3	1	-	-	-	-
Connecticut												
All races, both sexes.....	157	213	256	317	558	762	1,055	1,147	901	364	112	3
Male.....	121	170	169	212	375	435	498	446	249	59	13	-
Female.....	36	43	87	105	183	327	557	701	652	305	99	3
White, both sexes.....	138	183	230	280	510	705	1,010	1,115	878	354	110	2
Male.....	112	148	152	190	341	407	474	435	243	58	12	-
Female.....	26	35	78	90	169	298	536	680	635	296	98	2
Black, both sexes.....	19	29	22	32	43	49	35	28	22	10	2	1
Male.....	9	21	14	19	29	23	16	9	6	1	1	-
Female.....	10	8	8	13	14	26	19	19	16	9	1	1
American Indian 1/, both sexes.....	-	1	2	2	1	5	3	-	1	-	-	-
Male.....	-	1	1	-	1	3	2	-	-	-	-	-
Female.....	-	-	1	2	-	2	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	3	4	3	7	4	-	-	-	-
Male.....	-	-	2	3	4	2	6	2	-	-	-	-
Female.....	-	-	-	-	-	1	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Delaware												
All races, both sexes.....	46	53	68	101	149	194	260	219	161	76	17	-
Male.....	34	34	47	69	98	97	122	74	45	17	3	-
Female.....	12	19	21	32	51	97	138	145	116	59	14	-
White, both sexes.....	35	46	51	80	127	170	234	202	148	69	17	-
Male.....	26	30	36	57	84	87	110	69	40	14	3	-
Female.....	9	16	15	23	43	83	124	133	108	55	14	-
Black, both sexes.....	11	7	16	18	22	23	23	15	12	6	-	-
Male.....	8	4	10	11	14	9	11	5	5	3	-	-
Female.....	3	3	6	7	8	14	12	10	7	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	2	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	3	-	1	2	-	1	-	-	-
Male.....	-	-	1	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	2	-	-	1	-	1	-	-	-
Dist. of Columbia												
All races, both sexes.....	43	62	75	107	118	167	204	184	124	58	17	2
Male.....	32	43	47	61	72	86	89	68	38	12	2	2
Female.....	11	19	28	46	46	81	115	116	86	46	15	-
White, both sexes.....	7	8	10	13	20	21	38	54	45	21	4	-
Male.....	7	6	8	10	15	12	20	24	12	4	1	-
Female.....	-	2	2	3	5	9	18	30	33	17	3	-
Black, both sexes.....	35	54	65	93	97	145	163	127	79	37	13	2
Male.....	24	37	39	51	56	74	68	43	26	8	1	2
Female.....	11	17	26	42	41	71	95	84	53	29	12	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	1	2	3	-	-	-	-
Male.....	1	-	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Florida												
All races, both sexes.....	847	1,233	1,705	2,294	3,621	5,489	7,011	6,847	5,112	2,058	411	5
Male.....	658	947	1,247	1,554	2,303	3,192	3,671	3,082	1,795	524	74	4
Female.....	189	286	458	740	1,318	2,297	3,340	3,765	3,317	1,534	337	1
White, both sexes.....	691	1,056	1,413	1,943	3,250	5,020	6,594	6,488	4,872	1,945	372	4
Male.....	557	823	1,063	1,345	2,097	2,964	3,487	2,962	1,720	497	64	3
Female.....	134	233	350	598	1,153	2,056	3,107	3,526	3,152	1,448	308	1
Black, both sexes.....	151	172	283	335	353	447	402	343	234	110	37	1
Male.....	97	119	181	198	197	215	178	112	73	26	9	1
Female.....	54	53	102	137	156	232	224	231	161	84	28	-
American Indian 1/, both sexes.....	2	1	2	4	2	2	4	1	1	2	1	-
Male.....	1	1	1	2	-	-	2	-	-	1	-	-
Female.....	1	-	1	2	2	2	2	1	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	3	4	7	12	16	20	11	15	5	1	1	-
Male.....	3	4	2	9	9	13	4	8	2	-	1	-
Female.....	-	-	5	3	7	7	7	7	3	1	-	-
Georgia												
All races, both sexes.....	451	621	736	838	1,103	1,451	1,611	1,360	847	315	57	-
Male.....	333	427	528	580	657	793	770	493	229	67	6	-
Female.....	118	194	208	258	446	658	841	867	618	248	51	-
White, both sexes.....	294	436	537	617	852	1,140	1,300	1,135	691	247	40	-
Male.....	221	312	401	450	538	654	654	427	193	51	4	-
Female.....	73	124	136	167	314	486	646	708	498	196	36	-
Black, both sexes.....	151	179	194	212	239	302	305	223	154	68	17	-
Male.....	110	113	124	125	111	135	114	65	34	16	2	-
Female.....	41	66	70	87	128	167	191	158	120	52	15	-
American Indian 1/, both sexes.....	2	3	-	2	2	1	4	-	-	-	-	-
Male.....	1	2	-	1	1	1	2	-	-	-	-	-
Female.....	1	1	-	1	1	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	5	7	10	8	2	2	2	-	-	-
Male.....	1	-	3	4	7	3	-	1	2	-	-	-
Female.....	3	3	2	3	3	5	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Hawaii												
All races, both sexes.....	46	74	89	117	157	214	220	207	124	62	18	-
Male.....	33	55	57	75	101	143	129	115	72	23	8	-
Female.....	13	19	32	42	56	71	91	92	52	39	10	-
White, both sexes.....	18	23	25	38	50	48	67	48	27	9	3	-
Male.....	11	19	19	24	31	31	45	22	12	3	1	-
Female.....	7	4	6	14	19	17	22	26	15	6	2	-
Black, both sexes.....	-	-	1	1	2	-	-	-	-	-	-	-
Male.....	-	-	1	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	50	63	78	105	165	153	159	97	53	15	-
Male.....	22	35	37	51	68	111	84	93	60	20	7	-
Female.....	6	15	26	27	37	54	69	66	37	33	8	-
Idaho												
All races, both sexes.....	71	80	104	124	177	227	260	302	215	79	12	-
Male.....	55	64	81	76	120	139	147	158	80	24	1	-
Female.....	16	16	23	48	57	88	113	144	135	55	11	-
White, both sexes.....	70	79	104	122	176	220	256	300	211	79	12	-
Male.....	55	63	81	75	119	135	144	157	79	24	1	-
Female.....	15	16	23	47	57	85	112	143	132	55	11	-
Black, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	1	4	2	2	1	-	-	-
Male.....	-	1	-	1	1	2	1	1	-	-	-	-
Female.....	1	-	-	-	-	2	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	3	2	-	2	-	-	-
Male.....	-	-	-	-	-	2	2	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Illinois												
All races, both sexes.....	806	972	1,149	1,457	2,114	2,966	3,656	3,730	2,661	1,089	229	-
Male.....	614	715	822	933	1,304	1,644	1,727	1,509	834	218	30	-
Female.....	192	257	327	524	810	1,322	1,929	2,221	1,827	871	199	-
White, both sexes.....	582	735	863	1,133	1,746	2,551	3,264	3,431	2,432	999	198	-
Male.....	459	548	631	742	1,110	1,454	1,565	1,413	771	200	26	-
Female.....	123	187	232	391	636	1,097	1,699	2,018	1,661	799	172	-
Black, both sexes.....	212	228	267	302	344	390	358	272	206	82	30	-
Male.....	144	159	178	177	182	176	147	85	53	16	4	-
Female.....	68	69	89	125	162	214	211	187	153	66	26	-
American Indian 1/, both sexes.....	2	1	-	1	1	-	1	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	8	19	21	23	25	33	27	23	8	1	-
Male.....	9	7	13	13	12	14	15	11	10	2	-	-
Female.....	1	1	6	8	11	11	18	16	13	6	1	-
Indiana												
All races, both sexes.....	370	448	590	806	1,113	1,504	1,744	1,689	1,069	434	118	-
Male.....	273	336	417	510	708	845	818	667	302	85	18	-
Female.....	97	112	173	296	405	659	926	1,022	767	349	100	-
White, both sexes.....	329	408	527	735	1,036	1,410	1,645	1,612	1,024	415	113	-
Male.....	247	309	379	471	663	792	776	638	287	80	17	-
Female.....	82	99	148	264	373	618	869	974	737	335	96	-
Black, both sexes.....	38	38	63	70	71	93	96	77	44	19	5	-
Male.....	24	26	38	39	42	53	40	29	14	5	1	-
Female.....	14	12	25	31	29	40	56	48	30	14	4	-
American Indian 1/, both sexes.....	-	1	-	1	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	4	1	3	-	1	-	-	-
Male.....	2	1	-	-	1	-	2	-	1	-	-	-
Female.....	1	-	-	-	3	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Iowa												
All races, both sexes.....	151	194	248	347	575	822	1,117	1,191	982	467	108	-
Male.....	122	151	173	235	362	503	560	451	311	101	15	-
Female.....	29	43	75	112	213	319	557	740	671	366	93	-
White, both sexes.....	147	191	241	340	568	807	1,099	1,181	978	463	107	-
Male.....	118	148	168	229	358	493	554	448	309	100	14	-
Female.....	29	43	73	111	210	314	545	733	669	363	93	-
Black, both sexes.....	2	2	6	5	6	13	15	9	4	3	1	-
Male.....	2	2	4	4	3	8	5	3	2	-	1	-
Female.....	-	-	2	1	3	5	10	6	2	3	-	-
American Indian 1/, both sexes.....	1	-	1	2	1	-	1	-	-	-	-	-
Male.....	1	-	1	2	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	2	2	1	-	1	-	-
Male.....	1	1	-	-	-	2	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
Kansas												
All races, both sexes.....	155	157	178	295	383	610	705	724	568	205	55	-
Male.....	124	119	125	210	241	360	363	324	178	36	7	-
Female.....	31	38	53	85	142	250	342	400	390	169	48	-
White, both sexes.....	138	141	162	274	358	576	676	705	556	202	52	-
Male.....	110	111	116	199	229	345	350	317	174	36	6	-
Female.....	28	30	46	75	129	231	326	388	382	166	46	-
Black, both sexes.....	15	12	13	18	22	27	25	16	9	3	3	-
Male.....	12	4	7	11	9	10	12	6	3	-	1	-
Female.....	3	8	6	7	13	17	13	10	6	3	2	-
American Indian 1/, both sexes.....	1	1	2	1	1	5	3	2	3	-	-	-
Male.....	1	1	2	-	1	4	1	1	1	-	-	-
Female.....	-	-	-	1	-	1	2	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	1	2	2	2	1	1	-	-	-	-
Male.....	1	3	-	-	2	1	-	-	-	-	-	-
Female.....	-	-	1	2	-	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Kentucky												
All races, both sexes.....	291	370	472	646	832	1,079	1,217	1,058	717	278	53	1
Male.....	222	281	318	422	517	586	540	394	219	63	13	1
Female.....	69	89	154	224	315	493	677	664	498	215	40	-
White, both sexes.....	271	338	434	602	772	1,020	1,161	1,006	685	262	48	-
Male.....	210	255	299	391	486	557	522	376	211	61	12	-
Female.....	61	83	135	211	286	463	639	630	474	201	36	-
Black, both sexes.....	19	31	38	42	58	59	53	51	31	16	5	1
Male.....	11	25	19	29	31	29	18	18	8	2	1	1
Female.....	8	6	19	13	27	30	35	33	23	14	4	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	2	-	3	1	1	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	3	1	1	-	-	-
Louisiana												
All races, both sexes.....	323	429	511	610	801	1,026	1,089	975	576	250	64	-
Male.....	248	287	350	410	469	584	501	388	170	47	8	-
Female.....	75	142	161	200	332	442	588	587	406	203	56	-
White, both sexes.....	202	262	345	422	558	771	845	794	450	180	44	-
Male.....	160	185	251	299	352	464	412	319	126	34	3	-
Female.....	42	77	94	123	206	307	433	475	324	146	41	-
Black, both sexes.....	120	166	163	187	239	255	240	180	126	68	20	-
Male.....	87	102	97	110	115	120	88	68	44	12	5	-
Female.....	33	64	66	77	124	135	152	112	82	56	15	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	3	1	3	-	4	1	-	2	-	-
Male.....	1	-	2	1	1	-	1	1	-	1	-	-
Female.....	-	-	1	-	2	-	3	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Maine												
All races, both sexes.....	53	92	111	157	232	331	379	377	275	108	36	-
Male.....	46	72	82	107	152	187	191	175	79	24	4	-
Female.....	7	20	29	50	80	144	188	202	196	84	32	-
White, both sexes.....	53	91	111	155	231	329	377	375	274	108	36	-
Male.....	46	71	82	105	152	185	189	173	79	24	4	-
Female.....	7	20	29	50	79	144	188	202	195	84	32	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	1	1	2	1	1	-	-	-
Male.....	-	-	-	2	-	1	2	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	336	411	492	615	908	1,241	1,553	1,481	970	412	101	3
Male.....	246	294	333	378	534	672	738	566	294	89	20	2
Female.....	90	117	159	237	374	569	815	915	676	323	81	1
White, both sexes.....	204	273	337	414	640	959	1,270	1,250	827	351	71	2
Male.....	168	198	236	260	409	535	619	481	261	79	14	2
Female.....	36	75	101	154	231	424	651	769	566	272	57	-
Black, both sexes.....	128	132	147	189	256	267	265	215	138	58	30	1
Male.....	74	92	90	108	117	128	111	77	31	8	6	-
Female.....	54	40	57	81	139	139	154	138	107	50	24	1
American Indian 1/, both sexes.....	1	1	-	3	2	2	5	2	1	-	-	-
Male.....	1	-	-	2	-	1	2	2	1	-	-	-
Female.....	-	1	-	1	2	1	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	8	9	10	13	13	14	4	3	-	-
Male.....	3	4	7	8	8	8	6	6	1	2	-	-
Female.....	-	1	1	1	2	5	7	8	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Massachusetts												
All races, both sexes.....	267	355	453	580	898	1,284	1,804	1,862	1,280	504	134	1
Male.....	214	272	312	389	555	730	861	748	379	90	25	1
Female.....	53	83	141	191	343	554	943	1,114	901	414	109	-
White, both sexes.....	239	333	427	543	847	1,231	1,758	1,828	1,261	492	130	1
Male.....	192	257	298	371	531	704	838	738	375	88	23	1
Female.....	47	76	129	172	316	527	920	1,090	886	404	107	-
Black, both sexes.....	21	17	23	28	42	40	31	27	16	11	3	-
Male.....	16	11	14	15	21	17	16	7	3	2	1	-
Female.....	5	6	9	13	21	23	15	20	13	9	2	-
American Indian 1/, both sexes.....	1	1	-	1	1	1	1	-	-	-	1	-
Male.....	-	-	-	1	1	-	-	-	-	-	1	-
Female.....	1	1	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	4	3	8	8	12	14	7	3	1	-	-
Male.....	6	4	-	2	2	9	7	3	1	-	-	-
Female.....	-	-	3	6	6	3	7	4	2	1	-	-
Michigan												
All races, both sexes.....	656	888	1,030	1,352	1,951	2,910	3,454	3,297	2,132	841	178	2
Male.....	475	624	687	887	1,159	1,597	1,706	1,303	632	214	26	2
Female.....	181	264	343	465	792	1,313	1,748	1,994	1,500	627	152	-
White, both sexes.....	491	653	793	1,056	1,626	2,474	3,081	2,997	1,920	755	153	2
Male.....	369	477	554	728	987	1,390	1,547	1,203	585	190	23	2
Female.....	122	176	239	328	639	1,084	1,534	1,794	1,335	565	130	-
Black, both sexes.....	156	226	223	280	310	421	360	285	201	81	24	-
Male.....	98	143	120	150	164	202	152	95	45	23	3	-
Female.....	58	83	103	130	146	219	208	190	156	58	21	-
American Indian 1/, both sexes.....	6	4	8	10	8	5	6	7	4	3	-	-
Male.....	5	2	8	6	6	1	2	1	1	-	-	-
Female.....	1	2	-	4	2	4	4	6	3	3	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	6	6	7	10	7	8	7	2	1	-
Male.....	3	2	5	3	2	4	5	4	1	1	-	-
Female.....	-	3	1	3	5	6	2	4	6	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Minnesota												
All races, both sexes.....	179	215	229	333	481	730	996	1,015	774	321	67	-
Male.....	148	173	170	253	329	446	550	435	284	83	9	-
Female.....	31	42	59	80	152	284	446	580	490	238	58	-
White, both sexes.....	165	207	217	313	461	716	984	1,007	766	316	67	-
Male.....	138	168	160	242	318	438	546	428	280	83	9	-
Female.....	27	39	57	71	143	278	438	579	486	233	58	-
Black, both sexes.....	7	6	7	6	10	6	6	4	4	4	-	-
Male.....	4	4	5	4	6	3	2	4	2	-	-	-
Female.....	3	2	2	2	4	3	4	-	2	4	-	-
American Indian 1/, both sexes.....	6	1	3	11	3	3	3	2	3	-	-	-
Male.....	5	1	3	7	1	2	1	2	1	-	-	-
Female.....	1	-	-	4	2	1	2	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	3	7	5	3	2	1	1	-	-
Male.....	1	-	2	-	4	3	1	1	1	-	-	-
Female.....	-	1	-	3	3	2	2	1	-	1	-	-
Mississippi												
All races, both sexes.....	247	315	386	469	572	742	811	691	481	201	50	1
Male.....	181	210	249	295	327	388	350	226	134	42	5	-
Female.....	66	105	137	174	245	354	461	465	347	159	45	1
White, both sexes.....	150	187	250	322	403	532	619	530	356	135	33	1
Male.....	114	136	165	215	248	291	266	170	85	26	2	-
Female.....	36	51	85	107	155	241	353	360	271	109	31	1
Black, both sexes.....	94	127	136	146	165	208	191	160	124	66	16	-
Male.....	65	74	84	79	78	97	83	55	48	16	3	-
Female.....	29	53	52	67	87	111	108	105	76	50	13	-
American Indian 1/, both sexes.....	1	1	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	3	1	1	1	1	-	1	-
Male.....	1	-	-	1	-	-	1	1	1	-	-	-
Female.....	1	-	-	-	3	1	-	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Nebraska												
All races, both sexes.....	58	89	121	150	201	293	425	448	399	156	40	-
Male.....	47	70	89	103	128	195	236	195	150	43	6	-
Female.....	11	19	32	47	73	98	189	253	249	113	34	-
White, both sexes.....	55	87	114	142	195	284	419	443	393	155	38	-
Male.....	45	69	84	98	125	191	231	194	147	42	6	-
Female.....	10	18	30	44	70	93	188	249	246	113	32	-
Black, both sexes.....	2	-	5	7	5	8	5	5	6	-	1	-
Male.....	1	-	3	4	3	4	4	1	3	-	-	-
Female.....	1	-	2	3	2	4	1	4	3	-	1	-
American Indian 1/, both sexes.....	1	1	2	1	1	1	1	-	-	-	-	-
Male.....	1	-	2	1	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	1	1	-
Male.....	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Nevada												
All races, both sexes.....	107	187	211	274	304	426	385	319	150	68	14	2
Male.....	89	142	162	199	196	255	204	137	53	14	4	2
Female.....	18	45	49	75	108	171	181	182	97	54	10	-
White, both sexes.....	94	168	185	247	278	405	360	303	139	63	12	2
Male.....	78	129	146	182	181	246	191	132	47	12	3	2
Female.....	16	39	39	65	97	159	169	171	92	51	9	-
Black, both sexes.....	6	13	17	14	17	12	16	11	7	5	2	-
Male.....	6	11	11	11	12	5	7	3	3	2	1	-
Female.....	-	2	6	3	5	7	9	8	4	3	1	-
American Indian 1/, both sexes.....	5	4	4	4	2	3	1	1	-	-	-	-
Male.....	4	2	2	2	-	2	1	-	-	-	-	-
Female.....	1	2	2	2	2	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	5	9	7	6	8	4	4	-	-	-
Male.....	1	-	3	4	3	2	5	2	3	-	-	-
Female.....	1	2	2	5	4	4	3	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
New Hampshire												
All races, both sexes.....	77	96	86	133	193	301	373	357	284	121	32	-
Male.....	62	67	60	94	113	173	188	152	84	25	3	-
Female.....	15	29	26	39	80	128	185	205	200	96	29	-
White, both sexes.....	74	95	86	133	193	301	372	356	283	121	32	-
Male.....	60	66	60	94	113	173	187	152	84	25	3	-
Female.....	14	29	26	39	80	128	185	204	199	96	29	-
Black, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
New Jersey												
All races, both sexes.....	369	593	645	926	1,515	2,322	2,991	3,219	2,337	932	224	2
Male.....	296	452	421	584	938	1,299	1,417	1,179	645	174	22	2
Female.....	73	141	224	342	577	1,023	1,574	2,040	1,692	758	202	-
White, both sexes.....	287	477	510	745	1,274	2,083	2,712	3,021	2,189	861	205	2
Male.....	239	367	349	474	801	1,198	1,299	1,109	615	160	21	2
Female.....	48	110	161	271	473	885	1,413	1,912	1,574	701	184	-
Black, both sexes.....	72	97	126	155	212	210	241	165	129	66	16	-
Male.....	49	71	68	91	119	86	100	54	21	13	-	-
Female.....	23	26	58	64	93	124	141	111	108	53	16	-
American Indian 1/, both sexes.....	2	-	1	-	5	2	2	1	1	1	1	-
Male.....	1	-	-	-	4	-	1	1	-	-	-	-
Female.....	1	-	1	-	1	2	1	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	8	19	8	26	24	27	36	32	18	4	2	-
Male.....	7	14	4	19	14	15	17	15	9	1	1	-
Female.....	1	5	4	7	10	12	19	17	9	3	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
New Mexico												
All races, both sexes.....	91	117	164	183	275	342	392	366	283	137	28	-
Male.....	70	82	117	119	176	195	213	178	98	45	6	-
Female.....	21	35	47	64	99	147	179	188	185	92	22	-
White, both sexes.....	82	109	152	166	259	326	376	352	266	130	23	-
Male.....	63	77	109	110	168	187	205	172	93	43	5	-
Female.....	19	32	43	56	91	139	171	180	173	87	18	-
Black, both sexes.....	1	2	-	3	3	4	3	3	2	2	2	-
Male.....	1	2	-	1	-	2	1	1	-	1	1	-
Female.....	-	-	-	2	3	1	3	2	3	1	1	-
American Indian 1/, both sexes.....	8	6	11	13	11	13	12	10	13	5	3	-
Male.....	6	3	7	7	7	6	7	4	4	1	-	-
Female.....	2	3	4	6	4	7	5	6	9	4	3	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	2	-	-	1	1	-	-	-
Male.....	-	-	1	1	1	-	-	1	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
New York												
All races, both sexes.....	1,033	1,443	1,978	2,825	4,275	6,291	7,794	8,516	6,735	3,043	746	3
Male.....	747	1,023	1,318	1,748	2,478	3,327	3,642	3,232	1,851	636	112	3
Female.....	286	420	660	1,077	1,797	2,964	4,152	5,284	4,884	2,407	634	-
White, both sexes.....	774	1,124	1,459	2,226	3,512	5,323	6,857	7,689	6,155	2,765	648	3
Male.....	588	832	1,004	1,447	2,066	2,879	3,236	2,978	1,700	582	92	3
Female.....	186	292	455	779	1,446	2,444	3,621	4,711	4,455	2,183	556	-
Black, both sexes.....	234	281	467	510	672	825	828	712	485	235	87	-
Male.....	137	163	275	249	356	369	344	206	125	40	16	-
Female.....	97	118	192	261	316	456	484	506	360	195	71	-
American Indian 1/, both sexes.....	-	-	3	1	6	9	6	3	1	2	-	-
Male.....	-	-	3	1	3	5	2	1	-	1	-	-
Female.....	-	-	-	-	3	4	4	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	25	38	49	88	85	134	103	112	94	41	11	-
Male.....	22	28	36	51	53	74	60	47	26	13	4	-
Female.....	3	10	13	37	32	60	43	65	68	28	7	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Ohio												
All races, both sexes.....	747	965	1,223	1,561	2,295	3,169	3,990	3,861	2,459	952	213	-
Male.....	582	696	858	1,002	1,383	1,755	1,936	1,512	686	194	23	-
Female.....	165	269	365	559	912	1,414	2,054	2,349	1,773	758	190	-
White, both sexes.....	625	812	1,033	1,353	2,066	2,863	3,690	3,621	2,318	896	190	-
Male.....	496	596	737	885	1,259	1,608	1,810	1,430	649	181	22	-
Female.....	129	216	296	468	807	1,255	1,880	2,191	1,669	715	168	-
Black, both sexes.....	121	150	187	199	224	297	291	230	138	53	23	-
Male.....	86	99	119	112	122	140	122	79	35	11	1	-
Female.....	35	51	68	87	102	157	169	151	103	42	22	-
American Indian 1/, both sexes.....	-	-	-	2	1	3	-	1	-	-	-	-
Male.....	-	-	-	2	1	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	3	7	4	6	9	9	3	3	-	-
Male.....	-	1	2	3	1	5	4	2	2	2	-	-
Female.....	1	2	1	4	3	1	5	7	1	1	-	-
Oklahoma												
All races, both sexes.....	284	402	576	621	880	1,178	1,369	1,237	947	388	80	-
Male.....	215	291	388	402	539	658	637	470	282	84	15	-
Female.....	69	111	188	219	341	520	732	767	665	304	65	-
White, both sexes.....	241	344	488	536	795	1,073	1,260	1,158	876	353	75	-
Male.....	181	247	332	348	491	601	594	443	261	72	14	-
Female.....	60	97	156	188	304	472	666	715	615	281	61	-
Black, both sexes.....	25	28	48	44	39	52	58	53	36	21	5	-
Male.....	18	21	27	29	23	32	23	10	12	8	1	-
Female.....	7	7	21	15	16	20	35	43	24	13	4	-
American Indian 1/, both sexes.....	17	29	38	41	43	50	44	23	33	13	-	-
Male.....	15	23	29	25	24	22	17	15	9	3	-	-
Female.....	2	6	9	16	19	28	27	8	24	10	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	-	3	3	7	3	2	1	-	-
Male.....	1	-	-	-	1	3	3	2	-	1	-	-
Female.....	-	1	2	-	2	-	4	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Oregon												
All races, both sexes.....	164	222	246	318	513	677	871	839	559	202	46	-
Male.....	124	170	182	209	333	405	493	423	227	60	11	-
Female.....	40	52	64	109	180	272	378	416	332	142	35	-
White, both sexes.....	156	215	233	307	500	658	854	828	552	200	46	-
Male.....	118	165	173	202	327	393	482	419	224	58	11	-
Female.....	38	50	60	105	173	265	372	409	328	142	35	-
Black, both sexes.....	6	2	3	2	5	9	5	5	2	-	-	-
Male.....	5	1	2	2	3	6	4	1	1	-	-	-
Female.....	1	1	1	-	2	3	1	4	1	-	-	-
American Indian 1/, both sexes.....	-	4	6	5	3	5	5	2	2	2	-	-
Male.....	-	3	3	3	1	3	2	1	1	2	-	-
Female.....	-	1	3	2	2	2	3	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	4	4	5	5	7	4	3	-	-	-
Male.....	1	1	4	2	2	3	5	2	1	-	-	-
Female.....	1	-	-	2	3	2	2	2	2	-	-	-
Pennsylvania												
All races, both sexes.....	733	965	1,177	1,664	2,652	3,965	4,972	5,034	3,436	1,295	310	1
Male.....	553	702	825	1,055	1,622	2,205	2,345	1,945	938	277	33	1
Female.....	180	263	352	609	1,030	1,760	2,627	3,089	2,498	1,018	277	-
White, both sexes.....	623	819	1,035	1,479	2,380	3,642	4,696	4,787	3,290	1,225	286	1
Male.....	480	605	735	960	1,487	2,037	2,235	1,858	907	265	31	1
Female.....	143	214	300	519	893	1,605	2,461	2,929	2,383	960	255	-
Black, both sexes.....	104	137	139	177	260	313	265	236	141	67	24	-
Male.....	67	89	88	90	128	162	105	81	30	11	2	-
Female.....	37	48	51	87	132	151	160	155	111	56	22	-
American Indian 1/, both sexes.....	1	2	-	-	2	1	1	1	-	1	-	-
Male.....	1	1	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	5	7	3	8	10	9	10	10	5	2	-	-
Male.....	5	7	2	5	6	5	5	6	1	1	-	-
Female.....	-	-	1	3	4	4	5	4	4	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Ischemic heart diseases (I20-I25)

Rhode Island

All races, both sexes.....	53	91	115	127	244	364	452	479	389	185	47	-
Male.....	39	69	81	88	153	200	208	177	93	31	5	-
Female.....	14	22	34	39	91	164	244	302	296	154	42	-
White, both sexes.....	49	86	111	117	233	350	444	470	385	181	47	-
Male.....	35	66	77	84	147	194	203	173	92	29	5	-
Female.....	14	20	34	33	86	156	241	297	293	152	42	-
Black, both sexes.....	3	2	3	9	8	10	7	6	2	4	-	-
Male.....	3	1	3	4	5	3	5	2	-	2	-	-
Female.....	-	1	-	5	3	7	2	4	2	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	-	1	2	3	1	2	2	-	-	-
Male.....	1	2	-	-	1	3	-	1	1	-	-	-
Female.....	-	1	-	1	1	-	1	1	1	-	-	-

South Carolina

All races, both sexes.....	269	400	437	557	708	954	979	852	476	150	42	-
Male.....	191	280	303	377	428	530	496	340	130	28	3	-
Female.....	78	120	134	180	280	424	483	512	346	122	39	-
White, both sexes.....	171	270	308	392	542	742	767	688	373	115	24	-
Male.....	134	197	227	277	346	444	407	286	105	23	1	-
Female.....	37	73	81	115	196	298	360	402	268	92	23	-
Black, both sexes.....	96	125	127	165	164	209	211	163	103	35	18	-
Male.....	56	80	75	100	80	84	89	54	25	5	2	-
Female.....	40	45	52	65	84	125	122	109	78	30	16	-
American Indian 1/, both sexes.....	1	2	-	-	1	1	1	1	-	-	-	-
Male.....	1	1	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	2	-	1	2	-	-	-	-	-	-
Male.....	-	2	1	-	1	1	-	-	-	-	-	-
Female.....	1	1	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Ischemic heart diseases (I20-I25)

South Dakota

All races, both sexes.....	35	35	56	78	121	191	217	249	207	92	19	-
Male.....	30	28	46	54	78	113	118	114	57	22	1	-
Female.....	5	7	10	24	43	78	99	135	150	70	18	-
White, both sexes.....	34	32	48	68	116	182	210	245	206	90	19	-
Male.....	29	25	41	47	76	109	114	113	57	22	1	-
Female.....	5	7	7	21	40	73	96	132	149	68	18	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	3	8	10	5	9	6	4	1	2	-	-
Male.....	1	3	5	7	2	4	3	1	-	-	-	-
Female.....	-	-	3	3	3	5	3	3	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	462	619	796	981	1,286	1,728	1,985	1,862	1,302	501	114	1
Male.....	336	427	558	637	778	931	906	676	383	105	10	1
Female.....	126	192	238	344	508	797	1,079	1,186	919	396	104	-
White, both sexes.....	362	499	661	816	1,100	1,523	1,768	1,679	1,167	438	95	-
Male.....	268	349	469	545	680	826	809	607	341	91	7	-
Female.....	94	150	192	271	420	697	959	1,072	826	347	88	-
Black, both sexes.....	99	118	133	159	182	203	213	182	135	62	19	1
Male.....	67	76	87	87	96	104	96	68	42	14	3	1
Female.....	32	42	46	72	86	99	117	114	93	48	16	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	2	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	5	4	2	2	1	-	1	-	-
Male.....	1	2	2	4	2	1	1	1	-	-	-	-
Female.....	-	-	-	1	2	1	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Texas												
All races, both sexes.....	1,183	1,508	1,881	2,443	3,306	4,289	5,099	4,622	3,308	1,337	286	2
Male.....	887	1,084	1,297	1,613	2,035	2,330	2,441	1,899	1,021	280	41	2
Female.....	296	424	584	830	1,271	1,959	2,658	2,723	2,287	1,057	245	-
White, both sexes.....	938	1,279	1,563	2,069	2,889	3,795	4,618	4,254	3,009	1,219	239	2
Male.....	722	939	1,098	1,387	1,806	2,114	2,220	1,762	939	250	35	2
Female.....	216	340	465	682	1,083	1,681	2,398	2,492	2,070	969	204	-
Black, both sexes.....	227	214	300	342	392	461	450	338	282	114	47	-
Male.....	150	134	185	204	216	201	204	127	79	30	6	-
Female.....	77	80	115	138	176	260	246	211	203	84	41	-
American Indian 1/, both sexes.....	-	3	2	3	4	5	2	3	1	-	-	-
Male.....	-	2	1	3	2	3	2	1	-	-	-	-
Female.....	-	1	1	-	2	2	-	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	12	16	29	21	28	29	27	16	4	-	-
Male.....	15	9	13	19	11	12	15	9	3	-	-	-
Female.....	3	3	3	10	10	16	14	18	13	4	-	-
Utah												
All races, both sexes.....	62	56	84	112	147	242	334	263	164	60	10	-
Male.....	55	41	56	78	93	152	183	133	64	20	4	-
Female.....	7	15	28	34	54	90	151	130	100	40	6	-
White, both sexes.....	60	52	81	107	145	238	331	258	163	59	10	-
Male.....	53	40	54	74	92	150	181	133	63	19	4	-
Female.....	7	12	27	33	53	88	150	125	100	40	6	-
Black, both sexes.....	1	1	-	-	-	1	2	2	-	-	-	-
Male.....	1	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	3	1	1	-	2	1	2	-	-	-	-
Male.....	-	1	1	-	-	1	-	-	-	-	-	-
Female.....	-	2	-	1	-	1	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	4	2	1	-	1	1	1	-	-
Male.....	1	-	1	4	1	1	-	-	1	1	-	-
Female.....	-	-	1	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
Vermont												
All races, both sexes.....	21	35	47	65	100	167	187	169	126	44	13	-
Male.....	18	29	32	35	64	94	101	68	36	5	1	-
Female.....	3	6	15	30	36	73	86	101	90	39	12	-
White, both sexes.....	20	35	47	65	100	167	186	169	126	44	12	-
Male.....	17	29	32	35	64	94	100	68	36	5	1	-
Female.....	3	6	15	30	36	73	86	101	90	39	11	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	403	504	587	753	1,028	1,362	1,620	1,443	953	362	81	-
Male.....	311	376	408	496	645	750	772	558	258	81	14	-
Female.....	92	128	179	257	383	612	848	885	695	281	67	-
White, both sexes.....	279	383	444	564	810	1,119	1,376	1,258	827	321	62	-
Male.....	226	299	317	382	532	629	668	494	229	70	14	-
Female.....	53	84	127	182	278	490	708	764	598	251	48	-
Black, both sexes.....	117	115	133	178	201	225	236	170	119	41	19	-
Male.....	79	73	84	108	103	111	101	57	26	11	-	-
Female.....	38	42	49	70	98	114	135	113	93	30	19	-
American Indian 1/, both sexes.....	1	-	1	-	1	2	-	-	-	-	-	-
Male.....	1	-	1	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	6	9	11	16	16	8	15	7	-	-	-
Male.....	5	4	6	6	10	8	3	7	3	-	-	-
Female.....	1	2	3	5	6	8	5	8	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Acute myocardial infarction (I21-I22)												
Arkansas												
All races, both sexes.....	3,536	1	-	1	1	-	-	5	8	27	71	130
Male.....	1,918	1	-	-	1	-	-	3	6	18	48	93
Female.....	1,618	-	-	1	-	-	-	2	2	9	23	37
White, both sexes.....	2,973	1	-	1	1	-	-	4	7	18	51	105
Male.....	1,665	1	-	-	1	-	-	3	5	15	38	77
Female.....	1,308	-	-	1	-	-	-	1	2	3	13	28
Black, both sexes.....	543	-	-	-	-	-	-	1	1	9	18	23
Male.....	242	-	-	-	-	-	-	-	1	3	9	14
Female.....	301	-	-	-	-	-	-	1	-	6	9	9
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	1	2
Male.....	6	-	-	-	-	-	-	-	-	-	1	2
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	-	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	1	-
California												
All races, both sexes.....	16,010	-	-	-	1	2	4	7	17	50	128	262
Male.....	8,212	-	-	-	-	1	1	6	11	37	92	198
Female.....	7,798	-	-	-	1	1	3	1	6	13	36	64
White, both sexes.....	13,490	-	-	-	1	2	3	5	14	36	104	203
Male.....	6,918	-	-	-	-	1	-	4	10	25	74	156
Female.....	6,572	-	-	-	1	1	3	1	4	11	30	47
Black, both sexes.....	1,190	-	-	-	-	-	1	1	1	6	13	29
Male.....	537	-	-	-	-	-	1	1	-	4	7	17
Female.....	653	-	-	-	-	-	-	-	1	2	6	12
American Indian 1/, both sexes.....	60	-	-	-	-	-	-	-	1	-	1	1
Male.....	42	-	-	-	-	-	-	-	1	-	1	1
Female.....	18	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1,270	-	-	-	-	-	-	1	1	8	10	29
Male.....	715	-	-	-	-	-	-	1	-	8	10	24
Female.....	555	-	-	-	-	-	-	-	1	-	-	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Acute myocardial infarction (I21-I22)												
South Dakota												
All races, both sexes.....	633	-	-	-	-	-	-	-	2	2	6	9
Male.....	351	-	-	-	-	-	-	-	2	2	4	6
Female.....	282	-	-	-	-	-	-	-	-	-	2	3
White, both sexes.....	603	-	-	-	-	-	-	-	1	1	6	7
Male.....	335	-	-	-	-	-	-	-	1	1	4	6
Female.....	268	-	-	-	-	-	-	-	-	-	2	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	30	-	-	-	-	-	-	-	1	1	-	2
Male.....	16	-	-	-	-	-	-	-	1	1	-	-
Female.....	14	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	5,266	1	-	-	-	1	2	4	16	43	95	135
Male.....	2,719	-	-	-	-	-	2	3	13	31	78	102
Female.....	2,547	1	-	-	-	1	-	1	3	12	17	33
White, both sexes.....	4,678	-	-	-	-	1	1	3	13	39	81	118
Male.....	2,447	-	-	-	-	-	1	2	12	29	66	92
Female.....	2,231	-	-	-	-	1	-	1	1	10	15	26
Black, both sexes.....	576	1	-	-	-	-	1	1	2	3	14	17
Male.....	265	-	-	-	-	-	1	1	-	2	12	10
Female.....	311	1	-	-	-	-	-	-	2	1	2	7
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	1	1	-	-
Male.....	6	-	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
United States												
All races, both sexes.....	6,564	8,758	11,175	14,230	19,773	26,154	30,436	28,423	18,352	6,623	1,320	5
Male.....	4,929	6,287	7,679	9,214	12,050	14,316	14,603	11,478	5,741	1,559	213	4
Female.....	1,635	2,471	3,496	5,016	7,723	11,838	15,833	16,945	12,611	5,064	1,107	1
White, both sexes.....	5,374	7,341	9,380	12,067	17,184	23,108	27,457	25,992	16,780	5,985	1,116	4
Male.....	4,146	5,400	6,625	8,015	10,737	12,884	13,315	10,585	5,264	1,406	175	3
Female.....	1,228	1,941	2,755	4,052	6,447	10,224	14,142	15,407	11,516	4,579	941	1
Black, both sexes.....	1,058	1,255	1,569	1,823	2,207	2,527	2,461	2,002	1,291	572	180	1
Male.....	678	769	897	994	1,109	1,157	1,016	690	356	123	25	1
Female.....	380	486	672	829	1,098	1,370	1,445	1,312	935	449	155	-
American Indian 1/, both sexes.....	41	55	77	79	86	97	69	51	34	9	1	-
Male.....	34	42	57	49	41	44	29	25	11	3	1	-
Female.....	7	13	20	30	45	53	40	26	23	6	-	-
Asian or Pacific Islander 2/, both sexes.....	91	107	149	261	296	422	449	378	247	57	23	-
Male.....	71	76	100	156	163	231	243	178	110	27	12	-
Female.....	20	31	49	105	133	191	206	200	137	30	11	-
Alabama												
All races, both sexes.....	181	236	267	311	370	441	480	462	268	102	13	-
Male.....	133	162	175	204	228	236	212	164	61	25	-	-
Female.....	48	74	92	107	142	205	268	298	207	77	13	-
White, both sexes.....	125	175	209	239	296	348	381	377	210	71	7	-
Male.....	95	126	141	165	190	189	168	138	50	15	-	-
Female.....	30	49	68	74	106	159	213	239	160	56	7	-
Black, both sexes.....	55	61	57	71	74	93	97	85	58	31	6	-
Male.....	37	36	33	38	38	47	44	26	11	10	-	-
Female.....	18	25	24	33	36	46	53	59	47	21	6	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Alaska												
All races, both sexes.....	8	3	9	8	8	14	6	8	4	1	-	-
Male.....	8	3	7	6	7	7	4	3	1	1	-	-
Female.....	-	-	2	2	1	7	2	5	3	-	-	-
White, both sexes.....	6	3	8	7	6	11	5	5	2	-	-	-
Male.....	6	3	6	6	6	6	4	3	-	-	-	-
Female.....	-	-	2	1	-	5	1	2	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	1	1	2	1	3	2	-	-	-
Male.....	1	-	1	-	1	1	-	-	1	-	-	-
Female.....	-	-	-	1	-	1	1	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Arizona												
All races, both sexes.....	74	114	164	212	305	388	435	396	227	80	14	-
Male.....	58	84	114	143	201	227	213	180	88	23	5	-
Female.....	16	30	50	69	104	161	222	216	139	57	9	-
White, both sexes.....	72	108	150	197	288	365	419	386	216	80	12	-
Male.....	57	78	103	137	191	216	204	175	82	23	4	-
Female.....	15	30	47	60	97	149	215	211	134	57	8	-
Black, both sexes.....	-	1	2	6	6	5	6	4	6	-	1	-
Male.....	-	1	2	4	3	3	1	2	3	-	-	-
Female.....	-	-	-	2	3	2	5	2	3	-	1	-
American Indian 1/, both sexes.....	2	5	9	7	10	13	5	4	2	-	1	-
Male.....	1	5	6	2	6	5	4	2	1	-	1	-
Female.....	1	-	3	5	4	8	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	2	1	5	5	2	3	-	-	-
Male.....	-	-	3	-	1	3	4	1	2	-	-	-
Female.....	-	-	-	2	-	2	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Arkansas												
All races, both sexes.....	151	216	263	295	388	460	510	508	350	127	24	-
Male.....	108	147	176	199	238	256	241	234	109	33	7	-
Female.....	43	69	87	96	150	204	269	274	241	94	17	-
White, both sexes.....	118	189	223	255	317	387	439	441	297	100	19	-
Male.....	88	133	158	174	205	225	218	199	94	26	5	-
Female.....	30	56	65	81	112	162	221	242	203	74	14	-
Black, both sexes.....	32	26	39	38	67	73	69	64	51	27	5	-
Male.....	20	14	18	23	31	31	23	32	14	7	2	-
Female.....	12	12	21	15	36	42	46	32	37	20	3	-
American Indian 1/, both sexes.....	-	-	-	1	2	-	-	1	1	-	-	-
Male.....	-	-	-	1	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	2	-	2	2	1	-	-	-
Male.....	-	-	-	1	2	-	-	2	-	-	-	-
Female.....	1	1	1	-	-	-	2	-	1	-	-	-
California												
All races, both sexes.....	448	644	868	1,178	1,735	2,331	2,969	2,795	1,776	653	142	-
Male.....	334	462	583	757	1,023	1,258	1,461	1,185	608	161	34	-
Female.....	114	182	285	421	712	1,073	1,508	1,610	1,168	492	108	-
White, both sexes.....	364	524	707	928	1,448	1,952	2,516	2,445	1,539	586	113	-
Male.....	274	387	491	606	871	1,074	1,234	1,034	511	143	23	-
Female.....	90	137	216	322	577	878	1,282	1,411	1,028	443	90	-
Black, both sexes.....	40	75	86	133	148	157	193	158	97	39	13	-
Male.....	24	40	40	76	77	66	84	60	28	8	4	-
Female.....	16	35	46	57	71	91	109	98	69	31	9	-
American Indian 1/, both sexes.....	4	6	9	5	11	8	7	4	1	2	-	-
Male.....	4	5	7	5	6	4	3	4	1	-	-	-
Female.....	-	1	2	-	5	4	4	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	40	39	66	112	128	214	253	188	139	26	16	-
Male.....	32	30	45	70	69	114	140	87	68	10	7	-
Female.....	8	9	21	42	59	100	113	101	71	16	9	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Colorado												
All races, both sexes.....	54	87	109	122	136	232	271	243	158	43	7	-
Male.....	47	70	75	73	93	132	130	112	55	14	1	-
Female.....	7	17	34	49	43	100	141	131	103	29	6	-
White, both sexes.....	50	82	99	120	131	224	259	236	154	42	7	-
Male.....	44	67	69	72	90	129	126	107	54	14	1	-
Female.....	6	15	30	48	41	95	133	129	100	28	6	-
Black, both sexes.....	4	3	5	2	2	5	8	2	3	1	-	-
Male.....	3	1	3	1	1	2	1	2	-	-	-	-
Female.....	1	2	2	1	1	3	7	-	3	1	-	-
American Indian 1/, both sexes.....	-	1	2	-	-	-	3	2	1	-	-	-
Male.....	-	1	1	-	-	-	3	1	1	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	-	3	3	1	3	-	-	-	-
Male.....	-	1	2	-	2	1	-	2	-	-	-	-
Female.....	-	-	1	-	1	2	1	1	-	-	-	-
Connecticut												
All races, both sexes.....	48	61	83	99	146	201	300	320	249	89	30	-
Male.....	30	45	53	60	99	108	143	110	62	17	4	-
Female.....	18	16	30	39	47	93	157	210	187	72	26	-
White, both sexes.....	42	58	77	90	136	188	291	310	242	85	30	-
Male.....	28	44	51	57	92	100	138	108	59	17	4	-
Female.....	14	14	26	33	44	88	153	202	183	68	26	-
Black, both sexes.....	6	3	5	8	9	10	7	9	6	4	-	-
Male.....	2	1	2	3	6	7	3	1	3	-	-	-
Female.....	4	2	3	5	3	3	4	8	3	4	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	2	1	-	-	-	-
Male.....	-	-	-	-	1	-	2	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Delaware												
All races, both sexes.....	19	16	22	27	50	78	98	73	40	20	4	-
Male.....	12	11	16	17	31	41	45	26	13	4	1	-
Female.....	7	5	6	10	19	37	53	47	27	16	3	-
White, both sexes.....	17	15	17	23	44	67	89	69	36	18	4	-
Male.....	11	10	13	16	28	35	40	26	11	4	1	-
Female.....	6	5	4	7	16	32	49	43	25	14	3	-
Black, both sexes.....	2	1	5	3	6	10	7	3	4	1	-	-
Male.....	1	1	3	1	3	5	4	-	2	-	-	-
Female.....	1	-	2	2	3	5	3	3	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	16	10	19	29	25	36	55	47	28	14	3	-
Male.....	11	6	13	15	15	18	27	17	9	3	1	-
Female.....	5	4	6	14	10	18	28	30	19	11	2	-
White, both sexes.....	3	2	3	1	7	7	8	11	12	5	-	-
Male.....	3	1	1	1	4	5	5	5	3	-	-	-
Female.....	-	1	2	-	3	2	3	6	9	5	-	-
Black, both sexes.....	12	8	16	28	18	28	46	35	16	9	3	-
Male.....	7	5	12	14	11	13	22	12	6	3	1	-
Female.....	5	3	4	14	7	15	24	23	10	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Florida												
All races, both sexes.....	278	422	605	756	1,233	1,742	2,063	1,927	1,359	488	83	2
Male.....	213	330	437	486	768	966	1,060	831	446	148	21	1
Female.....	65	92	168	270	465	776	1,003	1,096	913	340	62	1
White, both sexes.....	232	359	504	643	1,115	1,594	1,941	1,818	1,296	465	73	2
Male.....	185	286	375	422	713	899	1,012	796	424	142	19	1
Female.....	47	73	129	221	402	695	929	1,022	872	323	54	1
Black, both sexes.....	45	61	97	103	108	142	118	105	63	23	10	-
Male.....	27	42	60	57	51	65	47	33	22	6	2	-
Female.....	18	19	37	46	57	77	71	72	41	17	8	-
American Indian 1/, both sexes.....	1	1	-	3	-	2	2	-	-	-	-	-
Male.....	1	1	-	2	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	4	7	10	4	2	4	-	-	-	-
Male.....	-	1	2	5	4	2	-	2	-	-	-	-
Female.....	-	-	2	2	6	2	2	2	-	-	-	-
Georgia												
All races, both sexes.....	195	304	338	383	477	575	622	495	289	113	19	-
Male.....	143	209	227	260	280	290	277	167	81	19	3	-
Female.....	52	95	111	123	197	285	345	328	208	94	16	-
White, both sexes.....	134	209	247	294	367	459	503	398	236	81	14	-
Male.....	99	148	173	211	226	243	229	146	66	15	2	-
Female.....	35	61	74	83	141	216	274	252	170	66	12	-
Black, both sexes.....	60	91	90	88	105	110	117	97	53	32	5	-
Male.....	44	59	53	49	50	45	47	21	15	4	1	-
Female.....	16	32	37	39	55	65	70	76	38	28	4	-
American Indian 1/, both sexes.....	-	2	-	-	1	1	2	-	-	-	-	-
Male.....	-	2	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	1	4	5	-	-	-	-	-	-
Male.....	-	-	1	-	4	1	-	-	-	-	-	-
Female.....	1	2	-	1	-	4	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Illinois												
All races, both sexes.....	352	380	508	640	909	1,306	1,502	1,502	994	346	67	-
Male.....	260	267	352	390	525	688	713	584	320	65	10	-
Female.....	92	113	156	250	384	618	789	918	674	281	57	-
White, both sexes.....	272	305	419	521	757	1,135	1,345	1,368	917	317	60	-
Male.....	213	219	297	329	456	621	646	545	295	60	9	-
Female.....	59	86	122	192	301	514	699	823	622	257	51	-
Black, both sexes.....	74	71	83	110	138	157	139	118	68	28	7	-
Male.....	42	45	51	54	64	60	58	32	21	5	1	-
Female.....	32	26	32	56	74	97	81	86	47	23	6	-
American Indian 1/, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	6	9	13	14	18	16	9	1	-	-
Male.....	3	2	4	7	5	7	9	7	4	-	-	-
Female.....	1	1	2	2	8	7	9	9	5	1	-	-
Indiana												
All races, both sexes.....	185	215	304	401	515	611	697	641	371	132	25	-
Male.....	138	166	215	252	315	328	313	237	112	30	7	-
Female.....	47	49	89	149	200	283	384	404	259	102	18	-
White, both sexes.....	172	204	277	375	488	569	666	618	354	126	24	-
Male.....	130	159	202	241	301	303	297	230	105	28	6	-
Female.....	42	45	75	134	187	266	369	388	249	98	18	-
Black, both sexes.....	11	10	27	26	24	41	30	23	16	6	1	-
Male.....	7	7	13	11	13	25	16	7	6	2	1	-
Female.....	4	3	14	15	11	16	14	16	10	4	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	2	1	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	2	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Iowa												
All races, both sexes.....	62	84	109	151	235	308	391	424	306	123	28	-
Male.....	46	60	76	104	148	186	195	164	102	32	4	-
Female.....	16	24	33	47	87	122	196	260	204	91	24	-
White, both sexes.....	62	84	107	150	234	303	388	419	306	120	28	-
Male.....	46	60	74	103	147	182	195	164	102	31	4	-
Female.....	16	24	33	47	87	121	193	255	204	89	24	-
Black, both sexes.....	-	-	1	-	1	3	2	4	-	2	-	-
Male.....	-	-	1	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	4	-	2	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	1	-	1	-	-
Male.....	-	-	-	-	-	2	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Kansas												
All races, both sexes.....	78	59	86	130	181	252	300	257	194	63	12	-
Male.....	63	43	57	90	113	151	158	118	64	12	1	-
Female.....	15	16	29	40	68	101	142	139	130	51	11	-
White, both sexes.....	73	52	76	122	172	241	288	253	191	62	11	-
Male.....	59	37	52	88	109	145	155	116	63	12	1	-
Female.....	14	15	24	34	63	96	133	137	128	50	10	-
Black, both sexes.....	5	3	9	6	8	6	9	4	3	1	1	-
Male.....	4	2	5	2	3	2	2	2	1	-	-	-
Female.....	1	1	4	4	5	4	7	2	2	1	1	-
American Indian 1/, both sexes.....	-	1	-	-	1	4	2	-	-	-	-	-
Male.....	-	1	-	-	1	4	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	2	-	1	1	-	-	-	-	-
Male.....	-	3	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	2	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Kentucky												
All races, both sexes.....	180	236	295	366	471	559	574	504	307	93	14	1
Male.....	135	175	191	247	294	314	256	195	98	23	2	1
Female.....	45	61	104	119	177	245	318	309	209	70	12	-
White, both sexes.....	170	215	270	336	433	525	544	478	294	87	12	-
Male.....	128	157	180	223	273	295	244	186	94	23	2	-
Female.....	42	58	90	113	160	230	300	292	200	64	10	-
Black, both sexes.....	10	20	25	28	38	34	30	26	12	6	2	1
Male.....	7	17	11	22	21	19	12	9	4	-	-	1
Female.....	3	3	14	6	17	15	18	17	8	6	2	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	-	-	1	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Louisiana												
All races, both sexes.....	198	255	314	337	395	503	492	407	220	88	23	-
Male.....	151	168	209	225	220	278	204	159	68	14	2	-
Female.....	47	87	105	112	175	225	288	248	152	74	21	-
White, both sexes.....	121	153	214	233	268	370	366	334	165	61	17	-
Male.....	96	111	152	168	159	214	156	131	48	9	2	-
Female.....	25	42	62	65	109	156	210	203	117	52	15	-
Black, both sexes.....	77	101	99	103	125	133	123	72	55	25	6	-
Male.....	55	57	56	56	60	64	47	27	20	4	-	-
Female.....	22	44	43	47	65	69	76	45	35	21	6	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	3	1	-	2	-	-
Male.....	-	-	1	1	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	1	-	2	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Maine												
All races, both sexes.....	36	39	53	63	97	137	132	121	80	24	10	-
Male.....	30	31	36	42	64	79	64	51	21	3	-	-
Female.....	6	8	17	21	33	58	68	70	59	21	10	-
White, both sexes.....	36	39	53	61	97	136	132	121	80	24	10	-
Male.....	30	31	36	40	64	78	64	51	21	3	-	-
Female.....	6	8	17	21	33	58	68	70	59	21	10	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	1	-	-	-	-	-	-
Male.....	-	-	-	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	124	148	174	256	348	473	555	503	281	100	25	1
Male.....	85	107	110	158	203	263	251	178	96	23	5	1
Female.....	39	41	64	98	145	210	304	325	185	77	20	-
White, both sexes.....	79	107	126	178	247	368	454	420	245	87	19	1
Male.....	61	80	88	113	154	212	208	145	89	21	5	1
Female.....	18	27	38	65	93	156	246	275	156	66	14	-
Black, both sexes.....	44	40	46	69	95	101	94	76	32	13	6	-
Male.....	23	26	20	38	44	48	40	30	5	2	-	-
Female.....	21	14	26	31	51	53	54	46	27	11	6	-
American Indian 1/, both sexes.....	-	-	-	3	-	-	3	1	1	-	-	-
Male.....	-	-	-	2	-	-	-	1	1	-	-	-
Female.....	-	-	-	1	-	-	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	6	6	4	4	6	3	-	-	-
Male.....	1	1	2	5	5	3	3	2	1	-	-	-
Female.....	-	-	-	1	1	1	1	4	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Massachusetts												
All races, both sexes.....	114	141	192	262	373	544	686	688	419	151	33	-
Male.....	90	110	123	168	224	302	304	284	122	25	5	-
Female.....	24	31	69	94	149	242	382	404	297	126	28	-
White, both sexes.....	105	134	179	245	350	515	665	675	414	146	30	-
Male.....	82	106	118	161	214	291	295	280	120	24	4	-
Female.....	23	28	61	84	136	224	370	395	294	122	26	-
Black, both sexes.....	7	6	10	12	21	20	10	11	4	5	3	-
Male.....	6	3	5	6	9	4	5	3	1	1	1	-
Female.....	1	3	5	6	12	16	5	8	3	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	3	5	1	8	10	2	1	-	-	-
Male.....	2	1	-	1	-	7	4	1	1	-	-	-
Female.....	-	-	3	4	1	1	6	1	-	-	-	-
Michigan												
All races, both sexes.....	234	293	343	434	714	945	1,151	1,047	622	251	38	-
Male.....	164	205	232	281	415	494	553	419	191	80	3	-
Female.....	70	88	111	153	299	451	598	628	431	171	35	-
White, both sexes.....	193	243	300	371	632	842	1,052	962	563	223	35	-
Male.....	139	177	206	246	382	452	518	393	181	70	3	-
Female.....	54	66	94	125	250	390	534	569	382	153	32	-
Black, both sexes.....	39	49	37	57	78	96	95	80	55	25	3	-
Male.....	23	28	20	30	32	40	34	24	10	9	-	-
Female.....	16	21	17	27	46	56	61	56	45	16	3	-
American Indian 1/, both sexes.....	2	-	4	5	2	3	1	2	2	2	-	-
Male.....	2	-	4	4	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	2	1	2	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	2	4	3	3	2	1	-	-
Male.....	-	-	2	1	-	1	1	2	-	1	-	-
Female.....	-	1	-	-	2	3	2	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Minnesota												
All races, both sexes.....	67	70	91	139	187	249	364	312	225	83	14	-
Male.....	56	55	62	104	129	150	185	139	74	17	2	-
Female.....	11	15	29	35	58	99	179	173	151	66	12	-
White, both sexes.....	62	68	87	132	183	244	359	310	222	81	14	-
Male.....	51	54	59	103	126	145	183	137	74	17	2	-
Female.....	11	14	28	29	57	99	176	173	148	64	12	-
Black, both sexes.....	1	1	2	2	3	1	2	-	2	2	-	-
Male.....	1	1	1	1	2	1	1	-	-	-	-	-
Female.....	-	-	1	1	1	-	1	-	2	2	-	-
American Indian 1/, both sexes.....	3	-	1	2	-	2	2	1	1	-	-	-
Male.....	3	-	1	-	-	2	1	1	-	-	-	-
Female.....	-	-	-	2	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	3	1	2	1	1	-	-	-	-
Male.....	1	-	1	-	1	2	-	1	-	-	-	-
Female.....	-	1	-	3	-	-	1	-	-	-	-	-
Mississippi												
All races, both sexes.....	146	192	230	257	304	360	364	259	178	67	15	-
Male.....	112	128	151	168	186	189	165	102	52	20	2	-
Female.....	34	64	79	89	118	171	199	157	126	47	13	-
White, both sexes.....	86	113	143	173	192	255	264	182	125	38	6	-
Male.....	69	82	97	118	130	136	112	72	34	13	-	-
Female.....	17	31	46	55	62	119	152	110	91	25	6	-
Black, both sexes.....	58	78	87	84	109	104	100	77	52	29	9	-
Male.....	42	46	54	50	56	53	53	30	17	7	2	-
Female.....	16	32	33	34	53	51	47	47	35	22	7	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	3	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	3	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Nebraska												
All races, both sexes.....	28	39	50	67	71	99	133	123	98	25	4	-
Male.....	23	29	38	48	47	65	65	54	45	4	1	-
Female.....	5	10	12	19	24	34	68	69	53	21	3	-
White, both sexes.....	28	38	47	65	69	97	132	123	97	25	4	-
Male.....	23	28	37	47	47	63	64	54	44	4	1	-
Female.....	5	10	10	18	22	34	68	69	53	21	3	-
Black, both sexes.....	-	-	2	2	1	2	1	-	1	-	-	-
Male.....	-	-	-	1	-	2	1	-	1	-	-	-
Female.....	-	-	2	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	35	52	64	82	109	159	107	93	42	11	3	-
Male.....	25	40	47	53	69	90	53	37	18	1	1	-
Female.....	10	12	17	29	40	69	54	56	24	10	2	-
White, both sexes.....	31	47	55	75	102	150	100	88	39	11	3	-
Male.....	22	36	41	49	66	86	49	35	17	1	1	-
Female.....	9	11	14	26	36	64	51	53	22	10	2	-
Black, both sexes.....	1	2	5	2	2	3	5	3	3	-	-	-
Male.....	1	2	4	2	1	1	2	1	1	-	-	-
Female.....	-	-	1	-	1	2	3	2	2	-	-	-
American Indian 1/, both sexes.....	3	2	2	2	2	3	-	1	-	-	-	-
Male.....	2	2	1	-	-	2	-	-	-	-	-	-
Female.....	1	-	1	2	2	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	3	3	3	2	1	-	-	-	-
Male.....	-	-	1	2	2	1	2	1	-	-	-	-
Female.....	-	1	1	1	1	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
New Hampshire												
All races, both sexes.....	20	27	30	35	70	96	109	98	71	24	6	-
Male.....	17	19	24	24	40	47	55	50	23	4	-	-
Female.....	3	8	6	11	30	49	54	48	48	20	6	-
White, both sexes.....	19	27	30	35	70	96	108	97	71	24	6	-
Male.....	16	19	24	24	40	47	54	50	23	4	-	-
Female.....	3	8	6	11	30	49	54	47	48	20	6	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
New Jersey												
All races, both sexes.....	165	251	283	372	617	897	1,019	1,016	714	230	48	-
Male.....	131	184	187	230	374	470	474	379	203	48	6	-
Female.....	34	67	96	142	243	427	545	637	511	182	42	-
White, both sexes.....	125	203	225	300	514	797	921	939	660	214	43	-
Male.....	103	147	157	190	315	428	433	348	193	48	6	-
Female.....	22	56	68	110	199	369	488	591	467	166	37	-
Black, both sexes.....	35	41	56	58	87	87	80	62	47	16	5	-
Male.....	23	33	30	30	50	35	33	22	8	-	-	-
Female.....	12	8	26	28	37	52	47	40	39	16	5	-
American Indian 1/, both sexes.....	1	-	1	-	1	2	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	7	1	14	15	11	17	15	7	-	-	-
Male.....	4	4	-	10	9	7	8	9	2	-	-	-
Female.....	-	3	1	4	6	4	9	6	5	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
New Mexico												
All races, both sexes.....	21	43	55	60	73	77	96	97	58	30	3	-
Male.....	17	30	44	32	44	43	47	51	22	11	-	-
Female.....	4	13	11	28	29	34	49	46	36	19	3	-
White, both sexes.....	20	42	51	56	69	71	94	90	56	27	2	-
Male.....	16	29	41	32	42	42	45	48	21	9	-	-
Female.....	4	13	10	24	27	29	49	42	35	18	2	-
Black, both sexes.....	-	1	-	1	-	1	-	-	-	1	1	-
Male.....	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	4	3	2	5	2	6	2	2	-	-
Male.....	1	-	3	-	1	1	2	2	1	1	-	-
Female.....	-	-	1	3	1	4	-	4	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
New York												
All races, both sexes.....	317	470	671	876	1,273	1,775	2,135	2,148	1,531	660	135	-
Male.....	229	321	457	529	742	967	991	842	442	137	24	-
Female.....	88	149	214	347	531	808	1,144	1,306	1,089	523	111	-
White, both sexes.....	261	388	524	727	1,086	1,555	1,915	1,957	1,397	603	111	-
Male.....	201	276	367	462	647	870	896	779	415	125	18	-
Female.....	60	112	157	265	439	685	1,019	1,178	982	478	93	-
Black, both sexes.....	50	72	134	124	157	188	190	159	107	48	22	-
Male.....	24	39	81	54	76	81	76	50	21	8	4	-
Female.....	26	33	53	70	81	107	114	109	86	40	18	-
American Indian 1/, both sexes.....	-	-	-	-	4	2	5	2	-	1	-	-
Male.....	-	-	-	-	2	1	2	1	-	1	-	-
Female.....	-	-	-	-	2	1	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	10	13	25	26	30	25	30	27	8	2	-
Male.....	4	6	9	13	17	15	17	12	6	3	2	-
Female.....	2	4	4	12	9	15	8	18	21	5	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Ohio												
All races, both sexes.....	297	398	516	645	864	1,075	1,313	1,302	727	240	39	-
Male.....	231	283	354	414	503	589	645	499	219	55	3	-
Female.....	66	115	162	231	361	486	668	803	508	185	36	-
White, both sexes.....	263	358	458	579	788	980	1,218	1,219	678	221	35	-
Male.....	205	262	325	382	469	541	603	474	202	50	3	-
Female.....	58	96	133	197	319	439	615	745	476	171	32	-
Black, both sexes.....	34	40	56	60	74	92	92	79	48	17	4	-
Male.....	26	21	28	29	34	45	40	25	17	3	-	-
Female.....	8	19	28	31	40	47	52	54	31	14	4	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	5	2	2	3	4	1	2	-	-
Male.....	-	-	1	2	-	2	2	-	-	2	-	-
Female.....	-	-	1	3	2	-	1	4	1	-	-	-
Oklahoma												
All races, both sexes.....	75	114	176	200	290	368	377	300	221	88	10	-
Male.....	58	84	123	129	181	200	161	116	65	24	1	-
Female.....	17	30	53	71	109	168	216	184	156	64	9	-
White, both sexes.....	60	99	148	175	253	342	348	279	200	79	9	-
Male.....	47	71	102	114	164	189	154	105	60	21	1	-
Female.....	13	28	46	61	89	153	194	174	140	58	8	-
Black, both sexes.....	8	9	13	12	15	13	18	12	11	9	1	-
Male.....	6	8	8	8	7	7	6	3	3	3	-	-
Female.....	2	1	5	4	8	6	12	9	8	6	1	-
American Indian 1/, both sexes.....	7	6	15	13	21	13	9	8	9	-	-	-
Male.....	5	5	13	7	10	4	1	7	2	-	-	-
Female.....	2	1	2	6	11	9	8	1	7	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	2	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Oregon												
All races, both sexes.....	47	76	93	122	191	248	338	310	192	55	11	-
Male.....	33	47	69	73	123	144	179	152	71	17	3	-
Female.....	14	29	24	49	68	104	159	158	121	38	8	-
White, both sexes.....	45	74	90	119	185	238	331	308	189	55	11	-
Male.....	32	45	66	71	121	138	173	152	70	17	3	-
Female.....	13	29	24	48	64	100	158	156	119	38	8	-
Black, both sexes.....	-	-	-	1	3	7	2	1	-	-	-	-
Male.....	-	-	-	1	1	4	2	-	1	-	-	-
Female.....	-	-	-	-	2	3	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	2	1	-	2	1	1	-	-	-	-	-
Male.....	-	2	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	2	1	2	4	1	2	-	-	-
Male.....	1	-	2	1	-	1	3	-	-	-	-	-
Female.....	1	-	-	1	1	1	1	1	2	-	-	-
Pennsylvania												
All races, both sexes.....	352	458	521	751	1,103	1,561	1,817	1,736	1,042	330	65	1
Male.....	258	324	365	482	673	830	822	665	284	76	4	1
Female.....	94	134	156	269	430	731	995	1,071	758	254	61	-
White, both sexes.....	317	412	479	690	999	1,442	1,722	1,637	995	305	59	1
Male.....	242	300	340	456	620	770	785	630	275	72	3	1
Female.....	75	112	139	234	379	672	937	1,007	720	233	56	-
Black, both sexes.....	33	43	41	59	98	115	91	94	45	24	6	-
Male.....	14	22	25	25	50	58	35	33	9	4	1	-
Female.....	19	21	16	34	48	57	56	61	36	20	5	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	1	2	5	4	4	5	2	1	-	-
Male.....	2	2	-	1	3	2	2	2	-	-	-	-
Female.....	-	-	1	1	2	2	2	3	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
South Dakota												
All races, both sexes.....	20	24	36	44	68	113	92	101	80	27	9	-
Male.....	16	18	29	31	48	65	50	50	22	7	1	-
Female.....	4	6	7	13	20	48	42	51	58	20	8	-
White, both sexes.....	20	22	31	36	65	108	91	100	79	27	9	-
Male.....	16	16	26	25	47	64	49	50	22	7	1	-
Female.....	4	6	5	11	18	44	42	50	57	20	8	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	5	8	3	5	1	1	1	-	-	-
Male.....	-	2	3	6	1	1	1	-	-	-	-	-
Female.....	-	-	2	2	2	4	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	217	290	373	457	570	733	800	760	529	187	53	-
Male.....	160	197	270	289	341	390	363	272	168	34	6	-
Female.....	57	93	103	168	229	343	437	488	361	153	47	-
White, both sexes.....	184	249	327	406	496	667	716	691	480	162	44	-
Male.....	138	172	245	266	304	353	334	247	153	28	5	-
Female.....	46	77	82	140	192	314	382	444	327	134	39	-
Black, both sexes.....	32	41	46	47	73	64	82	69	49	25	9	-
Male.....	21	25	25	20	36	36	29	25	15	6	1	-
Female.....	11	16	21	27	37	28	53	44	34	19	8	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	3	1	2	1	-	-	-	-	-
Male.....	1	-	-	2	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Texas												
All races, both sexes.....	590	769	943	1,130	1,611	1,962	2,189	1,950	1,327	509	104	-
Male.....	426	534	650	744	1,003	1,073	1,051	794	418	115	17	-
Female.....	164	235	293	386	608	889	1,138	1,156	909	394	87	-
White, both sexes.....	470	668	809	966	1,413	1,723	1,978	1,791	1,188	458	82	-
Male.....	347	470	563	648	888	970	961	731	372	97	14	-
Female.....	123	198	246	318	525	753	1,017	1,060	816	361	68	-
Black, both sexes.....	113	95	127	154	189	224	198	143	129	51	22	-
Male.....	73	58	82	88	111	99	82	60	44	18	3	-
Female.....	40	37	45	66	78	125	116	83	85	33	19	-
American Indian 1/, both sexes.....	-	2	2	1	3	3	-	-	1	-	-	-
Male.....	-	2	1	1	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	2	2	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	4	5	9	6	12	13	16	9	-	-	-
Male.....	6	4	4	7	3	3	8	3	2	-	-	-
Female.....	1	-	1	2	3	9	5	13	7	-	-	-
Utah												
All races, both sexes.....	24	21	34	47	57	106	139	91	60	20	2	-
Male.....	23	15	20	30	35	62	75	43	23	8	1	-
Female.....	1	6	14	17	22	44	64	48	37	12	1	-
White, both sexes.....	24	19	33	45	56	104	137	89	59	20	2	-
Male.....	23	14	19	29	35	62	74	43	22	8	1	-
Female.....	1	5	14	16	21	42	63	46	37	12	1	-
Black, both sexes.....	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	2	1	1	-	1	1	1	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
Vermont												
All races, both sexes.....	3	15	15	31	35	69	68	55	41	11	1	-
Male.....	3	14	10	18	23	42	33	23	14	-	-	-
Female.....	-	1	5	13	12	27	35	32	27	11	1	-
White, both sexes.....	3	15	15	31	35	69	67	55	41	11	1	-
Male.....	3	14	10	18	23	42	32	23	14	-	-	-
Female.....	-	1	5	13	12	27	35	32	27	11	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	157	213	239	317	417	542	623	499	300	110	20	-
Male.....	121	158	161	201	255	281	308	199	85	37	2	-
Female.....	36	55	78	116	162	261	315	300	215	73	18	-
White, both sexes.....	108	167	178	246	344	448	519	430	261	97	14	-
Male.....	85	133	127	165	215	235	265	173	77	33	2	-
Female.....	23	34	51	81	129	213	254	257	184	64	12	-
Black, both sexes.....	45	44	57	66	68	89	100	64	36	13	6	-
Male.....	32	25	31	32	37	43	42	24	7	4	-	-
Female.....	13	19	26	34	31	46	58	40	29	9	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	4	5	5	5	4	5	3	-	-	-
Male.....	4	-	3	4	3	3	1	2	1	-	-	-
Female.....	-	2	1	1	2	2	3	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other acute ischemic heart diseases (I24)												
Arkansas												
All races, both sexes.....	2	2	1	1	1	1	2	3	-	2	-	-
Male.....	2	2	1	1	-	1	2	2	-	2	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
White, both sexes.....	1	1	1	1	1	-	2	3	-	-	-	-
Male.....	1	1	1	1	-	-	2	2	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Black, both sexes.....	1	1	-	-	-	1	-	-	-	2	-	-
Male.....	1	1	-	-	-	1	-	-	-	2	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	5	2	7	7	12	15	18	22	11	2	2	-
Male.....	2	1	5	5	9	5	7	7	1	1	1	-
Female.....	3	1	2	2	3	10	11	15	10	1	1	-
White, both sexes.....	5	1	6	7	11	14	18	20	11	1	2	-
Male.....	2	-	5	5	9	5	7	6	1	1	1	-
Female.....	3	1	1	2	2	9	11	14	10	-	1	-
Black, both sexes.....	-	1	1	-	1	1	-	-	-	1	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other acute ischemic heart diseases (I24)

Ohio

All races, both sexes.....	5	5	6	9	8	10	14	12	8	2	-	-
Male.....	5	3	2	8	5	5	7	6	2	-	-	-
Female.....	-	2	4	1	3	5	7	6	6	2	-	-
White, both sexes.....	5	4	5	9	6	10	12	10	6	2	-	-
Male.....	5	3	2	8	3	5	7	5	1	-	-	-
Female.....	-	1	3	1	3	5	5	5	5	2	-	-
Black, both sexes.....	-	1	1	-	2	-	2	2	2	-	-	-
Male.....	-	-	-	-	2	-	-	1	1	-	-	-
Female.....	-	1	1	-	-	-	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	66	76	83	97	104	127	146	144	127	59	10	-
Male.....	39	56	57	62	59	72	67	49	33	6	1	-
Female.....	27	20	26	35	45	55	79	95	94	53	9	-
White, both sexes.....	56	70	70	83	99	117	134	138	117	57	10	-
Male.....	32	50	48	51	55	65	61	47	31	6	1	-
Female.....	24	20	22	32	44	52	73	91	86	51	9	-
Black, both sexes.....	6	3	7	12	3	5	8	6	4	-	-	-
Male.....	3	3	6	10	3	4	3	2	1	-	-	-
Female.....	3	-	1	2	-	1	5	4	3	-	-	-
American Indian 1/, both sexes.....	3	3	4	2	2	4	4	-	5	2	-	-
Male.....	3	3	3	1	1	2	3	-	1	-	-	-
Female.....	-	-	1	1	1	2	1	-	4	2	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	2	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other acute ischemic heart diseases (I24)												
Oregon												
All races, both sexes.....	-	-	-	1	5	3	4	5	2	-	-	-
Male.....	-	-	-	1	2	2	1	2	1	-	-	-
Female.....	-	-	-	-	3	1	3	3	1	-	-	-
White, both sexes.....	-	-	-	1	5	3	3	5	2	-	-	-
Male.....	-	-	-	1	2	2	1	2	1	-	-	-
Female.....	-	-	-	-	3	1	2	3	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	11	5	7	7	16	12	21	19	13	3	-	-
Male.....	10	3	5	5	10	5	9	9	2	-	-	-
Female.....	1	2	2	2	6	7	12	10	11	3	-	-
White, both sexes.....	9	5	7	7	16	12	18	19	13	3	-	-
Male.....	8	3	5	5	10	5	9	9	2	-	-	-
Female.....	1	2	2	2	6	7	9	10	11	3	-	-
Black, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other acute ischemic heart diseases (I24)												
Vermont												
All races, both sexes.....	1	-	1	-	-	2	1	1	-	1	-	-
Male.....	1	-	1	-	-	1	-	1	-	1	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
White, both sexes.....	-	-	1	-	-	2	1	1	-	1	-	-
Male.....	-	-	1	-	-	1	-	1	-	1	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	52	41	44	49	61	48	51	50	25	14	4	-
Male.....	39	30	28	30	26	22	26	16	6	5	-	-
Female.....	13	11	16	19	35	26	25	34	19	9	4	-
White, both sexes.....	29	26	32	37	40	39	38	41	22	12	2	-
Male.....	24	21	19	22	18	18	17	16	5	4	-	-
Female.....	5	5	13	15	22	21	21	25	17	8	2	-
Black, both sexes.....	23	13	12	12	21	9	12	8	3	2	2	-
Male.....	15	7	9	8	8	4	8	-	1	1	-	-
Female.....	8	6	3	4	13	5	4	8	2	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	-	-	1	1	-	-	-	-
Male.....	-	2	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other forms of chronic ischemic heart disease (I20,I25)												
Nebraska												
All races, both sexes.....	1,670	-	-	-	-	-	-	-	1	8	9	15
Male.....	870	-	-	-	-	-	-	-	1	8	8	13
Female.....	800	-	-	-	-	-	-	-	-	-	1	2
White, both sexes.....	1,623	-	-	-	-	-	-	-	1	8	7	13
Male.....	844	-	-	-	-	-	-	-	1	8	6	12
Female.....	779	-	-	-	-	-	-	-	-	-	1	1
Black, both sexes.....	39	-	-	-	-	-	-	-	-	-	2	2
Male.....	21	-	-	-	-	-	-	-	-	-	2	1
Female.....	18	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	1,753	-	-	-	-	-	-	1	1	7	17	39
Male.....	1,066	-	-	-	-	-	-	1	1	4	13	24
Female.....	687	-	-	-	-	-	-	-	-	3	4	15
White, both sexes.....	1,609	-	-	-	-	-	-	1	-	6	15	34
Male.....	984	-	-	-	-	-	-	1	-	4	12	21
Female.....	625	-	-	-	-	-	-	-	-	2	3	13
Black, both sexes.....	99	-	-	-	-	-	-	-	-	-	-	5
Male.....	60	-	-	-	-	-	-	-	-	-	-	3
Female.....	39	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	1	-	-	-
Male.....	7	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	-	-	-	-	-	-	-	-	1	2	-
Male.....	15	-	-	-	-	-	-	-	-	-	1	-
Female.....	20	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other forms of chronic ischemic heart disease (I20,I25)												
New Mexico												
All races, both sexes.....	1,828	-	-	-	-	-	1	1	3	6	20	34
Male.....	1,010	-	-	-	-	-	1	-	3	6	18	26
Female.....	818	-	-	-	-	-	-	1	-	-	2	8
White, both sexes.....	1,718	-	-	-	-	-	-	-	2	6	18	31
Male.....	952	-	-	-	-	-	-	-	2	6	16	23
Female.....	766	-	-	-	-	-	-	-	-	-	2	8
Black, both sexes.....	21	-	-	-	-	-	-	-	-	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	86	-	-	-	-	-	1	1	1	-	2	3
Male.....	47	-	-	-	-	-	1	-	1	-	2	3
Female.....	39	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	33,214	-	1	-	-	-	5	8	39	78	177	427
Male.....	14,894	-	1	-	-	-	3	6	30	57	140	331
Female.....	18,320	-	-	-	-	-	2	2	9	21	37	96
White, both sexes.....	28,337	-	-	-	-	-	4	6	26	47	130	315
Male.....	12,676	-	-	-	-	-	2	5	24	35	111	253
Female.....	15,661	-	-	-	-	-	2	1	2	12	19	62
Black, both sexes.....	4,252	-	1	-	-	-	1	2	11	26	42	94
Male.....	1,875	-	1	-	-	-	1	1	6	18	25	62
Female.....	2,377	-	-	-	-	-	-	1	5	8	17	32
American Indian 1/, both sexes.....	19	-	-	-	-	-	-	-	-	-	1	1
Male.....	11	-	-	-	-	-	-	-	-	-	1	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	606	-	-	-	-	-	-	-	2	5	4	17
Male.....	332	-	-	-	-	-	-	-	-	4	3	15
Female.....	274	-	-	-	-	-	-	-	2	1	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other forms of chronic ischemic heart disease (I20,I25)												
United States												
All races, both sexes.....	8,893	12,029	14,840	19,817	29,416	43,195	54,708	55,207	40,876	17,435	4,181	32
Male.....	6,878	8,910	10,460	13,166	18,316	24,622	27,254	22,423	12,371	3,759	604	23
Female.....	2,015	3,119	4,380	6,651	11,100	18,573	27,454	32,784	28,505	13,676	3,577	9
White, both sexes.....	6,900	9,569	11,920	16,257	25,237	37,937	49,605	50,940	37,846	16,047	3,695	24
Male.....	5,502	7,255	8,555	11,045	16,008	22,039	25,018	20,909	11,486	3,444	522	18
Female.....	1,398	2,314	3,365	5,212	9,229	15,898	24,587	30,031	26,360	12,603	3,173	6
Black, both sexes.....	1,757	2,154	2,550	3,050	3,555	4,390	4,251	3,494	2,496	1,137	418	8
Male.....	1,183	1,429	1,648	1,795	1,929	2,078	1,804	1,151	658	231	63	5
Female.....	574	725	902	1,255	1,626	2,312	2,447	2,343	1,838	906	355	3
American Indian 1/, both sexes.....	68	86	97	123	133	153	138	102	62	34	9	-
Male.....	50	52	66	82	87	89	65	53	19	8	1	-
Female.....	18	34	31	41	46	64	73	49	43	26	8	-
Asian or Pacific Islander 2/, both sexes.....	168	220	273	387	491	715	714	671	472	217	59	-
Male.....	143	174	191	244	292	416	367	310	208	76	18	-
Female.....	25	46	82	143	199	299	347	361	264	141	41	-
Alabama												
All races, both sexes.....	101	156	189	271	355	512	596	549	407	144	31	-
Male.....	80	116	122	182	215	284	308	205	111	27	4	-
Female.....	21	40	67	89	140	228	288	344	296	117	27	-
White, both sexes.....	73	112	151	203	281	439	499	464	346	112	19	-
Male.....	61	89	96	136	174	255	267	180	98	22	2	-
Female.....	12	23	55	67	107	184	232	284	248	90	17	-
Black, both sexes.....	28	43	38	67	74	71	95	84	61	31	12	-
Male.....	19	26	26	45	41	28	40	25	13	4	2	-
Female.....	9	17	12	22	33	43	55	59	48	27	10	-
American Indian 1/, both sexes.....	-	1	-	1	-	1	1	1	-	-	-	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Alaska

All races, both sexes.....	21	38	35	28	31	36	39	28	14	7	1	-
Male.....	20	31	29	22	23	26	23	14	6	3	-	-
Female.....	1	7	6	6	8	10	16	14	8	4	1	-
White, both sexes.....	16	28	30	24	24	29	33	23	12	6	1	-
Male.....	15	24	25	20	17	21	19	12	5	2	-	-
Female.....	1	4	5	4	7	8	14	11	7	4	1	-
Black, both sexes.....	1	-	1	1	-	-	-	-	1	-	-	-
Male.....	1	-	1	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	9	3	2	7	6	5	5	1	1	-	-
Male.....	2	6	3	1	6	5	4	2	-	1	-	-
Female.....	-	3	-	1	1	1	1	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	1	-	1	1	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	1	1	-	-	-	-	-

Arizona

All races, both sexes.....	191	221	337	409	590	785	1,004	920	643	290	43	1
Male.....	142	176	252	287	389	484	541	453	218	63	4	1
Female.....	49	45	85	122	201	301	463	467	425	227	39	-
White, both sexes.....	174	199	315	393	554	754	973	905	630	285	41	1
Male.....	130	162	234	279	366	468	528	446	213	62	4	1
Female.....	44	37	81	114	188	286	445	459	417	223	37	-
Black, both sexes.....	8	13	11	4	15	13	14	11	5	3	1	-
Male.....	6	8	10	2	12	8	7	5	1	-	-	-
Female.....	2	5	1	2	3	5	7	6	4	3	1	-
American Indian 1/, both sexes.....	7	9	9	10	19	16	12	4	5	-	1	-
Male.....	4	6	6	5	10	8	4	2	2	-	-	-
Female.....	3	3	3	5	9	8	8	2	3	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	2	2	2	5	-	3	2	-	-
Male.....	2	-	2	1	1	-	2	-	2	1	-	-
Female.....	-	-	-	1	1	2	3	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Arkansas

All races, both sexes.....	68	74	116	145	209	321	396	361	258	121	27	-
Male.....	53	47	84	83	132	186	188	148	93	26	2	-
Female.....	15	27	32	62	77	135	208	213	165	95	25	-
White, both sexes.....	56	61	94	118	173	285	361	315	236	102	20	-
Male.....	47	38	67	70	110	173	174	134	85	21	2	-
Female.....	9	23	27	48	63	112	187	181	151	81	18	-
Black, both sexes.....	11	13	22	27	34	35	33	45	22	19	7	-
Male.....	5	9	17	13	20	12	13	13	8	5	-	-
Female.....	6	4	5	14	14	23	20	32	14	14	7	-
American Indian 1/, both sexes.....	1	-	-	-	2	-	-	1	-	-	-	-
Male.....	1	-	-	-	2	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

California

All races, both sexes.....	1,011	1,364	1,701	2,178	3,332	5,039	6,534	6,664	4,912	2,133	545	6
Male.....	802	1,010	1,206	1,441	2,037	2,851	3,320	2,781	1,560	513	93	2
Female.....	209	354	495	737	1,295	2,188	3,214	3,883	3,352	1,620	452	4
White, both sexes.....	788	1,081	1,371	1,749	2,792	4,266	5,801	5,959	4,442	1,938	470	5
Male.....	635	815	973	1,180	1,726	2,435	2,976	2,497	1,399	455	80	2
Female.....	153	266	398	569	1,066	1,831	2,825	3,462	3,043	1,483	390	3
Black, both sexes.....	152	191	219	264	296	409	345	326	218	87	43	1
Male.....	109	116	155	160	163	206	151	121	62	19	3	-
Female.....	43	75	64	104	133	203	194	205	156	68	40	1
American Indian 1/, both sexes.....	5	6	7	12	15	17	14	20	7	3	-	-
Male.....	3	5	4	7	10	11	6	10	1	-	-	-
Female.....	2	1	3	5	5	6	8	10	6	3	-	-
Asian or Pacific Islander 2/, both sexes.....	66	86	104	153	229	347	374	359	245	105	32	-
Male.....	55	74	74	94	138	199	187	153	98	39	10	-
Female.....	11	12	30	59	91	148	187	206	147	66	22	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Colorado

All races, both sexes.....	102	133	159	185	260	397	432	443	295	141	23	-
Male.....	87	114	121	127	177	241	242	192	107	36	2	-
Female.....	15	19	38	58	83	156	190	251	188	105	21	-
White, both sexes.....	96	122	149	170	245	381	418	434	291	137	23	-
Male.....	82	105	113	116	170	232	236	187	105	36	2	-
Female.....	14	17	36	54	75	149	182	247	186	101	21	-
Black, both sexes.....	4	9	6	14	10	12	9	6	3	4	-	-
Male.....	3	8	5	10	7	8	3	2	1	-	-	-
Female.....	1	1	1	4	3	4	6	4	2	4	-	-
American Indian 1/, both sexes.....	1	1	2	-	1	1	1	2	-	-	-	-
Male.....	1	-	1	-	-	1	1	2	-	-	-	-
Female.....	-	1	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	1	4	3	4	1	1	-	-	-
Male.....	1	1	2	1	-	-	2	1	1	-	-	-
Female.....	-	-	-	-	4	3	2	-	-	-	-	-

Connecticut

All races, both sexes.....	109	151	170	217	411	559	753	825	651	275	82	3
Male.....	91	124	114	151	276	327	354	334	187	42	9	-
Female.....	18	27	56	66	135	232	399	491	464	233	73	3
White, both sexes.....	96	124	151	189	373	515	717	803	635	269	80	2
Male.....	84	103	99	132	249	307	335	325	184	41	8	-
Female.....	12	21	52	57	124	208	382	478	451	228	72	2
Black, both sexes.....	13	26	16	24	34	39	28	19	16	6	2	1
Male.....	7	20	12	16	23	16	13	8	3	1	1	-
Female.....	6	6	4	8	11	23	15	11	13	5	1	1
American Indian 1/, both sexes.....	-	1	1	1	1	3	3	-	-	-	-	-
Male.....	-	1	1	-	1	2	2	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	3	3	2	5	3	-	-	-	-
Male.....	-	-	2	3	3	2	4	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Delaware

All races, both sexes.....	27	37	46	74	99	116	162	146	119	56	13	-
Male.....	22	23	31	52	67	56	77	48	32	13	2	-
Female.....	5	14	15	22	32	60	85	98	87	43	11	-
White, both sexes.....	18	31	34	57	83	103	145	133	110	51	13	-
Male.....	15	20	23	41	56	52	70	43	29	10	2	-
Female.....	3	11	11	16	27	51	75	90	81	41	11	-
Black, both sexes.....	9	6	11	15	16	13	16	12	8	5	-	-
Male.....	7	3	7	10	11	4	7	5	3	3	-	-
Female.....	2	3	4	5	5	9	9	7	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	-	-	1	-	1	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-

Dist. of Columbia

All races, both sexes.....	27	52	56	78	93	131	149	137	96	44	14	2
Male.....	21	37	34	46	57	68	62	51	29	9	1	2
Female.....	6	15	22	32	36	63	87	86	67	35	13	-
White, both sexes.....	4	6	7	12	13	14	30	43	33	16	4	-
Male.....	4	5	7	9	11	7	15	19	9	4	1	-
Female.....	-	1	-	3	2	7	15	24	24	12	3	-
Black, both sexes.....	23	46	49	65	79	117	117	92	63	28	10	2
Male.....	17	32	27	37	45	61	46	31	20	5	-	2
Female.....	6	14	22	28	34	56	71	61	43	23	10	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	1	2	-	-	-	-
Male.....	-	-	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Florida

All races, both sexes.....	567	808	1,095	1,536	2,382	3,738	4,939	4,914	3,748	1,566	328	3
Male.....	444	616	809	1,068	1,531	2,220	2,606	2,247	1,349	375	53	3
Female.....	123	192	286	468	851	1,518	2,333	2,667	2,399	1,191	275	-
White, both sexes.....	457	694	907	1,298	2,129	3,418	4,644	4,664	3,572	1,476	299	2
Male.....	371	536	688	923	1,380	2,059	2,470	2,162	1,296	354	45	2
Female.....	86	158	219	375	749	1,359	2,174	2,502	2,276	1,122	254	-
Black, both sexes.....	106	111	183	232	245	304	284	238	170	87	27	1
Male.....	70	77	120	141	146	150	131	79	51	20	7	1
Female.....	36	34	63	91	99	154	153	159	119	67	20	-
American Indian 1/, both sexes.....	1	-	2	1	2	-	2	1	1	2	1	-
Male.....	-	-	1	-	-	-	1	-	-	1	-	-
Female.....	1	-	1	1	2	-	1	1	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	3	3	3	5	6	16	9	11	5	1	1	-
Male.....	3	3	-	4	5	11	4	6	2	-	1	-
Female.....	-	-	3	1	1	5	5	5	3	1	-	-

Georgia

All races, both sexes.....	251	316	396	451	624	869	978	849	548	195	38	-
Male.....	186	217	299	318	377	502	488	324	144	48	3	-
Female.....	65	99	97	133	247	367	490	525	404	147	35	-
White, both sexes.....	158	226	289	320	483	677	789	723	448	159	26	-
Male.....	120	163	227	238	312	410	421	279	123	36	2	-
Female.....	38	63	62	82	171	267	368	444	325	123	24	-
Black, both sexes.....	88	88	103	123	134	189	185	124	98	36	12	-
Male.....	64	54	70	75	61	90	66	44	19	12	1	-
Female.....	24	34	33	48	73	99	119	80	79	24	11	-
American Indian 1/, both sexes.....	2	1	-	2	1	-	2	-	-	-	-	-
Male.....	1	-	-	1	1	-	1	-	-	-	-	-
Female.....	1	1	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	4	6	6	3	2	2	2	-	-	-
Male.....	1	-	2	4	3	2	-	1	2	-	-	-
Female.....	2	1	2	2	3	1	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Hawaii

All races, both sexes.....	33	50	60	71	104	134	150	132	90	47	13	-
Male.....	23	33	37	54	68	88	86	74	48	17	5	-
Female.....	10	17	23	17	36	46	64	58	42	30	8	-
White, both sexes.....	13	16	17	23	35	26	47	31	19	5	3	-
Male.....	7	12	13	18	21	16	31	15	5	3	1	-
Female.....	6	4	4	5	14	10	16	16	14	2	2	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	33	42	48	69	107	103	101	71	42	10	-
Male.....	16	20	23	36	47	71	55	59	43	14	4	-
Female.....	4	13	19	12	22	36	48	42	28	28	6	-

Idaho

All races, both sexes.....	20	24	30	49	80	124	146	177	154	45	9	-
Male.....	17	19	24	27	51	74	82	89	50	12	-	-
Female.....	3	5	6	22	29	50	64	88	104	33	9	-
White, both sexes.....	19	23	30	47	79	119	143	177	151	45	9	-
Male.....	17	18	24	26	50	71	80	89	49	12	-	-
Female.....	2	5	6	21	29	48	63	88	102	33	9	-
Black, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	1	3	2	-	-	-	-	-
Male.....	-	1	-	1	1	2	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	-	2	-	-	-
Male.....	-	-	-	-	-	1	1	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Illinois

All races, both sexes.....	449	584	628	808	1,195	1,643	2,132	2,208	1,651	733	162	-
Male.....	349	443	458	536	776	947	1,008	917	511	150	20	-
Female.....	100	141	170	272	419	696	1,124	1,291	1,140	583	142	-
White, both sexes.....	305	423	432	604	981	1,400	1,899	2,043	1,500	672	138	-
Male.....	241	325	323	407	653	825	913	860	473	137	17	-
Female.....	64	98	109	197	328	575	986	1,183	1,027	535	121	-
Black, both sexes.....	138	156	183	191	204	232	217	154	137	54	23	-
Male.....	102	113	126	122	116	115	89	53	32	11	3	-
Female.....	36	43	57	69	88	117	128	101	105	43	20	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	5	13	12	10	11	15	11	14	7	1	-
Male.....	6	5	9	6	7	7	6	4	6	2	-	-
Female.....	-	-	4	6	3	4	9	7	8	5	1	-

Indiana

All races, both sexes.....	185	233	286	404	596	888	1,045	1,042	695	300	92	-
Male.....	135	170	202	258	391	516	505	425	189	55	11	-
Female.....	50	63	84	146	205	372	540	617	506	245	81	-
White, both sexes.....	157	204	250	360	546	836	977	988	668	287	88	-
Male.....	117	150	177	230	360	488	479	403	181	52	11	-
Female.....	40	54	73	130	186	348	498	585	487	235	77	-
Black, both sexes.....	27	28	36	44	47	52	66	54	27	13	4	-
Male.....	17	19	25	28	29	28	24	22	8	3	-	-
Female.....	10	9	11	16	18	24	42	32	19	10	4	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	2	-	2	-	-	-	-	-
Male.....	1	1	-	-	1	-	2	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Iowa

All races, both sexes.....	88	110	138	195	340	514	724	765	675	344	80	-
Male.....	75	91	97	130	214	317	365	287	209	69	11	-
Female.....	13	19	41	65	126	197	359	478	466	275	69	-
White, both sexes.....	84	107	133	189	334	504	709	760	671	343	79	-
Male.....	71	88	94	125	211	311	359	284	207	69	10	-
Female.....	13	19	39	64	123	193	350	476	464	274	69	-
Black, both sexes.....	2	2	5	5	5	10	13	5	4	1	1	-
Male.....	2	2	3	4	2	6	5	3	2	-	1	-
Female.....	-	-	2	1	3	4	8	2	2	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	1	-	1	-	-	-	-	-
Male.....	1	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Kansas

All races, both sexes.....	77	97	92	164	200	358	403	466	370	141	43	-
Male.....	61	75	68	119	127	209	203	206	113	23	6	-
Female.....	16	22	24	45	73	149	200	260	257	118	37	-
White, both sexes.....	65	88	86	151	184	335	387	451	361	139	41	-
Male.....	51	73	64	110	119	200	194	201	110	23	5	-
Female.....	14	15	22	41	65	135	193	250	251	116	36	-
Black, both sexes.....	10	9	4	12	14	21	15	12	6	2	2	-
Male.....	8	2	2	9	6	8	9	4	2	-	1	-
Female.....	2	7	2	3	8	13	6	8	4	2	1	-
American Indian 1/, both sexes.....	1	-	2	1	-	1	1	2	3	-	-	-
Male.....	1	-	2	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	1	-	1	1	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	1	-	1	-	-	-	-
Male.....	1	-	-	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Kentucky

All races, both sexes.....	109	132	176	279	359	518	641	553	407	185	39	-
Male.....	85	105	126	175	223	271	283	199	119	40	11	-
Female.....	24	27	50	104	136	247	358	354	288	145	28	-
White, both sexes.....	99	121	163	265	337	493	615	528	388	175	36	-
Male.....	80	97	118	168	213	261	277	190	115	38	10	-
Female.....	19	24	45	97	124	232	338	338	273	137	26	-
Black, both sexes.....	9	11	13	14	20	25	23	24	19	10	3	-
Male.....	4	8	8	7	10	10	6	9	4	2	1	-
Female.....	5	3	5	7	10	15	17	15	15	8	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	-	3	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	3	1	-	-	-	-

Louisiana

All races, both sexes.....	121	171	192	267	403	512	593	562	352	161	41	-
Male.....	93	117	138	180	247	300	295	228	101	32	6	-
Female.....	28	54	54	87	156	212	298	334	251	129	35	-
White, both sexes.....	80	107	129	185	289	394	476	457	281	118	27	-
Male.....	63	72	97	127	192	246	254	188	77	24	1	-
Female.....	17	35	32	58	97	148	222	269	204	94	26	-
Black, both sexes.....	40	64	61	82	112	118	116	105	71	43	14	-
Male.....	29	45	40	53	54	54	41	40	24	8	5	-
Female.....	11	19	21	29	58	64	75	65	47	35	9	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	-	2	-	1	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Maine

All races, both sexes.....	17	53	58	93	134	194	243	255	195	84	26	-
Male.....	16	41	46	64	88	108	123	124	58	21	4	-
Female.....	1	12	12	29	46	86	120	131	137	63	22	-
White, both sexes.....	17	52	58	93	133	193	241	253	194	84	26	-
Male.....	16	40	46	64	88	107	121	122	58	21	4	-
Female.....	1	12	12	29	45	86	120	131	136	63	22	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	2	1	1	-	-	-
Male.....	-	-	-	-	-	-	2	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	210	262	317	358	558	766	995	975	686	312	76	2
Male.....	160	187	222	219	329	407	485	386	198	66	15	1
Female.....	50	75	95	139	229	359	510	589	488	246	61	1
White, both sexes.....	124	165	210	236	391	589	813	828	579	264	52	1
Male.....	106	118	147	147	253	321	409	335	172	58	9	1
Female.....	18	47	63	89	138	268	404	493	407	206	43	-
Black, both sexes.....	83	92	101	119	161	166	171	138	106	45	24	1
Male.....	51	66	70	69	73	80	71	46	26	6	6	-
Female.....	32	26	31	50	88	86	100	92	80	39	18	1
American Indian 1/, both sexes.....	1	1	-	-	2	2	2	1	-	-	-	-
Male.....	1	-	-	-	-	1	2	1	-	-	-	-
Female.....	-	1	-	-	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	6	3	4	9	9	8	1	3	-	-
Male.....	2	3	5	3	3	5	3	4	-	2	-	-
Female.....	-	1	1	-	1	4	6	4	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Massachusetts

All races, both sexes.....	151	212	259	315	519	730	1,112	1,167	854	350	100	1
Male.....	122	161	187	220	327	423	554	460	255	64	19	1
Female.....	29	51	72	95	192	307	558	707	599	286	81	-
White, both sexes.....	132	197	246	296	492	706	1,087	1,147	840	343	99	1
Male.....	108	150	178	209	314	408	540	454	253	63	18	1
Female.....	24	47	68	87	178	298	547	693	587	280	81	-
Black, both sexes.....	14	11	13	16	20	20	21	16	12	6	-	-
Male.....	10	8	9	9	11	13	11	4	2	1	-	-
Female.....	4	3	4	7	9	7	10	12	10	5	-	-
American Indian 1/, both sexes.....	1	1	-	1	-	-	-	-	-	-	1	-
Male.....	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	-	2	7	4	4	4	2	1	-	-
Male.....	4	3	-	1	2	2	3	2	-	-	-	-
Female.....	-	-	-	1	5	2	1	2	2	1	-	-

Michigan

All races, both sexes.....	421	592	684	914	1,230	1,959	2,294	2,244	1,507	589	139	2
Male.....	311	417	454	603	741	1,101	1,149	879	441	134	23	2
Female.....	110	175	230	311	489	858	1,145	1,365	1,066	455	116	-
White, both sexes.....	298	408	492	681	990	1,627	2,021	2,030	1,355	531	118	2
Male.....	230	299	348	479	603	937	1,026	805	404	120	20	2
Female.....	68	109	144	202	387	690	995	1,225	951	411	98	-
Black, both sexes.....	116	176	184	223	229	324	264	204	145	56	20	-
Male.....	75	114	99	120	131	161	117	71	35	14	3	-
Female.....	41	62	85	103	98	163	147	133	110	42	17	-
American Indian 1/, both sexes.....	4	4	4	5	6	2	5	5	2	1	-	-
Male.....	3	2	4	2	5	-	2	1	1	-	-	-
Female.....	1	2	-	3	1	2	3	4	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	4	5	5	6	4	5	5	1	1	-
Male.....	3	2	3	2	2	3	4	2	1	-	-	-
Female.....	-	2	1	3	3	3	-	3	4	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Nebraska

All races, both sexes.....	30	50	71	83	128	193	292	322	301	131	36	-
Male.....	24	41	51	55	80	129	171	140	105	39	5	-
Female.....	6	9	20	28	48	64	121	182	196	92	31	-
White, both sexes.....	27	49	67	77	124	186	287	317	296	130	34	-
Male.....	22	41	47	51	77	127	167	139	103	38	5	-
Female.....	5	8	20	26	47	59	120	178	193	92	29	-
Black, both sexes.....	2	-	3	5	4	6	4	5	5	-	1	-
Male.....	1	-	3	3	3	2	3	1	2	-	-	-
Female.....	1	-	-	2	1	4	1	4	3	-	1	-
American Indian 1/, both sexes.....	1	1	1	1	-	1	1	-	-	-	-	-
Male.....	1	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-

Nevada

All races, both sexes.....	72	135	147	191	195	266	278	226	108	57	11	2
Male.....	64	102	115	146	127	165	151	100	35	13	3	2
Female.....	8	33	32	45	68	101	127	126	73	44	8	-
White, both sexes.....	63	121	130	171	176	254	260	215	100	52	9	2
Male.....	56	93	105	133	115	160	142	97	30	11	2	2
Female.....	7	28	25	38	61	94	118	118	70	41	7	-
Black, both sexes.....	5	11	12	12	15	9	11	8	4	5	2	-
Male.....	5	9	7	9	11	4	5	2	2	2	1	-
Female.....	-	2	5	3	4	5	6	6	2	3	1	-
American Indian 1/, both sexes.....	2	2	2	2	-	-	1	-	-	-	-	-
Male.....	2	-	1	2	-	-	1	-	-	-	-	-
Female.....	-	2	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	3	6	4	3	6	3	4	-	-	-
Male.....	1	-	2	2	1	1	3	1	3	-	-	-
Female.....	1	1	1	4	3	2	3	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

New Hampshire

All races, both sexes.....	56	68	56	98	122	204	263	257	211	97	26	-
Male.....	45	48	36	70	72	125	133	101	60	21	3	-
Female.....	11	20	20	28	50	79	130	156	151	76	23	-
White, both sexes.....	54	67	56	98	122	204	263	257	210	97	26	-
Male.....	44	47	36	70	72	125	133	101	60	21	3	-
Female.....	10	20	20	28	50	79	130	156	150	76	23	-
Black, both sexes.....	1	1	-	-	-	-	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	202	338	357	551	892	1,414	1,956	2,184	1,606	696	174	2
Male.....	164	264	232	352	561	823	934	793	437	123	16	2
Female.....	38	74	125	199	331	591	1,022	1,391	1,169	573	158	-
White, both sexes.....	160	270	281	442	755	1,277	1,775	2,064	1,512	641	160	2
Male.....	135	216	190	282	484	765	857	754	417	109	15	2
Female.....	25	54	91	160	271	512	918	1,310	1,095	532	145	-
Black, both sexes.....	37	56	69	97	124	121	161	102	82	50	11	-
Male.....	26	38	38	61	68	50	67	32	13	13	-	-
Female.....	11	18	31	36	56	71	94	70	69	37	11	-
American Indian 1/, both sexes.....	1	-	-	-	4	-	1	1	1	1	1	-
Male.....	-	-	-	-	4	-	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	4	12	7	12	9	16	19	17	11	4	2	-
Male.....	3	10	4	9	5	8	9	6	7	1	1	-
Female.....	1	2	3	3	4	8	10	11	4	3	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other forms of chronic ischemic heart disease (I20,I25)												
New Mexico												
All races, both sexes.....	70	74	109	123	202	264	295	269	225	107	25	-
Male.....	53	52	73	87	132	151	165	127	76	34	6	-
Female.....	17	22	36	36	70	113	130	142	149	73	19	-
White, both sexes.....	62	67	101	110	190	254	281	262	210	103	21	-
Male.....	47	48	68	78	126	144	159	124	72	34	5	-
Female.....	15	19	33	32	64	110	122	138	138	69	16	-
Black, both sexes.....	1	1	-	2	3	2	4	3	3	1	1	-
Male.....	1	1	-	1	-	2	1	-	-	-	1	-
Female.....	-	-	-	1	3	-	3	2	3	1	-	-
American Indian 1/, both sexes.....	7	6	7	10	9	8	10	4	11	3	3	-
Male.....	5	3	4	7	6	5	5	2	3	-	-	-
Female.....	2	3	3	3	3	3	5	2	8	3	3	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	-	1	-	-	-
Male.....	-	-	1	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	696	956	1,297	1,932	2,977	4,490	5,624	6,339	5,187	2,371	607	3
Male.....	505	689	855	1,207	1,719	2,348	2,631	2,379	1,407	496	87	3
Female.....	191	267	442	725	1,258	2,142	2,993	3,960	3,780	1,875	520	-
White, both sexes.....	493	721	926	1,483	2,402	3,742	4,908	5,707	4,741	2,150	533	3
Male.....	374	544	632	973	1,403	1,997	2,321	2,189	1,283	454	73	3
Female.....	119	177	294	510	999	1,745	2,587	3,518	3,458	1,696	460	-
Black, both sexes.....	184	207	332	385	514	637	637	549	378	187	65	-
Male.....	113	123	193	195	279	288	267	155	104	32	12	-
Female.....	71	84	139	190	235	349	370	394	274	155	53	-
American Indian 1/, both sexes.....	-	-	3	1	2	7	1	1	1	1	-	-
Male.....	-	-	3	1	1	4	-	-	-	-	-	-
Female.....	-	-	-	-	1	3	1	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	19	28	36	63	59	104	78	82	67	33	9	-
Male.....	18	22	27	38	36	59	43	35	20	10	2	-
Female.....	1	6	9	25	23	45	35	47	47	23	7	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Ohio

All races, both sexes.....	445	562	701	907	1,423	2,084	2,663	2,547	1,724	710	174	-
Male.....	346	410	502	580	875	1,161	1,284	1,007	465	139	20	-
Female.....	99	152	199	327	548	923	1,379	1,540	1,259	571	154	-
White, both sexes.....	357	450	570	765	1,272	1,873	2,460	2,392	1,634	673	155	-
Male.....	286	331	410	495	787	1,062	1,200	951	446	131	19	-
Female.....	71	119	160	270	485	811	1,260	1,441	1,188	542	136	-
Black, both sexes.....	87	109	130	139	148	205	197	149	88	36	19	-
Male.....	60	78	91	83	86	95	82	53	17	8	1	-
Female.....	27	31	39	56	62	110	115	96	71	28	18	-
American Indian 1/, both sexes.....	-	-	-	1	1	2	-	1	-	-	-	-
Male.....	-	-	-	1	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	1	2	2	4	6	5	2	1	-	-
Male.....	-	1	1	1	1	3	2	2	2	-	-	-
Female.....	1	2	-	1	1	1	4	3	-	1	-	-

Oklahoma

All races, both sexes.....	143	212	317	324	486	683	846	793	599	241	60	-
Male.....	118	151	208	211	299	386	409	305	184	54	13	-
Female.....	25	61	109	113	187	297	437	488	415	187	47	-
White, both sexes.....	125	175	270	278	443	614	778	741	559	217	56	-
Male.....	102	126	182	183	272	347	379	291	170	45	12	-
Female.....	23	49	88	95	171	267	399	450	389	172	44	-
Black, both sexes.....	11	16	28	20	21	34	32	35	21	12	4	-
Male.....	9	10	13	11	13	21	14	5	8	5	1	-
Female.....	2	6	15	9	8	13	18	30	13	7	3	-
American Indian 1/, both sexes.....	7	20	19	26	20	33	31	15	19	11	-	-
Male.....	7	15	13	17	13	16	13	8	6	3	-	-
Female.....	-	5	6	9	7	17	18	7	13	8	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	2	2	5	2	-	1	-	-
Male.....	-	-	-	-	1	2	3	1	-	1	-	-
Female.....	-	1	-	-	1	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Oregon

All races, both sexes.....	117	146	153	195	317	426	529	524	365	147	35	-
Male.....	91	123	113	135	208	259	313	269	155	43	8	-
Female.....	26	23	40	60	109	167	216	255	210	104	27	-
White, both sexes.....	111	141	143	187	310	417	520	515	361	145	35	-
Male.....	86	120	107	130	204	253	308	265	153	41	8	-
Female.....	25	21	36	57	106	164	212	250	208	104	27	-
Black, both sexes.....	6	2	3	1	2	2	2	4	1	-	-	-
Male.....	5	1	2	1	2	2	2	1	-	-	-	-
Female.....	1	1	1	-	-	-	-	3	1	-	-	-
American Indian 1/, both sexes.....	-	2	5	5	1	4	4	2	2	2	-	-
Male.....	-	1	2	3	-	2	1	1	1	2	-	-
Female.....	-	1	3	2	1	2	3	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	4	3	3	3	1	-	-	-
Male.....	-	1	2	1	2	2	2	2	1	-	-	-
Female.....	-	-	-	1	2	1	1	1	-	-	-	-

Pennsylvania

All races, both sexes.....	370	502	649	906	1,533	2,392	3,134	3,279	2,381	962	245	-
Male.....	285	375	455	568	939	1,370	1,514	1,271	652	201	29	-
Female.....	85	127	194	338	594	1,022	1,620	2,008	1,729	761	216	-
White, both sexes.....	297	402	549	782	1,365	2,188	2,956	3,131	2,282	917	227	-
Male.....	230	302	390	499	857	1,262	1,441	1,219	630	193	28	-
Female.....	67	100	159	283	508	926	1,515	1,912	1,652	724	199	-
Black, both sexes.....	69	94	98	118	162	198	172	142	96	43	18	-
Male.....	51	67	63	65	78	104	70	48	21	7	1	-
Female.....	18	27	35	53	84	94	102	94	75	36	17	-
American Indian 1/, both sexes.....	1	1	-	-	1	1	1	1	-	1	-	-
Male.....	1	1	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	2	6	5	5	5	5	3	1	-	-
Male.....	3	5	2	4	3	3	3	4	1	1	-	-
Female.....	-	-	-	2	2	2	2	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Rhode Island

All races, both sexes.....	24	46	54	64	136	205	278	324	282	135	36	-
Male.....	18	34	37	42	77	110	127	121	67	20	5	-
Female.....	6	12	17	22	59	95	151	203	215	115	31	-
White, both sexes.....	21	43	52	61	131	199	272	318	281	131	36	-
Male.....	15	33	35	41	74	108	123	118	67	18	5	-
Female.....	6	10	17	20	57	91	149	200	214	113	31	-
Black, both sexes.....	2	1	1	3	4	5	5	4	-	4	-	-
Male.....	2	-	1	1	3	1	4	1	-	2	-	-
Female.....	-	1	-	2	1	4	1	3	-	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	-	1	1	1	1	1	-	-	-
Male.....	1	1	-	-	-	1	-	1	-	-	-	-
Female.....	-	1	-	-	1	-	1	-	1	-	-	-

South Carolina

All races, both sexes.....	109	165	194	249	332	462	521	473	291	93	23	-
Male.....	74	110	139	165	210	259	259	185	75	16	3	-
Female.....	35	55	55	84	122	203	262	288	216	77	20	-
White, both sexes.....	68	111	149	187	277	369	419	401	239	78	17	-
Male.....	53	77	110	131	183	224	221	164	64	14	1	-
Female.....	15	34	39	56	94	145	198	237	175	64	16	-
Black, both sexes.....	40	52	44	62	54	91	101	71	52	15	6	-
Male.....	21	32	28	34	26	34	38	21	11	2	2	-
Female.....	19	20	16	28	28	57	63	50	41	13	4	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	-	2	-	-	-	-	-	-
Male.....	-	1	1	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other forms of chronic ischemic heart disease (I20,I25)												
South Dakota												
All races, both sexes.....	15	11	20	34	53	78	125	148	127	65	10	-
Male.....	14	10	17	23	30	48	68	64	35	15	-	-
Female.....	1	1	3	11	23	30	57	84	92	50	10	-
White, both sexes.....	14	10	17	32	51	74	119	145	127	63	10	-
Male.....	13	9	15	22	29	45	65	63	35	15	-	-
Female.....	1	1	2	10	22	29	54	82	92	48	10	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	3	2	2	4	5	3	-	2	-	-
Male.....	1	1	2	1	1	3	2	1	-	-	-	-
Female.....	-	-	1	1	1	1	3	2	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	244	328	420	522	713	992	1,183	1,099	770	314	61	1
Male.....	175	229	286	346	435	539	542	404	214	71	4	1
Female.....	69	99	134	176	278	453	641	695	556	243	57	-
White, both sexes.....	177	249	332	408	601	854	1,050	985	684	276	51	-
Male.....	129	176	223	277	374	472	474	360	187	63	2	-
Female.....	48	73	109	131	227	382	576	625	497	213	49	-
Black, both sexes.....	67	77	86	112	109	138	131	113	86	37	10	1
Male.....	46	51	61	67	60	67	67	43	27	8	2	1
Female.....	21	26	25	45	49	71	64	70	59	29	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	2	3	-	1	1	-	1	-	-
Male.....	-	2	2	2	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

Texas

All races, both sexes.....	590	739	933	1,309	1,687	2,325	2,895	2,664	1,973	824	182	2
Male.....	458	550	644	866	1,026	1,257	1,384	1,101	600	164	24	2
Female.....	132	189	289	443	661	1,068	1,511	1,563	1,373	660	158	-
White, both sexes.....	466	611	749	1,100	1,468	2,071	2,627	2,455	1,814	757	157	2
Male.....	373	469	532	737	912	1,144	1,254	1,027	565	152	21	2
Female.....	93	142	217	363	556	927	1,373	1,428	1,249	605	136	-
Black, both sexes.....	113	119	173	187	203	237	250	195	152	63	25	-
Male.....	76	76	103	115	105	102	121	67	34	12	3	-
Female.....	37	43	70	72	98	135	129	128	118	51	22	-
American Indian 1/, both sexes.....	-	1	-	2	1	2	2	3	-	-	-	-
Male.....	-	-	-	2	1	2	2	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	8	11	20	15	15	16	11	7	4	-	-
Male.....	9	5	9	12	8	9	7	6	1	-	-	-
Female.....	2	3	2	8	7	6	9	5	6	4	-	-

Utah

All races, both sexes.....	38	35	50	65	89	136	195	171	104	40	8	-
Male.....	32	26	36	48	57	90	108	89	41	12	3	-
Female.....	6	9	14	17	32	46	87	82	63	28	5	-
White, both sexes.....	36	33	48	62	88	134	194	168	104	39	8	-
Male.....	30	26	35	45	56	88	107	89	41	11	3	-
Female.....	6	7	13	17	32	46	87	79	63	28	5	-
Black, both sexes.....	1	1	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	3	1	1	-	1	-	1	-	-
Male.....	1	-	1	3	1	1	-	-	-	1	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other forms of chronic ischemic heart disease (I20,I25)												
Vermont												
All races, both sexes.....	17	20	31	34	65	96	118	113	85	32	12	-
Male.....	14	15	21	17	41	51	68	44	22	4	1	-
Female.....	3	5	10	17	24	45	50	69	63	28	11	-
White, both sexes.....	17	20	31	34	65	96	118	113	85	32	11	-
Male.....	14	15	21	17	41	51	68	44	22	4	1	-
Female.....	3	5	10	17	24	45	50	69	63	28	10	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	194	250	304	387	550	772	946	894	628	238	57	-
Male.....	151	188	219	265	364	447	438	343	167	39	12	-
Female.....	43	62	85	122	186	325	508	551	461	199	45	-
White, both sexes.....	142	190	234	281	426	632	819	787	544	212	46	-
Male.....	117	145	171	195	299	376	386	305	147	33	12	-
Female.....	25	45	63	86	127	256	433	482	397	179	34	-
Black, both sexes.....	49	58	64	100	112	127	124	98	80	26	11	-
Male.....	32	41	44	68	58	64	51	33	18	6	-	-
Female.....	17	17	20	32	54	63	73	65	62	20	11	-
American Indian 1/, both sexes.....	1	-	1	-	1	2	-	-	-	-	-	-
Male.....	1	-	1	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	5	6	11	11	3	9	4	-	-	-
Male.....	1	2	3	2	7	5	1	5	2	-	-	-
Female.....	1	-	2	4	4	6	2	4	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Atherosclerotic cardiovascular disease, so described (I25.0)												
New Mexico												
All races, both sexes.....	867	-	-	-	-	-	-	-	-	3	10	22
Male.....	492	-	-	-	-	-	-	-	-	3	9	17
Female.....	375	-	-	-	-	-	-	-	-	-	1	5
White, both sexes.....	809	-	-	-	-	-	-	-	-	3	8	21
Male.....	466	-	-	-	-	-	-	-	-	3	7	16
Female.....	343	-	-	-	-	-	-	-	-	-	1	5
Black, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	44	-	-	-	-	-	-	-	-	-	2	1
Male.....	20	-	-	-	-	-	-	-	-	-	2	1
Female.....	24	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	4,417	-	-	-	-	-	-	2	15	34	73	154
Male.....	2,500	-	-	-	-	-	-	2	11	25	56	122
Female.....	1,917	-	-	-	-	-	-	-	4	9	17	32
White, both sexes.....	3,324	-	-	-	-	-	-	2	6	21	45	98
Male.....	1,865	-	-	-	-	-	-	2	6	16	38	82
Female.....	1,459	-	-	-	-	-	-	-	-	5	7	16
Black, both sexes.....	980	-	-	-	-	-	-	-	9	11	24	48
Male.....	558	-	-	-	-	-	-	-	5	8	14	33
Female.....	422	-	-	-	-	-	-	-	4	3	10	15
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	110	-	-	-	-	-	-	-	-	2	3	8
Male.....	76	-	-	-	-	-	-	-	-	1	3	7
Female.....	34	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
Alaska												
All races, both sexes.....	18	30	25	16	18	14	19	14	5	3	1	-
Male.....	17	23	20	13	13	10	8	8	3	1	-	-
Female.....	1	7	5	3	5	4	11	6	2	2	1	-
White, both sexes.....	13	22	21	15	12	12	16	12	4	3	1	-
Male.....	12	18	17	13	8	9	6	7	2	1	-	-
Female.....	1	4	4	2	4	3	10	5	2	2	1	-
Black, both sexes.....	1	-	1	-	-	-	-	-	1	-	-	-
Male.....	1	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	7	2	-	6	2	3	2	-	-	-	-
Male.....	2	4	2	-	5	1	2	1	-	-	-	-
Female.....	-	3	-	-	1	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	1	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	91	98	145	166	201	247	289	243	190	90	14	-
Male.....	75	82	116	113	129	145	134	117	56	15	3	-
Female.....	16	16	29	53	72	102	155	126	134	75	11	-
White, both sexes.....	82	91	140	157	186	233	276	237	183	88	14	-
Male.....	69	78	112	107	120	136	129	114	52	14	3	-
Female.....	13	13	28	50	66	97	147	123	131	74	11	-
Black, both sexes.....	4	4	4	3	8	9	8	4	3	-	-	-
Male.....	3	1	3	1	6	6	4	2	1	-	-	-
Female.....	1	3	1	2	2	3	4	2	2	-	-	-
American Indian 1/, both sexes.....	4	3	1	5	6	5	5	2	3	-	-	-
Male.....	2	3	1	4	2	3	1	1	2	-	-	-
Female.....	2	-	-	1	4	2	4	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	-	-	-	1	2	-	-
Male.....	1	-	-	1	1	-	-	-	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
Arkansas												
All races, both sexes.....	15	14	17	17	22	36	40	43	31	16	3	-
Male.....	12	8	16	11	11	22	18	16	10	2	-	-
Female.....	3	6	1	6	11	14	22	27	21	14	3	-
White, both sexes.....	11	11	14	14	18	32	34	35	26	13	3	-
Male.....	10	5	13	9	9	20	16	13	8	2	-	-
Female.....	1	6	1	5	9	12	18	22	18	11	3	-
Black, both sexes.....	3	3	3	3	4	4	6	8	5	3	-	-
Male.....	1	3	3	2	2	2	2	3	2	-	-	-
Female.....	2	-	-	1	2	2	4	5	3	3	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	377	489	607	616	791	1,061	1,240	1,285	897	425	133	5
Male.....	313	396	442	427	480	567	572	477	260	104	23	1
Female.....	64	93	165	189	311	494	668	808	637	321	110	4
White, both sexes.....	283	368	478	471	636	880	1,092	1,135	811	392	106	4
Male.....	238	303	345	334	386	468	507	421	231	95	17	1
Female.....	45	65	133	137	250	412	585	714	580	297	89	3
Black, both sexes.....	66	91	98	105	101	119	85	85	47	18	17	1
Male.....	51	65	75	66	56	63	43	28	13	5	1	-
Female.....	15	26	23	39	45	56	42	57	34	13	16	1
American Indian 1/, both sexes.....	1	2	1	5	4	1	1	8	1	-	-	-
Male.....	1	2	-	4	3	1	-	5	-	-	-	-
Female.....	-	-	1	1	1	-	1	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	28	30	35	50	61	62	57	38	15	10	-
Male.....	23	26	22	23	35	35	22	23	16	4	5	-
Female.....	4	2	8	12	15	26	40	34	22	11	5	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
Colorado												
All races, both sexes.....	36	45	43	47	71	83	79	73	68	26	6	-
Male.....	29	42	33	32	43	44	39	26	21	8	1	-
Female.....	7	3	10	15	28	39	40	47	47	18	5	-
White, both sexes.....	33	43	40	45	65	77	75	72	66	25	6	-
Male.....	27	40	31	31	40	42	37	26	20	8	1	-
Female.....	6	3	9	14	25	35	38	46	46	17	5	-
Black, both sexes.....	3	2	2	2	4	5	2	1	2	1	-	-
Male.....	2	2	1	1	3	2	-	-	1	-	-	-
Female.....	1	-	1	1	1	3	2	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	49	80	71	91	141	155	177	192	139	63	18	1
Male.....	40	67	46	65	91	84	81	76	40	7	3	-
Female.....	9	13	25	26	50	71	96	116	99	56	15	1
White, both sexes.....	42	64	61	79	122	138	169	189	136	62	17	1
Male.....	36	53	36	54	78	78	76	75	39	7	3	-
Female.....	6	11	25	25	44	60	93	114	97	55	14	1
Black, both sexes.....	7	16	10	10	18	17	8	2	3	1	1	-
Male.....	4	14	10	9	12	6	5	1	1	-	-	-
Female.....	3	2	-	1	6	11	3	1	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	-	-	1	-	-	-	-
Male.....	-	-	-	2	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
Delaware												
All races, both sexes.....	8	13	20	26	29	35	63	50	52	27	7	-
Male.....	7	9	12	20	19	12	22	17	14	4	2	-
Female.....	1	4	8	6	10	23	41	33	38	23	5	-
White, both sexes.....	4	10	15	20	21	29	55	46	47	27	7	-
Male.....	3	8	9	14	12	10	18	14	12	4	2	-
Female.....	1	2	6	6	9	19	37	32	35	23	5	-
Black, both sexes.....	4	3	5	6	8	6	7	4	4	-	-	-
Male.....	4	1	3	6	7	2	4	3	2	-	-	-
Female.....	-	2	2	-	1	4	3	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Dist. of Columbia												
All races, both sexes.....	22	45	43	62	63	92	102	86	66	25	10	2
Male.....	17	32	29	39	38	49	46	29	21	5	-	2
Female.....	5	13	14	23	25	43	56	57	45	20	10	-
White, both sexes.....	4	6	6	9	7	7	20	20	25	11	3	-
Male.....	4	5	6	8	5	5	10	9	8	3	-	-
Female.....	-	1	-	1	2	2	10	11	17	8	3	-
Black, both sexes.....	18	39	37	53	55	85	81	64	41	14	7	2
Male.....	13	27	23	31	32	44	36	19	13	2	-	2
Female.....	5	12	14	22	23	41	45	45	28	12	7	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	2	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Atherosclerotic cardiovascular disease, so described (I25.0)

Florida

All races, both sexes.....	190	243	318	358	491	679	837	921	693	285	65	3
Male.....	148	197	247	263	308	386	395	406	228	74	14	3
Female.....	42	46	71	95	183	293	442	515	465	211	51	-
White, both sexes.....	154	212	271	298	431	611	788	869	660	265	64	2
Male.....	124	174	214	218	272	350	366	386	222	68	13	2
Female.....	30	38	57	80	159	261	422	483	438	197	51	-
Black, both sexes.....	35	31	46	60	58	67	49	50	32	18	1	1
Male.....	23	23	33	45	35	36	29	18	6	5	1	1
Female.....	12	8	13	15	23	31	20	32	26	13	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	1	-	2	-	1	-	-
Male.....	1	-	-	-	1	-	-	2	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	1	-	-

Georgia

All races, both sexes.....	70	95	98	107	140	179	182	186	121	55	6	-
Male.....	51	65	80	67	86	90	78	56	28	14	-	-
Female.....	19	30	18	40	54	89	104	130	93	41	6	-
White, both sexes.....	38	62	64	64	97	125	134	153	93	44	3	-
Male.....	28	43	51	41	59	66	63	46	20	10	-	-
Female.....	10	19	13	23	38	59	71	107	73	34	3	-
Black, both sexes.....	32	32	32	41	41	52	46	33	27	11	3	-
Male.....	23	22	28	25	25	23	15	10	7	4	-	-
Female.....	9	10	4	16	16	29	31	23	20	7	3	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	1	2	2	-	1	-	-	-
Male.....	-	-	1	1	1	1	-	-	1	-	-	-
Female.....	-	1	1	-	-	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
Hawaii												
All races, both sexes.....	6	18	23	21	20	33	29	33	23	13	-	-
Male.....	4	13	17	17	11	20	19	16	10	4	-	-
Female.....	2	5	6	4	9	13	10	17	13	9	-	-
White, both sexes.....	2	7	10	7	12	5	9	8	4	3	-	-
Male.....	-	5	8	7	7	2	6	2	-	2	-	-
Female.....	2	2	2	-	5	3	3	6	4	1	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	10	12	14	8	28	20	25	19	10	-	-
Male.....	4	7	8	10	4	18	13	14	10	2	-	-
Female.....	-	3	4	4	4	10	7	11	9	8	-	-
Idaho												
All races, both sexes.....	7	6	5	7	12	9	30	33	26	4	1	-
Male.....	6	3	2	3	10	5	16	10	8	-	-	-
Female.....	1	3	3	4	2	4	14	23	18	4	1	-
White, both sexes.....	7	6	5	7	12	8	30	33	26	4	1	-
Male.....	6	3	2	3	10	5	16	10	8	-	-	-
Female.....	1	3	3	4	2	3	14	23	18	4	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
Maine												
All races, both sexes.....	6	12	12	15	30	35	40	49	39	24	7	-
Male.....	6	9	8	9	23	21	15	16	10	5	2	-
Female.....	-	3	4	6	7	14	25	33	29	19	5	-
White, both sexes.....	6	12	12	15	30	34	40	49	39	24	7	-
Male.....	6	9	8	9	23	20	15	16	10	5	2	-
Female.....	-	3	4	6	7	14	25	33	29	19	5	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	139	156	163	162	221	274	351	353	272	116	33	1
Male.....	107	109	124	107	115	137	160	134	82	26	4	-
Female.....	32	47	39	55	106	137	191	219	190	90	29	1
White, both sexes.....	80	99	99	97	144	194	278	294	217	94	20	-
Male.....	70	69	77	67	87	91	126	113	67	22	3	-
Female.....	10	30	22	30	57	103	152	181	150	72	17	-
Black, both sexes.....	56	54	59	63	75	76	68	58	55	21	13	1
Male.....	34	38	43	38	28	42	31	20	15	3	1	-
Female.....	22	16	16	25	47	34	37	38	40	18	12	1
American Indian 1/, both sexes.....	1	-	-	-	1	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	5	2	1	3	4	1	-	1	-	-
Male.....	2	2	4	2	-	3	2	1	-	1	-	-
Female.....	-	1	1	-	1	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
Massachusetts												
All races, both sexes.....	63	71	79	67	95	103	137	121	100	49	16	1
Male.....	53	60	54	52	67	51	67	45	35	8	4	1
Female.....	10	11	25	15	28	52	70	76	65	41	12	-
White, both sexes.....	55	64	74	60	90	98	134	121	98	49	16	1
Male.....	47	54	51	47	65	47	64	45	35	8	4	1
Female.....	8	10	23	13	25	51	70	76	63	41	12	-
Black, both sexes.....	8	5	5	6	4	3	3	-	1	-	-	-
Male.....	6	5	3	4	1	2	3	-	-	-	-	-
Female.....	2	-	2	2	3	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	2	-	-	1	-	-	-
Male.....	-	1	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Michigan												
All races, both sexes.....	237	328	330	372	443	597	535	411	282	96	25	2
Male.....	172	236	213	233	269	343	270	177	89	26	5	2
Female.....	65	92	117	139	174	254	265	234	193	70	20	-
White, both sexes.....	146	191	183	212	284	395	383	313	215	66	17	2
Male.....	112	146	133	141	177	237	192	138	71	17	4	2
Female.....	34	45	50	71	107	158	191	175	144	49	13	-
Black, both sexes.....	87	136	144	158	154	201	151	98	65	29	8	-
Male.....	57	90	77	92	89	106	77	39	18	9	1	-
Female.....	30	46	67	66	65	95	74	59	47	20	7	-
American Indian 1/, both sexes.....	3	-	-	1	2	1	-	-	-	1	-	-
Male.....	2	-	-	-	2	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	1	3	-	1	-	2	-	-	-
Male.....	1	-	3	-	1	-	1	-	-	-	-	-
Female.....	-	1	-	1	2	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
Nebraska												
All races, both sexes.....	3	3	8	4	10	18	29	45	45	24	5	-
Male.....	3	3	7	3	7	13	18	22	14	5	-	-
Female.....	-	-	1	1	3	5	11	23	31	19	5	-
White, both sexes.....	3	3	8	4	10	18	28	45	45	24	5	-
Male.....	3	3	7	3	7	13	17	22	14	5	-	-
Female.....	-	-	1	1	3	5	11	23	31	19	5	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	49	84	69	90	69	92	84	68	28	18	4	-
Male.....	43	64	54	66	49	48	47	28	10	4	1	-
Female.....	6	20	15	24	20	44	37	40	18	14	3	-
White, both sexes.....	45	74	59	84	61	87	78	65	27	16	2	-
Male.....	40	57	48	63	42	47	44	27	9	3	-	-
Female.....	5	17	11	21	19	40	34	38	18	13	2	-
Black, both sexes.....	1	7	7	5	7	5	4	2	1	2	2	-
Male.....	1	7	5	3	7	1	2	-	1	1	1	-
Female.....	-	-	2	2	-	4	2	2	-	1	1	-
American Indian 1/, both sexes.....	1	2	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	1	1	-	2	1	-	-	-	-
Male.....	1	-	1	-	-	-	1	1	-	-	-	-
Female.....	1	1	1	1	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
New Hampshire												
All races, both sexes.....	27	36	25	34	35	57	70	65	36	19	2	-
Male.....	21	23	16	24	23	33	31	28	10	4	-	-
Female.....	6	13	9	10	12	24	39	37	26	15	2	-
White, both sexes.....	26	36	25	34	35	57	70	65	35	19	2	-
Male.....	20	23	16	24	23	33	31	28	10	4	-	-
Female.....	6	13	9	10	12	24	39	37	25	15	2	-
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	85	116	126	157	219	271	321	331	250	128	37	2
Male.....	71	97	84	104	135	142	152	95	61	24	4	2
Female.....	14	19	42	53	84	129	169	236	189	104	33	-
White, both sexes.....	70	94	102	122	174	234	289	309	234	114	34	2
Male.....	61	81	70	79	109	124	135	88	58	20	4	2
Female.....	9	13	32	43	65	110	154	221	176	94	30	-
Black, both sexes.....	15	19	23	30	42	35	29	17	15	14	2	-
Male.....	10	13	14	21	23	17	16	4	3	4	-	-
Female.....	5	6	9	9	19	18	13	13	12	10	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	5	3	2	3	5	1	-	1	-
Male.....	-	3	-	4	3	1	1	3	-	-	-	-
Female.....	-	-	1	1	-	1	2	2	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
New Mexico												
All races, both sexes.....	46	48	65	73	106	114	112	109	97	44	18	-
Male.....	35	34	41	58	64	68	60	47	37	14	5	-
Female.....	11	14	24	15	42	46	52	62	60	30	13	-
White, both sexes.....	40	44	61	66	97	110	107	107	87	43	15	-
Male.....	30	32	39	54	61	66	60	46	34	14	4	-
Female.....	10	12	22	12	36	44	47	61	53	29	11	-
Black, both sexes.....	1	1	-	2	3	-	1	2	1	1	1	-
Male.....	1	1	-	1	-	-	-	1	-	-	1	-
Female.....	-	-	-	1	3	-	1	1	1	1	-	-
American Indian 1/, both sexes.....	5	3	3	5	6	4	4	-	9	-	2	-
Male.....	4	1	1	3	3	2	-	-	3	-	-	-
Female.....	1	2	2	2	3	2	4	-	6	-	2	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	252	277	343	433	500	591	600	542	400	155	44	2
Male.....	198	210	238	294	309	343	308	214	123	38	7	2
Female.....	54	67	105	139	191	248	292	328	277	117	37	-
White, both sexes.....	153	190	233	299	357	449	473	461	363	133	39	2
Male.....	133	151	163	216	223	263	241	182	109	32	6	2
Female.....	20	39	70	83	134	186	232	279	254	101	33	-
Black, both sexes.....	93	75	102	120	132	130	111	71	31	18	5	-
Male.....	59	48	69	67	78	73	59	26	13	5	1	-
Female.....	34	27	33	53	54	57	52	45	18	13	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	12	8	14	11	12	15	10	5	4	-	-
Male.....	6	11	6	11	8	7	8	6	1	1	-	-
Female.....	-	1	2	3	3	5	7	4	4	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
Ohio												
All races, both sexes.....	121	112	126	124	180	230	279	302	220	104	27	-
Male.....	96	92	97	86	113	130	132	127	53	25	3	-
Female.....	25	20	29	38	67	100	147	175	167	79	24	-
White, both sexes.....	97	93	104	95	159	200	245	286	210	99	23	-
Male.....	77	75	79	65	99	113	122	120	50	23	2	-
Female.....	20	18	25	30	60	87	123	166	160	76	21	-
Black, both sexes.....	24	18	22	29	20	29	33	15	10	5	4	-
Male.....	19	16	18	21	14	16	10	6	3	2	1	-
Female.....	5	2	4	8	6	13	23	9	7	3	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	1	1	-	-	-	-
Male.....	-	1	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Oklahoma												
All races, both sexes.....	71	104	136	129	161	205	271	194	184	70	15	-
Male.....	58	76	90	79	109	108	121	75	64	20	2	-
Female.....	13	28	46	50	52	97	150	119	120	50	13	-
White, both sexes.....	58	83	116	107	149	182	247	174	167	63	13	-
Male.....	47	61	79	65	103	94	110	69	57	16	1	-
Female.....	11	22	37	42	46	88	137	105	110	47	12	-
Black, both sexes.....	8	10	13	11	6	11	12	14	11	3	2	-
Male.....	6	7	7	5	3	9	5	1	5	2	1	-
Female.....	2	3	6	6	3	2	7	13	6	1	1	-
American Indian 1/, both sexes.....	5	11	7	11	5	12	10	5	6	4	-	-
Male.....	5	8	4	9	3	5	5	4	2	2	-	-
Female.....	-	3	3	2	2	7	5	1	4	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
Oregon												
All races, both sexes.....	15	21	14	23	42	64	70	84	63	15	8	-
Male.....	13	18	9	17	29	39	38	47	21	1	1	-
Female.....	2	3	5	6	13	25	32	37	42	14	7	-
White, both sexes.....	15	21	13	22	40	64	69	84	63	15	8	-
Male.....	13	18	8	17	28	39	38	47	21	1	1	-
Female.....	2	3	5	5	12	25	31	37	42	14	7	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	2	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	174	224	235	251	369	512	613	701	563	247	64	-
Male.....	134	179	170	151	220	284	276	240	123	39	7	-
Female.....	40	45	65	100	149	228	337	461	440	208	57	-
White, both sexes.....	126	159	175	180	284	432	554	655	531	235	60	-
Male.....	94	123	132	106	172	235	246	224	116	38	7	-
Female.....	32	36	43	74	112	197	308	431	415	197	53	-
Black, both sexes.....	46	61	59	68	80	80	58	42	32	12	4	-
Male.....	38	52	37	42	44	49	30	13	7	1	-	-
Female.....	8	9	22	26	36	31	28	29	25	11	4	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	1	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	1	3	4	-	-	4	-	-	-	-
Male.....	2	3	1	3	3	-	-	3	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Atherosclerotic cardiovascular disease, so described (I25.0)

Rhode Island

All races, both sexes.....	11	25	29	25	43	64	85	109	82	44	10	-
Male.....	9	17	19	16	26	38	39	39	17	7	2	-
Female.....	2	8	10	9	17	26	46	70	65	37	8	-
White, both sexes.....	10	24	27	23	40	63	84	108	81	43	10	-
Male.....	8	16	17	16	24	37	38	38	17	6	2	-
Female.....	2	8	10	7	16	26	46	70	64	37	8	-
Black, both sexes.....	1	-	1	2	3	-	1	-	-	1	-	-
Male.....	1	-	1	-	2	-	1	-	-	1	-	-
Female.....	-	-	-	2	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	1	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

South Carolina

All races, both sexes.....	10	23	18	32	39	58	67	86	53	27	7	-
Male.....	9	15	14	21	21	27	31	27	5	4	1	-
Female.....	1	8	4	11	18	31	36	59	48	23	6	-
White, both sexes.....	7	15	11	21	28	36	47	70	42	21	5	-
Male.....	7	8	9	15	15	18	26	25	4	4	-	-
Female.....	-	7	2	6	13	18	21	45	38	17	5	-
Black, both sexes.....	3	8	7	11	11	21	20	16	11	6	2	-
Male.....	2	7	5	6	6	9	5	2	1	-	1	-
Female.....	1	1	2	5	5	12	15	14	10	6	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
South Dakota												
All races, both sexes.....	2	1	-	2	4	13	23	32	29	11	3	-
Male.....	2	1	-	1	4	5	10	7	6	4	-	-
Female.....	-	-	-	1	-	8	13	25	23	7	3	-
White, both sexes.....	2	1	-	2	3	12	22	30	29	11	3	-
Male.....	2	1	-	1	3	4	9	7	6	4	-	-
Female.....	-	-	-	1	-	8	13	23	23	7	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	2	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	96	154	170	181	213	305	324	300	211	90	22	1
Male.....	67	108	119	123	133	159	147	103	55	20	2	1
Female.....	29	46	51	58	80	146	177	197	156	70	20	-
White, both sexes.....	66	99	121	124	156	248	270	251	190	79	18	-
Male.....	47	69	82	86	99	128	120	83	50	19	1	-
Female.....	19	30	39	38	57	120	150	168	140	60	17	-
Black, both sexes.....	30	53	49	57	56	57	54	48	21	10	4	1
Male.....	20	37	37	37	34	31	27	19	5	1	1	1
Female.....	10	16	12	20	22	26	27	29	16	9	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	1	-	-	1	-	1	-	-
Male.....	-	2	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
Vermont												
All races, both sexes.....	8	6	10	16	23	32	55	42	39	15	3	-
Male.....	7	4	3	7	14	18	31	15	10	3	-	-
Female.....	1	2	7	9	9	14	24	27	29	12	3	-
White, both sexes.....	8	6	10	16	23	32	55	42	39	15	2	-
Male.....	7	4	3	7	14	18	31	15	10	3	-	-
Female.....	1	2	7	9	9	14	24	27	29	12	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	52	64	60	70	115	138	205	192	170	57	21	-
Male.....	44	50	37	42	73	65	84	64	47	9	3	-
Female.....	8	14	23	28	42	73	121	128	123	48	18	-
White, both sexes.....	39	48	51	46	88	108	178	179	142	48	16	-
Male.....	35	38	31	26	59	50	72	58	43	7	3	-
Female.....	4	10	20	20	29	58	106	121	99	41	13	-
Black, both sexes.....	13	15	7	24	23	25	26	10	27	9	5	-
Male.....	9	11	4	16	12	13	11	4	4	2	-	-
Female.....	4	4	3	8	11	12	15	6	23	7	5	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	-	3	5	1	3	1	-	-	-
Male.....	-	1	2	-	2	2	1	2	-	-	-	-
Female.....	-	-	-	-	1	3	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

Nebraska

All races, both sexes.....	1,474	-	-	-	-	-	-	-	1	8	9	13
Male.....	773	-	-	-	-	-	-	-	1	8	8	11
Female.....	701	-	-	-	-	-	-	-	-	-	1	2
White, both sexes.....	1,428	-	-	-	-	-	-	-	1	8	7	11
Male.....	748	-	-	-	-	-	-	-	1	8	6	10
Female.....	680	-	-	-	-	-	-	-	-	-	1	1
Black, both sexes.....	39	-	-	-	-	-	-	-	-	-	2	2
Male.....	21	-	-	-	-	-	-	-	-	-	2	1
Female.....	18	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	1,075	-	-	-	-	-	-	-	1	6	11	24
Male.....	633	-	-	-	-	-	-	-	1	3	8	12
Female.....	442	-	-	-	-	-	-	-	-	3	3	12
White, both sexes.....	989	-	-	-	-	-	-	-	-	5	9	20
Male.....	586	-	-	-	-	-	-	-	-	3	7	10
Female.....	403	-	-	-	-	-	-	-	-	2	2	10
Black, both sexes.....	55	-	-	-	-	-	-	-	-	-	-	4
Male.....	30	-	-	-	-	-	-	-	-	-	-	2
Female.....	25	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	1	-	-	-
Male.....	6	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	-	-	-	-	-	-	-	-	1	2	-
Male.....	11	-	-	-	-	-	-	-	-	-	1	-
Female.....	14	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
New Mexico												
All races, both sexes.....	961	-	-	-	-	-	1	1	3	3	10	12
Male.....	518	-	-	-	-	-	1	-	3	3	9	9
Female.....	443	-	-	-	-	-	-	1	-	-	1	3
White, both sexes.....	909	-	-	-	-	-	-	-	2	3	10	10
Male.....	486	-	-	-	-	-	-	-	2	3	9	7
Female.....	423	-	-	-	-	-	-	-	-	-	1	3
Black, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	42	-	-	-	-	-	1	1	1	-	-	2
Male.....	27	-	-	-	-	-	1	-	1	-	-	2
Female.....	15	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	28,797	-	1	-	-	-	5	6	24	44	104	273
Male.....	12,394	-	1	-	-	-	3	4	19	32	84	209
Female.....	16,403	-	-	-	-	-	2	2	5	12	20	64
White, both sexes.....	25,013	-	-	-	-	-	4	4	20	26	85	217
Male.....	10,811	-	-	-	-	-	2	3	18	19	73	171
Female.....	14,202	-	-	-	-	-	2	1	2	7	12	46
Black, both sexes.....	3,272	-	1	-	-	-	1	2	2	15	18	46
Male.....	1,317	-	1	-	-	-	1	1	1	10	11	29
Female.....	1,955	-	-	-	-	-	-	1	1	5	7	17
American Indian 1/, both sexes.....	16	-	-	-	-	-	-	-	-	-	-	1
Male.....	10	-	-	-	-	-	-	-	-	-	-	1
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	496	-	-	-	-	-	-	-	2	3	1	9
Male.....	256	-	-	-	-	-	-	-	-	3	-	8
Female.....	240	-	-	-	-	-	-	-	2	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
United States												
All races, both sexes.....	5,608	7,840	10,236	14,654	22,762	34,546	44,739	45,200	33,321	14,074	3,308	9
Male.....	4,273	5,660	7,161	9,668	14,197	19,876	22,584	18,609	10,206	3,037	470	6
Female.....	1,335	2,180	3,075	4,986	8,565	14,670	22,155	26,591	23,115	11,037	2,838	3
White, both sexes.....	4,454	6,399	8,408	12,359	19,913	30,807	40,952	41,990	31,021	13,023	2,955	8
Male.....	3,503	4,751	5,992	8,367	12,646	18,087	20,970	17,482	9,533	2,798	411	6
Female.....	951	1,648	2,416	3,992	7,267	12,720	19,982	24,508	21,488	10,225	2,544	2
Black, both sexes.....	1,003	1,253	1,566	1,925	2,380	3,040	3,103	2,591	1,870	846	300	1
Male.....	653	777	989	1,073	1,269	1,379	1,258	843	488	168	45	-
Female.....	350	476	577	852	1,111	1,661	1,845	1,748	1,382	678	255	1
American Indian 1/, both sexes.....	41	49	74	85	90	121	104	79	40	27	6	-
Male.....	27	28	52	54	60	72	50	40	12	5	1	-
Female.....	14	21	22	31	30	49	54	39	28	22	5	-
Asian or Pacific Islander 2/, both sexes.....	110	139	188	285	379	578	580	540	390	178	47	-
Male.....	90	104	128	174	222	338	306	244	173	66	13	-
Female.....	20	35	60	111	157	240	274	296	217	112	34	-
Alabama												
All races, both sexes.....	83	121	155	223	303	429	504	416	308	102	20	-
Male.....	66	90	99	151	186	242	265	165	92	21	1	-
Female.....	17	31	56	72	117	187	239	251	216	81	19	-
White, both sexes.....	61	86	126	168	240	374	424	355	260	80	14	-
Male.....	52	69	78	115	151	222	228	145	82	16	1	-
Female.....	9	17	48	53	89	152	196	210	178	64	13	-
Black, both sexes.....	22	35	29	55	63	53	78	60	48	21	6	-
Male.....	14	21	21	36	35	19	36	20	10	4	-	-
Female.....	8	14	8	19	28	34	42	40	38	17	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

Alaska

All races, both sexes.....	3	8	10	12	13	22	20	14	9	4	-	-
Male.....	3	8	9	9	10	16	15	6	3	2	-	-
Female.....	-	-	1	3	3	6	5	8	6	2	-	-
White, both sexes.....	3	6	9	9	12	17	17	11	8	3	-	-
Male.....	3	6	8	7	9	12	13	5	3	1	-	-
Female.....	-	-	1	2	3	5	4	6	5	2	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	1	2	1	4	2	3	1	1	-	-
Male.....	-	2	1	1	1	4	2	1	-	1	-	-
Female.....	-	-	-	1	-	-	-	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Arizona

All races, both sexes.....	100	123	192	243	389	538	715	677	453	200	29	1
Male.....	67	94	136	174	260	339	407	336	162	48	1	1
Female.....	33	29	56	69	129	199	308	341	291	152	28	-
White, both sexes.....	92	108	175	236	368	521	697	668	447	197	27	1
Male.....	61	84	122	172	246	332	399	332	161	48	1	1
Female.....	31	24	53	64	122	189	298	336	286	149	26	-
Black, both sexes.....	4	9	7	1	7	4	6	7	2	3	1	-
Male.....	3	7	7	1	6	2	3	3	-	-	-	-
Female.....	1	2	-	-	1	2	3	4	2	3	1	-
American Indian 1/, both sexes.....	3	6	8	5	13	11	7	2	2	-	1	-
Male.....	2	3	5	1	8	5	3	1	-	-	-	-
Female.....	1	3	3	4	5	6	4	1	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	1	1	2	5	-	2	-	-	-
Male.....	1	-	2	-	-	-	2	-	1	-	-	-
Female.....	-	-	-	1	1	2	3	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

Arkansas

All races, both sexes.....	53	60	99	128	187	285	356	318	227	105	24	-
Male.....	41	39	68	72	121	164	170	132	83	24	2	-
Female.....	12	21	31	56	66	121	186	186	144	81	22	-
White, both sexes.....	45	50	80	104	155	253	327	280	210	89	17	-
Male.....	37	33	54	61	101	153	158	121	77	19	2	-
Female.....	8	17	26	43	54	100	169	159	133	70	15	-
Black, both sexes.....	8	10	19	24	30	31	27	37	17	16	7	-
Male.....	4	6	14	11	18	10	11	10	6	5	-	-
Female.....	4	4	5	13	12	21	16	27	11	11	7	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	1	-	-	-	-
Male.....	-	-	-	-	2	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

California

All races, both sexes.....	634	875	1,094	1,562	2,541	3,978	5,294	5,379	4,015	1,708	412	1
Male.....	489	614	764	1,014	1,557	2,284	2,748	2,304	1,300	409	70	1
Female.....	145	261	330	548	984	1,694	2,546	3,075	2,715	1,299	342	-
White, both sexes.....	505	713	893	1,278	2,156	3,386	4,709	4,824	3,631	1,546	364	1
Male.....	397	512	628	846	1,340	1,967	2,469	2,076	1,168	360	63	1
Female.....	108	201	265	432	816	1,419	2,240	2,748	2,463	1,186	301	-
Black, both sexes.....	86	100	121	159	195	290	260	241	171	69	26	-
Male.....	58	51	80	94	107	143	108	93	49	14	2	-
Female.....	28	49	41	65	88	147	152	148	122	55	24	-
American Indian 1/, both sexes.....	4	4	6	7	11	16	13	12	6	3	-	-
Male.....	2	3	4	3	7	10	6	5	1	-	-	-
Female.....	2	1	2	4	4	6	7	7	5	3	-	-
Asian or Pacific Islander 2/, both sexes.....	39	58	74	118	179	286	312	302	207	90	22	-
Male.....	32	48	52	71	103	164	165	130	82	35	5	-
Female.....	7	10	22	47	76	122	147	172	125	55	17	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

Colorado

All races, both sexes.....	66	88	116	138	189	314	353	370	227	115	17	-
Male.....	58	72	88	95	134	197	203	166	86	28	1	-
Female.....	8	16	28	43	55	117	150	204	141	87	16	-
White, both sexes.....	63	79	109	125	180	304	343	362	225	112	17	-
Male.....	55	65	82	85	130	190	199	161	85	28	1	-
Female.....	8	14	27	40	50	114	144	201	140	84	16	-
Black, both sexes.....	1	7	4	12	6	7	7	5	1	3	-	-
Male.....	1	6	4	9	4	6	3	2	-	-	-	-
Female.....	-	1	-	3	2	1	4	3	1	3	-	-
American Indian 1/, both sexes.....	1	1	2	-	-	1	-	2	-	-	-	-
Male.....	1	-	1	-	-	1	-	2	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	3	2	3	1	1	-	-	-
Male.....	1	1	1	1	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	3	2	2	-	-	-	-	-

Connecticut

All races, both sexes.....	60	71	99	126	270	404	576	633	512	212	64	2
Male.....	51	57	68	86	185	243	273	258	147	35	6	-
Female.....	9	14	31	40	85	161	303	375	365	177	58	2
White, both sexes.....	54	60	90	110	251	377	548	614	499	207	63	1
Male.....	48	50	63	78	171	229	259	250	145	34	5	-
Female.....	6	10	27	32	80	148	289	364	354	173	58	1
Black, both sexes.....	6	10	6	14	16	22	20	17	13	5	1	1
Male.....	3	6	2	7	11	10	8	7	2	1	1	-
Female.....	3	4	4	7	5	12	12	10	11	4	-	1
American Indian 1/, both sexes.....	-	1	1	1	1	3	3	-	-	-	-	-
Male.....	-	1	1	-	1	2	2	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	2	2	5	2	-	-	-	-
Male.....	-	-	2	1	2	2	4	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

Florida

All races, both sexes.....	377	565	777	1,178	1,891	3,059	4,102	3,993	3,055	1,281	263	-
Male.....	296	419	562	805	1,223	1,834	2,211	1,841	1,121	301	39	-
Female.....	81	146	215	373	668	1,225	1,891	2,152	1,934	980	224	-
White, both sexes.....	303	482	636	1,000	1,698	2,807	3,856	3,795	2,912	1,211	235	-
Male.....	247	362	474	705	1,108	1,709	2,104	1,776	1,074	286	32	-
Female.....	56	120	162	295	590	1,098	1,752	2,019	1,838	925	203	-
Black, both sexes.....	71	80	137	172	187	237	235	188	138	69	26	-
Male.....	47	54	87	96	111	114	102	61	45	15	6	-
Female.....	24	26	50	76	76	123	133	127	93	54	20	-
American Indian 1/, both sexes.....	1	-	2	1	1	-	2	1	-	1	1	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	1	1	-	1	1	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	2	3	2	5	5	15	9	9	5	-	1	-
Male.....	2	3	-	4	4	11	4	4	2	-	1	-
Female.....	-	-	2	1	1	4	5	5	3	-	-	-

Georgia

All races, both sexes.....	181	221	298	344	484	690	796	663	427	140	32	-
Male.....	135	152	219	251	291	412	410	268	116	34	3	-
Female.....	46	69	79	93	193	278	386	395	311	106	29	-
White, both sexes.....	120	164	225	256	386	552	655	570	355	115	23	-
Male.....	92	120	176	197	253	344	358	233	103	26	2	-
Female.....	28	44	49	59	133	208	297	337	252	89	21	-
Black, both sexes.....	56	56	71	82	93	137	139	91	71	25	9	-
Male.....	41	32	42	50	36	67	51	34	12	8	1	-
Female.....	15	24	29	32	57	70	88	57	59	17	8	-
American Indian 1/, both sexes.....	2	1	-	1	-	-	2	-	-	-	-	-
Male.....	1	-	-	1	-	-	1	-	-	-	-	-
Female.....	1	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	2	5	5	1	-	2	1	-	-	-
Male.....	1	-	1	3	2	1	-	1	1	-	-	-
Female.....	2	-	1	2	3	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
Hawaii												
All races, both sexes.....	27	32	37	50	84	101	121	99	67	34	13	-
Male.....	19	20	20	37	57	68	67	58	38	13	5	-
Female.....	8	12	17	13	27	33	54	41	29	21	8	-
White, both sexes.....	11	9	7	16	23	21	38	23	15	2	3	-
Male.....	7	7	5	11	14	14	25	13	5	1	1	-
Female.....	4	2	2	5	9	7	13	10	10	1	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	23	30	34	61	79	83	76	52	32	10	-
Male.....	12	13	15	26	43	53	42	45	33	12	4	-
Female.....	4	10	15	8	18	26	41	31	19	20	6	-
Idaho												
All races, both sexes.....	13	18	25	42	68	115	116	144	128	41	8	-
Male.....	11	16	22	24	41	69	66	79	42	12	-	-
Female.....	2	2	3	18	27	46	50	65	86	29	8	-
White, both sexes.....	12	17	25	40	67	111	113	144	125	41	8	-
Male.....	11	15	22	23	40	66	64	79	41	12	-	-
Female.....	1	2	3	17	27	45	49	65	84	29	8	-
Black, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	1	3	2	-	-	-	-	-
Male.....	-	1	-	1	1	2	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	2	-	-	-
Male.....	-	-	-	-	-	1	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

Illinois

All races, both sexes.....	234	325	410	572	921	1,362	1,846	1,955	1,490	641	147	-
Male.....	177	240	303	365	595	775	871	826	455	132	17	-
Female.....	57	85	107	207	326	587	975	1,129	1,035	509	130	-
White, both sexes.....	176	257	309	454	782	1,199	1,674	1,830	1,356	589	126	-
Male.....	135	194	235	298	515	698	805	785	422	120	14	-
Female.....	41	63	74	156	267	501	869	1,045	934	469	112	-
Black, both sexes.....	56	67	93	108	132	155	158	117	122	46	20	-
Male.....	40	45	63	62	75	71	60	37	28	10	3	-
Female.....	16	22	30	46	57	84	98	80	94	36	17	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	8	10	7	8	13	8	12	6	1	-
Male.....	2	1	5	5	5	6	6	4	5	2	-	-
Female.....	-	-	3	5	2	2	7	4	7	4	1	-

Indiana

All races, both sexes.....	165	205	267	358	553	805	948	928	611	266	78	-
Male.....	121	152	187	226	367	473	464	381	170	52	11	-
Female.....	44	53	80	132	186	332	484	547	441	214	67	-
White, both sexes.....	139	177	233	320	507	760	885	884	586	253	74	-
Male.....	105	133	163	203	339	449	439	361	162	49	11	-
Female.....	34	44	70	117	168	311	446	523	424	204	63	-
Black, both sexes.....	25	28	34	38	44	45	62	44	25	13	4	-
Male.....	15	19	24	23	27	24	24	20	8	3	-	-
Female.....	10	9	10	15	17	21	38	24	17	10	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

Iowa

All races, both sexes.....	39	55	75	116	210	362	493	567	521	251	64	-
Male.....	35	42	54	79	129	227	264	215	163	52	7	-
Female.....	4	13	21	37	81	135	229	352	358	199	57	-
White, both sexes.....	37	54	74	114	207	356	487	563	518	250	63	-
Male.....	33	41	53	78	127	222	261	213	162	52	6	-
Female.....	4	13	21	36	80	134	226	350	356	198	57	-
Black, both sexes.....	1	-	1	1	2	6	4	4	3	1	1	-
Male.....	1	-	1	-	1	5	2	2	1	-	1	-
Female.....	-	-	-	1	1	1	2	2	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Kansas

All races, both sexes.....	55	68	73	134	166	302	350	406	330	122	39	-
Male.....	43	52	54	96	109	178	173	185	102	19	6	-
Female.....	12	16	19	38	57	124	177	221	228	103	33	-
White, both sexes.....	46	61	70	122	155	288	338	394	323	120	37	-
Male.....	36	50	52	88	103	172	167	180	99	19	5	-
Female.....	10	11	18	34	52	116	171	214	224	101	32	-
Black, both sexes.....	7	7	2	11	9	12	11	10	5	2	2	-
Male.....	5	2	1	8	4	5	6	4	2	-	1	-
Female.....	2	5	1	3	5	7	5	6	3	2	1	-
American Indian 1/, both sexes.....	1	-	1	1	-	1	1	1	2	-	-	-
Male.....	1	-	1	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	1	-	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	1	-	1	-	-	-	-
Male.....	1	-	-	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

Kentucky

All races, both sexes.....	82	105	145	245	299	444	539	471	336	152	32	-
Male.....	66	81	104	156	186	230	247	175	100	30	8	-
Female.....	16	24	41	89	113	214	292	296	236	122	24	-
White, both sexes.....	76	96	136	234	279	423	518	451	320	143	30	-
Male.....	62	74	98	151	176	221	242	168	97	28	7	-
Female.....	14	22	38	83	103	202	276	283	223	115	23	-
Black, both sexes.....	5	9	9	11	19	21	18	19	16	9	2	-
Male.....	3	7	6	5	10	9	5	7	3	2	1	-
Female.....	2	2	3	6	9	12	13	12	13	7	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	3	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	3	1	-	-	-	-

Louisiana

All races, both sexes.....	82	109	131	200	293	356	427	364	224	97	22	-
Male.....	62	70	98	134	181	229	212	151	68	18	3	-
Female.....	20	39	33	66	112	127	215	213	156	79	19	-
White, both sexes.....	52	64	92	142	213	281	350	303	185	76	15	-
Male.....	39	39	69	95	141	191	188	130	54	14	1	-
Female.....	13	25	23	47	72	90	162	173	131	62	14	-
Black, both sexes.....	29	45	37	58	78	75	76	61	39	21	7	-
Male.....	22	31	28	39	39	38	24	21	14	4	2	-
Female.....	7	14	9	19	39	37	52	40	25	17	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	-	2	-	1	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

Maine

All races, both sexes.....	11	41	46	78	104	159	203	206	156	60	19	-
Male.....	10	32	38	55	65	87	108	108	48	16	2	-
Female.....	1	9	8	23	39	72	95	98	108	44	17	-
White, both sexes.....	11	40	46	78	103	159	201	204	155	60	19	-
Male.....	10	31	38	55	65	87	106	106	48	16	2	-
Female.....	1	9	8	23	38	72	95	98	107	44	17	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	2	1	1	-	-	-
Male.....	-	-	-	-	-	-	2	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	71	106	154	196	337	492	644	622	414	196	43	1
Male.....	53	78	98	112	214	270	325	252	116	40	11	1
Female.....	18	28	56	84	123	222	319	370	298	156	32	-
White, both sexes.....	44	66	111	139	247	395	535	534	362	170	32	1
Male.....	36	49	70	80	166	230	283	222	105	36	6	1
Female.....	8	17	41	59	81	165	252	312	257	134	26	-
Black, both sexes.....	27	38	42	56	86	90	103	80	51	24	11	-
Male.....	17	28	27	31	45	38	40	26	11	3	5	-
Female.....	10	10	15	25	41	52	63	54	40	21	6	-
American Indian 1/, both sexes.....	-	1	-	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	3	6	5	7	1	2	-	-
Male.....	-	1	1	1	3	2	1	3	-	1	-	-
Female.....	-	-	-	-	-	4	4	4	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
Massachusetts												
All races, both sexes.....	88	141	180	248	424	627	975	1,046	754	301	84	-
Male.....	69	101	133	168	260	372	487	415	220	56	15	-
Female.....	19	40	47	80	164	255	488	631	534	245	69	-
White, both sexes.....	77	133	172	236	402	608	953	1,026	742	294	83	-
Male.....	61	96	127	162	249	361	476	409	218	55	14	-
Female.....	16	37	45	74	153	247	477	617	524	239	69	-
Black, both sexes.....	6	6	8	10	16	17	18	16	11	6	-	-
Male.....	4	3	6	5	10	11	8	4	2	1	-	-
Female.....	2	3	2	5	6	6	10	12	9	5	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	-	2	6	2	4	4	1	1	-	-
Male.....	4	2	-	1	1	-	3	2	-	-	-	-
Female.....	-	-	-	1	5	2	1	2	1	1	-	-
Michigan												
All races, both sexes.....	184	264	354	542	787	1,362	1,759	1,833	1,225	493	114	-
Male.....	139	181	241	370	472	758	879	702	352	108	18	-
Female.....	45	83	113	172	315	604	880	1,131	873	385	96	-
White, both sexes.....	152	217	309	469	706	1,232	1,638	1,717	1,140	465	101	-
Male.....	118	153	215	338	426	700	834	667	333	103	16	-
Female.....	34	64	94	131	280	532	804	1,050	807	362	85	-
Black, both sexes.....	29	40	40	65	75	123	113	106	80	27	12	-
Male.....	18	24	22	28	42	55	40	32	17	5	2	-
Female.....	11	16	18	37	33	68	73	74	63	22	10	-
American Indian 1/, both sexes.....	1	4	4	4	4	1	5	5	2	-	-	-
Male.....	1	2	4	2	3	-	2	1	1	-	-	-
Female.....	-	2	-	2	1	1	3	4	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	1	4	2	6	3	5	3	1	1	-
Male.....	2	2	-	2	1	3	3	2	1	-	-	-
Female.....	-	1	1	2	1	3	-	3	2	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

Nebraska

All races, both sexes.....	27	47	63	79	118	175	263	277	256	107	31	-
Male.....	21	38	44	52	73	116	153	118	91	34	5	-
Female.....	6	9	19	27	45	59	110	159	165	73	26	-
White, both sexes.....	24	46	59	73	114	168	259	272	251	106	29	-
Male.....	19	38	40	48	70	114	150	117	89	33	5	-
Female.....	5	8	19	25	44	54	109	155	162	73	24	-
Black, both sexes.....	2	-	3	5	4	6	4	5	5	-	1	-
Male.....	1	-	3	3	3	2	3	1	2	-	-	-
Female.....	1	-	-	2	1	4	1	4	3	-	1	-
American Indian 1/, both sexes.....	1	1	1	1	-	1	-	-	-	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-

Nevada

All races, both sexes.....	23	51	78	101	126	174	194	158	80	39	7	2
Male.....	21	38	61	80	78	117	104	72	25	9	2	2
Female.....	2	13	17	21	48	57	90	86	55	30	5	-
White, both sexes.....	18	47	71	87	115	167	182	150	73	36	7	2
Male.....	16	36	57	70	73	113	98	70	21	8	2	2
Female.....	2	11	14	17	42	54	84	80	52	28	5	-
Black, both sexes.....	4	4	5	7	8	4	7	6	3	3	-	-
Male.....	4	2	2	6	4	3	3	2	1	1	-	-
Female.....	-	2	3	1	4	1	4	4	2	2	-	-
American Indian 1/, both sexes.....	1	-	1	2	-	-	1	-	-	-	-	-
Male.....	1	-	1	2	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	5	3	3	4	2	4	-	-	-
Male.....	-	-	1	2	1	1	2	-	3	-	-	-
Female.....	-	-	-	3	2	2	2	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

New Hampshire

All races, both sexes.....	29	32	31	64	87	147	193	192	175	78	24	-
Male.....	24	25	20	46	49	92	102	73	50	17	3	-
Female.....	5	7	11	18	38	55	91	119	125	61	21	-
White, both sexes.....	28	31	31	64	87	147	193	192	175	78	24	-
Male.....	24	24	20	46	49	92	102	73	50	17	3	-
Female.....	4	7	11	18	38	55	91	119	125	61	21	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	117	222	231	394	673	1,143	1,635	1,853	1,356	568	137	-
Male.....	93	167	148	248	426	681	782	698	376	99	12	-
Female.....	24	55	83	146	247	462	853	1,155	980	469	125	-
White, both sexes.....	90	176	179	320	581	1,043	1,486	1,755	1,278	527	126	-
Male.....	74	135	120	203	375	641	722	666	359	89	11	-
Female.....	16	41	59	117	206	402	764	1,089	919	438	115	-
Black, both sexes.....	22	37	46	67	82	86	132	85	67	36	9	-
Male.....	16	25	24	40	45	33	51	28	10	9	-	-
Female.....	6	12	22	27	37	53	81	57	57	27	9	-
American Indian 1/, both sexes.....	1	-	-	-	4	-	1	1	1	1	1	-
Male.....	-	-	-	-	4	-	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	4	9	6	7	6	14	16	12	10	4	1	-
Male.....	3	7	4	5	2	7	8	3	7	1	1	-
Female.....	1	2	2	2	4	7	8	9	3	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
New Mexico												
All races, both sexes.....	24	26	44	50	96	150	183	160	128	63	7	-
Male.....	18	18	32	29	68	83	105	80	39	20	1	-
Female.....	6	8	12	21	28	67	78	80	89	43	6	-
White, both sexes.....	22	23	40	44	93	144	174	155	123	60	6	-
Male.....	17	16	29	24	65	78	99	78	38	20	1	-
Female.....	5	7	11	20	28	66	75	77	85	40	5	-
Black, both sexes.....	-	-	-	-	-	2	3	1	2	-	-	-
Male.....	-	-	-	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	2	-	-	-
American Indian 1/, both sexes.....	2	3	4	5	3	4	6	4	2	3	1	-
Male.....	1	2	3	4	3	3	5	2	-	-	-	-
Female.....	1	1	1	1	-	1	1	2	2	3	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	444	679	954	1,499	2,477	3,899	5,024	5,797	4,787	2,216	563	1
Male.....	307	479	617	913	1,410	2,005	2,323	2,165	1,284	458	80	1
Female.....	137	200	337	586	1,067	1,894	2,701	3,632	3,503	1,758	483	-
White, both sexes.....	340	531	693	1,184	2,045	3,293	4,435	5,246	4,378	2,017	494	1
Male.....	241	393	469	757	1,180	1,734	2,080	2,007	1,174	422	67	1
Female.....	99	138	224	427	865	1,559	2,355	3,239	3,204	1,595	427	-
Black, both sexes.....	91	132	230	265	382	507	526	478	347	169	60	-
Male.....	54	75	124	128	201	215	208	129	91	27	11	-
Female.....	37	57	106	137	181	292	318	349	256	142	49	-
American Indian 1/, both sexes.....	-	-	3	1	2	7	-	1	-	1	-	-
Male.....	-	-	3	1	1	4	-	-	-	-	-	-
Female.....	-	-	-	-	1	3	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	13	16	28	49	48	92	63	72	62	29	9	-
Male.....	12	11	21	27	28	52	35	29	19	9	2	-
Female.....	1	5	7	22	20	40	28	43	43	20	7	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

Ohio

All races, both sexes.....	324	450	575	783	1,243	1,854	2,384	2,245	1,504	606	147	-
Male.....	250	318	405	494	762	1,031	1,152	880	412	114	17	-
Female.....	74	132	170	289	481	823	1,232	1,365	1,092	492	130	-
White, both sexes.....	260	357	466	670	1,113	1,673	2,215	2,106	1,424	574	132	-
Male.....	209	256	331	430	688	949	1,078	831	396	108	17	-
Female.....	51	101	135	240	425	724	1,137	1,275	1,028	466	115	-
Black, both sexes.....	63	91	108	110	128	176	164	134	78	31	15	-
Male.....	41	62	73	62	72	79	72	47	14	6	-	-
Female.....	22	29	35	48	56	97	92	87	64	25	15	-
American Indian 1/, both sexes.....	-	-	-	1	1	2	-	1	-	-	-	-
Male.....	-	-	-	1	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	2	1	3	5	4	2	1	-	-
Male.....	-	-	1	1	1	2	2	1	2	-	-	-
Female.....	1	2	-	1	-	1	3	3	-	1	-	-

Oklahoma

All races, both sexes.....	72	108	181	195	325	478	575	599	415	171	45	-
Male.....	60	75	118	132	190	278	288	230	120	34	11	-
Female.....	12	33	63	63	135	200	287	369	295	137	34	-
White, both sexes.....	67	92	154	171	294	432	531	567	392	154	43	-
Male.....	55	65	103	118	169	253	269	222	113	29	11	-
Female.....	12	27	51	53	125	179	262	345	279	125	32	-
Black, both sexes.....	3	6	15	9	15	23	20	21	10	9	2	-
Male.....	3	3	6	6	10	12	9	4	3	3	-	-
Female.....	-	3	9	3	5	11	11	17	7	6	2	-
American Indian 1/, both sexes.....	2	9	12	15	15	21	21	10	13	7	-	-
Male.....	2	7	9	8	10	11	8	4	4	1	-	-
Female.....	-	2	3	7	5	10	13	6	9	6	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	2	3	1	-	1	-	-
Male.....	-	-	-	-	1	2	2	-	-	1	-	-
Female.....	-	1	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

Oregon

All races, both sexes.....	102	125	139	172	275	362	459	440	302	132	27	-
Male.....	78	105	104	118	179	220	275	222	134	42	7	-
Female.....	24	20	35	54	96	142	184	218	168	90	20	-
White, both sexes.....	96	120	130	165	270	353	451	431	298	130	27	-
Male.....	73	102	99	113	176	214	270	218	132	40	7	-
Female.....	23	18	31	52	94	139	181	213	166	90	20	-
Black, both sexes.....	6	2	3	1	2	2	2	4	1	-	-	-
Male.....	5	1	2	1	2	2	2	1	-	-	-	-
Female.....	1	1	1	-	-	-	-	3	1	-	-	-
American Indian 1/, both sexes.....	-	2	5	5	1	4	3	2	2	2	-	-
Male.....	-	1	2	3	-	2	1	1	1	2	-	-
Female.....	-	1	3	2	1	2	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	2	3	3	3	1	-	-	-
Male.....	-	1	1	1	1	2	2	2	1	-	-	-
Female.....	-	-	-	-	1	1	1	1	-	-	-	-

Pennsylvania

All races, both sexes.....	196	278	414	655	1,164	1,880	2,521	2,578	1,818	715	181	-
Male.....	151	196	285	417	719	1,086	1,238	1,031	529	162	22	-
Female.....	45	82	129	238	445	794	1,283	1,547	1,289	553	159	-
White, both sexes.....	171	243	374	602	1,081	1,756	2,402	2,476	1,751	682	167	-
Male.....	136	179	258	393	685	1,027	1,195	995	514	155	21	-
Female.....	35	64	116	209	396	729	1,207	1,481	1,237	527	146	-
Black, both sexes.....	23	33	39	50	82	118	114	100	64	31	14	-
Male.....	13	15	26	23	34	55	40	35	14	6	1	-
Female.....	10	18	13	27	48	63	74	65	50	25	13	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	1	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	3	1	5	5	1	3	1	-	-
Male.....	1	2	1	1	-	3	3	1	1	1	-	-
Female.....	-	-	-	2	1	2	2	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

South Dakota

All races, both sexes.....	13	10	20	32	49	65	102	116	98	54	7	-
Male.....	12	9	17	22	26	43	58	57	29	11	-	-
Female.....	1	1	3	10	23	22	44	59	69	43	7	-
White, both sexes.....	12	9	17	30	48	62	97	115	98	52	7	-
Male.....	11	8	15	21	26	41	56	56	29	11	-	-
Female.....	1	1	2	9	22	21	41	59	69	41	7	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	3	2	1	3	4	1	-	2	-	-
Male.....	1	1	2	1	-	2	1	1	-	-	-	-
Female.....	-	-	1	1	1	1	3	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	148	174	250	341	500	687	859	799	559	224	39	-
Male.....	108	121	167	223	302	380	395	301	159	51	2	-
Female.....	40	53	83	118	198	307	464	498	400	173	37	-
White, both sexes.....	111	150	211	284	445	606	780	734	494	197	33	-
Male.....	82	107	141	191	275	344	354	277	137	44	1	-
Female.....	29	43	70	93	170	262	426	457	357	153	32	-
Black, both sexes.....	37	24	37	55	53	81	77	65	65	27	6	-
Male.....	26	14	24	30	26	36	40	24	22	7	1	-
Female.....	11	10	13	25	27	45	37	41	43	20	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	2	-	1	-	-	-	-	-
Male.....	-	-	2	2	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

Texas

All races, both sexes.....	310	421	561	909	1,249	1,771	2,339	2,140	1,536	656	127	-
Male.....	234	296	375	613	757	963	1,128	871	470	125	18	-
Female.....	76	125	186	296	492	808	1,211	1,269	1,066	531	109	-
White, both sexes.....	241	356	466	792	1,104	1,603	2,139	1,987	1,424	607	111	-
Male.....	187	259	319	550	683	893	1,043	823	444	117	16	-
Female.....	54	97	147	242	421	710	1,096	1,164	980	490	95	-
Black, both sexes.....	61	60	90	106	138	154	191	144	107	47	16	-
Male.....	41	34	52	56	69	61	80	44	25	8	2	-
Female.....	20	26	38	50	69	93	111	100	82	39	14	-
American Indian 1/, both sexes.....	-	-	-	2	-	2	2	3	-	-	-	-
Male.....	-	-	-	2	-	2	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	5	5	9	7	12	7	6	5	2	-	-
Male.....	6	3	4	5	5	7	3	3	1	-	-	-
Female.....	2	2	1	4	2	5	4	3	4	2	-	-

Utah

All races, both sexes.....	38	31	44	59	80	126	172	145	90	35	7	-
Male.....	32	22	31	43	51	83	98	77	36	11	3	-
Female.....	6	9	13	16	29	43	74	68	54	24	4	-
White, both sexes.....	36	29	42	56	79	124	171	142	90	34	7	-
Male.....	30	22	30	40	50	81	97	77	36	10	3	-
Female.....	6	7	12	16	29	43	74	65	54	24	4	-
Black, both sexes.....	1	1	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	3	1	1	-	1	-	1	-	-
Male.....	1	-	1	3	1	1	-	-	-	1	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

Vermont

All races, both sexes.....	9	14	21	18	42	64	63	71	46	17	9	-
Male.....	7	11	18	10	27	33	37	29	12	1	1	-
Female.....	2	3	3	8	15	31	26	42	34	16	8	-
White, both sexes.....	9	14	21	18	42	64	63	71	46	17	9	-
Male.....	7	11	18	10	27	33	37	29	12	1	1	-
Female.....	2	3	3	8	15	31	26	42	34	16	8	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	142	186	244	317	435	634	741	702	458	181	36	-
Male.....	107	138	182	223	291	382	354	279	120	30	9	-
Female.....	35	48	62	94	144	252	387	423	338	151	27	-
White, both sexes.....	103	142	183	235	338	524	641	608	402	164	30	-
Male.....	82	107	140	169	240	326	314	247	104	26	9	-
Female.....	21	35	43	66	98	198	327	361	298	138	21	-
Black, both sexes.....	36	43	57	76	89	102	98	88	53	17	6	-
Male.....	23	30	40	52	46	51	40	29	14	4	-	-
Female.....	13	13	17	24	43	51	58	59	39	13	6	-
American Indian 1/, both sexes.....	1	-	1	-	-	2	-	-	-	-	-	-
Male.....	1	-	1	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	3	6	8	6	2	6	3	-	-	-
Male.....	1	1	1	2	5	3	-	3	2	-	-	-
Female.....	1	-	2	4	3	3	2	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other heart diseases (I26-I51)												
Arkansas												
All races, both sexes.....	2,354	8	3	-	-	6	3	11	14	25	26	35
Male.....	1,023	3	2	-	-	4	2	6	10	13	12	21
Female.....	1,331	5	1	-	-	2	1	5	4	12	14	14
White, both sexes.....	2,066	5	2	-	-	4	3	4	10	15	18	18
Male.....	892	3	2	-	-	3	2	1	7	6	10	12
Female.....	1,174	2	-	-	-	1	1	3	3	9	8	6
Black, both sexes.....	282	3	1	-	-	2	-	7	4	10	8	17
Male.....	128	-	-	-	-	1	-	5	3	7	2	9
Female.....	154	3	1	-	-	1	-	2	1	3	6	8
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	11,522	49	12	7	14	34	41	74	105	165	241	340
Male.....	5,386	27	6	2	8	27	33	56	70	110	164	222
Female.....	6,136	22	6	5	6	7	8	18	35	55	77	118
White, both sexes.....	9,974	34	9	6	11	23	32	53	73	122	190	254
Male.....	4,604	19	4	1	5	18	26	42	50	84	129	173
Female.....	5,370	15	5	5	6	5	6	11	23	38	61	81
Black, both sexes.....	908	5	2	-	2	9	5	18	23	31	40	63
Male.....	470	2	1	-	2	7	3	11	13	21	26	39
Female.....	438	3	1	-	-	2	2	7	10	10	14	24
American Indian 1/, both sexes.....	43	-	-	-	-	-	1	-	-	1	2	2
Male.....	24	-	-	-	-	-	1	-	-	1	2	1
Female.....	19	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	597	10	1	1	1	2	3	3	9	11	9	21
Male.....	288	6	1	1	1	2	3	3	7	4	7	9
Female.....	309	4	-	-	-	-	-	-	2	7	2	12

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other heart diseases (I26-I51)												
Nebraska												
All races, both sexes.....	1,637	2	-	-	1	3	3	-	10	5	26	24
Male.....	680	1	-	-	1	2	2	-	6	3	13	16
Female.....	957	1	-	-	-	1	1	-	4	2	13	8
White, both sexes.....	1,580	2	-	-	-	2	2	-	7	4	23	19
Male.....	656	1	-	-	-	2	1	-	4	2	13	11
Female.....	924	1	-	-	-	-	1	-	3	2	10	8
Black, both sexes.....	42	-	-	-	1	1	1	-	1	1	3	4
Male.....	14	-	-	-	1	-	1	-	-	1	-	4
Female.....	28	-	-	-	-	1	-	-	1	-	3	-
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	1	-	-	1
Male.....	8	-	-	-	-	-	-	-	1	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	1,520	1	-	-	2	5	3	4	13	23	33	52
Male.....	796	-	-	-	2	2	1	2	12	11	19	36
Female.....	724	1	-	-	-	3	2	2	1	12	14	16
White, both sexes.....	1,348	1	-	-	2	3	2	3	10	15	26	44
Male.....	705	-	-	-	2	-	1	2	9	7	14	30
Female.....	643	1	-	-	-	3	1	1	1	8	12	14
Black, both sexes.....	127	-	-	-	-	-	-	1	1	6	7	8
Male.....	70	-	-	-	-	-	-	-	1	3	5	6
Female.....	57	-	-	-	-	-	-	1	-	3	2	2
American Indian 1/, both sexes.....	9	-	-	-	-	1	-	-	-	1	-	-
Male.....	6	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	36	-	-	-	-	1	1	-	2	1	-	-
Male.....	15	-	-	-	-	1	-	-	2	1	-	-
Female.....	21	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other heart diseases (I26-I51)												
New Hampshire												
All races, both sexes.....	551	1	-	-	-	2	3	1	3	5	9	7
Male.....	240	1	-	-	-	1	3	1	3	3	8	3
Female.....	311	-	-	-	-	1	-	-	-	2	1	4
White, both sexes.....	548	1	-	-	-	2	3	1	3	5	9	7
Male.....	237	1	-	-	-	1	3	1	3	3	8	3
Female.....	311	-	-	-	-	1	-	-	-	2	1	4
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	5,119	11	4	1	5	14	19	31	35	49	77	107
Male.....	2,248	4	2	1	3	11	13	25	19	27	49	78
Female.....	2,871	7	2	-	2	3	6	6	16	22	28	29
White, both sexes.....	4,459	5	1	-	2	11	12	18	26	34	55	71
Male.....	1,932	1	1	-	2	8	6	18	15	21	35	55
Female.....	2,527	4	-	-	-	3	6	-	11	13	20	16
Black, both sexes.....	596	4	2	1	3	3	7	8	9	15	22	35
Male.....	280	3	1	1	1	3	7	5	4	6	14	22
Female.....	316	1	1	-	2	-	-	3	5	9	8	13
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	61	2	1	-	-	-	-	4	-	-	-	1
Male.....	36	-	-	-	-	-	-	2	-	-	-	1
Female.....	25	2	1	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other heart diseases (I26-I51)												
New Mexico												
All races, both sexes.....	733	2	1	1	2	-	3	6	4	12	6	11
Male.....	323	-	-	1	2	-	2	3	3	9	1	6
Female.....	410	2	1	-	-	-	1	3	1	3	5	5
White, both sexes.....	688	2	1	-	1	-	2	5	3	9	6	11
Male.....	296	-	-	-	1	-	1	2	2	7	1	6
Female.....	392	2	1	-	-	-	1	3	1	2	5	5
Black, both sexes.....	16	-	-	-	-	-	1	-	-	1	-	-
Male.....	9	-	-	-	-	-	1	-	-	1	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	28	-	-	1	1	-	-	1	1	2	-	-
Male.....	17	-	-	1	1	-	-	1	1	1	-	-
Female.....	11	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	8,366	22	5	3	9	13	20	27	39	93	117	158
Male.....	3,621	12	2	1	7	7	15	18	26	54	75	99
Female.....	4,745	10	3	2	2	6	5	9	13	39	42	59
White, both sexes.....	7,427	15	4	1	6	8	12	17	26	59	77	102
Male.....	3,203	8	1	-	4	4	8	13	15	37	51	71
Female.....	4,224	7	3	1	2	4	4	4	11	22	26	31
Black, both sexes.....	840	6	1	2	2	5	7	8	10	30	38	52
Male.....	372	3	1	1	2	3	6	4	8	14	24	26
Female.....	468	3	-	1	-	2	1	4	2	16	14	26
American Indian 1/, both sexes.....	12	-	-	-	-	-	1	-	1	1	-	1
Male.....	7	-	-	-	-	-	1	-	1	1	-	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	87	1	-	-	1	-	-	2	2	3	2	3
Male.....	39	1	-	-	1	-	-	1	2	2	-	1
Female.....	48	-	-	-	-	-	-	1	-	1	2	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other heart diseases (I26-I51)												
Vermont												
All races, both sexes.....	304	-	1	1	-	2	-	-	1	2	-	3
Male.....	123	-	-	1	-	-	-	-	-	-	-	1
Female.....	181	-	1	-	-	2	-	-	1	2	-	2
White, both sexes.....	303	-	1	1	-	2	-	-	1	2	-	3
Male.....	123	-	-	1	-	-	-	-	-	-	-	1
Female.....	180	-	1	-	-	2	-	-	1	2	-	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	4,832	9	4	-	2	14	11	23	41	52	90	120
Male.....	2,138	5	2	-	2	5	6	10	24	35	55	74
Female.....	2,694	4	2	-	-	9	5	13	17	17	35	46
White, both sexes.....	3,763	4	2	-	1	8	3	11	17	30	62	72
Male.....	1,645	2	1	-	1	2	1	5	10	21	41	49
Female.....	2,118	2	1	-	-	6	2	6	7	9	21	23
Black, both sexes.....	1,029	5	2	-	1	5	8	12	23	21	27	48
Male.....	473	3	1	-	1	2	5	5	14	13	13	25
Female.....	556	2	1	-	-	3	3	7	9	8	14	23
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	38	-	-	-	-	1	-	-	1	1	1	-
Male.....	20	-	-	-	-	1	-	-	-	1	1	-
Female.....	18	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
United States												
All races, both sexes.....	4,862	5,913	7,033	9,377	14,303	21,276	28,500	30,794	23,517	9,779	2,210	6
Male.....	3,082	3,587	4,184	5,275	7,716	10,463	12,308	11,167	6,558	2,070	338	3
Female.....	1,780	2,326	2,849	4,102	6,587	10,813	16,192	19,627	16,959	7,709	1,872	3
White, both sexes.....	3,481	4,482	5,499	7,614	12,102	18,674	25,844	28,481	21,808	9,026	1,946	3
Male.....	2,272	2,764	3,339	4,341	6,619	9,283	11,250	10,394	6,044	1,909	290	2
Female.....	1,209	1,718	2,160	3,273	5,483	9,391	14,594	18,087	15,764	7,117	1,656	1
Black, both sexes.....	1,277	1,298	1,395	1,595	1,908	2,251	2,273	1,940	1,460	653	225	3
Male.....	743	744	761	837	951	989	884	597	400	122	36	1
Female.....	534	554	634	758	957	1,262	1,389	1,343	1,060	531	189	2
American Indian 1/, both sexes.....	35	39	35	37	60	75	71	69	37	18	10	-
Male.....	25	22	24	21	37	41	30	31	10	5	6	-
Female.....	10	17	11	16	23	34	41	38	27	13	4	-
Asian or Pacific Islander 2/, both sexes.....	69	94	104	131	233	276	312	304	212	82	29	-
Male.....	42	57	60	76	109	150	144	145	104	34	6	-
Female.....	27	37	44	55	124	126	168	159	108	48	23	-
Alabama												
All races, both sexes.....	213	249	262	389	543	762	909	991	668	305	55	-
Male.....	147	144	169	221	288	349	370	341	167	54	8	-
Female.....	66	105	93	168	255	413	539	650	501	251	47	-
White, both sexes.....	130	161	180	286	398	588	741	806	571	241	35	-
Male.....	87	90	121	168	220	274	306	289	136	43	4	-
Female.....	43	71	59	118	178	314	435	517	435	198	31	-
Black, both sexes.....	82	88	81	103	144	174	168	184	97	64	20	-
Male.....	60	54	47	53	68	75	64	52	31	11	4	-
Female.....	22	34	34	50	76	99	104	132	66	53	16	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
Alaska												
All races, both sexes.....	6	4	10	7	13	19	25	19	12	2	1	-
Male.....	3	3	8	3	8	11	16	5	2	2	-	-
Female.....	3	1	2	4	5	8	9	14	10	-	1	-
White, both sexes.....	4	3	5	6	10	15	20	17	10	1	-	-
Male.....	2	3	4	3	6	9	13	5	2	1	-	-
Female.....	2	-	1	3	4	6	7	12	8	-	-	-
Black, both sexes.....	1	-	2	-	1	2	-	-	1	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	2	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	3	1	2	2	4	2	1	-	1	-
Male.....	-	-	3	-	1	2	2	-	-	-	-	-
Female.....	1	-	-	1	1	-	2	2	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	67	62	83	124	173	287	355	386	265	112	28	-
Male.....	40	38	53	66	96	141	169	154	85	33	7	-
Female.....	27	24	30	58	77	146	186	232	180	79	21	-
White, both sexes.....	60	55	76	119	160	275	338	372	256	105	25	-
Male.....	35	34	49	64	87	135	162	146	81	31	5	-
Female.....	25	21	27	55	73	140	176	226	175	74	20	-
Black, both sexes.....	3	4	3	3	5	4	7	4	2	3	-	-
Male.....	1	3	2	1	4	2	2	3	2	1	-	-
Female.....	2	1	1	2	1	2	5	1	-	2	-	-
American Indian 1/, both sexes.....	3	2	4	2	7	5	9	6	5	4	3	-
Male.....	3	1	2	1	5	3	5	3	1	1	2	-
Female.....	-	1	2	1	2	2	4	3	4	3	1	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	3	1	4	2	-	-	-
Male.....	1	-	-	-	-	1	-	2	1	-	-	-
Female.....	-	1	-	-	1	2	1	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
Arkansas												
All races, both sexes.....	67	78	103	125	208	313	394	434	341	132	28	-
Male.....	42	52	64	73	126	167	162	148	88	24	4	-
Female.....	25	26	39	52	82	146	232	286	253	108	24	-
White, both sexes.....	48	66	88	106	188	279	363	405	301	122	21	-
Male.....	29	44	54	62	114	154	151	136	77	21	4	-
Female.....	19	22	34	44	74	125	212	269	224	101	17	-
Black, both sexes.....	18	12	15	19	19	34	30	28	38	10	7	-
Male.....	12	8	10	11	12	13	10	12	10	3	-	-
Female.....	6	4	5	8	7	21	20	16	28	7	7	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
California												
All races, both sexes.....	403	413	446	566	849	1,385	1,890	2,088	1,597	643	160	-
Male.....	249	260	269	317	469	708	860	847	496	157	29	-
Female.....	154	153	177	249	380	677	1,030	1,241	1,101	486	131	-
White, both sexes.....	302	324	352	458	716	1,208	1,698	1,896	1,481	589	143	-
Male.....	197	204	208	254	400	618	773	774	453	147	25	-
Female.....	105	120	144	204	316	590	925	1,122	1,028	442	118	-
Black, both sexes.....	65	60	65	69	72	107	93	96	48	28	7	-
Male.....	31	38	44	42	46	52	44	31	12	3	2	-
Female.....	34	22	21	27	26	55	49	65	36	25	5	-
American Indian 1/, both sexes.....	5	3	-	2	6	5	6	6	2	2	-	-
Male.....	3	2	-	-	4	4	2	4	-	-	-	-
Female.....	2	1	-	2	2	1	4	2	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	31	26	29	37	55	65	93	90	66	24	10	-
Male.....	18	16	17	21	19	34	41	38	31	7	2	-
Female.....	13	10	12	16	36	31	52	52	35	17	8	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
Colorado												
All races, both sexes.....	59	58	77	93	131	236	309	364	276	118	30	-
Male.....	39	29	43	49	59	110	137	136	85	25	5	-
Female.....	20	29	34	44	72	126	172	228	191	93	25	-
White, both sexes.....	51	49	73	88	126	227	294	355	274	115	29	-
Male.....	33	25	41	48	57	106	132	133	84	23	5	-
Female.....	18	24	32	40	69	121	162	222	190	92	24	-
Black, both sexes.....	6	5	3	5	3	7	10	6	2	2	-	-
Male.....	4	2	2	1	2	3	3	2	1	1	-	-
Female.....	2	3	1	4	1	4	7	4	1	1	-	-
American Indian 1/, both sexes.....	1	4	1	-	-	-	-	1	-	-	-	-
Male.....	1	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	2	5	2	-	1	1	-
Male.....	1	-	-	-	-	1	2	1	-	1	-	-
Female.....	-	-	-	-	2	1	3	1	-	-	1	-
Connecticut												
All races, both sexes.....	60	81	58	127	160	277	437	506	392	200	33	-
Male.....	38	51	35	71	105	153	195	202	111	45	5	-
Female.....	22	30	23	56	55	124	242	304	281	155	28	-
White, both sexes.....	49	67	52	113	145	259	417	497	383	191	31	-
Male.....	31	41	32	62	100	141	188	197	110	42	5	-
Female.....	18	26	20	51	45	118	229	300	273	149	26	-
Black, both sexes.....	11	13	5	14	13	16	19	6	8	8	2	-
Male.....	7	9	3	9	4	11	7	4	1	2	-	-
Female.....	4	4	2	5	9	5	12	2	7	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	2	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	2	1	-	1	1	-	-	-
Male.....	-	1	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
Florida												
All races, both sexes.....	197	261	363	481	770	1,135	1,482	1,748	1,307	497	101	-
Male.....	133	161	210	287	434	609	709	698	433	127	21	-
Female.....	64	100	153	194	336	526	773	1,050	874	370	80	-
White, both sexes.....	142	206	287	400	679	1,048	1,388	1,661	1,227	476	92	-
Male.....	98	131	185	242	397	563	668	675	412	123	19	-
Female.....	44	75	102	158	282	485	720	986	815	353	73	-
Black, both sexes.....	53	53	74	79	86	83	89	84	75	19	8	-
Male.....	33	29	24	44	34	43	40	21	19	3	1	-
Female.....	20	24	50	35	52	40	49	63	56	16	7	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	1	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	2	4	4	4	3	5	2	1	-
Male.....	1	1	-	1	2	3	1	2	2	1	1	-
Female.....	-	1	1	1	2	1	3	1	3	1	-	-
Georgia												
All races, both sexes.....	308	320	451	472	608	842	978	1,013	679	267	60	-
Male.....	179	201	260	250	336	379	409	328	156	50	10	-
Female.....	129	119	191	222	272	463	569	685	523	217	50	-
White, both sexes.....	159	199	273	302	415	626	777	837	545	216	40	-
Male.....	91	131	161	168	232	296	333	274	126	38	6	-
Female.....	68	68	112	134	183	330	444	563	419	178	34	-
Black, both sexes.....	147	118	172	166	189	213	199	172	131	50	20	-
Male.....	86	67	93	80	101	81	74	54	29	11	4	-
Female.....	61	51	79	86	88	132	125	118	102	39	16	-
American Indian 1/, both sexes.....	1	1	1	3	-	2	-	1	-	-	-	-
Male.....	1	1	1	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	5	1	4	1	2	3	3	1	-	-
Male.....	1	2	5	-	3	1	2	-	1	1	-	-
Female.....	-	-	-	1	1	-	-	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
Iowa												
All races, both sexes.....	21	47	38	63	116	147	222	283	256	117	25	-
Male.....	15	37	22	35	65	82	94	102	73	20	4	-
Female.....	6	10	16	28	51	65	128	181	183	97	21	-
White, both sexes.....	19	46	36	63	114	147	220	282	256	116	25	-
Male.....	14	36	21	35	64	82	94	102	73	20	4	-
Female.....	5	10	15	28	50	65	126	180	183	96	21	-
Black, both sexes.....	1	1	2	-	2	-	1	-	-	1	-	-
Male.....	-	1	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	1	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Kansas												
All races, both sexes.....	45	65	83	103	166	241	378	465	431	188	52	-
Male.....	33	45	52	60	87	120	175	167	109	31	9	-
Female.....	12	20	31	43	79	121	203	298	322	157	43	-
White, both sexes.....	41	54	70	94	158	227	365	453	412	184	52	-
Male.....	29	37	45	54	85	114	170	163	103	30	9	-
Female.....	12	17	25	40	73	113	195	290	309	154	43	-
Black, both sexes.....	4	11	11	6	5	11	11	10	15	3	-	-
Male.....	4	8	5	4	1	4	5	3	4	1	-	-
Female.....	-	3	6	2	4	7	6	7	11	2	-	-
American Indian 1/, both sexes.....	-	-	1	3	-	3	1	2	3	-	-	-
Male.....	-	-	1	2	-	2	-	1	1	-	-	-
Female.....	-	-	-	1	-	1	1	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	3	-	1	-	1	1	-	-
Male.....	-	-	1	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	2	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
Kentucky												
All races, both sexes.....	102	159	185	263	386	515	635	645	523	180	45	-
Male.....	60	88	99	151	212	230	268	211	140	36	11	-
Female.....	42	71	86	112	174	285	367	434	383	144	34	-
White, both sexes.....	88	147	172	240	359	482	608	609	496	167	39	-
Male.....	52	81	96	137	199	217	257	204	133	35	9	-
Female.....	36	66	76	103	160	265	351	405	363	132	30	-
Black, both sexes.....	14	12	13	22	27	32	26	35	27	13	6	-
Male.....	8	7	3	13	13	13	11	6	7	1	2	-
Female.....	6	5	10	9	14	19	15	29	20	12	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	1	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Louisiana												
All races, both sexes.....	95	133	166	210	331	447	576	534	405	158	27	-
Male.....	56	82	98	112	174	231	216	179	118	34	6	-
Female.....	39	51	68	98	157	216	360	355	287	124	21	-
White, both sexes.....	53	70	101	134	250	341	453	455	335	123	21	-
Male.....	36	41	64	74	138	182	171	156	95	26	4	-
Female.....	17	29	37	60	112	159	282	299	240	97	17	-
Black, both sexes.....	42	62	65	75	77	104	121	79	69	35	6	-
Male.....	20	41	34	37	34	49	43	23	23	8	2	-
Female.....	22	21	31	38	43	55	78	56	46	27	4	-
American Indian 1/, both sexes.....	-	-	-	1	3	-	2	-	1	-	-	-
Male.....	-	-	-	1	1	-	2	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
Maine												
All races, both sexes.....	27	30	34	49	71	102	136	165	119	60	12	-
Male.....	16	18	22	30	30	57	47	61	35	5	2	-
Female.....	11	12	12	19	41	45	89	104	84	55	10	-
White, both sexes.....	27	29	33	49	70	101	135	163	119	59	12	-
Male.....	16	18	22	30	29	56	46	59	35	5	2	-
Female.....	11	11	11	19	41	45	89	104	84	54	10	-
Black, both sexes.....	-	-	1	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	70	88	106	142	181	321	403	422	296	139	16	-
Male.....	41	48	65	77	95	142	167	150	84	22	4	-
Female.....	29	40	41	65	86	179	236	272	212	117	12	-
White, both sexes.....	33	41	59	90	128	258	340	362	259	123	14	-
Male.....	20	25	36	51	67	116	145	133	70	22	3	-
Female.....	13	16	23	39	61	142	195	229	189	101	11	-
Black, both sexes.....	35	47	44	47	50	62	59	58	35	16	1	-
Male.....	19	23	29	22	26	25	21	17	12	-	-	-
Female.....	16	24	15	25	24	37	38	41	23	16	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	1	-	1	-
Male.....	-	-	-	-	-	1	1	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	3	5	3	-	3	2	1	-	-	-
Male.....	2	-	-	4	2	-	-	-	1	-	-	-
Female.....	-	-	3	1	1	-	3	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
Massachusetts												
All races, both sexes.....	120	134	152	189	363	541	809	964	768	341	75	-
Male.....	80	89	98	109	212	272	361	339	189	59	8	-
Female.....	40	45	54	80	151	269	448	625	579	282	67	-
White, both sexes.....	102	122	140	181	347	516	783	941	754	337	71	-
Male.....	69	83	89	105	202	260	357	328	183	58	6	-
Female.....	33	39	51	76	145	256	426	613	571	279	65	-
Black, both sexes.....	16	10	10	7	13	21	22	20	13	4	3	-
Male.....	9	5	8	4	8	10	4	8	5	1	1	-
Female.....	7	5	2	3	5	11	18	12	8	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	1	3	4	4	3	1	-	1	-
Male.....	2	1	1	-	2	2	-	3	1	-	1	-
Female.....	-	1	1	1	1	2	4	-	-	-	-	-
Michigan												
All races, both sexes.....	183	197	205	304	461	742	1,071	1,139	853	344	80	-
Male.....	110	118	125	153	228	338	421	424	238	65	8	-
Female.....	73	79	80	151	233	404	650	715	615	279	72	-
White, both sexes.....	124	137	164	242	400	655	971	1,068	815	319	75	-
Male.....	83	77	102	123	201	304	378	397	229	60	8	-
Female.....	41	60	62	119	199	351	593	671	586	259	67	-
Black, both sexes.....	59	59	38	59	58	84	96	67	36	24	4	-
Male.....	27	40	20	30	25	32	42	25	8	4	-	-
Female.....	32	19	18	29	33	52	54	42	28	20	4	-
American Indian 1/, both sexes.....	-	1	1	-	3	2	3	1	-	-	-	-
Male.....	-	1	1	-	2	2	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	3	-	1	1	3	2	1	1	-
Male.....	-	-	2	-	-	-	-	2	1	1	-	-
Female.....	-	-	-	3	-	1	1	1	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
Minnesota												
All races, both sexes.....	51	74	88	115	206	269	448	560	501	218	65	-
Male.....	33	44	54	73	111	144	200	222	159	51	7	-
Female.....	18	30	34	42	95	125	248	338	342	167	58	-
White, both sexes.....	43	70	83	107	196	260	441	553	497	217	65	-
Male.....	27	42	53	68	106	139	195	217	159	51	7	-
Female.....	16	28	30	39	90	121	246	336	338	166	58	-
Black, both sexes.....	6	3	3	4	3	4	2	1	3	-	-	-
Male.....	5	2	-	2	1	-	1	1	-	-	-	-
Female.....	1	1	3	2	2	4	1	-	3	-	-	-
American Indian 1/, both sexes.....	-	1	1	3	1	3	2	3	1	-	-	-
Male.....	-	-	-	2	-	3	2	2	-	-	-	-
Female.....	-	1	1	1	1	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	1	6	2	3	3	-	1	-	-
Male.....	1	-	1	1	4	2	2	2	-	-	-	-
Female.....	1	-	-	-	2	-	1	1	-	1	-	-
Mississippi												
All races, both sexes.....	105	130	140	210	309	409	452	513	406	190	52	-
Male.....	61	77	94	133	177	184	193	175	110	34	8	-
Female.....	44	53	46	77	132	225	259	338	296	156	44	-
White, both sexes.....	60	68	83	133	218	277	331	392	296	135	34	-
Male.....	39	45	57	82	123	132	145	141	81	23	4	-
Female.....	21	23	26	51	95	145	186	251	215	112	30	-
Black, both sexes.....	44	60	57	75	91	130	120	119	110	55	18	-
Male.....	21	31	37	49	54	51	48	34	29	11	4	-
Female.....	23	29	20	26	37	79	72	85	81	44	14	-
American Indian 1/, both sexes.....	1	1	-	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	2	-	2	-	-	-	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
Nebraska												
All races, both sexes.....	48	49	48	72	124	174	266	330	271	143	38	-
Male.....	35	26	24	40	67	90	115	126	77	33	3	-
Female.....	13	23	24	32	57	84	151	204	194	110	35	-
White, both sexes.....	46	47	42	68	117	168	259	326	270	141	37	-
Male.....	35	25	22	39	62	90	114	124	76	32	3	-
Female.....	11	22	20	29	55	78	145	202	194	109	34	-
Black, both sexes.....	2	1	4	3	5	6	3	4	1	-	1	-
Male.....	-	-	1	-	3	-	-	2	1	-	-	-
Female.....	2	1	3	3	2	6	3	2	-	-	1	-
American Indian 1/, both sexes.....	-	1	2	1	2	-	3	-	-	1	-	-
Male.....	-	1	1	1	2	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	2	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Nevada												
All races, both sexes.....	74	86	103	116	177	199	235	207	125	51	10	1
Male.....	58	59	64	67	101	113	110	79	40	17	3	-
Female.....	16	27	39	49	76	86	125	128	85	34	7	1
White, both sexes.....	56	70	90	101	150	182	217	197	119	50	9	1
Male.....	45	47	54	59	91	106	104	77	38	16	3	-
Female.....	11	23	36	42	59	76	113	120	81	34	6	1
Black, both sexes.....	17	13	12	13	19	11	12	6	1	-	-	-
Male.....	12	10	10	8	6	4	3	2	-	-	-	-
Female.....	5	3	2	5	13	7	9	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	3	-	2	1	-	-
Male.....	-	-	-	-	-	1	2	-	1	1	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	1	2	8	5	3	4	3	-	1	-
Male.....	1	2	-	-	4	2	1	-	1	-	-	-
Female.....	-	1	1	2	4	3	2	4	2	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
New Hampshire												
All races, both sexes.....	13	18	18	26	34	54	123	119	86	27	2	-
Male.....	7	13	15	14	16	30	51	48	22	1	-	-
Female.....	6	5	3	12	18	24	72	71	64	26	2	-
White, both sexes.....	13	17	18	26	34	53	122	119	86	27	2	-
Male.....	7	12	15	14	16	29	50	48	22	1	-	-
Female.....	6	5	3	12	18	24	72	71	64	26	2	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	130	161	198	264	435	657	915	997	710	250	49	-
Male.....	89	102	126	148	222	335	399	341	196	45	13	-
Female.....	41	59	72	116	213	322	516	656	514	205	36	-
White, both sexes.....	84	121	139	195	370	573	845	947	664	240	46	-
Male.....	62	84	92	111	189	290	377	325	185	43	12	-
Female.....	22	37	47	84	181	283	468	622	479	197	34	-
Black, both sexes.....	45	36	52	64	58	73	61	46	39	10	3	-
Male.....	27	16	29	33	31	39	15	12	8	2	1	-
Female.....	18	20	23	31	27	34	46	34	31	8	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	7	5	7	10	9	4	7	-	-	-
Male.....	-	2	5	4	2	6	7	4	3	-	-	-
Female.....	-	2	2	1	5	4	2	-	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
New Mexico												
All races, both sexes.....	28	17	26	44	53	105	125	141	86	52	8	-
Male.....	16	7	16	27	34	50	50	66	18	11	1	-
Female.....	12	10	10	17	19	55	75	75	68	41	7	-
White, both sexes.....	23	14	24	41	51	100	120	134	82	52	7	-
Male.....	13	6	14	24	32	48	47	63	18	11	-	-
Female.....	10	8	10	17	19	52	73	71	64	41	7	-
Black, both sexes.....	2	1	1	1	1	1	2	3	2	-	-	-
Male.....	1	1	1	1	1	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	3	2	-	-	-
American Indian 1/, both sexes.....	3	2	1	2	1	4	2	4	2	-	1	-
Male.....	2	-	1	2	1	2	-	3	-	-	1	-
Female.....	1	2	-	-	-	2	2	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	211	259	310	454	674	1,038	1,457	1,546	1,229	556	124	2
Male.....	133	169	175	248	359	515	641	564	359	127	13	2
Female.....	78	90	135	206	315	523	816	982	870	429	111	-
White, both sexes.....	155	202	247	383	568	938	1,349	1,455	1,168	521	113	1
Male.....	101	135	148	215	308	467	603	538	343	121	11	1
Female.....	54	67	99	168	260	471	746	917	825	400	102	-
Black, both sexes.....	54	53	62	64	92	90	93	75	55	30	10	1
Male.....	32	32	26	28	45	45	31	20	14	4	2	1
Female.....	22	21	36	36	47	45	62	55	41	26	8	-
American Indian 1/, both sexes.....	-	1	-	1	-	1	1	4	-	-	-	-
Male.....	-	1	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	1	6	14	9	14	12	6	5	1	-
Male.....	-	1	1	5	6	2	7	5	2	2	-	-
Female.....	2	2	-	1	8	7	7	7	4	3	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
Ohio												
All races, both sexes.....	184	259	299	443	691	1,093	1,375	1,353	1,023	373	93	-
Male.....	106	143	164	248	376	495	567	456	271	91	14	-
Female.....	78	116	135	195	315	598	808	897	752	282	79	-
White, both sexes.....	144	203	257	383	612	983	1,270	1,281	970	355	85	-
Male.....	87	115	146	215	329	449	516	435	259	89	13	-
Female.....	57	88	111	168	283	534	754	846	711	266	72	-
Black, both sexes.....	40	54	40	57	79	106	102	70	52	17	8	-
Male.....	19	26	18	31	47	45	49	21	12	2	1	-
Female.....	21	28	22	26	32	61	53	49	40	15	7	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	3	-	3	2	2	1	1	-	-
Male.....	-	2	-	2	-	-	2	-	-	-	-	-
Female.....	-	-	2	1	-	3	-	2	1	1	-	-
Oklahoma												
All races, both sexes.....	64	96	123	169	229	337	418	483	414	163	34	-
Male.....	43	58	64	98	112	164	169	157	109	24	4	-
Female.....	21	38	59	71	117	173	249	326	305	139	30	-
White, both sexes.....	55	77	95	147	206	312	394	458	390	148	28	-
Male.....	36	45	51	87	102	152	162	147	98	23	3	-
Female.....	19	32	44	60	104	160	232	311	292	125	25	-
Black, both sexes.....	4	11	18	14	13	7	17	11	16	9	4	-
Male.....	3	7	8	9	5	4	6	3	8	1	-	-
Female.....	1	4	10	5	8	3	11	8	8	8	4	-
American Indian 1/, both sexes.....	5	7	9	7	8	17	7	13	7	6	2	-
Male.....	4	5	4	1	4	7	1	7	3	-	1	-
Female.....	1	2	5	6	4	10	6	6	4	6	1	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	2	1	-	1	1	-	-	-
Male.....	-	1	1	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
Oregon												
All races, both sexes.....	35	54	60	96	154	264	373	464	367	152	35	-
Male.....	22	31	43	48	90	130	165	178	110	30	3	-
Female.....	13	23	17	48	64	134	208	286	257	122	32	-
White, both sexes.....	32	52	56	94	150	257	366	459	364	151	34	-
Male.....	20	31	40	48	87	125	162	177	109	30	3	-
Female.....	12	21	16	46	63	132	204	282	255	121	31	-
Black, both sexes.....	2	1	2	-	1	4	3	2	1	1	-	-
Male.....	2	-	1	-	1	4	1	-	-	-	-	-
Female.....	-	1	1	-	-	-	2	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	3	3	2	1	-	-	-
Male.....	-	-	1	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	2	3	-	1	1	1	-	1	-
Male.....	-	-	1	-	2	-	-	1	1	-	-	-
Female.....	1	1	-	2	1	-	1	-	-	-	1	-
Pennsylvania												
All races, both sexes.....	269	312	402	560	936	1,470	1,925	2,164	1,527	606	152	-
Male.....	170	189	257	334	476	739	856	728	362	127	18	-
Female.....	99	123	145	226	460	731	1,069	1,436	1,165	479	134	-
White, both sexes.....	203	259	352	484	832	1,371	1,822	2,070	1,470	575	139	-
Male.....	128	167	232	289	429	692	818	700	351	120	17	-
Female.....	75	92	120	195	403	679	1,004	1,370	1,119	455	122	-
Black, both sexes.....	65	50	49	75	98	97	99	92	54	29	13	-
Male.....	41	21	24	44	46	46	37	28	10	6	1	-
Female.....	24	29	25	31	52	51	62	64	44	23	12	-
American Indian 1/, both sexes.....	1	1	-	1	-	-	-	1	1	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	6	2	4	1	2	2	-	-
Male.....	-	-	1	-	1	1	1	-	1	1	-	-
Female.....	-	2	-	-	5	1	3	1	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
South Dakota												
All races, both sexes.....	17	15	29	28	34	56	88	115	80	47	11	-
Male.....	12	9	21	16	21	27	39	52	20	6	1	-
Female.....	5	6	8	12	13	29	49	63	60	41	10	-
White, both sexes.....	14	12	28	27	29	53	86	114	80	47	11	-
Male.....	9	7	20	15	18	25	38	52	20	6	1	-
Female.....	5	5	8	12	11	28	48	62	60	41	10	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	3	1	1	5	3	2	1	-	-	-	-
Male.....	3	2	1	1	3	2	1	-	-	-	-	-
Female.....	-	1	-	-	2	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	111	144	169	180	272	380	475	459	275	112	19	-
Male.....	58	80	96	100	151	158	174	155	94	19	4	-
Female.....	53	64	73	80	121	222	301	304	181	93	15	-
White, both sexes.....	81	115	126	151	231	339	415	420	244	102	15	-
Male.....	43	66	71	88	130	139	152	143	77	16	3	-
Female.....	38	49	55	63	101	200	263	277	167	86	12	-
Black, both sexes.....	30	28	41	29	40	41	59	38	31	9	4	-
Male.....	15	13	23	12	21	19	22	11	17	2	1	-
Female.....	15	15	18	17	19	22	37	27	14	7	3	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	1	-	1	1	-	1	-	-
Male.....	-	1	1	-	-	-	-	1	-	1	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
Vermont												
All races, both sexes.....	5	5	16	15	25	35	57	63	46	20	7	-
Male.....	4	4	12	8	11	19	22	22	16	2	1	-
Female.....	1	1	4	7	14	16	35	41	30	18	6	-
White, both sexes.....	5	5	16	15	25	34	57	63	46	20	7	-
Male.....	4	4	12	8	11	19	22	22	16	2	1	-
Female.....	1	1	4	7	14	15	35	41	30	18	6	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	160	199	209	246	448	625	847	808	621	252	51	-
Male.....	102	124	122	136	246	313	364	285	159	60	9	-
Female.....	58	75	87	110	202	312	483	523	462	192	42	-
White, both sexes.....	106	135	138	168	353	474	713	678	526	224	38	-
Male.....	66	90	80	99	192	245	312	238	132	53	5	-
Female.....	40	45	58	69	161	229	401	440	394	171	33	-
Black, both sexes.....	54	62	71	75	91	142	128	125	89	27	13	-
Male.....	36	32	42	34	51	64	50	47	25	6	4	-
Female.....	18	30	29	41	40	78	78	78	64	21	9	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	3	4	9	4	5	6	1	-	-
Male.....	-	2	-	3	3	4	2	-	2	1	-	-
Female.....	-	-	-	-	1	5	2	5	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
Washington												
All races, both sexes.....	54	78	79	105	169	257	396	455	358	131	31	-
Male.....	33	44	32	64	96	123	150	161	121	29	8	-
Female.....	21	34	47	41	73	134	246	294	237	102	23	-
White, both sexes.....	41	67	72	95	157	242	375	445	354	127	30	-
Male.....	26	39	31	58	87	116	141	155	118	28	7	-
Female.....	15	28	41	37	70	126	234	290	236	99	23	-
Black, both sexes.....	9	7	5	7	4	7	5	1	-	1	-	-
Male.....	6	4	1	4	2	2	1	1	-	-	-	-
Female.....	3	3	4	3	2	5	4	-	-	1	-	-
American Indian 1/, both sexes.....	1	2	-	-	3	3	2	3	-	-	-	-
Male.....	-	-	-	-	3	1	1	3	-	-	-	-
Female.....	1	2	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	2	3	5	5	14	6	4	3	1	-
Male.....	1	1	-	2	4	4	7	2	3	1	1	-
Female.....	2	1	2	1	1	1	7	4	1	2	-	-
West Virginia												
All races, both sexes.....	35	55	69	97	118	212	310	311	220	88	14	-
Male.....	26	39	37	49	52	95	108	95	65	20	2	-
Female.....	9	16	32	48	66	117	202	216	155	68	12	-
White, both sexes.....	33	52	66	94	116	205	303	303	215	86	14	-
Male.....	24	38	34	47	51	92	106	91	64	20	2	-
Female.....	9	14	32	47	65	113	197	212	151	66	12	-
Black, both sexes.....	2	3	3	3	1	7	7	8	5	2	-	-
Male.....	2	1	3	2	1	3	2	4	1	-	-	-
Female.....	-	2	-	1	-	4	5	4	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
Arkansas												
All races, both sexes.....	212	6	-	-	-	1	1	3	3	4	5	7
Male.....	95	2	-	-	-	-	-	-	2	-	1	3
Female.....	117	4	-	-	-	1	1	3	1	4	4	4
White, both sexes.....	183	4	-	-	-	1	1	2	3	4	2	7
Male.....	88	2	-	-	-	-	-	-	2	-	1	3
Female.....	95	2	-	-	-	1	1	2	1	4	1	4
Black, both sexes.....	29	2	-	-	-	-	-	1	-	-	3	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	22	2	-	-	-	-	-	1	-	-	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	787	25	-	-	-	2	2	8	14	20	29	42
Male.....	308	16	-	-	-	1	1	3	6	8	11	15
Female.....	479	9	-	-	-	1	1	5	8	12	18	27
White, both sexes.....	674	16	-	-	-	1	1	6	8	16	27	36
Male.....	266	13	-	-	-	-	1	2	3	7	10	13
Female.....	408	3	-	-	-	1	-	4	5	9	17	23
Black, both sexes.....	80	5	-	-	-	1	1	2	5	3	2	5
Male.....	30	2	-	-	-	1	-	1	3	1	1	2
Female.....	50	3	-	-	-	-	1	1	2	2	1	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	31	4	-	-	-	-	-	-	1	1	-	1
Male.....	12	1	-	-	-	-	-	-	-	-	-	-
Female.....	19	3	-	-	-	-	-	-	1	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
Nebraska												
All races, both sexes.....	91	-	-	-	-	-	-	-	3	1	6	3
Male.....	27	-	-	-	-	-	-	-	-	-	1	2
Female.....	64	-	-	-	-	-	-	-	3	1	5	1
White, both sexes.....	84	-	-	-	-	-	-	-	2	1	4	1
Male.....	24	-	-	-	-	-	-	-	-	-	1	-
Female.....	60	-	-	-	-	-	-	-	2	1	3	1
Black, both sexes.....	6	-	-	-	-	-	-	-	1	-	2	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	2
Female.....	4	-	-	-	-	-	-	-	1	-	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	92	-	-	-	1	1	1	-	1	3	1	5
Male.....	40	-	-	-	1	-	-	-	1	1	-	3
Female.....	52	-	-	-	-	1	1	-	-	2	1	2
White, both sexes.....	84	-	-	-	1	1	-	-	1	1	-	5
Male.....	39	-	-	-	1	-	-	-	1	1	-	3
Female.....	45	-	-	-	-	1	-	-	-	-	-	2
Black, both sexes.....	7	-	-	-	-	-	-	-	-	2	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
New Mexico												
All races, both sexes.....	61	-	-	-	-	-	-	1	1	4	2	5
Male.....	24	-	-	-	-	-	-	-	1	3	-	2
Female.....	37	-	-	-	-	-	-	1	-	1	2	3
White, both sexes.....	56	-	-	-	-	-	-	1	1	3	2	5
Male.....	20	-	-	-	-	-	-	-	1	2	-	2
Female.....	36	-	-	-	-	-	-	1	-	1	2	3
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	692	12	-	-	1	1	3	6	10	10	22	25
Male.....	239	7	-	-	1	-	1	2	2	5	9	11
Female.....	453	5	-	-	-	1	2	4	8	5	13	14
White, both sexes.....	563	10	-	-	-	-	1	3	7	8	13	16
Male.....	198	6	-	-	-	-	-	2	1	4	4	6
Female.....	365	4	-	-	-	-	1	1	6	4	9	10
Black, both sexes.....	122	2	-	-	1	1	2	2	3	2	9	9
Male.....	38	1	-	-	1	-	1	-	1	1	5	5
Female.....	84	1	-	-	-	1	1	2	2	1	4	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	1	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
Alaska												
All races, both sexes.....	-	2	1	1	-	3	3	1	-	-	-	-
Male.....	-	1	-	-	-	2	1	1	-	-	-	-
Female.....	-	1	1	1	-	1	2	-	-	-	-	-
White, both sexes.....	-	1	-	1	-	3	3	1	-	-	-	-
Male.....	-	1	-	-	-	2	1	1	-	-	-	-
Female.....	-	-	-	1	-	1	2	-	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	14	8	10	18	19	29	26	25	7	3	1	-
Male.....	5	4	4	9	5	13	10	9	2	1	1	-
Female.....	9	4	6	9	14	16	16	16	5	2	-	-
White, both sexes.....	14	6	10	17	19	28	24	22	5	3	1	-
Male.....	5	3	4	8	5	13	10	8	1	1	1	-
Female.....	9	3	6	9	14	15	14	14	4	2	-	-
Black, both sexes.....	-	2	-	1	-	-	1	2	1	-	-	-
Male.....	-	1	-	1	-	-	-	1	1	-	-	-
Female.....	-	1	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
Arkansas												
All races, both sexes.....	14	15	16	16	22	33	27	27	11	1	-	-
Male.....	8	9	10	8	11	16	9	14	2	-	-	-
Female.....	6	6	6	8	11	17	18	13	9	1	-	-
White, both sexes.....	13	14	14	14	21	30	22	20	10	1	-	-
Male.....	8	9	8	8	11	15	8	11	2	-	-	-
Female.....	5	5	6	6	10	15	14	9	8	1	-	-
Black, both sexes.....	1	1	2	2	1	3	5	7	1	-	-	-
Male.....	-	-	2	-	-	1	1	3	-	-	-	-
Female.....	1	1	-	2	1	2	4	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	55	49	49	61	85	95	97	90	51	9	4	-
Male.....	25	24	18	24	40	38	30	29	14	5	-	-
Female.....	30	25	31	37	45	57	67	61	37	4	4	-
White, both sexes.....	44	41	44	49	78	79	89	77	49	9	4	-
Male.....	22	21	15	20	38	33	26	24	13	5	-	-
Female.....	22	20	29	29	40	46	63	53	36	4	4	-
Black, both sexes.....	9	7	2	9	3	12	6	8	-	-	-	-
Male.....	3	2	1	4	1	3	2	3	-	-	-	-
Female.....	6	5	1	5	2	9	4	5	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	3	2	4	4	2	4	2	-	-	-
Male.....	-	1	2	-	1	2	2	2	1	-	-	-
Female.....	2	-	1	2	3	2	-	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)

Colorado

All races, both sexes.....	13	14	17	27	21	34	33	23	11	5	-	-
Male.....	5	3	7	12	6	13	11	8	4	2	-	-
Female.....	8	11	10	15	15	21	22	15	7	3	-	-
White, both sexes.....	13	13	16	26	20	32	32	22	11	5	-	-
Male.....	5	3	6	12	6	12	11	7	4	2	-	-
Female.....	8	10	10	14	14	20	21	15	7	3	-	-
Black, both sexes.....	-	-	1	1	1	2	1	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	8	15	6	15	11	16	19	19	12	3	-	-
Male.....	3	4	2	3	4	6	8	6	4	2	-	-
Female.....	5	11	4	12	7	10	11	13	8	1	-	-
White, both sexes.....	7	13	6	14	8	12	18	19	11	2	-	-
Male.....	2	2	2	2	4	4	8	6	4	1	-	-
Female.....	5	11	4	12	4	8	10	13	7	1	-	-
Black, both sexes.....	1	2	-	1	3	4	1	-	-	1	-	-
Male.....	1	2	-	1	-	2	-	-	-	1	-	-
Female.....	-	-	-	-	3	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
Florida												
All races, both sexes.....	27	44	65	61	87	120	117	99	43	23	1	-
Male.....	18	19	33	31	36	50	46	30	10	3	-	-
Female.....	9	25	32	30	51	70	71	69	33	20	1	-
White, both sexes.....	22	36	51	54	74	108	111	85	40	22	-	-
Male.....	15	15	33	26	31	44	46	28	10	3	-	-
Female.....	7	21	18	28	43	64	65	57	30	19	-	-
Black, both sexes.....	5	8	14	7	12	12	6	13	3	1	1	-
Male.....	3	4	-	5	4	6	-	1	-	-	-	-
Female.....	2	4	14	2	8	6	6	12	3	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Georgia												
All races, both sexes.....	32	22	31	40	41	61	36	32	20	7	1	-
Male.....	10	9	11	18	13	25	13	7	3	3	-	-
Female.....	22	13	20	22	28	36	23	25	17	4	1	-
White, both sexes.....	17	20	25	23	27	46	30	27	16	4	-	-
Male.....	6	9	10	13	9	20	11	6	3	1	-	-
Female.....	11	11	15	10	18	26	19	21	13	3	-	-
Black, both sexes.....	15	2	6	16	14	15	6	4	4	2	1	-
Male.....	4	-	1	5	4	5	2	1	-	1	-	-
Female.....	11	2	5	11	10	10	4	3	4	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
Maine												
All races, both sexes.....	7	3	8	7	4	7	14	5	4	2	-	-
Male.....	6	2	4	3	4	3	2	1	1	-	-	-
Female.....	1	1	4	4	-	4	12	4	3	2	-	-
White, both sexes.....	7	3	8	7	4	7	14	5	4	2	-	-
Male.....	6	2	4	3	4	3	2	1	1	-	-	-
Female.....	1	1	4	4	-	4	12	4	3	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	18	18	25	24	31	44	34	28	15	1	-	-
Male.....	8	8	13	12	15	16	15	8	4	-	-	-
Female.....	10	10	12	12	16	28	19	20	11	1	-	-
White, both sexes.....	7	7	12	12	22	33	29	23	9	1	-	-
Male.....	3	4	7	6	11	13	12	8	1	-	-	-
Female.....	4	3	5	6	11	20	17	15	8	1	-	-
Black, both sexes.....	11	11	13	11	9	11	5	4	6	-	-	-
Male.....	5	4	6	6	4	3	3	-	3	-	-	-
Female.....	6	7	7	5	5	8	2	4	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
Massachusetts												
All races, both sexes.....	11	19	16	19	33	45	56	42	26	12	-	-
Male.....	5	8	8	10	15	17	17	14	6	3	-	-
Female.....	6	11	8	9	18	28	39	28	20	9	-	-
White, both sexes.....	10	16	16	19	31	41	55	41	26	12	-	-
Male.....	5	7	8	10	14	16	17	14	6	3	-	-
Female.....	5	9	8	9	17	25	38	27	20	9	-	-
Black, both sexes.....	1	2	-	-	2	4	1	1	-	-	-	-
Male.....	-	1	-	-	1	1	-	-	-	-	-	-
Female.....	1	1	-	-	1	3	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	29	30	32	43	43	55	63	61	23	10	1	-
Male.....	16	11	17	21	16	24	17	25	7	1	-	-
Female.....	13	19	15	22	27	31	46	36	16	9	1	-
White, both sexes.....	21	26	29	36	34	49	56	57	22	9	1	-
Male.....	13	10	15	17	15	22	15	23	7	1	-	-
Female.....	8	16	14	19	19	27	41	34	15	8	1	-
Black, both sexes.....	8	4	3	7	9	6	6	4	1	1	-	-
Male.....	3	1	2	4	1	2	2	2	-	-	-	-
Female.....	5	3	1	3	8	4	4	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
New Mexico												
All races, both sexes.....	3	6	2	6	6	7	7	8	2	1	-	-
Male.....	1	3	1	5	3	2	1	1	1	-	-	-
Female.....	2	3	1	1	3	5	6	7	1	1	-	-
White, both sexes.....	2	4	2	5	6	7	7	8	2	1	-	-
Male.....	-	2	1	4	3	2	1	1	1	-	-	-
Female.....	2	2	1	1	3	5	6	7	1	1	-	-
Black, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	27	35	45	59	81	99	119	74	46	13	4	-
Male.....	10	11	21	24	34	29	43	21	7	1	-	-
Female.....	17	24	24	35	47	70	76	53	39	12	4	-
White, both sexes.....	22	24	37	44	62	85	108	67	44	9	3	-
Male.....	9	6	19	20	28	27	39	20	6	1	-	-
Female.....	13	18	18	24	34	58	69	47	38	8	3	-
Black, both sexes.....	4	10	8	14	18	13	11	7	1	4	1	-
Male.....	1	4	2	4	5	2	4	1	-	-	-	-
Female.....	3	6	6	10	13	11	7	6	1	4	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	1	-	-	1	-	-	-
Male.....	-	1	-	-	1	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pulmonary embolism (I26)												
Arkansas												
All races, both sexes.....	162	-	-	-	-	-	1	1	3	4	5	5
Male.....	75	-	-	-	-	-	-	-	2	-	1	3
Female.....	87	-	-	-	-	-	1	1	1	4	4	2
White, both sexes.....	143	-	-	-	-	-	1	1	3	4	2	5
Male.....	69	-	-	-	-	-	-	-	2	-	1	3
Female.....	74	-	-	-	-	-	1	1	1	4	1	2
Black, both sexes.....	19	-	-	-	-	-	-	-	-	-	3	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	-	-	-	-	-	-	-	-	-	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	403	-	-	-	-	1	1	4	6	9	15	19
Male.....	163	-	-	-	-	1	-	2	3	4	7	8
Female.....	240	-	-	-	-	-	1	2	3	5	8	11
White, both sexes.....	349	-	-	-	-	-	-	2	3	6	15	17
Male.....	143	-	-	-	-	-	-	1	1	3	7	7
Female.....	206	-	-	-	-	-	-	1	2	3	8	10
Black, both sexes.....	41	-	-	-	-	1	1	2	3	2	-	2
Male.....	14	-	-	-	-	1	-	1	2	1	-	1
Female.....	27	-	-	-	-	-	1	1	1	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	-	1	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pulmonary embolism (I26)												
Nebraska												
All races, both sexes.....	58	-	-	-	-	-	-	-	2	1	3	2
Male.....	18	-	-	-	-	-	-	-	-	-	1	1
Female.....	40	-	-	-	-	-	-	-	2	1	2	1
White, both sexes.....	56	-	-	-	-	-	-	-	2	1	3	1
Male.....	16	-	-	-	-	-	-	-	-	-	1	-
Female.....	40	-	-	-	-	-	-	-	2	1	2	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	55	-	-	-	-	-	1	-	1	2	1	1
Male.....	23	-	-	-	-	-	-	-	1	1	-	-
Female.....	32	-	-	-	-	-	1	-	-	1	1	1
White, both sexes.....	49	-	-	-	-	-	-	-	1	1	-	1
Male.....	22	-	-	-	-	-	-	-	1	1	-	-
Female.....	27	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	5	-	-	-	-	-	-	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pulmonary embolism (I26)												
Alaska												
All races, both sexes.....	-	1	-	1	-	-	1	1	-	-	-	-
Male.....	-	1	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	-	1	-	1	-	-	1	1	-	-	-	-
Male.....	-	1	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	9	6	8	10	12	15	17	18	6	1	1	-
Male.....	4	3	3	8	4	3	6	7	2	-	1	-
Female.....	5	3	5	2	8	12	11	11	4	1	-	-
White, both sexes.....	9	4	8	9	12	14	15	15	4	1	1	-
Male.....	4	2	3	7	4	3	6	6	1	-	1	-
Female.....	5	2	5	2	8	11	9	9	3	1	-	-
Black, both sexes.....	-	2	-	1	-	-	1	2	1	-	-	-
Male.....	-	1	-	1	-	-	-	1	1	-	-	-
Female.....	-	1	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pulmonary embolism (I26)												
Arkansas												
All races, both sexes.....	9	11	12	11	20	24	25	21	9	1	-	-
Male.....	6	6	9	7	9	13	7	10	2	-	-	-
Female.....	3	5	3	4	11	11	18	11	7	1	-	-
White, both sexes.....	9	10	10	11	19	24	20	15	8	1	-	-
Male.....	6	6	7	7	9	13	6	7	2	-	-	-
Female.....	3	4	3	4	10	11	14	8	6	1	-	-
Black, both sexes.....	-	1	2	-	1	-	5	6	1	-	-	-
Male.....	-	-	2	-	-	-	1	3	-	-	-	-
Female.....	-	1	-	-	1	-	4	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	28	33	32	33	48	49	46	46	24	6	3	-
Male.....	13	16	10	13	23	24	16	13	7	3	-	-
Female.....	15	17	22	20	25	25	30	33	17	3	3	-
White, both sexes.....	24	28	28	26	44	42	42	40	23	6	3	-
Male.....	13	14	8	11	23	21	13	12	6	3	-	-
Female.....	11	14	20	15	21	21	29	28	17	3	3	-
Black, both sexes.....	4	5	2	6	2	6	2	3	-	-	-	-
Male.....	-	2	1	2	-	2	1	-	-	-	-	-
Female.....	4	3	1	4	2	4	1	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	2	1	2	2	1	-	-	-
Male.....	-	-	1	-	-	1	2	1	1	-	-	-
Female.....	-	-	1	1	2	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pulmonary embolism (I26)												
Florida												
All races, both sexes.....	18	20	38	34	48	65	73	60	25	12	-	-
Male.....	12	11	21	16	22	29	26	19	6	2	-	-
Female.....	6	9	17	18	26	36	47	41	19	10	-	-
White, both sexes.....	14	18	29	29	40	56	67	53	23	11	-	-
Male.....	9	9	21	13	19	24	26	17	6	2	-	-
Female.....	5	9	8	16	21	32	41	36	17	9	-	-
Black, both sexes.....	4	2	9	5	8	9	6	6	2	1	-	-
Male.....	3	2	-	3	3	5	-	1	-	-	-	-
Female.....	1	-	9	2	5	4	6	5	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Georgia												
All races, both sexes.....	23	17	12	29	28	41	25	20	11	4	-	-
Male.....	9	8	4	12	10	18	9	5	2	2	-	-
Female.....	14	9	8	17	18	23	16	15	9	2	-	-
White, both sexes.....	14	16	10	20	19	30	21	15	9	2	-	-
Male.....	6	8	3	10	7	14	8	4	2	-	-	-
Female.....	8	8	7	10	12	16	13	11	7	2	-	-
Black, both sexes.....	9	1	2	8	9	11	4	4	2	1	-	-
Male.....	3	-	1	2	3	4	1	1	-	1	-	-
Female.....	6	1	1	6	6	7	3	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pulmonary embolism (I26)												
Maine												
All races, both sexes.....	4	2	4	4	1	5	9	3	2	2	-	-
Male.....	3	1	4	1	1	2	1	-	-	-	-	-
Female.....	1	1	-	3	-	3	8	3	2	2	-	-
White, both sexes.....	4	2	4	4	1	5	9	3	2	2	-	-
Male.....	3	1	4	1	1	2	1	-	-	-	-	-
Female.....	1	1	-	3	-	3	8	3	2	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	15	15	18	17	19	29	19	23	7	1	-	-
Male.....	6	8	10	9	10	12	13	7	3	-	-	-
Female.....	9	7	8	8	9	17	6	16	4	1	-	-
White, both sexes.....	5	5	9	8	15	23	15	19	3	1	-	-
Male.....	2	4	5	4	8	10	11	7	1	-	-	-
Female.....	3	1	4	4	7	13	4	12	2	1	-	-
Black, both sexes.....	10	10	9	9	4	6	4	3	4	-	-	-
Male.....	4	4	5	5	2	2	2	-	2	-	-	-
Female.....	6	6	4	4	2	4	2	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pulmonary embolism (I26)												
Massachusetts												
All races, both sexes.....	1	11	10	16	20	23	32	23	16	6	-	-
Male.....	-	4	6	9	7	7	10	7	4	2	-	-
Female.....	1	7	4	7	13	16	22	16	12	4	-	-
White, both sexes.....	1	10	10	16	20	21	31	23	16	6	-	-
Male.....	-	3	6	9	7	7	10	7	4	2	-	-
Female.....	1	7	4	7	13	14	21	16	12	4	-	-
Black, both sexes.....	-	1	-	-	-	2	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	19	21	19	27	26	30	40	38	12	8	-	-
Male.....	10	10	10	12	10	9	11	18	3	1	-	-
Female.....	9	11	9	15	16	21	29	20	9	7	-	-
White, both sexes.....	13	19	18	21	20	25	36	37	11	7	-	-
Male.....	7	9	9	9	10	8	10	17	3	1	-	-
Female.....	6	10	9	12	10	17	26	20	8	6	-	-
Black, both sexes.....	6	2	1	6	6	5	3	1	1	1	-	-
Male.....	3	1	1	3	-	1	1	1	-	-	-	-
Female.....	3	1	-	3	6	4	2	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
Arkansas												
All races, both sexes.....	50	6	-	-	-	1	-	2	-	-	-	2
Male.....	20	2	-	-	-	-	-	-	-	-	-	-
Female.....	30	4	-	-	-	1	-	2	-	-	-	2
White, both sexes.....	40	4	-	-	-	1	-	1	-	-	-	2
Male.....	19	2	-	-	-	-	-	-	-	-	-	-
Female.....	21	2	-	-	-	1	-	1	-	-	-	2
Black, both sexes.....	10	2	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	2	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	384	25	-	-	-	1	1	4	8	11	14	23
Male.....	145	16	-	-	-	-	1	1	3	4	4	7
Female.....	239	9	-	-	-	1	-	3	5	7	10	16
White, both sexes.....	325	16	-	-	-	1	1	4	5	10	12	19
Male.....	123	13	-	-	-	-	1	1	2	4	3	6
Female.....	202	3	-	-	-	1	-	3	3	6	9	13
Black, both sexes.....	39	5	-	-	-	-	-	-	2	1	2	3
Male.....	16	2	-	-	-	-	-	-	1	-	1	1
Female.....	23	3	-	-	-	-	-	-	1	1	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	4	-	-	-	-	-	-	1	-	-	1
Male.....	6	1	-	-	-	-	-	-	-	-	-	-
Female.....	13	3	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
New Mexico												
All races, both sexes.....	37	-	-	-	-	-	-	1	1	3	1	1
Male.....	14	-	-	-	-	-	-	-	1	2	-	1
Female.....	23	-	-	-	-	-	-	1	-	1	1	-
White, both sexes.....	34	-	-	-	-	-	-	1	1	3	1	1
Male.....	12	-	-	-	-	-	-	-	1	2	-	1
Female.....	22	-	-	-	-	-	-	1	-	1	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	283	12	-	-	-	-	1	2	5	4	6	7
Male.....	109	7	-	-	-	-	-	-	2	1	4	5
Female.....	174	5	-	-	-	-	1	2	3	3	2	2
White, both sexes.....	222	10	-	-	-	-	-	-	3	2	3	3
Male.....	92	6	-	-	-	-	-	-	1	-	2	3
Female.....	130	4	-	-	-	-	-	-	2	2	1	-
Black, both sexes.....	56	2	-	-	-	-	1	1	2	2	3	4
Male.....	15	1	-	-	-	-	-	-	1	1	2	2
Female.....	41	1	-	-	-	-	1	1	1	1	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
Arkansas												
All races, both sexes.....	5	4	4	5	2	9	2	6	2	-	-	-
Male.....	2	3	1	1	2	3	2	4	-	-	-	-
Female.....	3	1	3	4	-	6	-	2	2	-	-	-
White, both sexes.....	4	4	4	3	2	6	2	5	2	-	-	-
Male.....	2	3	1	1	2	2	2	4	-	-	-	-
Female.....	2	1	3	2	-	4	-	1	2	-	-	-
Black, both sexes.....	1	-	-	2	-	3	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	2	-	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	27	16	17	28	37	46	51	44	27	3	1	-
Male.....	12	8	8	11	17	14	14	16	7	2	-	-
Female.....	15	8	9	17	20	32	37	28	20	1	1	-
White, both sexes.....	20	13	16	23	34	37	47	37	26	3	1	-
Male.....	9	7	7	9	15	12	13	12	7	2	-	-
Female.....	11	6	9	14	19	25	34	25	19	1	1	-
Black, both sexes.....	5	2	-	3	1	6	4	5	-	-	-	-
Male.....	3	-	-	2	1	1	1	3	-	-	-	-
Female.....	2	2	-	1	-	5	3	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	1	2	3	-	2	1	-	-	-
Male.....	-	1	1	-	1	1	-	1	-	-	-	-
Female.....	2	-	-	1	1	2	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)

Colorado

All races, both sexes.....	9	4	7	13	10	14	17	11	2	2	-	-
Male.....	4	-	2	4	2	5	6	4	1	-	-	-
Female.....	5	4	5	9	8	9	11	7	1	2	-	-
White, both sexes.....	9	4	7	12	10	13	16	10	2	2	-	-
Male.....	4	-	2	4	2	5	6	3	1	-	-	-
Female.....	5	4	5	8	8	8	10	7	1	2	-	-
Black, both sexes.....	-	-	-	1	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	4	6	1	5	6	4	5	7	5	1	-	-
Male.....	2	2	-	-	-	1	3	2	2	1	-	-
Female.....	2	4	1	5	6	3	2	5	3	-	-	-
White, both sexes.....	3	5	1	5	4	3	5	7	4	1	-	-
Male.....	1	1	-	-	-	-	3	2	2	1	-	-
Female.....	2	4	1	5	4	3	2	5	2	-	-	-
Black, both sexes.....	1	1	-	-	2	1	-	-	-	-	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)

New Mexico

All races, both sexes.....	2	6	1	1	5	5	5	4	1	-	-	-
Male.....	1	3	-	-	2	2	1	1	-	-	-	-
Female.....	1	3	1	1	3	3	4	3	1	-	-	-
White, both sexes.....	1	4	1	1	5	5	5	4	1	-	-	-
Male.....	-	2	-	-	2	2	1	1	-	-	-	-
Female.....	1	2	1	1	3	3	4	3	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	11	17	20	23	29	37	51	32	16	8	2	-
Male.....	5	6	11	11	13	10	20	10	4	-	-	-
Female.....	6	11	9	12	16	27	31	22	12	8	2	-
White, both sexes.....	8	11	18	19	21	30	46	27	15	5	1	-
Male.....	5	3	11	10	10	10	19	9	3	-	-	-
Female.....	3	8	7	9	11	20	27	18	12	5	1	-
Black, both sexes.....	2	5	2	4	8	6	5	5	-	3	1	-
Male.....	-	2	-	1	3	-	1	1	-	-	-	-
Female.....	2	3	2	3	5	6	4	4	-	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	1	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other non-pulmonary forms of heart disease (I30-I51)												
Arkansas												
All races, both sexes.....	2,142	2	3	-	-	5	2	8	11	21	21	28
Male.....	928	1	2	-	-	4	2	6	8	13	11	18
Female.....	1,214	1	1	-	-	1	-	2	3	8	10	10
White, both sexes.....	1,883	1	2	-	-	3	2	2	7	11	16	11
Male.....	804	1	2	-	-	3	2	1	5	6	9	9
Female.....	1,079	-	-	-	-	-	-	1	2	5	7	2
Black, both sexes.....	253	1	1	-	-	2	-	6	4	10	5	17
Male.....	121	-	-	-	-	1	-	5	3	7	2	9
Female.....	132	1	1	-	-	1	-	1	1	3	3	8
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	10,735	24	12	7	14	32	39	66	91	145	212	298
Male.....	5,078	11	6	2	8	26	32	53	64	102	153	207
Female.....	5,657	13	6	5	6	6	7	13	27	43	59	91
White, both sexes.....	9,300	18	9	6	11	22	31	47	65	106	163	218
Male.....	4,338	6	4	1	5	18	25	40	47	77	119	160
Female.....	4,962	12	5	5	6	4	6	7	18	29	44	58
Black, both sexes.....	828	-	2	-	2	8	4	16	18	28	38	58
Male.....	440	-	1	-	2	6	3	10	10	20	25	37
Female.....	388	-	1	-	-	2	1	6	8	8	13	21
American Indian 1/, both sexes.....	41	-	-	-	-	-	1	-	-	1	2	2
Male.....	24	-	-	-	-	-	1	-	-	1	2	1
Female.....	17	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	566	6	1	1	1	2	3	3	8	10	9	20
Male.....	276	5	1	1	1	2	3	3	7	4	7	9
Female.....	290	1	-	-	-	-	-	-	1	6	2	11

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other non-pulmonary forms of heart disease (I30-I51)												
New Hampshire												
All races, both sexes.....	498	1	-	-	-	2	3	1	2	4	8	5
Male.....	215	1	-	-	-	1	3	1	2	3	7	3
Female.....	283	-	-	-	-	1	-	-	-	1	1	2
White, both sexes.....	496	1	-	-	-	2	3	1	2	4	8	5
Male.....	213	1	-	-	-	1	3	1	2	3	7	3
Female.....	283	-	-	-	-	1	-	-	-	1	1	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	4,730	7	4	1	5	11	18	26	31	38	61	91
Male.....	2,091	3	2	1	3	8	12	21	17	20	42	69
Female.....	2,639	4	2	-	2	3	6	5	14	18	19	22
White, both sexes.....	4,144	3	1	-	2	8	12	15	22	26	42	62
Male.....	1,811	1	1	-	2	5	6	15	13	16	30	50
Female.....	2,333	2	-	-	-	3	6	-	9	10	12	12
Black, both sexes.....	529	3	2	1	3	3	6	7	9	12	19	28
Male.....	247	2	1	1	1	3	6	4	4	4	12	18
Female.....	282	1	1	-	2	-	-	3	5	8	7	10
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	56	1	1	-	-	-	-	4	-	-	-	1
Male.....	33	-	-	-	-	-	-	2	-	-	-	1
Female.....	23	1	1	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other non-pulmonary forms of heart disease (I30-I51)												
New Mexico												
All races, both sexes.....	672	2	1	1	2	-	3	5	3	8	4	6
Male.....	299	-	-	1	2	-	2	3	2	6	1	4
Female.....	373	2	1	-	-	-	1	2	1	2	3	2
White, both sexes.....	632	2	1	-	1	-	2	4	2	6	4	6
Male.....	276	-	-	-	1	-	1	2	1	5	1	4
Female.....	356	2	1	-	-	-	1	2	1	1	3	2
Black, both sexes.....	14	-	-	-	-	-	1	-	-	1	-	-
Male.....	7	-	-	-	-	-	1	-	-	1	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	25	-	-	1	1	-	-	1	1	1	-	-
Male.....	15	-	-	1	1	-	-	1	1	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	7,674	10	5	3	8	12	17	21	29	83	95	133
Male.....	3,382	5	2	1	6	7	14	16	24	49	66	88
Female.....	4,292	5	3	2	2	5	3	5	5	34	29	45
White, both sexes.....	6,864	5	4	1	6	8	11	14	19	51	64	86
Male.....	3,005	2	1	-	4	4	8	11	14	33	47	65
Female.....	3,859	3	3	1	2	4	3	3	5	18	17	21
Black, both sexes.....	718	4	1	2	1	4	5	6	7	28	29	43
Male.....	334	2	1	1	1	3	5	4	7	13	19	21
Female.....	384	2	-	1	-	1	-	2	-	15	10	22
American Indian 1/, both sexes.....	11	-	-	-	-	-	1	-	1	1	-	1
Male.....	7	-	-	-	-	-	1	-	1	1	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	81	1	-	-	1	-	-	1	2	3	2	3
Male.....	36	1	-	-	1	-	-	1	2	2	-	1
Female.....	45	-	-	-	-	-	-	-	-	1	2	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other non-pulmonary forms of heart disease (I30-I51)												
Vermont												
All races, both sexes.....	272	-	1	-	-	1	-	-	-	2	-	3
Male.....	113	-	-	-	-	-	-	-	-	-	-	1
Female.....	159	-	1	-	-	1	-	-	-	2	-	2
White, both sexes.....	272	-	1	-	-	1	-	-	-	2	-	3
Male.....	113	-	-	-	-	-	-	-	-	-	-	1
Female.....	159	-	1	-	-	1	-	-	-	2	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	4,436	8	3	-	2	11	10	15	35	44	81	103
Male.....	1,988	4	2	-	2	4	6	7	22	32	55	65
Female.....	2,448	4	1	-	-	7	4	8	13	12	26	38
White, both sexes.....	3,484	4	2	-	1	6	3	7	13	26	57	61
Male.....	1,539	2	1	-	1	2	1	4	9	20	41	43
Female.....	1,945	2	1	-	-	4	2	3	4	6	16	18
Black, both sexes.....	912	4	1	-	1	4	7	8	21	17	23	42
Male.....	429	2	1	-	1	1	5	3	13	11	13	22
Female.....	483	2	-	-	-	3	2	5	8	6	10	20
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	38	-	-	-	-	1	-	-	1	1	1	-
Male.....	20	-	-	-	-	1	-	-	-	1	1	-
Female.....	18	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other non-pulmonary forms of heart disease (I30-I51)												
United States												
All races, both sexes.....	4,145	5,031	6,089	8,165	12,785	19,367	26,613	29,276	22,739	9,530	2,169	5
Male.....	2,759	3,203	3,743	4,729	7,088	9,733	11,629	10,698	6,368	2,009	334	3
Female.....	1,386	1,828	2,346	3,436	5,697	9,634	14,984	18,578	16,371	7,521	1,835	2
White, both sexes.....	2,928	3,804	4,736	6,628	10,826	17,035	24,163	27,101	21,103	8,813	1,913	3
Male.....	1,999	2,464	2,961	3,887	6,074	8,642	10,647	9,959	5,880	1,859	286	2
Female.....	929	1,340	1,775	2,741	4,752	8,393	13,516	17,142	15,223	6,954	1,627	1
Black, both sexes.....	1,124	1,107	1,222	1,382	1,682	1,997	2,084	1,816	1,394	619	218	2
Male.....	696	664	702	750	876	907	817	568	378	112	36	1
Female.....	428	443	520	632	806	1,090	1,267	1,248	1,016	507	182	1
American Indian 1/, both sexes.....	30	33	33	33	55	72	65	63	36	17	10	-
Male.....	23	22	23	19	35	39	27	30	10	5	6	-
Female.....	7	11	10	14	20	33	38	33	26	12	4	-
Asian or Pacific Islander 2/, both sexes.....	63	87	98	122	222	263	301	296	206	81	28	-
Male.....	41	53	57	73	103	145	138	141	100	33	6	-
Female.....	22	34	41	49	119	118	163	155	106	48	22	-
Alabama												
All races, both sexes.....	191	226	250	359	514	718	875	963	659	300	54	-
Male.....	137	134	160	211	276	336	350	334	164	53	8	-
Female.....	54	92	90	148	238	382	525	629	495	247	46	-
White, both sexes.....	113	145	170	266	377	555	717	784	566	237	34	-
Male.....	79	83	113	160	211	264	290	282	135	42	4	-
Female.....	34	62	57	106	166	291	427	502	431	195	30	-
Black, both sexes.....	78	81	79	93	136	163	158	178	93	63	20	-
Male.....	58	51	46	51	65	72	60	52	29	11	4	-
Female.....	20	30	33	42	71	91	98	126	64	52	16	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other non-pulmonary forms of heart disease (I30-I51)												
Alaska												
All races, both sexes.....	6	2	9	6	13	16	22	18	12	2	1	-
Male.....	3	2	8	3	8	9	15	4	2	2	-	-
Female.....	3	-	1	3	5	7	7	14	10	-	1	-
White, both sexes.....	4	2	5	5	10	12	17	16	10	1	-	-
Male.....	2	2	4	3	6	7	12	4	2	1	-	-
Female.....	2	-	1	2	4	5	5	12	8	-	-	-
Black, both sexes.....	1	-	1	-	1	2	-	-	1	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	3	1	2	2	4	2	1	-	1	-
Male.....	-	-	3	-	1	2	2	-	-	-	-	-
Female.....	1	-	-	1	1	-	2	2	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	53	54	73	106	154	258	329	361	258	109	27	-
Male.....	35	34	49	57	91	128	159	145	83	32	6	-
Female.....	18	20	24	49	63	130	170	216	175	77	21	-
White, both sexes.....	46	49	66	102	141	247	314	350	251	102	24	-
Male.....	30	31	45	56	82	122	152	138	80	30	4	-
Female.....	16	18	21	46	59	125	162	212	171	72	20	-
Black, both sexes.....	3	2	3	2	5	4	6	2	1	3	-	-
Male.....	1	2	2	-	4	2	2	2	1	1	-	-
Female.....	2	-	1	2	1	2	4	-	-	2	-	-
American Indian 1/, both sexes.....	3	2	4	2	7	5	8	5	4	4	3	-
Male.....	3	1	2	1	5	3	5	3	1	1	2	-
Female.....	-	1	2	1	2	2	3	2	3	3	1	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	2	1	4	2	-	-	-
Male.....	1	-	-	-	-	1	-	2	1	-	-	-
Female.....	-	1	-	-	1	1	1	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other non-pulmonary forms of heart disease (I30-I51)												
Arkansas												
All races, both sexes.....	53	63	87	109	186	280	367	407	330	131	28	-
Male.....	34	43	54	65	115	151	153	134	86	24	4	-
Female.....	19	20	33	44	71	129	214	273	244	107	24	-
White, both sexes.....	35	52	74	92	167	249	341	385	291	121	21	-
Male.....	21	35	46	54	103	139	143	125	75	21	4	-
Female.....	14	17	28	38	64	110	198	260	216	100	17	-
Black, both sexes.....	17	11	13	17	18	31	25	21	37	10	7	-
Male.....	12	8	8	11	12	12	9	9	10	3	-	-
Female.....	5	3	5	6	6	19	16	12	27	7	7	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
California												
All races, both sexes.....	348	364	397	505	764	1,290	1,793	1,998	1,546	634	156	-
Male.....	224	236	251	293	429	670	830	818	482	152	29	-
Female.....	124	128	146	212	335	620	963	1,180	1,064	482	127	-
White, both sexes.....	258	283	308	409	638	1,129	1,609	1,819	1,432	580	139	-
Male.....	175	183	193	234	362	585	747	750	440	142	25	-
Female.....	83	100	115	175	276	544	862	1,069	992	438	114	-
Black, both sexes.....	56	53	63	60	69	95	87	88	48	28	7	-
Male.....	28	36	43	38	45	49	42	28	12	3	2	-
Female.....	28	17	20	22	24	46	45	60	36	25	5	-
American Indian 1/, both sexes.....	5	3	-	1	6	5	6	5	2	2	-	-
Male.....	3	2	-	-	4	4	2	4	-	-	-	-
Female.....	2	1	-	1	2	1	4	1	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	29	25	26	35	51	61	91	86	64	24	10	-
Male.....	18	15	15	21	18	32	39	36	30	7	2	-
Female.....	11	10	11	14	33	29	52	50	34	17	8	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other non-pulmonary forms of heart disease (I30-I51)												
Colorado												
All races, both sexes.....	46	44	60	66	110	202	276	341	265	113	30	-
Male.....	34	26	36	37	53	97	126	128	81	23	5	-
Female.....	12	18	24	29	57	105	150	213	184	90	25	-
White, both sexes.....	38	36	57	62	106	195	262	333	263	110	29	-
Male.....	28	22	35	36	51	94	121	126	80	21	5	-
Female.....	10	14	22	26	55	101	141	207	183	89	24	-
Black, both sexes.....	6	5	2	4	2	5	9	5	2	2	-	-
Male.....	4	2	1	1	2	2	3	1	1	1	-	-
Female.....	2	3	1	3	-	3	6	4	1	1	-	-
American Indian 1/, both sexes.....	1	3	1	-	-	-	-	1	-	-	-	-
Male.....	1	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	2	5	2	-	1	1	-
Male.....	1	-	-	-	-	1	2	1	-	1	-	-
Female.....	-	-	-	-	2	1	3	1	-	-	1	-
Connecticut												
All races, both sexes.....	52	66	52	112	149	261	418	487	380	197	33	-
Male.....	35	47	33	68	101	147	187	196	107	43	5	-
Female.....	17	19	19	44	48	114	231	291	273	154	28	-
White, both sexes.....	42	54	46	99	137	247	399	478	372	189	31	-
Male.....	29	39	30	60	96	137	180	191	106	41	5	-
Female.....	13	15	16	39	41	110	219	287	266	148	26	-
Black, both sexes.....	10	11	5	13	10	12	18	6	8	7	2	-
Male.....	6	7	3	8	4	9	7	4	1	1	-	-
Female.....	4	4	2	5	6	3	11	2	7	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	2	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	2	1	-	1	-	-	-	-
Male.....	-	1	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other non-pulmonary forms of heart disease (I30-I51)

Florida

All races, both sexes.....	170	217	298	420	683	1,015	1,365	1,649	1,264	474	100	-
Male.....	115	142	177	256	398	559	663	668	423	124	21	-
Female.....	55	75	121	164	285	456	702	981	841	350	79	-
White, both sexes.....	120	170	236	346	605	940	1,277	1,576	1,187	454	92	-
Male.....	83	116	152	216	366	519	622	647	402	120	19	-
Female.....	37	54	84	130	239	421	655	929	785	334	73	-
Black, both sexes.....	48	45	60	72	74	71	83	71	72	18	7	-
Male.....	30	25	24	39	30	37	40	20	19	3	1	-
Female.....	18	20	36	33	44	34	43	51	53	15	6	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	1	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	2	3	4	4	2	5	2	1	-
Male.....	1	1	-	1	1	3	1	1	2	1	1	-
Female.....	-	1	1	1	2	1	3	1	3	1	-	-

Georgia

All races, both sexes.....	276	298	420	432	567	781	942	981	659	260	59	-
Male.....	169	192	249	232	323	354	396	321	153	47	10	-
Female.....	107	106	171	200	244	427	546	660	506	213	49	-
White, both sexes.....	142	179	248	279	388	580	747	810	529	212	40	-
Male.....	85	122	151	155	223	276	322	268	123	37	6	-
Female.....	57	57	97	124	165	304	425	542	406	175	34	-
Black, both sexes.....	132	116	166	150	175	198	193	168	127	48	19	-
Male.....	82	67	92	75	97	76	72	53	29	10	4	-
Female.....	50	49	74	75	78	122	121	115	98	38	15	-
American Indian 1/, both sexes.....	1	1	1	3	-	2	-	1	-	-	-	-
Male.....	1	1	1	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	5	-	4	1	2	2	3	-	-	-
Male.....	1	2	5	-	3	1	2	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other non-pulmonary forms of heart disease (I30-I51)												
Iowa												
All races, both sexes.....	16	37	28	48	94	132	201	261	245	114	24	-
Male.....	13	29	17	27	55	78	84	94	71	20	4	-
Female.....	3	8	11	21	39	54	117	167	174	94	20	-
White, both sexes.....	14	37	27	48	93	132	199	260	245	113	24	-
Male.....	12	29	17	27	55	78	84	94	71	20	4	-
Female.....	2	8	10	21	38	54	115	166	174	93	20	-
Black, both sexes.....	1	-	1	-	1	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	1	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Kansas												
All races, both sexes.....	37	53	65	83	145	215	345	446	418	185	51	-
Male.....	29	38	46	45	75	111	163	161	105	29	9	-
Female.....	8	15	19	38	70	104	182	285	313	156	42	-
White, both sexes.....	33	44	55	74	138	206	333	434	399	181	51	-
Male.....	25	32	40	39	73	105	158	157	99	28	9	-
Female.....	8	12	15	35	65	101	175	277	300	153	42	-
Black, both sexes.....	4	9	9	6	4	7	10	10	15	3	-	-
Male.....	4	6	5	4	1	4	5	3	4	1	-	-
Female.....	-	3	4	2	3	3	5	7	11	2	-	-
American Indian 1/, both sexes.....	-	-	1	3	-	2	1	2	3	-	-	-
Male.....	-	-	1	2	-	2	-	1	1	-	-	-
Female.....	-	-	-	1	-	-	1	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	3	-	1	-	1	1	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	2	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other non-pulmonary forms of heart disease (I30-I51)

Kentucky

All races, both sexes.....	90	144	168	232	361	471	617	628	513	178	44	-
Male.....	54	81	94	132	201	212	262	203	137	36	11	-
Female.....	36	63	74	100	160	259	355	425	376	142	33	-
White, both sexes.....	78	135	158	210	336	442	591	594	487	165	38	-
Male.....	46	75	91	119	188	199	252	198	130	35	9	-
Female.....	32	60	67	91	148	243	339	396	357	130	29	-
Black, both sexes.....	12	9	10	21	25	28	25	33	26	13	6	-
Male.....	8	6	3	12	13	13	10	4	7	1	2	-
Female.....	4	3	7	9	12	15	15	29	19	12	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	1	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Louisiana

All races, both sexes.....	84	114	151	186	301	406	552	510	392	155	27	-
Male.....	53	70	91	101	164	213	211	177	114	32	6	-
Female.....	31	44	60	85	137	193	341	333	278	123	21	-
White, both sexes.....	48	64	93	121	228	309	436	435	326	121	21	-
Male.....	34	37	60	69	129	168	168	155	93	25	4	-
Female.....	14	27	33	52	99	141	268	280	233	96	17	-
Black, both sexes.....	36	49	58	64	70	95	114	75	65	34	6	-
Male.....	19	33	31	31	33	45	41	22	21	7	2	-
Female.....	17	16	27	33	37	50	73	53	44	27	4	-
American Indian 1/, both sexes.....	-	-	-	1	2	-	2	-	1	-	-	-
Male.....	-	-	-	1	1	-	2	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other non-pulmonary forms of heart disease (I30-I51)												
Maine												
All races, both sexes.....	20	27	26	42	67	95	122	160	115	58	12	-
Male.....	10	16	18	27	26	54	45	60	34	5	2	-
Female.....	10	11	8	15	41	41	77	100	81	53	10	-
White, both sexes.....	20	26	25	42	66	94	121	158	115	57	12	-
Male.....	10	16	18	27	25	53	44	58	34	5	2	-
Female.....	10	10	7	15	41	41	77	100	81	52	10	-
Black, both sexes.....	-	-	1	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	52	70	81	118	150	277	369	394	281	138	16	-
Male.....	33	40	52	65	80	126	152	142	80	22	4	-
Female.....	19	30	29	53	70	151	217	252	201	116	12	-
White, both sexes.....	26	34	47	78	106	225	311	339	250	122	14	-
Male.....	17	21	29	45	56	103	133	125	69	22	3	-
Female.....	9	13	18	33	50	122	178	214	181	100	11	-
Black, both sexes.....	24	36	31	36	41	51	54	54	29	16	1	-
Male.....	14	19	23	16	22	22	18	17	9	-	-	-
Female.....	10	17	8	20	19	29	36	37	20	16	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	1	-	1	-
Male.....	-	-	-	-	-	1	1	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	3	4	3	-	3	1	1	-	-	-
Male.....	2	-	-	4	2	-	-	-	1	-	-	-
Female.....	-	-	3	-	1	-	3	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other non-pulmonary forms of heart disease (I30-I51)												
Massachusetts												
All races, both sexes.....	109	115	136	170	330	496	753	922	742	329	75	-
Male.....	75	81	90	99	197	255	344	325	183	56	8	-
Female.....	34	34	46	71	133	241	409	597	559	273	67	-
White, both sexes.....	92	106	124	162	316	475	728	900	728	325	71	-
Male.....	64	76	81	95	188	244	340	314	177	55	6	-
Female.....	28	30	43	67	128	231	388	586	551	270	65	-
Black, both sexes.....	15	8	10	7	11	17	21	19	13	4	3	-
Male.....	9	4	8	4	7	9	4	8	5	1	1	-
Female.....	6	4	2	3	4	8	17	11	8	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	1	3	4	4	3	1	-	1	-
Male.....	2	1	1	-	2	2	-	3	1	-	1	-
Female.....	-	-	1	1	1	2	4	-	-	-	-	-
Michigan												
All races, both sexes.....	154	167	173	261	418	687	1,008	1,078	830	334	79	-
Male.....	94	107	108	132	212	314	404	399	231	64	8	-
Female.....	60	60	65	129	206	373	604	679	599	270	71	-
White, both sexes.....	103	111	135	206	366	606	915	1,011	793	310	74	-
Male.....	70	67	87	106	186	282	363	374	222	59	8	-
Female.....	33	44	48	100	180	324	552	637	571	251	66	-
Black, both sexes.....	51	55	35	52	49	78	90	63	35	23	4	-
Male.....	24	39	18	26	24	30	40	23	8	4	-	-
Female.....	27	16	17	26	25	48	50	40	27	19	4	-
American Indian 1/, both sexes.....	-	1	1	-	3	2	3	1	-	-	-	-
Male.....	-	1	1	-	2	2	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	3	-	1	-	3	2	1	1	-
Male.....	-	-	2	-	-	-	-	2	1	1	-	-
Female.....	-	-	-	3	-	1	-	1	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other non-pulmonary forms of heart disease (I30-I51)												
Minnesota												
All races, both sexes.....	37	63	75	96	170	233	412	532	483	210	64	-
Male.....	28	41	48	65	101	128	187	210	152	50	7	-
Female.....	9	22	27	31	69	105	225	322	331	160	57	-
White, both sexes.....	31	59	70	90	161	226	406	526	479	209	64	-
Male.....	23	39	47	60	96	124	183	206	152	50	7	-
Female.....	8	20	23	30	65	102	223	320	327	159	57	-
Black, both sexes.....	6	3	3	2	3	3	2	1	3	-	-	-
Male.....	5	2	-	2	1	-	1	1	-	-	-	-
Female.....	1	1	3	-	2	3	1	-	3	-	-	-
American Indian 1/, both sexes.....	-	1	1	3	1	2	2	2	1	-	-	-
Male.....	-	-	-	2	-	2	2	1	-	-	-	-
Female.....	-	1	1	1	1	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	5	2	2	3	-	1	-	-
Male.....	-	-	1	1	4	2	1	2	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	1	-	-
Mississippi												
All races, both sexes.....	96	116	129	192	281	381	433	492	399	180	52	-
Male.....	57	72	88	127	163	175	184	166	107	32	8	-
Female.....	39	44	41	65	118	206	249	326	292	148	44	-
White, both sexes.....	54	60	78	121	198	257	316	374	290	129	34	-
Male.....	35	43	53	79	114	124	139	133	79	23	4	-
Female.....	19	17	25	42	84	133	177	241	211	106	30	-
Black, both sexes.....	41	54	51	69	83	122	116	116	109	51	18	-
Male.....	21	28	35	46	49	50	45	33	28	9	4	-
Female.....	20	26	16	23	34	72	71	83	81	42	14	-
American Indian 1/, both sexes.....	1	1	-	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	2	-	2	-	-	-	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other non-pulmonary forms of heart disease (I30-I51)

Nebraska

All races, both sexes.....	43	44	40	64	116	162	253	320	266	140	37	-
Male.....	34	24	23	36	65	85	111	122	77	32	3	-
Female.....	9	20	17	28	51	77	142	198	189	108	34	-
White, both sexes.....	42	42	34	61	109	156	246	316	265	138	36	-
Male.....	34	23	21	36	60	85	110	120	76	31	3	-
Female.....	8	19	13	25	49	71	136	196	189	107	33	-
Black, both sexes.....	1	1	4	3	5	6	3	4	1	-	1	-
Male.....	-	-	1	-	3	-	-	2	1	-	-	-
Female.....	1	1	3	3	2	6	3	2	-	-	1	-
American Indian 1/, both sexes.....	-	1	2	-	2	-	3	-	-	1	-	-
Male.....	-	1	1	-	2	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	2	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Nevada

All races, both sexes.....	72	78	98	103	162	184	224	201	122	50	10	1
Male.....	57	56	61	64	94	106	104	76	39	17	3	-
Female.....	15	22	37	39	68	78	120	125	83	33	7	1
White, both sexes.....	54	64	85	88	136	167	206	192	116	49	9	1
Male.....	44	44	51	56	84	99	98	75	37	16	3	-
Female.....	10	20	34	32	52	68	108	117	79	33	6	1
Black, both sexes.....	17	11	12	13	18	11	12	5	1	-	-	-
Male.....	12	10	10	8	6	4	3	1	-	-	-	-
Female.....	5	1	2	5	12	7	9	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	3	-	2	1	-	-
Male.....	-	-	-	-	-	1	2	-	1	1	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	1	2	8	5	3	4	3	-	1	-
Male.....	1	2	-	-	4	2	1	-	1	-	-	-
Female.....	-	1	1	2	4	3	2	4	2	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other non-pulmonary forms of heart disease (I30-I51)												
New Hampshire												
All races, both sexes.....	9	15	15	21	31	49	109	112	83	26	2	-
Male.....	4	13	13	12	15	28	43	45	20	1	-	-
Female.....	5	2	2	9	16	21	66	67	63	25	2	-
White, both sexes.....	9	14	15	21	31	48	109	112	83	26	2	-
Male.....	4	12	13	12	15	27	43	45	20	1	-	-
Female.....	5	2	2	9	16	21	66	67	63	25	2	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	110	141	172	233	392	600	869	938	689	245	48	-
Male.....	78	92	110	131	207	316	384	324	194	45	12	-
Female.....	32	49	62	102	185	284	485	614	495	200	36	-
White, both sexes.....	72	106	122	176	330	524	803	893	645	235	45	-
Male.....	55	74	81	101	176	275	364	309	183	43	11	-
Female.....	17	32	41	75	154	249	439	584	462	192	34	-
Black, both sexes.....	38	32	43	53	56	66	57	41	37	10	3	-
Male.....	23	16	24	27	30	36	13	11	8	2	1	-
Female.....	15	16	19	26	26	30	44	30	29	8	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	7	4	6	9	9	4	7	-	-	-
Male.....	-	2	5	3	1	5	7	4	3	-	-	-
Female.....	-	1	2	1	5	4	2	-	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other non-pulmonary forms of heart disease (I30-I51)												
New Mexico												
All races, both sexes.....	25	11	24	38	47	98	118	133	84	51	8	-
Male.....	15	4	15	22	31	48	49	65	17	11	1	-
Female.....	10	7	9	16	16	50	69	68	67	40	7	-
White, both sexes.....	21	10	22	36	45	93	113	126	80	51	7	-
Male.....	13	4	13	20	29	46	46	62	17	11	-	-
Female.....	8	6	9	16	16	47	67	64	63	40	7	-
Black, both sexes.....	2	-	1	-	1	1	2	3	2	-	-	-
Male.....	1	-	1	-	1	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	3	2	-	-	-
American Indian 1/, both sexes.....	2	1	1	2	1	4	2	4	2	-	1	-
Male.....	1	-	1	2	1	2	-	3	-	-	1	-
Female.....	1	1	-	-	-	2	2	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	184	224	265	395	593	939	1,338	1,472	1,183	543	120	2
Male.....	123	158	154	224	325	486	598	543	352	126	13	2
Female.....	61	66	111	171	268	453	740	929	831	417	107	-
White, both sexes.....	133	178	210	339	506	853	1,241	1,388	1,124	512	110	1
Male.....	92	129	129	195	280	440	564	518	337	120	11	1
Female.....	41	49	81	144	226	413	677	870	787	392	99	-
Black, both sexes.....	50	43	54	50	74	77	82	68	54	26	9	1
Male.....	31	28	24	24	40	43	27	19	14	4	2	1
Female.....	19	15	30	26	34	34	55	49	40	22	7	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	1	4	-	-	-	-
Male.....	-	1	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	6	13	8	14	12	5	5	1	-
Male.....	-	-	1	5	5	2	7	5	1	2	-	-
Female.....	1	2	-	1	8	6	7	7	4	3	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other non-pulmonary forms of heart disease (I30-I51)												
Ohio												
All races, both sexes.....	152	210	255	391	620	993	1,287	1,291	984	366	92	-
Male.....	89	123	150	228	354	464	533	434	263	89	14	-
Female.....	63	87	105	163	266	529	754	857	721	277	78	-
White, both sexes.....	118	165	222	338	554	901	1,189	1,224	934	350	85	-
Male.....	72	100	132	198	312	425	487	413	252	87	13	-
Female.....	46	65	90	140	242	476	702	811	682	263	72	-
Black, both sexes.....	34	43	31	50	66	89	95	65	49	15	7	-
Male.....	17	21	18	28	42	38	44	21	11	2	1	-
Female.....	17	22	13	22	24	51	51	44	38	13	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	3	-	2	2	2	1	1	-	-
Male.....	-	2	-	2	-	-	2	-	-	-	-	-
Female.....	-	-	2	1	-	2	-	2	1	1	-	-
Oklahoma												
All races, both sexes.....	53	84	102	146	211	308	391	460	399	161	33	-
Male.....	40	53	53	85	100	153	158	153	105	24	4	-
Female.....	13	31	49	61	111	155	233	307	294	137	29	-
White, both sexes.....	45	68	83	126	192	284	370	435	376	146	27	-
Male.....	33	40	44	75	93	142	151	143	94	23	3	-
Female.....	12	28	39	51	99	142	219	292	282	123	24	-
Black, both sexes.....	4	10	11	13	11	6	15	11	15	9	4	-
Male.....	3	7	5	9	4	3	6	3	8	1	-	-
Female.....	1	3	6	4	7	3	9	8	7	8	4	-
American Indian 1/, both sexes.....	4	5	7	6	6	17	6	13	7	6	2	-
Male.....	4	5	3	-	2	7	1	7	3	-	1	-
Female.....	-	-	4	6	4	10	5	6	4	6	1	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	2	1	-	1	1	-	-	-
Male.....	-	1	1	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other non-pulmonary forms of heart disease (I30-I51)												
Oregon												
All races, both sexes.....	31	46	49	82	138	242	345	436	355	149	34	-
Male.....	20	28	38	43	85	122	155	175	109	29	3	-
Female.....	11	18	11	39	53	120	190	261	246	120	31	-
White, both sexes.....	29	44	45	80	134	235	340	431	352	148	33	-
Male.....	19	28	35	43	82	117	153	174	108	29	3	-
Female.....	10	16	10	37	52	118	187	257	244	119	30	-
Black, both sexes.....	1	1	2	-	1	4	3	2	1	1	-	-
Male.....	1	-	1	-	1	4	1	-	-	-	-	-
Female.....	-	1	1	-	-	-	2	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	3	2	2	1	-	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	2	3	-	-	1	1	-	1	-
Male.....	-	-	1	-	2	-	-	1	1	-	-	-
Female.....	1	1	-	2	1	-	-	-	-	-	1	-
Pennsylvania												
All races, both sexes.....	219	266	346	493	854	1,359	1,813	2,071	1,484	593	151	-
Male.....	151	171	227	301	450	698	817	699	351	121	18	-
Female.....	68	95	119	192	404	661	996	1,372	1,133	472	133	-
White, both sexes.....	163	223	300	432	762	1,275	1,724	1,986	1,431	563	138	-
Male.....	111	151	204	261	407	657	782	672	343	115	17	-
Female.....	52	72	96	171	355	618	942	1,314	1,088	448	121	-
Black, both sexes.....	55	40	45	60	86	83	85	83	51	28	13	-
Male.....	39	19	22	39	42	41	34	27	8	5	1	-
Female.....	16	21	23	21	44	42	51	56	43	23	12	-
American Indian 1/, both sexes.....	1	1	-	1	-	-	-	1	1	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	6	1	4	1	1	2	-	-
Male.....	-	-	1	-	1	-	1	-	-	1	-	-
Female.....	-	2	-	-	5	1	3	1	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other non-pulmonary forms of heart disease (I30-I51)

South Dakota

All races, both sexes.....	13	15	26	24	30	51	80	109	76	46	10	-
Male.....	10	9	19	14	19	24	36	50	20	6	1	-
Female.....	3	6	7	10	11	27	44	59	56	40	9	-
White, both sexes.....	10	12	25	23	25	48	79	109	76	46	10	-
Male.....	7	7	18	13	16	22	36	50	20	6	1	-
Female.....	3	5	7	10	9	26	43	59	56	40	9	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	3	1	1	5	3	1	-	-	-	-	-
Male.....	3	2	1	1	3	2	-	-	-	-	-	-
Female.....	-	1	-	-	2	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	91	124	144	150	235	332	428	428	259	109	17	-
Male.....	53	73	83	87	133	144	160	144	85	18	4	-
Female.....	38	51	61	63	102	188	268	284	174	91	13	-
White, both sexes.....	68	101	109	130	196	296	376	393	229	99	13	-
Male.....	39	60	60	80	112	127	140	132	69	15	3	-
Female.....	29	41	49	50	84	169	236	261	160	84	10	-
Black, both sexes.....	23	22	33	20	38	36	51	34	30	9	4	-
Male.....	14	12	21	7	21	17	20	11	16	2	1	-
Female.....	9	10	12	13	17	19	31	23	14	7	3	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	1	-	1	1	-	1	-	-
Male.....	-	1	1	-	-	-	-	1	-	1	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other non-pulmonary forms of heart disease (I30-I51)												
Vermont												
All races, both sexes.....	4	4	15	14	20	28	51	59	44	19	7	-
Male.....	3	4	11	8	9	16	20	22	16	2	1	-
Female.....	1	-	4	6	11	12	31	37	28	17	6	-
White, both sexes.....	4	4	15	14	20	28	51	59	44	19	7	-
Male.....	3	4	11	8	9	16	20	22	16	2	1	-
Female.....	1	-	4	6	11	12	31	37	28	17	6	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	143	174	181	208	401	564	794	763	601	246	49	-
Male.....	91	114	110	121	228	287	348	270	154	57	9	-
Female.....	52	60	71	87	173	277	446	493	447	189	40	-
White, both sexes.....	90	118	120	145	318	429	674	642	511	220	37	-
Male.....	56	83	73	91	180	222	300	226	128	51	5	-
Female.....	34	35	47	54	138	207	374	416	383	169	32	-
Black, both sexes.....	53	54	61	60	79	126	114	116	84	25	12	-
Male.....	35	29	37	27	45	61	46	44	24	5	4	-
Female.....	18	25	24	33	34	65	68	72	60	20	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	3	4	9	4	5	6	1	-	-
Male.....	-	2	-	3	3	4	2	-	2	1	-	-
Female.....	-	-	-	-	1	5	2	5	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other non-pulmonary forms of heart disease (I30-I51)												
Washington												
All races, both sexes.....	45	56	65	86	143	227	355	428	346	126	30	-
Male.....	32	31	26	55	84	111	132	152	119	29	7	-
Female.....	13	25	39	31	59	116	223	276	227	97	23	-
White, both sexes.....	33	48	58	77	131	214	336	418	342	122	29	-
Male.....	25	28	25	50	75	104	123	146	116	28	6	-
Female.....	8	20	33	27	56	110	213	272	226	94	23	-
Black, both sexes.....	8	5	5	6	4	5	4	1	-	1	-	-
Male.....	6	2	1	3	2	2	1	1	-	-	-	-
Female.....	2	3	4	3	2	3	3	-	-	1	-	-
American Indian 1/, both sexes.....	1	1	-	-	3	3	2	3	-	-	-	-
Male.....	-	-	-	-	3	1	1	3	-	-	-	-
Female.....	1	1	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	2	3	5	5	13	6	4	3	1	-
Male.....	1	1	-	2	4	4	7	2	3	1	1	-
Female.....	2	1	2	1	1	1	6	4	1	2	-	-
West Virginia												
All races, both sexes.....	33	47	63	82	113	196	295	300	213	87	14	-
Male.....	24	36	36	45	49	89	103	90	63	20	2	-
Female.....	9	11	27	37	64	107	192	210	150	67	12	-
White, both sexes.....	31	45	60	80	111	189	288	292	208	85	14	-
Male.....	22	35	33	43	48	86	101	86	62	20	2	-
Female.....	9	10	27	37	63	103	187	206	146	65	12	-
Black, both sexes.....	2	2	3	2	1	7	7	8	5	2	-	-
Male.....	2	1	3	2	1	3	2	4	1	-	-	-
Female.....	-	1	-	-	-	4	5	4	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute and subacute endocarditis (I33)												
Arkansas												
All races, both sexes.....	-	-	1	2	2	-	2	1	-	-	-	-
Male.....	-	-	1	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	1	-	-	-	-
White, both sexes.....	-	-	-	-	2	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Black, both sexes.....	-	-	1	2	-	-	1	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	12	6	8	13	20	17	15	11	5	1	-	-
Male.....	8	4	4	9	7	12	10	4	2	-	-	-
Female.....	4	2	4	4	13	5	5	7	3	1	-	-
White, both sexes.....	10	4	7	13	14	17	13	11	5	1	-	-
Male.....	6	3	4	9	5	12	9	4	2	-	-	-
Female.....	4	1	3	4	9	5	4	7	3	1	-	-
Black, both sexes.....	-	2	1	-	3	-	1	-	-	-	-	-
Male.....	-	1	-	-	2	-	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	3	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	3	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
Vermont												
All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	15	-	-	-	-	1	-	-	2	1	2	-
Male.....	5	-	-	-	-	1	-	-	1	-	1	-
Female.....	10	-	-	-	-	-	-	-	1	1	1	-
White, both sexes.....	12	-	-	-	-	-	-	-	1	1	2	-
Male.....	3	-	-	-	-	-	-	-	1	-	1	-
Female.....	9	-	-	-	-	-	-	-	-	1	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
Arkansas												
All races, both sexes.....	1	2	-	-	2	1	-	1	-	1	-	-
Male.....	1	2	-	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-
White, both sexes.....	-	1	-	-	2	1	-	1	-	1	-	-
Male.....	-	1	-	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	5	6	7	5	6	11	8	-	1	-	-	-
Male.....	3	2	5	3	3	5	1	-	-	-	-	-
Female.....	2	4	2	2	3	6	7	-	1	-	-	-
White, both sexes.....	5	4	5	5	5	11	6	-	1	-	-	-
Male.....	3	2	3	3	3	5	1	-	-	-	-	-
Female.....	2	2	2	2	2	6	5	-	1	-	-	-
Black, both sexes.....	-	1	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of endocardium (I34-I38)												
Arkansas												
All races, both sexes.....	3	5	6	7	9	22	26	28	21	8	1	-
Male.....	-	1	5	2	5	13	9	12	-	2	-	-
Female.....	3	4	1	5	4	9	17	16	21	6	1	-
White, both sexes.....	1	5	6	6	9	21	25	27	21	6	1	-
Male.....	-	1	5	2	5	13	9	11	-	1	-	-
Female.....	1	4	1	4	4	8	16	16	21	5	1	-
Black, both sexes.....	2	-	-	1	-	1	1	1	-	2	-	-
Male.....	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	2	-	-	1	-	1	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	42	44	54	70	108	231	405	462	333	121	29	-
Male.....	27	31	28	32	52	104	171	184	90	33	8	-
Female.....	15	13	26	38	56	127	234	278	243	88	21	-
White, both sexes.....	34	36	46	53	98	209	373	431	318	114	28	-
Male.....	25	24	24	24	49	94	161	176	85	32	7	-
Female.....	9	12	22	29	49	115	212	255	233	82	21	-
Black, both sexes.....	4	4	5	9	3	15	14	15	2	2	1	-
Male.....	1	4	4	6	-	5	4	3	1	-	1	-
Female.....	3	-	1	3	3	10	10	12	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	1	1	1	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	3	7	7	6	17	15	12	5	-	-
Male.....	1	3	-	2	3	4	6	4	4	1	-	-
Female.....	3	1	3	5	4	2	11	11	8	4	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of endocardium (I34-I38)												
Florida												
All races, both sexes.....	17	23	34	48	87	168	250	292	240	66	13	-
Male.....	7	14	18	25	41	87	110	103	77	19	5	-
Female.....	10	9	16	23	46	81	140	189	163	47	8	-
White, both sexes.....	13	18	29	41	83	160	240	286	232	64	13	-
Male.....	7	11	17	21	40	83	110	103	74	19	5	-
Female.....	6	7	12	20	43	77	130	183	158	45	8	-
Black, both sexes.....	4	4	5	7	4	7	8	6	6	1	-	-
Male.....	-	3	1	4	1	3	-	-	3	-	-	-
Female.....	4	1	4	3	3	4	8	6	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	-	2	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	2	1	-	-
Georgia												
All races, both sexes.....	10	20	20	27	34	62	69	82	57	14	2	-
Male.....	4	12	8	11	16	32	25	27	12	4	1	-
Female.....	6	8	12	16	18	30	44	55	45	10	1	-
White, both sexes.....	7	13	12	11	31	45	57	72	51	13	1	-
Male.....	3	7	5	7	16	24	21	24	10	4	1	-
Female.....	4	6	7	4	15	21	36	48	41	9	-	-
Black, both sexes.....	3	7	8	15	3	17	11	10	5	1	1	-
Male.....	1	5	3	4	-	8	3	3	2	-	-	-
Female.....	2	2	5	11	3	9	8	7	3	1	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of endocardium (I34-I38)

Maine

All races, both sexes.....	3	3	2	3	11	18	21	35	14	4	2	-
Male.....	1	1	2	1	2	12	5	15	7	-	1	-
Female.....	2	2	-	2	9	6	16	20	7	4	1	-
White, both sexes.....	3	3	2	3	11	17	21	35	14	4	2	-
Male.....	1	1	2	1	2	11	5	15	7	-	1	-
Female.....	2	2	-	2	9	6	16	20	7	4	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	5	5	11	17	20	38	69	67	53	18	-	-
Male.....	2	2	8	10	12	17	27	23	16	1	-	-
Female.....	3	3	3	7	8	21	42	44	37	17	-	-
White, both sexes.....	1	3	5	10	16	29	64	62	48	17	-	-
Male.....	1	2	4	7	10	13	25	23	13	1	-	-
Female.....	-	1	1	3	6	16	39	39	35	16	-	-
Black, both sexes.....	4	2	5	7	3	9	4	5	4	1	-	-
Male.....	1	-	4	3	2	4	1	-	2	-	-	-
Female.....	3	2	1	4	1	5	3	5	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of endocardium (I34-I38)												
Massachusetts												
All races, both sexes.....	8	6	13	9	30	51	80	131	92	54	4	-
Male.....	5	3	5	3	16	26	36	44	21	7	-	-
Female.....	3	3	8	6	14	25	44	87	71	47	4	-
White, both sexes.....	8	6	13	7	30	50	78	128	92	54	4	-
Male.....	5	3	5	3	16	25	35	43	21	7	-	-
Female.....	3	3	8	4	14	25	43	85	71	47	4	-
Black, both sexes.....	-	-	-	1	-	-	2	3	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	12	11	20	30	55	83	130	119	98	31	8	-
Male.....	7	6	12	15	25	30	42	47	20	8	-	-
Female.....	5	5	8	15	30	53	88	72	78	23	8	-
White, both sexes.....	9	5	15	28	48	79	123	112	97	30	8	-
Male.....	5	2	9	15	22	29	40	44	20	8	-	-
Female.....	4	3	6	13	26	50	83	68	77	22	8	-
Black, both sexes.....	3	6	4	2	7	3	6	6	1	1	-	-
Male.....	2	4	2	-	3	1	2	3	-	-	-	-
Female.....	1	2	2	2	4	2	4	3	1	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of endocardium (I34-I38)												
Nebraska												
All races, both sexes.....	2	2	4	7	13	22	30	56	30	12	6	-
Male.....	1	1	2	5	5	7	9	18	9	3	-	-
Female.....	1	1	2	2	8	15	21	38	21	9	6	-
White, both sexes.....	2	2	2	7	12	21	30	56	30	12	6	-
Male.....	1	1	1	5	5	7	9	18	9	3	-	-
Female.....	1	1	1	2	7	14	21	38	21	9	6	-
Black, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	1	3	6	6	7	15	23	19	10	5	1	-
Male.....	-	2	3	2	2	8	7	6	1	1	1	-
Female.....	1	1	3	4	5	7	16	13	9	4	-	-
White, both sexes.....	1	3	6	5	7	15	19	18	10	5	1	-
Male.....	-	2	3	1	2	8	5	6	1	1	1	-
Female.....	1	1	3	4	5	7	14	12	9	4	-	-
Black, both sexes.....	-	-	-	1	-	-	3	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of endocardium (I34-I38)												
New Hampshire												
All races, both sexes.....	1	1	1	3	4	15	25	39	28	10	-	-
Male.....	1	1	1	1	3	8	8	17	4	-	-	-
Female.....	-	-	-	2	1	7	17	22	24	10	-	-
White, both sexes.....	1	1	1	3	4	15	25	39	28	10	-	-
Male.....	1	1	1	1	3	8	8	17	4	-	-	-
Female.....	-	-	-	2	1	7	17	22	24	10	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	7	22	17	24	45	95	152	180	125	38	4	-
Male.....	5	17	9	13	23	45	56	49	35	10	2	-
Female.....	2	5	8	11	22	50	96	131	90	28	2	-
White, both sexes.....	1	20	12	20	34	88	145	178	123	34	4	-
Male.....	1	16	6	11	18	42	54	47	33	9	2	-
Female.....	-	4	6	9	16	46	91	131	90	25	2	-
Black, both sexes.....	6	2	4	4	10	5	7	2	2	4	-	-
Male.....	4	1	2	2	5	3	2	2	2	1	-	-
Female.....	2	1	2	2	5	2	5	-	-	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of endocardium (I34-I38)												
New Mexico												
All races, both sexes.....	2	-	3	5	6	8	12	16	16	7	-	-
Male.....	1	-	2	2	3	4	7	9	4	-	-	-
Female.....	1	-	1	3	3	4	5	7	12	7	-	-
White, both sexes.....	1	-	3	5	6	8	12	16	15	7	-	-
Male.....	-	-	2	2	3	4	7	9	4	-	-	-
Female.....	1	-	1	3	3	4	5	7	11	7	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	21	28	34	43	68	139	230	249	197	71	10	-
Male.....	15	20	18	20	22	62	89	78	56	16	2	-
Female.....	6	8	16	23	46	77	141	171	141	55	8	-
White, both sexes.....	14	21	27	38	62	137	222	237	193	69	10	-
Male.....	10	15	15	18	21	61	87	75	56	16	2	-
Female.....	4	6	12	20	41	76	135	162	137	53	8	-
Black, both sexes.....	7	7	7	5	4	2	7	10	3	2	-	-
Male.....	5	5	3	2	1	1	1	1	-	-	-	-
Female.....	2	2	4	3	3	1	6	9	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	1	2	1	-	-	-
Male.....	-	-	-	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of endocardium (I34-I38)												
Oregon												
All races, both sexes.....	3	8	8	10	23	62	79	117	82	32	5	-
Male.....	-	2	7	5	10	30	32	39	30	1	-	-
Female.....	3	6	1	5	13	32	47	78	52	31	5	-
White, both sexes.....	3	7	7	10	22	62	78	114	82	31	5	-
Male.....	-	2	6	5	9	30	32	38	30	1	-	-
Female.....	3	5	1	5	13	32	46	76	52	30	5	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	25	27	32	66	104	171	286	363	264	88	18	-
Male.....	10	16	19	30	46	75	115	108	59	13	1	-
Female.....	15	11	13	36	58	96	171	255	205	75	17	-
White, both sexes.....	17	25	27	58	99	168	279	355	259	85	16	-
Male.....	7	15	18	25	45	74	112	106	59	13	1	-
Female.....	10	10	9	33	54	94	167	249	200	72	15	-
Black, both sexes.....	7	2	5	8	5	3	7	7	5	3	2	-
Male.....	2	1	1	5	1	1	3	2	-	-	-	-
Female.....	5	1	4	3	4	2	4	5	5	3	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of endocardium (I34-I38)												
Vermont												
All races, both sexes.....	-	-	4	1	2	3	11	12	16	6	1	-
Male.....	-	-	2	-	-	1	4	4	6	-	-	-
Female.....	-	-	2	1	2	2	7	8	10	6	1	-
White, both sexes.....	-	-	4	1	2	3	11	12	16	6	1	-
Male.....	-	-	2	-	-	1	4	4	6	-	-	-
Female.....	-	-	2	1	2	2	7	8	10	6	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	6	14	9	14	33	47	88	91	83	28	-	-
Male.....	3	7	4	6	20	24	36	34	19	5	-	-
Female.....	3	7	5	8	13	23	52	57	64	23	-	-
White, both sexes.....	4	9	6	11	32	42	79	83	74	24	-	-
Male.....	2	6	3	6	19	21	32	31	17	5	-	-
Female.....	2	3	3	5	13	21	47	52	57	19	-	-
Black, both sexes.....	2	5	3	3	1	4	9	8	9	4	-	-
Male.....	1	1	1	-	1	3	4	3	2	-	-	-
Female.....	1	4	2	3	-	1	5	5	7	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nonrheumatic mitral valve disorders (I34)												
Arkansas												
All races, both sexes.....	1	-	1	2	-	2	5	3	2	-	-	-
Male.....	-	-	1	1	-	2	2	2	-	-	-	-
Female.....	1	-	-	1	-	-	3	1	2	-	-	-
White, both sexes.....	-	-	1	2	-	2	5	3	2	-	-	-
Male.....	-	-	1	1	-	2	2	2	-	-	-	-
Female.....	-	-	-	1	-	-	3	1	2	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	10	8	10	11	18	32	53	52	37	14	3	-
Male.....	4	4	4	3	5	7	21	25	7	4	1	-
Female.....	6	4	6	8	13	25	32	27	30	10	2	-
White, both sexes.....	6	7	9	9	14	26	48	49	35	13	3	-
Male.....	3	3	4	2	3	5	20	24	6	4	1	-
Female.....	3	4	5	7	11	21	28	25	29	9	2	-
Black, both sexes.....	1	-	-	1	-	4	1	1	-	1	-	-
Male.....	-	-	-	1	-	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	3	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	1	4	2	4	2	2	-	-	-
Male.....	1	1	-	-	2	1	-	1	1	-	-	-
Female.....	2	-	1	1	2	1	4	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nonrheumatic mitral valve disorders (I34)												
Massachusetts												
All races, both sexes.....	3	3	3	-	3	9	8	19	11	3	-	-
Male.....	1	3	-	-	1	6	1	8	-	-	-	-
Female.....	2	-	3	-	2	3	7	11	11	3	-	-
White, both sexes.....	3	3	3	-	3	9	8	19	11	3	-	-
Male.....	1	3	-	-	1	6	1	8	-	-	-	-
Female.....	2	-	3	-	2	3	7	11	11	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	2	3	4	3	4	14	10	9	-	-	2	-
Male.....	1	-	2	2	1	2	1	3	-	-	-	-
Female.....	1	3	2	1	3	12	9	6	-	-	2	-
White, both sexes.....	1	1	2	3	3	12	10	9	-	-	2	-
Male.....	-	-	1	2	1	2	1	3	-	-	-	-
Female.....	1	1	1	1	2	10	9	6	-	-	2	-
Black, both sexes.....	1	2	2	-	1	1	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	2	1	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nonrheumatic aortic valve disorders (I35)												
Arkansas												
All races, both sexes.....	1	2	4	3	4	13	13	17	15	7	-	-
Male.....	-	-	3	-	2	8	5	8	-	2	-	-
Female.....	1	2	1	3	2	5	8	9	15	5	-	-
White, both sexes.....	1	2	4	2	4	13	12	16	15	5	-	-
Male.....	-	-	3	-	2	8	5	7	-	1	-	-
Female.....	1	2	1	2	2	5	7	9	15	4	-	-
Black, both sexes.....	-	-	-	1	-	-	1	1	-	2	-	-
Male.....	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	-	-	-	1	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	20	16	27	32	63	153	274	340	258	95	24	-
Male.....	15	13	14	15	31	75	118	136	68	26	7	-
Female.....	5	3	13	17	32	78	156	204	190	69	17	-
White, both sexes.....	17	14	23	27	58	140	256	317	248	89	23	-
Male.....	14	11	13	13	30	68	115	129	66	25	6	-
Female.....	3	3	10	14	28	72	141	188	182	64	17	-
Black, both sexes.....	3	1	2	2	3	8	10	11	2	1	1	-
Male.....	1	1	1	1	-	3	1	3	1	-	1	-
Female.....	2	-	1	1	3	5	9	8	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	2	4	7	11	8	5	-	-
Male.....	-	1	-	1	1	3	2	3	1	1	-	-
Female.....	-	-	2	1	1	1	5	8	7	4	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nonrheumatic aortic valve disorders (I35)												
Florida												
All races, both sexes.....	6	8	19	29	44	93	141	194	182	44	12	-
Male.....	4	7	13	14	23	53	59	67	60	14	5	-
Female.....	2	1	6	15	21	40	82	127	122	30	7	-
White, both sexes.....	6	7	18	23	43	89	134	191	174	43	12	-
Male.....	4	6	12	11	23	51	59	67	57	14	5	-
Female.....	2	1	6	12	20	38	75	124	117	29	7	-
Black, both sexes.....	-	1	1	6	1	4	5	3	6	1	-	-
Male.....	-	1	1	3	-	2	-	-	3	-	-	-
Female.....	-	-	-	3	1	2	5	3	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	2	-	-	-
Georgia												
All races, both sexes.....	8	10	7	11	17	39	40	51	36	11	2	-
Male.....	2	8	4	5	8	20	16	18	6	4	1	-
Female.....	6	2	3	6	9	19	24	33	30	7	1	-
White, both sexes.....	5	6	5	4	16	30	31	45	31	10	1	-
Male.....	1	5	2	3	8	17	13	17	4	4	1	-
Female.....	4	1	3	1	8	13	18	28	27	6	-	-
Black, both sexes.....	3	4	2	6	1	9	8	6	4	1	1	-
Male.....	1	3	2	2	-	3	2	1	2	-	-	-
Female.....	2	1	-	4	1	6	6	5	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nonrheumatic aortic valve disorders (I35)												
Maine												
All races, both sexes.....	3	3	1	3	7	15	12	18	9	3	2	-
Male.....	1	1	1	1	2	10	4	9	5	-	1	-
Female.....	2	2	-	2	5	5	8	9	4	3	1	-
White, both sexes.....	3	3	1	3	7	14	12	18	9	3	2	-
Male.....	1	1	1	1	2	9	4	9	5	-	1	-
Female.....	2	2	-	2	5	5	8	9	4	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	-	1	3	7	14	19	45	48	41	17	-	-
Male.....	-	1	2	6	10	8	20	19	14	1	-	-
Female.....	-	-	1	1	4	11	25	29	27	16	-	-
White, both sexes.....	-	1	1	6	12	16	42	44	36	17	-	-
Male.....	-	1	1	5	9	6	19	19	11	1	-	-
Female.....	-	-	-	1	3	10	23	25	25	16	-	-
Black, both sexes.....	-	-	1	1	1	3	3	4	4	-	-	-
Male.....	-	-	1	1	1	2	1	-	2	-	-	-
Female.....	-	-	-	-	-	1	2	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nonrheumatic aortic valve disorders (I35)												
Nebraska												
All races, both sexes.....	1	2	4	1	5	10	15	33	21	10	4	-
Male.....	-	1	2	1	4	2	6	13	7	2	-	-
Female.....	1	1	2	-	1	8	9	20	14	8	4	-
White, both sexes.....	1	2	2	1	5	9	15	33	21	10	4	-
Male.....	-	1	1	1	4	2	6	13	7	2	-	-
Female.....	1	1	1	-	1	7	9	20	14	8	4	-
Black, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	-	1	3	2	2	8	15	17	6	3	1	-
Male.....	-	-	2	1	1	5	5	6	-	1	1	-
Female.....	-	1	1	1	1	3	10	11	6	2	-	-
White, both sexes.....	-	1	3	1	2	8	12	16	6	3	1	-
Male.....	-	-	2	-	1	5	3	6	-	1	1	-
Female.....	-	1	1	1	1	3	9	10	6	2	-	-
Black, both sexes.....	-	-	-	1	-	-	2	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nonrheumatic aortic valve disorders (I35)												
New Hampshire												
All races, both sexes.....	-	1	-	1	4	5	20	26	20	8	-	-
Male.....	-	1	-	-	3	3	7	9	3	-	-	-
Female.....	-	-	-	1	1	2	13	17	17	8	-	-
White, both sexes.....	-	1	-	1	4	5	20	26	20	8	-	-
Male.....	-	1	-	-	3	3	7	9	3	-	-	-
Female.....	-	-	-	1	1	2	13	17	17	8	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	1	5	5	11	28	60	103	124	97	27	4	-
Male.....	1	5	3	5	16	30	37	33	33	8	2	-
Female.....	-	-	2	6	12	30	66	91	64	19	2	-
White, both sexes.....	-	5	4	9	23	57	99	123	95	24	4	-
Male.....	-	5	3	4	15	28	36	32	31	7	2	-
Female.....	-	-	1	5	8	29	63	91	64	17	2	-
Black, both sexes.....	1	-	1	2	4	2	4	1	2	3	-	-
Male.....	1	-	-	1	1	2	1	1	2	1	-	-
Female.....	-	-	1	1	3	-	3	-	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nonrheumatic aortic valve disorders (I35)												
New Mexico												
All races, both sexes.....	2	-	2	2	4	4	10	11	12	5	-	-
Male.....	1	-	1	1	1	2	6	7	3	-	-	-
Female.....	1	-	1	1	3	2	4	4	9	5	-	-
White, both sexes.....	1	-	2	2	4	4	10	11	11	5	-	-
Male.....	-	-	1	1	1	2	6	7	3	-	-	-
Female.....	1	-	1	1	3	2	4	4	8	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	8	11	17	23	36	73	136	160	146	48	7	-
Male.....	7	8	10	14	17	35	53	46	44	10	1	-
Female.....	1	3	7	9	19	38	83	114	102	38	6	-
White, both sexes.....	4	8	15	20	33	73	132	153	144	46	7	-
Male.....	4	6	9	13	17	35	51	43	44	10	1	-
Female.....	-	2	6	7	16	38	81	110	100	36	6	-
Black, both sexes.....	4	3	2	3	2	-	3	5	1	2	-	-
Male.....	3	2	1	1	-	-	1	1	-	-	-	-
Female.....	1	1	1	2	2	-	2	4	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	2	1	-	-	-
Male.....	-	-	-	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nonrheumatic aortic valve disorders (I35)												
Oregon												
All races, both sexes.....	2	4	3	6	14	46	58	84	63	25	3	-
Male.....	-	2	3	3	5	25	24	33	24	1	-	-
Female.....	2	2	-	3	9	21	34	51	39	24	3	-
White, both sexes.....	2	4	3	6	14	46	57	82	63	24	3	-
Male.....	-	2	3	3	5	25	24	33	24	1	-	-
Female.....	2	2	-	3	9	21	33	49	39	23	3	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	6	8	10	31	52	97	170	248	192	67	15	-
Male.....	3	6	7	17	26	46	79	73	48	7	1	-
Female.....	3	2	3	14	26	51	91	175	144	60	14	-
White, both sexes.....	6	8	9	27	50	95	168	242	188	65	13	-
Male.....	3	6	6	14	26	46	79	72	48	7	1	-
Female.....	3	2	3	13	24	49	89	170	140	58	12	-
Black, both sexes.....	-	-	1	4	2	2	2	5	4	2	2	-
Male.....	-	-	1	3	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	2	2	2	4	4	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nonrheumatic aortic valve disorders (I35)												
Vermont												
All races, both sexes.....	-	-	1	-	1	2	5	9	14	4	1	-
Male.....	-	-	-	-	-	-	3	2	4	-	-	-
Female.....	-	-	1	-	1	2	2	7	10	4	1	-
White, both sexes.....	-	-	1	-	1	2	5	9	14	4	1	-
Male.....	-	-	-	-	-	-	3	2	4	-	-	-
Female.....	-	-	1	-	1	2	2	7	10	4	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	3	8	5	5	20	27	56	58	60	19	-	-
Male.....	2	5	2	2	13	14	27	22	14	5	-	-
Female.....	1	3	3	3	7	13	29	36	46	14	-	-
White, both sexes.....	3	7	3	5	19	24	52	53	54	16	-	-
Male.....	2	4	2	2	12	12	25	19	13	5	-	-
Female.....	1	3	1	3	7	12	27	34	41	11	-	-
Black, both sexes.....	-	1	2	-	1	2	4	5	6	3	-	-
Male.....	-	1	-	-	1	2	2	3	1	-	-	-
Female.....	-	-	2	-	-	-	2	2	5	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of endocardium (I36-I38)												
Arkansas												
All races, both sexes.....	1	3	1	2	5	7	8	8	4	1	1	-
Male.....	-	1	1	1	3	3	2	2	-	-	-	-
Female.....	1	2	-	1	2	4	6	6	4	1	1	-
White, both sexes.....	-	3	1	2	5	6	8	8	4	1	1	-
Male.....	-	1	1	1	3	3	2	2	-	-	-	-
Female.....	-	2	-	1	2	3	6	6	4	1	1	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	12	20	17	27	27	46	78	70	38	12	2	-
Male.....	8	14	10	14	16	22	32	23	15	3	-	-
Female.....	4	6	7	13	11	24	46	47	23	9	2	-
White, both sexes.....	11	15	14	17	26	43	69	65	35	12	2	-
Male.....	8	10	7	9	16	21	26	23	13	3	-	-
Female.....	3	5	7	8	10	22	43	42	22	9	2	-
Black, both sexes.....	-	3	3	6	-	3	3	3	-	-	-	-
Male.....	-	3	3	4	-	1	2	-	-	-	-	-
Female.....	-	-	-	2	-	2	1	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	4	1	-	6	2	2	-	-	-
Male.....	-	1	-	1	-	-	4	-	2	-	-	-
Female.....	1	1	-	3	1	-	2	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of endocardium (I36-I38)												
New Mexico												
All races, both sexes.....	-	-	1	3	2	4	-	5	3	1	-	-
Male.....	-	-	1	1	2	2	-	2	1	-	-	-
Female.....	-	-	-	2	-	2	-	3	2	1	-	-
White, both sexes.....	-	-	1	3	2	4	-	5	3	1	-	-
Male.....	-	-	1	1	2	2	-	2	1	-	-	-
Female.....	-	-	-	2	-	2	-	3	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	7	13	10	12	17	48	64	63	33	18	2	-
Male.....	3	9	5	4	4	18	23	22	10	6	-	-
Female.....	4	4	5	8	13	30	41	41	23	12	2	-
White, both sexes.....	6	9	6	11	15	46	61	60	31	18	2	-
Male.....	3	6	3	3	3	17	23	22	10	6	-	-
Female.....	3	3	3	8	12	29	38	38	21	12	2	-
Black, both sexes.....	1	4	4	1	1	2	3	3	2	-	-	-
Male.....	-	3	2	1	1	1	-	-	-	-	-	-
Female.....	1	1	2	-	-	1	3	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Cardiomyopathy (I42)												
Arkansas												
All races, both sexes.....	265	1	1	-	-	2	1	4	4	9	8	8
Male.....	142	-	1	-	-	2	1	3	2	6	4	5
Female.....	123	1	-	-	-	-	-	1	2	3	4	3
White, both sexes.....	216	-	1	-	-	1	1	1	2	6	4	3
Male.....	113	-	1	-	-	1	1	-	1	4	2	3
Female.....	103	-	-	-	-	-	-	1	1	2	2	-
Black, both sexes.....	47	1	-	-	-	1	-	3	2	3	4	5
Male.....	28	-	-	-	-	1	-	3	1	2	2	2
Female.....	19	1	-	-	-	-	-	-	1	1	2	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	3,002	15	3	5	6	15	19	47	57	80	121	188
Male.....	1,835	7	1	2	4	12	15	38	42	58	89	136
Female.....	1,167	8	2	3	2	3	4	9	15	22	32	52
White, both sexes.....	2,427	10	3	4	5	9	14	32	38	54	86	138
Male.....	1,489	3	1	1	3	7	11	28	31	41	64	105
Female.....	938	7	2	3	2	2	3	4	7	13	22	33
Black, both sexes.....	367	-	-	-	1	4	2	12	14	18	27	36
Male.....	221	-	-	-	1	3	1	7	7	13	19	25
Female.....	146	-	-	-	-	1	1	5	7	5	8	11
American Indian 1/, both sexes.....	13	-	-	-	-	-	1	-	-	-	1	1
Male.....	10	-	-	-	-	-	1	-	-	-	1	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	195	5	-	1	-	2	2	3	5	8	7	13
Male.....	115	4	-	1	-	2	2	3	4	4	5	5
Female.....	80	1	-	-	-	-	-	-	1	4	2	8

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Cardiomyopathy (I42)												
New Mexico												
All races, both sexes.....	121	1	-	-	2	-	1	2	1	6	3	2
Male.....	73	-	-	-	2	-	1	1	1	5	1	1
Female.....	48	1	-	-	-	-	-	1	-	1	2	1
White, both sexes.....	109	1	-	-	1	-	-	2	-	4	3	2
Male.....	64	-	-	-	1	-	-	1	-	4	1	1
Female.....	45	1	-	-	-	-	-	1	-	-	2	1
Black, both sexes.....	5	-	-	-	-	-	1	-	-	1	-	-
Male.....	4	-	-	-	-	-	1	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	1	-	-	-	1	1	-	-
Male.....	4	-	-	-	1	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	1,320	5	4	1	3	7	10	9	10	24	35	44
Male.....	787	2	2	-	3	3	9	7	10	13	24	28
Female.....	533	3	2	1	-	4	1	2	-	11	11	16
White, both sexes.....	1,116	4	3	-	2	4	5	5	6	12	21	25
Male.....	664	2	1	-	2	1	4	5	6	7	15	20
Female.....	452	2	2	-	-	3	1	-	-	5	6	5
Black, both sexes.....	185	1	1	1	1	3	5	4	3	11	14	17
Male.....	113	-	1	-	1	2	5	2	3	6	9	6
Female.....	72	1	-	1	-	1	-	2	-	5	5	11
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	-	-	-	1	1	-	1
Male.....	7	-	-	-	-	-	-	-	1	-	-	1
Female.....	8	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Cardiomyopathy (I42)

Alaska

All races, both sexes.....	1	-	3	-	4	4	4	1	-	-	-	-
Male.....	1	-	3	-	2	2	4	1	-	-	-	-
Female.....	-	-	-	-	2	2	-	-	-	-	-	-
White, both sexes.....	1	-	2	-	2	2	2	1	-	-	-	-
Male.....	1	-	2	-	1	1	2	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	22	19	34	27	43	66	54	67	32	13	4	-
Male.....	13	14	26	15	28	38	33	34	13	3	-	-
Female.....	9	5	8	12	15	28	21	33	19	10	4	-
White, both sexes.....	19	18	33	27	40	63	52	63	31	13	4	-
Male.....	11	13	26	15	25	37	32	31	12	3	-	-
Female.....	8	5	7	12	15	26	20	32	19	10	4	-
Black, both sexes.....	1	1	-	-	2	1	-	2	-	-	-	-
Male.....	-	1	-	-	2	-	-	2	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	2	2	-	-	-	-
Male.....	1	-	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	1	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	-	-	1	-	-	-
Male.....	1	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cardiomyopathy (I42)												
Arkansas												
All races, both sexes.....	11	16	8	18	32	33	38	35	27	8	1	-
Male.....	6	12	5	7	19	21	23	12	10	2	1	-
Female.....	5	4	3	11	13	12	15	23	17	6	-	-
White, both sexes.....	7	12	5	15	29	27	37	33	24	7	1	-
Male.....	3	8	2	6	16	18	23	11	10	2	1	-
Female.....	4	4	3	9	13	9	14	22	14	5	-	-
Black, both sexes.....	3	4	3	3	3	6	1	2	2	1	-	-
Male.....	2	4	3	1	3	3	-	1	-	-	-	-
Female.....	1	-	-	2	-	3	1	1	2	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	190	178	174	218	288	366	392	341	207	71	21	-
Male.....	131	121	116	132	186	235	227	174	82	23	4	-
Female.....	59	57	58	86	102	131	165	167	125	48	17	-
White, both sexes.....	142	137	131	177	235	312	338	294	186	62	20	-
Male.....	97	92	89	107	151	202	199	154	79	21	3	-
Female.....	45	45	42	70	84	110	139	140	107	41	17	-
Black, both sexes.....	28	29	30	25	32	39	26	24	13	6	1	-
Male.....	19	21	18	14	24	23	12	11	1	1	1	-
Female.....	9	8	12	11	8	16	14	13	12	5	-	-
American Indian 1/, both sexes.....	2	2	-	-	4	-	2	-	-	-	-	-
Male.....	2	1	-	-	3	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	10	13	16	17	15	26	23	8	3	-	-
Male.....	13	7	9	11	8	10	15	9	2	1	-	-
Female.....	5	3	4	5	9	5	11	14	6	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cardiomyopathy (I42)												
Florida												
All races, both sexes.....	76	104	141	174	263	367	432	363	230	79	26	-
Male.....	56	76	99	117	174	227	234	186	86	27	5	-
Female.....	20	28	42	57	89	140	198	177	144	52	21	-
White, both sexes.....	55	79	112	145	236	333	398	341	211	74	23	-
Male.....	40	61	83	102	163	206	216	179	83	24	5	-
Female.....	15	18	29	43	73	127	182	162	128	50	18	-
Black, both sexes.....	20	25	28	29	24	33	33	22	18	4	3	-
Male.....	15	15	15	15	9	20	18	7	3	2	-	-
Female.....	5	10	13	14	15	13	15	15	15	2	3	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	1	-	1	1	-	-
Male.....	-	-	-	-	1	1	-	-	-	1	-	-
Female.....	-	-	-	-	1	-	1	-	1	-	-	-
Georgia												
All races, both sexes.....	67	64	76	77	87	89	96	98	50	22	4	-
Male.....	44	49	44	43	51	50	46	37	14	5	-	-
Female.....	23	15	32	34	36	39	50	61	36	17	4	-
White, both sexes.....	29	34	42	55	57	65	77	76	35	20	3	-
Male.....	19	28	25	29	31	40	36	31	8	5	-	-
Female.....	10	6	17	26	26	25	41	45	27	15	3	-
Black, both sexes.....	38	30	32	21	29	21	19	21	15	2	1	-
Male.....	25	21	17	13	19	8	10	6	6	-	-	-
Female.....	13	9	15	8	10	13	9	15	9	2	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	1	-	1	-	-	-	-
Male.....	-	-	2	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cardiomyopathy (I42)												
Kentucky												
All races, both sexes.....	14	25	25	33	46	45	51	48	38	6	5	-
Male.....	5	14	15	20	27	25	28	23	6	1	1	-
Female.....	9	11	10	13	19	20	23	25	32	5	4	-
White, both sexes.....	10	24	25	30	42	44	48	43	37	5	5	-
Male.....	2	13	15	18	25	24	27	23	6	1	1	-
Female.....	8	11	10	12	17	20	21	20	31	4	4	-
Black, both sexes.....	4	1	-	2	4	1	2	5	1	1	-	-
Male.....	3	1	-	1	2	1	1	-	-	-	-	-
Female.....	1	-	-	1	2	-	1	5	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Louisiana												
All races, both sexes.....	15	29	26	50	66	74	93	89	50	11	3	-
Male.....	10	22	19	30	38	49	45	36	18	3	-	-
Female.....	5	7	7	20	28	25	48	53	32	8	3	-
White, both sexes.....	13	19	16	38	52	58	70	75	42	8	2	-
Male.....	9	13	12	23	31	40	33	31	13	2	-	-
Female.....	4	6	4	15	21	18	37	44	29	6	2	-
Black, both sexes.....	2	10	10	12	12	15	23	14	8	3	1	-
Male.....	1	9	7	7	6	9	12	5	5	1	-	-
Female.....	1	1	3	5	6	6	11	9	3	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cardiomyopathy (I42)												
Maine												
All races, both sexes.....	2	5	7	7	11	12	16	17	7	2	-	-
Male.....	2	2	4	5	7	9	6	5	4	-	-	-
Female.....	-	3	3	2	4	3	10	12	3	2	-	-
White, both sexes.....	2	4	6	7	11	12	15	16	7	2	-	-
Male.....	2	2	4	5	7	9	5	4	4	-	-	-
Female.....	-	2	2	2	4	3	10	12	3	2	-	-
Black, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	17	31	24	42	47	65	64	63	36	17	2	-
Male.....	14	14	16	23	27	34	34	33	11	4	-	-
Female.....	3	17	8	19	20	31	30	30	25	13	2	-
White, both sexes.....	8	13	14	26	26	54	48	52	32	16	1	-
Male.....	7	8	9	16	15	29	27	27	9	4	-	-
Female.....	1	5	5	10	11	25	21	25	23	12	1	-
Black, both sexes.....	7	18	10	15	19	11	15	11	4	1	1	-
Male.....	5	6	7	6	10	5	7	6	2	-	-	-
Female.....	2	12	3	9	9	6	8	5	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	2	-	1	-	-	-	-	-
Male.....	2	-	-	1	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cardiomyopathy (I42)												
Massachusetts												
All races, both sexes.....	18	28	20	27	48	58	77	76	40	7	6	-
Male.....	15	17	18	16	41	41	39	33	17	1	1	-
Female.....	3	11	2	11	7	17	38	43	23	6	5	-
White, both sexes.....	13	24	18	26	46	57	75	75	39	7	6	-
Male.....	10	17	16	15	39	40	39	32	17	1	1	-
Female.....	3	7	2	11	7	17	36	43	22	6	5	-
Black, both sexes.....	5	4	2	1	2	1	2	1	1	-	-	-
Male.....	5	-	2	1	2	1	-	1	-	-	-	-
Female.....	-	4	-	-	-	-	2	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	83	75	56	71	103	151	155	138	87	34	9	-
Male.....	54	54	36	40	60	88	79	60	28	7	1	-
Female.....	29	21	20	31	43	63	76	78	59	27	8	-
White, both sexes.....	55	45	46	51	91	130	137	133	82	32	9	-
Male.....	40	36	29	29	52	78	68	56	26	7	1	-
Female.....	15	9	17	22	39	52	69	77	56	25	8	-
Black, both sexes.....	28	30	9	20	12	21	18	4	5	2	-	-
Male.....	14	18	6	11	8	10	11	4	2	-	-	-
Female.....	14	12	3	9	4	11	7	-	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cardiomyopathy (I42)												
Nebraska												
All races, both sexes.....	4	7	6	9	21	16	19	10	12	4	-	-
Male.....	3	5	2	6	13	9	8	6	2	1	-	-
Female.....	1	2	4	3	8	7	11	4	10	3	-	-
White, both sexes.....	4	6	4	9	18	14	17	10	12	4	-	-
Male.....	3	4	2	6	11	9	7	6	2	1	-	-
Female.....	1	2	2	3	7	5	10	4	10	3	-	-
Black, both sexes.....	-	-	2	-	2	2	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	2	-	1	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	1	-	-	-	-	-
Male.....	-	1	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	20	23	13	20	24	32	34	25	6	-	1	1
Male.....	19	15	5	14	15	21	23	8	4	-	-	-
Female.....	1	8	8	6	9	11	11	17	2	-	1	1
White, both sexes.....	15	20	11	16	20	26	30	25	6	-	1	1
Male.....	14	13	4	12	14	20	20	8	4	-	-	-
Female.....	1	7	7	4	6	6	10	17	2	-	1	1
Black, both sexes.....	5	2	1	3	4	4	3	-	-	-	-	-
Male.....	5	2	1	2	1	-	2	-	-	-	-	-
Female.....	-	-	-	1	3	4	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	1	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cardiomyopathy (I42)												
New Hampshire												
All races, both sexes.....	2	5	3	4	6	7	15	9	5	-	1	-
Male.....	-	4	3	2	1	5	10	6	1	-	-	-
Female.....	2	1	-	2	5	2	5	3	4	-	1	-
White, both sexes.....	2	5	3	4	6	6	15	9	5	-	1	-
Male.....	-	4	3	2	1	4	10	6	1	-	-	-
Female.....	2	1	-	2	5	2	5	3	4	-	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	43	55	55	74	108	138	159	132	73	22	2	-
Male.....	34	38	36	44	67	85	90	62	26	5	-	-
Female.....	9	17	19	30	41	53	69	70	47	17	2	-
White, both sexes.....	29	38	40	50	88	116	148	127	65	22	2	-
Male.....	26	28	28	31	54	73	84	62	26	5	-	-
Female.....	3	10	12	19	34	43	64	65	39	17	2	-
Black, both sexes.....	14	15	14	24	18	18	7	5	6	-	-	-
Male.....	8	9	7	13	13	10	2	-	-	-	-	-
Female.....	6	6	7	11	5	8	5	5	6	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	2	4	4	-	2	-	-	-
Male.....	-	1	1	-	-	2	4	-	-	-	-	-
Female.....	-	1	-	-	2	2	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cardiomyopathy (I42)												
New Mexico												
All races, both sexes.....	15	5	8	10	10	18	13	13	8	2	1	-
Male.....	8	2	6	6	9	12	8	6	4	-	-	-
Female.....	7	3	2	4	1	6	5	7	4	2	1	-
White, both sexes.....	14	5	6	10	9	18	11	12	8	2	1	-
Male.....	8	2	4	6	8	12	6	6	4	-	-	-
Female.....	6	3	2	4	1	6	5	6	4	2	1	-
Black, both sexes.....	-	-	1	-	-	-	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	52	66	78	116	133	198	198	185	95	40	7	-
Male.....	37	54	52	77	88	128	105	91	44	10	-	-
Female.....	15	12	26	39	45	70	93	94	51	30	7	-
White, both sexes.....	39	51	61	98	112	170	189	173	93	36	7	-
Male.....	27	43	41	65	74	112	100	86	43	10	-	-
Female.....	12	8	20	33	38	58	89	87	50	26	7	-
Black, both sexes.....	12	13	17	15	18	25	7	11	2	4	-	-
Male.....	10	10	11	9	12	15	5	5	1	-	-	-
Female.....	2	3	6	6	6	10	2	6	1	4	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	1	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	3	3	2	2	-	-	-	-	-
Male.....	-	-	-	3	2	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	2	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cardiomyopathy (I42)												
Oregon												
All races, both sexes.....	13	17	13	30	27	30	39	26	14	3	-	-
Male.....	11	14	11	16	19	21	19	11	4	2	-	-
Female.....	2	3	2	14	8	9	20	15	10	1	-	-
White, both sexes.....	12	17	11	28	25	27	39	26	14	3	-	-
Male.....	10	14	10	16	18	20	19	11	4	2	-	-
Female.....	2	3	1	12	7	7	20	15	10	1	-	-
Black, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	3	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	1	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	68	69	98	109	187	247	297	223	130	43	10	-
Male.....	59	50	75	86	113	163	185	98	44	11	1	-
Female.....	9	19	23	23	74	84	112	125	86	32	9	-
White, both sexes.....	47	55	81	94	160	236	282	211	126	40	10	-
Male.....	40	41	66	72	96	156	178	93	44	10	1	-
Female.....	7	14	15	22	64	80	104	118	82	30	9	-
Black, both sexes.....	21	14	16	15	27	11	14	12	3	3	-	-
Male.....	19	9	8	14	17	7	7	5	-	1	-	-
Female.....	2	5	8	1	10	4	7	7	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cardiomyopathy (I42)												
Vermont												
All races, both sexes.....	2	4	4	4	8	10	7	3	2	1	-	-
Male.....	2	4	3	1	5	8	4	1	-	1	-	-
Female.....	-	-	1	3	3	2	3	2	2	-	-	-
White, both sexes.....	2	4	4	4	8	10	7	3	2	1	-	-
Male.....	2	4	3	1	5	8	4	1	-	1	-	-
Female.....	-	-	1	3	3	2	3	2	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	41	41	43	38	91	98	111	73	46	14	2	-
Male.....	28	30	30	23	55	52	62	37	15	1	1	-
Female.....	13	11	13	15	36	46	49	36	31	13	1	-
White, both sexes.....	21	27	19	20	72	73	92	58	36	11	2	-
Male.....	15	20	13	13	44	41	52	29	11	1	1	-
Female.....	6	7	6	7	28	32	40	29	25	10	1	-
Black, both sexes.....	20	13	24	17	18	25	18	15	10	3	-	-
Male.....	13	9	17	9	11	11	10	8	4	-	-	-
Female.....	7	4	7	8	7	14	8	7	6	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Conduction disorders and cardiac dysrhythmias (I44-I49)												
Arkansas												
All races, both sexes.....	511	1	1	-	-	1	1	1	3	5	4	7
Male.....	248	1	1	-	-	1	1	-	3	3	2	4
Female.....	263	-	-	-	-	-	-	1	-	2	2	3
White, both sexes.....	437	1	1	-	-	1	1	-	3	1	4	3
Male.....	205	1	1	-	-	1	1	-	3	1	2	3
Female.....	232	-	-	-	-	-	-	-	-	-	2	-
Black, both sexes.....	72	-	-	-	-	-	-	1	-	4	-	4
Male.....	42	-	-	-	-	-	-	-	-	2	-	1
Female.....	30	-	-	-	-	-	-	1	-	2	-	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,142	1	-	-	3	2	5	4	3	8	8	9
Male.....	437	1	-	-	1	2	4	2	1	2	4	6
Female.....	705	-	-	-	2	-	1	2	2	6	4	3
White, both sexes.....	1,037	1	-	-	3	2	4	4	3	6	8	9
Male.....	397	1	-	-	1	2	3	2	1	2	4	6
Female.....	640	-	-	-	2	-	1	2	2	4	4	3
Black, both sexes.....	44	-	-	-	-	-	-	-	-	-	-	-
Male.....	14	-	-	-	-	-	-	-	-	-	-	-
Female.....	30	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	60	-	-	-	-	-	1	-	-	2	-	-
Male.....	25	-	-	-	-	-	1	-	-	-	-	-
Female.....	35	-	-	-	-	-	-	-	-	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Conduction disorders and cardiac dysrhythmias (I44-I49)												
New Hampshire												
All races, both sexes.....	102	-	-	-	-	1	-	-	-	1	1	-
Male.....	44	-	-	-	-	1	-	-	-	1	1	-
Female.....	58	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	101	-	-	-	-	1	-	-	-	1	1	-
Male.....	43	-	-	-	-	1	-	-	-	1	1	-
Female.....	58	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	1,230	1	2	-	1	3	4	6	6	6	16	25
Male.....	520	-	1	-	1	2	3	5	3	5	10	15
Female.....	710	1	1	-	-	1	1	1	3	1	6	10
White, both sexes.....	1,074	-	-	-	-	3	4	4	4	3	14	18
Male.....	447	-	-	-	-	2	3	4	3	3	9	11
Female.....	627	-	-	-	-	1	1	-	1	-	5	7
Black, both sexes.....	139	-	2	-	1	-	-	1	2	3	2	7
Male.....	62	-	1	-	1	-	-	1	-	2	1	4
Female.....	77	-	1	-	-	-	-	-	2	1	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	1	-	-	-	-	-	1	-	-	-	-
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	1	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Conduction disorders and cardiac dysrhythmias (I44-I49)												
United States												
All races, both sexes.....	1,210	1,510	1,832	2,362	3,394	5,201	6,698	6,909	5,312	2,119	507	2
Male.....	798	978	1,169	1,381	1,856	2,496	2,778	2,402	1,408	431	74	2
Female.....	412	532	663	981	1,538	2,705	3,920	4,507	3,904	1,688	433	-
White, both sexes.....	898	1,172	1,406	1,927	2,831	4,494	5,966	6,294	4,840	1,907	428	1
Male.....	608	775	922	1,152	1,567	2,157	2,495	2,187	1,262	379	56	1
Female.....	290	397	484	775	1,264	2,337	3,471	4,107	3,578	1,528	372	-
Black, both sexes.....	293	303	386	392	476	577	614	499	393	181	64	1
Male.....	177	178	222	206	247	262	227	159	105	37	13	1
Female.....	116	125	164	186	229	315	387	340	288	144	51	-
American Indian 1/, both sexes.....	4	8	11	6	10	21	13	11	7	4	4	-
Male.....	3	5	8	3	7	13	4	2	3	3	3	-
Female.....	1	3	3	3	3	8	9	9	4	1	1	-
Asian or Pacific Islander 2/, both sexes.....	15	27	29	37	77	109	105	105	72	27	11	-
Male.....	10	20	17	20	35	64	52	54	38	12	2	-
Female.....	5	7	12	17	42	45	53	51	34	15	9	-
Alabama												
All races, both sexes.....	106	121	130	174	224	295	311	324	241	103	20	-
Male.....	74	78	91	102	122	125	115	108	61	19	3	-
Female.....	32	43	39	72	102	170	196	216	180	84	17	-
White, both sexes.....	61	76	90	123	155	218	236	246	195	71	13	-
Male.....	41	46	66	71	88	94	94	85	46	11	2	-
Female.....	20	30	24	52	67	124	142	161	149	60	11	-
Black, both sexes.....	45	45	39	51	68	77	75	78	46	32	7	-
Male.....	33	32	24	31	34	31	21	23	15	8	1	-
Female.....	12	13	15	20	34	46	54	55	31	24	6	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Conduction disorders and cardiac dysrhythmias (I44-I49)

Alaska

All races, both sexes.....	2	1	2	2	1	3	3	3	4	1	-	-
Male.....	-	1	2	1	-	3	-	-	1	1	-	-
Female.....	2	-	-	1	1	-	3	3	3	-	-	-
White, both sexes.....	1	1	1	1	1	2	3	2	4	1	-	-
Male.....	-	1	1	1	-	2	-	-	1	1	-	-
Female.....	1	-	-	-	1	-	3	2	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	1	-	1	-	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	8	11	11	16	23	49	66	51	50	23	4	-
Male.....	6	7	7	5	15	24	27	14	14	10	1	-
Female.....	2	4	4	11	8	25	39	37	36	13	3	-
White, both sexes.....	7	9	10	15	21	45	61	50	45	20	3	-
Male.....	5	6	6	5	13	22	26	14	12	9	-	-
Female.....	2	3	4	10	8	23	35	36	33	11	3	-
Black, both sexes.....	-	-	-	1	1	1	3	-	1	1	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	1	3	-	-	1	-	-
American Indian 1/, both sexes.....	1	2	1	-	1	3	2	-	3	2	1	-
Male.....	1	1	1	-	1	2	1	-	1	1	1	-
Female.....	-	1	-	-	-	1	1	-	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Conduction disorders and cardiac dysrhythmias (I44-I49)												
Arkansas												
All races, both sexes.....	17	21	26	28	43	68	84	91	72	26	11	-
Male.....	12	16	20	17	25	36	41	33	26	4	2	-
Female.....	5	5	6	11	18	32	43	58	46	22	9	-
White, both sexes.....	15	19	22	23	38	60	74	85	55	24	7	-
Male.....	10	14	17	12	21	31	35	31	17	2	2	-
Female.....	5	5	5	11	17	29	39	54	38	22	5	-
Black, both sexes.....	2	2	4	5	5	8	10	5	16	2	4	-
Male.....	2	2	3	5	4	5	6	2	8	2	-	-
Female.....	-	-	1	-	1	3	4	3	8	-	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
California												
All races, both sexes.....	22	29	32	41	64	143	212	246	202	82	26	-
Male.....	12	17	16	22	35	60	89	83	61	15	4	-
Female.....	10	12	16	19	29	83	123	163	141	67	22	-
White, both sexes.....	16	24	29	35	53	128	198	230	187	76	21	-
Male.....	11	15	14	18	31	53	85	76	57	12	3	-
Female.....	5	9	15	17	22	75	113	154	130	64	18	-
Black, both sexes.....	4	1	2	5	5	5	6	6	6	3	1	-
Male.....	1	-	1	3	2	1	2	2	-	2	-	-
Female.....	3	1	1	2	3	4	4	4	6	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	1	1	6	9	8	10	9	3	4	-
Male.....	-	2	1	1	2	5	2	5	4	1	1	-
Female.....	2	2	-	-	4	4	6	5	5	2	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Conduction disorders and cardiac dysrhythmias (I44-I49)

Colorado

All races, both sexes.....	7	9	16	13	23	50	58	70	57	24	4	-
Male.....	6	3	10	8	14	23	29	27	16	3	1	-
Female.....	1	6	6	5	9	27	29	43	41	21	3	-
White, both sexes.....	6	8	15	13	22	48	56	67	56	24	4	-
Male.....	5	3	10	8	14	22	29	25	15	3	1	-
Female.....	1	5	5	5	8	26	27	42	41	21	3	-
Black, both sexes.....	-	1	1	-	-	2	1	2	1	-	-	-
Male.....	-	-	-	-	-	1	-	1	1	-	-	-
Female.....	-	1	1	-	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Connecticut

All races, both sexes.....	15	27	21	47	54	106	143	153	121	60	8	-
Male.....	9	19	14	28	40	54	56	59	34	13	2	-
Female.....	6	8	7	19	14	52	87	94	87	47	6	-
White, both sexes.....	13	23	19	42	51	102	133	149	119	57	7	-
Male.....	7	18	13	26	40	50	53	57	34	11	2	-
Female.....	6	5	6	16	11	52	80	92	85	46	5	-
Black, both sexes.....	2	4	1	5	2	4	9	3	2	2	1	-
Male.....	2	1	1	2	-	4	3	2	-	1	-	-
Female.....	-	3	-	3	2	-	6	1	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Conduction disorders and cardiac dysrhythmias (I44-I49)												
Florida												
All races, both sexes.....	35	49	61	97	163	227	325	405	312	120	25	-
Male.....	28	26	37	62	89	111	135	144	103	20	4	-
Female.....	7	23	24	35	74	116	190	261	209	100	21	-
White, both sexes.....	27	35	47	77	138	215	301	388	288	115	24	-
Male.....	21	19	32	49	77	105	124	141	95	20	3	-
Female.....	6	16	15	28	61	110	177	247	193	95	21	-
Black, both sexes.....	8	13	13	19	25	11	23	17	22	5	1	-
Male.....	7	6	5	12	12	5	10	3	6	-	1	-
Female.....	1	7	8	7	13	6	13	14	16	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	-	1	1	-	2	-	-	-
Male.....	-	1	-	1	-	1	1	-	2	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Georgia												
All races, both sexes.....	104	103	168	175	209	278	354	316	206	85	23	-
Male.....	64	57	108	93	117	109	142	107	45	18	2	-
Female.....	40	46	60	82	92	169	212	209	161	67	21	-
White, both sexes.....	59	61	100	116	139	198	276	255	165	63	17	-
Male.....	37	39	67	63	78	81	112	86	36	14	2	-
Female.....	22	22	33	53	61	117	164	169	129	49	15	-
Black, both sexes.....	44	42	66	58	68	80	77	61	41	22	6	-
Male.....	26	18	39	29	38	28	29	21	9	4	-	-
Female.....	18	24	27	29	30	52	48	40	32	18	6	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	2	-	1	-	-	-	-	-
Male.....	-	-	2	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Conduction disorders and cardiac dysrhythmias (I44-I49)

Iowa

All races, both sexes.....	2	15	4	15	19	49	51	67	58	31	2	-
Male.....	2	11	3	7	10	32	22	27	14	8	-	-
Female.....	-	4	1	8	9	17	29	40	44	23	2	-
White, both sexes.....	2	15	4	15	18	49	51	67	58	31	2	-
Male.....	2	11	3	7	10	32	22	27	14	8	-	-
Female.....	-	4	1	8	8	17	29	40	44	23	2	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	13	18	28	28	44	63	93	101	80	42	11	-
Male.....	8	14	20	19	24	32	36	43	21	7	3	-
Female.....	5	4	8	9	20	31	57	58	59	35	8	-
White, both sexes.....	12	15	24	25	41	59	88	98	76	41	11	-
Male.....	7	11	18	17	24	30	33	42	21	7	3	-
Female.....	5	4	6	8	17	29	55	56	55	34	8	-
Black, both sexes.....	1	3	4	1	1	3	5	2	4	-	-	-
Male.....	1	3	2	-	-	1	3	1	-	-	-	-
Female.....	-	-	2	1	1	2	2	1	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	1	-	1	-	-	-	-
Male.....	-	-	-	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Conduction disorders and cardiac dysrhythmias (I44-I49)

Kentucky

All races, both sexes.....	33	54	56	85	132	143	211	210	198	59	13	-
Male.....	25	30	35	49	66	65	88	70	58	11	2	-
Female.....	8	24	21	36	66	78	123	140	140	48	11	-
White, both sexes.....	30	51	53	73	120	129	195	197	183	51	11	-
Male.....	22	28	34	42	59	58	82	67	56	10	1	-
Female.....	8	23	19	31	61	71	113	130	127	41	10	-
Black, both sexes.....	3	3	3	12	12	13	16	13	15	8	2	-
Male.....	3	2	1	7	7	7	6	3	2	1	1	-
Female.....	-	1	2	5	5	6	10	10	13	7	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Louisiana

All races, both sexes.....	31	31	49	27	65	92	116	85	72	27	5	-
Male.....	15	21	28	10	32	46	49	29	19	7	1	-
Female.....	16	10	21	17	33	46	67	56	53	20	4	-
White, both sexes.....	14	20	27	17	48	68	91	71	54	20	5	-
Male.....	9	14	18	6	24	35	40	24	14	6	1	-
Female.....	5	6	9	11	24	33	51	47	40	14	4	-
Black, both sexes.....	17	11	22	10	16	23	25	14	18	7	-	-
Male.....	6	7	10	4	7	11	9	5	5	1	-	-
Female.....	11	4	12	6	9	12	16	9	13	6	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Conduction disorders and cardiac dysrhythmias (I44-I49)

Maine

All races, both sexes.....	9	11	6	18	24	32	34	35	37	17	1	-
Male.....	5	9	4	13	9	16	13	14	8	1	-	-
Female.....	4	2	2	5	15	16	21	21	29	16	1	-
White, both sexes.....	9	11	6	18	23	32	34	35	37	17	1	-
Male.....	5	9	4	13	8	16	13	14	8	1	-	-
Female.....	4	2	2	5	15	16	21	21	29	16	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	13	12	19	16	43	64	86	93	54	30	3	-
Male.....	7	8	11	11	19	32	27	33	13	6	1	-
Female.....	6	4	8	5	24	32	59	60	41	24	2	-
White, both sexes.....	10	6	11	14	34	53	68	80	48	25	2	-
Male.....	6	3	7	10	15	27	21	28	12	6	-	-
Female.....	4	3	4	4	19	26	47	52	36	19	2	-
Black, both sexes.....	3	6	7	1	9	11	17	13	6	5	-	-
Male.....	1	5	4	-	4	5	6	5	1	-	-	-
Female.....	2	1	3	1	5	6	11	8	5	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Conduction disorders and cardiac dysrhythmias (I44-I49)												
Massachusetts												
All races, both sexes.....	58	55	63	81	115	183	213	218	183	68	23	-
Male.....	40	44	43	50	63	94	100	83	45	9	1	-
Female.....	18	11	20	31	52	89	113	135	138	59	22	-
White, both sexes.....	49	53	55	78	109	178	205	211	179	68	21	-
Male.....	36	42	37	49	60	90	99	78	43	9	-	-
Female.....	13	11	18	29	49	88	106	133	136	59	21	-
Black, both sexes.....	7	1	6	3	5	5	6	5	3	-	1	-
Male.....	2	1	5	1	3	4	1	3	1	-	-	-
Female.....	5	-	1	2	2	1	5	2	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	-	1	-	2	2	1	-	1	-
Male.....	2	1	1	-	-	-	-	2	1	-	1	-
Female.....	-	-	1	-	1	-	2	-	-	-	-	-
Michigan												
All races, both sexes.....	30	27	36	48	60	138	214	235	152	43	8	-
Male.....	15	13	24	20	25	60	79	78	47	8	1	-
Female.....	15	14	12	28	35	78	135	157	105	35	7	-
White, both sexes.....	22	21	25	35	52	120	199	221	144	37	7	-
Male.....	14	8	20	16	22	50	72	75	47	6	1	-
Female.....	8	13	5	19	30	70	127	146	97	31	6	-
Black, both sexes.....	8	6	11	12	8	18	15	13	7	5	1	-
Male.....	1	5	4	4	3	10	7	2	-	1	-	-
Female.....	7	1	7	8	5	8	8	11	7	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Conduction disorders and cardiac dysrhythmias (I44-I49)												
Minnesota												
All races, both sexes.....	11	13	26	30	48	63	70	107	100	36	14	-
Male.....	11	8	18	21	27	42	30	40	29	7	2	-
Female.....	-	5	8	9	21	21	40	67	71	29	12	-
White, both sexes.....	9	13	26	29	47	61	69	107	100	36	14	-
Male.....	9	8	18	21	26	41	29	40	29	7	2	-
Female.....	-	5	8	8	21	20	40	67	71	29	12	-
Black, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi												
All races, both sexes.....	41	41	49	74	68	99	130	126	102	39	16	-
Male.....	30	28	35	46	39	45	58	38	25	10	3	-
Female.....	11	13	14	28	29	54	72	88	77	29	13	-
White, both sexes.....	20	21	32	44	44	59	90	95	79	28	12	-
Male.....	17	17	23	29	23	26	43	30	18	9	1	-
Female.....	3	4	9	15	21	33	47	65	61	19	11	-
Black, both sexes.....	21	19	17	30	24	40	40	29	23	11	4	-
Male.....	13	10	12	17	16	19	15	8	7	1	2	-
Female.....	8	9	5	13	8	21	25	21	16	10	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	2	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Conduction disorders and cardiac dysrhythmias (I44-I49)												
Nebraska												
All races, both sexes.....	26	23	20	24	40	64	92	87	91	49	10	-
Male.....	23	11	14	11	23	44	43	36	25	11	2	-
Female.....	3	12	6	13	17	20	49	51	66	38	8	-
White, both sexes.....	26	23	18	23	39	63	89	86	90	48	10	-
Male.....	23	11	13	11	22	44	43	36	24	10	2	-
Female.....	3	12	5	12	17	19	46	50	66	38	8	-
Black, both sexes.....	-	-	1	1	1	1	1	1	1	-	-	-
Male.....	-	-	1	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Nevada												
All races, both sexes.....	44	36	54	48	73	67	61	53	27	14	2	-
Male.....	33	27	38	32	47	33	30	22	11	9	-	-
Female.....	11	9	16	16	26	34	31	31	16	5	2	-
White, both sexes.....	33	30	44	41	62	59	59	47	26	14	1	-
Male.....	26	21	29	28	42	28	30	21	10	9	-	-
Female.....	7	9	15	13	20	31	29	26	16	5	1	-
Black, both sexes.....	10	5	10	6	4	5	1	4	-	-	-	-
Male.....	6	5	9	4	1	4	-	1	-	-	-	-
Female.....	4	-	1	2	3	1	1	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	7	3	1	2	1	-	1	-
Male.....	1	1	-	-	4	1	-	-	1	-	-	-
Female.....	-	-	-	1	3	2	1	2	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Conduction disorders and cardiac dysrhythmias (I44-I49)												
New Hampshire												
All races, both sexes.....	2	5	3	6	5	6	24	28	16	3	1	-
Male.....	2	4	2	4	4	4	10	8	3	-	-	-
Female.....	-	1	1	2	1	2	14	20	13	3	1	-
White, both sexes.....	2	4	3	6	5	6	24	28	16	3	1	-
Male.....	2	3	2	4	4	4	10	8	3	-	-	-
Female.....	-	1	1	2	1	2	14	20	13	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	34	37	56	57	112	161	228	230	180	56	9	-
Male.....	19	21	38	34	61	78	95	79	39	8	3	-
Female.....	15	16	18	23	51	83	133	151	141	48	6	-
White, both sexes.....	23	27	36	42	96	146	207	215	169	55	8	-
Male.....	13	16	25	24	55	68	90	76	35	8	2	-
Female.....	10	11	11	18	41	78	117	139	134	47	6	-
Black, both sexes.....	11	9	17	13	15	14	18	14	8	1	1	-
Male.....	6	4	11	8	6	9	3	2	2	-	1	-
Female.....	5	5	6	5	9	5	15	12	6	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	2	1	1	3	1	3	-	-	-
Male.....	-	1	2	2	-	1	2	1	2	-	-	-
Female.....	-	-	1	-	1	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Conduction disorders and cardiac dysrhythmias (I44-I49)												
New Mexico												
All races, both sexes.....	5	3	3	6	10	11	33	30	9	6	4	-
Male.....	4	1	-	2	6	4	8	14	1	1	-	-
Female.....	1	2	3	4	4	7	25	16	8	5	4	-
White, both sexes.....	3	2	3	6	9	10	31	29	9	6	4	-
Male.....	3	1	-	2	5	4	7	13	1	1	-	-
Female.....	-	1	3	4	4	6	24	16	8	5	4	-
Black, both sexes.....	2	-	-	-	1	1	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	45	61	67	90	132	224	337	345	262	107	30	2
Male.....	31	46	38	46	78	113	147	116	64	22	4	2
Female.....	14	15	29	44	54	111	190	229	198	85	26	-
White, both sexes.....	37	51	57	79	118	211	313	326	249	101	26	1
Male.....	25	38	33	40	72	105	136	108	63	22	2	1
Female.....	12	13	24	39	46	106	177	218	186	79	24	-
Black, both sexes.....	8	10	10	10	11	12	19	17	13	5	4	1
Male.....	6	8	5	5	5	7	7	7	1	-	2	1
Female.....	2	2	5	5	6	5	12	10	12	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	3	1	5	2	-	1	-	-
Male.....	-	-	-	1	1	1	4	1	-	-	-	-
Female.....	-	-	-	-	2	-	1	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Conduction disorders and cardiac dysrhythmias (I44-I49)												
Oregon												
All races, both sexes.....	8	6	9	14	36	51	85	74	64	29	7	-
Male.....	4	4	7	9	21	24	34	33	19	12	1	-
Female.....	4	2	2	5	15	27	51	41	45	17	6	-
White, both sexes.....	8	6	8	14	36	50	84	73	64	29	7	-
Male.....	4	4	6	9	21	23	33	33	19	12	1	-
Female.....	4	2	2	5	15	27	51	40	45	17	6	-
Black, both sexes.....	-	-	1	-	-	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	66	104	122	170	260	412	472	534	383	139	43	-
Male.....	45	70	79	101	145	212	202	175	73	28	9	-
Female.....	21	34	43	69	115	200	270	359	310	111	34	-
White, both sexes.....	57	91	109	153	230	382	449	505	372	125	37	-
Male.....	40	65	70	92	131	196	197	164	71	26	8	-
Female.....	17	26	39	61	99	186	252	341	301	99	29	-
Black, both sexes.....	9	12	13	17	28	29	21	29	10	12	6	-
Male.....	5	5	9	9	14	16	5	11	2	1	1	-
Female.....	4	7	4	8	14	13	16	18	8	11	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	2	1	2	-	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	1	-	-	2	1	2	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Conduction disorders and cardiac dysrhythmias (I44-I49)

Vermont

All races, both sexes.....	1	-	1	5	5	9	10	20	7	5	-	-
Male.....	-	-	-	4	2	5	5	8	1	-	-	-
Female.....	1	-	1	1	3	4	5	12	6	5	-	-
White, both sexes.....	1	-	1	5	5	9	10	20	7	5	-	-
Male.....	-	-	-	4	2	5	5	8	1	-	-	-
Female.....	1	-	1	1	3	4	5	12	6	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	51	80	83	78	132	200	258	230	176	77	19	-
Male.....	28	51	49	42	77	97	100	74	52	19	3	-
Female.....	23	29	34	36	55	103	158	156	124	58	16	-
White, both sexes.....	36	58	59	58	100	155	222	192	146	66	13	-
Male.....	18	40	37	35	59	75	92	63	42	15	1	-
Female.....	18	18	22	23	41	80	130	129	104	51	12	-
Black, both sexes.....	15	21	24	19	30	42	34	36	28	11	6	-
Male.....	10	10	12	6	16	21	7	11	8	4	2	-
Female.....	5	11	12	13	14	21	27	25	20	7	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	2	3	1	2	2	-	-	-
Male.....	-	1	-	1	2	1	1	-	2	-	-	-
Female.....	-	-	-	-	-	2	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
United States												
All races, both sexes.....	638	906	1,436	2,192	3,976	6,603	10,307	12,620	10,776	5,031	1,200	-
Male.....	407	526	819	1,200	2,054	3,192	4,381	4,423	3,000	1,035	178	-
Female.....	231	380	617	992	1,922	3,411	5,926	8,197	7,776	3,996	1,022	-
White, both sexes.....	428	678	1,134	1,789	3,371	5,822	9,377	11,737	10,055	4,722	1,075	-
Male.....	280	402	652	984	1,762	2,852	4,034	4,138	2,800	977	156	-
Female.....	148	276	482	805	1,609	2,970	5,343	7,599	7,255	3,745	919	-
Black, both sexes.....	195	207	283	363	535	690	823	772	623	274	109	-
Male.....	116	111	158	191	262	298	310	227	156	47	17	-
Female.....	79	96	125	172	273	392	513	545	467	227	92	-
American Indian 1/, both sexes.....	9	9	7	19	20	28	24	27	19	9	5	-
Male.....	7	6	5	12	10	14	8	15	4	2	2	-
Female.....	2	3	2	7	10	14	16	12	15	7	3	-
Asian or Pacific Islander 2/, both sexes.....	6	12	12	21	50	63	83	84	79	26	11	-
Male.....	4	7	4	13	20	28	29	43	40	9	3	-
Female.....	2	5	8	8	30	35	54	41	39	17	8	-
Alabama												
All races, both sexes.....	32	62	72	115	177	274	417	486	339	156	32	-
Male.....	26	34	40	63	88	136	167	163	88	24	5	-
Female.....	6	28	32	52	89	138	250	323	251	132	27	-
White, both sexes.....	21	43	48	92	137	223	353	412	306	136	19	-
Male.....	17	25	27	54	72	109	140	141	79	23	2	-
Female.....	4	18	21	38	65	114	213	271	227	113	17	-
Black, both sexes.....	11	19	24	23	40	51	64	73	33	20	13	-
Male.....	9	9	13	9	16	27	27	22	9	1	3	-
Female.....	2	10	11	14	24	24	37	51	24	19	10	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
Alaska												
All races, both sexes.....	-	-	3	1	6	6	7	6	5	-	1	-
Male.....	-	-	3	-	4	2	4	2	1	-	-	-
Female.....	-	-	-	1	2	4	3	4	4	-	1	-
White, both sexes.....	-	-	1	1	5	6	5	6	5	-	-	-
Male.....	-	-	1	-	3	2	4	2	1	-	-	-
Female.....	-	-	-	1	2	4	1	4	4	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	2	-	-	-	1	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	4	5	11	28	50	81	126	155	113	53	14	-
Male.....	4	2	8	19	26	39	62	63	37	16	2	-
Female.....	-	3	3	9	24	42	64	92	76	37	12	-
White, both sexes.....	3	5	9	26	43	79	119	150	113	49	13	-
Male.....	3	2	6	18	23	38	58	60	37	15	2	-
Female.....	-	3	3	8	20	41	61	90	76	34	11	-
Black, both sexes.....	-	-	2	-	2	-	3	-	-	2	-	-
Male.....	-	-	2	-	1	-	2	-	-	1	-	-
Female.....	-	-	-	-	1	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	2	4	2	3	2	-	2	1	-
Male.....	1	-	-	1	2	1	2	1	-	-	-	-
Female.....	-	-	-	1	2	1	1	1	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	3	-	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
Arkansas												
All races, both sexes.....	14	15	35	44	82	133	181	211	177	75	14	-
Male.....	10	8	18	30	52	68	62	68	45	13	1	-
Female.....	4	7	17	14	30	65	119	143	132	62	13	-
White, both sexes.....	10	11	30	39	72	119	172	201	162	71	12	-
Male.....	7	7	17	27	47	64	59	65	43	13	1	-
Female.....	3	4	13	12	25	55	113	136	119	58	11	-
Black, both sexes.....	4	4	5	5	9	14	8	10	15	4	2	-
Male.....	3	1	1	3	5	4	2	3	2	-	-	-
Female.....	1	3	4	2	4	10	6	7	13	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
California												
All races, both sexes.....	41	69	92	124	218	435	656	821	697	318	69	-
Male.....	21	41	59	74	113	209	282	325	223	72	10	-
Female.....	20	28	33	50	105	226	374	496	474	246	59	-
White, both sexes.....	28	52	69	96	185	373	595	749	646	291	62	-
Male.....	15	30	44	54	96	179	253	297	198	68	9	-
Female.....	13	22	25	42	89	194	342	452	448	223	53	-
Black, both sexes.....	8	11	17	20	18	31	30	40	18	15	3	-
Male.....	3	7	12	14	12	17	18	12	6	-	-	-
Female.....	5	4	5	6	6	14	12	28	12	15	3	-
American Indian 1/, both sexes.....	3	1	-	-	2	3	1	4	1	1	-	-
Male.....	1	1	-	-	1	2	-	3	-	-	-	-
Female.....	2	-	-	-	1	1	1	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	6	8	13	28	30	28	32	11	4	-
Male.....	2	3	3	6	4	11	11	13	19	4	1	-
Female.....	-	2	3	2	9	17	19	15	13	7	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
Florida												
All races, both sexes.....	17	17	28	50	98	156	251	452	388	182	28	-
Male.....	10	7	9	22	51	82	130	172	124	54	4	-
Female.....	7	10	19	28	47	74	121	280	264	128	24	-
White, both sexes.....	8	16	26	42	83	142	234	428	367	177	25	-
Male.....	4	7	9	19	45	76	121	163	119	54	3	-
Female.....	4	9	17	23	38	66	113	265	248	123	22	-
Black, both sexes.....	8	1	2	8	15	14	16	22	21	5	2	-
Male.....	5	-	-	3	6	6	9	8	5	-	-	-
Female.....	3	1	2	5	9	8	7	14	16	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	2	-	-	1	-
Male.....	1	-	-	-	-	-	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Georgia												
All races, both sexes.....	42	52	87	93	173	276	321	413	306	125	29	-
Male.....	25	33	45	44	99	126	126	132	73	16	7	-
Female.....	17	19	42	49	74	150	195	281	233	109	22	-
White, both sexes.....	20	29	46	56	119	211	258	353	250	107	19	-
Male.....	9	20	25	28	69	101	107	113	61	13	3	-
Female.....	11	9	21	28	50	110	151	240	189	94	16	-
Black, both sexes.....	22	21	41	37	53	65	63	59	54	18	10	-
Male.....	16	11	20	16	29	25	19	19	11	3	4	-
Female.....	6	10	21	21	24	40	44	40	43	15	6	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	-	2	-	-	-
Male.....	-	1	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
Iowa												
All races, both sexes.....	3	5	6	10	19	22	40	70	71	41	15	-
Male.....	3	4	2	6	12	10	15	22	14	7	2	-
Female.....	-	1	4	4	7	12	25	48	57	34	13	-
White, both sexes.....	3	5	5	10	19	22	40	70	71	41	15	-
Male.....	3	4	2	6	12	10	15	22	14	7	2	-
Female.....	-	1	3	4	7	12	25	48	57	34	13	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Kansas												
All races, both sexes.....	5	11	12	24	49	89	151	244	254	114	35	-
Male.....	5	8	9	11	20	43	75	86	67	17	4	-
Female.....	-	3	3	13	29	46	76	158	187	97	31	-
White, both sexes.....	4	9	7	22	49	88	146	238	241	113	35	-
Male.....	4	6	5	9	20	42	73	83	62	16	4	-
Female.....	-	3	2	13	29	46	73	155	179	97	31	-
Black, both sexes.....	1	2	4	2	-	1	3	5	9	1	-	-
Male.....	1	2	3	2	-	1	2	2	3	1	-	-
Female.....	-	-	1	-	-	-	1	3	6	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	1	3	-	-	-
Male.....	-	-	1	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
Maine												
All races, both sexes.....	1	1	6	9	18	27	44	66	50	34	9	-
Male.....	-	-	6	5	7	13	19	22	13	4	1	-
Female.....	1	1	-	4	11	14	25	44	37	30	8	-
White, both sexes.....	1	1	6	9	18	27	44	66	50	33	9	-
Male.....	-	-	6	5	7	13	19	22	13	4	1	-
Female.....	1	1	-	4	11	14	25	44	37	29	8	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	9	15	16	34	33	92	138	159	135	69	11	-
Male.....	4	10	11	18	18	37	58	51	40	9	3	-
Female.....	5	5	5	16	15	55	80	108	95	60	8	-
White, both sexes.....	3	10	12	22	24	77	123	134	120	60	11	-
Male.....	1	6	7	10	12	30	55	45	35	9	3	-
Female.....	2	4	5	12	12	47	68	89	85	51	8	-
Black, both sexes.....	6	5	4	10	9	14	14	24	14	9	-	-
Male.....	3	4	4	6	6	6	3	6	4	-	-	-
Female.....	3	1	-	4	3	8	11	18	10	9	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	-	1	1	1	-	-	-
Male.....	-	-	-	2	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
Minnesota												
All races, both sexes.....	3	9	8	23	44	90	183	250	238	129	44	-
Male.....	2	7	4	18	23	44	80	92	84	27	5	-
Female.....	1	2	4	5	21	46	103	158	154	102	39	-
White, both sexes.....	1	9	7	21	41	87	180	245	235	128	44	-
Male.....	1	7	3	16	23	43	78	88	84	27	5	-
Female.....	-	2	4	5	18	44	102	157	151	101	39	-
Black, both sexes.....	2	-	-	-	1	2	1	1	3	-	-	-
Male.....	1	-	-	-	-	-	1	1	-	-	-	-
Female.....	1	-	-	-	1	2	-	-	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	1	1	-	-	-	-
Male.....	-	-	-	1	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	1	3	-	1	-	-
Male.....	-	-	1	1	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	1	-	-
Mississippi												
All races, both sexes.....	27	34	41	67	120	166	202	256	221	108	28	-
Male.....	11	18	27	45	65	76	75	91	59	15	5	-
Female.....	16	16	14	22	55	90	127	165	162	93	23	-
White, both sexes.....	16	19	26	43	83	112	144	202	156	79	17	-
Male.....	9	12	18	26	45	54	52	79	43	10	3	-
Female.....	7	7	8	17	38	58	92	123	113	69	14	-
Black, both sexes.....	11	14	15	22	37	52	57	54	65	29	11	-
Male.....	2	6	9	17	20	21	23	12	16	5	2	-
Female.....	9	8	6	5	17	31	34	42	49	24	9	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
Nebraska												
All races, both sexes.....	7	4	8	20	31	50	97	155	128	68	21	-
Male.....	4	4	3	13	16	21	43	58	37	14	1	-
Female.....	3	-	5	7	15	29	54	97	91	54	20	-
White, both sexes.....	7	4	8	19	30	48	95	152	128	67	20	-
Male.....	4	4	3	13	15	21	43	56	37	14	1	-
Female.....	3	-	5	6	15	27	52	96	91	53	19	-
Black, both sexes.....	-	-	-	1	1	2	1	3	-	-	1	-
Male.....	-	-	-	-	1	-	-	2	-	-	-	-
Female.....	-	-	-	1	-	2	1	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	5	13	18	24	44	59	95	89	74	29	6	-
Male.....	4	10	11	13	23	38	38	34	22	7	2	-
Female.....	1	3	7	11	21	21	57	55	52	22	4	-
White, both sexes.....	5	11	18	22	38	57	88	88	71	28	6	-
Male.....	4	8	11	13	20	37	37	34	22	6	2	-
Female.....	1	3	7	9	18	20	51	54	49	22	4	-
Black, both sexes.....	-	2	-	2	6	1	4	1	1	-	-	-
Male.....	-	2	-	-	3	-	-	-	-	-	-	-
Female.....	-	-	-	2	3	1	4	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	1	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
New Hampshire												
All races, both sexes.....	2	1	5	4	10	11	29	32	31	10	-	-
Male.....	-	1	4	3	6	4	12	13	11	1	-	-
Female.....	2	-	1	1	4	7	17	19	20	9	-	-
White, both sexes.....	2	1	5	4	10	11	29	32	31	10	-	-
Male.....	-	1	4	3	6	4	12	13	11	1	-	-
Female.....	2	-	1	1	4	7	17	19	20	9	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	15	15	30	61	101	166	286	341	282	121	30	-
Male.....	11	7	20	29	45	88	126	114	84	19	6	-
Female.....	4	8	10	32	56	78	160	227	198	102	24	-
White, both sexes.....	12	11	23	50	89	138	262	320	261	116	28	-
Male.....	9	6	16	25	39	73	120	105	80	18	6	-
Female.....	3	5	7	25	50	65	142	215	181	98	22	-
Black, both sexes.....	3	4	6	10	11	25	22	18	19	5	2	-
Male.....	2	1	4	4	6	13	5	6	3	1	-	-
Female.....	1	3	2	6	5	12	17	12	16	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	3	2	3	2	-	-	-
Male.....	-	-	-	-	-	2	1	3	1	-	-	-
Female.....	-	-	1	1	1	1	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
New Mexico												
All races, both sexes.....	-	2	9	13	14	48	45	57	45	34	3	-
Male.....	-	-	7	10	9	23	21	28	6	10	1	-
Female.....	-	2	2	3	5	25	24	29	39	24	2	-
White, both sexes.....	-	2	9	11	14	45	45	54	43	34	2	-
Male.....	-	-	7	8	9	22	21	28	6	10	-	-
Female.....	-	2	2	3	5	23	24	26	37	24	2	-
Black, both sexes.....	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	3	-	1	1	-	1	-
Male.....	-	-	-	2	-	1	-	-	-	-	1	-
Female.....	-	-	-	-	-	2	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	32	29	59	106	212	310	509	629	572	297	68	-
Male.....	19	19	33	54	107	157	224	226	172	66	7	-
Female.....	13	10	26	52	105	153	285	403	400	231	61	-
White, both sexes.....	21	23	45	88	172	276	458	591	537	279	64	-
Male.....	14	16	30	47	88	139	210	219	160	61	7	-
Female.....	7	7	15	41	84	137	248	372	377	218	57	-
Black, both sexes.....	11	6	14	17	36	31	46	27	31	15	3	-
Male.....	5	3	3	6	18	17	13	4	11	4	-	-
Female.....	6	3	11	11	18	14	33	23	20	11	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	3	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	4	3	4	8	4	3	1	-
Male.....	-	-	-	1	1	1	1	2	1	1	-	-
Female.....	-	-	-	-	3	2	3	6	3	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
Ohio												
All races, both sexes.....	20	34	59	98	179	336	511	547	445	177	46	-
Male.....	9	14	30	50	88	142	207	166	126	45	7	-
Female.....	11	20	29	48	91	194	304	381	319	132	39	-
White, both sexes.....	16	28	54	83	159	310	472	518	418	169	44	-
Male.....	7	13	28	41	78	133	190	157	121	44	7	-
Female.....	9	15	26	42	81	177	282	361	297	125	37	-
Black, both sexes.....	4	6	4	14	20	25	38	28	27	8	2	-
Male.....	2	1	2	8	10	9	16	9	5	1	-	-
Female.....	2	5	2	6	10	16	22	19	22	7	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	1	1	1	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	1	-	-	-	-
Oklahoma												
All races, both sexes.....	10	24	41	60	85	142	183	265	243	104	19	-
Male.....	8	14	20	32	40	77	73	89	61	19	1	-
Female.....	2	10	21	28	45	65	110	176	182	85	18	-
White, both sexes.....	9	23	35	53	77	134	174	254	225	94	16	-
Male.....	7	13	18	29	37	72	71	84	53	18	1	-
Female.....	2	10	17	24	40	62	103	170	172	76	15	-
Black, both sexes.....	-	1	3	3	4	2	6	4	11	7	2	-
Male.....	-	1	1	3	1	1	2	1	6	1	-	-
Female.....	-	-	2	-	3	1	4	3	5	6	2	-
American Indian 1/, both sexes.....	1	-	3	4	2	6	3	6	6	3	1	-
Male.....	1	-	1	-	1	4	-	4	2	-	-	-
Female.....	-	-	2	4	1	2	3	2	4	3	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	1	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
Oregon												
All races, both sexes.....	7	11	12	23	38	88	123	201	187	80	20	-
Male.....	5	7	7	11	24	42	60	84	54	13	2	-
Female.....	2	4	5	12	14	46	63	117	133	67	18	-
White, both sexes.....	6	11	12	23	37	85	121	201	184	80	19	-
Male.....	5	7	7	11	23	39	59	84	53	13	2	-
Female.....	1	4	5	12	14	46	62	117	131	67	17	-
Black, both sexes.....	-	-	-	-	-	3	1	-	1	-	-	-
Male.....	-	-	-	-	-	3	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	1	-	1	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Pennsylvania												
All races, both sexes.....	37	44	66	110	257	432	660	876	666	302	80	-
Male.....	23	25	34	55	124	200	276	287	164	64	7	-
Female.....	14	19	32	55	133	232	384	589	502	238	73	-
White, both sexes.....	24	34	59	94	232	402	621	843	637	293	75	-
Male.....	14	21	31	48	115	189	258	279	159	62	7	-
Female.....	10	13	28	46	117	213	363	564	478	231	68	-
Black, both sexes.....	13	9	7	15	21	30	38	32	29	9	5	-
Male.....	9	4	3	6	8	11	17	8	5	2	-	-
Female.....	4	5	4	9	13	19	21	24	24	7	5	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	4	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	1	-	-	3	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
South Dakota												
All races, both sexes.....	2	2	9	10	11	17	33	46	42	28	8	-
Male.....	1	2	8	6	5	11	14	23	11	1	1	-
Female.....	1	-	1	4	6	6	19	23	31	27	7	-
White, both sexes.....	1	1	9	9	8	16	32	46	42	28	8	-
Male.....	-	1	8	5	4	11	14	23	11	1	1	-
Female.....	1	-	1	4	4	5	18	23	31	27	7	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	3	1	1	-	-	-	-	-
Male.....	1	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	10	12	21	26	45	64	113	114	70	41	9	-
Male.....	6	7	13	13	23	35	43	29	22	9	3	-
Female.....	4	5	8	13	22	29	70	85	48	32	6	-
White, both sexes.....	7	10	20	26	39	59	102	107	69	39	7	-
Male.....	5	6	12	13	21	32	38	27	22	8	2	-
Female.....	2	4	8	13	18	27	64	80	47	31	5	-
Black, both sexes.....	3	2	1	-	6	5	10	7	1	2	2	-
Male.....	1	1	1	-	2	3	5	2	-	1	1	-
Female.....	2	1	-	-	4	2	5	5	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
Vermont												
All races, both sexes.....	-	-	3	3	3	4	12	17	19	5	5	-
Male.....	-	-	3	3	-	2	5	7	9	1	1	-
Female.....	-	-	-	-	3	2	7	10	10	4	4	-
White, both sexes.....	-	-	3	3	3	4	12	17	19	5	5	-
Male.....	-	-	3	3	-	2	5	7	9	1	1	-
Female.....	-	-	-	-	3	2	7	10	10	4	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	24	25	31	61	121	182	302	333	267	114	28	-
Male.....	16	16	19	40	62	96	134	108	61	27	5	-
Female.....	8	9	12	21	59	86	168	225	206	87	23	-
White, both sexes.....	15	16	25	44	93	131	249	280	232	107	22	-
Male.....	9	10	14	30	46	69	110	88	52	25	3	-
Female.....	6	6	11	14	47	62	139	192	180	82	19	-
Black, both sexes.....	9	9	6	16	27	47	50	50	31	6	6	-
Male.....	7	6	5	9	15	25	23	20	9	1	2	-
Female.....	2	3	1	7	12	22	27	30	22	5	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	4	3	3	4	1	-	-
Male.....	-	-	-	1	1	2	1	-	-	1	-	-
Female.....	-	-	-	-	-	2	2	3	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
Washington												
All races, both sexes.....	1	4	7	10	23	45	86	111	120	61	18	-
Male.....	1	2	2	7	14	17	28	41	41	16	4	-
Female.....	-	2	5	3	9	28	58	70	79	45	14	-
White, both sexes.....	1	3	7	9	21	43	81	111	118	60	17	-
Male.....	1	2	2	6	12	17	26	41	40	16	3	-
Female.....	-	1	5	3	9	26	55	70	78	44	14	-
Black, both sexes.....	-	-	-	1	-	-	2	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	2	-	2	1	1	-
Male.....	-	-	-	-	1	-	2	-	1	-	1	-
Female.....	-	1	-	-	-	-	-	-	1	1	-	-
West Virginia												
All races, both sexes.....	2	11	13	22	32	56	115	130	101	53	3	-
Male.....	1	9	6	11	14	22	39	43	29	11	1	-
Female.....	1	2	7	11	18	34	76	87	72	42	2	-
White, both sexes.....	2	11	12	22	31	55	113	126	99	51	3	-
Male.....	1	9	5	11	14	21	38	40	29	11	1	-
Female.....	1	2	7	11	17	34	75	86	70	40	2	-
Black, both sexes.....	-	-	1	-	-	1	2	4	2	2	-	-
Male.....	-	-	1	-	-	1	1	3	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Congestive heart failure (I50.0)												
Alaska												
All races, both sexes.....	-	-	2	1	2	6	7	6	5	-	-	-
Male.....	-	-	2	-	1	2	4	2	1	-	-	-
Female.....	-	-	-	1	1	4	3	4	4	-	-	-
White, both sexes.....	-	-	-	1	2	6	5	6	5	-	-	-
Male.....	-	-	-	-	1	2	4	2	1	-	-	-
Female.....	-	-	-	1	1	4	1	4	4	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	4	5	11	25	42	79	119	146	111	52	14	-
Male.....	4	2	8	16	23	39	57	59	37	16	2	-
Female.....	-	3	3	9	19	40	62	87	74	36	12	-
White, both sexes.....	3	5	9	24	37	77	113	141	111	48	13	-
Male.....	3	2	6	16	20	38	54	56	37	15	2	-
Female.....	-	3	3	8	17	39	59	85	74	33	11	-
Black, both sexes.....	-	-	2	-	2	-	2	-	-	2	-	-
Male.....	-	-	2	-	1	-	1	-	-	1	-	-
Female.....	-	-	-	-	1	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	3	2	3	2	-	2	1	-
Male.....	1	-	-	-	2	1	2	1	-	-	-	-
Female.....	-	-	-	1	1	1	1	1	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	3	-	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Congestive heart failure (I50.0)												
Arkansas												
All races, both sexes.....	13	15	33	40	76	130	170	207	171	68	14	-
Male.....	9	8	16	28	50	67	58	65	44	9	1	-
Female.....	4	7	17	12	26	63	112	142	127	59	13	-
White, both sexes.....	9	11	28	36	66	118	162	197	158	64	12	-
Male.....	6	7	15	26	45	63	56	62	42	9	1	-
Female.....	3	4	13	10	21	55	106	135	116	55	11	-
Black, both sexes.....	4	4	5	4	9	12	7	10	13	4	2	-
Male.....	3	1	1	2	5	4	1	3	2	-	-	-
Female.....	1	3	4	2	4	8	6	7	11	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
California												
All races, both sexes.....	40	67	92	120	215	430	650	811	694	315	69	-
Male.....	20	40	59	71	111	207	278	320	223	71	10	-
Female.....	20	27	33	49	104	223	372	491	471	244	59	-
White, both sexes.....	28	51	69	93	183	369	589	739	643	288	62	-
Male.....	15	30	44	52	95	178	249	292	198	67	9	-
Female.....	13	21	25	41	88	191	340	447	445	221	53	-
Black, both sexes.....	8	10	17	20	17	30	30	40	18	15	3	-
Male.....	3	6	12	14	11	16	18	12	6	-	-	-
Female.....	5	4	5	6	6	14	12	28	12	15	3	-
American Indian 1/, both sexes.....	3	1	-	-	2	3	1	4	1	1	-	-
Male.....	1	1	-	-	1	2	-	3	-	-	-	-
Female.....	2	-	-	-	1	1	1	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	6	7	13	28	30	28	32	11	4	-
Male.....	1	3	3	5	4	11	11	13	19	4	1	-
Female.....	-	2	3	2	9	17	19	15	13	7	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Congestive heart failure (I50.0)												
Florida												
All races, both sexes.....	13	14	25	42	86	136	224	420	379	178	27	-
Male.....	7	6	9	20	43	73	116	166	121	53	4	-
Female.....	6	8	16	22	43	63	108	254	258	125	23	-
White, both sexes.....	6	13	24	35	72	123	210	399	360	173	24	-
Male.....	2	6	9	17	37	68	109	157	116	53	3	-
Female.....	4	7	15	18	35	55	101	242	244	120	21	-
Black, both sexes.....	7	1	1	7	14	13	13	19	19	5	2	-
Male.....	5	-	-	3	6	5	7	8	5	-	-	-
Female.....	2	1	1	4	8	8	6	11	14	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	2	-	-	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Georgia												
All races, both sexes.....	35	41	75	82	149	243	279	360	275	110	23	-
Male.....	20	25	36	39	85	114	111	111	65	13	6	-
Female.....	15	16	39	43	64	129	168	249	210	97	17	-
White, both sexes.....	18	22	40	51	104	183	224	310	226	95	17	-
Male.....	8	15	21	25	58	90	94	96	53	12	3	-
Female.....	10	7	19	26	46	93	130	214	173	83	14	-
Black, both sexes.....	17	18	35	31	44	60	55	50	47	15	6	-
Male.....	12	9	15	14	26	24	17	15	11	1	3	-
Female.....	5	9	20	17	18	36	38	35	36	14	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	-	2	-	-	-
Male.....	-	1	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Congestive heart failure (I50.0)												
Iowa												
All races, both sexes.....	3	4	5	9	19	20	39	63	67	38	13	-
Male.....	3	3	1	6	12	9	14	19	13	7	2	-
Female.....	-	1	4	3	7	11	25	44	54	31	11	-
White, both sexes.....	3	4	4	9	19	20	39	63	67	38	13	-
Male.....	3	3	1	6	12	9	14	19	13	7	2	-
Female.....	-	1	3	3	7	11	25	44	54	31	11	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Kansas												
All races, both sexes.....	5	8	10	23	49	85	145	230	243	107	31	-
Male.....	5	7	8	11	20	40	73	81	62	16	4	-
Female.....	-	1	2	12	29	45	72	149	181	91	27	-
White, both sexes.....	4	6	5	21	49	84	141	224	232	107	31	-
Male.....	4	5	4	9	20	39	71	78	57	16	4	-
Female.....	-	1	1	12	29	45	70	146	175	91	27	-
Black, both sexes.....	1	2	4	2	-	1	2	5	7	-	-	-
Male.....	1	2	3	2	-	1	2	2	3	-	-	-
Female.....	-	-	1	-	-	-	-	3	4	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	1	3	-	-	-
Male.....	-	-	1	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Congestive heart failure (I50.0)												
Maine												
All races, both sexes.....	1	1	4	7	18	25	41	59	47	34	8	-
Male.....	-	-	4	3	7	13	18	19	12	4	1	-
Female.....	1	1	-	4	11	12	23	40	35	30	7	-
White, both sexes.....	1	1	4	7	18	25	41	59	47	33	8	-
Male.....	-	-	4	3	7	13	18	19	12	4	1	-
Female.....	1	1	-	4	11	12	23	40	35	29	7	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	8	14	15	34	31	89	138	157	133	68	11	-
Male.....	3	10	10	18	17	35	58	51	40	9	3	-
Female.....	5	4	5	16	14	54	80	106	93	59	8	-
White, both sexes.....	2	10	12	22	22	75	123	133	118	59	11	-
Male.....	-	6	7	10	11	29	55	45	35	9	3	-
Female.....	2	4	5	12	11	46	68	88	83	50	8	-
Black, both sexes.....	6	4	3	10	9	13	14	23	14	9	-	-
Male.....	3	4	3	6	6	5	3	6	4	-	-	-
Female.....	3	-	-	4	3	8	11	17	10	9	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	-	1	1	1	-	-	-
Male.....	-	-	-	2	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Congestive heart failure (I50.0)												
Minnesota												
All races, both sexes.....	3	8	7	20	41	85	177	240	226	119	35	-
Male.....	2	6	4	17	23	40	77	87	79	24	3	-
Female.....	1	2	3	3	18	45	100	153	147	95	32	-
White, both sexes.....	1	8	6	19	38	82	174	235	223	118	35	-
Male.....	1	6	3	16	23	39	75	83	79	24	3	-
Female.....	-	2	3	3	15	43	99	152	144	94	32	-
Black, both sexes.....	2	-	-	-	1	2	1	1	3	-	-	-
Male.....	1	-	-	-	-	-	1	1	-	-	-	-
Female.....	1	-	-	-	1	2	-	-	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	1	1	-	-	-	-
Male.....	-	-	-	1	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	1	3	-	1	-	-
Male.....	-	-	1	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	1	-	-
Mississippi												
All races, both sexes.....	27	31	35	63	106	153	187	236	205	100	26	-
Male.....	11	17	23	42	57	72	71	82	54	13	4	-
Female.....	16	14	12	21	49	81	116	154	151	87	22	-
White, both sexes.....	16	17	22	41	74	103	134	184	146	75	15	-
Male.....	9	11	16	25	39	51	49	70	39	9	2	-
Female.....	7	6	6	16	35	52	85	114	107	66	13	-
Black, both sexes.....	11	13	13	20	32	48	52	52	59	25	11	-
Male.....	2	6	7	15	18	20	22	12	15	4	2	-
Female.....	9	7	6	5	14	28	30	40	44	21	9	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Congestive heart failure (I50.0)												
Nebraska												
All races, both sexes.....	4	2	6	10	27	44	84	139	117	63	20	-
Male.....	2	2	2	4	15	19	37	54	30	13	1	-
Female.....	2	-	4	6	12	25	47	85	87	50	19	-
White, both sexes.....	4	2	6	9	26	42	82	136	117	62	19	-
Male.....	2	2	2	4	14	19	37	52	30	13	1	-
Female.....	2	-	4	5	12	23	45	84	87	49	18	-
Black, both sexes.....	-	-	-	1	1	2	1	3	-	-	1	-
Male.....	-	-	-	-	1	-	-	2	-	-	-	-
Female.....	-	-	-	1	-	2	1	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	4	13	14	22	40	56	90	83	69	28	6	-
Male.....	3	10	8	12	20	36	37	33	20	6	2	-
Female.....	1	3	6	10	20	20	53	50	49	22	4	-
White, both sexes.....	4	11	14	20	34	54	83	82	66	27	6	-
Male.....	3	8	8	12	17	35	36	33	20	5	2	-
Female.....	1	3	6	8	17	19	47	49	46	22	4	-
Black, both sexes.....	-	2	-	2	6	1	4	1	1	-	-	-
Male.....	-	2	-	-	3	-	-	-	-	-	-	-
Female.....	-	-	-	2	3	1	4	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	1	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Congestive heart failure (I50.0)												
New Hampshire												
All races, both sexes.....	1	1	4	3	9	10	24	30	29	10	-	-
Male.....	-	1	3	2	5	4	9	11	11	1	-	-
Female.....	1	-	1	1	4	6	15	19	18	9	-	-
White, both sexes.....	1	1	4	3	9	10	24	30	29	10	-	-
Male.....	-	1	3	2	5	4	9	11	11	1	-	-
Female.....	1	-	1	1	4	6	15	19	18	9	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	12	13	26	55	86	158	268	321	265	116	28	-
Male.....	8	5	17	26	39	84	116	107	76	19	6	-
Female.....	4	8	9	29	47	74	152	214	189	97	22	-
White, both sexes.....	9	9	19	47	74	132	245	303	246	111	26	-
Male.....	6	4	13	22	33	70	110	100	73	18	6	-
Female.....	3	5	6	25	41	62	135	203	173	93	20	-
Black, both sexes.....	3	4	6	8	11	23	21	15	17	5	2	-
Male.....	2	1	4	4	6	12	5	4	2	1	-	-
Female.....	1	3	2	4	5	11	16	11	15	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	3	2	3	2	-	-	-
Male.....	-	-	-	-	-	2	1	3	1	-	-	-
Female.....	-	-	1	-	1	1	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Congestive heart failure (I50.0)												
New Mexico												
All races, both sexes.....	-	2	9	13	14	45	41	54	43	32	2	-
Male.....	-	-	7	10	9	22	18	27	6	10	-	-
Female.....	-	2	2	3	5	23	23	27	37	22	2	-
White, both sexes.....	-	2	9	11	14	42	41	51	41	32	2	-
Male.....	-	-	7	8	9	21	18	27	6	10	-	-
Female.....	-	2	2	3	5	21	23	24	35	22	2	-
Black, both sexes.....	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	3	-	1	1	-	-	-
Male.....	-	-	-	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	25	25	47	92	199	282	473	598	545	282	66	-
Male.....	12	16	26	49	101	146	202	216	163	63	6	-
Female.....	13	9	21	43	98	136	271	382	382	219	60	-
White, both sexes.....	16	20	35	77	161	248	426	562	511	265	62	-
Male.....	9	14	24	43	83	128	190	209	151	59	6	-
Female.....	7	6	11	34	78	120	236	353	360	206	56	-
Black, both sexes.....	9	5	12	14	34	31	44	27	30	14	3	-
Male.....	3	2	2	5	17	17	12	4	11	3	-	-
Female.....	6	3	10	9	17	14	32	23	19	11	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	3	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	4	3	2	6	4	3	1	-
Male.....	-	-	-	1	1	1	-	2	1	1	-	-
Female.....	-	-	-	-	3	2	2	4	3	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Congestive heart failure (I50.0)												
Ohio												
All races, both sexes.....	18	29	55	84	156	318	492	510	419	168	45	-
Male.....	8	11	27	41	77	133	198	154	119	45	7	-
Female.....	10	18	28	43	79	185	294	356	300	123	38	-
White, both sexes.....	15	25	50	74	138	296	455	481	398	161	43	-
Male.....	7	11	25	35	69	126	182	145	115	44	7	-
Female.....	8	14	25	39	69	170	273	336	283	117	36	-
Black, both sexes.....	3	4	4	10	18	21	37	28	21	7	2	-
Male.....	1	-	2	6	8	7	16	9	4	1	-	-
Female.....	2	4	2	4	10	14	21	19	17	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	1	-	-	-	-
Oklahoma												
All races, both sexes.....	10	16	32	52	75	130	163	246	226	95	18	-
Male.....	8	9	14	27	35	69	68	83	56	18	1	-
Female.....	2	7	18	25	40	61	95	163	170	77	17	-
White, both sexes.....	9	15	26	47	67	122	156	235	210	85	15	-
Male.....	7	8	12	25	32	64	67	78	49	17	1	-
Female.....	2	7	14	22	35	58	89	157	161	68	14	-
Black, both sexes.....	-	1	3	2	4	2	5	4	10	7	2	-
Male.....	-	1	1	2	1	1	1	1	5	1	-	-
Female.....	-	-	2	-	3	1	4	3	5	6	2	-
American Indian 1/, both sexes.....	1	-	3	3	2	6	2	6	5	3	1	-
Male.....	1	-	1	-	1	4	-	4	2	-	-	-
Female.....	-	-	2	3	1	2	2	2	3	3	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	1	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Congestive heart failure (I50.0)												
Oregon												
All races, both sexes.....	7	8	9	23	34	86	122	193	180	79	20	-
Male.....	5	6	5	11	22	41	59	81	53	13	2	-
Female.....	2	2	4	12	12	45	63	112	127	66	18	-
White, both sexes.....	6	8	9	23	34	83	120	193	177	79	19	-
Male.....	5	6	5	11	22	38	58	81	52	13	2	-
Female.....	1	2	4	12	12	45	62	112	125	66	17	-
Black, both sexes.....	-	-	-	-	-	3	1	-	1	-	-	-
Male.....	-	-	-	-	-	3	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Pennsylvania												
All races, both sexes.....	26	36	55	88	226	394	603	808	620	275	76	-
Male.....	15	22	29	43	109	182	249	262	154	57	7	-
Female.....	11	14	26	45	117	212	354	546	466	218	69	-
White, both sexes.....	17	29	50	72	205	367	568	780	596	269	71	-
Male.....	8	18	26	36	102	173	233	255	150	56	7	-
Female.....	9	11	24	36	103	194	335	525	446	213	64	-
Black, both sexes.....	9	7	5	15	18	27	34	28	24	6	5	-
Male.....	7	4	3	6	7	9	15	7	4	1	-	-
Female.....	2	3	2	9	11	18	19	21	20	5	5	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	3	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	3	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Congestive heart failure (I50.0)												
South Dakota												
All races, both sexes.....	-	1	6	9	6	15	29	39	40	24	7	-
Male.....	-	1	6	5	3	10	12	20	11	1	1	-
Female.....	-	-	-	4	3	5	17	19	29	23	6	-
White, both sexes.....	-	1	6	9	6	14	28	39	40	24	7	-
Male.....	-	1	6	5	3	10	12	20	11	1	1	-
Female.....	-	-	-	4	3	4	16	19	29	23	6	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	9	12	18	24	43	58	107	107	69	38	8	-
Male.....	5	7	11	13	21	30	41	26	21	8	3	-
Female.....	4	5	7	11	22	28	66	81	48	30	5	-
White, both sexes.....	6	10	17	24	37	53	97	101	68	36	6	-
Male.....	4	6	10	13	19	27	36	24	21	7	2	-
Female.....	2	4	7	11	18	26	61	77	47	29	4	-
Black, both sexes.....	3	2	1	-	6	5	9	6	1	2	2	-
Male.....	1	1	1	-	2	3	5	2	-	1	1	-
Female.....	2	1	-	-	4	2	4	4	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Congestive heart failure (I50.0)												
Vermont												
All races, both sexes.....	-	-	2	3	3	3	12	15	18	5	5	-
Male.....	-	-	2	3	-	1	5	6	9	1	1	-
Female.....	-	-	-	-	3	2	7	9	9	4	4	-
White, both sexes.....	-	-	2	3	3	3	12	15	18	5	5	-
Male.....	-	-	2	3	-	1	5	6	9	1	1	-
Female.....	-	-	-	-	3	2	7	9	9	4	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	8	14	20	51	92	149	264	294	244	104	24	-
Male.....	5	8	12	33	52	79	113	93	56	25	4	-
Female.....	3	6	8	18	40	70	151	201	188	79	20	-
White, both sexes.....	3	9	15	35	71	116	223	248	214	97	20	-
Male.....	-	5	7	23	37	61	97	79	50	23	2	-
Female.....	3	4	8	12	34	55	126	169	164	74	18	-
Black, both sexes.....	5	5	5	15	20	32	38	43	26	6	4	-
Male.....	5	3	5	9	14	17	15	14	6	1	2	-
Female.....	-	2	-	6	6	15	23	29	20	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	3	3	4	1	-	-
Male.....	-	-	-	1	1	1	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	2	3	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Congestive heart failure (I50.0)												
Washington												
All races, both sexes.....	1	4	7	10	23	41	81	109	117	58	16	-
Male.....	1	2	2	7	14	14	28	40	39	14	3	-
Female.....	-	2	5	3	9	27	53	69	78	44	13	-
White, both sexes.....	1	3	7	9	21	39	76	109	115	57	16	-
Male.....	1	2	2	6	12	14	26	40	38	14	3	-
Female.....	-	1	5	3	9	25	50	69	77	43	13	-
Black, both sexes.....	-	-	-	1	-	-	2	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	2	-	2	1	-	-
Male.....	-	-	-	-	1	-	2	-	1	-	-	-
Female.....	-	1	-	-	-	-	-	-	1	1	-	-
West Virginia												
All races, both sexes.....	2	9	9	21	27	55	109	125	96	47	3	-
Male.....	1	8	4	11	12	22	38	41	26	11	1	-
Female.....	1	1	5	10	15	33	71	84	70	36	2	-
White, both sexes.....	2	9	8	21	26	54	108	122	94	46	3	-
Male.....	1	8	3	11	12	21	37	39	26	11	1	-
Female.....	1	1	5	10	14	33	71	83	68	35	2	-
Black, both sexes.....	-	-	1	-	-	1	1	3	2	1	-	-
Male.....	-	-	1	-	-	1	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other and unspecified heart failure (I50.1-I50.9)												
United States												
All races, both sexes.....	116	137	194	250	377	499	658	759	530	274	93	-
Male.....	88	82	126	143	193	256	298	283	164	48	16	-
Female.....	28	55	68	107	184	243	360	476	366	226	77	-
White, both sexes.....	78	104	163	200	305	423	575	689	466	249	76	-
Male.....	60	65	106	117	168	222	259	253	148	42	10	-
Female.....	18	39	57	83	137	201	316	436	318	207	66	-
Black, both sexes.....	34	30	31	39	59	69	74	59	56	24	14	-
Male.....	24	15	20	19	18	31	36	25	12	6	4	-
Female.....	10	15	11	20	41	38	38	34	44	18	10	-
American Indian 1/, both sexes.....	1	2	-	5	6	1	1	3	1	-	2	-
Male.....	1	2	-	4	3	-	-	-	-	-	1	-
Female.....	-	-	-	1	3	1	1	3	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	6	7	6	8	8	7	1	1	-
Male.....	3	-	-	3	4	3	3	5	4	-	1	-
Female.....	-	1	-	3	3	3	5	3	3	1	-	-
Alabama												
All races, both sexes.....	7	19	18	18	28	42	54	54	37	15	13	-
Male.....	6	8	9	11	11	24	24	15	12	1	4	-
Female.....	1	11	9	7	17	18	30	39	25	14	9	-
White, both sexes.....	6	14	13	12	19	33	42	39	28	11	6	-
Male.....	5	6	6	7	10	20	16	12	11	1	1	-
Female.....	1	8	7	5	9	13	26	27	17	10	5	-
Black, both sexes.....	1	5	5	6	9	9	12	14	9	4	7	-
Male.....	1	2	3	4	1	4	8	3	1	-	3	-
Female.....	-	3	2	2	8	5	4	11	8	4	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified heart failure (I50.1-I50.9)

Alaska

All races, both sexes.....	-	-	1	-	4	-	-	-	-	-	1	-
Male.....	-	-	1	-	3	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	1	-
White, both sexes.....	-	-	1	-	3	-	-	-	-	-	-	-
Male.....	-	-	1	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	1	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	-	-	-	3	8	2	7	9	2	1	-	-
Male.....	-	-	-	3	3	-	5	4	-	-	-	-
Female.....	-	-	-	-	5	2	2	5	2	1	-	-
White, both sexes.....	-	-	-	2	6	2	6	9	2	1	-	-
Male.....	-	-	-	2	3	-	4	4	-	-	-	-
Female.....	-	-	-	-	3	2	2	5	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other and unspecified heart failure (I50.1-I50.9)												
New Mexico												
All races, both sexes.....	-	-	-	-	-	3	4	3	2	2	1	-
Male.....	-	-	-	-	-	1	3	1	-	-	1	-
Female.....	-	-	-	-	-	2	1	2	2	2	-	-
White, both sexes.....	-	-	-	-	-	3	4	3	2	2	-	-
Male.....	-	-	-	-	-	1	3	1	-	-	-	-
Female.....	-	-	-	-	-	2	1	2	2	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	7	4	12	14	13	28	36	31	27	15	2	-
Male.....	7	3	7	5	6	11	22	10	9	3	1	-
Female.....	-	1	5	9	7	17	14	21	18	12	1	-
White, both sexes.....	5	3	10	11	11	28	32	29	26	14	2	-
Male.....	5	2	6	4	5	11	20	10	9	2	1	-
Female.....	-	1	4	7	6	17	12	19	17	12	1	-
Black, both sexes.....	2	1	2	3	2	-	2	-	1	1	-	-
Male.....	2	1	1	1	1	-	1	-	-	1	-	-
Female.....	-	-	1	2	1	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	2	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other and unspecified heart failure (I50.1-I50.9)												
Vermont												
All races, both sexes.....	-	-	1	-	-	1	-	2	1	-	-	-
Male.....	-	-	1	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
White, both sexes.....	-	-	1	-	-	1	-	2	1	-	-	-
Male.....	-	-	1	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	16	11	11	10	29	33	38	39	23	10	4	-
Male.....	11	8	7	7	10	17	21	15	5	2	1	-
Female.....	5	3	4	3	19	16	17	24	18	8	3	-
White, both sexes.....	12	7	10	9	22	15	26	32	18	10	2	-
Male.....	9	5	7	7	9	8	13	9	2	2	1	-
Female.....	3	2	3	2	13	7	13	23	16	8	1	-
Black, both sexes.....	4	4	1	1	7	15	12	7	5	-	2	-
Male.....	2	3	-	-	1	8	8	6	3	-	-	-
Female.....	2	1	1	1	6	7	4	1	2	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	3	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Myocarditis, unspecified and myocardial degeneration (I51.4-I51.5)

Arkansas

All races, both sexes.....	-	-	2	-	2	2	2	3	1	1	-	-
Male.....	-	-	1	-	2	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	2	2	3	1	1	-	-
White, both sexes.....	-	-	2	-	2	2	2	2	-	-	-	-
Male.....	-	-	1	-	2	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	2	2	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	9	1	1	5	3	-	8	5	3	1	-
Male.....	-	5	-	-	2	2	-	4	2	2	-	-
Female.....	1	4	1	1	3	1	-	4	3	1	1	-
White, both sexes.....	1	8	-	1	3	3	-	7	5	3	-	-
Male.....	-	5	-	-	2	2	-	3	2	2	-	-
Female.....	1	3	-	1	1	1	-	4	3	1	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	-	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	2	-	-	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)												
New Hampshire												
All races, both sexes.....	48	-	-	-	-	-	2	-	2	-	2	1
Male.....	24	-	-	-	-	-	2	-	2	-	2	1
Female.....	24	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	48	-	-	-	-	-	2	-	2	-	2	1
Male.....	24	-	-	-	-	-	2	-	2	-	2	1
Female.....	24	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	220	-	-	-	1	2	1	6	1	9	6	10
Male.....	109	-	-	-	1	2	1	5	1	5	4	9
Female.....	111	-	-	-	-	-	-	1	-	4	2	1
White, both sexes.....	189	-	-	-	1	-	1	4	-	6	4	5
Male.....	93	-	-	-	1	-	1	4	-	4	3	5
Female.....	96	-	-	-	-	-	-	-	-	2	1	-
Black, both sexes.....	28	-	-	-	-	2	-	1	1	3	2	4
Male.....	14	-	-	-	-	2	-	1	1	1	1	3
Female.....	14	-	-	-	-	-	-	-	-	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

Arkansas

All races, both sexes.....	7	4	9	10	14	21	34	37	32	12	1	-
Male.....	5	4	4	8	9	12	17	9	5	3	-	-
Female.....	2	-	5	2	5	9	17	28	27	9	1	-
White, both sexes.....	2	4	9	9	13	19	30	35	29	12	-	-
Male.....	1	4	4	7	9	12	16	7	5	3	-	-
Female.....	1	-	5	2	4	7	14	28	24	9	-	-
Black, both sexes.....	5	-	-	1	1	2	4	2	3	-	1	-
Male.....	4	-	-	1	-	-	1	2	-	-	-	-
Female.....	1	-	-	-	1	2	3	-	3	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	35	23	29	33	55	84	105	109	96	38	10	-
Male.....	22	15	23	21	31	43	50	44	22	7	3	-
Female.....	13	8	6	12	24	41	55	65	74	31	7	-
White, both sexes.....	22	18	21	29	45	76	86	97	84	33	8	-
Male.....	18	12	15	19	25	38	39	40	17	7	3	-
Female.....	4	6	6	10	20	38	47	57	67	26	5	-
Black, both sexes.....	12	4	7	1	7	5	10	3	9	2	1	-
Male.....	4	3	7	1	5	3	6	-	4	-	-	-
Female.....	8	1	-	-	2	2	4	3	5	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	-	-	-	1	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	3	3	3	7	9	3	2	1	-
Male.....	-	-	1	1	1	2	4	4	1	-	-	-
Female.....	1	1	-	2	2	1	3	5	2	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

Florida

All races, both sexes.....	14	14	23	31	49	79	83	116	84	24	6	-
Male.....	7	12	9	16	30	44	40	50	28	3	2	-
Female.....	7	2	14	15	19	35	43	66	56	21	4	-
White, both sexes.....	7	12	15	24	45	74	81	113	79	21	5	-
Male.....	4	11	8	13	29	41	38	49	26	2	2	-
Female.....	3	1	7	11	16	33	43	64	53	19	3	-
Black, both sexes.....	7	2	8	6	4	4	2	3	5	3	1	-
Male.....	3	1	1	3	1	3	2	1	2	1	-	-
Female.....	4	1	7	3	3	1	-	2	3	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Georgia

All races, both sexes.....	44	49	65	56	58	67	94	67	39	13	1	-
Male.....	28	34	42	38	38	35	53	18	8	4	-	-
Female.....	16	15	23	18	20	32	41	49	31	9	1	-
White, both sexes.....	23	37	44	38	38	54	72	49	27	8	-	-
Male.....	15	25	27	26	27	28	43	14	7	1	-	-
Female.....	8	12	17	12	11	26	29	35	20	7	-	-
Black, both sexes.....	20	11	19	18	20	13	22	17	12	5	1	-
Male.....	12	8	13	12	11	7	10	4	1	3	-	-
Female.....	8	3	6	6	9	6	12	13	11	2	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	-	-	-	1	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

Nebraska

All races, both sexes.....	3	7	2	3	9	9	14	12	4	7	-	-
Male.....	2	2	2	1	7	3	7	4	3	3	-	-
Female.....	1	5	-	2	2	6	7	8	1	4	-	-
White, both sexes.....	2	6	2	2	8	9	14	12	4	7	-	-
Male.....	2	2	2	1	6	3	7	4	3	3	-	-
Female.....	-	4	-	1	2	6	7	8	1	4	-	-
Black, both sexes.....	1	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	1	2	4	3	9	10	10	14	5	2	-	-
Male.....	-	1	3	1	2	5	5	6	1	-	-	-
Female.....	1	1	1	2	7	5	5	8	4	2	-	-
White, both sexes.....	-	-	4	3	5	9	9	13	3	2	-	-
Male.....	-	-	3	1	2	5	5	6	-	-	-	-
Female.....	-	-	1	2	3	4	4	7	3	2	-	-
Black, both sexes.....	1	2	-	-	3	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	3	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)												
New Mexico												
All races, both sexes.....	2	-	-	4	4	11	14	16	6	2	-	-
Male.....	2	-	-	2	1	5	5	7	2	-	-	-
Female.....	-	-	-	2	3	6	9	9	4	2	-	-
White, both sexes.....	2	-	-	4	4	10	13	14	5	2	-	-
Male.....	2	-	-	2	1	4	5	5	2	-	-	-
Female.....	-	-	-	2	3	6	8	9	3	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	2	-	-	-	-
Male.....	-	-	-	-	-	1	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	21	24	18	24	30	45	45	52	51	26	5	-
Male.....	13	13	10	20	21	16	22	28	15	12	-	-
Female.....	8	11	8	4	9	29	23	24	36	14	5	-
White, both sexes.....	14	20	12	22	25	39	42	49	46	25	3	-
Male.....	10	12	7	19	17	14	21	26	14	11	-	-
Female.....	4	8	5	3	8	25	21	23	32	14	3	-
Black, both sexes.....	7	3	5	1	4	4	1	3	5	-	2	-
Male.....	3	1	2	1	3	2	-	2	1	-	-	-
Female.....	4	2	3	-	1	2	1	1	4	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	2	2	-	-	1	-	-
Male.....	-	-	1	-	1	-	1	-	-	1	-	-
Female.....	-	1	-	1	-	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Cerebrovascular diseases (I60-I69)												
Arkansas												
All races, both sexes.....	2,232	3	1	-	1	1	3	-	7	13	27	34
Male.....	811	3	-	-	-	1	1	-	3	6	10	15
Female.....	1,421	-	1	-	1	-	2	-	4	7	17	19
White, both sexes.....	1,911	3	1	-	1	1	2	-	5	8	20	22
Male.....	695	3	-	-	-	1	1	-	2	4	9	10
Female.....	1,216	-	1	-	1	-	1	-	3	4	11	12
Black, both sexes.....	311	-	-	-	-	-	1	-	2	5	7	11
Male.....	110	-	-	-	-	-	-	-	1	2	1	4
Female.....	201	-	-	-	-	-	1	-	1	3	6	7
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	17,626	15	4	2	10	5	17	23	43	94	171	305
Male.....	7,072	7	3	-	8	3	7	16	23	56	91	169
Female.....	10,554	8	1	2	2	2	10	7	20	38	80	136
White, both sexes.....	14,620	10	3	2	7	5	14	17	28	57	119	207
Male.....	5,771	4	2	-	5	3	5	12	16	36	64	117
Female.....	8,849	6	1	2	2	2	9	5	12	21	55	90
Black, both sexes.....	1,331	3	-	-	3	-	2	2	8	20	25	54
Male.....	559	2	-	-	3	-	1	2	3	8	13	25
Female.....	772	1	-	-	-	-	1	-	5	12	12	29
American Indian 1/, both sexes.....	67	-	-	-	-	-	-	1	-	-	3	4
Male.....	32	-	-	-	-	-	-	1	-	-	3	3
Female.....	35	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1,608	2	1	-	-	-	1	3	7	17	24	40
Male.....	710	1	1	-	-	-	1	1	4	12	11	24
Female.....	898	1	-	-	-	-	-	2	3	5	13	16

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Cerebrovascular diseases (I60-I69)												
Massachusetts												
All races, both sexes.....	3,559	2	-	4	1	1	1	3	4	7	24	35
Male.....	1,336	-	-	1	-	1	1	1	-	3	10	19
Female.....	2,223	2	-	3	1	-	-	2	4	4	14	16
White, both sexes.....	3,396	-	-	3	1	1	-	2	3	5	21	31
Male.....	1,276	-	-	-	-	1	-	1	-	2	8	19
Female.....	2,120	-	-	3	1	-	-	1	3	3	13	12
Black, both sexes.....	128	1	-	-	-	-	1	1	1	1	1	3
Male.....	48	-	-	-	-	-	1	-	-	1	-	-
Female.....	80	1	-	-	-	-	-	1	1	-	1	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	32	1	-	1	-	-	-	-	-	1	2	1
Male.....	12	-	-	1	-	-	-	-	-	-	2	-
Female.....	20	1	-	-	-	-	-	-	-	1	-	1
Michigan												
All races, both sexes.....	5,814	3	-	3	1	-	2	5	22	25	79	102
Male.....	2,311	2	-	-	-	-	1	3	15	12	44	53
Female.....	3,503	1	-	3	1	-	1	2	7	13	35	49
White, both sexes.....	5,020	2	-	3	-	-	2	3	15	18	53	63
Male.....	1,959	2	-	-	-	-	1	2	9	11	32	34
Female.....	3,061	-	-	3	-	-	1	1	6	7	21	29
Black, both sexes.....	744	1	-	-	-	-	-	1	7	7	23	38
Male.....	337	-	-	-	-	-	-	1	6	1	11	19
Female.....	407	1	-	-	-	-	-	-	1	6	12	19
American Indian 1/, both sexes.....	19	-	-	-	1	-	-	-	-	-	1	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	15	-	-	-	1	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	31	-	-	-	-	-	-	1	-	-	2	1
Male.....	11	-	-	-	-	-	-	-	-	-	1	-
Female.....	20	-	-	-	-	-	-	1	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Cerebrovascular diseases (I60-I69)												
Nebraska												
All races, both sexes.....	1,103	1	-	1	-	-	-	-	4	8	7	16
Male.....	409	1	-	1	-	-	-	-	2	3	4	5
Female.....	694	-	-	-	-	-	-	-	2	5	3	11
White, both sexes.....	1,063	-	-	1	-	-	-	-	3	6	4	15
Male.....	392	-	-	1	-	-	-	-	1	3	2	5
Female.....	671	-	-	-	-	-	-	-	2	3	2	10
Black, both sexes.....	30	1	-	-	-	-	-	-	1	2	2	-
Male.....	11	1	-	-	-	-	-	-	1	-	1	-
Female.....	19	-	-	-	-	-	-	-	-	2	1	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
Nevada												
All races, both sexes.....	976	3	2	-	1	1	1	-	3	8	21	13
Male.....	406	2	-	-	1	-	1	-	1	4	9	6
Female.....	570	1	2	-	-	1	-	-	2	4	12	7
White, both sexes.....	857	2	2	-	1	1	1	-	2	5	14	10
Male.....	359	2	-	-	1	-	1	-	-	3	6	5
Female.....	498	-	2	-	-	1	-	-	2	2	8	5
Black, both sexes.....	60	1	-	-	-	-	-	-	1	2	4	2
Male.....	23	-	-	-	-	-	-	-	1	1	3	-
Female.....	37	1	-	-	-	-	-	-	-	1	1	2
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	54	-	-	-	-	-	-	-	-	1	2	1
Male.....	23	-	-	-	-	-	-	-	-	-	-	1
Female.....	31	-	-	-	-	-	-	-	-	1	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Cerebrovascular diseases (I60-I69)												
New Hampshire												
All races, both sexes.....	627	1	-	-	-	1	-	-	-	1	6	8
Male.....	226	-	-	-	-	1	-	-	-	1	1	6
Female.....	401	1	-	-	-	-	-	-	-	-	5	2
White, both sexes.....	619	1	-	-	-	1	-	-	-	1	5	8
Male.....	224	-	-	-	-	1	-	-	-	1	-	6
Female.....	395	1	-	-	-	-	-	-	-	-	5	2
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	4,016	2	3	1	2	-	4	6	7	32	44	77
Male.....	1,586	2	1	1	1	-	4	5	1	7	17	41
Female.....	2,430	-	2	-	1	-	-	1	6	25	27	36
White, both sexes.....	3,380	-	-	1	2	-	4	5	4	23	29	40
Male.....	1,328	-	-	1	1	-	4	5	1	4	12	22
Female.....	2,052	-	-	-	1	-	-	-	3	19	17	18
Black, both sexes.....	553	2	3	-	-	-	-	1	3	6	14	33
Male.....	229	2	1	-	-	-	-	-	-	1	4	16
Female.....	324	-	2	-	-	-	-	1	3	5	10	17
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	78	-	-	-	-	-	-	-	-	3	1	4
Male.....	28	-	-	-	-	-	-	-	-	2	1	3
Female.....	50	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Cerebrovascular diseases (I60-I69)												
Oregon												
All races, both sexes.....	2,645	-	1	1	-	-	3	-	5	7	13	28
Male.....	1,028	-	-	1	-	-	2	-	1	3	4	9
Female.....	1,617	-	1	-	-	-	1	-	4	4	9	19
White, both sexes.....	2,572	-	-	1	-	-	3	-	5	7	13	27
Male.....	997	-	-	1	-	-	2	-	1	3	4	9
Female.....	1,575	-	-	-	-	-	1	-	4	4	9	18
Black, both sexes.....	34	-	-	-	-	-	-	-	-	-	-	1
Male.....	13	-	-	-	-	-	-	-	-	-	-	-
Female.....	21	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	-	-	-
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	1	-	-	-	-	-	-	-	-	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	15	-	1	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	8,579	4	4	4	4	4	7	6	14	26	63	93
Male.....	3,145	1	1	2	1	4	3	5	7	11	33	47
Female.....	5,434	3	3	2	3	-	4	1	7	15	30	46
White, both sexes.....	7,770	4	3	3	4	3	6	5	8	18	42	62
Male.....	2,837	1	-	2	1	3	3	4	2	9	23	31
Female.....	4,933	3	3	1	3	-	3	1	6	9	19	31
Black, both sexes.....	758	-	1	1	-	1	1	1	6	7	21	29
Male.....	286	-	1	-	-	1	-	1	5	2	10	16
Female.....	472	-	-	1	-	-	1	-	1	5	11	13
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	50	-	-	-	-	-	-	-	-	1	-	2
Male.....	21	-	-	-	-	-	-	-	-	-	-	-
Female.....	29	-	-	-	-	-	-	-	-	1	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
United States												
All races, both sexes.....	3,440	4,293	5,604	8,026	13,966	22,911	31,978	33,197	23,110	8,521	1,584	3
Male.....	1,876	2,373	3,083	4,305	6,902	10,283	12,372	10,884	5,713	1,510	209	1
Female.....	1,564	1,920	2,521	3,721	7,064	12,628	19,606	22,313	17,397	7,011	1,375	2
White, both sexes.....	2,203	3,052	4,094	6,112	11,460	19,741	28,557	30,288	21,155	7,769	1,388	2
Male.....	1,202	1,684	2,253	3,284	5,737	8,921	11,116	9,970	5,202	1,356	164	1
Female.....	1,001	1,368	1,841	2,828	5,723	10,820	17,441	20,318	15,953	6,413	1,224	1
Black, both sexes.....	1,075	1,059	1,265	1,597	2,033	2,603	2,723	2,322	1,559	611	168	1
Male.....	593	597	701	857	985	1,094	955	679	351	100	38	-
Female.....	482	462	564	740	1,048	1,509	1,768	1,643	1,208	511	130	1
American Indian 1/, both sexes.....	27	34	37	49	67	69	89	59	47	15	4	-
Male.....	14	19	16	20	29	33	28	25	14	4	-	-
Female.....	13	15	21	29	38	36	61	34	33	11	4	-
Asian or Pacific Islander 2/, both sexes.....	135	148	208	268	406	498	609	528	349	126	24	-
Male.....	67	73	113	144	151	235	273	210	146	50	7	-
Female.....	68	75	95	124	255	263	336	318	203	76	17	-
Alabama												
All races, both sexes.....	90	115	139	197	300	472	568	566	406	153	31	-
Male.....	55	70	79	104	159	199	196	166	95	17	5	-
Female.....	35	45	60	93	141	273	372	400	311	136	26	-
White, both sexes.....	40	71	80	125	215	349	461	460	321	118	20	-
Male.....	25	43	42	66	120	149	158	131	72	14	1	-
Female.....	15	28	38	59	95	200	303	329	249	104	19	-
Black, both sexes.....	50	44	59	71	85	121	107	104	84	35	11	-
Male.....	30	27	37	37	39	50	38	34	23	3	4	-
Female.....	20	17	22	34	46	71	69	70	61	32	7	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Alaska												
All races, both sexes.....	5	4	7	12	19	25	34	23	9	7	1	-
Male.....	4	-	5	10	9	10	18	6	2	1	-	-
Female.....	1	4	2	2	10	15	16	17	7	6	1	-
White, both sexes.....	3	3	6	9	14	19	27	18	7	7	1	-
Male.....	2	-	4	8	7	7	16	3	1	1	-	-
Female.....	1	3	2	1	7	12	11	15	6	6	1	-
Black, both sexes.....	-	-	-	-	-	1	2	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	1	1	-	-	-
American Indian 1/, both sexes.....	2	1	1	1	2	4	3	1	-	-	-	-
Male.....	2	-	1	-	1	3	1	1	-	-	-	-
Female.....	-	1	-	1	1	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	3	1	2	3	1	-	-	-
Male.....	-	-	-	2	1	-	1	2	1	-	-	-
Female.....	-	-	-	-	2	1	1	1	-	-	-	-
Arizona												
All races, both sexes.....	55	63	84	108	233	384	536	522	340	106	22	-
Male.....	33	39	40	51	125	153	211	204	104	24	3	-
Female.....	22	24	44	57	108	231	325	318	236	82	19	-
White, both sexes.....	41	57	79	98	215	363	513	507	333	101	21	-
Male.....	24	35	39	46	116	143	203	199	101	23	3	-
Female.....	17	22	40	52	99	220	310	308	232	78	18	-
Black, both sexes.....	4	4	2	5	8	10	7	6	4	4	1	-
Male.....	2	3	-	3	5	5	2	-	1	-	-	-
Female.....	2	1	2	2	3	5	5	6	3	4	1	-
American Indian 1/, both sexes.....	7	2	1	4	10	4	10	8	-	1	-	-
Male.....	4	1	1	2	4	1	3	5	-	1	-	-
Female.....	3	1	-	2	6	3	7	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	2	1	-	7	6	1	3	-	-	-
Male.....	3	-	-	-	-	4	3	-	2	-	-	-
Female.....	-	-	2	1	-	3	3	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Arkansas												
All races, both sexes.....	48	72	84	130	209	301	420	442	309	106	21	-
Male.....	20	38	48	69	101	124	160	126	66	14	6	-
Female.....	28	34	36	61	108	177	260	316	243	92	15	-
White, both sexes.....	25	56	64	109	178	258	378	399	269	96	16	-
Male.....	13	28	40	57	85	110	144	116	56	13	3	-
Female.....	12	28	24	52	93	148	234	283	213	83	13	-
Black, both sexes.....	23	16	19	19	29	40	41	43	40	10	5	-
Male.....	7	10	8	10	15	12	16	10	10	1	3	-
Female.....	16	6	11	9	14	28	25	33	30	9	2	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	2	3	1	-	-	-	-	-
Male.....	-	-	-	1	1	2	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	1	-	-	-	-	-
California												
All races, both sexes.....	363	432	611	870	1,534	2,495	3,565	3,578	2,409	906	173	1
Male.....	190	244	337	448	746	1,135	1,450	1,232	695	185	27	-
Female.....	173	188	274	422	788	1,360	2,115	2,346	1,714	721	146	1
White, both sexes.....	240	302	428	634	1,200	2,036	3,077	3,154	2,140	797	142	1
Male.....	129	170	228	336	607	932	1,254	1,079	607	145	20	-
Female.....	111	132	200	298	593	1,104	1,823	2,075	1,533	652	122	1
Black, both sexes.....	77	59	96	123	136	210	192	171	98	40	12	-
Male.....	40	34	57	64	68	89	74	44	21	10	1	-
Female.....	37	25	39	59	68	121	118	127	77	30	11	-
American Indian 1/, both sexes.....	1	7	6	3	7	10	12	1	7	5	-	-
Male.....	1	4	4	1	-	7	5	-	2	1	-	-
Female.....	-	3	2	2	7	3	7	1	5	4	-	-
Asian or Pacific Islander 2/, both sexes.....	45	64	81	110	191	239	284	252	164	64	19	-
Male.....	20	36	48	47	71	107	117	109	65	29	6	-
Female.....	25	28	33	63	120	132	167	143	99	35	13	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Colorado												
All races, both sexes.....	32	64	58	82	177	272	349	378	289	112	21	-
Male.....	14	44	28	38	82	109	127	117	69	31	2	-
Female.....	18	20	30	44	95	163	222	261	220	81	19	-
White, both sexes.....	27	55	52	72	162	256	341	367	283	110	20	-
Male.....	10	37	24	33	75	104	122	116	68	31	2	-
Female.....	17	18	28	39	87	152	219	251	215	79	18	-
Black, both sexes.....	2	8	6	5	11	7	3	6	6	-	1	-
Male.....	2	6	4	2	5	2	1	1	1	-	-	-
Female.....	-	2	2	3	6	5	2	5	5	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	5	4	7	4	5	-	1	-	-
Male.....	2	1	-	3	2	3	3	-	-	-	-	-
Female.....	1	-	-	2	2	4	1	5	-	1	-	-
Connecticut												
All races, both sexes.....	28	45	50	60	142	241	395	390	271	135	25	-
Male.....	17	20	33	34	75	100	159	123	59	19	2	-
Female.....	11	25	17	26	67	141	236	267	212	116	23	-
White, both sexes.....	21	35	37	48	132	229	372	372	263	134	25	-
Male.....	11	14	24	26	71	96	151	118	58	18	2	-
Female.....	10	21	13	22	61	133	221	254	205	116	23	-
Black, both sexes.....	7	8	12	7	8	10	20	18	8	1	-	-
Male.....	6	4	9	5	3	3	7	5	1	1	-	-
Female.....	1	4	3	2	5	7	13	13	7	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	4	2	-	2	-	-	-	-	-
Male.....	-	2	-	3	1	-	1	-	-	-	-	-
Female.....	-	-	1	1	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Delaware												
All races, both sexes.....	7	16	10	15	29	67	74	76	61	29	1	-
Male.....	4	5	4	5	17	32	27	29	12	4	-	-
Female.....	3	11	6	10	12	35	47	47	49	25	1	-
White, both sexes.....	4	9	8	13	22	57	66	63	52	29	1	-
Male.....	3	2	3	4	11	26	25	27	10	4	-	-
Female.....	1	7	5	9	11	31	41	36	42	25	1	-
Black, both sexes.....	3	6	2	2	7	10	7	13	9	-	-	-
Male.....	1	3	1	1	6	6	2	2	2	-	-	-
Female.....	2	3	1	1	1	4	5	11	7	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	15	15	13	19	25	41	42	56	26	18	1	-
Male.....	8	5	8	13	8	20	15	15	6	4	-	-
Female.....	7	10	5	6	17	21	27	41	20	14	1	-
White, both sexes.....	3	1	-	-	4	11	12	19	14	10	1	-
Male.....	1	-	-	-	2	8	2	5	5	1	-	-
Female.....	2	1	-	-	2	3	10	14	9	9	1	-
Black, both sexes.....	12	14	13	19	21	30	29	36	12	8	-	-
Male.....	7	5	8	13	6	12	12	10	1	3	-	-
Female.....	5	9	5	6	15	18	17	26	11	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Florida												
All races, both sexes.....	211	292	383	481	922	1,481	2,039	2,080	1,411	510	96	-
Male.....	118	165	205	248	473	684	866	753	392	101	13	-
Female.....	93	127	178	233	449	797	1,173	1,327	1,019	409	83	-
White, both sexes.....	138	213	280	374	784	1,295	1,856	1,929	1,308	469	86	-
Male.....	77	127	148	190	405	613	799	707	374	96	11	-
Female.....	61	86	132	184	379	682	1,057	1,222	934	373	75	-
Black, both sexes.....	66	77	97	100	127	175	173	147	101	41	10	-
Male.....	37	37	55	52	64	66	63	46	17	5	2	-
Female.....	29	40	42	48	63	109	110	101	84	36	8	-
American Indian 1/, both sexes.....	-	-	-	-	3	1	3	-	1	-	-	-
Male.....	-	-	-	-	1	1	1	-	1	-	-	-
Female.....	-	-	-	-	2	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	6	7	8	10	7	4	1	-	-	-
Male.....	4	1	2	6	3	4	3	-	-	-	-	-
Female.....	3	1	4	1	5	6	4	4	1	-	-	-
Georgia												
All races, both sexes.....	145	153	210	280	385	618	810	738	494	155	32	-
Male.....	85	78	109	148	183	257	302	247	105	27	4	-
Female.....	60	75	101	132	202	361	508	491	389	128	28	-
White, both sexes.....	60	75	113	156	254	462	629	602	399	119	20	-
Male.....	38	36	60	84	119	188	234	193	85	22	1	-
Female.....	22	39	53	72	135	274	395	409	314	97	19	-
Black, both sexes.....	84	74	92	120	127	153	176	134	95	35	12	-
Male.....	46	40	47	61	63	68	63	53	20	4	3	-
Female.....	38	34	45	59	64	85	113	81	75	31	9	-
American Indian 1/, both sexes.....	-	1	-	1	1	2	-	1	-	-	-	-
Male.....	-	1	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	5	3	3	1	5	1	-	1	-	-
Male.....	1	1	2	3	1	-	5	-	-	1	-	-
Female.....	-	2	3	-	2	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Illinois												
All races, both sexes.....	161	162	231	355	591	970	1,422	1,515	1,039	405	74	-
Male.....	100	84	129	193	299	420	549	466	241	79	9	-
Female.....	61	78	102	162	292	550	873	1,049	798	326	65	-
White, both sexes.....	82	103	153	259	482	819	1,260	1,419	954	378	67	-
Male.....	47	56	83	141	248	355	498	440	224	75	7	-
Female.....	35	47	70	118	234	464	762	979	730	303	60	-
Black, both sexes.....	67	55	70	91	96	139	138	84	80	26	7	-
Male.....	46	27	40	50	46	58	38	26	17	4	2	-
Female.....	21	28	30	41	50	81	100	58	63	22	5	-
American Indian 1/, both sexes.....	-	-	-	-	2	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	4	8	5	11	11	24	11	5	1	-	-
Male.....	7	1	6	2	5	6	13	-	-	-	-	-
Female.....	5	3	2	3	6	5	11	11	5	1	-	-
Indiana												
All races, both sexes.....	63	109	129	180	309	499	728	756	544	218	39	-
Male.....	37	61	70	91	164	212	250	236	125	29	4	-
Female.....	26	48	59	89	145	287	478	520	419	189	35	-
White, both sexes.....	46	89	113	158	272	465	688	723	519	206	36	-
Male.....	28	47	61	80	142	197	237	227	121	26	3	-
Female.....	18	42	52	78	130	268	451	496	398	180	33	-
Black, both sexes.....	17	20	16	22	35	34	40	32	24	12	3	-
Male.....	9	14	9	11	21	15	13	9	4	3	1	-
Female.....	8	6	7	11	14	19	27	23	20	9	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	1	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Iowa												
All races, both sexes.....	23	35	40	81	155	270	433	556	386	169	35	-
Male.....	9	16	28	45	65	125	181	188	119	27	4	-
Female.....	14	19	12	36	90	145	252	368	267	142	31	-
White, both sexes.....	21	34	36	79	154	267	428	550	381	168	34	-
Male.....	9	15	26	44	64	124	179	186	116	27	4	-
Female.....	12	19	10	35	90	143	249	364	265	141	30	-
Black, both sexes.....	2	1	3	1	1	3	5	5	4	1	1	-
Male.....	-	1	2	1	1	1	2	2	3	-	-	-
Female.....	2	-	1	-	-	2	3	3	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	1	-	-	-
Kansas												
All races, both sexes.....	26	38	41	61	128	236	347	427	334	142	19	-
Male.....	18	19	28	34	72	94	146	141	88	22	2	-
Female.....	8	19	13	27	56	142	201	286	246	120	17	-
White, both sexes.....	21	29	36	52	120	217	338	420	324	137	18	-
Male.....	13	15	25	28	67	88	142	139	85	20	2	-
Female.....	8	14	11	24	53	129	196	281	239	117	16	-
Black, both sexes.....	4	8	5	7	7	14	8	7	8	4	1	-
Male.....	4	4	3	6	4	5	3	2	3	1	-	-
Female.....	-	4	2	1	3	9	5	5	5	3	1	-
American Indian 1/, both sexes.....	-	-	-	2	1	2	1	-	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	2	-	2	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	3	-	-	1	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	1	-	-	-	2	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Kentucky												
All races, both sexes.....	42	74	95	149	215	373	476	534	376	113	21	-
Male.....	24	48	57	81	89	158	167	150	73	28	1	-
Female.....	18	26	38	68	126	215	309	384	303	85	20	-
White, both sexes.....	33	66	86	135	193	347	441	507	356	107	19	-
Male.....	21	42	52	74	82	150	158	142	70	27	1	-
Female.....	12	24	34	61	111	197	283	365	286	80	18	-
Black, both sexes.....	9	8	9	14	21	26	33	27	19	6	2	-
Male.....	3	6	5	7	7	8	7	8	3	1	-	-
Female.....	6	2	4	7	14	18	26	19	16	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Louisiana												
All races, both sexes.....	80	100	141	155	298	380	432	395	323	116	24	-
Male.....	38	50	73	87	139	163	142	137	69	16	4	-
Female.....	42	50	68	68	159	217	290	258	254	100	20	-
White, both sexes.....	32	48	70	84	179	263	321	313	250	88	17	-
Male.....	17	21	34	47	79	110	102	113	50	11	2	-
Female.....	15	27	36	37	100	153	219	200	200	77	15	-
Black, both sexes.....	47	51	68	70	116	115	110	82	71	28	7	-
Male.....	21	29	38	39	59	51	40	24	18	5	2	-
Female.....	26	22	30	31	57	64	70	58	53	23	5	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	-	-	2	-	-	-
Male.....	-	-	-	1	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	-	2	2	1	-	-	-	-	-
Male.....	-	-	1	-	-	2	-	-	-	-	-	-
Female.....	1	1	2	-	2	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Maine												
All races, both sexes.....	9	14	26	30	63	113	171	168	152	50	15	-
Male.....	7	8	19	14	32	60	76	61	45	7	3	-
Female.....	2	6	7	16	31	53	95	107	107	43	12	-
White, both sexes.....	7	14	26	30	62	112	170	167	151	50	15	-
Male.....	5	8	19	14	31	59	76	60	45	7	3	-
Female.....	2	6	7	16	31	53	94	107	106	43	12	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	1	-	-	1	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Maryland												
All races, both sexes.....	76	80	105	139	238	423	534	548	378	132	22	-
Male.....	48	49	58	80	118	176	201	163	73	22	1	-
Female.....	28	31	47	59	120	247	333	385	305	110	21	-
White, both sexes.....	35	40	60	85	180	327	439	466	326	116	19	-
Male.....	21	28	37	48	92	141	163	141	62	18	1	-
Female.....	14	12	23	37	88	186	276	325	264	98	18	-
Black, both sexes.....	38	39	43	46	55	87	87	76	47	15	3	-
Male.....	26	20	21	25	25	30	34	20	10	3	-	-
Female.....	12	19	22	21	30	57	53	56	37	12	3	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	1	1	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	2	7	3	9	7	5	4	1	-	-
Male.....	1	1	-	6	1	5	4	1	1	1	-	-
Female.....	2	-	2	1	2	4	3	4	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Massachusetts												
All races, both sexes.....	56	67	82	140	267	454	786	779	585	220	41	-
Male.....	34	37	45	88	139	207	324	255	136	31	4	-
Female.....	22	30	37	52	128	247	462	524	449	189	37	-
White, both sexes.....	46	62	72	127	243	436	764	758	569	212	40	-
Male.....	28	35	39	81	129	204	316	249	130	30	4	-
Female.....	18	27	33	46	114	232	448	509	439	182	36	-
Black, both sexes.....	10	2	8	10	19	15	19	18	12	5	1	-
Male.....	6	1	5	6	7	3	7	6	4	1	-	-
Female.....	4	1	3	4	12	12	12	12	8	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	2	3	5	3	3	2	3	2	-	-
Male.....	-	1	1	1	3	-	1	-	2	-	-	-
Female.....	-	2	1	2	2	3	2	2	1	2	-	-
Michigan												
All races, both sexes.....	132	158	199	261	469	814	1,141	1,221	802	317	58	-
Male.....	78	90	111	153	224	387	470	389	209	62	8	-
Female.....	54	68	88	108	245	427	671	832	593	255	50	-
White, both sexes.....	87	102	153	202	378	692	1,031	1,130	747	288	51	-
Male.....	52	55	83	115	180	329	426	371	195	57	5	-
Female.....	35	47	70	87	198	363	605	759	552	231	46	-
Black, both sexes.....	44	53	42	55	84	113	104	86	52	27	7	-
Male.....	26	34	26	36	43	52	43	18	13	5	3	-
Female.....	18	19	16	19	41	61	61	68	39	22	4	-
American Indian 1/, both sexes.....	-	2	1	-	3	4	2	3	1	1	-	-
Male.....	-	1	-	-	-	3	-	-	-	-	-	-
Female.....	-	1	1	-	3	1	2	3	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	4	4	5	4	2	2	1	-	-
Male.....	-	-	2	2	1	3	1	-	1	-	-	-
Female.....	1	1	1	2	3	2	3	2	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Minnesota												
All races, both sexes.....	42	42	62	99	192	346	550	630	469	181	32	-
Male.....	22	22	40	54	106	156	228	215	130	28	6	-
Female.....	20	20	22	45	86	190	322	415	339	153	26	-
White, both sexes.....	30	34	55	92	178	333	540	622	456	180	32	-
Male.....	14	19	35	49	100	151	226	211	124	28	6	-
Female.....	16	15	20	43	78	182	314	411	332	152	26	-
Black, both sexes.....	7	5	6	3	7	8	4	4	5	1	-	-
Male.....	5	3	5	2	3	2	-	2	2	-	-	-
Female.....	2	2	1	1	4	6	4	2	3	1	-	-
American Indian 1/, both sexes.....	2	2	-	1	3	3	4	1	4	-	-	-
Male.....	1	-	-	1	2	1	1	-	1	-	-	-
Female.....	1	2	-	-	1	2	3	1	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	3	4	2	2	3	4	-	-	-
Male.....	2	-	-	2	1	2	1	2	3	-	-	-
Female.....	1	1	1	1	3	-	1	1	1	-	-	-
Mississippi												
All races, both sexes.....	66	80	99	140	190	294	302	338	231	72	12	1
Male.....	38	48	57	71	101	127	115	100	49	10	3	1
Female.....	28	32	42	69	89	167	187	238	182	62	9	-
White, both sexes.....	23	42	55	80	117	205	221	252	179	43	6	1
Male.....	13	23	32	44	60	91	87	72	36	4	2	1
Female.....	10	19	23	36	57	114	134	180	143	39	4	-
Black, both sexes.....	42	37	44	58	71	89	79	86	51	29	6	-
Male.....	25	24	25	27	41	36	28	28	13	6	1	-
Female.....	17	13	19	31	30	53	51	58	38	23	5	-
American Indian 1/, both sexes.....	1	1	-	2	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Nebraska												
All races, both sexes.....	18	15	29	34	87	124	204	259	190	88	18	-
Male.....	10	7	16	23	45	64	84	76	54	13	1	-
Female.....	8	8	13	11	42	60	120	183	136	75	17	-
White, both sexes.....	17	12	27	32	79	122	199	255	189	85	17	-
Male.....	9	6	16	21	41	63	81	76	54	12	1	-
Female.....	8	6	11	11	38	59	118	179	135	73	16	-
Black, both sexes.....	1	3	2	-	4	2	4	4	-	3	1	-
Male.....	1	1	-	-	2	1	2	-	-	1	-	-
Female.....	-	2	2	-	2	1	2	4	-	2	1	-
American Indian 1/, both sexes.....	-	-	-	2	3	-	-	-	-	-	-	-
Male.....	-	-	-	2	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Nevada												
All races, both sexes.....	33	34	51	82	103	143	193	157	92	32	3	-
Male.....	22	20	26	49	39	70	67	55	24	9	1	-
Female.....	11	14	25	33	64	73	126	102	68	23	2	-
White, both sexes.....	30	29	37	67	88	125	178	147	84	31	3	-
Male.....	20	16	21	43	32	61	66	52	20	9	1	-
Female.....	10	13	16	24	56	64	112	95	64	22	2	-
Black, both sexes.....	-	4	6	9	5	11	8	4	2	1	-	-
Male.....	-	3	2	4	3	4	1	1	-	-	-	-
Female.....	-	1	4	5	2	7	7	3	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	8	5	9	6	6	6	6	-	-	-
Male.....	2	1	3	2	4	4	-	2	4	-	-	-
Female.....	1	-	5	3	5	2	6	4	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
New Hampshire												
All races, both sexes.....	11	10	16	38	50	82	122	139	93	37	12	-
Male.....	6	6	12	23	24	34	43	40	23	5	1	-
Female.....	5	4	4	15	26	48	79	99	70	32	11	-
White, both sexes.....	11	10	16	36	50	82	121	137	91	37	12	-
Male.....	6	6	12	22	24	34	43	40	23	5	1	-
Female.....	5	4	4	14	26	48	78	97	68	32	11	-
Black, both sexes.....	-	-	-	-	-	-	-	2	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
New Jersey												
All races, both sexes.....	81	109	141	225	325	589	796	797	557	182	36	-
Male.....	41	66	72	132	165	286	311	266	126	36	5	-
Female.....	40	43	69	93	160	303	485	531	431	146	31	-
White, both sexes.....	46	71	84	161	267	510	700	725	507	167	34	-
Male.....	26	41	42	93	138	249	283	251	116	35	4	-
Female.....	20	30	42	68	129	261	417	474	391	132	30	-
Black, both sexes.....	33	32	49	52	52	71	81	59	46	14	2	-
Male.....	14	22	26	34	25	35	24	13	10	1	1	-
Female.....	19	10	23	18	27	36	57	46	36	13	1	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	6	8	11	5	7	13	13	4	1	-	-
Male.....	1	3	4	5	2	2	3	2	-	-	-	-
Female.....	1	3	4	6	3	5	10	11	4	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
New Mexico												
All races, both sexes.....	22	25	31	42	59	107	130	148	79	37	5	-
Male.....	8	11	15	19	27	45	53	50	18	13	-	-
Female.....	14	14	16	23	32	62	77	98	61	24	5	-
White, both sexes.....	21	21	27	38	55	99	128	142	76	37	4	-
Male.....	8	9	13	17	25	41	52	48	17	13	-	-
Female.....	13	12	14	21	30	58	76	94	59	24	4	-
Black, both sexes.....	1	-	1	1	3	2	1	1	1	-	-	-
Male.....	-	-	-	-	1	2	1	-	-	-	-	-
Female.....	1	-	1	1	2	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	2	3	3	-	6	1	4	2	-	1	-
Male.....	-	2	2	2	-	2	-	2	1	-	-	-
Female.....	-	-	1	1	-	4	1	2	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	1	-	-	-	-
New York												
All races, both sexes.....	161	239	268	401	683	1,048	1,502	1,477	1,036	403	75	-
Male.....	82	127	164	210	349	512	564	463	232	50	7	-
Female.....	79	112	104	191	334	536	938	1,014	804	353	68	-
White, both sexes.....	104	152	182	277	559	904	1,351	1,384	963	378	68	-
Male.....	57	86	111	149	294	442	511	439	209	48	7	-
Female.....	47	66	71	128	265	462	840	945	754	330	61	-
Black, both sexes.....	50	68	71	102	93	114	126	79	64	19	7	-
Male.....	22	30	46	49	45	51	39	18	17	2	-	-
Female.....	28	38	25	53	48	63	87	61	47	17	7	-
American Indian 1/, both sexes.....	-	-	1	1	1	1	1	-	1	1	-	-
Male.....	-	-	-	1	1	1	-	-	1	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	7	19	14	21	30	29	24	14	8	5	-	-
Male.....	3	11	7	11	9	18	14	6	5	-	-	-
Female.....	4	8	7	10	21	11	10	8	3	5	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Oregon												
All races, both sexes.....	32	61	80	87	196	378	588	586	418	142	19	-
Male.....	19	36	38	42	105	168	248	218	110	22	2	-
Female.....	13	25	42	45	91	210	340	368	308	120	17	-
White, both sexes.....	30	55	77	80	187	372	570	576	410	140	19	-
Male.....	18	34	37	38	100	164	241	213	108	22	2	-
Female.....	12	21	40	42	87	208	329	363	302	118	17	-
Black, both sexes.....	1	2	2	2	5	4	5	6	5	1	-	-
Male.....	-	1	-	1	2	3	2	3	1	-	-	-
Female.....	1	1	2	1	3	1	3	3	4	1	-	-
American Indian 1/, both sexes.....	-	1	1	3	1	1	6	2	2	-	-	-
Male.....	-	1	1	2	1	1	2	2	1	-	-	-
Female.....	-	-	-	1	-	-	4	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	-	2	3	1	7	2	1	1	-	-
Male.....	1	-	-	1	2	-	3	-	-	-	-	-
Female.....	-	3	-	1	1	1	4	2	1	1	-	-
Pennsylvania												
All races, both sexes.....	141	197	226	351	684	1,232	1,786	1,895	1,314	451	72	1
Male.....	82	110	121	186	312	556	664	622	295	71	11	-
Female.....	59	87	105	165	372	676	1,122	1,273	1,019	380	61	1
White, both sexes.....	93	160	179	291	590	1,109	1,668	1,776	1,252	426	68	-
Male.....	50	88	95	155	274	513	629	592	285	66	11	-
Female.....	43	72	84	136	316	596	1,039	1,184	967	360	57	-
Black, both sexes.....	45	36	40	56	82	118	114	112	58	24	4	1
Male.....	30	21	22	28	35	39	33	27	10	5	-	-
Female.....	15	15	18	28	47	79	81	85	48	19	4	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	7	4	12	5	3	7	4	1	-	-
Male.....	2	1	4	3	3	4	1	3	-	-	-	-
Female.....	1	-	3	1	9	1	2	4	4	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Rhode Island												
All races, both sexes.....	4	14	16	21	49	91	131	134	90	31	6	-
Male.....	1	7	11	12	24	46	44	44	29	3	-	-
Female.....	3	7	5	9	25	45	87	90	61	28	6	-
White, both sexes.....	3	13	14	20	46	87	128	132	85	31	6	-
Male.....	1	7	10	11	22	43	42	43	27	3	-	-
Female.....	2	6	4	9	24	44	86	89	58	28	6	-
Black, both sexes.....	1	1	2	1	3	3	1	2	3	-	-	-
Male.....	-	-	1	1	2	3	-	1	1	-	-	-
Female.....	1	1	1	-	1	-	1	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
South Carolina												
All races, both sexes.....	106	105	124	175	280	404	546	496	325	101	25	-
Male.....	55	53	62	98	143	174	178	160	80	13	5	-
Female.....	51	52	62	77	137	230	368	336	245	88	20	-
White, both sexes.....	50	56	57	112	183	282	377	386	243	79	15	-
Male.....	27	27	30	58	100	125	127	132	65	12	1	-
Female.....	23	29	27	54	83	157	250	254	178	67	14	-
Black, both sexes.....	53	49	67	63	95	122	167	110	81	21	10	-
Male.....	25	26	32	40	43	49	49	28	15	-	4	-
Female.....	28	23	35	23	52	73	118	82	66	21	6	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	2	-	1	-	-	-
Male.....	1	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
South Dakota												
All races, both sexes.....	3	4	8	15	31	73	95	107	115	37	10	-
Male.....	1	2	3	10	24	32	40	48	21	7	1	-
Female.....	2	2	5	5	7	41	55	59	94	30	9	-
White, both sexes.....	1	4	7	15	31	72	93	104	114	37	10	-
Male.....	1	2	3	10	24	31	38	46	21	7	1	-
Female.....	-	2	4	5	7	41	55	58	93	30	9	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	1	2	3	1	-	-	-
Male.....	-	-	-	-	-	1	2	2	-	-	-	-
Female.....	2	-	1	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	92	114	161	232	367	569	752	789	530	181	28	-
Male.....	48	59	87	121	178	244	246	215	120	32	3	-
Female.....	44	55	74	111	189	325	506	574	410	149	25	-
White, both sexes.....	60	79	125	172	289	509	663	689	479	149	20	-
Male.....	33	39	71	88	140	214	217	190	107	26	1	-
Female.....	27	40	54	84	149	295	446	499	372	123	19	-
Black, both sexes.....	32	34	35	57	77	56	89	99	51	32	8	-
Male.....	15	19	15	31	38	26	29	25	13	6	2	-
Female.....	17	15	20	26	39	30	60	74	38	26	6	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	3	1	4	-	1	-	-	-	-
Male.....	-	1	-	2	-	4	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Texas												
All races, both sexes.....	287	319	388	552	981	1,474	2,022	1,981	1,424	533	107	-
Male.....	153	168	224	296	496	656	755	606	308	91	15	-
Female.....	134	151	164	256	485	818	1,267	1,375	1,116	442	92	-
White, both sexes.....	216	239	295	437	808	1,283	1,812	1,782	1,285	491	90	-
Male.....	110	128	177	237	413	566	668	540	272	82	12	-
Female.....	106	111	118	200	395	717	1,144	1,242	1,013	409	78	-
Black, both sexes.....	64	74	80	109	149	178	188	182	130	40	17	-
Male.....	39	38	40	56	74	84	76	59	33	9	3	-
Female.....	25	36	40	53	75	94	112	123	97	31	14	-
American Indian 1/, both sexes.....	-	-	2	-	3	1	3	1	-	-	-	-
Male.....	-	-	-	-	2	-	3	-	-	-	-	-
Female.....	-	-	2	-	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	6	11	6	21	12	19	16	9	2	-	-
Male.....	4	2	7	3	7	6	8	7	3	-	-	-
Female.....	3	4	4	3	14	6	11	9	6	2	-	-
Utah												
All races, both sexes.....	15	18	26	35	59	131	202	219	140	28	9	-
Male.....	8	13	13	26	29	62	71	73	50	8	2	-
Female.....	7	5	13	9	30	69	131	146	90	20	7	-
White, both sexes.....	14	17	24	33	57	129	200	217	140	28	9	-
Male.....	8	12	13	26	28	61	71	71	50	8	2	-
Female.....	6	5	11	7	29	68	129	146	90	20	7	-
Black, both sexes.....	-	1	-	1	-	1	1	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	2	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Vermont												
All races, both sexes.....	3	5	9	14	31	48	60	79	54	22	3	-
Male.....	2	1	4	9	16	21	21	24	12	2	1	-
Female.....	1	4	5	5	15	27	39	55	42	20	2	-
White, both sexes.....	3	5	9	14	31	48	60	78	54	22	3	-
Male.....	2	1	4	9	16	21	21	24	12	2	1	-
Female.....	1	4	5	5	15	27	39	54	42	20	2	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	98	114	140	236	363	546	748	786	574	188	44	-
Male.....	51	60	69	114	169	230	287	252	154	32	3	-
Female.....	47	54	71	122	194	316	461	534	420	156	41	-
White, both sexes.....	53	70	89	149	260	412	592	656	508	162	38	-
Male.....	29	36	46	72	122	171	233	210	141	27	3	-
Female.....	24	34	43	77	138	241	359	446	367	135	35	-
Black, both sexes.....	42	41	46	79	92	122	146	122	63	26	6	-
Male.....	22	23	19	36	46	51	51	40	13	5	-	-
Female.....	20	18	27	43	46	71	95	82	50	21	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	5	8	11	11	8	8	3	-	-	-
Male.....	-	1	4	6	1	8	1	2	-	-	-	-
Female.....	3	2	1	2	10	3	7	6	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
Washington												
All races, both sexes.....	53	76	95	130	287	515	739	874	631	223	49	-
Male.....	24	41	46	73	127	237	314	319	170	54	10	-
Female.....	29	35	49	57	160	278	425	555	461	169	39	-
White, both sexes.....	44	69	78	116	263	471	704	842	605	212	46	-
Male.....	22	39	39	66	117	221	297	310	155	50	9	-
Female.....	22	30	39	50	146	250	407	532	450	162	37	-
Black, both sexes.....	3	1	3	5	7	17	9	7	6	4	2	-
Male.....	1	-	1	2	2	8	1	1	4	1	1	-
Female.....	2	1	2	3	5	9	8	6	2	3	1	-
American Indian 1/, both sexes.....	-	2	4	-	2	3	4	5	5	1	1	-
Male.....	-	-	1	-	2	1	1	2	1	-	-	-
Female.....	-	2	3	-	-	2	3	3	4	1	1	-
Asian or Pacific Islander 2/, both sexes.....	6	4	10	9	15	24	22	20	15	6	-	-
Male.....	1	2	5	5	6	7	15	6	10	3	-	-
Female.....	5	2	5	4	9	17	7	14	5	3	-	-
West Virginia												
All races, both sexes.....	26	23	42	78	132	173	252	253	177	55	12	-
Male.....	13	11	16	36	58	93	96	80	32	11	3	-
Female.....	13	12	26	42	74	80	156	173	145	44	9	-
White, both sexes.....	24	23	41	75	129	163	248	251	172	55	12	-
Male.....	12	11	16	34	58	86	95	80	31	11	3	-
Female.....	12	12	25	41	71	77	153	171	141	44	9	-
Black, both sexes.....	2	-	1	3	3	10	4	1	5	-	-	-
Male.....	1	-	-	2	-	7	1	-	1	-	-	-
Female.....	1	-	1	1	3	3	3	1	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Subarachnoid hemorrhage (I60)												
Arkansas												
All races, both sexes.....	62	-	-	-	-	1	1	-	1	2	5	4
Male.....	17	-	-	-	-	1	-	-	1	-	1	1
Female.....	45	-	-	-	-	-	1	-	-	2	4	3
White, both sexes.....	49	-	-	-	-	1	-	-	-	1	4	4
Male.....	14	-	-	-	-	1	-	-	-	-	1	1
Female.....	35	-	-	-	-	-	-	-	-	1	3	3
Black, both sexes.....	13	-	-	-	-	-	1	-	1	1	1	-
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	10	-	-	-	-	-	1	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	710	-	-	-	3	1	8	7	13	32	49	75
Male.....	260	-	-	-	3	-	4	4	5	16	24	39
Female.....	450	-	-	-	-	1	4	3	8	16	25	36
White, both sexes.....	539	-	-	-	2	1	6	6	7	23	41	57
Male.....	205	-	-	-	2	-	3	4	3	13	21	30
Female.....	334	-	-	-	-	1	3	2	4	10	20	27
Black, both sexes.....	56	-	-	-	1	-	1	-	3	6	2	7
Male.....	18	-	-	-	1	-	-	-	1	1	1	3
Female.....	38	-	-	-	-	-	1	-	2	5	1	4
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	112	-	-	-	-	-	1	1	3	3	6	10
Male.....	34	-	-	-	-	-	1	-	1	2	2	5
Female.....	78	-	-	-	-	-	-	1	2	1	4	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Subarachnoid hemorrhage (I60)												
Nebraska												
All races, both sexes.....	34	-	-	-	-	-	-	-	2	2	1	7
Male.....	8	-	-	-	-	-	-	-	1	-	-	1
Female.....	26	-	-	-	-	-	-	-	1	2	1	6
White, both sexes.....	33	-	-	-	-	-	-	-	2	2	1	7
Male.....	7	-	-	-	-	-	-	-	1	-	-	1
Female.....	26	-	-	-	-	-	-	-	1	2	1	6
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	59	-	-	-	-	-	-	-	2	7	7	5
Male.....	20	-	-	-	-	-	-	-	1	3	3	1
Female.....	39	-	-	-	-	-	-	-	1	4	4	4
White, both sexes.....	47	-	-	-	-	-	-	-	1	5	5	4
Male.....	17	-	-	-	-	-	-	-	-	3	2	1
Female.....	30	-	-	-	-	-	-	-	1	2	3	3
Black, both sexes.....	5	-	-	-	-	-	-	-	1	1	1	1
Male.....	3	-	-	-	-	-	-	-	1	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Subarachnoid hemorrhage (I60)												
New Hampshire												
All races, both sexes.....	28	-	-	-	-	-	-	-	-	1	3	2
Male.....	9	-	-	-	-	-	-	-	-	1	-	-
Female.....	19	-	-	-	-	-	-	-	-	-	3	2
White, both sexes.....	28	-	-	-	-	-	-	-	-	1	3	2
Male.....	9	-	-	-	-	-	-	-	-	1	-	-
Female.....	19	-	-	-	-	-	-	-	-	-	3	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	199	-	-	-	-	-	2	2	2	9	12	22
Male.....	70	-	-	-	-	-	2	1	-	3	4	7
Female.....	129	-	-	-	-	-	-	1	2	6	8	15
White, both sexes.....	164	-	-	-	-	-	2	1	2	7	12	17
Male.....	65	-	-	-	-	-	2	1	-	3	4	7
Female.....	99	-	-	-	-	-	-	-	2	4	8	10
Black, both sexes.....	29	-	-	-	-	-	-	1	-	1	-	5
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	24	-	-	-	-	-	-	1	-	1	-	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Subarachnoid hemorrhage (I60)												
Arkansas												
All races, both sexes.....	11	3	7	3	7	4	6	4	3	-	-	-
Male.....	3	1	2	2	1	1	1	2	-	-	-	-
Female.....	8	2	5	1	6	3	5	2	3	-	-	-
White, both sexes.....	6	3	4	2	7	4	6	4	3	-	-	-
Male.....	3	1	1	1	1	1	1	2	-	-	-	-
Female.....	3	2	3	1	6	3	5	2	3	-	-	-
Black, both sexes.....	5	-	3	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	5	-	2	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	66	58	71	69	70	69	61	31	20	5	1	1
Male.....	27	25	22	18	18	25	13	11	4	2	-	-
Female.....	39	33	49	51	52	44	48	20	16	3	1	1
White, both sexes.....	51	40	54	56	49	55	50	22	17	1	-	1
Male.....	20	18	17	15	14	22	12	7	4	-	-	-
Female.....	31	22	37	41	35	33	38	15	13	1	-	1
Black, both sexes.....	8	7	5	3	2	4	1	2	3	1	-	-
Male.....	4	3	-	1	1	1	-	1	-	-	-	-
Female.....	4	4	5	2	1	3	1	1	3	1	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	11	11	10	19	10	10	7	-	3	1	-
Male.....	2	4	4	2	3	2	1	3	-	2	-	-
Female.....	4	7	7	8	16	8	9	4	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Subarachnoid hemorrhage (I60)												
Maine												
All races, both sexes.....	2	2	2	1	2	1	-	2	1	1	-	-
Male.....	1	1	1	1	1	-	-	1	-	-	-	-
Female.....	1	1	1	-	1	1	-	1	1	1	-	-
White, both sexes.....	2	2	2	1	2	1	-	2	1	1	-	-
Male.....	1	1	1	1	1	-	-	1	-	-	-	-
Female.....	1	1	1	-	1	1	-	1	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	15	8	6	7	9	16	6	5	-	-	1	-
Male.....	7	3	1	4	2	2	2	2	-	-	1	-
Female.....	8	5	5	3	7	14	4	3	-	-	-	-
White, both sexes.....	7	5	4	6	4	13	6	3	-	-	1	-
Male.....	4	2	1	4	-	2	2	1	-	-	1	-
Female.....	3	3	3	2	4	11	4	2	-	-	-	-
Black, both sexes.....	7	3	2	1	4	2	-	2	-	-	-	-
Male.....	3	1	-	-	2	-	-	1	-	-	-	-
Female.....	4	2	2	1	2	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Subarachnoid hemorrhage (I60)												
Massachusetts												
All races, both sexes.....	11	11	13	7	10	12	23	10	7	-	-	-
Male.....	6	5	3	3	4	2	8	4	1	-	-	-
Female.....	5	6	10	4	6	10	15	6	6	-	-	-
White, both sexes.....	8	11	13	7	9	12	22	10	7	-	-	-
Male.....	4	5	3	3	4	2	8	4	1	-	-	-
Female.....	4	6	10	4	5	10	14	6	6	-	-	-
Black, both sexes.....	3	-	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Michigan												
All races, both sexes.....	25	30	22	20	28	22	21	11	4	-	-	-
Male.....	8	19	9	12	11	6	3	3	-	-	-	-
Female.....	17	11	13	8	17	16	18	8	4	-	-	-
White, both sexes.....	22	21	21	16	23	19	17	11	4	-	-	-
Male.....	7	11	8	8	9	5	1	3	-	-	-	-
Female.....	15	10	13	8	14	14	16	8	4	-	-	-
Black, both sexes.....	3	8	1	3	4	3	3	-	-	-	-	-
Male.....	1	7	1	3	2	1	2	-	-	-	-	-
Female.....	2	1	-	-	2	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Subarachnoid hemorrhage (I60)												
Nebraska												
All races, both sexes.....	5	1	1	2	2	3	3	2	2	1	-	-
Male.....	2	-	1	1	1	1	-	-	-	-	-	-
Female.....	3	1	-	1	1	2	3	2	2	1	-	-
White, both sexes.....	4	1	1	2	2	3	3	2	2	1	-	-
Male.....	1	-	1	1	1	1	-	-	-	-	-	-
Female.....	3	1	-	1	1	2	3	2	2	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	3	2	7	8	7	2	7	1	-	1	-	-
Male.....	1	1	4	4	-	-	1	1	-	-	-	-
Female.....	2	1	3	4	7	2	6	-	-	1	-	-
White, both sexes.....	3	2	6	7	6	1	5	1	-	1	-	-
Male.....	1	1	3	4	-	-	1	1	-	-	-	-
Female.....	2	1	3	3	6	1	4	-	-	1	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Subarachnoid hemorrhage (I60)												
New Hampshire												
All races, both sexes.....	5	2	1	5	2	3	2	1	1	-	-	-
Male.....	2	1	1	1	1	1	1	-	-	-	-	-
Female.....	3	1	-	4	1	2	1	1	1	-	-	-
White, both sexes.....	5	2	1	5	2	3	2	1	1	-	-	-
Male.....	2	1	1	1	1	1	1	-	-	-	-	-
Female.....	3	1	-	4	1	2	1	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	17	16	24	14	16	19	21	18	4	1	-	-
Male.....	3	9	9	6	5	9	6	4	2	-	-	-
Female.....	14	7	15	8	11	10	15	14	2	1	-	-
White, both sexes.....	11	13	16	10	14	17	20	17	4	1	-	-
Male.....	2	8	6	6	5	9	6	4	2	-	-	-
Female.....	9	5	10	4	9	8	14	13	2	1	-	-
Black, both sexes.....	6	3	7	1	2	1	1	1	-	-	-	-
Male.....	1	1	3	-	-	-	-	-	-	-	-	-
Female.....	5	2	4	1	2	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	3	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	3	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Subarachnoid hemorrhage (I60)												
New Mexico												
All races, both sexes.....	4	4	6	2	1	7	1	4	2	-	1	-
Male.....	2	2	-	1	-	2	-	2	-	-	-	-
Female.....	2	2	6	1	1	5	1	2	2	-	1	-
White, both sexes.....	4	3	6	2	1	7	1	4	1	-	-	-
Male.....	2	1	-	1	-	2	-	2	-	-	-	-
Female.....	2	2	6	1	1	5	1	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	1	-	1	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	35	35	32	33	39	37	36	28	9	3	-	-
Male.....	10	14	19	13	10	8	7	6	4	-	-	-
Female.....	25	21	13	20	29	29	29	22	5	3	-	-
White, both sexes.....	21	24	23	25	32	33	29	25	9	3	-	-
Male.....	6	11	17	9	9	7	7	6	4	-	-	-
Female.....	15	13	6	16	23	26	22	19	5	3	-	-
Black, both sexes.....	11	6	6	7	4	2	4	1	-	-	-	-
Male.....	3	2	1	4	-	1	-	-	-	-	-	-
Female.....	8	4	5	3	4	1	4	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	3	1	3	2	3	2	-	-	-	-
Male.....	1	1	1	-	1	-	-	-	-	-	-	-
Female.....	2	4	2	1	2	2	3	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Subarachnoid hemorrhage (I60)												
Texas												
All races, both sexes.....	43	41	37	31	34	26	23	22	10	1	-	-
Male.....	13	16	15	13	15	7	5	5	3	-	-	-
Female.....	30	25	22	18	19	19	18	17	7	1	-	-
White, both sexes.....	35	33	27	27	30	26	21	20	9	1	-	-
Male.....	11	13	12	11	12	7	4	4	3	-	-	-
Female.....	24	20	15	16	18	19	17	16	6	1	-	-
Black, both sexes.....	6	8	8	4	3	-	2	2	1	-	-	-
Male.....	1	3	3	2	3	-	1	1	-	-	-	-
Female.....	5	5	5	2	-	-	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	2	-	1	-	-	-	-	-	-	-
Utah												
All races, both sexes.....	4	2	2	1	7	3	2	1	-	-	-	-
Male.....	-	1	-	-	2	1	1	-	-	-	-	-
Female.....	4	1	2	1	5	2	1	1	-	-	-	-
White, both sexes.....	4	2	1	1	6	3	2	1	-	-	-	-
Male.....	-	1	-	-	2	1	1	-	-	-	-	-
Female.....	4	1	1	1	4	2	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Subarachnoid hemorrhage (I60)												
Vermont												
All races, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
White, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	16	6	11	16	13	11	12	13	4	1	-	-
Male.....	3	1	5	2	2	2	2	-	1	-	-	-
Female.....	13	5	6	14	11	9	10	13	3	1	-	-
White, both sexes.....	9	4	8	13	11	8	10	10	4	1	-	-
Male.....	2	1	3	-	2	1	1	-	1	-	-	-
Female.....	7	3	5	13	9	7	9	10	3	1	-	-
Black, both sexes.....	7	2	1	2	-	2	2	3	-	-	-	-
Male.....	1	-	-	1	-	-	1	-	-	-	-	-
Female.....	6	2	1	1	-	2	1	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	2	1	-	-	-	-	-	-
Male.....	-	-	2	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Intracerebral and other intracranial hemorrhage (I61-I62)												
Arkansas												
All races, both sexes.....	355	-	-	-	1	-	1	-	4	4	12	10
Male.....	153	-	-	-	-	-	-	-	2	1	6	6
Female.....	202	-	-	-	1	-	1	-	2	3	6	4
White, both sexes.....	296	-	-	-	1	-	1	-	4	1	9	5
Male.....	127	-	-	-	-	-	-	-	2	-	5	3
Female.....	169	-	-	-	1	-	1	-	2	1	4	2
Black, both sexes.....	56	-	-	-	-	-	-	-	-	3	3	4
Male.....	24	-	-	-	-	-	-	-	-	1	1	2
Female.....	32	-	-	-	-	-	-	-	-	2	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	2,770	8	1	2	2	2	5	6	14	37	70	132
Male.....	1,316	4	1	-	2	2	3	3	6	23	38	80
Female.....	1,454	4	-	2	-	-	2	3	8	14	32	52
White, both sexes.....	2,099	7	1	2	1	2	4	4	9	20	44	89
Male.....	1,006	3	1	-	1	2	2	2	4	14	23	58
Female.....	1,093	4	-	2	-	-	2	2	5	6	21	31
Black, both sexes.....	242	-	-	-	1	-	1	-	4	9	13	23
Male.....	108	-	-	-	1	-	1	-	1	3	8	10
Female.....	134	-	-	-	-	-	-	-	3	6	5	13
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	1	1
Male.....	8	-	-	-	-	-	-	-	-	-	1	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	416	1	-	-	-	-	-	2	1	8	12	19
Male.....	194	1	-	-	-	-	-	1	1	6	6	11
Female.....	222	-	-	-	-	-	-	1	-	2	6	8

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Intracerebral and other intracranial hemorrhage (I61-I62)												
Massachusetts												
All races, both sexes.....	645	-	-	2	1	-	1	1	-	2	6	15
Male.....	329	-	-	-	-	-	1	-	-	1	3	9
Female.....	316	-	-	2	1	-	-	1	-	1	3	6
White, both sexes.....	606	-	-	2	1	-	-	-	-	2	5	14
Male.....	312	-	-	-	-	-	-	-	-	1	2	9
Female.....	294	-	-	2	1	-	-	-	-	1	3	5
Black, both sexes.....	27	-	-	-	-	-	1	1	-	-	-	-
Male.....	12	-	-	-	-	-	1	-	-	-	-	-
Female.....	15	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	-	-	1	1
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	1
Michigan												
All races, both sexes.....	932	-	-	-	-	-	-	3	9	8	27	38
Male.....	453	-	-	-	-	-	-	2	8	3	19	20
Female.....	479	-	-	-	-	-	-	1	1	5	8	18
White, both sexes.....	757	-	-	-	-	-	-	1	3	6	14	15
Male.....	367	-	-	-	-	-	-	1	2	3	10	10
Female.....	390	-	-	-	-	-	-	-	1	3	4	5
Black, both sexes.....	160	-	-	-	-	-	-	1	6	2	12	22
Male.....	81	-	-	-	-	-	-	1	6	-	8	10
Female.....	79	-	-	-	-	-	-	-	-	2	4	12
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	1	-	-	1	1
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	-	-	1	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Intracerebral and other intracranial hemorrhage (I61-I62)												
Oregon												
All races, both sexes.....	367	-	1	1	-	-	1	-	1	1	5	11
Male.....	169	-	-	1	-	-	1	-	-	-	3	4
Female.....	198	-	1	-	-	-	-	-	1	1	2	7
White, both sexes.....	350	-	-	1	-	-	1	-	1	1	5	11
Male.....	163	-	-	1	-	-	1	-	-	-	3	4
Female.....	187	-	-	-	-	-	-	-	1	1	2	7
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	1	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	1,555	2	-	3	1	1	2	4	7	10	27	35
Male.....	682	1	-	2	-	1	1	3	6	4	16	18
Female.....	873	1	-	1	1	-	1	1	1	6	11	17
White, both sexes.....	1,367	2	-	3	1	-	2	4	2	6	13	21
Male.....	589	1	-	2	-	-	1	3	1	3	9	9
Female.....	778	1	-	1	1	-	1	1	1	3	4	12
Black, both sexes.....	177	-	-	-	-	1	-	-	5	3	14	14
Male.....	88	-	-	-	-	1	-	-	5	1	7	9
Female.....	89	-	-	-	-	-	-	-	-	2	7	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	-	-	-	-	1	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intracerebral and other intracranial hemorrhage (I61-I62)												
United States												
All races, both sexes.....	1,354	1,451	1,664	2,001	3,133	4,386	4,817	3,703	1,689	395	55	-
Male.....	805	802	953	1,095	1,584	1,946	1,978	1,314	467	84	11	-
Female.....	549	649	711	906	1,549	2,440	2,839	2,389	1,222	311	44	-
White, both sexes.....	787	1,003	1,243	1,552	2,663	3,879	4,375	3,411	1,547	361	45	-
Male.....	471	548	721	858	1,371	1,751	1,812	1,216	426	71	8	-
Female.....	316	455	522	694	1,292	2,128	2,563	2,195	1,121	290	37	-
Black, both sexes.....	481	359	323	328	333	359	310	195	102	27	7	-
Male.....	289	207	182	174	157	134	106	59	26	8	2	-
Female.....	192	152	141	154	176	225	204	136	76	19	5	-
American Indian 1/, both sexes.....	15	16	10	12	13	8	8	9	3	1	1	-
Male.....	9	12	4	3	2	-	3	7	-	1	-	-
Female.....	6	4	6	9	11	8	5	2	3	-	1	-
Asian or Pacific Islander 2/, both sexes.....	71	73	88	109	124	140	124	88	37	6	2	-
Male.....	36	35	46	60	54	61	57	32	15	4	1	-
Female.....	35	38	42	49	70	79	67	56	22	2	1	-
Alabama												
All races, both sexes.....	37	39	32	44	57	82	76	55	19	8	2	-
Male.....	21	21	19	22	29	36	29	14	7	1	-	-
Female.....	16	18	13	22	28	46	47	41	12	7	2	-
White, both sexes.....	16	21	18	33	42	59	69	47	14	7	1	-
Male.....	8	11	9	17	23	25	26	12	5	-	-	-
Female.....	8	10	9	16	19	34	43	35	9	7	1	-
Black, both sexes.....	21	18	14	11	15	22	7	8	5	1	1	-
Male.....	13	10	10	5	6	11	3	2	2	1	-	-
Female.....	8	8	4	6	9	11	4	6	3	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intracerebral and other intracranial hemorrhage (I61-I62)												
Arkansas												
All races, both sexes.....	15	20	26	33	37	58	64	42	21	6	1	-
Male.....	10	11	16	17	18	23	24	11	6	1	1	-
Female.....	5	9	10	16	19	35	40	31	15	5	-	-
White, both sexes.....	6	18	20	28	34	48	60	39	17	5	-	-
Male.....	4	10	13	15	16	20	23	11	4	1	-	-
Female.....	2	8	7	13	18	28	37	28	13	4	-	-
Black, both sexes.....	9	2	6	5	3	8	4	3	4	1	1	-
Male.....	6	1	3	2	2	2	1	-	2	-	1	-
Female.....	3	1	3	3	1	6	3	3	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
California												
All races, both sexes.....	142	146	189	214	309	428	480	376	167	37	3	-
Male.....	84	86	114	117	150	188	203	142	60	9	1	-
Female.....	58	60	75	97	159	240	277	234	107	28	2	-
White, both sexes.....	75	95	130	140	237	336	413	314	144	30	2	-
Male.....	48	57	79	87	127	150	174	118	51	5	-	-
Female.....	27	38	51	53	110	186	239	196	93	25	2	-
Black, both sexes.....	39	18	25	28	21	27	12	13	5	3	-	-
Male.....	23	9	13	11	6	12	5	3	1	1	-	-
Female.....	16	9	12	17	15	15	7	10	4	2	-	-
American Indian 1/, both sexes.....	-	3	2	1	3	-	2	-	-	-	-	-
Male.....	-	3	1	-	-	-	2	-	-	-	-	-
Female.....	-	-	1	1	3	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	30	32	45	48	65	53	49	18	4	1	-
Male.....	13	17	21	19	17	26	22	21	8	3	1	-
Female.....	15	13	11	26	31	39	31	28	10	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intracerebral and other intracranial hemorrhage (I61-I62)												
Colorado												
All races, both sexes.....	16	19	20	18	40	52	59	44	20	3	1	-
Male.....	8	12	9	9	19	24	25	12	7	2	-	-
Female.....	8	7	11	9	21	28	34	32	13	1	1	-
White, both sexes.....	13	18	17	14	35	47	56	42	20	3	1	-
Male.....	5	11	8	7	17	22	22	12	7	2	-	-
Female.....	8	7	9	7	18	25	34	30	13	1	1	-
Black, both sexes.....	2	1	3	3	2	2	-	1	-	-	-	-
Male.....	2	1	1	1	1	1	-	-	-	-	-	-
Female.....	-	-	2	2	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	3	3	3	1	-	-	-	-
Male.....	1	-	-	1	1	1	3	-	-	-	-	-
Female.....	-	-	-	-	2	2	-	1	-	-	-	-
Connecticut												
All races, both sexes.....	10	18	13	13	41	56	60	56	20	9	-	-
Male.....	7	9	9	6	23	24	17	24	6	2	-	-
Female.....	3	9	4	7	18	32	43	32	14	7	-	-
White, both sexes.....	6	15	12	10	37	53	58	55	20	9	-	-
Male.....	3	6	8	4	22	22	16	24	6	2	-	-
Female.....	3	9	4	6	15	31	42	31	14	7	-	-
Black, both sexes.....	4	2	1	-	2	3	1	1	-	-	-	-
Male.....	4	2	1	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	-	2	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	3	2	-	1	-	-	-	-	-
Male.....	-	1	-	2	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intracerebral and other intracranial hemorrhage (I61-I62)												
Illinois												
All races, both sexes.....	64	49	67	88	142	193	220	161	75	14	3	-
Male.....	42	22	40	56	74	79	92	54	15	3	1	-
Female.....	22	27	27	32	68	114	128	107	60	11	2	-
White, both sexes.....	28	30	45	64	128	170	198	157	69	13	3	-
Male.....	18	13	25	40	66	69	88	54	15	3	1	-
Female.....	10	17	20	24	62	101	110	103	54	10	2	-
Black, both sexes.....	32	18	19	22	11	19	17	4	6	1	-	-
Male.....	22	9	13	15	5	8	3	-	-	-	-	-
Female.....	10	9	6	7	6	11	14	4	6	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	3	2	3	4	5	-	-	-	-	-
Male.....	2	-	2	1	3	2	1	-	-	-	-	-
Female.....	2	1	1	1	-	2	4	-	-	-	-	-
Indiana												
All races, both sexes.....	21	33	42	42	57	93	98	80	35	6	1	-
Male.....	15	23	23	23	31	45	32	32	7	-	-	-
Female.....	6	10	19	19	26	48	66	48	28	6	1	-
White, both sexes.....	14	26	37	39	51	91	95	79	33	6	-	-
Male.....	11	16	19	21	27	45	31	31	6	-	-	-
Female.....	3	10	18	18	24	46	64	48	27	6	-	-
Black, both sexes.....	7	7	5	3	5	2	3	1	1	-	1	-
Male.....	4	7	4	2	4	-	1	1	1	-	-	-
Female.....	3	-	1	1	1	2	2	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intracerebral and other intracranial hemorrhage (I61-I62)												
Maine												
All races, both sexes.....	3	5	10	8	15	23	29	25	8	3	-	-
Male.....	3	3	7	4	5	9	13	5	2	-	-	-
Female.....	-	2	3	4	10	14	16	20	6	3	-	-
White, both sexes.....	1	5	10	8	14	23	29	25	8	3	-	-
Male.....	1	3	7	4	4	9	13	5	2	-	-	-
Female.....	-	2	3	4	10	14	16	20	6	3	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	37	27	38	37	59	81	84	55	25	3	-	-
Male.....	23	16	25	17	28	28	32	13	3	2	-	-
Female.....	14	11	13	20	31	53	52	42	22	1	-	-
White, both sexes.....	18	10	21	25	47	67	72	50	21	2	-	-
Male.....	12	7	15	11	22	26	28	12	3	1	-	-
Female.....	6	3	6	14	25	41	44	38	18	1	-	-
Black, both sexes.....	17	17	16	10	11	11	11	3	3	1	-	-
Male.....	10	9	10	5	6	-	3	-	-	1	-	-
Female.....	7	8	6	5	5	11	8	3	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	2	1	3	1	1	1	-	-	-
Male.....	1	-	-	1	-	2	1	-	-	-	-	-
Female.....	1	-	1	1	1	1	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intracerebral and other intracranial hemorrhage (I61-I62)												
Massachusetts												
All races, both sexes.....	21	23	31	50	79	114	127	110	48	12	2	-
Male.....	14	16	16	32	49	62	62	53	10	1	-	-
Female.....	7	7	15	18	30	52	65	57	38	11	2	-
White, both sexes.....	15	20	27	47	73	108	122	108	48	12	2	-
Male.....	11	15	15	30	46	62	59	51	10	1	-	-
Female.....	4	5	12	17	27	46	63	57	38	11	2	-
Black, both sexes.....	6	-	3	1	4	5	4	2	-	-	-	-
Male.....	3	-	1	1	2	-	2	2	-	-	-	-
Female.....	3	-	2	-	2	5	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	2	2	1	1	-	-	-	-	-
Male.....	-	1	-	1	1	-	1	-	-	-	-	-
Female.....	-	2	1	1	1	1	-	-	-	-	-	-
Michigan												
All races, both sexes.....	51	49	47	63	91	153	185	127	64	15	2	-
Male.....	31	26	26	37	48	87	81	36	27	2	-	-
Female.....	20	23	21	26	43	66	104	91	37	13	2	-
White, both sexes.....	29	26	36	52	76	135	172	117	58	15	2	-
Male.....	19	12	20	31	39	78	79	35	26	2	-	-
Female.....	10	14	16	21	37	57	93	82	32	13	2	-
Black, both sexes.....	21	22	8	9	13	17	12	9	6	-	-	-
Male.....	12	14	5	5	8	8	2	1	1	-	-	-
Female.....	9	8	3	4	5	9	10	8	5	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	2	1	1	1	-	-	-	-	-
Male.....	-	-	1	1	1	1	-	-	-	-	-	-
Female.....	1	1	1	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intracerebral and other intracranial hemorrhage (I61-I62)												
Minnesota												
All races, both sexes.....	16	12	17	20	47	80	83	64	26	10	1	-
Male.....	11	5	7	12	25	29	37	29	5	2	-	-
Female.....	5	7	10	8	22	51	46	35	21	8	1	-
White, both sexes.....	11	11	15	16	43	78	81	64	26	10	1	-
Male.....	7	4	6	10	22	28	37	29	5	2	-	-
Female.....	4	7	9	6	21	50	44	35	21	8	1	-
Black, both sexes.....	3	1	2	2	3	-	1	-	-	-	-	-
Male.....	2	1	1	1	2	-	-	-	-	-	-	-
Female.....	1	-	1	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	2	1	1	-	-	-	-	-	-
Male.....	1	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Mississippi												
All races, both sexes.....	24	25	17	29	40	59	45	35	13	5	-	-
Male.....	16	20	13	13	21	23	19	12	2	1	-	-
Female.....	8	5	4	16	19	36	26	23	11	4	-	-
White, both sexes.....	8	14	10	20	26	48	37	28	10	2	-	-
Male.....	6	10	9	10	13	19	17	10	2	-	-	-
Female.....	2	4	1	10	13	29	20	18	8	2	-	-
Black, both sexes.....	16	11	7	9	14	11	7	7	3	3	-	-
Male.....	10	10	4	3	8	4	2	2	-	1	-	-
Female.....	6	1	3	6	6	7	5	5	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intracerebral and other intracranial hemorrhage (I61-I62)												
Nebraska												
All races, both sexes.....	4	7	6	8	25	27	27	21	15	6	2	-
Male.....	3	2	3	7	14	14	12	5	5	1	1	-
Female.....	1	5	3	1	11	13	15	16	10	5	1	-
White, both sexes.....	4	5	6	8	22	26	27	20	15	6	2	-
Male.....	3	2	3	7	12	13	12	5	5	1	1	-
Female.....	1	3	3	1	10	13	15	15	10	5	1	-
Black, both sexes.....	-	2	-	-	2	1	-	1	-	-	-	-
Male.....	-	-	-	-	2	1	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	16	8	17	21	23	25	32	19	7	3	-	-
Male.....	12	4	8	13	14	12	13	7	1	1	-	-
Female.....	4	4	9	8	9	13	19	12	6	2	-	-
White, both sexes.....	13	6	11	16	20	19	31	15	7	3	-	-
Male.....	10	2	7	12	13	8	13	6	1	1	-	-
Female.....	3	4	4	4	7	11	18	9	6	2	-	-
Black, both sexes.....	-	1	1	3	-	4	-	1	-	-	-	-
Male.....	-	1	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	1	3	-	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	5	1	3	2	1	3	-	-	-	-
Male.....	2	1	1	1	1	2	-	1	-	-	-	-
Female.....	1	-	4	-	2	-	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intracerebral and other intracranial hemorrhage (I61-I62)

New Hampshire

All races, both sexes.....	2	2	9	12	15	6	19	15	3	2	-	-
Male.....	2	-	7	8	6	1	8	6	1	-	-	-
Female.....	-	2	2	4	9	5	11	9	2	2	-	-
White, both sexes.....	2	2	9	11	15	6	19	14	2	2	-	-
Male.....	2	-	7	7	6	1	8	6	1	-	-	-
Female.....	-	2	2	4	9	5	11	8	1	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	37	38	47	56	80	112	144	125	64	17	3	-
Male.....	23	22	29	33	47	52	64	52	18	6	1	-
Female.....	14	16	18	23	33	60	80	73	46	11	2	-
White, both sexes.....	21	22	32	48	66	105	127	108	62	16	3	-
Male.....	13	12	20	27	40	49	58	46	17	6	1	-
Female.....	8	10	12	21	26	56	69	62	45	10	2	-
Black, both sexes.....	15	11	12	6	11	6	14	13	2	1	-	-
Male.....	9	8	8	5	6	3	6	5	1	-	-	-
Female.....	6	3	4	1	5	3	8	8	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	3	2	3	1	3	4	-	-	-	-
Male.....	1	2	1	1	1	-	-	1	-	-	-	-
Female.....	-	3	2	1	2	1	3	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intracerebral and other intracranial hemorrhage (I61-I62)												
New Mexico												
All races, both sexes.....	9	11	10	8	14	23	14	19	8	1	-	-
Male.....	1	5	5	5	6	7	4	3	3	-	-	-
Female.....	8	6	5	3	8	16	10	16	5	1	-	-
White, both sexes.....	8	9	7	7	11	23	14	16	8	1	-	-
Male.....	1	4	4	4	5	7	4	2	3	-	-	-
Female.....	7	5	3	3	6	16	10	14	5	1	-	-
Black, both sexes.....	1	-	1	-	2	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	2	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	2	1	-	-	-	1	-	-	-	-
Male.....	-	1	1	1	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
New York												
All races, both sexes.....	58	81	77	144	177	250	302	211	101	29	5	-
Male.....	30	43	47	81	101	125	115	71	31	6	1	-
Female.....	28	38	30	63	76	125	187	140	70	23	4	-
White, both sexes.....	37	52	58	96	153	217	274	192	89	29	5	-
Male.....	20	31	35	56	92	110	105	63	26	6	1	-
Female.....	17	21	23	40	61	107	169	129	63	23	4	-
Black, both sexes.....	18	23	15	37	14	24	21	15	9	-	-	-
Male.....	9	9	10	18	5	9	5	6	3	-	-	-
Female.....	9	14	5	19	9	15	16	9	6	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	6	4	11	10	9	7	4	3	-	-	-
Male.....	1	3	2	7	4	6	5	2	2	-	-	-
Female.....	2	3	2	4	6	3	2	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intracerebral and other intracranial hemorrhage (I61-I62)												
Oregon												
All races, both sexes.....	19	21	19	24	40	58	74	57	25	8	1	-
Male.....	12	14	11	13	24	18	33	25	9	1	-	-
Female.....	7	7	8	11	16	40	41	32	16	7	1	-
White, both sexes.....	17	18	19	22	38	58	70	55	24	8	1	-
Male.....	11	13	11	12	23	18	32	24	9	1	-	-
Female.....	6	5	8	10	15	40	38	31	15	7	1	-
Black, both sexes.....	1	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	2	1	-	3	1	-	-	-	-
Male.....	1	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	2	-	1	-	-	2	1	-	-	-	-
Pennsylvania												
All races, both sexes.....	63	80	76	100	173	274	309	233	132	19	4	-
Male.....	37	43	41	50	90	114	130	84	36	5	-	-
Female.....	26	37	35	50	83	160	179	149	96	14	4	-
White, both sexes.....	36	61	55	83	157	256	293	225	127	16	4	-
Male.....	20	31	32	43	83	110	122	81	34	4	-	-
Female.....	16	30	23	40	74	146	171	144	93	12	4	-
Black, both sexes.....	26	19	17	16	12	18	16	8	5	3	-	-
Male.....	16	12	8	6	5	4	8	3	2	1	-	-
Female.....	10	7	9	10	7	14	8	5	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	4	1	4	-	-	-	-	-	-	-
Male.....	1	-	1	1	2	-	-	-	-	-	-	-
Female.....	-	-	3	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intracerebral and other intracranial hemorrhage (I61-I62)												
South Dakota												
All races, both sexes.....	1	3	6	2	9	18	19	14	1	1	1	-
Male.....	-	1	3	1	8	10	5	11	-	1	-	-
Female.....	1	2	3	1	1	8	14	3	1	-	1	-
White, both sexes.....	-	3	5	2	9	18	19	13	1	1	1	-
Male.....	-	1	3	1	8	10	5	10	-	1	-	-
Female.....	-	2	2	1	1	8	14	3	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	34	31	40	47	76	92	90	98	33	5	-	-
Male.....	21	16	22	25	33	41	29	27	4	-	-	-
Female.....	13	15	18	22	43	51	61	71	29	5	-	-
White, both sexes.....	21	23	31	40	65	84	76	89	32	5	-	-
Male.....	15	11	18	21	30	35	26	25	4	-	-	-
Female.....	6	12	13	19	35	49	50	64	28	5	-	-
Black, both sexes.....	13	7	8	6	10	7	14	9	1	-	-	-
Male.....	6	4	3	3	3	5	3	2	-	-	-	-
Female.....	7	3	5	3	7	2	11	7	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	1	-	-	-	-	-	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Intracerebral and other intracranial hemorrhage (I61-I62)

Vermont

All races, both sexes.....	2	1	1	3	6	8	7	2	2	1	-	-
Male.....	2	-	-	3	2	3	3	-	-	-	-	-
Female.....	-	1	1	-	4	5	4	2	2	1	-	-
White, both sexes.....	2	1	1	3	6	8	7	2	2	1	-	-
Male.....	2	-	-	3	2	3	3	-	-	-	-	-
Female.....	-	1	1	-	4	5	4	2	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	44	37	37	53	71	103	109	88	47	10	2	-
Male.....	26	17	16	25	31	35	44	23	18	2	1	-
Female.....	18	20	21	28	40	68	65	65	29	8	1	-
White, both sexes.....	22	23	23	33	52	82	93	74	40	9	2	-
Male.....	14	9	13	14	21	26	38	20	17	2	1	-
Female.....	8	14	10	19	31	56	55	54	23	7	1	-
Black, both sexes.....	19	11	12	17	16	17	13	14	6	1	-	-
Male.....	12	7	2	9	10	6	6	3	1	-	-	-
Female.....	7	4	10	8	6	11	7	11	5	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	2	3	3	3	3	-	1	-	-	-
Male.....	-	1	1	2	-	3	-	-	-	-	-	-
Female.....	3	2	1	1	3	-	3	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Cerebral infarction (I63)												
Arkansas												
All races, both sexes.....	129	2	-	-	-	-	1	-	-	1	1	3
Male.....	49	2	-	-	-	-	1	-	-	-	1	1
Female.....	80	-	-	-	-	-	-	-	-	1	-	2
White, both sexes.....	106	2	-	-	-	-	1	-	-	1	1	2
Male.....	44	2	-	-	-	-	1	-	-	-	1	1
Female.....	62	-	-	-	-	-	-	-	-	1	-	1
Black, both sexes.....	23	-	-	-	-	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	18	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,285	1	-	-	-	2	2	3	4	6	11	9
Male.....	524	1	-	-	-	1	-	3	4	2	6	4
Female.....	761	-	-	-	-	1	2	-	-	4	5	5
White, both sexes.....	1,106	-	-	-	-	2	2	1	3	5	8	8
Male.....	443	-	-	-	-	1	-	1	3	2	4	4
Female.....	663	-	-	-	-	1	2	-	-	3	4	4
Black, both sexes.....	87	1	-	-	-	-	-	1	1	-	3	1
Male.....	43	1	-	-	-	-	-	1	1	-	2	-
Female.....	44	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	1	-	-	-	-
Male.....	4	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	85	-	-	-	-	-	-	-	-	1	-	-
Male.....	34	-	-	-	-	-	-	-	-	-	-	-
Female.....	51	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebral infarction (I63)												
Alaska												
All races, both sexes.....	-	-	-	-	4	2	5	2	-	1	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	3	1	4	2	-	1	-	-
White, both sexes.....	-	-	-	-	4	2	4	2	-	1	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	3	1	3	2	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	3	4	4	4	16	27	30	36	20	9	2	-
Male.....	3	4	1	3	8	11	12	13	8	2	1	-
Female.....	-	-	3	1	8	16	18	23	12	7	1	-
White, both sexes.....	2	4	4	3	13	24	27	34	20	9	2	-
Male.....	2	4	1	2	6	9	12	12	8	2	1	-
Female.....	-	-	3	1	7	15	15	22	12	7	1	-
Black, both sexes.....	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	1	2	2	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	1	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebral infarction (I63)												
Arkansas												
All races, both sexes.....	-	4	7	5	13	17	21	31	15	8	-	-
Male.....	-	1	4	4	5	6	9	9	6	-	-	-
Female.....	-	3	3	1	8	11	12	22	9	8	-	-
White, both sexes.....	-	3	4	5	10	12	20	26	11	8	-	-
Male.....	-	1	3	4	4	6	9	8	4	-	-	-
Female.....	-	2	1	1	6	6	11	18	7	8	-	-
Black, both sexes.....	-	1	3	-	3	5	1	5	4	-	-	-
Male.....	-	-	1	-	1	-	-	1	2	-	-	-
Female.....	-	1	2	-	2	5	1	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	15	20	37	48	111	173	251	307	185	87	13	-
Male.....	9	15	23	29	48	86	112	104	55	19	3	-
Female.....	6	5	14	19	63	87	139	203	130	68	10	-
White, both sexes.....	13	16	26	34	88	149	213	281	170	77	10	-
Male.....	7	13	14	20	38	77	94	94	53	16	2	-
Female.....	6	3	12	14	50	72	119	187	117	61	8	-
Black, both sexes.....	1	2	8	9	9	10	26	9	4	2	-	-
Male.....	1	1	6	5	5	3	14	3	-	-	-	-
Female.....	-	1	2	4	4	7	12	6	4	2	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	3	1	-	-	-	-	-
Male.....	-	-	1	-	-	2	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	5	14	11	11	17	11	8	3	-
Male.....	1	1	2	4	5	4	4	7	2	3	1	-
Female.....	-	-	-	1	9	7	7	10	9	5	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebral infarction (I63)												
Kentucky												
All races, both sexes.....	4	1	5	9	13	27	35	36	21	5	-	-
Male.....	3	-	3	3	7	13	12	4	4	2	-	-
Female.....	1	1	2	6	6	14	23	32	17	3	-	-
White, both sexes.....	4	1	5	9	11	25	30	32	20	5	-	-
Male.....	3	-	3	3	7	13	12	4	4	2	-	-
Female.....	1	1	2	6	4	12	18	28	16	3	-	-
Black, both sexes.....	-	-	-	-	1	2	5	4	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	5	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	3	7	10	8	13	32	25	31	27	9	3	-
Male.....	1	5	7	4	4	12	6	10	7	-	-	-
Female.....	2	2	3	4	9	20	19	21	20	9	3	-
White, both sexes.....	1	2	6	7	7	25	18	25	23	9	3	-
Male.....	1	2	5	3	3	8	4	8	6	-	-	-
Female.....	-	-	1	4	4	17	14	17	17	9	3	-
Black, both sexes.....	2	5	4	1	6	7	6	6	4	-	-	-
Male.....	-	3	2	1	1	4	2	2	1	-	-	-
Female.....	2	2	2	-	5	3	4	4	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebral infarction (I63)												
Maine												
All races, both sexes.....	1	-	5	6	2	14	16	21	10	3	2	-
Male.....	1	-	2	4	1	9	5	10	2	1	-	-
Female.....	-	-	3	2	1	5	11	11	8	2	2	-
White, both sexes.....	1	-	5	6	2	14	16	20	10	3	2	-
Male.....	1	-	2	4	1	9	5	9	2	1	-	-
Female.....	-	-	3	2	1	5	11	11	8	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	2	7	9	15	16	42	43	72	40	18	5	-
Male.....	2	5	4	10	6	19	11	18	4	4	-	-
Female.....	-	2	5	5	10	23	32	54	36	14	5	-
White, both sexes.....	1	5	6	8	14	35	35	62	35	17	5	-
Male.....	1	5	3	6	5	16	8	14	3	3	-	-
Female.....	-	-	3	2	9	19	27	48	32	14	5	-
Black, both sexes.....	1	2	3	7	2	7	6	10	5	1	-	-
Male.....	1	-	1	4	1	3	3	4	1	1	-	-
Female.....	-	2	2	3	1	4	3	6	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebral infarction (I63)												
Minnesota												
All races, both sexes.....	2	4	7	9	13	31	40	51	32	12	1	-
Male.....	1	4	5	4	6	18	21	16	8	2	-	-
Female.....	1	-	2	5	7	13	19	35	24	10	1	-
White, both sexes.....	2	3	7	9	13	30	40	51	31	11	1	-
Male.....	1	3	5	4	6	17	21	16	7	2	-	-
Female.....	1	-	2	5	7	13	19	35	24	9	1	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	1	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi												
All races, both sexes.....	4	2	10	7	10	19	18	20	8	3	1	-
Male.....	2	1	7	6	5	7	10	6	2	-	1	-
Female.....	2	1	3	1	5	12	8	14	6	3	-	-
White, both sexes.....	-	1	6	5	6	12	13	13	6	1	1	-
Male.....	-	1	5	4	3	6	6	4	1	-	1	-
Female.....	-	-	1	1	3	6	7	9	5	1	-	-
Black, both sexes.....	3	1	4	2	4	7	5	7	1	2	-	-
Male.....	2	-	2	2	2	1	4	2	1	-	-	-
Female.....	1	1	2	-	2	6	1	5	-	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebral infarction (I63)												
New Mexico												
All races, both sexes.....	1	3	2	3	4	2	11	8	3	1	1	-
Male.....	-	2	1	2	2	2	6	2	-	-	-	-
Female.....	1	1	1	1	2	-	5	6	3	1	1	-
White, both sexes.....	1	3	2	3	3	2	11	8	3	1	1	-
Male.....	-	2	1	2	1	2	6	2	-	-	-	-
Female.....	1	1	1	1	2	-	5	6	3	1	1	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	10	13	19	29	45	64	117	109	84	37	5	-
Male.....	6	4	10	12	19	33	42	29	15	2	1	-
Female.....	4	9	9	17	26	31	75	80	69	35	4	-
White, both sexes.....	8	10	15	22	40	58	113	104	80	34	4	-
Male.....	6	4	7	10	16	32	40	28	14	2	1	-
Female.....	2	6	8	12	24	26	73	76	66	32	3	-
Black, both sexes.....	2	2	4	7	4	6	3	5	4	2	1	-
Male.....	-	-	3	2	3	1	1	1	1	-	-	-
Female.....	2	2	1	5	1	5	2	4	3	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebral infarction (I63)												
Oregon												
All races, both sexes.....	2	1	10	2	12	20	34	43	40	9	1	-
Male.....	1	1	3	-	5	8	16	19	11	3	-	-
Female.....	1	-	7	2	7	12	18	24	29	6	1	-
White, both sexes.....	2	1	7	2	12	19	32	42	39	9	1	-
Male.....	1	1	2	-	5	7	14	19	10	3	-	-
Female.....	1	-	5	2	7	12	18	23	29	6	1	-
Black, both sexes.....	-	-	2	-	-	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	2	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	1	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	7	17	17	25	56	118	136	159	116	53	6	-
Male.....	6	11	10	9	25	57	57	52	25	7	1	-
Female.....	1	6	7	16	31	61	79	107	91	46	5	-
White, both sexes.....	4	14	14	22	48	108	128	144	108	50	6	-
Male.....	4	8	8	8	22	53	53	47	25	7	1	-
Female.....	-	6	6	14	26	55	75	97	83	43	5	-
Black, both sexes.....	3	3	2	3	8	9	7	15	7	3	-	-
Male.....	2	3	1	1	3	3	3	5	-	-	-	-
Female.....	1	-	1	2	5	6	4	10	7	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	1	-	1	-	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebral infarction (I63)												
Texas												
All races, both sexes.....	24	11	25	39	80	101	161	171	110	48	7	-
Male.....	15	8	14	28	36	51	64	51	21	7	2	-
Female.....	9	3	11	11	44	50	97	120	89	41	5	-
White, both sexes.....	17	8	21	36	63	90	144	156	100	47	5	-
Male.....	8	5	12	26	31	45	57	45	17	7	2	-
Female.....	9	3	9	10	32	45	87	111	83	40	3	-
Black, both sexes.....	6	3	3	3	16	11	13	11	10	-	2	-
Male.....	6	3	2	2	4	6	5	6	4	-	-	-
Female.....	-	-	1	1	12	5	8	5	6	-	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	4	3	-	1	-	-
Male.....	1	-	-	-	1	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	3	-	1	-	-
Utah												
All races, both sexes.....	-	2	1	3	4	4	13	12	7	5	-	-
Male.....	-	1	-	2	2	-	5	3	3	2	-	-
Female.....	-	1	1	1	2	4	8	9	4	3	-	-
White, both sexes.....	-	2	1	3	4	4	11	12	7	5	-	-
Male.....	-	1	-	2	2	-	5	3	3	2	-	-
Female.....	-	1	1	1	2	4	6	9	4	3	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Stroke, not specified as hemorrhage or infarction (I64)												
Arkansas												
All races, both sexes.....	1,321	-	-	-	-	-	-	-	2	5	6	15
Male.....	467	-	-	-	-	-	-	-	-	4	2	6
Female.....	854	-	-	-	-	-	-	-	2	1	4	9
White, both sexes.....	1,146	-	-	-	-	-	-	-	1	4	4	11
Male.....	407	-	-	-	-	-	-	-	-	3	2	5
Female.....	739	-	-	-	-	-	-	-	1	1	2	6
Black, both sexes.....	170	-	-	-	-	-	-	-	1	1	2	4
Male.....	57	-	-	-	-	-	-	-	-	1	-	1
Female.....	113	-	-	-	-	-	-	-	1	-	2	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	8,555	-	-	-	-	-	1	3	5	11	23	65
Male.....	3,279	-	-	-	-	-	-	2	2	11	15	33
Female.....	5,276	-	-	-	-	-	1	1	3	-	8	32
White, both sexes.....	7,239	-	-	-	-	-	1	3	4	4	17	37
Male.....	2,719	-	-	-	-	-	-	2	2	4	11	17
Female.....	4,520	-	-	-	-	-	1	1	2	-	6	20
Black, both sexes.....	617	-	-	-	-	-	-	-	-	3	3	20
Male.....	256	-	-	-	-	-	-	-	-	3	1	10
Female.....	361	-	-	-	-	-	-	-	-	-	2	10
American Indian 1/, both sexes.....	32	-	-	-	-	-	-	-	-	-	1	1
Male.....	13	-	-	-	-	-	-	-	-	-	1	-
Female.....	19	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	667	-	-	-	-	-	-	-	1	4	2	7
Male.....	291	-	-	-	-	-	-	-	-	4	2	6
Female.....	376	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Stroke, not specified as hemorrhage or infarction (I64)												
United States												
All races, both sexes.....	989	1,608	2,375	3,861	7,187	12,299	17,964	19,474	13,922	5,118	957	1
Male.....	562	961	1,344	2,110	3,597	5,525	6,722	6,259	3,341	883	118	-
Female.....	427	647	1,031	1,751	3,590	6,774	11,242	13,215	10,581	4,235	839	1
White, both sexes.....	624	1,104	1,650	2,878	5,813	10,537	15,990	17,756	12,748	4,667	837	-
Male.....	364	665	937	1,565	2,933	4,761	6,007	5,721	3,035	795	90	-
Female.....	260	439	713	1,313	2,880	5,776	9,983	12,035	9,713	3,872	747	-
Black, both sexes.....	329	461	640	864	1,169	1,512	1,625	1,401	949	373	108	1
Male.....	181	269	359	475	583	640	561	412	213	60	25	-
Female.....	148	192	281	389	586	872	1,064	989	736	313	83	1
American Indian 1/, both sexes.....	5	9	12	29	35	35	55	37	30	7	1	-
Male.....	1	4	4	17	17	20	18	12	10	2	-	-
Female.....	4	5	8	12	18	15	37	25	20	5	1	-
Asian or Pacific Islander 2/, both sexes.....	31	34	73	90	170	215	294	280	195	71	11	-
Male.....	16	23	44	53	64	104	136	114	83	26	3	-
Female.....	15	11	29	37	106	111	158	166	112	45	8	-
Alabama												
All races, both sexes.....	39	50	65	107	167	288	369	369	285	103	22	-
Male.....	27	36	37	62	93	120	123	100	64	11	5	-
Female.....	12	14	28	45	74	168	246	269	221	92	17	-
White, both sexes.....	18	29	33	63	115	213	294	294	222	77	14	-
Male.....	14	21	17	35	68	94	98	77	49	9	1	-
Female.....	4	8	16	28	47	119	196	217	173	68	13	-
Black, both sexes.....	21	21	32	43	52	74	75	74	62	26	8	-
Male.....	13	15	20	26	25	26	25	22	15	2	4	-
Female.....	8	6	12	17	27	48	50	52	47	24	4	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Stroke, not specified as hemorrhage or infarction (I64)												
Alaska												
All races, both sexes.....	-	1	2	7	10	16	21	13	8	5	1	-
Male.....	-	-	2	6	4	6	13	4	2	1	-	-
Female.....	-	1	-	1	6	10	8	9	6	4	1	-
White, both sexes.....	-	1	2	6	7	13	18	10	6	5	1	-
Male.....	-	-	2	5	3	5	11	3	1	1	-	-
Female.....	-	1	-	1	4	8	7	7	5	4	1	-
Black, both sexes.....	-	-	-	-	-	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	1	1	2	1	-	-	-
Male.....	-	-	-	1	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	2	1	-	1	-	-	-	-
Arizona												
All races, both sexes.....	18	16	31	59	130	247	329	331	201	74	12	-
Male.....	7	10	21	26	75	97	129	131	62	16	1	-
Female.....	11	6	10	33	55	150	200	200	139	58	11	-
White, both sexes.....	16	16	30	55	121	236	316	321	195	70	11	-
Male.....	7	10	20	25	71	93	125	129	60	16	1	-
Female.....	9	6	10	30	50	143	191	192	135	54	10	-
Black, both sexes.....	1	-	-	2	4	7	3	6	3	4	1	-
Male.....	-	-	-	-	2	2	1	-	-	-	-	-
Female.....	1	-	-	2	2	5	2	6	3	4	1	-
American Indian 1/, both sexes.....	1	-	1	2	5	1	8	3	-	-	-	-
Male.....	-	-	1	1	2	1	3	2	-	-	-	-
Female.....	1	-	-	1	3	-	5	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	3	2	1	3	-	-	-
Male.....	-	-	-	-	-	1	-	-	2	-	-	-
Female.....	-	-	-	-	-	2	2	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Stroke, not specified as hemorrhage or infarction (I64)

Arkansas

All races, both sexes.....	16	36	37	78	127	165	250	299	201	74	10	-
Male.....	5	21	24	39	71	66	96	85	36	11	1	-
Female.....	11	15	13	39	56	99	154	214	165	63	9	-
White, both sexes.....	9	25	32	66	103	143	225	274	176	66	7	-
Male.....	4	13	22	31	58	60	87	80	32	10	-	-
Female.....	5	12	10	35	45	83	138	194	144	56	7	-
Black, both sexes.....	7	11	4	10	22	22	25	25	25	8	3	-
Male.....	1	8	2	6	12	6	9	5	4	1	1	-
Female.....	6	3	2	4	10	16	16	20	21	7	2	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	2	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

California

All races, both sexes.....	99	148	229	395	746	1,249	1,863	1,838	1,314	471	95	-
Male.....	54	88	126	199	379	553	723	620	369	91	14	-
Female.....	45	60	103	196	367	696	1,140	1,218	945	380	81	-
White, both sexes.....	72	107	165	300	582	1,040	1,618	1,626	1,163	421	79	-
Male.....	43	60	86	151	306	458	627	548	319	73	12	-
Female.....	29	47	79	149	276	582	991	1,078	844	348	67	-
Black, both sexes.....	20	25	37	61	75	106	100	95	48	17	7	-
Male.....	8	18	25	32	39	46	35	25	9	5	-	-
Female.....	12	7	12	29	36	60	65	70	39	12	7	-
American Indian 1/, both sexes.....	-	3	2	2	3	6	5	-	6	3	-	-
Male.....	-	1	1	1	-	5	1	-	2	1	-	-
Female.....	-	2	1	1	3	1	4	-	4	2	-	-
Asian or Pacific Islander 2/, both sexes.....	7	13	25	32	86	97	140	117	97	30	9	-
Male.....	3	9	14	15	34	44	60	47	39	12	2	-
Female.....	4	4	11	17	52	53	80	70	58	18	7	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Stroke, not specified as hemorrhage or infarction (I64)

Florida

All races, both sexes.....	68	117	157	235	481	782	1,153	1,220	850	298	42	-
Male.....	39	71	86	121	259	370	476	413	234	56	6	-
Female.....	29	46	71	114	222	412	677	807	616	242	36	-
White, both sexes.....	42	74	106	175	407	673	1,038	1,118	791	270	38	-
Male.....	25	48	58	91	225	329	431	378	226	53	5	-
Female.....	17	26	48	84	182	344	607	740	565	217	33	-
Black, both sexes.....	24	43	50	57	68	104	111	101	58	28	4	-
Male.....	13	23	28	28	32	40	44	35	7	3	1	-
Female.....	11	20	22	29	36	64	67	66	51	25	3	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	2	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	3	4	5	3	1	-	-	-	-
Male.....	1	-	-	2	2	1	1	-	-	-	-	-
Female.....	1	-	1	1	2	4	2	1	-	-	-	-

Georgia

All races, both sexes.....	53	59	95	142	210	368	493	478	323	101	23	-
Male.....	31	35	50	82	103	144	184	160	70	19	4	-
Female.....	22	24	45	60	107	224	309	318	253	82	19	-
White, both sexes.....	24	30	47	72	133	272	389	393	263	75	15	-
Male.....	16	16	24	46	61	104	143	124	55	15	1	-
Female.....	8	14	23	26	72	168	246	269	208	60	14	-
Black, both sexes.....	29	29	46	67	75	94	102	83	60	25	8	-
Male.....	15	19	24	34	42	39	39	35	15	3	3	-
Female.....	14	10	22	33	33	55	63	48	45	22	5	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	1	1	2	1	-	1	-	-
Male.....	-	-	2	2	-	-	2	-	-	1	-	-
Female.....	-	-	-	-	1	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Stroke, not specified as hemorrhage or infarction (I64)												
Iowa												
All races, both sexes.....	5	9	15	36	90	155	246	338	262	121	26	-
Male.....	3	7	10	25	35	71	106	107	80	19	1	-
Female.....	2	2	5	11	55	84	140	231	182	102	25	-
White, both sexes.....	5	9	13	35	89	152	243	333	260	121	25	-
Male.....	3	7	9	24	34	70	105	106	79	19	1	-
Female.....	2	2	4	11	55	82	138	227	181	102	24	-
Black, both sexes.....	-	-	2	1	1	3	3	4	1	-	1	-
Male.....	-	-	1	1	1	1	1	1	1	-	-	-
Female.....	-	-	1	-	-	2	2	3	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Kansas												
All races, both sexes.....	7	9	19	30	68	144	200	271	216	83	11	-
Male.....	5	7	14	17	40	54	83	92	62	10	1	-
Female.....	2	2	5	13	28	90	117	179	154	73	10	-
White, both sexes.....	4	6	15	26	63	131	195	267	209	81	10	-
Male.....	2	4	11	14	36	51	80	90	60	10	1	-
Female.....	2	2	4	12	27	80	115	177	149	71	9	-
Black, both sexes.....	2	3	4	4	4	9	4	4	5	2	1	-
Male.....	2	3	3	3	3	3	2	2	2	-	-	-
Female.....	-	-	1	1	1	6	2	2	3	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	1	-	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Stroke, not specified as hemorrhage or infarction (I64)												
Kentucky												
All races, both sexes.....	14	26	45	71	120	216	282	329	251	74	16	-
Male.....	11	18	27	42	50	98	98	98	51	19	1	-
Female.....	3	8	18	29	70	118	184	231	200	55	15	-
White, both sexes.....	10	21	40	64	107	203	262	313	238	69	15	-
Male.....	10	15	26	37	45	92	93	91	49	18	1	-
Female.....	-	6	14	27	62	111	169	222	189	51	14	-
Black, both sexes.....	4	5	5	7	13	13	20	16	12	5	1	-
Male.....	1	3	1	5	5	6	5	7	2	1	-	-
Female.....	3	2	4	2	8	7	15	9	10	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Louisiana												
All races, both sexes.....	31	45	74	83	173	219	266	258	197	81	16	-
Male.....	19	21	35	49	73	95	85	83	39	8	2	-
Female.....	12	24	39	34	100	124	181	175	158	73	14	-
White, both sexes.....	12	21	28	40	102	142	195	202	147	61	11	-
Male.....	9	7	10	25	40	55	63	69	25	5	1	-
Female.....	3	14	18	15	62	87	132	133	122	56	10	-
Black, both sexes.....	18	24	43	43	68	75	71	56	48	20	5	-
Male.....	10	14	24	24	32	38	22	14	13	3	1	-
Female.....	8	10	19	19	36	37	49	42	35	17	4	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	2	-	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	3	-	2	2	-	-	-	-	-	-
Male.....	-	-	1	-	-	2	-	-	-	-	-	-
Female.....	1	-	2	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Stroke, not specified as hemorrhage or infarction (I64)												
Maine												
All races, both sexes.....	-	5	8	12	34	61	96	102	98	34	12	-
Male.....	-	3	8	4	18	32	43	36	30	4	3	-
Female.....	-	2	-	8	16	29	53	66	68	30	9	-
White, both sexes.....	-	5	8	12	34	61	95	102	97	34	12	-
Male.....	-	3	8	4	18	32	43	36	30	4	3	-
Female.....	-	2	-	8	16	29	52	66	67	30	9	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Maryland												
All races, both sexes.....	12	31	39	59	113	215	278	292	222	71	13	-
Male.....	7	22	23	35	63	97	104	96	46	14	-	-
Female.....	5	9	16	24	50	118	174	196	176	57	13	-
White, both sexes.....	6	15	19	33	82	165	226	247	189	62	10	-
Male.....	2	12	14	18	49	78	84	83	38	12	-	-
Female.....	4	3	5	15	33	87	142	164	151	50	10	-
Black, both sexes.....	6	15	19	20	30	46	49	43	30	8	3	-
Male.....	5	9	9	11	13	17	18	13	7	1	-	-
Female.....	1	6	10	9	17	29	31	30	23	7	3	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	5	1	4	3	2	2	1	-	-
Male.....	-	1	-	5	1	2	2	-	1	1	-	-
Female.....	-	-	1	-	-	2	1	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Stroke, not specified as hemorrhage or infarction (I64)

Massachusetts

All races, both sexes.....	14	20	22	48	110	217	408	416	336	118	25	-
Male.....	7	12	15	28	54	94	145	125	75	21	3	-
Female.....	7	8	7	20	56	123	263	291	261	97	22	-
White, both sexes.....	13	19	18	43	104	210	397	404	328	113	24	-
Male.....	6	11	12	26	52	92	141	123	72	20	3	-
Female.....	7	8	6	17	52	118	256	281	256	93	21	-
Black, both sexes.....	1	1	3	4	4	7	10	9	6	3	1	-
Male.....	1	1	2	2	-	2	4	2	3	1	-	-
Female.....	-	-	1	2	4	5	6	7	3	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	2	-	1	2	1	1	-	-
Male.....	-	-	1	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	2	1	1	-	-

Michigan

All races, both sexes.....	30	59	73	112	215	393	547	637	459	162	31	-
Male.....	19	32	46	66	100	181	213	202	119	32	4	-
Female.....	11	27	27	46	115	212	334	435	340	130	27	-
White, both sexes.....	19	39	52	87	176	337	505	599	433	153	26	-
Male.....	12	20	32	50	80	154	196	194	111	31	2	-
Female.....	7	19	20	37	96	183	309	405	322	122	24	-
Black, both sexes.....	11	19	21	24	36	52	40	36	24	8	5	-
Male.....	7	12	14	16	20	24	16	8	7	1	2	-
Female.....	4	7	7	8	16	28	24	28	17	7	3	-
American Indian 1/, both sexes.....	-	1	-	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	3	1	1	2	1	-	-
Male.....	-	-	-	-	-	2	1	-	1	-	-	-
Female.....	-	-	-	1	2	1	-	1	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Stroke, not specified as hemorrhage or infarction (I64)

Minnesota

All races, both sexes.....	9	18	25	48	90	179	304	339	282	108	20	-
Male.....	5	9	21	29	52	86	128	115	78	12	2	-
Female.....	4	9	4	19	38	93	176	224	204	96	18	-
White, both sexes.....	5	14	21	46	85	174	298	335	275	108	20	-
Male.....	2	8	17	27	50	85	126	114	74	12	2	-
Female.....	3	6	4	19	35	89	172	221	201	96	18	-
Black, both sexes.....	2	2	4	-	3	4	1	1	2	-	-	-
Male.....	2	1	4	-	1	1	-	-	1	-	-	-
Female.....	-	1	-	-	2	3	1	1	1	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	1	1	3	1	2	-	-	-
Male.....	-	-	-	1	1	-	1	-	1	-	-	-
Female.....	1	1	-	-	-	1	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	1	-	2	2	3	-	-	-
Male.....	1	-	-	1	-	-	1	1	2	-	-	-
Female.....	-	1	-	-	1	-	1	1	1	-	-	-

Mississippi

All races, both sexes.....	24	36	58	82	116	170	185	221	160	45	9	-
Male.....	14	19	31	47	67	81	65	64	33	6	1	-
Female.....	10	17	27	35	49	89	120	157	127	39	8	-
White, both sexes.....	5	18	32	43	70	107	131	165	127	29	3	-
Male.....	2	8	15	26	39	52	49	44	26	2	-	-
Female.....	3	10	17	17	31	55	82	121	101	27	3	-
Black, both sexes.....	19	17	26	38	45	63	53	56	33	16	6	-
Male.....	12	10	16	21	28	29	16	20	7	4	1	-
Female.....	7	7	10	17	17	34	37	36	26	12	5	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Stroke, not specified as hemorrhage or infarction (I64)

Nebraska

All races, both sexes.....	8	4	17	20	43	61	132	173	123	63	13	-
Male.....	4	2	9	12	22	30	49	55	35	9	-	-
Female.....	4	2	8	8	21	31	83	118	88	54	13	-
White, both sexes.....	8	4	15	18	40	60	128	171	122	61	12	-
Male.....	4	2	9	10	21	30	46	55	35	8	-	-
Female.....	4	2	6	8	19	30	82	116	87	53	12	-
Black, both sexes.....	-	-	2	-	2	1	3	2	-	2	1	-
Male.....	-	-	-	-	-	-	2	-	-	1	-	-
Female.....	-	-	2	-	2	1	1	2	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	2	1	-	-	-	-	-	-	-
Male.....	-	-	-	2	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Nevada

All races, both sexes.....	10	15	21	39	55	86	120	102	61	22	1	-
Male.....	6	11	10	25	19	43	38	32	14	8	-	-
Female.....	4	4	11	14	36	43	82	70	47	14	1	-
White, both sexes.....	10	13	15	34	48	76	111	96	54	21	1	-
Male.....	6	10	7	21	15	39	38	30	11	8	-	-
Female.....	4	3	8	13	33	37	73	66	43	13	1	-
Black, both sexes.....	-	2	3	4	3	6	5	3	2	1	-	-
Male.....	-	1	1	3	2	1	-	1	-	-	-	-
Female.....	-	1	2	1	1	5	5	2	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	1	3	3	3	3	5	-	-	-
Male.....	-	-	2	1	2	2	-	1	3	-	-	-
Female.....	-	-	1	-	1	1	3	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Stroke, not specified as hemorrhage or infarction (I64)												
New Hampshire												
All races, both sexes.....	3	5	3	11	19	39	68	74	49	18	4	-
Male.....	1	4	3	6	12	17	24	20	11	2	-	-
Female.....	2	1	-	5	7	22	44	54	38	16	4	-
White, both sexes.....	3	5	3	10	19	39	67	73	49	18	4	-
Male.....	1	4	3	6	12	17	24	20	11	2	-	-
Female.....	2	1	-	4	7	22	43	53	38	16	4	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
New Jersey												
All races, both sexes.....	19	39	50	125	176	333	471	476	349	111	22	-
Male.....	12	27	23	73	83	165	175	145	71	19	3	-
Female.....	7	12	27	52	93	168	296	331	278	92	19	-
White, both sexes.....	10	26	24	86	144	281	410	435	321	102	20	-
Male.....	8	16	9	48	68	139	160	138	67	18	2	-
Female.....	2	10	15	38	76	142	250	297	254	84	18	-
Black, both sexes.....	8	12	23	34	29	46	53	34	26	9	2	-
Male.....	4	10	11	22	14	24	12	6	4	1	1	-
Female.....	4	2	12	12	15	22	41	28	22	8	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	5	2	5	7	7	2	-	-	-
Male.....	-	1	3	3	1	2	2	1	-	-	-	-
Female.....	1	-	-	2	1	3	5	6	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Stroke, not specified as hemorrhage or infarction (I64)												
New Mexico												
All races, both sexes.....	5	6	10	26	27	54	78	96	47	27	3	-
Male.....	3	2	6	10	13	22	34	35	9	10	-	-
Female.....	2	4	4	16	14	32	44	61	38	17	3	-
White, both sexes.....	5	5	10	23	27	50	77	93	45	27	3	-
Male.....	3	2	6	9	13	21	33	34	8	10	-	-
Female.....	2	3	4	14	14	29	44	59	37	17	3	-
Black, both sexes.....	-	-	-	1	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	3	-	3	1	-	-	-
Male.....	-	-	-	1	-	-	-	1	1	-	-	-
Female.....	-	-	-	1	-	3	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	48	100	117	167	337	556	819	863	639	246	44	-
Male.....	28	64	73	91	174	280	311	260	135	27	2	-
Female.....	20	36	44	76	163	276	508	603	504	219	42	-
White, both sexes.....	31	59	71	113	257	465	723	810	585	231	39	-
Male.....	19	39	44	66	134	232	277	246	119	25	2	-
Female.....	12	20	27	47	123	233	446	564	466	206	37	-
Black, both sexes.....	16	34	38	46	64	73	84	46	48	11	5	-
Male.....	8	18	25	21	35	36	27	10	12	2	-	-
Female.....	8	16	13	25	29	37	57	36	36	9	5	-
American Indian 1/, both sexes.....	-	-	1	1	1	1	1	-	1	1	-	-
Male.....	-	-	-	1	1	1	-	-	1	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	7	7	7	15	17	11	7	5	3	-	-
Male.....	1	7	4	3	4	11	7	4	3	-	-	-
Female.....	-	-	3	4	11	6	4	3	2	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Stroke, not specified as hemorrhage or infarction (I64)

Oregon

All races, both sexes.....	6	22	35	40	93	207	318	328	236	83	11	-
Male.....	2	10	18	21	48	97	122	119	59	10	1	-
Female.....	4	12	17	19	45	110	196	209	177	73	10	-
White, both sexes.....	6	20	35	35	89	204	309	322	233	81	11	-
Male.....	2	10	18	18	46	95	118	115	59	10	1	-
Female.....	4	10	17	17	43	109	191	207	174	71	10	-
Black, both sexes.....	-	1	-	2	3	2	4	4	3	1	-	-
Male.....	-	-	-	1	1	1	2	3	-	-	-	-
Female.....	-	1	-	1	2	1	2	1	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	3	1	1	2	1	-	-	-	-
Male.....	-	-	-	2	1	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	3	1	-	1	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	1	-	1	-	-

Pennsylvania

All races, both sexes.....	37	55	94	166	345	633	1,006	1,142	762	257	43	1
Male.....	22	32	51	100	160	290	366	355	154	37	7	-
Female.....	15	23	43	66	185	343	640	787	608	220	36	1
White, both sexes.....	26	44	80	134	290	567	937	1,081	732	247	40	-
Male.....	13	28	41	79	136	266	348	341	147	36	7	-
Female.....	13	16	39	55	154	301	589	740	585	211	33	-
Black, both sexes.....	9	10	13	30	49	63	67	56	29	9	3	1
Male.....	8	3	9	19	23	22	17	12	7	1	-	-
Female.....	1	7	4	11	26	41	50	44	22	8	3	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	2	6	3	1	5	1	1	-	-
Male.....	1	1	1	2	1	2	-	2	-	-	-	-
Female.....	1	-	-	-	5	1	1	3	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Stroke, not specified as hemorrhage or infarction (I64)												
Rhode Island												
All races, both sexes.....	1	5	8	9	21	45	76	87	51	22	3	-
Male.....	-	3	5	6	12	22	30	34	17	1	-	-
Female.....	1	2	3	3	9	23	46	53	34	21	3	-
White, both sexes.....	-	5	6	8	20	43	73	87	47	22	3	-
Male.....	-	3	4	5	11	20	28	34	16	1	-	-
Female.....	-	2	2	3	9	23	45	53	31	21	3	-
Black, both sexes.....	1	-	2	1	1	2	1	-	3	-	-	-
Male.....	-	-	1	1	1	2	-	-	1	-	-	-
Female.....	1	-	1	-	-	-	1	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
South Carolina												
All races, both sexes.....	34	45	69	82	153	222	345	292	198	63	18	-
Male.....	23	26	34	48	78	96	99	88	48	8	4	-
Female.....	11	19	35	34	75	126	246	204	150	55	14	-
White, both sexes.....	14	21	28	48	89	151	230	222	146	48	12	-
Male.....	13	10	15	25	51	70	65	73	40	7	-	-
Female.....	1	11	13	23	38	81	165	149	106	41	12	-
Black, both sexes.....	20	24	41	34	63	71	114	70	51	14	6	-
Male.....	10	16	19	23	27	26	33	15	8	-	4	-
Female.....	10	8	22	11	36	45	81	55	43	14	2	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Stroke, not specified as hemorrhage or infarction (I64)												
South Dakota												
All races, both sexes.....	-	1	1	11	21	43	56	78	92	30	5	-
Male.....	-	1	-	7	15	19	28	27	17	6	1	-
Female.....	-	-	1	4	6	24	28	51	75	24	4	-
White, both sexes.....	-	1	1	11	21	42	54	76	92	30	5	-
Male.....	-	1	-	7	15	18	26	26	17	6	1	-
Female.....	-	-	1	4	6	24	28	50	75	24	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	2	2	-	-	-	-
Male.....	-	-	-	-	-	1	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	27	48	71	127	218	344	469	493	337	115	19	-
Male.....	11	28	39	68	107	144	140	122	88	23	2	-
Female.....	16	20	32	59	111	200	329	371	249	92	17	-
White, both sexes.....	17	28	51	84	165	313	414	430	300	95	15	-
Male.....	7	17	31	43	79	131	122	108	78	18	1	-
Female.....	10	11	20	41	86	182	292	322	222	77	14	-
Black, both sexes.....	10	20	20	42	53	31	55	62	37	20	4	-
Male.....	4	11	8	25	28	13	18	14	10	5	1	-
Female.....	6	9	12	17	25	18	37	48	27	15	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Stroke, not specified as hemorrhage or infarction (I64)												
Vermont												
All races, both sexes.....	1	1	5	4	10	21	27	51	34	13	1	-
Male.....	-	-	3	1	6	8	7	15	6	-	1	-
Female.....	1	1	2	3	4	13	20	36	28	13	-	-
White, both sexes.....	1	1	5	4	10	21	27	51	34	13	1	-
Male.....	-	-	3	1	6	8	7	15	6	-	1	-
Female.....	1	1	2	3	4	13	20	36	28	13	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	28	51	71	117	196	305	433	485	342	113	30	-
Male.....	14	31	35	61	95	134	163	163	86	20	1	-
Female.....	14	20	36	56	101	171	270	322	256	93	29	-
White, both sexes.....	18	33	44	72	139	230	333	400	306	95	25	-
Male.....	9	22	22	42	66	99	129	135	81	17	1	-
Female.....	9	11	22	30	73	131	204	265	225	78	24	-
Black, both sexes.....	30	18	27	42	52	71	93	77	35	18	5	-
Male.....	5	9	13	17	29	32	31	26	5	3	-	-
Female.....	5	9	14	25	23	39	62	51	30	15	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	3	5	4	5	8	1	-	-	-
Male.....	-	-	-	2	-	3	1	2	-	-	-	-
Female.....	-	-	-	1	5	1	4	6	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Stroke, not specified as hemorrhage or infarction (I64)												
Washington												
All races, both sexes.....	10	17	33	64	125	251	373	469	361	119	29	-
Male.....	5	9	17	36	56	119	153	178	96	31	6	-
Female.....	5	8	16	28	69	132	220	291	265	88	23	-
White, both sexes.....	9	16	28	59	118	233	365	450	346	113	29	-
Male.....	5	9	16	33	52	112	148	172	87	29	6	-
Female.....	4	7	12	26	66	121	217	278	259	84	23	-
Black, both sexes.....	1	1	-	3	1	7	1	4	5	2	-	-
Male.....	-	-	-	1	-	4	-	1	4	-	-	-
Female.....	1	1	-	2	1	3	1	3	1	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	2	1	3	2	-	-	-
Male.....	-	-	-	-	1	1	1	1	-	-	-	-
Female.....	-	-	1	-	-	1	-	2	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	4	2	5	9	6	12	8	4	-	-
Male.....	-	-	1	2	3	2	4	4	5	2	-	-
Female.....	-	-	3	-	2	7	2	8	3	2	-	-
West Virginia												
All races, both sexes.....	5	9	17	32	83	103	142	151	108	32	8	-
Male.....	2	5	9	15	40	61	57	44	20	6	2	-
Female.....	3	4	8	17	43	42	85	107	88	26	6	-
White, both sexes.....	5	9	17	29	80	97	139	149	104	32	8	-
Male.....	2	5	9	13	40	57	56	44	19	6	2	-
Female.....	3	4	8	16	40	40	83	105	85	26	6	-
Black, both sexes.....	-	-	-	3	3	6	3	1	4	-	-	-
Male.....	-	-	-	2	-	4	1	-	1	-	-	-
Female.....	-	-	-	1	3	2	2	1	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other cerebrovascular diseases and their sequelae (I67,I69)												
Arkansas												
All races, both sexes.....	365	1	1	-	-	-	-	-	-	1	3	2
Male.....	125	1	-	-	-	-	-	-	-	1	-	1
Female.....	240	-	1	-	-	-	-	-	-	-	3	1
White, both sexes.....	314	1	1	-	-	-	-	-	-	1	2	-
Male.....	103	1	-	-	-	-	-	-	-	1	-	-
Female.....	211	-	1	-	-	-	-	-	-	-	2	-
Black, both sexes.....	49	-	-	-	-	-	-	-	-	-	1	2
Male.....	21	-	-	-	-	-	-	-	-	-	-	1
Female.....	28	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	4,306	6	3	-	5	-	1	4	7	8	18	24
Male.....	1,693	2	2	-	3	-	-	4	6	4	8	13
Female.....	2,613	4	1	-	2	-	1	-	1	4	10	11
White, both sexes.....	3,637	3	2	-	4	-	1	3	5	5	9	16
Male.....	1,398	1	1	-	2	-	-	3	4	3	5	8
Female.....	2,239	2	1	-	2	-	1	-	1	2	4	8
Black, both sexes.....	329	2	-	-	1	-	-	1	-	2	4	3
Male.....	134	1	-	-	1	-	-	1	-	1	1	2
Female.....	195	1	-	-	-	-	-	-	-	1	3	1
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	-	1	1
Male.....	4	-	-	-	-	-	-	-	-	-	1	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	328	1	1	-	-	-	-	-	2	1	4	4
Male.....	157	-	1	-	-	-	-	-	2	-	1	2
Female.....	171	1	-	-	-	-	-	-	-	1	3	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other cerebrovascular diseases and their sequelae (I67,I69)												
Alaska												
All races, both sexes.....	1	1	1	1	-	2	5	8	1	1	-	-
Male.....	1	-	1	1	-	2	3	2	-	-	-	-
Female.....	-	1	-	-	-	-	2	6	1	1	-	-
White, both sexes.....	-	-	1	1	-	1	3	6	1	1	-	-
Male.....	-	-	1	1	-	1	3	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	6	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Arizona												
All races, both sexes.....	4	3	11	12	30	51	102	105	99	19	7	-
Male.....	2	1	5	2	17	22	43	41	29	5	1	-
Female.....	2	2	6	10	13	29	59	64	70	14	6	-
White, both sexes.....	3	3	11	11	28	46	96	103	98	19	7	-
Male.....	2	1	5	2	17	19	40	40	28	5	1	-
Female.....	1	2	6	9	11	27	56	63	70	14	6	-
Black, both sexes.....	-	-	-	-	1	1	4	-	1	-	-	-
Male.....	-	-	-	-	-	1	1	-	1	-	-	-
Female.....	-	-	-	-	1	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	1	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	3	2	-	-	-	-	-
Male.....	-	-	-	-	-	2	2	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other cerebrovascular diseases and their sequelae (I67,I69)												
Arkansas												
All races, both sexes.....	6	9	7	11	25	57	79	66	69	18	10	-
Male.....	2	4	2	7	6	28	30	19	18	2	4	-
Female.....	4	5	5	4	19	29	49	47	51	16	6	-
White, both sexes.....	4	7	4	8	24	51	67	56	62	17	9	-
Male.....	2	3	1	6	6	23	24	15	16	2	3	-
Female.....	2	4	3	2	18	28	43	41	46	15	6	-
Black, both sexes.....	2	2	3	3	1	5	11	10	7	1	1	-
Male.....	-	1	1	1	-	4	6	4	2	-	1	-
Female.....	2	1	2	2	1	1	5	6	5	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
California												
All races, both sexes.....	41	60	85	144	298	576	910	1,026	723	306	61	-
Male.....	16	30	52	85	151	283	399	355	207	64	9	-
Female.....	25	30	33	59	147	293	511	671	516	242	52	-
White, both sexes.....	29	44	53	104	244	456	783	911	646	268	51	-
Male.....	11	22	32	63	122	225	347	312	180	51	6	-
Female.....	18	22	21	41	122	231	436	599	466	217	45	-
Black, both sexes.....	9	7	21	22	29	63	53	52	38	17	5	-
Male.....	4	3	13	15	17	27	20	12	11	4	1	-
Female.....	5	4	8	7	12	36	33	40	27	13	4	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	4	1	1	2	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	1	1	2	1	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	3	9	11	18	24	56	70	62	38	19	5	-
Male.....	1	5	7	7	12	31	30	31	16	9	2	-
Female.....	2	4	4	11	12	25	40	31	22	10	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other cerebrovascular diseases and their sequelae (I67,I69)												
Delaware												
All races, both sexes.....	-	3	-	2	2	8	13	19	9	12	-	-
Male.....	-	1	-	1	2	4	1	7	1	1	-	-
Female.....	-	2	-	1	-	4	12	12	8	11	-	-
White, both sexes.....	-	1	-	2	2	8	10	14	8	12	-	-
Male.....	-	-	-	1	2	4	1	6	1	1	-	-
Female.....	-	1	-	1	-	4	9	8	7	11	-	-
Black, both sexes.....	-	2	-	-	-	-	3	5	1	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	3	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	-	1	3	2	3	2	9	10	6	6	1	-
Male.....	-	-	1	2	2	-	5	3	2	-	-	-
Female.....	-	1	2	-	1	2	4	7	4	6	1	-
White, both sexes.....	-	-	-	-	-	1	3	5	2	4	1	-
Male.....	-	-	-	-	-	-	2	1	1	-	-	-
Female.....	-	-	-	-	-	1	1	4	1	4	1	-
Black, both sexes.....	-	1	3	2	3	1	6	4	4	2	-	-
Male.....	-	-	1	2	2	-	3	2	1	-	-	-
Female.....	-	1	2	-	1	1	3	2	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other cerebrovascular diseases and their sequelae (I67,I69)

Florida

All races, both sexes.....	10	27	46	75	109	223	351	399	344	146	40	-
Male.....	6	17	29	36	55	100	149	163	95	30	6	-
Female.....	4	10	17	39	54	123	202	236	249	116	34	-
White, both sexes.....	7	21	33	58	89	191	322	373	315	135	37	-
Male.....	4	13	20	29	48	88	142	158	88	29	5	-
Female.....	3	8	13	29	41	103	180	215	227	106	32	-
Black, both sexes.....	2	6	13	17	19	31	28	25	29	11	3	-
Male.....	1	4	9	7	7	11	7	5	7	1	1	-
Female.....	1	2	4	10	12	20	21	20	22	10	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-

Georgia

All races, both sexes.....	6	18	24	36	63	98	141	145	104	41	8	-
Male.....	5	9	13	16	27	49	51	52	21	4	-	-
Female.....	1	9	11	20	36	49	90	93	83	37	8	-
White, both sexes.....	3	7	11	18	39	71	101	109	83	33	5	-
Male.....	3	4	7	8	17	34	37	36	16	4	-	-
Female.....	-	3	4	10	22	37	64	73	67	29	5	-
Black, both sexes.....	3	11	13	18	23	27	40	36	21	8	3	-
Male.....	2	5	6	8	10	15	14	16	5	-	-	-
Female.....	1	6	7	10	13	12	26	20	16	8	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other cerebrovascular diseases and their sequelae (I67,I69)												
Illinois												
All races, both sexes.....	22	13	21	51	79	169	250	289	226	93	20	-
Male.....	18	8	9	27	46	75	105	80	52	20	2	-
Female.....	4	5	12	24	33	94	145	209	174	73	18	-
White, both sexes.....	10	6	15	36	58	136	226	270	203	92	19	-
Male.....	8	5	7	17	37	58	95	77	47	20	2	-
Female.....	2	1	8	19	21	78	131	193	156	72	17	-
Black, both sexes.....	11	7	6	14	19	30	21	17	22	1	1	-
Male.....	9	3	2	10	8	16	8	3	5	-	-	-
Female.....	2	4	4	4	11	14	13	14	17	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	3	3	2	1	-	-	-
Male.....	1	-	-	-	1	1	2	-	-	-	-	-
Female.....	-	-	-	1	1	2	1	2	1	-	-	-
Indiana												
All races, both sexes.....	4	11	9	19	53	78	117	130	109	47	10	-
Male.....	1	7	5	9	30	37	45	33	30	5	-	-
Female.....	3	4	4	10	23	41	72	97	79	42	10	-
White, both sexes.....	2	10	8	18	46	70	107	121	102	42	9	-
Male.....	-	6	4	9	26	33	40	31	30	4	-	-
Female.....	2	4	4	9	20	37	67	90	72	38	9	-
Black, both sexes.....	2	1	1	1	7	8	10	8	7	5	1	-
Male.....	1	1	1	-	4	4	5	2	-	1	-	-
Female.....	1	-	-	1	3	4	5	6	7	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other cerebrovascular diseases and their sequelae (I67,I69)												
Maine												
All races, both sexes.....	3	2	1	3	10	14	30	18	35	9	1	-
Male.....	2	1	1	1	7	10	15	9	11	2	-	-
Female.....	1	1	-	2	3	4	15	9	24	7	1	-
White, both sexes.....	3	2	1	3	10	13	30	18	35	9	1	-
Male.....	2	1	1	1	7	9	15	9	11	2	-	-
Female.....	1	1	-	2	3	4	15	9	24	7	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	10	7	13	21	41	69	123	124	91	40	3	-
Male.....	9	3	5	14	19	30	52	34	20	2	-	-
Female.....	1	4	8	7	22	39	71	90	71	38	3	-
White, both sexes.....	3	5	10	13	33	47	100	104	81	35	3	-
Male.....	2	2	4	9	16	19	41	31	18	2	-	-
Female.....	1	3	6	4	17	28	59	73	63	33	3	-
Black, both sexes.....	7	2	3	8	8	21	21	18	9	5	-	-
Male.....	7	1	1	5	3	10	10	2	2	-	-	-
Female.....	-	1	2	3	5	11	11	16	7	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	2	1	-	-	-
Male.....	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other cerebrovascular diseases and their sequelae (I67,I69)												
Massachusetts												
All races, both sexes.....	5	10	12	23	46	84	166	184	144	73	13	-
Male.....	3	4	8	18	22	34	79	62	37	7	1	-
Female.....	2	6	4	5	24	50	87	122	107	66	12	-
White, both sexes.....	5	9	10	19	37	79	163	178	137	70	13	-
Male.....	3	4	6	15	18	33	78	60	34	7	1	-
Female.....	2	5	4	4	19	46	85	118	103	63	12	-
Black, both sexes.....	-	1	2	4	8	3	3	6	5	2	-	-
Male.....	-	-	2	3	4	1	1	2	1	-	-	-
Female.....	-	1	-	1	4	2	2	4	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	-	-	2	1	-	-
Male.....	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	-	-	-	-	1	2	-	-	-	1	-	-
Michigan												
All races, both sexes.....	16	11	40	47	93	170	277	316	202	108	17	-
Male.....	11	7	19	26	43	81	122	106	44	20	2	-
Female.....	5	4	21	21	50	89	155	210	158	88	15	-
White, both sexes.....	8	10	32	33	72	142	246	287	189	92	16	-
Male.....	6	7	15	18	34	70	109	101	42	19	2	-
Female.....	2	3	17	15	38	72	137	186	147	73	14	-
Black, both sexes.....	8	1	8	14	21	26	29	28	12	15	1	-
Male.....	5	-	4	8	9	11	13	5	2	1	-	-
Female.....	3	1	4	6	12	15	16	23	10	14	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other cerebrovascular diseases and their sequelae (I67,I69)												
Minnesota												
All races, both sexes.....	3	3	5	13	31	48	116	167	125	50	10	-
Male.....	2	2	3	7	19	21	41	53	38	11	4	-
Female.....	1	1	2	6	12	27	75	114	87	39	6	-
White, both sexes.....	2	2	5	13	28	44	114	163	120	50	10	-
Male.....	1	2	3	7	18	19	41	50	37	11	4	-
Female.....	1	-	2	6	10	25	73	113	83	39	6	-
Black, both sexes.....	1	-	-	-	1	3	2	3	3	-	-	-
Male.....	1	-	-	-	-	1	-	2	1	-	-	-
Female.....	-	-	-	-	1	2	2	1	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	2	-	-	-	2	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi												
All races, both sexes.....	3	9	10	16	20	40	44	60	48	17	2	-
Male.....	-	6	6	3	8	14	20	17	12	2	1	-
Female.....	3	3	4	13	12	26	24	43	36	15	1	-
White, both sexes.....	2	4	3	9	12	32	32	44	35	9	2	-
Male.....	-	3	3	3	5	12	14	13	7	1	1	-
Female.....	2	1	-	6	7	20	18	31	28	8	1	-
Black, both sexes.....	1	5	7	7	7	8	12	16	13	8	-	-
Male.....	-	3	3	-	3	2	6	4	5	1	-	-
Female.....	1	2	4	7	4	6	6	12	8	7	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other cerebrovascular diseases and their sequelae (I67,I69)												
Nebraska												
All races, both sexes.....	1	1	4	3	14	24	29	55	36	15	3	-
Male.....	1	1	2	2	7	13	17	15	10	2	-	-
Female.....	-	-	2	1	7	11	12	40	26	13	3	-
White, both sexes.....	1	1	4	3	12	24	29	54	36	15	3	-
Male.....	1	1	2	2	6	13	17	15	10	2	-	-
Female.....	-	-	2	1	6	11	12	39	26	13	3	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	2	5	2	6	9	23	29	27	17	4	1	-
Male.....	1	4	1	4	3	12	12	11	8	-	-	-
Female.....	1	1	1	2	6	11	17	16	9	4	1	-
White, both sexes.....	2	4	1	5	7	22	27	27	16	4	1	-
Male.....	1	3	1	3	2	11	12	11	7	-	-	-
Female.....	1	1	-	2	5	11	15	16	9	4	1	-
Black, both sexes.....	-	1	1	1	1	1	2	-	-	-	-	-
Male.....	-	1	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other cerebrovascular diseases and their sequelae (I67,I69)												
New Hampshire												
All races, both sexes.....	-	1	2	7	10	20	22	41	30	14	7	-
Male.....	-	1	-	5	4	8	7	11	8	2	1	-
Female.....	-	-	2	2	6	12	15	30	22	12	6	-
White, both sexes.....	-	1	2	7	10	20	22	41	30	14	7	-
Male.....	-	1	-	5	4	8	7	11	8	2	1	-
Female.....	-	-	2	2	6	12	15	30	22	12	6	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	3	9	12	17	35	88	105	127	101	45	10	-
Male.....	2	3	6	10	21	40	47	46	26	8	1	-
Female.....	1	6	6	7	14	48	58	81	75	37	9	-
White, both sexes.....	2	6	6	11	29	74	91	120	86	40	10	-
Male.....	2	2	3	7	17	34	40	45	22	8	1	-
Female.....	-	4	3	4	12	40	51	75	64	32	9	-
Black, both sexes.....	1	3	5	6	6	14	10	5	13	4	-	-
Male.....	-	1	3	3	4	6	6	1	4	-	-	-
Female.....	1	2	2	3	2	8	4	4	9	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	3	2	2	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	2	2	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other cerebrovascular diseases and their sequelae (I67,I69)

New Mexico

All races, both sexes.....	3	1	3	3	13	21	26	21	19	8	-	-
Male.....	2	-	3	1	6	12	9	8	6	3	-	-
Female.....	1	1	-	2	7	9	17	13	13	5	-	-
White, both sexes.....	3	1	2	3	13	17	25	21	19	8	-	-
Male.....	2	-	2	1	6	9	9	8	6	3	-	-
Female.....	1	1	-	2	7	8	16	13	13	5	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	3	1	-	-	-	-	-
Male.....	-	-	1	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	10	10	23	28	85	141	228	266	203	88	21	-
Male.....	8	2	15	13	45	66	89	97	47	15	3	-
Female.....	2	8	8	15	40	75	139	169	156	73	18	-
White, both sexes.....	7	7	15	21	77	131	212	253	200	81	20	-
Male.....	6	1	8	8	43	61	82	96	46	15	3	-
Female.....	1	6	7	13	34	70	130	157	154	66	17	-
Black, both sexes.....	3	3	8	5	7	9	14	12	3	6	1	-
Male.....	2	1	7	4	2	4	6	1	1	-	-	-
Female.....	1	2	1	1	5	5	8	11	2	6	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	1	2	1	-	1	-	-
Male.....	-	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other cerebrovascular diseases and their sequelae (I67,I69)												
Oregon												
All races, both sexes.....	1	8	10	13	47	86	154	156	115	42	6	-
Male.....	1	7	6	7	26	44	73	55	31	8	1	-
Female.....	-	1	4	6	21	42	81	101	84	34	5	-
White, both sexes.....	1	8	10	13	45	84	151	155	112	42	6	-
Male.....	1	7	6	7	24	43	73	55	30	8	1	-
Female.....	-	1	4	6	21	41	78	100	82	34	5	-
Black, both sexes.....	-	-	-	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-
Pennsylvania												
All races, both sexes.....	7	16	21	32	82	179	300	343	289	121	18	-
Male.....	4	10	11	19	30	88	105	128	79	22	3	-
Female.....	3	6	10	13	52	91	195	215	210	99	15	-
White, both sexes.....	5	16	13	29	69	157	276	310	270	112	17	-
Male.....	3	10	7	18	27	78	100	120	78	19	3	-
Female.....	2	6	6	11	42	79	176	190	192	93	14	-
Black, both sexes.....	2	-	8	3	11	21	23	31	17	9	1	-
Male.....	1	-	4	1	3	9	5	7	1	3	-	-
Female.....	1	-	4	2	8	12	18	24	16	6	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	1	2	2	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	2	-	1	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other cerebrovascular diseases and their sequelae (I67,I69)

Rhode Island

All races, both sexes.....	-	1	2	3	7	18	18	20	23	6	2	-
Male.....	-	1	1	2	5	9	4	2	6	1	-	-
Female.....	-	-	1	1	2	9	14	18	17	5	2	-
White, both sexes.....	-	1	2	3	6	17	18	18	22	6	2	-
Male.....	-	1	1	2	4	8	4	1	5	1	-	-
Female.....	-	-	1	1	2	9	14	17	17	5	2	-
Black, both sexes.....	-	-	-	-	1	1	-	2	-	-	-	-
Male.....	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	11	9	11	27	33	73	65	94	67	15	3	-
Male.....	6	7	8	16	19	38	27	36	15	1	-	-
Female.....	5	2	3	11	14	35	38	58	52	14	3	-
White, both sexes.....	5	5	6	18	20	48	47	74	49	10	1	-
Male.....	3	4	5	11	12	22	21	30	10	1	-	-
Female.....	2	1	1	7	8	26	26	44	39	9	1	-
Black, both sexes.....	6	4	5	9	12	25	18	20	18	5	2	-
Male.....	3	3	3	5	7	16	6	6	5	-	-	-
Female.....	3	1	2	4	5	9	12	14	13	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other cerebrovascular diseases and their sequelae (I67,I69)

Vermont

All races, both sexes.....	-	1	2	4	9	12	18	18	12	6	1	-
Male.....	-	-	1	3	4	7	7	6	5	1	-	-
Female.....	-	1	1	1	5	5	11	12	7	5	1	-
White, both sexes.....	-	1	2	4	9	12	18	17	12	6	1	-
Male.....	-	-	1	3	4	7	7	6	5	1	-	-
Female.....	-	1	1	1	5	5	11	11	7	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	2	14	11	36	59	89	139	139	124	47	9	-
Male.....	2	9	8	21	30	42	56	43	27	9	-	-
Female.....	-	5	3	15	29	47	83	96	97	38	9	-
White, both sexes.....	1	5	6	21	40	63	112	121	107	41	8	-
Male.....	1	2	4	12	24	32	47	37	22	7	-	-
Female.....	-	3	2	9	16	31	65	84	85	34	8	-
Black, both sexes.....	1	9	5	14	18	23	27	18	16	6	1	-
Male.....	1	7	4	8	5	9	9	6	5	2	-	-
Female.....	-	2	1	6	13	14	18	12	11	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	3	-	-	1	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of arteries, arterioles and capillaries (I70-I78)												
Arkansas												
All races, both sexes.....	431	1	1	-	-	1	1	-	1	-	4	4
Male.....	213	-	1	-	-	-	1	-	1	-	4	3
Female.....	218	1	-	-	-	1	-	-	-	-	-	1
White, both sexes.....	389	1	1	-	-	1	-	-	-	-	4	4
Male.....	189	-	1	-	-	-	-	-	-	-	4	3
Female.....	200	1	-	-	-	1	-	-	-	-	-	1
Black, both sexes.....	40	-	-	-	-	-	1	-	1	-	-	-
Male.....	22	-	-	-	-	-	1	-	1	-	-	-
Female.....	18	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	3,744	1	-	-	1	5	9	1	20	26	43	70
Male.....	1,780	-	-	-	1	4	7	1	11	16	28	59
Female.....	1,964	1	-	-	-	1	2	-	9	10	15	11
White, both sexes.....	3,261	1	-	-	-	3	7	1	18	21	32	52
Male.....	1,528	-	-	-	-	2	5	1	10	14	22	45
Female.....	1,733	1	-	-	-	1	2	-	8	7	10	7
Black, both sexes.....	242	-	-	-	-	-	1	-	1	1	9	10
Male.....	111	-	-	-	-	-	1	-	-	-	6	6
Female.....	131	-	-	-	-	-	-	-	1	1	3	4
American Indian 1/, both sexes.....	16	-	-	-	-	-	-	-	-	1	-	-
Male.....	8	-	-	-	-	-	-	-	-	1	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	225	-	-	-	1	2	1	-	1	3	2	8
Male.....	133	-	-	-	1	2	1	-	1	1	-	8
Female.....	92	-	-	-	-	-	-	-	-	2	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of arteries, arterioles and capillaries (I70-I78)												
New Hampshire												
All races, both sexes.....	171	-	-	-	-	-	-	-	-	-	-	1
Male.....	83	-	-	-	-	-	-	-	-	-	-	-
Female.....	88	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	171	-	-	-	-	-	-	-	-	-	-	1
Male.....	83	-	-	-	-	-	-	-	-	-	-	-
Female.....	88	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	1,220	-	-	-	-	2	1	2	3	7	9	16
Male.....	562	-	-	-	-	2	-	1	2	5	8	10
Female.....	658	-	-	-	-	-	1	1	1	2	1	6
White, both sexes.....	1,091	-	-	-	-	2	-	1	1	5	4	10
Male.....	501	-	-	-	-	2	-	-	1	3	3	6
Female.....	590	-	-	-	-	-	-	1	-	2	1	4
Black, both sexes.....	120	-	-	-	-	-	1	1	1	2	5	6
Male.....	57	-	-	-	-	-	-	1	1	2	5	4
Female.....	63	-	-	-	-	-	1	-	-	-	-	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of arteries, arterioles and capillaries (I70-I78)												
New Mexico												
All races, both sexes.....	202	1	-	-	-	1	1	-	-	1	1	3
Male.....	92	-	-	-	-	1	-	-	-	-	1	2
Female.....	110	1	-	-	-	-	1	-	-	1	-	1
White, both sexes.....	196	1	-	-	-	1	1	-	-	1	1	3
Male.....	89	-	-	-	-	1	-	-	-	-	1	2
Female.....	107	1	-	-	-	-	1	-	-	1	-	1
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	2,093	-	-	-	2	-	2	2	9	7	26	28
Male.....	1,008	-	-	-	1	-	2	1	5	3	21	16
Female.....	1,085	-	-	-	1	-	-	1	4	4	5	12
White, both sexes.....	1,863	-	-	-	1	-	-	1	4	6	19	20
Male.....	907	-	-	-	1	-	-	1	3	3	17	14
Female.....	956	-	-	-	-	-	-	-	1	3	2	6
Black, both sexes.....	204	-	-	-	1	-	2	1	5	-	6	8
Male.....	81	-	-	-	-	-	2	-	2	-	3	2
Female.....	123	-	-	-	1	-	-	1	3	-	3	6
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	26	-	-	-	-	-	-	-	-	1	1	-
Male.....	20	-	-	-	-	-	-	-	-	-	1	-
Female.....	6	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of arteries, arterioles and capillaries (I70-I78)

Alaska

All races, both sexes.....	4	3	7	8	10	6	8	1	2	1	-	-
Male.....	3	3	4	6	7	1	2	1	1	-	-	-
Female.....	1	-	3	2	3	5	6	-	1	1	-	-
White, both sexes.....	2	3	6	7	6	4	7	-	1	1	-	-
Male.....	2	3	3	5	4	1	2	-	1	-	-	-
Female.....	-	-	3	2	2	3	5	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	1	4	2	1	1	1	-	-	-
Male.....	1	-	1	1	3	-	-	1	-	-	-	-
Female.....	1	-	-	-	1	2	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	8	24	21	48	78	116	127	114	65	27	7	-
Male.....	4	15	11	33	50	60	66	43	18	10	-	-
Female.....	4	9	10	15	28	56	61	71	47	17	7	-
White, both sexes.....	8	20	20	45	75	113	122	112	65	26	7	-
Male.....	4	14	11	32	49	58	65	42	18	9	-	-
Female.....	4	6	9	13	26	55	57	70	47	17	7	-
Black, both sexes.....	-	1	-	1	-	1	2	1	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	1	-	1	-	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	2	1	2	3	1	1	1	-	-	-	-
Male.....	-	-	-	1	1	-	-	1	-	-	-	-
Female.....	-	2	1	1	2	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	2	-	-	-	-	-
Male.....	-	1	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of arteries, arterioles and capillaries (I70-I78)												
Arkansas												
All races, both sexes.....	7	9	23	39	34	61	72	84	60	23	6	-
Male.....	5	6	14	27	18	43	28	38	19	5	-	-
Female.....	2	3	9	12	16	18	44	46	41	18	6	-
White, both sexes.....	4	9	20	36	29	55	68	79	51	21	6	-
Male.....	2	6	12	24	14	39	28	36	15	5	-	-
Female.....	2	3	8	12	15	16	40	43	36	16	6	-
Black, both sexes.....	3	-	2	3	5	6	4	5	8	2	-	-
Male.....	3	-	1	3	4	4	-	2	3	-	-	-
Female.....	-	-	1	-	1	2	4	3	5	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	72	126	140	234	348	524	639	735	471	213	66	-
Male.....	48	83	79	158	197	279	314	311	135	46	3	-
Female.....	24	43	61	76	151	245	325	424	336	167	63	-
White, both sexes.....	47	95	118	205	293	454	565	666	429	197	57	-
Male.....	30	62	64	136	168	239	282	279	123	44	2	-
Female.....	17	33	54	69	125	215	283	387	306	153	55	-
Black, both sexes.....	17	20	12	14	26	41	33	29	15	9	4	-
Male.....	12	13	5	9	12	21	12	10	2	1	1	-
Female.....	5	7	7	5	14	20	21	19	13	8	3	-
American Indian 1/, both sexes.....	4	1	1	1	1	1	4	1	1	-	-	-
Male.....	3	1	1	1	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	1	1	4	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	10	9	14	28	28	37	39	26	7	5	-
Male.....	3	7	9	12	17	19	20	21	10	1	-	-
Female.....	1	3	-	2	11	9	17	18	16	6	5	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of arteries, arterioles and capillaries (I70-I78)

Florida

All races, both sexes.....	40	90	125	201	323	451	496	470	346	148	32	-
Male.....	25	69	89	125	192	249	255	201	124	43	2	-
Female.....	15	21	36	76	131	202	241	269	222	105	30	-
White, both sexes.....	35	72	111	182	292	421	464	444	323	143	30	-
Male.....	21	57	80	115	170	236	242	191	115	41	2	-
Female.....	14	15	31	67	122	185	222	253	208	102	28	-
Black, both sexes.....	5	18	13	17	29	30	32	26	21	5	2	-
Male.....	4	12	8	9	20	13	13	10	8	2	-	-
Female.....	1	6	5	8	9	17	19	16	13	3	2	-
American Indian 1/, both sexes.....	-	-	-	2	2	-	-	-	1	-	-	-
Male.....	-	-	-	1	2	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	32	60	57	83	107	133	148	154	104	40	9	-
Male.....	19	47	41	47	62	65	59	57	29	5	2	-
Female.....	13	13	16	36	45	68	89	97	75	35	7	-
White, both sexes.....	21	44	43	62	78	103	125	127	81	31	4	-
Male.....	14	32	31	37	48	52	50	50	23	5	2	-
Female.....	7	12	12	25	30	51	75	77	58	26	2	-
Black, both sexes.....	11	16	14	20	27	29	23	26	23	9	5	-
Male.....	5	15	10	10	12	12	9	7	6	-	-	-
Female.....	6	1	4	10	15	17	14	19	17	9	5	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	-	1	-	-	-	-
Male.....	-	-	-	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of arteries, arterioles and capillaries (I70-I78)												
Iowa												
All races, both sexes.....	9	5	15	36	37	65	107	128	100	45	19	-
Male.....	6	2	13	21	26	42	55	49	37	10	2	-
Female.....	3	3	2	15	11	23	52	79	63	35	17	-
White, both sexes.....	7	5	14	35	36	63	106	128	100	45	19	-
Male.....	5	2	12	20	26	41	55	49	37	10	2	-
Female.....	2	3	2	15	10	22	51	79	63	35	17	-
Black, both sexes.....	2	-	1	1	1	1	1	-	-	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Kansas												
All races, both sexes.....	6	10	11	28	60	71	123	112	103	51	17	-
Male.....	5	8	8	21	31	34	53	43	23	10	4	-
Female.....	1	2	3	7	29	37	70	69	80	41	13	-
White, both sexes.....	6	9	10	27	56	66	118	110	101	49	16	-
Male.....	5	7	7	21	29	31	53	41	23	9	3	-
Female.....	1	2	3	6	27	35	65	69	78	40	13	-
Black, both sexes.....	-	-	1	1	4	4	3	2	1	2	1	-
Male.....	-	-	1	-	2	3	-	2	-	1	1	-
Female.....	-	-	-	1	2	1	3	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of arteries, arterioles and capillaries (I70-I78)												
Kentucky												
All races, both sexes.....	18	19	27	45	54	67	107	78	53	25	4	-
Male.....	9	12	18	31	36	39	59	27	14	4	-	-
Female.....	9	7	9	14	18	28	48	51	39	21	4	-
White, both sexes.....	16	18	24	43	51	63	101	72	52	24	4	-
Male.....	8	12	17	30	34	37	57	25	14	4	-	-
Female.....	8	6	7	13	17	26	44	47	38	20	4	-
Black, both sexes.....	2	1	3	2	2	4	6	6	1	-	-	-
Male.....	1	-	1	1	2	2	2	2	-	-	-	-
Female.....	1	1	2	1	-	2	4	4	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	11	19	28	48	66	96	106	101	87	30	10	-
Male.....	10	11	21	31	42	46	38	30	18	3	-	-
Female.....	1	8	7	17	24	50	68	71	69	27	10	-
White, both sexes.....	5	12	20	34	43	73	78	84	70	26	4	-
Male.....	5	8	15	22	30	36	28	23	12	3	-	-
Female.....	-	4	5	12	13	37	50	61	58	23	4	-
Black, both sexes.....	6	7	8	13	23	21	28	17	15	4	6	-
Male.....	5	3	6	9	12	9	10	7	6	-	-	-
Female.....	1	4	2	4	11	12	18	10	9	4	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	2	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of arteries, arterioles and capillaries (I70-I78)

Maine

All races, both sexes.....	1	6	9	20	14	26	46	47	36	9	1	-
Male.....	1	4	6	14	9	16	21	21	7	1	-	-
Female.....	-	2	3	6	5	10	25	26	29	8	1	-
White, both sexes.....	1	6	9	19	14	26	46	47	36	9	1	-
Male.....	1	4	6	14	9	16	21	21	7	1	-	-
Female.....	-	2	3	5	5	10	25	26	29	8	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	12	22	30	36	66	96	101	93	69	28	11	-
Male.....	9	17	26	22	41	50	47	36	23	6	2	-
Female.....	3	5	4	14	25	46	54	57	46	22	9	-
White, both sexes.....	6	14	16	27	46	80	76	83	58	25	9	-
Male.....	5	12	13	17	30	47	34	34	20	4	2	-
Female.....	1	2	3	10	16	33	42	49	38	21	7	-
Black, both sexes.....	6	7	13	9	18	16	24	8	10	3	2	-
Male.....	4	4	12	5	10	3	12	2	3	2	-	-
Female.....	2	3	1	4	8	13	12	6	7	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	2	-	1	2	-	-	-	-
Male.....	-	1	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of arteries, arterioles and capillaries (I70-I78)												
Nebraska												
All races, both sexes.....	4	5	9	15	23	49	50	47	41	20	6	-
Male.....	1	4	4	8	15	26	27	16	16	4	1	-
Female.....	3	1	5	7	8	23	23	31	25	16	5	-
White, both sexes.....	3	5	9	13	23	46	49	47	40	19	6	-
Male.....	-	4	4	8	15	23	26	16	16	4	1	-
Female.....	3	1	5	5	8	23	23	31	24	15	5	-
Black, both sexes.....	1	-	-	2	-	3	1	-	1	1	-	-
Male.....	1	-	-	-	-	3	1	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	4	4	6	17	40	54	49	38	32	13	-	-
Male.....	3	3	3	10	27	27	28	17	12	1	-	-
Female.....	1	1	3	7	13	27	21	21	20	12	-	-
White, both sexes.....	3	4	6	14	38	51	46	37	32	11	-	-
Male.....	2	3	3	8	26	25	26	16	12	-	-	-
Female.....	1	1	3	6	12	26	20	21	20	11	-	-
Black, both sexes.....	1	-	-	1	1	3	3	1	-	-	-	-
Male.....	1	-	-	-	1	2	2	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	2	-	-
Male.....	-	-	-	1	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of arteries, arterioles and capillaries (I70-I78)

New Hampshire

All races, both sexes.....	-	4	4	9	17	27	34	36	28	8	3	-
Male.....	-	2	3	5	11	16	18	17	10	1	-	-
Female.....	-	2	1	4	6	11	16	19	18	7	3	-
White, both sexes.....	-	4	4	9	17	27	34	36	28	8	3	-
Male.....	-	2	3	5	11	16	18	17	10	1	-	-
Female.....	-	2	1	4	6	11	16	19	18	7	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	18	36	55	86	106	199	232	224	149	58	17	-
Male.....	14	21	36	58	59	118	95	81	37	12	3	-
Female.....	4	15	19	28	47	81	137	143	112	46	14	-
White, both sexes.....	15	29	44	72	98	179	212	208	140	54	17	-
Male.....	12	16	31	48	54	110	90	75	35	12	3	-
Female.....	3	13	13	24	44	69	122	133	105	42	14	-
Black, both sexes.....	3	7	10	12	6	18	19	16	9	4	-	-
Male.....	2	5	4	9	4	7	5	6	2	-	-	-
Female.....	1	2	6	3	2	11	14	10	7	4	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	2	1	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of arteries, arterioles and capillaries (I70-I78)												
New Mexico												
All races, both sexes.....	4	10	8	11	20	21	33	43	25	15	3	1
Male.....	2	8	4	4	12	10	13	20	8	4	2	1
Female.....	2	2	4	7	8	11	20	23	17	11	1	-
White, both sexes.....	4	10	8	11	20	19	32	41	24	15	3	1
Male.....	2	8	4	4	12	10	12	19	7	4	2	1
Female.....	2	2	4	7	8	9	20	22	17	11	1	-
Black, both sexes.....	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	40	63	101	131	222	334	358	362	240	129	37	-
Male.....	29	43	74	86	128	175	161	141	75	39	8	-
Female.....	11	20	27	45	94	159	197	221	165	90	29	-
White, both sexes.....	32	46	84	116	188	293	330	338	230	122	33	-
Male.....	23	34	61	79	111	158	149	136	74	36	7	-
Female.....	9	12	23	37	77	135	181	202	156	86	26	-
Black, both sexes.....	6	16	16	14	26	36	25	22	10	7	3	-
Male.....	4	8	12	7	10	13	9	5	1	3	-	-
Female.....	2	8	4	7	16	23	16	17	9	4	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	1	8	5	3	2	-	-	1	-
Male.....	2	1	1	-	7	4	3	-	-	-	1	-
Female.....	-	-	-	1	1	1	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of arteries, arterioles and capillaries (I70-I78)												
Oregon												
All races, both sexes.....	8	20	34	37	70	77	105	107	66	28	9	-
Male.....	6	10	26	24	37	47	52	52	25	7	2	-
Female.....	2	10	8	13	33	30	53	55	41	21	7	-
White, both sexes.....	7	16	33	35	69	76	103	105	66	28	8	-
Male.....	5	7	26	23	37	46	51	51	25	7	2	-
Female.....	2	9	7	12	32	30	52	54	41	21	6	-
Black, both sexes.....	-	1	-	2	-	-	1	1	-	-	-	-
Male.....	-	1	-	1	-	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	1	1	1	-	-	1	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	1	-
Pennsylvania												
All races, both sexes.....	32	56	73	111	208	304	382	392	273	115	29	-
Male.....	22	38	44	79	111	155	176	159	77	22	6	-
Female.....	10	18	29	32	97	149	206	233	196	93	23	-
White, both sexes.....	23	48	64	101	193	290	357	373	259	114	26	-
Male.....	15	33	42	76	108	147	169	152	74	22	6	-
Female.....	8	15	22	25	85	143	188	221	185	92	20	-
Black, both sexes.....	7	8	7	10	15	13	25	19	13	1	3	-
Male.....	6	5	2	3	3	8	7	7	3	-	-	-
Female.....	1	3	5	7	12	5	18	12	10	1	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	2	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of arteries, arterioles and capillaries (I70-I78)

Vermont

All races, both sexes.....	2	-	2	7	11	16	21	15	10	6	2	-
Male.....	2	-	2	5	7	5	10	7	6	-	-	-
Female.....	-	-	-	2	4	11	11	8	4	6	2	-
White, both sexes.....	2	-	2	7	11	16	21	15	10	6	2	-
Male.....	2	-	2	5	7	5	10	7	6	-	-	-
Female.....	-	-	-	2	4	11	11	8	4	6	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	8	20	30	65	83	145	157	145	105	35	9	-
Male.....	4	13	20	35	48	77	68	57	27	7	-	-
Female.....	4	7	10	30	35	68	89	88	78	28	9	-
White, both sexes.....	4	16	18	49	64	112	135	129	87	30	7	-
Male.....	2	10	12	29	38	62	53	52	24	7	-	-
Female.....	2	6	6	20	26	50	82	77	63	23	7	-
Black, both sexes.....	4	4	12	14	18	33	22	16	16	5	2	-
Male.....	2	3	8	5	9	15	15	5	3	-	-	-
Female.....	2	1	4	9	9	18	7	11	13	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	-	-	-	2	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerosis (I70)												
Arkansas												
All races, both sexes.....	1	2	4	2	4	13	23	31	29	11	4	-
Male.....	1	-	1	1	2	10	6	13	8	3	-	-
Female.....	-	2	3	1	2	3	17	18	21	8	4	-
White, both sexes.....	-	2	4	2	4	9	21	28	25	11	4	-
Male.....	-	-	1	1	2	7	6	12	7	3	-	-
Female.....	-	2	3	1	2	2	15	16	18	8	4	-
Black, both sexes.....	1	-	-	-	-	4	2	3	4	-	-	-
Male.....	1	-	-	-	-	3	-	1	1	-	-	-
Female.....	-	-	-	-	-	1	2	2	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	12	23	28	55	101	153	266	398	304	172	58	-
Male.....	4	13	11	32	55	74	118	150	75	36	2	-
Female.....	8	10	17	23	46	79	148	248	229	136	56	-
White, both sexes.....	8	16	26	50	85	137	237	375	284	160	53	-
Male.....	1	9	11	27	48	64	110	140	70	34	2	-
Female.....	7	7	15	23	37	73	127	235	214	126	51	-
Black, both sexes.....	2	4	2	3	8	12	15	10	7	5	2	-
Male.....	2	2	-	3	3	6	4	4	1	1	-	-
Female.....	-	2	2	-	5	6	11	6	6	4	2	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	3	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	3	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	-	2	7	4	11	13	12	7	3	-
Male.....	-	2	-	2	4	4	4	6	4	1	-	-
Female.....	-	1	-	-	3	-	7	7	8	6	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerosis (I70)												
Iowa												
All races, both sexes.....	2	-	4	12	8	15	47	70	57	34	11	-
Male.....	2	-	4	7	5	7	26	24	21	7	2	-
Female.....	-	-	-	5	3	8	21	46	36	27	9	-
White, both sexes.....	2	-	4	11	8	14	47	70	57	34	11	-
Male.....	2	-	4	6	5	6	26	24	21	7	2	-
Female.....	-	-	-	5	3	8	21	46	36	27	9	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Kansas												
All races, both sexes.....	-	2	3	4	17	30	75	82	77	36	16	-
Male.....	-	2	2	2	8	13	27	26	15	4	4	-
Female.....	-	-	1	2	9	17	48	56	62	32	12	-
White, both sexes.....	-	2	3	3	14	26	71	80	76	35	15	-
Male.....	-	2	2	2	7	10	27	24	15	4	3	-
Female.....	-	-	1	1	7	16	44	56	61	31	12	-
Black, both sexes.....	-	-	-	1	3	3	3	2	-	1	1	-
Male.....	-	-	-	-	1	3	-	2	-	-	1	-
Female.....	-	-	-	1	2	-	3	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerosis (I70)												
Kentucky												
All races, both sexes.....	1	1	2	4	6	12	31	27	21	11	1	-
Male.....	-	1	1	3	6	8	14	5	7	1	-	-
Female.....	1	-	1	1	-	4	17	22	14	10	1	-
White, both sexes.....	1	1	1	4	6	11	28	25	21	11	1	-
Male.....	-	1	1	3	6	7	13	5	7	1	-	-
Female.....	1	-	-	1	-	4	15	20	14	10	1	-
Black, both sexes.....	-	-	1	-	-	1	3	2	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	1	6	2	8	13	29	40	49	49	22	8	-
Male.....	1	2	2	6	9	15	9	13	7	1	-	-
Female.....	-	4	-	2	4	14	31	36	42	21	8	-
White, both sexes.....	-	5	1	6	8	21	32	42	41	19	4	-
Male.....	-	2	1	5	5	11	6	10	5	1	-	-
Female.....	-	3	-	1	3	10	26	32	36	18	4	-
Black, both sexes.....	1	1	1	2	5	7	8	7	6	3	4	-
Male.....	1	-	1	1	4	4	3	3	2	-	-	-
Female.....	-	1	-	1	1	3	5	4	4	3	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerosis (I70)												
Maine												
All races, both sexes.....	-	1	-	5	1	5	13	17	16	2	-	-
Male.....	-	-	-	2	1	3	5	6	1	-	-	-
Female.....	-	1	-	3	-	2	8	11	15	2	-	-
White, both sexes.....	-	1	-	4	1	5	13	17	16	2	-	-
Male.....	-	-	-	2	1	3	5	6	1	-	-	-
Female.....	-	1	-	2	-	2	8	11	15	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	-	-	2	2	7	14	23	32	35	20	9	-
Male.....	-	-	2	2	7	5	6	17	12	5	2	-
Female.....	-	-	-	-	-	9	17	15	23	15	7	-
White, both sexes.....	-	-	-	2	4	12	17	28	31	17	7	-
Male.....	-	-	-	2	4	5	4	16	11	3	2	-
Female.....	-	-	-	-	-	7	13	12	20	14	5	-
Black, both sexes.....	-	-	2	-	2	2	5	3	4	3	2	-
Male.....	-	-	2	-	2	-	1	1	1	2	-	-
Female.....	-	-	-	-	-	2	4	2	3	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerosis (I70)												
Nebraska												
All races, both sexes.....	1	3	1	5	7	17	26	36	27	14	6	-
Male.....	1	3	-	2	2	7	13	12	10	2	1	-
Female.....	-	-	1	3	5	10	13	24	17	12	5	-
White, both sexes.....	-	3	1	3	7	16	26	36	27	13	6	-
Male.....	-	3	-	2	2	6	13	12	10	2	1	-
Female.....	-	-	1	1	5	10	13	24	17	11	5	-
Black, both sexes.....	1	-	-	2	-	1	-	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	-	-	-	3	12	14	26	26	18	9	-	-
Male.....	-	-	-	2	8	5	14	13	6	-	-	-
Female.....	-	-	-	1	4	9	12	13	12	9	-	-
White, both sexes.....	-	-	-	3	12	12	25	26	18	8	-	-
Male.....	-	-	-	2	8	4	14	13	6	-	-	-
Female.....	-	-	-	1	4	8	11	13	12	8	-	-
Black, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerosis (I70)												
New Mexico												
All races, both sexes.....	3	2	2	2	4	9	11	23	19	9	2	1
Male.....	2	1	1	1	1	5	4	10	7	2	1	1
Female.....	1	1	1	1	3	4	7	13	12	7	1	-
White, both sexes.....	3	2	2	2	4	9	11	23	18	9	2	1
Male.....	2	1	1	1	1	5	4	10	6	2	1	1
Female.....	1	1	1	1	3	4	7	13	12	7	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	5	9	12	24	51	84	127	138	131	73	22	-
Male.....	3	8	9	17	32	39	52	56	42	16	7	-
Female.....	2	1	3	7	19	45	75	82	89	57	15	-
White, both sexes.....	4	7	8	19	38	69	115	133	127	70	20	-
Male.....	2	7	6	13	25	36	46	55	41	15	6	-
Female.....	2	-	2	6	13	33	69	78	86	55	14	-
Black, both sexes.....	1	2	4	5	10	13	11	4	4	3	1	-
Male.....	1	1	3	4	5	2	5	1	1	1	-	-
Female.....	-	1	1	1	5	11	6	3	3	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	3	2	1	1	-	-	1	-
Male.....	-	-	-	-	2	1	1	-	-	-	1	-
Female.....	-	-	-	-	1	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerosis (I70)												
Vermont												
All races, both sexes.....	-	-	-	1	1	5	7	7	5	4	2	-
Male.....	-	-	-	-	1	2	4	2	3	-	-	-
Female.....	-	-	-	1	-	3	3	5	2	4	2	-
White, both sexes.....	-	-	-	1	1	5	7	7	5	4	2	-
Male.....	-	-	-	-	1	2	4	2	3	-	-	-
Female.....	-	-	-	1	-	3	3	5	2	4	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	1	4	2	10	19	33	46	52	50	19	5	-
Male.....	-	3	2	6	12	19	18	20	13	6	-	-
Female.....	1	1	-	4	7	14	28	32	37	13	5	-
White, both sexes.....	-	3	1	6	12	24	41	47	47	16	4	-
Male.....	-	2	1	3	8	14	16	18	13	6	-	-
Female.....	-	1	-	3	4	10	25	29	34	10	4	-
Black, both sexes.....	1	1	1	4	6	9	5	5	2	3	1	-
Male.....	-	1	1	3	3	5	2	2	-	-	-	-
Female.....	1	-	-	1	3	4	3	3	2	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Aortic aneurysm and dissection (I71)												
Arkansas												
All races, both sexes.....	179	1	-	-	-	-	1	-	1	-	3	4
Male.....	115	-	-	-	-	-	1	-	1	-	3	3
Female.....	64	1	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	168	1	-	-	-	-	-	-	-	-	3	4
Male.....	106	-	-	-	-	-	-	-	-	-	3	3
Female.....	62	1	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	10	-	-	-	-	-	1	-	1	-	-	-
Male.....	8	-	-	-	-	-	1	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,388	-	-	-	-	4	4	1	16	18	27	51
Male.....	874	-	-	-	-	3	2	1	11	13	21	47
Female.....	514	-	-	-	-	1	2	-	5	5	6	4
White, both sexes.....	1,175	-	-	-	-	3	3	1	14	16	19	38
Male.....	738	-	-	-	-	2	1	1	10	12	16	35
Female.....	437	-	-	-	-	1	2	-	4	4	3	3
Black, both sexes.....	97	-	-	-	-	-	-	-	1	-	7	6
Male.....	55	-	-	-	-	-	-	-	-	-	5	5
Female.....	42	-	-	-	-	-	-	-	1	-	2	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	115	-	-	-	-	1	1	-	1	2	1	7
Male.....	80	-	-	-	-	1	1	-	1	1	-	7
Female.....	35	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Aortic aneurysm and dissection (I71)												
Alaska												
All races, both sexes.....	-	1	3	2	4	2	3	-	1	-	-	-
Male.....	-	1	2	2	3	-	1	-	-	-	-	-
Female.....	-	-	1	-	1	2	2	-	1	-	-	-
White, both sexes.....	-	1	3	2	3	2	3	-	-	-	-	-
Male.....	-	1	2	2	2	-	1	-	-	-	-	-
Female.....	-	-	1	-	1	2	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	1	14	8	27	46	54	50	32	15	5	-	-
Male.....	1	12	4	22	32	29	30	18	6	3	-	-
Female.....	-	2	4	5	14	25	20	14	9	2	-	-
White, both sexes.....	1	12	7	27	45	52	47	31	15	4	-	-
Male.....	1	11	4	22	32	28	29	17	6	2	-	-
Female.....	-	1	3	5	13	24	18	14	9	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	1	-	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	2	-	-	-	-	-
Male.....	-	1	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Aortic aneurysm and dissection (I71)												
Arkansas												
All races, both sexes.....	3	6	9	23	18	31	27	35	12	5	-	-
Male.....	2	6	7	19	12	22	14	17	7	1	-	-
Female.....	1	-	2	4	6	9	13	18	5	4	-	-
White, both sexes.....	2	6	9	22	15	30	27	33	11	5	-	-
Male.....	1	6	7	18	9	22	14	16	6	1	-	-
Female.....	1	-	2	4	6	8	13	17	5	4	-	-
Black, both sexes.....	1	-	-	1	3	1	-	2	-	-	-	-
Male.....	1	-	-	1	3	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	42	69	76	125	181	262	232	196	67	16	1	-
Male.....	32	55	47	99	111	154	135	112	25	6	-	-
Female.....	10	14	29	26	70	108	97	84	42	10	1	-
White, both sexes.....	28	53	60	110	151	225	209	169	60	15	1	-
Male.....	23	41	36	87	92	132	122	99	23	6	-	-
Female.....	5	12	24	23	59	93	87	70	37	9	1	-
Black, both sexes.....	12	10	9	5	12	18	7	8	1	1	-	-
Male.....	8	9	4	2	7	10	4	1	-	-	-	-
Female.....	4	1	5	3	5	8	3	7	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	6	7	9	18	19	16	19	6	-	-	-
Male.....	1	5	7	9	12	12	9	12	2	-	-	-
Female.....	1	1	-	-	6	7	7	7	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Aortic aneurysm and dissection (I71)												
Florida												
All races, both sexes.....	20	48	71	99	161	212	195	156	76	19	1	-
Male.....	15	39	54	68	103	137	111	88	36	5	-	-
Female.....	5	9	17	31	58	75	84	68	40	14	1	-
White, both sexes.....	18	40	61	93	152	201	188	152	72	19	1	-
Male.....	13	33	48	63	96	131	109	86	33	5	-	-
Female.....	5	7	13	30	56	70	79	66	39	14	1	-
Black, both sexes.....	2	8	9	5	8	11	7	4	4	-	-	-
Male.....	2	6	5	5	6	6	2	2	3	-	-	-
Female.....	-	2	4	-	2	5	5	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Georgia												
All races, both sexes.....	13	34	25	36	57	47	59	40	13	4	1	-
Male.....	10	29	17	25	40	30	30	15	7	2	-	-
Female.....	3	5	8	11	17	17	29	25	6	2	1	-
White, both sexes.....	9	23	19	31	44	42	53	33	9	3	-	-
Male.....	8	18	13	21	33	29	29	15	5	2	-	-
Female.....	1	5	6	10	11	13	24	18	4	1	-	-
Black, both sexes.....	4	11	6	5	11	5	6	6	4	1	1	-
Male.....	2	11	4	4	5	1	1	-	2	-	-	-
Female.....	2	-	2	1	6	4	5	6	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	1	-	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Aortic aneurysm and dissection (I71)												
Maine												
All races, both sexes.....	1	2	5	10	10	16	21	20	11	4	-	-
Male.....	1	2	4	9	7	9	11	8	2	1	-	-
Female.....	-	-	1	1	3	7	10	12	9	3	-	-
White, both sexes.....	1	2	5	10	10	16	21	20	11	4	-	-
Male.....	1	2	4	9	7	9	11	8	2	1	-	-
Female.....	-	-	1	1	3	7	10	12	9	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	8	16	17	25	39	51	45	35	12	1	-	-
Male.....	5	13	15	16	24	34	26	12	5	-	-	-
Female.....	3	3	2	9	15	17	19	23	7	1	-	-
White, both sexes.....	3	11	12	21	29	43	37	30	10	1	-	-
Male.....	2	9	10	14	21	32	21	11	5	-	-	-
Female.....	1	2	2	7	8	11	16	19	5	1	-	-
Black, both sexes.....	5	4	5	4	9	8	8	4	2	-	-	-
Male.....	3	3	5	2	3	2	5	1	-	-	-	-
Female.....	2	1	-	2	6	6	3	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Aortic aneurysm and dissection (I71)												
New Hampshire												
All races, both sexes.....	-	4	4	5	9	13	14	13	10	1	-	-
Male.....	-	2	3	4	7	7	7	8	4	1	-	-
Female.....	-	2	1	1	2	6	7	5	6	-	-	-
White, both sexes.....	-	4	4	5	9	13	14	13	10	1	-	-
Male.....	-	2	3	4	7	7	7	8	4	1	-	-
Female.....	-	2	1	1	2	6	7	5	6	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	10	19	28	42	59	95	81	66	27	6	-	-
Male.....	9	13	20	33	35	63	39	32	11	2	-	-
Female.....	1	6	8	9	24	32	42	34	16	4	-	-
White, both sexes.....	10	16	22	37	54	88	74	61	26	5	-	-
Male.....	9	10	16	30	31	62	37	31	10	2	-	-
Female.....	1	6	6	7	23	26	37	30	16	3	-	-
Black, both sexes.....	-	3	5	4	4	6	7	5	1	1	-	-
Male.....	-	3	3	3	3	1	2	1	1	-	-	-
Female.....	-	-	2	1	1	5	5	4	-	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Aortic aneurysm and dissection (I71)												
New Mexico												
All races, both sexes.....	1	6	5	5	8	7	18	10	1	-	-	-
Male.....	-	5	2	2	6	4	7	7	-	-	-	-
Female.....	1	1	3	3	2	3	11	3	1	-	-	-
White, both sexes.....	1	6	5	5	8	7	17	10	1	-	-	-
Male.....	-	5	2	2	6	4	6	7	-	-	-	-
Female.....	1	1	3	3	2	3	11	3	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	27	39	64	84	129	179	152	124	48	21	3	-
Male.....	20	29	50	62	83	100	76	58	20	10	1	-
Female.....	7	10	14	22	46	79	76	66	28	11	2	-
White, both sexes.....	21	29	57	80	114	159	143	116	48	20	3	-
Male.....	16	24	44	61	74	87	72	55	20	10	1	-
Female.....	5	5	13	19	40	72	71	61	28	10	2	-
Black, both sexes.....	5	9	6	4	10	17	7	7	-	1	-	-
Male.....	3	4	5	1	4	10	2	3	-	-	-	-
Female.....	2	5	1	3	6	7	5	4	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	5	3	2	1	-	-	-	-
Male.....	1	1	1	-	5	3	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Aortic aneurysm and dissection (I71)

Oregon

All races, both sexes.....	4	8	14	19	25	30	42	36	9	3	-	-
Male.....	4	5	11	14	14	19	27	26	5	1	-	-
Female.....	-	3	3	5	11	11	15	10	4	2	-	-
White, both sexes.....	3	6	13	17	24	30	41	36	9	3	-	-
Male.....	3	3	11	13	14	19	27	26	5	1	-	-
Female.....	-	3	2	4	10	11	14	10	4	2	-	-
Black, both sexes.....	-	1	-	2	-	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	17	29	38	62	127	164	172	135	56	16	2	-
Male.....	12	23	26	47	70	87	82	58	23	3	1	-
Female.....	5	6	12	15	57	77	90	77	33	13	1	-
White, both sexes.....	10	25	34	59	119	160	162	131	52	15	1	-
Male.....	7	21	25	45	68	85	82	58	22	3	1	-
Female.....	3	4	9	14	51	75	80	73	30	12	-	-
Black, both sexes.....	5	4	2	3	8	3	10	4	3	1	1	-
Male.....	4	2	1	2	2	2	-	-	1	-	-	-
Female.....	1	2	1	1	6	1	10	4	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	2	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Aortic aneurysm and dissection (I71)												
Vermont												
All races, both sexes.....	2	-	1	5	8	7	13	4	4	2	-	-
Male.....	2	-	1	4	5	2	6	3	2	-	-	-
Female.....	-	-	-	1	3	5	7	1	2	2	-	-
White, both sexes.....	2	-	1	5	8	7	13	4	4	2	-	-
Male.....	2	-	1	4	5	2	6	3	2	-	-	-
Female.....	-	-	-	1	3	5	7	1	2	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	4	8	16	29	45	72	71	51	28	7	2	-
Male.....	3	6	13	16	27	40	35	26	8	1	-	-
Female.....	1	2	3	13	18	32	36	25	20	6	2	-
White, both sexes.....	2	6	10	25	39	63	63	49	22	5	2	-
Male.....	2	5	7	16	23	36	30	25	8	1	-	-
Female.....	-	1	3	9	16	27	33	24	14	4	2	-
Black, both sexes.....	2	2	6	3	6	9	8	2	5	2	-	-
Male.....	1	1	6	-	4	4	5	1	-	-	-	-
Female.....	1	1	-	3	2	5	3	1	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of arteries, arterioles and capillaries (I72-I78)												
Arkansas												
All races, both sexes.....	128	-	1	-	-	1	-	-	-	-	1	-
Male.....	53	-	1	-	-	-	-	-	-	-	1	-
Female.....	75	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	111	-	1	-	-	1	-	-	-	-	1	-
Male.....	44	-	1	-	-	-	-	-	-	-	1	-
Female.....	67	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	16	-	-	-	-	-	-	-	-	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	768	1	-	-	1	1	3	-	2	5	10	14
Male.....	325	-	-	-	1	1	3	-	-	2	3	8
Female.....	443	1	-	-	-	-	-	-	2	3	7	6
White, both sexes.....	639	1	-	-	-	-	2	-	2	2	8	10
Male.....	264	-	-	-	-	-	2	-	-	1	3	6
Female.....	375	1	-	-	-	-	-	-	2	1	5	4
Black, both sexes.....	73	-	-	-	-	-	1	-	-	1	1	3
Male.....	29	-	-	-	-	-	1	-	-	-	-	1
Female.....	44	-	-	-	-	-	-	-	-	1	1	2
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	1	-	-
Male.....	6	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	48	-	-	-	1	1	-	-	-	1	1	1
Male.....	26	-	-	-	1	1	-	-	-	-	-	1
Female.....	22	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other diseases of arteries, arterioles and capillaries (I72-I78)

New Hampshire

All races, both sexes.....	44	-	-	-	-	-	-	-	-	-	-	-
Male.....	15	-	-	-	-	-	-	-	-	-	-	-
Female.....	29	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	44	-	-	-	-	-	-	-	-	-	-	-
Male.....	15	-	-	-	-	-	-	-	-	-	-	-
Female.....	29	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	342	-	-	-	-	-	1	1	1	1	4	1
Male.....	137	-	-	-	-	-	-	-	-	-	3	1
Female.....	205	-	-	-	-	-	1	1	1	1	1	-
White, both sexes.....	287	-	-	-	-	-	-	1	-	1	2	-
Male.....	115	-	-	-	-	-	-	-	-	-	1	-
Female.....	172	-	-	-	-	-	-	1	-	1	1	-
Black, both sexes.....	51	-	-	-	-	-	1	-	-	-	2	1
Male.....	21	-	-	-	-	-	-	-	-	-	2	1
Female.....	30	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of arteries, arterioles and capillaries (I72-I78)												
New Mexico												
All races, both sexes.....	49	1	-	-	-	1	-	-	-	-	1	-
Male.....	21	-	-	-	-	1	-	-	-	-	1	-
Female.....	28	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	45	1	-	-	-	1	-	-	-	-	1	-
Male.....	20	-	-	-	-	1	-	-	-	-	1	-
Female.....	25	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	491	-	-	-	1	-	1	1	2	2	5	8
Male.....	175	-	-	-	-	-	1	-	1	-	2	2
Female.....	316	-	-	-	1	-	-	1	1	2	3	6
White, both sexes.....	419	-	-	-	-	-	-	-	1	1	1	4
Male.....	155	-	-	-	-	-	-	-	-	-	1	2
Female.....	264	-	-	-	-	-	-	-	1	1	-	2
Black, both sexes.....	69	-	-	-	1	-	1	1	1	-	4	4
Male.....	19	-	-	-	-	-	1	-	1	-	1	-
Female.....	50	-	-	-	1	-	-	1	-	-	3	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of arteries, arterioles and capillaries (I72-I78)

Arkansas

All races, both sexes.....	3	1	10	14	12	17	22	18	19	7	2	-
Male.....	2	-	6	7	4	11	8	8	4	1	-	-
Female.....	1	1	4	7	8	6	14	10	15	6	2	-
White, both sexes.....	2	1	7	12	10	16	20	18	15	5	2	-
Male.....	1	-	4	5	3	10	8	8	2	1	-	-
Female.....	1	1	3	7	7	6	12	10	13	4	2	-
Black, both sexes.....	1	-	2	2	2	1	2	-	4	2	-	-
Male.....	1	-	1	2	1	1	-	-	2	-	-	-
Female.....	-	-	1	-	1	-	2	-	2	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	18	34	36	54	66	109	141	141	100	25	7	-
Male.....	12	15	21	27	31	51	61	49	35	4	1	-
Female.....	6	19	15	27	35	58	80	92	65	21	6	-
White, both sexes.....	11	26	32	45	57	92	119	122	85	22	3	-
Male.....	6	12	17	22	28	43	50	40	30	4	-	-
Female.....	5	14	15	23	29	49	69	82	55	18	3	-
Black, both sexes.....	3	6	1	6	6	11	11	11	7	3	2	-
Male.....	2	2	1	4	2	5	4	5	1	-	1	-
Female.....	1	4	-	2	4	6	7	6	6	3	1	-
American Indian 1/, both sexes.....	2	1	1	-	-	1	1	1	-	-	-	-
Male.....	2	1	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	3	3	5	10	7	8	-	2	-
Male.....	2	-	2	1	1	3	7	3	4	-	-	-
Female.....	-	1	-	2	2	2	3	4	4	-	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of arteries, arterioles and capillaries (I72-I78)

Nebraska

All races, both sexes.....	3	1	4	5	7	8	6	5	8	3	-	-
Male.....	-	-	1	2	5	4	4	2	4	1	-	-
Female.....	3	1	3	3	2	4	2	3	4	2	-	-
White, both sexes.....	3	1	4	5	7	7	6	5	8	3	-	-
Male.....	-	-	1	2	5	3	4	2	4	1	-	-
Female.....	3	1	3	3	2	4	2	3	4	2	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	2	-	3	6	6	22	6	8	8	3	-	-
Male.....	1	-	1	3	5	12	2	2	3	1	-	-
Female.....	1	-	2	3	1	10	4	6	5	2	-	-
White, both sexes.....	2	-	3	4	4	22	5	8	8	2	-	-
Male.....	1	-	1	2	4	12	1	2	3	-	-	-
Female.....	1	-	2	2	-	10	4	6	5	2	-	-
Black, both sexes.....	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	1	-	-
Male.....	-	-	-	1	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of arteries, arterioles and capillaries (I72-I78)												
New Hampshire												
All races, both sexes.....	-	-	-	3	4	7	7	10	9	3	1	-
Male.....	-	-	-	1	1	4	3	3	3	-	-	-
Female.....	-	-	-	2	3	3	4	7	6	3	1	-
White, both sexes.....	-	-	-	3	4	7	7	10	9	3	1	-
Male.....	-	-	-	1	1	4	3	3	3	-	-	-
Female.....	-	-	-	2	3	3	4	7	6	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	7	12	20	31	23	62	69	59	38	9	3	-
Male.....	5	6	12	19	10	31	26	16	8	-	-	-
Female.....	2	6	8	12	13	31	43	43	30	9	3	-
White, both sexes.....	4	8	15	24	20	52	61	53	35	8	3	-
Male.....	3	4	11	14	9	26	25	14	8	-	-	-
Female.....	1	4	4	10	11	26	36	39	27	8	3	-
Black, both sexes.....	3	4	5	7	2	9	7	6	3	1	-	-
Male.....	2	2	1	5	1	4	1	2	-	-	-	-
Female.....	1	2	4	2	1	5	6	4	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other disorders of circulatory system (I80-I99)												
Arkansas												
All races, both sexes.....	4	4	4	3	4	6	5	6	6	3	-	-
Male.....	1	3	3	3	1	4	3	3	3	-	-	-
Female.....	3	1	1	-	3	2	2	3	3	3	-	-
White, both sexes.....	4	2	3	2	4	6	5	5	6	3	-	-
Male.....	1	1	2	2	1	4	3	3	3	-	-	-
Female.....	3	1	1	-	3	2	2	2	3	3	-	-
Black, both sexes.....	-	2	1	1	-	-	-	1	-	-	-	-
Male.....	-	2	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	31	47	40	26	45	54	77	77	26	7	2	-
Male.....	21	26	18	14	22	26	32	22	6	1	-	-
Female.....	10	21	22	12	23	28	45	55	20	6	2	-
White, both sexes.....	26	40	32	24	36	48	68	73	25	7	1	-
Male.....	19	20	17	12	18	25	29	20	5	1	-	-
Female.....	7	20	15	12	18	23	39	53	20	6	1	-
Black, both sexes.....	5	6	5	2	6	6	7	2	-	-	1	-
Male.....	2	5	-	2	4	1	3	1	-	-	-	-
Female.....	3	1	5	-	2	5	4	1	-	-	1	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	3	-	2	2	1	-	-	-
Male.....	-	-	1	-	-	-	-	1	1	-	-	-
Female.....	-	-	1	-	3	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other disorders of circulatory system (I80-I99)

Kentucky

All races, both sexes.....	7	3	4	3	6	12	12	8	8	1	-	-
Male.....	4	2	-	1	3	5	6	3	4	1	-	-
Female.....	3	1	4	2	3	7	6	5	4	-	-	-
White, both sexes.....	7	2	4	3	6	10	11	8	8	1	-	-
Male.....	4	2	-	1	3	5	5	3	4	1	-	-
Female.....	3	-	4	2	3	5	6	5	4	-	-	-
Black, both sexes.....	-	1	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	4	3	5	5	5	14	15	8	4	3	-	-
Male.....	1	3	3	2	1	7	4	4	1	-	-	-
Female.....	3	-	2	3	4	7	11	4	3	3	-	-
White, both sexes.....	1	3	4	4	4	8	13	6	2	2	-	-
Male.....	1	3	2	2	1	2	3	3	-	-	-	-
Female.....	-	-	2	2	3	6	10	3	2	2	-	-
Black, both sexes.....	3	-	1	1	1	5	2	2	2	1	-	-
Male.....	-	-	1	-	-	5	1	1	1	-	-	-
Female.....	3	-	-	1	1	-	1	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other disorders of circulatory system (I80-I99)

Vermont

All races, both sexes.....	1	1	-	-	2	2	-	1	1	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	1	1	-	-	-
White, both sexes.....	1	1	-	-	2	2	-	1	1	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	3	6	8	8	11	13	15	17	10	5	1	-
Male.....	2	5	4	3	7	6	5	6	2	2	-	-
Female.....	1	1	4	5	4	7	10	11	8	3	1	-
White, both sexes.....	3	3	4	7	9	11	11	12	9	5	1	-
Male.....	2	2	2	2	6	6	3	4	2	2	-	-
Female.....	1	1	2	5	3	5	8	8	7	3	1	-
Black, both sexes.....	-	3	4	1	2	2	4	4	1	-	-	-
Male.....	-	3	2	1	1	-	2	2	-	-	-	-
Female.....	-	-	2	-	1	2	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
Arkansas												
All races, both sexes.....	3	2	3	3	3	5	3	4	4	2	-	-
Male.....	-	1	2	3	-	4	2	1	2	-	-	-
Female.....	3	1	1	-	3	1	1	3	2	2	-	-
White, both sexes.....	3	1	2	2	3	5	3	3	4	2	-	-
Male.....	-	-	1	2	-	4	2	1	2	-	-	-
Female.....	3	1	1	-	3	1	1	2	2	2	-	-
Black, both sexes.....	-	1	1	1	-	-	-	1	-	-	-	-
Male.....	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	27	44	32	24	36	45	70	68	25	4	2	-
Male.....	17	23	15	13	16	22	28	20	6	-	-	-
Female.....	10	21	17	11	20	23	42	48	19	4	2	-
White, both sexes.....	22	37	26	22	29	40	62	65	24	4	1	-
Male.....	15	17	14	11	13	21	25	18	5	-	-	-
Female.....	7	20	12	11	16	19	37	47	19	4	1	-
Black, both sexes.....	5	6	4	2	5	5	6	2	-	-	1	-
Male.....	2	5	-	2	3	1	3	1	-	-	-	-
Female.....	3	1	4	-	2	4	3	1	-	-	1	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	-	2	1	1	-	-	-
Male.....	-	-	1	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	2	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
Vermont												
All races, both sexes.....	1	1	-	-	2	2	-	1	-	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	1	-	-	-	-
White, both sexes.....	1	1	-	-	2	2	-	1	-	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	1	5	6	7	8	7	9	14	9	2	1	-
Male.....	1	4	3	2	4	2	2	4	2	1	-	-
Female.....	-	1	3	5	4	5	7	10	7	1	1	-
White, both sexes.....	1	3	3	7	7	5	8	10	8	2	1	-
Male.....	1	2	2	2	4	2	2	3	2	1	-	-
Female.....	-	1	1	5	3	3	6	7	6	1	1	-
Black, both sexes.....	-	2	3	-	1	2	1	3	1	-	-	-
Male.....	-	2	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	2	-	1	2	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other and unspecified disorders of circulatory system (I83-I99)												
Arkansas												
All races, both sexes.....	1	2	1	-	1	1	2	2	2	1	-	-
Male.....	1	2	1	-	1	-	1	2	1	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	1	-	-
White, both sexes.....	1	1	1	-	1	1	2	2	2	1	-	-
Male.....	1	1	1	-	1	-	1	2	1	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	1	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	4	3	8	2	9	9	7	9	1	3	-	-
Male.....	4	3	3	1	6	4	4	2	-	1	-	-
Female.....	-	-	5	1	3	5	3	7	1	2	-	-
White, both sexes.....	4	3	6	2	7	8	6	8	1	3	-	-
Male.....	4	3	3	1	5	4	4	2	-	1	-	-
Female.....	-	-	3	1	2	4	2	6	1	2	-	-
Black, both sexes.....	-	-	1	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and unspecified disorders of circulatory system (I83-I99)

Kentucky

All races, both sexes.....	2	-	1	1	2	6	4	3	1	1	-	-
Male.....	2	-	-	1	1	4	2	1	1	1	-	-
Female.....	-	-	1	-	1	2	2	2	-	-	-	-
White, both sexes.....	2	-	1	1	2	6	4	3	1	1	-	-
Male.....	2	-	-	1	1	4	2	1	1	1	-	-
Female.....	-	-	1	-	1	2	2	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	2	-	2	1	1	6	5	2	-	2	-	-
Male.....	1	-	1	-	-	4	2	2	-	-	-	-
Female.....	1	-	1	1	1	2	3	-	-	2	-	-
White, both sexes.....	1	-	2	1	1	1	4	2	-	1	-	-
Male.....	1	-	1	-	-	-	1	2	-	-	-	-
Female.....	-	-	1	1	1	1	3	-	-	1	-	-
Black, both sexes.....	1	-	-	-	-	4	1	-	-	1	-	-
Male.....	-	-	-	-	-	4	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

