

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Extradural and subdural abscess, unspecified (G06.2)															
All ages.....	95	53	42	79	45	34	15	7	8	1	1	-	-	-	-
Under 1 year.....	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	3	2	1	2	1	1	1	1	-	-	-	-	-	-	-
45-49 years.....	4	2	2	4	2	2	-	4	-	-	-	-	-	-	-
50-54 years.....	6	3	3	4	3	1	2	-	2	-	-	-	-	-	-
55-59 years.....	13	8	5	10	6	4	3	2	1	-	-	-	-	-	-
60-64 years.....	10	7	3	8	6	2	2	1	1	-	-	-	-	-	-
65-69 years.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
70-74 years.....	12	4	8	11	4	7	1	-	1	-	-	-	-	-	-
75-79 years.....	17	10	7	14	10	4	3	-	3	-	-	-	-	-	-
80-84 years.....	12	7	5	10	5	5	2	2	-	-	-	-	-	-	-
85-89 years.....	8	3	5	7	2	5	1	1	-	-	-	-	-	-	-
90-94 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races						White		Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes				
	Both sexes		Male		Female		Both sexes		Male		Female		Both sexes		Male		Female	
Alzheimer's disease, unspecified (G30.9)																		
All ages.....	63,579	18,374	45,205	58,826	17,031	41,795	4,119	1,123	2,996	108	32	76	526	188	338			
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	6	3	3	5	2	3	1	1	-	-	-	-	-	-	-	-	-	-
45-49 years.....	35	8	27	35	8	27	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	63	29	34	59	28	31	4	1	3	-	-	-	-	-	-	-	-	-
55-59 years.....	146	64	82	136	61	75	9	2	7	-	-	-	1	1	-	-	-	-
60-64 years.....	379	184	195	344	166	178	26	13	13	2	2	-	7	3	4			
65-69 years.....	983	423	560	876	380	496	96	38	58	2	1	1	9	4	5			
70-74 years.....	2,559	1,089	1,470	2,296	977	1,319	230	97	133	9	5	4	24	10	14			
75-79 years.....	7,146	2,682	4,464	6,514	2,458	4,056	554	195	359	13	2	11	65	27	38			
80-84 years.....	14,013	4,843	9,170	12,934	4,509	8,425	930	285	645	29	12	17	120	37	83			
85-89 years.....	17,670	5,118	12,552	16,520	4,801	11,719	992	263	729	22	5	17	136	49	87			
90-94 years.....	13,967	2,996	10,971	13,021	2,782	10,239	821	169	652	18	3	15	107	42	65			
95-99 years.....	5,591	847	4,744	5,183	786	4,397	355	47	308	7	1	6	46	13	33			
100 years & over.	1,018	86	932	900	71	829	101	12	89	6	1	5	11	2	9			
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Status epilepticus, unspecified (G41.9)															
All ages.....	499	236	263	349	163	186	135	65	70	9	6	3	6	2	4
Under 1 year.....	7	5	2	6	4	2	1	1	-	-	-	-	-	-	-
1-4 years.....	10	5	5	7	4	3	3	1	2	-	-	-	-	-	-
5-9 years.....	6	4	2	3	3	-	3	1	2	-	-	-	-	-	-
10-14 years.....	12	4	8	9	2	7	2	1	1	1	1	-	-	-	-
15-19 years.....	7	4	3	5	3	2	1	-	1	-	-	-	1	1	-
20-24 years.....	8	3	5	4	-	4	4	3	1	-	-	-	-	-	-
25-29 years.....	19	13	6	16	12	4	2	1	1	-	-	-	1	-	1
30-34 years.....	23	14	9	12	9	3	11	5	6	-	-	-	-	-	-
35-39 years.....	23	15	8	16	12	4	6	3	3	1	-	1	-	-	-
40-44 years.....	42	28	14	27	17	10	12	9	3	2	1	1	1	1	-
45-49 years.....	31	17	14	25	13	12	5	3	2	1	1	-	-	-	-
50-54 years.....	40	29	11	28	19	9	11	10	1	1	-	1	-	-	-
55-59 years.....	31	18	13	18	7	11	12	10	2	1	1	-	-	-	-
60-64 years.....	38	8	30	24	6	18	12	2	10	-	-	-	2	-	2
65-69 years.....	39	17	22	28	11	17	11	6	5	-	-	-	-	-	-
70-74 years.....	28	8	20	21	7	14	7	1	6	-	-	-	-	-	-
75-79 years.....	50	17	33	32	11	21	16	4	12	2	2	-	-	-	-
80-84 years.....	43	12	31	37	10	27	6	2	4	-	-	-	-	-	-
85-89 years.....	27	11	16	21	9	12	5	2	3	-	-	-	1	-	1
90-94 years.....	12	4	8	10	4	6	2	-	2	-	-	-	-	-	-
95-99 years.....	3	-	3	-	-	-	3	-	3	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Infantile cerebral palsy (G80)																
All ages.....	1,417	801	616	1,097	625	472	288	159	129	13	5	8	19	12	7	
Under 1 year.....	12	5	7	8	5	3	3	-	3	1	-	1	-	-	-	
1-4 years.....	74	33	41	41	19	22	29	12	17	2	1	1	2	1	1	
5-9 years.....	93	52	41	62	39	23	29	12	17	1	-	1	1	1	-	
10-14 years.....	138	80	58	95	56	39	36	21	15	3	1	2	4	2	2	
15-19 years.....	163	109	54	111	72	39	45	33	12	1	-	1	6	4	2	
20-24 years.....	153	91	62	109	66	43	42	23	19	1	1	-	1	1	-	
25-29 years.....	113	70	43	91	60	31	21	9	12	1	1	-	-	-	-	
30-34 years.....	70	36	34	52	26	26	17	9	8	-	-	-	1	1	-	
35-39 years.....	66	31	35	53	24	29	11	6	5	1	-	1	1	1	-	
40-44 years.....	60	28	32	47	21	26	10	6	4	-	-	-	3	1	2	
45-49 years.....	71	35	36	64	30	34	7	5	2	-	-	-	-	-	-	
50-54 years.....	84	45	39	70	38	32	14	7	7	-	-	-	-	-	-	
55-59 years.....	74	36	38	68	35	33	5	1	4	1	-	1	-	-	-	
60-64 years.....	58	41	17	53	36	17	5	5	-	-	-	-	-	-	-	
65-69 years.....	47	31	16	41	27	14	6	4	2	-	-	-	-	-	-	
70-74 years.....	54	28	26	50	26	24	4	2	2	-	-	-	-	-	-	
75-79 years.....	48	28	20	44	24	20	4	4	-	-	-	-	-	-	-	
80-84 years.....	19	11	8	19	11	8	-	-	-	-	-	-	-	-	-	
85-89 years.....	16	10	6	16	10	6	-	-	-	-	-	-	-	-	-	
90-94 years.....	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-	
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated...	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes				
Infantile cerebral palsy, unspecified (G80.9)															
All ages.....	1,356	764	592	1,049	597	452	276	151	125	13	5	8	18	11	7
Under 1 year.....	12	5	7	8	5	3	3	-	3	1	-	1	-	-	-
1-4 years.....	72	33	39	40	19	21	28	12	16	2	1	1	2	1	1
5-9 years.....	92	51	41	61	38	23	29	12	17	1	-	1	1	1	-
10-14 years.....	133	78	55	90	54	36	36	21	15	3	1	2	4	2	2
15-19 years.....	152	102	50	105	70	35	41	29	12	1	-	1	5	3	2
20-24 years.....	140	82	58	101	61	40	37	19	18	1	1	-	1	1	-
25-29 years.....	109	68	41	87	58	29	21	9	12	1	1	-	-	-	-
30-34 years.....	66	34	32	48	24	24	17	9	8	-	-	-	1	1	-
35-39 years.....	65	31	34	53	24	29	10	6	4	1	-	1	1	1	-
40-44 years.....	51	23	28	38	16	22	10	6	4	-	-	-	3	1	2
45-49 years.....	71	35	36	64	30	34	7	5	2	-	-	-	-	-	-
50-54 years.....	81	42	39	67	35	32	14	7	7	-	-	-	-	-	-
55-59 years.....	73	35	38	67	34	33	5	1	4	1	-	1	-	-	-
60-64 years.....	55	39	16	50	34	16	5	5	-	-	-	-	-	-	-
65-69 years.....	46	31	15	41	27	14	5	4	1	-	-	-	-	-	-
70-74 years.....	54	28	26	50	26	24	4	2	2	-	-	-	-	-	-
75-79 years.....	47	27	20	43	23	20	4	4	-	-	-	-	-	-	-
80-84 years.....	18	10	8	18	10	8	-	-	-	-	-	-	-	-	-
85-89 years.....	15	9	6	15	9	6	-	-	-	-	-	-	-	-	-
90-94 years.....	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Disease of spinal cord, unspecified (G95.9)															
All ages.....	114	65	49	94	55	39	18	10	8	-	-	-	2	-	2
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	3	3	-	1	1	-	2	2	1	-	-	-	-	-	-
50-54 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
55-59 years.....	11	9	2	8	6	2	3	3	-	-	-	-	-	-	-
60-64 years.....	4	-	4	3	-	3	1	-	1	-	-	-	-	-	-
65-69 years.....	8	4	4	5	2	3	3	2	1	-	-	-	-	-	-
70-74 years.....	15	8	7	11	7	4	3	1	2	-	-	-	1	-	1
75-79 years.....	23	14	9	21	14	7	2	-	2	-	-	-	-	-	-
80-84 years.....	13	6	7	11	6	5	1	-	1	-	-	-	1	-	1
85-89 years.....	23	13	10	22	12	10	1	1	-	-	-	-	-	-	-
90-94 years.....	10	5	5	9	5	4	1	-	1	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes	sexes			
Rheumatic tricuspid valve diseases (I07)															
All ages.....	242	73	169	208	63	145	27	7	20	-	-	-	7	3	4
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
15-19 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
20-24 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
25-29 years.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
30-34 years.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
35-39 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
40-44 years.....	4	1	3	2	1	1	2	-	2	-	-	-	-	-	-
45-49 years.....	10	6	4	6	4	2	4	2	2	-	-	-	-	-	-
50-54 years.....	5	2	3	3	2	1	2	-	2	-	-	-	-	-	-
55-59 years.....	9	1	8	6	-	6	2	1	1	-	-	-	1	-	1
60-64 years.....	9	4	5	7	3	4	-	7	-	-	-	-	2	1	1
65-69 years.....	17	6	11	14	4	10	1	1	-	-	-	-	2	1	1
70-74 years.....	24	7	17	20	6	14	4	1	3	-	-	-	-	-	-
75-79 years.....	35	12	23	30	12	18	5	-	5	-	-	-	-	-	-
80-84 years.....	45	15	30	43	15	28	1	-	1	-	-	-	1	-	1
85-89 years.....	39	11	28	38	11	27	1	-	1	-	-	-	-	-	-
90-94 years.....	32	4	28	29	3	26	2	-	2	-	-	-	1	1	-
95-99 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes	sexes			
Disorders of both mitral and aortic valves (I08.0)															
All ages.....	716	261	455	658	237	421	43	20	23	3	-	3	12	4	8
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	4	2	2	2	-	2	1	1	-	-	-	-	1	1	-
30-34 years.....	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-
35-39 years.....	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-
40-44 years.....	11	5	6	8	4	4	3	1	2	-	-	-	-	-	-
45-49 years.....	10	5	5	7	4	3	3	1	2	-	-	-	-	-	-
50-54 years.....	19	11	8	17	9	8	2	2	-	-	-	-	-	-	-
55-59 years.....	24	12	12	15	7	8	8	5	3	1	-	1	-	-	-
60-64 years.....	26	10	16	24	9	15	2	1	1	-	-	-	-	-	-
65-69 years.....	49	27	22	41	24	17	6	3	3	-	-	-	2	-	2
70-74 years.....	63	19	44	58	18	40	5	1	4	-	-	-	-	-	-
75-79 years.....	108	45	63	100	43	57	3	1	2	1	-	1	4	1	3
80-84 years.....	143	64	79	139	61	78	2	2	-	-	-	-	2	1	1
85-89 years.....	143	35	108	138	33	105	4	1	3	-	-	-	1	1	-
90-94 years.....	82	17	65	78	17	61	2	-	2	-	-	-	2	-	2
95-99 years.....	25	5	20	25	5	20	-	-	-	-	-	-	-	-	-
100 years & over.	5	1	4	4	1	3	1	-	1	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Essential (primary) hypertension (I10)															
All ages.....	13,456	4,691	8,765	11,020	3,753	7,267	2,108	807	1,301	54	24	30	274	107	167
Under 1 year.....	2	1	1	-	-	-	2	1	1	-	-	-	-	-	-
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	2	1	1	-	-	-	1	1	-	1	-	1	-	-	-
20-24 years.....	5	3	2	4	3	1	1	-	1	-	-	-	-	-	-
25-29 years.....	6	3	3	2	-	2	4	3	1	-	-	-	-	-	-
30-34 years.....	20	11	9	8	5	3	12	6	6	-	-	-	-	-	-
35-39 years.....	41	32	9	23	18	5	16	13	3	1	1	-	1	-	1
40-44 years.....	109	69	40	68	46	22	39	21	18	1	1	-	1	1	-
45-49 years.....	268	161	107	156	106	50	102	48	54	4	3	1	6	4	2
50-54 years.....	391	262	129	258	182	76	121	71	50	2	-	2	10	9	1
55-59 years.....	459	259	200	302	174	128	142	77	65	5	2	3	10	6	4
60-64 years.....	584	353	231	429	272	157	140	74	66	3	2	1	12	5	7
65-69 years.....	690	390	300	508	296	212	160	80	80	6	4	2	16	10	6
70-74 years.....	984	451	533	766	355	411	191	82	109	5	5	-	22	9	13
75-79 years.....	1,538	641	897	1,241	511	730	263	117	146	3	-	3	31	13	18
80-84 years.....	2,163	748	1,415	1,843	641	1,202	262	87	175	12	4	8	46	16	30
85-89 years.....	2,544	693	1,851	2,225	612	1,613	263	65	198	3	-	3	53	16	37
90-94 years.....	2,225	423	1,802	1,937	374	1,563	245	34	211	4	1	3	39	14	25
95-99 years.....	1,118	160	958	999	132	867	99	24	75	2	1	1	18	3	15
100 years & over.	304	28	276	249	25	224	44	2	42	2	-	2	9	1	8
Age not stated...	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Acute myocardial infarction (I21)															
All ages.....	156,800	82,899	73,901	137,630	73,440	64,190	16,204	7,810	8,394	634	359	275	2,332	1,290	1,042
Under 1 year.....	9	7	2	6	5	1	2	2	-	1	-	1	-	-	-
1-4 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
5-9 years.....	3	2	1	1	1	-	2	1	1	-	-	-	-	-	-
10-14 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
15-19 years.....	7	5	2	3	2	1	3	3	-	-	-	-	1	-	1
20-24 years.....	44	34	10	24	19	5	18	14	4	-	-	-	2	1	1
25-29 years.....	120	80	40	82	56	26	32	18	14	3	3	-	3	3	-
30-34 years.....	327	242	85	255	199	56	62	36	26	4	3	1	6	4	2
35-39 years.....	796	598	198	636	479	157	138	102	36	8	5	3	14	12	2
40-44 years.....	2,042	1,515	527	1,633	1,267	366	364	212	152	18	13	5	27	23	4
45-49 years.....	3,916	2,988	928	3,161	2,472	689	675	455	220	33	23	10	47	38	9
50-54 years.....	6,167	4,643	1,524	4,964	3,856	1,108	1,067	690	377	41	27	14	95	70	25
55-59 years.....	8,343	6,105	2,238	6,911	5,174	1,737	1,264	794	470	49	40	9	119	97	22
60-64 years.....	10,412	7,235	3,177	8,829	6,297	2,532	1,377	803	574	63	36	27	143	99	44
65-69 years.....	12,355	8,016	4,339	10,404	6,898	3,506	1,638	921	717	87	60	27	226	137	89
70-74 years.....	15,969	9,640	6,329	13,718	8,445	5,273	1,908	997	911	79	49	30	264	149	115
75-79 years.....	21,571	11,986	9,585	19,119	10,865	8,254	2,074	922	1,152	59	30	29	319	169	150
80-84 years.....	26,460	12,903	13,557	23,894	11,833	12,061	2,104	824	1,280	67	35	32	395	211	184
85-89 years.....	24,512	9,983	14,529	22,418	9,230	13,188	1,677	589	1,088	71	21	50	346	143	203
90-94 years.....	16,521	5,285	11,236	15,119	4,887	10,232	1,128	287	841	40	13	27	234	98	136
95-99 years.....	5,939	1,393	4,546	5,360	1,255	4,105	494	107	387	9	1	8	76	30	46
100 years & over.	1,277	233	1,044	1,085	195	890	176	33	143	2	-	2	14	5	9
Age not stated...	6	4	2	4	3	1	1	-	1	-	-	-	1	1	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Acute myocardial infarction, unspecified (I21.9)															
All ages.....	156,501	82,750	73,751	137,363	73,307	64,056	16,182	7,798	8,384	633	358	275	2,323	1,287	1,036
Under 1 year.....	9	7	2	6	5	1	2	2	-	1	-	1	-	-	-
1-4 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
5-9 years.....	3	2	1	1	1	-	2	1	1	-	-	-	-	-	-
10-14 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
15-19 years.....	7	5	2	3	2	1	3	3	-	-	-	-	1	-	1
20-24 years.....	43	33	10	23	18	5	18	14	4	-	-	-	2	1	1
25-29 years.....	120	80	40	82	56	26	32	18	14	3	3	-	3	3	-
30-34 years.....	326	241	85	254	198	56	62	36	26	4	3	1	6	4	2
35-39 years.....	796	598	198	636	479	157	138	102	36	8	5	3	14	12	2
40-44 years.....	2,039	1,513	526	1,630	1,265	365	364	212	152	18	13	5	27	23	4
45-49 years.....	3,910	2,983	927	3,157	2,469	688	674	454	220	32	22	10	47	38	9
50-54 years.....	6,153	4,631	1,522	4,953	3,847	1,106	1,064	687	377	41	27	14	95	70	25
55-59 years.....	8,336	6,100	2,236	6,906	5,170	1,736	1,263	794	469	49	40	9	118	96	22
60-64 years.....	10,397	7,225	3,172	8,815	6,287	2,528	1,376	803	573	63	36	27	143	99	44
65-69 years.....	12,336	8,008	4,328	10,388	6,891	3,497	1,636	920	716	87	60	27	225	137	88
70-74 years.....	15,944	9,625	6,319	13,696	8,432	5,264	1,906	996	910	79	49	30	263	148	115
75-79 years.....	21,535	11,966	9,569	19,083	10,845	8,238	2,074	922	1,152	59	30	29	319	169	150
80-84 years.....	26,403	12,872	13,531	23,844	11,805	12,039	2,099	821	1,278	67	35	32	393	211	182
85-89 years.....	24,459	9,960	14,499	22,372	9,210	13,162	1,673	587	1,086	71	21	50	343	142	201
90-94 years.....	16,478	5,273	11,205	15,080	4,876	10,204	1,125	286	839	40	13	27	233	98	135
95-99 years.....	5,923	1,389	4,534	5,344	1,251	4,093	494	107	387	9	1	8	76	30	46
100 years & over.	1,274	233	1,041	1,082	195	887	176	33	143	2	-	2	14	5	9
Age not stated...	6	4	2	4	3	1	1	-	1	-	-	-	1	1	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes	sexes			
Acute ischemic heart disease, unspecified (I24.9)															
All ages.....	581	306	275	495	263	232	74	37	37	5	2	3	7	4	3
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
5-9 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	4	3	1	2	1	1	1	1	-	1	1	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-
35-39 years.....	4	2	2	2	1	1	1	1	-	1	-	1	-	-	-
40-44 years.....	15	7	8	11	6	5	4	1	3	-	-	-	-	-	-
45-49 years.....	14	7	7	9	5	4	4	1	3	-	-	-	1	1	-
50-54 years.....	27	20	7	19	14	5	8	6	2	-	-	-	-	-	-
55-59 years.....	40	26	14	33	24	9	5	1	4	1	-	1	1	1	-
60-64 years.....	46	26	20	35	21	14	11	5	6	-	-	-	-	-	-
65-69 years.....	42	29	13	36	24	12	6	5	1	-	-	-	-	-	-
70-74 years.....	46	25	21	37	19	18	6	4	2	1	1	-	2	1	1
75-79 years.....	98	48	50	84	42	42	11	5	6	1	-	1	2	1	1
80-84 years.....	100	56	44	92	52	40	7	4	3	-	-	-	1	-	1
85-89 years.....	67	34	33	62	32	30	5	2	3	-	-	-	-	-	-
90-94 years.....	43	12	31	42	11	31	1	1	-	-	-	-	-	-	-
95-99 years.....	22	7	15	19	7	12	3	-	3	-	-	-	-	-	-
100 years & over.	8	2	6	8	2	6	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races						White		Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
	Both sexes		Male	Female	Both sexes		Male	Female	Both sexes		Male	Female	Both sexes		Male	Female
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Chronic ischemic heart disease (I25)																
All ages.....	291,815	149,229	142,586	255,833	130,897	124,936	30,068	15,005	15,063	1,186	688	498	4,728	2,639	2,089	
Under 1 year.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-	
1-4 years.....	6	1	5	3	1	2	1	-	1	1	-	1	1	-	1	
5-9 years.....	4	2	2	3	2	1	1	-	1	-	-	-	-	-	-	
10-14 years.....	7	3	4	4	2	2	3	1	2	-	-	-	-	-	-	
15-19 years.....	16	14	2	10	9	1	5	4	1	-	-	-	1	1	-	
20-24 years.....	51	37	14	30	23	7	19	14	5	-	-	-	2	-	2	
25-29 years.....	169	124	45	116	91	25	45	26	19	6	5	1	2	2	-	
30-34 years.....	465	369	96	327	257	70	113	88	25	8	7	1	17	17	-	
35-39 years.....	1,166	856	310	907	677	230	214	138	76	12	11	1	33	30	3	
40-44 years.....	3,048	2,338	710	2,374	1,876	498	598	397	201	28	21	7	48	44	4	
45-49 years.....	5,729	4,397	1,332	4,441	3,512	929	1,117	743	374	47	33	14	124	109	15	
50-54 years.....	8,883	6,801	2,082	6,846	5,396	1,450	1,802	1,220	582	74	51	23	161	134	27	
55-59 years.....	11,899	8,760	3,139	9,405	7,090	2,315	2,164	1,422	742	95	69	26	235	179	56	
60-64 years.....	14,967	10,503	4,464	12,098	8,638	3,460	2,500	1,605	895	102	70	32	267	190	77	
65-69 years.....	18,366	12,241	6,125	14,983	10,217	4,766	2,887	1,695	1,192	120	85	35	376	244	132	
70-74 years.....	25,985	16,101	9,884	22,066	13,952	8,114	3,341	1,830	1,511	120	62	58	458	257	201	
75-79 years.....	38,378	22,120	16,258	33,613	19,683	13,930	3,966	1,981	1,985	158	93	65	641	363	278	
80-84 years.....	51,983	26,221	25,762	46,854	23,977	22,877	4,134	1,753	2,381	171	88	83	824	403	421	
85-89 years.....	51,681	21,718	29,963	47,495	20,191	27,304	3,265	1,107	2,158	125	60	65	796	360	436	
90-94 years.....	38,740	12,276	26,464	35,745	11,362	24,383	2,431	684	1,747	71	21	50	493	209	284	
95-99 years.....	16,447	3,737	12,710	15,116	3,424	11,692	1,093	224	869	40	11	29	198	78	120	
100 years & over.	3,803	591	3,212	3,382	505	2,877	362	66	296	8	1	7	51	19	32	
Age not stated...	19	18	1	12	11	1	7	7	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races						White		Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
	Both sexes	Male		Female		Both sexes	Male		Female		Both sexes	Male		Female		
		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female			
Atherosclerotic cardiovascular disease, so described (I25.0)																
All ages.....	63,661	34,574	29,087	52,585	28,370	24,215	9,666	5,331	4,335	331	207	124	1,079	666	413	
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1-4 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-19 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
20-24 years.....	8	7	1	6	5	1	2	2	-	-	-	-	-	-	-	
25-29 years.....	37	30	7	27	23	4	8	5	3	2	2	-	-	-	-	
30-34 years.....	156	127	29	105	84	21	41	34	7	3	2	1	7	7	-	
35-39 years.....	351	266	85	278	210	68	55	39	16	7	6	1	11	11	-	
40-44 years.....	1,112	877	235	860	703	157	222	148	74	7	5	2	23	21	2	
45-49 years.....	2,110	1,674	436	1,579	1,305	274	473	316	157	16	11	5	42	42	-	
50-54 years.....	3,555	2,821	734	2,663	2,191	472	795	551	244	30	21	9	67	58	9	
55-59 years.....	4,378	3,361	1,017	3,320	2,594	726	939	669	270	37	30	7	82	68	14	
60-64 years.....	4,919	3,503	1,416	3,788	2,720	1,068	995	684	311	33	23	10	103	76	27	
65-69 years.....	4,957	3,389	1,568	3,793	2,654	1,139	1,018	632	386	39	29	10	107	74	33	
70-74 years.....	5,873	3,657	2,216	4,694	2,984	1,710	1,062	609	453	27	11	16	90	53	37	
75-79 years.....	7,467	4,145	3,322	6,127	3,437	2,690	1,173	611	562	34	24	10	133	73	60	
80-84 years.....	9,263	4,461	4,802	8,005	3,889	4,116	1,084	489	595	37	19	18	137	64	73	
85-89 years.....	8,986	3,499	5,487	8,001	3,127	4,874	814	288	526	31	19	12	140	65	75	
90-94 years.....	6,723	1,977	4,746	6,012	1,769	4,243	603	168	435	18	2	16	90	38	52	
95-99 years.....	2,989	651	2,338	2,670	574	2,096	277	61	216	10	3	7	32	13	19	
100 years & over.	761	115	646	649	94	555	97	18	79	-	-	-	15	3	12	
Age not stated...	14	13	1	7	6	1	7	7	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Acute and subacute endocarditis (I33)															
All ages.....	1,196	659	537	957	536	421	204	104	100	13	5	8	22	14	8
Under 1 year.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
1-4 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
20-24 years.....	11	7	4	10	6	4	-	-	-	-	-	-	1	1	-
25-29 years.....	8	5	3	7	5	2	1	-	1	-	-	-	-	-	-
30-34 years.....	27	17	10	20	11	9	5	4	1	1	1	-	1	1	-
35-39 years.....	37	24	13	31	23	8	5	1	4	1	-	1	-	-	-
40-44 years.....	47	31	16	35	24	11	9	6	3	1	-	1	2	1	1
45-49 years.....	90	58	32	55	36	19	30	19	11	4	2	2	1	1	-
50-54 years.....	100	64	36	59	39	20	38	23	15	1	1	-	2	1	1
55-59 years.....	81	52	29	60	41	19	18	10	8	1	-	1	2	1	1
60-64 years.....	84	46	38	66	38	28	17	8	9	1	-	1	-	-	-
65-69 years.....	103	67	36	83	54	29	18	11	7	-	-	-	2	2	-
70-74 years.....	131	52	79	111	47	64	18	5	13	1	-	1	1	-	1
75-79 years.....	157	72	85	132	62	70	18	7	11	-	-	-	7	3	4
80-84 years.....	161	90	71	147	83	64	9	3	6	2	1	1	3	3	-
85-89 years.....	122	58	64	113	54	59	9	4	5	-	-	-	-	-	-
90-94 years.....	21	10	11	19	10	9	2	-	2	-	-	-	-	-	-
95-99 years.....	11	4	7	8	3	5	3	1	2	-	-	-	-	-	-
100 years & over.	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Acute and subacute infective endocarditis (I33.0)															
All ages.....	1,145	634	511	917	516	401	193	99	94	13	5	8	22	14	8
Under 1 year.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
1-4 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
20-24 years.....	11	7	4	10	6	4	-	-	-	-	-	-	1	1	-
25-29 years.....	8	5	3	7	5	2	1	-	1	-	-	-	-	-	-
30-34 years.....	25	16	9	19	11	8	4	3	1	1	1	-	1	1	-
35-39 years.....	36	23	13	30	22	8	5	1	4	1	-	1	-	-	-
40-44 years.....	46	30	16	34	23	11	9	6	3	1	-	1	2	1	1
45-49 years.....	88	56	32	55	36	19	28	17	11	4	2	2	1	1	-
50-54 years.....	96	61	35	56	36	20	37	23	14	1	1	-	2	1	1
55-59 years.....	77	50	27	57	40	17	17	9	8	1	-	1	2	1	1
60-64 years.....	83	46	37	66	38	28	16	8	8	1	-	1	-	-	-
65-69 years.....	98	66	32	80	54	26	16	10	6	-	-	-	2	2	-
70-74 years.....	121	46	75	102	41	61	17	5	12	1	-	1	1	-	1
75-79 years.....	150	70	80	125	60	65	18	7	11	-	-	-	7	3	4
80-84 years.....	156	87	69	142	80	62	9	3	6	2	1	1	3	3	-
85-89 years.....	114	55	59	106	51	55	8	4	4	-	-	-	-	-	-
90-94 years.....	20	10	10	19	10	9	1	-	1	-	-	-	-	-	-
95-99 years.....	11	4	7	8	3	5	3	1	2	-	-	-	-	-	-
100 years & over.	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
		Male	Female		Male	Female		Male	Female		Male	Female				
Nonrheumatic mitral (valve) stenosis (I34.2)																
All ages.....	17	7	10	13	6	7	3	1	2	1	-	1	-	-	-	
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
45-49 years.....	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	
50-54 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	
55-59 years.....	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
65-69 years.....	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-	
70-74 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-	
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
80-84 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-	
85-89 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
90-94 years.....	4	1	3	3	1	2	1	-	1	-	-	-	-	-	-	
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes				
Endocarditis, valve unspecified (I38)															
All ages.....	5,018	2,062	2,956	4,429	1,796	2,633	508	230	278	24	12	12	57	24	33
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	8	3	5	6	3	3	2	-	2	-	-	-	-	-	-
20-24 years.....	11	3	8	9	3	6	2	-	2	-	-	-	-	-	-
25-29 years.....	13	7	6	10	5	5	3	2	1	-	-	-	-	-	-
30-34 years.....	29	19	10	20	15	5	8	3	5	-	-	-	1	1	-
35-39 years.....	51	30	21	34	21	13	14	8	6	1	-	1	2	1	1
40-44 years.....	72	44	28	44	26	18	26	16	10	-	-	-	2	2	-
45-49 years.....	160	107	53	98	67	31	58	39	19	3	1	2	1	-	1
50-54 years.....	179	108	71	113	69	44	65	39	26	-	-	-	1	-	1
55-59 years.....	179	114	65	129	88	41	43	22	21	5	2	3	2	2	-
60-64 years.....	237	118	119	188	100	88	36	13	23	6	4	2	7	1	6
65-69 years.....	324	155	169	259	131	128	56	19	37	2	1	1	7	4	3
70-74 years.....	426	194	232	376	177	199	44	17	27	1	-	1	5	-	5
75-79 years.....	619	271	348	577	251	326	34	15	19	3	2	1	5	3	2
80-84 years.....	883	349	534	822	327	495	49	17	32	2	2	-	10	3	7
85-89 years.....	913	320	593	865	303	562	40	14	26	1	-	1	7	3	4
90-94 years.....	644	174	470	622	166	456	17	5	12	-	-	-	5	3	2
95-99 years.....	228	38	190	220	37	183	6	-	6	-	-	-	2	1	1
100 years & over.	39	5	34	35	5	30	4	-	4	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Cardiomyopathy (I42)															
All ages.....	25,580	14,863	10,717	20,697	12,004	8,693	4,327	2,526	1,801	132	73	59	424	260	164
Under 1 year.....	116	56	60	86	42	44	18	9	9	3	1	2	9	4	5
1-4 years.....	38	21	17	26	18	8	10	3	7	-	-	-	2	-	2
5-9 years.....	24	6	18	19	5	14	5	1	4	-	-	-	-	-	-
10-14 years.....	47	26	21	31	18	13	14	6	8	-	-	-	2	2	-
15-19 years.....	103	74	29	64	44	20	37	30	7	2	-	2	-	-	-
20-24 years.....	166	129	37	112	91	21	47	34	13	2	-	2	5	4	1
25-29 years.....	228	169	59	135	107	28	77	51	26	6	5	1	10	6	4
30-34 years.....	336	249	87	190	145	45	128	89	39	5	4	1	13	11	2
35-39 years.....	576	402	174	356	258	98	197	128	69	10	8	2	13	8	5
40-44 years.....	813	576	237	522	379	143	269	181	88	8	4	4	14	12	2
45-49 years.....	1,166	845	321	755	560	195	372	259	113	10	6	4	29	20	9
50-54 years.....	1,353	922	431	913	652	261	406	248	158	15	9	6	19	13	6
55-59 years.....	1,486	1,002	484	1,072	725	347	387	256	131	7	5	2	20	16	4
60-64 years.....	1,638	1,112	526	1,216	836	380	387	249	138	8	4	4	27	23	4
65-69 years.....	1,826	1,177	649	1,393	910	483	387	240	147	11	6	5	35	21	14
70-74 years.....	2,383	1,488	895	1,937	1,246	691	391	214	177	15	9	6	40	19	21
75-79 years.....	3,247	1,933	1,314	2,773	1,687	1,086	408	211	197	9	6	3	57	29	28
80-84 years.....	3,833	2,042	1,791	3,431	1,853	1,578	345	157	188	9	2	7	48	30	18
85-89 years.....	3,327	1,600	1,727	3,036	1,479	1,557	237	97	140	6	4	2	48	20	28
90-94 years.....	2,058	808	1,250	1,901	748	1,153	136	47	89	3	-	3	18	13	5
95-99 years.....	691	200	491	622	182	440	53	10	43	3	-	3	13	8	5
100 years & over.	123	24	99	106	18	88	15	5	10	-	-	-	2	1	1
Age not stated...	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Obstructive hypertrophic cardiomyopathy (I42.1)															
All ages.....	191	68	123	170	60	110	19	7	12	1	1	-	1	-	1
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
20-24 years.....	5	4	1	3	2	1	2	2	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	3	2	1	2	1	1	1	1	-	-	-	-	-	-	-
35-39 years.....	5	4	1	4	3	1	1	1	-	-	-	-	-	-	-
40-44 years.....	6	4	2	4	3	1	1	-	1	1	1	-	-	-	-
45-49 years.....	7	6	1	7	6	1	-	-	-	-	-	-	-	-	-
50-54 years.....	11	7	4	10	6	4	1	1	-	-	-	-	-	-	-
55-59 years.....	9	5	4	9	5	4	-	-	-	-	-	-	-	-	-
60-64 years.....	12	8	4	11	7	4	1	1	-	-	-	-	-	-	-
65-69 years.....	5	2	3	4	2	2	1	-	1	-	-	-	-	-	-
70-74 years.....	16	3	13	14	3	11	2	-	2	-	-	-	-	-	-
75-79 years.....	24	4	20	21	4	17	2	-	2	-	-	-	1	-	1
80-84 years.....	30	6	24	28	6	22	2	-	2	-	-	-	-	-	-
85-89 years.....	27	6	21	23	5	18	4	1	3	-	-	-	-	-	-
90-94 years.....	16	2	14	16	2	14	-	-	-	-	-	-	-	-	-
95-99 years.....	8	-	8	7	-	7	1	-	1	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Other restrictive cardiomyopathy (I42.5)															
All ages.....	138	72	66	114	59	55	20	10	10	-	-	-	4	3	1
Under 1 year.....	3	1	2	1	-	1	1	-	1	-	-	-	1	1	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
15-19 years.....	3	2	1	3	2	1	2	-	3	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
30-34 years.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
35-39 years.....	4	3	1	2	1	1	1	1	-	-	-	-	1	1	-
40-44 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
45-49 years.....	6	3	3	5	3	2	1	-	5	1	-	-	-	-	-
50-54 years.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
55-59 years.....	5	3	2	3	2	1	2	1	1	-	-	-	-	-	-
60-64 years.....	11	10	1	10	9	1	1	1	10	-	-	-	-	-	-
65-69 years.....	12	8	4	11	7	4	1	1	-	-	-	-	-	-	-
70-74 years.....	17	7	10	13	6	7	3	1	2	-	-	-	1	-	1
75-79 years.....	19	10	9	17	8	9	2	2	-	-	-	-	-	-	-
80-84 years.....	22	7	15	19	6	13	2	-	2	-	-	-	1	1	-
85-89 years.....	17	8	9	14	7	7	3	1	2	-	-	-	-	-	-
90-94 years.....	6	3	3	6	3	3	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Cardiomyopathy, unspecified (I42.9)															
All ages.....	17,786	10,066	7,720	14,719	8,321	6,398	2,722	1,546	1,176	75	38	37	270	161	109
Under 1 year.....	37	17	20	28	13	15	7	3	4	-	-	-	2	1	1
1-4 years.....	15	8	7	10	7	3	3	1	2	-	-	-	2	-	2
5-9 years.....	9	-	9	7	-	7	2	-	2	-	-	-	-	-	-
10-14 years.....	17	8	9	12	6	6	4	1	3	-	-	-	1	1	-
15-19 years.....	36	25	11	21	14	7	14	11	3	1	-	1	-	-	-
20-24 years.....	64	46	18	45	34	11	15	10	5	2	-	2	2	2	-
25-29 years.....	110	79	31	57	44	13	43	28	15	4	3	1	6	4	2
30-34 years.....	144	100	44	77	59	18	59	35	24	2	1	1	6	5	1
35-39 years.....	232	146	86	136	88	48	83	51	32	4	2	2	9	5	4
40-44 years.....	346	237	109	209	144	65	131	88	43	2	2	-	4	3	1
45-49 years.....	529	376	153	329	241	88	186	124	62	2	2	-	12	9	3
50-54 years.....	745	501	244	479	340	139	246	149	97	11	6	5	9	6	3
55-59 years.....	893	591	302	655	431	224	221	147	74	4	3	1	13	10	3
60-64 years.....	1,100	725	375	825	554	271	256	157	99	2	-	2	17	14	3
65-69 years.....	1,337	862	475	1,025	674	351	281	172	109	9	4	5	22	12	10
70-74 years.....	1,778	1,093	685	1,452	916	536	291	161	130	9	5	4	26	11	15
75-79 years.....	2,522	1,504	1,018	2,166	1,317	849	308	160	148	8	5	3	40	22	18
80-84 years.....	3,030	1,652	1,378	2,733	1,501	1,232	254	126	128	7	2	5	36	23	13
85-89 years.....	2,616	1,276	1,340	2,408	1,185	1,223	165	72	93	4	3	1	39	16	23
90-94 years.....	1,597	627	970	1,484	583	901	97	34	63	2	-	2	14	10	4
95-99 years.....	538	172	366	485	156	329	43	10	33	2	-	2	8	6	2
100 years & over.	90	20	70	76	14	62	12	5	7	-	-	-	2	1	1
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													sexes	Male	Female
Supraventricular tachycardia (I47.1)															
All ages.....	141	53	88	121	39	82	18	13	5	-	-	-	2	1	1
Under 1 year.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
35-39 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-
50-54 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
55-59 years.....	4	1	3	2	-	2	2	1	1	-	-	-	-	-	-
60-64 years.....	3	2	1	1	1	-	1	1	-	-	-	-	1	-	1
65-69 years.....	10	3	7	7	1	6	3	2	1	-	-	-	-	-	-
70-74 years.....	12	5	7	11	4	7	1	1	-	-	-	-	-	-	-
75-79 years.....	17	7	10	16	6	10	1	1	-	-	-	-	-	-	-
80-84 years.....	33	11	22	28	8	20	5	3	2	-	-	-	-	-	-
85-89 years.....	22	10	12	20	8	12	1	1	-	-	-	-	1	1	-
90-94 years.....	25	9	16	22	7	15	3	2	1	-	-	-	-	-	-
95-99 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
100 years & over.	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White		Black		American Indian 1/			Asian or Pacific Islander 2/				
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes		Male	Female		
										Male	Female				
Cardiac arrhythmia, unspecified (I49.9)															
All ages.....	8,271	3,842	4,429	6,935	3,223	3,712	1,215	555	660	33	14	19	88	50	38
Under 1 year.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
1-4 years.....	8	5	3	5	4	1	2	1	1	-	-	-	1	-	1
5-9 years.....	6	2	4	4	1	3	2	1	1	-	-	-	-	-	-
10-14 years.....	15	9	6	9	5	4	5	3	2	1	1	-	-	-	-
15-19 years.....	33	22	11	22	17	5	9	5	4	2	-	2	-	-	-
20-24 years.....	70	40	30	55	31	24	14	8	6	-	-	-	1	1	-
25-29 years.....	72	49	23	47	33	14	19	10	9	1	1	-	5	5	-
30-34 years.....	94	54	40	63	37	26	24	11	13	2	1	1	5	5	-
35-39 years.....	126	75	51	90	53	37	34	20	14	1	1	-	1	1	-
40-44 years.....	207	122	85	148	98	50	53	20	33	2	1	1	4	3	1
45-49 years.....	238	152	86	176	111	65	57	36	21	1	1	-	4	4	-
50-54 years.....	341	214	127	249	164	85	88	49	39	1	-	1	3	1	2
55-59 years.....	394	250	144	295	192	103	89	50	39	4	3	1	6	5	1
60-64 years.....	504	293	211	412	240	172	82	49	33	2	2	-	8	2	6
65-69 years.....	516	304	212	429	253	176	81	48	33	3	1	2	3	2	1
70-74 years.....	703	372	331	568	302	266	124	66	58	2	1	1	9	3	6
75-79 years.....	1,008	499	509	860	439	421	138	57	81	5	1	4	5	2	3
80-84 years.....	1,255	540	715	1,104	489	615	138	48	90	2	-	2	11	3	8
85-89 years.....	1,252	450	802	1,123	406	717	120	40	80	1	-	1	8	4	4
90-94 years.....	943	283	660	837	250	587	92	25	67	2	-	2	12	8	4
95-99 years.....	375	86	289	340	81	259	32	4	28	1	-	1	2	1	1
100 years & over.	107	19	88	95	15	80	12	4	8	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes		Male	Female		
										Male	Female				
Heart failure (I50)															
All ages.....	57,120	22,292	34,828	51,205	19,806	31,399	5,230	2,174	3,056	193	87	106	492	225	267
Under 1 year.....	30	16	14	20	10	10	8	5	3	-	-	-	2	1	1
1-4 years.....	11	4	7	10	4	6	1	-	1	-	-	-	-	-	-
5-9 years.....	3	1	2	-	-	-	2	1	1	1	-	1	-	-	-
10-14 years.....	7	6	1	5	4	1	2	2	-	-	-	-	-	-	-
15-19 years.....	12	6	6	7	4	3	5	2	3	-	-	-	-	-	-
20-24 years.....	21	13	8	14	9	5	6	4	2	1	-	1	-	-	-
25-29 years.....	38	28	10	22	17	5	15	10	5	-	-	-	1	1	-
30-34 years.....	52	31	21	28	13	15	21	15	6	2	2	-	1	1	-
35-39 years.....	110	69	41	62	44	18	46	23	23	1	1	-	1	1	-
40-44 years.....	203	117	86	131	76	55	65	36	29	4	3	1	3	2	1
45-49 years.....	386	237	149	246	147	99	135	86	49	1	1	-	4	3	1
50-54 years.....	653	378	275	408	248	160	233	125	108	7	2	5	5	3	2
55-59 years.....	1,003	599	404	711	429	282	273	159	114	4	3	1	15	8	7
60-64 years.....	1,441	821	620	1,115	634	481	291	164	127	17	10	7	18	13	5
65-69 years.....	2,226	1,223	1,003	1,834	1,012	822	346	188	158	22	11	11	24	12	12
70-74 years.....	3,725	1,940	1,785	3,179	1,694	1,485	489	214	275	12	7	5	45	25	20
75-79 years.....	6,574	3,198	3,376	5,773	2,822	2,951	710	326	384	32	15	17	59	35	24
80-84 years.....	10,438	4,475	5,963	9,538	4,125	5,413	786	307	479	24	7	17	90	36	54
85-89 years.....	12,876	4,707	8,169	11,963	4,387	7,576	783	271	512	32	15	17	98	34	64
90-94 years.....	11,063	3,202	7,861	10,328	2,993	7,335	632	165	467	17	5	12	86	39	47
95-99 years.....	5,044	1,049	3,995	4,728	982	3,746	277	55	222	11	4	7	28	8	20
100 years & over.	1,203	172	1,031	1,082	152	930	104	16	88	5	1	4	12	3	9
Age not stated...	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													sexes	Male	Female
Cardiovascular disease, unspecified (I51.6)															
All ages.....	4,258	1,923	2,335	3,649	1,625	2,024	546	268	278	10	5	5	53	25	28
Under 1 year.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-
25-29 years.....	5	4	1	4	3	1	1	1	-	-	-	-	-	-	-
30-34 years.....	9	7	2	6	5	1	3	2	1	-	-	-	-	-	-
35-39 years.....	14	8	6	9	5	4	5	3	2	-	-	-	-	-	-
40-44 years.....	52	34	18	42	28	14	9	6	3	-	-	-	1	-	1
45-49 years.....	71	48	23	55	40	15	16	8	8	-	-	-	-	-	-
50-54 years.....	124	91	33	96	74	22	24	13	11	1	1	-	3	3	-
55-59 years.....	168	112	56	129	89	40	38	23	15	-	-	-	1	-	1
60-64 years.....	185	103	82	146	84	62	36	18	18	-	-	-	3	1	2
65-69 years.....	248	167	81	191	131	60	51	32	19	2	1	1	4	3	1
70-74 years.....	331	191	140	260	148	112	66	39	27	-	-	-	5	4	1
75-79 years.....	562	292	270	482	252	230	71	38	33	2	1	1	7	1	6
80-84 years.....	757	343	414	668	304	364	78	34	44	2	1	1	9	4	5
85-89 years.....	789	273	516	719	246	473	61	23	38	3	1	2	6	3	3
90-94 years.....	610	175	435	542	148	394	60	22	38	-	-	-	8	5	3
95-99 years.....	258	54	204	233	51	182	20	3	17	-	-	-	5	-	5
100 years & over.	71	17	54	65	15	50	5	1	4	-	-	-	1	1	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes	sexes			
Intracerebral hemorrhage in cerebellum (I61.4)															
All ages.....	590	285	305	465	224	241	98	48	50	3	2	1	24	11	13
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
20-24 years.....	5	4	1	4	3	1	1	1	-	-	-	-	-	-	-
25-29 years.....	5	1	4	1	-	1	4	1	3	-	-	-	-	-	-
30-34 years.....	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-
35-39 years.....	4	3	1	3	2	1	1	1	-	-	-	-	-	-	-
40-44 years.....	13	8	5	5	2	3	7	5	2	-	-	-	1	1	-
45-49 years.....	20	12	8	13	7	6	6	4	2	-	-	-	1	1	-
50-54 years.....	32	17	15	20	13	7	11	4	7	-	-	-	1	-	1
55-59 years.....	58	35	23	36	23	13	19	10	9	1	1	-	2	1	1
60-64 years.....	47	32	15	34	23	11	11	7	4	1	1	-	1	1	-
65-69 years.....	56	29	27	44	23	21	10	5	5	-	-	-	2	1	1
70-74 years.....	62	32	30	53	27	26	6	2	4	-	-	-	3	3	-
75-79 years.....	95	46	49	85	40	45	4	3	1	1	-	1	5	3	2
80-84 years.....	95	40	55	82	37	45	9	3	6	-	-	-	4	-	4
85-89 years.....	67	18	49	59	17	42	6	1	5	-	-	-	2	-	2
90-94 years.....	20	3	17	16	3	13	2	-	2	-	-	-	2	-	2
95-99 years.....	6	1	5	6	1	5	-	-	-	-	-	-	-	-	-
100 years & over.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes	sexes			
Intracerebral hemorrhage, intraventricular (I61.5)															
All ages.....	736	348	388	550	255	295	159	84	75	2	1	1	25	8	17
Under 1 year.....	33	19	14	21	11	10	10	7	3	-	-	-	2	1	1
1-4 years.....	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	4	3	1	3	2	1	1	1	-	-	-	-	-	-	-
20-24 years.....	2	-	2	1	-	1	-	-	-	-	-	-	1	-	1
25-29 years.....	4	3	1	2	2	-	2	1	1	-	-	-	-	-	-
30-34 years.....	7	5	2	4	3	1	3	2	1	-	-	-	-	-	-
35-39 years.....	8	5	3	4	3	1	4	2	2	-	-	-	-	-	-
40-44 years.....	30	15	15	15	5	10	12	7	5	1	1	-	2	2	-
45-49 years.....	49	28	21	22	15	7	26	12	14	-	-	-	1	1	-
50-54 years.....	38	21	17	24	14	10	14	7	7	-	-	-	-	-	-
55-59 years.....	49	25	24	28	14	14	18	11	7	-	-	-	3	-	3
60-64 years.....	52	27	25	34	18	16	16	8	8	-	-	-	2	1	1
65-69 years.....	63	36	27	45	28	17	13	6	7	1	-	1	4	2	2
70-74 years.....	67	36	31	57	29	28	7	6	1	-	-	-	3	1	2
75-79 years.....	101	39	62	84	33	51	15	6	9	-	-	-	2	-	2
80-84 years.....	105	47	58	92	40	52	11	7	4	-	-	-	2	-	2
85-89 years.....	71	24	47	67	23	44	3	1	2	-	-	-	1	-	1
90-94 years.....	43	14	29	39	14	25	2	-	2	-	-	-	2	-	2
95-99 years.....	6	1	5	6	1	5	-	-	-	-	-	-	-	-	-
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes	sexes			
Subdural hemorrhage (acute) (nontraumatic) (I62.0)															
All ages.....	1,839	989	850	1,612	861	751	184	99	85	13	9	4	30	20	10
Under 1 year.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
30-34 years.....	2	1	1	1	1	1	1	1	-	-	-	-	-	-	-
35-39 years.....	6	5	1	2	2	-	3	2	1	-	-	-	1	1	-
40-44 years.....	13	8	5	10	6	4	1	-	1	1	1	-	1	1	-
45-49 years.....	22	12	10	16	8	8	6	4	2	-	-	-	-	-	-
50-54 years.....	36	22	14	26	18	8	7	2	5	2	1	1	1	1	-
55-59 years.....	53	32	21	39	22	17	12	8	4	1	1	-	1	1	-
60-64 years.....	77	47	30	61	35	26	13	9	4	1	1	-	2	2	-
65-69 years.....	95	58	37	77	48	29	13	7	6	2	2	-	3	1	2
70-74 years.....	175	102	73	149	86	63	23	13	10	-	-	-	3	3	-
75-79 years.....	281	173	108	244	148	96	30	20	10	3	2	1	4	3	1
80-84 years.....	408	201	207	371	183	188	32	15	17	2	1	1	3	2	1
85-89 years.....	358	188	170	334	179	155	18	8	10	-	-	-	6	1	5
90-94 years.....	254	116	138	232	104	128	17	8	9	-	-	-	5	4	1
95-99 years.....	46	19	27	40	17	23	5	2	3	1	-	1	-	-	-
100 years & over.	9	3	6	7	3	4	2	-	2	-	-	-	-	-	-
Age not stated...	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Cerebral infarction (I63)																
All ages.....	10,995	4,398	6,597	9,455	3,717	5,738	1,282	565	717	35	17	18	223	99	124	
Under 1 year.....	10	7	3	8	6	2	2	1	1	-	-	-	-	-	-	
1-4 years.....	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-	
5-9 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-	
10-14 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	
15-19 years.....	5	3	2	4	2	2	1	1	-	-	-	-	-	-	-	
20-24 years.....	10	4	6	8	3	5	2	1	1	-	-	-	-	-	-	
25-29 years.....	18	9	9	16	7	9	2	2	-	-	-	-	-	-	-	
30-34 years.....	23	11	12	16	7	9	7	4	3	-	-	-	-	-	-	
35-39 years.....	41	19	22	30	17	13	9	2	7	1	-	1	1	-	1	
40-44 years.....	94	51	43	63	34	29	30	16	14	-	-	-	1	1	-	
45-49 years.....	142	76	66	99	50	49	41	25	16	-	-	-	2	1	1	
50-54 years.....	193	129	64	137	92	45	49	32	17	1	1	-	6	4	2	
55-59 years.....	289	182	107	212	137	75	68	39	29	2	2	-	7	4	3	
60-64 years.....	387	244	143	286	173	113	90	60	30	-	-	-	11	11	-	
65-69 years.....	543	315	228	431	253	178	92	56	36	6	1	5	14	5	9	
70-74 years.....	875	440	435	708	353	355	146	70	76	3	2	1	18	15	3	
75-79 years.....	1,504	727	777	1,281	623	658	196	92	104	6	3	3	21	9	12	
80-84 years.....	2,104	842	1,262	1,874	760	1,114	177	64	113	5	2	3	48	16	32	
85-89 years.....	2,416	801	1,615	2,171	716	1,455	185	61	124	6	5	1	54	19	35	
90-94 years.....	1,614	415	1,199	1,457	374	1,083	129	30	99	4	1	3	24	10	14	
95-99 years.....	609	107	502	552	97	455	43	6	37	1	-	1	13	4	9	
100 years & over.	110	11	99	97	10	87	10	1	9	-	-	-	3	-	3	
Age not stated...	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Cerebral infarction due to unspecified occlusion or stenosis of cerebral arteries (I63.5)															
All ages.....	229	85	144	191	68	123	32	14	18	-	-	-	6	3	3
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
35-39 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
40-44 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
45-49 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-
50-54 years.....	8	5	3	5	2	3	3	3	-	-	-	-	-	-	-
55-59 years.....	5	4	1	3	3	-	2	1	1	-	-	-	-	-	-
60-64 years.....	10	7	3	8	6	2	2	1	1	-	-	-	-	-	-
65-69 years.....	7	5	2	5	3	2	2	2	-	-	-	-	-	-	-
70-74 years.....	17	11	6	12	7	5	3	2	1	-	-	-	2	2	-
75-79 years.....	28	15	13	23	13	10	4	2	2	-	-	-	1	-	1
80-84 years.....	43	18	25	40	16	24	2	1	1	-	-	-	1	1	-
85-89 years.....	40	5	35	31	3	28	8	2	6	-	-	-	1	-	1
90-94 years.....	45	9	36	42	9	33	2	-	2	-	-	-	1	-	1
95-99 years.....	12	1	11	9	1	8	3	-	3	-	-	-	-	-	-
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Age not stated...	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Sequelae of cerebrovascular disease (I69)															
All ages.....	18,509	7,141	11,368	16,052	6,091	9,961	1,926	807	1,119	56	19	37	475	224	251
Under 1 year.....	6	3	3	4	2	2	2	1	1	-	-	-	-	-	-
1-4 years.....	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	3	1	2	2	1	1	1	-	1	-	-	-	-	-	-
15-19 years.....	3	1	2	1	-	1	2	1	1	-	-	-	-	-	-
20-24 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	8	2	6	8	2	6	2	-	8	-	-	-	-	-	-
35-39 years.....	15	8	7	12	6	6	3	2	1	-	-	-	-	-	-
40-44 years.....	52	35	17	39	25	14	9	7	2	-	-	-	4	3	1
45-49 years.....	74	40	34	46	20	26	24	16	8	-	-	-	4	4	-
50-54 years.....	160	91	69	114	64	50	37	23	14	1	1	-	8	3	5
55-59 years.....	264	150	114	179	103	76	73	44	29	-	-	-	12	3	9
60-64 years.....	440	274	166	309	193	116	112	68	44	3	3	-	16	10	6
65-69 years.....	738	431	307	567	333	234	141	79	62	3	1	2	27	18	9
70-74 years.....	1,238	641	597	974	512	462	226	113	113	5	3	2	33	13	20
75-79 years.....	2,460	1,226	1,234	2,067	1,026	1,041	300	153	147	7	3	4	86	44	42
80-84 years.....	3,913	1,611	2,302	3,434	1,422	2,012	366	132	234	17	4	13	96	53	43
85-89 years.....	4,271	1,485	2,786	3,885	1,357	2,528	272	83	189	11	3	8	103	42	61
90-94 years.....	3,284	859	2,425	2,977	767	2,210	239	65	174	5	-	5	63	27	36
95-99 years.....	1,327	252	1,075	1,210	232	978	95	16	79	3	1	2	19	3	16
100 years & over.	249	30	219	222	25	197	22	4	18	1	-	1	4	1	3
Age not stated...	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
		Male	Female		Male	Female		Male	Female		Male	Female				
Sequelae of subarachnoid hemorrhage (I69.0)																
All ages.....	63	22	41	54	18	36	5	1	4	1	1	-	3	2	1	
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
35-39 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
40-44 years.....	2	2	-	-	-	-	1	1	-	-	-	-	1	1	-	
45-49 years.....	5	-	5	5	-	5	-	-	-	-	-	-	-	-	-	
50-54 years.....	13	5	8	12	4	8	-	-	-	-	-	-	1	1	-	
55-59 years.....	7	3	4	6	3	3	-	-	-	-	-	-	1	-	1	
60-64 years.....	5	2	3	2	1	1	2	-	2	1	1	-	-	-	-	
65-69 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-	
70-74 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
75-79 years.....	9	3	6	8	3	5	1	-	1	-	-	-	-	-	-	
80-84 years.....	6	1	5	5	1	4	1	-	1	-	-	-	-	-	-	
85-89 years.....	6	3	3	6	3	3	-	-	-	-	-	-	-	-	-	
90-94 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-	
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes	sexes			
Sequelae of other and unspecified cerebrovascular diseases (I69.8)															
All ages.....	7,778	2,671	5,107	6,997	2,389	4,608	641	225	416	12	4	8	128	53	75
Under 1 year.....	6	3	3	4	2	2	2	1	1	-	-	-	-	-	-
1-4 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years.....	2	1	1	-	-	-	2	1	1	-	-	-	-	-	-
20-24 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-
35-39 years.....	6	3	3	4	2	2	2	1	1	-	-	-	-	-	-
40-44 years.....	23	11	12	18	8	10	3	2	1	-	-	-	2	1	1
45-49 years.....	26	12	14	19	8	11	5	2	3	-	-	-	2	2	-
50-54 years.....	50	24	26	42	21	21	7	3	4	-	-	-	1	-	1
55-59 years.....	90	50	40	59	35	24	25	14	11	-	-	-	6	1	5
60-64 years.....	142	81	61	110	66	44	27	12	15	1	1	-	4	2	2
65-69 years.....	231	124	107	179	102	77	45	19	26	-	-	-	7	3	4
70-74 years.....	418	198	220	339	166	173	68	29	39	1	-	1	10	3	7
75-79 years.....	901	439	462	790	386	404	86	42	44	-	-	-	25	11	14
80-84 years.....	1,569	606	963	1,417	550	867	121	42	79	4	1	3	27	13	14
85-89 years.....	1,883	588	1,295	1,769	555	1,214	89	24	65	4	1	3	21	8	13
90-94 years.....	1,613	397	1,216	1,493	363	1,130	105	26	79	1	-	1	14	8	6
95-99 years.....	673	120	553	624	112	512	40	6	34	1	1	-	8	1	7
100 years & over.	136	12	124	124	11	113	11	1	10	-	-	-	1	-	1
Age not stated...	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Thoracic aortic aneurysm, ruptured (I71.1)															
All ages.....	825	386	439	709	320	389	76	41	35	1	1	-	39	24	15
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	2	1	1	1	1	-	-	-	-	-	-	-	1	-	1
25-29 years.....	6	3	3	4	2	2	1	1	-	-	-	-	1	-	1
30-34 years.....	3	2	1	2	2	-	-	2	-	-	-	-	1	-	1
35-39 years.....	9	6	3	6	4	2	3	2	1	-	-	-	-	-	-
40-44 years.....	6	2	4	5	2	3	1	-	1	-	-	-	-	-	-
45-49 years.....	17	10	7	13	9	4	4	1	3	-	-	-	-	-	-
50-54 years.....	26	20	6	19	15	4	7	5	2	-	-	-	-	-	-
55-59 years.....	25	17	8	18	12	6	5	3	2	-	-	-	2	2	-
60-64 years.....	50	36	14	37	28	9	12	7	5	-	-	-	1	1	-
65-69 years.....	55	29	26	46	23	23	7	5	2	-	-	-	2	1	1
70-74 years.....	86	45	41	76	40	36	5	2	3	-	-	-	5	3	2
75-79 years.....	136	63	73	124	53	71	2	2	-	-	-	-	10	8	2
80-84 years.....	209	92	117	180	76	104	19	8	11	-	-	-	10	8	2
85-89 years.....	123	37	86	112	33	79	6	2	4	1	1	-	4	1	3
90-94 years.....	56	17	39	52	16	36	2	1	1	-	-	-	2	-	2
95-99 years.....	15	5	10	13	3	10	2	2	-	-	-	-	-	-	-
100 years & over.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Age not stated....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes				
Thoracoabdominal aortic aneurysm, ruptured (I71.5)															
All ages.....	164	88	76	142	81	61	19	6	13	-	-	-	3	1	2
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-
50-54 years.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
55-59 years.....	5	5	-	5	5	-	-	-	-	-	-	-	-	-	-
60-64 years.....	7	6	1	6	6	-	1	-	1	-	-	-	-	-	-
65-69 years.....	17	8	9	16	8	8	1	-	1	-	-	-	-	-	-
70-74 years.....	23	17	6	22	16	6	1	1	-	-	-	-	-	-	-
75-79 years.....	43	20	23	36	18	18	6	2	4	-	-	-	1	-	1
80-84 years.....	33	14	19	27	13	14	5	1	4	-	-	-	1	-	1
85-89 years.....	24	13	11	20	11	9	3	1	2	-	-	-	1	1	-
90-94 years.....	6	3	3	6	3	3	-	-	-	-	-	-	-	-	-
95-99 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	Male		Female	sexes		Male	Female		sexes	Male	Female		
Paralysis of vocal cords and larynx (J38.0)															
All ages.....	44	26	18	36	21	15	7	4	3	-	-	-	1	1	-
Under 1 year.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
1-4 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
70-74 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
75-79 years.....	11	7	4	8	6	2	3	1	2	-	-	-	-	-	-
80-84 years.....	11	7	4	10	6	4	1	1	-	-	-	-	-	-	-
85-89 years.....	9	6	3	8	5	3	1	1	-	-	-	-	-	-	-
90-94 years.....	6	5	1	4	3	1	1	1	-	-	-	-	1	1	-
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Gangrene and necrosis of lung (J85.0)															
All ages.....	101	53	48	87	50	37	14	3	11	-	-	-	-	-	-
Under 1 year.....	3	2	1	1	1	-	2	1	1	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
20-24 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
35-39 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
40-44 years.....	7	3	4	7	3	4	-	-	-	-	-	-	-	-	-
45-49 years.....	8	4	4	5	3	2	3	1	2	-	-	-	-	-	-
50-54 years.....	8	7	1	8	7	1	-	-	-	-	-	-	-	-	-
55-59 years.....	15	8	7	14	7	7	1	1	-	-	-	-	-	-	-
60-64 years.....	6	2	4	5	2	3	1	-	1	-	-	-	-	-	-
65-69 years.....	10	6	4	10	6	4	-	-	-	-	-	-	-	-	-
70-74 years.....	7	3	4	6	3	3	1	-	1	-	-	-	-	-	-
75-79 years.....	9	1	8	6	1	5	3	-	3	-	-	-	-	-	-
80-84 years.....	8	7	1	8	7	1	-	-	-	-	-	-	-	-	-
85-89 years.....	6	4	2	6	4	2	-	-	-	-	-	-	-	-	-
90-94 years.....	5	1	4	4	1	3	1	-	1	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes	sexes			
Duodenal ulcer, Chronic or unspecified with perforation (K26.5)															
All ages.....	568	248	320	500	208	292	52	32	20	1	-	1	15	8	7
Under 1 year.....	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-
1-4 years.....	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
25-29 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	2	2	-	-	-	-	2	2	-	-	-	-	-	-	-
40-44 years.....	9	6	3	7	4	3	2	2	-	-	-	-	-	-	-
45-49 years.....	17	14	3	10	8	2	7	6	1	-	-	-	-	-	-
50-54 years.....	19	8	11	17	6	11	2	2	-	-	-	-	-	-	-
55-59 years.....	21	8	13	16	7	9	4	1	3	1	-	1	-	-	-
60-64 years.....	36	22	14	30	19	11	5	2	3	-	-	-	1	1	-
65-69 years.....	42	21	21	38	19	19	4	2	2	-	-	-	-	-	-
70-74 years.....	65	34	31	56	28	28	6	4	2	-	-	-	3	2	1
75-79 years.....	74	33	41	66	30	36	5	3	2	-	-	-	3	-	3
80-84 years.....	97	35	62	88	30	58	6	3	3	-	-	-	3	2	1
85-89 years.....	107	38	69	99	34	65	4	2	2	-	-	-	4	2	2
90-94 years.....	56	18	38	52	16	36	4	2	2	-	-	-	-	-	-
95-99 years.....	16	3	13	16	3	13	-	-	-	-	-	-	-	-	-
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
													sexes	sexes	sexes	sexes
Acute appendicitis, unspecified (K35.9)																
All ages.....	64	39	25	55	31	24	7	7	-	-	-	-	2	1	1	
Under 1 year.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-	
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
5-9 years.....	3	2	1	1	1	-	1	1	-	-	-	-	1	-	1	
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
15-19 years.....	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-	
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-29 years.....	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-	
30-34 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
35-39 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
45-49 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-	
50-54 years.....	5	3	2	4	2	2	1	1	-	-	-	-	-	-	-	
55-59 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-	
60-64 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-	
65-69 years.....	5	2	3	5	2	3	-	-	-	-	-	-	-	-	-	
70-74 years.....	5	-	5	5	-	5	-	-	-	-	-	-	-	-	-	
75-79 years.....	7	6	1	6	5	1	1	1	-	-	-	-	-	-	-	
80-84 years.....	13	9	4	11	7	4	1	1	-	-	-	-	1	1	-	
85-89 years.....	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-	
90-94 years.....	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-	
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Intestinal adhesions [bands] with obstruction (K56.5)															
All ages.....	347	121	226	287	98	189	55	21	34	1	-	1	4	2	2
Under 1 year.....	2	-	2	-	-	-	2	-	2	-	-	-	-	-	-
1-4 years.....	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	2	1	1	-	-	-	2	1	1	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
25-29 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
30-34 years.....	2	1	1	-	-	-	2	1	1	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	8	5	3	7	5	2	1	-	1	-	-	-	-	-	-
45-49 years.....	12	5	7	8	2	6	4	3	1	-	-	-	-	-	-
50-54 years.....	11	3	8	9	3	6	2	-	2	-	-	-	-	-	-
55-59 years.....	6	3	3	5	3	2	1	-	1	-	-	-	-	-	-
60-64 years.....	13	5	8	9	2	7	3	3	-	-	-	-	1	-	1
65-69 years.....	18	6	12	13	4	9	5	2	3	-	-	-	-	-	-
70-74 years.....	25	9	16	21	8	13	3	1	2	-	-	-	1	-	1
75-79 years.....	42	23	19	34	18	16	6	4	2	1	-	1	1	1	-
80-84 years.....	57	23	34	52	20	32	5	3	2	-	-	-	-	-	-
85-89 years.....	75	21	54	66	20	46	8	-	8	-	-	-	1	1	-
90-94 years.....	47	9	38	42	7	35	5	2	3	-	-	-	-	-	-
95-99 years.....	20	2	18	17	2	15	3	-	3	-	-	-	-	-	-
100 years & over.	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Primary biliary cirrhosis (K74.3)															
All ages.....	394	56	338	362	52	310	17	3	14	6	-	6	9	1	8
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
35-39 years.....	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-
40-44 years.....	5	1	4	4	1	3	1	-	1	-	-	-	-	-	-
45-49 years.....	13	3	10	12	3	9	1	-	1	-	-	-	-	-	-
50-54 years.....	29	1	28	26	1	25	2	-	2	-	-	-	1	-	1
55-59 years.....	40	4	36	37	4	33	2	-	2	1	-	1	-	-	-
60-64 years.....	36	5	31	30	4	26	4	1	3	2	-	2	-	-	-
65-69 years.....	47	10	37	44	9	35	1	1	-	1	-	1	1	-	1
70-74 years.....	72	11	61	66	10	56	3	1	2	1	-	1	2	-	2
75-79 years.....	65	12	53	63	12	51	1	-	1	-	-	-	1	-	1
80-84 years.....	60	7	53	56	6	50	1	-	1	-	-	-	3	1	2
85-89 years.....	19	2	17	17	2	15	1	-	1	-	-	-	1	-	1
90-94 years.....	4	-	4	4	-	4	-	-	-	-	-	-	-	-	-
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes	sexes			
Calculus of bile duct with cholangitis (K80.3)															
All ages.....	38	13	25	34	10	24	1	1	-	-	-	-	3	2	1
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-
50-54 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
55-59 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
75-79 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
80-84 years.....	8	2	6	7	1	6	-	-	-	-	-	-	1	1	-
85-89 years.....	7	3	4	6	2	4	1	1	-	-	-	-	-	-	-
90-94 years.....	14	4	10	12	3	9	-	12	-	-	-	-	2	1	1
95-99 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/										
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female							
													sexes	Male	Female	sexes	Male	Female	sexes
Calculus of bile duct without cholangitis or cholecystitis (K80.5)																			
All ages.....	108	48	60	97	43	54	5	3	2	5	1	4	1	1	-				
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
35-39 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-				
40-44 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-				
45-49 years.....	3	3	-	3	3	-	-	-	3	-	-	-	-	-	-				
50-54 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-				
55-59 years.....	2	2	-	-	-	-	2	2	-	-	-	-	-	-	-				
60-64 years.....	2	1	1	1	1	-	-	1	-	1	-	1	-	-	-				
65-69 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-				
70-74 years.....	9	7	2	6	4	2	1	1	-	1	1	-	1	1	-				
75-79 years.....	12	5	7	12	5	7	-	-	-	-	-	-	-	-	-				
80-84 years.....	20	9	11	19	9	10	-	-	-	1	-	1	-	-	-				
85-89 years.....	21	7	14	20	7	13	-	-	-	1	-	1	-	-	-				
90-94 years.....	16	6	10	15	6	9	1	-	1	-	-	-	-	-	-				
95-99 years.....	13	4	9	13	4	9	-	-	-	-	-	-	-	-	-				
100 years & over.	2	-	2	1	-	1	-	-	-	1	-	1	-	-	-				
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Disease of digestive system, unspecified (K92.9)															
All ages.....	59	30	29	52	27	25	6	3	3	-	-	-	1	-	1
Under 1 year.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
25-29 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
45-49 years.....	2	2	-	2	2	-	-	2	-	-	-	-	-	-	-
50-54 years.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
55-59 years.....	4	3	1	3	2	1	1	1	-	-	-	-	-	-	-
60-64 years.....	2	2	-	2	2	-	-	2	-	-	-	-	-	-	-
65-69 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
70-74 years.....	5	2	3	4	2	2	1	-	1	-	-	-	-	-	-
75-79 years.....	7	3	4	6	3	3	1	-	1	-	-	-	-	-	-
80-84 years.....	16	9	7	15	9	6	-	-	-	-	-	-	1	-	1
85-89 years.....	7	1	6	7	1	6	-	-	-	-	-	-	-	-	-
90-94 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

