

Denominator Record and Natality Section of Numerator (Linked) Record

Locations 7-210 of the linked file contain data from the Birth Certificate.
Locations 211-535 of linked file contain data from the Death Certificate.

Residence items in the Denominator Record and in the natality section of the Numerator (linked) Record refer to the usual place of residence of the Mother; whereas in the mortality section of the Numerator (Linked) Record, these items refer to the residence of the Decedent.

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
1-6	6	<u>R0</u> <u>Reserved Positions</u>
7-10	4	<u>BIRYR</u> <u>Year of Birth</u> 1997 ... Born in 1997 (This code valid for numerator (linked) file only). 1998 ... Born in 1998
11	1	<u>RESSTATB</u> <u>Resident Status - Birth</u> <u>United States Occurrence</u> 1 ... RESIDENTS: State and county of occurrence and residence are the same. 2 ... INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different. 3 ... INTERSTATE NONRESIDENTS: State of occurrence and residence are different, but both are in the 50 States and D.C. 4 ... FOREIGN RESIDENTS: State of occurrence is one of the 50 States or the District of Columbia, but place of residence of mother is outside of the 50 States and D.C. <u>Puerto Rico Occurrence</u> 1 ... RESIDENTS: State and county of occurrence and residence are the same. 2 ... INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different. 4 ... FOREIGN RESIDENTS: Occurred in Puerto Rico to a resident of any other place. <u>Virgin Islands Occurrence</u> 1 ... RESIDENTS: State and county of occurrence and residence are the same. 2 ... INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different. 4 ... FOREIGN RESIDENTS: Occurred in the Virgin Islands to a resident of any other place. <u>Guam Occurrence</u> 1 ... RESIDENTS: Occurred in Guam to a resident of Guam or to a resident of the U.S. 4 ... FOREIGN RESIDENTS: Occurred in Guam to a resident of any place other than Guam or the U.S.

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
12-13	2	<u>BRSTATE</u> <u>Expanded State of Residence - NCHS Codes - Birth</u>

This item is designed to separately identify New York City records from other New York State records.

United States Occurrence

01	...	Alabama
02	...	Alaska
03	...	Arizona
04	...	Arkansas
05	...	California
06	...	Colorado
07	...	Connecticut
08	...	Delaware
09	...	District of Columbia
10	...	Florida
11	...	Georgia
12	...	Hawaii
13	...	Idaho
14	...	Illinois
15	...	Indiana
16	...	Iowa
17	...	Kansas
18	...	Kentucky
19	...	Louisiana
20	...	Maine
21	...	Maryland
22	...	Massachusetts
23	...	Michigan
24	...	Minnesota
25	...	Mississippi
26	...	Missouri
27	...	Montana
28	...	Nebraska
29	...	Nevada
30	...	New Hampshire
31	...	New Jersey
32	...	New Mexico
33	...	New York
34	...	New York city
35	...	North Carolina
36	...	North Dakota
37	...	Ohio
38	...	Oklahoma
39	...	Oregon
40	...	Pennsylvania
41	...	Rhode Island
42	...	South Carolina
43	...	South Dakota
44	...	Tennessee
45	...	Texas

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
12-13	2	<u>BRSTATE</u> <u>Expanded State of Residence - NCHS Codes - Birth (Cond't)</u>

This item is designed to separately identify New York City records from other New York State records.

United States Occurrence

47	...	Vermont
48	...	Virginia
49	...	Washington
50	...	West Virginia
51	...	Wisconsin
52	...	Wyoming
53-58,60	...	Foreign Residents
53	...	Puerto Rico
54	...	Virgin Islands
55	...	Guam
56	...	Canada
57	...	Cuba
58	...	Mexico
60	...	Remainder of the World

Puerto Rico Occurrence

53	...	Puerto Rico
01-52,54-58,60	...	Foreign Residents: Refer to U.S. for specific code structure.

Virgin Islands Occurrence

54	...	Virgin Islands
01-53,55-58,60	...	Foreign Residents: Refer to U.S. for specific code structure.

Guam Occurrence

55	...	Guam
01-52	...	U.S. resident is also considered a resident of Guam.
53,54,58,60	...	Foreign Residents: Refer to U.S. for specific code structure.

FIPSOCCB**Federal Information Processing Standards**
(FIPS) Geographic Codes (Occurrence) - Birth

Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications.

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
14-15	2	<u>STOCCFIPB</u> <u>State of Occurrence (FIPS) - Birth</u>
		<u>United States</u>
		01 ... Alabama
		02 ... Alaska
		04 ... Arizona
		05 ... Arkansas
		06 ... California
		08 ... Colorado
		09 ... Connecticut
		10 ... Delaware
		11 ... District of Columbia
		12 ... Florida
		13 ... Georgia
		15 ... Hawaii
		16 ... Idaho
		17 ... Illinois
		18 ... Indiana
		19 ... Iowa
		20 ... Kansas
		21 ... Kentucky
		22 ... Louisiana
		23 ... Maine
		24 ... Maryland
		25 ... Massachusetts
		26 ... Michigan
		27 ... Minnesota
		28 ... Mississippi
		29 ... Missouri
		30 ... Montana
		31 ... Nebraska
		32 ... Nevada
		33 ... New Hampshire
		34 ... New Jersey
		35 ... New Mexico
		36 ... New York
		37 ... North Carolina
		38 ... North Dakota
		39 ... Ohio
		40 ... Oklahoma
		41 ... Oregon
		42 ... Pennsylvania
		44 ... Rhode Island
		45 ... South Carolina
		46 ... South Dakota
		47 ... Tennessee
		48 ... Texas

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
14-15	2	<p><u>STOCCFIPB</u> <u>State of Occurrence (FIPS) - Birth (Cond't)</u></p> <p><u>United States</u> 49 ... Utah 50 ... Vermont 51 ... Virginia 53 ... Washington 54 ... West Virginia 55 ... Wisconsin 56 ... Wyoming</p> <p><u>Puerto Rico</u> 72 ... Puerto Rico</p> <p><u>Virgin Islands</u> 78 ... Virgin Islands</p> <p><u>Guam</u> 66 ... Guam</p>
16-18	3	<p><u>CNTOCFIPB</u> <u>County of Occurrence (FIPS) - Birth</u></p> <p>001-nnn ... Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State. (Note: To uniquely identify a county, both the State and county codes must be used.)</p> <p>999 ... County with less than 250,000 population</p>
19-23	5	<p><u>FIPSRESB</u> <u>Federal Information Processing Standards (FIPS) Geographic Codes (Residence) - Birth</u></p>

Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications.

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
19-20	2	<u>STRESFIPB</u> <u>State of Residence (FIPS) - Birth</u> <u>United States Occurrence</u> 00 ... Foreign residents 01 ... Alabama 02 ... Alaska 04 ... Arizona 05 ... Arkansas 06 ... California 08 ... Colorado 09 ... Connecticut 10 ... Delaware 11 ... District of Columbia 12 ... Florida 13 ... Georgia 15 ... Hawaii 16 ... Idaho 17 ... Illinois 18 ... Indiana 19 ... Iowa 20 ... Kansas 21 ... Kentucky 22 ... Louisiana 23 ... Maine 24 ... Maryland 25 ... Massachusetts 26 ... Michigan 27 ... Minnesota 28 ... Mississippi 29 ... Missouri 30 ... Montana 31 ... Nebraska 32 ... Nevada 33 ... New Hampshire 34 ... New Jersey 35 ... New Mexico 36 ... New York 37 ... North Carolina 38 ... North Dakota 39 ... Ohio 40 ... Oklahoma 41 ... Oregon 42 ... Pennsylvania 44 ... Rhode Island 45 ... South Carolina 46 ... South Dakota 47 ... Tennessee

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>																																													
19-20	2	<p><u>STRESFIPB</u> <u>State of Residence (FIPS) - Birth Cond't)</u></p> <p><u>United States Occurrence</u></p> <table border="0"> <tr><td>48</td><td>...</td><td>Texas</td></tr> <tr><td>49</td><td>...</td><td>Utah</td></tr> <tr><td>50</td><td>...</td><td>Vermont</td></tr> <tr><td>51</td><td>...</td><td>Virginia</td></tr> <tr><td>53</td><td>...</td><td>Washington</td></tr> <tr><td>54</td><td>...</td><td>West Virginia</td></tr> <tr><td>55</td><td>...</td><td>Wisconsin</td></tr> <tr><td>56</td><td>...</td><td>Wyoming</td></tr> </table> <p><u>Puerto Rico Occurrence</u></p> <table border="0"> <tr><td>00-56,66,78</td><td>...</td><td>Foreign Residents: Refer to U.S. for specific code structure</td></tr> <tr><td>72</td><td>...</td><td>Puerto Rico</td></tr> </table> <p><u>Virgin Islands Occurrence</u></p> <table border="0"> <tr><td>00-56,66,72</td><td>...</td><td>Foreign Residents: Refer to U.S. for specific code structure</td></tr> <tr><td>78</td><td>...</td><td>Virgin Islands</td></tr> </table> <p><u>Guam Occurrence</u></p> <table border="0"> <tr><td>00,72,78</td><td>...</td><td>Foreign Residents: Refer to U.S. for specific code structure</td></tr> <tr><td>01-56</td><td>...</td><td>U.S. Resident is also considered a resident of Guam. Refer to U.S. for specific code structure</td></tr> <tr><td>66</td><td>...</td><td>Guam</td></tr> </table>	48	...	Texas	49	...	Utah	50	...	Vermont	51	...	Virginia	53	...	Washington	54	...	West Virginia	55	...	Wisconsin	56	...	Wyoming	00-56,66,78	...	Foreign Residents: Refer to U.S. for specific code structure	72	...	Puerto Rico	00-56,66,72	...	Foreign Residents: Refer to U.S. for specific code structure	78	...	Virgin Islands	00,72,78	...	Foreign Residents: Refer to U.S. for specific code structure	01-56	...	U.S. Resident is also considered a resident of Guam. Refer to U.S. for specific code structure	66	...	Guam
48	...	Texas																																													
49	...	Utah																																													
50	...	Vermont																																													
51	...	Virginia																																													
53	...	Washington																																													
54	...	West Virginia																																													
55	...	Wisconsin																																													
56	...	Wyoming																																													
00-56,66,78	...	Foreign Residents: Refer to U.S. for specific code structure																																													
72	...	Puerto Rico																																													
00-56,66,72	...	Foreign Residents: Refer to U.S. for specific code structure																																													
78	...	Virgin Islands																																													
00,72,78	...	Foreign Residents: Refer to U.S. for specific code structure																																													
01-56	...	U.S. Resident is also considered a resident of Guam. Refer to U.S. for specific code structure																																													
66	...	Guam																																													
21-23	3	<p><u>CNTYRFPB</u> <u>County of Residence (FIPS) - Birth</u></p> <table border="0"> <tr><td>000</td><td>...</td><td>Foreign residents</td></tr> <tr><td>001-nnn</td><td>...</td><td>Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State (Note: To uniquely identify a county, both the State and county codes must be used.)</td></tr> <tr><td>999</td><td>...</td><td>County with less than 250,000 population</td></tr> </table>	000	...	Foreign residents	001-nnn	...	Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State (Note: To uniquely identify a county, both the State and county codes must be used.)	999	...	County with less than 250,000 population																																				
000	...	Foreign residents																																													
001-nnn	...	Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State (Note: To uniquely identify a county, both the State and county codes must be used.)																																													
999	...	County with less than 250,000 population																																													
24-28	5	<p><u>PLRES</u> <u>Place (City) of Residence (FIPS)</u></p>																																													

A complete list of cities is shown in the Geographic Code Outline further back in this document.

00000	...	Foreign residents
00001-nnnnn	...	Code range
99999	...	Balance of county; or city less than 250,000 population

-7-
1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>																											
29	1	<p><u>MAGEFLG</u> <u>Age of Mother Flag</u></p> <p>This position is flagged whenever age is imputed or the mother's reported age is used. The reported age is used, if valid, when computed age derived from the date of birth is not available or when it is outside the 10-54 code range.</p> <table> <tr> <td>Blank</td> <td>...</td> <td>Not imputed and reported age is not used</td> </tr> <tr> <td>1</td> <td>...</td> <td>Reported age is used</td> </tr> <tr> <td>2</td> <td>...</td> <td>Age is imputed</td> </tr> </table>	Blank	...	Not imputed and reported age is not used	1	...	Reported age is used	2	...	Age is imputed																		
Blank	...	Not imputed and reported age is not used																											
1	...	Reported age is used																											
2	...	Age is imputed																											
30-31	2	<p><u>DMAGE</u> <u>Age of Mother</u></p> <p>This item is: a) computed using dates of birth of mother and of delivery; b) reported; or c) imputed. This is the age item used in NCHS publications.</p> <table> <tr> <td>10-54</td> <td>...</td> <td>Age in single years</td> </tr> </table>	10-54	...	Age in single years																								
10-54	...	Age in single years																											
32	1	<p><u>MAGER9</u> <u>Age of Mother Recode 9</u></p> <table> <tr> <td>1</td> <td>...</td> <td>Under 15 years</td> </tr> <tr> <td>2</td> <td>...</td> <td>15 - 19 years</td> </tr> <tr> <td>3</td> <td>...</td> <td>20 - 24 years</td> </tr> <tr> <td>4</td> <td>...</td> <td>25 - 29 years</td> </tr> <tr> <td>5</td> <td>...</td> <td>30 - 34 years</td> </tr> <tr> <td>6</td> <td>...</td> <td>35 - 39 years</td> </tr> <tr> <td>7</td> <td>...</td> <td>40 - 44 years</td> </tr> <tr> <td>8</td> <td>...</td> <td>45 - 49 years</td> </tr> <tr> <td>9</td> <td>...</td> <td>50 - 54 years</td> </tr> </table>	1	...	Under 15 years	2	...	15 - 19 years	3	...	20 - 24 years	4	...	25 - 29 years	5	...	30 - 34 years	6	...	35 - 39 years	7	...	40 - 44 years	8	...	45 - 49 years	9	...	50 - 54 years
1	...	Under 15 years																											
2	...	15 - 19 years																											
3	...	20 - 24 years																											
4	...	25 - 29 years																											
5	...	30 - 34 years																											
6	...	35 - 39 years																											
7	...	40 - 44 years																											
8	...	45 - 49 years																											
9	...	50 - 54 years																											
33	1	<p><u>ORMOTH</u> <u>Hispanic Origin of Mother</u></p> <p>Hispanic origin is reported for all areas except Puerto Rico.</p> <table> <tr> <td>0</td> <td>...</td> <td>Non-Hispanic</td> </tr> <tr> <td>1</td> <td>...</td> <td>Mexican</td> </tr> <tr> <td>2</td> <td>...</td> <td>Puerto Rican</td> </tr> <tr> <td>3</td> <td>...</td> <td>Cuban</td> </tr> <tr> <td>4</td> <td>...</td> <td>Central or South American</td> </tr> <tr> <td>5</td> <td>...</td> <td>Other and unknown Hispanic</td> </tr> <tr> <td>9</td> <td>...</td> <td>Origin unknown or not stated</td> </tr> </table>	0	...	Non-Hispanic	1	...	Mexican	2	...	Puerto Rican	3	...	Cuban	4	...	Central or South American	5	...	Other and unknown Hispanic	9	...	Origin unknown or not stated						
0	...	Non-Hispanic																											
1	...	Mexican																											
2	...	Puerto Rican																											
3	...	Cuban																											
4	...	Central or South American																											
5	...	Other and unknown Hispanic																											
9	...	Origin unknown or not stated																											

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>																																	
34	1	<p><u>ORRACEM</u> <u>Hispanic Origin and Race of Mother Recode</u></p> <p>Hispanic origin is reported for all areas except Puerto Rico.</p> <table border="0"> <tr><td>1</td><td>...</td><td>Mexican</td></tr> <tr><td>2</td><td>...</td><td>Puerto Rican</td></tr> <tr><td>3</td><td>...</td><td>Cuban</td></tr> <tr><td>4</td><td>...</td><td>Central or South American</td></tr> <tr><td>5</td><td>...</td><td>Other and unknown Hispanic</td></tr> <tr><td>6</td><td>...</td><td>Non-Hispanic White</td></tr> <tr><td>7</td><td>...</td><td>Non-Hispanic Black</td></tr> <tr><td>8</td><td>...</td><td>Non-Hispanic other races</td></tr> <tr><td>9</td><td>...</td><td>Origin unknown or not stated</td></tr> </table>	1	...	Mexican	2	...	Puerto Rican	3	...	Cuban	4	...	Central or South American	5	...	Other and unknown Hispanic	6	...	Non-Hispanic White	7	...	Non-Hispanic Black	8	...	Non-Hispanic other races	9	...	Origin unknown or not stated						
1	...	Mexican																																	
2	...	Puerto Rican																																	
3	...	Cuban																																	
4	...	Central or South American																																	
5	...	Other and unknown Hispanic																																	
6	...	Non-Hispanic White																																	
7	...	Non-Hispanic Black																																	
8	...	Non-Hispanic other races																																	
9	...	Origin unknown or not stated																																	
35	1	<p><u>MRACEIMP</u> <u>Race of Mother Imputation Flag</u></p> <table border="0"> <tr><td>Blank</td><td>...</td><td>Race is not imputed</td></tr> <tr><td>1</td><td>...</td><td>Race is imputed</td></tr> <tr><td>2</td><td>...</td><td>All other races, formerly code 09, is imputed</td></tr> </table>	Blank	...	Race is not imputed	1	...	Race is imputed	2	...	All other races, formerly code 09, is imputed																								
Blank	...	Race is not imputed																																	
1	...	Race is imputed																																	
2	...	All other races, formerly code 09, is imputed																																	
36-37 <u>Decedent</u>	2	<p><u>MRACE</u> <u>Race of Mother - Birth Record or for Unlinked Records Race of from Death Record</u></p> <p>Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18-68 replace old code 08 for these areas. Code 78 replaces old code 08 for all other areas. For consistency with Census race code 09 (all other races) used prior to 1992 has been imputed.</p> <p><u>United States Occurrence</u></p> <table border="0"> <tr><td>01</td><td>...</td><td>White</td></tr> <tr><td>02</td><td>...</td><td>Black</td></tr> <tr><td>03</td><td>...</td><td>American Indian (includes Aleuts and Eskimos)</td></tr> <tr><td>04</td><td>...</td><td>Chinese</td></tr> <tr><td>05</td><td>...</td><td>Japanese</td></tr> <tr><td>06</td><td>...</td><td>Hawaiian (includes part-Hawaiian)</td></tr> <tr><td>07</td><td>...</td><td>Filipino</td></tr> <tr><td>18</td><td>...</td><td>Asian Indian</td></tr> <tr><td>28</td><td>...</td><td>Korean</td></tr> <tr><td>38</td><td>...</td><td>Samoan</td></tr> <tr><td>48</td><td>...</td><td>Vietnamese</td></tr> </table>	01	...	White	02	...	Black	03	...	American Indian (includes Aleuts and Eskimos)	04	...	Chinese	05	...	Japanese	06	...	Hawaiian (includes part-Hawaiian)	07	...	Filipino	18	...	Asian Indian	28	...	Korean	38	...	Samoan	48	...	Vietnamese
01	...	White																																	
02	...	Black																																	
03	...	American Indian (includes Aleuts and Eskimos)																																	
04	...	Chinese																																	
05	...	Japanese																																	
06	...	Hawaiian (includes part-Hawaiian)																																	
07	...	Filipino																																	
18	...	Asian Indian																																	
28	...	Korean																																	
38	...	Samoan																																	
48	...	Vietnamese																																	

58	...	Guamanian
68	...	Other Asian or Pacific Islander in areas reporting codes 18-58
78	...	Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not report them separately

-9-

1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>																																																												
36-37	2	<p><u>MRACE</u> <u>Race of Mother - Birth Record or for Unlinked Records Race of</u> <u>from Death Record (Cond't)</u></p> <p><u>Puerto Rico Occurrence</u></p> <table> <tr> <td>00</td> <td>...</td> <td>Other races</td> </tr> <tr> <td>01</td> <td>...</td> <td>White</td> </tr> <tr> <td>02</td> <td>...</td> <td>Black</td> </tr> </table> <p><u>Virgin Islands Occurrence</u></p> <table> <tr> <td>01</td> <td>...</td> <td>White</td> </tr> <tr> <td>02</td> <td>...</td> <td>Black</td> </tr> <tr> <td>03</td> <td>...</td> <td>American Indian (includes Aleuts and Eskimos)</td> </tr> <tr> <td>04</td> <td>...</td> <td>Chinese</td> </tr> <tr> <td>05</td> <td>...</td> <td>Japanese</td> </tr> <tr> <td>06</td> <td>...</td> <td>Hawaiian (includes part-Hawaiian)</td> </tr> <tr> <td>07</td> <td>...</td> <td>Filipino</td> </tr> <tr> <td>08</td> <td>...</td> <td>Other Asian or Pacific Islander</td> </tr> </table> <p><u>Guam Occurrence</u></p> <table> <tr> <td>01</td> <td>...</td> <td>White</td> </tr> <tr> <td>02</td> <td>...</td> <td>Black</td> </tr> <tr> <td>03</td> <td>...</td> <td>American Indian (includes Aleuts and Eskimos)</td> </tr> <tr> <td>04</td> <td>...</td> <td>Chinese</td> </tr> <tr> <td>05</td> <td>...</td> <td>Japanese</td> </tr> <tr> <td>06</td> <td>...</td> <td>Hawaiian (includes part-Hawaiian)</td> </tr> <tr> <td>07</td> <td>...</td> <td>Filipino</td> </tr> <tr> <td>08</td> <td>...</td> <td>Other Asian or Pacific Islander</td> </tr> <tr> <td>58</td> <td>...</td> <td>Guamanian</td> </tr> </table>	00	...	Other races	01	...	White	02	...	Black	01	...	White	02	...	Black	03	...	American Indian (includes Aleuts and Eskimos)	04	...	Chinese	05	...	Japanese	06	...	Hawaiian (includes part-Hawaiian)	07	...	Filipino	08	...	Other Asian or Pacific Islander	01	...	White	02	...	Black	03	...	American Indian (includes Aleuts and Eskimos)	04	...	Chinese	05	...	Japanese	06	...	Hawaiian (includes part-Hawaiian)	07	...	Filipino	08	...	Other Asian or Pacific Islander	58	...	Guamanian
00	...	Other races																																																												
01	...	White																																																												
02	...	Black																																																												
01	...	White																																																												
02	...	Black																																																												
03	...	American Indian (includes Aleuts and Eskimos)																																																												
04	...	Chinese																																																												
05	...	Japanese																																																												
06	...	Hawaiian (includes part-Hawaiian)																																																												
07	...	Filipino																																																												
08	...	Other Asian or Pacific Islander																																																												
01	...	White																																																												
02	...	Black																																																												
03	...	American Indian (includes Aleuts and Eskimos)																																																												
04	...	Chinese																																																												
05	...	Japanese																																																												
06	...	Hawaiian (includes part-Hawaiian)																																																												
07	...	Filipino																																																												
08	...	Other Asian or Pacific Islander																																																												
58	...	Guamanian																																																												
38	1	<p><u>MRACE3</u> <u>Race of Mother Recode</u></p> <table> <tr> <td>1</td> <td>...</td> <td>White</td> </tr> <tr> <td>2</td> <td>...</td> <td>Races other than White or Black</td> </tr> <tr> <td>3</td> <td>...</td> <td>Black</td> </tr> </table>	1	...	White	2	...	Races other than White or Black	3	...	Black																																																			
1	...	White																																																												
2	...	Races other than White or Black																																																												
3	...	Black																																																												

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>																																				
39-40	2	<p><u>DMEDUC</u> <u>Education of Mother Detail</u></p> <p>All areas report education of mother.</p> <table border="0"> <tr><td>00</td><td>...</td><td>No formal education</td></tr> <tr><td>01-08</td><td>...</td><td>Years of elementary school</td></tr> <tr><td>09</td><td>...</td><td>1 year of high school</td></tr> <tr><td>10</td><td>...</td><td>2 years of high school</td></tr> <tr><td>11</td><td>...</td><td>3 years of high school</td></tr> <tr><td>12</td><td>...</td><td>4 years of high school</td></tr> <tr><td>13</td><td>...</td><td>1 year of college</td></tr> <tr><td>14</td><td>...</td><td>2 years of college</td></tr> <tr><td>15</td><td>...</td><td>3 years of college</td></tr> <tr><td>16</td><td>...</td><td>4 years of college</td></tr> <tr><td>17</td><td>...</td><td>5 or more years of college</td></tr> <tr><td>99</td><td>...</td><td>Not stated</td></tr> </table>	00	...	No formal education	01-08	...	Years of elementary school	09	...	1 year of high school	10	...	2 years of high school	11	...	3 years of high school	12	...	4 years of high school	13	...	1 year of college	14	...	2 years of college	15	...	3 years of college	16	...	4 years of college	17	...	5 or more years of college	99	...	Not stated
00	...	No formal education																																				
01-08	...	Years of elementary school																																				
09	...	1 year of high school																																				
10	...	2 years of high school																																				
11	...	3 years of high school																																				
12	...	4 years of high school																																				
13	...	1 year of college																																				
14	...	2 years of college																																				
15	...	3 years of college																																				
16	...	4 years of college																																				
17	...	5 or more years of college																																				
99	...	Not stated																																				
41	1	<p><u>MEDUC6</u> <u>Education of Mother Recode</u></p> <table border="0"> <tr><td>1</td><td>...</td><td>0 - 8 years</td></tr> <tr><td>2</td><td>...</td><td>9 - 11 years</td></tr> <tr><td>3</td><td>...</td><td>12 years</td></tr> <tr><td>4</td><td>...</td><td>13 - 15 years</td></tr> <tr><td>5</td><td>...</td><td>16 years and over</td></tr> <tr><td>6</td><td>...</td><td>Not stated</td></tr> </table>	1	...	0 - 8 years	2	...	9 - 11 years	3	...	12 years	4	...	13 - 15 years	5	...	16 years and over	6	...	Not stated																		
1	...	0 - 8 years																																				
2	...	9 - 11 years																																				
3	...	12 years																																				
4	...	13 - 15 years																																				
5	...	16 years and over																																				
6	...	Not stated																																				
42	1	<p><u>DMARIMP</u> <u>Marital Status of Mother Imputation Flag</u></p> <table border="0"> <tr><td>Blank</td><td>...</td><td>Marital status is not imputed</td></tr> <tr><td>1</td><td>...</td><td>Marital status is imputed</td></tr> </table>	Blank	...	Marital status is not imputed	1	...	Marital status is imputed																														
Blank	...	Marital status is not imputed																																				
1	...	Marital status is imputed																																				
43	1	<p><u>DMAR</u> <u>Marital Status of Mother</u></p> <p>Marital status is not reported by all areas. See reporting flags.</p>																																				

United States/Virgin Islands/Guam Occurrence

1	...	Married
2	...	Unmarried
9	...	Unknown or not stated

Puerto Rico Occurrence

1	...	Married
2	...	Unmarried parents living together
3	...	Unmarried parents not living together
9	...	Unknown or not stated

-11-

1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
44-45	2	<u>MPLBIR</u> <u>Place of Birth of Mother</u>
		01 ... Alabama
		02 ... Alaska
		03 ... Arizona
		04 ... Arkansas
		05 ... California
		06 ... Colorado
		07 ... Connecticut
		08 ... Delaware
		09 ... District of Columbia
		10 ... Florida
		11 ... Georgia
		12 ... Hawaii
		13 ... Idaho
		14 ... Illinois
		15 ... Indiana
		16 ... Iowa
		17 ... Kansas
		18 ... Kentucky
		19 ... Louisiana
		20 ... Maine
		21 ... Maryland
		22 ... Massachusetts
		23 ... Michigan
		24 ... Minnesota
		25 ... Mississippi
		26 ... Missouri
		27 ... Montana
		28 ... Nebraska
		29 ... Nevada
		30 ... New Hampshire
		31 ... New Jersey
		32 ... New Mexico
		33 ... New York
		34 ... North Carolina

35	...	North Dakota
36	...	Ohio
37	...	Oklahoma
38	...	Oregon
39	...	Pennsylvania
40	...	Rhode Island
41	...	South Carolina
42	...	South Dakota
43	...	Tennessee
44	...	Texas
45	...	Utah
46	...	Vermont
47	...	Virginia
48	...	Washington
49	...	West Virginia

-12-

1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>																														
44-45	2	<p><u>MPLBIR</u> <u>Place of Birth of Mother (Cond't)</u></p> <table> <tr><td>50</td><td>...</td><td>Wisconsin</td></tr> <tr><td>51</td><td>...</td><td>Wyoming</td></tr> <tr><td>52</td><td>...</td><td>Puerto Rico</td></tr> <tr><td>53</td><td>...</td><td>Virgin Islands</td></tr> <tr><td>54</td><td>...</td><td>Guam</td></tr> <tr><td>55</td><td>...</td><td>Canada</td></tr> <tr><td>56</td><td>...</td><td>Cuba</td></tr> <tr><td>57</td><td>...</td><td>Mexico</td></tr> <tr><td>59</td><td>...</td><td>Remainder of the World</td></tr> <tr><td>99</td><td>...</td><td>Not Classifiable</td></tr> </table>	50	...	Wisconsin	51	...	Wyoming	52	...	Puerto Rico	53	...	Virgin Islands	54	...	Guam	55	...	Canada	56	...	Cuba	57	...	Mexico	59	...	Remainder of the World	99	...	Not Classifiable
50	...	Wisconsin																														
51	...	Wyoming																														
52	...	Puerto Rico																														
53	...	Virgin Islands																														
54	...	Guam																														
55	...	Canada																														
56	...	Cuba																														
57	...	Mexico																														
59	...	Remainder of the World																														
99	...	Not Classifiable																														
46	1	<p><u>MPLBIRR</u> <u>Place of Birth of Mother Recode</u></p> <p><u>United States Occurrence</u></p> <table> <tr><td>1</td><td>...</td><td>Born in the 50 States and D.C.</td></tr> <tr><td>2</td><td>...</td><td>Born outside the 50 States and DC</td></tr> <tr><td>3</td><td>...</td><td>Unknown or not stated</td></tr> </table> <p><u>Puerto Rico/Virgin Island/ Guam Occurrence</u></p> <table> <tr><td>Blank</td><td>...</td><td>This item not recorded</td></tr> </table>	1	...	Born in the 50 States and D.C.	2	...	Born outside the 50 States and DC	3	...	Unknown or not stated	Blank	...	This item not recorded																		
1	...	Born in the 50 States and D.C.																														
2	...	Born outside the 50 States and DC																														
3	...	Unknown or not stated																														
Blank	...	This item not recorded																														
47-48	2	<p><u>DTOTORD</u> <u>Detail Total Birth Order</u></p> <p>Sum of live birth order and other terminations of pregnancy. If either item is unknown, this item is made unknown.</p> <table> <tr><td>01-40</td><td>...</td><td>Total number of live births and other terminations of pregnancy</td></tr> <tr><td>99</td><td>...</td><td>Unknown</td></tr> </table>	01-40	...	Total number of live births and other terminations of pregnancy	99	...	Unknown																								
01-40	...	Total number of live births and other terminations of pregnancy																														
99	...	Unknown																														
49-50	2	<p><u>DLIVORD</u></p>																														

Detail Live Birth Order

Sum of live births now living and now dead plus one. If either item is unknown, this item is made unknown.

00-31 ... Number of children born alive to mother
99 ... Unknown

-13-
1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
51-52	2	<u>MONPRE</u> <u>Detail Month of Pregnancy Prenatal Care Began</u> 00 ... No prenatal care 01 ... 1st month 02 ... 2nd month 03 ... 3rd month 04 ... 4th month 05 ... 5th month 06 ... 6th month 07 ... 7th month 08 ... 8th month 09 ... 9th month 99 ... Unknown or not stated
53	1	<u>MPRE5</u> <u>Month Prenatal Care Began Recode 5</u> 1 ... 1st Trimester (1st-3rd month) 2 ... 2nd Trimester (4th-6th month) 3 ... 3rd Trimester (7th-9th month) 4 ... No prenatal care 5 ... Unknown or not stated
54-55	2	<u>NPREVIST</u> <u>Total Number of Prenatal Visits</u> 00 ... No prenatal visits 01-48 ... Stated number of visits 49 ... 49 or more visits 99 ... Unknown or not stated
56	1	<u>ADEQUACY</u> <u>Adequacy of Care Recode (Kessner Index)</u>

This code is based on a modified Kessner criterion. Month Prenatal Care Began, Number of Prenatal Visits, and Gestation are the items used to generate this recode.

1	...	Adequate
2	...	Intermediate
3	...	Inadequate
4	...	Unknown

57-59 3

R1
Reserved Positions

-14-
1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>																					
60	1	<p><u>FAGERFLG</u> <u>Reported Age of Father Used Flag</u></p> <p>This position is flagged whenever the Father's reported age in years is used. The reported age is used, if valid, when age derived from date of birth is not available or when it is less than 10.</p> <table> <tr> <td>Blank</td> <td>...</td> <td>Reported age is not used</td> </tr> <tr> <td>1</td> <td>...</td> <td>Reported age is used</td> </tr> </table>	Blank	...	Reported age is not used	1	...	Reported age is used															
Blank	...	Reported age is not used																					
1	...	Reported age is used																					
61-62	2	<p><u>DFAGE</u> <u>Age of Father</u></p> <p>This item is either computed from date of birth of father and of child or is the reported age. This is the age item used in NCHS publications.</p> <table> <tr> <td>10-98</td> <td>...</td> <td>Age in single years</td> </tr> <tr> <td>99</td> <td>...</td> <td>Unknown or not stated</td> </tr> </table>	10-98	...	Age in single years	99	...	Unknown or not stated															
10-98	...	Age in single years																					
99	...	Unknown or not stated																					
63	1	<p><u>ORFATH</u> <u>Hispanic Origin of Father</u></p> <p>Hispanic origin is reported for all areas except Puerto Rico.</p> <table> <tr> <td>0</td> <td>...</td> <td>Non-Hispanic</td> </tr> <tr> <td>1</td> <td>...</td> <td>Mexican</td> </tr> <tr> <td>2</td> <td>...</td> <td>Puerto Rican</td> </tr> <tr> <td>3</td> <td>...</td> <td>Cuban</td> </tr> <tr> <td>4</td> <td>...</td> <td>Central or South American</td> </tr> <tr> <td>5</td> <td>...</td> <td>Other and unknown Hispanic</td> </tr> <tr> <td>9</td> <td>...</td> <td>Origin unknown or not stated</td> </tr> </table>	0	...	Non-Hispanic	1	...	Mexican	2	...	Puerto Rican	3	...	Cuban	4	...	Central or South American	5	...	Other and unknown Hispanic	9	...	Origin unknown or not stated
0	...	Non-Hispanic																					
1	...	Mexican																					
2	...	Puerto Rican																					
3	...	Cuban																					
4	...	Central or South American																					
5	...	Other and unknown Hispanic																					
9	...	Origin unknown or not stated																					

ORRACEF**Hispanic Origin and Race of Father Recode**

Hispanic origin is reported for all areas except Puerto Rico.

1	...	Mexican
2	...	Puerto Rican
3	...	Cuban
4	...	Central or South American
5	...	Other and unknown Hispanic
6	...	Non-Hispanic White
7	...	Non-Hispanic Black
8	...	Non-Hispanic other or unknown race
9	...	Origin unknown or not stated

-15-

1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
65-66	2	<u>FRACE</u> <u>Race of Father</u>

Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. See reporting flags. Codes 18 -68 replace old code 08 for these areas. Code 78 replaces old code 08 for all other areas. Code 09 (all other races) has been changed to 99.

United States Occurrence

01	...	White
02	...	Black
03	...	American Indian (includes Aleuts and Eskimos)
04	...	Chinese
05	...	Japanese
06	...	Hawaiian (includes part-Hawaiian)
07	...	Filipino
18	...	Asian Indian
28	...	Korean
38	...	Samoan
48	...	Vietnamese
58	...	Guamanian
68	...	Other Asian or Pacific Islander in areas reporting codes 18-58
78	...	Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not report them separately
99	...	Unknown or not stated

Puerto Rico Occurrence

00	...	Other races
01	...	White
02	...	Black
99	...	Unknown or not stated

Virgin Islands Occurrence

01	...	White
02	...	Black
03	...	American Indian (includes Aleuts and Eskimos)
04	...	Chinese
05	...	Japanese
06	...	Hawaiian (includes part-Hawaiian)
07	...	Filipino
08	...	Other Asian or Pacific Islander
99	...	Unknown or not stated

-16-
1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>																														
65-66	2	<p><u>FRACE</u> <u>Race of Father (Cond't)</u></p> <p><u>Guam Occurrence</u></p> <table> <tr><td>01</td><td>...</td><td>White</td></tr> <tr><td>02</td><td>...</td><td>Black</td></tr> <tr><td>03</td><td>...</td><td>American Indian (includes Aleuts and Eskimos)</td></tr> <tr><td>04</td><td>...</td><td>Chinese</td></tr> <tr><td>05</td><td>...</td><td>Japanese</td></tr> <tr><td>06</td><td>...</td><td>Hawaiian (includes part-Hawaiian)</td></tr> <tr><td>07</td><td>...</td><td>Filipino</td></tr> <tr><td>08</td><td>...</td><td>Other Asian or Pacific Islander</td></tr> <tr><td>58</td><td>...</td><td>Guamanian</td></tr> <tr><td>99</td><td>...</td><td>Unknown or not stated</td></tr> </table>	01	...	White	02	...	Black	03	...	American Indian (includes Aleuts and Eskimos)	04	...	Chinese	05	...	Japanese	06	...	Hawaiian (includes part-Hawaiian)	07	...	Filipino	08	...	Other Asian or Pacific Islander	58	...	Guamanian	99	...	Unknown or not stated
01	...	White																														
02	...	Black																														
03	...	American Indian (includes Aleuts and Eskimos)																														
04	...	Chinese																														
05	...	Japanese																														
06	...	Hawaiian (includes part-Hawaiian)																														
07	...	Filipino																														
08	...	Other Asian or Pacific Islander																														
58	...	Guamanian																														
99	...	Unknown or not stated																														
67	1	<p><u>PLDEL</u> <u>Place or Facility of Delivery</u></p> <table> <tr><td>1</td><td>...</td><td>Hospital</td></tr> <tr><td>2</td><td>...</td><td>Freestanding Birthing Center</td></tr> <tr><td>3</td><td>...</td><td>Clinic or Doctor's Office</td></tr> <tr><td>4</td><td>...</td><td>A Residence</td></tr> <tr><td>5</td><td>...</td><td>Other</td></tr> <tr><td>9</td><td>...</td><td>Unknown or not stated</td></tr> </table>	1	...	Hospital	2	...	Freestanding Birthing Center	3	...	Clinic or Doctor's Office	4	...	A Residence	5	...	Other	9	...	Unknown or not stated												
1	...	Hospital																														
2	...	Freestanding Birthing Center																														
3	...	Clinic or Doctor's Office																														
4	...	A Residence																														
5	...	Other																														
9	...	Unknown or not stated																														
68	1	<p><u>BIRATTND</u> <u>Attendant at Delivery</u></p>																														

1	...	Doctor of Medicine (M.D.)
2	...	Doctor of Osteopathy (D.O.)
3	...	Certified Nurse Midwife (C.N.M.)
4	...	Other Midwife
5	...	Other
9	...	Unknown or not stated

69 1

R2
Reserved position

70 1

GESTESTM
Clinical Estimate of Gestation Used Flag

This position is flagged whenever the clinical estimate of gestation is used. It is used when gestation could not be computed or when the computed gestation is outside the 17-47 code range.

Blank	...	Clinical Estimate is not used
1	...	Clinical Estimate is used

-17-
1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
----------------------	--------------------	---

71-72 2

CLINGEST
Clinical Estimate of Gestation

Clinical estimate is not reported by all areas.
See reporting flags.

17-47	...	Estimated gestation in weeks
99	...	Unknown or not stated

73 1

GESTIMP
Gestation Imputation Flag

Blank	...	Gestation is not imputed
1	...	Gestation is imputed

74-75 2

GESTAT
Gestation - Detail in Weeks

This item is: a) computed using dates of birth of child and last normal menses; b) imputed from LMP date; c) the clinical estimate; or d) unknown when there is insufficient data to impute or no valid clinical estimate. This is the gestation item used in NCHS publications.

17-47	...	17th through 47th week of gestation
99	...	Unknown

76-77 2

GESTAT 10
GESTATION RECODE 10

01	...	Under 20 weeks
02	...	20 - 27 weeks
03	...	28 - 31 weeks
04	...	32 - 35 weeks
05	...	36 weeks
06	...	37 - 39 weeks
07	...	40 weeks
08	...	41 weeks
09	...	42 weeks and over
10	...	Not stated

78 1

CSEXIMP
Sex Imputation Flag

Blank	...	Sex is not imputed
1	...	Sex is imputed

79 1

CSEX
Sex

1	...	Male
2	...	Female

-18-
1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>						
80-87	8	<p><u>BIRTHWEIGHT</u></p> <p>Beginning in 1995, an imputation for not-stated birthweight was added to reduce potential bias in the data (see section on Changes beginning with the 1995 data year in the introductory text to this documentation). The following imputation flag can be used to delete imputed values for those researchers wishing to use only reported birthweight data.</p>						
80	1	<p><u>BWIF</u> <u>Birth Weight Imputation Flag</u></p> <table> <tr><td>Blank</td><td>...</td><td>Birthweight is not imputed</td></tr> <tr><td>1</td><td>...</td><td>Birthweight is imputed</td></tr> </table>	Blank	...	Birthweight is not imputed	1	...	Birthweight is imputed
Blank	...	Birthweight is not imputed						
1	...	Birthweight is imputed						
81-84	4	<p><u>DBIRWT</u> <u>Birth Weight Detail in Grams (Imputed)</u></p> <table> <tr><td>0227-8165</td><td>...</td><td>Number of grams</td></tr> <tr><td>9999</td><td>...</td><td>Not stated birth weight</td></tr> </table>	0227-8165	...	Number of grams	9999	...	Not stated birth weight
0227-8165	...	Number of grams						
9999	...	Not stated birth weight						
85-86	2	<p><u>BIRWT12</u> <u>Birth Weight Recode 12 (Imputed)</u></p> <table> <tr><td>01</td><td>...</td><td>499 grams or less</td></tr> </table>	01	...	499 grams or less			
01	...	499 grams or less						

02	...	500-999 grams
03	...	1000-1499 grams
04	...	1500-1999 grams
05	...	2000-2499 grams
06	...	2500-2999 grams
07	...	3000-3499 grams
08	...	3500-3999 grams
09	...	4000-4499 grams
10	...	4500-4999 grams
11	...	5000-8165 grams
12	...	Unknown or not stated

87 1

BIRWT4
Birth Weight Recode 4 (Imputed)

1	...	1499 grams or less
2	...	1500-2499 grams
3	...	2500 grams or more
4	...	Unknown or not stated

88 1

PLURIMP
Plurality Imputation Flag

Blank	...	Plurality is not imputed
1	...	Plurality is imputed

-19-
1998

Denominator Record and Natality Section of Numerator (Linked) Record

Item Location Item Length Variable Name, Item and Code Outline

89 1

DPLURAL
Plurality

1	...	Single
2	...	Twin
3	...	Triplet
4	...	Quadruplet
5	...	Quintuplet or higher

90-91 2

FMAPS
Five-Minute Apgar Score

Apgar score is not reported by all areas. See reporting flags.

00-10	...	A score of 0-10
99	...	Unknown or not stated

92-186 95

MEDINFO
Medical and Health Data

Some States do not report an entire item while other States do not report all of the categories within an item. If an item is not reported, it is indicated by

code zero in the appropriate reporting flag. If a category within an item is not reported it is indicated by code 8 in the position for that category.

92-99 8

DELMETH
Method of Delivery

Each method is assigned a separate position, and the code structure for each method (position) is:

- | | | |
|---|-----|------------------------------|
| 1 | ... | The method was used |
| 2 | ... | The method was not used |
| 8 | ... | Method not on certificate |
| 9 | ... | Method unknown or not stated |

92 1

VAGINAL
Vaginal

93 1

VBAC
Vaginal Birth After Previous C-Section

94 1

PRIMAC
Primary C-Section

95 1

REPEAC
Repeat C-Section

96 1

FORCEP
Forceps

-20-
1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
97	1	<u>VACUUM</u> <u>Vacuum</u>
98	1	<u>R3</u> <u>Reserved Position</u>
99	1	<u>DELMETH5</u> <u>Method of Delivery Recode</u>
		1 ... Vaginal (excludes Vaginal after previous C-section)
		2 ... Vaginal birth after previous C section
		3 ... Primary C-section
		4 ... Repeat C-Section
		5 ... Not stated
100-117	18	<u>MEDRISK</u> <u>Medical Risk Factors</u>

Each risk factor is assigned a separate position, and the code structure for

each risk factor (position) is:

1	...	Factor reported
2	...	Factor not reported
8	...	Factor not on certificate
9	...	Factor not classifiable

100 1

MRFLAG
No Medical Risk Factors Reported Flag

Blank	...	One or more medical risk factors coded, one, eight, or nine
2	...	No medical risk factors reported. Each factor is coded a two.

101 1

ANEMIA
Anemia (Hct.<30/Hgb.<10)

102 1

CARDIAC
Cardiac disease

103 1

LUNG
Acute or chronic lung disease

104 1

DIABETES
Diabetes

105 1

HERPES
Genital herpes

106 1

HYDRA
Hydramnios/Oligohydramnios

-21-
1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
107	1	<u>HEMO</u> <u>Hemoglobinopathy</u>
108	1	<u>CHYPER</u> <u>Hypertension, chronic</u>
109	1	<u>PHYPER</u> <u>Hypertension, pregnancy-associated</u>
110	1	<u>ECLAMP</u> <u>Eclampsia</u>
111	1	<u>INCERVIX</u> <u>Incompetent cervix</u>
112	1	<u>PRE4000</u> <u>Previous infant 4000+ grams</u>

113	1	<u>PRETERM</u> <u>Previous preterm or small-for-gestational-age infant</u>
114	1	<u>RENAL</u> <u>Renal disease</u>
115	1	<u>RH</u> <u>Rh sensitization</u>
116	1	<u>UTERINE</u> <u>Uterine bleeding</u>
117	1	<u>OTHERMR</u> <u>Other Medical Risk Factors</u>
118-128	11	<u>OTHERRSK</u> <u>Other Risk Factors for this Pregnancy</u>
118-121	4	<u>TOBACRSK</u> <u>Tobacco Risks</u>
118	1	<u>TOBACCO</u> <u>Tobacco Use During Pregnancy</u>
		1 ... Yes
		2 ... No
		9 ... Unknown or not stated
119-120	2	<u>CIGAR</u> <u>Average Number of Cigarettes Per Day</u>
		00-97 ... As stated
		98 ... 98 or more cigarettes per day
		99 ... Unknown or not stated

-22-

1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
121	1	<u>CIGAR6</u> <u>Average Number of Cigarettes Per Day Recode</u>
		0 ... Nonsmoker
		1 ... 1-5 cigarettes per day
		2 ... 6-10 cigarettes per day
		3 ... 11-20 cigarettes per day
		4 ... 21-40 cigarettes per day
		5 ... 41 or more cigarettes per day
		6 ... Unknown or not stated
122-125	4	<u>ALCOHRSK</u> <u>Alcohol</u>
122	1	<u>ALCOHOL</u> <u>Alcohol Use During Pregnancy</u>

1	...	Yes
2	...	No
9	...	Unknown or not stated

123-124 2

DRINK
Average Number of Drinks Per Week

00-97	...	As stated
98	...	98 or more drinks per week
99	...	Unknown or not stated

125 1

DRINK5
Average Number of Drinks Per Week Recode

0	...	Non drinker
1	...	1 drink per week
2	...	2 drinks per week
3	...	3-4 drinks per week
4	...	5 or more drinks per week
5	...	Unknown or not stated

126-128 3

WTGANRSK
Weight Gain During Pregnancy

126-127 2

WTGAIN
Weight Gain

00-97	...	Stated number of pounds
98	...	98 pounds or more
99	...	Unknown or not stated

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>																											
128	1	<u>WTGAIN9</u> <u>Weight Gain Recode</u> <table> <tr><td>1</td><td>...</td><td>Less than 16 pounds</td></tr> <tr><td>2</td><td>...</td><td>16-20 pounds</td></tr> <tr><td>3</td><td>...</td><td>21-25 pounds</td></tr> <tr><td>4</td><td>...</td><td>26-30 pounds</td></tr> <tr><td>5</td><td>...</td><td>31-35 pounds</td></tr> <tr><td>6</td><td>...</td><td>36-40 pounds</td></tr> <tr><td>7</td><td>...</td><td>41-45 pounds</td></tr> <tr><td>8</td><td>...</td><td>46 or more pounds</td></tr> <tr><td>9</td><td>...</td><td>Unknown or not stated</td></tr> </table>	1	...	Less than 16 pounds	2	...	16-20 pounds	3	...	21-25 pounds	4	...	26-30 pounds	5	...	31-35 pounds	6	...	36-40 pounds	7	...	41-45 pounds	8	...	46 or more pounds	9	...	Unknown or not stated
1	...	Less than 16 pounds																											
2	...	16-20 pounds																											
3	...	21-25 pounds																											
4	...	26-30 pounds																											
5	...	31-35 pounds																											
6	...	36-40 pounds																											
7	...	41-45 pounds																											
8	...	46 or more pounds																											
9	...	Unknown or not stated																											

129-136 8

OBSTETRC
Obstetric Procedures

Each procedure is assigned a separate position, and the code structure for each procedure (position) is:

- 1 ... Procedure reported
- 2 ... Procedure not reported
- 8 ... Procedure not on certificate
- 9 ... Procedure not classifiable

129 1

OBFLAG
Obstetric Flag

- Blank ... One or more obstetric procedures coded, one, eight, or nine
- 2 ... No obstetric procedures reported. Each factor is coded a two.

130 1

AMNIO
Amniocentesis

131 1

MONITOR
Electronic fetal monitoring

132 1

INDUCT
Induction of labor

133 1

STIMULA
Stimulation of labor

134 1

TOCOL
Tocolysis

135 1

ULTRAS
Ultrasound

136 1

OTHEROB
Other Obstetric Procedures

-24-
1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item</u>	<u>Item</u>	<u>Variable Name,</u>
<u>Location</u>	<u>Length</u>	<u>Item and Code Outline</u>

137-153 17

LABOR
Complications of Labor and/or Delivery

Each complication is assigned a separate position, and the code structure for each complication (position) is:

- 1 ... Complication reported
- 2 ... Complication not reported
- 8 ... Complication not on certificate
- 9 ... Complication not classifiable

137 1

FBFLAG

Labor Flag

Blank ... One or more labor and/or delivery complications coded, one, eight, or nine
2 ... No labor and/or delivery complication reported. Each factor is coded a two.

138	1	<u>FEBRILE</u> <u>Febrile (>100 degrees F. or 38 degrees C.)</u>
139	1	<u>MECONIUM</u> <u>Meconium, moderate/heavy</u>
140	1	<u>RUPTURE</u> <u>Premature rupture of membrane (>12 hours)</u>
141	1	<u>ABRUPTIO</u> <u>Abruptio placenta</u>
142	1	<u>PREPLACE</u> <u>Placenta previa</u>
143	1	<u>EXCEBLD</u> <u>Other excessive bleeding</u>
144	1	<u>SEIZURE</u> <u>Seizures during labor</u>
145	1	<u>PRECIP</u> <u>Precipitous labor (<3 hours)</u>
146	1	<u>PROLONG</u> <u>Prolonged labor (>20 hours)</u>
147	1	<u>DYSFUNC</u> <u>Dysfunctional labor</u>
148	1	<u>BREECH</u> <u>Breech/Malpresentation</u>

-25-
1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
149	1	<u>CEPHALO</u> <u>Cephalopelvic disproportion</u>
150	1	<u>CORD</u> <u>Cord prolapse</u>
151	1	<u>ANESTHE</u> <u>Anesthetic complications</u>
152	1	<u>DISTRESS</u>

Fetal distress

153 1 **OTHERLB**
Other Complications of Labor and/or Delivery

154-163 10 **NEWBORN**
Abnormal conditions of the Newborn

Each condition is assigned a separate position, and the code structure for each condition (position) is:

1 ... Condition reported
2 ... Condition not reported
8 ... Condition not on certificate
9 ... Condition not classifiable

154 1 **NBFLAG**
Newborn Flag

Blank ... One or more abnormal conditions of the newborn coded, one, eight, or nine
2 ... No abnormal condition of the newborn reported. Each factor is coded a two.

155 1 **NANEMIA**
Anemia Hct.>39/Hgb.<13)

156 1 **INJURY**
Birth injury

157 1 **ALCOSYN**
Fetal alcohol syndrome

158 1 **HYALINE**
Hyaline membrane disease

159 1 **MECONSYN**
Meconium aspiration syndrome

160 1 **VENL30**
Assisted ventilation, less than 30 minutes

-26-
1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
161	1	<u>VEN30M</u> <u>Assisted ventilation, 30 minutes or more</u>
162	1	<u>NSEIZ</u> <u>Seizures</u>
163	1	<u>OTHERAB</u> <u>Other Abnormal Conditions of the Newborn</u>

164-186 23

CONGENIT
Congenital Anomalies

Each anomaly is assigned a separate position, and the code structure for each anomaly (position) is:

- 1 ... Anomaly reported
- 2 ... Anomaly not reported
- 8 ... Anomaly not on certificate
- 9 ... Anomaly not classifiable

164 1

CGFLAG
Congenital Flag

- Blank ... One or more congenital anomalies coded, one, eight, or nine
- 2 ... No congenital anomaly is reported. Each factor is coded a two.

165 1

ANEN
Anencephalus

166 1

SPINA
Spina bifida/Meningocele

167 1

HYDRO
Hydrocephalus

168 1

MICROCE
Microcephalus

169 1

NERVOUS
Other central nervous system anomalies

170 1

HEART
Heart malformations

171 1

CIRCUL
Other circulatory/respiratory anomalies

172 1

RECTAL
Rectal atresia/stenosis

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
173	1	<u>TRACHEO</u> <u>Tracheo-esophageal fistula/Esophageal atresia</u>
174	1	<u>OMPHALO</u> <u>Omphalocele/Gastroschisis</u>
175	1	<u>GASTRO</u>

Other gastrointestinal anomalies

176	1	<u>GENITAL</u> <u>Malformed genitalia</u>
177	1	<u>RENALAGE</u> <u>Renal agenesis</u>
178	1	<u>UROGEN</u> <u>Other urogenital anomalies</u>
179	1	<u>CLEFTLP</u> <u>Cleft lip/palate</u>
180	1	<u>ADACTYLY</u> <u>Polydactyly/Syndactyly/Adactyly</u>
181	1	<u>CLUBFOOT</u> <u>Club foot</u>
182	1	<u>HERNIA</u> <u>Diaphragmatic hernia</u>
183	1	<u>MUSCULO</u> <u>Other musculoskeletal/integumental anomalies</u>
184	1	<u>DOWNS</u> <u>Down's syndrome</u>
185	1	<u>CHROMO</u> <u>Other chromosomal anomalies</u>
186	1	<u>OTHERCON</u> <u>Other congenital anomalies</u>
187-203	17	<u>FLRES</u> <u>Reporting Flags for Place of Residence</u>

These positions contain flags to indicate whether or not the specified item is included on the birth certificate of the State of residence or of the SMSA of residence. The code structure of each flag (position) is:

0	...	The item is not reported
1	...	The item is reported or partially reported.

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
187	1	<u>ORIGM</u> <u>Origin of mother</u>
188	1	<u>ORIGF</u> <u>Origin of father</u>

189	1	<u>EDUCM</u> <u>Education of mother</u>
190	1	<u>R4</u> <u>Reserved Position</u>
191	1	<u>GESTE</u> <u>Clinical estimate of gestation</u>
192	1	<u>R5</u> <u>Reserved position</u>
193	1	<u>FMAPSRF</u> <u>5-minute Apgar score</u>
194	1	<u>DELMETRF</u> <u>Method of delivery</u>
195	1	<u>MEDRSK</u> <u>Medical risk factors</u>
196	1	<u>TOBUSE</u> <u>Tobacco use</u>
197	1	<u>ALCUSE</u> <u>Alcohol use</u>
198	1	<u>WTGN</u> <u>Weight gain</u>
199	1	<u>OBSTRC</u> <u>Obstetric procedures</u>
200	1	<u>CLABOR</u> <u>Complications of labor and/or delivery</u>
201	1	<u>ABNML</u> <u>Abnormal conditions of newborn</u>
202	1	<u>CONGAN</u> <u>Congenital anomalies</u>
203	1	<u>API flag</u> <u>Race codes 18-68 reported (beginning with 1992 data)</u>

-29-

1998

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
204	1	<u>CDOBMIMP</u> <u>Month of Birth of Child Imputation Flag</u>

Blank	...	Month is not imputed
1	...	Month is imputed

205-206 2

BIRMON
Month of Birth

01	...	January
02	...	February
03	...	March
04	...	April
05	...	May
06	...	June
07	...	July
08	...	August
09	...	September
10	...	October
11	...	November
12	...	December

207-208 2

R6
Reserved Position

209 1

WEEKDAYB
Day of Week Child Born

1	...	Sunday
2	...	Monday
3	...	Tuesday
4	...	Wednesday
5	...	Thursday
6	...	Friday
7	...	Saturday

210 1

FLGND
Flag Indicating Records Included in Both Numerator and Denominator Files

This variable is included in the denominator file only, and identifies a record which is also included in the numerator file. Please note that not all infant deaths in the numerator file are represented in the denominator file, because some of the infants who died in 1998 were born in 1997.

1	...	Record also included in numerator file
Blank	...	Record not included in numerator file

Here ends the Denominator file. Documentation for the Mortality Section of the Numerator (Linked) file begins on the next page.

the mortality section of the Numerator (Linked) Record, these items refer to the place of residence of the Decedent.

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
211-213	3	<p><u>AGED</u> <u>Age at Death in Days</u></p> <p>The generated age at death in days is calculated from the date of death on the death certificate minus the date of birth on the birth certificate unless the reported age of death is less than 2 days, then the reported age is used. If the exact date of birth and/or death is unknown, the age is imputed.</p> <p>000-364 ... Number of days</p>
214	1	<p><u>AGER5</u> <u>Infant Age Recode 5</u></p> <p>1 ... Under 1 hour 2 ... 1-23 hours 3 ... 1-6 days 4 ... 7-27 days (late neonatal) 5 ... 28 days and over (postneonatal)</p>
215	1	<p><u>ACCIDPL</u> <u>Place of Accident for Causes E850-E869 and E880-E928</u></p> <p>Blank ... Causes other than E850-E869 and E880-E928 0 ... Home 1 ... Farm 2 ... Mine and quarry 3 ... Industrial place and premises 4 ... Place for recreation and sport 5 ... Street and highway 6 ... Public building 7 ... Resident institution 8 ... Other specified places 9 ... Place of accident not specified</p>
216-219	4	<p><u>UCOD</u> <u>ICD Code (9th Revision)</u></p> <p>See the <u>International Classification of Diseases, 1975 Revision, Volume 1</u>. For injuries and poisoning, the external cause is coded (E800-E999) rather than the Nature of Injury (800-999). These positions do not include the letter E for the external cause of injury. For those causes that do not have a 4th digit, location 219 is blank.</p>

<u>Location</u>	<u>Length</u>	<u>Item and Code Outline</u>
220-222	3	<p><u>UCODR61</u> <u>61 Infant Cause Recode</u></p> <p>A recode of the ICD cause code into 61 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.</p> <p>010-680 ... Code range (not inclusive)</p>

223-230	8	<p><u>RECWT</u> <u>Record weight</u></p> <p>Beginning in 1995, a record weight was added to the linked file to adjust for the approximately 2-3% of records each year which cannot be linked to their corresponding birth certificates (see introduction to this tape documentation for further details). These weights are used to produce all NCHS linked file tables, including Documentation tables 1-5 included in this tape documentation. The general format for this record weight is the number one followed by a decimal point and six decimal places as follows:</p> <p>1.XXXXXX</p>
---------	---	--

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
261-504	244	<p><u>MULTCOND</u> <u>Multiple Conditions</u></p> <p>See the "International Classification of Diseases", 1975 Revision, Volume 1. Both the entity-axis and record-axis conditions are coded according to this revision (9th).</p>
261-262	2	<p><u>EANUM</u> <u>Number of Entity-Axis Conditions</u></p> <p>00-20 ... Code range</p>
263-402	140	<p><u>ENTITY</u> <u>ENTITY - AXIS CONDITIONS</u></p> <p>Space has been provided for a maximum of 20 conditions. Each condition takes 7 positions in the record. Records that do not have 20 conditions are blank in the unused area.</p> <p>Position 1: Part/line number on certificate</p> <p>1 ... Part I, line 1 (a) 2 ... Part I, line 2 (b) 3 ... Part I, line 3 (c) 4 ... Part I, line 4 (d) 5 ... Part I, line 5 (e) 6 ... Part II,</p> <p>Position 2: Sequence of condition within part/line</p> <p>1-7 ... Code range</p> <p>Position 3 - 6: Condition code (ICD 9th Revision)</p> <p>Position 7: Nature of Injury Flag</p> <p>1 ... Indicates that the code in positions 3-6 is a Nature of Injury code 0 ... All other codes</p>
263-269	7	1st Condition
270-276	7	2nd Condition
277-283	7	3rd Condition
284-290	7	4th Condition
291-297	7	5th Condition

Mortality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
298-304	7	6th Condition
305-311	7	7th Condition
312-318	7	8th Condition
319-325	7	9th Condition
326-332	7	10th Condition
333-339	7	11th Condition
340-346	7	12th Condition
347-353	7	13th Condition
354-360	7	14th Condition
361-367	7	15th Condition
368-374	7	16th Condition
375-381	7	17th Condition
382-388	7	18th Condition
389-395	7	19th Condition
396-402	7	20th Condition
403-404	2	<p><u>RANUM</u> <u>Number of Record-Axis Conditions</u></p> <p>00-20 ... Code range</p>
405-504	100	<p><u>RECORD</u> <u>RECORD - AXIS CONDITIONS</u></p> <p>Space has been provided for a maximum of 20 conditions. Each condition takes 5 positions in the record. Records that do not have 20 conditions are blank in the unused area.</p> <p>Positions 1-4: Condition code (ICD 9th Revision)</p> <p>Position 5: Nature of Injury Flag</p> <p>1 ... Indicates that the code in positions 1-4 is a Nature of Injury code</p> <p>0 ... All other codes</p>

Mortality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
405-409	5	1st Condition
410-414	5	2nd Condition
415-419	5	3rd Condition
420-424	5	4th Condition
425-429	5	5th Condition
430-434	5	6th Condition
435-439	5	7th Condition
440-444	5	8th Condition
445-449	5	9th Condition
450-454	5	10th Condition
455-459	5	11th Condition
460-464	5	12th Condition
465-469	5	13th Condition
470-474	5	14th Condition
475-479	5	15th Condition
480-484	5	16th Condition
485-489	5	17th Condition
490-494	5	18th Condition
495-499	5	19th Condition
500-504	5	20th Condition
505	1	<p><u>RESSTATD</u> <u>Resident Status - Death</u> <u>United States Occurrence</u></p> <p>1 ... RESIDENTS: State and county of occurrence and residence are the same.</p> <p>2 ... INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different.</p> <p>3 ... INTERSTATE NONRESIDENTS: State of occurrence and residence are different, but both are in the 50 States and D.C.</p> <p>4 ... FOREIGN RESIDENTS: State of occurrence is one of the 50 States or the District of Columbia, but place of residence is outside of the 50 States and D.C.</p>

Mortality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
505	1	<p><u>RESSTATD</u> <u>Resident Status - Death (Cond't)</u></p> <p><u>Puerto Rico Occurrence</u></p> <p>1 ... RESIDENTS: State and county of occurrence and residence are the same.</p> <p>2 ... INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different.</p> <p>4 ... FOREIGN RESIDENTS: Occurred in Puerto Rico to a resident of any other place.</p> <p><u>Virgin Islands Occurrence</u></p> <p>1 ... RESIDENTS: State and county of occurrence and residence are the same.</p> <p>2 ... INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different.</p> <p>4 ... FOREIGN RESIDENTS: Occurred in the Virgin Islands to a resident of any other place.</p> <p><u>Guam Occurrence</u></p> <p>1 ... RESIDENTS: Occurred in Guam to a resident of Guam or to a resident of the U.S.</p> <p>4 ... FOREIGN RESIDENTS: Occurred in Guam to a resident of any place other than Guam or the U.S.</p>
506-507	2	<p><u>DRSTATE</u> <u>Expanded State of Residence - NCHS Codes - Deaths</u></p> <p>This item is designed to separately identify New York City records from other New York State records.</p> <p><u>United States Occurrence</u></p> <p>01 ... Alabama</p> <p>02 ... Alaska</p> <p>03 ... Arizona</p> <p>04 ... Arkansas</p> <p>05 ... California</p> <p>06 ... Colorado</p> <p>07 ... Connecticut</p> <p>08 ... Delaware</p> <p>09 ... District of Columbia</p> <p>10 ... Florida</p> <p>11 ... Georgia</p> <p>12 ... Hawaii</p> <p>13 ... Idaho</p> <p>14 ... Illinois</p> <p>15 ... Indiana</p> <p>16 ... Iowa</p> <p>17 ... Kansas</p> <p>18 ... Kentucky</p> <p>19 ... Louisiana</p>

20 ... Maine

-36-

1998

Mortality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
506-507	2	<u>DRSTATE</u> <u>Expanded State of Residence - NCHS Codes - Deaths (Cond't)</u>
		<u>United States Occurrence</u>
		21 ... Maryland
		22 ... Massachusetts
		23 ... Michigan
		24 ... Minnesota
		25 ... Mississippi
		26 ... Missouri
		27 ... Montana
		28 ... Nebraska
		29 ... Nevada
		30 ... New Hampshire
		31 ... New Jersey
		32 ... New Mexico
		33 ... New York
		34 ... New York City
		35 ... North Carolina
		36 ... North Dakota
		37 ... Ohio
		38 ... Oklahoma
		39 ... Oregon
		40 ... Pennsylvania
		41 ... Rhode Island
		42 ... South Carolina
		43 ... South Dakota
		44 ... Tennessee
		45 ... Texas
		46 .. Utah
		47 ... Vermont
		48 ... Virginia
		49 ... Washington
		50 ... West Virginia
		51 ... Wisconsin
		52 ... Wyoming
		53-58,60 ... Foreign Residents
		53 ... Puerto Rico
		54 ... Virgin Islands
		55 ... Guam
		56 ... Canada
		57 ... Cuba
		58 ... Mexico
		60 ... Remainder of the World
		<u>Puerto Rico Occurrence</u>
		53 ... Puerto Rico
		01-52,54-58,60 ... Foreign Residents: Refer to U.S. for specific code structure.

Mortality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
506-507	2	<p><u>DRSTATE</u> <u>Expanded State of Residence - NCHS Codes - Deaths (Cond't)</u></p> <p><u>Virgin Islands Occurrence</u> 54 ... Virgin Islands 01-53,55-58,60 ... Foreign Residents: Refer to U.S. for specific code structure.</p> <p><u>Guam Occurrence</u> 55 ... Guam 01-52 ... U.S. resident is also considered a resident of Guam. 53,54,58,60 ... Foreign Residents: Refer to U.S. for specific code structure.</p>
508-512	5	<p><u>FIPSOCCD</u> <u>Federal Information Processing Standards (FIPS) Geographic Codes (Occurrence) - Death</u></p> <p>Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications.</p>
508-509	2	<p><u>STOCCFIPD</u> <u>State of Occurrence (FIPS) - Death</u></p> <p><u>United States</u> 01 ... Alabama 02 ... Alaska 04 ... Arizona 05 ... Arkansas 06 ... California 08 ... Colorado 09 ... Connecticut 10 ... Delaware 11 ... District of Columbia 12 ... Florida 13 ... Georgia 15 ... Hawaii 16 ... Idaho 17 ... Illinois 18 ... Indiana 19 ... Iowa 20 ... Kansas 21 ... Kentucky 22 ... Louisiana 23 ... Maine 24 ... Maryland 25 ... Massachusetts 26 ... Michigan 27 ... Minnesota 28 ... Mississippi 29 ... Missouri 30 ... Montana</p>

1998

Mortality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
508-509	2	<p><u>STOCCFIPD</u> <u>State of Occurrence (FIPS) - Death (Cond't)</u></p> <p><u>United States</u></p> <p>31 ... Nebraska 32 ... Nevada 33 ... New Hampshire 34 ... New Jersey 35 ... New Mexico 36 ... New York 37 ... North Carolina 38 ... North Dakota 39 ... Ohio 40 ... Oklahoma 41 ... Oregon 42 ... Pennsylvania 44 ... Rhode Island 45 ... South Carolina 46 ... South Dakota 47 ... Tennessee 48 ... Texas 49 ... Utah 50 ... Vermont 51 ... Virginia 53 ... Washington 54 ... West Virginia 55 ... Wisconsin 56 ... Wyoming</p> <p><u>Puerto Rico</u></p> <p>72 ... Puerto Rico</p> <p><u>Virgin Islands</u></p> <p>78 ... Virgin Islands</p> <p><u>Guam</u></p> <p>66 ... Guam</p>
510-512	3	<p><u>CNTOCFIPD</u> <u>County of Occurrence (FIPS) - Death</u></p> <p>001-nnn ... Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State. (Note: To uniquely identify a county, both the State and county codes must be used.)</p> <p>999 ... County with less than 250,000 population</p>

Mortality Section of Numerator (Linked) Record

Item <u>Location</u>	Item <u>Length</u>	Variable Name, <u>Item and Code Outline</u>
-------------------------	-----------------------	--

513-517 5

FIPSRES

Federal Information Processing Standards (FIPS) Geographic Codes (Residence) - Death

Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications.

513-514

2

STRESFIPD

State of Residence (FIPS) - Death

United States Occurrence

- | | | |
|----|-----|----------------------|
| 00 | ... | Foreign residents |
| 01 | ... | Alabama |
| 02 | ... | Alaska |
| 04 | ... | Arizona |
| 05 | ... | Arkansas |
| 06 | ... | California |
| 08 | ... | Colorado |
| 09 | ... | Connecticut |
| 10 | ... | Delaware |
| 11 | ... | District of Columbia |
| 12 | ... | Florida |
| 13 | ... | Georgia |
| 15 | ... | Hawaii |
| 16 | ... | Idaho |
| 17 | ... | Illinois |
| 18 | ... | Indiana |
| 19 | ... | Iowa |
| 20 | ... | Kansas |
| 21 | ... | Kentucky |
| 22 | ... | Louisiana |
| 23 | ... | Maine |
| 24 | ... | Maryland |
| 25 | ... | Massachusetts |
| 26 | ... | Michigan |
| 27 | ... | Minnesota |
| 28 | ... | Mississippi |
| 29 | ... | Missouri |
| 30 | ... | Montana |
| 31 | ... | Nebraska |
| 32 | ... | Nevada |
| 33 | ... | New Hampshire |
| 34 | ... | New Jersey |
| 35 | ... | New Mexico |
| 36 | ... | New York |
| 37 | ... | North Carolina |
| 38 | ... | North Dakota |
| 39 | ... | Ohio |
| 40 | ... | Oklahoma |

Mortality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
513-514	2	<p><u>STRESFIPD</u> <u>State of Residence (FIPS) - Death (Cond't)</u></p> <p><u>United States Occurrence</u></p> <p>41 ... Oregon 42 ... Pennsylvania 44 ... Rhode Island 45 ... South Carolina 46 ... South Dakota 47 ... Tennessee 48 ... Texas 49 ... Utah 50 ... Vermont 51 ... Virginia 53 ... Washington 54 ... West Virginia 55 ... Wisconsin 56 ... Wyoming</p> <p><u>Puerto Rico Occurrence</u></p> <p>72 ... Puerto Rico 00-56, 66,78 ... Foreign resident: Refer to U.S. for specific code structure.</p> <p><u>Virgin Islands Occurrence</u></p> <p>78 ... Virgin Islands 00-56, 66,72 ... Foreign resident: Refer to U.S. for specific code structure.</p> <p><u>Guam Occurrence</u></p> <p>66 ... Guam 01-56, 00,72,78 ... Foreign resident: Refer to U.S. for specific code structure.</p>
515-517	3	<p><u>CNTYRFPD</u> <u>County of Residence (FIPS) - Death</u></p> <p>000 ... Foreign residents 001-999 ... Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State (Note: To uniquely identify a county, both the State and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document. 999 ... County with less than 250,000 population</p>

Mortality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
518-522	5	<p><u>PLRES</u> <u>Place (City) of Residence (FIPS)</u></p> <p>A complete list of cities is shown in the Geographic code outline further back in this document.</p> <p>00000 ... Foreign residents 00001-nnnnn ... Code range 99999 ... Balance of county; or city less than 250,000 population</p>
523	1	<p><u>HOSPD</u> <u>Hospital and Patient Status</u></p> <p>1 ... Hospital, Clinic or Medical Center - Inpatient 2 ... Hospital, Clinic or Medical Center - Outpatient or admitted to Emergency Room 3 ... Hospital, Clinic or Medical Center - Dead on arrival 4 ... Hospital, Clinic or Medical Center - Patient status unknown 5 ... Nursing home 6 ... Residence 7 ... Other 9 ... Place of death unknown</p>
524-527	4	<p><u>DTHYR</u> <u>Year of Death</u></p> <p>1998 ... Death occurred in 1998</p>
528-529	2	<p><u>DTHMON</u> <u>Month of Death</u></p> <p>01 ... January 02 ... February 03 ... March 04 ... April 05 ... May 06 ... June 07 ... July 08 ... August 09 ... September 10 ... October 11 ... November 12 ... December</p>
530-531	2	<p><u>R9</u> <u>Reserved Position</u></p>

Mortality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
532	1	<u>WEEKDAYD</u> <u>Day of Week of Death</u> 1 ... Sunday 2 ... Monday 3 ... Tuesday 4 ... Wednesday 5 ... Thursday 6 ... Friday 7 ... Saturday 9 ... Unknown
533-535	3	<u>R10</u> <u>Reserved positions</u>

