

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ALL CAUSES

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,443,607	111,531	18,687	15,717	29,483	43,303	78,401	150,210	253,394	334,192	295,621	111,580	1,488
1948	1,444,337	113,169	18,815	15,763	32,365	45,677	81,103	153,904	253,063	329,911	289,297	110,204	1,066
1947	1,445,370	119,173	17,609	15,735	34,926	48,720	82,542	156,629	252,279	327,238	282,811	106,704	1,004
1946	1,395,617	111,063	19,679	17,948	37,729	51,376	83,342	154,765	242,626	311,389	265,543	98,996	1,161
1945	1,401,719	104,684	21,345	19,481	38,770	52,390	87,540	158,656	245,488	313,402	263,879	94,731	1,353
1944	1,411,338	111,127	23,317	20,311	42,876	54,151	88,104	158,541	243,049	313,449	262,412	92,592	1,409
1943	1,459,544	118,484	23,903	20,968	46,816	58,601	91,366	164,887	246,662	320,372	269,827	96,049	1,609
1942	1,385,187	113,492	21,854	19,805	45,153	59,980	91,386	161,296	235,205	302,706	247,707	84,873	1,730
1941	1,397,642	113,949	24,302	21,869	48,110	63,137	93,315	162,386	233,665	302,199	249,283	84,199	1,228
1940	1,417,269	110,984	24,678	23,253	48,999	65,274	95,359	164,413	235,361	306,025	255,267	85,954	1,702

ALL CAUSES

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	821,291	64,161	10,362	9,543	18,803	25,187	46,297	93,373	159,569	192,063	152,189	48,802	942
1948	820,931	65,151	10,419	9,442	20,266	26,598	47,608	96,030	158,671	189,281	148,094	48,678	693
1947	818,234	68,622	9,770	9,496	21,307	27,653	48,243	96,651	157,525	186,633	144,434	47,236	664
1946	785,689	63,948	10,833	10,825	22,648	29,032	48,036	95,093	149,723	175,817	135,188	43,774	772
1945	788,063	59,998	11,729	11,614	22,628	28,372	50,070	97,046	151,338	177,214	134,751	42,382	921
1944	789,861	63,264	12,725	12,273	25,659	29,042	49,715	96,586	148,449	176,258	133,669	41,270	951
1943	817,485	67,943	13,112	12,351	28,287	32,177	51,863	100,040	149,731	179,806	137,856	43,190	1,129
1942	780,454	64,829	11,880	11,879	26,334	33,580	52,565	98,743	143,273	170,771	127,210	38,197	1,193
1941	785,033	64,987	13,173	12,724	27,509	34,961	53,443	98,485	141,661	170,674	128,374	38,267	775
1940	791,003	63,557	13,482	13,396	27,178	35,605	53,899	99,432	141,934	171,639	131,291	38,529	1,061

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ALL CAUSES

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	622,316	47,370	8,325	6,174	10,680	18,116	32,104	56,837	93,825	142,129	143,432	62,778	546
1948	623,406	48,018	8,396	6,321	12,099	19,079	33,495	57,874	94,392	140,630	141,203	61,526	373
1947	627,136	50,551	7,839	6,239	13,619	21,067	34,299	59,978	94,754	140,605	138,377	59,468	340
1946	609,928	47,115	8,846	7,123	15,081	22,344	35,306	59,672	92,903	135,572	130,355	55,222	389
1945	613,656	44,686	9,616	7,867	16,142	24,018	37,470	61,610	94,150	136,188	129,128	52,349	432
1944	621,477	47,863	10,592	8,038	17,217	25,109	38,389	61,955	94,600	137,191	128,743	51,322	458
1943	642,059	50,541	10,791	8,617	18,529	26,424	39,503	64,847	96,931	140,566	131,971	52,859	480
1942	604,733	48,663	9,974	7,926	18,819	26,400	38,821	62,553	91,932	131,935	120,497	46,676	537
1941	612,609	48,962	11,129	9,145	20,601	28,176	39,872	63,901	92,004	131,525	120,909	45,932	453
1940	626,266	47,427	11,196	9,857	21,821	29,669	41,460	64,981	93,427	134,386	123,976	47,425	641

ALL CAUSES

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,268,848	89,007	15,004	13,003	22,459	32,208	60,268	121,752	222,568	305,837	280,133	105,603	1,006
1948	1,270,589	92,034	15,230	12,984	24,600	33,919	62,252	124,955	222,342	302,602	274,545	104,389	737
1947	1,274,893	98,547	14,218	12,790	26,193	36,319	64,006	127,856	222,759	301,410	268,977	101,125	693
1946	1,232,337	92,510	15,910	14,771	28,786	38,418	64,342	127,131	214,828	287,644	253,270	93,940	787
1945	1,233,889	85,295	17,158	16,095	29,320	39,025	67,357	130,669	217,457	289,592	251,481	89,524	916
1944	1,238,829	90,607	18,464	16,631	32,766	40,309	67,268	130,337	215,060	289,204	250,151	87,137	895
1943	1,280,887	97,229	18,950	17,222	35,613	43,874	69,694	135,888	218,095	295,555	257,191	90,451	1,125
1942	1,209,944	92,678	17,154	16,009	33,536	44,119	69,348	132,717	208,278	278,935	236,449	79,593	1,128
1941	1,213,511	90,874	18,838	17,707	35,392	46,158	70,339	133,023	206,454	278,160	237,339	78,454	773
1940	1,231,223	89,406	19,492	19,020	35,881	47,592	71,962	134,720	207,870	281,440	242,981	79,697	1,162

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ALL CAUSES

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	726,169	51,530	8,355	7,985	15,028	19,366	36,951	77,836	142,327	176,402	143,730	46,000	659
1948	725,818	53,297	8,538	7,957	16,191	20,459	37,718	80,004	141,259	174,043	139,924	45,931	497
1947	726,104	57,180	7,967	7,876	16,812	21,400	38,634	80,972	141,145	172,195	136,869	44,577	477
1946	697,323	53,704	8,778	9,043	18,159	22,351	38,244	79,810	134,221	162,571	128,498	41,410	534
1945	697,698	49,156	9,490	9,818	18,085	21,763	39,780	81,552	135,766	163,762	127,950	39,906	670
1944	697,731	51,997	10,182	10,236	20,843	22,445	39,189	80,954	132,965	162,604	126,983	38,707	626
1943	721,777	56,060	10,465	10,314	22,763	24,889	40,789	84,101	134,085	165,862	131,026	40,575	848
1942	685,468	53,252	9,382	9,796	20,664	25,319	41,100	82,767	128,357	157,318	121,028	35,651	834
1941	685,672	52,152	10,345	10,510	21,362	26,156	41,581	82,284	126,554	156,962	121,752	35,507	507
1940	690,901	51,421	10,672	11,153	20,973	26,601	41,840	83,053	126,664	157,690	124,547	35,528	759

ALL CAUSES

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	542,679	37,477	6,649	5,018	7,431	12,842	23,317	43,916	80,241	129,435	136,403	59,603	347
1948	544,771	38,737	6,692	5,027	8,409	13,460	24,534	44,951	81,083	128,559	134,621	58,458	240
1947	548,789	41,367	6,251	4,914	9,381	14,919	25,372	46,884	81,614	129,215	132,108	56,548	216
1946	535,014	38,806	7,132	5,728	10,627	16,067	26,098	47,321	80,607	125,073	124,772	52,530	253
1945	536,191	36,139	7,668	6,277	11,235	17,262	27,577	49,117	81,691	125,830	123,531	49,618	246
1944	541,098	38,610	8,282	6,395	11,923	17,864	28,079	49,383	82,095	126,600	123,168	48,430	269
1943	559,110	41,169	8,485	6,908	12,850	18,985	28,905	51,787	84,010	129,693	126,165	49,876	277
1942	524,476	39,426	7,772	6,213	39,426	6,213	18,800	28,248	49,950	79,921	121,617	43,942	294
1941	527,839	38,722	8,493	7,197	14,030	20,002	28,758	50,739	79,900	121,198	115,587	42,947	266
1940	540,322	37,985	8,820	7,867	14,908	20,991	30,122	51,667	81,206	123,750	118,434	44,169	403

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ALL CAUSES

ALL OTHER, BOTH SEXES	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown	
1949	174,759	22,524	3,683	2,714	7,024	11,095	18,133	28,458	30,826	28,355	15,488	5,977	482
1948	173,748	21,135	3,585	2,779	7,765	11,758	18,851	28,949	30,721	27,309	14,752	5,815	329
1947	170,477	20,626	3,391	2,945	8,733	12,401	18,536	28,773	29,520	25,828	13,834	5,579	311
1946	163,280	18,553	3,769	3,177	8,943	12,958	19,000	27,634	27,798	23,745	12,273	5,056	374
1945	167,830	19,389	4,187	3,386	9,450	13,365	20,183	27,987	28,031	23,810	12,398	5,207	437
1944	172,509	20,520	4,853	3,680	10,110	13,842	20,836	28,204	27,989	24,245	12,261	5,455	514
1943	178,657	21,255	4,953	3,746	11,203	14,727	21,672	28,999	28,567	24,817	12,636	5,598	484
1942	175,243	20,814	4,700	3,796	11,617	15,861	22,038	28,579	26,927	23,771	11,258	5,280	602
1941	184,131	23,075	5,464	4,162	12,718	16,979	22,976	29,363	27,211	24,039	11,944	5,745	455
1940	186,046	21,578	5,186	4,233	13,118	17,682	23,397	29,693	27,491	24,585	12,286	6,257	540

ALL CAUSES

ALL OTHER, MALE	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown	
1949	95,122	12,631	2,007	1,558	3,775	5,821	9,346	15,537	17,242	15,661	8,459	2,802	283
1948	95,113	11,854	1,881	1,485	4,075	6,139	9,890	16,026	17,412	15,238	8,170	2,747	196
1947	92,130	11,442	1,803	1,620	4,495	6,253	9,609	15,679	16,380	14,438	7,565	2,659	187
1946	88,366	10,244	2,055	1,782	4,489	6,681	9,792	15,283	15,502	13,246	6,690	2,364	238
1945	90,365	10,842	2,239	1,796	4,543	6,609	10,290	15,494	15,572	13,452	6,801	2,476	251
1944	92,130	11,267	2,543	2,037	4,816	6,597	10,526	15,632	15,484	13,654	6,686	2,563	325
1943	95,708	11,883	2,647	2,037	5,524	7,288	11,074	15,939	15,646	13,944	6,830	2,615	281
1942	94,986	11,577	2,498	2,083	5,670	8,261	11,465	15,976	14,916	13,453	6,182	2,546	359
1941	99,361	12,835	2,828	2,214	6,147	8,805	11,862	16,201	15,107	13,712	6,622	2,760	268
1940	100,102	12,136	2,810	2,243	6,205	9,004	12,059	16,379	15,270	13,949	6,744	3,001	302

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ALL CAUSES

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	79,637	9,893	1,676	1,156	3,249	5,274	8,787	12,921	13,584	12,694	7,029	3,175	199
1948	78,635	9,281	1,704	1,294	3,690	5,619	8,961	12,923	13,309	12,071	6,582	3,068	133
1947	78,347	9,184	1,588	1,325	4,238	6,148	8,927	13,094	13,140	11,390	6,269	2,920	124
1946	74,914	8,309	1,714	1,395	4,454	6,277	9,208	12,351	12,296	10,499	5,583	2,692	136
1945	77,465	8,547	1,948	1,590	4,907	6,756	9,893	12,493	12,459	10,358	5,597	2,731	186
1944	80,379	9,253	2,310	1,643	5,294	7,245	10,310	12,572	12,505	10,591	5,575	2,892	189
1943	82,949	9,372	2,306	1,709	5,679	7,439	10,598	13,060	12,921	10,873	5,806	2,983	203
1942	80,257	9,237	2,202	1,713	5,947	7,600	10,573	12,603	12,011	10,318	5,076	2,734	243
1941	84,770	10,240	2,636	1,948	6,571	8,174	11,114	13,162	12,104	10,327	5,322	2,985	187
1940	85,944	9,442	2,376	1,990	6,913	8,678	11,338	13,314	12,221	10,636	5,542	3,256	238

TUBERCULOSIS, ALL FORMS

ICD Revision Years in use ICD Nos.
 Sixth 1949 001-019
 Fifth 1940-1948 13-22

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	39,100	279	831	471	3,347	5,712	6,771	7,170	7,067	5,048	2,112	260	32
1948	43,833	325	813	498	3,933	6,591	7,573	8,165	7,737	5,545	2,286	337	30
1947	48,064	370	729	599	5,332	7,697	8,314	8,865	7,999	5,586	2,236	308	29
1946	50,911	406	894	747	6,065	8,764	8,919	8,133	9,314	5,316	2,032	282	39
1945	52,916	412	920	787	6,766	9,535	9,508	9,521	7,981	5,174	2,006	260	46
1944	54,731	468	1,082	838	7,329	9,879	9,734	9,707	8,174	5,316	1,880	281	43
1943	57,005	501	976	1,006	7,942	10,559	9,938	10,223	8,306	5,359	1,882	249	64
1942	57,690	518	1,072	1,112	8,314	11,056	10,267	10,175	7,884	5,139	1,848	243	62
1941	59,251	495	1,111	1,206	8,808	11,725	10,542	10,236	8,029	5,052	1,769	232	46
1940	60,428	496	1,047	1,244	9,127	12,018	10,886	10,280	8,050	5,154	1,824	233	69

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TUBERCULOSIS, ALL FORMS

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	25,538	148	403	219	1,344	2,660	4,351	5,502	5,657	3,746	1,342	145	21
1948	28,552	172	422	209	1,526	3,204	4,831	6,360	6,169	3,974	1,474	192	19
1947	30,585	192	387	255	2,077	3,604	5,338	6,845	6,377	3,971	1,359	163	17
1946	31,886	209	457	355	2,360	4,200	5,699	7,121	6,368	3,715	1,226	152	24
1945	32,934	208	480	345	2,692	4,617	6,085	7,309	6,220	3,632	1,177	141	28
1944	33,717	257	559	365	2,909	4,760	6,207	7,455	6,308	3,591	1,137	142	27
1943	34,786	276	500	450	3,220	5,143	6,325	7,744	6,286	3,584	1,087	134	37
1942	34,801	279	552	501	3,282	5,511	6,564	7,635	5,884	3,390	1,039	125	39
1941	34,966	247	573	534	3,432	5,640	6,587	7,613	5,881	3,334	970	130	25
1940	35,795	255	545	547	3,575	5,926	6,853	7,615	5,952	3,365	1,009	110	43

TUBERCULOSIS, ALL FORMS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	13,562	131	428	252	2,003	3,052	2,420	1,668	1,410	1,302	770	115	11
1948	15,281	153	391	289	2,407	3,387	2,742	1,805	1,568	1,571	812	145	11
1947	17,479	178	342	344	3,255	4,093	2,976	2,020	1,622	1,615	877	145	12
1946	19,025	197	437	392	3,705	4,564	3,220	2,193	1,765	1,601	806	130	15
1945	19,982	204	440	442	4,074	4,918	3,423	2,212	1,761	1,542	829	119	18
1944	21,014	211	523	473	4,420	5,119	3,527	2,252	1,866	1,725	743	139	16
1943	22,219	225	476	556	4,722	5,416	3,613	2,479	2,020	1,775	795	115	27
1942	22,889	239	520	611	5,032	5,545	3,703	2,540	2,000	1,749	809	118	23
1941	24,285	248	538	672	5,376	6,085	3,955	2,623	2,148	1,718	799	102	21
1940	24,633	241	502	697	5,552	6,092	4,033	2,665	2,098	1,789	815	123	26

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TUBERCULOSIS, ALL FORMS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	27,718	178	549	266	1,476	3,237	4,454	5,137	5,815	4,455	1,900	229	22
1948	31,750	190	538	265	1,811	3,836	5,126	6,194	6,469	4,893	2,106	304	18
1947	34,783	263	461	272	2,559	4,615	5,778	6,726	6,823	4,947	2,044	277	18
1946	37,340	271	571	391	3,155	5,530	6,284	7,201	6,999	4,797	1,866	247	28
1945	38,623	266	590	397	3,516	6,017	6,743	7,495	6,854	4,644	1,848	230	23
1944	39,958	297	698	414	3,817	6,283	6,909	7,666	7,066	4,785	1,743	248	32
1943	41,209	331	624	508	4,025	6,730	7,050	8,052	7,101	4,778	1,755	222	33
1942	41,306	365	691	548	4,272	6,903	7,213	8,004	6,745	4,613	1,710	216	26
1941	42,283	305	701	581	4,544	7,409	7,337	8,047	6,930	4,558	1,644	204	23
1940	43,211	316	659	621	4,766	7,644	7,616	8,080	6,929	4,630	1,709	204	37

TUBERCULOSIS, ALL FORMS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	18,884	96	263	131	602	1,538	2,892	4,015	4,716	3,290	1,200	127	14
1948	21,616	94	281	117	720	1,920	3,326	4,926	5,206	3,501	1,343	171	11
1947	23,167	136	241	120	1,013	2,194	3,752	5,314	5,491	3,531	1,222	143	10
1946	24,283	142	288	190	1,196	2,659	4,057	5,606	5,546	3,342	1,114	127	16
1945	25,055	134	304	180	1,422	2,932	4,401	5,827	5,407	3,234	1,076	122	16
1944	25,596	163	355	194	1,496	3,029	4,476	5,966	5,500	3,233	1,044	119	21
1943	26,162	184	318	239	1,613	3,257	4,570	6,224	5,429	3,194	992	117	25
1942	25,899	199	337	266	1,683	3,418	4,704	6,123	5,077	3,021	944	110	17
1941	25,957	158	353	259	1,756	3,552	4,670	6,086	5,136	2,980	883	110	14
1940	26,598	163	339	292	1,812	3,802	4,883	6,095	5,174	2,988	927	96	27

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TUBERCULOSIS, ALL FORMS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	8,834	82	286	135	874	1,699	1,562	1,122	1,099	1,165	700	102	8
1948	10,134	96	257	148	1,091	1,916	1,800	1,268	1,263	1,392	763	133	7
1947	11,616	127	220	152	1,546	2,421	2,026	1,412	1,332	1,416	822	134	8
1946	13,057	129	283	201	1,959	2,871	2,227	1,595	1,453	1,455	752	120	12
1945	13,568	132	286	217	2,094	3,085	2,342	1,668	1,447	1,410	772	108	7
1944	14,362	134	343	220	2,321	3,254	2,433	1,700	1,566	1,552	699	129	11
1943	15,047	147	306	269	2,412	3,473	2,480	1,828	1,672	1,584	763	105	8
1942	15,407	166	354	282	2,589	3,485	2,509	1,881	1,668	1,592	766	106	9
1941	16,326	147	348	322	2,788	3,857	2,667	1,961	1,794	1,578	761	94	9
1940	16,613	153	320	329	2,954	3,842	2,733	1,985	1,755	1,642	782	108	10

TUBERCULOSIS, ALL FORMS

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	11,382	101	282	205	1,871	2,475	2,317	2,033	1,252	593	212	31	10
1948	12,083	135	275	233	2,122	2,755	2,447	1,971	1,268	652	180	33	12
1947	13,281	107	268	327	2,773	3,082	2,536	2,139	1,176	639	192	31	11
1946	13,571	135	323	356	2,910	3,234	2,635	2,113	1,134	519	166	35	11
1945	14,293	146	330	390	3,250	3,518	2,765	2,026	1,127	530	158	30	23
1944	14,773	171	384	424	3,512	3,596	2,825	2,041	1,108	531	137	33	11
1943	15,796	170	352	498	3,917	3,829	2,888	2,171	1,205	581	127	27	31
1942	16,384	153	381	564	4,042	4,153	3,054	2,171	1,139	526	138	27	36
1941	16,968	190	410	625	4,264	4,316	3,205	2,189	1,099	494	125	28	23
1940	17,217	180	388	623	4,361	4,374	3,270	2,200	1,121	524	115	29	32

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TUBERCULOSIS, ALL FORMS

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	6,654	52	140	88	742	1,122	1,459	1,487	941	456	142	18	7
1948	6,936	78	141	92	806	1,284	1,505	1,434	963	473	131	21	8
1947	7,418	56	146	135	1,064	1,410	1,586	1,531	886	440	137	20	7
1946	7,603	67	169	165	1,164	1,541	1,642	1,515	822	373	112	25	8
1945	7,879	74	176	165	1,270	1,685	1,684	1,482	813	398	101	19	12
1944	8,121	94	204	171	1,413	1,731	1,731	1,489	808	358	93	23	6
1943	8,624	92	182	211	1,607	1,886	1,755	1,520	857	390	95	17	12
1942	8,902	80	215	235	1,599	2,093	1,860	1,512	807	369	95	15	22
1941	9,009	89	220	275	1,676	2,088	1,917	1,527	745	354	87	20	11
1940	9,197	92	206	255	1,763	2,124	1,970	1,520	778	377	82	14	16

TUBERCULOSIS, ALL FORMS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	4,728	49	142	117	1,129	1,353	858	546	311	137	70	13	3
1948	5,147	57	134	141	1,316	1,471	942	537	305	179	49	12	4
1947	5,863	51	122	192	1,709	1,672	950	608	290	199	55	11	4
1946	5,968	68	154	191	1,746	1,693	993	598	312	146	54	10	3
1945	6,414	72	154	225	1,980	1,833	1,081	544	314	132	57	11	11
1944	6,652	77	180	253	2,099	1,865	1,094	552	300	173	44	10	5
1943	7,172	78	170	287	2,310	1,943	1,133	651	348	191	32	10	19
1942	7,482	73	166	329	2,443	2,060	1,194	659	332	157	43	12	14
1941	7,959	101	190	350	2,588	2,228	1,288	662	354	140	38	8	12
1940	8,020	88	182	368	2,598	2,250	1,300	680	343	147	33	15	16

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TUBERCULOSIS OF RESPIRATORY SYSTEM

ICD Revision Years in use ICD Nos.
Sixth 1949 001-008
Fifth 1940-1948 13

ALL RACES, BOTH SEXES		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
	Total												
1949	35,988	123	264	242	3,026	5,382	6,360	6,809	6,705	4,790	2,011	245	31
1948	40,420	135	275	289	3,588	6,149	7,118	7,769	7,354	5,235	2,165	314	29
1947	44,462	146	259	350	4,874	7,238	7,861	8,413	7,608	5,282	2,109	294	28
1946	46,939	182	359	475	5,548	8,242	8,401	8,818	7,683	5,024	1,904	267	36
1945	48,879	174	353	491	6,213	8,964	8,979	9,037	7,583	4,911	1,885	243	46
1944	50,712	250	509	539	6,758	9,327	9,212	9,239	7,760	5,023	1,786	266	43
1943	52,407	230	424	622	7,232	9,959	9,365	9,646	7,839	5,033	1,768	231	58
1942	52,980	240	448	751	7,625	10,397	9,659	9,609	7,448	4,800	1,718	225	60
1941	54,358	234	431	765	8,067	11,044	9,938	9,653	7,575	4,754	1,646	208	43
1940	55,576	218	453	808	8,415	11,284	10,277	9,672	7,610	4,847	1,706	222	64

TUBERCULOSIS OF RESPIRATORY SYSTEM

ALL RACES, MALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
	Total												
1949	23,790	70	137	100	1,187	2,493	4,107	5,277	5,401	3,572	1,287	139	20
1948	26,593	82	139	103	1,353	2,974	4,564	6,093	5,912	3,770	1,404	181	18
1947	28,558	80	142	133	1,862	3,357	5,073	6,544	6,116	3,779	1,299	157	16
1946	29,661	89	187	191	2,129	3,943	5,390	6,799	6,070	3,543	1,154	143	23
1945	30,697	86	182	192	2,440	4,322	5,757	7,023	5,958	3,465	1,109	135	28
1944	31,452	146	250	208	2,624	4,481	5,877	7,160	6,035	3,422	1,090	132	27
1943	32,221	124	220	246	2,883	4,824	5,997	7,375	5,984	3,377	1,030	128	33
1942	32,147	124	238	293	2,961	5,137	6,186	7,288	5,600	3,199	968	115	38
1941	32,255	115	230	285	3,067	5,270	6,242	7,241	5,594	3,160	908	120	23
1940	33,145	107	227	308	3,233	5,548	6,503	7,254	5,681	3,194	943	106	41

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TUBERCULOSIS OF RESPIRATORY SYSTEM

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	12,198	53	127	142	1,839	2,889	2,253	1,532	1,304	1,218	724	106	11
1948	13,827	53	136	186	2,235	3,175	2,554	1,676	1,442	1,465	761	133	11
1947	15,904	66	117	217	3,012	3,881	2,788	1,869	1,492	1,503	810	137	12
1946	17,278	93	172	284	3,419	4,299	3,011	2,019	1,613	1,481	750	124	13
1945	18,182	88	171	299	3,773	4,642	3,222	2,014	1,625	1,446	776	108	18
1944	19,260	104	259	331	4,134	4,846	3,335	2,079	1,725	1,601	696	134	16
1943	20,186	106	204	376	4,349	5,135	3,368	2,271	1,855	1,656	738	103	25
1942	20,833	116	210	458	4,664	5,260	3,473	2,321	1,848	1,601	750	110	22
1941	22,103	119	201	480	5,000	5,774	3,696	2,412	1,981	1,594	738	88	20
1940	22,431	111	226	500	5,182	5,736	3,774	2,418	1,929	1,653	763	116	23

TUBERCULOSIS OF RESPIRATORY SYSTEM

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	25,750	71	156	111	1,351	3,069	4,241	4,922	5,538	4,248	1,806	216	21
1948	29,541	80	168	127	1,643	3,612	4,871	5,933	6,181	4,625	2,000	284	17
1947	32,504	110	145	138	2,366	4,370	5,511	6,440	6,518	4,696	1,928	264	18
1946	34,760	118	215	229	2,896	5,282	5,977	6,860	6,637	4,537	1,749	233	27
1945	35,962	103	193	222	3,256	5,703	6,425	7,143	6,530	4,415	1,736	213	23
1944	37,260	143	309	236	3,541	5,970	6,566	7,320	6,713	4,535	1,659	236	32
1943	38,135	146	247	275	3,689	6,371	6,674	7,619	6,740	4,490	1,646	206	32
1942	38,113	160	256	328	3,937	6,532	6,818	7,575	6,379	4,310	1,595	198	25
1941	39,008	132	238	315	4,173	7,025	6,951	7,607	6,550	4,283	1,529	184	21
1940	39,888	131	253	351	4,385	7,216	7,211	7,612	6,546	4,356	1,597	194	36

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TUBERCULOSIS OF RESPIRATORY SYSTEM

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	17,773	41	80	46	540	1,455	2,755	3,894	4,522	3,156	1,148	123	13
1948	20,354	47	88	50	637	1,814	3,170	4,748	5,018	3,328	1,281	163	10
1947	21,871	59	75	56	920	2,060	3,601	5,118	5,298	3,368	1,169	137	10
1946	22,832	61	117	89	1,085	2,540	3,875	5,384	5,302	3,193	1,051	119	16
1945	23,556	51	97	88	1,299	2,776	4,198	5,621	5,191	3,090	1,013	116	16
1944	24,087	85	149	101	1,370	2,874	4,260	5,754	5,268	3,091	1,002	112	21
1943	24,410	77	122	109	1,462	3,060	4,355	5,945	5,193	3,010	940	113	24
1942	24,085	85	127	139	1,521	3,210	4,449	5,864	4,837	2,851	885	100	17
1941	24,129	68	123	114	1,558	3,341	4,451	5,810	4,899	2,822	828	102	13
1940	24,767	67	128	144	1,633	3,583	4,637	5,817	4,934	2,841	865	92	26

TUBERCULOSIS OF RESPIRATORY SYSTEM

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	7,977	30	76	65	811	1,614	1,486	1,028	1,016	1,092	658	93	8
1948	9,187	33	80	77	1,006	1,798	1,701	1,185	1,163	1,297	719	121	7
1947	10,633	51	70	82	1,446	2,310	1,910	1,322	1,220	1,328	759	127	8
1946	11,928	57	98	140	1,811	2,742	2,102	1,476	1,335	1,344	698	114	11
1945	12,406	52	96	134	1,957	2,927	2,227	1,522	1,339	1,325	723	97	7
1944	13,173	58	160	135	2,171	3,096	2,306	1,566	1,445	1,444	657	124	11
1943	13,725	69	125	166	2,227	3,311	2,319	1,674	1,547	1,480	706	93	8
1942	14,028	75	129	189	2,416	3,322	2,369	1,711	1,542	1,459	710	98	8
1941	14,879	64	115	201	2,615	3,684	2,500	1,797	1,651	1,461	701	82	8
1940	15,121	64	125	207	2,752	3,633	2,574	1,795	1,612	1,515	732	102	10

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TUBERCULOSIS OF RESPIRATORY SYSTEM

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	10,238	52	108	131	1,675	2,313	2,119	1,887	1,167	542	205	29	10
1948	10,879	55	107	162	1,945	2,537	2,247	1,836	1,173	610	165	30	12
1947	11,958	36	114	212	2,508	2,868	2,350	1,973	1,090	586	181	30	10
1946	12,179	64	144	246	2,652	2,960	2,424	1,958	1,046	487	155	34	9
1945	12,917	71	160	269	2,957	3,261	2,554	1,894	1,053	496	149	30	23
1944	13,452	107	200	303	3,217	3,357	2,646	1,919	1,047	488	127	30	11
1943	14,272	84	177	347	3,543	3,588	2,691	2,027	1,099	543	122	25	26
1942	14,867	80	192	423	3,688	3,865	2,841	2,034	1,069	490	123	27	35
1941	15,350	102	193	450	3,894	4,019	2,987	2,046	1,025	471	117	24	22
1940	15,688	87	200	457	4,030	4,068	3,066	2,060	1,064	491	109	28	28

TUBERCULOSIS OF RESPIRATORY SYSTEM

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	6,017	29	57	54	647	1,038	1,352	1,383	879	416	139	16	7
1948	6,239	35	51	53	716	1,160	1,394	1,345	894	442	123	18	8
1947	6,687	21	67	77	942	1,297	1,472	1,426	818	411	130	20	6
1946	6,829	28	70	102	1,044	1,403	1,515	1,415	768	350	103	24	7
1945	7,141	35	85	104	1,141	1,546	1,559	1,402	767	375	96	19	12
1944	7,365	61	101	107	1,254	1,607	1,617	1,406	767	331	88	20	6
1943	7,811	47	98	137	1,421	1,764	1,642	1,430	791	367	90	15	9
1942	8,062	39	111	154	1,440	1,927	1,737	1,424	763	348	83	15	21
1941	8,126	47	107	171	1,509	1,929	1,791	1,431	695	338	80	18	10
1940	8,378	40	99	164	1,600	1,965	1,866	1,437	747	353	78	14	15

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TUBERCULOSIS OF RESPIRATORY SYSTEM

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	4,221	23	51	77	1,028	1,275	767	504	288	126	66	13	3
1948	4,640	20	56	109	1,229	1,377	853	491	279	168	42	12	4
1947	5,271	15	47	135	1,566	1,571	878	547	272	175	51	10	4
1946	5,350	36	74	144	1,608	1,557	909	543	278	137	52	10	2
1945	5,776	36	75	165	1,816	1,715	995	492	286	121	53	11	11
1944	6,087	46	99	196	1,963	1,750	1,029	513	280	157	39	10	5
1943	6,461	37	79	210	2,122	1,824	1,049	597	308	176	32	10	17
1942	6,805	41	81	269	2,248	1,938	1,104	610	306	142	40	12	14
1941	7,224	55	86	279	2,385	2,090	1,196	615	330	133	37	6	12
1940	7,310	47	101	293	2,430	2,103	1,200	623	317	138	31	14	13

TUBERCULOSIS, OTHER FORMS

ICD Revision Years in use ICD Nos.
 Sixth 1949 010-019
 Fifth 1940-1948 14-22

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	3,112	156	567	229	321	330	411	361	362	258	101	15	1
1948	3,413	190	538	209	345	442	455	396	383	310	121	23	1
1947	3,602	224	470	249	458	459	453	452	391	304	127	14	1
1946	3,972	224	535	272	517	522	518	496	450	292	128	15	3
1945	4,037	238	567	296	553	571	529	484	398	263	121	17	-
1944	4,019	218	573	299	571	552	522	468	414	293	94	15	-
1943	4,598	271	552	384	710	600	573	577	467	326	114	18	6
1942	4,710	278	624	361	689	659	608	566	436	339	130	18	2
1941	4,893	261	680	441	741	681	604	583	454	298	123	24	3
1940	4,852	278	594	436	712	734	609	608	440	307	118	11	5

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TUBERCULOSIS, OTHER FORMS

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,748	78	266	119	157	167	244	225	256	174	55	6	1
1948	1,959	90	283	106	173	230	267	267	257	204	70	11	1
1947	2,027	112	245	122	215	247	265	301	261	192	60	6	1
1946	2,225	120	270	164	231	257	309	322	298	172	72	9	1
1945	2,237	122	298	153	252	295	328	286	262	167	68	6	-
1944	2,265	111	309	157	285	279	330	295	273	169	47	10	-
1943	2,565	152	280	204	337	319	328	369	302	207	57	6	4
1942	2,654	155	314	208	321	374	378	347	284	191	71	10	1
1941	2,711	132	343	249	365	370	345	372	287	174	62	10	2
1940	2,650	148	318	239	342	378	350	361	271	171	66	4	2

TUBERCULOSIS, OTHER FORMS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,364	78	301	110	164	163	167	136	106	84	46	9	-
1948	1,454	100	255	103	172	212	188	129	126	106	51	12	-
1947	1,575	112	225	127	243	212	188	151	130	112	67	8	-
1946	1,747	104	265	108	286	265	209	174	152	120	56	6	2
1945	1,800	116	269	143	301	276	201	198	136	96	53	11	-
1944	1,754	107	264	142	286	273	192	173	141	124	47	5	-
1943	2,033	119	272	180	373	281	245	208	165	119	57	12	2
1942	2,056	123	310	153	368	310	230	219	152	148	59	8	1
1941	2,182	129	337	192	376	311	259	211	167	124	61	14	1
1940	2,202	130	276	197	370	356	259	247	169	136	52	7	3

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TUBERCULOSIS, OTHER FORMS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,968	107	393	155	125	168	213	215	277	207	94	13	1
1948	2,209	110	370	138	168	224	255	261	288	268	106	20	1
1947	2,279	153	316	134	193	245	267	286	305	251	116	13	-
1946	2,580	153	356	162	259	248	307	341	362	260	117	14	1
1945	2,661	163	397	175	260	314	318	352	324	229	112	17	-
1944	2,698	154	389	178	276	313	343	346	353	250	84	12	-
1943	3,074	185	377	233	336	359	376	433	361	288	109	16	1
1942	3,193	205	435	220	335	371	395	429	366	303	115	18	1
1941	3,275	173	463	266	371	463	386	440	380	275	115	20	2
1940	3,323	185	406	270	381	428	405	468	383	274	112	10	1

TUBERCULOSIS, OTHER FORMS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,111	55	183	85	62	83	137	121	194	134	52	4	1
1948	1,262	47	193	67	83	106	156	178	188	173	62	8	1
1947	1,296	77	166	64	93	134	151	196	193	163	53	6	-
1946	1,451	81	171	101	111	119	182	222	244	149	63	8	-
1945	1,499	83	207	92	123	156	203	206	216	144	63	6	-
1944	1,509	78	206	93	126	155	216	212	232	142	42	7	-
1943	1,752	107	196	130	151	197	215	279	236	184	52	4	1
1942	1,814	114	210	127	162	208	255	259	240	170	59	10	-
1941	1,828	90	230	145	198	211	219	276	237	158	55	8	1
1940	1,831	96	211	148	179	219	246	278	240	147	62	4	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TUBERCULOSIS, OTHER FORMS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	857	52	210	70	63	85	76	94	83	73	42	9	-
1948	947	63	177	71	85	118	99	83	100	95	44	12	-
1947	983	76	150	70	100	111	116	90	112	88	63	7	-
1946	1,129	72	185	61	148	129	125	119	118	111	54	6	1
1945	1,162	80	190	83	137	158	115	146	108	85	49	11	-
1944	1,189	76	183	85	150	158	127	134	121	108	42	5	-
1943	1,322	78	181	103	185	162	161	154	125	104	57	12	-
1942	1,379	91	225	93	173	163	140	170	126	133	56	8	1
1941	1,447	83	233	121	173	173	167	164	143	117	60	12	1
1940	1,492	89	195	122	202	209	159	190	143	127	50	6	-

TUBERCULOSIS, OTHER FORMS

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,144	49	174	74	196	162	198	146	85	51	7	2	-
1948	1,204	80	168	71	177	218	200	135	95	42	15	3	-
1947	1,323	71	154	71	115	265	186	166	214	86	53	11	1
1946	1,392	71	179	110	258	274	211	155	274	88	32	11	2
1945	1,376	75	170	121	293	257	211	132	74	34	9	-	-
1944	1,321	64	184	121	295	239	179	122	61	43	10	3	-
1943	1,524	86	175	151	374	241	197	144	106	38	5	2	5
1942	1,517	73	189	141	354	288	213	354	137	70	36	15	-
1941	1,618	88	217	175	370	297	218	143	74	23	8	4	1
1940	1,529	93	188	166	331	306	204	140	57	33	6	1	4

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TUBERCULOSIS, OTHER FORMS

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	637	23	83	34	95	84	107	104	62	40	3	2	-
1948	697	43	90	39	90	124	111	89	69	31	8	3	-
1947	731	35	79	58	122	113	114	105	68	29	7	-	1
1946	774	39	99	63	120	138	127	100	54	23	9	1	1
1945	738	39	91	61	129	139	125	80	46	23	5	-	-
1944	756	33	103	64	159	124	114	83	41	27	5	3	-
1943	813	45	84	74	186	122	113	90	66	23	5	2	3
1942	840	41	104	81	159	166	123	88	44	21	12	-	1
1941	883	42	113	104	167	159	126	96	50	16	7	2	1
1940	819	52	107	91	163	159	104	83	31	24	4	-	1

TUBERCULOSIS, OTHER FORMS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	507	26	91	40	101	78	91	42	23	11	4	-	-
1948	507	37	78	32	87	94	89	46	26	11	7	-	-
1947	592	36	75	57	143	101	72	61	18	24	4	1	-
1946	618	32	80	47	138	136	84	55	34	9	2	-	1
1945	638	36	79	60	164	118	86	52	28	11	4	-	-
1944	565	31	81	57	136	115	65	39	20	16	5	-	-
1943	711	41	91	77	188	119	84	54	40	15	-	-	2
1942	677	32	85	60	195	122	90	49	26	15	3	-	-
1941	735	46	104	71	203	138	92	47	24	7	1	2	-
1940	710	41	81	75	168	147	100	57	26	9	2	1	3

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

SYPHILIS AND ITS SEQUELAE

ICD Revision	Years in use	ICD Nos.
Sixth	1949	020-029
Fifth	1940-1948	30

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	8,581	300	14	9	66	211	874	1,917	2,450	1,879	734	114	13
1948	11,616	438	11	17	124	420	1,402	2,654	3,257	2,318	832	123	20
1947	12,671	517	28	36	181	497	1,739	3,052	3,465	2,298	738	112	8
1946	12,955	538	31	34	248	597	1,931	3,178	3,273	2,256	731	115	23
1945	14,062	684	40	43	266	817	2,247	3,369	3,516	2,229	711	115	25
1944	14,916	746	50	58	341	972	2,524	3,508	3,614	2,267	708	103	25
1943	16,263	739	73	86	359	1,048	2,760	3,990	4,002	2,411	669	107	19
1942	16,345	845	75	65	397	1,169	2,829	3,916	3,870	2,351	711	90	27
1941	17,728	1,042	97	104	476	1,297	2,963	4,230	4,144	2,561	691	97	26
1940	19,006	1,251	112	111	561	1,519	3,258	4,586	4,128	2,613	738	112	17

SYPHILIS

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	6,301	168	9	5	37	105	574	1,455	1,939	1,433	497	67	12
1948	8,474	265	3	10	54	241	940	1,978	2,563	1,754	578	71	17
1947	9,254	281	15	16	74	258	1,178	2,323	2,727	1,794	518	62	8
1946	9,534	309	17	21	101	307	1,337	2,482	2,621	1,726	525	74	14
1945	10,402	399	25	22	115	443	1,591	2,621	2,818	1,776	511	63	18
1944	10,899	390	24	28	162	564	1,787	2,744	2,887	1,741	490	58	24
1943	12,018	428	44	40	150	588	2,037	3,064	3,204	1,880	497	69	17
1942	11,841	443	42	32	170	638	2,036	3,003	3,044	1,864	499	53	17
1941	12,893	580	57	51	181	747	2,102	3,247	3,318	2,011	515	65	19
1940	13,760	754	63	62	239	890	2,291	3,496	3,323	2,052	507	68	15

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

SYPHILIS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,280	132	5	4	29	106	300	462	511	446	237	47	1
1948	3,142	173	8	7	70	179	462	676	694	564	254	52	3
1947	3,417	236	13	20	107	239	561	729	738	504	220	50	-
1946	3,421	229	14	13	147	290	594	696	652	530	206	41	9
1945	3,660	285	15	21	151	374	656	748	698	453	200	52	7
1944	4,017	356	26	30	179	408	737	764	727	526	218	45	1
1943	4,245	311	29	46	209	460	723	926	798	531	172	38	2
1942	4,504	402	33	33	227	531	793	913	826	487	212	37	10
1941	4,835	462	40	53	295	550	861	983	826	550	176	32	7
1940	5,246	497	49	49	322	629	967	1,090	805	561	231	44	2

SYPHILIS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	5,563	90	3	4	26	58	363	1,026	1,787	1,489	616	96	5
1948	7,478	151	2	5	53	139	583	1,461	2,414	1,840	715	107	8
1947	8,167	168	15	19	76	173	853	1,725	2,556	1,860	629	91	2
1946	8,240	193	13	20	94	204	894	1,894	2,375	1,821	624	97	11
1945	8,892	256	19	19	98	290	1,048	2,046	2,613	1,813	596	82	12
1944	9,415	287	17	34	139	404	1,239	2,125	2,699	1,789	594	82	6
1943	10,365	305	27	40	142	408	1,407	2,473	3,009	1,908	549	88	9
1942	10,370	363	30	33	139	435	1,390	2,450	2,980	1,873	602	71	4
1941	11,128	395	32	56	183	473	1,474	2,675	3,170	2,040	552	70	8
1940	11,701	513	46	57	197	569	1,620	2,816	3,110	2,041	634	92	6

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

SYPHILIS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	4,221	57	2	1	17	26	243	796	1,451	1,162	408	54	4
1948	5,598	92	1	4	25	80	390	1,106	1,931	1,407	494	63	5
1947	6,172	84	7	9	34	89	587	1,348	2,051	1,464	446	51	2
1946	6,286	102	6	14	43	98	638	1,501	1,951	1,414	451	60	8
1945	6,765	152	12	12	45	143	734	1,610	2,125	1,451	430	42	9
1944	7,075	153	7	13	81	227	870	1,697	2,194	1,371	410	46	6
1943	7,887	182	12	27	64	231	1,050	1,916	2,451	1,481	408	57	8
1942	7,775	184	15	16	58	220	1,035	1,904	2,378	1,496	423	43	3
1941	8,441	220	19	31	72	264	1,067	2,102	2,581	1,625	406	47	7
1940	8,768	302	24	37	90	327	1,163	2,201	2,526	1,604	434	54	6

SYPHILIS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,342	33	1	3	9	32	120	230	336	327	208	42	1
1948	1,880	59	1	1	28	59	193	355	483	433	221	44	3
1947	1,995	84	8	10	42	84	266	377	505	396	183	40	-
1946	1,954	91	7	6	51	106	256	393	424	407	173	37	3
1945	2,127	104	7	7	53	147	314	436	488	362	166	40	3
1944	2,340	134	10	21	58	177	369	428	505	418	184	36	-
1943	2,478	123	15	13	78	177	357	557	558	427	141	31	1
1942	2,595	179	15	17	81	215	355	546	602	377	179	28	1
1941	2,687	175	13	25	111	209	407	573	589	415	146	23	1
1940	2,933	211	22	20	107	242	457	615	584	437	200	38	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

SYPHILIS

ALL OTHER, BOTH SEXES		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
	Total	1 year	years	and over									
1949	3,018	210	11	5	40	153	511	891	663	390	118	18	8
1948	4,138	287	9	12	71	281	819	1,193	843	478	117	16	12
1947	4,504	349	13	17	105	324	886	1,327	909	438	109	21	6
1946	4,715	345	18	14	154	393	1,037	1,284	898	435	107	18	12
1945	5,170	428	21	24	168	527	1,199	1,323	903	416	115	33	13
1944	5,501	459	33	24	202	568	1,285	1,383	915	478	114	21	19
1943	5,898	434	46	46	217	640	1,353	1,517	993	503	120	19	10
1942	5,975	482	45	32	258	734	1,439	1,466	890	478	109	19	23
1941	6,600	647	65	48	293	824	1,489	1,555	974	521	139	27	18
1940	7,305	738	66	54	364	950	1,638	1,770	1,018	572	104	20	11

SYPHILIS

ALL OTHER, MALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
	Total	1 year	years	and over									
1949	2,080	111	7	4	20	79	331	659	488	271	89	13	8
1948	2,876	173	2	6	29	161	550	872	632	347	84	8	12
1947	3,082	197	8	7	40	169	591	975	676	330	72	11	6
1946	3,248	207	11	7	58	209	699	981	670	312	74	14	6
1945	3,637	247	13	10	70	300	857	1,011	693	325	81	21	9
1944	3,824	237	17	15	81	337	917	1,047	693	370	80	12	18
1943	4,131	246	32	13	86	357	987	1,148	753	399	89	12	9
1942	4,066	259	27	16	112	418	1,001	1,099	666	368	76	10	14
1941	4,452	360	38	20	109	483	1,035	1,145	737	386	109	18	12
1940	4,992	452	39	25	149	563	1,128	1,295	797	448	73	14	9

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

SYPHILIS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	938	99	4	1	20	74	180	232	175	119	29	5	-
1948	1,262	114	7	6	42	120	269	321	211	131	33	8	-
1947	1,422	152	5	10	65	155	295	352	233	108	37	10	-
1946	1,467	138	7	7	96	184	338	303	228	123	33	4	6
1945	1,533	181	8	14	98	227	342	312	210	91	34	12	4
1944	1,677	222	16	9	121	231	368	336	222	108	34	9	1
1943	1,767	188	14	33	131	283	366	369	240	104	31	7	1
1942	1,909	223	18	16	146	316	438	367	224	110	33	9	9
1941	2,148	287	27	28	184	341	454	410	237	135	30	9	6
1940	2,313	286	27	29	215	387	510	475	221	124	31	6	2

TYPHOID FEVER

ICD Revision	Years in use	ICD Nos.
Sixth	1949	40
Fifth	1940-1948	1

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	161	9	11	15	23	23	19	23	12	14	11	1	-
1948	205	1	6	29	26	32	36	19	30	18	7	1	0
1947	282	4	9	39	48	40	49	34	29	23	7	0	-
1946	349	4	14	28	63	45	69	43	47	24	9	2	1
1945	471	6	18	60	90	79	79	54	46	24	14	1	0
1944	501	6	22	83	105	60	81	58	54	21	10	0	1
1943	633	13	34	87	130	104	96	77	41	39	11	0	1
1942	706	8	29	116	139	129	97	69	68	37	10	3	1
1941	1,022	8	54	170	231	215	130	84	87	30	11	1	1
1940	1,378	15	71	218	350	278	163	114	104	55	9	0	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, parts I and II. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, parts I and II. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, parts I and II. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, parts I and II. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942. Bureau of the Census, Vital statistics of the United States, 1945, part I. Washington: Government Printing Office. 1947. Bureau of the Census, Vital statistics of the United States, 1944, part I, pp. 90-143. Washington: Government Printing Office. 1946. Bureau of the Census, Vital statistics of the United States, 1943, part I, pp. 102-155. Washington: Government Printing Office. 1945. Bureau of the Census, Vital statistics of the United States, 1942, part I, pp. 66-109. Washington: Government Printing Office. 1944. Bureau of the Census, Vital statistics of the United States, 1941, part I, pp. 106-149. Washington: Government Printing Office. 1943. Bureau of the Census, Vital statistics of the United States, 1940, part I, pp. 244-252. Washington: Government Printing Office, 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TYPHOID

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	92	5	6	8	15	13	9	12	8	8	8	-	-
1948	125	1	3	17	11	15	25	16	22	10	4	1	-
1947	158	1	6	16	26	22	31	24	15	13	4	-	-
1946	207	1	9	13	30	23	43	32	33	15	6	1	1
1945	282	3	12	36	47	46	54	35	25	16	7	1	-
1944	288	3	14	43	48	32	54	41	38	11	4	-	-
1943	347	6	20	41	59	52	61	48	26	26	7	-	1
1942	424	2	14	47	76	84	62	49	49	32	6	2	1
1941	612	3	27	81	140	127	87	60	57	25	4	-	1
1940	781	9	32	98	176	181	102	75	67	34	6	-	1

TYPHOID

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	69	4	5	7	8	10	10	11	4	6	3	1	-
1948	80	-	3	12	15	17	11	3	8	8	3	-	-
1947	124	3	3	23	22	18	18	10	14	10	3	-	-
1946	142	3	5	15	33	22	26	11	14	9	3	1	-
1945	189	3	6	24	43	33	25	19	21	8	7	-	-
1944	213	3	8	40	57	28	27	17	16	10	6	-	1
1943	286	7	14	46	71	52	35	29	15	13	4	0	-
1942	282	6	15	69	63	45	35	20	19	5	4	1	-
1941	410	5	27	89	91	88	43	24	30	5	7	1	-
1940	597	6	39	120	174	97	61	39	37	21	3	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, parts I and II. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, parts I and II. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, parts I and II. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, parts I and II. Washington: Federal Security Agency, Public Health Service, 1948. Bureau of the Census, Vital statistics of the United States, 1945, part I. Washington: Government Printing Office. 1947. Bureau of the Census, Vital statistics of the United States, 1944, part I, pp. 90-143. Washington: Government Printing Office. 1946. Bureau of the Census, Vital statistics of the United States, 1943, part I, pp. 102-155. Washington: Government Printing Office. 1945. Bureau of the Census, Vital statistics of the United States, 1942, part I, pp. 66-109. Washington: Government Printing Office. 1944. Bureau of the Census, Vital statistics of the United States, 1941, part I, pp. 106-149. Washington: Government Printing Office. 1943. Bureau of the Census, Vital statistics of the United States, 1940, part I, pp. 244-252. Washington: Government Printing Office, 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TYPHOID

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	115	8	9	5	11	14	16	17	10	13	11	1	-
1948	139	-	3	13	18	20	26	13	25	15	5	1	-
1947	194	2	6	20	29	29	37	18	26	21	6	-	-
1946	251	2	6	21	39	28	50	36	37	21	9	2	-
1945	328	6	10	39	58	50	53	41	35	22	13	1	-
1944	333	5	13	45	62	40	54	41	44	19	10	-	-
1943	412	10	25	46	76	63	65	56	28	33	10	-	-
1942	467	3	19	72	78	86	66	46	53	31	10	2	1
1941	675	6	34	118	140	129	85	62	66	28	7	-	-
1940	955	7	50	138	230	186	110	88	89	48	8	-	1

TYPHOID

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	66	4	6	2	7	7	8	10	7	7	8	-	-
1948	84	-	1	6	8	11	17	11	19	7	3	1	-
1947	112	-	4	9	17	16	23	15	13	12	3	-	-
1946	149	1	3	10	18	14	32	26	25	13	6	1	-
1945	202	3	7	24	35	31	36	26	19	14	6	1	-
1944	203	3	9	23	29	23	40	30	33	9	4	-	-
1943	233	6	14	24	36	33	42	33	16	22	7	-	-
1942	291	1	9	28	43	60	43	34	37	28	6	1	1
1941	415	3	23	56	84	77	58	46	41	24	3	-	-
1940	546	4	21	66	118	123	65	55	59	28	6	-	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, parts I and II. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, parts I and II. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, parts I and II. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, parts I and II. Washington: Federal Security Agency, Public Health Service, 1948. Bureau of the Census, Vital statistics of the United States, 1945, part I. Washington: Government Printing Office. 1947. Bureau of the Census, Vital statistics of the United States, 1944, part I, pp. 90-143. Washington: Government Printing Office. 1946. Bureau of the Census, Vital statistics of the United States, 1943, part I, pp. 102-155. Washington: Government Printing Office. 1945. Bureau of the Census, Vital statistics of the United States, 1942, part I, pp. 66-109. Washington: Government Printing Office. 1944. Bureau of the Census, Vital statistics of the United States, 1941, part I, pp. 106-149. Washington: Government Printing Office. 1943. Bureau of the Census, Vital statistics of the United States, 1940, part I, pp. 244-252. Washington: Government Printing Office, 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TYPHOID

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	49	4	3	3	4	7	8	7	3	6	3	1	-
1948	55	-	2	7	10	9	9	2	6	8	2	-	-
1947	82	2	2	11	12	13	14	3	13	9	3	-	-
1946	102	1	3	11	21	14	18	10	12	8	3	1	-
1945	126	3	3	15	23	19	17	15	16	8	7	-	-
1944	130	2	4	22	33	17	14	11	11	10	6	-	-
1943	179	4	11	22	40	30	23	23	12	11	3	-	-
1942	176	2	10	44	35	26	23	12	16	3	4	1	-
1941	260	3	11	62	56	52	27	16	25	4	4	-	-
1940	409	3	29	72	112	63	45	33	30	20	2	-	-

TYPHOID

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	46	1	2	10	12	9	3	6	2	1	-	-	-
1948	66	1	3	16	8	12	10	6	5	3	2	-	-
1947	88	2	3	19	19	11	12	16	3	2	1	-	-
1946	98	2	8	7	24	17	19	7	10	3	-	-	1
1945	143	-	8	21	32	29	26	13	11	2	1	-	-
1944	168	1	9	38	43	20	27	17	10	2	-	-	1
1943	221	3	9	41	54	41	31	21	13	6	1	-	1
1942	239	5	10	44	61	43	31	23	15	6	-	1	-
1941	347	2	20	52	91	86	45	22	21	2	4	1	1
1940	423	8	21	80	120	92	53	26	15	7	1	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, parts I and II. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, parts I and II. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, parts I and II. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, parts I and II. Washington: Federal Security Agency, Public Health Service, 1948. Bureau of the Census, Vital statistics of the United States, 1945, part I. Washington: Government Printing Office. 1947. Bureau of the Census, Vital statistics of the United States, 1944, part I, pp. 90-143. Washington: Government Printing Office. 1946. Bureau of the Census, Vital statistics of the United States, 1943, part I, pp. 102-155. Washington: Government Printing Office. 1945. Bureau of the Census, Vital statistics of the United States, 1942, part I, pp. 66-109. Washington: Government Printing Office. 1944. Bureau of the Census, Vital statistics of the United States, 1941, part I, pp. 106-149. Washington: Government Printing Office. 1943. Bureau of the Census, Vital statistics of the United States, 1940, part I, pp. 244-252. Washington: Government Printing Office, 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

TYPHOID

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	26	1	-	6	8	6	1	2	1	1	-	-	-
1948	41	1	2	11	3	4	8	5	3	3	1	-	-
1947	46	1	2	7	9	6	8	9	2	1	1	-	-
1946	58	-	6	3	12	9	11	6	8	2	-	-	1
1945	80	-	5	12	12	15	18	9	6	2	1	-	-
1944	85	-	5	20	19	9	14	11	5	2	-	-	-
1943	114	-	6	17	23	19	19	15	10	4	-	-	1
1942	133	1	5	19	33	24	19	15	12	4	-	1	-
1941	197	-	4	25	56	50	29	14	16	1	1	-	1
1940	235	5	11	32	58	58	37	20	8	6	-	-	-

TYPHOID

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	20	-	2	4	4	3	2	4	1	-	-	-	-
1948	25	-	1	5	5	8	5	1	2	-	1	-	-
1947	42	1	1	12	10	5	4	7	1	1	-	-	-
1946	40	2	2	4	12	8	8	1	2	1	-	-	-
1945	63	-	3	9	20	14	8	4	5	-	-	-	-
1944	83	1	4	18	24	11	13	6	5	-	-	-	1
1943	107	3	3	24	31	22	12	6	3	2	1	-	-
1942	106	4	5	25	28	19	12	8	3	2	-	-	-
1941	150	2	16	27	35	36	16	8	5	1	3	1	-
1940	188	3	10	48	62	34	16	6	7	1	1	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, parts I and II. Washington: Federal Security Agency, Public Health Service. 1951.

National Office of Vital Statistics, Vital statistics of the United States, 1948, parts I and II. Washington: Federal Security Agency, Public Health Service. 1950.

National Office of Vital Statistics, Vital statistics of the United States, 1947, parts I and II. Washington: Federal Security Agency, Public Health Service. 1949.

National Office of Vital Statistics, Vital statistics of the United States, 1946, parts I and II. Washington: Federal Security Agency, Public Health Service. 1948.

Bureau of the Census, Vital statistics of the United States, 1945, part I. Washington: Government Printing Office. 1947.

Bureau of the Census, Vital statistics of the United States, 1944, part I, pp. 90-143. Washington: Government Printing Office. 1946.

Bureau of the Census, Vital statistics of the United States, 1943, part I, pp. 102-155. Washington: Government Printing Office. 1945.

Bureau of the Census, Vital statistics of the United States, 1942, part I, pp. 66-109. Washington: Government Printing Office. 1944.

Bureau of the Census, Vital statistics of the United States, 1941, part I, pp. 106-149. Washington: Government Printing Office. 1943.

Bureau of the Census, Vital statistics of the United States, 1940, part I, pp. 244-252. Washington: Government Printing Office, 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DYSENTERY, ALL FORMS

ICD Revision	Years in use	ICD Nos.
Sixth	1949	045-048
Fifth	1940-1948	27

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,440	882	185	30	15	18	28	50	71	70	62	28	1
1948	1,078	621	159	28	18	19	20	24	41	60	58	30	-
1947	869	423	90	17	18	26	36	55	57	50	61	35	1
1946	952	480	90	27	25	36	42	45	54	77	56	17	3
1945	1,599	880	194	29	29	37	59	63	89	81	87	48	3
1944	1,803	991	236	40	24	36	43	76	79	93	125	57	3
1943	1,909	1,000	256	32	30	43	45	51	93	156	141	60	2
1942	1,877	870	305	36	26	52	52	77	88	148	154	66	3
1941	2,433	1,106	487	43	36	49	67	90	109	168	196	78	4
1940	2,460	1,039	583	54	60	63	72	82	131	171	128	74	3

DYSENTERY, ALL FORMS

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	779	465	95	22	8	12	18	35	35	43	34	11	1
1948	588	349	74	14	10	12	15	13	21	34	31	15	-
1947	504	245	50	10	12	15	21	34	32	31	35	18	1
1946	545	288	40	14	16	21	27	28	27	42	31	9	2
1945	857	503	97	17	15	17	27	32	48	35	45	20	1
1944	944	557	121	23	9	13	23	41	39	42	54	21	1
1943	1,037	580	137	10	15	23	16	25	42	84	78	26	1
1942	1,048	505	176	23	12	24	22	53	41	75	75	39	3
1941	1,263	615	242	19	21	25	33	53	51	83	84	34	3
1940	1,362	603	315	31	36	28	42	45	67	88	72	32	3

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DYSENTERY, ALL FORMS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	661	417	90	8	7	6	10	15	36	27	28	17	-
1948	490	272	85	14	8	7	5	11	20	26	27	15	-
1947	365	178	40	7	6	11	15	21	25	19	26	17	-
1946	407	192	50	13	9	15	15	17	27	35	25	8	1
1945	742	377	97	12	14	20	32	31	41	46	42	28	2
1944	859	434	115	17	15	23	20	35	40	51	71	36	2
1943	872	420	119	22	15	20	29	26	51	72	63	34	1
1942	829	365	129	13	14	28	30	24	47	73	79	27	-
1941	1,170	491	245	24	15	24	34	37	58	85	112	44	1
1940	1,098	436	268	23	24	35	30	37	64	83	56	42	-

DYSENTERY, ALL FORMS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,142	700	152	26	15	12	18	36	51	54	55	23	-
1948	900	529	132	25	14	15	15	15	28	50	50	27	-
1947	691	351	74	13	15	18	23	36	44	35	53	29	-
1946	760	392	73	21	21	29	28	31	43	55	51	15	1
1945	1,271	714	150	22	21	23	45	44	66	67	75	42	2
1944	1,395	792	170	33	16	23	28	48	54	73	107	49	2
1943	1,471	787	179	24	20	25	28	34	72	124	128	48	2
1942	1,421	660	215	31	18	33	31	54	72	109	133	62	3
1941	1,846	849	359	30	28	29	41	58	81	128	174	66	3
1940	1,886	819	445	45	42	40	46	43	99	139	107	59	2

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DYSENTERY, ALL FORMS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown	
1949	611	370	78	20	8	9	12	24	22	32	29	7	-	
1948	486	297	59	12	9	9	10	8	16	25	27	14	-	
1947	399	201	41	8	10	9	15	23	25	22	30	15	-	
1946	428	229	32	10	14	16	19	21	20	30	29	8	-	
1945	676	400	77	11	12	12	17	21	38	32	38	18	-	
1944	733	453	82	21	6	8	16	26	31	29	43	18	-	
1943	799	450	94	6	13	14	12	17	33	67	70	22	1	
1942	787	377	118	19	377	10	18	14	35	37	54	66	36	3
1941	952	474	172	16	16	16	20	37	38	59	74	28	2	
1940	1,033	471	238	26	24	15	27	25	54	68	57	26	2	

DYSENTERY, ALL FORMS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown	
1949	531	330	74	6	7	3	6	12	29	22	26	16	-	
1948	414	232	73	13	5	6	5	7	12	25	23	13	-	
1947	292	150	33	5	5	9	8	13	19	13	23	14	-	
1946	332	163	41	11	7	13	9	10	23	25	22	7	1	
1945	595	314	73	11	9	11	28	23	28	35	37	24	2	
1944	662	339	88	12	10	15	12	22	23	44	64	31	2	
1943	672	337	85	18	337	7	11	16	17	39	57	58	26	1
1942	634	283	97	12	8	15	17	19	35	55	67	26	-	
1941	894	375	187	14	12	13	21	21	43	69	100	38	1	
1940	853	348	207	19	18	25	19	18	45	71	50	33	-	

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DYSENTERY, ALL FORMS

ALL OTHER, BOTH SEXES		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
	Total	1 year	years	and over									
1949	298	182	33	4	-	6	10	14	20	16	7	5	1
1948	178	92	27	3	4	4	5	9	13	10	8	3	-
1947	178	72	16	4	3	8	13	19	13	15	8	6	1
1946	192	88	17	6	4	7	14	14	11	22	5	2	2
1945	328	166	44	7	8	14	14	19	23	14	12	6	1
1944	408	199	66	7	8	13	15	28	25	20	18	8	1
1943	438	213	77	8	10	18	17	17	21	32	13	12	-
1942	456	210	90	5	8	19	21	23	16	39	21	4	-
1941	587	257	128	13	8	20	26	32	28	40	22	12	1
1940	574	220	138	9	18	23	26	39	32	32	21	15	1

DYSENTERY, ALL FORMS

ALL OTHER, MALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
	Total	1 year	years	and over									
1949	168	95	17	2	-	3	6	11	13	11	5	4	1
1948	102	52	15	2	1	3	5	5	5	9	4	1	-
1947	105	44	9	2	2	6	6	11	7	9	5	3	1
1946	117	59	8	4	2	5	8	7	7	12	2	1	2
1945	181	103	20	6	3	5	10	11	10	3	7	2	1
1944	211	104	39	2	3	5	7	15	8	13	11	3	1
1943	238	130	43	4	2	9	4	8	9	17	8	4	-
1942	261	128	58	4	2	6	8	18	4	21	9	3	-
1941	311	141	70	3	5	9	13	16	13	24	10	6	1
1940	329	132	77	5	12	13	15	20	13	20	15	6	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DYSENTERY, ALL FORMS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	130	87	16	2	-	3	4	3	7	5	2	1	-
1948	76	40	12	1	3	1	-	4	8	1	4	2	-
1947	73	28	7	2	1	2	7	8	6	6	3	3	-
1946	75	29	9	2	2	2	6	7	4	10	7	3	1
1945	147	63	24	1	5	9	4	8	13	11	5	4	-
1944	197	95	27	5	5	8	8	13	17	7	7	5	-
1943	200	83	34	4	8	9	13	9	12	15	5	8	-
1942	195	82	32	1	6	13	13	5	12	18	12	1	-
1941	276	116	58	10	3	11	13	16	15	16	12	6	-
1940	245	88	61	4	6	10	11	19	19	12	6	9	-

DIPHtheria

ICD Revision	Years in use	ICD Nos.
Sixth	1949	055
Fifth	1940-1948	10

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	574	41	284	151	11	3	27	26	16	5	9	1	-
1948	634	47	312	159	15	9	32	27	21	9	3	-	-
1947	799	58	392	245	22	9	19	21	15	14	4	-	-
1946	1,259	84	629	355	42	42	30	34	27	13	3	-	-
1945	1,598	78	856	471	46	25	37	37	29	11	8	-	-
1944	1,145	89	638	314	26	19	21	12	17	4	3	1	1
1943	1,196	90	631	324	44	23	25	23	21	9	4	1	1
1942	1,273	96	723	313	28	20	33	30	18	8	3	1	-
1941	1,293	99	734	326	27	20	28	23	18	10	8	-	-
1940	1,457	143	768	374	44	29	28	30	21	11	8	-	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DIPHTHERIA

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	304	24	145	69	5	1	20	20	14	3	2	1	-
1948	352	28	162	80	7	6	25	23	12	7	2	-	-
1947	410	37	197	121	12	1	14	12	9	5	2	-	-
1946	703	42	358	192	20	23	17	25	16	7	3	-	-
1945	856	44	477	236	22	12	19	19	16	7	4	-	-
1944	611	49	351	166	11	5	10	7	8	2	1	1	-
1943	631	46	343	163	25	10	13	15	12	1	2	-	1
1942	712	62	393	171	15	11	24	19	8	5	3	1	-
1941	685	52	403	168	10	7	18	12	8	4	3	-	-
1940	770	85	413	193	17	13	12	11	15	7	4	-	-

DIPHTHERIA

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	270	17	139	82	6	2	7	6	2	2	7	-	-
1948	282	19	150	79	8	3	7	4	9	2	1	-	-
1947	389	21	195	124	10	8	5	9	6	9	2	-	-
1946	556	42	271	163	22	19	13	9	11	6	-	-	-
1945	742	34	379	235	24	13	18	18	13	4	4	-	-
1944	534	40	287	148	15	14	11	5	9	2	2	-	1
1943	565	44	288	161	19	13	12	8	9	8	2	1	-
1942	561	34	330	142	13	9	9	11	10	3	-	-	-
1941	608	47	331	158	17	13	10	11	10	6	5	-	-
1940	687	58	355	181	27	16	16	19	6	4	4	-	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DIPHTHERIA

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	465	31	225	115	10	3	26	25	15	5	9	1	-
1948	517	37	240	132	13	8	29	26	20	9	3	-	-
1947	673	39	327	217	17	7	17	17	14	14	4	-	-
1946	1,106	65	539	322	36	41	28	34	25	13	3	-	-
1945	1,405	67	748	411	44	20	34	35	27	11	8	-	-
1944	1,002	68	551	286	24	15	21	12	16	4	3	1	1
1943	1,062	73	558	288	38	22	24	23	21	9	4	1	1
1942	1,102	74	617	278	22	19	32	30	18	8	3	1	-
1941	1,064	79	596	279	20	15	25	20	14	10	6	-	-
1940	1,218	114	631	322	36	24	24	28	19	11	8	-	1

DIPHTHERIA

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	248	17	114	54	5	1	19	19	13	3	2	1	-
1948	289	22	123	66	6	5	23	23	12	7	2	-	-
1947	353	29	165	110	9	1	13	11	8	5	2	-	-
1946	619	34	306	174	15	23	16	25	16	7	3	-	-
1945	757	40	414	210	22	9	18	17	16	7	4	-	-
1944	534	38	301	152	10	4	10	7	8	2	1	1	-
1943	569	37	303	151	24	10	13	15	12	1	2	-	1
1942	628	51	337	157	12	11	24	19	8	5	3	1	-
1941	570	40	325	149	10	6	17	11	6	4	2	-	-
1940	649	66	342	172	13	11	10	11	13	7	4	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DIPHTHERIA

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	217	14	111	61	5	2	7	6	2	2	7	-	-
1948	228	15	117	66	7	3	6	3	8	2	1	-	-
1947	320	10	162	107	8	6	4	6	6	9	2	-	-
1946	487	31	233	148	21	18	12	9	9	6	-	-	-
1945	648	27	334	201	22	11	16	18	11	4	4	-	-
1944	468	30	250	134	14	11	11	5	8	2	2	-	1
1943	493	36	255	137	14	12	11	8	9	8	2	1	-
1942	474	23	280	121	10	8	8	11	10	3	-	-	-
1941	494	39	271	130	10	9	8	9	8	6	4	-	-
1940	569	48	289	150	23	13	14	17	6	4	4	-	1

DIPHTHERIA

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	109	10	59	36	1	-	1	1	1	-	-	-	-
1948	117	10	72	27	2	1	3	1	1	-	-	-	-
1947	126	19	65	28	5	2	2	4	1	-	-	-	-
1946	153	19	90	33	6	1	2	-	2	-	-	-	-
1945	193	11	108	60	2	5	3	2	2	-	-	-	-
1944	143	21	87	28	2	4	-	-	1	-	-	-	-
1943	134	17	73	36	17	6	1	-	-	-	-	-	-
1942	171	22	106	35	6	1	1	-	-	-	-	-	-
1941	229	20	138	47	7	5	3	3	4	-	2	-	-
1940	239	29	137	52	8	5	4	2	2	-	-	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DIPHTHERIA

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	56	7	31	15	-	-	1	1	1	-	-	-	-
1948	63	6	39	14	1	1	2	-	-	-	-	-	-
1947	57	8	32	11	3	-	1	1	1	-	-	-	-
1946	84	8	52	18	5	-	1	-	-	-	-	-	-
1945	99	4	63	26	-	3	1	2	-	-	-	-	-
1944	77	11	50	14	1	1	-	-	-	-	-	-	-
1943	62	9	40	12	1	-	-	-	-	-	-	-	-
1942	84	11	56	14	11	3	-	-	-	-	-	-	-
1941	115	12	78	19	-	1	1	1	2	-	1	-	-
1940	121	19	71	21	4	2	2	2	2	-	-	-	-

DIPHTHERIA

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	53	3	28	21	1	-	-	-	-	-	-	-	-
1948	54	4	33	13	4	-	1	-	1	-	-	-	-
1947	69	11	33	17	2	2	1	3	-	-	-	-	-
1946	69	11	38	15	1	1	1	-	2	-	-	-	-
1945	94	7	45	34	7	2	2	-	2	-	-	-	-
1944	66	10	37	14	1	3	-	-	1	-	-	-	-
1943	72	8	33	24	8	5	1	-	-	-	-	-	-
1942	87	11	50	21	3	1	1	-	-	-	-	-	-
1941	114	8	60	28	7	4	2	2	2	-	1	-	-
1940	118	10	66	31	4	3	2	2	-	-	-	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

WHOOPING COUGH

ICD Revision	Years in use	ICD Nos.
Sixth	1949	056
Fifth	1940-1948	9

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	727	524	187	12	1	-	-	-	2	1	-	-	-
1948	1,146	842	270	25	6	-	-	-	-	-	2	1	-
1947	1,954	1,481	430	37	3	1	-	-	-	2	-	-	-
1946	1,241	869	339	26	1	1	-	-	1	2	-	-	1
1945	1,752	1,249	450	40	6	2	-	-	2	1	1	-	1
1944	1,878	1,323	509	37	4	1	1	1	1	-	-	-	1
1943	3,368	2,419	860	76	5	-	-	-	1	4	2	-	1
1942	2,536	1,808	651	63	4	1	1	2	1	4	-	-	1
1941	3,785	2,572	1,096	98	5	4	1	2	1	1	1	1	3
1940	2,926	2,015	829	67	6	2	1	-	1	1	2	-	2

WHOOPING COUGH

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	339	266	68	3	-	-	-	-	1	1	-	-	-
1948	537	413	115	8	1	-	-	-	-	-	-	-	-
1947	977	748	204	22	2	-	-	-	-	1	-	-	-
1946	554	405	137	10	-	-	-	-	1	1	-	-	-
1945	822	616	181	20	3	1	-	-	-	1	-	-	-
1944	869	612	233	18	2	-	1	1	1	-	-	-	1
1943	1,573	1,157	378	31	3	-	-	-	1	1	1	-	1
1942	1,200	876	286	32	1	1	-	2	-	1	-	-	1
1941	1,819	1,294	462	50	5	1	1	1	1	1	-	1	2
1940	1,389	998	341	41	4	1	1	-	1	-	1	-	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

WHOOPING COUGH

ALL RACES, FEMALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
	Total												
1949	388	258	119	9	1	-	-	-	1	-	-	-	-
1948	609	429	155	17	5	-	-	-	-	-	2	1	-
1947	977	733	226	15	1	1	-	-	-	1	-	-	-
1946	687	464	202	16	1	1	1	-	-	1	-	-	1
1945	930	633	269	20	3	1	-	-	2	-	1	-	1
1944	1,009	711	276	19	2	1	-	-	-	-	-	-	-
1943	1,795	1,262	482	45	2	-	-	-	-	3	1	-	-
1942	1,336	932	365	31	3	-	1	-	1	3	-	-	-
1941	1,966	1,278	634	48	-	3	-	1	-	-	1	-	1
1940	1,537	1,017	488	26	2	1	-	-	-	1	1	-	1

WHOOPING COUGH

WHITE, BOTH SEXES		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
	Total												
1949	499	367	120	9	-	-	-	-	2	1	-	-	-
1948	751	545	183	17	3	-	-	-	-	-	2	1	-
1947	1,327	1,020	275	26	3	1	-	-	-	2	-	-	-
1946	938	667	248	18	1	1	1	-	1	1	-	-	-
1945	1,303	959	302	29	6	2	-	-	2	1	1	-	1
1944	1,251	919	300	25	3	1	1	-	1	-	-	-	1
1943	2,493	1,844	588	50	5	-	-	-	1	3	1	-	1
1942	1,800	1,325	428	34	4	1	-	2	1	4	-	-	1
1941	2,792	1,951	754	72	5	3	-	2	-	1	1	1	2
1940	2,131	1,504	569	44	6	2	1	-	1	1	2	-	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

WHOOPING COUGH

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	230	181	44	3	-	-	-	-	1	1	-	-	-
1948	354	272	76	5	1	-	-	-	-	-	-	-	-
1947	643	509	115	16	2	-	-	-	-	1	-	-	-
1946	420	316	94	8	-	-	-	-	1	1	-	-	-
1945	620	481	121	13	3	1	-	-	-	1	-	-	-
1944	599	436	143	15	2	-	1	-	1	-	-	-	1
1943	1,138	865	249	18	3	-	-	-	1	1	-	-	1
1942	840	639	177	18	1	1	-	2	-	1	-	-	1
1941	1,327	965	318	34	5	1	-	1	-	1	-	1	1
1940	996	738	221	28	4	1	1	-	1	-	1	-	1

WHOOPING COUGH

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	269	186	76	6	-	-	-	-	1	-	-	-	-
1948	397	273	107	12	2	-	-	-	-	-	2	1	-
1947	684	511	160	10	1	1	-	-	-	1	-	-	-
1946	518	351	154	10	1	1	1	-	-	-	-	-	-
1945	683	478	181	16	3	1	-	-	2	-	1	-	1
1944	652	483	157	10	1	1	-	-	-	-	-	-	-
1943	1,355	979	339	32	2	-	-	-	-	2	1	-	-
1942	960	686	251	16	3	-	-	-	1	3	-	-	-
1941	1,465	986	436	38	-	2	-	1	-	-	1	-	1
1940	1,135	766	348	16	2	1	-	-	-	1	1	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

WHOOPING COUGH

ALL OTHER, BOTH SEXES	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	228	157	67	3	1	-	-	-	-	-	-	-
1948	395	297	87	8	3	-	-	-	-	-	-	-
1947	627	461	155	11	-	-	-	-	-	-	-	-
1946	303	202	91	8	-	-	-	-	1	-	-	1
1945	449	290	148	11	-	-	-	-	-	-	-	-
1944	627	404	209	12	1	-	1	-	-	-	-	-
1943	875	575	272	26	-	-	-	-	1	1	-	-
1942	736	483	223	29	-	-	1	-	-	-	-	-
1941	993	621	342	26	-	1	1	-	1	-	-	1
1940	795	511	260	23	-	-	-	-	-	-	-	1

WHOOPING COUGH

ALL OTHER, MALE	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	109	85	24	-	-	-	-	-	-	-	-	-
1948	183	141	39	3	-	-	-	-	-	-	-	-
1947	334	239	89	6	-	-	-	-	-	-	-	-
1946	134	89	43	2	-	-	-	-	-	-	-	-
1945	202	135	60	7	-	-	-	-	-	-	-	-
1944	270	176	90	3	-	-	1	-	-	-	-	-
1943	435	292	129	13	-	-	-	-	-	1	-	-
1942	360	237	109	14	-	-	-	-	-	-	-	-
1941	492	329	144	16	-	-	1	-	1	-	-	1
1940	393	260	120	13	-	-	-	-	-	-	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

WHOOPING COUGH

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	119	72	43	3	1	-	-	-	-	-	-	-	-
1948	212	156	48	5	3	-	-	-	-	-	-	-	-
1947	293	222	66	5	-	-	-	-	-	-	-	-	-
1946	169	113	48	6	-	-	-	-	-	1	-	-	1
1945	247	155	88	4	-	-	-	-	-	-	-	-	-
1944	357	228	119	9	1	-	-	-	-	-	-	-	-
1943	440	283	143	13	-	-	-	-	-	1	-	-	-
1942	376	246	114	15	-	-	1	-	-	-	-	-	-
1941	501	292	198	10	-	1	-	-	-	-	-	-	-
1940	402	251	140	10	-	-	-	-	-	-	-	-	1

MENINGOCOCCAL INFECTIONS

ICD Revision	Years in use	ICD Nos.
Sixth	1949	057
Fifth	1940-1948	6

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	917	237	292	122	57	30	50	53	41	22	11	2	-
1948	873	245	273	109	57	23	42	49	43	18	11	1	2
1947	917	281	230	99	73	42	45	43	52	39	8	3	2
1946	1,257	270	308	164	123	59	78	95	76	69	9	1	5
1945	1,728	269	352	224	221	148	142	146	143	66	15	2	-
1944	2,812	320	495	379	357	266	304	300	238	113	35	3	2
1943	2,927	334	428	358	564	317	313	271	211	109	19	2	1
1942	981	163	166	117	142	115	102	88	59	22	5	-	2
1941	713	157	134	110	108	57	56	46	29	11	3	1	1
1940	694	145	147	107	90	49	58	51	34	10	3	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MENINGOCOCCAL INFECTIONS

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	538	152	169	61	39	13	34	26	23	13	6	2	-
1948	493	142	160	59	32	14	25	26	17	9	6	1	2
1947	524	163	127	52	41	29	30	26	33	17	2	2	2
1946	737	150	190	90	80	33	57	54	37	37	3	1	5
1945	1,083	142	222	129	157	94	101	99	94	34	9	2	-
1944	1,742	191	280	224	239	189	213	193	132	60	18	1	2
1943	1,912	210	255	211	412	230	227	175	125	52	14	-	1
1942	654	105	97	68	103	89	76	57	40	15	3	-	1
1941	430	89	80	67	72	37	38	22	18	5	1	-	1
1940	437	90	81	60	61	39	42	37	21	5	1	-	-

MENINGOCOCCAL INFECTIONS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	379	85	123	61	18	17	16	27	18	9	5	-	-
1948	380	103	113	50	25	9	17	23	26	9	5	-	-
1947	393	118	103	47	32	13	15	17	19	22	6	1	-
1946	520	120	118	74	43	26	21	41	39	32	6	-	-
1945	645	127	130	95	64	54	41	47	49	32	6	-	-
1944	1,070	129	215	155	118	77	91	107	106	53	17	2	-
1943	1,015	124	173	147	152	87	86	96	86	57	5	2	-
1942	327	58	69	49	39	26	26	31	19	7	2	-	1
1941	283	68	54	43	36	20	18	24	11	6	2	1	-
1940	257	55	66	47	29	10	16	14	13	5	2	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MENINGOCOCCAL INFECTIONS

WHITE, BOTH SEXES		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
Total		1 year	years	and over									
1949	790	202	270	108	44	22	35	42	34	20	11	2	-
1948	749	200	245	93	49	17	38	42	38	15	10	1	1
1947	784	248	201	80	57	35	36	35	45	35	8	3	1
1946	1,089	238	279	141	101	45	57	79	70	65	9	1	4
1945	1,417	234	306	182	164	107	105	120	121	62	15	1	-
1944	2,353	268	437	312	293	218	226	245	213	105	31	3	2
1943	2,523	282	368	302	483	251	265	248	197	106	18	2	1
1942	837	136	134	97	117	106	93	73	54	20	5	-	2
1941	603	124	115	92	95	48	49	40	26	9	3	1	1
1940	610	126	121	100	80	45	49	42	34	10	3	-	-

MENINGOCOCCAL INFECTIONS

WHITE, MALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
Total		1 year	years	and over									
1949	459	129	156	49	29	12	24	20	21	11	6	2	-
1948	420	116	146	50	26	8	24	22	15	6	5	1	1
1947	441	140	111	41	31	23	25	23	27	15	2	2	1
1946	641	133	171	77	67	25	45	45	35	35	3	1	4
1945	879	126	191	101	113	64	79	84	79	32	9	1	-
1944	1,455	158	247	184	193	152	165	160	119	58	16	1	2
1943	1,641	174	216	173	350	182	200	165	118	49	13	-	1
1942	569	88	78	61	88	82	69	48	38	13	3	-	1
1941	360	69	67	56	62	32	33	20	15	4	1	-	1
1940	386	75	69	57	55	35	37	31	21	5	1	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MENINGOCOCCAL INFECTIONS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	331	73	114	59	15	10	11	22	13	9	5	-	-
1948	329	84	99	43	23	9	14	20	23	9	5	-	-
1947	343	108	90	39	26	12	11	12	18	20	6	1	-
1946	448	105	108	64	34	20	12	34	35	30	6	-	-
1945	538	108	115	81	51	43	26	36	42	30	6	-	-
1944	898	110	190	128	100	66	61	85	94	47	15	2	-
1943	882	108	152	129	133	69	65	83	79	57	5	2	-
1942	268	48	56	36	29	24	24	25	16	7	2	-	1
1941	243	55	48	36	33	16	16	20	11	5	2	1	-
1940	224	51	52	43	25	10	12	11	13	5	2	-	-

MENINGOCOCCAL INFECTIONS

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	127	35	22	14	13	8	15	11	7	2	-	-	-
1948	124	45	28	16	8	6	4	7	5	3	1	-	1
1947	133	33	29	19	16	7	9	8	7	4	-	-	1
1946	168	32	29	23	22	14	21	16	6	4	-	-	1
1945	311	35	46	42	57	41	37	26	22	4	-	1	-
1944	459	52	58	67	64	48	78	55	25	8	4	-	-
1943	404	52	60	56	81	66	48	23	14	3	1	-	-
1942	144	27	32	20	25	9	9	15	5	2	-	-	-
1941	110	33	19	18	13	9	7	6	3	2	-	-	-
1940	84	19	26	7	10	4	9	9	-	-	-	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MENINGOCOCCAL INFECTIONS

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	79	23	13	12	10	1	10	6	2	2	-	-	-
1948	73	26	14	9	6	6	1	4	2	3	1	-	1
1947	83	23	16	11	10	6	5	3	6	2	-	-	1
1946	96	17	19	13	13	8	12	9	2	2	-	-	1
1945	204	16	31	28	44	30	22	15	15	2	-	1	-
1944	287	33	33	40	46	37	48	33	13	2	2	-	-
1943	271	36	39	38	62	48	27	10	7	3	1	-	-
1942	85	17	19	7	15	7	7	9	2	2	-	-	-
1941	70	20	13	11	10	5	5	2	3	1	-	-	-
1940	51	15	12	3	6	4	5	6	-	-	-	-	-

MENINGOCOCCAL INFECTIONS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	48	12	9	2	3	7	5	5	5	-	-	-	-
1948	51	19	14	7	2	-	3	3	3	-	-	-	-
1947	50	10	13	8	6	1	4	5	1	2	-	-	-
1946	72	15	10	10	9	6	9	7	4	2	-	-	-
1945	107	19	15	14	13	11	15	11	7	2	-	-	-
1944	172	19	25	27	18	11	30	22	12	6	2	-	-
1943	133	16	21	18	19	18	21	13	7	-	-	-	-
1942	59	10	13	13	10	2	2	6	3	-	-	-	-
1941	40	13	6	7	3	4	2	4	-	1	-	-	-
1940	33	4	14	4	4	-	4	3	-	-	-	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ACUTE POLIOMYELITIS

ICD Revision	Years in use	ICD Nos.
Sixth	1949	080
Fifth	1940-1948	36

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,720	118	341	941	585	495	171	44	15	8	1	-	1
1948	1,895	84	346	653	398	300	86	20	8	-	-	-	-
1947	580	29	69	184	137	94	39	18	5	2	2	1	-
1946	1,845	44	257	695	412	288	90	27	23	7	1	-	1
1945	1,186	36	158	463	263	183	49	20	6	6	1	-	1
1944	1,361	50	167	541	315	157	73	34	15	8	-	-	1
1943	1,151	50	143	435	286	133	48	21	20	12	3	-	-
1942	561	34	96	195	122	52	26	14	14	7	1	-	-
1941	807	59	153	290	159	74	42	10	15	5	-	-	-
1940	1,026	48	157	367	240	127	45	18	12	7	3	1	1

ACUTE POLIOMYELITIS

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,673	70	204	594	349	298	113	30	8	6	1	-	-
1948	1,143	51	203	382	249	188	54	10	6	-	-	-	-
1947	340	18	34	114	79	49	28	14	4	-	-	-	-
1946	1,127	23	143	455	251	161	60	13	14	6	-	-	1
1945	671	19	87	264	152	96	31	12	4	5	1	-	-
1944	835	22	93	355	190	91	44	24	10	5	-	-	1
1943	716	29	89	292	173	64	35	12	10	10	2	-	-
1942	336	21	55	120	74	31	12	7	10	5	1	-	-
1941	499	30	80	174	80	44	31	9	8	1	-	-	-
1940	633	21	84	228	159	86	27	10	9	5	2	1	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ACUTE POLIOMYELITIS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,047	48	137	347	236	197	58	14	7	2	-	-	1
1948	752	33	143	271	149	112	32	10	2	-	-	-	-
1947	240	11	35	70	58	45	11	4	1	2	2	1	-
1946	718	21	114	240	161	127	30	14	9	1	1	-	-
1945	515	17	71	199	111	87	18	8	2	1	-	-	1
1944	526	28	74	186	125	66	29	10	5	3	-	-	-
1943	435	21	54	143	113	69	13	9	10	2	1	-	-
1942	225	13	41	75	48	21	14	7	4	2	-	-	-
1941	308	29	73	116	37	30	11	1	7	4	-	-	-
1940	393	27	73	139	81	41	18	8	3	2	1	-	-

ACUTE POLIOMYELITIS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,631	106	318	920	566	489	167	43	12	8	1	-	1
1948	1,799	79	323	618	376	292	83	20	8	-	-	-	-
1947	535	22	56	170	131	93	36	18	4	2	2	1	-
1946	1,763	34	230	672	401	282	87	26	23	6	1	-	1
1945	1,095	30	136	437	244	171	47	18	6	5	1	-	-
1944	1,291	42	147	519	306	152	70	33	15	7	-	-	-
1943	1,080	40	127	421	274	129	44	20	14	8	3	-	-
1942	500	27	80	173	112	50	23	14	13	7	1	-	-
1941	715	47	132	258	143	68	39	10	13	5	-	-	-
1940	954	43	141	342	226	118	43	18	11	7	3	1	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ACUTE POLIOMYELITIS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,627	66	190	580	341	294	112	30	7	6	1	-	-
1948	1,088	49	192	363	235	182	51	10	6	-	-	-	-
1947	317	16	27	107	76	49	25	14	3	-	-	-	-
1946	1,082	16	129	443	246	157	59	12	14	5	-	-	1
1945	634	17	76	256	143	90	31	12	4	4	1	-	-
1944	793	17	86	338	185	88	42	23	10	4	-	-	-
1943	675	22	81	283	166	62	33	11	8	7	2	-	-
1942	306	16	50	105	70	31	11	7	10	5	1	-	-
1941	449	25	70	157	109	41	30	9	7	1	-	-	-
1940	592	19	76	212	152	79	27	10	8	5	2	1	1

ACUTE POLIOMYELITIS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,004	40	128	340	225	195	55	13	5	2	-	-	1
1948	711	30	131	255	141	110	32	10	2	-	-	-	-
1947	218	6	29	63	55	44	11	4	1	2	2	1	-
1946	681	18	101	229	155	125	28	14	9	1	1	-	-
1945	461	13	60	181	101	81	16	6	2	1	-	-	-
1944	498	25	61	181	121	64	28	10	5	3	-	-	-
1943	405	18	46	138	108	67	11	9	6	1	1	-	-
1942	194	11	30	68	42	19	12	7	3	2	-	-	-
1941	266	22	62	101	34	27	9	1	6	4	-	-	-
1940	362	24	65	130	74	39	16	8	3	2	1	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ACUTE POLIOMYELITIS

ALL OTHER, BOTH SEXES		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
	Total	1 year	years	and over									
1949	89	12	23	21	19	6	4	1	3	-	-	-	-
1948	96	5	23	35	22	8	3	-	-	-	-	-	-
1947	45	7	13	14	6	1	3	-	1	-	-	-	-
1946	82	10	27	23	11	6	3	1	-	1	-	-	-
1945	91	6	22	26	19	12	2	2	-	1	-	-	1
1944	70	8	20	22	9	5	3	1	-	1	-	-	1
1943	71	10	16	14	12	4	4	1	6	4	-	-	-
1942	61	7	16	22	7	10	2	3	-	1	-	-	-
1941	92	12	21	32	16	6	3	-	2	-	-	-	-
1940	72	5	16	25	5	14	9	2	-	1	-	-	-

ACUTE POLIOMYELITIS

ALL OTHER, MALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
	Total	1 year	years	and over									
1949	46	4	14	14	8	4	1	-	1	-	-	-	-
1948	55	2	11	19	14	6	3	-	-	-	-	-	-
1947	23	2	7	7	3	-	3	-	1	-	-	-	-
1946	45	7	14	12	5	4	1	1	-	1	-	-	-
1945	37	2	11	8	9	6	-	-	-	1	-	-	-
1944	42	5	7	17	5	3	2	1	-	1	-	-	1
1943	41	7	8	9	7	8	2	7	2	3	-	-	-
1942	30	5	5	15	4	-	1	-	-	-	-	-	-
1941	50	5	10	17	13	3	1	-	1	-	-	-	-
1940	41	2	8	16	7	7	-	-	1	-	-	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ACUTE POLIOMYELITIS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	43	8	9	7	11	2	3	1	2	-	-	-	-
1948	41	3	12	16	8	2	-	-	-	-	-	-	-
1947	22	5	6	7	3	1	-	-	-	-	-	-	-
1946	37	3	13	11	6	2	2	-	-	-	-	-	-
1945	54	4	11	18	10	6	2	2	-	-	-	-	1
1944	28	3	13	5	4	2	1	-	-	-	-	-	-
1943	30	3	8	5	5	2	2	-	4	1	-	-	-
1942	31	2	11	7	6	2	2	-	1	-	-	-	-
1941	42	7	11	15	7	3	2	-	1	-	-	-	-
1940	31	3	8	9	7	2	2	-	-	-	-	-	-

MEASLES

ICD Revision	Years in use	ICD Nos.
Sixth	1949	085
Fifth	1940-1948	35

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	949	256	356	214	36	25	24	5	6	13	10	3	1
1948	888	183	405	213	31	22	9	2	4	13	3	3	-
1947	472	116	192	101	26	11	7	4	3	7	3	2	-
1946	1,310	297	539	290	50	26	27	19	15	20	22	5	-
1945	307	91	123	47	21	7	8	6	-	1	2	1	-
1944	1,923	536	822	330	90	44	21	17	20	19	22	-	2
1943	1,301	318	535	259	75	28	21	19	12	19	14	1	-
1942	1,302	341	482	278	68	34	27	20	16	14	13	7	2
1941	2,279	604	874	435	145	69	42	20	29	34	23	3	1
1940	706	182	327	113	34	19	11	5	7	5	2	-	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MEASLES

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	465	135	178	108	14	12	6	3	-	6	3	-	-
1948	441	100	202	108	12	4	4	1	2	6	1	1	-
1947	220	62	90	44	9	2	3	2	1	5	2	-	-
1946	640	181	255	123	26	10	11	9	9	6	9	1	-
1945	159	58	57	20	15	1	2	4	-	-	2	-	-
1944	925	270	401	149	42	21	10	6	8	9	8	-	1
1943	634	167	269	120	39	10	8	3	7	6	5	-	-
1942	639	194	226	136	32	12	10	7	5	4	7	5	1
1941	1,154	327	457	208	77	35	9	7	9	16	8	1	-
1940	366	105	173	53	15	8	6	1	3	1	1	-	-

MEASLES

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	484	121	178	106	22	13	18	2	6	7	7	3	1
1948	447	83	203	105	19	18	5	1	2	7	2	2	-
1947	252	54	102	57	17	9	4	2	2	2	1	2	-
1946	670	116	284	167	24	16	16	10	6	14	13	4	-
1945	148	33	66	27	6	6	6	2	-	1	-	1	-
1944	998	266	421	181	48	23	11	11	12	10	14	-	1
1943	667	151	266	139	151	36	13	16	5	13	9	1	-
1942	663	147	256	142	36	22	17	13	11	10	6	2	1
1941	1,125	277	417	227	68	34	33	13	20	18	15	2	1
1940	340	77	154	60	19	11	5	4	4	4	1	-	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MEASLES

WHITE, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
		1 year	years	and over									
1949	763	195	286	176	27	22	20	5	6	13	10	3	-
1948	758	144	340	196	24	22	9	2	3	13	3	2	-
1947	375	87	144	89	22	8	6	4	3	7	3	2	-
1946	1,063	227	421	251	41	21	25	19	13	20	20	5	-
1945	226	61	97	34	13	5	6	6	-	1	2	1	-
1944	1,616	430	686	285	80	38	19	15	20	19	22	-	2
1943	1,150	263	478	237	64	27	19	17	11	19	14	1	-
1942	1,029	260	361	236	56	23	24	19	15	14	12	7	2
1941	1,826	469	683	359	113	56	37	19	29	34	23	3	1
1940	593	147	281	90	31	18	8	5	6	5	2	-	-

MEASLES

WHITE, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
		1 year	years	and over									
1949	367	106	132	89	13	11	4	3	-	6	3	-	-
1948	382	78	174	100	11	4	4	1	2	6	1	1	-
1947	176	50	62	40	9	2	3	2	1	5	2	-	-
1946	510	136	194	108	22	9	9	9	9	6	7	1	-
1945	116	39	45	14	9	1	2	4	-	-	2	-	-
1944	780	211	338	135	39	18	8	5	8	9	8	-	1
1943	562	143	241	107	35	9	107	8	6	6	5	-	-
1942	513	147	173	118	28	10	9	7	5	4	6	5	1
1941	920	249	356	175	62	28	9	7	9	16	8	1	-
1940	306	85	149	42	13	8	4	1	2	1	1	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MEASLES

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	396	89	154	87	14	11	16	2	6	7	7	3	-
1948	376	66	166	96	13	18	5	1	1	7	2	1	-
1947	199	37	82	49	13	6	3	2	2	2	1	2	-
1946	553	91	227	143	19	12	16	10	4	14	13	4	-
1945	110	22	52	20	4	4	4	2	-	1	-	1	-
1944	836	219	348	150	41	20	11	10	12	10	14	-	1
1943	588	120	237	130	29	18	11	15	5	13	9	1	-
1942	516	113	188	118	28	13	15	12	10	10	6	2	1
1941	906	220	327	184	51	28	28	12	20	18	15	2	1
1940	287	62	132	48	18	10	4	4	4	4	1	-	-

MEASLES

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	186	61	70	38	9	3	4	-	-	-	-	-	1
1948	130	39	65	17	7	-	-	-	1	-	-	1	-
1947	97	29	48	12	4	3	1	-	-	-	-	-	-
1946	247	70	118	39	9	5	2	-	2	-	2	-	-
1945	81	30	26	13	8	2	2	-	-	-	-	-	-
1944	307	106	136	45	10	6	2	2	-	-	-	-	-
1943	151	55	57	22	11	1	2	1	1	-	-	-	-
1942	273	81	121	42	12	11	3	1	1	-	1	-	-
1941	453	135	191	76	32	13	5	1	-	-	-	-	-
1940	113	35	46	23	3	1	3	-	1	-	-	-	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MEASLES

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	98	29	46	19	1	1	2	-	-	-	-	-	-
1948	59	22	28	8	1	-	-	-	-	-	-	-	-
1947	44	12	28	4	-	-	-	-	-	-	-	-	-
1946	130	45	61	15	4	1	2	-	-	-	2	-	-
1945	43	19	12	6	6	-	-	-	-	-	-	-	-
1944	145	59	63	14	3	3	2	1	-	-	-	-	-
1943	72	24	28	13	4	1	-	1	1	-	-	-	-
1942	126	47	53	18	4	2	1	-	-	-	1	-	-
1941	234	78	101	33	15	7	-	-	-	-	-	-	-
1940	60	20	24	11	2	-	2	-	1	-	-	-	-

MEASLES

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	88	32	24	19	8	2	2	-	-	-	-	-	1
1948	71	17	37	9	6	-	-	-	1	-	-	1	-
1947	53	17	20	8	4	3	1	-	-	-	-	-	-
1946	117	25	57	24	5	4	-	-	2	-	-	-	-
1945	38	11	14	7	2	2	2	-	-	-	-	-	-
1944	162	47	73	31	47	3	-	1	-	-	1	-	-
1943	79	31	29	9	7	-	2	1	-	-	-	-	-
1942	147	34	68	24	8	9	2	1	1	-	-	-	-
1941	219	57	90	43	17	6	5	1	-	-	-	-	-
1940	53	15	22	12	1	1	1	-	-	-	-	-	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALARIA

ICD Revision	Years in use	ICD Nos.
Sixth	1949	110-117
Fifth	1940-1948	28

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	118	15	5	4	7	14	11	12	16	22	8	4	-
1948	170	10	13	8	5	12	17	22	21	34	21	7	-
1947	214	9	14	11	15	18	31	31	37	29	18	1	-
1946	341	12	25	16	41	51	40	38	43	33	33	8	1
1945	443	28	26	37	35	47	48	59	52	65	33	13	-
1944	580	54	56	47	38	59	52	64	85	75	38	12	-
1943	647	53	67	46	56	52	64	79	77	89	47	13	4
1942	861	73	89	73	67	98	78	106	110	89	64	12	2
1941	1,178	115	127	119	103	127	109	119	133	130	90	24	2
1940	1,442	124	171	138	123	115	150	177	160	144	97	40	3

MALARIA

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	72	9	3	3	4	10	6	7	9	15	3	3	-
1948	99	4	8	4	2	7	12	14	13	17	13	5	-
1947	130	6	9	4	6	11	22	18	24	20	10	-	-
1946	211	7	15	6	30	40	30	17	27	18	16	4	1
1945	245	12	13	16	21	31	32	32	27	33	21	7	-
1944	303	28	27	25	20	26	24	31	53	43	20	6	-
1943	348	29	29	23	30	25	35	45	48	47	29	4	4
1942	460	34	49	49	32	42	35	65	58	52	37	6	1
1941	601	53	67	56	42	54	54	62	84	66	51	12	-
1940	775	64	94	62	63	55	81	102	99	83	50	21	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALARIA

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	46	6	2	1	3	4	5	5	7	7	5	1	-
1948	71	6	5	4	3	5	5	8	8	17	8	2	-
1947	84	3	5	7	9	7	9	13	13	9	8	1	-
1946	130	5	10	10	11	11	10	21	16	15	17	4	-
1945	198	16	13	21	14	16	16	27	25	32	12	6	-
1944	277	26	29	22	18	33	28	33	32	32	18	6	-
1943	299	24	38	23	26	27	29	34	29	42	18	9	-
1942	401	39	40	24	35	56	43	41	52	37	27	6	1
1941	577	62	60	63	61	53	55	57	49	64	39	12	2
1940	667	60	77	76	60	60	69	75	61	61	47	19	2

MALARIA

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	63	10	3	3	3	9	5	6	7	9	5	3	-
1948	94	7	4	3	3	9	8	10	10	21	16	3	-
1947	120	6	7	6	5	12	19	13	19	19	14	-	-
1946	192	7	13	9	25	29	24	14	20	22	20	8	1
1945	235	17	12	13	18	25	25	29	25	46	17	8	-
1944	280	24	26	19	18	21	22	28	41	48	23	10	-
1943	299	27	30	16	15	22	24	31	29	58	36	10	1
1942	395	35	36	34	20	38	28	43	49	53	48	11	-
1941	532	54	53	54	30	42	45	43	56	79	63	13	-
1940	693	58	67	60	47	51	63	88	78	89	67	24	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALARIA

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	41	6	1	2	2	9	4	5	1	7	2	2	-
1948	61	3	2	3	2	5	6	10	9	10	9	2	-
1947	87	4	4	3	3	9	17	9	14	15	9	-	-
1946	132	3	7	3	22	26	21	7	15	12	11	4	1
1945	147	8	5	10	13	20	20	18	15	21	13	4	-
1944	161	10	12	13	12	12	10	16	26	31	13	6	-
1943	178	12	14	9	10	13	15	20	22	36	23	3	1
1942	231	17	20	23	11	14	17	31	34	31	27	6	-
1941	271	23	28	21	10	21	26	26	35	37	36	8	-
1940	391	32	40	31	27	28	33	55	48	48	33	16	-

MALARIA

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	22	4	2	1	1	-	1	1	6	2	3	1	-
1948	33	4	2	-	1	4	2	-	1	11	7	1	-
1947	33	2	3	3	2	3	2	4	5	4	5	-	-
1946	60	4	6	6	3	3	3	7	5	10	9	4	-
1945	88	9	7	3	5	5	5	11	10	25	4	4	-
1944	119	14	14	6	6	9	12	12	15	17	10	4	-
1943	121	15	16	7	5	9	9	11	7	22	13	7	-
1942	164	18	16	11	9	24	11	12	15	22	21	5	-
1941	261	31	25	33	20	21	19	17	21	42	27	5	-
1940	302	26	27	29	20	23	30	33	30	41	34	8	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALARIA

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	55	5	2	1	4	5	6	6	9	13	3	1	-
1948	76	3	9	5	2	3	9	12	11	13	5	4	-
1947	94	3	7	5	10	6	12	18	18	10	4	1	-
1946	149	5	12	7	16	22	16	24	23	11	13	-	-
1945	208	11	14	24	17	22	23	30	27	19	16	5	-
1944	300	30	30	28	20	38	30	36	44	27	15	2	-
1943	348	26	37	30	41	30	40	48	48	31	11	3	3
1942	466	38	53	39	47	60	50	63	61	36	16	1	2
1941	646	61	74	65	73	65	64	76	77	51	27	11	2
1940	749	66	104	78	76	64	87	89	82	55	30	16	2

MALARIA

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	31	3	2	1	2	1	2	2	8	8	1	1	-
1948	38	1	6	1	-	2	6	4	4	7	4	3	-
1947	43	2	5	1	3	2	5	9	10	5	1	-	-
1946	79	4	8	3	8	14	9	10	12	6	5	-	-
1945	98	4	8	6	8	11	12	14	12	12	8	3	-
1944	142	18	15	12	8	14	14	15	27	12	7	-	-
1943	170	17	15	14	20	12	20	25	26	11	6	1	3
1942	229	17	29	26	21	28	18	34	24	21	10	-	1
1941	330	30	39	35	32	33	28	36	49	29	15	4	-
1940	384	32	54	31	36	27	48	47	51	35	17	5	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALARIA

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	24	2	-	-	2	4	4	4	1	5	2	-	-
1948	38	2	3	4	2	1	3	8	7	6	1	1	-
1947	51	1	2	4	7	4	7	9	8	5	3	1	-
1946	70	1	4	4	8	8	7	14	11	5	8	-	-
1945	110	7	6	18	9	11	11	16	15	7	8	2	-
1944	158	12	15	16	12	24	16	21	17	15	8	2	-
1943	178	9	22	16	21	18	20	23	22	20	5	2	-
1942	237	21	24	13	26	32	32	29	37	15	6	1	1
1941	316	31	35	30	41	32	36	40	28	22	12	7	2
1940	365	34	50	47	40	37	39	42	31	20	13	11	1

MALIGNANT NEOPLASMS

ICD Revision Years in use ICD Nos.
 Sixth 1949 140-205
 Fifth 1940-1948 45-55

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	206,325	282	1,368	1,494	1,965	4,634	13,371	30,554	51,065	56,637	36,683	8,123	149
1948	197,042	112	642	739	1,282	3,879	12,201	29,223	49,528	55,046	36,144	8,142	104
1947	189,811	108	572	733	1,250	3,802	12,189	28,975	47,449	53,116	34,008	7,533	76
1946	182,005	113	534	717	1,285	3,754	11,763	28,456	45,594	50,920	31,913	6,877	79
1945	177,464	88	542	660	1,275	3,726	11,841	27,954	44,973	49,325	30,703	6,282	95
1944	171,171	79	460	614	1,222	3,827	11,921	27,441	43,456	47,628	28,730	5,709	84
1943	166,848	80	431	633	1,245	3,592	11,513	27,270	41,684	46,198	28,425	5,682	95
1942	163,400	77	396	595	1,252	3,672	11,278	26,724	40,839	45,596	27,422	5,429	120
1941	159,926	90	444	616	1,235	3,716	11,277	26,317	39,515	44,772	26,781	5,065	98
1940	158,335	89	405	667	1,287	3,696	11,198	26,180	39,071	44,328	26,326	4,953	135

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALIGNANT NEOPLASMS

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	104,032	159	768	874	1,140	1,947	4,852	13,346	26,730	30,732	19,587	3,820	77
1948	97,944	64	371	413	708	1,497	4,099	12,677	25,608	29,557	19,024	3,873	53
1947	93,592	58	324	427	727	1,398	4,118	12,271	24,453	28,440	17,837	3,504	35
1946	88,801	70	283	391	749	1,373	3,775	11,993	23,128	27,026	16,757	3,222	34
1945	85,826	44	277	392	731	1,404	3,828	11,582	22,515	25,981	16,040	2,987	45
1944	82,166	45	259	362	695	1,357	3,666	11,520	21,607	24,888	15,069	2,659	39
1943	79,335	44	248	375	658	1,308	3,687	11,096	20,387	24,200	14,624	2,665	43
1942	77,933	35	214	323	703	1,362	3,573	11,011	19,948	23,914	14,350	2,444	56
1941	76,368	47	272	360	674	1,295	3,545	10,721	19,468	23,367	14,175	2,401	43
1940	75,406	47	215	347	719	1,252	3,590	10,770	19,137	23,166	13,806	2,294	63

MALIGNANT NEOPLASMS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	102,293	123	600	620	825	2,687	8,519	17,208	24,335	25,905	17,096	4,303	72
1948	99,098	48	271	326	574	2,382	8,102	16,546	23,920	25,489	17,120	4,269	51
1947	96,219	50	248	306	523	2,404	8,071	16,704	22,996	24,676	16,171	4,029	41
1946	93,204	43	251	326	536	2,381	7,988	16,463	22,466	23,894	15,156	3,655	45
1945	91,638	44	265	268	544	2,322	8,013	16,372	22,458	23,344	14,663	3,295	50
1944	89,005	34	201	252	527	2,470	8,255	15,921	21,849	22,740	13,661	3,050	45
1943	87,513	36	183	258	587	2,284	7,826	16,174	21,297	21,998	13,801	3,017	52
1942	85,467	42	182	272	549	2,310	7,705	15,713	20,891	21,682	13,072	2,985	64
1941	83,558	43	172	256	561	2,421	7,732	15,596	20,047	21,405	12,606	2,664	55
1940	82,929	42	190	320	568	2,444	7,608	15,410	19,934	21,162	12,520	2,659	72

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALIGNANT NEOPLASMS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	190,286	253	1,276	1,358	1,752	3,987	11,379	26,714	46,851	53,390	35,388	7,826	112
1948	181,859	100	581	672	1,117	3,273	10,351	25,560	45,457	51,957	34,865	7,851	75
1947	175,776	96	516	676	1,092	3,235	10,391	25,445	43,750	50,337	32,918	7,263	57
1946	168,907	110	492	646	1,104	3,159	9,981	25,120	42,225	48,409	30,966	6,635	60
1945	165,034	83	495	622	1,113	3,216	10,055	24,839	41,684	47,006	29,795	6,059	67
1944	159,445	73	412	575	1,072	3,227	10,157	24,511	40,428	45,459	27,942	5,530	59
1943	155,687	71	387	589	1,110	3,025	9,840	24,444	38,828	44,147	27,684	5,495	67
1942	152,357	72	361	549	1,095	3,097	9,609	23,938	38,070	43,504	26,731	5,247	84
1941	149,256	85	408	567	1,087	3,113	9,572	23,635	36,889	42,816	26,119	4,896	69
1940	147,783	84	376	619	1,147	3,112	9,587	23,449	36,516	42,351	25,684	4,754	104

MALIGNANT NEOPLASMS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	96,459	143	713	793	1,030	1,751	4,237	11,754	24,526	28,950	18,832	3,671	59
1948	90,942	57	337	384	637	1,348	3,567	11,092	23,561	27,865	18,325	3,731	38
1947	87,321	52	298	402	651	1,271	3,611	10,798	22,641	26,938	17,258	3,373	28
1946	82,985	68	263	364	659	1,222	3,314	10,651	21,477	25,611	16,225	3,105	26
1945	80,432	43	256	374	646	1,286	3,358	10,301	20,924	24,769	15,564	2,874	37
1944	77,162	42	231	336	623	1,224	3,218	10,313	20,154	23,760	14,644	2,587	30
1943	74,724	39	225	347	605	1,164	3,249	10,015	19,085	23,129	14,257	2,578	31
1942	73,315	32	199	295	627	1,221	3,151	9,922	18,648	22,817	13,994	2,368	41
1941	71,984	45	253	335	614	1,156	3,105	9,677	18,251	22,374	13,826	2,313	35
1940	71,109	45	203	321	665	1,130	3,160	9,726	17,936	22,178	13,476	2,219	50

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALIGNANT NEOPLASMS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	93,827	110	563	565	722	2,236	7,142	14,960	22,325	24,440	16,556	4,155	53
1948	90,917	43	244	288	480	1,925	6,784	14,468	21,896	24,092	16,540	4,120	37
1947	88,455	44	218	274	441	1,964	6,780	14,647	21,109	23,399	15,660	3,890	29
1946	85,922	42	229	282	445	1,937	6,667	14,469	20,748	22,798	14,741	3,530	34
1945	84,602	40	239	248	467	1,930	6,697	14,538	20,760	22,237	14,231	3,185	30
1944	82,283	31	181	239	449	2,003	6,939	14,198	20,274	21,699	13,298	2,943	29
1943	80,963	32	162	242	505	1,861	6,591	14,429	19,743	21,018	13,427	2,917	36
1942	79,042	40	162	254	468	1,876	6,458	14,016	19,422	20,687	12,737	2,879	43
1941	77,272	40	155	232	473	1,957	6,467	13,958	18,638	20,442	12,293	2,583	34
1940	76,674	39	173	298	482	1,982	6,427	13,723	18,580	20,173	12,208	2,535	54

MALIGNANT NEOPLASMS

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	16,039	29	92	136	213	647	1,992	3,840	4,214	3,247	1,295	297	37
1948	15,183	12	61	67	165	606	1,850	3,663	4,071	3,089	1,279	291	29
1947	14,035	12	56	57	158	567	1,798	3,530	3,699	2,779	1,090	270	19
1946	13,098	3	42	71	181	595	1,782	3,336	3,369	2,511	947	242	19
1945	12,430	5	47	38	162	510	1,786	3,115	3,289	2,319	908	223	28
1944	11,726	6	48	39	150	600	1,764	2,930	3,028	2,169	788	179	25
1943	11,161	9	44	44	135	567	1,673	2,826	2,856	2,051	741	187	28
1942	11,043	5	35	46	157	575	1,669	2,786	2,769	2,092	691	182	36
1941	10,670	5	36	49	148	603	1,705	2,682	2,626	1,956	662	169	29
1940	10,552	5	29	48	140	584	1,611	2,731	2,555	1,977	642	199	31

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALIGNANT NEOPLASMS

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	7,573	16	55	81	110	196	615	1,592	2,204	1,782	755	149	18
1948	7,002	7	34	29	71	149	532	1,585	2,047	1,692	699	142	15
1947	6,271	6	26	25	76	127	507	1,473	1,812	1,502	579	131	7
1946	5,816	2	20	27	90	151	461	1,342	1,651	1,415	532	117	8
1945	5,394	1	21	18	85	118	470	1,281	1,591	1,212	476	113	8
1944	5,004	3	28	26	72	133	448	1,207	1,453	1,128	425	72	9
1943	4,611	5	23	28	53	144	438	1,081	1,302	1,071	367	87	12
1942	4,618	3	15	28	76	141	422	1,089	1,300	1,097	356	76	15
1941	4,384	2	19	25	60	139	440	1,044	1,217	993	349	88	8
1940	4,297	2	12	26	54	122	430	1,044	1,201	988	330	75	13

MALIGNANT NEOPLASMS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	8,466	13	37	55	103	451	1,377	2,248	2,010	1,465	540	148	19
1948	8,181	5	27	38	94	457	1,318	2,078	2,024	1,397	580	149	14
1947	7,764	6	30	32	82	440	1,291	2,057	1,887	1,277	511	139	12
1946	7,282	1	22	44	91	444	1,321	1,994	1,718	1,096	415	125	11
1945	7,036	4	26	20	77	392	1,316	1,834	1,698	1,107	432	110	20
1944	6,722	3	20	13	78	467	1,316	1,723	1,575	1,041	363	107	16
1943	6,550	4	21	16	82	423	1,235	1,745	1,554	980	374	100	16
1942	6,425	2	20	18	81	434	1,247	1,697	1,469	995	335	106	21
1941	6,286	3	17	24	88	464	1,265	1,638	1,409	963	313	81	21
1940	6,255	3	17	22	86	462	1,181	1,687	1,354	989	312	124	18

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

	ICD Revision	Years in use	ICD Nos.		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
			Sixth	1949												
	Fifth	1940-1948	46													
ALL RACES, BOTH SEXES	Total															
1949	82,281	30	43	45	177	811	3,194	9,638	20,287	26,072	18,136	3,788	60			
1948	85,056	9	57	81	231	929	3,366	10,197	21,206	26,938	18,272	3,731	39			
1947	83,121	19	54	69	226	901	3,363	10,164	20,714	26,676	17,473	3,427	35			
1946	80,866	25	58	77	208	942	3,370	10,348	20,443	25,901	16,377	3,078	39			
1945	80,204	17	47	63	221	928	3,501	10,468	20,608	25,433	16,025	2,853	40			
1944	77,988	18	59	59	189	958	3,481	10,362	20,120	24,885	15,152	2,667	38			
1943	76,552	13	43	76	205	949	3,495	10,381	19,565	24,174	15,068	2,544	39			
1942	74,785	12	45	59	203	879	3,334	10,152	19,150	23,825	14,539	2,533	54			
1941	73,039	20	45	60	214	951	3,376	10,005	18,521	23,354	14,142	2,311	40			
1940	72,742	27	43	59	204	953	3,452	10,056	18,350	23,420	13,849	2,268	61			

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1948	46,703	4	37	54	124	482	1,667	5,698	12,372	15,237	9,361	1,647	20
1947	45,529	12	35	56	156	435	1,676	5,628	12,036	15,099	8,933	1,445	18
1946	44,155	16	28	51	123	455	1,695	5,647	11,912	14,521	8,356	1,331	20
1945	43,680	7	30	43	133	464	1,735	5,722	11,866	14,222	8,198	1,240	20
1944	42,351	8	38	41	119	458	1,661	5,702	11,619	13,827	7,734	1,125	19
1943	41,501	8	23	48	107	486	1,746	5,630	11,231	13,585	7,513	1,097	27
1942	40,646	5	27	35	115	433	1,627	5,561	11,021	13,314	7,430	1,049	29
1941	39,726	9	34	43	119	485	1,712	5,504	10,663	12,915	7,219	1,003	20
1940	39,671	17	28	32	107	450	1,740	5,631	10,611	12,973	7,063	987	32

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	37,001	13	17	20	73	411	1,549	4,335	8,500	11,207	8,693	2,158	25
1948	38,353	5	20	27	107	447	1,699	4,499	8,834	11,701	8,911	2,084	19
1947	37,592	7	19	13	70	466	1,687	4,536	8,678	11,577	8,540	1,982	17
1946	36,711	9	30	26	85	487	1,675	4,701	8,531	11,380	8,021	1,747	19
1945	36,524	10	17	20	88	464	1,766	4,746	8,742	11,211	7,827	1,613	20
1944	35,637	10	21	18	70	500	1,820	4,660	8,501	11,058	7,418	1,542	19
1943	35,051	5	20	28	98	463	1,749	4,751	8,334	10,589	7,555	1,447	12
1942	34,139	7	18	24	88	446	1,707	4,591	8,129	10,511	7,109	1,484	25
1941	33,313	11	11	17	95	466	1,664	4,501	7,858	10,439	6,923	1,308	20
1940	33,071	10	15	27	97	503	1,712	4,425	7,739	10,447	6,786	1,281	29

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	76,149	26	38	36	148	681	2,713	8,233	18,516	24,538	17,534	3,641	45
1948	78,911	6	51	70	191	779	2,843	8,823	19,401	25,469	17,655	3,595	28
1947	77,413	17	50	64	189	771	2,866	8,763	19,045	25,373	16,953	3,293	29
1946	75,607	24	51	67	174	790	2,866	9,091	18,908	24,691	15,946	2,972	27
1945	75,205	15	44	54	177	812	2,964	9,251	19,133	24,353	15,603	2,770	29
1944	73,213	18	57	56	165	799	2,963	9,156	18,745	23,850	14,791	2,585	28
1943	72,084	11	38	70	187	815	2,997	9,295	18,283	23,166	14,736	2,460	26
1942	70,340	11	43	51	176	754	2,852	9,058	17,869	22,812	14,223	2,455	36
1941	68,806	19	42	54	184	797	2,874	9,000	17,322	22,408	13,836	2,241	29
1940	68,525	27	42	54	184	824	2,947	8,988	17,199	22,480	13,553	2,178	49

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	41,616	15	22	21	86	333	1,390	4,492	10,678	13,917	9,083	1,554	25
1948	43,126	3	33	49	98	411	1,415	4,882	11,287	14,327	9,024	1,582	15
1947	42,240	10	34	53	135	386	1,436	4,808	11,034	14,310	8,641	1,378	15
1946	41,099	15	26	46	104	378	1,454	4,930	10,992	13,768	8,093	1,278	15
1945	40,793	7	28	39	110	414	1,495	4,999	10,976	13,566	7,948	1,196	15
1944	39,583	8	36	39	101	394	1,417	4,996	10,780	13,184	7,523	1,091	14
1943	38,984	7	21	44	98	423	1,504	5,002	10,483	12,972	7,351	1,061	18
1942	38,111	4	27	31	99	378	1,404	4,940	10,230	12,707	7,256	1,015	20
1941	37,277	8	32	38	101	415	1,455	4,898	9,946	12,358	7,046	965	15
1940	37,264	17	27	28	99	398	1,486	5,006	9,904	12,427	6,900	948	24

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	34,533	11	16	15	62	348	1,323	3,741	7,838	10,621	8,451	2,087	20
1948	35,785	3	18	21	93	368	1,428	3,941	8,114	11,142	8,631	2,013	13
1947	35,173	7	16	11	54	385	1,430	3,955	8,011	11,063	8,312	1,915	14
1946	34,508	9	25	21	70	412	1,412	4,161	7,916	10,923	7,853	1,694	12
1945	34,412	8	16	15	67	398	1,469	4,252	8,157	10,787	7,655	1,574	14
1944	33,630	10	21	17	64	405	1,546	4,160	7,965	10,666	7,268	1,494	14
1943	33,100	4	17	26	89	392	1,493	4,293	7,800	10,194	7,385	1,399	8
1942	32,229	7	16	20	77	376	1,448	4,118	7,639	10,105	6,967	1,440	16
1941	31,529	11	10	16	83	382	1,419	4,102	7,376	10,050	6,790	1,276	14
1940	31,261	10	15	26	85	426	1,461	3,982	7,295	10,053	6,653	1,230	25

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	6,132	4	5	9	29	130	481	1,405	1,771	1,534	602	147	15
1948	6,145	3	6	11	40	150	523	1,374	1,805	1,469	617	136	11
1947	5,708	2	4	5	37	130	497	1,401	1,669	1,303	520	134	6
1946	5,259	1	7	10	34	152	504	1,257	1,535	1,210	431	106	12
1945	4,999	2	3	9	44	116	537	1,217	1,475	1,080	422	83	11
1944	4,775	-	2	3	24	159	518	1,206	1,375	1,035	361	82	10
1943	4,468	2	5	6	18	134	498	1,086	1,282	1,008	332	84	13
1942	4,445	1	2	8	27	125	482	1,094	1,281	1,013	316	78	18
1941	4,233	1	3	6	30	154	502	1,005	1,199	946	306	70	11
1940	4,217	-	1	5	20	129	505	1,068	1,151	940	296	90	12

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	3,664	2	4	4	18	67	255	811	1,109	948	360	76	10
1948	3,577	1	4	5	26	71	252	816	1,085	910	337	65	5
1947	3,289	2	1	3	21	49	240	820	1,002	789	292	67	3
1946	3,056	1	2	5	19	77	241	717	920	753	263	53	5
1945	2,887	-	2	4	23	50	240	723	890	656	250	44	5
1944	2,768	-	2	2	18	64	244	706	839	643	211	34	5
1943	2,517	1	2	4	9	63	242	628	748	613	162	36	9
1942	2,535	1	-	4	16	55	223	621	791	607	174	34	9
1941	2,449	1	2	5	18	70	257	606	717	557	173	38	5
1940	2,407	-	1	4	8	52	254	625	707	546	163	39	8

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,468	2	1	5	11	63	226	594	662	586	242	71	5
1948	2,568	2	2	6	14	79	271	558	720	559	280	71	6
1947	2,419	-	3	2	16	81	257	581	667	514	228	67	3
1946	2,203	-	5	5	15	75	263	540	615	457	168	53	7
1945	2,112	2	1	5	21	66	297	494	585	424	172	39	6
1944	2,007	-	-	1	6	95	274	500	536	392	150	48	5
1943	1,951	1	3	2	9	71	256	458	534	395	170	48	4
1942	1,910	-	2	4	11	70	259	473	490	406	142	44	9
1941	1,784	-	1	1	12	84	245	399	482	389	133	32	6
1940	1,810	-	-	1	12	77	251	443	444	394	133	51	4

MALIGNANT NEOPLASMS OF BREAST

ICD Revision	Years in use	ICD Nos.
Sixth	1949	170
Fifth	1940-1948	50

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	18,553	-	-	-	22	486	2,173	4,085	4,726	4,035	2,389	625	12
1948	19,162	-	1	2	18	457	2,125	4,110	4,675	4,337	2,686	744	7
1947	18,030	-	2	-	20	438	2,042	3,958	4,443	3,959	2,464	695	9
1946	17,516	2	-	1	18	431	1,980	3,781	4,430	3,957	2,311	594	11
1945	17,133	-	2	1	21	404	1,925	3,826	4,297	3,901	2,229	517	10
1944	16,379	-	-	-	17	403	1,968	3,667	4,222	3,627	2,016	453	6
1943	16,140	-	1	3	15	366	1,795	3,642	4,184	3,614	2,013	496	11
1942	15,954	-	1	2	23	424	1,837	3,672	4,143	3,461	1,906	469	16
1941	15,526	1	2	1	13	395	1,780	3,592	3,963	3,509	1,843	418	9
1940	15,488	3	-	1	18	397	1,795	3,613	3,928	3,383	1,903	436	11

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALIGNANT NEOPLASMS OF BREAST

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	233	-	-	-	2	4	21	39	51	61	44	10	1
1948	234	-	-	-	-	5	19	38	52	64	44	12	-
1947	213	-	-	-	-	2	12	25	57	64	42	11	-
1946	242	1	-	-	-	3	13	44	55	67	48	11	-
1945	237	-	-	-	2	7	16	35	61	66	43	7	-
1944	219	-	-	-	-	-	17	44	57	57	34	10	-
1943	216	-	1	1	-	4	22	39	54	55	31	9	-
1942	219	-	-	-	1	3	13	34	53	68	36	11	-
1941	210	-	-	-	-	3	9	40	43	66	39	10	-
1940	180	-	-	-	-	4	14	27	43	51	33	7	1

MALIGNANT NEOPLASMS OF BREAST

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	18,320	-	-	-	20	482	2,152	4,046	4,675	3,974	2,345	615	11
1948	18,928	-	1	2	18	452	2,106	4,072	4,623	4,273	2,642	732	7
1947	17,817	-	2	-	20	436	2,030	3,933	4,386	3,895	2,422	684	9
1946	17,274	1	-	1	18	428	1,967	3,737	4,375	3,890	2,263	583	11
1945	16,896	-	2	1	19	397	1,909	3,791	4,236	3,835	2,186	510	10
1944	16,160	-	-	-	17	403	1,951	3,623	4,165	3,570	1,982	443	6
1943	15,924	-	-	2	15	362	1,773	3,603	4,130	3,559	1,982	487	11
1942	15,735	-	1	2	22	421	1,824	3,638	4,090	3,393	1,870	458	16
1941	15,316	1	2	1	13	392	1,771	3,552	3,920	3,443	1,804	408	9
1940	15,308	3	-	1	18	393	1,781	3,586	3,885	3,332	1,870	429	10

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALIGNANT NEOPLASMS OF BREAST

WHITE, BOTH SEXES		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
	Total												
1949	17,354	-	-	-	18	413	1,967	3,737	4,438	3,859	2,310	602	10
1948	17,895	-	1	2	17	379	1,881	3,750	4,404	4,130	2,608	717	6
1947	16,870	-	2	-	16	374	1,811	3,628	4,172	3,788	2,405	668	6
1946	16,382	2	-	1	15	374	1,751	3,466	4,171	3,787	2,235	570	10
1945	15,994	-	1	1	16	344	1,684	3,501	4,053	3,735	2,161	494	4
1944	15,354	-	-	-	13	349	1,750	3,388	3,988	3,471	1,953	438	4
1943	15,103	-	1	3	12	307	1,594	3,327	3,930	3,480	1,964	477	8
1942	14,954	-	1	2	17	354	1,621	3,389	3,931	3,327	1,853	448	11
1941	14,542	1	1	1	12	329	1,587	3,322	3,725	3,374	1,785	402	3
1940	14,511	3	-	1	17	354	1,583	3,309	3,726	3,241	1,855	414	8

MALIGNANT NEOPLASMS OF BREAST

WHITE, MALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
	Total												
1949	217	-	-	-	2	2	18	36	48	58	43	9	1
1948	209	-	-	-	-	4	14	31	47	60	42	11	-
1947	192	-	-	-	-	2	11	18	50	62	40	9	-
1946	225	1	-	-	-	3	11	42	50	64	44	10	-
1945	208	-	-	-	2	4	14	31	52	60	40	5	-
1944	198	-	-	-	-	-	13	37	51	54	34	9	-
1943	195	-	1	1	-	3	22	29	49	51	30	9	-
1942	198	-	-	-	1	3	11	31	49	58	34	11	-
1941	198	-	-	-	-	2	9	37	41	64	37	8	-
1940	164	-	-	-	-	3	12	23	39	48	32	7	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALIGNANT NEOPLASMS OF BREAST

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	17,137	-	-	-	16	411	1,949	3,701	4,390	3,801	2,267	593	9
1948	17,686	-	1	2	17	375	1,867	3,719	4,357	4,070	2,566	706	6
1947	16,678	-	2	-	16	372	1,800	3,610	4,122	3,726	2,365	659	6
1946	16,157	1	-	1	15	371	1,740	3,424	4,121	3,723	2,191	560	10
1945	15,786	-	1	1	14	340	1,670	3,470	4,001	3,675	2,121	489	4
1944	15,156	-	-	-	13	349	1,737	3,351	3,937	3,417	1,919	429	4
1943	14,908	-	-	2	12	304	1,572	3,298	3,881	3,429	1,934	468	8
1942	14,756	-	1	2	16	351	1,610	3,358	3,882	3,269	1,819	437	11
1941	14,344	1	1	1	12	327	1,578	3,285	3,684	3,310	1,748	394	3
1940	14,347	3	-	1	17	351	1,571	3,286	3,687	3,193	1,823	407	8

MALIGNANT NEOPLASMS OF BREAST

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,199	-	-	-	4	73	206	348	288	176	79	23	2
1948	1,267	-	-	-	1	78	244	360	271	207	78	27	1
1947	1,160	-	-	-	4	64	231	330	271	171	59	27	3
1946	1,134	-	-	-	3	57	229	315	259	170	76	24	1
1945	1,139	-	1	-	5	60	241	325	244	166	68	23	6
1944	1,025	-	-	-	4	54	218	279	234	156	63	15	2
1943	1,037	-	-	-	3	59	201	315	254	134	49	19	3
1942	1,000	-	-	-	6	70	216	283	212	134	53	21	5
1941	984	-	1	-	1	66	193	270	238	135	58	16	6
1940	977	-	-	-	1	43	212	304	202	142	48	22	3

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MALIGNANT NEOPLASMS OF BREAST

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	16	-	-	-	-	2	3	3	3	3	1	1	-
1948	25	-	-	-	-	1	5	7	5	4	2	1	-
1947	21	-	-	-	-	-	1	7	7	2	2	2	-
1946	17	-	-	-	-	-	2	2	5	3	4	1	-
1945	29	-	-	-	-	3	2	4	9	6	3	2	-
1944	21	-	-	-	-	-	4	7	6	3	-	1	-
1943	21	-	-	-	-	1	-	10	5	4	1	-	-
1942	21	-	-	-	-	-	2	3	4	10	2	-	-
1941	12	-	-	-	-	1	-	3	2	2	2	2	-
1940	16	-	-	-	-	1	2	4	4	3	1	-	1

MALIGNANT NEOPLASMS OF BREAST

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,183	-	-	-	4	71	203	345	285	173	78	22	2
1948	1,242	-	-	-	1	77	239	353	266	203	76	26	1
1947	1,139	-	-	-	4	64	230	323	264	169	57	25	3
1946	1,117	-	-	-	3	57	227	313	254	167	72	23	1
1945	1,110	-	1	-	5	57	239	321	235	160	65	21	6
1944	1,004	-	-	-	4	54	214	272	228	153	63	14	2
1943	1,016	-	-	-	3	58	201	305	249	130	48	19	3
1942	979	-	-	-	6	70	214	280	208	124	51	21	5
1941	972	-	1	-	1	65	193	267	236	133	56	14	6
1940	961	-	-	-	1	42	210	300	198	139	47	22	2

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DIABETES MELLITUS

	ICD Revision	Years in use	ICD Nos.															
			Sixth	1949	260													
			Fifth	1940-1948	61													
ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown					
1949	25,089	10	40	122	304	484	821	2,314	6,096	8,736	5,334	813	15					
1948	38,638	19	50	157	321	570	1,107	3,426	9,971	13,619	8,198	1,182	18					
1947	37,515	28	63	175	394	599	1,110	3,540	9,684	13,125	7,636	1,151	10					
1946	34,731	14	61	182	408	609	1,013	3,355	8,807	12,355	6,856	1,058	13					
1945	35,160	13	66	274	562	677	1,165	3,607	8,994	12,049	6,786	948	19					
1944	34,948	21	68	271	583	643	1,203	3,735	8,962	12,156	6,461	830	15					
1943	36,314	25	63	277	669	669	1,307	3,882	9,281	12,527	6,655	942	17					
1942	33,971	20	70	250	541	588	1,075	3,666	8,630	12,010	6,272	832	17					
1941	33,879	19	65	265	508	571	1,117	3,639	8,811	11,854	6,248	768	14					
1940	35,015	30	72	310	563	598	1,220	3,885	9,219	12,069	6,227	805	17					

DIABETES MELLITUS

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	9,431	5	20	51	131	252	389	965	2,151	3,061	2,085	317	4
1948	14,384	8	21	52	131	295	500	1,428	3,628	4,785	3,079	451	6
1947	13,909	12	31	65	156	297	523	1,364	3,470	4,630	2,890	464	7
1946	12,683	7	33	81	161	315	483	1,348	3,040	4,273	2,557	381	4
1945	12,874	8	32	112	234	337	540	1,357	3,045	4,254	2,559	388	8
1944	12,872	10	32	119	244	306	530	1,430	3,129	4,268	2,462	337	5
1943	13,466	15	24	126	289	317	579	1,522	3,213	4,453	2,547	374	7
1942	12,773	14	31	105	221	292	496	1,381	3,038	4,364	2,484	339	8
1941	12,521	10	32	109	237	271	460	1,349	3,010	4,310	2,407	321	5
1940	13,220	18	39	138	270	288	488	1,441	3,271	4,413	2,504	340	10

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DIABETES MELLITUS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	15,658	5	20	71	173	232	432	1,349	3,945	5,675	3,249	496	11
1948	24,254	11	29	105	190	275	607	1,998	6,343	8,834	5,119	731	12
1947	23,606	16	32	110	238	302	587	2,176	6,214	8,495	4,746	687	3
1946	22,048	7	28	101	247	294	530	2,007	5,767	8,082	4,299	677	9
1945	22,286	5	34	162	328	340	625	2,250	5,949	7,795	4,227	560	11
1944	22,076	11	36	152	339	337	673	2,305	5,833	7,888	3,999	493	10
1943	22,848	10	39	151	380	352	728	2,360	6,068	8,074	4,108	568	10
1942	21,198	6	39	145	320	296	579	2,285	5,592	7,646	3,788	493	9
1941	21,358	9	33	156	271	300	657	2,290	5,801	7,544	3,841	447	9
1940	21,795	12	33	172	293	310	732	2,444	5,948	7,656	3,723	465	7

DIABETES MELLITUS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	22,875	10	36	105	237	380	605	1,818	5,507	8,232	5,160	778	7
1948	35,795	18	45	128	257	484	861	2,757	9,161	12,974	7,967	1,129	14
1947	34,829	25	54	145	341	495	849	2,920	8,892	12,556	7,437	1,109	6
1946	32,397	11	59	158	349	503	781	2,827	8,157	11,834	6,690	1,018	10
1945	32,721	10	59	240	492	569	924	3,044	8,297	11,562	6,602	909	13
1944	32,280	21	62	229	502	525	904	3,078	8,236	11,639	6,273	797	14
1943	33,801	24	60	240	584	546	1,008	3,276	8,623	12,039	6,488	902	11
1942	31,624	20	65	214	456	479	808	3,123	8,004	11,553	6,108	781	13
1941	31,620	14	62	231	439	480	831	3,062	8,200	11,436	6,115	737	13
1940	32,606	25	66	268	480	495	915	3,324	8,580	11,588	6,082	768	15

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DIABETES MELLITUS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	8,717	5	19	43	101	203	330	829	1,976	2,884	2,023	303	1
1948	13,456	7	20	42	102	260	429	1,242	3,371	4,570	2,976	433	4
1947	13,038	12	26	52	133	267	442	1,209	3,212	4,430	2,802	448	5
1946	11,968	6	32	74	135	272	423	1,198	2,867	4,097	2,493	368	3
1945	12,071	7	28	95	197	293	478	1,204	2,839	4,077	2,476	372	5
1944	12,001	10	29	106	202	268	451	1,257	2,908	4,073	2,371	322	4
1943	12,648	14	24	107	246	269	498	1,353	3,020	4,278	2,474	362	3
1942	11,966	14	28	88	183	241	416	1,215	2,850	4,190	2,419	316	6
1941	11,787	7	31	97	198	235	386	1,177	2,845	4,137	2,359	310	5
1940	12,438	15	35	121	227	249	415	1,281	3,075	4,251	2,437	324	8

DIABETES MELLITUS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	14,158	5	17	62	136	177	275	989	3,531	5,348	3,137	475	6
1948	22,339	11	25	86	155	224	432	1,515	5,790	8,404	4,991	696	10
1947	21,791	13	28	93	208	228	407	1,711	5,680	8,126	4,635	661	1
1946	20,429	5	27	84	214	231	358	1,629	5,290	7,737	4,197	650	7
1945	20,650	3	31	145	295	276	446	1,840	5,458	7,485	4,126	537	8
1944	20,279	11	33	123	300	257	453	1,821	5,328	7,566	3,902	475	10
1943	21,153	10	36	133	338	277	510	1,923	5,603	7,761	4,014	540	8
1942	19,658	6	37	126	273	238	392	1,908	5,154	7,363	3,689	465	7
1941	19,833	7	31	134	241	245	445	1,885	5,355	7,299	3,756	427	8
1940	20,168	10	31	147	253	246	500	2,043	5,505	7,337	3,645	444	7

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DIABETES MELLITUS

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,214	-	4	17	67	104	216	496	589	504	174	35	8
1948	2,843	1	5	29	64	86	246	669	810	645	231	53	4
1947	2,686	3	9	30	53	104	261	620	792	569	199	42	4
1946	2,334	3	2	24	59	106	232	528	650	521	166	40	3
1945	2,439	3	7	34	70	108	241	563	697	487	184	39	6
1944	2,668	-	6	42	81	118	299	657	726	517	188	33	1
1943	2,513	1	3	37	85	123	299	606	658	488	167	40	6
1942	2,347	-	5	36	85	109	267	543	626	457	164	51	4
1941	2,259	5	3	34	69	91	286	577	611	418	133	31	1
1940	2,409	5	6	42	83	103	305	561	639	481	145	37	2

DIABETES MELLITUS

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	714	-	1	8	30	49	59	136	175	177	62	14	3
1948	928	1	1	10	29	35	71	186	257	215	103	18	2
1947	871	-	5	13	23	30	81	155	258	200	88	16	2
1946	715	1	1	7	26	43	60	150	173	176	64	13	1
1945	803	1	4	17	37	44	62	153	206	177	83	16	3
1944	871	-	3	13	42	38	79	173	221	195	91	15	1
1943	818	1	-	19	43	48	81	169	193	175	73	12	4
1942	807	-	3	17	38	51	80	166	188	174	65	23	2
1941	734	3	1	12	39	36	74	172	165	173	48	11	-
1940	782	3	4	17	43	39	73	160	196	162	67	16	2

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DIABETES MELLITUS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,500	-	3	9	37	55	157	360	414	327	112	21	5
1948	1,915	-	4	19	35	51	175	483	553	430	128	35	2
1947	1,815	3	4	17	30	74	180	465	534	369	111	26	2
1946	1,619	2	1	17	33	63	172	378	477	345	102	27	2
1945	1,636	2	3	17	33	64	179	410	491	310	101	23	3
1944	1,797	-	3	29	39	80	220	484	505	322	97	18	-
1943	1,695	-	3	18	42	75	218	437	465	313	94	28	2
1942	1,540	-	2	19	47	58	187	377	438	283	99	28	2
1941	1,525	2	2	22	30	55	212	405	446	245	85	20	1
1940	1,627	2	2	25	40	64	232	401	443	319	78	21	-

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ICD Revision Years in use ICD Nos.
Sixth 1949 330-334
Fifth 1940-1948 83

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	149,953	158	102	118	309	1,000	4,105	12,084	25,522	44,466	45,986	15,919	184
1948	131,036	184	182	201	359	1,043	3,798	11,513	23,370	38,606	38,498	13,205	77
1947	131,039	182	153	170	338	1,003	3,713	12,114	23,708	39,120	37,816	12,628	94
1946	125,646	140	146	160	401	1,048	3,847	11,779	23,242	37,499	35,529	11,738	117
1945	129,144	164	161	162	372	1,073	4,069	12,514	23,944	39,209	36,022	11,346	108
1944	124,250	172	163	175	419	1,073	3,932	12,104	23,428	37,913	34,346	10,424	101
1943	127,300	208	160	186	465	1,135	4,000	12,436	23,746	38,703	35,317	10,813	131
1942	120,652	192	149	165	443	1,165	4,159	12,254	22,656	36,894	32,645	9,783	147
1941	118,584	203	129	152	442	1,150	4,017	11,991	22,276	36,161	32,422	9,540	101
1940	119,753	241	127	202	413	1,167	3,950	12,271	22,498	36,292	32,919	9,541	132

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	73,192	103	62	66	176	458	1,940	5,777	13,451	22,653	21,898	6,507	101
1948	64,132	110	107	104	204	525	1,754	5,521	12,395	19,773	18,170	5,431	38
1947	63,861	108	79	82	183	516	1,713	5,797	12,436	19,923	17,655	5,311	58
1946	61,036	89	71	90	236	495	1,752	5,542	12,191	18,908	16,684	4,919	59
1945	62,935	94	92	96	189	521	1,893	5,957	12,533	19,983	16,860	4,660	57
1944	60,454	102	71	110	223	530	1,821	5,738	12,019	19,328	16,099	4,362	51
1943	62,164	116	94	94	218	532	1,800	5,853	12,196	19,720	16,880	4,591	70
1942	59,281	118	91	91	240	586	1,925	5,913	11,805	18,957	15,367	4,103	85
1941	58,919	122	63	78	249	587	1,836	5,714	11,705	18,833	15,586	4,084	62
1940	59,584	143	59	114	211	615	1,844	5,940	11,861	18,653	15,977	4,093	74

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	76,761	55	40	52	133	542	2,165	6,307	12,071	21,813	24,088	9,412	83
1948	66,904	74	75	97	155	518	2,044	5,992	10,975	18,833	20,328	7,774	39
1947	67,178	74	74	88	155	487	2,000	6,317	11,272	19,197	20,161	7,317	36
1946	64,610	51	75	70	165	553	2,095	6,237	11,051	18,591	18,845	6,819	58
1945	66,209	70	69	66	183	552	2,176	6,557	11,411	19,226	19,162	6,686	51
1944	63,796	70	92	65	196	543	2,111	6,366	11,409	18,585	18,247	6,062	50
1943	65,136	92	66	92	247	603	2,200	6,583	11,550	18,983	18,437	6,222	61
1942	61,371	74	58	74	203	579	2,234	6,341	10,851	17,937	17,278	5,680	62
1941	59,665	81	66	74	193	563	2,181	6,277	10,571	17,328	16,836	5,456	39
1940	60,169	98	68	88	202	552	2,106	6,331	10,637	17,639	16,942	5,448	58

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	131,390	124	86	101	240	649	2,623	8,494	20,645	39,701	43,532	15,092	103
1948	114,230	157	155	171	286	716	2,412	8,030	18,973	34,492	36,306	12,489	43
1947	114,703	153	135	132	272	693	2,432	8,683	19,321	35,204	35,673	11,957	48
1946	110,527	124	136	136	312	702	2,521	8,511	19,254	33,937	33,696	11,131	67
1945	113,363	139	141	138	277	722	2,597	9,164	19,868	35,441	34,119	10,700	57
1944	108,904	138	145	146	329	726	2,481	8,785	19,448	34,236	32,591	9,818	61
1943	111,634	173	148	165	361	755	2,495	9,079	19,660	34,980	33,570	10,174	74
1942	105,510	161	135	136	328	767	2,666	8,809	18,844	33,280	31,107	9,206	71
1941	103,554	179	110	127	334	726	2,563	8,640	18,544	32,597	30,763	8,916	55
1940	104,723	216	112	170	316	768	2,512	8,906	18,764	32,744	31,250	8,881	84

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	64,490	85	56	59	134	313	1,348	4,147	11,086	20,310	20,726	6,164	62
1948	56,276	94	93	91	164	381	1,194	3,947	10,264	17,802	17,115	5,107	24
1947	56,246	93	71	65	157	379	1,193	4,212	10,357	18,051	16,611	5,026	31
1946	54,058	79	63	78	194	353	1,236	4,095	10,292	17,185	15,788	4,666	29
1945	55,633	79	79	81	139	382	1,276	4,457	10,644	18,137	15,938	4,388	33
1944	53,370	82	67	92	172	376	1,220	4,245	10,200	17,517	15,272	4,094	33
1943	54,944	100	87	88	170	389	1,200	4,338	10,287	17,889	16,042	4,311	43
1942	52,152	101	84	78	186	402	1,273	4,299	9,967	17,218	14,631	3,868	45
1941	51,790	104	49	70	191	388	1,222	4,207	9,962	16,986	14,764	3,816	31
1940	52,481	128	54	98	156	434	1,232	4,375	10,083	16,912	15,163	3,795	51

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	66,900	39	30	42	106	336	1,275	4,347	9,559	19,391	22,806	8,928	41
1948	57,954	63	62	80	122	335	1,218	4,083	8,709	16,690	19,191	7,382	19
1947	58,457	60	64	67	115	314	1,239	4,471	8,964	17,153	19,062	6,931	17
1946	56,469	45	73	58	118	349	1,285	4,416	8,962	16,752	17,908	6,465	38
1945	57,730	60	62	57	138	340	1,321	4,707	9,224	17,304	18,181	6,312	24
1944	55,534	56	78	54	157	350	1,261	4,540	9,248	16,719	17,319	5,724	28
1943	56,690	73	61	77	191	366	1,295	4,741	9,373	17,091	17,528	5,863	31
1942	53,358	60	51	58	142	365	1,393	4,510	8,877	16,062	16,476	5,338	26
1941	51,764	75	61	57	143	338	1,341	4,433	8,582	15,611	15,999	5,100	24
1940	52,242	88	58	72	160	334	1,280	4,531	8,681	15,832	16,087	5,086	33

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	18,563	34	16	17	69	351	1,482	3,590	4,877	4,765	2,454	827	81
1948	16,806	27	27	30	73	327	1,386	3,483	4,397	4,114	2,192	716	34
1947	16,336	29	18	38	66	310	1,281	3,431	4,387	3,916	2,143	671	46
1946	15,119	16	10	24	89	346	1,326	3,268	3,988	3,562	1,833	607	50
1945	15,781	25	20	24	95	351	1,472	3,350	4,076	3,768	1,903	646	51
1944	15,346	34	18	29	90	347	1,451	3,319	3,980	3,677	1,755	606	40
1943	15,666	35	12	21	104	380	1,505	3,357	4,086	3,723	1,747	639	57
1942	15,142	31	14	29	115	398	1,493	3,445	3,812	3,614	1,538	577	76
1941	15,030	24	19	25	108	424	1,454	3,351	3,732	3,564	1,659	624	46
1940	15,030	25	15	32	97	399	1,438	3,365	3,734	3,548	1,669	660	48

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	8,702	18	6	7	42	145	592	1,630	2,365	2,343	1,172	343	39
1948	7,856	16	14	13	40	144	560	1,574	2,131	1,971	1,055	324	14
1947	7,615	15	8	17	26	137	520	1,585	2,079	1,872	1,044	285	27
1946	6,978	10	8	12	42	142	516	1,447	1,899	1,723	896	253	30
1945	7,302	15	13	15	50	139	617	1,500	1,889	1,846	922	272	24
1944	7,084	20	4	18	51	154	601	1,493	1,819	1,811	827	268	18
1943	7,220	16	7	6	48	143	600	1,515	1,909	1,831	838	280	27
1942	7,129	17	7	13	54	184	652	1,614	1,838	1,739	736	235	40
1941	7,129	18	14	8	58	199	614	1,507	1,743	1,847	822	268	31
1940	7,103	15	5	16	55	181	612	1,565	1,778	1,741	814	298	23

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	9,861	16	10	10	27	206	890	1,960	2,512	2,422	1,282	484	42
1948	8,950	11	13	17	33	183	826	1,909	2,266	2,143	1,137	392	20
1947	8,721	14	10	21	40	173	761	1,846	2,308	2,044	1,099	386	19
1946	8,141	6	2	12	47	204	810	1,821	2,089	1,839	937	354	20
1945	8,479	10	7	9	45	212	855	1,850	2,187	1,922	981	374	27
1944	8,262	14	14	11	39	193	850	1,826	2,161	1,866	928	338	22
1943	8,446	19	5	15	56	237	905	1,842	2,177	1,892	909	359	30
1942	8,013	14	7	16	61	214	841	1,831	1,974	1,875	802	342	36
1941	7,901	6	5	17	50	225	840	1,844	1,989	1,717	837	356	15
1940	7,927	10	10	16	42	218	826	1,800	1,956	1,807	855	362	25

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

RHEUMATIC FEVER

ICD Revision	Years in use	ICD Nos.
Sixth	1949	400-402
Fifth	1940-1948	58

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,304	16	71	582	398	404	514	113	105	52	38	10	1
1948	927	9	59	303	147	92	108	65	52	34	41	17	-
1947	1,024	9	50	325	168	129	136	67	51	49	31	9	-
1946	1,118	13	77	348	206	135	131	61	53	44	39	10	1
1945	1,341	11	66	441	260	149	131	69	82	65	48	19	-
1944	1,471	18	76	447	296	185	136	88	69	76	65	14	1
1943	1,501	9	70	402	297	223	194	83	82	71	52	16	2
1942	1,527	5	80	457	293	174	184	102	79	73	57	21	2
1941	1,640	7	63	497	334	217	167	93	97	85	62	17	1
1940	1,725	7	79	593	326	216	154	83	91	87	67	21	1

RHEUMATIC FEVER

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,161	6	34	276	195	210	256	63	64	26	24	7	-
1948	443	1	31	136	76	40	48	36	28	24	16	7	-
1947	506	4	25	161	85	55	70	34	24	23	18	7	-
1946	521	8	37	160	90	59	64	30	26	22	19	6	-
1945	646	3	26	205	133	69	62	34	46	35	23	10	-
1944	748	8	34	225	155	80	76	47	40	36	39	7	1
1943	729	7	37	206	131	108	90	41	46	32	26	4	1
1942	745	2	40	222	145	83	76	56	43	35	32	10	1
1941	797	5	35	230	174	105	78	37	50	45	30	8	-
1940	826	4	37	261	160	115	78	47	42	43	31	8	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

RHEUMATIC FEVER

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,143	10	37	306	203	194	258	50	41	26	14	3	1
1948	484	8	28	167	71	52	60	29	24	10	25	10	-
1947	518	5	25	164	83	74	66	33	27	26	13	2	-
1946	597	5	40	188	116	76	67	31	27	22	20	4	1
1945	695	8	40	236	127	80	69	35	36	30	25	9	-
1944	723	10	42	222	141	105	60	41	29	40	26	7	-
1943	772	2	33	196	166	115	104	42	36	39	26	12	1
1942	782	3	40	235	148	91	108	46	36	38	25	11	1
1941	843	2	28	267	160	112	89	56	47	40	32	9	1
1940	899	3	42	332	166	101	76	36	49	44	36	13	1

RHEUMATIC FEVER

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,869	14	44	433	307	341	452	94	95	47	34	7	1
1948	704	6	38	228	110	79	86	41	41	27	34	14	-
1947	752	5	39	222	123	102	111	48	34	34	26	8	-
1946	869	9	58	262	165	102	102	46	44	37	35	8	1
1945	1,049	9	53	348	195	124	102	51	57	51	45	14	-
1944	1,164	12	54	349	245	154	104	70	55	55	54	11	1
1943	1,201	7	54	320	238	181	157	60	66	60	43	14	1
1942	1,218	5	65	362	239	149	146	74	61	54	48	14	1
1941	1,307	3	52	382	281	185	140	66	67	72	45	13	1
1940	1,379	7	60	489	268	173	115	65	63	69	52	18	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

RHEUMATIC FEVER

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	965	5	19	209	150	184	231	58	58	24	21	6	-
1948	344	-	20	105	60	37	37	25	23	18	14	5	-
1947	393	1	20	116	66	46	59	26	20	17	16	6	-
1946	429	6	27	122	78	50	57	23	24	19	18	5	-
1945	512	2	19	168	102	58	46	28	32	28	22	7	-
1944	613	4	27	181	130	73	62	38	34	24	33	6	1
1943	606	6	27	163	113	92	74	35	39	29	23	4	1
1942	599	2	34	178	117	70	59	42	37	26	26	7	1
1941	630	3	31	173	145	89	64	24	37	38	22	4	-
1940	681	4	29	222	132	96	64	37	31	35	24	7	-

RHEUMATIC FEVER

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	904	9	25	224	157	157	221	36	37	23	13	1	1
1948	360	6	18	123	49	42	49	16	18	9	20	9	-
1947	359	4	19	106	57	56	52	22	14	17	10	2	-
1946	440	3	31	140	87	52	45	23	20	18	17	3	1
1945	537	7	34	180	93	66	56	23	25	23	23	7	-
1944	551	8	27	168	115	81	42	32	21	31	21	5	-
1943	595	1	27	157	125	89	83	25	27	31	20	10	-
1942	619	3	31	184	122	79	87	32	24	28	22	7	-
1941	677	-	21	209	136	96	76	42	30	34	23	9	1
1940	698	3	31	267	136	77	51	28	32	34	28	11	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

RHEUMATIC FEVER

ALL OTHER, BOTH SEXES	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown	
1949	435	2	27	149	91	63	62	19	10	5	4	3	-
1948	223	3	21	75	37	13	22	24	11	7	7	3	-
1947	272	4	11	103	45	27	25	19	17	15	5	1	-
1946	249	4	19	86	41	33	29	15	9	7	4	2	-
1945	292	2	13	93	65	25	29	18	25	14	3	5	-
1944	307	6	22	98	51	31	32	18	14	21	11	3	-
1943	300	2	16	82	59	42	37	23	16	11	9	2	1
1942	309	-	15	95	54	25	38	28	18	19	9	7	1
1941	333	4	11	115	53	32	27	27	30	13	17	4	-
1940	346	-	19	104	58	43	39	18	28	18	15	3	1

RHEUMATIC FEVER

ALL OTHER, MALE	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown	
1949	196	1	15	67	45	26	25	5	6	2	3	1	-
1948	99	1	11	31	16	11	11	3	5	6	2	2	-
1947	113	3	5	45	19	9	11	8	4	6	2	1	-
1946	92	2	10	38	12	9	7	7	2	3	1	1	-
1945	134	1	7	37	31	11	16	6	14	7	1	3	-
1944	135	4	7	44	25	7	14	9	6	12	6	1	-
1943	123	1	10	43	18	16	16	6	7	3	3	-	-
1942	146	-	6	44	28	13	17	14	6	9	6	3	-
1941	167	2	4	57	29	16	14	13	13	7	8	4	-
1940	145	-	8	39	28	19	14	10	11	8	7	1	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

RHEUMATIC FEVER

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	239	1	12	82	46	37	37	14	4	3	1	2	-
1948	124	2	10	44	21	10	11	13	6	1	5	1	-
1947	159	1	6	58	26	18	14	11	13	9	3	-	-
1946	157	2	9	48	29	24	22	8	7	4	3	1	-
1945	158	1	6	56	34	14	13	12	11	7	2	2	-
1944	172	2	15	54	26	24	18	9	8	9	5	2	-
1943	177	1	6	39	41	26	21	17	9	8	6	2	1
1942	163	-	9	51	26	12	21	14	12	10	3	4	1
1941	166	2	7	58	24	16	13	14	17	6	9	-	-
1940	201	-	11	65	30	24	25	8	17	10	8	2	1

DISEASES OF HEART

ICD Revision Years in use ICD Nos.
 Sixth 1949 410-443
 Fifth 1940-1948 90-95

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	518,568	103	184	556	1,579	4,731	18,171	53,284	105,487	149,465	134,784	49,743	481
1948	471,469	131	263	866	1,935	4,805	17,423	49,639	94,900	134,169	121,365	45,677	296
1947	460,580	161	237	894	2,018	4,910	17,035	49,204	93,369	131,258	117,597	43,647	250
1946	429,230	156	270	1,036	2,300	5,046	16,580	47,076	87,422	122,038	108,017	39,030	259
1945	424,328	153	300	1,275	2,528	5,364	17,220	47,600	87,071	120,758	105,025	36,739	295
1944	418,062	181	341	1,344	2,824	5,507	17,374	46,791	84,903	119,410	104,015	35,097	275
1943	426,391	174	301	1,366	3,152	6,255	17,833	47,541	85,393	121,642	106,027	36,393	314
1942	394,915	213	344	1,357	3,150	6,230	17,169	45,889	79,966	112,924	95,502	31,799	372
1941	386,141	395	288	1,553	3,241	6,032	16,871	44,430	77,114	110,013	94,877	31,068	259
1940	385,191	354	308	1,792	3,340	6,335	16,807	43,359	75,430	109,894	96,004	31,216	352

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DISEASES OF HEART

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	306,857	63	101	287	840	2,632	12,273	37,809	72,355	89,120	69,421	21,663	293
1948	281,276	73	132	436	1,042	2,719	11,819	35,561	65,879	81,047	62,407	19,973	188
1947	273,046	97	122	435	1,027	2,689	11,419	35,058	64,407	78,305	60,436	18,889	162
1946	252,703	94	150	491	1,202	2,821	10,934	33,341	59,446	72,041	54,899	17,116	168
1945	250,605	87	158	622	1,333	2,821	11,193	33,483	59,163	71,300	53,906	16,349	190
1944	245,088	109	186	676	1,436	2,947	10,961	32,480	57,160	70,180	53,171	15,611	171
1943	248,316	109	143	648	1,551	3,239	11,041	32,602	56,778	71,321	54,381	16,311	192
1942	232,372	122	188	686	1,553	3,351	10,916	31,697	53,581	66,521	49,335	14,185	237
1941	226,012	216	152	751	1,656	3,186	10,662	30,459	51,155	64,583	49,029	13,998	165
1940	223,382	187	158	871	1,661	3,387	10,463	29,386	49,752	64,245	49,256	13,791	225

DISEASES OF HEART

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	211,711	40	83	269	739	2,099	5,898	15,475	33,132	60,345	65,363	28,080	188
1948	190,193	58	131	430	893	2,086	5,604	14,078	29,021	53,122	58,958	25,704	108
1947	187,534	64	115	459	991	2,221	5,616	14,146	28,962	52,953	57,161	24,758	88
1946	176,527	62	120	545	1,098	2,225	5,646	13,735	27,976	49,997	53,118	21,914	91
1945	173,723	66	142	653	1,195	2,543	6,027	14,117	27,908	49,458	51,119	20,390	105
1944	172,974	72	155	668	1,388	2,560	6,413	14,311	27,743	49,230	50,844	19,486	104
1943	178,075	65	158	718	1,601	3,016	6,792	14,939	28,615	50,321	51,646	20,082	122
1942	162,543	91	156	671	1,597	2,879	6,253	14,192	26,385	46,403	46,167	17,614	135
1941	160,129	179	136	802	1,585	2,846	6,209	13,971	25,959	45,430	45,848	17,070	94
1940	161,809	167	150	921	1,679	2,948	6,344	13,973	25,678	45,649	46,748	17,425	127

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DISEASES OF HEART

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	471,425	87	131	415	1,191	3,524	14,172	44,021	93,836	137,938	128,325	47,445	340
1948	430,994	98	193	643	1,514	3,698	13,897	41,414	84,818	124,708	116,085	43,705	221
1947	422,730	134	191	669	1,576	3,782	13,686	41,348	84,044	122,444	112,859	41,825	172
1946	394,742	135	209	807	1,847	3,983	13,293	39,797	78,823	114,264	103,932	37,473	179
1945	390,392	134	247	1,021	2,066	4,197	13,707	40,411	78,819	113,287	101,060	35,233	210
1944	383,831	160	273	1,080	2,277	4,248	13,703	39,513	76,891	111,807	100,153	33,550	176
1943	391,204	144	240	1,110	2,524	4,868	14,039	40,088	77,057	114,009	102,093	34,814	218
1942	361,494	177	261	1,086	2,621	4,807	13,383	38,634	72,198	105,691	92,033	30,357	246
1941	352,522	342	229	1,262	2,643	4,626	13,028	37,143	69,368	102,858	91,363	29,483	177
1940	351,763	292	258	1,476	2,754	4,830	13,008	36,224	67,823	102,735	92,421	29,693	249

DISEASES OF HEART

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	281,716	52	63	214	662	2,068	10,322	32,837	65,914	82,838	65,931	20,599	216
1948	259,308	54	95	341	869	2,223	10,050	31,067	60,090	75,810	59,533	19,035	141
1947	252,864	81	99	337	836	2,201	9,808	30,819	59,219	73,428	57,867	18,046	123
1946	234,332	80	116	388	1,005	2,376	9,338	29,329	54,702	67,739	52,731	16,402	126
1945	232,466	73	130	517	1,129	2,316	9,511	29,565	54,525	67,137	51,757	15,659	147
1944	226,936	98	149	552	1,215	2,404	9,274	28,459	52,713	65,914	51,144	14,901	113
1943	229,633	93	117	229,633	535	1,294	9,241	28,521	52,203	67,011	52,302	15,567	139
1942	214,287	103	141	551	1,320	2,654	9,020	27,669	49,297	62,443	47,421	13,503	165
1941	208,163	190	123	616	1,416	2,518	8,794	26,523	46,918	60,558	47,123	13,259	125
1940	205,466	155	134	725	1,422	2,648	8,598	25,519	45,515	60,197	47,350	13,035	168

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DISEASES OF HEART

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	189,709	35	68	201	529	1,456	3,850	11,184	27,922	55,100	62,394	26,846	124
1948	171,686	44	98	302	645	1,475	3,847	10,347	24,728	48,898	56,552	24,670	80
1947	169,866	53	92	332	740	1,581	3,878	10,529	24,825	49,016	54,992	23,779	49
1946	160,410	55	93	419	842	1,607	3,955	10,468	24,121	46,525	51,201	21,071	53
1945	157,926	61	117	504	937	1,881	4,196	10,846	24,294	46,150	49,303	19,574	63
1944	156,895	62	124	528	1,062	1,844	4,429	11,054	24,178	45,893	49,009	18,649	63
1943	161,571	51	123	575	1,230	2,258	4,798	11,567	24,854	46,998	49,791	19,247	79
1942	147,207	74	120	535	1,301	2,153	4,363	10,965	22,901	43,248	44,612	16,854	81
1941	144,359	152	106	646	1,227	2,108	4,234	10,620	22,450	42,300	44,240	16,224	52
1940	146,297	137	124	751	1,332	2,182	4,410	10,705	22,308	42,538	45,071	16,658	81

DISEASES OF HEART

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	47,143	16	53	141	388	1,207	3,999	9,263	11,651	11,527	6,459	2,298	141
1948	40,475	33	70	223	421	1,107	3,526	8,225	10,082	9,461	5,280	1,972	75
1947	37,850	27	46	225	442	1,128	3,349	7,856	9,325	8,814	4,738	1,822	78
1946	34,488	21	61	229	453	1,063	3,287	7,279	8,599	7,774	4,085	1,557	80
1945	33,936	19	53	254	462	1,167	3,513	7,189	8,252	7,471	3,965	1,506	85
1944	34,231	21	68	264	547	1,259	3,671	7,278	8,012	7,603	3,862	1,547	99
1943	35,187	30	61	256	628	1,387	3,794	7,453	8,336	7,633	3,934	1,579	96
1942	33,421	36	83	271	529	1,423	3,786	7,255	7,768	7,233	3,469	1,442	126
1941	33,619	53	59	291	598	1,406	3,843	7,287	7,746	7,155	3,514	1,585	82
1940	33,428	62	50	316	586	1,505	3,799	7,135	7,607	7,159	3,583	1,523	103

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DISEASES OF HEART

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	25,141	11	38	73	178	564	1,951	4,972	6,441	6,282	3,490	1,064	77
1948	21,968	19	37	95	173	496	1,769	4,494	5,789	5,237	2,874	938	47
1947	20,182	16	23	98	191	488	1,611	4,239	5,188	4,877	2,569	843	39
1946	18,371	14	34	103	197	445	1,596	4,012	4,744	4,302	2,168	714	42
1945	18,139	14	28	105	204	505	1,682	3,918	4,638	4,163	2,149	690	43
1944	18,152	11	37	124	221	543	1,687	4,021	4,447	4,266	2,027	710	58
1943	18,683	16	26	113	257	629	1,800	4,081	4,575	4,310	2,079	744	53
1942	18,085	19	47	135	233	697	1,896	4,028	4,284	4,078	1,914	682	72
1941	17,849	26	29	135	240	668	1,868	3,936	4,237	4,025	1,906	739	40
1940	17,916	32	24	146	239	739	1,865	3,867	4,237	4,048	1,906	756	57

DISEASES OF HEART

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	22,002	5	15	68	210	643	2,048	4,291	5,210	5,245	2,969	1,234	64
1948	18,507	14	33	128	248	611	1,757	3,731	4,293	4,224	2,406	1,034	28
1947	17,668	11	23	127	251	640	1,738	3,617	4,137	3,937	2,169	979	39
1946	16,117	7	27	126	256	618	1,691	3,267	3,855	3,472	1,917	843	38
1945	15,797	5	25	149	258	662	1,831	3,271	3,614	3,308	1,816	816	42
1944	16,079	10	31	140	326	716	1,984	3,257	3,565	3,337	1,835	837	41
1943	16,504	14	35	143	371	758	1,994	3,372	3,761	3,323	1,855	835	43
1942	15,336	17	36	136	296	726	1,890	3,227	3,484	3,155	1,555	760	54
1941	15,770	27	30	156	358	738	1,975	3,351	3,509	3,130	1,608	846	42
1940	15,512	30	26	170	347	766	1,934	3,268	3,370	3,111	1,677	767	46

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CHRONIC RHEUMATIC HEART DISEASE

	ICD Revision	Years in use	ICD Nos.												
			Sixth	1949	410-416	Fifth	1940-1948	90a,92b,C,93C,95B							
ALL RACES, BOTH SEXES			Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown	
	Total		1 year	years	years	years	years	years	years	years	years	years	and over		
1949	20,434	...	32	32	340	734	1,545	2,720	4,021	4,225	3,543	2,458	797	19	
1948	23,287	1	53	53	541	998	1,756	2,982	3,886	4,172	4,140	3,484	1,265	9	
1947	23,867	1	49	49	578	1,028	1,786	2,927	3,997	4,228	4,334	3,664	1,264	11	
1946	23,559	-	50	50	679	1,140	1,712	2,810	3,764	4,072	4,444	3,657	1,214	17	
1945	24,782	-	64	64	737	1,200	1,781	2,783	3,675	4,195	4,885	4,117	1,329	16	
1944	25,539	2	69	69	803	1,354	1,772	2,841	3,694	4,153	5,041	4,391	1,408	11	
1943	27,196	-	76	76	764	1,440	1,963	3,100	3,954	4,636	5,331	4,485	1,425	22	
1942	25,296	2	77	77	816	1,467	2,056	2,896	3,826	4,101	4,855	3,917	1,261	22	
1941	26,325	28	71	71	902	1,506	1,993	2,914	3,861	4,245	5,187	4,275	1,331	12	
1940	27,430	29	83	83	1,069	1,559	2,103	2,969	3,922	4,285	5,466	4,621	1,305	19	

CHRONIC RHEUMATIC HEART DISEASE

ALL RACES, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown	
		1 year	years	and over										
1949	10,370	...	20	20	175	377	713	1,386	2,016	2,296	1,843	1,226	308	10
1948	11,819	-	25	25	260	516	865	1,503	2,011	2,273	2,174	1,703	484	5
1947	12,010	1	22	22	272	524	856	1,474	2,047	2,305	2,255	1,717	532	5
1946	11,982	-	28	28	306	585	861	1,412	1,910	2,290	2,389	1,690	504	7
1945	12,541	-	30	30	353	623	835	1,365	1,938	2,320	2,565	1,917	583	12
1944	13,103	-	37	37	385	710	880	1,425	1,947	2,324	2,739	2,092	558	6
1943	13,700	-	34	34	342	702	894	1,450	2,039	2,540	2,866	2,201	618	14
1942	12,946	1	38	38	391	698	1,000	1,454	2,018	2,285	2,618	1,899	532	12
1941	13,363	17	36	36	424	776	926	1,409	2,002	2,321	2,762	2,101	583	6
1940	13,974	16	44	44	504	788	1,011	1,447	2,074	2,381	2,926	2,217	558	8

... Not applicable.

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CHRONIC RHEUMATIC HEART DISEASE

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	10,064	...	12	165	357	832	1,334	2,005	1,929	1,700	1,232	489	9
1948	11,468	1	28	281	482	891	1,479	1,875	1,899	1,966	1,781	781	4
1947	11,857	-	27	306	504	930	1,453	1,950	1,923	2,079	1,947	732	6
1946	11,577	-	22	373	555	851	1,398	1,854	1,782	2,055	1,967	710	10
1945	12,241	-	34	384	577	946	1,418	1,737	1,875	2,320	2,200	746	4
1944	12,436	2	32	418	644	892	1,416	1,747	1,829	2,302	2,299	850	5
1943	13,496	-	42	422	738	1,069	1,650	1,915	2,096	2,465	2,284	807	8
1942	12,350	1	39	425	769	1,056	1,442	1,808	1,816	2,237	2,018	729	10
1941	12,962	11	35	478	730	1,067	1,505	1,859	1,924	2,425	2,174	748	6
1940	13,456	13	39	565	771	1,092	1,522	1,848	1,904	2,540	2,404	747	11

CHRONIC RHEUMATIC HEART DISEASE

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	18,430	...	19	254	605	1,339	2,427	3,631	3,888	3,245	2,286	726	10
1948	20,797	1	35	399	837	1,537	2,656	3,420	3,748	3,730	3,241	1,186	7
1947	21,263	1	33	425	863	1,561	2,590	3,514	3,750	3,917	3,433	1,171	5
1946	20,937	-	34	518	972	1,512	2,480	3,266	3,568	4,002	3,452	1,123	10
1945	21,916	-	48	583	1,034	1,564	2,405	3,131	3,643	4,407	3,838	1,249	14
1944	22,529	2	49	653	1,165	1,548	2,447	3,154	3,571	4,520	4,104	1,309	7
1943	24,070	-	61	615	1,228	1,736	2,703	3,391	4,025	4,807	4,190	1,301	13
1942	22,448	2	49	655	1,306	1,816	2,507	3,314	3,566	4,387	3,674	1,159	13
1941	23,271	24	54	740	1,319	1,744	2,487	3,267	3,692	4,677	4,038	1,222	7
1940	24,143	26	65	903	1,372	1,816	2,570	3,315	3,690	4,877	4,307	1,190	12

... Not applicable.

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CHRONIC RHEUMATIC HEART DISEASE

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	9,326	...	10	129	313	621	1,243	1,814	2,105	1,666	1,139	280	6
1948	10,591	-	18	203	458	764	1,356	1,780	2,035	1,952	1,571	451	3
1947	10,779	1	15	206	457	764	1,318	1,824	2,051	2,041	1,610	489	3
1946	10,687	-	19	233	518	769	1,257	1,672	2,019	2,158	1,582	456	4
1945	11,127	-	25	290	549	753	1,203	1,660	2,021	2,312	1,767	536	11
1944	11,603	-	28	312	638	784	1,244	1,678	2,033	2,424	1,941	516	5
1943	12,201	-	27	276	626	798	1,265	1,763	2,237	2,579	2,063	560	7
1942	11,505	1	26	315	630	897	1,263	1,748	2,006	2,349	1,778	483	9
1941	11,854	15	27	348	701	803	1,231	1,698	2,043	2,485	1,972	528	3
1940	12,368	14	36	433	716	873	1,282	1,763	2,077	2,610	2,058	500	6

CHRONIC RHEUMATIC HEART DISEASE

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	9,104	...	9	125	292	718	1,184	1,817	1,783	1,579	1,147	446	4
1948	10,206	1	17	196	379	773	1,300	1,640	1,713	1,778	1,670	735	4
1947	10,484	-	18	219	406	797	1,272	1,690	1,699	1,876	1,823	682	2
1946	10,250	-	15	285	454	743	1,223	1,594	1,549	1,844	1,870	667	6
1945	10,789	-	23	293	485	811	1,202	1,471	1,622	2,095	2,071	713	3
1944	10,926	2	21	341	527	764	1,203	1,476	1,538	2,096	2,163	793	2
1943	11,869	-	34	339	602	938	1,438	1,628	1,788	2,228	2,127	741	6
1942	10,943	1	23	340	676	919	1,244	1,566	1,560	2,038	1,896	676	4
1941	11,417	9	27	392	618	941	1,256	1,569	1,649	2,192	2,066	694	4
1940	11,775	12	29	470	656	943	1,288	1,552	1,613	2,267	2,249	690	6

... Not applicable.

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CHRONIC RHEUMATIC HEART DISEASE

ALL OTHER, BOTH SEXES	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,004	...	13	86	129	206	293	390	298	172	71	9
1948	2,490	-	18	142	161	219	326	466	410	243	79	2
1947	2,604	-	16	153	165	225	337	483	417	231	93	6
1946	2,622	-	16	161	168	200	330	498	442	205	91	7
1945	2,866	-	16	154	166	217	378	544	478	279	80	2
1944	3,010	-	20	150	189	224	394	540	521	287	99	4
1943	3,126	-	15	149	212	227	397	563	524	295	124	9
1942	2,848	-	28	161	161	240	389	512	468	243	102	9
1941	3,054	4	17	162	187	249	427	594	510	237	109	5
1940	3,287	3	18	166	187	287	399	607	589	314	115	7

CHRONIC RHEUMATIC HEART DISEASE

ALL OTHER, MALE	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,044	...	10	46	64	92	143	202	177	87	28	4
1948	1,228	-	7	57	58	101	147	231	222	132	33	2
1947	1,231	-	7	66	67	92	156	223	214	107	43	2
1946	1,295	-	9	73	67	92	155	238	231	108	48	3
1945	1,414	-	5	63	74	82	162	278	253	150	47	1
1944	1,500	-	9	73	72	96	181	269	315	151	42	1
1943	1,499	-	7	66	76	96	185	276	303	287	138	7
1942	1,441	-	12	76	68	103	191	270	269	121	49	3
1941	1,509	2	9	76	75	123	178	304	277	129	55	3
1940	1,606	2	8	71	72	138	165	311	316	159	58	2

... Not applicable.
- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Censusal Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CHRONIC RHEUMATIC HEART DISEASE

ALL OTHER, FEMALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	960	...	3	40	65	114	150	188	146	121	85	43	5
1948	1,262	-	11	85	103	118	179	235	186	188	111	46	-
1947	1,373	-	9	87	98	133	181	260	224	203	124	50	4
1946	1,327	-	7	88	101	108	175	260	233	211	97	43	4
1945	1,452	-	11	91	92	135	216	266	253	225	129	33	1
1944	1,510	-	11	77	117	128	213	271	291	206	136	57	3
1943	1,627	-	8	83	136	131	212	287	308	237	157	66	2
1942	1,407	-	16	85	93	137	198	242	256	199	122	53	6
1941	1,545	2	8	86	112	126	249	290	275	233	108	54	2
1940	1,681	1	10	95	115	149	234	296	291	273	155	57	5

NEPHRITIS

ICD Revision	Years in use	ICD Nos.
Sixth	1949	590-594
Fifth	1940-1948	130-132

ALL RACES, BOTH SEXES		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	29,532	93	318	468	820	1,241	2,090	3,324	4,992	6,767	6,772	2,606	41
1948	77,377	102	265	449	997	1,694	3,826	7,637	12,711	19,810	21,274	8,556	56
1947	80,288	100	258	410	968	1,802	3,885	8,264	13,508	20,841	21,532	8,659	61
1946	81,701	106	284	470	986	1,945	4,166	8,446	14,053	21,253	21,332	8,591	69
1945	88,078	112	324	510	1,166	2,079	4,520	9,322	15,333	23,348	22,794	8,468	102
1944	91,687	134	263	530	1,162	2,128	4,689	9,724	15,856	24,616	23,857	8,650	78
1943	99,267	132	274	536	1,193	2,256	5,147	10,509	17,302	26,632	25,960	9,227	99
1942	96,907	149	291	517	1,242	2,256	5,246	10,565	17,198	26,113	24,759	8,486	85
1941	99,954	159	267	543	1,284	2,331	5,360	10,895	17,587	27,119	25,813	8,508	88
1940	107,351	146	297	626	1,351	2,524	5,572	11,383	18,719	29,264	27,969	9,333	167

... Not applicable.

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

NEPHRITIS

ALL RACES, MALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
	Total	1 year	years	years	years	and over							
1949	15,625	53	185	253	447	662	1,068	1,749	2,800	3,618	3,538	1,221	31
1948	41,390	68	154	234	553	861	1,902	4,199	7,348	10,849	11,049	4,143	30
1947	42,984	59	155	217	501	936	1,881	4,483	7,793	11,470	11,247	4,210	32
1946	43,554	69	156	224	507	914	2,019	4,548	8,086	11,668	11,168	4,155	40
1945	47,212	70	197	247	619	1,028	2,185	5,057	8,888	12,784	11,918	4,156	63
1944	48,843	66	163	280	586	956	2,267	5,240	9,127	13,520	12,483	4,115	40
1943	53,106	86	157	281	617	1,116	2,440	5,674	9,912	14,619	13,622	4,521	61
1942	51,853	89	156	252	598	1,076	2,535	5,708	9,870	14,300	13,025	4,198	46
1941	53,704	96	158	273	638	1,142	2,575	5,926	10,102	15,035	13,559	4,162	38
1940	57,270	89	165	317	676	1,225	2,552	6,202	10,620	16,022	14,755	4,551	96

NEPHRITIS

ALL RACES, FEMALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
	Total	1 year	years	years	and over								
1949	13,907	40	133	215	373	579	1,022	1,575	2,192	3,149	3,234	1,385	10
1948	35,987	34	111	215	444	833	1,924	3,438	5,363	8,961	10,225	4,413	26
1947	37,304	41	103	193	467	866	2,004	3,781	5,715	9,371	10,285	4,449	29
1946	38,147	37	128	246	479	1,031	2,147	3,898	5,967	9,585	10,164	4,436	29
1945	40,866	42	127	263	547	1,051	2,335	4,265	6,445	10,564	10,876	4,312	39
1944	42,844	68	100	250	576	1,172	2,422	4,484	6,729	11,096	11,374	4,535	38
1943	46,161	46	117	255	576	1,140	2,707	4,835	7,390	12,013	12,338	4,706	38
1942	45,054	60	135	265	644	1,180	2,711	4,857	7,328	11,813	11,734	4,288	39
1941	46,250	63	109	270	646	1,189	2,785	4,969	7,485	12,084	12,254	4,346	50
1940	50,081	57	132	309	675	1,299	3,020	5,181	8,099	13,242	13,214	4,782	71

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

NEPHRITIS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	23,859	69	258	394	683	957	1,439	2,337	3,840	5,575	5,976	2,312	19
1948	64,382	81	218	363	823	1,196	2,483	5,211	9,767	16,789	19,509	7,911	31
1947	67,236	76	204	350	780	1,264	2,548	5,749	10,634	17,875	19,768	7,964	24
1946	68,682	86	236	398	795	1,334	2,823	5,941	11,052	18,307	19,740	7,941	29
1945	73,928	91	254	416	944	1,488	3,024	6,566	12,121	20,130	21,048	7,795	51
1944	76,924	99	198	437	925	1,492	3,120	6,954	12,454	21,291	22,048	7,875	31
1943	83,332	109	211	446	922	1,570	3,360	7,485	13,696	23,045	23,959	8,478	51
1942	81,475	121	212	417	977	1,573	3,439	7,631	13,742	22,573	22,969	7,781	40
1941	83,789	121	202	436	1,010	1,575	3,481	7,741	14,033	23,443	23,970	7,729	48
1940	90,571	114	229	519	1,057	1,725	3,634	8,254	15,013	25,550	25,922	8,456	98

NEPHRITIS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	12,760	39	146	210	393	541	799	1,300	2,194	2,976	3,074	1,074	14
1948	34,547	55	123	196	475	658	1,319	2,963	5,735	9,162	10,030	3,815	16
1947	36,298	48	128	179	418	712	1,329	3,275	6,297	9,808	10,254	3,835	15
1946	36,834	56	136	188	426	685	1,467	3,297	6,488	10,027	10,227	3,821	16
1945	39,847	56	151	196	519	794	1,563	3,703	7,183	10,930	10,917	3,803	32
1944	41,201	49	125	228	487	729	1,607	3,842	7,310	11,622	11,460	3,726	16
1943	44,886	72	123	238	505	830	1,717	4,170	7,965	12,599	12,474	4,157	36
1942	43,756	69	121	200	490	789	1,742	4,272	8,016	12,239	11,988	3,807	23
1941	45,085	74	122	223	523	813	1,740	4,309	8,138	12,878	12,497	3,750	18
1940	48,428	68	127	259	561	884	1,720	4,596	8,633	13,842	13,597	4,086	55

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

NEPHRITIS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	11,099	30	112	184	290	416	640	1,037	1,646	2,599	2,902	1,238	5
1948	29,835	26	95	167	348	538	1,164	2,248	4,032	7,627	9,479	4,096	15
1947	30,938	28	76	171	362	552	1,219	2,474	4,337	8,067	9,514	4,129	9
1946	31,848	30	100	210	369	649	1,356	2,644	4,564	8,280	9,513	4,120	13
1945	34,081	35	103	220	425	694	1,461	2,863	4,938	9,200	10,131	3,992	19
1944	35,723	50	73	209	438	763	1,513	3,112	5,144	9,669	10,588	4,149	15
1943	38,446	37	88	208	417	740	1,643	3,315	5,731	10,446	11,485	4,321	15
1942	37,719	52	91	217	487	784	1,697	3,359	5,726	10,334	10,981	3,974	17
1941	38,704	47	80	213	487	762	1,741	3,432	5,895	10,565	11,473	3,979	30
1940	42,143	46	102	260	496	841	1,914	3,658	6,380	11,708	12,325	4,370	43

NEPHRITIS

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	5,673	24	60	74	137	284	651	987	1,152	1,192	796	294	22
1948	12,995	21	47	86	174	498	1,343	2,426	2,944	3,021	1,765	645	25
1947	13,052	24	54	60	188	538	1,337	2,515	2,874	2,966	1,764	695	37
1946	13,019	20	48	72	191	611	1,343	2,505	3,001	2,946	1,592	650	40
1945	14,150	21	70	94	222	591	1,496	2,756	3,212	3,218	1,746	673	51
1944	14,763	35	65	93	237	636	1,569	2,770	3,402	3,325	1,809	775	47
1943	15,935	23	63	90	271	686	1,787	3,024	3,606	3,587	2,001	749	48
1942	15,432	28	79	100	265	683	1,807	2,934	3,456	3,540	1,790	705	45
1941	16,165	38	65	107	274	756	1,879	3,154	3,554	3,676	1,843	779	40
1940	16,780	32	68	107	294	799	1,938	3,129	3,706	3,714	2,047	877	69

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

NEPHRITIS

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,865	14	39	43	54	121	269	449	606	642	464	147	17
1948	6,843	13	31	38	78	203	583	1,236	1,613	1,687	1,019	328	14
1947	6,686	11	27	38	83	224	552	1,208	1,496	1,662	993	375	17
1946	6,720	13	20	36	81	229	552	1,251	1,598	1,641	941	334	24
1945	7,365	14	46	51	100	234	622	1,354	1,705	1,854	1,001	353	31
1944	7,642	17	38	52	99	227	660	1,398	1,817	1,898	1,023	389	24
1943	8,220	14	34	43	112	286	723	1,504	1,947	2,020	1,148	364	25
1942	8,097	20	35	52	108	287	793	1,436	1,854	2,061	1,037	391	23
1941	8,619	22	36	50	115	329	835	1,617	1,964	2,157	1,062	412	20
1940	8,842	21	38	58	115	341	832	1,606	1,987	2,180	1,158	465	41

NEPHRITIS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,808	10	21	31	83	163	382	538	546	550	332	147	5
1948	6,152	8	16	48	96	295	760	1,190	1,331	1,334	746	317	11
1947	6,366	13	27	22	105	314	785	1,307	1,378	1,304	771	320	20
1946	6,299	7	28	36	110	382	791	1,254	1,403	1,305	651	316	16
1945	6,785	7	24	43	122	357	874	1,402	1,507	1,364	745	320	20
1944	7,121	18	27	41	138	409	909	1,372	1,585	1,427	786	386	23
1943	7,715	9	29	47	159	400	1,064	1,520	1,659	1,567	853	385	23
1942	7,335	8	44	48	157	396	1,014	1,498	1,602	1,479	753	314	22
1941	7,546	16	29	57	159	427	1,044	1,537	1,590	1,519	781	367	20
1940	7,938	11	30	49	179	458	1,106	1,523	1,719	1,534	889	412	28

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

	ICD Revision	Years in use	ICD Nos.												
			Sixth	1949	480-493										
			Fifth	1940-1948	33,107-109										
ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown		
1949	44,640	9,141	2,457	766	722	1,013	1,956	3,262	4,885	7,193	8,354	4,825	66		
1948	56,493	12,922	2,868	914	954	1,285	2,522	4,007	5,989	8,744	10,499	5,745	44		
1947	61,836	13,198	2,741	997	1,110	1,615	2,767	4,669	6,997	9,787	11,509	6,401	45		
1946	62,324	12,657	3,264	1,131	1,360	1,792	3,099	4,957	7,009	9,633	11,205	6,166	51		
1945	68,386	14,540	4,038	1,482	1,768	2,243	3,821	5,805	7,710	10,036	11,211	5,684	48		
1944	81,804	15,674	4,546	1,516	1,814	2,576	4,437	7,024	9,647	13,007	14,218	7,260	85		
1943	90,115	18,207	5,100	1,749	2,337	3,216	5,418	8,322	10,556	13,675	14,330	7,127	78		
1942	74,532	16,144	4,282	1,441	2,031	2,805	4,580	6,703	8,459	11,272	11,526	5,209	80		
1941	84,982	16,729	4,958	1,763	2,408	3,268	4,975	7,416	9,380	12,871	14,163	6,981	70		
1940	92,525	17,577	5,328	2,021	2,744	3,654	5,244	8,040	10,438	14,434	15,673	7,247	125		

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	25,297	5,036	1,274	435	393	527	1,254	2,251	3,313	4,250	4,349	2,181	34
1948	32,109	7,186	1,554	484	493	633	1,589	2,752	4,118	5,232	5,497	2,548	23
1947	34,920	7,375	1,446	520	557	860	1,691	3,170	4,722	5,786	5,895	2,871	27
1946	34,533	7,009	1,717	585	710	979	1,863	3,257	4,571	5,475	5,754	2,586	27
1945	38,693	8,097	2,123	735	861	1,130	2,344	3,909	5,162	5,876	5,804	2,624	28
1944	46,268	8,745	2,380	802	986	1,374	2,810	4,783	6,430	7,488	7,202	3,226	42
1943	51,482	10,334	2,712	917	1,244	1,735	3,473	5,711	7,037	7,896	7,249	3,131	43
1942	42,167	8,986	2,245	752	1,108	1,591	2,836	4,509	5,532	6,355	5,849	2,353	51
1941	47,549	9,469	2,615	906	1,300	1,788	2,974	4,880	5,983	7,360	7,081	3,157	36
1940	50,941	9,886	2,885	1,054	1,431	1,914	3,125	5,146	6,485	7,967	7,789	3,193	66

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	19,343	4,105	1,183	331	329	486	702	1,011	1,572	2,943	4,005	2,644	32
1948	24,384	5,736	1,314	430	461	652	933	1,255	1,871	3,512	5,002	3,197	21
1947	26,916	5,823	1,295	477	553	755	1,076	1,499	2,275	4,001	5,614	3,530	18
1946	27,791	5,648	1,547	546	650	813	1,236	1,700	2,438	4,158	5,451	3,580	24
1945	29,693	6,443	1,915	747	907	1,113	1,477	1,896	2,548	4,160	5,407	3,060	20
1944	35,536	6,929	2,166	714	828	1,202	1,627	2,241	3,217	5,519	7,016	4,034	43
1943	38,633	7,873	2,388	832	1,093	1,481	1,945	2,611	3,519	5,779	7,081	3,996	35
1942	32,365	7,158	2,037	689	923	1,214	1,744	2,194	2,927	4,917	5,677	2,856	29
1941	37,433	7,260	2,343	857	1,108	1,480	2,001	2,536	3,397	5,511	7,082	3,824	34
1940	41,584	7,691	2,443	967	1,313	1,740	2,119	2,894	3,953	6,467	7,884	4,054	59

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	35,786	6,258	1,758	583	495	640	1,290	2,249	3,909	6,259	7,799	4,501	45
1948	46,275	9,455	2,132	700	669	861	1,693	2,892	4,854	7,699	9,869	5,428	23
1947	51,191	9,861	2,033	763	759	1,093	1,900	3,380	5,746	8,713	10,837	6,077	29
1946	51,522	9,497	2,443	868	982	1,220	2,184	3,601	5,712	8,557	10,549	5,871	38
1945	55,846	10,747	3,017	1,157	1,242	1,543	2,691	4,207	6,336	8,975	10,563	5,339	29
1944	67,281	11,696	3,395	1,160	1,280	1,749	3,054	5,143	7,967	11,550	13,400	6,846	41
1943	74,569	13,810	3,844	1,322	1,702	2,261	3,772	6,369	8,868	12,291	13,528	6,753	49
1942	61,051	12,206	3,203	1,094	1,406	1,894	3,208	5,007	7,059	10,136	10,922	4,868	48
1941	68,746	12,408	3,641	1,336	1,637	2,141	3,323	5,418	7,671	11,301	13,302	6,527	41
1940	75,655	13,490	4,019	1,524	1,809	2,370	3,513	5,889	8,554	12,810	14,846	6,745	86

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	20,383	3,479	914	325	284	346	849	1,623	2,739	3,720	4,049	2,031	24
1948	26,463	5,291	1,195	376	362	434	1,118	2,080	3,437	4,611	5,139	2,407	13
1947	29,115	5,593	1,078	408	412	621	1,220	2,404	3,976	5,161	5,518	2,707	17
1946	28,623	5,334	1,277	445	550	699	1,356	2,426	3,791	4,876	5,404	2,444	21
1945	31,803	6,015	1,606	577	635	787	1,720	2,919	4,347	5,269	5,462	2,450	16
1944	38,185	6,544	1,770	622	740	970	2,033	3,638	5,417	6,659	6,741	3,027	24
1943	42,708	7,873	2,064	704	956	1,228	2,463	4,497	6,041	7,086	6,808	2,962	26
1942	34,705	6,811	1,695	587	817	1,086	2,073	3,474	4,694	5,723	5,527	2,187	31
1941	38,543	7,058	1,928	687	923	1,200	2,067	3,685	4,977	6,452	6,608	2,938	20
1940	41,597	7,612	2,162	788	1,008	1,253	2,115	3,894	5,391	7,020	7,351	2,956	47

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	15,403	2,779	844	258	211	294	441	626	1,170	2,539	3,750	2,470	21
1948	19,812	4,164	937	324	307	427	575	812	1,417	3,088	4,730	3,021	10
1947	22,076	4,268	955	355	347	472	680	976	1,770	3,552	5,319	3,370	12
1946	22,899	4,163	1,166	423	432	521	828	1,175	1,921	3,681	5,145	3,427	17
1945	24,043	4,732	1,411	580	607	756	971	1,288	1,989	3,706	5,101	2,889	13
1944	29,096	5,152	1,625	538	540	779	1,021	1,505	2,550	4,891	6,659	3,819	17
1943	31,861	5,937	1,780	618	746	1,033	1,309	1,872	2,827	5,205	6,720	3,791	23
1942	26,346	5,395	1,508	507	589	808	1,135	1,533	2,365	4,413	5,395	2,681	17
1941	30,203	5,350	1,713	649	714	941	1,256	1,733	2,694	4,849	6,694	3,589	21
1940	34,058	5,878	1,857	736	801	1,117	1,398	1,995	3,163	5,790	7,495	3,789	39

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL OTHER, BOTH SEXES	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown	
1949	8,854	2,883	699	183	227	373	666	1,013	976	934	555	324	21
1948	10,218	3,467	736	214	285	424	829	1,115	1,135	1,045	630	317	21
1947	10,645	3,337	708	234	351	522	867	1,289	1,251	1,074	672	324	16
1946	10,802	3,160	821	263	378	572	915	1,356	1,297	1,076	656	295	13
1945	12,540	3,793	1,021	325	526	700	1,130	1,598	1,374	1,061	648	345	19
1944	14,523	3,978	1,151	356	534	827	1,383	1,881	1,680	1,457	818	414	44
1943	15,546	4,397	1,256	427	635	955	1,646	1,953	1,688	1,384	802	374	29
1942	13,481	3,938	1,079	347	625	911	1,372	1,696	1,400	1,136	604	341	32
1941	16,236	4,321	1,317	427	771	1,127	1,652	1,998	1,709	1,570	861	454	29
1940	16,870	4,087	1,309	497	935	1,284	1,731	2,151	1,884	1,624	827	502	39

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL OTHER, MALE	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown	
1949	4,914	1,557	360	110	109	181	405	628	574	530	300	150	10
1948	5,646	1,895	359	108	131	199	471	672	681	621	358	141	10
1947	5,805	1,782	368	112	145	239	471	766	746	625	377	164	10
1946	5,910	1,675	440	140	160	280	507	831	780	599	350	142	6
1945	6,890	2,082	517	158	226	343	624	990	815	607	342	174	12
1944	8,083	2,201	610	180	246	404	777	1,145	1,013	829	461	199	18
1943	8,774	2,461	648	213	288	507	1,010	1,214	996	810	441	169	17
1942	7,462	2,175	550	165	291	505	763	1,035	838	632	322	166	20
1941	9,006	2,411	687	219	377	588	907	1,195	1,006	908	473	219	16
1940	9,344	2,274	723	266	423	661	1,010	1,252	1,094	947	438	237	19

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	3,940	1,326	339	73	118	192	261	385	402	404	255	174	11
1948	4,572	1,572	377	106	154	225	358	443	454	424	272	176	11
1947	4,840	1,555	340	122	206	283	396	523	505	449	295	160	6
1946	4,892	1,485	381	123	218	292	408	525	517	477	306	153	7
1945	5,650	1,711	504	167	300	357	506	608	559	454	306	171	7
1944	6,440	1,777	541	176	288	423	606	736	667	628	357	215	26
1943	6,772	1,936	608	214	347	448	636	739	692	574	361	205	12
1942	6,019	1,763	529	182	334	406	609	661	562	504	282	175	12
1941	7,230	1,910	630	208	394	539	745	803	703	662	388	235	13
1940	7,526	1,813	586	231	512	623	721	899	790	677	389	265	20

INFLUENZA

ICD Revision	Years in use	ICD Nos.
Sixth	1949	480-483
Fifth	1940-1948	33

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	4,602	788	218	98	100	120	173	290	453	783	965	603	11
1948	5,068	939	306	122	116	130	206	339	494	746	991	675	4
1947	7,664	1,065	339	159	180	215	302	545	803	1,247	1,664	1,137	8
1946	8,783	1,243	570	216	257	291	430	666	923	1,271	1,757	1,151	8
1945	10,190	1,754	769	321	339	368	531	782	1,031	1,378	1,772	1,133	12
1944	17,320	2,174	1,009	437	401	532	877	1,286	1,937	2,840	3,621	2,189	17
1943	17,219	2,388	1,045	423	532	670	1,038	1,507	1,909	2,683	3,168	1,845	11
1942	10,902	1,811	720	322	413	448	683	894	1,194	1,668	1,821	909	19
1941	21,047	3,042	1,270	560	734	875	1,300	1,817	2,150	3,138	3,877	2,259	25
1940	20,157	2,696	1,231	549	711	879	1,223	1,676	2,154	3,076	3,792	2,139	31

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

INFLUENZA

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,350	433	120	51	63	50	89	168	264	405	443	260	4
1948	2,556	528	163	65	51	44	109	189	285	400	433	287	2
1947	3,860	576	172	83	95	95	151	303	482	634	794	470	5
1946	4,328	679	290	114	115	141	207	388	527	624	810	429	4
1945	5,240	979	405	146	161	141	268	429	615	735	844	510	7
1944	8,820	1,182	535	220	198	234	479	774	1,120	1,454	1,702	916	6
1943	9,025	1,390	555	216	243	328	558	909	1,178	1,408	1,462	772	6
1942	5,985	983	358	166	205	236	372	514	679	850	830	404	8
1941	10,913	1,715	670	284	370	427	703	1,015	1,220	1,683	1,816	1,000	10
1940	10,128	1,521	688	280	357	390	599	939	1,199	1,536	1,707	894	18

INFLUENZA

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,252	355	98	47	37	70	84	122	189	378	522	343	7
1948	2,512	411	143	57	65	86	97	150	209	346	558	388	2
1947	3,804	489	167	76	85	120	151	242	321	613	870	667	3
1946	4,455	564	280	102	142	150	223	278	396	647	947	722	4
1945	4,950	775	364	175	178	227	263	353	416	643	928	623	5
1944	8,500	992	474	217	203	298	398	512	817	1,386	1,919	1,273	11
1943	8,194	998	490	207	289	342	480	598	731	1,275	1,706	1,073	5
1942	5,297	828	362	156	208	212	311	380	515	818	991	505	11
1941	10,134	1,327	600	276	364	448	597	802	930	1,455	2,061	1,259	15
1940	10,029	1,175	543	269	354	489	624	737	955	1,540	2,085	1,245	13

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

INFLUENZA

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	3,360	461	157	65	66	64	90	150	307	593	866	535	6
1948	3,762	628	229	83	72	70	111	168	335	592	873	600	1
1947	6,025	745	248	124	117	133	181	307	566	1,047	1,510	1,043	4
1946	6,758	827	417	165	167	169	268	391	646	1,031	1,597	1,078	2
1945	7,930	1,243	576	249	238	240	339	465	758	1,148	1,624	1,045	5
1944	13,873	1,531	769	314	259	332	571	832	1,465	2,412	3,352	2,030	6
1943	14,032	1,744	785	317	362	454	699	1,068	1,536	2,346	2,962	1,751	8
1942	8,519	1,324	546	247	267	287	442	567	898	1,407	1,690	835	9
1941	16,276	2,149	933	405	468	533	811	1,195	1,577	2,582	3,549	2,063	11
1940	15,752	1,951	921	407	440	542	775	1,073	1,613	2,598	3,493	1,921	18

INFLUENZA

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,704	244	89	32	46	31	50	92	181	309	401	226	3
1948	1,913	362	130	44	32	29	60	107	198	314	377	260	-
1947	3,047	416	124	66	70	65	97	192	354	529	707	425	2
1946	3,327	467	214	86	80	90	142	237	376	504	734	396	1
1945	4,106	699	301	114	121	90	188	266	460	621	775	469	2
1944	7,106	836	410	165	139	148	341	534	877	1,243	1,559	851	3
1943	7,374	1,023	414	169	180	214	388	673	985	1,226	1,369	729	4
1942	4,420	729	281	133	143	161	254	335	522	716	772	370	4
1941	8,463	1,215	503	203	245	268	459	696	930	1,392	1,643	904	5
1940	7,899	1,105	500	211	246	245	388	634	919	1,279	1,560	800	12

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

INFLUENZA

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,656	217	68	33	20	33	40	58	126	284	465	309	3
1948	1,849	266	99	39	40	41	51	61	137	278	496	340	1
1947	2,978	329	124	58	47	68	84	115	212	518	803	618	2
1946	3,431	360	203	79	87	79	126	154	270	527	863	682	1
1945	3,824	544	275	135	117	150	151	199	298	527	849	576	3
1944	6,767	695	359	149	120	184	230	298	588	1,169	1,793	1,179	3
1943	6,658	721	371	148	182	240	311	395	551	1,120	1,593	1,022	4
1942	4,099	595	265	114	124	126	188	232	376	691	918	465	5
1941	7,813	934	430	202	223	265	352	499	647	1,190	1,906	1,159	6
1940	7,853	846	421	196	194	297	387	439	694	1,319	1,933	1,121	6

INFLUENZA

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,242	327	61	33	34	56	83	140	146	190	99	68	5
1948	1,306	311	77	39	44	60	95	171	159	154	118	75	3
1947	1,639	320	91	35	63	82	121	238	237	200	154	94	4
1946	2,025	416	153	51	90	122	162	275	277	240	160	73	6
1945	2,260	511	193	72	101	128	192	317	273	230	148	88	7
1944	3,447	643	240	123	142	200	306	454	472	428	269	159	11
1943	3,187	644	260	106	170	216	339	439	373	337	206	94	3
1942	2,383	487	174	75	146	161	241	327	296	261	131	74	10
1941	4,771	893	337	155	266	342	489	622	573	556	328	196	14
1940	4,405	745	310	142	271	337	448	603	541	478	299	218	13

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

INFLUENZA

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	646	189	31	19	17	19	39	76	83	96	42	34	1
1948	643	166	33	21	19	15	49	82	87	86	56	27	2
1947	813	160	48	17	25	30	54	111	128	105	87	45	3
1946	1,001	212	76	28	35	51	65	151	151	120	76	33	3
1945	1,134	280	104	32	40	51	80	163	155	114	69	41	5
1944	1,714	346	125	55	59	86	138	240	243	211	143	65	3
1943	1,651	367	141	47	63	114	170	236	193	182	93	43	2
1942	1,185	254	77	33	62	75	118	179	157	134	58	34	4
1941	2,450	500	167	81	125	159	244	319	290	291	173	96	5
1940	2,229	416	188	69	111	145	211	305	280	257	147	94	6

INFLUENZA

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	596	138	30	14	17	37	44	64	63	94	57	34	4
1948	663	145	44	18	25	45	46	89	72	68	62	48	1
1947	826	160	43	18	38	52	67	127	109	95	67	49	1
1946	1,024	204	77	23	55	71	97	124	126	120	84	40	3
1945	1,126	231	89	40	61	77	112	154	118	116	79	47	2
1944	1,733	297	115	68	83	114	168	214	229	217	126	94	8
1943	1,536	277	119	59	107	102	169	203	180	155	113	51	1
1942	1,198	233	97	42	84	86	123	148	139	127	73	40	6
1941	2,321	393	170	74	141	183	245	303	283	265	155	100	9
1940	2,176	329	122	73	160	192	237	298	261	221	152	124	7

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ICD Revision	Years in use	ICD Nos.
Sixth	1949	490-493
Fifth	1940-1948	107-109

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	40,038	8,353	2,239	668	622	893	1,783	2,972	4,432	6,410	7,389	4,222	55
1948	51,425	11,983	2,562	792	838	1,155	2,316	3,668	5,495	7,998	9,508	5,070	40
1947	54,172	12,133	2,402	838	930	1,400	2,465	4,124	6,194	8,540	9,845	5,264	37
1946	53,541	11,414	2,694	915	1,103	1,501	2,669	4,291	6,086	8,362	9,448	5,015	43
1945	58,196	12,786	3,269	1,161	1,429	1,875	3,290	5,023	6,679	8,658	9,439	4,551	36
1944	64,484	13,500	3,537	1,079	1,413	2,044	3,560	5,738	7,710	10,167	10,597	5,071	68
1943	72,896	15,819	4,055	1,326	1,805	2,546	4,380	6,815	8,647	10,992	11,162	5,282	67
1942	63,630	14,333	3,562	1,119	1,618	2,357	3,897	5,809	7,265	9,604	9,705	4,300	61
1941	63,935	13,687	3,688	1,203	1,674	2,393	3,675	5,599	7,230	9,733	10,286	4,722	45
1940	72,368	14,881	4,097	1,472	2,033	2,775	4,021	6,364	8,284	11,358	11,881	5,108	94

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	22,947	4,603	1,154	384	330	477	1,165	2,083	3,049	3,845	3,906	1,921	30
1948	29,553	6,658	1,391	419	442	589	1,480	2,563	3,833	4,832	5,064	2,261	21
1947	31,060	6,799	1,274	437	462	765	1,540	2,867	4,240	5,152	5,101	2,401	22
1946	30,205	6,330	1,427	471	595	838	1,656	2,869	4,044	4,851	4,944	2,157	23
1945	33,453	7,118	1,718	589	700	989	2,076	3,480	4,547	5,141	4,960	2,114	21
1944	37,448	7,563	1,845	582	788	1,140	2,331	4,009	5,310	6,034	5,500	2,310	36
1943	42,457	8,944	2,157	701	1,001	1,407	2,915	4,802	5,859	6,488	5,787	2,359	37
1942	36,562	8,003	1,887	586	903	1,355	2,464	3,995	4,853	5,505	5,019	1,949	43
1941	36,636	7,754	1,945	622	930	1,361	2,271	3,865	4,763	5,677	5,265	2,157	26
1940	40,813	8,365	2,197	774	1,074	1,524	2,526	4,207	5,286	6,431	6,082	2,299	48

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	17,091	3,750	1,085	284	292	416	618	889	1,383	2,565	3,483	2,301	25
1948	21,872	5,325	1,171	373	396	566	836	1,105	1,662	3,166	4,444	2,809	19
1947	23,112	5,334	1,128	401	468	635	925	1,257	1,954	3,388	4,744	2,863	15
1946	23,336	5,084	1,267	444	508	663	1,013	1,422	2,042	3,511	4,504	2,858	20
1945	24,743	5,668	1,551	572	729	886	1,214	1,543	2,132	3,517	4,479	2,437	15
1944	27,036	5,937	1,692	497	625	904	1,229	1,729	2,400	4,133	5,097	2,761	32
1943	30,439	6,875	1,898	625	804	1,139	1,465	2,013	2,788	4,504	5,375	2,923	30
1942	27,068	6,330	1,675	533	715	1,002	1,433	1,814	2,412	4,099	4,686	2,351	18
1941	27,299	5,933	1,743	581	744	1,032	1,404	1,734	2,467	4,056	5,021	2,565	19
1940	31,555	6,516	1,900	698	959	1,251	1,495	2,157	2,998	4,927	5,799	2,809	46

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	32,426	5,797	1,601	518	429	576	1,200	2,099	3,602	5,666	6,933	3,966	39
1948	42,513	8,827	1,903	617	597	791	1,582	2,724	4,519	7,107	8,996	4,828	22
1947	45,166	9,116	1,785	639	642	960	1,719	3,073	5,180	7,666	9,327	5,034	25
1946	44,764	8,670	2,026	703	815	1,051	1,916	3,210	5,066	7,526	8,952	4,793	36
1945	47,916	9,504	2,441	908	1,004	1,303	2,352	3,742	5,578	7,827	8,939	4,294	24
1944	53,408	10,165	2,626	846	1,021	1,417	2,483	4,311	6,502	9,138	10,048	4,816	35
1943	60,537	12,066	3,059	1,005	1,340	1,807	3,073	5,301	7,332	9,945	10,566	5,002	41
1942	52,532	10,882	2,657	847	1,139	1,607	2,766	4,440	6,161	8,729	9,232	4,033	39
1941	52,470	10,259	2,708	931	1,169	1,608	2,512	4,223	6,094	8,719	9,753	4,464	30
1940	59,903	11,539	3,098	1,117	1,369	1,828	2,738	4,816	6,941	10,212	11,353	4,824	68

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	18,679	3,235	825	293	238	315	799	1,531	2,558	3,411	3,648	1,805	21
1948	24,550	4,929	1,065	332	330	405	1,058	1,973	3,239	4,297	4,762	2,147	13
1947	26,068	5,177	954	342	342	556	1,123	2,212	3,622	4,632	4,811	2,282	15
1946	25,296	4,867	1,063	359	470	609	1,214	2,189	3,415	4,372	4,670	2,048	20
1945	27,697	5,316	1,305	463	514	697	1,532	2,653	3,887	4,648	4,687	1,981	14
1944	31,079	5,708	1,360	457	601	822	1,692	3,104	4,540	5,416	5,182	2,176	21
1943	35,334	6,850	1,650	535	776	1,014	2,075	3,824	5,056	5,860	5,439	2,233	22
1942	30,285	6,082	1,414	454	674	925	1,819	3,139	4,172	5,007	4,755	1,817	27
1941	30,080	5,843	1,425	484	678	932	1,608	2,989	4,047	5,060	4,965	2,034	15
1940	33,698	6,507	1,662	577	762	1,008	1,727	3,260	4,472	5,741	5,791	2,156	35

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	13,747	2,562	776	225	191	261	401	568	1,044	2,255	3,285	2,161	18
1948	17,963	3,898	838	285	267	386	524	751	1,280	2,810	4,234	2,681	9
1947	19,098	3,939	831	297	300	404	596	861	1,558	3,034	4,516	2,752	10
1946	19,468	3,803	963	344	345	442	702	1,021	1,651	3,154	4,282	2,745	16
1945	20,219	4,188	1,136	445	490	606	820	1,089	1,691	3,179	4,252	2,313	10
1944	22,329	4,457	1,266	389	420	595	791	1,207	1,962	3,722	4,866	2,640	14
1943	25,203	5,216	1,409	470	564	793	998	1,477	2,276	4,085	5,127	2,769	19
1942	22,247	4,800	1,243	393	465	682	947	1,301	1,989	3,722	4,477	2,216	12
1941	22,390	4,416	1,283	447	491	676	904	1,234	2,047	3,659	4,788	2,430	15
1940	26,205	5,032	1,436	540	607	820	1,011	1,556	2,469	4,471	5,562	2,668	33

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL OTHER, BOTH SEXES	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown	
1949	7,612	2,556	638	150	193	317	583	873	830	744	456	256	16
1948	8,912	3,156	659	175	241	364	734	944	976	891	512	242	18
1947	9,006	3,017	617	199	288	440	746	1,051	1,014	874	518	230	12
1946	8,777	2,744	668	212	288	450	753	1,081	1,020	836	496	222	7
1945	10,280	3,282	828	253	425	572	938	1,281	1,101	831	500	257	12
1944	11,076	3,335	911	233	392	627	1,077	1,427	1,208	1,029	549	255	33
1943	12,359	3,753	996	321	465	739	1,307	1,514	1,315	1,047	596	280	26
1942	11,098	3,451	905	272	479	750	1,131	1,369	1,104	875	473	267	22
1941	11,465	3,428	980	272	505	785	1,163	1,376	1,136	1,014	533	258	15
1940	12,465	3,342	999	355	664	947	1,283	1,548	1,343	1,146	528	284	26

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL OTHER, MALE	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown	
1949	4,268	1,368	329	91	92	162	366	552	491	434	258	116	9
1948	5,003	1,729	326	87	112	184	422	590	594	535	302	114	8
1947	4,992	1,622	320	95	120	209	417	655	618	520	290	119	7
1946	4,909	1,463	364	112	125	229	442	680	629	479	274	109	3
1945	5,756	1,802	413	126	186	292	544	827	660	493	273	133	7
1944	6,369	1,855	485	125	187	318	639	905	770	618	318	134	15
1943	7,123	2,094	507	166	225	393	840	978	803	628	348	126	15
1942	6,277	1,921	473	132	229	430	645	856	681	498	264	132	16
1941	6,556	1,911	520	138	252	429	663	876	716	617	300	123	11
1940	7,115	1,858	535	197	312	516	799	947	814	690	291	143	13

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	3,344	1,188	309	59	101	155	217	321	339	310	198	140	7
1948	3,909	1,427	333	88	129	180	312	354	382	356	210	128	10
1947	4,014	1,395	297	104	168	231	329	396	396	354	228	111	5
1946	3,868	1,281	304	100	163	221	311	401	391	357	222	113	4
1945	4,524	1,480	415	127	239	280	394	454	441	338	227	124	5
1944	4,707	1,480	426	108	205	309	438	522	438	411	231	121	18
1943	5,236	1,659	489	155	240	346	467	536	512	419	248	154	11
1942	4,821	1,530	432	140	250	320	486	513	423	377	209	135	6
1941	4,909	1,517	460	134	253	356	500	500	420	397	233	135	4
1940	5,350	1,484	464	158	352	431	484	601	529	456	237	141	13

ULCER OF STOMACH AND DUODENUM

ICD Revision	Years in use	ICD Nos.
Sixth	1949	540,541
Fifth	1940-1948	117

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	7,809	34	6	8	56	213	723	1,441	2,177	1,945	988	213	5
1948	8,708	42	6	10	51	258	788	1,717	2,372	2,166	1,056	238	4
1947	8,611	36	9	12	77	293	873	1,742	2,433	1,989	934	209	4
1946	8,164	26	9	11	75	330	841	1,720	2,200	1,848	907	190	7
1945	8,958	31	5	8	94	395	1,092	1,963	2,424	1,917	862	162	5
1944	8,765	18	9	12	86	440	1,101	2,000	2,390	1,735	812	156	6
1943	9,333	24	10	18	110	479	1,179	2,202	2,471	1,858	813	161	8
1942	9,259	19	6	6	135	534	1,176	2,178	2,436	1,750	862	151	6
1941	8,864	16	8	10	152	566	1,153	2,170	2,247	1,636	763	140	3
1940	8,948	25	7	14	162	571	1,259	2,129	2,193	1,667	790	122	9

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ULCER OF STOMACH AND DUODENUM

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	6,379	21	3	5	37	168	604	1,232	1,879	1,572	722	132	4
1948	7,126	26	4	4	42	219	632	1,483	2,056	1,739	786	131	4
1947	7,048	20	4	4	59	236	712	1,522	2,091	1,612	655	129	4
1946	6,645	14	4	7	56	263	700	1,489	1,868	1,478	645	114	7
1945	7,413	24	3	6	70	324	932	1,698	2,105	1,538	616	94	3
1944	7,217	10	6	6	66	340	938	1,758	2,030	1,400	567	91	5
1943	7,677	19	8	7	87	384	1,007	1,911	2,113	1,463	567	106	5
1942	7,699	10	2	2	110	443	1,022	1,897	2,112	1,395	603	98	5
1941	7,333	11	3	7	121	477	980	1,898	1,921	1,290	543	80	2
1940	7,383	12	5	8	123	467	1,093	1,840	1,894	1,316	550	67	8

ULCER OF STOMACH AND DUODENUM

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,430	13	3	3	19	45	119	209	298	373	266	81	1
1948	1,582	16	2	6	9	39	156	234	316	427	270	107	-
1947	1,563	16	5	8	18	57	161	220	342	377	279	80	-
1946	1,519	12	5	4	19	67	141	231	332	370	262	76	-
1945	1,545	7	2	2	24	71	160	265	319	379	246	68	2
1944	1,548	8	3	6	20	100	163	242	360	335	245	65	1
1943	1,656	5	2	11	23	95	172	291	358	395	246	55	3
1942	1,560	9	4	4	25	91	154	281	324	355	259	53	1
1941	1,531	5	5	3	31	89	173	272	326	346	220	60	1
1940	1,565	13	2	6	39	104	166	289	299	351	240	55	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ULCER OF STOMACH AND DUODENUM

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	7,123	23	4	7	33	159	598	1,270	2,028	1,847	950	201	3
1948	8,027	36	6	6	37	212	661	1,525	2,219	2,062	1,031	229	3
1947	7,880	26	7	11	53	230	734	1,539	2,289	1,884	902	203	2
1946	7,477	19	9	10	58	238	720	1,537	2,054	1,762	881	186	3
1945	8,163	26	3	5	61	316	950	1,751	2,250	1,811	828	158	4
1944	8,013	17	8	12	58	366	950	1,791	2,212	1,657	787	150	5
1943	8,464	19	7	13	82	386	1,008	1,952	2,302	1,757	782	152	4
1942	8,395	18	5	4	99	419	980	1,945	2,271	1,662	842	145	5
1941	8,049	10	6	8	109	461	974	1,948	2,108	1,551	738	134	2
1940	8,085	22	7	13	113	460	1,062	1,892	2,048	1,575	768	120	5

ULCER OF STOMACH AND DUODENUM

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	5,848	16	1	5	21	122	510	1,095	1,757	1,500	694	124	3
1948	6,618	23	4	3	30	180	541	1,340	1,939	1,665	764	126	3
1947	6,504	16	2	4	40	189	604	1,363	1,983	1,542	633	126	2
1946	6,151	11	4	7	46	192	614	1,358	1,761	1,413	630	112	3
1945	6,817	20	1	5	46	263	830	1,539	1,975	1,450	594	91	3
1944	6,662	10	6	6	47	287	833	1,595	1,891	1,347	549	87	4
1943	7,058	14	5	7	69	321	876	1,722	1,998	1,395	549	100	2
1942	7,062	10	2	-	82	358	876	1,731	1,984	1,329	592	93	5
1941	6,717	6	2	5	91	397	845	1,726	1,817	1,228	522	77	1
1940	6,745	10	5	8	87	387	952	1,662	1,776	1,251	536	67	4

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ULCER OF STOMACH AND DUODENUM

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,275	7	3	2	12	37	88	175	271	347	256	77	-
1948	1,409	13	2	3	7	32	120	185	280	397	267	103	-
1947	1,376	10	5	7	13	41	130	176	306	342	269	77	-
1946	1,326	8	5	3	12	46	106	179	293	349	251	74	-
1945	1,346	6	2	-	15	53	120	212	275	361	234	67	1
1944	1,351	7	2	6	11	79	117	196	321	310	238	63	1
1943	1,406	5	2	6	13	65	132	230	304	362	233	52	2
1942	1,333	8	3	4	17	61	104	214	287	333	250	52	-
1941	1,332	4	4	3	18	64	129	222	291	323	216	57	1
1940	1,340	12	2	5	26	73	110	230	272	324	232	53	1

ULCER OF STOMACH AND DUODENUM

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	686	11	2	1	23	54	125	171	149	98	38	12	2
1948	681	6	-	4	14	46	127	192	153	104	25	9	1
1947	731	10	2	1	24	63	139	203	144	105	32	6	2
1946	687	7	-	1	17	92	121	183	146	86	26	4	4
1945	795	5	2	3	33	79	142	212	174	106	34	4	1
1944	752	1	1	-	28	74	151	209	178	78	25	6	1
1943	869	5	3	5	28	93	171	250	169	101	31	9	4
1942	864	1	1	2	36	115	196	233	165	88	20	6	1
1941	815	6	2	2	43	105	179	222	139	85	25	6	1
1940	863	3	-	1	49	111	197	237	145	92	22	2	4

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ULCER OF STOMACH AND DUODENUM

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	531	5	2	-	16	46	94	137	122	72	28	8	1
1948	508	3	-	1	12	39	91	143	117	74	22	5	1
1947	544	4	2	-	19	47	108	159	108	70	22	3	2
1946	494	3	-	-	10	71	86	131	107	65	15	2	4
1945	596	4	2	1	24	61	102	159	130	88	22	3	-
1944	555	-	-	-	19	53	105	163	139	53	18	4	1
1943	619	5	3	-	18	63	131	189	115	68	18	6	3
1942	637	-	-	2	28	85	146	166	128	66	11	5	-
1941	616	5	1	2	30	80	135	172	104	62	21	3	1
1940	638	2	-	-	36	80	141	178	118	65	14	-	4

ULCER OF STOMACH AND DUODENUM

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	155	6	-	1	7	8	31	34	27	26	10	4	1
1948	173	3	-	3	2	7	36	49	36	30	3	4	-
1947	187	6	-	1	5	16	31	44	36	35	10	3	-
1946	193	4	-	1	7	21	35	52	39	21	11	2	-
1945	199	1	-	2	9	18	40	53	44	18	12	1	1
1944	197	1	1	-	9	21	46	46	39	25	7	2	-
1943	250	-	-	5	10	30	40	61	54	33	13	3	1
1942	227	1	1	-	8	30	50	67	37	22	9	1	1
1941	199	1	1	-	13	25	44	50	35	23	4	3	-
1940	225	1	-	1	13	31	56	59	27	27	8	2	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

APPENDICITIS

	ICD Revision	Years in use	ICD Nos.											
	Sixth	1949	550-553											
	Fifth	1940-1948	121											
ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown	
1949	3,744	19	200	359	288	266	381	529	677	624	325	72	4	
1948	4,171	26	209	371	370	332	444	596	780	643	345	52	3	
1947	4,786	29	280	420	426	433	527	689	858	699	349	73	3	
1946	5,285	23	254	463	558	477	674	821	905	704	340	66	-	
1945	6,697	30	351	780	681	655	823	1,011	1,140	826	347	50	3	
1944	7,783	33	440	941	879	761	962	1,203	1,216	916	370	55	7	
1943	8,108	43	441	1,046	1,000	888	1,059	1,232	1,139	832	357	62	9	
1942	8,368	28	457	1,059	1,096	853	1,044	1,269	1,229	886	371	73	3	
1941	10,789	29	536	1,373	1,560	1,182	1,340	1,659	1,493	1,116	436	61	4	
1940	12,999	35	579	1,789	1,950	1,485	1,697	1,929	1,755	1,224	473	69	14	

APPENDICITIS

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,325	5	121	215	171	158	242	362	447	388	180	34	2
1948	2,553	15	121	227	221	207	277	384	495	381	197	25	3
1947	2,874	19	168	237	239	253	340	437	536	424	182	36	3
1946	3,211	14	159	262	308	259	417	531	626	425	178	32	-
1945	3,958	20	207	452	335	359	495	665	708	484	206	24	3
1944	4,539	17	267	526	455	395	591	773	756	538	192	24	5
1943	4,853	31	257	593	568	505	688	802	712	473	182	36	6
1942	5,053	24	286	617	671	508	634	845	719	510	202	34	3
1941	6,581	15	300	763	938	750	887	1,092	918	652	230	35	1
1940	8,009	27	342	1,026	1,248	953	1,105	1,228	1,096	707	238	29	10

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

APPENDICITIS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,419	14	79	144	117	108	139	167	230	236	145	38	2
1948	1,618	11	88	144	149	125	167	212	285	262	148	27	-
1947	1,912	10	112	183	187	180	187	252	322	275	167	37	-
1946	2,074	9	95	201	250	218	257	290	279	279	162	34	-
1945	2,739	10	144	328	346	296	328	346	432	342	141	26	-
1944	3,244	16	173	415	424	366	371	430	460	378	178	31	2
1943	3,255	12	184	453	432	383	371	430	427	359	175	26	3
1942	3,315	4	171	442	425	345	410	424	510	376	169	39	-
1941	4,208	14	236	610	622	432	453	567	575	464	206	26	3
1940	4,990	8	237	763	702	532	592	701	659	517	235	40	4

APPENDICITIS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	3,193	18	176	287	231	203	304	431	584	580	305	72	2
1948	3,640	22	188	304	311	264	351	520	692	600	335	50	3
1947	4,144	25	255	353	341	341	409	579	777	653	339	69	3
1946	4,589	22	236	379	477	377	528	681	832	665	327	65	-
1945	5,750	25	324	667	548	506	615	861	1,038	778	338	48	2
1944	6,760	25	408	814	701	586	797	1,034	1,105	876	356	54	4
1943	7,080	35	414	908	842	683	873	1,077	1,054	786	343	60	5
1942	7,306	23	426	885	929	682	852	1,117	1,121	844	358	66	3
1941	9,482	26	508	1,182	1,321	962	1,107	1,445	1,387	1,056	425	60	3
1940	11,601	30	539	1,593	1,684	1,238	1,416	1,724	1,666	1,169	461	67	14

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

APPENDICITIS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,002	5	107	176	137	125	200	304	382	365	166	34	1
1948	2,244	13	109	189	183	170	229	339	440	356	189	24	3
1947	2,512	17	155	201	194	211	274	378	479	387	179	34	3
1946	2,822	13	147	214	267	211	336	451	581	398	173	31	-
1945	3,443	18	185	392	279	283	391	576	643	451	200	23	2
1944	3,983	13	250	451	369	325	501	665	689	510	183	24	3
1943	4,273	25	237	518	482	404	591	695	663	444	176	36	2
1942	4,442	19	268	516	573	415	549	743	653	478	196	29	3
1941	5,839	13	285	658	817	625	757	964	846	613	225	35	1
1940	7,209	23	322	916	1,099	816	947	1,106	1,038	673	231	28	10

APPENDICITIS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,191	13	69	111	94	78	104	127	202	215	139	38	1
1948	1,396	9	79	115	128	94	122	181	252	244	146	26	-
1947	1,632	8	100	152	147	130	135	201	298	266	160	35	-
1946	1,767	9	89	165	210	166	192	230	251	267	154	34	-
1945	2,307	7	139	275	269	223	224	285	395	327	138	25	-
1944	2,777	12	158	363	332	261	296	369	416	366	173	30	1
1943	2,807	10	177	390	360	279	382	391	391	342	167	24	3
1942	2,864	4	158	369	356	267	303	374	468	366	162	37	-
1941	3,643	13	223	524	504	337	350	481	541	443	200	25	2
1940	4,392	7	217	677	585	422	469	618	628	496	230	39	4

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

APPENDICITIS

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	551	1	24	72	57	63	77	98	93	44	20	-	2
1948	531	4	21	67	59	68	93	76	88	43	10	2	-
1947	642	4	25	67	85	92	118	110	81	46	10	4	-
1946	696	1	18	84	81	100	146	140	73	39	13	1	-
1945	947	5	27	113	133	149	208	150	102	48	9	2	1
1944	1,023	8	32	127	178	175	165	169	111	40	14	1	3
1943	1,028	8	27	138	158	205	186	155	85	46	14	2	4
1942	1,062	5	31	174	167	171	192	152	108	42	13	7	-
1941	1,307	3	28	191	239	220	233	214	106	60	11	1	1
1940	1,398	5	40	196	266	247	281	205	89	55	12	2	-

APPENDICITIS

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	323	-	14	39	34	33	42	58	65	23	14	-	1
1948	309	2	12	38	38	37	48	45	55	25	8	1	-
1947	362	2	13	36	45	42	66	59	57	37	3	2	-
1946	389	1	12	48	41	48	81	80	45	27	5	1	-
1945	515	2	22	60	56	76	104	89	65	33	6	1	1
1944	556	4	17	75	86	70	90	108	67	28	9	-	2
1943	580	6	20	75	86	101	97	107	49	29	6	-	4
1942	611	5	18	101	98	93	85	102	66	32	6	5	-
1941	742	2	15	105	121	125	130	128	72	39	5	-	-
1940	800	4	20	110	149	137	158	122	58	34	7	1	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

APPENDICITIS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	228	1	10	33	23	30	35	40	28	21	6	-	1
1948	222	2	9	29	21	31	45	31	33	18	2	1	-
1947	280	2	12	31	40	50	52	51	24	9	7	2	-
1946	307	-	6	36	40	52	65	60	28	12	8	-	-
1945	432	3	5	53	77	73	104	61	37	15	3	1	-
1944	467	4	15	52	92	105	75	61	44	12	5	1	1
1943	448	2	7	63	72	104	89	48	36	17	8	2	-
1942	451	-	13	73	69	78	107	50	42	10	7	2	-
1941	565	1	13	86	118	95	103	86	34	21	6	1	1
1940	598	1	20	86	117	110	123	83	31	21	5	1	-

HERNIA AND INTESTINAL OBSTRUCTION

ICD Revision	Years in use	ICD Nos.
Sixth	1949	560,561,570
Fifth	1940-1948	122

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	9,854	1,001	163	90	120	293	529	991	1,690	2,334	1,977	661	5
1948	10,099	456	195	117	177	322	685	1,167	1,814	2,435	2,054	669	8
1947	10,764	559	178	124	214	403	761	1,303	1,931	2,572	2,053	661	5
1946	11,221	442	209	147	244	507	825	1,418	2,129	2,642	2,054	597	7
1945	11,621	477	232	150	260	553	1,009	1,532	2,272	2,615	1,885	623	13
1944	11,977	587	228	180	297	548	1,013	1,620	2,277	2,662	1,990	566	9
1943	12,459	607	264	180	312	610	1,020	1,740	2,257	2,768	2,080	614	7
1942	11,483	589	263	199	310	576	990	1,609	2,087	2,406	1,857	584	13
1941	11,537	770	257	171	319	640	979	1,556	2,121	2,417	1,804	491	12
1940	11,877	835	255	224	347	605	1,011	1,584	2,098	2,454	1,907	541	16

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

HERNIA AND INTESTINAL OBSTRUCTION

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	5,110	630	115	49	59	117	199	499	892	1,271	981	297	1
1948	5,253	280	130	69	90	120	288	577	978	1,301	1,077	337	6
1947	5,488	359	120	84	112	148	287	573	1,051	1,368	1,037	347	2
1946	5,699	265	143	100	113	204	301	668	1,135	1,435	1,050	281	4
1945	5,940	298	156	95	118	195	397	728	1,259	1,385	991	311	7
1944	6,137	380	150	119	128	190	388	766	1,235	1,494	1,006	277	4
1943	6,457	387	167	117	167	214	425	874	1,217	1,456	1,103	326	4
1942	5,986	352	180	131	164	252	391	802	1,104	1,309	1,011	284	6
1941	6,118	509	164	119	159	275	417	783	1,152	1,317	936	280	7
1940	6,348	567	171	140	193	253	403	787	1,164	1,311	1,048	302	9

HERNIA AND INTESTINAL OBSTRUCTION

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	4,744	371	48	41	61	176	330	492	798	1,063	996	364	4
1948	4,846	176	65	48	87	202	397	590	836	1,134	977	332	2
1947	5,276	200	58	40	102	255	474	730	880	1,204	1,016	314	3
1946	5,522	177	66	47	131	303	524	750	994	1,207	1,004	316	3
1945	5,681	179	76	55	142	358	612	804	1,013	1,230	894	312	6
1944	5,840	207	78	61	169	358	625	854	1,042	1,168	984	289	5
1943	6,002	220	97	63	145	396	595	866	1,040	1,312	977	288	3
1942	5,497	237	83	68	146	324	599	807	983	1,097	846	300	7
1941	5,419	261	93	52	160	365	562	773	969	1,100	868	211	5
1940	5,529	268	84	84	154	352	608	797	934	1,143	859	239	7

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

HERNIA AND INTESTINAL OBSTRUCTION

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	8,707	844	120	71	79	216	385	791	1,495	2,163	1,906	633	4
1948	8,794	367	154	92	133	237	488	911	1,582	2,248	1,939	640	3
1947	9,392	474	131	100	146	294	551	1,009	1,696	2,385	1,967	635	4
1946	9,797	373	178	126	175	355	605	1,127	1,866	2,442	1,968	577	5
1945	10,096	404	197	121	194	395	742	1,201	2,017	2,417	1,798	604	6
1944	10,508	499	194	150	226	400	758	1,284	2,032	2,484	1,927	548	6
1943	10,923	516	219	152	245	426	735	1,428	2,016	2,603	1,992	587	4
1942	9,986	512	221	167	235	394	711	1,273	1,863	2,240	1,803	556	11
1941	9,978	661	206	151	234	436	715	1,242	1,892	2,261	1,712	463	5
1940	10,404	725	202	187	260	433	763	1,309	1,882	2,289	1,829	515	10

HERNIA AND INTESTINAL OBSTRUCTION

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	4,496	524	85	39	36	83	150	404	792	1,166	936	280	1
1948	4,534	220	101	58	73	86	207	450	839	1,178	1,002	317	3
1947	4,809	305	89	69	77	114	210	453	919	1,249	992	330	2
1946	4,979	228	119	87	87	149	222	526	983	1,311	997	266	4
1945	5,142	247	133	80	93	129	287	573	1,110	1,254	934	299	3
1944	5,389	324	132	103	96	141	293	599	1,095	1,372	963	267	4
1943	5,671	326	140	98	139	150	311	723	1,081	1,348	1,042	311	2
1942	5,220	315	153	110	129	174	292	634	970	1,207	967	264	5
1941	5,298	441	133	108	121	185	313	621	1,017	1,216	877	264	2
1940	5,568	485	138	121	152	183	307	653	1,043	1,204	992	284	6

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

HERNIA AND INTESTINAL OBSTRUCTION

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	4,211	320	35	32	43	133	235	387	703	997	970	353	3
1948	4,260	147	53	34	60	151	281	461	743	1,070	937	323	-
1947	4,583	169	42	31	69	180	341	556	777	1,136	975	305	2
1946	4,818	145	59	39	88	206	383	601	883	1,131	971	311	1
1945	4,954	157	64	41	101	266	455	628	907	1,163	864	305	3
1944	5,119	175	62	47	130	259	465	685	937	1,112	964	281	2
1943	5,252	190	79	54	106	276	424	705	935	1,255	950	276	2
1942	4,766	197	68	57	106	220	419	639	893	1,033	836	292	6
1941	4,680	220	73	43	113	251	402	621	875	1,045	835	199	3
1940	4,836	240	64	66	108	250	456	656	839	1,085	837	231	4

HERNIA AND INTESTINAL OBSTRUCTION

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,147	157	43	19	41	77	144	200	195	171	71	28	1
1948	1,305	89	41	25	44	85	197	256	232	187	115	29	5
1947	1,372	85	47	24	68	109	210	294	235	187	86	26	1
1946	1,424	69	31	21	69	152	220	291	263	200	86	20	2
1945	1,525	73	35	29	66	158	267	331	255	198	87	19	7
1944	1,469	88	34	30	71	148	255	336	245	178	63	18	3
1943	1,536	91	45	28	67	184	285	312	241	165	88	27	3
1942	1,497	77	42	32	75	182	279	336	224	166	54	28	2
1941	1,559	109	51	20	85	204	264	314	229	156	92	28	7
1940	1,473	110	53	37	87	172	248	275	216	165	78	26	6

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

HERNIA AND INTESTINAL OBSTRUCTION

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	614	106	30	10	23	34	49	95	100	105	45	17	-
1948	719	60	29	11	17	34	81	127	139	123	75	20	3
1947	679	54	31	15	35	34	77	120	132	119	45	17	-
1946	720	37	24	13	26	55	79	142	152	124	53	15	-
1945	798	51	23	15	25	66	110	155	149	131	57	12	4
1944	748	56	18	16	32	49	95	167	140	122	43	10	-
1943	786	61	27	19	28	64	114	151	136	108	61	15	2
1942	766	37	27	21	35	78	99	168	134	102	44	20	1
1941	820	68	31	11	38	90	104	162	135	101	59	16	5
1940	780	82	33	19	41	70	96	134	121	107	56	18	3

HERNIA AND INTESTINAL OBSTRUCTION

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	533	51	13	9	18	43	95	105	95	66	26	11	1
1948	586	29	12	14	27	51	116	129	93	64	40	9	2
1947	693	31	16	9	33	75	133	174	103	68	41	9	1
1946	704	32	7	8	43	97	141	149	111	76	33	5	2
1945	727	22	12	14	41	92	157	176	106	67	30	7	3
1944	721	32	16	14	39	99	160	169	105	56	20	8	3
1943	750	30	18	9	39	120	171	161	105	57	27	12	1
1942	731	40	15	11	40	104	180	168	90	64	10	8	1
1941	739	41	20	9	47	114	160	152	94	55	33	12	2
1940	693	28	20	18	46	102	152	141	95	58	22	8	3

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

ICD Revision	Years in use	ICD Nos.
Sixth	1949	543,571,572
Fifth	1940-1948	119,120

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	9,970	5,667	810	130	133	184	278	362	565	754	774	308	5
1948	8,831	6,322	844	113	118	152	177	199	236	253	266	149	2
1947	8,069	5,590	637	87	116	197	215	217	259	308	288	154	1
1946	8,090	5,498	722	114	100	166	181	236	279	313	296	182	3
1945	11,465	8,277	1,098	121	133	169	238	251	270	361	349	190	8
1944	13,099	9,239	1,503	170	146	206	241	270	314	414	355	236	5
1943	12,827	8,756	1,578	184	181	196	242	285	345	409	424	223	4
1942	11,774	7,824	1,617	164	146	165	239	250	314	409	415	226	5
1941	13,971	9,220	2,259	182	166	207	255	275	317	415	439	234	2
1940	13,573	8,222	2,572	194	171	224	286	295	360	449	521	267	12

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	5,190	3,134	415	78	61	78	128	202	305	348	322	114	5
1948	4,811	3,576	439	56	58	68	84	122	111	118	126	53	-
1947	4,428	3,241	342	46	51	85	95	106	142	144	118	57	1
1946	4,504	3,164	402	71	43	79	105	133	160	149	120	75	3
1945	6,325	4,737	593	63	56	88	97	139	146	174	149	78	5
1944	7,117	5,215	792	95	61	83	111	139	168	199	154	98	2
1943	6,826	4,865	809	84	86	87	122	145	170	189	176	92	1
1942	6,340	4,338	851	94	75	64	112	139	167	209	202	86	3
1941	7,615	5,233	1,209	90	90	84	119	137	163	205	186	99	-
1940	7,343	4,643	1,426	107	84	93	138	153	172	197	217	107	6

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	4,780	2,533	395	52	72	106	150	160	260	406	452	194	-
1948	4,020	2,746	405	57	60	84	93	77	125	135	140	96	2
1947	3,641	2,349	295	41	65	112	120	111	117	164	170	97	-
1946	3,586	2,334	320	43	57	87	76	103	119	164	176	107	-
1945	5,140	3,540	505	58	77	81	141	112	124	187	200	112	3
1944	5,982	4,024	711	75	85	123	130	131	146	215	201	138	3
1943	6,001	3,891	769	100	95	109	120	140	175	220	248	131	3
1942	5,434	3,486	766	70	71	101	127	111	147	200	213	140	2
1941	6,356	3,987	1,050	92	76	123	136	138	154	210	253	135	2
1940	6,230	3,579	1,146	87	87	131	148	142	188	252	304	160	6

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	7,922	4,182	634	117	116	148	219	302	487	696	722	295	4
1948	7,234	5,136	663	97	106	127	148	149	204	214	253	135	2
1947	6,568	4,512	503	73	100	163	167	171	215	257	265	141	1
1946	6,586	4,473	553	95	91	135	140	185	214	269	260	170	1
1945	9,154	6,587	817	93	118	137	191	180	232	304	322	168	5
1944	10,340	7,352	1,075	130	131	155	178	192	242	349	323	213	-
1943	10,167	6,997	1,103	153	149	157	179	214	271	352	383	206	3
1942	9,103	6,023	1,159	129	126	130	168	183	251	340	384	209	1
1941	10,680	7,040	1,612	139	136	157	177	204	250	353	399	212	1
1940	10,739	6,518	1,916	157	133	164	215	215	294	389	483	246	9

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	4,076	2,281	329	69	54	62	106	173	269	329	293	107	4
1948	3,895	2,867	341	44	52	59	75	93	97	101	117	49	-
1947	3,633	2,631	271	37	46	74	78	89	126	122	107	51	1
1946	3,679	2,583	308	60	39	66	82	107	126	132	104	71	1
1945	5,082	3,791	441	52	49	74	78	103	131	150	138	72	3
1944	5,687	4,187	581	76	57	67	85	104	129	176	135	90	-
1943	5,438	3,926	545	70	70	72	94	116	141	161	158	84	1
1942	4,951	3,374	617	73	65	53	83	111	142	169	185	79	-
1941	5,878	4,048	870	72	71	63	85	106	129	182	164	88	-
1940	5,826	3,715	1,044	88	69	67	106	114	144	172	204	98	5

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	3,846	1,901	305	48	62	86	113	129	218	367	429	188	-
1948	3,339	2,269	322	53	54	68	73	56	107	113	136	86	2
1947	2,935	1,881	232	36	54	89	89	82	89	135	158	90	-
1946	2,907	1,890	245	35	52	69	58	78	88	137	156	99	-
1945	4,072	2,796	376	41	69	63	113	77	101	154	184	96	2
1944	4,653	3,165	494	54	74	88	93	88	113	173	188	123	-
1943	4,729	3,071	558	83	79	85	85	98	130	191	225	122	2
1942	4,152	2,649	542	56	61	77	85	72	109	171	199	130	1
1941	4,802	2,992	742	67	65	94	92	98	121	171	235	124	1
1940	4,913	2,803	872	69	64	97	109	101	150	217	279	148	4

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

ALL OTHER, BOTH SEXES	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown	
1949	2,048	1,485	176	13	17	36	59	60	78	58	52	13	1
1948	1,597	1,186	181	16	12	25	29	50	32	39	13	14	-
1947	1,501	1,078	134	14	16	34	48	46	44	51	23	13	-
1946	1,504	1,025	169	19	9	31	41	51	65	44	36	12	2
1945	2,311	1,690	281	28	15	32	47	71	38	57	27	22	3
1944	2,759	1,887	428	40	15	51	63	78	72	65	32	23	5
1943	2,660	1,759	475	31	32	39	63	71	74	57	41	17	1
1942	2,671	1,801	458	35	20	35	71	67	63	69	31	17	4
1941	3,291	2,180	647	43	30	50	78	71	67	62	40	22	1
1940	2,834	1,704	656	37	38	60	71	80	66	60	38	21	3

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

ALL OTHER, MALE	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown	
1949	1,114	853	86	9	7	16	22	29	36	19	29	7	1
1948	916	709	98	12	6	9	9	29	14	17	9	4	-
1947	795	610	71	9	5	11	17	17	16	22	11	6	-
1946	825	581	94	11	4	13	23	26	34	17	16	4	2
1945	1,243	946	152	11	7	14	19	36	15	24	11	6	2
1944	1,430	1,028	211	19	4	16	26	35	39	23	19	8	2
1943	1,388	939	264	14	16	15	28	29	29	28	18	8	-
1942	1,389	964	234	21	10	11	29	28	25	40	17	7	3
1941	1,737	1,185	339	18	19	21	34	31	34	23	22	11	-
1940	1,517	928	382	19	15	26	32	39	28	25	13	9	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	934	632	90	4	10	20	37	31	42	39	23	6	-
1948	681	477	83	4	6	16	20	21	18	22	4	10	-
1947	706	468	63	5	11	23	31	29	28	29	12	7	-
1946	679	444	75	8	5	18	18	25	31	27	20	8	-
1945	1,068	744	129	17	8	18	28	35	23	33	16	16	1
1944	1,329	859	217	21	11	35	37	43	33	42	13	15	3
1943	1,272	820	211	17	16	24	35	42	45	29	23	9	1
1942	1,282	837	224	14	10	24	42	39	38	29	14	10	1
1941	1,554	995	308	25	11	29	44	40	33	39	18	11	1
1940	1,317	776	274	18	23	34	39	41	38	35	25	12	2

CIRRHOSIS OF LIVER

ICD Revision	Years in use	ICD Nos.
Sixth	1949	581
Fifth	1940-1948	124

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	13,694	50	29	40	61	503	1,986	3,259	3,719	2,614	1,217	206	10
1948	16,512	27	32	31	97	568	2,278	3,984	4,302	3,256	1,611	314	12
1947	14,940	33	36	42	80	491	1,966	3,490	3,897	3,074	1,543	282	6
1946	13,451	15	30	47	83	468	1,809	3,143	3,483	2,744	1,373	248	8
1945	12,541	15	35	37	82	428	1,628	2,997	3,239	2,624	1,206	247	3
1944	11,485	1	23	38	85	403	1,354	2,508	3,081	2,542	1,235	211	4
1943	12,527	6	25	36	107	413	1,477	2,912	3,272	2,760	1,305	210	4
1942	12,553	12	28	36	78	445	1,612	2,949	3,262	2,644	1,268	206	13
1941	11,876	23	21	41	77	449	1,457	2,770	3,035	2,614	1,151	232	6
1940	11,286	35	19	52	77	377	1,329	2,556	2,955	2,481	1,181	219	5

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CIRRHOSIS OF LIVER

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	9,048	27	19	18	27	255	1,226	2,215	2,655	1,747	747	105	7
1948	10,921	10	16	16	44	299	1,435	2,707	3,093	2,185	961	145	10
1947	9,747	19	14	24	40	248	1,179	2,391	2,775	2,056	860	135	6
1946	8,893	5	12	25	38	233	1,108	2,207	2,535	1,808	805	112	5
1945	8,195	7	15	19	39	223	1,008	2,002	2,342	1,727	700	112	1
1944	7,401	1	16	13	26	204	861	1,734	2,154	1,607	682	99	4
1943	8,177	3	16	18	46	222	895	1,990	2,342	1,824	721	96	4
1942	8,304	5	14	15	35	236	1,040	2,026	2,316	1,759	744	106	8
1941	7,858	15	8	22	32	242	940	1,881	2,196	1,727	672	120	3
1940	7,603	14	9	22	36	223	874	1,783	2,132	1,690	727	88	5

CIRRHOSIS OF LIVER

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	4,646	23	10	22	34	248	760	1,044	1,064	867	470	101	3
1948	5,591	17	16	15	53	269	843	1,277	1,209	1,071	650	169	2
1947	5,193	14	22	18	40	243	787	1,099	1,122	1,018	683	147	-
1946	4,558	10	18	22	45	235	701	936	948	936	568	136	3
1945	4,346	8	20	18	43	205	620	995	897	897	506	135	2
1944	4,084	-	7	25	59	199	493	774	927	935	553	112	-
1943	4,350	3	9	18	61	191	582	922	930	936	584	114	-
1942	4,249	7	14	21	43	209	572	923	946	885	524	100	5
1941	4,018	8	13	19	45	207	517	889	839	887	479	112	3
1940	3,683	21	10	30	41	154	455	773	823	791	454	131	-

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CIRRHOSIS OF LIVER

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	12,758	42	25	35	51	423	1,770	3,010	3,511	2,495	1,188	198	10
1948	15,407	20	27	27	76	491	2,063	3,662	4,037	3,122	1,567	304	11
1947	13,989	25	27	37	69	428	1,805	3,205	3,680	2,943	1,494	272	4
1946	12,637	9	25	40	66	416	1,645	2,920	3,316	2,633	1,323	236	8
1945	11,701	14	29	33	67	377	1,478	2,768	3,045	2,489	1,162	237	2
1944	10,696	-	22	33	74	347	1,206	2,316	2,859	2,433	1,202	200	4
1943	11,727	5	23	33	85	369	1,347	2,699	3,061	2,636	1,267	200	2
1942	11,792	10	23	32	70	383	1,459	2,712	3,119	2,543	1,231	199	11
1941	11,172	19	19	35	66	390	1,335	2,579	2,880	2,512	1,109	224	4
1940	10,510	27	16	43	65	319	1,157	2,358	2,790	2,373	1,146	213	3

CIRRHOSIS OF LIVER

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	8,468	24	16	16	24	217	1,103	2,058	2,509	1,666	728	100	7
1948	10,259	7	13	13	36	262	1,331	2,513	2,912	2,089	934	140	9
1947	9,186	14	11	23	34	217	1,095	2,225	2,638	1,964	832	129	4
1946	8,375	2	9	22	31	205	1,016	2,053	2,414	1,736	776	106	5
1945	7,685	7	12	18	33	197	929	1,857	2,201	1,647	675	109	-
1944	6,913	-	16	9	23	185	787	1,604	2,002	1,530	660	93	4
1943	7,665	3	15	16	37	199	826	1,854	2,186	1,737	701	89	2
1942	7,815	5	11	15	31	203	958	1,854	2,224	1,690	716	101	7
1941	7,404	12	7	19	25	210	875	1,754	2,085	1,655	645	115	2
1940	7,101	11	8	20	30	189	770	1,648	2,015	1,618	705	84	3

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CIRRHOSIS OF LIVER

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	4,290	18	9	19	27	206	667	952	1,002	829	460	98	3
1948	5,148	13	14	14	40	229	732	1,149	1,125	1,033	633	164	2
1947	4,803	11	16	14	35	211	710	980	1,042	979	662	143	-
1946	4,262	7	16	18	35	211	629	867	902	897	547	130	3
1945	4,016	7	17	15	34	180	549	911	844	842	487	128	2
1944	3,783	-	6	24	51	162	419	712	857	903	542	107	-
1943	4,062	2	8	17	48	170	521	845	875	899	566	111	-
1942	3,977	5	12	17	39	180	501	858	895	853	515	98	4
1941	3,768	7	12	16	41	180	460	825	795	857	464	109	2
1940	3,409	16	8	23	35	130	387	710	775	755	441	129	-

CIRRHOSIS OF LIVER

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	936	8	4	5	10	80	216	249	208	119	29	8	-
1948	1,105	7	5	4	21	77	215	322	265	134	44	10	1
1947	951	8	9	5	11	63	161	285	217	131	49	10	2
1946	814	6	5	7	17	52	164	223	167	111	50	12	-
1945	840	1	6	4	15	51	150	229	194	135	44	10	1
1944	789	1	1	5	11	56	148	192	222	109	33	11	-
1943	800	1	2	3	22	44	130	213	211	124	38	10	2
1942	761	2	5	4	8	62	153	237	143	101	37	7	2
1941	704	4	2	6	11	59	122	191	155	102	42	8	2
1940	776	8	3	9	12	58	172	198	165	108	35	6	2

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CIRRHOSIS OF LIVER

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	580	3	3	2	3	38	123	157	146	81	19	5	-
1948	662	3	3	3	8	37	104	194	181	96	27	5	1
1947	561	5	3	1	6	31	84	166	137	92	28	6	2
1946	518	3	3	3	7	28	92	154	121	72	29	6	-
1945	510	-	3	1	6	26	79	145	141	80	25	3	1
1944	488	1	-	4	3	19	74	130	152	77	22	6	-
1943	512	-	1	2	9	23	69	136	156	87	20	7	2
1942	489	-	3	-	4	33	82	172	92	69	28	5	1
1941	454	3	1	3	7	32	65	127	111	72	27	5	1
1940	502	3	1	2	6	34	104	135	117	72	22	4	2

CIRRHOSIS OF LIVER

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	356	5	1	3	7	42	93	92	62	38	10	3	-
1948	443	4	2	1	13	40	111	128	84	38	17	5	-
1947	390	3	6	4	5	32	77	119	80	39	21	4	-
1946	296	3	2	4	10	24	72	69	46	39	21	6	-
1945	330	1	3	3	9	25	71	84	53	55	19	7	-
1944	301	-	1	1	8	37	74	62	70	32	11	5	-
1943	288	1	1	1	13	21	61	77	55	37	18	3	-
1942	272	2	2	4	4	29	71	65	51	32	9	2	1
1941	250	1	1	3	4	27	57	64	44	30	15	3	1
1940	274	5	2	7	6	24	68	63	48	36	13	2	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

HYPERPLASIA OF PROSTATE

ICD Revision	Years in use	ICD Nos.
Sixth	1949	610
Fifth	1940-1948	137

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	6,860	-	-	-	-	3	6	95	718	2,065	2,865	1,103	5
1948	6,790	-	-	-	1	6	10	141	757	2,199	2,706	964	6
1947	7,092	-	-	-	2	1	10	134	794	2,332	2,823	994	2
1946	7,361	-	-	-	1	5	20	157	861	2,605	2,786	924	2
1945	7,443	-	-	-	-	4	8	157	923	2,578	2,830	935	8
1944	7,732	-	1	-	-	2	31	188	928	2,743	2,961	876	2
1943	8,297	-	-	-	1	16	29	209	998	2,932	3,162	944	6
1942	7,995	-	-	1	2	6	37	193	986	2,869	3,036	861	4
1941	8,237	-	-	-	3	18	34	216	1,087	3,013	3,029	834	3
1940	8,775	-	-	1	2	14	46	235	1,131	3,128	3,279	927	12

HYPERPLASIA OF PROSTATE

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	6,860	-	-	-	-	3	6	95	718	2,065	2,865	1,103	5
1948	6,790	-	-	-	1	6	10	141	757	2,199	2,706	964	6
1947	7,092	-	-	-	2	1	10	134	794	2,332	2,823	994	2
1946	7,361	-	-	-	1	5	20	157	861	2,605	2,786	924	2
1945	7,443	-	-	-	-	4	8	157	923	2,578	2,830	935	8
1944	7,732	-	1	-	-	2	31	188	928	2,743	2,961	876	2
1943	8,297	-	-	-	1	16	29	209	998	2,932	3,162	944	6
1942	7,995	-	-	1	2	6	37	193	986	2,869	3,036	861	4
1941	8,237	-	-	-	3	18	34	216	1,087	3,013	3,029	834	3
1940	8,775	-	-	1	2	14	46	235	1,131	3,128	3,279	927	12

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

HYPERPLASIA OF PROSTATE

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	6,097	-	-	-	-	1	3	39	561	1,786	2,670	1,035	2
1948	6,090	-	-	-	1	6	3	71	603	1,944	2,541	916	5
1947	6,382	-	-	-	2	-	6	65	629	2,090	2,650	939	1
1946	6,599	-	-	-	-	1	10	91	658	2,310	2,646	882	1
1945	6,716	-	-	-	-	2	3	86	747	2,310	2,673	891	4
1944	6,987	-	1	-	-	2	13	107	748	2,502	2,789	824	1
1943	7,512	-	-	-	1	8	12	144	814	2,636	3,010	883	4
1942	7,241	-	-	1	1	4	15	117	807	2,577	2,903	814	2
1941	7,440	-	-	-	1	7	21	128	897	2,715	2,882	787	2
1940	7,954	-	-	-	2	7	24	152	940	2,813	3,140	867	9

HYPERPLASIA OF PROSTATE

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	6,097	-	-	-	-	1	3	39	561	1,786	2,670	1,035	2
1948	6,090	-	-	-	1	6	3	71	603	1,944	2,541	916	5
1947	6,382	-	-	-	2	-	6	65	629	2,090	2,650	939	1
1946	6,599	-	-	-	-	1	10	91	658	2,310	2,646	882	1
1945	6,716	-	-	-	-	2	3	86	747	2,310	2,673	891	4
1944	6,987	-	1	-	-	2	13	107	748	2,502	2,789	824	1
1943	7,512	-	-	-	1	8	12	144	814	2,636	3,010	883	4
1942	7,241	-	-	1	1	4	15	117	807	2,577	2,903	814	2
1941	7,440	-	-	-	1	7	21	128	897	2,715	2,882	787	2
1940	7,954	-	-	-	2	7	24	152	940	2,813	3,140	867	9

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

HYPERPLASIA OF PROSTATE

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	763	-	-	-	-	2	3	56	157	279	195	68	3
1948	700	-	-	-	-	-	7	70	154	255	165	48	1
1947	710	-	-	-	-	1	4	69	165	242	173	55	1
1946	762	-	-	-	1	4	10	66	203	295	140	42	1
1945	727	-	-	-	-	2	5	71	176	268	157	44	4
1944	745	-	-	-	-	-	18	81	180	241	172	52	1
1943	785	-	-	-	-	8	17	65	184	296	152	61	2
1942	754	-	-	-	1	2	22	76	179	292	133	47	2
1941	797	-	-	-	2	11	13	88	190	298	147	47	1
1940	821	-	-	1	-	7	22	83	191	315	139	60	3

HYPERPLASIA OF PROSTATE

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	763	-	-	-	-	2	3	56	157	279	195	68	3
1948	700	-	-	-	-	-	7	70	154	255	165	48	1
1947	710	-	-	-	-	1	4	69	165	242	173	55	1
1946	762	-	-	-	1	4	10	66	203	295	140	42	1
1945	727	-	-	-	-	2	5	71	176	268	157	44	4
1944	745	-	-	-	-	-	18	81	180	241	172	52	1
1943	785	-	-	-	-	8	17	65	184	296	152	61	2
1942	754	-	-	-	1	2	22	76	179	292	133	47	2
1941	797	-	-	-	2	11	13	88	190	298	147	47	1
1940	821	-	-	1	-	7	22	83	191	315	139	60	3

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH

	ICD Revision	Years in use	ICD Nos.													
	Sixth	1949	640-689													
	Fifth	1940-1948	140-150													
ALL RACES, BOTH SEXES				Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years		
	Total			1 year	years	and over	Unknown									
1949	3,216		16	939	1,401	825	31	1	3	
1948	4,122	-	-		18	1,269	1,713	1,088	33	-	-	-	-	-	1	
1947	4,978	-	-		21	1,501	2,158	1,246	50	1	-	-	-	-	1	
1946	5,153	-	-		16	1,495	2,250	1,329	61	-	-	-	-	-	2	
1945	5,668	-	-		23	1,560	2,427	1,593	60	1	-	-	-	-	4	
1944	6,369	-	-		15	1,872	2,756	1,675	45	-	-	-	-	-	6	
1943	7,197	-	-		37	2,220	3,117	1,761	54	-	-	-	-	-	8	
1942	7,267	-	-		21	2,325	3,101	1,746	63	1	-	-	-	-	10	
1941	7,956	-	-		35	2,599	3,304	1,938	68	1	-	-	-	-	11	
1940	8,876	-	-		45	2,914	3,754	2,081	73	-	-	-	-	-	9	

DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH

ALL RACES, FEMALE				Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years		
	Total			1 year	years	and over	Unknown									
1949	3,216		16	939	1,401	825	31	1	3	
1948	4,122	-	-		18	1,269	1,713	1,088	33	-	-	-	-	-	1	
1947	4,978	-	-		21	1,501	2,158	1,246	50	1	-	-	-	-	1	
1946	5,153	-	-		16	1,495	2,250	1,329	61	-	-	-	-	-	2	
1945	5,668	-	-		23	1,560	2,427	1,593	60	1	-	-	-	-	4	
1944	6,369	-	-		15	1,872	2,756	1,675	45	-	-	-	-	-	6	
1943	7,197	-	-		37	2,220	3,117	1,761	54	-	-	-	-	-	8	
1942	7,267	-	-		21	2,325	3,101	1,746	63	1	-	-	-	-	10	
1941	7,956	-	-		35	2,599	3,304	1,938	68	1	-	-	-	-	11	
1940	8,876	-	-		45	2,914	3,754	2,081	73	-	-	-	-	-	9	

... Not applicable.

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH

WHITE, BOTH SEXES		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
	Total												
1949	2,099	5	551	958	567	18	-	-
1948	2,753	-	-	4	758	1,176	791	24	-	-	-	-	-
1947	3,555	-	-	6	1,011	1,589	913	34	1	-	-	-	1
1946	3,807	-	-	4	1,043	1,703	1,010	46	-	-	-	-	1
1945	4,122	-	-	3	1,036	1,808	1,231	43	1	-	-	-	-
1944	4,648	-	-	3	1,239	2,082	1,287	36	-	-	-	-	1
1943	5,463	-	-	9	1,582	2,437	1,387	42	-	-	-	-	6
1942	5,515	-	-	6	1,623	2,438	1,391	51	1	-	-	-	5
1941	5,864	-	-	11	1,728	2,551	1,515	52	-	-	-	-	7
1940	6,614	-	-	10	1,984	2,927	1,633	55	-	-	-	-	5

DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH

WHITE, FEMALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
	Total												
1949	2,099	5	551	958	567	18	-	-
1948	2,753	-	-	4	758	1,176	791	24	-	-	-	-	-
1947	3,555	-	-	6	1,011	1,589	913	34	1	-	-	-	1
1946	3,807	-	-	4	1,043	1,703	1,010	46	-	-	-	-	1
1945	4,122	-	-	3	1,036	1,808	1,231	43	1	-	-	-	-
1944	4,648	-	-	3	1,239	2,082	1,287	36	-	-	-	-	1
1943	5,463	-	-	9	1,582	2,437	1,387	42	-	-	-	-	6
1942	5,515	-	-	6	1,623	2,438	1,391	51	1	-	-	-	5
1941	5,864	-	-	11	1,728	2,551	1,515	52	-	-	-	-	7
1940	6,614	-	-	10	1,984	2,927	1,633	55	-	-	-	-	5

... Not applicable.

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH

ALL OTHER, BOTH SEXES	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,117	11	388	443	258	13	1	3
1948	1,369	-	-	14	511	537	297	9	-	-	-	1
1947	1,423	-	-	15	490	569	333	16	-	-	-	-
1946	1,346	-	-	12	452	547	319	15	-	-	-	1
1945	1,546	-	-	20	524	619	362	17	-	-	-	4
1944	1,721	-	-	12	633	674	388	9	-	-	-	5
1943	1,734	-	-	28	638	680	374	12	-	-	-	2
1942	1,752	-	-	15	702	663	355	12	-	-	-	5
1941	2,092	-	-	24	871	753	423	16	1	-	-	4
1940	2,262	-	-	35	930	827	448	18	-	-	-	4

DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH

ALL OTHER, FEMALE	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,117	11	388	443	258	13	1	3
1948	1,369	-	-	14	511	537	297	9	-	-	-	1
1947	1,423	-	-	15	490	569	333	16	-	-	-	-
1946	1,346	-	-	12	452	547	319	15	-	-	-	1
1945	1,546	-	-	20	524	619	362	17	-	-	-	4
1944	1,721	-	-	12	633	674	388	9	-	-	-	5
1943	1,734	-	-	28	638	680	374	12	-	-	-	2
1942	1,752	-	-	15	702	663	355	12	-	-	-	5
1941	2,092	-	-	24	871	753	423	16	1	-	-	4
1940	2,262	-	-	35	930	827	448	18	-	-	-	4

... Not applicable.

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CONGENITAL MALFORMATIONS

ICD Revision Years in use ICD Nos.
Sixth 1949 750-759
Fifth 1940-1948 157

ALL RACES, BOTH SEXES		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
	Total												
1949	18,864	14,504	1,513	572	434	406	484	411	318	154	61	5	2
1948	19,246	15,778	1,490	599	397	290	258	208	138	61	23	1	3
1947	20,315	17,076	1,387	532	395	303	237	192	116	51	22	2	2
1946	17,749	14,912	1,251	502	368	263	179	146	77	32	14	-	5
1945	16,187	13,544	1,219	502	330	198	177	94	74	34	14	-	1
1944	16,687	14,205	1,168	451	313	213	141	100	52	27	11	3	3
1943	16,766	14,435	1,070	453	326	176	105	100	60	30	8	1	2
1942	15,867	13,672	966	444	336	164	127	80	47	18	11	-	2
1941	13,922	11,796	895	466	301	174	119	83	52	28	7	-	1
1940	13,143	11,038	880	474	309	160	115	89	44	24	3	-	7

CONGENITAL MALFORMATIONS

ALL RACES, MALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
	Total												
1949	10,377	7,989	805	322	249	219	270	210	201	78	30	2	2
1948	10,649	8,755	783	328	255	170	129	104	77	34	12	-	2
1947	11,158	9,414	691	306	244	171	134	101	65	22	7	2	1
1946	9,716	8,167	630	295	221	152	106	74	48	18	3	-	2
1945	8,841	7,422	618	277	186	123	100	47	49	14	5	-	-
1944	9,151	7,829	588	237	177	121	84	63	29	14	5	2	2
1943	9,148	7,911	548	236	190	94	61	56	35	15	2	-	-
1942	8,729	7,589	490	241	191	83	67	35	18	10	3	-	2
1941	7,560	6,396	486	241	170	108	67	50	24	15	3	-	-
1940	7,205	6,104	445	246	178	86	59	49	17	16	2	-	3

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CONGENITAL MALFORMATIONS

ALL RACES, FEMALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
Total		1 year	years	and over									
1949	8,487	6,515	708	250	185	187	214	201	117	76	31	3	-
1948	8,597	7,023	707	271	142	120	129	104	61	27	11	1	1
1947	9,157	7,662	696	226	151	132	103	91	51	29	15	-	1
1946	8,033	6,745	621	207	147	111	73	72	29	14	11	-	3
1945	7,346	6,122	601	225	144	75	77	47	25	20	9	-	1
1944	7,536	6,376	580	214	136	92	57	37	23	13	6	1	1
1943	7,618	6,524	522	217	136	82	44	44	25	15	6	1	2
1942	7,138	6,083	476	203	145	81	60	45	29	8	8	-	-
1941	6,362	5,400	409	225	131	66	52	33	28	13	4	-	1
1940	5,938	4,934	435	228	131	74	56	40	27	8	1	-	4

CONGENITAL MALFORMATIONS

WHITE, BOTH SEXES		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
Total		1 year	years	and over									
1949	17,180	13,241	1,357	506	395	360	433	374	302	150	56	4	2
1948	17,562	14,417	1,354	527	360	269	229	192	131	57	23	1	2
1947	18,753	15,831	1,247	474	355	276	207	179	111	47	22	2	2
1946	16,494	13,874	1,167	449	338	245	164	134	74	32	13	-	4
1945	14,989	12,613	1,090	448	297	183	162	86	67	29	13	-	1
1944	15,498	13,249	1,054	403	288	191	128	92	49	27	11	3	3
1943	15,671	13,529	984	409	299	161	97	92	59	30	8	1	2
1942	14,823	12,817	882	396	315	150	116	74	44	16	11	-	2
1941	12,999	11,034	828	422	279	165	103	81	51	28	7	-	1
1940	12,316	10,395	796	429	287	150	107	76	43	23	3	-	7

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CONGENITAL MALFORMATIONS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	9,438	7,269	721	291	228	195	245	192	190	76	27	2	2
1948	9,706	7,993	707	288	227	159	119	97	72	31	12	-	1
1947	10,259	8,691	613	276	225	155	115	93	61	20	7	2	1
1946	9,028	7,601	585	265	202	143	96	68	47	18	2	-	1
1945	8,191	6,905	559	252	166	114	91	45	43	11	5	-	-
1944	8,469	7,283	525	211	158	107	76	59	27	14	5	2	2
1943	8,515	7,383	501	212	176	85	54	52	35	15	2	-	-
1942	8,155	7,116	436	223	182	76	61	31	15	10	3	-	2
1941	7,050	5,975	447	221	158	100	59	49	23	15	3	-	-
1940	6,720	5,729	400	215	164	81	54	41	16	15	2	-	3

CONGENITAL MALFORMATIONS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	7,742	5,972	636	215	167	165	188	182	112	74	29	2	-
1948	7,856	6,424	647	239	133	110	110	95	59	26	11	1	1
1947	8,494	7,140	634	198	130	121	92	86	50	27	15	-	1
1946	7,466	6,273	582	184	136	102	68	66	27	14	11	-	3
1945	6,798	5,708	531	196	131	69	71	41	24	18	8	-	1
1944	7,029	5,966	529	192	130	84	52	33	22	13	6	1	1
1943	7,156	6,146	483	197	123	76	43	40	24	15	6	1	2
1942	6,668	5,701	446	173	133	74	55	43	29	6	8	-	-
1941	5,949	5,059	381	201	121	65	44	32	28	13	4	-	1
1940	5,596	4,666	396	214	123	69	53	35	27	8	1	-	4

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CONGENITAL MALFORMATIONS

ALL OTHER, BOTH SEXES	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown	
Total	1 year	years	and over										
1949	1,684	1,263	156	66	39	46	51	37	16	4	5	1	-
1948	1,684	1,361	136	72	37	21	29	16	7	4	-	-	1
1947	1,562	1,245	140	58	40	27	30	13	5	4	-	-	-
1946	1,255	1,038	84	53	30	18	15	12	3	-	1	-	1
1945	1,198	931	129	54	33	15	15	8	7	5	1	-	-
1944	1,189	956	114	48	25	22	13	8	3	-	-	-	-
1943	1,095	906	86	44	27	15	8	8	1	-	-	-	-
1942	1,044	855	84	48	21	14	11	6	3	2	-	-	-
1941	923	762	67	44	22	9	16	2	1	-	-	-	-
1940	827	643	84	45	22	10	8	13	1	1	-	-	-

CONGENITAL MALFORMATIONS

ALL OTHER, MALE	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown	
Total	1 year	years	and over										
1949	939	720	84	31	21	24	25	18	11	2	3	-	-
1948	943	762	76	40	28	11	10	7	5	3	-	-	1
1947	899	723	78	30	19	16	19	8	4	2	-	-	-
1946	688	566	45	30	19	9	10	6	1	-	1	-	1
1945	650	517	59	25	20	9	9	2	6	3	-	-	-
1944	682	546	63	26	19	14	8	4	2	-	-	-	-
1943	633	528	47	24	14	9	7	4	-	-	-	-	-
1942	574	473	54	18	9	7	6	4	3	-	-	-	-
1941	510	421	39	20	12	8	8	1	1	-	-	-	-
1940	485	375	45	31	14	5	5	8	1	1	-	-	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CONGENITAL MALFORMATIONS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	745	543	72	35	18	22	26	19	5	2	2	1	-
1948	741	599	60	32	9	10	19	9	2	1	-	-	-
1947	663	522	62	28	21	11	11	5	1	2	-	-	-
1946	567	472	39	23	11	9	5	6	2	-	-	-	-
1945	548	414	70	29	13	6	6	6	1	2	1	-	-
1944	507	410	51	22	6	8	5	4	1	-	-	-	-
1943	462	378	39	20	13	6	1	4	1	-	-	-	-
1942	470	382	30	30	12	7	5	2	-	2	-	-	-
1941	413	341	28	24	10	1	8	1	-	-	-	-	-
1940	342	268	39	14	8	5	3	5	-	-	-	-	-

CERTAIN DISEASES OF EARLY INFANCY

ICD Revision	Years in use	ICD Nos.
Sixth	1949	760-776
Fifth	1940-1948	158-161

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	64,179	64,158	15	4	-	-	-	-	-	-	-	-	2
1948	61,543	61,543
1947	65,308	65,308
1946	61,738	61,738
1945	50,779	50,779
1944	52,762	52,762
1943	55,506	55,506
1942	55,401	55,401
1941	53,427	53,427
1940	51,593	51,593

... Not applicable.

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942. Bureau of the Census, Vital statistics of the United States, 1944, part I, pp. 90-143. Washington: Government Printing Office. 1946. Bureau of the Census, Vital statistics of the United States, 1943, part I, pp. 102-155. Washington: Government Printing Office. 1945. Bureau of the Census, Vital statistics of the United States, 1942, part I, pp. 66-109. Washington: Government Printing Office. 1944. Bureau of the Census, Vital statistics of the United States, 1941, part I, pp. 106-149. Washington: Government Printing Office. 1943. Bureau of the Census, Vital statistics of the United States, 1940, part I, pp. 244-252. Washington: Government Printing Office, 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CERTAIN DISEASES OF EARLY INFANCY

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	37,660	37,646	11	2	-	-	-	-	-	-	-	-	1
1948	36,229	36,229
1947	38,387	38,387
1946	36,374	36,374
1945	29,765	29,765
1944	30,597	30,597
1943	32,508	32,508
1942	32,441	32,441
1941	31,102	31,102
1940	30,057	30,057

CERTAIN DISEASES OF EARLY INFANCY

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	26,519	26,512	4	2	-	-	-	-	-	-	-	-	1
1948	25,314	25,314
1947	26,921	26,921
1946	25,364	25,364
1945	21,014	21,014
1944	22,119	22,119
1943	22,998	22,998
1942	23,006	23,006
1941	22,325	22,325
1940	21,536	21,536

... Not applicable.

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942. Bureau of the Census, Vital statistics of the United States, 1944, part I, pp. 90-143. Washington: Government Printing Office. 1946. Bureau of the Census, Vital statistics of the United States, 1943, part I, pp. 102-155. Washington: Government Printing Office. 1945. Bureau of the Census, Vital statistics of the United States, 1942, part I, pp. 66-109. Washington: Government Printing Office. 1944. Bureau of the Census, Vital statistics of the United States, 1941, part I, pp. 106-149. Washington: Government Printing Office. 1943. Bureau of the Census, Vital statistics of the United States, 1940, part I, pp. 244-252. Washington: Government Printing Office, 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CERTAIN DISEASES OF EARLY INFANCY

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	52,575	52,559	11	3	-	-	-	-	-	-	-	-	2
1948	51,467	51,467
1947	55,556	55,556
1946	53,096	53,096
1945	42,960	42,960
1944	44,702	44,702
1943	47,545	47,545
1942	47,411	47,411
1941	44,842	44,842
1940	43,456	43,456

CERTAIN DISEASES OF EARLY INFANCY

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	31,115	31,103	9	2	-	-	-	-	-	-	-	-	1
1948	30,563	30,563
1947	32,916	32,916
1946	31,534	31,534
1945	25,387	25,387
1944	26,191	26,191
1943	28,025	28,025
1942	27,925	27,925
1941	26,277	26,277
1940	25,521	25,521

... Not applicable.

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942. Bureau of the Census, Vital statistics of the United States, 1944, part I, pp. 90-143. Washington: Government Printing Office. 1946. Bureau of the Census, Vital statistics of the United States, 1943, part I, pp. 102-155. Washington: Government Printing Office. 1945. Bureau of the Census, Vital statistics of the United States, 1942, part I, pp. 66-109. Washington: Government Printing Office. 1944. Bureau of the Census, Vital statistics of the United States, 1941, part I, pp. 106-149. Washington: Government Printing Office. 1943. Bureau of the Census, Vital statistics of the United States, 1940, part I, pp. 244-252. Washington: Government Printing Office, 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CERTAIN DISEASES OF EARLY INFANCY

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	21,460	21,456	2	1	-	-	-	-	-	-	-	-	1
1948	20,904	20,904
1947	22,640	22,640
1946	21,562	21,562
1945	17,573	17,573
1944	18,511	18,511
1943	19,520	19,520
1942	19,486	19,486
1941	18,565	18,565
1940	17,935	17,935

CERTAIN DISEASES OF EARLY INFANCY

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	11,604	11,599	4	1	-	-	-	-	-	-	-	-	-
1948	10,076	10,076
1947	9,752	9,752
1946	8,642	8,642
1945	7,819	7,819
1944	8,014	8,014
1943	7,961	7,961
1942	8,036	8,036
1941	8,585	8,585
1940	8,137	8,137

... Not applicable.

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942. Bureau of the Census, Vital statistics of the United States, 1944, part I, pp. 90-143. Washington: Government Printing Office. 1946. Bureau of the Census, Vital statistics of the United States, 1943, part I, pp. 102-155. Washington: Government Printing Office. 1945. Bureau of the Census, Vital statistics of the United States, 1942, part I, pp. 66-109. Washington: Government Printing Office. 1944. Bureau of the Census, Vital statistics of the United States, 1941, part I, pp. 106-149. Washington: Government Printing Office. 1943. Bureau of the Census, Vital statistics of the United States, 1940, part I, pp. 244-252. Washington: Government Printing Office, 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

CERTAIN DISEASES OF EARLY INFANCY

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	6,545	6,543	2	-	-	-	-	-	-	-	-	-	-
1948	5,666	5,666
1947	5,471	5,471
1946	4,840	4,840
1945	4,378	4,378
1944	4,406	4,406
1943	4,483	4,483
1942	4,516	4,516
1941	4,825	4,825
1940	4,536	4,536

CERTAIN DISEASES OF EARLY INFANCY

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	5,059	5,056	2	1	-	-	-	-	-	-	-	-	-
1948	4,410	4,410
1947	4,281	4,281
1946	3,802	3,802
1945	3,441	3,441
1944	3,608	3,608
1943	3,478	3,478
1942	3,520	3,520
1941	3,760	3,760
1940	3,601	3,601

... Not applicable.

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942. Bureau of the Census, Vital statistics of the United States, 1944, part I, pp. 90-143. Washington: Government Printing Office. 1946. Bureau of the Census, Vital statistics of the United States, 1943, part I, pp. 102-155. Washington: Government Printing Office. 1945. Bureau of the Census, Vital statistics of the United States, 1942, part I, pp. 66-109. Washington: Government Printing Office. 1944. Bureau of the Census, Vital statistics of the United States, 1941, part I, pp. 106-149. Washington: Government Printing Office. 1943. Bureau of the Census, Vital statistics of the United States, 1940, part I, pp. 244-252. Washington: Government Printing Office, 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

ICD Revision		Years in use	ICD Nos.											
Sixth		1949	780-795											
Fifth		1940-1948	162,199,200											
ALL RACES, BOTH SEXES		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown	
		1 year	years	years	years	years	years	years	years	years	years	and over		
Total														
1949	23,520	3,811	502	220	350	558	1,126	1,849	2,520	3,502	4,555	4,433	94	
1948	27,291	3,851	502	199	374	623	1,182	2,102	2,764	4,245	5,702	5,659	88	
1947	27,556	4,095	441	195	354	583	1,153	1,988	2,820	4,222	5,825	5,788	92	
1946	27,607	4,129	566	227	428	636	1,168	1,872	2,711	4,016	5,924	5,838	92	
1945	28,981	4,350	606	311	425	694	1,206	1,980	2,798	4,242	6,219	6,048	102	
1944	29,503	4,421	711	299	452	643	1,164	1,878	2,833	4,530	6,227	6,253	92	
1943	31,169	4,978	713	286	500	680	1,171	1,979	2,890	4,619	6,704	6,542	107	
1942	29,876	5,257	734	284	490	773	1,210	1,905	2,790	4,251	6,081	5,963	138	
1941	29,681	5,510	795	327	552	784	1,271	1,956	2,834	4,160	5,860	5,513	119	
1940	31,227	5,683	789	343	597	843	1,320	2,147	2,907	4,374	6,233	5,797	194	

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

ALL RACES, MALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
		1 year	years	and over									
Total													
1949	13,374	2,187	282	122	191	300	673	1,245	1,721	2,202	2,436	1,952	63
1948	15,282	2,126	272	100	194	340	731	1,426	1,900	2,670	3,023	2,443	57
1947	15,478	2,291	238	111	179	292	717	1,315	1,925	2,654	3,078	2,618	60
1946	15,158	2,326	293	122	205	331	685	1,239	1,783	2,449	3,123	2,542	60
1945	15,937	2,473	321	160	194	339	687	1,322	1,888	2,627	3,212	2,641	73
1944	16,065	2,444	382	165	209	284	642	1,190	1,888	2,763	3,274	2,760	64
1943	16,879	2,849	393	162	243	352	677	1,265	1,864	2,693	3,464	2,845	72
1942	16,367	2,950	408	154	218	390	690	1,234	1,833	2,622	3,153	2,620	95
1941	16,171	3,049	413	169	248	386	729	1,206	1,898	2,502	3,056	2,449	66
1940	17,031	3,213	426	190	289	423	728	1,347	1,873	2,638	3,264	2,526	114

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942. Bureau of the Census, Vital statistics of the United States, 1942, part I, pp. 66-109. Washington: Government Printing Office. 1944. Bureau of the Census, Vital statistics of the United States, 1941, part I, pp. 106-149. Washington: Government Printing Office. 1943. Bureau of the Census, Vital statistics of the United States, 1940, part I, pp. 244-252. Washington: Government Printing Office, 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	10,146	1,624	220	98	159	258	453	604	799	1,300	2,119	2,481	31
1948	12,009	1,725	230	99	180	283	451	676	864	1,575	2,679	3,216	31
1947	12,078	1,804	203	84	175	291	436	673	895	1,568	2,747	3,170	32
1946	12,449	1,803	273	105	223	305	483	633	928	1,567	2,801	3,296	32
1945	13,044	1,877	285	151	231	355	519	658	910	1,615	3,007	3,407	29
1944	13,438	1,977	329	134	243	359	522	688	945	1,767	2,953	3,493	28
1943	14,290	2,129	320	124	257	328	494	714	1,026	1,926	3,240	3,697	35
1942	13,509	2,307	326	130	272	383	520	671	957	1,629	2,928	3,343	43
1941	13,510	2,461	382	158	304	398	542	750	936	1,658	2,804	3,064	53
1940	14,196	2,470	363	153	308	420	592	800	1,034	1,736	2,969	3,271	80

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	15,189	1,780	268	110	165	273	621	984	1,555	2,264	3,478	3,647	44
1948	18,419	1,852	257	117	193	348	641	1,172	1,704	2,897	4,505	4,684	49
1947	18,928	2,014	250	102	172	312	641	1,126	1,829	2,889	4,657	4,874	62
1946	19,121	2,025	315	123	208	341	672	1,049	1,756	2,769	4,857	4,941	65
1945	19,932	2,120	316	162	210	339	667	1,120	1,777	3,015	5,102	5,041	63
1944	19,829	2,105	360	141	200	283	571	1,028	1,734	3,164	5,098	5,090	55
1943	20,647	2,334	329	150	216	284	558	1,056	1,788	3,124	5,436	5,312	60
1942	19,285	2,503	364	137	200	341	553	986	1,672	2,815	4,885	4,763	66
1941	18,362	2,476	359	168	224	331	568	986	1,674	2,734	4,540	4,239	63
1940	19,004	2,643	384	162	244	343	557	1,075	1,724	2,725	4,763	4,270	114

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942. Bureau of the Census, Vital statistics of the United States, 1942, part I, pp. 66-109. Washington: Government Printing Office. 1944. Bureau of the Census, Vital statistics of the United States, 1941, part I, pp. 106-149. Washington: Government Printing Office. 1943. Bureau of the Census, Vital statistics of the United States, 1940, part I, pp. 244-252. Washington: Government Printing Office, 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	8,859	1,042	154	63	104	161	430	745	1,169	1,489	1,870	1,595	37
1948	10,489	1,030	137	60	112	205	446	905	1,307	1,875	2,347	2,028	37
1947	10,827	1,131	135	64	107	174	454	837	1,345	1,877	2,458	2,205	40
1946	10,648	1,155	163	66	113	195	450	795	1,245	1,757	2,517	2,149	43
1945	11,050	1,189	169	79	109	179	431	848	1,318	1,907	2,578	2,191	52
1944	10,967	1,184	203	85	110	142	358	753	1,273	1,957	2,629	2,229	44
1943	11,317	1,355	176	82	118	166	371	767	1,266	1,882	2,782	2,307	45
1942	10,649	1,380	193	82	110	198	370	719	1,201	1,789	2,511	2,048	48
1941	10,225	1,356	197	91	116	192	382	720	1,221	1,739	2,320	1,851	40
1940	10,561	1,487	209	92	144	196	364	784	1,241	1,727	2,409	1,833	75

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	6,330	738	114	47	61	112	191	239	386	775	1,608	2,052	7
1948	7,930	822	120	57	81	143	195	267	397	1,022	2,158	2,656	12
1947	8,101	883	115	38	65	138	187	289	484	1,012	2,199	2,669	22
1946	8,473	870	152	57	95	146	222	254	511	1,012	2,340	2,792	22
1945	8,882	931	147	83	101	160	236	272	459	1,108	2,524	2,850	11
1944	8,862	921	157	56	90	141	213	275	461	1,207	2,469	2,861	11
1943	9,330	979	153	68	98	118	187	289	522	1,242	2,654	3,005	15
1942	8,636	1,123	171	55	90	143	183	267	471	1,026	2,374	2,715	18
1941	8,137	1,120	162	77	108	139	186	266	453	995	2,220	2,388	23
1940	8,443	1,156	175	70	100	147	193	291	483	998	2,354	2,437	39

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942. Bureau of the Census, Vital statistics of the United States, 1942, part I, pp. 66-109. Washington: Government Printing Office. 1944. Bureau of the Census, Vital statistics of the United States, 1941, part I, pp. 106-149. Washington: Government Printing Office. 1943. Bureau of the Census, Vital statistics of the United States, 1940, part I, pp. 244-252. Washington: Government Printing Office, 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	8,331	2,031	234	110	185	285	505	865	965	1,238	1,077	786	50
1948	8,872	1,999	245	82	181	275	541	930	1,060	1,348	1,197	975	39
1947	8,628	2,081	191	93	182	271	512	862	991	1,333	1,168	914	30
1946	8,486	2,104	251	104	220	295	496	823	955	1,247	1,067	897	27
1945	9,049	2,230	290	149	215	355	539	860	1,021	1,227	1,117	1,007	39
1944	9,674	2,316	351	158	252	360	593	850	1,099	1,366	1,129	1,163	37
1943	10,522	2,644	384	136	284	396	613	923	1,102	1,495	1,268	1,230	47
1942	10,591	2,754	370	147	290	432	657	919	1,118	1,436	1,196	1,200	72
1941	11,319	3,034	436	159	328	453	703	970	1,160	1,426	1,320	1,274	56
1940	12,223	3,040	405	181	353	500	763	1,072	1,183	1,649	1,470	1,527	80

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	4,515	1,145	128	59	87	139	243	500	552	713	566	357	26
1948	4,793	1,096	135	40	82	135	285	521	593	795	676	415	20
1947	4,651	1,160	103	47	72	118	263	478	580	777	620	413	20
1946	4,510	1,171	130	56	92	136	235	444	538	692	606	393	17
1945	4,887	1,284	152	81	85	160	256	474	570	720	634	450	21
1944	5,098	1,260	179	80	99	142	284	437	615	806	645	531	20
1943	5,562	1,494	217	80	125	186	306	498	598	811	682	538	27
1942	5,718	1,570	215	72	108	192	320	515	632	833	642	572	47
1941	5,946	1,693	216	78	132	194	347	486	677	763	736	598	26
1940	6,470	1,726	217	98	145	227	364	563	632	911	855	693	39

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942. Bureau of the Census, Vital statistics of the United States, 1942, part I, pp. 66-109. Washington: Government Printing Office. 1944. Bureau of the Census, Vital statistics of the United States, 1941, part I, pp. 106-149. Washington: Government Printing Office. 1943. Bureau of the Census, Vital statistics of the United States, 1940, part I, pp. 244-252. Washington: Government Printing Office, 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	3,816	886	106	51	98	146	262	365	413	525	511	429	24
1948	4,079	903	110	42	99	140	256	409	467	553	521	560	19
1947	3,977	921	88	46	110	153	249	384	411	556	548	501	10
1946	3,976	933	121	48	128	159	261	379	417	555	461	504	10
1945	4,162	946	138	68	130	195	283	386	451	507	483	557	18
1944	4,576	1,056	172	78	153	218	309	413	484	560	484	632	17
1943	4,960	1,150	167	56	159	210	307	425	504	684	586	692	20
1942	4,873	1,184	155	75	182	240	337	404	486	603	554	628	25
1941	5,373	1,341	220	81	196	259	356	484	483	663	584	676	30
1940	5,753	1,314	188	83	208	273	399	509	551	738	615	834	41

ACCIDENTS

ICD Revision	Years in use	ICD Nos.
Sixth	1949	E800-E962
Fifth	1940-1948	169-176,178-195

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	90,106	3,730	4,739	5,539	11,522	10,157	9,275	9,008	9,294	9,924	10,761	5,966	191
1948	98,001	3,505	4,882	5,859	12,595	10,441	9,833	9,627	10,182	11,288	12,581	7,026	182
1947	99,579	3,557	4,662	6,069	13,166	10,970	10,185	9,950	10,563	11,469	12,230	6,544	214
1946	98,033	2,915	5,034	6,545	13,366	10,950	9,755	9,942	10,307	11,169	11,724	6,098	228
1945	95,918	2,753	4,988	6,836	12,446	9,737	9,656	9,661	10,436	11,238	11,913	5,942	312
1944	95,237	2,853	5,059	6,704	14,750	10,007	9,108	9,300	9,797	10,465	11,207	5,553	434
1943	99,038	3,068	4,971	6,636	15,278	11,034	9,178	9,863	10,246	10,818	11,716	5,762	468
1942	95,889	2,797	4,423	6,340	13,732	11,270	9,871	10,554	10,210	10,511	10,759	5,089	333
1941	101,513	2,719	4,333	6,702	14,346	12,135	10,848	11,553	10,956	11,506	11,134	5,061	220
1940	96,885	2,623	4,228	6,466	12,763	11,147	10,019	11,041	10,799	11,425	11,217	4,946	211

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942. Bureau of the Census, Vital statistics of the United States, 1942, part I, pp. 66-109. Washington: Government Printing Office. 1944. Bureau of the Census, Vital statistics of the United States, 1941, part I, pp. 106-149. Washington: Government Printing Office. 1943. Bureau of the Census, Vital statistics of the United States, 1940, part I, pp. 244-252. Washington: Government Printing Office, 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ACCIDENTS

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	62,476	2,158	2,804	3,924	9,624	8,510	7,623	7,230	7,125	6,308	4,943	2,066	161
1948	67,082	1,980	2,882	4,147	10,395	8,780	8,053	7,827	7,784	7,021	5,623	2,437	153
1947	68,918	1,997	2,804	4,376	10,831	9,216	8,391	8,089	8,169	7,214	5,453	2,212	166
1946	68,129	1,647	3,014	4,666	10,907	9,179	8,003	8,040	8,000	7,087	5,258	2,128	200
1945	66,339	1,565	2,932	4,975	10,191	8,053	7,939	7,902	8,160	7,061	5,308	1,970	283
1944	67,061	1,649	2,953	4,886	12,696	8,437	7,573	7,667	7,655	6,473	4,784	1,910	378
1943	70,626	1,783	2,944	4,748	13,481	9,566	7,694	8,153	8,044	6,643	5,100	2,032	438
1942	68,474	1,581	2,524	4,660	11,600	9,572	8,349	8,828	8,051	6,522	4,699	1,781	307
1941	72,060	1,571	2,517	4,820	11,770	10,195	9,141	9,474	8,396	7,210	5,029	1,740	197
1940	67,574	1,447	2,461	4,614	10,341	9,246	8,354	9,070	8,236	6,976	4,943	1,713	173

ACCIDENTS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	27,630	1,572	1,935	1,615	1,898	1,647	1,652	1,778	2,169	3,616	5,818	3,900	30
1948	30,919	1,525	2,000	1,712	2,200	1,661	1,780	1,800	2,398	4,267	6,958	4,589	29
1947	30,661	1,560	1,858	1,693	2,335	1,754	1,794	1,861	2,394	4,255	6,777	4,332	48
1946	29,904	1,268	2,020	1,879	2,459	1,771	1,752	1,902	2,307	4,082	6,466	3,970	28
1945	29,579	1,188	2,056	1,861	2,255	1,684	1,717	1,759	2,276	4,177	6,605	3,972	29
1944	28,176	1,204	2,106	1,818	2,054	1,570	1,535	1,633	2,142	3,992	6,423	3,643	56
1943	28,412	1,285	2,027	1,888	1,797	1,468	1,484	1,710	2,202	4,175	6,616	3,730	30
1942	27,415	1,216	1,899	1,680	2,132	1,698	1,522	1,726	2,159	3,989	6,060	3,308	26
1941	29,453	1,148	1,816	1,882	2,576	1,940	1,707	2,079	2,560	4,296	6,105	3,321	23
1940	29,311	1,176	1,767	1,852	2,422	1,901	1,665	1,971	2,563	4,449	6,274	3,233	38

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951.

National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950.

National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949.

National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ACCIDENTS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	79,678	2,857	3,900	4,667	10,103	8,677	7,893	7,711	8,425	9,175	10,324	5,794	152
1948	87,128	2,678	4,041	4,955	11,068	8,943	8,327	8,255	9,199	10,529	12,141	6,843	149
1947	88,858	2,792	3,861	5,133	11,566	9,479	8,725	8,630	9,556	10,717	11,855	6,361	183
1946	87,567	2,334	4,135	5,496	11,841	9,454	8,316	8,661	9,359	10,473	11,367	5,950	181
1945	86,071	2,146	4,169	5,882	11,104	8,441	8,231	8,438	9,533	10,544	11,536	5,782	265
1944	85,392	2,267	4,166	5,681	13,314	8,719	7,783	8,094	8,973	9,828	10,865	5,395	307
1943	89,106	2,472	4,122	5,664	13,671	9,687	7,886	8,709	9,402	10,117	11,361	5,593	422
1942	85,713	2,218	3,699	5,379	12,054	9,741	8,393	9,333	9,381	9,869	10,447	4,926	273
1941	90,625	2,116	3,660	5,740	12,534	10,394	9,216	10,232	10,031	10,817	10,809	4,914	162
1940	86,499	2,013	3,585	5,520	11,043	9,513	8,607	9,804	9,923	10,730	10,865	4,732	164

ACCIDENTS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	54,876	1,682	2,330	3,324	8,461	7,296	6,494	6,214	6,465	5,804	4,688	1,992	126
1948	59,143	1,515	2,446	3,563	9,143	7,561	6,824	6,702	7,043	6,512	5,360	2,345	129
1947	61,107	1,603	2,367	3,722	9,533	8,032	7,193	7,046	7,410	6,702	5,225	2,137	137
1946	60,487	1,350	2,502	3,964	9,716	7,942	6,844	7,017	7,262	6,611	5,061	2,056	162
1945	59,208	1,235	2,474	4,336	9,125	7,005	6,783	6,924	7,467	6,615	5,101	1,899	244
1944	59,897	1,343	2,478	4,163	11,519	7,420	6,503	6,678	7,047	6,040	4,604	1,840	262
1943	63,381	1,456	2,484	4,079	12,130	8,483	6,630	7,234	7,418	6,191	4,919	1,956	401
1942	60,906	1,281	2,134	3,990	10,214	8,308	7,134	7,827	7,426	6,097	4,532	1,708	255
1941	63,842	1,252	2,171	4,155	10,263	8,748	7,781	8,397	7,676	6,746	4,828	1,680	145
1940	59,982	1,104	2,109	3,956	8,979	7,937	7,200	8,079	7,593	6,517	4,750	1,618	140

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ACCIDENTS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	24,802	1,175	1,570	1,343	1,642	1,381	1,399	1,497	1,960	3,371	5,636	3,802	26
1948	27,985	1,163	1,595	1,392	1,925	1,382	1,503	1,553	2,156	4,017	6,781	4,498	20
1947	27,751	1,189	1,494	1,411	2,033	1,447	1,532	1,584	2,146	4,015	6,630	4,224	46
1946	27,080	984	1,633	1,532	2,125	1,512	1,472	1,644	2,097	3,862	6,306	3,894	19
1945	26,863	911	1,695	1,546	1,979	1,436	1,448	1,514	2,066	3,929	6,435	3,883	21
1944	25,495	924	1,688	1,518	1,795	1,299	1,280	1,416	1,926	3,788	6,261	3,555	45
1943	25,725	1,016	1,638	1,585	1,541	1,204	1,256	1,475	1,984	3,926	6,442	3,637	21
1942	24,807	937	1,565	1,389	1,840	1,433	1,259	1,506	1,955	3,772	5,915	3,218	18
1941	26,783	864	1,489	1,585	2,271	1,646	1,435	1,835	2,355	4,071	5,981	3,234	17
1940	26,517	909	1,476	1,564	2,064	1,576	1,407	1,725	2,330	4,213	6,115	3,114	24

ACCIDENTS

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	10,428	873	839	872	1,419	1,480	1,382	1,297	869	749	437	172	39
1948	10,873	827	841	904	1,527	1,498	1,506	1,372	983	759	440	183	33
1947	10,721	765	801	936	1,600	1,491	1,460	1,320	1,007	752	375	183	31
1946	10,466	581	899	1,049	1,525	1,496	1,439	1,281	948	696	357	148	47
1945	9,847	607	819	954	1,342	1,296	1,425	1,223	903	694	377	160	47
1944	9,845	586	893	1,023	1,436	1,288	1,325	1,206	824	637	342	158	127
1943	9,932	596	849	972	1,607	1,347	1,292	1,154	844	701	355	169	46
1942	10,176	579	724	961	1,678	1,529	1,478	1,221	829	642	312	163	60
1941	10,888	603	673	962	1,812	1,741	1,632	1,321	925	689	325	147	58
1940	10,386	610	643	946	1,720	1,634	1,412	1,237	876	695	352	214	47

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951.

National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950.

National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949.

National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ACCIDENTS

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	7,600	476	474	600	1,163	1,214	1,129	1,016	660	504	255	74	35
1948	7,939	465	436	584	1,252	1,219	1,229	1,125	741	509	263	92	24
1947	7,811	394	437	654	1,298	1,184	1,198	1,043	759	512	228	75	29
1946	7,642	297	512	702	1,191	1,237	1,159	1,023	738	476	197	72	38
1945	7,131	330	458	639	1,066	1,048	1,156	978	693	446	207	71	39
1944	7,164	306	475	723	1,177	1,017	1,070	989	608	433	180	70	116
1943	7,245	327	460	669	1,351	1,083	1,064	919	626	452	181	76	37
1942	7,568	300	390	670	1,386	1,264	1,215	1,001	625	425	167	73	52
1941	8,218	319	346	665	1,507	1,447	1,360	1,077	720	464	201	60	52
1940	7,592	343	352	658	1,362	1,309	1,154	991	643	459	193	95	33

ACCIDENTS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,828	397	365	272	256	266	253	281	209	245	182	98	4
1948	2,934	362	405	320	275	279	277	247	242	250	177	91	9
1947	2,910	371	364	282	302	307	262	277	248	240	147	108	2
1946	2,824	284	387	347	334	259	280	258	210	220	160	76	9
1945	2,716	277	361	315	276	248	269	245	210	248	170	89	8
1944	2,681	280	418	300	259	271	255	217	216	204	162	88	11
1943	2,687	269	389	303	256	264	228	235	218	249	174	93	9
1942	2,608	279	334	291	292	265	263	220	204	217	145	90	8
1941	2,670	284	327	297	305	294	272	244	205	225	124	87	6
1940	2,794	267	291	288	358	325	258	246	233	236	159	119	14

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951.

National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950.

National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949.

National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MOTOR-VEHICLE ACCIDENTS

	ICD Revision Sixth Fifth	Years in use 1949 1940-1948	ICD Nos. E810-E835 170	MOTOR-VEHICLE ACCIDENTS											Unknown	
				Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years		
				1 year	years	and over										
ALL RACES, BOTH SEXES	Total															
1949	31,701	211	1,456	2,158	6,772	5,092	3,800	3,490	3,583	3,116	1,669	293	61			
1948	32,259	187	1,448	2,337	7,218	4,850	3,852	3,555	3,635	3,173	1,703	265	36			
1947	32,697	172	1,330	2,275	7,251	4,899	3,876	3,689	3,779	3,332	1,777	288	29			
1946	33,411	151	1,417	2,508	7,445	5,194	3,761	3,752	3,780	3,304	1,754	310	35			
1945	28,076	109	1,181	2,386	5,358	4,028	3,550	3,360	3,434	2,933	1,469	212	56			
1944	24,282	95	1,108	2,093	4,561	3,499	3,015	2,947	3,035	2,532	1,201	152	44			
1943	23,823	108	1,024	1,959	4,522	3,558	2,896	3,057	2,939	2,363	1,151	195	51			
1942	28,309	97	972	1,991	5,932	4,301	3,446	3,686	3,568	2,812	1,249	194	61			
1941	39,969	176	1,202	2,838	8,414	6,210	4,859	5,102	4,727	4,125	1,957	285	74			
1940	34,501	120	1,056	2,584	6,846	5,290	4,072	4,521	4,361	3,596	1,734	252	69			

MOTOR-VEHICLE ACCIDENTS

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown														
														1949	24,292	111	858	1,493	5,552	4,175	3,008	2,665	2,652	2,285	1,214	228	51
														1948	24,881	96	866	1,616	5,830	4,010	3,020	2,752	2,743	2,430	1,283	207	28
1947	25,355	102	788	1,568	5,840	4,075	3,072	2,845	2,908	2,575	1,332	225	25														
1946	25,960	85	873	1,729	5,956	4,255	3,023	2,937	2,940	2,550	1,334	251	27														
1945	21,867	58	728	1,699	4,100	3,236	2,846	2,711	2,790	2,347	1,137	167	48														
1944	19,063	56	658	1,488	3,548	2,822	2,491	2,403	2,495	2,018	923	124	37														
1943	19,052	61	635	1,396	3,650	2,991	2,385	2,518	2,405	1,896	920	150	45														
1942	22,498	57	577	1,445	4,752	3,554	2,826	2,978	2,929	2,207	967	150	56														
1941	30,905	99	711	2,008	6,632	5,037	3,913	4,007	3,675	3,091	1,454	212	66														
1940	26,616	58	639	1,787	5,382	4,297	3,243	3,587	3,393	2,685	1,289	196	60														

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951.

National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950.

National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949.

National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MOTOR-VEHICLE ACCIDENTS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	7,409	100	598	665	1,220	917	792	825	931	831	455	65	10
1948	7,378	91	582	721	1,388	840	832	803	892	743	420	58	8
1947	7,342	70	542	707	1,411	824	804	844	871	757	445	63	4
1946	7,451	66	544	779	1,489	939	738	815	840	754	420	59	8
1945	6,209	51	453	687	1,258	792	704	649	644	586	332	45	8
1944	5,219	39	450	605	1,013	677	524	544	540	514	278	28	7
1943	4,771	47	389	563	872	567	511	539	534	467	231	45	6
1942	5,811	40	395	546	1,180	747	620	708	639	605	282	44	5
1941	9,064	77	491	830	1,782	1,173	946	1,095	1,052	1,034	503	73	8
1940	7,885	62	417	797	1,464	993	829	934	968	911	445	56	9

MOTOR-VEHICLE ACCIDENTS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	28,342	191	1,295	1,888	6,154	4,421	3,267	3,018	3,301	2,899	1,581	277	50
1948	29,074	168	1,299	2,091	6,624	4,278	3,325	3,095	3,323	2,975	1,614	255	27
1947	29,710	157	1,207	2,045	6,662	4,381	3,398	3,261	3,479	3,120	1,703	274	23
1946	30,285	138	1,262	2,215	6,848	4,637	3,264	3,317	3,475	3,123	1,683	297	26
1945	25,464	96	1,068	2,162	4,911	3,587	3,093	2,979	3,162	2,755	1,402	205	44
1944	21,812	82	992	1,847	4,125	3,039	2,616	2,597	2,828	2,363	1,145	143	35
1943	21,466	102	917	1,751	4,092	3,128	2,517	2,718	2,704	2,207	1,104	187	39
1942	25,516	90	879	1,767	5,382	3,735	2,990	3,277	3,315	2,659	1,201	179	42
1941	35,955	151	1,097	2,513	7,601	5,442	4,185	4,552	4,348	3,866	1,876	271	53
1940	31,304	107	964	2,314	6,220	4,658	3,569	4,047	4,065	3,400	1,672	231	57

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951.

National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950.

National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949.

National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MOTOR-VEHICLE ACCIDENTS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	21,642	98	764	1,300	5,054	3,626	2,564	2,295	2,429	2,115	1,143	213	41
1948	22,343	80	778	1,448	5,359	3,540	2,590	2,367	2,482	2,268	1,210	200	21
1947	22,959	94	713	1,408	5,370	3,654	2,663	2,497	2,664	2,391	1,272	214	19
1946	23,506	80	780	1,531	5,495	3,788	2,618	2,581	2,691	2,403	1,280	238	21
1945	19,780	53	657	1,540	3,750	2,877	2,462	2,397	2,555	2,211	1,080	160	38
1944	17,073	50	582	1,306	3,196	2,452	2,158	2,108	2,323	1,875	877	116	30
1943	17,095	58	559	1,240	3,291	2,646	2,061	2,216	2,207	1,760	879	142	36
1942	20,222	52	514	1,286	4,301	3,088	2,449	2,628	2,713	2,081	933	138	39
1941	27,657	86	646	1,772	5,973	4,404	3,348	3,548	3,361	2,876	1,394	202	47
1940	24,063	52	586	1,600	4,862	3,790	2,831	3,197	3,155	2,525	1,236	180	49

MOTOR-VEHICLE ACCIDENTS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	6,700	93	531	588	1,100	795	703	723	872	784	438	64	9
1948	6,731	88	521	643	1,265	738	735	728	841	707	404	55	6
1947	6,751	63	494	637	1,292	727	735	764	815	729	431	60	4
1946	6,779	58	482	684	1,353	849	646	736	784	720	403	59	5
1945	5,684	43	411	622	1,161	710	631	582	607	544	322	45	6
1944	4,739	32	410	541	929	587	458	489	505	488	268	27	5
1943	4,371	44	358	511	801	482	456	502	497	447	225	45	3
1942	5,294	38	365	481	1,081	647	541	649	602	578	268	41	3
1941	8,298	65	451	741	1,628	1,038	837	1,004	987	990	482	69	6
1940	7,241	55	378	714	1,358	868	738	850	910	875	436	51	8

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951.

National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950.

National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949.

National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MOTOR-VEHICLE ACCIDENTS

ALL OTHER, BOTH SEXES		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
	Total	1 year	years	and over									
1949	3,359	20	161	270	618	671	533	472	282	217	88	16	11
1948	3,185	19	149	246	594	572	527	460	312	198	89	10	9
1947	2,987	15	123	230	589	518	478	428	300	212	74	14	6
1946	3,126	13	155	293	597	557	497	435	305	181	71	13	9
1945	2,612	13	113	224	447	441	457	381	272	178	67	7	12
1944	2,470	13	116	246	436	460	399	350	207	169	56	9	9
1943	2,357	6	107	208	430	430	379	339	235	156	47	8	12
1942	2,793	7	93	224	550	566	456	409	253	153	48	15	19
1941	4,014	25	105	325	813	768	674	550	379	259	81	14	21
1940	3,197	13	92	270	626	632	503	474	296	196	62	21	12

MOTOR-VEHICLE ACCIDENTS

ALL OTHER, MALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
	Total	1 year	years	and over									
1949	2,650	13	94	193	498	549	444	370	223	170	71	15	10
1948	2,538	16	88	168	471	470	430	385	261	162	73	7	7
1947	2,396	8	75	160	470	421	409	348	244	184	60	11	6
1946	2,454	5	93	198	461	467	405	356	249	147	54	13	6
1945	2,087	5	71	159	350	359	384	314	235	136	57	7	10
1944	1,990	6	76	182	352	370	333	295	172	143	46	8	7
1943	1,957	3	76	156	359	345	324	302	198	136	41	8	9
1942	2,276	5	63	159	451	466	377	350	216	126	34	12	17
1941	3,248	13	65	236	659	633	565	459	314	215	60	10	19
1940	2,553	6	53	187	520	507	412	390	238	160	53	16	11

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951.

National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950.

National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949.

National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

MOTOR-VEHICLE ACCIDENTS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	709	7	67	77	120	122	89	102	59	47	17	1	1
1948	647	3	61	78	123	102	97	75	51	36	16	3	2
1947	591	7	48	70	119	97	69	80	56	28	14	3	-
1946	672	8	62	95	136	90	92	79	56	34	17	-	3
1945	525	8	42	65	97	82	73	67	37	42	10	-	2
1944	480	7	40	64	84	90	66	55	35	26	10	1	2
1943	400	3	31	52	71	85	55	37	37	20	6	-	3
1942	517	2	30	65	99	100	79	59	37	27	14	3	2
1941	766	12	40	89	154	135	109	91	65	44	21	4	2
1940	644	7	39	83	106	125	91	84	58	36	9	5	1

ALL OTHER ACCIDENTS

ICD Revision	Years in use	ICD Nos.
Sixth	1949	E800-E802,E840-E962
Fifth	1940-1948	169,171-176,178-195

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	58,405	3,519	3,283	3,381	4,750	5,065	5,475	5,518	5,711	6,808	9,092	5,673	130
1948	65,742	3,318	3,434	3,522	5,377	5,591	5,981	6,072	6,547	8,115	10,878	6,761	146
1947	66,882	3,385	3,332	3,794	5,915	6,071	6,309	6,261	6,784	8,137	10,453	6,256	185
1946	64,622	2,764	3,617	4,037	5,921	5,756	5,994	6,190	6,527	7,865	9,970	5,788	193
1945	67,842	2,644	3,807	4,450	7,088	5,709	6,106	6,301	7,002	8,305	10,444	5,730	256
1944	70,955	2,758	3,951	4,611	10,189	6,508	6,093	6,353	6,762	7,933	10,006	5,401	390
1943	75,215	2,960	3,947	4,677	10,756	7,476	6,282	6,806	7,307	8,455	10,565	5,567	417
1942	67,580	2,700	3,451	4,349	7,800	6,969	6,425	6,868	6,642	7,699	9,510	4,895	272
1941	61,544	2,543	3,131	3,864	5,932	5,925	5,989	6,451	6,229	7,381	9,177	4,776	146
1940	62,384	2,503	3,172	3,882	5,917	5,857	5,947	6,520	6,438	7,829	9,483	4,694	142

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ALL OTHER ACCIDENTS

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	38,184	2,047	1,946	2,431	4,072	4,335	4,615	4,565	4,473	4,023	3,729	1,838	110
1948	42,201	1,884	2,016	2,531	4,565	4,770	5,033	5,075	5,041	4,591	4,340	2,230	125
1947	43,563	1,895	2,016	2,808	4,991	5,141	5,319	5,244	5,261	4,639	4,121	1,987	141
1946	42,169	1,562	2,141	2,937	4,951	4,924	4,980	5,103	5,060	4,537	3,924	1,877	173
1945	44,472	1,507	2,204	3,276	6,091	4,817	5,093	5,191	5,370	4,714	4,171	1,803	235
1944	47,998	1,593	2,295	3,398	9,148	5,615	5,082	5,264	5,160	4,455	3,861	1,786	341
1943	51,574	1,722	2,309	3,352	9,831	6,575	5,309	5,635	5,639	4,747	4,180	1,882	393
1942	45,976	1,524	1,947	3,215	6,848	6,018	5,523	5,850	5,122	4,315	3,732	1,631	251
1941	41,155	1,472	1,806	2,812	5,138	5,158	5,228	5,467	4,721	4,119	3,575	1,528	131
1940	40,958	1,389	1,822	2,827	4,959	4,949	5,111	5,483	4,843	4,291	3,654	1,517	113

ALL OTHER ACCIDENTS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	20,221	1,337	1,472	950	678	730	860	953	1,238	2,785	5,363	3,835	20
1948	23,541	1,434	1,418	991	812	821	948	997	1,506	3,524	6,538	4,531	21
1947	23,319	1,490	1,316	986	924	930	990	1,017	1,523	3,498	6,332	4,269	44
1946	22,453	1,202	1,476	1,100	970	832	1,014	1,087	1,467	3,328	6,046	3,911	20
1945	23,370	1,137	1,603	1,174	997	892	1,013	1,110	1,632	3,591	6,273	3,927	21
1944	22,957	1,165	1,656	1,213	1,041	893	1,011	1,089	1,602	3,478	6,145	3,615	49
1943	23,641	1,238	1,638	1,325	925	901	973	1,171	1,668	3,708	6,385	3,685	24
1942	21,604	1,176	1,504	1,134	952	951	902	1,018	1,520	3,384	5,778	3,264	21
1941	20,389	1,071	1,325	1,052	794	767	761	984	1,508	3,262	5,602	3,248	15
1940	21,426	1,114	1,350	1,055	958	908	836	1,037	1,595	3,538	5,829	3,177	29

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951.

National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950.

National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949.

National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service. 1948.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ALL OTHER ACCIDENTS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	51,336	2,666	2,605	2,779	3,949	4,256	4,626	4,693	5,124	6,276	8,743	5,517	102
1948	58,054	2,510	2,742	2,864	4,444	4,665	5,002	5,160	5,876	7,554	10,527	6,588	122
1947	59,148	2,635	2,654	3,088	4,904	5,098	5,327	5,369	6,077	7,597	10,152	6,087	160
1946	57,282	2,196	2,873	3,281	4,993	4,817	5,052	5,344	5,884	7,350	9,684	5,653	155
1945	60,607	2,050	3,101	3,720	6,193	4,854	5,138	5,459	6,371	7,789	10,134	5,577	221
1944	63,580	2,185	3,174	3,834	9,189	5,680	5,167	5,497	6,145	7,465	9,720	5,252	272
1943	67,640	2,370	3,205	3,913	9,579	6,559	5,369	5,991	6,698	7,910	10,257	5,406	383
1942	60,197	2,128	2,820	3,612	6,672	6,006	5,403	6,056	6,066	7,210	9,246	4,747	231
1941	54,670	1,965	2,563	3,227	4,933	4,952	5,031	5,680	5,683	6,951	8,933	4,643	109
1940	55,195	1,906	2,621	3,206	4,823	4,855	5,038	5,757	5,858	7,330	9,193	4,501	107

ALL OTHER ACCIDENTS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	33,234	1,584	1,566	2,024	3,407	3,670	3,930	3,919	4,036	3,689	3,545	1,779	85
1948	36,800	1,435	1,668	2,115	3,784	4,021	4,234	4,335	4,561	4,244	4,150	2,145	108
1947	38,148	1,509	1,654	2,314	4,163	4,378	4,530	4,549	4,746	4,311	3,953	1,923	118
1946	36,981	1,270	1,722	2,433	4,221	4,154	4,226	4,436	4,571	4,208	3,781	1,818	141
1945	39,428	1,182	1,817	2,796	5,375	4,128	4,321	4,527	4,912	4,404	4,021	1,739	206
1944	42,824	1,293	1,896	2,857	8,323	4,968	4,345	4,570	4,724	4,165	3,727	1,724	232
1943	46,286	1,398	1,925	2,839	8,839	5,837	4,569	5,018	5,211	4,431	4,040	1,814	365
1942	40,684	1,229	1,620	2,704	5,913	5,220	4,685	5,199	4,713	4,016	3,599	1,570	216
1941	36,185	1,166	1,525	2,383	4,290	4,344	4,433	4,849	4,315	3,870	3,434	1,478	98
1940	35,919	1,052	1,523	2,356	4,117	4,147	4,369	4,882	4,438	3,992	3,514	1,438	91

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951.

National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950.

National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949.

National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ALL OTHER ACCIDENTS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	18,102	1,082	1,039	755	542	586	696	774	1,088	2,587	5,198	3,738	17
1948	21,254	1,075	1,074	749	660	644	768	825	1,315	3,310	6,377	4,443	14
1947	21,000	1,126	1,000	774	741	720	797	820	1,331	3,286	6,199	4,164	42
1946	20,301	926	1,151	848	772	663	826	908	1,313	3,142	5,903	3,835	14
1945	21,179	868	1,284	924	818	726	817	932	1,459	3,385	6,113	3,838	15
1944	20,756	892	1,278	977	866	712	822	927	1,421	3,300	5,993	3,528	40
1943	21,354	972	1,280	1,074	740	722	800	973	1,487	3,479	6,217	3,592	18
1942	19,513	899	1,200	908	759	786	718	857	1,353	3,194	5,647	3,177	15
1941	18,485	799	1,038	844	643	608	598	831	1,368	3,081	5,499	3,165	11
1940	19,276	854	1,098	850	706	708	669	875	1,420	3,338	5,679	3,063	16

ALL OTHER ACCIDENTS

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	7,069	853	678	602	801	809	849	825	587	532	349	156	28
1948	7,688	808	692	658	933	926	979	912	671	561	351	173	24
1947	7,734	750	678	706	1,011	973	982	892	707	540	301	169	25
1946	7,340	568	744	756	928	939	942	846	643	515	286	135	38
1945	7,235	594	706	730	895	855	968	842	631	516	310	153	35
1944	7,375	573	777	777	1,000	828	926	856	617	468	286	149	118
1943	7,575	590	742	764	1,177	917	913	815	609	545	308	161	34
1942	7,383	572	631	737	1,128	963	1,022	812	576	489	264	148	41
1941	6,874	578	568	637	999	973	958	771	546	430	244	133	37
1940	7,189	597	551	676	1,094	1,002	909	763	580	499	290	193	35

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951.

National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950.

National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949.

National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

ALL OTHER ACCIDENTS

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	4,950	463	380	407	665	665	685	646	437	334	184	59	25
1948	5,401	449	348	416	781	749	799	740	480	347	190	85	17
1947	5,415	386	362	494	828	763	789	695	515	328	168	64	23
1946	5,188	292	419	504	730	770	754	667	489	329	143	59	32
1945	5,044	325	387	480	716	689	772	664	458	310	150	64	29
1944	5,174	300	399	541	825	647	737	694	436	290	134	62	109
1943	5,288	324	384	513	992	738	740	617	428	316	140	68	28
1942	5,292	295	327	511	935	798	838	651	409	299	133	61	35
1941	4,970	306	281	429	848	814	795	618	406	249	141	50	33
1940	5,039	337	299	471	842	802	742	601	405	299	140	79	22

ALL OTHER ACCIDENTS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,119	390	298	195	136	144	164	179	150	198	165	97	3
1948	2,287	359	344	242	152	177	180	172	191	214	161	88	7
1947	2,319	364	316	212	183	210	193	197	192	212	133	105	2
1946	2,152	276	325	252	198	169	188	179	154	186	143	76	6
1945	2,191	269	319	250	179	166	196	178	173	206	160	89	6
1944	2,201	273	378	236	175	181	189	162	181	178	152	87	9
1943	2,287	266	358	251	185	179	173	198	181	229	168	93	6
1942	2,091	277	304	226	193	165	184	161	167	190	131	87	6
1941	1,904	272	287	208	151	159	163	153	140	181	103	83	4
1940	2,150	260	252	205	252	200	167	162	175	200	150	114	13

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951.

National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950.

National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949.

National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

SUICIDE

ICD Revision Years in use ICD Nos.
Sixth 1949 E963,E970-E979
Fifth 1940-1948 163,164

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	16,993	-	-	56	1,015	2,069	3,188	3,551	3,628	2,328	955	180	23
1948	16,354	-	-	47	1,072	2,091	3,004	3,546	3,339	2,161	925	157	12
1947	16,538	-	-	60	1,047	2,164	3,073	3,513	3,346	2,166	998	155	16
1946	16,152	-	-	67	1,162	2,256	3,055	3,480	3,172	1,973	817	155	15
1945	14,782	-	-	50	951	2,025	2,864	3,188	2,821	1,910	831	117	25
1944	13,231	-	-	46	919	1,845	2,542	2,797	2,521	1,650	791	108	12
1943	13,725	-	-	59	1,029	1,928	2,487	2,808	2,697	1,785	787	120	25
1942	16,117	-	-	55	1,193	2,486	3,044	3,371	3,146	1,879	813	105	25
1941	17,102	-	-	45	1,366	2,688	3,187	3,639	3,224	2,024	796	114	19
1940	18,907	-	-	49	1,462	2,882	3,549	4,300	3,639	2,119	780	100	27

SUICIDE

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	13,209	-	-	41	729	1,493	2,369	2,724	2,918	1,928	830	157	20
1948	12,505	-	-	41	737	1,468	2,133	2,700	2,707	1,796	776	136	11
1947	12,560	-	-	52	733	1,499	2,220	2,595	2,711	1,736	869	132	13
1946	12,074	-	-	55	783	1,571	2,170	2,566	2,493	1,596	695	132	13
1945	10,754	-	-	41	612	1,293	1,994	2,279	2,191	1,526	695	104	19
1944	9,497	-	-	36	549	1,200	1,730	2,005	1,898	1,318	654	96	11
1943	10,014	-	-	43	672	1,298	1,732	2,012	2,040	1,414	670	109	24
1942	12,189	-	-	41	809	1,734	2,223	2,508	2,528	1,566	665	94	21
1941	12,903	-	-	27	892	1,859	2,308	2,721	2,592	1,689	697	102	16
1940	14,466	-	-	42	1,000	2,009	2,580	3,314	3,003	1,731	677	87	23

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951.

National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950.

National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949.

National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947.

National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943.

Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

SUICIDE

ALL RACES, FEMALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
Total		1 year	years	and over									
1949	3,784	-	-	15	286	576	819	827	710	400	125	23	3
1948	3,849	-	-	6	335	623	871	846	632	365	149	21	1
1947	3,978	-	-	8	314	665	853	918	635	430	129	23	3
1946	4,078	-	-	12	379	685	885	914	679	377	122	23	2
1945	4,028	-	-	9	339	732	870	909	630	384	136	13	6
1944	3,734	-	-	10	370	645	812	792	623	332	137	12	1
1943	3,711	-	-	16	357	630	755	796	657	371	117	11	1
1942	3,928	-	-	14	384	752	821	863	618	313	148	11	4
1941	4,199	-	-	18	474	829	879	918	632	335	99	12	3
1940	4,441	-	-	7	462	873	969	986	636	388	103	13	4

SUICIDE

WHITE, BOTH SEXES		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Unknown
Total		1 year	years	and over									
1949	16,330	-	-	52	935	1,921	3,040	3,437	3,533	2,278	938	177	19
1948	15,720	-	-	46	984	1,944	2,851	3,418	3,280	2,116	913	156	12
1947	15,929	-	-	54	948	2,021	2,933	3,429	3,270	2,124	983	153	14
1946	15,573	-	-	64	1,069	2,112	2,936	3,380	3,099	1,940	806	154	13
1945	14,294	-	-	50	868	1,907	2,757	3,109	2,772	1,877	817	115	22
1944	12,808	-	-	43	849	1,746	2,453	2,726	2,464	1,627	783	106	11
1943	13,306	-	-	53	948	1,826	2,401	2,749	2,642	1,767	778	119	23
1942	15,572	-	-	50	1,092	2,339	2,924	3,301	3,077	1,855	806	105	23
1941	16,536	-	-	42	1,267	2,547	3,071	3,534	3,165	1,994	786	112	18
1940	18,284	-	-	43	1,353	2,720	3,423	4,181	3,582	2,084	775	97	26

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

SUICIDE

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	12,668	-	-	40	672	1,377	2,250	2,627	2,834	1,883	815	154	16
1948	11,989	-	-	41	674	1,361	2,007	2,589	2,652	1,755	764	135	11
1947	12,076	-	-	47	670	1,395	2,107	2,524	2,642	1,696	854	130	11
1946	11,631	-	-	52	722	1,462	2,081	2,491	2,430	1,567	684	131	11
1945	10,374	-	-	41	559	1,209	1,911	2,211	2,147	1,494	683	102	17
1944	9,176	-	-	34	506	1,127	1,662	1,947	1,846	1,301	648	95	10
1943	9,688	-	-	38	613	1,216	1,673	1,963	1,993	1,398	664	108	22
1942	11,783	-	-	38	747	1,635	2,132	2,452	2,464	1,544	658	94	19
1941	12,458	-	-	26	828	1,749	2,210	2,635	2,542	1,663	689	101	15
1940	13,990	-	-	36	936	1,888	2,483	3,215	2,951	1,701	673	85	22

SUICIDE

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	3,662	-	-	12	263	544	790	810	699	395	123	23	3
1948	3,731	-	-	5	310	583	844	829	628	361	149	21	1
1947	3,853	-	-	7	278	626	826	905	628	428	129	23	3
1946	3,942	-	-	12	347	650	855	889	669	373	122	23	2
1945	3,920	-	-	9	309	698	846	898	625	383	134	13	5
1944	3,632	-	-	9	343	619	791	779	618	326	135	11	1
1943	3,618	-	-	15	335	610	728	786	649	369	114	11	1
1942	3,789	-	-	12	345	704	792	849	613	311	148	11	4
1941	4,078	-	-	16	439	798	861	899	623	331	97	11	3
1940	4,294	-	-	7	417	832	940	966	631	383	102	12	4

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

SUICIDE

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	663	-	-	4	80	148	148	114	95	50	17	3	4
1948	634	-	-	1	88	147	153	128	59	45	12	1	-
1947	609	-	-	6	99	143	140	84	76	42	15	2	2
1946	579	-	-	3	93	144	119	100	73	33	11	1	2
1945	488	-	-	-	83	118	107	79	49	33	14	2	3
1944	423	-	-	3	70	99	89	71	57	23	8	2	1
1943	419	-	-	6	81	102	86	59	55	18	9	1	2
1942	545	-	-	5	101	147	120	70	69	24	7	-	2
1941	566	-	-	3	99	141	116	105	59	30	10	2	1
1940	623	-	-	6	109	162	126	119	57	35	5	3	1

SUICIDE

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	541	-	-	1	57	116	119	97	84	45	15	3	4
1948	516	-	-	-	63	107	126	111	55	41	12	1	-
1947	484	-	-	5	63	104	113	71	69	40	15	2	2
1946	443	-	-	3	61	109	89	75	63	29	11	1	2
1945	380	-	-	-	53	84	83	68	44	32	12	2	2
1944	321	-	-	2	43	73	68	58	52	17	6	1	1
1943	326	-	-	5	59	82	59	49	47	16	6	1	2
1942	406	-	-	3	62	99	91	56	64	22	7	-	2
1941	445	-	-	1	64	110	98	86	50	26	8	1	1
1940	476	-	-	6	64	121	97	99	52	30	4	2	1

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

SUICIDE

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	122	-	-	3	23	32	29	17	11	5	2	-	-
1948	118	-	-	1	25	40	27	17	4	4	-	-	-
1947	125	-	-	1	36	39	27	13	7	2	-	-	-
1946	136	-	-	-	32	35	30	25	10	4	-	-	-
1945	108	-	-	-	30	34	24	11	5	1	2	-	1
1944	102	-	-	1	27	26	21	13	5	6	2	1	-
1943	93	-	-	1	22	20	27	10	8	2	3	-	-
1942	139	-	-	2	39	48	29	14	5	2	-	-	-
1941	121	-	-	2	35	31	18	19	9	4	2	1	-
1940	147	-	-	-	45	41	29	20	5	5	1	1	-

HOMICIDE

ICD Revision Years in use ICD Nos.
 Sixth 1949 E964,E990-E999
 Fifth 1940-1948 165-168

ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	8,033	128	76	125	1,482	2,270	1,884	1,133	553	241	110	12	19
1948	8,536	151	64	136	1,599	2,467	2,022	1,160	528	284	93	16	16
1947	8,555	174	63	122	1,621	2,543	1,962	1,130	564	263	76	12	25
1946	8,784	134	85	117	1,669	2,584	2,042	1,203	577	249	78	9	37
1945	7,412	149	71	134	1,384	2,005	1,776	1,096	468	232	59	10	28
1944	6,553	111	52	120	1,202	1,862	1,598	890	452	180	63	10	13
1943	6,690	126	59	154	1,346	1,850	1,526	904	452	186	59	9	19
1942	7,743	101	53	114	1,635	2,351	1,713	987	472	203	67	13	34
1941	7,929	110	49	126	1,710	2,438	1,744	1,006	440	214	53	10	29
1940	8,208	97	50	130	1,699	2,559	1,790	1,047	497	223	77	8	31

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

HOMICIDE

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	6,214	69	49	83	1,107	1,778	1,483	895	451	203	77	5	14
1948	6,651	72	38	73	1,216	1,952	1,588	967	436	224	67	6	12
1947	6,707	95	38	77	1,249	2,001	1,576	904	467	213	61	5	21
1946	6,885	72	41	76	1,251	2,027	1,639	1,003	484	207	48	6	31
1945	5,835	73	36	81	1,010	1,554	1,445	954	404	199	48	9	22
1944	5,132	57	24	70	886	1,439	1,299	762	379	152	46	6	12
1943	5,233	68	24	94	1,007	1,419	1,244	776	377	160	40	5	19
1942	6,120	58	27	69	1,204	1,861	1,411	838	405	164	48	7	28
1941	6,290	60	31	75	1,249	1,953	1,436	862	380	181	34	8	21
1940	6,526	51	27	75	1,263	2,063	1,467	884	422	182	60	4	28

HOMICIDE

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	1,819	59	27	42	375	492	401	238	102	38	33	7	5
1948	1,885	79	26	63	383	515	434	193	92	60	26	10	4
1947	1,848	79	25	45	372	542	386	226	97	50	15	7	4
1946	1,899	62	44	41	418	557	403	200	93	42	30	3	6
1945	1,577	76	35	53	374	451	331	142	64	33	11	1	6
1944	1,421	54	28	50	316	423	299	128	73	28	17	4	1
1943	1,457	58	35	60	339	431	282	128	75	26	19	4	-
1942	1,623	43	26	45	431	490	302	149	67	39	19	6	6
1941	1,639	50	18	51	461	485	308	144	60	33	19	2	8
1940	1,682	46	23	55	436	496	323	163	75	41	17	4	3

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

HOMICIDE

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	3,643	103	57	82	528	829	817	582	360	180	89	6	10
1948	3,880	124	49	92	564	883	888	598	378	211	70	14	9
1947	3,953	155	56	74	551	942	881	611	387	203	65	11	17
1946	3,998	107	64	63	643	969	844	651	396	179	58	8	16
1945	3,494	125	62	99	508	735	785	606	338	171	45	7	13
1944	2,973	90	46	75	415	661	664	505	316	140	50	8	3
1943	3,163	119	46	91	473	698	647	521	352	149	54	6	7
1942	3,341	87	40	73	529	770	724	547	337	159	54	11	10
1941	3,417	90	36	90	543	838	733	572	311	154	38	4	8
1940	3,723	86	43	91	557	916	787	614	367	177	62	7	16

HOMICIDE

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	2,729	55	39	52	389	631	620	430	289	151	62	2	9
1948	2,908	57	30	48	407	681	673	477	307	166	51	4	7
1947	3,012	81	33	41	416	736	692	462	322	160	52	4	13
1946	3,025	58	31	38	479	737	641	521	318	150	35	5	12
1945	2,703	62	31	57	364	557	628	518	289	144	36	6	11
1944	2,251	47	20	45	303	500	510	413	256	115	34	6	2
1943	2,409	63	18	46	340	524	519	437	289	127	35	4	7
1942	2,572	48	20	36	399	601	560	447	284	126	39	5	7
1941	2,655	53	24	54	384	657	596	466	260	128	25	3	5
1940	2,927	46	25	51	415	738	630	510	308	142	45	4	13

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

HOMICIDE

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	914	48	18	30	139	198	197	152	71	29	27	4	1
1948	972	67	19	44	157	202	215	121	71	45	19	10	2
1947	941	74	23	33	135	206	189	149	65	43	13	7	4
1946	973	49	33	25	164	232	203	130	78	29	23	3	4
1945	791	63	31	42	144	178	157	88	49	27	9	1	2
1944	722	43	26	30	112	161	154	92	60	25	16	2	1
1943	754	56	28	45	133	174	128	84	63	22	19	2	-
1942	769	39	20	37	130	169	164	100	53	33	15	6	3
1941	762	37	12	36	159	181	137	106	51	26	13	1	3
1940	796	40	18	40	142	178	157	104	59	35	17	3	3

HOMICIDE

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	4,390	25	19	43	954	1,441	1,067	551	193	61	21	6	9
1948	4,656	27	15	44	1,035	1,584	1,134	562	150	73	23	2	7
1947	4,602	19	7	48	1,070	1,601	1,081	519	177	60	11	1	8
1946	4,786	27	21	54	1,026	1,615	1,198	552	181	70	20	1	21
1945	3,918	24	9	35	876	1,270	991	490	130	61	14	3	15
1944	3,580	21	6	45	787	1,201	934	385	136	40	13	2	10
1943	3,527	7	13	63	873	1,152	879	383	100	37	5	3	12
1942	4,402	14	13	41	1,106	1,581	989	440	135	44	13	2	24
1941	4,512	20	13	36	1,167	1,600	1,011	434	129	60	15	6	21
1940	4,485	11	7	39	1,142	1,643	1,003	433	130	46	15	1	15

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

HOMICIDE

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	3,485	14	10	31	718	1,147	863	465	162	52	15	3	5
1948	3,743	15	8	25	809	1,271	915	490	129	58	16	2	5
1947	3,695	14	5	36	833	1,265	884	442	145	53	9	1	8
1946	3,860	14	10	38	772	1,290	998	482	166	57	13	1	19
1945	3,132	11	5	24	646	997	817	436	115	55	12	3	11
1944	2,881	10	4	25	583	939	789	349	123	37	12	-	10
1943	2,824	5	6	48	667	895	725	339	88	33	5	1	12
1942	3,548	10	7	33	805	1,260	851	391	121	38	9	2	21
1941	3,635	7	7	21	865	1,296	840	396	120	53	9	5	16
1940	3,599	5	2	24	848	1,325	837	374	114	40	15	-	15

HOMICIDE

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1949	905	11	9	12	236	294	204	86	31	9	6	3	4
1948	913	12	7	19	226	313	219	72	21	15	7	-	2
1947	907	5	2	12	237	336	197	77	32	7	2	-	-
1946	926	13	11	16	254	325	200	70	15	13	7	-	2
1945	786	13	4	11	230	273	174	54	15	6	2	-	4
1944	699	11	2	20	204	262	145	36	13	3	1	2	-
1943	703	2	7	15	206	257	154	44	12	4	-	2	-
1942	854	4	6	8	301	321	138	49	14	6	4	-	3
1941	877	13	6	15	302	304	171	38	9	7	6	1	5
1940	886	6	5	15	294	318	166	59	16	6	-	1	-

- Quantity zero.

Source: CDC/NCHS, National Vital Statistics System, Mortality.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics- Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.