

**National Health and Nutrition Examination Survey
Codebook for Data Production (1999-2000)**

**NHANES Composite International Diagnostic Interview-
Generalized Anxiety Disorder Module (CIQGAD)
Person Level Data**

March 2006

SEQN	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Respondent sequence number
English Text: Respondent sequence number.	
English Instructions:	

WTSCI2YR	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI Subsample 2 year MEC Weight
English Text: CIDI Subsample 2 year MEC Weight	
English Instructions:	

WTSCI4YR	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI Subsample 4 Year MEC Weight
English Text: CIDI Subsample 4 Year MEC Weight	
English Instructions:	

WTSCI01	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 1
English Text: Adult Mental Health MEC Weight Jack Knife Rep 1	
English Instructions:	

WTSCI02	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 2
English Text: Adult Mental Health MEC Weight Jack Knife Rep 2	
English Instructions:	

WTSCI03	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 3
English Text: Adult Mental Health MEC Weight Jack Knife Rep 3	
English Instructions:	

WTSCI04	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 4
English Text: Adult Mental Health MEC Weight Jack Knife Rep 4	
English Instructions:	

WTSCI05	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 5
English Text: Adult Mental Health MEC Weight Jack Knife Rep 5	
English Instructions:	

WTSCI06	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 6
English Text: Adult Mental Health MEC Weight Jack Knife Rep 6	
English Instructions:	

WTSCI07	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 7
English Text: Adult Mental Health MEC Weight Jack Knife Rep 7	
English Instructions:	

WTSCI08	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 8
English Text: Adult Mental Health MEC Weight Jack Knife Rep 8	
English Instructions:	

WTSCI09	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 9
English Text: Adult Mental Health MEC Weight Jack Knife Rep 9	
English Instructions:	

WTSCI10	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 10
English Text: Adult Mental Health MEC Weight Jack Knife Rep 10	
English Instructions:	

WTSCI11	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 11
English Text: Adult Mental Health MEC Weight Jack Knife Rep 11	
English Instructions:	

WTSCI12	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 12
English Text: Adult Mental Health MEC Weight Jack Knife Rep 12	
English Instructions:	

WTSCI13	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 13
English Text: Adult Mental Health MEC Weight Jack Knife Rep 13	
English Instructions:	

WTSCI14	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 14
English Text: Adult Mental Health MEC Weight Jack Knife Rep 14	
English Instructions:	

WTSCI15	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 15
English Text: Adult Mental Health MEC Weight Jack Knife Rep 15	
English Instructions:	

WTSCI16	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 16
English Text: Adult Mental Health MEC Weight Jack Knife Rep 16	
English Instructions:	

WTSCI17	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 17
English Text: Adult Mental Health MEC Weight Jack Knife Rep 17	
English Instructions:	

WTSCI18	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 18
English Text: Adult Mental Health MEC Weight Jack Knife Rep 18	
English Instructions:	

WTSCI19	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 19
English Text: Adult Mental Health MEC Weight Jack Knife Rep 19	
English Instructions:	

WTSCI20	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 20
English Text: Adult Mental Health MEC Weight Jack Knife Rep 20	
English Instructions:	

WTSCI21	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 21
English Text: Adult Mental Health MEC Weight Jack Knife Rep 21	
English Instructions:	

WTSCI22	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 22
English Text: Adult Mental Health MEC Weight Jack Knife Rep 22	
English Instructions:	

WTSCI23	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 23
English Text: Adult Mental Health MEC Weight Jack Knife Rep 23	
English Instructions:	

WTSCI24	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 24
English Text: Adult Mental Health MEC Weight Jack Knife Rep 24	
English Instructions:	

WTSCI25	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 25
English Text: Adult Mental Health MEC Weight Jack Knife Rep 25	
English Instructions:	

WTSCI26	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 26
English Text: Adult Mental Health MEC Weight Jack Knife Rep 26	
English Instructions:	

WTSCI27	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 27
English Text: Adult Mental Health MEC Weight Jack Knife Rep 27	
English Instructions:	

WTSCI28	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 28
English Text: Adult Mental Health MEC Weight Jack Knife Rep 28	
English Instructions:	

WTSCI29	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 29
English Text: Adult Mental Health MEC Weight Jack Knife Rep 29	
English Instructions:	

WTSCI30	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 30
English Text: Adult Mental Health MEC Weight Jack Knife Rep 30	
English Instructions:	

WTSCI31	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 31
English Text: Adult Mental Health MEC Weight Jack Knife Rep 31	
English Instructions:	

WTSCI32	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 32
English Text: Adult Mental Health MEC Weight Jack Knife Rep 32	
English Instructions:	

WTSCI33	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 33
English Text: Adult Mental Health MEC Weight Jack Knife Rep 33	
English Instructions:	

WTSCI34	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 34
English Text: Adult Mental Health MEC Weight Jack Knife Rep 34	
English Instructions:	

WTSCI35	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 35
English Text: Adult Mental Health MEC Weight Jack Knife Rep 35	
English Instructions:	

WTSCI36	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 36
English Text: Adult Mental Health MEC Weight Jack Knife Rep 36	
English Instructions:	

WTSCI37	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 37
English Text: Adult Mental Health MEC Weight Jack Knife Rep 37	
English Instructions:	

WTSCI38	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 38
English Text: Adult Mental Health MEC Weight Jack Knife Rep 38	
English Instructions:	

WTSCI39	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 39
English Text: Adult Mental Health MEC Weight Jack Knife Rep 39	
English Instructions:	

WTSCI40	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 40
English Text: Adult Mental Health MEC Weight Jack Knife Rep 40	
English Instructions:	

WTSCI41	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 41
English Text: Adult Mental Health MEC Weight Jack Knife Rep 41	
English Instructions:	

WTSCI42	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 42
English Text: Adult Mental Health MEC Weight Jack Knife Rep 42	
English Instructions:	

WTSCI43	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 43
English Text: Adult Mental Health MEC Weight Jack Knife Rep 43	
English Instructions:	

WTSCI44	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 44
English Text: Adult Mental Health MEC Weight Jack Knife Rep 44	
English Instructions:	

WTSCI45	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 45
English Text: Adult Mental Health MEC Weight Jack Knife Rep 45	
English Instructions:	

WTSCI46	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 46
English Text: Adult Mental Health MEC Weight Jack Knife Rep 46	
English Instructions:	

WTSCI47	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 47
English Text: Adult Mental Health MEC Weight Jack Knife Rep 47	
English Instructions:	

WTSCI48	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 48
English Text: Adult Mental Health MEC Weight Jack Knife Rep 48	
English Instructions:	

WTSCI49	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 49
English Text: Adult Mental Health MEC Weight Jack Knife Rep 49	
English Instructions:	

WTSCI50	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 50
English Text: Adult Mental Health MEC Weight Jack Knife Rep 50	
English Instructions:	

WTSCI51	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 51
English Text: Adult Mental Health MEC Weight Jack Knife Rep 51	
English Instructions:	

WTSCI52	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CIDI MEC Weight Jack Knife Rep 52
English Text: Adult Mental Health MEC Weight Jack Knife Rep 52	
English Instructions:	

CIAORDER	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Order in which CIDI modules are asked
English Text: Order in which CIDI modules are asked	
English Instructions:	
Codes: 0= Panic, GAD, Depression 1= Depression, Panic, GAD	Skip To Values:

CIQG01	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Month worried, tense, anxious(WTA)?
English Text: The next questions are about longer periods of feeling worried, tense, or anxious. In the past 12 months, did you have a period of a month or more when most days you felt worried or tense or anxious about everyday problems such as work or family?	
English Instructions: (Collection name = D63)	
Codes:	Skip To Values:
1= Yes	
2= No	CIQG06
7= Refused	CIQG06
9= Don't know	CIQG06

CIQG02	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did period last six months?
English Text: Did that period go on for at least six months?	
English Instructions: (Collection name = D63_1)	
Codes:	Skip To Values:
1= Yes	
2= No	
7= Refused	
9= Don't know	

CIQG03	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	No. months worried, tense, anxious?
English Text: How many months out of the last 12 did you feel worried or tense or anxious most days?	
English Instructions: NUMBER OF MONTHS (Collection name = D63_2)	
Codes: 77= Refused 99= Don't know	Skip To Values:

CIQG04	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	WTA frequency
English Text: During (that/those) month(s), were you worried, tense, or anxious every day, nearly every day, most days, about half the days, or less than half the days?	
English Instructions: (Collection name = D63_3)	
Codes: 1= Every Day 2= Nearly Every Day 3= Most Days 4= About Half the Days 5= Less than Half the Days 7= Refused 9= Don't know	Skip To Values: CIDGSCOR CIQG06 CIQG06

CIQG05	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	WTA duration
English Text: And on the days you worried or were tense or anxious, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?	
English Instructions: (IF "It varies," PROBE: What about on average?) (Collection name = D63_4)	
Codes:	Skip To Values:
1= All Day Long	CIQG12
2= Most of the Day	CIQG12
3= About Half	CIQG12
4= Less than Half	CIQG12
7= Refused	CIQG12
9= Don't know	CIQG12

CIQG06	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	WTA a lot more than most?
English Text: People differ a lot in how much they worry about things. (READ THE NEXT SENTENCE SLOWLY.) In the past 12 months, did you have a period when most days you were a lot more worried or tense or anxious than most people would be in your same situation?	
English Instructions: (Collection name = D63A)	
Codes:	Skip To Values:
1= Yes	
2= No	CIDGSCOR
7= Refused	CIDGSCOR
9= Don't know	CIDGSCOR

CIQG07	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did period last six months?
English Text: Did that period go on for at least six months?	
English Instructions: (Collection name = D63A_1)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values:

CIQG08	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	No. months worried, tense, anxious?
English Text: How many months out of the last 12 did you feel worried or tense or anxious most days?	
English Instructions: NUMBER OF MONTHS (Collection name = D63A_2)	
Codes: 77= Refused 99= Don't know	Skip To Values:

CIQG09	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	WTA frequency
English Text: During (that/those) month(s), were you worried, tense, or anxious every day, nearly every day, most days, about half the days, or less than half the days?	
English Instructions: (Collection name = D63A_3)	
Codes:	Skip To Values:
1= Every Day	
2= Nearly Every Day	
3= Most Days	
4= About Half the Days	
5= Less than Half the Days	CIDGSCOR
7= Refused	CIDGSCOR
9= Don't know	CIDGSCOR

CIQG10	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	WTA duration
English Text: And on the days you worried or were tense or anxious, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?	
English Instructions: (IF "It varies," PROBE: What about on average?) (Collection name = D63A_4)	
Codes:	Skip To Values:
1= All Day Long	
2= Most of the Day	
3= About Half	
4= Less than Half	
7= Refused	
9= Don't know	

CIQG12	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did R worry about health/drug use?
English Text: Did R worry about health/drug use?	
English Instructions: INTERVIEWER QUERY: DID R REPORT EXCLUSIVELY WORRYING ABOUT HIS/HER OWN PHYSICAL HEALTH OR MENTAL HEALTH OR WEIGHT OR DRUG USE? (Collection name = D64D_1)	
Codes: 1= Yes 2= No	Skip To Values: CIDGSCOR

CIQG13	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did R have multiple worries?
English Text: Did R have multiple worries?	
English Instructions: INTERVIEWER QUERY: DID R REPORT EXCLUSIVELY WORRYING ABOUT ONE THING? OR DID R HAVE MULTIPLE WORRIES? (Collection name = D64D_2)	
Codes: 1= Worried about one thing 2= Multiple worries	Skip To Values: CIDGSCOR

CIQG14	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Do you think worry excessive?
English Text: Do you think your worry was excessive; that is, much stronger than it really should be in your situation?	
English Instructions: (Collection name = D64A)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values:

CIQG15	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	How often difficult control worry?
English Text: How often did you find it difficult to control your worry -- often, sometimes, rarely, or never?	
English Instructions: (Collection name = D64C)	
Codes: 1= Often 2= Sometimes 3= Rarely 4= Never 7= Refused 9= Don't know	Skip To Values:

CIQG16	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	How often worry so strong?
English Text: How often was your worry so strong that you couldn't put it out of your mind no matter how hard you tried -- often, sometimes, rarely, or never?	
English Instructions: (Collection name = D64C_1)	
Codes: 1= Often 2= Sometimes 3= Rarely 4= Never 7= Refused 9= Don't know	Skip To Values:

CIQG17A	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Handcard: often restless?
English Text: Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)	
English Instructions: IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT. (Collection name = D65_1)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values:

CIQG17B	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Handcard: often keyed up?
English Text: Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)	
English Instructions: IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT. (Collection name = D65_2)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values:

CIQG17C	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Handcard: more tired than usual?
English Text: Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)	
English Instructions: IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT. (Collection name = D65_3)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values:

CIQG17D	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Handcard: more irritable?
English Text: Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)	
English Instructions: IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT. (Collection name = D65_5)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values:

CIQG17E	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Handcard: trouble sleeping?
English Text: Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)	
English Instructions: IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT. (Collection name = D65_7)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values:

CIQG17F	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Handcard: trouble keeping mind on?
English Text: Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)	
English Instructions: IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT. (Collection name = D65_4)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values:

CIQG17G	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Handcard: tense, sore, ach muscles?
English Text: Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)	
English Instructions: IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT. (Collection name = D65_6)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values:

CIQG18	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did you tell MD about WTA?
English Text: In the past 12 months did you tell a doctor about feeling worried, tense, or anxious when you also had some of the problems on the list?	
English Instructions: (Collection name = D66)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values: CIQGPHA

CIQGPA	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did you tell other prof about WTA?
English Text: Did you tell other professional about being, worried, tense, or anxious?	
English Instructions: (Collection name = D66PA1)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values: CIQGPD

CIQGPB	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did you take medication for WTA?
English Text: Did you take medication for being, worried, tense, or anxious?	
English Instructions: (Collection name = D66PA2)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values: CIQGPD

CIQGPC	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did WTA interfere with life?
English Text: Did being, worried, tense, or anxious interfere with life?	
English Instructions: (Collection name = D66PA3)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values: CIDGPRB CIDGPRB CIDGPRB

CIQGPD	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Was WTA result of phys illness?
English Text: Was being, worried, tense, or anxious result of physical illness?	
English Instructions: (Collection name = D66PB1)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values: CIQGPN

CIQGPE	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Was WTA result of MDA?
English Text: Was being, worried, tense, or anxious result of medicine, drugs, or alcohol?	
English Instructions: (Collection name = D66PC1)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values: CIDGPRB CIDGPRB CIDGPRB

CIQGPF	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Was WTA always result MDA?
English Text: Was being, worried, tense, or anxious always result of medicine, drugs, or alcohol?	
English Instructions: (Collection name = D66PC2)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values: CIDGPRB CIDGPRB CIDGPRB CIDGPRB

CIQGPFA	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Doctor said nerves causing WTA
English Text: Doctor said nerves causing being, worried, tense, or anxious	
English Instructions: (Collection name = D66PD1)	
Codes: 1= Doctor said nerves causing WTA 77= Refused 99= Don't know	Skip To Values:

CIQGPHB	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Doctor said stress causing WTA
English Text: Doctor said stress causing being, worried, tense, or anxious	
English Instructions: (Collection name = D66PD1)	
Codes: 2= Doctor said stress causing WTA	Skip To Values:

CIQGPHC	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Doctor said anxiety causing WTA
English Text: Doctor said anxiety causing being, worried, tense, or anxious	
English Instructions: (Collection name = D66PD1)	
Codes: 3= Doctor said anxiety causing WTA	Skip To Values:

CIQGPHD	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Doctor said depression causing WTA
English Text: Doctor said depression causing being, worried, tense, or anxious	
English Instructions: (Collection name = D66PD1)	
Codes: 4= Doctor said depression causing WTA	Skip To Values:

CIQGPHE	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Doctor said mental illness causing WTA
English Text: Doctor said mental illness causing being, worried, tense, or anxious	
English Instructions: (Collection name = D66PD1)	
Codes: 5= Doctor said mental illness causing WTA	Skip To Values:

CIQGPHF	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Doctor said medication causing WTA
English Text: Doctor said medication causing being, worried, tense, or anxious	
English Instructions: (Collection name = D66PD1)	
Codes: 6= Doctor said medication causing WTA	Skip To Values:

CIQGPHG	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Doctor said drugs causing WTA
English Text: Doctor said drugs causing being, worried, tense, or anxious	
English Instructions: (Collection name = D66PD1)	
Codes: 7= Doctor said drugs causing WTA	Skip To Values:

CIQGPHH	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Doctor said alcohol causing WTA
English Text: Doctor said alcohol causing being, worried, tense, or anxious	
English Instructions: (Collection name = D66PD1)	
Codes: 8= Doctor said alcohol causing WTA	Skip To Values:

CIQGPHI	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Doctor said physical illness causing WTA
English Text: Doctor said physical illness causing being, worried, tense, or anxious	
English Instructions: (Collection name = D66PD1)	
Codes: 9= Doctor said physical illness causing WTA	Skip To Values:

CIQGPHJ	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Doctor said physical injury causing WTA
English Text: Doctor said physical injury causing being, worried, tense, or anxious	
English Instructions: (Collection name = D66PD1)	
Codes: 10= Doctor said physical injury causing WTA	Skip To Values:

CIQGPHK	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Doc gave no definite diagnosis for WTA
English Text: Doc gave no definite diagnosis for being, worried, tense, or anxious	
English Instructions: (Collection name = D66PD1)	
Codes: 11= Doc gave no definite diagnosis for WTA	Skip To Values:

CIQGPHZZ	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM
English Text:	
English Instructions: IF ANY OF CIQGPHA - CIQGPHE SELECTED THEN SKIP TO CIDGPRB; ELSE IF ANY OF CIDGPHI-CIQGPHH SELECTED THEN SKIP TO CIQGPJ; ELSE IF ANY OF CIQGPHI-CIQGPHJ SELECTED THEN SKIP TO CIQGPN; ELSE IF CIQGPBK SELECTED THEN SKIP TO CIQGPQ; ELSE IS REFUSED OR DON'T KNOW THEN SKIP TO CIDGPRB.	

CIQGPJ	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Was WTA always result MDA?
English Text: Was being, worried, tense, or anxious always result of medicine, drugs, or alcohol?	
English Instructions: (Collection name = D66PD3)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values: CIDGPRB

CIQGPK	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Was WTA result of phys illness?
English Text: When being, worried, tense, or anxious was not the result of medicine, drugs, or alcohol, was being, worried, tense, or anxious result of physical illness?	
English Instructions: (Collection name = D66PD4)	
Codes:	Skip To Values:
1= Yes	CIDGPRB
2= No	CIDGPRB
7= Refused	CIDGPRB
9= Don't know	CIDGPRB

CIQGPQ	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Anything abnormal when examined?
English Text: Anything abnormal when examined?	
English Instructions: (Collection name = D66PD10)	
Codes:	Skip To Values:
1= Nothing abnormal	CIDGPRB
2= No examination	CIDGPRB
3= Something abnormal	
7= Refused	CIDGPRB
9= Don't know	CIDGPRB

CIQGPN	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Was WTA always result of phys illness?
English Text: Was being, worried, tense, or anxious always result of physical illness?	
English Instructions: (Collection name = D66PD7)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values: CIQGPN

CIQGPO	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Was WTA always result MDA?
English Text: When being, worried, tense, or anxious was not result of physical illness, was being, worried, tense, or anxious always result medicine, drugs, or alcohol?	
English Instructions: (Collection name = D66PD8)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values:

CIDGPRB	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	General cause of WTA
English Text: General cause of being, worried, tense, or anxious	
English Instructions: (Collection name = D66PRB)	
Codes:	Skip To Values:
1= No Problem	
2= Not clinically significant	
3= Medication, Drugs, or Alcohol	
4= Physical cause	
5= Psychiatric Symptom	

CIQG19	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Remember age when first WTA?
English Text: Can you remember your exact age the very first time in your life you had a period of worry, tension, or anxiety like the one you had in the past 12 months (that lasted six months or longer) and you also had some of the other problems we just reviewed?	
English Instructions: (Collection name = D69)	
Codes:	Skip To Values:
1= Yes	
2= No	CIQG21
7= Refused	CIQG21
9= Don't know	CIQG21

CIQG20	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	How old were you when first WTA?
English Text: How old were you when first WTA?	
English Instructions: YEARS OF AGE (Collection name = D69A)	
Codes: 77= Refused 99= Don't know	Skip To Values:

CIQG20ZZ	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM
English Text:	
English Instructions: GO TO CIQG23	

CIQG21	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	About how old when first WTA?
English Text: About how old were you the first time you had a period of this sort?	
English Instructions: YEARS OF AGE (Collection name = D69B)	
Codes: 77= Refused 99= Don't know	Skip To Values:

CIQG22	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Earliest age period of WTA
English Text: What's the earliest age you can clearly remember a particular time when you had a period of this sort?	
English Instructions: YEARS OF AGE (Collection name = D69C)	
Codes: 77= Refused 99= Don't know	Skip To Values:

CIQG23	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Recency of period of WTA
English Text: And how recently did you have a period of this sort -- in the past month, past six months, or more than six months ago?	
English Instructions: (Collection name = D69D)	
Codes: 1= Past Month 2= Past 6 Months 3= Over 6 Months 7= Refused 9= Don't know	Skip To Values:

CIQG24	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	How upset for feeling WTA?
English Text: In the past 12 months, how upset have you been with yourself for feeling worried, tense, or anxious -- very upset, somewhat, not very, or not at all upset?	
English Instructions: (Collection name = D67)	
Codes:	Skip To Values:
1= Very upset	
2= Somewhat Upset	
3= Not very upset	
4= Not at all upset	
7= Refused	
9= Don't know	

CIQG25	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	WTA interfere with daily life?
English Text: Think about how your life and activities were affected in the past 12 months by your worry, tension or anxiety. Did these things interfere with your life and activities -- a lot, some, a little, or not at all?	
English Instructions: (Collection name = D68)	
Codes:	Skip To Values:
1= A lot	
2= Some	
3= A little	
4= Not at all	
7= Refused	
9= Don't know	

CIQG26	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	No. days totally unable work
English Text: About how many days in the past 12 months were you totally unable for the whole day to work and carry out your other normal activities because of your worry, tension, or anxiety? You can answer with any number between 0 and 365.	
English Instructions: (Collection name = D68A)	
Codes: 777= Refused 999= Don't know	Skip To Values:

CIQG26ZZ	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM
English Text:	
English Instructions: IF CIQG26=0 GO TO CIQG29; IF CIQG26=1 GO TO CIQG27; ELSE GO TO CIQG28	

CIQG27	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did day occur past 4 weeks?
English Text: Did that day occur in the past four weeks?	
English Instructions: (Collection name = D68A_1)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values: CIQG29 CIQG29 CIQG29 CIQG29

CIQG28	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	No. days totally past 4 weeks
English Text: How many of these days occurred in the past four weeks?	
English Instructions: NUMBER OF DAYS (Collection name = D68A_2)	
Codes: 77= Refused 99= Don't know	Skip To Values:

CIQG29	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	No. days cutback amount/quality
English Text: [Not counting the day(s) you were totally unable to work,] about how many (other) days in the past 12 months did you cut back either on the amount of work you got done or on the quality of your work because of your worry, tension, or anxiety? (Again, you can use any number between 0 and 365.)	
English Instructions: NUMBER OF DAYS (Collection name = D68B)	
Codes: 777= Refused 999= Don't know	Skip To Values:

CIQG29ZZ	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM
English Text:	
English Instructions: IF CIQG29=0 GO TO CIQG33; ELSE CONTINUE	

CIQG30	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Describe quantity/quality cutback
English Text: Thinking about (that cutback day/those cutback days), on a scale from 0 to 100 where zero means being totally unable to work and 100 means working a full high quality day, what number describes the quantity and quality of your work during (that day/those days)? You can use any number between 0 and 100.	
English Instructions: RECORD NUMBER BETWEEN 0 AND 100 (Collection name = D68C)	
Codes: 777= Refused 999= Don't know	Skip To Values:

CIQG30ZZ	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM
English Text:	
English Instructions: IF CIQG29=1 GO TO CIQG31; ELSE GO TO CIQG32	

CIQG31	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did cutback occur past 4 weeks?
English Text: Did that cutback day occur in the past four weeks?	
English Instructions: (Collection name = D68C_1)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values: CIQG36 CIQG36 CIQG36 CIQG36

CIQG32	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	No. days cutback past 4 weeks
English Text: How many of these cutback days occurred in the past four weeks?	
English Instructions: NUMBER OF DAYS (Collection name = D68C_2)	
Codes: 77= Refused 99= Don't know	Skip To Values:

CIQG33	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	No. days extreme effort to work
English Text: [Not counting the day(s) (you were totally unable to work)/(or)/(you cut back on work),] about how many (other) days in the past 12 months did it take an extreme effort to perform up to your usual level at work or at your other normal daily activities because of your worry, tension, or anxiety? (Again, you can use any number between 0 and 365.)	
English Instructions: NUMBER OF DAYS (Collection name = D68C_3)	
Codes: 777= Refused 999= Don't know	Skip To Values:

CIQG33ZZ	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM
English Text:	
English Instructions: IF CIQG33=0 GO TO CIQG36; IF CIQG33=1 GO TO CIQG34; ELSE GO TO CIQG35	

CIQG34	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did extreme occur past 4 weeks?
English Text: Did that day occur in the past four weeks?	
English Instructions: NUMBER OF DAYS (Collection name = D68C_3_1)	
Codes:	Skip To Values:
1= Yes	CIQG36
2= No	CIQG36
7= Refused	CIQG36
9= Don't know	CIQG36

CIQG35	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	No. days extreme past 4 weeks
English Text: No. days extreme past 4 weeks	
English Instructions: NUMBER OF DAYS (Collection name = D68C_3_2)	
Codes:	Skip To Values:
77= Refused	
99= Don't know	

CIQG36	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	No. days interfere personal life
English Text: And about how many days in the past 12 months did your worry, tension, or anxiety seriously interfere with your personal or social life? (Again, you can use any number between 0 and 365.)	
English Instructions: NUMBER OF DAYS (Collection name = D68D)	
Codes: 777= Refused 999= Don't know	Skip To Values:

CIQG36ZZ	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM
English Text:	
English Instructions: IF CIQG36=0 GO TO CIDGSCOR; IF CIQG36=1 GO TO CIQG37; ELSE GO TO CIQG38	

CIQG37	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did interfere occur past 4 weeks?
English Text: Did that day occur in the past four weeks?	
English Instructions: NUMBER OF DAYS (Collection name = D68D_1)	
Codes: 1= Yes 2= No 7= Refused 9= Don't know	Skip To Values: CIDGSCOR CIDGSCOR CIDGSCOR CIDGSCOR

CIQG38	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	No. days interfere past 4 weeks
English Text: How many of these days occurred in the past four weeks?	
English Instructions: NUMBER OF DAYS (Collection name = D68D_2)	
Codes: 77= Refused 99= Don't know	Skip To Values:

CIDGSCOR	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	GAD score
English Text: GAD score	
English Instructions: (Collection name = GAD)	
Codes: 1= Positive Diagnosis 5= Negative Diagnosis	Skip To Values: